CERAMIC ABSTRACTS

1995 Author Index

Compiled by the American Ceramic Society

The abstract number appears at the end of each citation. Abstracts are numbered continuously through an entire volume.

Ababou, A.; Carriere, B.; Fayette, L.; Marcus, B.; Mermoux, M.; Romeo, M.
Kinetics of diamond growth on Si(100) substrate monitored by electron spectroscopy.—74-10432A

Abachi, P. See Purazrang, K.

Abakumova, R. A.; Efimov, A. V.; Konstantinova, G. V.
Determination of the specific pore surface area of xerogels and gel glasses by the dye sorption method.—74-02612A; Determination of the specific surface of the pores of xerogels and gel-glasses by the method of sorption of dyes.—74-00253A

Abate, Christopher; Scheetz, Barry E.
Aqueous phase equilibria in the system CaO-Al_2O_3-$CaCl_2$-H_2O: the significance and stability of Friedel's Salt.—74-04094A

Abbakumov, V. G. See Noviov, V. L.

Abbaschian, Reza See Shaw, Leon

Abbasi, Hamid A. See Panahi, Sherry K.

Abd Al-Maksoud, S. See Doweidar, H.

Abd Allah, E. W. See Ahmed, A. A.

Abd El-Hady, S. A.; Mansour, B. A.; El-Hagary, M. A.
Optical and structural properties of $CuGaSe_2$ polycrystalline thin films.—74-06236A

Abd Elaziz, D. O. See Naga, S. M.

Abdali, S. See Christensen, F. E.

Abdel-Aziz, M. M. See Kotkata, M. F.

Abdel-Fattah, Wafa I.; El-Sayed, A.; Ali, F. M.
In vitro degradation of tricalcium phosphate and hydroxyapatite in human pool sera.—74-06979A

Abdel-Fattah, Wafa I.; Hassanein, El-S.
Laser irradiation of human tooth dentin.—74-07168A

Abdel-Fattah, Wafa I.; Osiris, W. G.; El-Shabini, A. S.
Effect of techniques of fast neutron irradiation on the infrared spectra of bone China whiteware.—74-05892A

Abdel-Jawad, Yahia; Al-Qudah, Muhammad
Combined effect of water and temperature on the strength of sulfur concrete.—74-02315A

Abdel-Jawad, Yahia; Haddad, Rami
Effect of early overloading of concrete on strength at later ages.—74-05496A

Abdelhadi, M. M.; Ziq, K. A.
Behavior of the flux flow resistance in YBCO/$(Ag_2O)_x$.—74-06493A

Abdirashid, Mohamed O. See Colombo, Paolo

Abdulhalim, I.; Pannell, C. N.; Wang, J.
Acoustooptic modulation using a new chlorotellurite glass.—74-04246A

Abduljauwad, S. See Rasheeduzzafar

Abdullaev, N. A. See Suletmanov, R. A.

Abdullaev, N. A.; Nizametdinova, M. A.; Sardarly, A. D.
Low-temperature metallic conductivity in semiconductor TlSe with chain structure.—74-03091A

Abdullaev, N. A.; Sardarly, A. D.; Suleimanov, R. A.
Gamma-irradiation effect on mechanism of low-temperature electrical conductivity in layered InSe crystals.—74-04321A

Abdullaev, N. A.
Relationship between the anomalous photovoltage of GaAs films and their structure.—74-03201A

Abdulsabirov, R. Yu.; Kazei, Z. A.; Korableva, S. L.
Magnetoelastic anomalies of thermal expansion of $LiRF_4$ crystals, R=Ho, Tm, Lu.—74-07088A

Abdulsabirov, R. Yu.; Korableva, S. L.; Falin, M. L.
EPR of Sm^{3+} ion in $KMgF_3$ crystal.—74-02538A

Abdurakhmanov, Yu. Yu. See Yusunov, M. S.

Abe, M. See Hishinuma, K.

Abe, Masahiro; Nanataki, Tsutomu; Yano, Shinsuke
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition—74-00548P

Abe, Masahiro; Sugiura, Tatsumi; Nanataki, Tsutomu; Yano, Shinsuke
Method of preparing a dielectric ceramic composition for producing a dielectric resonator or filter for microwave applications.—74-08806P

Abe, S.; Nakamura, N.; Masumoto, K.
Flexural strength and electrical properties of a B-doped BPSCCO superconductor.—74-00812A

Abe, Shunya See Adachi, Yoshiya

Abe, T. See Mori, M.; Ohno, K.

Abe, Takeo
Bonded silicon-on-insulator wafers for VLSI and the fabrication process.—74-08724A

Abe, Yoneji See Hirai, Toshiharu

Abe, Yoshihiro See Kasuga, Toshihiro; Nogami, Masayuki; Ota, Yoshio

Abelard, P. See Smith, A.

Abelard, P.; Guerin, O.
Study of the thermal and electrical properties of $BaTiO_3$ PTC thermistors using a theoretical model.—74-06341A

Abell, J. S. See Hodges, R. G. L.

Abello, L. See Fayette, L.; Fontaine, F.; Gheeraert, E.; Nunez-Regueiro, M.

Abelson, J. R. See Petrov, I.

Aben, H.
Modern photoelasticity for stress measurement in glass containers.—74-00269A

Abernathy, C. R. See Hobson, W. S.; Pearton, S. J.; Ren, F.

Abicht, Hans-Peter See Langhammer, H.-T.; Voeltzke, D.

Abicht, P. See Marx, U.

Abo-El-Enein, S. A.; Galal, A. F.; Hekal, E. E.; Al-Noaimi, K. K.
Hydration characteristics of some pozzolanic cements.—74-08044A

Abo-Elsoud, A. M. See Zayed, H. A.

Abo-Elsoud, A. M.; Mansour, B. A.; Soliman, L. I.
Optical and electrical properties of V_2O_5 thin films.—74-04379A

Abou El-Maaty, M. A. See Naga, S. M.

Abou-Elfotouh, F. See Rockett, A.

Abou-Sekkina, M. M. See El-Elshereafy, E.

Aboudihab, I.; Gilabert, A.; Azema, A.
Superconducting $YBa_2Cu_3O_{7-\delta}$ thin-film bolometer for infrared radiation.—74-06637A

Abraham, Alain
Coloration of glass.—74-08362A

Abraham, D. L. See Jansen, R.

Abraham, T. See Chang, W. H.

Abraham, T.
Growing market for cBN and diamond products.—74-02239A

Abraham-Shrauner, Barbara
Analytic models for plasma-assisted etching of semiconductor trenches.—74-02911A

Abraizov, Michael See Dorfman, Benjamin

Abramov, V. Ya. See Ignat'eva, G. P.

Abramova, L. A.; Dulov, A. A.; Baranov, S. P.
Computer simulations aimed at the analysis of the state and evolution of multicomponent systems: II, Binary mechanical mixtures analyzed with conductivity.—74-02826A

Abramowicz, T. See Dataka, J.

Abramowitz, Mort
Research-grade microscope.—74-06809A

Abrams, Lloyd See Parise, John B.

Abrantes, J. C. C.; Marques, F. M. B.; Frade, J. R.
Composite cathodes for solid oxide fuel cells.—74-02945A

Abrashkevich, Yu. D. See Karyuk, G. G.

Abreal, A.; Goeuriot, D.; Thevanot, F.
Additions to improve the oxidation resistance of alumina-boron nitride composites.—74-07795A

Abreu, Raul A.; Troup, Alan P.; Sahm, Michael K.
Causes of anomalous solid formation in the exhaust systems of low-pressure chemical vapor deposition and plasma-enhanced chemical vapor deposition semiconductor processes.—74-06682A

Abrosimova, G. See Serebryakov, A.

Abrosimova, V. N.; Avetis»an, L. F.; Vyatkin, A. F.
Fast thermal diffusion of Zn into a GaAs/$Al_xGa_{1-x}As$/As heterostructure.—74-08909A

Abstreiter, G. See Brunner, K.; Butov, L. V.

Abt, Norman E.; Moazzami, Reza; Nissan-Cohen, Yoav
Method for forming a ceramic oxide capacitor having barrier layers.—74-08802P

Abu-Elazm, A. M. See Bahgot, A. A.

Acchar, W.; Rendtel, A.; Hubner, H.
Improvements in the creep resistance of hot-pressed silicon nitride (HPSN).—74-07891A

Acha, M. See Andrade, C.

Ache, H. J. See Althainz, P.

Ache, H. J.; Goschnick, J.; Sommer, M.; Emig, G.; Schoch, G.; Wormer, O.
Chemical vapor deposition of hafnium carbide and characterization of the deposited layers by secondary-neutral mass spectrometry.—74-04104A

Achete, C. A. See Freire, F. L., Jr.; Mariotto, Gino

Achiba, Y. See Renschler, Clifford L.

Achour, S.; Benlahrache, M. T.; Harabi, A.
Defect distribution in electron-irradiated CdS materials.—74-01939A

Ackermann, J. See Hagen, T.

Acma, Ercan See Sesigur, Hakan

Acosta, Sylvie; Arnal, Pascal; Corriu, Robert J. P.
General nonhydrolytic sol-gel route to oxides.—74-10369A

Acosta, Sylvie; Corriu, Robert J. P.; Leclercq, Dominique
Monophasic premullite gels prepared by a nonhydrolytic process.—74-10481A

Acovic, A. See Hsu, C. C.-H.

Adachi, A. See Hiyamizu, S.

Adachi, Hirohiko See Kimura, Hitoshi

Adachi, Kengo See Maruyama, Fumio

Adachi, Kenji See Hirashima, Hiroshi

Adachi, Nobuyasu See Hamamoto, Terufumi

Adachi, Sadao; Kato, Hirokazu; Moki, Akira
Refractive index of $(Al_xGa_{1-x})_{0.5}In_{0.5}P$ quaternary alloys.—74-04409A

Adachi, Yoshiya; Yuzuri, Motoyoshi; Kaneko, Takejiro; Abe, Shunya; Yoshida, Hajime
Magnetic phase transition of Cr_2Se_3.—74-03388A

Adair, James H. See Khan, Saeed R.

Adam, Karin See Mueller, Wolfgang

Adamik, Miklos See Pischow, K. A.; Qiu, Hong

Adams, A. R. See Gault, M.

Adams, A.R.; Benyon, R.P.; Greene, P.D.
Pairing of Mn acceptors and Te donors in InP and related alloys.—74-03147A

Adams, Edward See Rogers, Jim L.

Adams, J. W.; Barletta, Robert E.; Svandrlik, J.
Performance of CVD- and CVR-coated carbon-carbon in high-temperature hydrogen.—74-10516A; Performance of CVR coatings for PBR fuels.—74-10517A

Adams, James See Fu, Jian-Ming

Adams, P. M. See Katzman, H. A.; Rellick, Gerald S.

Addemir, O. See Kuskonmaz, N.

Adelmann, Harald E.; Peschl, Hans P.
Electrical device having a bonded ceramic-copper heat transfer medium.—74-02878P

Adesida, I. See Agarwala, Sambhu; Ballegeer, D. G.; Chang, H.; Tong, M.

Adkins, T.; Davis, J.; Manning, C.; Johnson, T.; Smith, J.; Sare, Edward J.
Automated baroid filter characterization of casting slip components.—74-11141A

Adkisson, Thomas J. See Gantt, George E.

Adler, J. See Wolf, C.

Adler, Stuart B.; Reimer, Jeffrey A.; Baltisberger„ Jay
Chemical structure and oxygen dynamics in $Ba_2In_2O_5$.—74-05094A

Adler, Thomas A.
Elastic-plastic indentation of hard, brittle materials with spherical indenters.—74-05348A

Adlhoch, H.-J.
Advances in the design and evaluation of filter plants.—74-06677A

Adonkin, V. T.; Alekseyenko, B. V.; Galushka, A. P.
Correlation between critical temperature and structural changes in $YBa_2Cu_3O_7$ under low-fluence fast-neutron irradiation.—74-06503A

Adrievskii, R. A.
Properties of nanocrystalline refractory compounds.—74-10144A

Adushnaeva, R. Yu.; Bol'nykh, I. K.; Sever, G. N.
Photo-emf anomalies in ferromagnetic ordering region in $HgCr_2Se_4$.—74-04392A

Adylov, G. T.; Mansurova, E. P.; Pavlovskii, V. K.
Fusion cast bacor refractories obtained by radiant heating.—74-02756A

Adylov, G. T.; Mansurova, E. P.; Sigalov, L. M.
Formation of phases and structure in mullite-zirconia and spinel-zirconia materials produced by melt crystallization.—74-07079A

Adylov, G. T.; Mansurova, E. P.
Ceramics from powders produced by rapid hardening of materials fused in a solar furnace.—74-01137A

Aebi, P.; Osterwalder, J.; Schwaller, P.
Complete Fermi mapping of $Bi_2Sr_2CaCu_2O_{8+\delta}(001)$: coexistence of short-range antiferromagnetic correlations and metallicity in the same.—74-04265A

Aeppli, G. See Isaacs, E. D.

Aesoph, M. D. See Parthasarathi, S.

Afanas'eva, I. N. See Kuz'micheva, G. M.

Afanasiev, A. M.; Imamov, R. M.; Maslov, A. V.
Study of upper layers of superlattices by standing X-ray waves technique.—74-03237A

Afanasiev, Pavel; Geantet, Christophe; Bressysse, Michele
Influence of preparation method on the acidity of $MoO_3(WO_3)/ZrO_2$ catalysts.—74-04702A

Afanasov, A. M. See Danot, M.

Afifi, H. H. See Ashour, A.

Afifi, M. A. See Kotkata, M. F.

Afinogenova, N. S.; Bocharov, L. D.; Dmitrienko, Yu. A.
Prospects for obtaining magnesia products from the Zabaikal'sk group of magnesites.—74-02773A

Afonso, C. N. See De Sande, J. C. G.; Gonzalo, J.

Agaev, A. B. See Aliev, O. M.

Agaev, A. B.; Akhmedova, D. A.; Rustamov, P. G.
Phase formation in the system Ho-In-Te and a projection of the liquidus surface.—74-01433A

Agahi, Farid See Hanson, Cynthia M.

Agal'tsov, A. M. See Gorelik, V. S.

Agarwal, Anand See Li, Hong

Agarwal, Anand; Tomozawa, Minoru
Determination of fictive temperature of soda-lime-silicate glass.—74-02529A

Agarwal, G. M.
Indian ceramic industry—perspectives and prospects.—74-11168A

Agarwal, S. K. See Masood, Irshad

Agarwala, Sambhu; Adesida, I.; Caneau, Catherine
Characteristics of selective reactive ion etching of InGaAs/InAlAs heterostructures using HBr plasma.—74-00577A

Agbossou, A.; Mele, P.; Alberola, N.
Strain rate and coupling agent effects in discontinuous glass fiber-reinforced polypropylene matrix.—74-02582A

Agekyan, V. F. See Averkieva, G. K.

Ager, J. W. See Yu, Kin-Man

Ageyev, V. N.; Kuznetsov, Yu. A.; Potekhina, N. D.
Electron-stimulated desorption of cesium atoms from oxidized tungsten surface at 77 K.—74-05136A

Aggarwal, Ishwar D. See Jewell, John M.; Sanghera, Jasbinder S.

Aggarwal, P. S. See Mitra, B. L.

Aghajanian, Michael K. See White, Danny R.

Agnello, P. D.; Kesan, V. P.; Tejwani, M.; Ott, J. A.
Titanium silicide/germanide formation on submicron features for high mobility SiGe channel field effect transistors.—74-03255A

Agostino, R. See Kuettel, O. M.

Agrawal, Dinesh C. See Ghosh, Biswajit

Agrawal, Dinesh K. See Cheng, Ji-Ping; Fang, Yi

Agrawal, Pradeep K. See Lackey, W. Jack

Aguilar, R. See Sanchez, F.

Aguilera-Granja, F.; Dorantes-Davila, J.; Ortiz-Saavedra, J.
Electronic structure of some semiconductor fullerenes.—74-00611A

Agullo, F. See Sanchez, O.

Agullo-Lopez, F. See Arizmendi, L.

Agullo-Lopez, F.
Photorefractive materials.—74-06430A

Ahan, S. See Kim, Nack J.

Ahao, Ying See Jiang, Xian-Yi

Aharonson, N.; Altstein, M.; Avidan, G.
Recent developments in organically doped sol-gel sensors—a micron-scale probe, successful trapping of purified polyclonal antibodies, solutions to the dopant-leaching problem.—74-09504A

Aharony, Amnon See Thio, Tineke

Ahladas, P.; Dias, F. J.; Naoumidis, Aristides
Oxidation behavior of CM-SiC filters.—74-07818A

Ahlfeldt, Henrik; Webjorn, Jonas; Laurell, Fredrik
Postfabrication changes and dependence on hydrogen concentration of the refractive index of proton-exchanged lithium tantalate waveguides.—74-04398A

Ahmad, Iftikhar See Saadaldin, H. S.; Silberglitt, R.

Ahmad, J.
Energy-efficient high-temperature application of ceramics through the Best Practice Program.—74-09655A

Ahmad, M.; Rahman, M. M.; Rao, B. U. M.; Graham, G. W.
Thermal stability of oxidized La on Pd(100).—74-04452A

Ahmad, Mohamed S. See Nowakowski, Nikodem

Ahmad, Z.; Wang, S.; Mark, J. E.
Preparation and properties of poly(phenyleneterephthalamide)-silica ceramers with interphase bonding from aminophenyl trimethoxysilane.—74-10551A

Ahmed, A. A.; Abd Allah, E. W.
Origin of absorption bands observed in the spectra of silver ion-exchanged soda-lime-silica glass.—74-08344A

Ahmed, H. See Hussain, T.; Smith, C. B.

Ahmed, Mohamed A.; Hassan, Mohamed Y.; Mahrous, Salah; Mikhail, Habib; El-Desoky, Mohamed M.
Application of magnetic susceptibility to study low iron substitution in tricalcium aluminate.—74-05462A

Ahmed, Nadir A. G.
Ion plating: optimum surface performance and material conservation.—74-03702A

Ahn, Byung-Tae See Park, Jin; Park, Jung-Woo

Ahn, C. H. See Benerofe, S. J.

Ahn, Do-Yeol; Yoo, Tae-Kyung
Envelope function calculations of linear and nonlinear optical gains in strained-layer quantum-well lasers.—74-01516A

Ahn, Hyo-Jun See Lee, Hwan-Chul

Ahn, J. S. See Choi, H. S.

Ahn, J. See Zhu, W.

Ahn, J.; Tan, F.-H.; Tan, H.-S.
Diamond thin-film growth on ferrous surfaces.—74-01681A

Ahn, Jae-Min; Choi, Duck-Kyun; Kim, Young-Ho
Effect of O_2/Ar ratio on the characteristics of rf magnetron sputtered $BaTiO_3$ thin film.—74-08745A

Ahn, Sang-Wook; Choi, Doo-Jin; Hyun, Sang-Hoon
Preparation of alumina composite membranes by chemical vapor deposition.—74-10554A

Ahrenkiel, P. See Luo, H.

Ahrenkiel, Richard K. See Lovejoy, Michael L.; Vernon, S. M.

Ahrens, E. T. See Reyes, A. P.

Ahuja, Deepak P. See Beeghly, Craig W.

Ahuja, Rajiv K. See Bhattacharya, A. K.

Ahveainen, R.; Heinio, R.-L.
Factors affecting the suitability of glass jars for heating in microwave ovens. Comparison with plastic jars and paper board tubs.—74-03688A

Ai, Hua See Li, Jie-Fang

Ai, Jiu; Phegley, Lisa L.; Christen, Gert; White, Robert L.
Effect of silica on the nonoxidative thermal degradation of an acrylic binder.—74-04587A

Aich, Y. See Delaite, R.

Aihara, Katsuzo See Sato, Junichi

Aihara, Yasuhiko See Matsuda, Motohide

Aikawa, Haruhiko; Nagayama, Katsuya; Danzuka, Toshio
Apparatus for the production of hermetically coated optical fiber.—74-03745P

Aikoh, Y. See Nogami, G.

Ailey, K. S. See Kester, D. J.

Aindow, M. See Mei, J.

Ainedter, Dieter
Where the robot wields the trowel.—74-08605A

Airaksinen, V. M. See Lipsanen, H. K.

Airey, Anthony C.; Crooks, Mark E.; Brett, Robert D.
Ink jet printer ink for printing on ceramics or glass.—74-08651P

Aita, C. R.
Modeling the growth kinetics of sputter-deposited nanocrystalline zirconia films.—74-04759A

Aitchinson, J. S. See Ironside, C. N.

Aitchison, Kenneth A. See Derderian, Garo J.

Aitcin, Pierre-Claude See Larrard, F.; Tagnit, Hamon Arezki

Aitken, Bruce G.; Annunziata, Frank A.; Bartholomew, Roger F.; Newhouse, Mark A.; Powley, Mark L.; Sadd, Andrea L.
Rare earth-doped, stabilized cadmium halide glasses—74-00349P

Aitken, Bruce G.; Newhouse, Mark A.
Ga- and/or In-containing AsGe sulfide glasses.—74-08477P

Aiyah, Viswanath See Kasap, S. O.

Aizawa, Mamoru See Itatani, Kiyoshi

Aizawa, Masayuki See Suzuki, Masaaki

Aizawa, Takashi See Ando, Toshihiro

Aizawa, Toshiyuki; Nakamura, Hitoshi; Hosoda, Yoshikazu
Method for producing ceramics using crosslinked N-vinylcarboxylic and amide resin.—74-09934P

Ajayi, O. B.; Osuntola, O. K.; Ojo, I. A.; Jeynes, C.
Preparation and characterization of MOCVD thin films of cadmium sulfide.—74-04820A

Ajayi, O. O.; Erdemir, A.; Fenske, G. R.; Erck, R. A.; Hsieh, J.-H.; Nichols, F. A.
Effect of metallic-coated properties on the tribology of coated and oil-lubricated ceramics.—74-08173A

Ajiki, Hiroshi; Ando, Tsuneya
Magnetic properties of carbon nanotubes.—74-01535A

Ajimura, Shoji See Kurosaka, Akihito

Ajimura, Shoji
Growth and applications of barium titanate single crystal.—74-10374A

Aji, Z.; Buck, M.; Woll, C.
Investigation of nucleation centers in diamond chemical vapor deposition with spatially resolved X-ray photoelectron spectroscopy.—74-05172A

Ajuria, Sergio A. See Tobin, Philip J.

Ajustron, E. See Coratger, R.

Akabori, Mitsuo See Kobayashi, Fumiaki

Akahane, T. See Yasui, K.

Akai, Tomoko See Yamanaka, Hiroshi

Akai, Toshiro; Hashimoto, Noritaka
Ceramic surface plate.—74-01221A

Akaishi, Minoru See Sei, Harauhiko

Akaishi, Minoru
New nonmetallic catalysts for the synthesis of high-pressure, high-temperature diamond.—74-01813A

Akane, Hiroki See Ito, Katsuhide

Akasaka, Youichi; Inoue, Hiroyuki; Yasui, Itaru
Diffraction study of Li_2O-SiO_2 glass with computer simulation.—74-02447A

Akasaka, Youichi; Yasui, Itaru; Nanba, T.
Network structure of RO-$2B_2O_3$ glasses.—74-02474A

Akasaki, Isamu See Takeuchi, Tetsuya

Akbar, Sheikh A. See Azad, Abdul M.; Rahman, Matiur; Subramanian, J. S.; Wang, Ching-C.

Akbarian, F.; Dunn, B.; Fuqua, P. D.
Spectroscopic studies of chemical reactions and dynamics in sol-gel matrices.—74-08395A

Akbas, Mehmet A.; McCoy, Michael A.; Lee, William E.
Microstructural evolution during pressureless sintering of lead lanthanum zirconate titanate ceramics with excess lead(II) oxide.—74-09154A

Akcay, K. See Kocakusak, S.

Akelah, A. See Moet, A. S.

Akerman, Jan See Fischer, Udo K.

Akhmadullin, I. Sh.; Golenishchev-Kutuzov, V. A.;

Migachev, S. A.
Acoustic EPR and radiation-induced transitions of iron ions in YAG.—74-03364A

Akhmedova, D. A. See Agaev, A. B.

Akhtar, M. J. See Akhtar, Z. N.

Akhtar, M. J.; Akhtar, Z. N.; Cole, M.
Ceramics for toxic gas sensors.—74-02933A

Akhtar, M. J.; Akhtar, Z. N.; Jackson, Robert A.; Catlow, C. Richard A.
Computer simulation studies of strontium titanate.—74-04995A

Akhtar, M. K.; Vemury, Srinivas; Pratsinis, Sotiris E.
Competition between $TiCl_4$, hydrolysis, and oxidation, and its effect on product TiO_2 powder.—74-07233A; Role of electrolytes during aerosol synthesis of TiO_2.—74-07471A

Akhtar, Masyood; Le, Kim C.; Pedigo, Jess; Smith, Charles H.
Sealing glass compositions.—74-00351P

Akhtar, Z. N. See Akhtar, M. J.

Akhtar, Z. N.; Akhtar, M. J.; Catlow, C. Richard A.
XANES studies of Bi-based superconductors.—74-03619A

Akhtar, Z. N.; Akhtar, M. J.; Clark, S. M.
Effect of pressure on the crystal structure of some bismuth-based superconductors.—74-09257A

Akiba, T. See Hishinuma, K.

Akimitsu, Jun See Kito, Hijiri

Akimoto, Toshio; Shibaoka, Kazuo
Method for bonding glass and metal—74-00171P

Akimov, A. G.; Bogomolov, D. B.; Gorodetskii, A. E.;

Kazanskii, L. P.; Khodan, A. N.; Krylov, I. L.
Formation of zirconia-ceria layers on silicon wafers using laser ablation.—74-01740A

Akimov, B. A.; Lebedev, A. I.; Ryabova, L. I.
Phase-transition-induced change of band structure in $PbTe_{1-x}S_x$ [x=0.03 and 0.06].—74-04195A

Akimov, G. Ya. See Dabizha, A. A.; Storozh, V. V.

Akimova, T. M. See Shipilo, V. B.

Akinc, Mufit See Han, Yong; Voiles, E. Todd

Akinci, A. See Aydin, K.

Akita, K. See Tobe, S.

Akita, Noboru; Hatakeyama, Toshiya; Shimada, Takashi; Iwata, Keiichi
Process for cleaning harmful gas.—74-09835P

Akiyama, H.; Koshiba, S.; Someya, T.
Thermalization effect on radiative decay of excitons in quantum wires.—74-03249A

Akizuki, Toshihiko See Nagamori, Keiji

Aklufi, Monti E.
Method of forming thin films on substrates at low temperatures.—74-09531P

Akopov, F. A.; Barykin, B. M.; Novov, Yu. D.
Electroconductive ceramics based on cerium and indium oxides and their behavior in various gaseous media.—74-02990A

Akram, Salman; Bhat, Ishwara B.; Melas, Andreas A.
Nitrogen doping of ZnSe by OMVPE using a novel organometallic precursor.—74-04779A

Aksay, Ilhan A. See Sakka, Yoshio; Slamovich, Elliott B.

Aksay, Ilhan A.; Dabbs, Daniel M.; Staley, James T.
Bioinspired processing of ceramic matrix components.—74-04485A

Aksel'rud, L. G. See Lutsiv, R. V.

Aksenov, I. I.; Maksimov, M. G.; Palij, Yu. Ya.
Tribological behavior of diamondlike carbon coatings at high rates of sliding.—74-11121A

Aksenov, I. I.; Vasil'ev, V. V.; Strel'nitskij, V. E.; Shulaev, V. M.; Zaleskij, D. Yu.
Arc discharge plasma torch for diamond coating deposition.—74-03782A

Aksenov, I. I.; Vakula, S. I.; Strel'nitskij, V. E.
Optical spectra of diamondlike carbon films in the energy region between 1 and 13 eV.—74-10130A

Aksenov, N. D.; Makarov, L. L.
Chemical interaction in glasses of GeS_2-Tl_2S and $GeSe_2$-Tl_2Se according to data of X-ray emission spectra.—74-00184A; Chemical reaction in GeS_2-Tl_2S and $CeSe_2$-Tl_2Se glasses according to the data in the X-ray emission spectra.—74-00185A

Akune, Yasuhiro; Tanino, Kichiya; Koeda, Masaru; Nagano, Tetsuya; Sano, Kazuo; Ishiguro, Eiji
Diffraction grating.—74-04050P

Al'ragig-Salekh, M. M. See Get'man, E. I.

Al'shits, V. I.; Darinskaya, E. V.; Petrzhik, E. A.
Magnetoplastic effect in CsI and LiF crystals.—74-05030A

Al'shits, V. I.; Darinskii, A. N.; Shuvalov, A. L.
Acoustic-electric waves in bicrystalline media under conditions of tight contact or vacuum gap at interface.—74-03283A

Al-Adel, F. See Khawaja, E. E.

Al-Amoudi, O. See Rasheeduzzafar

Al-Amoudi, O.; Rasheeduzzafar; Maslehuddin, M.
Prediction of long-term corrosion resistance of plain and blended cement concretes.—74-05315A

Al-Assafi, S.; Cruse, T.; Simmons, J. H.; Brennan, A. B.; Sacks, Michael D.
Processing of fine-diameter continuous mullite fibers.—74-10587A

Al-Bayati, A. H. See Boyd, K. J.; Todorov, S. S.

Al-Chalabi, Rifat; Schatz, Carl; Yap, Loo T.; Marshall, Richard
Flat-flame oxy-fuel burner technology for glass melting.—74-09667A

Al-Douri, W. A. See Davies, T. J.

Al-Dulaijan, Salah U.; Al-Ttayyib, Abdul-Hamid J.; Al-Zahrani, M.; Parry-Jones, Gwilym; Al-Mmana, Abdulaziz I.
^{29}Si MAS-NMR study of hydrated cement paste and mortar made with and without silica fume.—74-02353A

Al-Gahtani, Ahmed See Hussain, Eftesham S.

Al-Ghefaili, Khalid M. See Makarova, Marina A.

Al-Khafaji, M. A. See Chen, Makan

Al-Mana, Abdulaziz I. See Al-Dulaijan, Salah U.

Al-Naafa, M. A.; Selin, M. Same
Sedimentation of monodisperse and bidisperse hard-sphere colloidal suspensions.—74-07473A

Al-Noaimi, K. K. See Abo-El-Enein, S. A.

Al-Qudah, Muhammad See Abdel-Jawad, Yahia

Al-Rousan, Ahmad
Arab cement industry.—74-02308A; Arab cement review.—74-05402A

Al-Shareef, H. N. See Auciello, Orlando

Al-Ttayyib, Abdul-Hamid J. See Al-Dulaijan, Salah U.

Al-Zahrani, M. See Al-Dulaijan, Salah U.

Ala-Kojola, Jouni
Dielectric filter—74-00550P

Alahelisten, A. See Axen, N.

Alam, Todd M.; Boyle, Timothy J.; Buchheit, C. D.
Formation, structure, and material properties from the reaction product of $M(OCHMe_2)_4$ (M=Ti, Zr) and HOAc.—74-10364A

Alamo, J. See Amoros, P.

Alarcon, H. See Kittl, P.

Alarcon, J. See Cantavella, V.; Ferrer, L.; Sales, M.

Alarcon, O. E. See De Oliveira, A. P. N.

Alario, Joseph; Bennett, Richard A.; Dluginski, Ronald S.; Hermanek, William P.
Single point cutting tool.—74-04090P

Alario-Franco, M. A.; Moran, E.; Varez, A.
Microstructural studies of some HTSC oxides.—74-03523A

Alaskin, E. G.; Alimov, M. A.; Ashanskaya, G. A.
Cobalt-silica gel system as oxygen chemisorbent.—74-04106A

Alavi, K. See Hozhabri, N.

Alay, J. L.; Vandervorst, W.
Modifications in the Si valence band after ion-beam-induced oxidation.—74-03113A

Albanesi, E. A.; Lambrecht, W. R. L.; Segall, B.
Theoretical study of the band offsets at GaN/AlN interfaces.—74-06351A

Albano, Patricia; Scian, Alberto N.; Pereira, Enrique
Formation mechanisms and kinetics of α- and ß-silicon nitride phases.—74-10733A; Mechanical strength of Si_3N_4-bonded SiC refractories.—74-07680A

Albarracin, B. Magdaleno, Jr.; Fagrigo, L.
Solid Cement Corporation's expansion successfully completed at Antipolo, Rizal (Phillipines).—74-05431A

Albarracin, B. Magdaleno, Jr.; Hilado, J. Oscar; Paulino, V. Reynaldo
Streamlining Hi Cement's Norzagaray plant (Phillipines).—74-03933A

Albeck, J.; Kirchner, G.
Influence of process technology on the production of market-oriented cements.—74-05536A

Albella, J. M. See Montero, I.; Orgaz, F.; Sanchez, O.; Vazquez, L.

Alberola, N. See Agbossou, A.

Albert, P. See Flaherty, E. T.

Alberto, H. V.; Gil, J. M.; DeCamps, N. Ayres; Mysem, B. O.
Redox equilibria of iron in Ti-bearing calcium silicate quenched glasses.—74-02487A

Albesard, Ariane K. See Aoki, Haruyoshi

Albrektsen, O. See Salemink, H. W. M.

Albridge, R. G. See McKinley, J. T.

Albul, A. V. See Skimov, B. A.

Alcala, J.; Anglada, M.
Behavior of indentation cracks under monotonic loads in 3Y-TZP.—74-07839A

Alcala, R. See Almeida, R. M.

Alcantara-Rodriguez, C. M. See Reyes-Gasga, J.

Alcock, A. J. See Bernard, J. E.

Alcock, J. R.; Sorensen, O. T.
Abrasive wear and surface roughness of ceramics.—74-05446A

Alcorn, Janice E.
Benefits of ISO 9000 certification.—74-11142A

Alcover, Jean Francois See Massiot, Dominique

Aldao, Celso M. See Castro, Miriam S.

Aldinger, F. See Bill, Joachim

Alekceyechkin, N. V.; Ostapchuk, P. N.
Homogeneous nucleation of gas pores in two-component solution of vacancies and gas atoms.—74-05018A

Alekperov, O. Z.; Gamzaev, D. O.; Kulibekov, A. M.
Biperiodic character of interference spectra of layered GeS [single] crystals.—74-02923A

Aleksandrov, K. S. See Flerov, I. N.

Aleksandrov, K. S.; Prodaivoda, G. T.
Elastic properties of minerals.—74-07158A

Aleksandrov, K. S.
Phase transitions and structural distortions of crystal family akin to $α$-K_2SO_4.—74-04193A

Aleksandrov, L. N. See Zinovyev, V. A.

Aleksandrov, V. V.; Potapova, Ju. B.; Diakonov, A. M.
Comparative study of hypersonic dynamics in CaF_2 and SrF_2 films on Si(111).—74-00110A

Aleksandrova, M. M.; Blank, V. D.; Buga, S. G.
Phase transitions in Ge and Si under shear deformation at pressure up to 12 GPa conditions and *p-T-*γ [shear] diagrams of these elements.—74-07104A

Aleksashin, B. A. See Zhdanov, Yu. I.

Alekseev, A. F. See Lopato, L. M.

Alekseev, I. V.
Certain features of generation-recombination processes occurring as a result of irradiation of $TlInSe_2$.—74-08836A

Alekseichuk, S. N.; Sverchkov, S. E.; Sverchkov, Yu. E.
Modeling of crystal-glass transition effect on luminescence decay rate of rare-earth ions in phosphates.—74-05732A; Modeling of the structure of laser oxide glasses by the Monte Carlo method.—74-02472A

Alekseniko, I. P. See Rutkovskii, A. E.

Alekseyenko, B. V. See Adonkin, V. T.

Alekseyenko, V. I.; Konstantinova, T. E.; Makarova, N. G.
Anomalous softening of high-T_c $YBa_2Cu_3O_{7-δ}$ single-crystal superconductors.—74-06486A

Alemany, C. See Mendiola, J.; Ricote, J.

Alers, P.; Hanni, W.; Hintermann, H. E.
Comparative study of laminar and turbulent oxygen-acetylene flames for diamond deposition.—74-01645A

Aleshina, L. A.; Kovalev-Troitskii, K. L.; Nikitina, E. A.
Short-range order in cationic sublattice of cubic aluminum oxide.—74-07114A

Alexander, Jeffery C.
Apparatus for cullet preheating and polluting emission reduction in the glass manufacturing process—74-01011P

Alexander, Kathleen B. See Becher, Paul F.

Alexander, Kathleen B.; Becher, Paul F.; Wang, Xun-Li; Hsueh, Chun-Hway
Internal stresses and the martensite start temperature in alumina-zirconia composites: effects of composition and microstructure.—74-05171A

Alexander, Loren D.
Waste disposal options for refractory tearout.—74-05885A

Alexander, M. G. See Mindess, Sidney

Alexander, M. R.; Jones, F. R.
Effect of electrolytic oxidation on the surface chemistry of type A carbon fibers: I, X-ray photoelectron spectroscopy.—74-07636A

Alexander, Ricky A. See Dodds, Gerald C.

Alexander, W. Brock; Holloway, P. H.; Simmons, Joseph
Increased precision in strain measurement of diamond by micro-Raman spectroscopy.—74-06781A

Alexandrou, Sotiris; Wang, Chia-Chi; Sobolewski, Roman
Generation of sub-ps electrical pulses by nonuniform illumination of GaAs transmission line gaps.—74-06119A

Alexandruk, V. See Yoshiki, H.

Alff, L.; Mayer, B.; Schuster, S.
Magnetic-field-effect three-terminal device based on $YBa_2Cu_3O_{7-δ}$ grain boundary junctions.—74-09300A

Alford, Neil; Bottom, T.; Penn, S.
Properties and applications of high-temperature superconductors (HTS).—74-00846A

Alford, Neil
High-temperature superconductivity.—74-09287A

Alfrey, Anthony J.
Simple 1 μm ring laser oscillators pumped by fiber-coupled laser diodes.—74-09037A

Algarra, J. M.; Marco, J.
Calibration in Ceramic Test Laboratories.—74-09555A

Ali, E. M. See Omar, A. A.; Abdel-Fattah, Wafa I.

Ali, M. M.; Shri, Gopal; Handoo, S. K.
Studies on the formation kinetics of calcium sulfoaluminate.—74-05592A

Aliev, F. G. See Garibov, F. A.

Aliev, G. N.; Koshchug, O. S.; Nesvizhskii, A. I.
Optical and magnetooptical phenomena on absorption edge of elastically stressed cadmium telluride.—74-06235A

Aliev, I. I. See Tanryverdiev, V. S.

Aliev, O. M. See Alieva, O. A.; Garibov, F. A.; Tanryverdiev, V. S.

Aliev, O. M.; Alieva, O. A.; Einullaev, A. V.
Phase equilibria in the system Sm-Ga-S.—74-04181A

Aliev, O. M.; Einullaev, A. V.; Agaev, A. B.
Phase development in the system Yb-In-Se.—74-01423A

Alieva, O. A. See Aliev, O. M.

Alieva, O. A.; Aliev, O. M.; Einullaev, A. V.
Phase equilibria in the system SmS-In_2S_3, SmSe-In_2Se_3, and SmTe-In_2Te_3.—74-01429A

Alim, Mohammad A. See Azad, Abdul M.

Alim, Mohammad A.; Beal, Karen C.
Method for making metal oxide varistors coated with passivating coating.—74-09091P; Passivating coating for metal oxide varistors.—74-03278P

Alimov, M. A. See Alaskin, E. G.

Alkoy, S.; Toy, C.; Pekin, S.
Turbostatic-hexagonal structure transition in hexagonal BN synthesis.—74-04973A

Allahverdi, M.; Drew, R. A. L.; Strom-Olsen, J.
Melt extraction and properties of ZrO_2–Al_2O_3-based fibers.—74-10448A

Ailakhverdiev, I. P. See Ganbarov, D. M.

Allan, M. L.; Kukacka, L. E.
Permeability and microstructure of plain and polypropylene fiber-reinforced grouts.—74-05563A

Allancon, C.; Bassat, J. M.; Rifflet, J. C.
Intercalation-desintercalation of oxygen in $Ln_2NiO_{4+δ}$ (Ln=La, Pr).—74-03500A

Allard, L. B. See Templeton, I. M.

Allard, Thierry See Delineau, Thierry

Allemeh, Seyed M.; Sandhage, Kenneth H.
Effect of high-temperature, high-oxygen-fugacity annealing on the stability of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+δ}$-type compound.—74-09254A

Allen, D. W. See Brooks, J. S.

Allen, Glenn M. See Prewo, Karl M.

Allen, P. K. See Jiang, J. C.

Allen, P. N. See Dowsett, M. G.

Allen, Patricia E. See Kimball, John F.

Allen, R. E. See Lengel, G.

Allen, Susan D. See Lumpp, Janet K.

Allen, Von
Emotional metaphors [a sculptor's technique].—74-00017A

Allendorf, M. D.
Equilibrium predictions of the role of organosilicon compounds in the chemical vapor deposition of silicon carbide.—74-01713A

Allers, Lars See Collins, A. T.; Khong, Y. L.

Allertsen, Hermod
Handling ceramics with AGVs [automatic guided vehicles].—74-09467A

Alles, Aldo B. See Capurso, Joseph S.

Alliat, I. See Jickells, A. J.

Alliat, I.; Petit, N.
Evaluation of thermal shock and thermal resistance of three reaction-bonded silicon carbide ceramics.—74-08901A

Allor, R. L. See Yang, S.

Alloui, H. See Mahajan, A. V.

Alloza, A. M.; Rubio, J.; Iglesia, A.
Characterization of pozzolanas of the Spanish Canary Islands.—74-06894A

Allred, David D. See Karain, W. I.; Ruiz, F.

Almaleh-Rockman, Sylvie See Chaim, Rachman

Alman, D. E.; Hawk, J. A.; Rawers, J. C.
Processing intermetallic composites by self-propagating, high-temperature synthesis.—74-06278A

Almeida, R. M. See Du, Xin-Min

Almeida, R. M.; Pereira, J. C.; Alcala, R.
Vibrational spectra and structure of glasses based on ZnF_2-CdF_2.—74-05702A

Alonso, C. See Andrade, C.

Alonso, J. C.; Oshima, T.; Yamada, A.
Low-temperature epitaxial growth of undoped and *n*-doped silicon by photochemical vapor deposition using $SiH_4/SiH_2Cl_2/H_2/PH_3$ mixtures.—74-01784A

Alonso, M. I. See Bacquet, G.

Alonso, R. See Arent, D. J.; Sinha, K.

Alpamishev, P. See Nasredinov, F. S.

Alper, Allen M.
Phase Diagrams in Advanced Ceramics.—74-05442B

Alqahtany, H.; Eng, D.; Stoukides, M.
Synthesis gas production from methane over an iron electrode in a solid electrolyte cell.—74-01903A

Alshamsi, A. M.
Temperature rise inside pastes during hydration in hot climates.—74-05604A

Alshawa, A. K.; Lozykowski, H. J.
Ac electroluminescence of ZnS:Tm.—74-05971A

Altakh, Oleg See Tenzler, Thomas

Alten, T. See Constantinescu, Daniel

Alterovitz, Samuel A. See Tabory, Charles N.

Althainz, P.; Dahlke, P.; Goschnick, J.; Ache, H. J.
Low-temperature deposition of glass membranes for gas sensors.—74-02641A

Althainz, P.; Schuy, L.; Goschnick, J.; Ache, H. J.
Granular films of iron oxide prepared by aerosol deposition for the detection of organic vapors.—74-03964A

Althof, J. See Fiebiger, W.

Altshuler, A. See Eidelman, S.

Altshuler, H. N.; Shkurenko, G. Yu.
Thermodynamics of cation exchange in natural heulandite.—74-04234A

Altstein, M. See Aharonson, N.

Alvalos-Borja, M. See Del-Valle, M.

Alvarez, C.; Criado, E.; Baudin, C.
Influence of heat treatments on room temperature tensile strength of MgO-C refractories determined by the diametral compression method.—74-05859A

Alvarez, Pedro C. See Combes, Pierre

Alvazov, A. A. See Bugadyan, B. G.

Ama, Ichiro Uchiyama See Terao, Koichi

Amada, Y. See Kotaki, T.

Amalnaerkar, D. P.; Yamaguchi, K.; Kajita, T.
Photoelectrochemical investigations on particulate films of CdS grown by novel electrochemical method.—74-03161A

Amalric, J.-L. See Cavalli, C.

Amamra, M. C.; Petot, C.; Laval, J.-Y.
Ionic conductivity of natural fluorite—application to the fabrication of fluorine and oxygen sensors working at low temperature.—74-05946A

Amandikov, M. A.; Chekhovskii, V. G.; Khalilev, V. D.
Luminescence spectra of fluorophosphate glasses containing CuO and SnO_2.—74-02558A; 74-02559A

Amandikov, M. A.; Khuzhakulov, E. S.; Nasredinov, F. S.
State of impurity iron and tin ions in zirconium-containing fluorophosphate glasses according to Mossbauer spectroscopic data.—74-00221A; State of mixed atoms of iron and tin in zirconia-containing fluorophosphate glasses according to data from Mossbauer spectroscopy.—74-00222A

Amandikov, M. A.; Lunter, S. G.; Chekhovskii, V. G.
Nuclear gamma resonance spectra and spectral-luminescent characteristics of zirconium-containing fluorophosphate glasses with iron and neodymium oxide additives.—74-02568A

Amano, Hiroshi See Takeuchi, Tetsuya

Amano, Isato See Yokoo, Kuniyoshi

Amano, Y. See Hasegawa, S.

Amar, A.; Lozes, R. L.; Sasaki, Y.
Fabrication of submicron apertures in thin membranes of silicon nitride.—74-01729A

Amarakoon, V. R. W. See Barkatt, A.; Fagan, J. G.

Amaratunga, G. A. J. See Chan, K. K.; McKenzie, D. R.; Rusli,; Silva, S. R. P.

Amat-Guerri, F. See Duchowicz, R.

Amato, G. See Demichelis, F.

Amatruda, A. See Forster, J. A.

Ambrose, J. R.; Bendale, P. R.
Beneficial aspects of the environmental instability of materials.—74-01621A

Ameenuddin, S. See Wang, J. Y.

Amelin, V. G.; Svistunova, G. P.
Photometric and titrimetric methods of determining the gallium content in glasses.—74-02480A

Amemiya, Kouji See Ohga, Yuichi

Ametani, Kohei; Nakajima, Yukihiko; Isozaki, Kei
Silicon nitride powder produced by direct nitridation of metallic silicon.—74-10628A

Amigo, J. M. See Serrano, J.

Amin, A. M.; Sabrah, B. A.; El-Didamony, H.
Pozzolanic activity of amorphous silica.—74-08085A

Amin, Kamal E.; Nag, Debashish
Tribological characteristics of zirconia-yttria ceramics.—74-07933A

Amin, Kamal E.
Radiograph and ultrasound detect defects early.—74-06806A

Amino, Hirokazu; Shiraiwa, Yoshinori; Clarke, Ian C.
Artificial hip joint.—74-03979P

Amitsuka, Hiroshi See Kawarazaki, Shuzo

Amitsuka, Hiroshi; Sakakibara, Toshiro
Single uranium-site properties of the dilute heavy electron system $U_xTh_{1-x}Ru_2Si_2$ ($x \leq 0.07$).—74-04421A

Amm, D. T.; Johnson, D. J.; Matsuura, N.; Laursen, T.; Palmer, G.
Decomposition of Langmuir-Blodgett films to form metal oxide layers.—74-04533A

Amonlirdviman, K. See Tschopc, Andreas

Amoros, P.; Marcos, M. D.; Alamo, J.
Novel phases in the V-P-O catalytic system from oxovanadium hydrogen phosphate precursors.—74-10013A

Amosov, A. V.; Bagratashvili, V. N.; Rybaltovskii, A. O.
Effect of an electric field and heat treatment on formation of radiation color centers in quartz glass.—74-02448A

Amosov, A. V.; Barabanov, V. S.; Gerasimov, S. Yu.
Behavior of synthetic quartz glass under the action of intense irradiation from KrF and ArF lasers.—74-02431A

Amouroux, J. See Farber, Y.

Amulevicius, A.; Balciuniene, M.; Petretis, B.; Pileckis, R.
Synthesis of Fe-C compounds under the influence of laser radiation.—74-04942A

An, C. H.; Sugimoto, K.
Ellipsometric examination of structure and growth rate of metallorganic chemical-vapor-deposited Ta_2O_5 films on Si(100).—74-07643A

An, Chen-Wu See Song, We-Dong

An, Ho-Young See Yeom, Han-Cheol

An, Il-Sin See Hong, Byung-You

An, J. Y. See Jeong, B. S.

An, Li-Guo; An, Sheng-Li; Liu, Qing-Guo
Sintering behavior of MgO partially stabilized zirconia (PSZ) ultrafine powder.—74-10634A

An, Sheng-Li See An, Li-Guo

Anan'ev, A. V.; Skorospelova, V. I.; Stepanov, S. A.
Optical absorption of high-purity multicomponent cerium glasses and its temperature dependence at 1.17 eV.—74-02569A

Anan, Takayoshi See Li, Wei-Dan

Ananachev, V. A.; Mokhammad, Arif; Baidakov, L. A.
Free volume parameters for teilurium chalogenide glasses.—74-02459A

Anand, S. See Droopad, Ravi; Kuo, C. H.

Anand, V. See Wayne, S. F.

Anandan, M. See Yadava, R. D. S.

Anast, Maree; Ben-Nissan, Besim; Bartlett, John R.; Woolfrey, Jim L.; Bell, John M.; Bell, Trevor J.
Preparation and characterization of sol-gel-derived zirconia coatings.—74-01844A

Anath, C. R. See Chandra, N.

Anathapadmanabhan, P. V. See Balakrishna, P.

Anayama, Chikashi See Kondo, Makoto

Anc, M. See Henley, Worth B.

Andac, O.; Glasser, Fredrick P.
Polymorphism of calcium sulfoaluminate ($Ca_4Al_6O_{16}$, SO_3) and its solid solutions.—74-08084A

Andaspaeva, A. A.; Imenkov, A. N.; Kolchanova, N. M.
Recombination near an N-*n*-GaSb/GaInAsSb heterojunction.—74-06289A

Anderko, Andrzej See Lencka, Malgorzata M.

Anderle, M. See Gonzo, L.

Anders, A. G.; Volotskii, S. V.; Eremenko, V. V.
Magnetic dipole excitations and ground state of the rare-earth ions in Sm_2CuO_4.—74-04349A

Anders, A. G.; Volotskii, S. V.; Zubkov, O. E.
Dipole-dipole interaction and magnetic ordering in $KEr(MoO_4)_2$: I, Model of dipole magnets for $KEr(MoO_4)_2$.—74-03370A; II, Phase transition in $KEr(MoO_4)_2$ induced by an external magnetic field.—74-03371A; EPR and estimation of the dipole-dipole interaction energy in $KEr(MO_4)_2$.—74-03803A

Anders, Andre; Anders, Simone; Brown, Ian G.; Dickinson, Michael R.; MacGill, Robert A.
Metal plasma immersion ion implantation and deposition using vacuum arc plasma sources.—74-03709A

Anders, Simone See Anders, Andre

Andersen, O. K. See Schonberger, U.

Andersen, Peter E. See Edvold, Bent

Anderson, Alfredo C. See Westerheim, A. C.

Anderson, Collin D. See Weber, J. K. Richard

Anderson, Edward M. See MacZura, George; Parker, Anthony A.

Anderson, Edward N.; Johnson, Thomas A.
Method of producing self-supporting aluminum titanate composites and products relating thereto.—74-01326P

Anderson, H. A. See Chen, C. C.

Anderson, Harlan U. See Tai, Lone-Wen F.

Anderson, J. See Hua, D. W.

Anderson, John T.; Nagesh, V. K.; Ruby, Richard C.
Silver additives for ceramic superconductors.—74-00880P

Anderson, L. W. See Menningen, K. L.

Anderson, M. A. See Chu, L.

Anderson, M. P. See Monette, L.

Anderson, Marc A. See Yahnke, Mark S.

Anderson, Marc A.; Webster, Elizabeth T.; Xu, Qun-Yin
Metal oxide membranes for gas separation—74-01259P

Anderson, Mark A. See Mackie, William A.

Anderson, Neal P. See Vine, Raymond W.

Anderson, P. See Elliott, J. C.

Anderson, P.; Blombey, A.
Alumina in unlubricated sliding point, line and plane contacts.—74-10945A

Anderson, T. J. See Yu, J. E.

Anderson, W. A. See He, L.; Jia, Q. X.

Andersson, Clarence A. See Heredia, Fernando E.

Andersson, Orjan See Hench, Larry L.

Andersson, Peter; Blomberg, Adam
Instability in the tribochemical wear of silicon carbide in unlubricated sliding contacts.—74-11032A

Andersson, Peter; Holmberg, Kenneth
Limitations on the use of ceramics in unlubricated sliding applications due to transfer layer formation.—74-02380A

Ando, Eiichi; Suzuki, Koichi; Ebisawa, Junichi; Suzuki, Susumu
Amorphous oxide film and article having such film thereon.—74-09903P

Ando, Ken See Fukushima, Noburu

Ando, Motohide See Mitomo, Mamoru

Ando, Shigeru See Sato, Mitsukuni

Ando, Toshihiro; Aizawa, Takashi; Yamamoto, Kazuo; Sato, Yoichiro; Kamo, Mutsukazu
Chemisorption of hydrogen on diamond surfaces studied by high-resolution electron energy-loss spectroscopy.—74-05095A

Ando, Tsuneya See Ajiki, Hiroshi; Suzuki, Tatsuo

Andoh, Mitsuru; Yamauchi, Noriaki
Molten steel pouring nozzle.—74-00413P

Andrade, C.; Alonso, C.; Acha, M.; Malric, B.
Preliminary testing of Na_2PO_3F as a curative corrosion inhibitor for steel reinforcements in concrete.—74-05571A

Andrade, E. See Mendez, J. M.

Andrade, G. See Vaz Serra, A.

Andras, Maria T. See Hepp, Aloysius F.

Andre, Bernard; Rossi, Francois; Van Veen, A.; Mijnarends, P. E.; Schut, H.; Delplancke, Marie Paule
Microstructural evolution of nonhydrogenated amorphous carbon under ion assistance.—74-05190A

Andre, E. See Vatel, O.

Andre, J. P.; Deswarte, A.; Lugagne-Delpon, E.; Voisin, P.; Ruterana, P.
High electron mobility in $(InAs)_n(GaAs)_n$ short period superlattices grown by MOVPE for high-electron mobility transistor structure.—74-04330A

Andreas, Klaus-Martin See Bittner, Hans-Georg

Andreasen, Jens H.; Moller, Carsten V.; Karihaloo, Bhushan L.
Fatigue crack growth from small surface cracks in transformation-toughened ceramics.—74-05353A

Andreev, A. N.; Anikin, M. M.; Syrkin, A. L.
Method for purifying an SiC surface in high vacuum.—74-06204A

Andreev, A. N.; Ivanov, P. A.; Strel'chuk, A. M.
Dynistor based on epitaxial SiC-6H layers grown by sublimation in an open growth system.—74-08866A

Andreev, O. V.
Phase equilibria in the system Cu_2S-Dy_2S_3.—74-01428A; System Cu_2S-Er_2S_3.—74-01473A

Andreev, V. M.; Kalinovskii, V. S.; Larionov, V. R.
Behavior of AlGaAs/GaAs photodiodes subject to soft ionizing radiation.—74-02922A

Andreevskii, K. N.; Biryukova, E. A.; Korthonjiya, V. P.
Effect of pulsed microwave irradiation on the electrical and magnetic properties of $ErBa_2Cu_3O_x$.—74-03450A

Andrejcak, Michael J. See Frechette, Francis J.

Andreola, F.; Manfredini, Tiziano; Pellacani, Gian Carlo
Recycling of ceramic wastes to reduce pollution.—74-05579A

Andreoni, W.
Small semiconductor clusters and fullerenes: structural and electronic properties from ab initio molecular dynamics.—74-01573A

Andres, J.; Badenes, J.; Beltran, A.
Theoretical description of praseodymium-doped zircon—analysis of the impurity centers Pr^{+3}:$ZrSiO_4$.—74-04442A

Andrews, C. C.; Spencer, G. F.; Li, F.; Weichold, Mark H.; Kirk, W. P.
Fabrication of a nanoscale, in-plane gated quantum wire by low energy ion exposure.—74-01719A

Andrews, Graham F. See Rajalah, Jayanth

Andrews, John M. See Saks, N. S.; Sprangle, Eric A.

Andrews, Mary K. See Marra, James C.

Andrews, P. R. A.
Beneficiation of Canadian graphite ores: a review of processing studies at CANMET.—74-01186A

Andreyev, Alexey V.; Belousov, I. S.
Solubility and wettability of diamonds by metal melting in the range of their thermodynamic stability.—74-03870A

Andreyev, Alexey V.
Wetting and bonding of diamond films by high-melting-point metals in the range of diamond thermodynamic stability.—74-05660A

Andreyev, B. V. See Nikolaev, A. V.

Andreyev, V. D. See Nachal'naya, T. A.

Andrianov, N. T. See Lukin, E. S.

Andrievskii, R. A.; Grebtsova, O. M.; Domashneva, E. P.
Consolidation of ultradisperse TiN under high pressure.—74-04526A

Androl, R. R. See Lipowitz, Jonathan

Andronescu, Ecaterina See Teoreanu, Ion

Andronescu, Ecaterina; Toma, Nicolae
Composite materials of oxide-carbide type.—74-05617A

Androsch, I.; Glas, P.
Influence of spatio-temporal refractive index changes in a GaAs etalon on the generation of ultrashort pulses in an Nd phosphate glass laser.—74-03067A

Andrukhiv, M. G.; Belotelov, S. V.; Virt, I. S.
Transient processes in n^+-p structures made of $Cd_xHg_{1-x}Te$.—74-00725A

Andryushin, E. A.; Silin, A. P.
Plasmons in low-dimensional systems.—74-03557A

Ang, S. S. See Sreenivas, G.

Angadi, M. A. See Thanigaimani, V.

Angelescu, E. See Parvulescu, Viorica

Angelescu, Nicolae
High-alumina ceramics.—74-06975A

Angeliu, T. M.; Was, G. S.
Effect of chromium, carbon, and yttrium on the oxidation of nickel-based alloys in high-temperature water.—74-01982A

Angelone, M. S. See Stough, M. A.

Anger, E. See Gicquel, A.; Plamann, K.; Vivensang, C.

Angers, R. See Krishnadev, M. R.

Angiada, M. See Alcala, J.

Angus, John C. See Prijaya, Noviana A.

Anikin, M. M. See Andreev, A. N.

Anikin, M. M.; Kuznetsov, N. I.; Lebedev, A. A.
Deep-center current spectroscopy in *p*-*n* structures based on 6H-SiC with an internal field.—74-02957A; Shift of the electroluminescence peak in 6H-SiC-based diodes with the forward current density.—74-03212A

Anikin, M. M.; Strel'chuk, A. M.; Syrkin, A. L.
Temperature and current dependence of the intensity of the edge injection electroluminescence of SiC *p*-*n* structures.—74-03246A

Anikin, M. M.; Syrkin, A. L.; Chelnokov, V. E.
Outlook for the development of sublimation epitaxy of SiC.—74-06249A

Anisimov, F. See Dagys, R.

Anisimova, I. D. See Stafeev, V. I.

Anitha, V. P.; Bhattacharya, A.; Patil, Nitin G.
Sputtered molybdenum nitride as a diffusion barrier.—74-01956A

Anitha, V. P.; Vitta, Satish; Major, S.
Structure and properties of reactively sputtered γ-Mo_2N hard coatings.—74-05271A

Ankica, Cizmek; Ljepsa, Komunjer; Boris, Subotic
Kinetics of zeolite dissolution: IV, Influence of the concentration of silicon in the liquid phase on the kinetics of ZSM-5 dissolution.—74-10433A

Ankudinov, A. V.; Berkovits, V. L.; L'vova, T. V.
STM studies of structure of gold chemically deposited on GaAs(100) surface.—74-06325A

Annamalai, J.; Gill, W. N.; Tobin, Albert G.
Modeling, analysis, and kinetics of transformations in Blackglas preceramic polymer pyrolysis.—74-10478A

Annamalai, V. E.; Sornakumar, T.; Gokularathnam, C. V.
Grinding of transformation toughening ceria-stabilized tetragonal zirconia polycrystals.—74-06704A

Annunziata, Frank A. See Aitken, Bruce G.

Anoshkina, E. V.; Evdoseeva, I. A.; Pansheva, E. I.
Precipitation of a microcrystalline phase in multichrome glass.—74-02483A

Anpo, M. See Negishi, N.

Anquetil, Jerome; Dauger, Alain
Glass frits, a process for their production and their use in enamel barrier layers for stopping the migration of silver.—74-01208P

Anshukova, N. V.; Boguslavskii, Yu. V.; Golovashkin, A. I.
Anomalous thermal expansion in $Ba_{1-x}K_xBiO_3$.—74-06487A

Ansiferova, I. V.; Sevast'yanova, I. G.; Fomina, G. A.
Structural dynamics and densification during sintering of corundum ceramics with Nb_2O_5 additions.—74-07493A

Antaya, M.; Dahn, J. R.; Preston, J. S.
Preparation and characterization of $LiCoO_2$ thin films by laser ablation deposition.—74-01843A

Anthony, John M. See Giesener, John W.

Anthony, Rayford G.; Dosch, Robert G.; Gu, Ding
Use of silicotitanates for removing cesium and strontium from defense waste.—74-07009A

Anthony, Thomas R. See Banholzer, William F.

Anthony, Thomas R.; Fleischer, James F.; Woodruff, David W.
Method for determining thickness of chemical vapor deposited layers.—74-03891P

Anthony, Thomas R.; Fleischer, James F.
Free standing diamond sheet and method and apparatus for making same.—74-01319P; Suppression of graphite formation during laser etching of diamond.—74-01033P

Anthony, Thomas R.; Williams, Bradley E.
Diamond wire die with positioned opening.—74-09914P; Diamond wire die.—74-04048P; Multiple grained diamond wire die.—74-04071P

Anthony, Thomas R.
Superheating around diamonds in the directly heated high-pressure–high-temperature diamond growth cell.—74-04927A

Antokhina, T. F.; Savchenko, N. N.; Ivanov, S. B.
Synthesis and physicochemical characterization of hexafluorogermanates with mixed alkaline cations.—74-07130A

Antokhina, T. F.; Savchenko, N. N.; Sergienko, V. I.
Synthesis and the physicochemical study of hexafluorosilicates with mixed alkali metal cations.—74-04438A

Antolin, Stanislav See Niskanen, Paul W.

Antolini, A.; Bradley, P. J.; Cacciatore, C.; Campi, D.; Gastaldi, L.; Genova, F.
Interface abruptness in CBE-grown InGaAs/InP QW structures.—74-06161A

Antolini, E.
Formation of $Li_xNi_{1-x}O$ solid solution from Ni/Li_2CO_3 mixtures.—74-01386A

Anton, Herbert
Thermal conductivity of brick masonry—simplification of the measurement method for the quality control.—74-08592A

Antoni, F.; Prevot, B.; Fogarassy, E.; DeUnamuno, S.
Raman analysis of the modifications induced by laser

processing and hydrogen implantation in carbon films deposited by the ablation technique.—74-04858A

Antoniadis, D. A. See Ghanbari, R. A.

Antonov, G. I. See Kamenetskii, Yu. L.

Antonov, G. I.; Yakobchuk, L. M.; Kulik, A. S.
Production and testing of periclase spinel parts with fused spinel.—74-02728A

Antony, J. P.; Mittal, B. D.; Naithani, K. P.; Misra, A. K.; Bhatnagar, A. K.
Antiwear/extreme pressure performance of graphite and molybdenum disulfide combinations in lubricating greases.—74-09847A

Antropova, T. V.; Kostyreva, T. G.; Polyakova, I. G.
Effect of the composition of single-phase alkali borosilicate glasses on their stability in solutions of nitric acid.—74-02451A; Effects of composition of single-phase alkali borosilicate glasses on their resistance to the action of solutions of nitric acid.—74-00194A

Antsiferov, V. N.; Gilev, V. G.; Lanin, A. G.
Effect of annealing under vacuum and in nitrogen atmosphere on the structure and strength of porous silicon nitride materials.—74-04568A

Antsiferov, V. N.; Makarov, A. M.; Porozova, S. E.
Application of catalysts on high-porous ceramic materials.—74-02064A

Antsiferov, V. N.; Sevast'yanova, I. G.
Effect of fine grinding on the structure and properties of zirconia.—74-02972A

Antsygina, T. N.; Chishko, K. A.
Angular distribution of sound emission from thin cracks.—74-07837A

Anusavice, K. J.; Soderholm, K. J.; Grossman, David G.
Implications of amalgam and ceramic degradation in the oral environment.—74-02081A

Anusavice, Kenneth J. See Thompson, Jeffrey Y.

Anwar-ul-Islam, A. See Arshed, M.

Aoi, Tsuneharu See Nakamura, Yoshikazu

Aoike, Tatsuyuki See Saito, Keishi

Aoki, Chikako; Baba, Takayuki; Hayashi, Shigeo
Characterization of polymeric structure of aluminosilicate complex in sol-gel solution.—74-05087A

Aoki, Haruyoshi; Uji, Shinya; Albesard, Ariane K.
dHvA effect study of metamagnetic transition in $CeRu_2Si_2$.—74-01506A

Aoki, Katsuyuki See Ohmori, Akira

Aoki, M. See Kawarada, H.; Sasaki, H.

Aoki, Masashi
Barium titanate raw powder.—74-08723A

Aoki, Michiro
Trend of kiln instrumentation for ceramics.—74-09720A

Aoki, S. See Fukutomi, Masao

Aoki, S.; Fukutomi, Masao; Komori, K.; Maeda, H.
Preparation on in-plane textured Y_2O_3-doped ZrO_2 thin film on polycrystalline metallic tape by modified bias sputtering.—74-00523A

Aoki, Sadao See Nakajima, Kunio

Aoki, Shigeki See Arai, Yasuo; Komori, Kazunori

Aoki, Shigenori See Imanaka, Yoshihiko

Aomine, T. See Panagopoulos, C.

Aono, H.; Sugimoto, E.; Sadaoka, Yoshihiko
Electrical properties of ceramic electrolytes for systems of $LiM_xTi_{2-x}(PO_4)_3+yLi_2O$, M=Ge, Sn, Hf, and Zr.—74-01380A

Aono, Masakazu See Grey, F.; Huang, De-Huan; Watanabe, Satoshi

Aota, Takashi See Hatanaka, Koji

Aoyagi, I. See Ishiki, T.

Aoyagi, Yoshinobu See Ozasa, Kazunari

Aoyama, K.; Uyama, H.; Matsumoto, O.
Diamond deposition with Ar-CO_2-H_2 plasma jets.—74-01674A

Aoyama, T.; Suzuki, K.; Tashiro, H.
Boron diffusion through pure silicon oxide and oxynitride used for metal oxide semiconductor devices.—74-07556A

Aoyama, T.; Yamazaki, T.; Ito, T.
Silicon surface cleaning using photoexcited fluorine gas diluted with hydrogen—74-00710A

Aoyama, Tatsuji; Kurata, Naoki; Hirota, Ken; Yamaguchi, Osamu
Formation of $PbZrO_3$ by transformation of cubic ZrO_2 solid solution.—74-09143A

Aoyama, Yoshio See Tanaka, Satoshi

Aparici, J.; Moreno, Arnaldo; Escardino, A.
Opacification in zirconium ceramic glazes used in single-fired wall tile manufacture.—74-08567A

Aparicio, J. J. Perez; Lehrke, Jan
Method for color adjustment in colored opaque glazes: I.—74-08691A

Aparna, Y.; Reddy, P. S.; Uthanna, S.
Characterization of polycrystalline thin-film *n*-$Zn_{0.35}Cd_{0.65}$/*p*-$CuGa_{0.75}In_{0.25}Se_2$ heterojunctions.—74-00580A

Aparov, N. N. See Slosman, A. I.

Aparova, L.S. See Slosman, A. I.

Apblett, Allen W.; Cannon, Steven M.; Georgieva, Galina D.
Polymeric precursors for yttria.—74-10535A

Apblett, Allen W.; Georgieva, Galina D.; Raygoza-Maceda, Isobel
Preparation of a metallorganic deposition precursor for barium titanate.—74-10553A

Appl, F. C.; Wilson, C. Carl; Lakshman, Induvadan
Measurement of forces, temperatures, and wear of PDC cutters in rock cutting.—74-01081A

Apte, P. P.; Kubota, T.; Saraswat, K. C.
Constant current stress breakdown in ultrathin SiO_2 films.—74-00584A

Apte, Prasad
Compositionally graded near-net-shape complex parts made by tape lamination.—74-01649A

Aquilar, G.; Dupont, L.; Foessy, A.
Electrophoretic ceria coating effect on high-temperature corrosion of the F17T stainless steel.—74-08181A

Aragonez, Oscar See Guardiota, Carlos

Arahori, Tadahisa; Hayashi, Shigetoshi; Minagawa, Kazuhiro
Process for producing silicon carbide-base complex.—74-09953P

Arai, Fumio See Komiyama, Yoshizo

Arai, Hiroaki See Takahashi, Osamu

Arai, Hiromichi See Eguchi, Koichi; Setoguchi, Toshihiko

Arai, Kenichi See Kubota, Yoshihiro

Arai, Kunihiro See Tanimoto, Masafumi

Arai, Masatoshi See Hannon, Alex C.

Arai, Masayuki; Binner, J. G. P.; Cross, Tom E.
High-temperature microwave complex permittivity of $YBa_2Cu_3O_{7-\delta}$ superconductors.—74-06557A

Arai, S. See Maruyama, T.

Arai, Shigehisa See Huang, Yi-Dong

Arai, Toshihiro See Tanaka, Akinori

Arai, Yasuo; Yasue, Tamotsu; Aoki, Shigeki
Crystal shape and size controls of xonotlite.—74-08009A

Arakawa, T.; Okuyama, H.; Yamashita, Y.; Syoki, T.; Nagasawa, Hiroyuki; Yamaguchi, Yohichi
Radiation stability of SiO_2 antireflective film coated with SiN and SiC X-ray mask membranes.—74-04857A

Arakawa, Toshihiko; Ogai, Michiharu; Fukuda, Hidemi
Raw powders for high-strength, high-toughness zirconia.—74-10601A

Arakcheyeva, A. V.; Ivanov, I. I.
Crystal structure of $CaAl(Al,V,M^I)_2(V,M^{II})(Si,Al)_2O_{10}$ disomatic phase with variable composition where M^I=Mg and M^{II}=Al, Fe, Mn, Ti, Mg—polytype modifications and structural homologues of this phase.—74-07056A

Arakcheyeva, A. V.; Shamrai, V. F.
Averaged model of incommensurate crystal structure of $(Ca_2Sr_7)(Cu_{23.62}Bi_{0.38})O_{41}$.—74-04097A

Araki, H. See Suzuki, H.

Arama, E. D. See Zhitar, V. F.

Arashi, Haruo See Matsui, Koji; Yusa, Hitoshi

Arashi, Haruo; Asami, Hajime; Moriwaki, Masahiro
Development of multipurpose cylindrical laboratory furnace.—74-01142A

Arashi, Tomohiro See Nomura, Takeshi

Araya, Abraham; Lovell, Anthony L.
Porous three-dimensional inorganic oxide structure with myriad cavities interconnected by holes.—74-03998P

Arbuthnot, Diane; Wang, Xiao-Jun; Knobbe, Edward T.
Luminescence effects in gels containing organoaluminum complexes.—74-10114A

Arbuzov, V. I.
Electron transfer under radiation and protective action of cerium in radiation-resistant glasses.—74-00195A; Radiation-induced electron transfer and the protective effect of cerium in radiation-resistant glasses.—74-00211A

Arbuzov, V. L. See Arbuzova, T. I.

Arbuzov, V. L.; Vladimirov, A. B.; Vykhodets, V. B.;

Davletshin, A. E.; Plotnikov, S. A.; Trakhtenberg, I. Sh.
Practical use of strength and anticorrosion properties of amorphous carbon thin films.—74-04018A

Arbuzova, T. I.; Smolyak, I. B.; Arbuzov, V. L.
Effect of electron irradiation on the peak effect in $YBa_2Cu_3O_x$ single crystals.—74-03447A

Arch, B. See Goldberg, Richard P.

Archibald, W. B. See Hoellwarth, C. C.

Ardashnikova, E. I. See Fadeeva, E. E.

Ardelan, I. See Ilescu, T.

Arenas, F. J.; Donat, M.; Arenas, I.; Centeno, L.
Evaluation of ZrO_2-toughened high-soda duplex-calcined Al_2O_3 sintered bodies.—74-10339A

Arenas, I. See Arenas, F. J.

Arendt, P.; Elliott, N.; Eye, R.; Hubbard, K; Maley, M.; Martin, J.
Fabrication and characterization of Tl-Ba-Ca-Cu-O superconducting films on $LaAlO_3$ substrates.—74-03462A

Arendt, Paul; Foltyn, S. R.; Wu, Xin-Di
Fabrication of biaxially oriented YBCO on (001) biaxially oriented yttria-stabilized zirconia on polycrystalline substrates.—74-09271A

Arens, C. See Popovic, Dragan

Arent, D. J.; Alonso, R.; Horner, G.; Bode, M.; Olson, J. M.; Yin, X.
Ordered and randomly disordered AlAs/GaAs short-period superlattices.—74-03143A

Argyriou, Dimitri N.; Howard, Christopher J.; Lathabai, Srinivasarao
Further observations of an orthorhombic zirconia in magnesia-partially stabilized zirconia.—74-01387A

Argyriou, Dimitri N.; Howard, Christopher J.; Smith, Roger I.
At-temperature neutron diffraction investigation of the aging process in magnesia-partially-stabilized zirconia.—74-04095A

Arias, L. See Tirlocq, J.

Arimondo, Ennio See Pellegrini, Vittorio

Arimoto, Y.; Kimura, T.; Ihara, M.
Bipolar transistors on Si/MgO-Al_2O_3/Si.—74-00571A

Aripova, M. Kh. See Tulyaganov, D. U.

Aristov, V. Yu.; Le Lay, G.; Soukiassian, P.; Hricovini, K.; Bonnet, J. E.; Osvald, J.
Cs-induced highest E_F jump above InAs(110) conduction band minimum.—74-06019A

Arita, A. H. See Velez, D.

Arizmendi, L.; Agullo-Lopez, F.
$LiNbO_3$—a paradigm for photorefractive materials.—74-06419A

Arjunan, P.; Kumar, A.
Rapid techniques for determination of free lime and free magnesia in cement clinker and portlandite in hydrates.—74-05577A

Arkhipov, V. G. See Sanditov, D. S.

Arledge, John K.; Swirbel, Thomas J.; Davis, James L.
Adherent metal coating for aluminum nitride surfaces.—74-08298P

Arliguie, Ginette See Francois, Raoul

Arlinghaus, H. F.; Spaar, M. T.; Tanigaki, T.; McMahon, A. W.; Holloway, P. H.
Sputter-initiated resonance ionization spectroscopy: an analytical technique for quantitative and sensitive measurements of impurities and ultrashallow doping profiles in semiconductors.—74-00717A

Arlt, Gottfried; Bottger, Ulrich; Witte, Stefan
Dielectric dispersion of ferroelectric ceramics and single crystals by sound generation in piezoelectric domains.—74-03292A

Armand, S. See Giroult-Matlakowski, G.

Armani, F. See Delacourt, D.

Armas, B. See Henery, F.; Labatut, C.

Armstrong, B. M. See Wu, Y.

Armstrong, Timothy R. See Chick, L. A.; Minh, Nguyen Q.; Stevenson, Jeffry W.

Armstrong, Timothy R.; Bates, J. L.; Chick, L. A.; Kingsley, J. J.; Pederson, L. R.
Synthesis and processing of complex ceramic oxides.—74-01902A

Arnal, Pascal See Acosta, Sylvie

Arnal, Pascal; Corriu, Robert J. P.; Leclercq, Dominique
Preparation of transition metal oxides by a nonhydrolytic sol-gel process.—74-10572A

Arnason, S. B. See Benerofe, S. J.

Arnold, Fred
Cullet—a modern raw material—handling and production problems.—74-01191A

Arnold, J. M. See Ironside, C. N.

Arnold, John C.; Gray, David C.; Sawin, Herbert H.
Influence of reactant transport on fluorine reactive ion etching of deep trenches in silicon.—74-01947A

Arnold, S. A.
Techno economic issues in the selection of auto materials.—74-02279A

Arnott, M. See Brousseau, R.

Aromaa, J. See Forsen, O.

Aronov, D. A.; Isaev, Kh. I.; Rubinov, V. M.
Physical effects in thin films of amorphous GaP excited by light or by high-energy electron beams.—74-03171A

Arora, B. M. See Srivastava, A. K.

Arora, S. K.; Gupta, A. K.
Effect of sample quality on 1/*f* noise in Y-Ba-Cu-O ceramics.—74-03451A

Arribere, A. See Pastoriza, H.

Arrington-Webb, Lee Ann See Malla, Prakash B.

Arroyo, R.; Campero, A.; Rodriguez, R.
Aggregation profiles of silica sols in a sol-gel process.—74-01612A

Arsenault, B. See Dube, D.; Lambert, P.

Arsenin, K. I.; Kuz'minskii, E. V.; Devyatkin, S. V.
Interaction of potassium tetrafluoroborate with boric anhydride at high temperatures.—74-01397A

Arshed, M.; Siddique, M.; Anwar-ul-Islam, A.
Study of the crystallization process of metglass $Fe_{80}B_{14}$ by Mossbauer effect and resistivity measurements.—74-04222A

Arsova, D.; Skordeva, E.; Vateva, E.
Topological threshold in $Ge_xAs_{40-x}Se_{60}$ glasses and thin films.—74-03671A

Artamonov, O. M.; Dmitrieva, O. G.; Samarin, S. N.
Unoccupied electron states and determination of the electron affinity of PbS(100) by inverse photoemission spectroscopy.—74-00732A

Artamonova, M. V. See Kozhevatkin, S. G.

Artamonova, M. V.
Physicochemical principles of synthesis of heterogeneous photochromic glasses.—74-02481A

Artelt, Peter
Developments in refractory linings of steel plant ladles.—74-00383A

Artem'ev, Yu. M. See Lepnev, G. P.

Artem'eva, M. A. See Lepnev, G. P.

Artemiev, A. V.; Galaev, A. A.; Mil'vidskii, A. M.
Structure-sensitive features of valence band in disordered silicon.—74-05053A

Artemyuk, S. A. See Kryl, Ya. A.

Artyukh, S. Yu. See Vlasova, M. V.

Artyushenko, V. G.; Lerman, A. A.; Metlov, V. V.
Extrusion of silver and cesium halogenide fibers at various temperatures.—74-04627A

Artyushenko, V. G.; Zakharov, N. D.; Lerman, A. A.
Electron microscopic study of fiber lightguides made from silver halogenides.—74-05133A; Studying structure of silver halogenide fiber lightguides using various techniques.—74-03876A

Aruga, Atsushi See Nakamura, Yoshikazu

Arunachalam, V. S. See Ramakrishnan, N.

Arunajatesan, Sowmya; Carim, Altaf H.
Synthesis of titanium silicon carbide.—74-04948A

Arwin, H. See Jarrendahl, K.

Asada, Hiroaki; Kishi, Yoichi; Hirose, Yukio
Measurement of Young's moduli of TiC-coated film by the X-ray method.—74-01539A

Asaeda, Masashi
Separation mechanisms of mixtures of low molecular weight compounds by porous ceramic membranes.—74-10623A

Asaga, Kiyoshi
Why cements solidify.—74-08121A

Asai, Kichizo See Sonobe, Masanobu

Asai, Yoshihiro See Inoue, Yasunobu

Asai, Yuji; Imai, Osamu
Piezoelectric semiconductor.—74-09098P

Asakawa, K. See Takado, N.

Asakawa, T.; Yoshimoto, M.; Nakanishi, S.
Evaluation of thermal interdiffusivity at (Nd-Cu-O)/(Ca-Cu-O) multilayered film interface by X-ray diffractometry.—74-10731A

Asami, Hajime See Arashi, Haruo

Asami, Kumiko; Miki, Kazushi; Sakamoto, Kunichiro; Sakamoto, T.; Gonda, S. I.
Thermal stability of Si/Ge_x/Si heterostructures by photoreflectance.—74-06357A

Asamoza, M. See Lopez, T.
Asanao, Sadame
Reconstruction for a new, ultramodern Shinagawa Refractories "Dream Project 21."—74-02267A
Asano, Hajime See Kito, Hijiri; Ohtaka, Osamu
Asano, T. See Fukutomi, Masao
Asano, Takayuki See Oohara, Yasuakai
Asano, Takeharu See Fujita, Shizuo
Asano, Tanemasa See Katsumata, Satoshi
Asao, Fumihiro See Miyake, Takushi
Asaoka, H.
Formation of titania gels from titanium alkoxide and orthoboric acid in pyridine.—74-07321A; Sol-gel synthesis of crystalline ZrO_2 with partial replacement of zirconium by Al, Nb, Si, and Ta.—74-07115A
Asaro, F. See Gunneweg, J.
Asayama, Kunisuke See Ishida, Kenji; Ohsugi, Shigeki
Asbeck, P. M. See Fu, S.-L.
Asberg, Bengt A. See Fischer, Udo K.
Ascarelli, P.; Fontana, S.
Analysis and modeling of diamond heterogeneous nucleation kinetics.—74-10756A
Aschert, M. V. See Campbell, J. H.
Aschern, W.; Stover, D.; Hemmes, H.
Manufacturing of $YBa_2Cu_3O_7$ coatings by low-pressure and atmospheric plasma spraying for magnetic shielding applications.—74-09305A
Ascone, I. See Charreire, Y.
Aselage, T. L.; Venturini, E. L.; VanDeusen, S. B.
Two-zone equilibria of Tl-Ca-Ba-Cu-O superconductors.—74-03612A
Ash, L. A.; Evans, S.
X-ray photoelectron diffraction studies of the surface chemistry of nonstoichiometric synthetic spinel.—74-05297A
Ashanskaya, G. A. See Alaskin, E. G.
Ashburn, P. See Chan, K. K.
Ashburn, S. P.; Oztürk, M. C.; Wortman, J. J.; Harris, G.; Honeycomb, J.; Maker, D. M.
Formation of titanium and cobalt germanides on Si(100) using rapid thermal processing.—74-06113A
Ashby, M. F. See Sleurs, J.
Ashby, M. F.
Materials in mechanical design.—74-00949A
Ashbt, Michael F. See Kong, H.
Asher, S. See Kurtz, Sarah R.
Asher, Sanford A. See Chang, Song-Yuan
Ashfold, M. N. R. See Cock, Alex M.; May, P. W.; Partridge, Peter G.; Rego, C. A.
Ashkin, Daniel; Niesz, Dale E.
Preparation and properties of HIPed O'SiAlON/silicon nitride composites.—74-07423A
Ashkinazde, B. M.; Cohen, E.; Azra, Ron
Effects of free electrons on the dynamics of excitons in quantum well structures.—74-00600A
Ashley, C. S. See Sault, A. G.
Ashmontas, S.; Gradauskas, I.; Naudjyus, K.
Photoresponse of InSb-based *p-n* structures during illumination by a CO_2 laser.—74-08997A
Ashok, S. See Nam, C. W.; Wang, Y. G.
Ashour, A.; Afifi, H. H.; Mahmoud, S. A.
Effect of some spray pyrolysis parameters on electrical and optical properties of ZnS films.—74-06055A
Ashrit, P. V. See Badilescu, S.
Ashwani, Pahuje See Mullick, A. K.
Ashyaeva, I. V. See Kasenov, B. K.
Asinari, C. See Nesladek, M.; Spinnewyn, J.
Askarpour, V.; Manghnani, M. H.
Elastic properties of breakaway glass and liquid by Brillouin scattering up to 170°C.—74-02535A
Askew, R. F. See Ramesham, R.
Aslanov, L. A.; Kudryavtsev, I. K.; Bezuglyi, B. A.
Proton conductivity and synthesis on solid electrolytes.—74-00524A
Asmussen, J. See Huang, Bohr-Ran
Asnaghi, D.; Carpineti, M.; Giglio, M.
Recent developments in aggregation kinetics.—74-07461A
Asobe, Masaki; Kanamori, Terutoshi; Kobudera, Kenichi
Applications of highly nonlinear chalcogenide glass fibers in ultrafast all-optical switches.—74-00286A
Asokan, K.
Role of electronic polarizability in oxide superconductors.—74-03572A
Asokan, S. See Titus, S. S. K.
Asom, M. T. See Hong, M.
Asom, M. T.; Livescu, G.; Swaminathan, V.; Geva, M.; Luther, L.
Molecular beam epitaxial growth and properties of Si-doped GaAs/AlGaAs quantum wells.—74-03118A
Asomoza, M. See Lopez, T.
Aspnes, D. E. See Bennett, Brian R.
Asrarov, Sh. A.; Volnyanskii, M. D.; Charnaya, E. V.
High-temperature acoustic properties of $Li_2Ge_7O_{15}$ and $Li_{1.36}Na_{0.04}Ge_7O_{15}$ crystals.—74-03817A
Assink, R. A. See Prabakar, S.
Assink, Roger A. See Jamison, Gregory M.; Loy, Douglas A.
Assmus, R.; Reichelt, D.; Espig, D.
Simulation calculus for tube mill cement grinding with upstream roller grinding.—74-05585A
Assuncao, M. See Nazare, M. H.
Astakhova, V. V. See Sultanov, Sh. Sh.
Asthana, R.; Rohtagi, P. K.
Melt infiltration of copper-coated silicon carbide with an aluminum alloy.—74-05643A
Asthana, R.; Tewari, S. N.
Interfacial and capillary phenomena in solidification processing of metal matrix composites.—74-05633A
Atabaev, I. G.; Saidov, M. S.; Saliev, T. M.
Effect of annealing on radiation-induced defects in *n*-SiC(6H) bombarded by thermal neutrons.—74-08868A
Athavale, Satish D. See Hoffman, David M.
Athey, Patricia R.; Dauson, Douglas S.; Lecocq, David E.; Neuman, George A.; Sopko, John F.; Stewart-Davis, Royann L.
Coating apparatus, method of coating glass, compounds and compositions for coating glasss and coated glass substrates.—74-02668P
Athwal, Iqbal; Ogryzlo, Elmer A.
DLC films by plasma-assisted chemical vapor deposition near room temperature.—74-04561A
Atkarskaya, A. B. See Popovich, S. A.
Atkarskaya, A. B.; Borul'ko, V. I.; Dudnik, T. A.
Properties of sol-gel thin films of the SiO_2-Fe_2O_3 system.—74-02391A
Atkinson, David H. See Vela, Timothy M.
Atmakuri, S.; Upadhya, G.; Wang, C. M.
Role of visualization in process simulation.—74-00992A
Atouf, Abdeltif See Haines, Julian
Atta, A. K.; Biswas, P. K.; Ganguli, D.
Optical properties of CdS- and (Cd, Zn)S-doped sol-gel titania films.—74-07177A
Attia, Alan I. See Peled, Emmanuel
Attolini, G. See Gennari, S.
Attolini, G.; Franzosi, P.; Pelosi, C.; Lazzarini, L.; Salviati, G.
Metallorganic vapor phase epitaxial growth and structural characterization of GaAs/InP heterostructures.—74-04748A
Atwell, William H.; Saha, Chandan K.; Zank, Gregg A.
Porous silicon carbide ceramics using filled polysiloxanes.—74-04078P
Atwood, M. P. See Watson, I. M.
Au, H. L.; Ling, C. C.; Panda, B. K.
EL2 deep donor state in semiinsulating GaAs revealed by frequency-dependent positron mobility measurements.—74-08879A
Aubel, D. See Diani, M.
Aubel, D.; Diani, M.; Bischoff, J. L.; Bolmont, D.; Kubler, L.
Strict thermal nitridation selectivity between Si and Ge used as a chemical probe of the outermost layer of $Si_{1-x}Ge_x$ alloys and Ge/Si(001) or Si/Ge(001) heterostructures.—74-06328A
Aubreton, J. See Germain, C.; Thomas, L.
Auciello, Orlando See Krauss, A. R.
Auciello, Orlando; Al-Shareef, H. N.; Gifford, K. D.
Review of orientation-microstructure-property relationships for PZT/metal or metal-oxide layered heterostructures.—74-08769A
Auciello, Orlando; Krauss, A. R.; Lin, Y.
In situ, real-time analysis of the growth of ferroelectric and conductive oxide heterostructures by a new time-of-flight pulsed ion beam surface analysis technique.—74-10821A
Auderbert, P.; Daguzan, P.; Dos Santos, A.
Space-time observation of an electron gas in SiO_2.—74-06820A
Audibert, D.
Two years of operation of a double exchanger of the emissions from a semiwet route cement furnace.—74-09721A
Auffredic, Jean-Paul; Boultif, Ali; Langford, J. Ian; Louer, Daniel
Early stages of crystallite growth of ZnO obtained from an oxalate precursor.—74-05123A
Augur, R. A. See Dirks, A. G.
Augustsson, Bengt O.
Polymer-coated refillable glass containers.—74-05782A
Auh, Keun-Ho See Shin, Dong-Woo
Ault, Neil N.; Crowe, John T.
Silicon carbide.—74-06928A
Ault, Neil N.; Yeckely, Russell L.
Silicon nitride.—74-06929A
Auner, G. W. See Naik, R.
Auradou, Helene See Delmas, Claude
Aurbach, D.; Ein-Eli, Y.; Carmeli, Y.
Correlation between the surface chemistry and the performance of Li-carbon intercalation anodes for rechargeable "rocking-chair"-type batteries.—74-07018A
Auret, F. D. See Myburg, G.
Auslender, M. See Gluzman, N.
Ausloos, M. See Sergeenkov, S.
Austin, Eva See Lin, F.
Austin, Gordon
Diamond, industrial.—74-06896A; Garnet.—74-06903A
Autissier, D. See Roussell, D.
Autokhina, T. F.; Liysun, T. V.; Ignateva, L. N.
Synthesis and physicochemical characterization of $LiMTiF_6$.—74-07131A
Autran, Jean-Luc; Balland, Bernard; Vallard, Jean-Pierre; Babot, Daniel
Charge pumping study of radiation-induced defects at $SiSiO_2$ interface.—74-06002A
Avakyan, A. A.; Kocharyan, K. N.; Martirosyan, R. M.
Ultrasonic modulation of submillimeter waves in easy-plane antiferromagnets.—74-03407A
Avci, G. G. See Gunay, V.
Avedisian, C. Thomas See Versteeg, Vera A.
Aver'yanov, V. I. See Shelekhov, N. S.
Averback, R. S. See Forbes, D. V.
Averkieva, G. K.; Agekyan, V. F.; Gridneva, L. K.
Optical properties of diluted magnetic semiconductor $Cd_{1-x-y}Mn_xMg_yTe$ [(0.05<x<0.65, 0.05<y<0.5)].—74-07178A
Averous, M. See Misra, S. K.
Avetisvan, L. F. See Abrosimova, V. N.
Avidan, G. See Aharonson, N.
Avigal, I. See Lifshitz, Y.
Avigal, Y. See Mehlmann, A. K.
Avigal, Y.; Uzan-Saguy, C.; Kalish, R.; Lereah, Y.
Diamond homoepitaxy by hot-filament chemical vapor deposition.—74-10268A
Aviles, M. A. See Sanchez-Soto, P. J.
Aviles, M. A.; Justo, A.; Sanchez-Soto, P. J.
Processing of nitrogen ceramics by carbothermal reduction and nitridation of vermiculite-polymer intercalation compounds.—74-04838A
Avinens, C. See Daviero, S.
Avramenko, L. I. See Blank, A. B.
Avramenko, S. F.; Vainberg, V. V.; Venger, E. F.
Electronic properties of an SiC surface of the 15R rhombohedral modification.—74-06080A
Awadelkarim, O. O. See Gu, Tieer
Awaji, Hideo: Ogawa, Mitsue; Sato, Sennosuke
Testing method for thermal shock fracture of ceramics.—74-07928A
Awano, Masanobu See Takagi, Hiroyoshi
Awazu, Kaoru See Watanabe, Hiroshi
Awazu, Koichi; Kawazoe, Hiroshi; Seki, Kazuhikp
Growth mechanisms of silica glasses using the liquid phase deposition.—74-02635A
Awazu, Tomoyuki See Tsuzuki, Yasushi; Yamamoto, Susumu
Awazu, Tomoyuki; Tsuzuki, Yasushi; Komura, Osamu; Yamakawa, Akira
Method of molding silicon nitride ceramics.—74-09940P
Axelsson, O.; Paul, J.; Weisel, M. D.
Reactive evaporation of potassium in CO_2 and the formation of bulk intermediates.—74-01867A
Axen, N.; Alahelisten, A.; Jacobson, S.
Abrasive wear of alumina fiber-reinforced aluminum.—74-08124A
Axen, N.; Jacobson, S.
Model for the abrasive wear resistance of multiphase materials.—74-11057A
Aya, Sunao See Trube, Jutta
Ayache, J.; Castaing, J.
Transmission electron microscopy and microanalysis of extended defects in ceramics.—74-07783A
Ayache, J.; Pellerin, Nadia; Odier, Philippe
Microstructure of textured YBaCuO made under low thermal gradient—a path to understand the texturing mechanism.—74-03529A
Ayala, J. M.; Garcia, M. P.; Verdeja, L. F.
Characteristic of the acid-basic purification processes for ziron powders disgregated with soda ash.—74-04498A
Ayar, S. See Gorter, H.
Aydin, K.; Akinci, A.
Application of oxy-fuel firing to an E-glass furnace.—74-03894A
Ayers, Michael E. See Khan, Mohammad Shamin
Ayok, T. See Kocakusak, S.
Ayral, A. See Dabadie, T.
Ayres, C. F. See Chalker, P. R.
Ayres, J. R.; Brotherton, S. C.; Clarence, I. R.; Dobson, P. J.
Photocurrents in poly-Si TFTs.—74-03158A
Ayres, J. R.; Young, N. D.
Hot carrier effects in devices and circuits formed from poly-Si.—74-03050A
Ayuzawa, Nobuo; Shiranita, Akira; Takai, Masamichi; Takeda, Teruhiko
High-temperature corrosion of ceramics in some gaseous environments.—74-05307A
Azad, Abdul M.; Mhaisalkar, S. G.; Birkefeld, L. D.; Akbar, Sheikh A.; Goto, K. S.
Behavior of a new ZrO_2-MoO_3 sensor for carbon monoxide detection.—74-00570A; Solid-state gas sensors: a review.—74-00714A
Azadegan, M. See Shirkhanzadeh, M.
Azarian, M. H. See O'Connor, T. M.
Azarian, M. H.; Bauer, C. L.; Jhon, M. S.
Tribology of thin-film media in both flying and sliding modes.—74-02216A
Azarian, M. H.; Bauer, C. L.; O'Connor, T. M.
Head-disk interaction in gas-lubricated slider bearings.—74-02152A
Azarko, I. I. See Erchak, D. P.
Azbel, A. Yu. See Pevzner, B. Z.
Azema, A. See Aboudihab, I.
Azema, Nathalie See Durand, Jean
Azewczyj, Slovomir; Weronski, Andrzej
Examination of the factors causing the avalanche cracking of grate cooler clamping elements.—74-09657A
Azeyanagi, Kazuyoshi See Matsunaga, Noboru
Azim, M. Abdel See Ibrahim, S. M.
Azimi, M.; Ghosh, P. K.
Deposition and dielectric property of ion-beam-assisted bismuth titanate film.—74-08738A
Azra, Ron See Ashkinazde, B. M.
Azuma, Masaki; Hiroi, Zenji; Takano, Mikio
Observation of a spin gap in $SrCu_2O_3$ comprising spin-1/2-quasi-1-D two-leg ladders.—74-10127A
Azuma, Masaki; Ikeda, Nariaki; Hiroi, Zenji; Takano, Mikio; Bando, Yoshichika; Takeda, Yasuo
Synthesis of infinite-layered superconductors under high pressure.—74-03602A
Azuma, T.; Nakasugi, T.; Oogi, S.
Nanofabrication techniques for a 100-nm-scale tungsten polycide gate structure.—74-01811A
Baaklini, George Y. See Chu, Y.-C.; Cios, Krzysztof J.
Baaklini, George Y.; Klima, Stanley J.; Roth, Don J.
Making ceramic reference specimens containing seeded voids.—74-07022A
Baaklini, George Y.; Ramakrishna, T. Bhatt
In situ radiography during tensile tests.—74-04016A
Baar, D. J. See Moler, K. A.
Baatarjav, A. See Lepkova, D.
Baba, Yoko See Takahashi, Hisakazu
Babaev, V. G. See Guseva, M. B.
Babak, T. B. See Babak, V. N.
Babak, V. N.; Fokina, E. E.; Babak, T. B.
Hydrogenation mechanism of transient metal and intermetallic compound mixture.—74-01756A
Babamuratov, K. Kh.; Zhuravlev, V. V.; Kumzerov, Yu. A.
Structure of resistive superconducting transition in regular array of indium nanoparticles.—74-06635A

Babenko, S. D. See Ponomarev, E. A.
Babenko, V. V. See Voloshin, V. A.
Babentsov, V. N.; Baidullaeva, A.; Vlasenko, A. I.
Mechanism of formation of a disturbed layer in *p*-CdTe under the action of ns laser pulses.—74-00654A
Babentsov, V. N.; Baketov, G. V.; Gorban, S. I.
Transformation of a system of defects near the surfaces of CdTe, $Zn_xCd_{1-x}Te$, and $CdTe_{1-x}Se_x$ crystals etched with argon ions.—74-00724A
Babentsov, V. N.; Vlasenko, A. I.; Sochinskii, N. V.
Influence of Ga on the low-temperature photoluminescence of diffusion-doped CdTe.—74-00638A
Baber, N. See Khan, Nawazish A.
Babic, E. See Kusevic, I.
Babich, G. A.; Kisil, E. P.
Determination of lead in tungsten(VI) oxide for scintillation single crystals by stripping voltammetry.—74-05004A
Babii, P. I. See Slyn'ko, V. V.
Babitsyna, A. A.; Emel'yanova, T. A.
Investigation of interactions in the system NaF-BaF_2-ZrF_4.—74-02551A
Babizhetskii, V. S. See Chikhrii, S. I.
Babkin, E. V.; Saparov, S.; Charyev, A. A.
Magnetic and electrical properties of single-crystal FeV_2O_4 films near Curie temperature.—74-03386A
Babkin, O. E. See Dalidovich, V. V.
Babkina, V. A. See Shchavelev, O. S.
Babonas, G. Yu. See Dagys, R.
Babonneau, Florence See Delattre, Laurent; Laine, Richard M.; Soraru, Gian Domenico; Yuh, Soon-Ku
Babonneau, Florence
^{29}Si, ^{17}O liquid NMR, and ^{29}Si CP-MAS NMR characterization of siloxane-oxide materials, ($(CH_3)_2SiO/TiO_2$, $(CH_3)_2SiO/ZrO_2$).—74-10754A
Babot, Daniel See Autran, Jean-Luc
Baboux, J. C. See De Espinosa, F. R.
Babu, S. V. See Padiyath, R.; Seth, Jayshree
Babushkin, A. N. See Ignatchenko, O. A.
Babushkin, A. N.
Electrical conductivity and thermopower of gallium phosphide at pressure up to 50 GPa.—74-04299A
Babushkin, O.; Harrysson, R.; Lindback, T.
Effect of sintering atmosphere and alumina precursors on the sequence of solid-state reactions in the AlN-Y_2O_3-Al_2O_3 system.—74-07075A
Baca, A. G. See Sherwin, M. E.
Bacca, E. See Girata, D.
Bach, H. See Sprenger, D.
Bach, H.-G. See Kunzel, H.
Bachelard, Roland See Jarrige, J.
Bachelard, Roland; Disson, Jean-Pierre
Production of whisker-free Si_3N_4 particulates by carbonitriding SiO_2.—74-09957P
Bachir, S.; Kossanyi, J.; Ronfard-Haret, J. C.
Electroluminescence of Ho^{3+} ions in a ZnO varistor-type structure.—74-02992A
Bachle, Kurt See Konig, Theo
Bachli, A. See Zehnder, T.
Bachmann, P. K. See Prijaya, Noviana A.
Bachmann, P. K.; Bausen, H. D.; Lade, H.; Leers, D.; Wiechert, D. U.; Herres, N.
Raman and X-ray studies of polycrystalline CVD diamond films.—74-07725A
Bachmann, P. K.; Lade, H.; Leers, D.; Wiechert, D. U.; Theunissen, G. S. A. M.
Wear testing of CVD diamond films.—74-05399A
Bachmann, P. K.; Leers, D.; Wiechert, D. U.
Post-depositional diamond etching.—74-10540A
Bachmann, T. See Rottschalk, M.
Bachra, Bilber See Wright, Adrian C.
Bachurin, L. V. See Tsvigunov, A. N.
Bachus, Tricia L.
Sol-gel lifts electronics market.—74-05790A
Back, Gern-Ho; Yu, Jong-Sung; Kurshev, Vadim
Pd^I location and adsorption interaction in PdH-SAPO-34 studied by EPR and electron spin-echo modulation spectroscopies.—74-07709A
Backhaus-Ricoult, M.; Hagege, S.
Metal-ceramic interfaces in internally reduced (Mg,Cu)O.—74-08235A
Backhaus-Ricoult, M.; Mozdzierz, N.; Eveno, P.
Impurities in silicon carbide ceramics and their role during high-temperature creep.—74-11024A
Backhaus-Ricoult, M.
Solid-state reactions between silicon carbide and (Fe, Ni, Cr) alloys: reaction paths, kinetics, and morphology.—74-08273A
Bacquet, G.; Hassen, F.; Alonso, M. I.
Spin orientation by optical pumping in $In_xGa_{1-x}As/AlAs$ multiple quantum wells.—74-06322A
Baddi, R.; Clarisse, L.; Duclos, R.
Diffusional creep of alumina-zirconia composites: mechanical behavior and microstructure.—74-07861A
Baddour, R. See Maingot, S.
Bade, J. P.; Sahaida, S. R.; Miyata, Koichi
Fabrication of diamond thin film thermistors for high-temperature applications.—74-08906A
Badeche, T. See Russ, E.
Badekas, H. See Koutsomichalis, A.
Badenes, J. See Andres, J.
Bader, G. See Badilescu, S.
Bader, M. G. See Baillie, C. A.
Badilescu, S.; Ashrit, P. V.; Minh-Ha, N.; Bader, G.; Girouard, F. E.; Truong, V.-V.
Study of lithium intercalation into tungsten oxide films prepared by different methods.—74-07766A
Badoz, P. A. See Sagnes, I.
Badri, V. See Tamhane, A. S.
Badwal, S. P. S. See Hughes, Anthony E.
Badzian, Andrzej See Yacobi, B. G.
Badzian, Andrzej; Badzian, Teresa
Diamond homoepitaxy by chemical vapor deposition.—74-01676A
Badzian, Teresa See Badzian, Andrzej; Yacobi, B. G.
Bae, Ho-Gi; Ko, Tae-Gyung
Preparation of ferroelectric $BaTiO_3$ thin film using sol-gel spin coating process.—74-09168A
Bae, Myong-Kwang See Mon, Mi-Ock
Bae, Yong-W. See Lee, Woo-Y.
Bae, Yong-W.; Lee, Woo-Y.; Stinton, David P.
Effects of temperature and reagent concentration on the morphology of chemically vapor deposited β-Ta_2O_5.—74-05132A
Baehr, O. See Bath, A.
Baek, Hyun-Deok; Virkar, Anil V.
Thermodynamic investigations of Bi_2O_3-MO (M=Ca, Sr, and Ba) systems using galvanic cells.—74-01482A
Baer, D. R.; Engelhard, M. H.; Schulte, D. W.; Guenther, D. E.; Wang, Li-Qiong; Rieke, P. C.
Electron beam effects on $(CH_2)_{17}$ self-assembled monolayer SiO_2/Si specimens.—74-04608A
Baer, E. See Chen, F.
Baeri, P.
Pulsed laser induced modifications of metal silicide layers.—74-04853A
Baert, K. See Caymax, M.
Baertlein, C. D. See Teowee, G.
Baerwind, H. U. See Werner, M.
Bagaeva, T. Yu.; Popov, V. V.; Sołodskaya, T. I.
Effect of electron-plasmon scattering on the transport characteristics of hot electrons in degenerate GaAs.—74-08872A
Bagai, R. K. See Yadava, R. D. S.
Bagaiskov, Yu.S. See Bernovskava, L.P.
Bagautdinov, A. A.; Neiman, S. M.
Utilization of asbestos cement wastes in building material production.—74-00101A
Bagdady, R. M. See Ibrahim, D. M.
Bagdasarov, Kh. S.; Bogdanov, N. Ya.; Kalinin, V. I.
Light pumping effect on dielectric properties of $Y_3Al_5O_{12}$:Nd crystals.—74-03384A
Baglund, L. A. See Stark, A. K.
Bagratashvili, V. N. See Arnosov, A. V.
Baha, Jan; Oles, Andrej M.; Zaanen, Jan
Zhang-Rice localization, quasi-particle dispersions and the photoemission of NiO.—74-03263A
Bahadur, D.
Current trends in applications of magnetic ceramic materials.—74-06452A
Bahgot, A. A.; Shaltout, I. I.; Abu-Elazm, A. M.
Structure and thermal properties of some tellurite glasses.—74-08352A
Bahl, O. P. See Mathur, R. B.
Bahner, F.; Braun, M.; Philipp, R.
Generation and application of foam in plasterboard production.—74-08034A
Bahng, Gun-W. See Hwang, Nong-M.
Bahr, H.-A. See Fett, Theo; Pompe, W.
Bahtat, A.; Bouazaoui, M.; Bahtat, M.
Fluorescence of Er^{3+} ions in TiO_2 planar waveguides prepared by a sol-gel process.—74-06109A
Bahtat, M. See Bahtat, A.
Bai, B. N. Pramila See Ravikiran, A.
Bai, Chuan-Yong See Yan, Jun-Jue
Bai, Chun-Li See Gao, Fan; Wang, Da-Wen
Bai, Chun-Li; Wang, Z.-H.; Dai, Chang-Chun; Zhang, P.-C.; He, Y.-L.
Microstructures of nanosize hydrogenated crystalline silicon studied by scanning tunneling microscopy.—74-07696A
Bai, G. R. See Chen, H.; Foster, C. M.
Bai, Guang See Gan, Chang-Cheng
Bai, Jin-Tao; Qiao, Zue-Guang; Wang, Shui-Cai
Acoustooptic actively mode-locked frequency-doubled continuous-wave Nd:YAG laser.—74-02906A
Bai, L.; Qu, D. Y.; Conway, B. E.
Rechargeability of a chemically modified MnO_2/Zn battery system at practically favorable power levels.—74-01240A
Bai, Ming-Wu; Zhang, Xu-Shou; Qi, Shang-Kui
Tribological properties of silicon nitride ceramics coated with molybdenum films under boundary lubrication.—74-02214A
Bai, Ming-Wu; Zhang, Xu-Shou
Ion beam mixing modification of sputter-deposited molybdenum films on Si_3N_4 ceramics.—74-07359A
Bai, Shr-Nan; Tseng, Tseung-Yuen
Degradation phenomena due to impulse-current in zinc oxide varistors.—74-08852A
Bai, Ying-Xin; Chen, Shi-Sheng; Zu, Guo-Ying
Nonlinear polarization of fused silica and its measurement.—74-00757A
Baibatyrov, E. N. See Mambetkaziev, E. A.
Baidakov, L. A. See Ananachev, V. A.; Orkina, T. N.
Baidullaeva, A. See Barbentsov, V. N.
Baidus, N. V. See Karpovich, I. A.
Baik, Dong-Soo; No, Kwang-Soo; Chun, S.-J.; Yoon, Y.-J.
Mechanical properties of mica glass-ceramics.—74-05376A
Baik, H.-K. See Kwak, J.-S.
Baik, Sung-Gi See Chang, An-Jae; Kim, Sang-Sub; Lee, Y.-J.; Sohn, Kee-Sun
Baik, Yong-Hyuck; Park, Hong-Kyun
Effect of Al_2O_3 and Fe_2O_3 on tribological properties of reaction-bonded SiC.—74-10277A
Baik, Young-Joon See Lee, Kwang-Ryeol; Park, B.-S.
Baik, Young-Joon; Eun, Kwang-Yong
Highly oriented textured diamond film on Si substrate.—74-10815A
Baikov, Yu. M.; Dunaeva, T. Yu.; Krachino, T. V.
Effect of oxygen content in $YBa_2Cu_3O_{7-\delta}$ ceramics on kinetics of its thermal evolution.—74-06520A
Baikova, L. G. See Pesina, T. I.
Baikova, L. G.; Fedorov, Yu. K.; Pukh, V. P.
Determination of the glass fracture toughness by microindentation.—74-00252A; Effect of cation field strength on the mechanical properties of R_2O-Al_2O_3-P_2O_5 glasses.—74-02532A; Possibility of determining the viscosity of destruction of glass by microindentation.—74-00274A
Bailey, Alex E. See Sutherland, Audrey E.
Bailey, Sturges W.
Review of the structural relationships of the kaolin minerals.—74-05828A
Baillargeon, J. N.; Cho, A. Y.; Fischer, R. J.; Pearah, P. J.; Cheng, K. Y.
Electrical characteristics of InP grown by molecular beam epitaxy using a valved phosphorous cracking cell.—74-04297A
Baillie, A. See Kasap, S. O.
Baillie, C. A.; Bader, M. G.
Strength studies of single carbon fibers in model composite fragmentation tests.—74-04428A
Baiocchi, F. See Choquette, Kent D.; Katz, A.
Bair, J. E.; Cohen, D.; Krusius, J. P.
Band renormalization and dynamic screening in near-band-gap fs optical probing of InGaAs.—74-08829A
Bairamov, B. Kh.; Voitenko, V. A.; Ipatova, I. P.
Temperature dependence of the cross section for light scattering by charge carriers—observation of an acoustic plasmon (review).—74-06349A
Baither, Dietman; Baufeld, Bernd; Messerschmidt, Ulrich
Defect formation during plastic deformation of Y_2O_3 partially stabilized ZrO_2 single crystals.—74-04997A
Baitinger, E. M. See Emirbekov, E. T.
Bajaj, J. See Irvine, S. J. C.
Bak, Chan S.; Kimura, Hiroshi; Pastor, Ricardo C.
Process for forming particles having a uniform size distribution.—74-03771P
Baker, A. J. See Kilbride, I. P.
Baker, J. E. See Stockman, S. A.
Baker, J. See Bishop, G. G.
Baker, Ralph T. See Noky, Werner
Baker, Robert R.; Carden, Robin A.
Monolithic ceramic golf club putter head and method of manufacture thereof.—74-01328P
Baker, Shenda M.; Rossman, George R.; Baldeschwieler, John D.
Topology of synthetic, boron-doped diamond by scanning tunneling microscopy.—74-05292A
Baketov, G. V. See Babentsov, V. N.
Bakhmutova, T. S. See Malevannyi, V. A.
Bakhtizin, R. Z. See Park, C.
Bakhtizin, R. Z.; Park, C.; Hashizume, T.; Sakurai, T.
Atomic structure of Bi on the Si(111) surface.—74-07596A
Bakin, A. S.; Dorozhkin, S. I.; Tairov, Yu. M.
Aspects of the crystallization of SiC from the vapor phase on a substrate by the sublimation method.—74-09970A
Bakirov, A. A. See Surowiak, Z.
Bakker, H. J. See Emmerichs, U.
Bakker, P. M. V. See Winnubst, A. J. A.
Bakker, R. F. M.; De Baat, W.; Vermeule, M. I.
Significance of output signals to adjust the process of milling.—74-08108A
Bakradze, V. N.; Iashvili, A. A.; Machaidze, T. V.
Pinning in high-T_c superconductors.—74-09320A
Bakueva, L. G.; Il'in, V. I.; Musikhin, S. F.
Superlattices of the PbS-CdS type formed by laser evaporation in vacuum.—74-02054A
Bakulin, E. A.; Danilov, V. A.; Parfeniev, R. V.
Superconductivity and component distribution thin indium-doped $Pb_xSn_{1-x}Te$ layers.—74-03596A
Bakunin, O. M. See Gorpinchenko, S. D.
Bakunov, V. S.; Belyakov, A. V.
Diffusion processes in solid-phase sintering of simple oxides.—74-04557A; Solid-phase sintering of simple oxides, such as corundum.—74-04906A
Bal, K. See Romeo, M.
Balachandran, U. See Iyer, A. N.; Kramer, M. J.
Balachandran, U.; Dusek, Joseph; Sweeney, Sean M.; Poeppel, Roger B.; Mieville, Rodney L.; Maiya, Parampalli S.
Methane to syngas via ceramic membranes.—74-06983A
Balachandran, U.; Iyer, A. N.; Haldar, P.
Powder-in-tube processing and properties of Bi-2223.—74-00840A
Balachandran, U.
Enhancement of mechanical properties of 123 superconductors.—74-09364P
Balakirev, V. G.; Bogomolov, V. N.; Zhuravlev, V. V.
Three-dimensional superlattices in opal matrices.—74-02594A
Balakrishna, P.; Anathapadmanabhan, P. V.; Ramakrishnan, P.
Electrical conductivity of sintered niobia-doped and magnesia-doped thoria.—74-10093A
Balakrishnan, K. S. See Rastogi, A. C.
Balankin, A. S.
Elastic properties of fractals and dynamics of brittle fracture of solids.—74-04291A
Balaram, B. See Kumar, K. K.
Balashova, E. V.; Gol'tsman, B. M.; Efimova, T. P.
Oriented $SrTiO_3$ film growth under HF magnetron sputtering.—74-04797A
Balasubramaniam, Balamurali See Thompson, Jeffrey Y.
Balberg, I. See Fonseca, L. F.
Balciuniene, M. See Amulevicius, A.
Baldeschwieler, John D. See Baker, Shenda M.
Baldinozzi, G.; Sciau, P.; Moret, J.
New incommensurate phase in a Pb ordered perovskite: Pb_2MgTeO_6.—74-03842A
Baldock, B. See Brousseau, R.
Baldus, H. P; Passing, G.
Studies on SiBN(C) ceramics—oxidation and crystallization behavior lead the way to applications.—74-10161A
Baldus, Hans-Peter; Schnick, Wolfgang
Process for the production of Si_3N_4 using a silicon, phosphorous and nitrogen containing precursor.—74-01333P

Baldwin, Leo B. See Hall, Benjamin L.
Balestrieri, D. See Balnchart, P.
Balestrino, G.; Marinelli, M.; Milani, E.; Paoletti, A.; Paroli, P.; Pinter, I.
Systematic investigation of plasma emission spectra during microwave diamond deposition from CH_4-CO_2 and C_2H_2-CO_2 gas mixtures.—74-01915A
Baleva, M.; Tuncheva, V.
Laser-assisted deposition of PbO films.—74-08943A; Structural and optical investigation of PbO films grown by laser-assisted deposition.—74-10159A
Balhadere, Aline; Bernard, Bruno; Moreau, Jacques A.; Mouricou, Isabelle; Robin-Brosse, Christian
Method of manufacturing parts made of ceramic matrix composite material.—74-01323P
Baliga, Bantval J.; Bhatnagar, Mohit
Silicon carbide field effect transistor.—74-00745P
Baliga, Bantval J.
Silicon carbide switching device with rectifying-gate.—74-09101P
Balint, Pal
How to reduce air pollution caused by brick manufacture.—74-05812A
Baljinder, S. Dua
Grasim Industries embarks on major expansion of cement production in India.—74-02329A
Balkin, D. K.; McGinn, P. J.
Effect of Er211 additions on the microstructure and magnetic properties of zone melt-textured Y123.—74-06518A
Balkus, Kenneth J. See Sottile, Laura J.
Balkus, Kenneth J.; Riley, Scott J.; Gnade, Bruce E.
Molecular sieve thin films via laser ablation.—74-07393A
Balla, D. D. See Chaska, Kh. B.
Balland, Bernard See Autran, Jean-Luc; Glachant, A.
Ballantyne, Joseph M. See Liang, James J.
Ballegeer, D. G. See Tong, M.
Ballegeer, D. G.; Nummila, K.; Adesida, I.
Multilayer resist process for asymmetric gate recess in field effect transistors.—74-00663A
Ballen, T. A. See Kaufman, D. Y.
Ballewski, Heinrich; Graf, Herbert; Grossmann, Wolfgang
Process and binder for the manufacture of ceramic shells for use as molds.—74-08653P
Ballinet-Tkatchenko, Danielle; Dos Santos, J. H. Z.; Malisova, Martina
Reactions of organostannames with silica, γ-alumina, and silica-alumina.—74-10148A
Ballingall, J. M. See Martin, P. A.
Ballingall, R. A. See Cairns, J. W.
Ballini, Y. See Neveux, D.
Ballutaud, Dominique See Dumont, Herve
Ballweg, T.; Lochner, K. H.; Fahrenkrog, H.-H.
Behavior of fired colored enamels on borosilicate glass.—74-00009A
Balmer, Mari Lou; Lange, Fred F.; Jayaram, Vikram; Levi, Carlos G.
Development of nanocomposite microstructures in ZrO_2-Al_2O373 via the solution precursor method.—74-07630A
Balnchart, P.; Balestrieri, D.; Weber, F.
Influence of calcium addition on the microstructure and electrical properties at room temperature of $BaTiO_3$ for PTC thermistors.—74-06152A
Balogh, A.
What's new in chemical admixtures.—74-02096A
Baltisberger, Jay See Adler, Stuart B.
Baltter, G. See Krusin-Elbaum, L.
Baluta, G. See Pavel, E.
Balyakirev, V. F. See Golikov, Yu. V.
Balzar, D. See Paranthaman, Mariappan
Bamberger, Carlos E. See Shoup, Shara S.
Bamberger, M. See Mehlmann, A. K.
Ban, Manoj See Kujur, B.
Ban, Takayuki See Aoki, Chikako
Banash, M. A. See Clark, T. J.
Bandi, A.; Schwartz, J.; Maier, C. U.
Adsorption of CO_2 on transition metals and metal oxides.—74-01610A
Bando, Y.; Suematsu, H.; Mitomo, Mamoru
Grain boundary phase analysis of silicon nitride by a newly developed 300 kV field-emission electron microscope.—74-10809A
Bando, Yoshichika See Azuma, Masaki; Daitoh, Yoshihiro; Shimura, Kenichi; Takada, Toshio
Bandopadhyay, S.; Gangopadhyay, U.; Mukhopadhyay, K.; Saha, H.; Chatterjee, A. P.
Nickel silicide contact for silicon solar cells.—74-05648A
Bandosz, J. Teresa; Putyera, Karol; Jaglello, Jacek
Study of carbon-smectite composites and carbons obtained by in situ carbonization of polyfurfuryl alcohol.—74-07495A
Bandyopadhyay, A.; Basu, K. P.
Modeling the excitonic electrorefraction in InGaAsP multiple quantum wells.—74-00660A
Banerjee, Dora See Kurze, Peter
Banerjee, G. See Mukherjee, B.
Banerjee, Indrajit; Kuzminov, Dimitry
Nitrogen redistribution in SiO_2 under ion bombardment.—74-02030A
Banerjee, S. K. See Batra, Shubneesh
Banerjee, S. See Roy, S. K.; Srivastava, A. K.
Banerjee, Sanjay See Mahajan, A.; Sultan, Akif
Banerji, Pallab; Sarkar, C. K.
Effect of band nonparabolicity on the hot electron longitudinal conductivity in n-$Hg_{1-x}Cd_xTe$ in the extreme quantum limit magnetic fields at low temperatures.—74-05125A
Banfill, P. F. G.; Gill, S. M.
Superplasticizers for Ciment Fondu: I, Effects on rheological properties of fresh paste and mortar.—74-00099A
Bang, Jae-Cheol; Lu, Guo-Quan
Constrained-film sintering of a borosilicate glass: in situ measurement of film stresses.—74-02525A
Bangera, K. V.; Rao, Mohan P.
Surface topographical studies of prism facts of barium copper oxalate single crystals.—74-10897A
Banholzer, William F. See Black, David R.
Banholzer, William F.; Anthony, Thomas R.; Williams, Dennis M.
Isotopically pure single crystal epitaxial diamond films and their preparation.—74-04057P
Banner, Didier
Radiative properties of glass and cast silicates. Modeling of heat transfer: I, glass and infrared radiation.—74-08390A; II, Heat transfer in a semitransparent medium. Importance of complex spectral index n_λ.—74-08391A
Bansal, Narottam P. See Buzniak, Jan J.; Singh, Jitendra P.
Bansal, Narottam P.; Drummond, Charles H., III
Effect of isostatic pressing on phase formation in BaO-Al_2O_3-$2SiO_2$ glass.—74-08415A
Bansal, Narottam P.
Method of producing a silicon carbide fiber reinforced strontium aluminosilicate glass-ceramic matrix composite.—74-08490P
Banse, F. See Ribot, Francois O.
Banthia, N.; Djeridand, S.; Pigeon, M.
Electrical resistivity of carbon and steel microfiber-reinforced cements.—74-05516A
Bao, G.; Zok, Frank W.
Strengthening of ductile particle-reinforced brittle matrix composites.—74-02208A
Bao, Q. See Yasuda, E.
Bao, Xiao-Qi See Wu, Zhan
Bao, Zhi-Qin; Lou, Jie-Yao
Cordierite honeycomb ceramic for exhaust purifier application.—74-06964A
Bapat, J. D.; Visvesvaraya, H. C.; Rao, T. R.
Kinetics of calcination in cement raw meal nodules.—74-08060A
Bapst, A. See Bonvin, D.; Yellepeddi, R.
Bar, S. X. See Kanber, H.
Bar-On, I. See Cho, K.
Bar-On, I.; Cho, K.; Woodilla, D. J.; Knecht, S.
Reliability predictions for alumina plates with and without cavities or metallization layers using CARES.—74-09610A
Barabanov, V. S. See Amosov, A. V.
Baram, J. See Froumin, N.
Baran, N. P. See Ishchenko, S. S.
Barandika, M. G.; Sanchez, J. M.; Castro, F.
Metallic and intermetallic binder phases within Fe-Ni-Al system for TiB_2 cemented borides—thermodynamic guidelines.—74-07091A
Barankova, H. See Bardos, L.
Barankova, H.; Bardos, L.; Berg, S.
Enhancement of the reactive deposition rate of TiN films at low nitrogen content.—74-07299A; Optical emission from a hydrogen-hydrocarbon rf plasma jet stream during diamond film deposition.—74-01821A
Baranof, Pavel G.; Romanov, Nikolai G.
Acceptors in silicon carbide: ODMR [optically detected magnetic resonance] data.—74-07033A
Baranov, I. Yu.; Dolgikh, V. A.; Popovkin, B. A.
Phase relations in the system Bi_2O_3-BiI_3-CuI-Cu_2O at 500°C.—74-04187A
Baranov, S. P. See Abramova, L. A.
Baranovskii, S. D.; Doerr, U.; Thomas, P.
Exciton line broadening by compositional disorder in $ZnSe_xTe_{1-x}$ quantum wells.—74-04315A
Baranwal, R. See Heimann, Paula J.
Baranyai, A. See Manns, P.
Baraton, Marie-Isabelle; Besninou, Sylvette; Merhari, Lhadi
FTIR characterization and ab initio study of the surface species of a nanosized SiC powder.—74-07652A
Barb, D. See Pavel, E.
Barba, M. F.; Ortega, P.; Martinez, M. R.
Analytical technique to design and control ceramic materials.—74-06737A
Barbarossa, V. See Silveira, M.
Barbary, P. See Poorteman, M.
Barbe, Christophe J.; Harmer, Mark A.; Scherer, George W.
Microstructure, orientation, and properties of sol-gel-derived $KTiOPO_4$ thin films.—74-06425A
Barbezat, G. See Wu, Hua-Dong
Barbezat, G.; Moens, J. R.; Nicoll, A. R.
Properties and applications of CDS [continuous detonation spraying] coatings.—74-06719A
Barbier, D. See Kadoun, A.
Barbieri, L.; Bruni, S.; Cariati, F.
Coloring transition polyvalent cations in Li_2O-Al_2O_3-SiO_2 glass-ceramics.—74-05753A
Barbieri, L.; Leonelli, C.; Manfredini, Tiziano; Pellacani, Gian Carlo; Blundo, D. Settembre
Fiber, whisker, and particulate reinforced new glass-ceramic matrix for innovative composites.—74-02142A
Barborica, A.; Chitica, N.; Dinescu, Maria; Mihailescu, I. N.; Ursu, I.
Selective laser oxidation of thin metal film as an effect of different thermal regimes.—74-02090A
Barborkova, Lenka See Hanykyr, Vladimir
Barbour, J. C. See Wampler, W. R.
Barboux, P. See Schmutz, C.
Bardenheier, R. See Berelson, S.
Bardes, B. B. See Jain, S. C.
Bardin, C.
Ceramic resorption of waste, interest—feasibility of limits.—74-11147A
Bardos, L. See Barankova, H.
Bardos, L.; Barankova, H.; Nyberg, T.
Deposition of carbonaceous films onto internal walls of tubes.—74-07250A
Bardos, L.; Berg, S.; Nyberg, T.; Barankova, H.; Nender, C.
Rf plasma jet applied to diamond, glassy carbon, and silicon carbide film synthesis.—74-10612A
Bardos, L.; Nyberg, T.; Barankova, H.; Berg, S.
Effect of the space charge sheath on properties of carbon and diamond films in the rf plasma jet.—74-04592A
Bardwell, J. A. See Mitchell, D. F.
Bardy, Didier See Francois, Raoul
Bare, H. F. See Mikolas, D.
Bargan, Amer Saeed
SPCC expands production facilities.—74-03735A
Barholm-Hansen, C.; Bentzon, M. D.; Hansen, J. B.
Optical emission spectroscopy during growth of diamondlike carbon from a methane plasma.—74-04790A
Baribeau, J.-M. See Landheer, D.; Tao, Y.
Barinov, Yu. N. See Sharivker, S. Yu.
Barinova, N. A.; Glebov, L. B.; Dokuchaev, V. G.
Formation and destruction of color centers in tellurite phosphate glasses.—74-02456A
Barkakati, P. See Borthakur, P. C.
Barkakati, P.; Bordoloi, D.; Borthakur, P. C.
Paddy husk as raw material and fuel for making portland cement.—74-05561A
Barkatina, E. N.; Kuznetsova, T. F.
Production of porous alumina using urea and montmorillonite.—74-00372A
Barkatt, A.; Hojaji, H.; Amarakoon, V. R. W.
Environmental stability of high-T_c superconducting ceramics.—74-00809A
Barker, D. L. See Tiegs, Terry N.
Barker, R. C. See Moise, T. S.; Seshadri, S.
Barkhatova, L. Yu See Cherepandv, V. A.
Barklage, H. See Enninga, G.
Barklage-Hilgefort, Hansjuergen See Beerkens, Ruud G. C.
Barlage, Douglas R. See Parthasarathy, Triplicane A.
Barletta, Robert E. See Adams, J. W.
Barletta, Robert E.; Ludewig, H.; Powell, J. R.
Ceramic coatings for PBR components.—74-09853A
Barletta, Robert E.; Vanier, P. E.; Dowell, M. B.
Development of CVR coatings for PBR fuels.—74-10264A
Barlow, R. D. See Dowsett, M. G.
Barmykh, L. M. See Sedykh, E. M.
Barna, A. See Konkol, A.; Menyhard, M.
Barna, G. G. See Butler, S. W.
Barna, G. G.; Loewenstein, L. M.; Brankner, K. J.; Butler, S. W.; Mozumder, P. K.; Stefani, Jerry A.
Sensor integration into plasma etch reactors of a development pilot line.—74-06812A
Barna, Peter B. See Pischow, K. A.; Qiu, Hong
Barnard, C.; Myslinski, P.; Chrostrowski, J.
Analytical model for rare-earth-doped fiber amplifiers and lasers.—74-05977A
Barner, J. B. See Foote, M. C.
Barnes, A. S. See Mroz, Cathleen
Barnes, A. V. See McKinley, J. T.
Barnes, J. C.; Barnes, L. P.; Wang, L. G.
Injection seeding: II, Ti:Al_2O_3 experiments.—74-00642A
Barnes, L. P. See Barnes, J. C.
Barnes, P. See Henderson, E.
Barnes, Richard W.
New direction [for the Porcelain Enamel Institute].—74-02252A
Barnes, T. See Eccleston, R. S.
Barnett, S. J. See Cullis, A. G.
Barnett, Scott A. See Wang, Li-Shun
Barnett, Scott A.; Wang, Li-Shun
Solid-oxide fuel cells.—74-08814P
Barnitskaya, T. S.; Zelyarskii, V. B.; Kurdyumov, A. V.; Ostrovskaya, N. F.; Sukhikh, L. L.
Powder and fiber theory, preparation technology, and properties.—74-01841A
Baroch, Edmund F. See Ostermann, Meinrad J.
Baroni, Emanuele
Automatic warehouse.—74-02221A
Barr, A. L. See Edwards, H. L.
Barr, Brayan M. See Ison, Ira C.
Barr, D. L. See Oates, A. S.
Barrada, M. See Bath, A.
Barrat, S.; Dieguez, I.; Michel, H.; Bauer-Grosse, E.
Morphometric analysis of diamond crystals elaborated by microwave plasma-assisted chemical vapor deposition: application to textured films.—74-05198A
Barrera-Solano, C.; Jimenez-Solis, C.; De la Rosa-Fox, N.
Processing, characterization, and compaction of Y-doped zirconia powders.—74-04843A
Barret, P.
Scope of the surface hydroxylation concept in the dissolution process of anhydrous oxides.—74-08106A
Barrett, C. R.
Silicon valley, what next.—74-02275A
Barrett, D. A. See Brown, V. A.
Barrett, Ron
Aeroservoelastic DAP [directionally attached piezoelectric] missle fin development.—74-09106A
Barrett, S. E.; Tycko, R.; Pfeiffer, L. N.
Directly detected NMR of optically pumped GaAs quantum wells.—74-02966A
Barrie, James D. See Derderian, Garo J.
Barrios, Pedro Jose See Kim, Hong-Koo
Barron, Andrew R. See Landry, Christopher C.
Barron, Andrew R.
MOCVD of group III chalcogenide compound semiconductors.—74-06208A
Barry, T. I.; Dinsdale, A. T.; Gisby, J. A.
Predictive thermochemistry and phase equilibria of slags.—74-01444A
Barson, T. M. See Blonski, Robert P.
Barta, Stanislav See Novotny, Jaroslav
Bartenev, G. M. See Lomovskoi, V. A.
Barth, M.; Hess, P.; Mollekopf, G.; Stafast, H.
SF_6-sensitized CO_2-laser chemical vapor deposition of a-Ge:H.—74-04885A
Barth, Roland See Jaekel, Christian

Barth, S.; Olazcuaga, R.; Gravereau, P.
$Mg_{0.5}Ti_2(PO_4)_3$: a new member of the Nasicon family with low thermal expansion.—74-01540A
Bartholomew, Roger F. See Aitken, Bruce G.
Barthou, C. See Xian, H.
Barthou, C.; Benoit, J.; Benalloul, P.
Mn^{2+} concentration effect on the optical properties of Zn_2SiO_4:Mn phosphors.—74-06207A
Bartkowiak, Craig J. See Skelcey, James S.
Bartlett, Andrew H.; Dal Maschio, Roberto
Failure mechanisms of a zirconia-8wt% yttria thermal barrier coating.—74-04317A
Bartlett, F. M.; MacGregor, J. G.
Effect of core diameter on concrete core strengths.—74-05495A
Bartlett, John R. See Anast, Maree
Bartnitskaya, T. F. See Shipilo, V. B.
Bartnitskaya, T. S.; Vlasova, M. V.; Lyashenko, V. I.; Serebryakova, T. I.; Timofeeva, I. I.; Tomila, T. V.
Formation of highly disperse boron nitride in carbothermal reduction in the presence of lithium compounds.—74-01736A
Bartoli, F. J. See Youngdale, E. R.
Bartolo-Perez, P. See Zapata-Navarro, A.
Barton, F.-J.
Use of the new process control system for the new grinding plant at Dyckerhoff AG's Neubeckum [Germany] plant.—74-01006A
Barton, Jan
Balance model of neutralization of acid waste water from chemical polishing of glass.—74-05663A
Bartos, Jiri; Pincik, Emil
Low-temperature plasma anodic oxidation of silicon through tin aluminum overlayers.—74-04739A
Bartusch, Rainer See Bittner, Hans-Georg
Bartusch, Rainer
Methods for improving the microstructure of isostatically pressed tableware.—74-08692A
Baruch, N. See Wang, Y.
Barykin, B. M. See Akopov, F. A.
Baryshnikov, V. I.; Kolesnikova, T. A.; Martynovich, E. F.
Nature of impurity and intrinsic color centers in leucosapphire single crystals.—74-05037A
Baryshnikov, V. I.; Kolesnikova, T. A.
Structure of ir color centers in white sapphire.—74-04433A
Bas'yas, I. P. See Farafunov, G. A.
Basa, C. See Neureither, B.
Basa, D. K.
Correlation of structure and optical properties of an annealed hydrogenated amorphous silicon-carbon alloy film.—74-07618A
Basalaeva, T. S.; Ordan'yan, S. S.; Polonskii, Yu. A.
Production of slender helical hardware of $YBa_2Cu_3O_{7-\delta}$ high-temperature superconductor by extrusion.—74-00845A
Basco, Cresentino; Iori, Ivo; Rosati, G. P.
Characterization of the behavior of reinforced concrete elements in bending using Moire interferometric method.—74-05477A
Basco, Rocardo See Hanson, Cynthia M.
Bashirov, R. I.; Elizarov, V. A.; Matveeva, N. Yu.
Hopping conductivity in the semimagnetic solid solution $Hg_{1-x}Mn_xTe$.—74-03382A
Baskaran, S. See Popovic, Dragan
Baskes, M. I. See Daw, M. S.
Basol, Bulent M.; Kapur, Vijay K.
Processing of $CuInSe_2$ films for photovoltaics.—74-09012A
Bass, J. M. See Morris, S. J.
Bassat, J. M. See Allancon, C.
Basset, E. See Schmutz, C.
Bassi, Carlo
Glazing an inertized bisque.—74-00932A
Bassidi, M.
Situation of the brick and tile industry in Morocco.—74-05829A
Bassing, W.
Industry trials confirm low-speed feeder claim.—74-09474A
Basso, R. See Verita, M.
Bast, R. See Weiand, W.
Bast, U. See Rettig, U.
Bastard, G. See Marzin, J.-Y.
Baste, S. See Camus, G.
Bastida, J. See Serrano, J.
Bastida, J.; Lopez, Buendia; Serrano, J.
Ceramic clays of the lower Cretaceous in east Spain.—74-06892A
Bastin, Guillaume F. See Goldstein, Joseph L.
Basto, E. See Vaz Serra, A.
Bastow, T. J.; Hall, J. S.; Smith, M. E.
Characterization of hydrated aluminas by MAS and DOR 27Al NMR.—74-07604A
Bastow, T. J.; Smith, M. E.; Stuart, S. N.
Novel characterization of phases in zirconia-based ceramics: ^{91}Zr NMR.—74-01416A
Basu, K. P. See Bandyopadhyay, A.
Basu, M. K. See Deb, Sukhendu; Maity, Soumen
Basu, R. N. See Bhattacharaya, D.
Basu, S. See Dutta, A.
Batchelor, Bill See Kyi, Aye-Aye
Batchelor, Warren See Gross, Anita K.
Batdorf, J. See Leatherman, G. L.
Bates, A. J. D.; Bridgwater, J.
Radial flow of ceramic injection molding mixes.—74-04856A
Bates, C. W., Jr.
Effects of microstructure on the optical properties of metal-semiconductor composites.—74-07638A
Bates, J. K. See Buck, E. C.; Ebert, W. L.; Feng, X.
Bates, J. L. See Armstrong, Timothy R.; Chick, L. A.; Youngblood, G. E.
Bates, S. R. See Kumar, P.
Bates, Steven See Bickford, Dennis F.
Bath, A.; Baehr, O.; Barrada, M.; Lepley, B.; Van der Put, P. J.; Schoonman, J.
Plasma-enhanced chemical vapor deposition of boron nitride onto InP.—74-04814A
Bath, A.; Papaioannou, G. J.; Lepley, B.
Interface state distribution of BN on InP structures.—74-04714A
Batikova, I. K.; Shepelev, Yu. F.; Smolin, Yu. I.
Structure of hydrated and dehydrated (250°C) forms of Ca chabazite.—74-07124A
Batlogg, Bertram J. See Hwang, H. Y.
Batlogg, Bertram J.; Cava, Robert J.
Oxide superconductors, and devices and systems comprising such a superconductor.—74-09384P
Batra, Shubneesh See Sultan, Akif
Batra, Shubneesh; Park, K. H.; Banerjee, S. K.; Lux, G. E.; Kirschbaum, C. L.; Norberg, J. C.
Effect of grain microstructure of P diffusion in polycrystalline-on-single crystal silicon systems.—74-07562A
Batra, V. K.; Mittal, P. K.
Modernization of Kalyanpur Cement's Banjari plant (India).—74-02340A
Batsanov, A. S. See Shamutarov, E. B.
Battaglin, G. See Bogomolova, L. D.
Battault, T.; Metz, P.; Legros, R.
Semiconducting ceramics from nickel-cobalt manganite spinels.—74-03210A
Battersby, M. J. G.; Kellerwessel, H.; Oberhauser, F.
High-pressure particle bed comminution of ores and minerals.—74-00936A
Battison, J. M. See Fohey, W. R.
Battiston, Giovanni; Gerbasi, Rosalba; Porchia, Marina; Marigo, Antonio
Influence of substrate on structural properties of TiO_2 thin films obtained via MOCVD.—74-04705A
Batyaev, I. M. See Solov'ev,, M. A.
Baucke, F. G. K.; Duffy, J. A.
Oxidation states of metal ions in glass melts.—74-05688A
Baucom, Robert M. See Stoakley, Diana M.
Baucom, Robert M.; Sandusky, Donald A.; Marchello, Joseph M.
Ceramic tool for preconsolidation of powder-coated prepreg.—74-06683A
Baud, G. See Caperaa, C.
Baudequin, F.; Caumette, J.; Tassin, J.
Electric fluidized bed lime furnace.—74-09654A; Furnace for electrical calcination with fluidized bed.—74-01155A
Baudin, C. See Alvarez, C.
Baudin, C.; Martinez, Rafael; Pena, Pilar
High-temperature mechanical behavior of stoichiometric magnesium spinel.—74-07888A
Baudin, C.; Miranzo, Pilar; Osendi, M. I.
High-temperature mechanical behavior of $3Al_2O_3{:}2SiO_2$ mullite-based materials.—74-07887A
Baudrand, H. See Cavalli, C.
Bauer, A. See Cuberes, M. T.; Ludeke, R.
Bauer, A.; Ludeke, R.
Dynamical transmission effects and impact ionization in hot-electron transport across $NiSi_2$/Si(111) 7×7 interfaces.—74-06049A
Bauer, C. L. See Azarian, M. H.
Bauer, C.; Jager, G.; Kaufmann, M.
Advanced control methods ensure cost-effective clinker production.—74-07992A; Cost-effective clinker production with the PYROEXPERT optimization system (a synthesis of expert knowledge and advanced methods of control).—74-05848A
Bauer, Gerd See Bauer, Hans-Jorg
Bauer, Gerd; Dannheim, Henning; Oel, Heribert J.
Compatibility of oxide ceramic materials as components in biomedical engineering: I.—74-09773A
Bauer, H. D. See Doyle, S. E.
Bauer, Hans-Jorg; Bauer, Gerd; Dingeldein, Elvira; Wahlig, Helmut
Implant material.—74-01255P
Bauer, Jon F.; Schaal, Kevin D.
Glass fiber composition with improved biosolubility.—74-08479P
Bauer, Lawrence E.
Increased production and quality achieved by improved firing consistency.—74-09675A
Bauer, Manuel See Gauzzi, Andrea
Bauer, P. See Schindler, W.
Bauer, Ralph See Cottringer, Thomas E.
Bauer, S.; Beckers, L.; Fleuster, M.
Epitaxy of erbium-doped $LiNbO_3$ films produced by pulsed laser deposition.—74-09136A
Bauer-Grosse, E. See Barrat, S.
Baufeld, Bernd See Baither, Dietman
Baukens, I.; Duvigneaud, P. H.; Escure, P.
Preparation and electrical characteristics of sol-gel ceramics in the PMN-PT system.—74-03338A
Baukens, I.; Ghodsi, M.; Duvigneaud, P. H.
Electrical properties of doped barium titanate obtained by sol-gel process.—74-07287A; Sintering and electrical properties of donor-doped barium titanate obtained by sol-gel process.—74-04895A
Baum, D. See Staikov, P.
Baum, L. See Brandon, D. G.
Baum, Wolfgang; Weyand, Thomas E.
Importance of sample integrity: a commercial lab's perspective.—74-09746A
Baumann, H. See Griesser, M.; Liebler, V.
Baumann, Hans D.
Control valve industry comes alive.—74-06689A
Baumann, Ingo See Brinkmann, Ralf
Baumann, J. A.; Dalby, R. J.; Waters, R. G.; Yellen, S. L.; Harding, C.; Shepard, A.
Growth of InAlGaAs strained quantum well structures for reliable 0.8 μm lasers.—74-04674A
Baumann, P. K.; Humphreys, T. P.; Nemanich, R. J.; Ishibashi, K.; Parikh, N. R.; Porter, L. M.
Epitaxial Cu contacts on semiconducting diamond.—74-04617A
Baumard, J. F. See Chartier, Thierry; Coupelle, P.; Ferrato, M.; Reedy, M.
Baumbach, H. See Haussler, F.
Baumer, M. See Libuda, J.
Baumgartl, Siegfried; Hachtel, Ludwig; Werners, Gert-Karl
Detection of AlN protective layer in aluminized sheet steel using electron beam and Auger electron microarea analytical techniques.—74-08160A
Baumgartner, Walter; Honerkamp, Michael
Clear visualization of quarry development.—74-03677A
Bausa, L. E. See Sole, J. G.
Bausen, H. D. See Bachmann, P. K.
Bauser, E. See Lee, S. H.
Bautista, C. See Fernandez, A.; Limpo, J.
Bautsch, Markus; Varadinek, Patrik; Wege, Stephan; Niedrig, Heinz
Compact and inexpensive quartz capillaritron source.—74-00903A
Baveye, Philippe See Verburg, Kirsten
Baweja, Daksh; Roper, Harold; Sirivivatnanon, V.
Relationships between anodic polarization and corrosion of steel in concrete.—74-00093A
Baykara, T. See Erkalfa, H.; Gunay, V.; Misirli, Z.; Sevinctav, S.
Bayle, J. P. See Judeinstein, P.
Baylor, Lewis; Livingston, Ron; Whitaker, Mike
Sol-gel indicators for process and environmental measurements.—74-06818A
Bayukov, O. A. See Sokolovich, V. V.
Bayukov, O. A.; Petrakovskii, G. A.; Sablina, K. A.
Mossbauer study of potassium ferrites.—74-06472A
Bayya, Shyam S.; Synder, Robert L.; Gopalakrishman, Sudhakar; Schulze, Walter A.
Process for preparing a thallium-containing superconductor.—74-09387P
Bazakutsa, V. A. See Gapochenko, S. D.
Bazarian, E. Robert
Design considerations for conversion of glass tanks to oxy-fuel combustion.—74-01140A
Bazarova, Zh. G. See Ivanova, M. N.
Bazhenov, S. See Chen, F.
Bazuev, G. V.; Krasil'nikov, V. N.; Sukhanova, V. N.
Interactions of $YBa_2Cu_3O_{7-\delta}$ with fluorides of Ba, Sr, and Ca.—74-00820A
Bazuev, G. V.; Lukin, N. V.; Krasil'nikov, V. N.
Synthesis and properties of solid solutions of $La_{1.9}Sr_{1.1-x}Ba_xCu_2O_{5.95\pm\delta}$ [0≤x≤0.1].—74-00856A
Beach, David B. See Paranthaman, Mariappan
Beak, Tae-Hyun See Lee, Jae-Chun
Beal, Karen C. See Alim, Mohammad A.
Beale, Guy O. See Li, Meng-Li
Beall, Douglas M.; Pantano, Carlo G.
Characterization of the interface in boron-doped, oxidation-resistant Nicalon-reinforced glass-ceramic matrix composites.—74-08142A
Beall, George H.; Chyung, Kenneth; Taylor, Mark P.
Fiber-reinforced composites.—74-00331P
Beall, George H.; Pierson, Joseph E.
Nickel aluminosilicate glass-ceramics.—74-02689P
Beam, D. C. See Ramsey, W. G.
Beaman, Donald R. See Hwang, C. James; Pyzik, Aleksander J.
Bean, J. C. See Feijoo, D.
Bean, R. M. See Matson, D. W.
Bear, Thomas; Peters, Karl
Getting an energy management system (EMS) up and running.—74-07946A
Bearzotti, Andrea See Traversa, Enrico
Beauchamp, Edwin K.
Crack front stability and hackle formation in high velocity glass formation.—74-02527A
Beaudoin, James J. See Gu, Ping; Low, Norman M. P.; Xie, Ping
Beaulieu, Y.; Webb, J. B.; Brebner, J. L.
Photoreflectance of InSb at the E_1 and $E_1+\Delta$ transitions.—74-03168A
Beauprez, E. See Blachere, E.
Beauseigneur, Patricia A.; Lachman, Irwin M.; Patil, Mallanagouda D.; Swaroop, Srinivas H.; Wusirika, Raja R.
Pore impregnated catalyst device.—74-01265P
Beauvillain, J. See Coratger, R.
Beavers, T. M. See Tiegs, Terry N.
Beben, Artur
Blast-hole drilling speed with self-propelled rotary drilling rigs SWO-131/60 of Polish constructions.—74-09434A
Becher, Paul F. See Alexander, Kathleen B.; Hsueh, Chun-Hway; Sergo, Valter
Becher, Paul F.; Hsueh, Chun-Hway; Lin, H. T.; Alexander, Kathleen B.
Properties of whisker-reinforced ceramics.—74-10146A
Bechhoefer, John See Hutter, Jeffrey L.
Bechinger, C.; Ebner, D.; Herminghaus, S.
Dynamics of the photochromic effect in WO_3.—74-02971A
Bechinger, C.; Herminghaus, S.; Leiderer, P.
Photoinduced doping of thin amorphous WO_3 films.—74-00681A
Beck, E. See Ramm, J.
Beck, M. See Fruh, F. E.
Beck, R. B. See Szmidt, J.
Beck, R. B.; Brozek, T.; Mitura, S.
Electrical properties of diamondlike C-Si heterojunctions manufactured under ultraclean conditions.—74-10094A
Beck, S. E.; Jaccodine, R. J.; Clark, C.
Deep level transient spectroscopy study of rapid thermal annealed arsenic-implanted silicon.—74-06027A
Beck, Uwe; Reiners, Georg; Witt, Klaus
Decorative hard coatings: advances in optical characterization techniques.—74-01053A

Becker, C. H. See Kurz, E.A.

Becker, C. H.; Hovis, J. S.
Surface analysis by photoionization at very high laser intensities.—74-03241A

Becker, G. See Storm, W.

Becker, Guido See Kramer, Carl

Becker, J. F.; Sweeney, J. W.; Wentzel, W. C.
Design and manufacture of large vertical roller mills.—74-00911A

Becker, James P.; Long, Robert G.; Mahan, John E.
Reflection high-energy electron diffraction patterns of carbide-contaminated silicon surfaces.—74-02038A

Becker, John E.
Attrition mill grinding of refractories.—74-08607A

Becker, M. F. See Juang, C.-B.

Becker, O. See Kurz, E.A.

Becker, Philippe C.; Bruce, Allan J.; DiGiovanni, David J.; Lambrecht, Vincent G., Jr.
Optical fiber amplifier and a glass therefor.—74-08495P

Beckers, L. See Bauer, S.

Beckham, C. See Kanber, H.

Beckman, Judith; Jackman, Richard B.; Foord, John S.
Capacitively coupled rf plasma sources: a viable approach for CVD diamond growth.—74-04491A

Beckmann, R.; Sobisch, B.; Kulisch, W.; Rau, C.
Investigation of the bias nucleation process in microwave plasma-enhanced chemical vapor deposition of diamond.—74-04717A

Beclin, F.; Crampon, J.; Duclos, R.
Superplasticity in $MgAl_2O_4$ polycrystals.—74-07924A

Becourt, N. See Ouisse, T.

Becucci, M. See Silveira, M.

Bedair, S. M.
Atomic layer epitaxy deposition processes.—74-01619A

Bedarev, V. A. See Kharchenko, N. F.

Bedarev, V. A.; Gnatchenko, S. L.
Photoinduction and relaxation of linear birefringence in Mn-Ge garnets.—74-03397A

Beddoe, R. E.; Lang, K.
Effect of moisture on fractal dimension and specific surface of hardened cement paste by small-angle X-ray scattering.—74-05499A

Bedikjan, L. See Milanova, M.

Bedja, Idriss; Hotchandani, Surat; Carpentier, Robert; Vinodgopal, K.; Kamat, Prashant V.
Electrochromic and photoelectrochemical behavior of thin WO_3 films prepared from quantized colloidal particles.—74-04306A

Bednorz, Johannes G.; Mannhart, Jochen D.; Mueller, Carl A.
Superconducting field-effect transistors with inverted MISFET structure.—74-09393P

Bednov, K. V. See Mamalui, A. A.

Bednyi, B. I. See Karpovich, I. A.

Beecher, Stephen C. See Wang, Hong-Yu

Beeghly, Craig W.; Ahuja, Deepak P.; Mehrotra, Pankaj K.; Niebauer, Kenneth L.
Ceramic cutting tool with chip control.—74-01310P

Beelen, T. P. M. See Dokter, W. H.

Beenken, Willbrord
Vibratory mills for technical ceramics.—74-09511A

Beer, H. See Schoeps, Wolfgang

Beerkens, Ruud G. C.; Muysenberg, Hendrikus P. H.; Barklage-Hilgefort, Hansjuergen
Modeling of the aging of glass furnace regenerators.—74-01164A

Beesabathina, D. Prasad; Salamanca-Riba, L.; Hegde, M. S.
Microstructural studies of ferroelectric $Bi_2VO_{5.5}$ thin films with $LaNiO_3$ electrodes.—74-10837A

Beeston, Mark A. See Martin, Rachel D.

Beetz, C. P., Jr. See Cooper, C. V.

Begg, Bruce D.; Ruys, A. J.; Sorrell, Charles C.
Slip casting of Y_2O_3-stabilized ZrO_2.—74-01890A

Begg, Bruce D.; Vance, Eric R.; Nowotny, Janusz
Effect of particle size on the room-temperature crystal structure of barium titanate.—74-04133A

Beggy, J. C. See Moise, T. S.; Seshadri, S.

Behadur, Harish
Low-temperature irradiation effects in natural crystalline quartz.—74-10113A

Behal, Lalit K.; Schelker, Daniel H.; Collins, Daniel J.; Haber, Richard A.
Use of gel curves and filtration curves in controlling the flocculation of slurry-based casting slips.—74-08708A

Behler, S.; Pan, S. H.; Bernasconi, M.; Jess, P.; Hug, H. J.; Fritz, O.
Influence of a ferromagnetic tip on the Abrikosov vortex lattice in $NbSe_2$ studied by low-temperature scanning tunneling microscopy.—74-06460A

Behrendt, Donald R.; Singh, Mrityunjay
Melt infiltration process for SiC ceramics and composites.—74-07379A

Behrens, G. See Martinez-Fernandez, J.

Behrens, G.; Martinez-Fernandez, J.; Dransmann, G. W.; Heuer, Arthur H.
Isothermal martensitic transformation in ZrO_2 ceramics.—74-01403A

Beicembaeva-Dzhumyshieva, G. B.; Volozhin, L. M.; Ershov, V. A.
Strength modification of silicophosphatic pellets and spectrum analysis of their phase compositions.—74-01462A

Beijerinck, H. C. W. See Joosten, G. J. P.; Vugts, M. J. M.

Bein, B. K.; Gu, J. H.; Huettner, R.
Characterization of graphite surfaces based on ir detection of thermal waves.—74-03786A

Beique, G. See Gagnon, G.

Beisel, N. F.; Daamen, F. J.; Fuchs-Pohl, G. R.
Matrix modification for the determination of trace impurities in complex samples by electrothermal atomic absorption spectrometry.—74-01080A

Beiss, P. See Kolaska, H.

Beitz, W. See Esebeck, V.

Bekessy, Lambert See Montross, Charles S.

Bekirov, A. See Kasap, S. O.

Bel'maz, N. S.
Spalling-resistant kiln furniture based on mechanically activated ceramic bonds.—74-03931A

Belak, J.; Boercker, D. B.; Stowers, I. F.
Simulation of nanometer-scale deformation of metallic and ceramic surfaces.—74-02200A

Belak, J.
Nanotribology.—74-01083A

Belaud, Yves; Delaye, Philippe; Launay, Jean-Claude
Photorefractive response of CdTe:V under ac electric field from 1 to 1.5 μm.—74-03169A

Belderrain, T. R. See Leinen, D.

Beletskii, V. M. See Lavrova, G. V.; Lutsenko, V. G.

Beletskii, V. M.; Lutsenko, V. G.; Momot, E. G.;

Bobichenko, I. G.; Il'chenko, I. A.; Kondratenko, A. V.
Properties of quartz fibers.—74-02572A

Belhadjhamida, A.; Johnson, J. L.; Tandon, R.
Advances in liquid phase sintering.—74-04473A

Belin, M.
Triboscopy: a new quantitative tool for microtribology.—74-01002A

Belitskus, David L.; Boland, Daniel J.; Evans, W. Thomas; Kampert, William P.; Marra, Robert A.; Wieserman, Larry F.
Aluminum phosphate bonded fiber reinforced composite material containing metal coated fibers.—74-02405P

Belkind, A.; Wolfe, J.
Enhancement of reactive sputtering rate of TiO_2 using a planar and dual rotatable cylindrical magnetrons.—74-06697A

Bell, A. J. See Glazounov, A. E.

Bell, D. A.
Thermal shock.—74-08639A

Bell, F. H.; Joubert, O.; Oehrlein, G. S.; Zhang, Y.; Vender, D.
Investigation of selective SiO_2-to-Si etching in an inductively coupled high-density plasma using fluorocarbon gases.—74-06169A

Bell, John M. See Anast, Maree

Bell, R. D. See Patello, G. K.; Smith, H. D.

Bell, T. See Huang, Z. P.; Samandi, M.

Bell, Trevor J. See Anast, Maree

Bellamy, Michael See Weitzsacker, Cara L.

Belleville, Philippe F. See Floch, Herve G.

Bellinger, E. See El-Sayed, A. H.

Bellosi, A. See Granziani, T.

Bellosi, A.; Esposito, L.; Melandri, C.
High-strength silicon-nitride-based materials.—74-07664A

Bellussi, Giuseppe See Peratello, Stefano

Belmonte, Manuel; Moya, Jose S.; Miranzo, Pilar
Bimodal sintering of Al_2O_3/Al_2O_3 platelet ceramic composites.—74-07209A

Belokoneva, E. L.; Mill, B. V.; Butashin, A. V.
Crystal structure of a new rng germanate $K_{3.8}Nb_5(Ge_3O_9)O_{11.4}$.—74-04116A

Belokoneva, E. L.; Smirnitskaya, Yu. Ya.
Crystal structure of Na,Ti bronze.—74-07061A

Belokoneva, E. L.; Sokolova, N. V.; Urusov, V. S.
Scapolites—crystal structure of marialite (Me_{11}) and meionite (Me_{88}), space group as composition function.—74-04208A

Belokopytov, G. V. See Semenenko, V. N.

Belonas, G.-J.; Dagys, R.; Pukinskas, G.
Recent experimental investigations of the optical properties of high-T_c superconductors.—74-06626A

Belotelov, S. V. See Andrukhiv, M. G.

Belouet, Christian See Dumas, Jean-Pierre

Belous, A. G.
Properties of heterosubstituted titanates with perovskite structure.—74-03344A

Belous, K. P. See Goncharov, V. I.

Belousov, I. S. See Andreyev, Alexey V.

Belousov, Yu. L.; Pushkareva, M. V.
Calculation of the viscosity of glasses and melts based on rocks and industrial waste products.—74-02519A

Belousova, G. V. See Rabukhin, A. I.

Belousova, V. N. See Pestryakov, A. N.

Belousoy, V. N. See Sanditov, D. S.

Belov, V. V. See Vasiliev, P. I.

Belozerov, M. M. See Farafunov, G. A.

Belsue, M. See Gardziella, A.

Beltran, A. See Andres, J.; Primo, V.

Beltran, D. See Primo, V.

Beltran, D.
Soft hydrothermal synthesis of new microporous materials based on phosphatelike species.—74-10638A

Beltz, G. E.; Rice, J. R.
Dislocation nucleation in metal-ceramic interfaces.—74-08165A

Belu-Marian, A.; Serbvanescu, M. D.; Manaila, R.;

Teodorescu, V.; Ivanov, I.
Resistivity and magnetoresistance-elastoresistance of polycrystalline Ni-Si thin films.—74-01569A

Belushkin, A. V.; Ibberson, R. M.; Shuvalov, L. A.
Refinement of $Cs_3D(SeO_4)_2$ low-temperature phase by high-resolution powder neutron diffractometry.—74-04207A

Belyaev, A. E. See Vlasenko, N. A.

Belyaev, A. E.; Von Bardeleben, H. J.; Oborina, E. I.
Ultrasonically induced transformation of DX centers in AlGaAs:Si.—74-09076A

Belyaev, A. P.; Rubets, V. P.; Toshkhodzhaev, Kh. A.; Kalinkin, I. P.
Inversion of the conduction in a ZnSe layer of an In_2O_3-ZnSe-$(Zn_{1-x}Cd_xTe)_{1-y}$-$(In_2Te_3)_y$-In heterostructure.—74-00643A; Tunnel effect as the cause of the current limited by contact emission in an In_2O_3-ZnSe-$(Zn_{1-x}Cd_xTe)_{1-y}$-$(In_2Te_3)_y$-In heterostructure.—74-00726A

Belyaev, M. V.; Karapetyan, G. O.; Livshits, V. Ya.
Effect of the kinetics of ion exchange on the glass-salt melt interface in formation of a gradient layer in glass.—74-02616A

Belyaev, V. V.
Spall damage modeling and dynamic fracture specificities of ceramics.—74-07916A

Belyakov, A. V. See Bakunov, V. S.; Tsvigunov, A. N.; Zakharov, A. I.

Belyakov, A.V.; Borovkova, L.V.; Novov, Yu.D.
Use of yttrium, tungsten, and niobium oxide for increasing the electrical conductivity of strontium zirconate ceramics.—74-01601A

Belyakova, L. A.; Simurov, A. V.; Lyashenko, D. Yu.
Reaction of solid-phase hydrosilation with participation of ≡Si–H groups of silica surface and some functional olifines.—74-04201A

Belyakova, N. P.; Denlin, G. I.; Perepelitsyn, V. A.
Insulating fibrous material from natural and artificial aluminosilicate raw materials.—74-00388A

Bem, David S. See Houmes, Joel D.

Bem, David S.; Houmes, Joel D.; Zur Loye, Hans-Conrad
Synthesis and characterization of a new ternary transition metal nitride, $FeWN_2$, from the transition metal oxide precursor, $FeWO_4$.—74-10665A

Bemporad, E. See De Cesare, G.

Ben Assayag, G.; Vieu, C.; Henoc, P.
Localized thinning of GaAs/GaAlAs nanostructures by a combined scanning electron micrograph/focus ion beam system for high-quality cross-sectional transmission electron microscopy samples.—74-01077A

Ben Assayag, G.; Vieu, C.; Sudraud, P.
New characterization method of ion current-density profile based on damage distribution of Ga^+ focused ion beam implantation in GaAs.—74-00668A

Ben, Taarit See Chapus, T.

Ben-Nissan, Besim See Anast, Maree

Benacke, S. See Mahel, M.

Benalloul, P. See Barthou, C.; Xian, H.

Benary, R. See Gansert, R. V.

Benayoun, S.; Salmon, E.; Gaboriaud, R.J.
Composition of thin films deposited by ion beam sputtering of a compound target: case of Y-Ba-Cu-O.—74-03430A

Benbertal, D.; Mosset, A.; Trombe, J. C.
New route to stabilized cementite—refinement of the crystal structure.—74-07400A

Bendale, P. R. See Ambrose, J. R.

Bendavid, A. See Martin, P. J.

Bender, Barry A.; Jessen, Todd L.
Effects of processing on mechanical properties and microstructure of a ceramic composite.—74-05131A

Bender, Barry A.; Rayne, Roy J.; Jessen, Todd L.;

Browning, Scott
Processing, properties, and microstructure of Nicalon-reinforced zirconium phosphate composites.—74-09889A

Bender, Willi; Gutjahr, E.; Caraghiovles, A.
From Hollander to high-tech pan mill.—74-05811A

Bender, Willi
Design planning, plant technology, and ergonomic science.—74-08520A; Reminiscences of an old structural ceramics clay preparation method: I, Washing.—74-00986A; II, Washing.—74-00987A

Bendlova, Alena See Smrcek, Josef

Benedetto, G. See Demichelis, F.

Benedetto, Joseph M.; Moore, Randall A.; McLean, F. Barry
Effects of operating conditions on the fast decay component of the retained polarization in lead zirconate titanate thin films.—74-04289A

Benerofe, S. J.; Ahn, C. H.; Wang, M. M.; Kihlstrom, K. E.;

Do, K. B.; Arnason, S. B.
Dual beam atomic absorption spectroscopy for controlling thin-film deposition rates.—74-03797A

Bengtsson, Peggy
California—air pollution [and the glass industry].—74-02223A

Beniere, Francos; Chaplain, Rene; Gauneau, Marcel
Delta-doping in diffusion studies.—74-08853A

Benitez, J. J. See Galloway, H. C.

Benko, Ewa
Chemical equilibria in the titanium(II) hydride-boron nitride system.—74-04101A

Benlahrache, M. T. See Achour, S.

Benlloch, Augustin Escardino
Single firing for the manufacture of wall tile: I.—74-00442A; II.—74-00441A

Bennert, David M. See Sargent, Thomas N., Jr.

Bennert, David M.; Overcamp, Thomas J.; Bickford, Dennis F.; Jantzen, Carol M.; Cicero, Connie A.
Demonstration of vitrification of surrogate F006 wastewater treatment sludges.—74-08411A

Bennett, Brian R. See Sun, De-Cai; Towe, Elias

Bennett, Brian R.; Del Alamo, J. A.; Sinn, M. T.; Peiro, F.;

Cornet, A.; Aspnes, D. E.
Origin of optical anisotropy in strained $In_xGa_{1-x}As/InP$ and $In_xAl_{1-x}As/InP$ heterostructures.—74-05215A

Bennett, J.; Dagata, John A.
Ultrashallow depth profiling with time-of-flight secondary ion mass spectrometry.—74-00728A

Bennett, James P. See Maginnis, M. Abbot

Bennett, James P.; Maginnis, M. Abbot
Recycling/disposal issues of refractories.—74-08631A

Bennett, K. D.; Chen, R. Z.; Wang, J.
Structural vibration monitoring using the deflection of a hollow core optical fiber.—74-06821A

Bennett, M. J. See Jedlinski, J.

Bennett, M. R. See Cairns, J. W.

Bennett, Richard A. See Alario, Joseph

Bennett, Stephen
Tableware decoration: product development.—74-00027A

Benoit, J. See Barthou, C.; Xian, H.

Benoit, Joel M. D.; Bessenay, Gilles J. M.; Girault, Daniel G.
Installation and method for heat treating parts made of a composite material having a ceramic matrix by using microwave energy.—74-03752P

Bensahel, D. See Boucaud, P.

Bensalem, A. See Bozon-Verduraz, F.

Bensaoula, A. See Bensaoula, A.; Vilela, M. F.

Bensaoula, A.; Freundlich, A.; Bensaoula, A.; Rossignol, V.; Ponchet, A.
Chemical beam epitaxy of strain balanced GaP/GaAs/InP/GaAs superlattices.—74-05092A

Bensch, W.; Werner, H.; Schloegl, R.
Single crystal structure of C_{60}.—74-04209A

Benson, E. See Mysyrowicz, A.

Benson, Paul M.
Liner for submerged entry nozzle.—74-02797P

Bensted, John
Effect of different water levels on the properties of HSR Class G [oil well] cement.—74-07269A; Effects of storage upon the cementing properties of Class G oil well cement plus 8% bentonite blends.—74-05511A; High-alumina cement [HAC]—present state and knowledge.—74-05526A; Hydrophobic portland cement: II.—74-02757A; Low heat portland cements.—74-00073A; Oil well cements for slim hole wells.—74-08080A; Oil well cements and cement additives in the CIS.—74-02342A

Benton, J. L. See Blayo, N.

Bentrup, Hermann See Franke, Lutz

Bentrup, K.
Expert systems in the cement industry.—74-08027A

Bentsen, L. D. See Moore, A. W.

Bentur, Arnon See Katz, A.

Bentur, Arnon; Kovler, K.; Goldman, Ariel
Gypsum of improved performance using blends with portland cement and silica fume.—74-08036A

Bentz, Dale P. See Skamser, Daniel J.; Winslow, Douglas N.

Bentz, Dale P.; Stutzman, Paul E.; Garboczi, Edward J.
Experimental and simulation studies of the interfacial zone in concrete.—74-05521A

Bentzon, M. D. See Barholm-Hansen, C.

Bentzon, M. D.; Nielsen, P. S.; Eskildsen, Svend S.
Simple and sensitive way to determine carbon film thickness.—74-09614A

Benyattou, T. See Tabata, A.

Benyon, R.P. See Adams, A.R.

Benz, W. H. See Joshi, M. L.

Benzaquen, M.; Walsh, D.
Evidence for delocalization in high purity *n*-type InP.—74-05013A

Benzel, James F. See Lee, Jong-Heon

Ber, B. See Korobov, V.

Beranek, Petr
Atmosphere protection of the glass industry and its relation to the new legislation.—74-02220A

Berankova, P. See Kucera, M.

Berar, J. F. See Caboche, G.

Berardo, M. See Trignan-Piot, L.

Bercha, D. M.; Mitin, O. B.; Rarenko, I. M.
Band structure of deformed orthorhombic CdSb, ZnSb, and In_2Se_3 crystals—modeling of superlattices.—74-05987A

Berdov, V. Yu. See Tropin, Yu. D.

Berelsman, B. See Ravi, Vilupanur A.

Berelson, S.; Bardenheier, R.; Mall, G.
High-temperature testing: special equipment.—74-01067A

Beremzhanov, R. B. See Mambetkaziev, E. A.

Beresford, R. See Stevens, K. S.

Beresford, R.
Growing GaN by plasma-assisted molecular beam epitaxy.—74-06123A

Berezin, A. V. See Chemik, I. A.; Musikhin, S. F.

Berezin, A. V.; Nemov, S. A.; Parfen'ev, R. V.
Role of additional extremum in onset of superconductivity in $A^{IV}B^{VI}$ semiconductors with resonant impurity states.—74-03571A

Berezin, A. V.; Zhitinskaya, M. K.; Nemov, S. A.; Parfen'ev, R. V.; Shamshur, D. V.
Superconducting properties of $[(Sn_{1-x}Ge_x)_{0.95}In_{0.05}Te; x \leq 0.4]$ solid solutions.—74-03595A

Berezin, V. M.
Carbon diffusivity in copper selenide.—74-04991A

Berg, R. H.
Speed, ease, and precision in particle size analysis.—74-01108A

Berg, S. See Barankova, H.; Bardos, L.; Hedlund, C.

Berg, S.; Katardjiev, I. V.; Nender, C.; Carlsson, P.
Large-area selective thin-film deposition by bias sputtering.—74-04725A

Bergaya, Faiza See Massiot, Dominique

Berger, A.; Hofmeister, H.
Formation and optical properties of prolate silver particles in glasses.—74-00259A

Berger, A.
Concentration and size depth profile of colloidal silver particles in glass surfaces produced by sodium-silver ion exchange.—74-02606A

Berger, Axel
Nucleation and growth of inversion domains in AlN: I, Study of fundamental processes.—74-02032A

Berger, H. See Tang, H.

Berger, Iris See Mankowa, Galina; Minner, Kerstin; Moertel, Heinrich

Berger, Iris; Minner, Kerstin
New topographical evaluation process for glazes and ceramic surfaces.—74-09591A

Berger, Iris
Education and the equivalence of academic degrees in the field of ceramics.—74-11157A; Influence of dry fine grinding of clays on structure and process technology[—literature review].—74-09475A

Berger, Lutz-M. See Rempel, Andrei A.

Berger, Marie-Helene See Lavaste, Valerie

Berger, S. See Mehlmann, A. K.

Bergmann, C. P.
Influence of the substrate roughness on the adherence of plasma-sprayed ceramic coatings.—74-11029A

Bergmann, R. See Lee, S. H.

Bergmann, R.; Menschig, A.; Lehr, G.; Kubler, P.; Hommel, J.; Rudeloff, R.
Improvement of the quality of InGaAs/InP quantum wires due to epitaxial growth.—74-06145A

Bergoglio, M. See Lacquaniti, V.

Bergstrom, Lennart
Method for forming ceramic powders by temperature induced flocculation.—74-01024P

Bergum, John W. See Swift, Charles D.

Beris, A. See Kordon, A.

Berjoan, R. See Chatelon, J. P.; Labatut, C.

Berkeliev, A.; Zhilyaev, Yu. V.; Nazarov, N.
Enhancement of the induced photoleochroism in *p-n*-GaP/*p*-Si structures.—74-00612A; Induced polarization photosensitivity in *n*-GaP/*p*-Si heterojunction.—74-03063A

Berkovits, V. L. See Ankudinov, A. V.

Berkovits, V. L.; Lantratov, V. M.; L'vova, T. V.
LPE on $Al_xGa_{1-x}As$ surfaces passivated by sulfide solutions.—74-03094A

Berkowitz, A. E. See Parker, F. T.

Berlemont, Michel See Velez, Mariano

Bermejo, Edelio; Le Mercier, Thierry; Quarton, M.
Microstructure and physicochemical studies of pure and zinc-substituted lithium ferrites sintered above 1000°C.—74-03394A

Bernard, Bruno See Balhadere, Aline

Bernard, C. See Goujard, S.

Bernard, C.; Weiss, F.; Pisch, A.
Thermodynamic simulation of MOCVD $YBa_2Cu_3O_{7-x}$ thin film deposition.—74-06654A

Bernard, D.; Yokota, O.; Grimaud, A.
Mechanofused metal-carbide-oxide cermet powders for thermal spraying.—74-08230A

Bernard, J. E.; McCullough, E.; Alcock, A. J.
High-gain, diode-pumped Nd:YVO_4 slab amplifier.—74-08929A

Bernard, M. C.; Hugot-Le Goff, A.; Thi, B. V.
Electrochromic reactions in manganese oxides: I, Raman analysis.—74-01704A

Bernard, Michel
Highly technical "soft mud" brick unit built at IBSTOCK by CERIC company.—74-08554A

Bernard-Granger, G.; Duclos, R.; Crampon, J.
Devitrification of glassy phase in silicon nitride ceramics and related properties.—74-07256A

Bernarde, A. Carlos See Tibbetts, Gary G.

Bernardez, L. J.; McCarty, K. F.
Determination of diamond film quality during growth using in situ Raman spectroscopy.—74-04544A

Bernardin, J. P.; Gomes, A. S. L.; Lawandy, N. M.
Anisotropic nonlinear beam propagation in ruby.—74-08825A

Bernards, Tom N. M. See Van Bommel, Mark J.

Bernasconi, M. See Behler, S.

Berndt, C. C. See Gansert, R. V.; Ilavsky, J.; Leigh, S. H.; Lin, Chung-Kwei; Rastegar, J.;

Berndt, Heinz See Kosslick, Hendrik

Bernik, S.; Hrovat, M.; Sever, A.
Investigations of (Bi/Pb)-Sr-Ca-Cu-O-based superconductors by EDS analysis.—74-06570A

Bernovskava, L.P.; Bagaiskov, Yu.S.; Litmanovich, A. D.
Improved compositions of refractory putties for working surfaces of graphite-containing crucibles.—74-02760A

Bernstein, E. See Chatelon, J. P.

Bernstein, Phillip See Kamen, Melvin E.

Bernstein, S. D.; Wong, T. Y.; Tustison, R. W.
Effects of substrate temperature and angular position on the properties of ion beam sputter deposited Fe films on (100)GaAs substrates.—74-02985A

Berroth, K. See Bittner, Hans-Georg

Berroth, Karl
High-temperature technology: ceramic materials, integration concepts, applications.—74-03693A

Berry, E. E.; Hemmings, R. T.; Zhang, M. H.
Hydration in high-volume fly ash concrete binders.—74-05529A

Berry, F. J.; Booth, M. W.; Mortimer, M.
Evolution of mullite from hydrothermally processed mullite precursor sols.—74-04624A

Bert, N. A.; Gurevich, S. A.; Gladysheva, L. G.
Development and study of the optical properties of InGaAs/GaAs quantum wires.—74-08857A

Bertat, J. R. See Haussonne, Jean-Marie; Paris, Pierre

Berthouex, P. M. See Edil, T. B.

Bertness, K. A. See Luo, J. S.

Bertness, K. A.; Kramer, C.; Olson, J. M.; Moreland, John
In situ observation of surface morphology of InP grown on singular and vicinal (001) substrates.—74-05161A

Bertoti, I. See Pavlyak, F.

Bertoti, I.; Toth, A.; Mohai, M.; Kelly, R.; Marletta, G.
Effect of ion bombardment on Cr-Si-O layers—an X-ray photoelectron spectroscopic study.—74-05127A

Bertrams, T.; Brodde, A.; Neddermeyer, H.
Tunneling through an epitaxial oxide film: Al_2O_3 on NiAl(110).—74-07540A

Bertran, E. See Cifre, J.

Berube, M. A. See Duchesne, J.

Bescher, Eric P. See Yuh, Soon-Ku

Beskrovanov, V. V. See Novikov, N. V.

Besmann, Theodore M. See Lara-Curzio, Edgar; Shanmugham, S.

Besmann, Theodore M.; Stinton, David P.; Lowden, Richard A.
Chemical vapor infiltration of nonoxide ceramic matrix composites.—74-09858A

Besninou, Sylvette See Baraton, MarieIsabelle

Besold, J.; Kunze, R.; Matz, N.
Electromigration kinetics of gold on a carbon thin film surface studied by scanning tunneling microscopy and scanning tunneling potentiometry.—74-07639A

Bessada, Catherine See Bonafous, Laurent

Besse, J. P. See Caperaa, C.

Bessenay, Gilles J. M. See Benoit, Joel M. D.

Bessolov, V. N.; Evstropov, V. V.; Lebedev, M. V.
Interface luminescence of GaAs/GaAlAs structure: relationship with heterojunction conditions.—74-06162A

Bessolov, V. N.; Lebedev, M. V.; Novikov, E. V.
Mechanism of formation of passivating sulfide coating on surface of A^3B^5 semiconductors.—74-03102A

Besson, Jacques See Lavaste, Valerie

Best, Philip E. See Markham, James R.

Bestgen, Harro See Chaim, Rachman

Bethge, K. See Liebler, V.

Bethke, U.; Lhuillery, C.; Rossi, P.
Optimization of the insulation by using ceramic tissue.—74-09698A

Betser, Y.; Fenigstein, A.; Salzman, J.
Transmission through abrupt heterojunction potential barriers.—74-09074A

Betsofen, S. Ya.
Characterization of thin ceramic coatings by measuring microhardness.—74-03788A

Bettinelli, Armand
Process for obtaining insulating ceramic inserts by multilayer stacking.—74-00558P

Betz, Thomas; Brunner, D.; Frey, Thomas
Influence of sintering additives on the thermal conductivity of AlN ceramics.—74-10418A; Influence of sintering aids on the thermal conductivity of AlN ceramics.—74-01294A

Beuillet, G. See Legras, R.

Bevini, Dorvan
Mosaic is in fashion.—74-03713A

Bewilogua, K. See Jager, S.

Bewilogua, K.; Buth, J.; Hubsch, H.
Preparation of cBN-containing films by reactive rf sputtering.—74-10557A

Beyer, E. See Noker, F.

Beyer, W. See Franceschini, D. F.

Bezentsev, A. I.; Vernidubov, I. G.; Pakhlevonyan, G. V.
Iron-containing enamel coatings.—74-02379A

Bezlepkin, A. A.; Iraki, M. R.; Kuntsevich, S. P.
Magnetic relaxation of ^{57}Fe nuclei in magnetoplumbite.—74-09205A

Beznosikov, B. V.
Calculation of unit cell parameters.—74-04099A; Crystal chemistry and prediction of new $ABCX_4$ compounds.—74-07050A; Mechanisms of formation and phase transitions in crystals of ß-K_2SO_4 and K_2MgF_4 types.—74-07090A

Bezrukov, S. V. See Voronezhtsev, Yu. I.

Bezuglyi, B. A. See Aslanov, L. A.

Bezverkhy, I. S. See Danot, M.

Bezzrra, J. C. See Da Silva, M. I. N.

Bhadra, A. See Sarkar, S.

Bhaduri, A.; Tiwari, A. N.; Gopinathan, V.; Ramakrishnan, P.
Mechanically alloyed 7010 aluminum alloy-SiC_p composites.—74-05642A

Bhagat, S. M. See Lofland, S. E.; Saul, J.

Bhalla, A. S. See Guo, Ru-Yan; Harshe, G.; Li, S.; Randall, C. A.; Roy, Rustum

Bhalla, A. S.; Nair, K. M.; Lloyd, Isabel K.; Yanagida, H.; Payne, David A.
Ceramic Transactions, Volume 43: Ferroic Materials: Design, Preparation, and Characteristics.—74-05435B

Bhan, Mohan K.; Nag, Pallob K.; Miller, George P.; Gregory, John C.
Chemical and morphological changes on silver surfaces produced by microwave generated atomic oxygen.—74-05325A

Bhandarkar, Suhas D.
Manufacture of high proof-test optical fiber using sol-gel.—74-02679P

Bhandarkar, Suhas D.; Chandan, Harish C.; Johnson, David W., Jr.; MacChesney, John B.
Manufacture of high proof-test optical fiber using sol-gel.—74-00338P

Bhar, G. C.; Datta, P. K.; Rudra, A. M.
Tangentially phase-mismatched efficient difference frequency generation in ß-barium borate crystal.—74-03245A

Bhargava, R. N.; Gallagher, D.; Hong, X.
Optical properties of Mn-doped nanocrystals of ZnS.—74-03138A

Bhargava, S. C. See Singh, M. R.

Bhargava, S. K. See Paterson, Melissa J.

Bhargava, S. See O'Shea, J. J.; Sujata, M.

Bharith-Ram, K. See Sideras-Haddad, E.

Bhasin, K. B. See Mueller, C. H.

Bhaskaran, M. See Grow, J. M.

Bhat, A. K. See Chou, H. C.

Bhat, H. L. See Dhanaraj, G.; Srivasan, M. R.

Bhat, Ishwara B. See Akram, Salman

Bhat, S. G. T. See Kaushik, V. K.

Bhat, S. V. See Srinivasu, V. V.

Bhatia, Subhash See Ghosh, Biswajit

Bhatia, Swarn J. See McCandlish, L. E.

Bhatkal, R. M.; Rajan, K.
Enhancement of heat exchanger surfaces—interfacial reactions during thermal spraying.—74-08183A

Bhatnagar, A. K. See Antony, J. P.

Bhatnagar, Ajay See Martin, Steve W.

Bhatnagar, Mohit See Baliga, Bantval J.

Bhatt, Ramakrishna T. See Chu, Y.-C.; Kumaria, S.; Singh, Dileep

Bhattacharaya, D.; Roy, S. N.; Basu, R. N.
Critical current in electrophoretically deposited thick films of YBCO superconductor.—74-00792A

Bhattacharjee, S.; Syamaprasad, U.; Galgali, R. K.; Mohanty, B. C.
Preparation of stable *t'*-zirconia.—74-07437A

Bhattacharya, A. K.; Chintaiah, Purimetla; Ahuja, Rajiv K.; Dasgupta, Ajoy K.
Carbon-bearing ramming mix for steelmaking furnaces.—74-09643A

Bhattacharya, A. K.; Mallick, K. K.; Hartridge, A.
Low-temperature synthesis and characterization of crystalline zirconium titanate powder.—74-07373A

Bhattacharya, A. See Anitha, V. P.

Bhattacharya, P. K. See Lee, J.

Bhattacharya, R. S.; Rai, A. K.; Erdemir, A.
High-energy (MeV) ion beam modifications of sputtered MoS_2 coatings on ceramics.—74-11017A

Bhattacharya, S.; Higgins, M. J.; Ramakrishnan, T. V.
Anomalies in free-flux Hall effect.—74-07143A

Bhattacharya, Surya See Sultan, Akif

Bhattacharyya, D. See Pal, R.

Bhattacharyya, D.; Dutta, J.; Chaudhuri, S.
Grain-boundary effects on the thermoelectric power of semiconducting films.—74-00626A

Bhaumik, Subir K.; Upadhyaya, Gopal S.; Vaidya, Madhusudan L.
SEM study of the fracture behavior of WC-TiN-Co and WC-TiN-Mo_2C-Co(Ni) cemented carbides.—74-05654A

Bheemineni, Veerabhadrarao; Chang, Edward K.; Lal, Misri; Harmer, Martin P.; Smyth, Donald M.
Suppression of acceptor solubilities in $BaTiO_3$ densified in highly reducing atmospheres.—74-04928A

Bhimnathwala, H.; Borrego, J. M.
Measurement of the sheet resistance of doped layers in semiconductors by microwave reflection.—74-00653A

Bhola, Rakesh See Dasgupta, Sankar

Bhongale, G. J.; Kulkarni, D.; Sapre, V. B.
EXAFS: determination of cation distribution in spinels.—74-09199A

Bhosale, C. H.; Uplane, M. D.; Patil, P. S.; Lockhande, C. D.
Preparation and properties of sprayed antimony trisulfide films.—74-06274A

Bhushan, Bharat See Gupta, B. K.

Bi, Xiang-Xin; Wang, Ying; Lee, W. T.
Physical properties of nanocrystalline MoS_2 and WS_2 particles produced by CO_2 laser pyrolysis.—74-10136A

Bi, Yong-Jun See Guo, Q.-H.

Bialas, H. See Knoll, E.

Bialoskorski, J.; Piekarczyk, J.
Indentation fracture toughness and elastic properties of boron-doped silicon carbide.—74-07894A

Bianchi, L. See Verven, R.

Bianchi, L.; Blein, F.; Lucchese, P.
Comparison of plasma-sprayed alumina and zirconia coatings by rf and dc plasma spraying.—74-10231A; Effect of particle velocity and substrate temperature on alumina and zirconia splat formation.—74-10289A

Bianchi, Paolo
Modernization of UNICEM's Augusta plant.—74-03711A

Bianco, Alessandra See Traversa, Enrico

Bianco, M. See Von Criegern, R.

Bianco, R.; Rapp, R. A.
Chromium and reactive element modified aluminide diffusion coatings on superalloys: environmental testing.—74-02067A; Pack cementation aluminide coatings on superalloys: codeposition of Cr and reactive elements.—74-00138A

Bianconi, A.
Possibility of new high-T_c superconductors by producing metal heterostructure as in the cuprate perovskite.—74-03559A

Biasini, V. See Melandri, C.

Biasini, V.; Fabbri, B.
Chemical composition at the glaze/support interface of different tiles with colored porous body.—74-07610A

Biasiol, G. See Cantile, M.

Bibik, A. V. See Kharchenko, N. F.

Bibler, Ned E. See Marra, James C.

Bickford, Dennis F. See Bennert, David M.; Resce, James L.; Sargent, Thomas N., Jr.

Bickford, Dennis F.; Bates, Steven; Jain, Vijay; Smith, Gary
Ceramic Transactions, Volume 45: Environment and Waste Management Issues in the Ceramic Industry: II.—74-05437B

Bickford, Dennis F.; Schumacher, Ray F.
Vitrification of hazardous and radioactive wastes.—74-09423A

Bickley, Roger; Gonzalez-Carreno, Teresita; Gonzalez-Elipe, A. R.
Characterization of Fe/TiO_2 photocatalysts: II, Surface studies.—74-07603A

Bideau, D. See Tasserie, M.

Bidinger, Donald D. See Sakka, Yoshio

Biebl, H. See Dischler, B.

Bieck, W.; Gnaser, Hubert; Oechsner, H.
Analytical performance of a secondary neutral microprobe with electron-gas postionization and magnetic sector mass spectrometer.—74-03781A

Biederman, R. R. See Sohn, Y. H.

Biegelson, D. K. See Liu, H. I.

Bieger, W. See Krabbes, G.

Bienk, Ewa J.; Eskildsen, Svend S.
Effect of surface preparation on the nucleation of diamond on silicon.—74-01692A

Bienvenu, G.; Bouclier, V.; Polak, C.
ß-silicon carbide powder synthesis by molten salt chemistry.—74-04463A

Biernat, Stanley, Jr. See Teeter, Frederick

Biersack, J. P. See Menyhard, M.

Bigaev, S. B.; Trubitsyn, M. A.; Pankratov, S. E.
Rheological properties of hydrodispersions of silica with limiting concentration of R_2O-containing electrolytes.—74-02733A

Bigelow, Louis K.; Csillag, Frank J.; Hoggins, James T.
Method for making diamond grit and abrasive media.—74-02290P

Bigelow, Louis K.; Hoggins, James T.; Gunderson, Deborah; Ellison, Cristan
Diamond film deposition with a microwave plasma.—74-04047P

Biggers, Rand R. See Norton, M. Grant

Bigorgne, F. See Demuynck, L.

Bihari, Bipin; Jiang, Xin-Li; Kumar, Jayant
Investigation of second harmonic generation in MOCVD-grown barium titanate thin films.—74-06417A

Bijen, J. See Van Der Wegen, G.

Bilas, Ram
Effect of bismuth replacement at barium site in Y-Ba-Cu-O system.—74-09251A

Bilinskaya, S. P. See Min'ko, N. I.

Bilinskii, R. L. See Min'ko, N. I.

Bill, H. See Monnier, A.

Bill, Joachim See Greiner, Axel

Bill, Joachim; Friess, M.; Aldinger, F.
Doped silicon carbonitride—synthesis, characterization and properties.—74-10276A

Billings, G. W.; Timmel, P. J.
Furnace design considerations in AlN cofiring.—74-09672A

Billman, Elizabeth R. See Mehrotra, Pankaj K.

Bilodeau, A. See Carette, G.

Bilodeau, T. G.; Freitas, J. A., Jr.; Remeshan, G.
Calorimetric absorption spectroscopy and photoluminescence study of defects in diamond.—74-10724A

Bimberg, D. See Grundmann, M.; Krost, A.; Su, L. C.

Binari, S. C.; Marchywka, M.; Moses, D.
Diamond metal-semiconductor-metal ultraviolet photodetectors.—74-08859A

Bindal, M. M.; Singh, B. P.; Singhal, S. K.
Sintering of wurtzitic boron nitride under high pressures and temperatures.—74-10636A

Binder, G.
Incorporation and detection of chlorides in concretes attacked by deicing salts.—74-05532A

Binder, H. See Hofsass, H.

Biner, S. B. See Lane, S.

Biner, S. B.
Role of interfaces on fracture and creep deformation behavior of brittle matrix composites with ductile discontinuous reinforcements.—74-11079A

Binggeli, M. See Mueller, C.

Bingham, Eric; Morrison, Fiona
UK plants decrease kiln operating costs using proven preventive maintenance techniques.—74-01184A

Binner, J. G. P. See Arai, Masayuki; Davies, Jason; Davis, Pamela; Reichert, J.; Smith, R. T.

Binner, J. G. P.; Cross, Tom E.; Greenacre, N. R.
High-temperature dielectric property measurements—an insight into microwave loss mechanisms in engineering ceramics.—74-08754A

Binner, J. G. P.
Better ceramics through microwaves.—74-10204A

Bintz, W. J.; McGruer, N. E.
SiO_2-induced silicon emitter emission instability.—74-03217A

Birch, J. See Jarrendahl, K.

Bird, R. Keith; Johnson, George W.
Hydraulically driven grips for hot tensile specimens.—74-03818A

Birgeneau, R. J. See Ramstad, M. J.

Birkefeld, L. D. See Azad, Abdul M.

Birmingham, Scott D.
Scandia.—74-06925A

Birnbaum, Milton See Sparioso, Kalin

Birringer, R. See Li, M.

Biryukova, E. A. See Andreevskii, K. N.

Bischoff, J. L. See Aubel, D.; Diani, M.

Bish, David L.
Rietveld refinement of the kaolinite structure at 1.5 K.—74-01449A; Studies of clays and clay minerals using X-ray powder diffraction and the Rietveld method.—74-07762A

Bishop, G. G.; Gillman, E. S.; Hernandez, J. J.; Baker, J.; Skofronick, J. G.; Safron, S. A.
Multiphonon scattering of thermal energy He atoms from the LiF(001) surface.—74-02766A

Biswas, A. See Roy, S. K.

Biswas, N. C. See Mitra, B. L.

Biswas, P. K. See Atta, A. K.

Biswas, S. K. See Ravikiran, A.

Bittner, D. See Smith, R. W.

Bittner, D.; Kotte, R.
Coating of carbon fiber-reinforced composites—research, development, and application.—74-01285A

Bittner, Hans-Georg; Andreas, Klaus-Martin; Fischer, Peter
Influence of fast firing on the color of red unglazed stoneware tiles.—74-00365A

Bittner, Hans-Georg; Bartusch, Rainer; Petersohn, B.
Adjusting binders of isostatically pressed ware for rapid firing.—74-01133A

Bittner, Hans-Georg; Weber, H.; Berroth, K.
Rotationally symmetrical ceramic heat exchanger with direct axial flow for use in high-temperature processes.—74-01178A

Biur, A. P.; Khan, R. U.
Development and characterization of a high dielectric constant paste based on $BaTiO_3$ for use in thick-film capacitors.—74-08739A

Bjorklund, Lief
Gob control improves quality and efficiency.—74-09673A

Blaauev, C.; Emmerstorfer, B.; Kreller, D.; Hobbs, L.; Springthorpe, A. J.
Effects of S, Si, or Fe dopants on the diffusion of Zn in InP during MOCVD.—74-06061A

Blachere, E.; Chainiau, P.; Beauprez, E.
Study of deposition process and characterization of yttria PSZ films.—74-04922A

Black, David R.; Burdette, Harold E.; Banholzer, William F.
X-ray diffraction imaging of manmade and natural diamond.—74-01488A

Black, M. A. See Choudhary, K. M.; Varanasi, C.

Black, M. A.; McGinn, P. J.
Reduced pO_2 melt processing of $YBa_2Cu_3O_{6+y}$.—74-06627A

Black, W. Murray See Li, Meng-Li; Saadaldin, H. S.; Silberglitt, R.

Blackburn, Douglas H. See Dexter, James L.

Blackburn, S. See Shannon, T. M.

Blackmer, John F. See Loxley, Ted A.

Blackwood, Gary H.; Ealey, Mark A.
Electrostrictive behavior in lead magnesium niobate (PMN) actuators: I, Materials perspective.—74-09131A

Blades, B.
Energy distribution and computer-modeled nozzle design in high-pressure water jet coating removal.—74-10328A

Blaha, Jindrich; Sanda, Ludvik; Maryska, Martin
Preparation of powders for zirconia ceramics from aqueous solutions of fluorides.—74-07435A

Blain, M. G. See Tipton, G. D.

Blair, J. A.; Duffy, J. A.; Wardell, J. L.
New glass for hosting organic compounds with optical, electronic, and biological applications.—74-05734A

Blairs, S. See Kim, J.-H.

Blake, Rodger D. See Thomas, J. R.

Blanc, J. J.
Fine fluxes in the masses for vitrified sanitary.—74-00429A

Blanc, Philippe See Rafai, Noureddine

Blanchard, Edward G.
Advanced automation in the production of tableware.—74-08657A; Automatic glazing and decorating technique for tile.—74-00895A

Blanchard, Gilbert; Chopin, Thierry
Supported catalysts.—74-04004P

Blanchart, P. See Gaillard, J. M.

Blanchet, T. A. See Lauer, J. L.

Blanchette, Curtis N.; Maddex, David P.; Shimek, Richard F.
Alumina material useful with thin film heads.—74-03978P

Blanco, M. T. See Gimenez, S.

Blank, A. B. See Sumarokov, S. Yu.

Blank, A. B.; Golovko, S. A.; Spolnik, Z. M.
Estimation of the stoichiometry of bismuth lead high-temperature superconductive ceramics by the technique of theoretical corrections.—74-00810A

Blank, A. B.; Spolnik, Z. M.; Avramenko, L. I.
Comparative estimation of different methods for the control of stoichiometric composition of bismuth-containing superconductors.—74-06498A

Blank, E. See Fabisiak, K.

Blank, Kurt; Duerkop, Detlev; Durchholz, Michael
Strength tests of flat glass by means of four point bending.—74-02583A

Blank, Paul See Krell, Andreas

Blank, V. D. See Aleksandrova, M. M.

Blank, V. D.; Malyushitskaya, Z. V.
Structural mechanisms of Si(Ge)I→III phase transformations: II, Germanium.—74-07120A

Blann, G. A.; Diaz, D. J.
Development of ASTM standards for metallographic preparation practices of thermally sprayed coatings.—74-11155A

Blanpain, B. See Dekempeneer, E. H. A.; Franck, M.; Mohrbacher, H.

Blaschko, O.; Glas, R.; Krexner, G.
Stages of surface and pore volume evolution during sintering.—74-04912A

Blashchuk, A. G. See Vasil'ev, M. A.

Blasse, G. See Cantavella, V.; Sales, M.

Blatov, V. A.; Serezhkin, V. N.
Crystal lattice topology of polymorphous modifications of AO_2 oxides [A=Si, Ti, Mn, Pb].—74-04113A

Blatter, A. See Bogli, U.; Zehnder, T.

Blaudeck, P. See Frauenheim, T.; Jungnickel, G.

Blayo, N. See Tepermeister, I.

Blayo, N.; Tepermeister, I.; Benton, J. L.; Higashi, G. S.; Boone, T.; Onuoha, A.
Comparison of advanced plasma sources for etching applications: IV, Plasma-induced damage in a helicon and a multiple electron cyclotron resonance source.—74-06011A

Blayze, S. J.; Stevens, M.
Refurbishment option.—74-01177A

Blazewicz, M. See Pamula, E.

Blazewicz, S. See Wajler, C.

Blazhis, I. K. See Shkadauskene, O. P.

Blecha, J. See Tichy, L.

Bleier, A. See Omatete, O. O.; Shanmugham, S.

Blein, F. See Bianchi, L.; Verven, R.

Blejouiu, Serban Ion; Cioroianu, Traian; Rotaru, Petre
X-ray diffraction analysis of the Ni-NiO-diatomite system.—74-10903A

Blejouiu, Serban Ion; Cioroianu, Traian; Vadeanu, Victoria
Influence of sodium concentration upon the ZnO crystallite size in the Cu-Zn-Al oxidic catalysts for CO shift conversion.—74-10001A

Blendell, John E. See Hill, Michael D.

Blinkin, V. A. See Pashkevich, Yu. G.

Blinov, E. V.; Stepanov, Yu. P.; Traito, K. B.
Applicability of the critical state model to small ceramic Y-Ba-Cu-O particles in low magnetic fields.—74-09238A

Block, Christian; Greiderer, Sigurd; Peperko, Gerhard
Process for metallizing monolithic microwave ceramic filters.—74-08318P

Block, Christian
Method for soldering a ceramic body of an electrical component into a metal housing.—74-00172P

Bloemacher, Martin; Weinland, Dieter
Progress in the development of binders: II, Economics.—74-02261A

Blom, H.-O. See Hedlund, C.
Blomberg, Adam See Andersson, Peter
Blomberg, Adam; Hogmark, Sture; Lu, Jun
Electron microscopy study of worn ceramic surfaces.—74-10798A
Blomberg, M. See Kuzel, R. Jr.
Blombey, A. See Anderson, P.
Blonski, Robert P. See Byrne, Christine J.; Korn, George C.
Blonski, Robert P.; Barson, T. M.; Elias, N. G.
Developing a better understanding of glaze defects using X-ray diffraction and scanning electron microscopy.—74-08521A
Blouin, M.; Guay, D.; El Khakani, M. A.; Chaker, M.; Boily, S.; Jean, A.
Atomic force microscopy study of the microroughness of SiC thin films.—74-07595A
Blowbawiak, Kay Y. See Laine, Richard M.
Blubaugh, Elm A. See Pretty, Jack R.
Blue, C. A. See Lin, Ray Y.
Bluhm, A. See Schafer, L.
Blum, Alex See Eberi, D. D.; Nagy, Kathryn L.
Blum, Frank D. See Gopal, P.
Blum, K. I. See Ramstad, M. J.
Blum, O.; Fritz, I. J.; Dawson, L. R.; Howard, A. J.; Headley, T. J.; Olsen, J. A.
Molecular beam epitaxy grown AlAsSb/GaAsSb distributed Bragg reflector on InP substrate operating near 1.55 μm.—74-04366A
Blum, Yigal See McGinn, Joseph T.
Blumel, J.; Born, E.; Metzger, T.
Solid-state NMR study supporting the lithium vacancy defect model in congruent lithium niobate.—74-10745A
Blumenfeld, A. See Coster, Dominique
Blumenstock, K.; Theisen, J.; Dulak, J.; Pan, P.; Ticknor, A.; Sandwick, T.
Shallow trench isolation for ultralarge-scale integrated devices.—74-00708A
Blumenthal, William R. See Conzone, Samuel D.
Blundo, D. Settembre See Barbieri, L.
Boakes, William R.
Using your PC for reformulation.—74-11195A
Boas, John F. See Caulfield, Kevin J.
Boattini, P. P. See Pelino, M.
Boattini, P. P.; D'Angio, Carlo; Paudice, Ciro
Process for the manufacture of decorated sheets of laminated safety glass.—74-02695P
Boaz, Premakaran T.
Impact of lead-free enamels on automotive glass fabrication.—74-00302A; Method for treating glass sheets on a gas hearth.—74-09530P
Bobel, F. G.; Moller, H.; Wowchak, A.; Hertl, B.; Van Hove, J. M.; Chow, L. A.
Pyrometric interferometry for real-time molecular beam epitaxy process monitoring.—74-03855A
Bobeth, M.; Pompe, W.; Rockstroth, M.
Morphological instability of a planar oxide-alloy interface for inward oxide growth.—74-02386A
Bobichenko, I. G. See Beletskii, V. M.
Bobkov, V. B.; Zavislyak, I. V.; Romanyuk, V. F.
Magnetostatic waves in ferrite films with trigonal anisotropy.—74-03393A
Bobo, Jean-Claude; Wicker, Alain
Method of making a superconductive fiber.—74-03647P
Boborov, V. S.; Lebyodkin, M. A.
Role of dynamic processes during low-temperature abrupt deformation of aluminum.—74-07912A
Boborykin, V. A. See Trakhtenberg, I. Sh.
Bocarsly, Andrew B.; Kumar, Gireesh; Heibel, Marija
Novel inorganic hydrogels based on the polymerization of cyanometalate transition metal complexes with $(PdCl_4)^{2-}$ a new approach to ceramic and alloy precursors.—74-10500A
Boccaccini, Aldo R.; Ondracek, G.; Syhre, Claudia
Borosilicate glass matrix composites reinforced with short metal fibers.—74-02517A
Boccaccini, Aldo R.; Ondracek, G.
Porosity dependence of the fracture strength of ceramics.—74-07714A
Boch, Philippe See Fryda, H.; Lequeux, Nicolas
Bocharov, L. D. See Afinogenova, N. S.; Kulebakin, V. G.; Zagnoyko, V. V.
Bochnarev, A. See Reed, J.
Bock, Joachim See Preisler, Eberhard; Schwarz, Martin
Bock, Joachim; Preisler, Eberhard
Process for molding a high-temperature superconductor.—74-09386P; Process for producing a high-temperature superconductor and also shaped bodies composed thereof.—74-09388P
Bocquet, J. F. See Pommier, C.
Bode, M. See Arent, D. J.
Boden, Edward G. See Hoener, Carolyn F.
Boden, G. See Pabst, Jurgen
Boden, G.; Nitzsche, R.
Surface modification of very fine silicon nitride powders.—74-01898A
Bodi, A. C.
Simultaneous measurement of resistivity and susceptibility on Y-Ba-Cu-O during thermal scanning.—74-03574A
Bodily, D. M. See Zhu, X.
Bodin, C. See Legras, R.
Bodnar, I. V.; Rud, V. Yu.; Rud, Yu. V.
Optical properties of $CuAlSe_2$ single crystals and of diode structures made of them.—74-08988A; Photoelectric properties of In/*p*-$CuGaS_2$ surface barrier structures.—74-08995A
Bodnar, I. V.; Vaipolin, A. A.; Rud, V. Yu.
Natural photoleochroism in $CuInSe_2$ diode structures.—74-08961A
Bodnar, I. V.; Viktorov, I. A.; Zabelina, I. A.
Synthesis and physicochemical properties of solid solutions $CuGa_xIn_{1-x}Te_2$.—74-01901A
Boegli, V. See Unger, P.
Boemare, Claude See Nazare, M. H.
Boen, R. See Ladirat, C.
Boercker, D. B. See Belak, J.
Boettger, E.; Jiang, X.; Klages, C.-P.
High-field conductivity of polycrystalline diamond films.—74-02841A
Bogan, Leonard E., Jr.
Polymeric dispersants for ceramic materials.—74-09535P
Bogatina, N. I.; Bondarenko, S. I.
Anomalies in behavior of the trapped magnetic flux and its noise in an HTSC ceramic.—74-04252A
Bogdan, M. M. See Kovalev, A. S.
Bogdanov, E. V. See Kadushkin, V. I.; Skimov, B. A.
Bogdanov, N. Ya. See Bagdasarov, Kh. S.
Bogdanov, V. L. See Khalilev, V. D.
Bogdanovich, A. M. See Zhdanov, Yu. I.
Bogdanyuk, N. S. See Davidyuk, G. E.
Boger, David V. See Leong, Yee-Kwong
Bogli, U.; Blatter, A.; Luthi, R.
Characterization of laser-irradiated surfaces of a polycrystalline diamond film with an atomic force microscopy.—74-10772A
Bogomolov, D. B. See Akimov, A. G.
Bogomolov, V. N. See Balakirev, V. G.
Bogomolov, V. N.
Structure and properties of metal-insulator interphase layer.—74-05269A
Bogomolova, L. D.; Deshkovskaya, A. A.; Krasil'nikova, N. A.; Battaglin, G.; Caccavale, F.
EPR study of structural defects in ion-implanted multicomponent silicate glasses.—74-02539A
Bogomolova, L. D.; Ivanov, I. A.; Stefanovskii, S. V.
Structure of aluminoborosilicate, borosilicophosphate, and aluminoborosilicophosphate vitreous materials simulating vitrified radioactive wastes.—74-02500A
Bogomolova, L. D.; Pavlushkina, T. K.; Stefanovskii, S. V.
Spectroscopic investigation of sodium and aluminosilicate phosphate glasses.—74-00217A; Spectroscopic studies of sodium and aluminum silicophosphate glasses.—74-00219A
Bogs, Martin See Zenger, Manfred
Boguslavskii, Yu. V. See Anshukova, N. V.
Boguslawski, Piotr See Hwang, Yong-Gyoo
Bogy, D. B. See Stanley, H. M.
Bohac, P. See Gauckler, Ludwig J.; Muller, R.; Schweizer, T.
Boher, P. See Houdy, P.
Bohm, G. See Brunner, K.; Klein, W.
Bohmer, M. See Heider, W.
Bohn, H. G. See Hunnekes, C.
Bohner, Marc; Lemaitre, Jacques; Ring, Terry A.
Hydraulic properties of tricalcium phosphate-phosphoric acid-water mixtures.—74-05531A
Bohni, H. See Noggerath, J.
Bohni, H.
Localized corrosion—mechanisms and methods.—74-05544A
Bohnke, O.; Gire, A.; Theobald, J. G.
In situ detection of electrical conductivity variation of an a-WO_3 thin film during electrochemical reduction and oxidation in $LiClO_4$(M)-PC electrolyte.—74-04334A
Boiko, M. E.; Zadokhin, B. S.; Lukaszewicz, K.
Spontaneous deformation and phase transition in improper Hg_2Br_2 ferroelastic.—74-06436A
Boiko, Yu. I.; Klinchuk, Yu. I.; Sukhomlin, V. P.
Sintering of simple metal oxides with variable valence.—74-05049A
Boiko, Yu. I.; Sukhomlin, V. P.; Pettsov, G.
Phase formation and sintering in the process of preparing metal-oxide ceramic $YBa_2Cu_3O_{7-x}$.—74-00831A
Boikov, Yu. A.; Ivanov, Z. G.; Brorsson, G.
Epitaxial $YBa_2Cu_3O_{7-\delta}$ films on (110)$YAlO_3$.—74-03459A
Boikov, Yu. A.; Ivanov, Z. G.; Claeson, T.
Biepitaxial weak links based on $YBa_2Cu_3O_{7-\delta}$ on $NdGaO_3$.—74-06496A
Boily, S. See Blouin, M.
Boire-Lavigne, S. See Moreau, C.
Boisvert, Ronald See Lara-Curzio, Edgar
Boivin, J. C.
Recent developments in oxide conductors and their applications[—review].—74-06995A
Bojan, B. J.; Buyuklimanli, T. H.; Pantano, Carlo G.
Quantification of SIMS data for multicomponent glasses.—74-05691A
Bojko, R. See Mikolas, D.
Bojkov, Hristo See Xu, Xue-Ping
Bok, J. See Kucera, M.
Bokov, A. A.; Shpak, L. A.; Raevskii, I. P.
Use of $A^{2+}B^{4+}O_3$ additives for preparing ferroelectric capacitor ceramics based on lead ferroniobate.—74-02867A
Boksay, Zoltan
Quasi-equilibrium in silicate glasses.—74-08347A
Bol'nykh, I. K. See Adushnaeva, R. Yu.
Bol'shkova, N. V.; Mosentsov, K. T.; Tsimberova, R. Yu.
Reaction of refractory materials with metallic heaters in electric furnaces.—74-02775A
Boland, Daniel J. See Belitskus, David L.
Boland, F.; Li, F.; Schnedecker, G.; Boncoeur, M.; Delannay, F.
Cracking and debonding of in-plane strained plasma-sprayed coatings and enamel coatings on metals.—74-08154A
Bolech, Mark; Cordfunke, E. H. P.; Janssen, Frans J. J. G.; Navrotsky, Alexandra
Standard enthalpy of formation of lanthanum zirconate.—74-07117A
Bolen, Wallace P.
Perlite.—74-06920A
Boles, James R. See Noh, Jin-Hwan; Ramseyer, Karl
Bolin, James A.
Glassware forming machine with spring-biased plenum.—74-03750P
Bolle, D. M. See Mohoenian, N.
Bolle, D. M.
Utilization of surface magnetoplasmons in the millimeter wavelength range.—74-09227A
Bollinger, C. A. See Stevie, F. A.
Bolmont, D. See Aubel, D.; Diani, M.; Loegel, B.
Bolognesi, C. R. See Koester, S. J.
Bolotina, N. B.; Maksimov, B. A.; Simonov, V. I.
Atomic structure and spectral characteristics of $LiCaAl_6$:Cr single crystals.—74-07039A
Bolotina, N. B.; Maksimov, B. A.; Tamazyan, R. A.
Atomic structure of modulated orthorhombic phase of $Na_4TiP_2O_9$ at 663 K.—74-07040A
Bolotov, V. V.; Efremov, M. D.; Volodin, V. A.
Mechanical stress relaxation in ion-implanted SOS structures.—74-06200A
Boltaev, A. P.; Burbaev, T. M.; Kalyuzhnaya, M. I.
Negative capacitance effect in Ni-TiO_2-*p*-Si heterostructures.—74-08965A
Bolubev, A. I.
Calculation-graphic method for determining the bulk density of milled materials.—74-04490A
Bonafous, Laurent; Bessada, Catherine; Massiot, Dominique; Coutures, Jean-Pierre; Le Rolland, Bruno; Colombet, Pierre
^{29}Si MAS NMR study of dicalcium silicate: the structural influence of sulfate and alumina stabilizers.—74-10753A
Bonavetti, V. L.; Irassar, E. F.
Effect of stone dust content in sand.—74-05500A
Boncoeur, M. See Boland, F.; Desmaison-Brut, M.
Bond, A. M. See Dueber, R. E.
Bondar, A. V.; Ryabchenko, S. M.; Fedotov, Yu. V.
Investigation of the internal magnetic field in high-temperature superconductors by the NQR method.—74-03505A
Bondar, I. V. See Novikov, N. V.
Bondarenko, S. A. See Krupa, A. A.
Bondarenko, S. I. See Bogatina, N. I.
Bondarenko, V.
Current fluctuation and conductivity in semiconducting VO_2.—74-00586A
Bondareva, N. V. See Chirkova, G. D.
Bondareva, O. S. See Fedorov, P. P.
Bonetti, G.
Electrical resistivity as a way for the control of glass manufacturing process: II.—74-00295A
Bonfield, W.
Design of bioactive ceramic-polymer composites.—74-06967A
Bonfil, C.; Martinez-Canales, J. F.; Cavalle, F.
Effects arising from disturbance in the electric power supply, in production processes in the ceramic sector. Search for solutions.—74-09457A
Boni, P. See Elsenhans, O.
Boniecki, Marek; Ezgoda, Tadeusz
Internal thermal stresses in anisotropic polycrystalline ceramics.—74-07898A
Boniecki, Marek
Subcritical crack growth in ceramics with *R*-curve behavior.—74-07922A
Bonifacio, M. E. R.; Diniz, A. E.
Correlating tool wear, tool life, surface roughness, and tool vibration in finish turning with coated carbide tools.—74-08149A
Bonin, J.; Civiel, G.
New Montalieu burning line excels.—74-03714A
Bonn, D. A. See Zhang, Kuan
Bonnaud, O. See Sarret, M.
Bonnefond, P. See Laurent, C.
Bonnell, Dawn A. See Carroll, D. L.; Liang, Yong
Bonnell, Dawn A.; Solomon, I.; Rohrer, G. S.; Warner, C.
Direct measurement of local properties of interfaces with scanning tunneling microscopy.—74-10789A
Bonner, T. See Meyer, E.
Bonnet, J. E. See Aristov, V. Yu.
Bonnin, D. See Charreire, Y.
Bonnot, A. M. See Mathis, B. S.; Moulin, S.; Sandre, Eric
Bonnot, A. M.; Mathis, B. S.; Moulin, S.
Growth kinetic analysis of diamond films by in situ elastic scattering of light and reflectivity.—74-04663A
Bonvin, D. See Yellepeddi, R.
Bonvin, D.; Bapst, A.; Yellepeddi, R.
Cement analysis enhanced.—74-07998A
Boo, J. P. See Lee, J. Y.
Boodey, J. B. See Shih, Wei-Heng
Boone, T. See Blayo, N.
Boonyasirikod, Aniroot See Sugino, Takashi
Booth, Charles L.; Harmer, Martin P.
Agility, the future for ceramic manufacturing.—74-11137A
Booth, E.; Harper, T. J.
Applications of electric boost.—74-09637A
Booth, J. P. See Chenevier, M.
Booth, M. W. See Berry, F. J.
Boothe, David T.; Severin, Harold; Braine, Clint
Electrostatic precipitator dust—waste product or useful batch material.—74-03942A
Borchardt, G. See Jedlinski, J.
Bordier, Gilles See Noguera, Claudine
Bordoloi, D. See Barkakati, P.; Borthakur, P. C.
Bordoni, S.; Castellani, F.; Cavani, F.
Nature of vanadium species in SnO_2-V_2O_5-based catalysts—chemical preparation, characterization, thermal stability, and reactivity in ethane oxidative degradation over V-Sc mixed oxides.—74-10490A
Borek, M. A. See Harkness, S. D.
Borgarello, E. See Pelizzetti, E.
Borgerding, B.; Solter, H.-J.; Lugscheider, E.; Simhan, K.
Modeling of temperature gradients and stress-strain distributions during the plasma spraying process.—74-01807A
Borghesi, A. See Rojas, S.

Borgholm, H. E.
Successful utilization of heat recovery and desulfurization plant at Aalborg Portland (Denmark).—74-01181A
Boris, Subotic See Ankica, Cizmek
Borisov, B. F.; Krajevski, T.; Radzhabova, A. K.
Hysteresis behavior of sound [wave] velocity in high-temperature incommensurate superionic phase of $LiKSO_4$ crystals.—74-03820A
Borisov, V. I.; Dmitriev, S. G.; Lyubchenko, V. E.
Low-voltage current instabilities in long AlGaAs/GaAs samples subjected to pulsed and microwave fields.—74-08949A
Borisov, Y. See Yushchenko, K.
Borisov, Y.; Chernyshov, A.; Krivtsun, I.
Computer-aided simulation and experimental study of dusted plasma jets emitting into limited space.—74-10234A
Borisovsky, E. S. See Kvyatkovsky, O. V.
Borjesson, L. See Brodin, A.
Borland, John O. See Price, J. B.
Borle, W. N. See Yadava, R. D. S.
Born, E. See Blumel, J.
Borner, H. See Lorenz, M.
Borovik, A. S.; Glushchenko, O. F.; Malyshevskii, V. S.
Possibility of using radiation at [electron] channeling in study of multicomponent crystals.—74-04197A
Borovik, Valeri G.; Chushko, Victor M.; Kovalev, Sergei P.
Computer-aided, single-specimen controlled bending test for fracture-kinetics measurement in ceramics.—74-03791A
Borovinskaya, I. P. See Sharivker, S. Yu.
Borovkova, L. V. See Belyakov, A.V.
Borrego, J. M. See Bhimnathwala, H.
Borsa, Carlos See Walker, Clive
Borsella, E.; Botti, S.; Giorgi, R.
Nanocrystalline Al_2O_3 powders produced by laser-induced gas-phase reactions.—74-04766A
Borshchevsky, Alexander; Caillat, Thierry; Fleurial, Jean-Pierre
Two-zone Bridgman furnace with sharp thermal gradient.—74-01183A
Borshchevsky, Alexander See Fleurial, Jean-Pierre
Borst, T. H.; Munzinger, P. C.; Weis, O.
Characterization of undoped and doped homoepitaxial diamond layers produced by microwave plasma CVD.—74-04261A
Bort, J.; Fenollosa, J. L.
Bonding of unfired glaze layers.—74-08506A
Borthakur, P. C. See Barkakati, P.
Borthakur, P. C.; Barkakati, P.; Bordoloi, D.
Producing black meal clinkers using rice husk as a fuel.—74-00089A
Borul'ko, V. I. See Atkarskaya, A. B.; Popovich, S. A.
Bosch, Pedro See Carrera, Luz Maria
Bosche, A.
Variable speed drives in cement plant.—74-03937A
Boschi, A. O. See Schubert, H.
Bose, S. S. See Zhang, K.
Bostrem, I. G. See Moskvin, A. S.
Boswell, E. C. See Wilshaw, P. R.
Boswell, R. W. See Giroult-Matlakowski, G.
Botis, A. I. See Papargyris, A. D.
Bottcher, J. See Kunzel, H.
Bottger, Michael
Capitalizing on the use of platinum.—74-09438A
Bottger, Ulrich See Arlt, Gottfried
Botti, S. See Borsella, E.
Bottom, T. See Alford, Neil
Bou, Encarna See Enrique, Jose E.
Bou, Pierre; Vandenbulcke, L.; Quilgars, Alain; Coulon, Michel; Moisan, Michel
Apparatus for diamond deposition by microwave plasma-assisted CVPD.—74-03741P
Bouamrane, F. See Khawaja, E. E.
Bouazaoui, M. See Bahtat, A.
Boucaud, P.; Glowacki, F.; Ferrieu, F.; Larre, A.; Perio, A.; Bensahel, D.
In situ ellipsometric control of $Si_{1-x}Ge_x$/Si heterostructures grown by chemical beam epitaxy.—74-04689A
Boucaud, P.; Glowacki, F.; Campidelli, Y.; Larre, A.; Ferrieu, F.; Bensahel, D.
Growth and in situ ellipsometric analysis of $Si_{1-x}Ge_x$ alloys deposited by chemical beam epitaxy.—74-04662A
Bouchalka, A. See Jacob, J. M.
Bouchaud, Jean-Philippe See Ladieu, Francois
Bouchemousse, Jean L.
Insulating monolithic refractory material, manufacturing process and article according to the process.—74-00410P
Bouclier, V. See Bienvenu, G.
Boudina, A. See Fitzer, E.
Boudina, A.; Fitzer, E.; Netzelman, U.
Thermal diffusivity of diamond films synthesized from methane by arc discharge plasma jet CVD.—74-10171A
Boudina, A.; Fitzer, E.; Wahl, G.
Improvement in ir properties of chemically vapor deposited diamond films by smoothening with KrF excimer radiation.—74-10398A
Boudreau, Marcel; Boumerzoug, M.; Kruzelecky, Roman V.; Mascher, P.; Jessop, P. E.; Thompson, D. A.
Optical and electrical properties of electron cyclotron resonance CVD SiN_x:H films.—74-01548A
Boudriot, H.; Siegel, W.; Deus, K.
Compensation in GaAs:Si in correlation to As pressure during crystal growth.—74-02944A
Bougher, A. Kenneth
Ball clay.—74-06882A; Ceramic body reformulation procedure with emphasis on ball clay.—74-09741A
Bouillon, F. See Maoujoud, M.
Bouix, J. See Vincent, H.
Boukamp, B. A.; Vinke, I. C.; De Vries, K. J.; Burggraaf, A. J.
Surface oxygen exchange kinetics of solid oxide ion conductors.—74-00536A
Boulanger, B. See Feve, J. P.
Boulanger, L.; Herlin, Nathalie; Luce, M.
Evolution of the structure of nanometric SiC laser-formed powders.—74-04625A
Boulard, Brigitte R. J. See Jacoboni, Charles P.
Boulmaaz, Souad See Hubert-Pfalzgraf, Liliane G.
Boulmer-Leborgne, C. See Thomann, A. L.
Boulon, G. See Garcia Sole, J.
Boulos, Edward N. See Jones, James V.
Boulos, M. I. See Jiang, X. L.; Rahmane, M.
Boultif, Ali See Auffredic, Jean-Paul
Boulton, Jonathan M. See Teowee, G.
Boumerzoug, M. See Boudreau, Marcel; Pang, Zheng-Da
Boumsellek, S. See Stalder, R. E.
Bounouh, Y.; Theye, M. L.; Dehbi-Alaoui, A.; Matthews, A.; Cernogora, J.; Fave, J. L.
Influence of π-bonded clusters on the electronic properties of diamondlike carbon films.—74-01524A
Bour, Thomas C. See DeGreve, Stanley C.
Bourdon, Elisa See Prince, Robert H.
Bourdon, Elisa; Kovarik, Peter; Prince, Robert H.
Microcrystalline diamond phase by laser ablation of graphite.—74-01797A
Boureau, G. See Tetot, R.
Bouree, Jean-Eric See Tonneau, D.; Dumont, Herve
Bourell, D. L. See Manthiram, A.
Bourget, Lawrence P. See Sevillano, Evelio
Bourrat, Xavier; Turner, Kristofer; Evans, Anthony G.
Microstructure of silicon carbide/carbon composites and relationships with mechanical properties.—74-10842A
Bourret, E. D. See Yu, Kin-Man
Bours, R. See Chatrathi, K.
Bouruetaubertot, Alain; Chopin, Thierry; Touret, Olivier
Alumina-based compositions and catalysts having high specific surface area.—74-09806P
Bouse, Vaclav
Present state of porcelain enameling in the Czech and Slovakian republics.—74-00145A
Boussant-Roux, Yves; Zanoli, Alain; Leahy, William D., Jr.
Latest developments in the measurement of regenerator thermal performance.—74-09574A
Boussant-Roux, Yves; Zanoli, Alain
Amelioration of the thermal exchange in regenerators.—74-06839A
Boutard, D. See Martinu, L.
Boutinaud, P. See Monnier, A.
Boutsikaris, L.; Davidson, F.
Perturbance analysis of higher-order photorefractive gratings in InP:Fe.—74-03151A
Boutz, Michel M.; Winnubst, A. J. A.; Burggraaf, A. J.; Nauer, M.; Carry, Claude
Low-temperature sinter forging of nanostructured Y-TZP.—74-01788A
Boutz, Michel M.; Winnubst, Louis; Burggraaf, A. J.; Nauer, M.; Carry, Claude
Low-temperature sinter forging of nanostructured Y-TZP and YCe-TZP.—74-01787A
Bouvard, D. See Lafer, M.
Bowden, Alan; Hamlyn, Michael
Microwave firing.—74-10463A
Bowen, D. K. See Tanner, B. K.
Bowen, D. K.; Tanner, B. K.
Characterization of engineering surfaces by grazing-incidence X-ray reflectivity.—74-08837A
Bowen, Leslie J. See Gentilman, R. L.
Bowen, Leslie J.
Method for making piezoelectric ceramic/polymer composite transducers.—74-00769P
Bowen, Paul; Mulone, Roberto; Streit, Pascal
Slip casting of TiC_xN_{1-x}-Mo_2C-Ni cermets.—74-04898A
Bower, A. F.; Ortiz, M.
Influence of grain size on the toughness of monolithic ceramics.—74-11027A
Bower, Robert See Rofan, Reza
Bowers, J. See Tan, I-Hsing
Bowers, K. A.; Yu, Z.; Gossett, K. J.; Cook, J. W., Jr.; Schetzina, J. F.
Properties of highly conducting nitrogen-plasma-doped ZnSe:N thin films.—74-0318•A
Bowman, Keith J. See Roeder, Ryan K.; Sandlin, Michael S.
Bowman, Richard
Development of ceramic tile quality systems—keeping up with consumer expectations.—74-08522A
Boxho, B. See Halloin, V.
Boy, J. H. See Bukowski, J. M.
Boyce, James B. See Neville Connell, George A.; Swift, Charles D.
Boyd, Gary L.
Ceramic blade attachment system.—74-02409P; Ceramic blade attachment system.—74-09809P
Boyd, J. D. See Teng, Y. H.
Boyd, K. J. See Todorov, S. S.
Boyd, K. J.; Marton, D.; Todorov, S. S.; Al-Bayati, A. H.; Rabalais, John W.
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition[—comment].—74-07112A
Boyd, Stephen; Jaynes, William F.
Role of layer charge in organic contaminant sorption of organoclays.—74-08582A
Boyer, A. See Tcheliebou, F.
Boyle, Timothy J. See Alam, Todd M.; Schwartz, Robert W.
Boyle, Timothy J.; Pearson, Aaron T.; Schwartz, Robert W.
Synthesis and characterization of group IV metal adamantanol alkoxides as potential PZT precursors.—74-10667A
Bozhko, A. D.; Chudinov, S. M.; Pypkin, Boris; Briggs, A.
Superconducting critical fields of diamondlike films containing tungsten.—74-03590A
Bozkurt, Nazim See Sacks, Michael D.
Bozler, Carl O. See Goodhue, W. D.
Bozler, Carl O.; Harris, Mark A.; Harris, C. T.; Rabe, Steven; Rathman, Dennis D.; Smith, H. I.
Arrays of gated field-emitter cones having 0.32 μm tip-to-tip spacing.—74-02915A
Bozon-Verduraz, F.; Bensalem, A.
Ir study of cerium dioxide—influence of impurities and defects.—74-05176A
Bozovic, Ivan; Eckstein, James N.; Klausmeier-Brown, Martin E.; Virshup, Gary F.
High-temperature Josephson junction and method.—74-09370P
Bozovic, Ivan; Eckstein, James N.; Virshup, Gary F.
Atomic layer-by-layer epitaxy of cuprate superconductors.—74-03417A
Bozovic, Ivan; Kim, J. H.; Harris, James S., Jr.
Reflectance and Raman spectra of metallic oxides, LaSrCoO and CaSrRuO—resemblance to superconducting cuprates.—74-06628A
Brabston, William N.; Malone, Philip G.; Poole, Toy S.; Tom, Joe G.
Setting control for alkali-activated silicate binders.—74-02359P
Bradenburger, T.; Schwarz, J.
Comparative study of wet- and dry-pressed tiles.—74-09441A
Bradley, M.J.; Wiberley, S.E.
Studies on the effect of the copper and zinc content in silica byproduct material when used in mortar.—74-00095A
Bradley, P. J. See Antolini, A.
Bradt, Richard C. See Nunes, Silvia Irene; Suzuki, Hironori; Wong, Lana L.
Bradt, Richard C.; Tressler, R. E.
Fractography of Glass.—74-11203B
Bragg, R. M.
Lattice parameters of metastable phases of graphite.—74-04158A
Bragin, O. V.; Vasina, T. V.; Khodakov, A. Yu.
Modified elementosilicates (Fe, B): catalytic properties and ir spectra.—74-04365A
Brahim-Otsmane, L.; Emery, J.-Y.; Eddrief, M.
X-ray reflection high electron energy diffraction, and X-ray photoelectron spectroscopy studies of InSe and γ-In_2Se_3 thin films grown by molecular beam epitaxy.—74-01489A
Braiman, Kenneth S.
Process for making ceramic dental crowns.—74-01266P
Braine, Clint See Boothe, David T.
Braithwaite, C. J. R.
Cement sequence stratigraphy in carbonates.—74-01187A
Braithwaite, N. St. J. See Goruppa, A. A.
Brake, Loren D. See Foley, Henry C.
Brambani, Eric J.; Munshi, Jonathan
Ceramic tip and compliant attachment interface for a gas turbine fuel nozzle.—74-01313P
Brand, J. See Knotek, O.
Branda, F. See Costantini, A.
Brandao, P. R. G. See Freitas, C. M. M.
Brandl, D.; Schoppmann, C.; Tomaschko, C.; Markl, J.; Voit, H.
Preparation of ultrathin ferric oxide layers using Langmuir-Blodgett films.—74-07439A
Brandon, D. G.; Glozman, O.; Baum, L.
Towards an in situ alumina laminate.—74-07781A
Brandon, David G. See Levin, Igor
Brandon, J. R. See Sussmann, R. S.
Brandt, Gunnar
Ceramic cutting tools.—74-08137A
Brandt, Jesper; Lundberg, Robert S.
Synthesis of mullite materials by oxidation of metal alloy powder compacts.—74-04944A
Brankner, K. J. See Barna, G. G.
Brankovic, Z.; Milosevic, O.; Uskokovic, D.; Poleti, D.; Karanovic, L.
Nanostructured constituents of ZnO-based varistors prepared by mechanical attrition.—74-03125A
Brar, Berinder; Samoska, Lorene; Kroemer, Herbert; English, John. H.
Electrical and optical properties of heavily *n*-doped GaSb-AlSb multiquantum well structures for infrared photodetector applications.—74-02986A
Braski, D. N. See Stinespring, C. D.
Bratina, G. See Cantile, M.
Bratsberg, H. See Johansen, T. H.
Bratus, A. L. See Sharonov, M. Yu.
Braude, I. S. See Pal-Val, P. P.
Braue, Wolfgang See Chowdhury, K. Das; Henne, R.
Braue, Wolfgang; Chowdhury, K. Das; Carpenter, Ray W.
Oxygen sinks in SiC-based ceramics.—74-09883A
Braue, Wolfgang; Kleebe, Hans-Joachim; Wehling, Carsten
Microstructure and densification of sintered (B+C)-doped ß-silicon carbide.—74-10838A
Braun, Linda M. See Xu, Hockin H. K.
Braun, Linda M.; Cook, Robert F.
Effect of stress on trapped cracks in Y-TZP.—74-02127A
Braun, M. W. H. See Zhu, W.
Braun, M. See Bahner, F.
Braun, Manuel See Deng, Jian-Guo
Brauns, E.; Sleurs, J.
Spray drying—understanding the influence of process parameters better through computer modeling and adequate instrumentation.—74-04911A
Bravman, J. C. See MacManus-Driscoll, J.
Bravo-Leon, A.; Jimenez-Melendo, M.; Dominguez-Rodriguez, A.
Mechanical and microstructural aspects of the high-temperature plastic deformation of yttria-stabilized zirconia polycrystals.—74-11040A; Tensile and compressive plastic deformation at high temperatures of 4 mol% Y_2O_3-stabilized ZrO_2 polycrystals.—74-07925A
Bray, Donald J. See Mroz, Cathleen
Bray, Donald J.
Silicon carbide whiskers.—74-06927A; Whiskers and composites.—74-10179A

Bray, K. L. See Lochhead, M. J.
Braza, J. F.
Ceramic material evaluation in roller follower tests.—74-09768A
Brazhkin, V. V. See Sidorov, V. A.
Brazhkin, V. V.; Glushkov, V. V.; Demishev, S. V.
Hall effect in $Al_{1-x}Si_x$ solid solutions [0≤x≤0.12].—74-04324A
Brazzola, Floriano
Firing of sanitary ware.—74-02808A
Brebner, J. L. See Beaulieu, Y.; Tran, C. A.
Breder, Kristin See Giannakopoulos, A. E.; Jenkins, M. G.; Strobel, Tina M.; Zeng, K.
Breder, Kristin; Tennery, Victor J.; Strobel, Tina M.; Hurley, John P.; Holowczak, John E.
Strength measurements of monolithic SiC and Al_2O_3/SiC composites after exposure to coal slag.—74-11097A
Breder, Kristin
Time-dependent strength degradation of a siliconized silicon carbide determined by dynamic fatigue.—74-11118A
Bregadze, A. Yu. See Guseva, M. B.
Brehm, J. A. See Woodford, D. A.
Brei, Vladimir
^{29}Si solid-state NMR study of the surface structure of aerosil silica.—74-10751A
Breiland, William G. See Coltrin, Michael E.; Killeen, K. P.
Breininger, Shannon See Drogue, Sophie
Breitenstein, Heinz See Hegner, Frank
Breiter, Manfred W. See Leeb, Kurt
Breitschmid, Kurt See Dauphinee, Eric
Bremensdorfer, R.; Weis, O.
Scanning laser microscopy as a tool for the in situ investigation of diamond growth.—74-03866A
Bremer, J. See Wold, E.
Bremer, J.; Wold, E.; Hunden, O.
New model for the in-plane permittivity of $YBa_2Cu_3O_7$ films in the mid-ir range.—74-03539A
Bremond, G. See Kadoun, A.
Brener, R. See Cytermann, C.
Brenn, R. See Samlenski, R.
Brennan, A. B. See Al-Assafi, S.
Brennan, John J. See Sun, Ellen Y.
Brennan, Kevin F. See Wang, Yang
Brentrup, L. See Par Kupper, D.
Bresciani, A. See Brusa, Augusto
Bressler-Hill, V. See Pond, K.
Bressysse, Michele See Afanasiev, Pavel
Bretagnon, T. See Dannefaer, S.
Breton, Y. See Gicquel, A.
Bretschneider, E. See Yu, J. E.
Bretschneider, Joachim See Winter, Ernst
Brett, Michael J. See Gui, Xiang
Brett, Robert D. See Airey, Anthony C.
Breuer, Klaus; Smith, Kevin E.; Greenblatt, Martha; McCarroll, William
Electronic structure of surface defects in $K_{0.3}MoO_3$.—74-04613A
Breuer, M. See Buchner, B.
Brevai, Else; Srikanth, Varanasi; Subbarao, Eleswarapu C.
Acoustic emission and microcracking in sapphire, sintered Al_2O_3, Al/Al_2O_3 composite, and aluminum.—74-10944A
Brewer, J. H. See Sonier, J. E.
Breza, Martin
Charge fluctuation influence on the axial oxygen position in YBCO.—74-04262A
Brezny, Rasto See Nanjangud, Savitha C.
Brezny, Rasto
Porous ceramic beads.—74-09832P
Bricout, J. P. See Judas, D.
Briddon, P. R. See Latham, C. D.
Bridger, Keith See Sutherland, Audrey E.
Bridges, G. E. See Said, R. A.
Bridgwater, J. See Bates, A. J. D.; Reddington, D.
Bridou, F.; Pardo, B.
Use of Fourier transform in grazing X-ray reflectometry.—74-06831A
Bridou, F.
Curvature effect in grazing X-ray reflectometry.—74-06752A
Brierley, C. J. See Costello, M. C.
Brierley, S. K. See Pan, N.
Brieu, M. See Rousset, Abel
Briggs, A. See Bozhko, A. D.
Bright, V. M. See Merkel, K. G.
Brightenti, G. See Nassetti, G.
Brik, M. E. See Judeinstein, P.
Brik, V. B. See Kadyrov, V. H.
Brillson, L. J. See Raisanen, A.
Brindley, W. J. See Miller, R. A.
Bringhurst, Shane; Iskander, Magdy F.; Gartside, Paul
FDTD simulation of an open-ended metallized ceramic probe for broadband high-temperature dielectric properties measurements.—74-08750A
Bringmann, U. See Weber, A.
Brinker, C. Jeffrey See Logan, Monica N.; Nishida, Fumito
Brinkman, A. W. See Hashemi, T.
Brinkman, Charles R. See Ding, Jow-Lian
Brinkman, H. W. See Cao, G. Z.
Brinkman, H. W.; Cao, G. Z.; Meijerink, J.; De Vries, K. J.; Burggraaf, A. J.
Morphology of very thin layers made by electrochemical vapor deposition at low temperatures.—74-01809A
Brinkmann, D. See Eremin, M. V.
Brinkmann, Ralf; Baumann, Ingo; Dinand, Manfred
Er-doped single- and double-pass Ti:$LiNbO_3$ waveguide amplifiers.—74-09137A
Briones, F. See Tejedor, P.
Brissot, J. See Charrier, C.
Brito, Manuel E. See Hirao, Kiyoshi; Yasuoka, Masaki
Britun, V. F. See Kovtum, V. I.
Brivot, F. See Dron, Roger
Brock, Colin
New Linescanner.—74-01088A
Brock, J. R. See Juang, C.-B.
Brocklesby, W. S. See Wang, J.
Brocks, G.; Kelly, P. J.; Car, R.
Aluminum on Si(100)—growth and structure of the first layer.—74-05973A
Brodde, A. See Bertrams, T.
Brodie, D. E. See Rajesh, K.; Rashti, M. A.; Zhang, D. H.; Zhang, S.
Brodie, William T.
Glaze defects in sanitary ware plants.—74-08681A
Brodin, A.; Fontana, A.; Borjesson, L.
Low-energy modes in phosphate glasses—a comparison with the soft potential model.—74-08375A
Brodskaya, E. N. See Poitrovskaya, E. M.
Brody, J. See Eccleston, R. S.
Brodyanskii, A. P.; Dmitrenko, I. M.; Garbuz, A. S.
Observation of nonohmic component of spontaneous conductivity fluctuations in $YBa_2Cu_3O_{7-x}$ thin films.—74-09315A
Broeke, Herbert
Calibration of Littleton measuring instruments using test specimens of reference glass.—74-01042A
Broers, A. See Hoole, A. C. F.; Pan, Xiao-Dan
Brogan, J. A.; Gross, K. A.; Chen, Z.
Investigation of combustion-sprayed HAp/polymer composite coatings.—74-09788A
Brom, H. B. See MacLaughlin, D. E.
Brongersma, H. H. See Groenen, P. A. C.; Jacobs, J. P.
Bronic, Josip See Dutta, Prabhir K.
Bronikowski, Michael J. See Wang, Ya-Jun
Bronson, Arturo; Ma, Yu-Tao; Mutso, Rein R.; Pingitore, Nicholas
Compatibility of refractory metal boride/oxide composites at ultrahigh temperatures.—74-01973A
Bronswijk, J. P.; De Loo, M.; Van Loo, W.
Heat measurement with the Thermal Activity Monitor.—74-02331A
Brook, R. J.
Chemically active powders for the fabrication of high-performance ceramics.—74-04514A
Brookes-Wang, Y. See Cabrera, J. G.
Brooks, Douglas See Cheng, Long-Ching; Soboyejo, Wole
Brooks, H. S.; Damjanovic, Dragan
Microstructural control of bismuth-titanate-based ceramics.—74-05188A
Brooks, J. S.; Williams, G. L.; Allen, D. W.; De Grave, E.
Interpretation of the ^{57}Fe Mossbauer spectra of some phosphate glasses.—74-05684A
Brooks, J. S.; Williams, G. L.; Allen, D. W.
Variable temperature ^{57}Fe Mossbauer studies of some phosphate glasses.—74-05701A
Brooks, Keith G. See Klissurska, Radosvete D.
Brooks, Keith G.; Chen, J.; Udayakumar, K. R.
Electric field forced phase switching in La-modified lead zirconate titanate stannate thin films.—74-09129A
Brorsson, G. See Boikov, Yu. A.
Brorsson, G.; Olsson, E.; Nilsson, P. A.
Growth and properties of $YBa_2Cu_3O_{7-x}$/($SrTiO_3$/$PrGaO_3$)/$YBa_2Cu_3O_{7-x}$ trilayers: optimization of the insulation.—74-03471A
Brosha, Eric L.; Garzon, Fernando H.; Raistrick, Ian D.; Davies, Peter K.
Low-temperature phase equilibria in the Y-Ba-Cu-O system.—74-06574A
Brosnan, Denis A. See Knowles, Shawn D.
Brotherton, S. C. See Ayres, J. R.
Brotman, Joel See Carter, Gary M.
Brotz, Gregory R.
Process for making cellular silicon carbide.—74-09950P
Brousseau, R.; Arnott, M.; Baldock, B.
Improving the adhesion of zinc coatings used to metallize concrete.—74-02375A
Brow, Richard K.; McColliste, Howard L.
Specialty glass and glass-to-ceramic seals.—74-00316A
Brown, A. J. W.; Fisher, C. H.
6.5-J flashlamp-pumped Ti:Al_2O_3 laser.—74-00712A
Brown, Dale M.; Edmond, John A.
Silicon carbide photodiode with improved short wavelength response and very low leakage current.—74-09100P
Brown, Dale M.; Ghezzo, Mario
Method of making a silicon carbide junction field effect transistor device for high temperature applications.—74-09096P
Brown, Dale M.; Michon, Gerald J.; Krishnamurthy, Vikram B.; Kretchmer, James W.
Fabrication of silicon carbide integrated circuits.—74-08789P
Brown, David R. See Gargon, Fernando H.
Brown, I. W. M.; White, G. V.; Hines, P. J.
Fe-TiC ceramic-metal composites.—74-05623A
Brown, Ian G. See Anders, Andre
Brown, Jesse J., Jr. See Sun, Tawei
Brown, John T. See Kotaska, Lawrence H.
Brown, John
Solving firing problems—guessing or facts.—74-08583A
Brown, Julia J. See Khare, Reena; Schramm, Jeff E.
Brown, K. G. See Ramsey, W. G.
Brown, K. M. See Jones, G. A. C.
Brown, K. M.; Linfield, E. H.; Jones, G. A. C.
Fabrication of a novel split-backgate transistor by in situ focused ion-beam lithography and molecular beam epitaxial regrowth.—74-01720A
Brown, K. M.; Linfield, E. H.; Ritchie, D. A.; Jones, G. A. C.; Grimshaw, M. P.; Churchill, A. C.
Fabrication of independent contacts to two closely spaced two-dimensional electron gases using molecular beam epitaxy regrowth and in situ focused ion beam lithography.—74-03015A
Brown, L. M. See Fallon, P. J.
Brown, Lincoln
Shear spray solutions.—74-00993A
Brown, Nancy R. See Sun, Tawei
Brown, Peter W.
Metallorganic chemical vapor deposition of $LaAl_{11}O_{18}$ by a liquid precursor route.—74-10451A
Brown, T. See Mahfuz, H.
Brown, Thomas
SPC in sanitary ware batching.—74-05908A
Brown, V. A.; Barrett, D. A.; Shaw, P. N.
Characterization of a range of alkyl-bonded silica HPLC stationary phases: XPS and ToF-SIMS studies.—74-06742A
Brown, W. D. See Sreenivas, G.
Brown, Walter E. See Markovic, Milenko
Brown, William A. See Schade, J.
Browne, Clarice A. See L'esperance, Drew
Browning, J. See Meassick, S.
Browning, N. D. See McGibbon, M. M.
Browning, Scott See Bender, Barry A.
Brownlow, Darryl L. See Gupta, Prabhat K.
Brozek, Alicja See Stoch, Anna
Brozek, T. See Beck, R. B.
Brozek, T.; Szmidt, J.; Jakubowski, A.; Olszyna, A.
Electrical behavior and breakdown in plasma-deposited cubic-BN layers.—74-04296A
Bruce, Allan J. See Becker, Philippe C.; Hiremath, Basavaraj
Bruce, Chuck See Calvin, Rick
Bruce, Douglas M. See Kim, Hong-Koo
Bruce, Robert See Ivey, Douglas G.; Jian, Ping
Bruck, Martin; Vaahs, Tilo; Peuckert, Marcellus; Scheunemann, Ude; Stehlin, Thomas; Theis, Jurgen
Optical moldings made from silicon nitride, and a process for their production.—74-04072P
Bruckbacher, Siegfried See Mevec, Gernot
Bruckner, J.; Mantyla, T.
Diamond chemical vapor deposition using tantalum filaments in H_2-CH_4-O_2 gas mixtures.—74-01671A
Bruckner, Rolf See Deubener, Joachim; Klug, Thomas
Bruckner, Rolf; Habeck, Andreas
Anisotropic optical properties and flow behavior of mechanically deformed single-phase glass melts.—74-02512A
Bruckner, Rolf; Yue, Yuan-Zheng; Habeck, Andreas
Determination of the rheological properties of high-viscous glass melts by the cylinder compression method.—74-08364A
Bruckner-Foit, A.; Heger, A.; Munz, Dietrich
Strength and lifetime distributions of ceramic parts under multiaxial loading.—74-02205A
Brueck, S. R. J.; Myers, R. A.
Applications of nonlinear optical thin films.—74-08360A
Brugman, A. M. See Mlayah, A.
Brummell, M. A. See Zheludev, N. I.
Brun, D. See Gros, P.
Brundiek, H.
Classifiers for roller grinding mills—a review and the current state of development.—74-06685A; Loesche mill for the comminution of cement clinker and interground additives in practical operation.—74-09480A
Brungs, M. P. See Ji, J. J.
Bruni, S. See Barbieri, L.
Brunier, Thierry M. See Wright, Adrian C.
Brunner, D. See Betz, Thomas
Brunner, K.; Abstreiter, G.; Bohm, G.
Sharp-line photoluminescence and two-photon absorption of zero-dimensional biexcitons in a GaAs/AlGaAs structure.—74-06309A
Bruno, G.; Capezzuto, P.; Cicala, G.; Manodoro, P.
Study of the NF_3 plasma cleaning of reactors for amorphous silicon deposition.—74-04923A
Brunsteiner, R.; Haubner, R.; Lux, B.
Hot-filament chemical vapor deposition of diamond on SiAlON at pressures up to 500 torr.—74-10388A
Brusa, Augusto; Bresciani, A.
Technology and ceramic plants—the past, the present, the future: I, The tile.—74-05836A; Using a multipurpose tile body.—74-08709A
Brusa, Augusto
Continuous grinding—an applicable method for tile production.—74-08667A
Brusakov, V. E.; Stukan, R. A.; Pigral'skii, E. K. S.
Synthesis and investigation of Ca- and Eu-substituted high-temperature superconducting compounds of the type 124 based on yttrium.—74-03601A
Bruski, R. S. See Schuster, D. M.
Bruzzichelli, Chiara
Continuity is the strengih of Cersaie.—74-02227A; Important fair in America.—74-02241A; Spotlight on Acimac.—74-02276A
Bryan, Scott R. See Ogbuji, Linus U. J. T.
Bryant, Michael D. See Lu, Chin-Tu
Bryant, Michael D.; Lin, Jau-Wen
Photoelastic visualization of contact phenomena between real tribological surfaces, with and without sliding.—74-08250A
Bryden, Wayne A.; Ecelberger, Scott A.; Kistenmacher, Thomas J.
He/N_2 reactive gas composition and the structural and electrical properties of InN thin films grown on AlN-nucleated (001)sapphire by planar magnetron sputtering.—74-05155A
Bryhn, K. See Justnes, H.
Brykov, S. I. See Neshpor, V. S.
Brynestad, Jorulf See Kroeger, Donald M.
Bryskiewicz, B. See Lu, Z.-H.
Bu, Xin-Ya See Hurwitz, Frances I.
Bu, Y.; Lin, M. C.
LPCVD of InN on GaAs(110) using HN_3 and TMIn—comparison with Si(100) results.—74-06188A
Buan, J.; Stojkovic, Branko P.; Israeloff, N. E.
Transverse magnetization study of the pairing state of $LaBa_2Cu_3O_{7-\delta}$.—74-04456A
Buaud, P. P.; D'Heurle, F. M.; Chevacharaoenkul, S.
In situ strain measurements during the formation of palladium silicide films.—74-01523A

Bublik, M. I. See Sveleba, S. A.
Bubnik, Jiri
Polarographic determination of the As and Sb redox ratio in glass.—74-00208A
Bubon, Frank J.; Paul, Kenneth J.; Pinkerton, Steven J.
Glass forehearth.—74-09731P
Bucalo, Dusan
New methods of ZrO_2 powder processing.—74-04776A
Bucchignano, J. J. See Reeves, C. M.; Wind, S. J.
Bucea, L. See Cao, H. T.
Buchal, Ch. See Fleuster, M.
Buchanan, E. R.; Sickinger, A.
Evaluation of tungsten shaped-charge liners spray-formed using the low-pressure plasma spray process.—74-08616A
Buchanan, M. See Wasilewski, Z. R.
Buchanan, R. A. See Smith, Preston P.
Buchanan, Relva C.; Chu, Peir-Yung
Processing and characteristics of spin-cast ferroelectric $Bi_4Ti_3O_{12}$ thin films.—74-09172A
Buchanan, Richard M. See Wachsman, Eric D.
Bucher, E. See Jager-Waldau, G.
Bucher, Gerald L.; Welker, Christopher H.; Hammer, Edward E.; Scott, Curtis E.; Soules, Thomas F.
Uv absorbing lamp glass.—74-00354P
Buchfink, A.; Harder, Joe
Modern cement terminals: concept and examples.—74-00958A
Buchhave, Preben See Edvold, Bent
Buchheit, C. D. See Alam, Todd M.; Schwartz, Robert W.
Buchholtz, B. W. See Cooper, C. V.
Buchholz, Margit See Linke, Dietmar
Buchkremer, H. P. See Kaiser, A.
Buchmann, L. M. See Schafer, L.
Buchmann, P. See Unger, P.
Buchner, B.; Breuer, M.; Freimuth, A.
Critical buckling for the disappearance of superconductivity in $La_{2-x}Sr_xCuO_4$.—74-06505A
Buchta, R. See Zhang, S.-L.
Buck, E. C. See Ebert, W. L.; Feng, X.
Buck, E. C.; Bates, J. K.; Feng, X.
Colloid formation during the corrosion of SRL 200 glass.—74-08327A
Buck, Gregory M.; Vasquez, Peter; Hicks, Lana P.
Improved slip casting of ceramic models.—74-03694A
Buck, M. See Ajji, Z.
Buck, Michael E.
New hybrid boron-carbon prepreg developed.—74-01087A
Buck, O. See Lane, S.
Buck, Tom
Designing a matt red raku glaze.—74-00014A
Buckett, M. I. See Merkle, K. L.
Buckley-Golder, Ian M. See Chalker, P. R.
Buckley-Golder, Ian M.
Diamond coatings.—74-09863A
Bucko, M. M. See Pyda, W.
Bucko, M. M.; Haberko, K.; Piekarczyk, J.
Zirconia-toughened alumina (ZTA) materials with oriented properties.—74-07794A
Bucko, M. M.; Rog, G.; Zakula-Sokol, K.
Electrical properties of Ca-ß''-alumina-based composites.—74-04302A
Bud'ko, Segey L.
Correlation between normal state resistivity and T_c in oxygen-deficient $YBa_2Cu_3O_{7-\delta}$.—74-03434A
Budanov, A. A. See Grebtsova, O. M.
Budd, David A.; Hiatt, Eric E.
Mineralogical stabilization of high magnesium calcite: geochemical evidence for intracrystal recrystallization within holocene porcellaneous foramifera.—74-01198A
Budd, Kenton D.; Wilson, David M.
Yttria-alumina fibers—74-01275P
Budd, S. M. See Evans, J. T.
Buddhudu, S. See Naidu, K. Subramanyam
Budhani, R. C.; Holstein, William L.; Suenaga, M.
Columnar defect-induced resistivity minima and Bose glass scaling of linear dissipation in $Tl_2Ba_2Cu_2O_8$ epitaxial films.—74-04994A
Budinoya, T. See Petrov, N.
Budov, V. V. See Sarkisov, P. D.
Budov, V. V.; Egorova, L. S.
Glass microbeads, applications, properties, and technology (review).—74-02630A
Buechele, A. C. See Wang, E.; Xing, S. B.
Buehler, M. F. See Darab, John G.
Bueno, R. M. See Luna, R. G.
Buerki, P. R.; Leutwyler, S.
CO_2-laser-induced gas phase synthesis of micron-sized diamond powders: recent results and future developments.—74-01637A; CO_2-laser-induced vapor phase synthesis of HN diamond nanoparticles at 0.6-2 bar.—74-07228A
Buffat, P. A. See Elsenhans, O.; Rosenfeld, D.
Buga, S. G. See Aleksandrova, M. M.
Bugadyan, B. G.; Alvazov, A. A.; Stryakhilev, D. A.
Analysis of ir spectra of a-SiN$_x$:H alloys on the basis of the induction model.—74-07590A
Bugiel, E. See Rucker, H.
Buhaenko, D. S.; Southworth, P.; Jenkins, C. E.; Ellis, P. J.; Stoner, B. R.
Cathodoluminescence studies of oriented diamond films.—74-04992A
Buhling, Lutz See Tietz, H.-D.
Buhling, Lutz; Dietz, Manfred; Tietz, H.-D.
Detection of crack growth in engineering ceramics by acoustic emission analysis.—74-01054A
Buhlmann, H.-J. See Haddab, Y.
Buhrer, H. R.; Schulze, N.
Robot-assisted laboratory automation.—74-09506A
Buhro, W. E. See Viano, A. M.
Bui, A. See Fakkar, A.; Talhi, C.
Buiting, M. J.; Otterloo, A. F.
Relationship between the process parameters and film properties of low-temperature low-pressure chemical vapor deposition titanium nitride films.—74-00530A
Bujoli, Bruno; Le Bideau, J.; Payen, C.
Synthesis, structure, and magnetic properties of some new metal (II) phosphonates—layered $Fe(C_2H_5PO_3)\cdot H_2O$, α-$Cu(C_2H_5PO_3)$, and $Co(t\text{-}C_4H_9PO_3)\cdot H_2O$, tubular ß-$Cu(CH_3PO_3)$.—74-09183A
Bukhovets, V. L. See Fedoseev, D. V.
Bukowski, J. M.; Boy, J. H.; Zhu, X.; Race, T. D.; Reinbold, K. A.
Immobilization chemistry in portland-cement-stabilized paint blast media waste.—74-08048A
Bulaevskii, L. N. See Martinez, J. C.
Bulashenko, O. M. See Malyutenko, V. K.
Bulbulian, Silvia See Carrera, Luz Maria
Buldygin, A. F.; Magarill, L. I.; Panaev, I. A.
Study of the dynamic conductance of a surface 2-D superlattice on GaAs/AlGaAs by a contactless microwave method in a magnetic field.—74-09055A
Bulhoes, L. O. S. See Faria, R. C.
Bulkin, Pavel V.; Swart, Pieter L.; Lacquet, Beatrys M.
Electron cyclotron resonance plasma deposition of SiN_x for optical applications.—74-04609A
Bull, S. J. See McCabe, A. R.
Bulle-Lieuwma, C. W. T. See Overwijk, M. H. F.
Buller, Bruce W. See Seibold, Robert W.
Bullock, D. E. See Mall, S.
Bullock, W. R. See Irons, G.
Bulst, H.
Influence of prestressed quartz on increased mechanical strength of porcelain.—74-00433A
Bultitude, John
Multilayer ceramic capacitors.—74-08760A
Bumai, Yu. A.; Yavich, B. S.; Sinitsyn, M. A.
Effect of hydrogenation on the photoluminescence of GaAs/AlGaAs quantum well structures.—74-02974A
Bundy, Wayne
Diverse industrial applications of kaolin.—74-06898A
Bunge, Hans-Joachim See Durrwalchter, Eugen
Bungo, Akihiro See Ono, Yasuhiro
Bunker, Bruce See Song, Lin
Bunsell, Anthony R. See Lavaste, Valerie
Bunshah, R. S. See Parsons, J. D.
Burbaev, T. M. See Boltaev, A. P.
Burchard, B.; Zaitsev, A. M.; Fahner, W. R.; Melnikov, A. A.; Denisenko, A. V.; Varichenko, V. S.
Diamond-based light-emitting structures.—74-02964A
Burckhard, S. See Sywe, B. S.
Burdette, Harold E. See Black, David R.
Burdette, Jackie B., II
Metal with ceramic coating and method—74-00170P
Burdis, Mark S.; Siddle, John R.
Nonideal lithium insertion into sputtered thin films of tungsten oxide.—74-01815A
Bureau, J. C. See Glachant, A.
Burenkov, Yu. A. See Lebedev, A. V.
Burg, R. See Caldarone, M.
Burgard, Detlef; Kropf, Christian; Nass, Rudiger
Routes to deagglomerated nanopowder by chemical synthesis.—74-10616A
Burger, H. See Myburg, G.
Burger, H.; Kneippe, K.; Hobert, H.; Vogel, W.; Kozhukharov, V.; Neov, S.
Glass formation, properties, and structure of glasses in the TeO_2-ZnO system.—74-02463A
Burger, J. P. See Zanoun, Y.
Burger, P.; Peni, F.; Crampon, J.
Superplasticity in Y_2O_3/Al_2O_3/silicon nitride obtained by hot isostatic pressing.—74-07501A
Burgess, Albert H.
Stormwater management system.—74-07958A; Stormwater management system.—74-11191A
Burggraaf, A. J. See Boukamp, B. A.; Boutz, Michel M.; Brinkman, H. W.; Cao, G. Z.; Harold, M. P.; Winnubst, A. J. A.
Burggraaf, A. J.; Winnubst, A. J. A.; Verweij, H.
Dense and porous nanostructured ceramics and composites.—74-07625A
Burghelea, V.; Popa, C.; Dumitrascu, M.
Bioglass-ceramics in the system NaO_2-CaO-P_2O_5-SiO_2-B_2O_3.—74-05666A
Burgoine, Gary A. See Houk, Carol S.
Buri, A. See Costantini, A.
Burin, J. P. See Lebeau, C.
Burk, Johst H. See Triplett, Kelly B.
Burke, Jerry A.
Getting lead out of our diet.—74-02237A
Burkett, Sandra L. See Davis, Mark E.
Burkhard, Herbert See Hillmer, Hartmut
Burkhardt, B. See Storm, W.
Burkhardt, M. See Ghanbari, R. A.
Burkharov, A. S. See Glazov, V. M.
Burkhart, T.; Mennig, M.; Licciulli, Schmidt A.
Nanosized Pd particles in an SiO_2 matrix by sol-gel processing.—74-10489A
Burlet, H. See Manguin, Fritsch A.
Burlitch, James M. See Jones, Steven A.
Burmann, T.; Geerk, J.; Meyer, O.
Influence of the deposition rate on the ratio *a*/*c*-axis-oriented grains in sputtered YBaCuO films.—74-03495A
Burmicz, John
Powder and particle characterization—quality control techniques.—74-11184A
Burns, Lee E. See Goela, Jitendra S.; Pickering, Michael A.
Burns, Robert C. See Dyer, Henry B.
Burns, S. J.; Chia, K. Y.
Nonlinear compliance testing applied to indentation cracking in ceramics.—74-11062A; Nonlinear Hertzian indentation fracture mechanics.—74-11063A
Burroughs, J. H. See Grimshaw, M. P.
Burroughs, J. H.; Grimshaw, M. P.; Leadbeater, M. L.; Ritchie, D. A.; Pepper, M.; Jones, G. A. C.
One-dimensional wire formed by molecular beam epitaxial regrowth on a patterned *pnpnp* GaAs substrate.—74-03135A
Bursill, L. A.; Reaney, Ian M.; Vijay, D. P.
Comparison of lead zirconate titanate thin films on ruthenium oxide and platinum electrodes.—74-09113A
Burstein, E. See Talaat, H.
Burtan, Nicolae; Visicu, S.
Spinel powders by modified coprecipitation.—74-04910A
Burton, Graeme R. See Latella, Bruno A.
Burzacchini, Piergiorgio
Thailand—the doors to the Far East.—74-02814A
Busby, T. S.; Mackintosh, Joseph R.
Use of ceramic welding to extend the life of a furnace.—74-06877A
Busca, Guido; Ramis, Gianguido; Gallardo, Jose
FT Raman and FTIR studies of titanias and metatitanate powders.—74-10808A
Busch, Georg
Early history of the physics and chemistry of semiconductory: from doubts to fact in 100 years.—74-08867A
Busch, John V.; Dismukes, John P.
Trends and market perspectives for CVD diamond.—74-05432A
Buse, K. See Sochova, S.
Buse, K.; Pankrath, R.; Kratzig, E.
Photorefractive properties of tetragonal $KTa_{0.52}Nb_{0.4}?78O_3$ at high light intensities.—74-01562A
Bush, D. R.
Designing ceramic components for structural applications.—74-05806A
Bushman, James D. See Hopkins, James G.
Bushnell-Watson, Suzanne; Sharp, John
Ceramic fibers.—74-10063A
Bushuev, V. A.; Petrakov, A. P.
X-ray diffractometry study of laser annealing effect on near-surface layer structure of ion-implanted silicon.—74-04984A
Busmann, H.-P. See Frauenheim, T.
Busnel, Jean-Pierre See Jaymes, Isabelle
Buss, Richard J. See Loy, Douglas A.
Busse, L. E.; Goldberg, L.; Surette, M. R.
Absorption losses in MgO-doped and undoped potassium niobate.—74-04244A
Busse, Lawrence J.; Stevenson, Jeffry W.; Huebner, Wayne
Method of manufacture of multiple-element piezoelectric transducer.—74-03358P
Busse, Lynda E. See Sanghera, Jasbinder S.
Bussy, F. See Moser, J.
Busta, H. H. See Pogemiller, J. E.; Tringides, M. C.
Busta, H. H.; Pogemiller, J. E.; Zimmerman, B. J.
Scaling of emission currents and of current fluctuations of gated silicon emitter ensembles.—74-03207A
But'ko, V. G. See Voloshin, V. A.
Butashin, A. V. See Belokoneva, E. L.; Mill, B. V.; Stefanovich, S. Yu.
Butchenko, L. I. See Shutko, A. P.
Butcher, B.
Analytical advances at PPC Lime: I, The rapid determination of available lime in commercial lime by a conductometric method.—74-07993A
Butcher, Richard
Ultrasonic testing checks ceramic parts.—74-01125A
Butcher, Steven J.; Daglish, M.
Use of magnesium carbonate hydroxide pentahydrate in the production of perovskite lead magnesium niobate.—74-03354A
Butcher, Steven J.; Hobby, James D.; Kings, David H. M.
Composite multilayer ceramic structure.—74-08784P
Butenuth, G.; Frey, M. L.; Gotthardt, R.
Conversion rates of industrial limestone and quicklime reactions—indirect influence of molar volumes of the solid phases.—74-05481A; Quicklime properties and genesis of limestone—porosity and spatial pore distribution.—74-06922A
Buth, J. See Bewilogua, K.
Butkule, R. See Lisiauskas, V.
Butler, Chad See Hoghooghi, Bahar
Butler, David See Robinson, Gilbert C.
Butler, E. G. See Neeson, C. G.
Butler, E. P. See Gonczy, S. T.; Khasgiwale, N. R.;
Butler, E. P.; Fuller, Edwin R., Jr.
Assessment of the fracture resistance for fiber-reinforced ceramics—combined micro- and macromechanical approach.—74-10948A
Butler, Edwin; Doleman, Paul A.
Ceramic composite material mechanical behavior simulation.—74-04036P
Butler, James E. See Doverspike, Kathleen; Spiberg, P.; Thoms, Brian D.
Butler, S. W. See Barna, G. G.
Butler, S. W.; Stefani, Jerry A.; Sullivan, M.; Maung, S.; Barna, G. G.; Henck, S. A.
Intelligent model-based control system employing in situ ellipsometry.—74-03827A
Butler, Scott See Su, Sophia R.
Butler, Stephanie Watts See Loewenstein, Lee M.
Butov, L. V. See Zrenner, A.
Butov, L. V.; Zrenner, A.; Abstreiter, G.
Condensation of indirect excitons in coupled AlAs/GaAs quantum wells.—74-06014A
Butter, J. A. M. See Van den Bovenkamp, J. G. H.
Butterfield, Julie
Liquid precious metals application.—74-00022A
Buttrey, D. J. See Tranquada, J. M.
Butzke, J. See Hilarius, V.
Buxman, L. See Wiese, G.
Buyuklimanli, T. H. See Bojan, B. J.

Buzniak, Jan J.; Dickerson, Robert M.; Lagerlof, K. P. D.; Bansal, Narottam P.
Effects of annealing on the microstructure and mechanical properties of hot-pressed $BaAl_2Si_2O_8$ (BAS) and $SrAl_2Si_2O_8$ (SAS) glass-ceramics.—74-08371A
Buzzi, S.; Sassone, G.
Optimization of clinker cooler operation.—74-06868A
Byars, E. See Dhir, R. K.
Byeon, T. B.; Sohn, J. G.
Effects of hydrothermal conditions on the morphology of hematite particles.—74-10309A
Byerly, G. See Roy, A.
Bykov, A. V. See Gubkin, M. K.
Bykov, Y.; Eremeev, A.; Holoptsev, V.
Experimental study of the nonthermal effect in microwave sintering of piezoceramics.—74-09138A
Bykovskii, V. A. See Chen, Chao
Byland, Peter See Hartung, D.
Byland, Peter
North American cement industry: a foreign investor's perspective.—74-05429A
Byrne, Christine J.; Blonski, Robert P.; Welch, John J.
Bismuth-containing colorants.—74-01207P
Byrnes, L.; Kramer, M.
Method and apparatus for the application of thermal spray coatings onto aluminum engine cylinder bores.—74-08237A
Bystrov, S. D.; Kreshchuk, A. M.; Tuan, L.
Shubnikov-de Haas oscillations in a nonuniform 2-D electron gas.—74-03213A
Bystrov, S. D.; Tuan, L.; Novikov, S. V.
Relationship between growth conditions and heterojunction quality in $InP/In_{1-x}Ga_xAs$ selectively doped heterostructures grown by LPE.—74-03200A
Byszewski, P. See Jablonski, R.
Byun, C. W. See Von Alvensleben, Ferdinand
Caballer, V.; Marco, J.; Negre, F.
Improving glaze whiteness by statistical experimental design.—74-08684A
Caballero, A. See Corral, M. P.; Fernandez, J. F.; Kuo-Ching, Liu; Leinen, D.
Caballero, A.; Duran, P.; Fernandez, J. F.
Effect of ZnO doping on sintering and dielectric properties of $BaTiO_3$.—74-04595A
Cable, Michael See Frade, J. R.
Caboche, G.; Berar, J. F.; Mesnier, M. T.
Indirect investigation of ferroelectric domains in fine-grain $BaTiO_3$.—74-03313A
Cabrera, Carlos R. See Manivannan, Ayyakkannu; Santiago, Yolanda
Cabrera, J. G. See Wilson, M.
Cabrera, J. G.; Cusens, A. R.; Brookes-Wang, Y.
Effect of superplasticizers on the plastic shrinkage of concrete.—74-00053A
Caccavale, F. See Bogomolova, L. D.; Quarantana, A.; Terranova, M. L.
Cacciatore, C. See Antolini, A.
Cachadina, I.; Solier, J. D.; Rodriguez, A. D.
Electrical properties of ZrO_2-12 mol% Y_2O_3 single crystals.—74-02836A
Cachet, C. H. See Fillaux, F.
Cade, N. A. See King, R. A.
Cadete Santos Aires, F. J.; Sautet, P.; Rousset, J.-L.; Fuchs, G.; Melinon, P.
Scanning tunneling microscopy study of model catalysts obtained by cluster beam deposition of palladium onto highly oriented pyrolitic graphite.—74-07741A
Cady, Carl M.; Heredia, Fernando E.; Evans, Anthony G.
In-plane mechanical properties of several ceramic matrix composites.—74-07892A
Cady, Carl M.; Mackin, Thomas J.; Evans, Anthony G.
Silicon carbide/calcium aluminosilicate: a notch-insensitive ceramic matrix composite.—74-02199A
Caetano Zurita, Jose; Manet, R. M.; Stucchi, E. B.
Crystallization study of Bioglass in Na_2O-CaO-SiO_2-P_2O_5.—74-05757A
Cagigal, M. See Tejedor, P.
Cahen, David; Chernyak, Leonid; Dagan, Geula; Jakubowicz, Abraham
Ion mobility in chalcogenide semiconductors: room temperature creation of bipolar junction transistor.—74-00644A
Cai, Dian-Xian See Yu, Yang
Cai, H. See Juang, C.-B.
Cai, J.; Song, C. Y.; Li, Bao-Shun
Microwave sintering of zirconia-toughened mullite (ZTM).—74-10471A
Cai, Meng See Fang, Ming-Hu
Cai, Wei-Ping See Carroll, Douglas R.
Cai, Xiu-Kai; Yi, Li-Rong; Min, Pan-Rong
Extra-rapid hardening and ultra-strength cement mortars.—74-08028A
Cai, Z.-X. See Zhu, Yi-Mei
Caico, Vincenzo See Carlomagno, Giovanni
Caillat, Thierry See Borshchevsky, Alex
Caillot, E.; Duclot, M. J.; Souquet, J. L.
Unified model for ionic transport in alkali disilicates below and above the glass transition.—74-05746A
Cain, M. G.; Daniel, A. M.; Lewis, M. H.
Presynthesized interfaces for ceramic matrix composites via fiber coating.—74-01855A
Cain, O. See Givens, J.
Cairns, J. W.; Woolf, D. A.; Bennett, M. R.; Williams, R. H.; Ballingall, R. A.
CdTe/GaAs(100) heterojunctions—growth modification by thin silicon interface layers.—74-05999A
Calandra, C. See Manghi, F.
Calas, Georges See Malengreau, Nathalie
Calawa, D. R. See Turner, G. W.
Calaway, W. F. See Ma, Z.
Calciati, Paolo
Ceramica Dolomite: Italian and multinational.—74-05406A
Calcote, Hartwell F.; Felder, William
Apparatus for the flame preparation of ceramic powders.—74-03744P
Caldararu, Horia; Caragheorgheopol, Agneta; Corma, Avelino
One-electron donor sites and their strength distribution on some hydrotalcite and MgO surfaces as studied by EPR spectroscopy.—74-05210A
Caldarone, M.; Gruber, K.; Burg, R.
High-reactivity metakaolin—a new generation mineral admixture.—74-05527A
Caldas, M. J.; Molinari, E.
Metastable transition of E12 in GaAs—the electron-phonon coupling channel.—74-03107A
Calderon-Moreno, J. M.; DeArellano-Lopez, A. R.; Dominguez-Rodriguez, A.
Deformation of alumina-zirconia-silicon carbide whisker-reinforced composite.—74-07855A
Calderwood, James A.
Lead and heavy metals: where does the U.S. stand.—74-05426A; Update: SGCD [Society of Glass and Ceramic Decorators] action in legislative/regulatory issues.—74-02282A
Cale, Timothy S. See Rogers, B. R.; Liao, Hung; Pillote, Cynthia L.
Cale, Timothy S.; Chaara, M. B.; Raupp, G. B.
Kinetics and conformality of TiN films from TDEAT and ammonia.—74-01775A
Calero, J. A. See Sobolev, V. V.
Cales, Bernard See Chevalier, Jerome
Caley, W. F. See Cameron, J.
Calka, A.; Williams, J. S.
Synthesis of nitrides by mechanical alloying.—74-07133A
Callahan, Daniel L. See Morris, Jonathan C.
Callegari, Alessandro; Pomerene, Andrew T.; Hovel, Harold J.
Optical properties of hydrogenated amorphous carbon film for attenuated phase-shift mask applications.—74-01553A
Calliari, L. See Sarkar, M.
Calusinski, B. See Olesik, J.
Calvarin, G. See Mouallem-Bahout, M.
Calvert, Paul D. See Mark, J. E.
Calvert, Paul D.
Biomimetic mineralization: processes and prospects.—74-03954A
Calvin, Rick; Clark, Anthony R.; Salley, Will; Bruce, Chuck; Johnson, David
Electronic controller for a glassware forming machine.—74-01016P
Calvino, J. J.; Cauqiu, M. A.; Gatica, J. M.
Development of acidity on sol-gel-prepared TiO_2-SiO_2 catalysts.—74-10263A
Calzada, M. L. See Pardo, L.
Calzada, M. L.; Sirera, R.; Carmona, Francisco; Jimenez, Basilio
Diol-based sol-gel process for the preparation of lead titanate materials.—74-07261A
Calzada, M. L.; Sirera, R.; Carmona, Francisco
Sol-gel process for the preparation of lead titanate thin films.—74-03349A
Calzona, V. See El-Sayed, Adly H.
Camacho, A.; Morgan, D. V.
Reaction ion etching of GaAs through wafer via holes using Cl_2 and $SiCl_4$ gases—a comprehensive statistical approach.—74-06287A
Cambier, F. See Deletter, M.; Poorteman, M.
Cambier, F.
Ceramics in motorcar.—74-11148A
Cambronero, L. E. G. See Torralba, J. M.
Cameron, Craig P.; Rice, Roy W.
Reaction processing of AlN/SiC composites and solid solutions.—74-01335P
Cameron, D. C. See Karim, M. Z.; Tang, W.
Cameron, J.; Caley, W. F.
Dry sintering of refractory-based oxides.—74-02752A
Cameron, M. See Wang, L. M.
Cameron, N. I.; Tronche, C.; Ladbrooke, P. H.
Selectively dry gate recessed GaAs metal-semiconductor field effect transistors, high electron mobility transistors, and monolithic microwave integrated circuits.—74-00705A
Camey, M. E. F.; Readey, D. W.
Oxidation kinetics of pure and doped MgO-SiC composites.—74-10926A
Camire, J. See Troczynski, T.
Cammarata, R. C.
Mechanical properties of nanocomposite thin films.—74-04359A
Campargue, A. See Chenevier, M.; Vetterhoffer, J.
Campbell, A. C. See Sudhama, C.
Campbell, Allison A. See Song, Lin
Campbell, Bill
Environmentally safe spray booth.—74-00924A
Campbell, C. T.; Ludviksson, A.
Model for the growth and reactivity of metal films on oxide surfaces: Cu on ZnO(0001)-O.—74-04756A
Campbell, I. A. See Janossy, B.
Campbell, I. H. See Tuszewski, M.
Campbell, J. B. See Rousseau, C. Q.
Campbell, J. C. See Li, K.-H.
Campbell, J. H.; Ascherl, M. V.; Craig, J. H., Jr.
Electron-stimulated and thermal desorption study of trimethylsilane from Si(100).—74-02995A
Campbell, P. Q. See Oberlander, B. C.
Campbell, P. Q.; Celis, J. P.; Roos, J. R.; Van der Biest, O.
Fretting wear of selected ceramics and cermets.— 74-08196A
Campbell, S. S.; Gonczy, S. T., Park, Y. S.; McNallan, Michael J.
Environmental effects on fiber-reinforced ceramic matrix composites based on Blackglas.—74-10101A
Campero, A. See Arroyo, R.
Campi, D. See Antolini, A.
Campidelli, Y. See Boucaud, P.; Sagnes, I.
Campillo, G. See Nunez, A.
Campion, A. See Mahajan, A.
Campisi, G. J. See Smith, J. H.
Campmany, J. See Cifre, J.
Campos, J. See Fernandez, A. M.
Campostrini, Renzo See Soraru, Gian Domenico
Camus, G.; El Bouazzaoui, R.; Baste, S.
Mechanical and ultrasonic characterization of damage of a 2-D woven C/SiC composite.—74-06790A
Canarslan, Necip S. See Sekhar, Jainagesh A.
Cancurtaran, M.; Saunders, G. A.; Goretta, K. C.
Ultrasonic study of the temperature and pressure dependence of the elastic properties of fully oxygenated $YBa_2Cu_3O_{6.94}$.—74-06660A
Caneau, Catherine See Agarwala, Sambhu
Canham, L. See Cullis, A. G.
Canham, L.
Progress toward crystalline silicon-based light-emitting diodes.—74-00691A
Cannell, D. S. See Frisken, B. J.
Cannon, Rowland M. See Tanaka, Isao; Kessler, H.
Cannon, Steven M. See Apblett, Allen W.
Cannon, W. Roger See Gonczy, S. T.; Khasgiwale, N. R.; Tobin, Albert G.; Vaidyanathan, K. Ranji
Canovai, C. See Tsai, J. Y.
Cantalini, C.; Veglio, F.; Pelino, M.
Electrical properties of α-hematite humidity sensor investigated by fractional factorial design.—74-04301A
Cantavella, V. See Marti, M. C.
Cantavella, V.; Alarcon, J.; Blasse, G.
Luminescence of titanium- and europium-doped yttrium gallate garnet.—74-03385A
Canteri, R. See Freire, F. L., Jr.
Cantile, M.; Sorba, L.; Faraci, P.; Yildirim, S.; Biasiol, G.; Bratina, G.
Modification of Al/GaAs(001) Schottky barriers by means of heterovalent interface layers.—74-06211A
Cantoni, M. See Schilling, A.
Cao, Bo-Ling See Jiang, Xian-Yi
Cao, C.-B. See Wang, J.-T.
Cao, C.-B.; Wang, J.-T.; Yu, W.-J.; Peng, D.-K.; Meng, G.-Y.
Research on YSZ thin films prepared by plasma-CVD process.—74-07466A
Cao, G. Z. See Brinkman, H. W.
Cao, G. Z.; Brinkman, H. W.; Meijerink, J.; De Vries, K. J.; Burggraaf, A. J.
Deposition of YSZ on porous ceramics by modified CVD.—74-01667A
Cao, G. Z.; Liu, X. Q.; Brinkman, H. W.; De Vries, K. J.; Burggraaf, A. J.
Mixed conduction and oxygen permeation of ZrO_2-$Tb_2O_{3.5}$-Y_2O_3 solid solutions.—74-00511A
Cao, H. T.; Buces, L.; Sirivivatnanon, V.
Corrosion rates of steel embedded in cement pastes.—74-00044A; Influence of binder type on anodic dissolution of steel embedded in cement pastes.—74-05534A
Cao, J.; Moberly Chan, Warren J.; De Jonghe, Lutgard C.; Dalgleish, Brian J.; Niu, M. Y.
Processing and characterization of SiC platelet/SiC composites.—74-10582A
Cao, Li-Hua See Zhang, Ji-Song
Cao, Ming-Li See Yuan, Ji-Zu
Cao, R. See Terry, J.
Cao, Shi-Pu
Problems on laying water-heating pipes under annular kilns.—74-01175A
Cao, Wan-Qing See Hunt, Arlon J.
Cao, Wan-Qing; Hunt, Arlon J.
Sol-gel processing using aminofunctional silanes.—74-10641A; Thermal annealing of photoluminescent Si deposited on silica aerogels.—74-07531A
Cao, Xiao-Wen See Xu, Xiao-Jun
Cao, Zhen-Yuan; Ding, Wei-Lin; Hong, Cong-Jia
Investigation on wear mechanism of SiC lining of cyclone furnace.—74-06858A
Capel, F.; Moure, C.; Duran, P.
Sintering, microstructure, and mechanical properties of TZP ceramics in the ZrO_2-CeO_2-TiO_2 system.—74-07484A
Capellades, R. See Climent, F.
Caperan, C.; Segda, B.; Jacquet, M.; Baud, G.; Besse, J. P.
Achievement of amorphous germanium oxide based capacitors by PVD.—74-08721A
Capezzuto, P. See Bruno, G.
Capiani, C.; Piancastelli, A.; Rastelli, E.
Pressure casting of silicon nitride.—74-04831A
Capitan, M. J. See Malet, P.
Caplan, D. See Osterstock, F.
Capobianco, J. A. See Cormier, G.
Capone, Donald W.; Dusek, Joseph
Metal oxide superconducting powder comprised of flake-like single crystal particles.—74-03635P
Cappelli, Mark A. See Loh, Michael H.
Cappelli, Mark A.; Loh, Michael H.
In situ mass sampling during supersonic arcjet synthesis of diamond.—74-05160A; Method and apparatus for growing diamond films.—74-04059P
Capurso, Joseph S.; Alles, Aldo B.; Schulze, Walter A.
Piezoresistive ceramic sensor based on PTCR barium titanate.—74-09003A; Processing of laminated barium titanate structures for stress-sensing applications.—74-09013A
Car, R. See Brocks, G.
Caracoche, M. C. See Rivas, Patricia C.
Caragheorgheopol, Agneta See Caldararu, Horia
Caraghiovles, A. See Bender, Willi
Caragianis, C.; Shigesato, Yuzo; Paine, David C.
Low-temperature passivation of $Si_{1-x}Ge_x$ alloys by dry high pressure oxidation.—74-06185A
Carangelo, Martin D. See Markham, James R.

Carani, G. See Esposito, L.
Carani, G.; Tucci, A.; Gelerali, P.
Vickers hardness of ceramic glazes and glazed ceramic tiles and their correlation.—74-05916A
Carassiti, F.; Proverbio, E.; Valente, T.
Corrosion state evaluation of steel in concrete by resistivity and polarization measurement.—74-05484A
Carayannis, G.
Artificial intelligence and expert systems in the steel industry.—74-02219A
Carcia, P. F.; Li, Z. G.; Van Kesteren, H. W.
Magnetic and structural properties of Pt/Co and Pd/Co multilayers sputtered on single-crystal ZnO.—74-03097A
Carciello, N. R. See Sugama, T.
Carda, J. See Tena, M. A.
Carda, J.; Jurado, J. R.; Monros, G.
Electrical transport properties in garnet solid solutions ($A_3B_2C_3O_{12}$) synthesized by sol-gel methods.—74-03377A
Carden, Robin A. See Baker, Robert R.
Cardinale, Gregory F. See Klein, Claude A.
Cardona, M. See Shields, A. J.
Cardone, F. See Huang, J. W.
Cardoso, A. V. See Seddon, A. B.
Carduff, J. David
Advancement in lehr-belt construction.—74-00888A
Carette, G.; Bilodeau, A.; Chevrier, R.
Mechanical properties of concrete incorporating high volumes of fly ash from sources in the U.S.—74-02763A
Carewska, M. See Deptula, A.
Carey, Paul G.; Thompson, Jesse B.
Beta-silicon carbide protective coating and method for fabricating same.—74-04029P
Cariati, F. See Barbieri, L.
Carim, Altaf H. See Arunajatesan, Sowmya; Kelkar, Girish P.; Wang, Yao-Zu
Carle, Veronika See Predel, Felicitas
Carles, R. See Mlayah, A.
Carleton, James J.; Green, Deborah A.
Putting total quality safety and environmental management to work—the strategic plan.—74-02263A
Carlomagno, Giovanni; Caico, Vincenzo; De Leonibus, Vittore; Tereo, Edoardo
Apparatus for the manufacture of sheets of glass having a complex shape.—74-01013P
Carlotti, G. See Xia, Hua
Carlson, Robert A.; Porter, William F.; Medwid, James L.
Manufacture of mineral fiber.—74-02680P
Carlson, William B. See Zheng, Jing-Min
Carlsson, Jan-Otto See Engqvist, Jan; Johansson, E.
Carlsson, P. See Berg, S.
Carlsson, R. See Karlsson, S.
Carlsson, Roger See Kahlman, Lars; Liden, Eva; Nyberg, Brita
Carlstrom, Elis See Liden, Eva; Nyberg, Brita
Carmeli, Y. See Aurbach, D.
Carmona, Francisco See Calzada, M. L.
Carneiro, K. See Jorgensen, J. F.; Song, J. P.; Song, S. P.
Carnel, J.
New method for sizing grinders.—74-09490A
Carnes, Robert W. See Liu, Hsing-Pang
Carney, Kevin P. See Leatherman, G. L.
Carns, T. K. See Lie, D. Y. C.; Liu, W. S.
Carns, T. K.; Zheng, X.; Wang, K. L.; Wu, S. L.; Wang, S. J.
Boron δ doping in Si and SiGe and its application toward field effect transistor devices.—74-02925A
Carolan, J. F. See Ma, Q. Y.
Carole, Georges
Developments in container inspection technology.—74-00293A
Carpenter, G. L. See Van Hove, J. M.
Carpenter, G. See Leek, R.
Carpenter, Ray W. See Braue, Wolfgang; Chowdhury, K. Das; Cody, Jeffrey G.
Carpenter, Scott J. See Gonzalez, Luis A.
Carpentier, Robert See Bedja, Idriss
Carpineti, M. See Asnaghi, D.
Carr, R. R. See Xia, Z. C.
Carracosa, M. See Serrano, E.
Carrasquillo, G. See Van Weeren, R.
Carrasquillo, R. See Tikalsky, P.
Carreno, Carlos Corzo See Diez Santiago, Gonzalez
Carreno, M. N. P. See Velasquez, E. L. Z.
Carreno, M. N. P.; Pereyra, I.; Fantini, M. C. A.
Microvoids in diamondlike amorphous silicon carbide.—74-05195A
Carrera, Luz Maria; Gomez, S.; Bosch, Pedro
Removal of ^{60}Co by zeolites and clays.—74-03971A
Carrera, Luz Maria; Jimenez-Becerril, Jaime; Bosch, Pedro; Bulbulian, Silvia
Effect of synthesis techniques on crystallite size and morphology of lithium aluminate.—74-04590A
Carreras-Gracial, M. See Roque-Malherbe, R.
Carriere, B. See Ababou, A.; Demuynck, L.
Carrig, Timothy J.; Pollock, Clifford R.
Performance of a continuous-wave forsterite laser with krypton ion, Ti:sapphire, and Nd:YAG pump lasers.—74-01557A
Carroll, Alan F.; Hang, Kenneth W.
Lead-free thick film paste composition.—74-08799P
Carroll, D. L.; Liang, Yong; Bonnell, Dawn A.
Investigation of the growth and structure of aluminum overlayers on TiO_2(100) by scanning tunneling microscopy.—74-05174A
Carroll, Daniel F. See Pyzik, Aleksander J.
Carroll, Douglas R.; Dharani, L. R.; Goethe, John E.; Haug, Steven B.; Cai, Wei-Ping; Hall, Mark A.
Damage evolution in hybrid ceramic matrix composites.—74-10960A
Carry, Claude See Boutz, Michel M.; Duval-Riviere, M. L.; Nauer, M.; Sato, Eiichi
Carson, R. T.; Givens, J. H.; Savage, H. S.; Lee, Y. W.;
Rigsbee, J. M.; Croisant, W. J.
Effects of oxygen on the electrical and electrochemical properties of ion-plated titanium nitride.—74-07157A
Carstanjen, H. D. See Kruse, O.
Carswell, Martin G.
Highly advanced ceramics to usher in the next generaton of efficient gas-fired radiant burners.—74-01157A
Carter, C. Barry See Kotula, Paul G.; Summerfelt, S. R.
Carter, Calvin H., Jr.; Gildenblat, Gennady; Nakamura, Shuji; Nemanich, R. J.
Materials Research Society Symposium Proceedings, Volume 339: Diamond, SiC, and Nitride Wide Bandgap Semiconductors.—74-07972B
Carter, Emily A. See Carter, Lawrence E.
Carter, Gary M.; Huang, Kao-Yang; Brotman, Joel
Frequency and intensity modulation characteristics of GaAs layers in an external cavity.—74-00623A
Carter, J. See Pan, N.
Carter, Lawrence E.; Carter, Emily A.
Influence of single atomic height steps on F_2 reactions with Si(100)-2×1.—74-03066A
Carter, Steven F. See France, Paul W.
Carter, Thomas M.
Water-miscible mediums: comparison to solvent-based systems.—74-00029A
Cartier, E. See Stathis, J. H.
Cartmell, Peter
UK lime plants: I, British Steel's Schapfell plant.—74-08116A
Cartro, F. See Ordonez, S.
Caruso, James See Senzaki, Yoshihide
Caruso, Joseph A. See Pretty, Jack R.
Carvajal, A. See Moreno, R.
Casas, L. M. See Cole, M. W.; McLane, G. F.; Merkel, K. G.
Cascales, C.; Porcher, P.; Saez-Puche, R.
Crystal field effects on the magnetic susceptibility of rare tellurium oxides.—74-01504A
Case, Eldon D. See Chiu, Chin-Chen
Casey, Jon A.; Divakaruni, Renuka S.; Natarajan, Govindarajan; Reddy, Srinivasa S. N.; Sammet, Manfred
Ceramic via composition, multilayer ceramic circuit containing same, and process for using same.—74-00544P
Casolari, Claudio
Glazing without air.—74-02809A
Caspar, D. P.
Testing ceramic tile for special applications.—74-00375A
Caspar, J. V. See Ramamurthy, V.
Caspers, Bernhard See Lindner, Hans A.
Cass, Colin
Tile fixing skills: an Australian approach to quality control.—74-08594A
Cass, Richard B. See McNulty, Thomas F.
Cass, Richard B.; Rothman, Curtis
New concept to promote ceramics.—74-07953A
Cassagne, J. P. See Fourniguet, M. J.
Cassiday, Robert
Confocal microscopy.—74-09560A
Cassidy, Daniel T. See Hayward, Joseph E.; Kim, Hong-Koo
Cassidy, Robert
Microscopy.—74-03837A; Probe yields 3-D atomic view of the chemistry of solids.—74-03851A
Cassir, M.; Moutiers, G.; Devynck, J.
Stability and characterization of oxygen species in alkali molten carbonate: a thermodynamic and electrochemical approach.—74-01460A
Castaing, J. See Ayache, J.; Jimenez-Melendo, M.
Castanho, S. R. H. M.; Moreno, R.
Rheological properties of silicon nitride aqueous casting slips.—74-04871A
Castano, V. M. See Ham-Su, R.; Hu, H.; Rodriguez, R.; Saniger, Jose M.
Castellani, F. See Bordoni, S.
Castellucci, E. See Silveira, M.
Castro, A.; Millan, P.; Sirera, R.
Influence of the Pb cation on the structural and ferroelectric properties of the aurivillius oxide $Bi_2SrNb_2O_9$.—74-03315A
Castro, F. See Barandika, M. G.
Castro, Miriam S.; Aldao, Celso M.
Effects of additives on ZnO varistors.—74-02979A
Catalan, I. See Pinol, S.
Catchen, Gary L. See Fu, Jian-Ming
Catherinot, A. See Germain, C.; Marchet, P.; Thomas, L.
Catlin, Christopher S.
Safe, low emissions, low cost, automobile.—74-04003P
Catlow, C. Richard A. See Akhtar, M. J.; Akhtar, Z. N.
Cattarin, S.; Deitz, N.; Lewerenz, H. J.
$CuInS_2$ with lamellar morphology: I, Efficient photoanodes in acidic polyiodide medium.—74-06021A
Cattarin, S.; Guerriero, P.; Razzini, G.
$CuInS_2$ with lamellar morphology: II, Photoelectrochemical behavior of heterogeneous material.—74-06022A
Catuara, Christine M. See Meuret, L. B.
Catuara, Christine M.; Lin, Chhiu-Tsu
Evidence of modifications of micellar interface in sol-gel glass.—74-08420A
Cauchetier, M. See Tougne, P.
Caufin, B. See Papo, A.
Caulfield, Kevin J.; Cooper, Ronald; Boas, John F.
Point defects in electron-irradiated oxide single crystals.—74-05044A
Caumette, J. See Baudequin, F.
Caumont, Michel See Rocher, Andre
Cauqiu, M. A. See Calvino, J. J.
Cava, Robert J. See Batlogg, Bertram J.; Eom, C. B.
Cava, Robert J.; Sunshine, Steven A.
Oxide superconductor comprising Cu, Bi, Ca, and Sr.—74-00876P
Cava, Robert J.
Transparent conductors comprising gallium-indium-oxide.—74-08817P; Update on copper oxide superconductors.—74-06662A
Cavaco, M. C. S. See Leite, E. R.
Cavalieri, A. L. See Galliano, P. G.
Cavalle, F. See Bonfil, C.
Cavalli, C.; Amalric, J.-L.; Baudrand, H.
Various aspects of nonreciprocal devices using magnetized semiconductors.—74-09078A
Cavallotti, P.; Ducati, U.; Ceschini, L.
Metal matrix–ceramic reinforcement interaction in long fiber MMCs (Al-SiC) obtained with different preparation technologies.—74-08231A
Cavani, F. See Bordoni, S.
Cave, Julian See Critchlow, Philip R.
Cavicchi, R. E. See Poirier, G. E.
Cavin, Burl See Sethuraman, A. R.
Cavlaieri, A. L. See Urretavizcaya, G.
Cawley, James D. See Glime, W. H.; Eckel, Andrew J.; Park, Eun-Sung; Pujar, Vijay V.
Cawley, James D.
Numerical models for predicting tracer profiles in silicon double-oxidation experiments[—reply].—74-10921A
Caymax, M.; Baert, K.; Poortmans, J.; Vandervorst, W.
Anomalous low-temperature dopant diffusion from in situ doped polycrystalline and epitaxial Si layers into the monocrystalline Si substrate.—74-01616A
Caymax, M.; Poortmans, J.; Van Ammel, A.; Libezny, M.; Nijs, J.; Mertens, R.
Low-temperature selective growth of epitaxial Si and $Si_{1-x}Ge_x$ layers from SiH_4 and GeH_4 in an ultrahigh vacuum, very low pressure chemical vapor deposition reactor—kinetics and possibilities.—74-04741A
Caymax, M.; Poortmans, J.; Van Ammel, A.; Vanhellemont, J.; Libezny, M.; Nijs, J.
Relation between low-temperature epitaxial growth conditions and the surface morphology of epitaxial Si and $Si_{1-x}Ge_x$ layers, grown in an ultrahigh vacuum, very low pressure chemical vapor deposition reactor.—74-04789A
Ceccone, G.; Peteves, S. D.
Joining of Si_3N_4 ceramics with transition metal interlayers.—74-05638A
Ceh, M.; Krasevec, V.; Kolar, D.; Meden, A.
Microstructural examination and dielectric properties of $BaTiO_3$ with addition of CaO.—74-07687A
Celis, J. P. See Campbell, P. Q.; DeBruyn, K.; Franck, M.; Mohrbacher, H.; Oberlander, B. C.
Celle, F.; Granata, P.; Setti, M.
First occurrence of dickite in varicolored clays in the northern Apennines, Italy.—74-06901A
Cellier, F.; Nowak, J. F.
Diamondlike carbon film deposition on plasma-nitrided steel substrates.—74-04555A
Celotti, G. C. See Tampieri, A.
Cemczyk, Brian G. See Narula, Chaitanya K.
Centeno, L. See Arenas, F. J.
Centeno, W. A. See Malet, P.
Ceorgieva, I. See Ivanova, Y.
Ceram, F. I. See Jones, Peter J.
Cerezo, A. See Mackenzie, R. A. D.
Cernogora, J. See Bounouh, Y.
Cerny, R. See Kuzel, R., Jr.
Cerovic, Ljiljana S.; Milonjic, Slobodan K.; Kostic-Gvozdenovic, Ljiljana
Intrinsic equilibrium constants of ß-silicon carbide obtained from surface charge data.—74-10003A
Cerri, Jose A.; Nobre, Marcos A. L.; Long, Elson
Polymeric route processing of ZnO-based varistor.—74-03175A
Cerullo, M. See Jeon, D. Y.
Cerva, H. See Krost, A.
Cervinka, Ladislav; Rocca, Francesco; Fornasini, Paolo; Dalba, Giuseppe
Structure of Ag and Li borate glasses of the composition $(Ag_2O{\cdot}2B_2O_3)_{1-x}a(AgI)$, and $(Ag_2O{\cdot}2B_2O_3)_{1-x}(AgI)_x$ and $(Li_2O{\cdot}2B_2O_3)$.—74-02498A
Ceschini, L. See Cavallotti, P.
Chaara, M. B. See Cale, Timothy S.
Chabanenko, V. V. See D'yachenko, A. I.
Chabanenko, V. V.; Pethota, S. I.; Szimcak, G.
Magnetic flow instabilities in textured samples of YBaCuO.—74-09299A
Chabanov, V. V. See D'yachenko, A. I.
Chabla, J. M. See Soni, K. K.
Chaboy, J.; Marcelli, N.; Maruyama, Garcia H.
Developing of net Ce magnetic moment upon H_2 absorption in $Ce_2Fe_{14}B$—an XCMD investigation.—74-06453A
Chachushkova, N. E. See Shiplinova, N. T.
Chadha, S. S. See Vecht, A.
Chadi, D. J.
Doping in ZnSe, ZnTe, MgSe, and MgTe wide band gap semiconductors.—74-02967A
Chadwick, Robert; Siviter, Carl; Farmer, Anthony D.
Ceramic material.—74-02796P
Chadwick, Thomas C.
Fluoride ion-leachable glasses and dental cement compositions containing them.—74-02672P
Chae, Ki-Woong; Kim, Doh-Yeon; Niihara, Koichi
Sintering of Al_2O_3-TiC composite in the presence of liquid phase.—74-01884A
Chae, Sang-Tack See Hong, Gi-Gon
Chae, Seung-Uk See Park, Seung-Eek
Chafe, A. See Hancock, R. G. V.
Chahouki, Mehdi See Monshi, Ahmad
Chai, Chang-Chun See Yan, Bei-Ping
Chai, Wei-Ping See Wu, Bing-Qing
Chaiken, A. See Terminello, L. J.
Chaiken, A.; Terminello, L. J.; Wong, J.
X-ray absorption study of pulsed laser deposited boron nitride films.—74-10902A
Chaiken, J.; Goodisman, Jerry
Application of fractals and kinetic equation in modeling cluster and ultrafine particle size distributions.—74-07145A
Chaikovskaya, N. M. See Soldatov, V. P.

Chaim, Rachman; Almaleh-Rockman, Sylvie; Gal-Or, Leah; Bestgen, Harro
Electrochemical chromium(III) oxide coatings on nonoxide ceramic substrates.—74-02837A
Chaim, Rachman; Talanker, Vladimir
Microstructure and mechanical properties of SiC platelet/cordierite glass-ceramic composites.—74-02175A
Chaim, Rachman
Fabrication and characterization of nanocrystalline oxides by crystallization of amorphous precursors.—74-07306A
Chainiau, P. See Blachere, E.
Chakarian, V.; Durbin, T. D.; Varekamp, P. R.; Yarmoff, J. A.
Radiation damage of epitaxial CaF_2 overlayers on Si(111) studied by photon-stimulated desorption: formation of surface F centers.—74-03192A
Chaker, M. See Blouin, M.; El Khakani, M. A.
Chakhovskoi, Andrei G.; Kesling, W. Dawson; Trujillo, Johann T.; Hunt, Charles E.
Phosphor selection constraints in application of gated field-emission microcathodes to flat panel displays.—74-03153A
Chaklader, A.; Lin, E.
Synthesis of ceramic-ceramic composite powders from natural mineral resources.—74-01906A
Chakrabarti, O. P.; Mukerji, J.
Oxidation kinetics of reaction-sintered silicon carbide.—74-10927A
Chakrabarti, U. K. See Pearton, S. J.
Chakravarty, S. M.
Indian cement industry—an overview.—74-08049A
Chakraverty, Jyoti P. See Quadir, Tariq
Chakravorty, D. See Saha, S. K.
Chakravorty, D.
Nanocomposites.—74-05646A
Chalker, P. R. See Chua, Lye-Hing; Johnston, C.
Chalker, P. R.; Johnston, C.; Kobashi, Koji
Degradation mechanisms of passivated and unpassivated diamond thermistors.—74-08851A
Chalker, P. R.; Johnston, C.; Romani, Simon; Ayres, C. F.; Buckley-Golder, Ian M.
Nucleation and growth of CVD diamond on magnesium oxide(100) and titanium nitride-magnesium oxide(100) surfaces.—74-04786A
Chalup, Alan See Gutmann, Benjamin
Cham, Johnny See Mack, Ken
Chambouleyron, I. See Comedi, D.
Chaminade, J. P. See Gaewdang, T.
Champagne, A. See Maciejko, R.
Champeaux, C. See Marchet, P.
Chan, Chung See Meassick, S.; Qin, Shu
Chan, Helen M. See Thompson, A. Mark
Chan, K. K.; Amaratunga, G. A. J.; Shafi, Z. A.; Ashburn, P.; Wong, S.-P.
Bipolar transistor action from an amorphous carbon/silicon heterojunction emitter.—74-08830A
Chan, P.-W. See Ma, C.-S.
Chan, S. K. See Li, Z.
Chan, S. K.
Nucleation in stress-induced tetragonal-monoclinic transformation of constrained zirconia.—74-01417A
Chan, Sammy Lap-Ip See Lee, Huei-Long
Chan, Tien-Yin; Lin, Shun-Tian
Effects of stearic acid on the injection molding of alumina.—74-10315A
Chan, W. K. See Ramesh, R
Chan, W. S. See Shah, D. K.
Chan, Yi-Jen; Yang, Ming-Ta; Yeh, Tzu-Jin; Chyi, Jen-Inn
High uniformity of $Al_{0.3}Ga_{0.7}As/In_{0.15}Ga_{0.85}As$ doped channel structures grown by molecular beam epitaxy on 3-in. GaAs substrates.—74-03041A
Chand, N.; Karliek, R. F., Jr.
Real-time monitoring and analysis of chemical wet etching of III-V compound semiconductors.—74-00694A
Chanda, Bitasta; Dey, T. K.
Thermal conductivity of Bi-Pb (2223) superconducting cuprates with vanadium/nickel substitutions and evidence for strong electron-phonon coupling.—74-03605A
Chandan, Harish C. See Bhandarkar, Suhas D.
Chandler, C. D. See Roger, C.
Chandra, Jayanta See Kujur, B.
Chandra, L.; Clyne, T. W.
Characterization of the strength and adhesion of diamond films on metallic substrates using a substrate plastic straining technique.—74-05324A; Possible technique for the characterization of diamond films using an ultrasonic resonance technique.—74-09602A
Chandra, N.; Anath, C. R.; Garmestani, H.
Micromechanical modeling of process-induced residual stresses in Ti-24A1-11Nb/SCS-6 composite.—74-05380A
Chandra, Navin See Kujur, B.
Chandra, S. See Sidhu, K. S.
Chandran, B. See Goforth, R. C.
Chandrasekhar, Sathy See Rees Lovat, V. C.
Chandross, Edwin A.; Fleming, Debra A.; Johnson, David W., Jr.; MacChesney, John B.; Walz, Frederick W., Jr.
Vitreous silica product manufactured via a sol-gel process using a polymer additive.—74-08498P
Chang, An-Jae; Rhee, Shi-Woo; Baik, Sung-Gi
Kinetics and mechanisms for nitridation of floating aluminum powder.—74-01776A
Chang, Bertha P.; McIntyre, Paul C.; Sonnenberg, Neville
Epitaxial dielectric planarization for multilayer HTSC structures.—74-09265A
Chang, C. A. See Ma, Q. Y.
Chang, C. V. J. M.; Rijpers, J. C. N.
Reactive ion etching of AlInGaP and GaAs in $SiCl_4/CH_4$/Ar-based plasmas.—74-03196A
Chang, C.-T. See Sheen, S. R.
Chang, C.-Y. See Chen, P.-A.
Chang, Edward K. See Bheemineni, Veerabhadrarao
Chang, H. S. W.; Sheen, S. R.; Chen, D.-H.
Preparation of high-T_c superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ phase via an oxalate route.—74-00842A
Chang, H. See Grundbacher, R.
Chang, H.; Nummila, K.; Grundbacher, R.; Adesida, I.; Leburton, J. P.; Hess, K.
Fabrication of lateral superlattices using multilayer resist techniques.—74-06099A
Chang, Han-Chieh See Sheldon, Brian W.
Chang, J. Y.; Garrett, M. H.; Jenssen, H. P.
Intensity-dependent photorefractive properties in an *n*-type $BaTiO_3$.—74-03068A
Chang, Jing-Yi See Liu, Zhong-Wei
Chang, K.; Qafssaoui, F.; Hiboux, S.
Synthesis of nanometer size ceramic powders in a dc transferred arc plasma furnace.—74-03739A
Chang, Kwang H. See Kim, Kyung Y.
Chang, L. H. See Jia, Q. X.
Chang, Li See Yang, Ning
Chang, Liang See Ren, De-He
Chang, S. C. See Lin, C. H.
Chang, S. T. See Weng, B. J.
Chang, S.-S. See Ludwig, M. H.
Chang, Shou-Zen; Lee, Si-Chen; Chen, C.-R.
Dislocation generation mechanisms of $In_yGa_{1-y}As$ ($0 \le x \le 1$) epilayers grown on (100)InP substrates by molecular beam epitaxy.—74-08863A
Chang, Song-Yuan; Liu, Lei; Asher, Sanford A.
Preparation and processing of monodisperse colloidal silica-cadmium sulfide nanocomposites.—74-10548A
Chang, T.-H.
Successful operation of the world's only 5000 tpd short rotary kiln.—74-09715A
Chang, W. H.; Huang, L. J.; Lau, W. M.; Mitchell, I. V.; Abraham, T.; King, M.
Analysis and removal of impurities and defects in reactive ion-etched silicon using a novel depth-profiling technique.—74-02910A
Chang, W.; Skandan, G.; Danforth, Stephen C.; Kear, B. H.
Chemical vapor processing and applications for nanostructured ceramic powders and whiskers.—74-07226A
Chang, W.; Skandan, G.; Hahn, H.; Danforth, Stephen C.; Kear, B. H.
Chemical vapor condensation of nanostructured ceramic powders.—74-04509A
Chang, W.; Skandan, G.; Hahn, H.
Chemical vapor synthesis of nanostructured ceramics.—74-07227A
Chang, W.
Framework for understanding fast neutron-induced defects in SiO_2 MOS structures.—74-03024A
Chang, Xi-Ping See Dou, Shu-Ju
Chang, Y. A. See Chen, C.-P.
Chang, Y. A.; DeKock, J.; Kieschke, R. R.
Interfacial stabilities of high-temperature composite materials.—74-08221A
Chang, Yi-Ben See Wu, Long
Chang, Yi-Shung; Roy, Nripen
Low-dose nitrogen ion implantation in Ti/permalloy bilayer films.—74-04734A
Chang, Yia-Chung See Lin, Chih-Hsiang
Chang, Ying-Lan See Tan, I-Hsing
Chang, Ying-Lan; Widdra, Wolf; Yi, Sang I.; Merz, J. L.; Weinberg, W. H.; Hu, Evelyn L.
Study of surface stoichiometry and luminescence efficiency of near-surface quantum wells treated by hydrogen ions and atomic hydrogen.—74-06339A
Chang, Yoon-Ho See Hong, Young-Ho
Chant, J. M.; Cooke, R. G.; Harris, B.
Freeze gelation—a modified sol-gel method for the fabrication of ceramic matrix composites.—74-10365A
Chao, Benjamin See Youdelis, W. V.
Chao, Jiang See Lu, Tai-Jing
Chao, K.-J. See Gwo, S.
Chao, Luen-Yuan; Lakshminarayanan, R.; Shetty, Dinesh K.; Cutler, Raymond A.
Rolling-contact fatigue and wear of CVD-SiC with residual surface compression.—74-11080A
Chao, Xi-Xu See Zhou, Wen-Jie
Chaouadi, R. See Weyten, H.
Chapek, D. L.; Conrad, J. R.; Matyi, R. J.; Felch, S. B.
Structural characterization of plasma-doped silicon by high-resolution X-ray diffraction.—74-05263A
Chaplain, Rene See Beniere, Francos
Chaplanov, A. M. See Ivlev, G. D.
Chapman, I. F. See Creffield, G. K.
Chapple-Sokol, Jonathan D.; Conti, Richard A.; Gambino, Jeffrey P.
Storage capacitor with a conducting oxide electrode for metal-oxide dielectrics.—74-08815P
Chaprasova, L. V.; Shesterova, L. P.; Vaisova, M. M.
Sorption properties of fibrous sorbent PP-Pak and its analytical application.—74-01107A
Chapus, T.; Tuel, A.; Ben, Taarit
Synthesis and characterization of chromium silicalite: I.—74-10666A
Chaput, F. See Collino, R.
Char, Kookrin; Garrison, Stephen M.; Newman, Nathan; Zaharchuk, Gregory G.
Method of forming grain boundary junctions in high temperature superconductor films.—74-03644P
Charalabidis, D. See Jelinek, M.
Charbonnier, M. See Deshayes, L.
Charia, A. See Trignan-Piot, L.
Charles, C. See Giroult-Matlakowski, G.
Charnaya, E. V. See Asrarov, Sh. A.
Charreire, Y.; Svoronos, D. R.; Ascone, I.
Extended X-ray absorption fine structure studies of luminescent centers in II-VI thin films.—74-01991A
Charreire, Y.; Tolonen-Kivimaki, O.; Nykanen, E.; Leskela, Markku; Niinisto, L.; Bonnin, D.
EXAFS studies of rare-earth-doped calcium sulfide thin films.—74-05140A
Charrier, C.; Brissot, J.; Dervieux, G.
Carbon films deposited by the physical vapor deposition focused-arc evaporation technique.—74-04493A
Charron, F. H. See Werely, N. M.
Chartier, Jo Ann
Deer Creek pottery: making purged molds for quick release.—74-00359A
Chartier, Thierry See Ferrato, M.; Reedy, M.
Chartier, Thierry; Ferrato, M.; Baumard, J. F.
Supercritical debinding of injection-molded ceramics.—74-07500A
Chartier, Thierry; Ferrato, M.; Chermant, L.
Effect of forming of densification of zirconia.—74-04574A
Charyev, A. A. See Babkin, E. V.
Chashchin, S. V. See Golubkov, V. V.; Zhilin, A. A.
Chaska, Kh. B.; Obolenskii, M. A.; Balla, D. D.
Effect of hydrostatic pressure on T_c of $Nb_{1-x}Sn_xSe_2$.—74-03448A
Chassereau, M.
Binding modes of water in the hemihydrate.—74-07996A
Chatelon, J. P.; Terrier, C.; Bernstein, E.; Berjoan, R.; Roger, J. A.
Morphology of SnO_2 thin films obtained by the sol-gel technique.—74-04765A
Chatenoud, F.; Janz, S.; Normandin, R.; Dai, H.; McCaffrey, J. P.
AlGaAs/InGaAs/GaAs optoelectronic structures on (111)B GaAs.—74-00565A
Chatrathi, K.; Bours, R.; Marshall, K.
Explosion venting: a practical approach.—74-02235A
Chatterjee, A. K.
ACC's in-house research.—74-07990A; Race of new inorganic materials towards neolithic age.—74-09797A
Chatterjee, A. P. See Bandopadhyay, S.
Chatterjee, Dilip K. See Ghosh, Syamal K.
Chatterjee, Dilip K.; Majumdar, Debasis; Ghosh, Syamal K.; Mir, Jose M.
Zirconia ceramic articles having a tetragonal core and cubic casing.—74-04008P
Chatterjee, M. K. See Das, S. K.
Chatterjee, M. See Joshi, S. V.
Chatterjee, M.; Ray, J.; Ganguli, D.
Spray drying of hydrated zirconia slurries: a laboratory study.—74-10650A
Chatterjee, S. See Maity, Soumen Deb, Sukhendu
Chatterji, Susanta; Kawamura, M.
Electrical double layer, ion transport, and reactions on hardened cement paste.—74-05515A
Chattha, Mohinder S.; Watkins, William L. H.; Gandhi, Haren S.
Three-way catalyst for automotive emission control.—74-04006P
Chattopadhyay, K. K. See Dutta, D.; Pal, R.
Chattopadhyay, K. K.; Dutta, J.; Chaudhuri, S.
Preparation of diamond films by axial magnetron sputtering of vitreous carbon target.—74-01847A
Chattopadhyay, K. K.; Mitra, P.; Chaudhuri, S.
Grain boundary barrier height in polycrystal diamond films produced by dc plasma deposition of CO_2 and hydrogen.—74-07653A
Chattopadyay, T. See Vitebsky, I. M.
Chatziagorastou, P. See Fritz, H. P.
Chaudhari, P.; Lin, Shawn-Yu
Symmetry of the superconducting order parameter in $YBa_2Cu_3O_{7-\delta}$ epitaxial films.—74-03600A
Chaudhri, M. Munawar See Kurkjian, Charles R.
Chaudhuri, S. Ray See Yan, Yon-Gan
Chaudhuri, S. See Bhattacharyya, D.; Chattopadhyay, K. K.; Maiti, B.; Pal, R.
Chaudhuri, T. See Debnath, R.
Chaussy, J. See Xavier, P.
Chauvet, O. See Forro, L.
Chawla, K. K. See Vaidya, R. U.
Chawla, K. K.; Xu, Z. R.; Ha, J.-S.; Lara-Curzio, Edgar; Ferber, M. K.; Russ, S.
Interfacial characteristics of mullite fiber/BN coating/mullite matrix composites.—74-10826A
Che, Guang-Can See Du, Yu-Kou; Yang, Ye
Che, Guang-Can; Xiong, Ji-Wu; Li, Jian-Qi
Observation of modulated structure in Bi-2201 single crystal by X-ray diffraction.—74-05209A
Che, Michel See Hadjiivanov, Konstantin
Cheang, P. See Khor, K. A.
Cheang, P.
Quantitative analysis of thermally sprayed coatings using backscattered electron imaging.—74-10868A
Chebotko, I. S. See Eizner, B. A.
Chechenin, N. G.; Chernysk, A. V.; Korneev, V. V.
Modification of structural and transport properties in epitaxial $YBa_2Cu_3O_x$ films by pulsed laser irradiation.—74-09309A
Cheeks, T. L. See Tanaka, M.
Cheenne, A. See Perriere, J.
Chekhovskii, A. A. See Rutkovskii, A. E.
Chekhovskii, V. G. See Amandikov, M. A.; Keishs, Yu. Ya.; Khalilev, V. D.; Lozinskii, N. S.
Chelazzi, G.; Vianello, L.
Cement producer's view of process control and automation.—74-08003A
Chelnokov, V. E. See Anikin, M. M.; Danishevskii, A. M.; Konkov, O. I.; Levedev, A. A. **Chem, C.** See Jones, Peter J.
Chemik, I. A.; Berezin, A. V.
Anomalies in low-temperature calorimetric properties of Pb chalcogenides.—74-04989A
Chemseddine, A.; Fearheiley, M. L.
Improved CdS buffer/window layers for thin-film solar cells.—74-03056A
Chemseddine, A.
Self-connected CdS nanocrystals as precursors for anisotropic semiconducting films.—74-09033A

Chemyshov, V. N. See Grinyaev, S. N.
Chen, A. See Malik, Shamim M.
Chen, A.; Firmiss, J.; Conrad, J. R.
Dose analysis of nitrogen plasma source ion implantation treatment of titanium alloys.—74-05118A
Chen, Ang; Zhi, Yu; Li, Biao-Rong
YBCO superconducting ceramics with SnO_2 dopant.—74-03621A
Chen, Bin See Hwang, Yong-Gyoo
Chen, C. C.; Nasrallah, M. M.; Anderson, H. A.
Synthesis and characterization of $(CeO_2)_{0.8}(SmO_{1.5})_{0.2}$ thin films from polymer precursors.—74-07505A
Chen, C.-J. See Hung, K.-M.
Chen, C.-P.; Chang, Y. A.; Kuech, T. F.
Enhancement of Schottky barrier height to *n*-GaAs using NiAl, NiAl/Al/Ni, and Ni/Al/Ni layer structures.—74-03001A
Chen, C.-R. See Chang, Shou-Zen
Chen, Chao; Bykovskii, V. A.; Tarasik, M. I.
Photoluminescence of undoped semiinsulating GaAs heat-treated at an excess As vapor pressure.—74-03165A
Chen, Chen-Jia; Wang, Rong-Ming; Wang, Xue-Zhong
Giant Faraday rotation in $Cd_{1-x}Fe_xTe$.—74-08924A
Chen, Chia-Fu; Chen, Sheng-Hsiung; Hong, Tsao-Ming; Wang, T.-C.
Characterization of boron-doped diamond films using (CH_4-CO_2) gas mixtures with $B(OCH_3)_3$ as a dopant source by MPCVD.—74-07221A
Chen, Chia-Fu; Chen, Sheng-Hsiung; Hong, Tsao-Ming
Characterization of diamond films deposited using $C_3H_6O_2$-H_2 gas mixtures.—74-10768A
Chen, Chia-Fu; Chen, Sheng-Hsiung; Ko, Hsien-Wen; Hsu, S.-E.
Low-temperature growth of diamond films by microwave plasma chemical vapor deposition using CH_4+CO_2 gas mixtures.—74-04737A
Chen, Chien-Jen See Lee, Ray R.-R.
Chen, Chien-Yung See Ho, Yen-Shyh
Chen, Cong-Yan See Davis, Mark E.
Chen, D.-H. See Chang, H. S. W.; Liu, T. W.; Sheen, S. R.
Chen, Da-Qian
Ceramic slip control and fast casting technology.—74-05888A
Chen, Den-Reng
Installation of the No. 6 kiln line at Taiwan Cement Corporation's Suao Plant (northeastern Taiwan).—74-03699A
Chen, Din-Guo See Yan, Yon-Gan
Chen, E. See Wu, Y. C.
Chen, Erli See Fischer, Paul B.
Chen, F.; Bazhenov, S.; Hiltner, A.; Baer, E.
Flexural failure mechanisms in unidirectional glass fiber-reinforced thermoplastics.—74-05624A; Transition in flexural microbuckling mechanisms in unidirectional glass fiber-reinforced thermoplastics.—74-05397A
Chen, Feng See Ren, De-He
Chen, G. C. See McKinley, J. T.
Chen, G.; Haire, R. G.; Peterson, J. R.
Luminescence study of $EuVO_4$ at high pressure.—74-04347A
Chen, Gang See Chiu, Chien C.
Chen, Guang See Huang, Yi-Chuan
Chen, Guang; Jiang, Jing; Shi, Jian-Guo
Study on new ceramic material for heat exchanger.—74-07003A
Chen, Guang-Hua See Zhang, Wen-Jun
Chen, H. Y.; Hwang, H. L.; Lin, J. Y.
Mercury cadmium tellurium photodetectors fabricated by LPE and double B implantation for fiberoptic devices.—74-08952A
Chen, H.-D.; Feng, M.-S.; Chen, P.-A.
Low-temperature luminescent properties of degenerate *p*-type GaAs grown by low-pressure metallorganic chemical vapor deposition.—74-08948A
Chen, H.; Yen, B. M.; Bai, G. R.
Low-temperature MOCVD of oriented $PbTiO_3$ films on Si(100).—74-06421A
Chen, Hong See Gao, Hong-Sheng
Chen, Hong-Qi; Qian, Zheng-Nan; Wang, De-Yong
Study on preparation technology and thermal stability of Tl-2223 superconductors.—74-09345A
Chen, Hui-Yu; Luo, You-Quan
Observation of mesoscopic effect in ferromagnetic multilayer films.—74-09214A
Chen, I-Wei See Chen, San-Yuan; Jacobs, David S.; Menon, Mohan
Chen, J. S.; Kolawa, E.; Nicolet, M.-A.
Stability of rhenium thin films on single crystal (001) ß-SiC.—74-02397A
Chen, J. See Brooks, Keith G.; DiVenere, A.; Lu, F.-X.; Tripathy, S. K.
Chen, J.-D.; Ju, C.-P.
Friction and wear of PAN/pitch-, PAN/CVI-, and pitch/resin/CVI-based carbon-carbon composites.—74-09870A
Chen, J.-H.; Wang, Y.-Y.; Wan, C.-C.
MAS/NMR studies of the hydration process of ß-C_2S [dicalcium silicate] in the presence of chromium.—74-05546A
Chen, J.; Conrad, J. R.; Dodd, R. A.
Structure and properties of amorphous diamondlike carbon films produced by ion-beam-assisted plasma deposition.—74-07757A
Chen, J.; Di Venere, A.; Yi, X. J.; Hou, C. L.; Wang, H. C.; Wong, G. K.
Interface structure between Bi and CdTe in molecular beam epitaxially grown Bi/CdTe and $Bi/Bi_{1-x}Sb_x$ superlattices.—74-07669A
Chen, Ji-Qin See Huang, Li-Lei
Chen, Jia-Gen; Tang, Xiao-Yong; Liu, Li-Zhong
Kiln furniture brick of silica–silicon carbide.—74-06860A
Chen, Jia-Yu See Trolier-McKinstry, Susan
Chen, Jian-Hui See Fernandez, Juan M.; Young, A. P.
Chen, Jun; Gao, Wen-Bin
Drilling fine holes using phase conjugate laser.—74-06046A
Chen, Jun; Tan, Jian; Li, Chuang-Yi
I-V characteristics of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O$ high-temperature superconductor.—74-00816A
Chen, Kang-Hua; Xiao, Ze-Qiang
In situ growth of SiC whiskers in porous cabon.—74-10403A
Chen, Kuin-Hui See Fang, Y. K.
Chen, Kuo-Chun; Mazdiyasni, Khodabakhsh S.
Crystalline yttrium aluminate and process for making.—74-09819P
Chen, Kuo-Tong See Wiedemeier, Heribert
Chen, L. P. See Li, H. S.
Chen, L.-C. See Lu, Y.-M.; Zheng, Z.-H.
Chen, Lap-Hing See Gani, Mary S. J.; Pyda, Waldemar
Chen, Li See Chen, P.; Rajkumar, K. C.
Chen, Long-Ching See Soboyejo, Wole
Chen, Long-Qing See Fan, Danan; Wang, Yun-Zhi; Yang, Wei
Chen, Lu-Bin See Tao, Xin-Xia
Chen, Makan See Lee, William E.
Chen, Makan; Al-Khafaji, M. A.; James, Peter F.
Microstructural development on crystallization of a sol-gel-derived celsian glass.—74-05775A
Chen, Mao-Chieh See Yang, Fann-Mei
Chen, Ming-Yuan; Van Rutten, J. W. T.; Metselaar, R.
Study of temperature-programmed desorption of silicon nitride and SiAlON by means of mass spectrometry.—74-03874A
Chen, Nan See Singh, Jitrenda P.
Chen, Ning See Li, Yang
Chen, Ning-Wei; Readey, D. W.; Moore, J. J.
Ternary oxide whisker growth in a reactive atmosphere.—74-10900A
Chen, Otis Y. See Prewo, Karl M.
Chen, P. C.; Lin, J. Y.; Hwang, H. L.
Improvements on electrical properties of ultrathin silicon oxides grown by microwave afterglow oxygen plasma.—74-10401A
Chen, P. J. See Colaianni, M. L.
Chen, P. See Rajkumar, K. C.
Chen, P.-A. See Chen, H.-D.
Chen, P.-A.; Juang, C.; Chang, C.-Y.
Carrier-induced energy shift in GaAs/AlGaAs multiple quantum well laser diodes.—74-00574A
Chen, P.; Xie, Q.; Madhukar, A.; Chen, Li; Konkar, A.
Mechanisms of strained island formation in molecular beam epitaxy of InAs on GaAs(100).—74-06202A
Chen, Pin-Ao
Novelty optical filter with multilayer coating of ZnO-CdTe.—74-03131A
Chen, Pin-Zhen See Chiang, Joseph F.
Chen, Pu-Wei; Chung, D. D. L.
Carbon fiber-reinforced concrete as an electrical contact material for smart structures.—74-08833A; Carbon fiber-reinforced concrete for smart structures capable of nondestructive flaw detection.—74-09850A; Carbon fiber-reinforced concrete as an intrinsically smart concrete for damage assessment during dynamic loading.—74-02311A
Chen, Qiang See Wang, Joseph
Chen, Qin-Ye See Li, Hui-Ping
Chen, Quan-Qing; Wang, He-Ming; Zhu, Yong-Hua
Deposition of gradient index glass films by sol-gel method.—74-08412A
Chen, Qun See Kane, Jeffrey
Chen, R. Z. See Bennett, K. D.
Chen, S. G.; Yang, R. T.
Titration for basal plane versus edge plane surface on graphitic carbons by adsorption.—74-10174A
Chen, S. P. See Joo, G.-C.
Chen, S.-H. See Chen, Chia-Fu
Chen, San-Yuan; Chen, I-Wei
Cracking during pyrolysis of oxide thin films—phenomenology, mechanisms, and mechanics.—74-10956A
Chen, Shao-He See Zhu, Jiang-Qiang
Chen, Sheng-Hsiung See Chen, Chia-Fu
Chen, Shi-Sheng See Bai, Ying-Xin
Chen, T.-S. See Wang, Y.-L.
Chen, W. See Hirose, Y.; Pepe, A. J.; Smith, C. B.
Chen, W.; Kahn, A.; Soukiassian, P.; Mangat, P. S.; Gaines, J. M.; Ponzoni, C.
ZnSe(100)—the surface and the formation of Schottky barriers with Al and Au.—74-06390A
Chen, Wai-Fah See Cohen, Menashi D.
Chen, Wai-Rue See Tuan, Wei-Hsing
Chen, Wei-Hua See Rahman, Matiur
Chen, Wei-Xi; Jiao, Peng-Fei; Wang, Shu-Min
Sub-ps carrier lifetime in InP.—74-06343A
Chen, Wei; Pechenik, A.; Piermarini, G. J.; Danforth, Stephen C.; Dapkunas, S. J.; Malghan, S. G.
Cryogenic compaction of nanosize silicon nitride powders.—74-01654A
Chen, Wei; Song, Jia-Qing; Zhao, Wei
New color centers and photostimulated luminescence (PSL) of Eu^{2+}:$Sr_9Ca(PO_4)_6Cl_2$.—74-02566A
Chen, Wen See Xu, Qing
Chen, X. J. See Jiang, Y. Q.
Chen, X. K.; Irwin, J. C.; Trodahl, H. J.
Investigation of the superconducting gap in $La_{2-x}Sr_xCuO_4$ by Raman spectroscopy.—74-09293A
Chen, X. M.; Suzuki, Y.; Sato, N.
Preparation and densification of $BaNd_2Ti_5O_{14}$ dielectric ceramics.—74-00521A
Chen, X. Y. See Liu, Z. G.
Chen, X. See Zok, Frank W.
Chen, Xian-Qiu See Du, Xin-Min; Sun, Hong-Wei
Chen, Xue-Sheng; DiBartolo, Baldassare
Temperature dependence of spectral linewidths and lineshifts of Nd^{3+} ions in $CaY_2Mg_2Ge_3O_{12}$ laser crystal.—74-10165A
Chen, Y. C. See Davis, L.
Chen, Y. K. See Hong, M.; Hwang, Wen-Yen; Tsang, W. T.
Chen, Y. W. See Li, H. S.
Chen, Y.-L.; Li, J.-J.; Tsai, M.-S.; Yeh, Chih-Hung; Hon, Min-Hsiung
Powder preparation and sintering of grain growth controlled Cr_2O_3-ZrO_2 composites.—74-10541A
Chen, Y.-P.; Reed, J. D.; Schaff, W. J.; Eastman, L. F.
High-quality strained quantum wires grown by molecular beam epitaxy on (100)GaAs substrate.—74-03045A
Chen, Yu-Li See Guo, Gong-Yi
Chen, Yu-Ru See Wang, Shu-Qiang
Chen, Yue-Feng; Zhang, Shi-Wen
Study of 1.319 μm continuous wave (cw)Nd-YAG :mode-locking laser.—74-03737A
Chen, Yung-Fu See Lin, Wen-Tai
Chen, Yung-Jui See Srinivas, Vivek
Chen, Z. See Brogan, J. A.; Yasutake, K.
Chen, Z.
Pressureless sintering of silicon carbide with additives of samarium oxide and alumina.—74-01854A
Chen, Zeng-Bo See Gao, Fan
Chen, Zhi J. See Chiu, Chien C.
Chen, Zhi-Qiang See Wu, Ping-Jia
Chen, Zhong-Xin; Van der Eyden, Joost; Koot, Wouter; Van den Berg, Rob; Van Mechelen, Jan; Derking, Anke
Preparation of zinc titanate thin films by low-pressure metallorganic chemical vapor deposition.—74-10574A
Chen, Zhong; Xu, Wen-Yuan
Studies of defect states in the interface between SiO_2 and a-Si:H films.—74-06335A
Chen, Zu-Yao; Tang, You-Qui; Li, Yu-Fang
High-temperature superconductivity of new oxide superconductors Tl-Sr-V-Cu-O.—74-03484A
Chenevier, M. See Vetterhoffer, J.
Chenevier, M.; Cubertafon, J. C.; Campargue, A.; Booth, J. P.
Measurement of atomic hydrogen in a hot filament reactor by two-photon laser-induced fluorescence.—74-04746A
Cheney, M. E. See Wang, Y.
Cheng, Bin-Ji See Xie, Yi-Yuan
Cheng, C. C.; Guinn, K. V.; Donnelly, V. M.; Herman, I. P.
In situ pulsed laser-induced thermal desorption studies of the silicon chloride surface layer during silicon etching in high-density plasmas of Cl_2 and Cl_2/O_2 mixtures.—74-07347A
Cheng, C. H. See Liu, T. W.
Cheng, Guo-Sheng; Zhang, Jin-Cang; He, Ai-Sheng
Synthesis and structure of bulk $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$+10 wt% Ag_2O compound superconductors under 1 atm oxygen.—74-06644A
Cheng, H. S. See Wang, Q.
Cheng, H. See Kuo, L. H.
Cheng, H.-C. See Tsai, M.-J.
Cheng, Hu-Min See Ma, Ji-Ming
Cheng, Ji-Jian See Wang, Ji-An
Cheng, Ji-Ping; Fang, Yi; Agrawal, Dinesh K.
Continuous microwave sintering of ceramics.—74-10241A; Microwave synthesis of lead barium titanate.—74-10472A
Cheng, K. Y. See Baillargeon, J. N.; Chou, S. T.; Tong, M.
Cheng, L.-Z. See Sui, M.-L.; Zhou, F.
Cheng, Long-Ching; Brooks, Douglas; Soboyejo, Wole; Lederich, Richard
Effects of yttria-stabilized zirconia on transformation toughening of molybdenum disilicide composites.—74-10983A
Cheng, Pei-Jiang See Yao, Zhong-Guo
Cheng, Q.-H. See Wang, H.-B.
Cheng, Qi-Heng See Feng, Yi-Jun; Jin, Biao-Bin
Cheng, R.-Y. See Wang, D.-Y.
Cheng, T. S. See Ferguson, I. T.; Foxon, C. T.
Cheng, T. S.; Johnston, D.; Middleton, J.; Strickland, K.; Hughes, O. H.; Harris, J. J.
Optimization of contacts and mobilities for (001)-oriented two-dimensional hole gases.—74-06246A
Cheng, Xiang-Ping
Manufacture of nonfired hollow brick using anhydrite.—74-05822A
Cheng, Y. See Rosen, R. S.
Cheng, Y.-C. See Yang, B.-L.
Cheng, Zhao-Kan See Ren, De-He
Cheong, Byoung See Lee, Keun-Ho
Cheong, Deock-Soo See Gam, Jig-Sang
Cheong, S.-W. See DiTusa, J. F.; Ramirez, A. P.; Walstedt, R. E.
Chepolis, William M. See Erturk, Turgay
Cherednichenko, V. V. See Kryl, Ya. A.
Cherepandv, V. A.; Barkhatova, L. Yu; Petrov, A. N.
Phase equilibria in the Ln-Mn-O system (Ln=Pr, Nd) and general aspects of the stability of the perovskite phase $LnMeO_3$.—74-04179A
Cherepanov, Genady P.
Theory of thermal stresses in a thin film on a ceramic substrate.—74-04444A
Cherginets, V. L. See Khailova, E. G.
Cherian, Isaac K.; Kriven, Waltraud M.
Fabrication by colloidal filtration of alumina platelet-reinforced 3Y-TZP—mechanical properties.—74-10991A
Cherico, Stephen D. See Mottet, Leon P.
Cherkasova, A. N. See Tsymbal, L. T.
Cherkasova, V. G. See Dmitrenko, I. M.
Chermant, J. L. See Maupas, Helene; Quenech, J. L.
Chermant, L. See Chartier, Thierry
Chern, C. S. See Liang, S.; Shi, Z. Q.
Chern, C. S.; Liang, S.; Shi, Z. Q.
Epitaxial growth of $Ba_{1-x}Sr_xTiO_3$ thin films on $YBa_2Cu_3O_{7-x}$ electrode by PE-MOCVD.—74-07301A
Chernoff, Don; Foster, Barbara
Focus on microscopy.—74-03814A
Chernokova, N. A. See Mit'kin, V. M.
Chernyaev, S. V.; Kudra, M. M.; Mozhaev, A. P.
Cation and oxygen nonstoichiometry of bismuth-containing high-temperature superconductors.—74-00786A
Chernyak, Leonid See Cahen, David

Chernyak, R. V. See Musikhin, L. A.
Chernyl, A. S. See Khats'ko, A. S.; Khats'ko, E. N.
Chernyshov, A. See Borisov, Y.
Chernyshova, L. M. See Kutvitskii, V. A.
Chernysk, A. V. See Chechenin, N. G.
Cherradi, A.; Mazo, L.; Desgardin, G.
Microwave sintering of materials with particular electric or magnetic properties.—74-07384A
Chersich, Alexandre
Road mobile bagging and palletizing.—74-00990A
Chervinskii, M. M. See Tikhomirov, V. K.
Chesnokov, B. V. See Sokolova, E. V.
Cheung, Nathan W. See Jones, Erin C.; Pico, Carey A.
Cheung, R.; Zijlstra, T.; Van der Drift, E.
High-resolution reactive ion etching and damage effects in the Si/Ga_xSi_{1-x} system.—74-00632A
Chevacharaoenkul, S. See Buaud, P. P.
Chevalier, Jerome; Olagnon, Christian; Fantozzi, G.; Cales, Bernard
Crack propagation behavior of Y-TZP ceramics.—74-07846A
Chevalier, Jerome; Olagnon, Christian; Fantozzi, G.
Characterization of crack propagation in Y-TZP.—74-07841A
Chevalier, Sophie See Lambert, Jean-Francois
Chevalier, Sophie; Franck, Raymond; Suquet, Helene
Al-pillared saponites: I, Ir studies.—74-05065A
Chevallier, Jacques See Gupta, B. K.
Chevarier, A. See Deshayes, L.
Chevarier, N. See Deshayes, L.
Chevrel, R. See Rabiller, P.
Chevrier, R. See Carette, G.
Chewasatn, S.; Milne, S. J.
Sol-gel synthesis and characterization of $PbTiO_3$ fibers.—74-04903A
Chhor, K. See Pommier, C.
Chi, C. C. See Tsuei, C. C.
Chi, G.-C. See Hsu, J.-K.
Chi, L. F. See Ying, J. Y.
Chia, K. Y. See Burns, S. J.
Chia, Q. S. See Rego, C. A.
Chia, Tai-Pau; West, Jon K.; Hench, Larry L.
Molecular orbital model of gel-silica ir spectra.—74-10846A
Chianelli, Russell R. See Kelty, Stephen P.
Chiang, C. K. See Hill, Michael D.
Chiang, C. M. See Prybyla, J. A.
Chiang, Joseph F.; Chen, Pin-Zhen; Xu, You-Wu
Process for producing ceramic glass composition.—74-02693P
Chiang, Yet-Ming See Terwilliger, Chrysanthe D.; Yamada, Atsushi
Chick, L. A. See Armstrong, Timothy R.; Stevenson, Jeffry W.
Chick, L. A.; Armstrong, Timothy R.; Bates, J. L.; Coffey, G. W.; Kingsley, J. J.; Maupin, G. D.
Advanced ceramic materials and electrochemical processes at interfaces.—74-00452A
Chick, L. A.; Maupin, G. D.; Pederson, L. R.
Glycine-nitrate synthesis of a ceramic-metal composite.—74-05626A
Chicot, D. See Deffontaines-Fourez, M.
Chida, Yukio See Nishimura, Tetsuhiko
Chien, Fen-Ren; Clifton, Rodney J.; Nutt, Steven R.
Stress-induced phase transformation in single-crystal titanium carbide.—74-07118A
Chieu, T. C. See Shih, K. K.
Chigusa, Yoshiki See Onishi, Masashi
Chikarmane, Vinay; Kim, Ji-Young; Sudhama, C.; Lee, Jack C.; Tasch, A. F.; Novak, S.
Annealing of lead zirconate titanate (65/35) thin films for ultra-large-scale integration storage dielectric applications: phase transformation and electrical characteristics.—74-02821A
Chikarmane, Viray See Sudhama, C.
Chikhrii, S. I.; Babizhetskii, V. S.; Orishchin, S. V.
$Sm_{20}Ni_{41}P_{30}$ and $Tb_{15}Ni_{28}P_{21}$—new members of the homologous series of hexagonal double-network structures.—74-07747A
Chiku, Kiyoshi See Ueda, Sadao
Chikyow, T. See Tye, L.
Chilakamarri, Prasad; Meyyappan, Ilango; Naseem, H. A.
Au/Ti and Au/Ni-Cr metallization of CVD diamond substrates for multichip module applications.—74-08827A
Childs, M. A. See Menningen, K. L.
Childs, T. H. C.; Jones, D. A.; Mahmood, S.; Zhang, B.; Kato, K.; Umehara, N.
Magnetic fluid grinding machines.—74-03708A
Chilla, J. L. A. See Prasad, M.
Chin, G. M. See Jeon, D. Y.
Chin, M. A. See Hong, M.; O'Shea, J. J.
Chin, R.-P. See Seki, H.
Chin, T. P. See Fu, S.-L.
Chin, Tsung-Shune; Hsu, Sung-Lin; Deng, Ming-Cheng
Method for preparing barium-ferrite-coated γ-Fe_2O_3 magnetic power.—74-03411P
Chin, V. W. L. See Li, X.
Chindaudom, Pong See Trolier-McKinstry, Susan
Chino, Chantal See Quinson, Jean-Francois
Chintaiah, Purimetla See Bhattacharya, A. K.
Chiou, Bi-Shiou See Wu, Wen-Fa
Chiou, Bi-Shiou; Lin, Ming-Chieh
Electrical properties of amorphous barium titanate films prepared by low power rf sputtering.—74-05933A
Chiou, Wen-Liang
Composition of a ceramic mold and its structure.—74-09817P
Chirkina, L. A. See Okovit, V. S.
Chirkova, G. D.; Bondareva, N. V.; Zolotovitskaya, E. S.
Atomic adsorption determination of fluorides by using selective dissolution of lead zirconate titanate.—74-01041A
Chirovsky, Leo M. F. See Woodward, Ted K.
Chishko, K. A. See Antsygina, T. N.
Chisholm, M. F. See McGibbon, M. M.
Chistyakov, A. M. See Kolesnik, S. V.
Chistyakova, E. L. See Trushin, V. N.
Chistyi, A. F. See Kabanova, M. I.
Chitica, N. See Barborica, A.; Mihailescu, I. N.
Chiu, C. M. See Wu, M. C.
Chiu, Chien C.; Desu, Seshu B.; Chen, Gang
Growth of epitaxial ß-SiC films on porous Si(100) substrates from MTS in a hot-wall LPCVD reactor.—74-06128A
Chiu, Chien C.; Desu, Seshu B.; Chen, Zhi J.
Local equilibrium phase diagrams for SiC deposition in a hot-wall LPCVD reactor.—74-07087A
Chiu, Chin-Chen; Case, Eldon D.; Chiu, Ching Chen S.
Surface oxidation and its effect on the observed elastic modulus of SiC whisker/Al_2O_3 composites.—74-01586A
Chiu, Ching Chen S. See Chiu, Chin-Chen
Chiu, H. T.; Huang, C. C.
Low-pressure chemical vapor deposition of titanium and zirconium carbonitride thin films from $M(NEt_2)_4$ (M=Ti and Zr).—74-01782A
Chiu, L. A.; Seraphin, A. A.; Kolenbrander, K. D.
Gas phase synthesis and processing of silicon nanocrystallites—characterization by photoluminescence emission spectroscopy.—74-04655A
Chiu, Y. P.; Folkerts, J.
Rotating beam fatigue test of two HPSN [hot-pressed Si_3N_4] ceramics.—74-11082A
Chiz, Al
Problems and concerns of a refractory contractor.—74-08627A
Chludzinski, J. W. See Turner, G. W.
Chmelar, Josef; Ulrich, Jiri; Nemec, Lubomir
Expert system of bubble sources in the glassmelting furnace.—74-09659A
Chmelik, F. See Languillaume, J.
Chmielewski, David H.; Sandhage, Kenneth H.
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ thick films at elevated oxygen pressures and temperatures.—74-09338A
Cho, A. Y. See Baillargeon, J. N.
Cho, Chong-Du; Kweon, Yeong-Sik
Influence of frictional heating on interfacial shear and residual stresses in fiber-reinforced ceramic matrix composites.—74-11026A
Cho, H. A. See Tylor, A.
Cho, Hong-Yeon See Kim, Byong-Ho
Cho, K. See Bar-On, I.; Noh, H. P.
Cho, K.; Katz, R. N.; Bar-On, I.
Strength and fracture toughness of hot-pressed SiC materials.—74-11095A
Cho, Kyeong-Ho; Nam, Hyo-Duk; Lee, Hee-Young
Complex impedance analysis of Nb-doped baruium titanate ceramics.—74-08732A
Cho, K.-S. See Park, H.-S.
Cho, Kyeong-Sik See Park, Jeong-Hyun
Cho, Nam-Woong; Yoo, Kwang-Soo; Jung, Hyung-Jin
Structural characterization of incommensurate misfit layer compound $(LaS)_xVS_2$ (x=1.18).—74-10887A
Cho, Pak S.; Ho, P.-T.; Goldhar, Julius
Photoconductivity in ZnSe under high electric fields.—74-06255A
Cho, S. J. See Yoon, K.-J.
Cho, Sang-Hee See Kim, Hee-Do; Lee, Joon-Hyung; Lim, Jin-Ho
Cho, Seo-Yong; Lee, Jong-Heun; Kim, Myung-Chul
Preparation of spherical (Zr, Sn)TiO_4 powders by ultrasonic spray pyrolysis.—74-10570A
Cho, Seong-Jai See Lee, Dong-Han; Oh, Kyung-Sik
Cho, Seong-Jai; Um, Chang-Do; Kim, Seock-Sam
Wear and wear transition mechanism in silicon carbide during sliding.—74-05398A
Cho, Sung-Baek; Nakanishi, Kazuki; Kokubo, Tadashi; Soga, Naohiro; Ohtsuki, Chikara; Nakamura, Takashi
Dependence of apatite formation on silica gel on its structure: effect of heat treatment.—74-07246A
Cho, Sung-R. See Jang, Hyun-M.
Cho, W. D. See Sohn, H. Y.
Cho, Woo-Seok; Yashima, Masatomo; Kakihana, Masato; Kudo, Akihiko; Sakata, Tadayoshi; Yoshimura, Masahiro
Room-temperature preparation of highly crystallized luminescent $SrWO_4$ films by an electrochemical method.—74-10613A
Cho, Y. R. See Muller, D.
Chocholousek, Jozef
Zircon cords in the glass Simax.—74-09729A
Choda, Takahiro See Nishimura, Tetsuhiko
Choi, Byung-Hyun; Kim, Soon-Hwan
Hydrothermal reaction characteristics on the ALC of pitchstone-lime system: II, Effect of the various gelling and curing conditions.—74-08047A
Choi, Dong-Gu; Choi, Si-Kyung
Sintering behavior, dielectric and pyroelectric properties of (Pb, La)TiO_3 ceramics.—74-09176A
Choi, Doo-Jin See Ahn, Sang-Wook; Woo, Hyun-Jung
Choi, Du-Sun; Shin, Yong-Deok
Effects of MnO_2 additives on the characteristics of infrared radiator of cordierite system.—74-10312A
Choi, Duck-Kyun See Ahn, Jae-Min
Choi, H. K. See Turner, G. W.
Choi, H. S.; Ahn, J. S.; Jo, William
Properties of iron oxide films grown by pulsed laser deposition.—74-10142A
Choi, Hoon-Jin; Kim, Young-Wook; Lee, June-Gunn
Effect of sintering additives on the oxidation behavior of hot-pressed silicon nitride.—74-10909A
Choi, Hyun-Jeong See Park, Jeong-Hyun
Choi, In-Hwan; Yu, Peter Y.
Pressure dependence of Raman scattering in $AgGaSe_2$.—74-03179A
Choi, Jin-Sam See Horita, Teruhisa
Choi, Juho See Yeom, Han-Cheol
Choi, K. H. See Kim, J. C.
Choi, K. Y. See Droopad, Ravi; Kuo, C. H.
Choi, Ki-Sik; Kim, Young-Jung; Kim, Hwan
Surface strengthening of 3Y-TZP ceramics by boehmite sol infiltration.—74-10663A
Choi, Kyun-Moon; Shea, Kenneth J.
Preparation and characterization of ultrasmall-sized metal and semiconductor particles in sol-gel materials.—74-10546A
Choi, Q. W. See Choy, J. H.
Choi, S. H. See Lee, J. Y.
Choi, Sang-Wook See Moon, Byung-Hoon; Whang, Chin-Myung
Choi, Sang-Wook; Jo, Dong-Soo; Kim, Sae-Yong
Synthesis of TiB_2-Al_2O_3 composite by self-propagating high-temperature synthesis (SHS) and its pressureless sintering.—74-10685A
Choi, Sang-Wook; Jung, Hong-Sik; Whang, Chin-Myung
Hydrolysis of aluminum nitride powder.—74-03819A
Choi, Se-Young See Lee, Young-Keun
Choi, Seung K. See Goldstein, Joseph L.
Choi, Si-Kyung See Choi, Dong-Gu; Kweon, Soon-Yong
Choi, Sung-R. See Tikare, Veena
Choi, Sung-R.; Nemeth, Noel N.; Salem, Jonathan A.; Powers, Lynn M.; Gyekenyesi, John P.
High-temperature slow crack growth of Si_3N_4 specimens subjected to uniaxial and biaxial dynamic fatigue loading conditions.—74-11021A
Choi, Sung-R.; Salem, Jonathan A.
Creep behavior of silicon nitride evaluated by deformation curvature and neutral axis shift determinations.—74-02114A; Effect of preloading on fatigue strength in dynamic fatigue testing of ceramic materials at elevated temperatures.—74-10972A
Choi, Woo-Young See Martin, Scot T.; Wong, Vincent
Choi, Woo-Young; Fonstad, Clifton G.
Growth optimization of molecular beam epitaxy grown InAlAs on InP.—74-04676A
Choi, Yoon; Rhee, Shi-Woo
Reaction of TiO_2-Al-C in the combustion synthesis of TiC-Al_2O_3 composite.—74-04202A
Choi, Young-Min See Park, Hee-Dong
Chokshi, Atul H. See Owen, David M.
Cholakova, T. See Milanova, M.
Chollet, F. See Vatel, O.
Choo, R. T. C. See Yoshiki-Gravelsins, K. S.
Chopin, Thierry See Blanchard, Gilbert; Bouruetaubertot, Alain
Choquette, Kent D. See Hong, M.
Choquette, Kent D.; Hong, M.; Freund, R. S.
Hydrogen plasma processing of GaAs and AlGaAs.—74-00634A
Choquette, Kent D.; Hong, M.; Mannaerts, J. P.; Siconolfi, D. J.; Frankenthal, R. P.; Baiocchi, F.
In situ deposition of Au on plasma-prepared GaAs substrates.—74-06147A
Choquette, Kent D.; Wetzel, Robert C.; Freund, R. S.; Kopf, R. F.
Electron cyclotron resonance plasma etching using downstream magnetic confinement.—74-06078A
Chorlet, S.
Utilization of manganese dioxide for the treatment of organic materials in ceramic pieces.—74-07547A
Chosa, M. See Isozaki, T.; Saito, Y.
Chou, H. C.; Bhat, A. K.; Kamra, S.; Rohatgi, A.
Investigation of photocurrent loss due to reflectance and absorption in CdTe/Cds heterojunction solar cells.—74-03074A
Chou, H. C.; Rohatgi, A.
Impact of MOCVD growth ambient on carrier transport, defects, and performance of CdTe/CdS heterojunction solar cells.—74-01946A
Chou, Hon-Lian; Huang, Jow-Lay
Microstructure and chemical reaction in an Si_3N_4-TiC composite.—74-07690A
Chou, K. C. See Yuan, S.
Chou, Kan-Sen See Lee, Yu-Hua
Chou, P. C.; Zhong, Q.; Li, Q. L.
Optimization of J_c for photoassisted MOCVD-prepared YBCO thin films by robust design.—74-06601A
Chou, R. G. See Loewenthal, S. H.
Chou, S. T.; Cheng, K. Y.
Modulated arsenic molecular beam epitaxial growth of $In_{0.48}Al_{0.52}As$.—74-03114A
Chou, T. C.; Nieh, T. G.
Testing of the high-temperature intermetallic $MoSi_2$.—74-07831A
Chou, Tsu-Wei See Kuo, Wen-Shyong; Nakano, Kikuo
Choudhary, K. M.; Seshadri, P.; Black, M. A.
Growth morphologies of (001)-, (100)-, and (010)-oriented $Er_5Ba_7Cu_{12}O_y$ high-temperature superconductor thin films on various substrates.—74-03473A
Choudhary, R. N. P. See Sharma, S.; Yadav, K. L.
Choughule, D. D. See Ogale, S. B.
Chour, Kueir-Weei; Wang, Guang-De; Xu, Ren
Vapor deposition of lithium tantalate with volatile double alkoxide precursors.—74-07550A
Choury, A. G.; Shirodkar, V. S.; D'Souza, C. P.
Superconducting transport properties of $YBa_2Cu_3O_{7-\delta}$ films grown by hollow cathode magnetron sputtering.—74-00854A
Chovelon, J. M. See Rocher, V.
Chow, D. H. See Youngdale, E. R.
Chow, D. H.; Schulman, J. N.
Current-controlled negative differential resistance in $InAs/As_xGa_{1-x}Sb$ tunnel structures.—74-02955A
Chow, G.; Markovitz, M. A.; Singh, A.
Synthesizing submicrometer and nanoscale particles via self-assembled molecular membranes.—74-01914A
Chow, L. A. See Bobel, F. G.
Chow, Laurence C.; Takagik, Shozo; Ishikawa, Kunio
Formation of hydroxyapatite in cement systems.—74-08031A
Chow, P. P. See Van Hove, J. M.

Chow, R. See Tench, R. J.
Chow, Theresa H. See Tung, Ming S.
Chow, Y. L. See Safavi-Naeimi, S.
Chowdhury, K. Das See Braue, Wolfgang
Chowdhury, K. Das; Carpenter, Ray W.; Braue, Wolfgang; Liu, J.; Ma, H.
Chemical and structural widths of interfaces and grain boundaries in silicon nitride–silicon carbide whisker composites.—74-10779A
Chowdhury, Rina See Jagannadham, K.; Raghunathan, Rohini
Chowdry, U. See Subramanian, M. A.
Choy, J. H.; Kang, S. G.; Choi, Q. W.
Thermodynamic studies on $YBa_2Cu_3O_{7-\delta}$ and Y_2BaCuO_5 by solution calorimetry.—74-03608A
Choy, Jin-Ho; Han, Yang-Su; Sohn, Jeong-Ho; Itoh, Mitsuru
Microwave characteristics of $BaO\text{-}TiO_2$ ceramics prepared via a citrate route.—74-02850A
Choy, Jin-Ho; Han, Yang-Su; Song, S. W.
Preparation and magnetic properties of ultrafine $SrFe_{12}O_{19}$ particles derived from a metal citrate complex.—74-07422A
Choy, Jin-Ho; Yoo, J. S.; Han, Yang-Su
Citrate sol-gel method for the preparation of β/β″-alumina.—74-01635A
Choyke, W. J. See Lucas, S. R.
Chraska, P. See Dubsky, J.
Chrisey, Douglas B. See Treece, Randolph E.
Christen, David K. See Kunchur, Milind N.
Christen, Gert See Ai, Jiu
Christen, J. See Grundmann, M.; Krost, A.; Su, L. C.
Christensen, F. E.; Abdali, S.; Frederiksen, P. K.; Hornstrup, A.; Rasmussen, I.; Westergaard, N. J.
Applications of nanometer-scale structures for current and future X-ray space research.—74-06739A
Christensen, K. N. See Liu, J.
Christensen, T. See Hsia, L. C.
Christenson, T. A. See Schwartz, Robert W.
Christiano, R.; Esposito, E.; Frunzio, L.
Interaction of α-particles with superconductive $Nb/AlO_x/Nb$ structures in a single junction and array configurations.—74-03497A
Christman, T. See Tong, W.
Christodoulou, Julie A. See Sutherland, Audrey E.
Christophe, Huclin See Fabris, Rino
Christou, A. See Peiro, F.
Christy, Ron
Velvet glove, iron fist.—74-04025A
Chronister, Eric L. See L'esperance, Drew
Chrostrowski, J. See Barnard, C.
Chrysanthou, A. See Saidi, A.
Chu, C.-H.; Hon, Min-Hsiung
Growth of diamond using halogenated methane.—74-01748A
Chu, Fan; Daglish, M.; Setter, Nava
Reversibility of ordering effects in $Pb(Sc_{1/2}Ta_{1/2})O_3$ ceramics.—74-04411A
Chu, Fan; Damjanovic, Dragan; Steiner, Olivier; Setter, Nava
Piezoelectricity and phase transitions of the mixed-layer bismuth titanate niobate $Bi_7Ti_4NbO_{21}$.—74-09165A
Chu, Fan; Reaney, Ian M.; Setter, Nava
Role of defects in the ferroelectric relaxor lead scandium tantalate.—74-06433A
Chu, George See Wallace, Donald G.
Chu, L.; Tejedor-Tejedor, M. I.; Anderson, M. A.
Microporous silica gels from alkylsilicate-water two-phase hydrolysis.—74-10457A
Chu, L.; Yaluris, G.; Anderson, M. A.
Microporous aluminosilicate gels synthesized by sol-gel method.—74-10456A
Chu, Mike S. H.; Corah, Susan E.
High temperature fired X7R dielectric ceramic composition submicron particle sized barium titanate.—74-02882P
Chu, Mike S. H.; Rae, Alan
Manufacturing dielectric powders.—74-05949A
Chu, Peir-Yung See Buchanan, Relva C.
Chu, S. N. G. See Cotta, M. A.; Grober, L. H.; Hou, H. Q.
Chu, Sheng-Yuan See Uchino, Kenji
Chu, W. Y. See Zhang, Yue
Chu, X. See Liu, N.
Chu, Y.-C.; Lavrentyev, Anton I.; Rokhlin, Stanislav I.; Baaklini, George Y.; Bhatt, Ramakrishna T.
Ultrasonic evaluation of initiation and development of oxidation damage in ceramic matrix composites.—74-06829A
Chu, Y.-C.; Lavrentyev, Anton I.; Rokhlin, Stanislav I.
Ultrasonic evaluation of time/temperature effect of oxidation damage in ceramic matrix composites.—74-09628A
Chu, Y.-C.; Rokhlin, Stanislav I.; Baaklini, George Y.
Ultrasonic assessment of interfacial oxidation damage in ceramic matrix composites.—74-11124A
Chua, Lye-Hing; Jackman, Richard B.; Foord, John S.; Chalker, P. R.; Johnston, Colin; Romani, Simon
Interaction of hydrogen with chemical vapor deposition diamond surfaces—a thermal desorption study.—74-07811A
Chua, Lye-Hing; Jackman, Richard B.; Kingsley, Christopher J.; Foord, John S.
Comparative study of the adsorption of hot-filament-activated hydrocarbons on silicon, gallium arsenide, and CVD diamond.—74-02941A
Chuang, T.-J. See Seki, H.
Chubarenko, V. A. See Gubkin, M. K.
Chubunova, E. V.; Khabelashvili, I. D.; Lebedinskii, Yu. Yu.; Nevolin, V. N.; Zenkevich, A.
Direct observation of silicide growth at Fe-Si interface during pulsed laser deposition.—74-04558A
Chudinov, S. M. See Bozhko, A. D.
Chudnovskaya, O. N. See Pishch, I. V.
Chudzicki, P.; Schomburg, Joachim
North German clay mineral materials—basis for the manufacture of modern structural ceramic products.—74-06918A
Chugunov, O. K. See Platonov, P. A.
Chugunova, S. I. See Kas'yanenko, A. A.; Kovtum, V. I.
Chui, H. C. See Solomon, G. S.
Chui, H. C.; Harris, James S., Jr.
Growth studies on $In_{0.5}Ga_{0.5}As/AlGaAs$ quantum wells grown on GaAs with a linearly graded InGaAs buffer.—74-03039A
Chujo, Yoshiki
Porous silica with controlled pore diameter in angstrom level.—74-10539A
Chujo, Yoshiteru See Masuda, Masahiro
Chukichev, M. V. See Vardanyan, E. R.; Vavilov, V. S.
Chukichev, M. V.; Jakovlev, G. D.; Vavilov, V. S.
Cathodoluminescence spectroscopy of diamond films and ceramics.—74-04259A
Chumakov, A. A. See Popov, O. A.
Chumbley, L. Scott See Han, Yong; Voiles, E. Todd
Chun, B. S. See Kang, B. S.
Chun, S.-J. See Baik, Dong-Soo
Chun, Seong-Yong See Kim, Jong-Ok
Chung, C. K.; Hwang, J.
High-temperature stability of heteroepitaxial Ir silicide/SiGe layers codeposited on Si(100) under ultrahigh vacuum.—74-01521A
Chung, Chia-Chi See Wu, Tai-Bor
Chung, D. D. L. See Chen, Pu-Wei; Lai, Shy-Wen; Li, Lin; Zhu, M.
Chung, Gil-Yong See Park, Jung-Woo
Chung, Henry W.
Stacked capacitor with a thin film ceramic oxide layer.—74-02899P
Chung, Jung-Hee See Park, Dong-Soo
Chung, Ki-Ho
Preparation and characterization of ZBLAN group glasses.—74-08449A
Chung, Min-Chul; Chung, Yun-Joong
Mechanical properties of cement mortar with polymers.—74-08070A
Chung, Min-Chul; Nam, Ki-Woong; Chung, Yun-Joong
Material resistance against segregation of cement mortar in water.—74-08068A; Mechanical properties of cement mortar with fibers.—74-08069A
Chung, Min-Chul; Nam, Ki-Woong
Effect of microstructure on the properties of high-strength grouts.—74-08018A
Chung, Su-Jin See Park, Bong-Mo
Chung, Y. See Wong, Vincent
Chung, Yip-Wah See Li, Dong
Chung, Yun-Joong See Chung, Min-Chul; Han, In-Sub
Chuprunov, E. V. See Zholudev, A. A.
Churchill, A. C. See Brown, K. M.; Simmons, M. Y.
Churchill, Russell J.; Varshney, Usha; Groger, Howard P.; Glass, James M.
Laser brazing for ceramic-to-metal joining.—74-08306P
Chushko, Victor M. See Borovik, Valeri G.
Chuvaev, A. V. See Nefedov, V. I.
Chyan, Oliver M. R.; Frank, Douglas G.; Hubbard, Arthur T.; Li, J. P.; Steckl, A. J.
Measurement of complete Auger electron emission angular distributions from beta-SiC films on Si(100).—74-02014A
Chye, Liam Kok See Roy, Salil K.
Chyi, Jen-Inn See Chan, Yi-Jen
Chyung, Kenneth See Beall, George H.
Chyuvaskov, Yu. N. See Dzhigiris, P. D.
Ciacchi, F. T. See Hughes, Anthony E.
Ciach, R.; Faryna, M.; Kuzma, M.; Pociask, M.; Sheregii, E.
Segregation of impurities and defects in $Hg_{0.8}Cd_{0.2}Te$ by laser annealing.—74-05048A
Cibert, J. See Legras, R.
Cicala, G. See Bruno, G.
Cicero, Connie A. See Bennert, David M.; Resce, James L.
Cienski, T.; Doyle, Donald M.
Energy conservation in the comminution of industrial minerals.—74-00922A
Cifre, J. See Polo, M. C.
Cifre, J.; Campmany, J.; Bertran, E.
Spectroscopic ellipsometry measurements of the diamond-crystalline Si interface in chemically vapor deposited polycrystalline diamond films.—74-10030A
Cifre, J.; Puigdollers, J.; Polo, M. C.; Esteve, J.
Trimethylboron doping of CVD diamond thin films.—74-04972A
Cillessen, J. F. M. See De Veirman, A. E. M.
Cima, Michael J. See Faing, Man; Giritlioglu, Bugra; Hirakata, Keigo; Yoo, J.
Cimberle, M. R. See El-Sayed, Adly H.
Cinelli, M. J. See Thomas, L.
Cinibulk, Michael K.
Microstructure and mechanical behavior of an hibonite interphase in alumina-based composites.—74-10121A
Cinteza, Otilia See Mandru, Ilie
Cioroianu, Traian See Blejouiu, Serban Ion
Cios, Krzysztof J.; Baaklini, George Y.; Vary, Alex
Using fuzzy sets in the prediction of flexural strength and density of silicon nitride ceramics.—74-04460A
Cirjakovic, R.; Milonjic, S.; Kostic-Gvozdenovic, Ljiljana
Sol-gel method in the synthesis of cordierite.—74-04901A
Cirlin, Eun-Hee; Vajo, John J.; Hasenberg, T. C.
Limiting factors for secondary ion mass spectrometry profiling.—74-01076A
Civale, L. See Krusin-Elbaum, L.
Civiel, G. See Bonin, J.
Claar, Terry D. See Ravi, Vilupanur A.; Wang, James C.
Claar, Terry D.; Schiroky, Gerhard H.; Pochopien, Kevin P.; Ravi, Vilupanur A.; Wang, James C.; Dwivedi, Ratnesh K.
Additives for property modification in ceramic composite bodies.—74-09516P
Claar, Terry D.; Schiroky, Gerhard H.; Ripa, Donald P.; Johnson, William B.
Method of producing ceramic composite bodies.—74-02422P
Claeson, T. See Boikov, Yu. A.
Clare, Alexis G. See Fischman, Gary; Mattos, L., Jr.
Clarence, I. R. See Ayres, J. R.
Claridge, John
Drawing a fine line through tiny defects.—74-09561A; Quality and quantity—striking a balance for float glass.—74-06805A
Clarisse, L. See Baddi, R.
Clark, A. E. See Hathaway, K. B.
Clark, Anthony R. See Calvin, Rick
Clark, Arthur E. See Pereira, Marivalda M.
Clark, C. See Beck, S. E.
Clark, D. E. See Di Fiore, R. R.
Clark, D. E.; Folz, D. C.; Schulz, R. L.
Recent developments in the microwave processing of ceramics.—74-00985A
Clark, D. E.
Environmental stability of materials: issues and opportunities.—74-02076A
Clark, J. P. See Mangin, C. G. E.
Clark, K. B. See Mitchell, D. F.
Clark, M. G.
Current status and future prospects of poly-Si devices.—74-02953A
Clark, S. A.; Dunscombe, C. J.; Woolf, D. A.; Wilks, S. P.; Williams, R. H.
Arsenic capping and decapping of $In_xAl_{1-x}As(100)$ grown by molecular beam epitaxy.—74-02916A
Clark, S. M. See Akhtar, Z. N.; Han, J.
Clark, T. J.; Banash, M. A.; Cruse, R. W.; Mininni, R. M.; Rohman, S. J.
Model for chemical vapor deposition of nanostructured ceramics inside tubes under high-temperature laminar flow conditions.—74-07386A
Clarke, David R. See He, Jun; Sergo, Valter; Srikant, V.
Clarke, Ian C. See Amino, Hirokazu
Clarke, John See Wellstood, F. C.
Clarke, Peter J.
Effect of anode bias on the index of refraction of Al_2O_3 thin films deposited by dc S-gun magnetron reactive sputtering.—74-01226A
Clary, D. C. See Law, V. J.
Clarysse, T. See Snauwaert, J.; Vandervorst, W.
Claus, Michel See Merigaud, Bernard
Clausen, John; Fish, Russ
Successfully drying sanitary ware.—74-05912A; Successfully drying sanitary ware: important considerations.—74-08704A
Clausing, R. E. See Tschersich, K. G.
Clauson, S. L. See Klein, J. D.
Claussen, N.; Knechtel, M.; Prielipp, H.; Rodel, Jurgen
Ceramic-metal composites with interpenetrating networks.—74-08138A
Claussen, Nils See Garcia, Daniel E.; Holz, Dietmar; Kaplan, Wayne D.; Meschke, Frank
Clavaguera-Mora, M. T. See Rodriguez-Viejo, J.
Clavenna, LeRoy R. See Davis, Stephen M.
Clavenna, LeRoy R.; Davis, Stephen M.; Fiato, Rocco A.; Say, Geoffrey R.
Particulate solids for catalyst supports and heat transfer materials.—74-09946P; Structurally modified alumina supports, and heat transfer solids for high temperature fluidized bed reactions.—74-09841P
Clearfield, Abraham See Poojary, Damodara M.
Cleaveland, Peter
What's hot in temperature measurement and control.?—74-06833A
Cleaver, J. R. A. See Hussain, T.
Cledwyn-Davies, D. N.
Float in glass architecture.—74-02625A
Cleemann, J. O.
Comprehensive comminution theory.—74-09442A
Clegg, William J. See Warwick, C. Marcus
Clegg, William J.
Fabrication and failure of laminar ceramic composites.—74-10990A
Clement, J. B. See Vrel, D.
Clement, M. See Lopez-Rubio, J. A.
Clement, T. S.; Toth, C.; Wu, J.
Reasonable practical XUV laser for applications.—74-09021A
Clements, N. See Golecki, I.
Clements, S. See Mannion, M.
Cleveland, T. C. See Simpson, J. C.
Clifford, J. R. See Turman, B. N.
Clifton, Rodney J. See Chien, Fen-Ren; Raiser, G.
Climent, F.; Capellades, R.
Anodic oxidation of titanium at low voltages.—74-05920A
Clinard, Frank W., Jr. See Yano, Toyohiko
Cloots, R. See Sergeenkov, S.
Cloots, R.; Stassen, S.; Ruimont, A.
Microstructural and electrical investigations before and after crystallization in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10-y}$ glass system.—74-03522A
Close, J. A.; Stevens, R.
Nonlinear piezoelectric metrology—coefficients and fatigue under impact.—74-09159A
Clugston, D. A.; Collins, R. E.
Pump down of evacuated glazing.—74-00981A
Clyne, T. W. See Chandra, L.; Gill, S. C.; Howard, S. J.; Ramm, D. A. J.; Tsui, Y. C.
Coate, Jack See El-Sherif, Mahmoud A.
Coban, Fazli See Ece, Omer Isik
Coburn, J. W.
Chlorine-enhanced F-atom etching of silicon.—74-04515A; Ion-assisted etching of Si with Cl_2: the effect of flux ratio.—74-07360A
Cochrane, R. F. See Oakley, R.
Cocivera, Michael See Weng, Shi-Xing

Cock, Alex M.; Everitt, Nicole M.; May, P. W.; Rego, C. A.; Ashfold, M. N. R.; Rosser, K. N.
Comparison of two models of thin diamond film microhardness data to predict the hardness of CVD diamond.—74-04264A
Cocke, David L. See Mollah, M. Yousuf A.
Cockerill, T. M.; Forbes, D. V.; Han, H.; Turkot, B. A.; Dantzig, J. A.; Robertson, I. M.
Wavelength tuning in strained layer InGaAs-GaAs-Al GaAs quantum well lasers by selective-area MOCVD.—74-04981A
Cocks, A. C. F. See Du, Z.-Z.
Coddet, C. See Montavon, G.
Cody, Jeffrey G.; Mathine, David L.; Droopad, Ravi; Maracas, G. N.; Rajesh, Ramamurti; Carpenter, Ray W.
Application of the digital alloy composition grading technique to strained InGaAs/GaAs/AlGaAs diode laser active regions.—74-02914A
Coenen,, Matthias See Schmeller,, Lothar
Coey, J. M. D. See Wiesendanger, R.
Cofer, Cameron G. See Kim, Dong-Pyo
Cofer, Cameron G.; Kim, Dong-Pyo; Economy, James
Formation of an ordered boron nitride matrix for fiber-reinforced composites.—74-10361A
Cofer, Cameron G.; Saak, Aaron W.; Economy, James
Carbon/boron nitride composites: an alternative to carbon/carbon.—74-09852A
Coffey, D. W. See Tiegs, Terry N.
Coffey, G. W. See Chick, L. A.
Cohen, Brian
Comparative studies: lead-free systems.—74-00010A
Cohen, D. See Bair, J. E.
Cohen, E. See Ashkinazde, B. M.
Cohen, Menashi D. See Lobo, Colin; Winslow, Douglas N.
Cohen, Menashi D.; Goldman, Ariel; Chen, Wai-Fah
Role of silica fume in mortar: transition zone versus bulk paste modification.—74-02351A
Cohen, R. M. See Ma, K. Y.
Cohen, S. See Grill, A.
Cohen, Yachim See Regev, Oren
Cohen, Yoel; Riess, Ilan
Nitrides of intermetallic compounds prepared from mixtures of oxides using sintering and reactive gas treatment in a single step.—74-04777A
Coker, Eric N. See Hamilton, Kenneth E.
Colaci, Vicenzo
Line for brick production with reduction of energy consumption and cycle time.—74-00367A
Colaianni, M. L.; Chen, P. J.; Yates, J. T., Jr.
Unique hydride chemistry on silicon-PH_3 interaction with Si(100)-(2×1).—74-06374A
Colbow, K. M. See Malten, C.; Zhong, Q.
Coldren, L. A. See Heimbuch, M. E.; Skidmore, J. A.
Cole, M. A. See Creffield, G. K.
Cole, M. W.; Han, W. Y.; Casas, L. M.; Eckart, D. W.; Jones, K. A.
Pt/Ti/Ge/Pd ohmic contacts to GaAs: a structural, chemical, and electrical investigation.—74-03185A
Cole, M. See Akhtar, M. J.
Cole-Hamilton, David J. See Foster, Douglas F.
Coleman, J. J. See Forbes, D. V.
Coleman, Nancy A.; Landon, Thomas E.
Kaolin.—74-06908A
Coleman, R. V.; Dai, Z.; Gong, Y.; Slough, C. G.; Xue, Q.
Atomic force microscope and scanning tunneling microscope studies of superlattices and density waves in Fe-doped $NbSe_2$, $TaSe_2$, TaS_2 and in $NbSe_3$ doped with Fe, Co, Cr, and V.—74-07593A
Colin, Price See Peter, M. Budd
Colin, T. See Skauli, T.
Colla, E. L. See Steiner, O.
Collado, Enrique Rodriguez See Ramirez, Amalia Dieguez
Collazos, D. F. See Stinespring, C. D.
Colligon, J. S. See Kheyrandish, H.; Kim, J.-K.
Collin, G. See Pan, Guo-Qiang
Collino, R.; Therasse, J.; Chaput, F.
Sol-gel glasses as new waveguides for optical immunosensors.—74-08458A
Collins, A. T. See Davies, Gordon; Deneuville, A.; Freitas, J. A., Jr.; Gheeraert, E.; Khong, Y. L.
Collins, A. T.; Allers, Lars; Wort, C. J. H.; Scarsbrook, G. A.
Annealing of radiation damage in De Beers colorless CVD diamond.—74-04988A
Collins, A. T.; Woad, P. J.; Woods, G. S.; Kanda, H.
Localized vibrational modes in diamonds grown from mixed carbon isotopes.—74-01406A
Collins, B. T.; Ling, M.
Synthesis and cathodoluminescence of orange-yellow to red-emitting $Ca_{1-x}Mg_xS$:Mn phosphors.—74-01900A
Collins, D. A. See Feenstra, R. M.
Collins, D. A.; Ting, D. Z.-Y.; Wang, T. W.
Interface roughness and asymmetry in InAs/GaAs superlattices studied by STM.—74-05169A
Collins, D. A.; Wang, M. W.; Grant, R. W.; McGill, T. C.
Reflection high energy electron diffraction observation of exchange reaction dynamics on InAs surfaces.—74-04408A
Collins, D. A.; Wang, M. W.; Grant, R. W.
Reflection high energy electron diffraction observation of anion exchange reactions on InAs surfaces.—74-03198A
Collins, Daniel J. See Behal, Lalit K.
Collins, G. A. See Samandi, M.
Collins, J. See Gokoglu, Suleyman A.
Collins, R. E. See Clugston, D. A.
Collins, R. W. See Gu, Tieer; Hong, Byung-You
Collman, J. P. See Holcomb, M. J.
Colomb, C. M. See Stockman, S. A.
Colomban, Philippe; Menet, Martine; Mouchon, Emmanuelle; Courtemanche, Gilles; Parlier, Michel
Multilayer fiber-matrix ceramic composite material and process for its production.—74-01264P
Colombet, Pierre See Bonafous, Laurent
Colombet, Pierre; Grimmer, Arnd-Rudiger
Application of NMR Spectroscopy to Cement Science.—74-11197B
Colombo, L. See Molteni, C.
Colombo, P. See Della Mea, G.; Wicks, G. W.
Colombo, Paolo; Abdirashid, Mohamed O.; Guglielmi, M.
Preparation of ceramic composites by active-filler-controlled polymer pyrolysis.—74-10560A
Colomer, M. T.; Jurado, J. R.; Marques, R. M. C.
Microstructural and electrical study of ZrO_2-Y_2O_3-TiO_2 at different sintering temperatures.—74-04752A; Transport properties of titania-doped YSZ.—74-02866A
Colson, D. See Legros, C.
Colson, M. See Tirlocq, J.
Colson, S.; Klein, L. C.; Tarascon, J. M.; Guyomard, D.
Evaluation of the kinetic parameters of the sodium insertion in sodium molybdates by impedance spectroscopy.—74-00490A
Colton, Richard J. See Harrison, Judith A.
Coltrin, Michael E.; Breiland, William G.
Model studies of chemical vapor deposition.—74-01805A
Combes, Pierre; Massol, Jean-Jacques; Alvarez, Pedro C.
Colored glass compositions and glazings produced therewith.—74-02669P
Combescure, C. See Henery, F.
Comedi, D.; Fajardo, F.; Chambouleyron, I.; Tabacniks, M.
Estimation of indium-to-germanium and gallium-to-germanium sputtering yield ratios using cosputtering deposition.—74-06085A
Comello, Vic
Reactive exhaust gas treatment is catching on at fabs.—74-03728A; Semiconductor research.—74-03211A
Compagnon, Jean C.
Ceramic and metal roll assembly.—74-02408P
Comrie, C. M. See Naidoo, R.
Conde, O. See Silvestre, A. J.
Conflant, P. See Follet-Houttemane, C.
Congleton, Keith
Process improvement through oxy-fuel combustion—the full conversion of a television glass melter.—74-09707A
Conley, John F.; Lenahan, P. M.; Evans, H. L.
Roles of several E′ variants in thermal gate oxide reliability.—74-09028A
Connell, S. H. See Sideras-Haddad, E.
Conner, Jesse R.
Stabilizing hazardous waste.—74-02355A
Conrad, J. R. See Chapek, D. L.; Chen, A.; Chen, J.; Malik, Shamim M.
Conrad, K. A.; Sampson, R. K.; Massoud, H. Z.
Ellipsometric monitoring and control of the rapid thermal oxidation of silicon.—74-01061A
Conradt, Reinhard; Suwannathada, Pichanon; Pimkhaokham, Preeda
Local temperature distribution and primary melt formation in a melting batch pile.—74-08436A
Constantine, C. See Khare, Reena
Constantinescu, Daniel; Alten, T.
Fast-firing of porcelain in roller kilns—knowledge and developments.—74-00427A
Constantinescu, F.; Vasiliu, F.; Moisa, S.
Role of precursors in the sintering improvement of Bi superconductors.—74-03610A
Conte, P. See Frayssinet, P.
Conti, Richard A. See Chapple-Sokol, Jonathan D.
Conway, B. E. See Bai, L.
Conway, J. See Viswanathan, R.
Conzone, Samuel D.; Blumenthal, William R.; Varner, James R.
Fracture toughness of TiB_2 and B_4C using the single-edge precrack beam, indentation strength, chevron notched beam, and indentation strength methods.—74-07880A
Cook, Barrie
Green Island's response to demand changes in Hong Kong and China.—74-05418A
Cook, J. P. D. See Dzioba, Steven
Cook, J. W., Jr. See Bowers, K. A.; Ren, J.; Vaudo, R. P.
Cook, J. W., Jr.; Schetzina, J. F.
Efficient liquid nitrogen supply system for the cooling shroud in a molecular beam epitaxy system.—74-03686A
Cook, John K. See Harris, Robert B.
Cook, M. J.; Wu, P. K.; Patibandla, N.
Deposition and properties of AlN films prepared by low-pressure CVD with a metallorganic precursor.—74-07249A
Cook, R. L. See Schwartz, M.
Cook, Robert F. See Braun, Linda M.; Thompson, A. Mark
Cooke, G. A.; Dowsett, M. G.; Hill, C.; Pearson, P. J.; Walton, A. J.
Comparison between computer simulation and direct secondary ion mass spectrometry measurement of lateral dopant distributions.—74-01971A
Cooke, Peter M.
Chemical microscopy.—74-07940A
Cooke, R. G. See Chant, J. M.; Russell-Floyd, R. S.
Coon, J.; Shelby, J. E.
Formation and properties of sodium lanthanum silicate glasses.—74-05719A
Coon, S. R. See Ma, Z.
Cooney, Nelson J.
Status of MSDS [Material Safety Data Sheets] for brick.—74-05832A
Cooney, T. G.; Hachfeld, E. A.; Francis, L. F.
Role of microdefects in PZT thin films for microelectromechanical systems.—74-08770A
Cooper, C. B., III See Sheng, T.
Cooper, C. V.; Beetz, C. P., Jr.; Buchholtz, B. W.; Wilbur, Paul J.; Wei, Rong-Hua
Spectroscopic and selected mechanical properties of diamondlike carbon films synthesized by broad-beam ion deposition from methane.—74-04909A
Cooper, David G. See Dexter, James L.
Cooper, Elizabeth A.; Mason, Thomas O.
Mechanism of La_2CuO_4 solid-state powder reaction by quantitative XRD and impedance spectroscopy.—74-03519A
Cooper, J. B. See Noll, J. D.
Cooper, J. R. See Ishida, Kenji
Cooper, M. A. See Wort, C. J. H.
Cooper, R. F. See Meyer, D. W.
Cooper, Ronald See Caulfield, Kevin J.
Cooper, Timothy J. See Kotaska, Lawrence H.
Cooymans, J. See Luyten, J.
Copes, Jane S.
Coating for ceramic composites—74-01251P
Copetti, C. A.; Wang, F.; Schubert, J.
Epitaxy of $YBa_2Cu_3O_{7-x}$ on silicon on sapphire—possibilities and limits.—74-09267A
Copp, A. N.
Magnesia/magnesite.—74-06911A
Coppinger, J. Stephen; DeHayes, J. Louis
Installation and networking of a multiplant kiln shell scanning system.—74-03826A
Corah, Susan E. See Chu, Mike S. H.
Corat, E. J. See Glumac, N. G.
Corat, F. See Sumilov, V. B.
Coratger, R.; Ajustron, E.; Beauvillain, J.
Ballistic electron emission microscopy of the Au-Si(100) interface.—74-08828A
Corbin, D. R. See Kaushik, V. K.; Parise, John B.; Subramanian, M. A.
Corbitt, T. See Roger, C.
Corcoran, Sean F.; Soza, Dave; Kincaid, Nancy; Danielson, Don
Improvement of depth resolution in secondary ion mass spectrometry depth profiling of silicided polycontacts.—74-01999A
Cordero, N.; McCarthy, K.; Lyder, C.
Electron draft velocity model for simulation of InGaAs SFET's.—74-08889A
Cordero, T.; Thrower, P. A.; Radovic, L. R.
Oxidation resistance of carbon-carbon composites obtained by chemical vapor infiltration of different carbon cloths.—74-05313A
Cordfunke, E. H. P. See Bolech, Mark
Cordfunke, E. H. P.; Van Der Laan, R. R.; Van Miltenburg, J. C.
Thermophysical and thermochemical properties of BaO and SrO from 5 to 1000 K.—74-04963A
Cordier, Bruno See Zagdoun, Georges
Cordier, P.; Doukhan, J. C.; Fertein, E.
TEM characteristics of structural changes in glass associated in Bragg grating inscription in a germanosilicate optical fiber preform.—74-08354A
Cordoba, Gonzalo See Moreno, R.
Cordoncillo, E.; Monros, G.; Tena, M. A.
Synthesis via sol-gel of glasses, glass-ceramics, and ceramics from the ZnS-CdS-SiO_2 system.—74-05799A
Coretsopoulos, Christopher N. See Lumpp, Janet K.
Corma, Avelino See Caldararu, Horia
Corma, F.
QFD in ceramics.—74-07955A
Cormier, G.; Capobianco, J. A.
Theoretical approach to the interpretation of single-ion spectroscopy of rare-earth-doped inorganic glasses.—74-08355A
Cornelis, J. See Weyten, H.
Cornelius, Charles C.
Ceramic blade attachment system.—74-09810P
Cornell, A.; Simonsson, D.
Ruthenium dioxide as cathode material for hydrogen evolution in hydroxide and chlorate solutions.—74-01243A
Cornell, Linda See Philipp, Warren H.
Cornet, A. See Bennett, Brian R.; Peiro, F.
Coronado, C. A. See Lu, K.
Coronado, C. A.; Ho, E.; Fisher, P. A.; House, J. L.; Lu, K.; Petrich, G. S.
Gas source molecular beam epitaxy of ZnSe and ZnSe:N.—74-04656A
Corral, M. P.; Caballero, A.; Martinez, R.
Thermodynamic analysis on the preparation of ceramic nitride powders by carbothermal reduction.—74-07136A
Corrales, C. See Haro, M.
Correa, J. A. See Da Silva, M. I. N.
Corriu, Robert J. P. See Acosta, Sylvie; Arnal, Pascal
Corriu, Robert J. P.; Leclercq, Dominique; Mutin, P. H.
^{29}Si NMR and XPS investigation of the structure of silicon oxycarbide glasses derived from polysiloxane precursors.—74-08323A
Corvini, P. J. See Hashemi, M. M.
Cosandey, F. See Lu, P.
Coscia, U. See Demichelis, F.
Cosgrove, Joseph E. See Markham, James R.
Costa, A. D. S.; Traqueia, L. S. M.; Labrincha, J. A.
Processing of porous ceramic substrates.—74-04839A
Costa, F. A.; Fordham, R. J.; DeWit, J. H. W.
Contrasting mechanisms of oxidation of a silicon nitride in the temperature range 1200–1300°C.—74-07800A
Costa, F. M.; Oliveira, F. J.; Goncalves, A. P.
Phase development in superconducting fiber materials prepared by the LFZ method.—74-03552A
Costantini, A.; Branda, F.; Buri, A.
Effect of thermal and electrical properties on the addition of Ga_2O_3 to glasses of the Ag_2O-P_2O_5-AgI system.—74-05711A
Costello, Keith P.
Various ways of approaching surface finishing from an engineering viewpoint.—74-10716A
Costello, M. C.; Tossell, D. A.; Reece, D. M.; Brierley, C. J.; Savage, J. A.
Diamond protective coatings for optical components.—74-04553A
Coster, Dominique; Gruver, V.; Blumenfeld, A.
Relationships between the structure and the surface activity of nanosized alumina in acid catalysis.—74-10875A

Coster, Dominique; Levitz, Pierre; Fripiat, Jose J.
Relations between structure and texture in nanosized aluminas.—74-07187A
Coster, M. See Quenech, J. L.
Cot, L. See Cros, Bernard; Durand, Jean
Cota-Araiza, L. See Mendez, J. M.
Cotler, Tina J. See O'Neill, James A.
Cotta, M. A.; Hamm, R. A.; Chu, S. N. G.
Lateral thickness modulation of InGaAs/InP quantum wells grown by metallorganic molecular beam epitaxy.—74-03085A
Cottam, M. G.; Zhang, P. X.; Lockwood, D. J.
Magnon lineshape for light scattering from Bi-doped YIG.—74-09207A
Cotterell, Brian See Duan, Kai
Cotterell, Brian; Ong, Sze-Woo; Qin, Cai-Dong
Thermal shock and size effects in castable refractories.—74-05882A
Cottis, R. A.; Turgoose, S.
Estimation of corrosion rate from ac impedance measurements.—74-07810A
Cottrell, A. H.
Cohesion in titanium carbide.—74-04107A
Cottringer, Thomas E.; Van de Merwe, Ronald H.; Bauer, Ralph; Yarbrough, Walter A.
Abrasive material and method.—74-07976P
Coudenys, G.; Moerman, I.; Vermeire, G.; Vermaerke, F.; Van Daele, P.; Demeester, P.
Atmospheric and low pressure shadow masked MOVPE growth of InGaAs(P)/InP and (In)GaAs/(Al)GaAs heterostructures and quantum wells.—74-02917A
Couderc, J. J. See Rousset, Abel
Coudert, J. F. See Planche, M. P.
Coudray, P. See Perotin, M.
Couillard, J. G.; Craighead, Harold G.
Photolithographic patterning of porous silicon.—74-01299A
Coulombe, S.; Jiang, X. L.; Gitzhofer, F.
Particulate diagnostics in induction plasma spraying.—74-09600A
Coulon, Michel See Bou, Pierre
Coulthard, I.; Jiang, D.-T.; Lorimer, J. W.
Reductive deposition of Pd on porous silicon from aqueous solutions of $PdCl_2$: an X-ray absorption fine structure study.—74-10609A
Coupelle, P.; Destermes, J.; Baumard, J. F.
Characterization of powders for dry processing.—74-10222A
Courcot, Dominique; Gengemembre, Leon; Guelton, Michel
Effect of potassium on the surface potential of titania.—74-02976A
Courtemanche, Gilles See Colomban, Philippe
Courtois, C.; Desmaison, J.; Tawil, H.
Protection against oxidation of C/SiC composites with a multilayer CVD coating ($SiC/TiB_2/Si_3N_4$).—74-07824A
Courts, S. Scott See Swinehart, Philip R.
Coutures, Jean-Pierre See Bonafous, Laurent
Couzi, M. See Menetrier, M.
Couzis, Alexander; Gulari, Erdogan
Adsorption of sodium laurate from its aqueous solution onto an alumina surface. A dynamic study of the surface-surfactant interaction using attenuated total reflection Fourier transformation infrared spectroscopy.—74-09968A
Coverdale, R. Tate See Skamser, Daniel J.
Covino-Hrbacek, Josephine
Low-temperature synthesis of $YBa_2Cu_3O_{8-x}$ and other crystalline oxides.—74-03634P
Cowen, A. See Tsai, J. Y.
Cox, B. N.; Marshall, David B.
Concepts for bridged cracks in fatigue and fracture.—74-05327A
Cox, D. E. See Hirota, K.
Cox, D. M. See Renschler, Clifford L.
Coyle, Thomas W. See Liao, Hong-Mei
Craig, J. H., Jr. See Campbell, J. H.
Craighead, Harold G. See Couillard, J. G.; Mikolas, D.; Soh, Yeong-Ah
Cramer, K. Elliot See Heyman, Joseph S.
Cramm, S. See Malten, C.
Crampon, J. See Beclin, F.; Bernard-Granger, G.; Burger, P.; Peni, F.
Cranmer, David C. See Dexter, James L.
Cranston, J.
Plasma-spray metal coating on foam.—74-05651A
Craven, C. See Otto, A.
Crawford, Russell J.; Harding, Dan H.; Mainwaring, David E.
Adsorption and coprecipitation of multiple heavy metal ions onto the hydrated oxides of iron and chromium.—74-10055A; Adsorption and coprecipitation of single heavy metal ions onto the hydrated oxides of iron and chromium.—74-10056A
Crawmer, D. E. See Varacalle, D. J.
Crea, F. See Mostowicz, R.
Creber, David K. See White, Danny R.
Creber, David K.; Johnson, William B.; Newkirk, Marc S.
Method of making shaped ceramic composites with the use of a barrier and articles produced thereby.—74-01029P; Shaped self-supporting ceramic composite bodies comprising silicon nitrides.—74-04086P
Credle, Kenneth; Wolf, Christopher G.; McConnell, John
Ceramic substrates with highly conductive metal vias.—74-00543P
Creffield, G. K.; Chapman, I. F.; Cole, M. A.
Process gases for high-velocity oxy-fuel thermal spraying.—74-10579A
Cress, Steven B.
Method and apparatus for temperature uniformity and repeatable temperature and location specific emission control of kilns.—74-09733P
Cresswell, John V. See Lenoble, Maurice
Criado, E. See Alvarez, C.
Criado, E.; Martinez, R.
Porous high-alumina refractory materials obtained by hydrothermal processing.—74-05869A
Crikson, Per
Crushing of limestone in hammer mills.—74-03680A
Crimp, Melissa J. See Wilson, B. A.
Crimp, Melissa J.; Oppermann, Dean A.; Zhang, Ming-Li
Improvements in SiC_w/Al_2O_3 composites through colloidally stabilized suspensions.—74-10400A
Crisan, D. See Zaharescu, Maria
Crisey, D. B. See Williams, C. M.
Critchlow, Philip R.; Cave, Julian
Method for the rapid production of superconducting ceramic wires or ribbons.—74-03642P
Crobie, G. M. See Yang, S.
Crobini, G. See Demichelis, F.
Crofts, G. J. See Syed, K. S.
Croisant, W. J. See Carson, R. T.
Crooker, B. C. See Yan, Hong-Shun
Crooks, Mark E. See Airey, Anthony C.
Cros, A.; Muret, P.
Properties of noble-metal/silicon junctions.—74-07186A
Cros, Bernard See Durand, Jean
Cros, Bernard; Gat, E.; Durand, Jean; Cot, L.
Thin ceramic layers deposited by plasma-enhanced CVD.—74-10700A
Crosbie, Gary M. See Narula, Chaitanya K.
Crosbie, Gary M.; Nicholson, John M.; Deering, L. A.
Pseudo-3-D reinforcement with stretch-broken carbon fibers in a borosilicate glass matrix.—74-08389A
Crosbie, Gary M.; Predmesky, Ronald L.; Nicholson, John M.
Apparatus for silicon nitride precursor solids recovery.—74-09520P
Cross, L. Eric See Elissalde, Catherine; Harshe, G.; Roy, Rustum
Cross, T. H.; Mayo, M. J.
Ceramic–ceramic diffusion bonding using nanocrystalline interlayers.—74-01626A
Cross, Tom E. See Arai, Masayuki; Binner, J. G. P.; Davis, Pamela
Croudace, I. W. See Wang, J.
Crouse, P. L.
Effect of deposition parameters on the compressive stress in a-C:H thin films.—74-10279A
Crousier, J.-P. See Crousier, J.
Crousier, J.; Hanane, Z.; Crousier, J.-P.
Electrodeposition of NiP amorphous alloys—a multilayer structure.—74-04607A
Crowe, John T. See Ault, Neil N.
Cruse, R. W. See Clark, T. J.
Cruse, T. See Al-Assafi, S.
Crutchley, M.; Stevens, R.
Advanced beryllia ceramics.—74-10060A
Cruz, J. See DelValle, M.
Csach, K. See Diko, P.
Cserhati, A. F. See Lin, F.
Csillag, Frank J. See Bigelow, Louis K.
Cuberes, M. T.; Bauer, A.; Wen, H. J.; Prietsch, M.; Kaindl, G.
Probing the CaF_2 density of states at Au/CaF_2/*n*-Si(111) interfaces with photoelectron spectroscopy and ballistic electron emission microscopy.—74-07719A
Cuberes, M. T.; Bauer, A.; Wen, H. J.; Vandre, D.; Prietsch, M.; Kaindl, G.
Ballistic electron emission microscopy on the Au/*n*-Si(111) 7×7 interface.—74-05076A
Cubertafon, J. C. See Chenevier, M.
Cucolo, A. M. See Di Leo, R.
Cuetos, J. M.; Fernandez, E.; Rincon, A.
Plasma-sprayed coatings treated with lasers: tribological behavior of Cr_2O_3.—74-02188A
Cui, Qi-Liang See Meng, Jin-Fang
Cui, Ying-Ping
Interaction of fiber and transformation toughening.—74-07897A
Cui, Z.-L. See Zhang, Z.-K.
Cullis, A. G.; Canham, L.; Williams, G. M.
Correlation of the structural and optical properties of luminescent, highly oxidized porous silicon.—74-04271A
Cullis, A. G.; Robbins, D. J.; Barnett, S. J.; Pidduck, A. J.
Growth ripples upon strained SiGe epitaxial layers on Si and misfit dislocations interactions.—74-03038A
Cumberbatch, T. J. See Watson, I. M.
Cumbers, Donald I. See Whitman, David W.
Cumbrera, F. L. See Sanchez-Bajo, F.
Cumming, G. See Turley, D. M.
Cumpston, Charles B.
Finnish glass industry.—74-02624A
Cundiff, S. T.; Gobel, E. O.; Kocheresi, V. P.
Transient-four-wave mixing studies of GaAs microcrystallites.—74-09073A
Cundill, R. T. See Hadfield, M.
Cuniot, M. See Tonneau, D.
Cunnane, J. See Singh, Dileep
Cunningham, A. See Glesener, John W.
Cunningham, C. See Givens, J.
Cunningham, J. E.; Goossen, K. W.; Walker, J. A.; Jan, W.; Santos, M.; Miller, D. A. B.
Growth of GaAs light modulators on Si by gas source molecular beam epitaxy for 850 nm optical interconnects.—74-03036A
Cunningham, John P. See Raman, Siva N.
Cunningham, T. J. See Moise, T. S.; Seshadri, S.
Cuomo, Jerome J. See Pignolet, A.
Cuomo, Jerome J.; Yehoda, Joseph E.
Solid state ionic polishing of diamond.—74-09544P
Curran, S. See Van Weeren, R.
Current, M. I. See Stevie, F. A.
Currie, J. F. See Gagnon, G.
Curtil, L.; Habita, M. F.
Study of the alkali-aggregate reaction on concrete prisms.—74-05593A
Curtin, William A.
Toughening by crack bridging in heterogeneous ceramics.—74-05395A
Cusens, A. R. See Cabrera, J. G.
Cushing, Val
Get the lead out.—74-00931A
Cutler, Raymond A. See Chao, Luen-Yuan
Cutsev, G. L.
Structure and stability of PF_n compounds (n=1–5) and their anions within density functional method.—74-07123A
Cuvelier, Georges; Paszukiewicz, Werner
High-speed crack-off lines for domestic glassware.—74-09470A
Cvjeticanin, Nikola D.; Petranovic, Nadezda A.
Study on the kinetics and mechanism of silver-cluster formation in zeolite Ag-X by diffuse reflectance spectroscopy.—74-05280A
Cyris, M.
Frequency inverters for hot gas fans save energy.—74-02327A
Cyrot-Lackmann, Francoise See Sandre, Eric
Cytermann, C.; Brener, R.; Kalish, R.
Search for diffusion of Li implants in natural and polycrystalline CVD diamond.—74-04880A
Cywar, Douglas; Hess, Don H.; Lalonde, Christian
Process for manufacturing metallized ceramic substrates.—74-02897P
Czajka, R.; Kasuya, A.; Horiguchi, N.; Nishina, Y.
Manipulation of rectangular arrangment of Se ring-type molecules on graphite (highly oriented pyrolytic graphite) surfaces.—74-07678A
Czarnetski, U.; Miyazaki, K.; Kajiwara, T.; Muraoka, K.; Okada, T.; Suzuki, A.
Two-photon laser-induced fluorescence measurements of absolute atomic hydrogen densities and powder formation in a silane discharge.—74-03883A
Czech, I. See Snauwaert, J.
Czechanski, James G. See Larriva, Rene F.
Czechowski, J.; Sobolewska, A.; Studencka, B.
Factors influencing properties of SiC spongy materials.—74-07164A
Czekaj, D. See Surowiak, Z.
Czernuszka, J. T. See Wong, A. T. C.
Czerwinski, F.; Smeltzer, W. W.
Early-state oxidation of CeO_2 sol-coated nickel.—74-02074A
Czubarow, Paul See Narula, Chaitanya K.
D'Addato, S.; Gregory, D. A. C.; Robinson, A. W.
X-ray absorption spectroscopy study of the K/GaAs(110) interface.—74-09081A
D'Agostino, Riccardo; Lamendola, Ritalba; Favia, Pietro; Giquel, Alix
Fluorinated diamondlike carbon films deposited from radio-frequency discharge in a triode reactor.—74-01992A
D'Andrea, Gennaro See Soraru, Gian Domenico
D'Angio, Carlo See Boattini, P. P.
D'Aragona, Frank S. See Lesk, Israel A.
D'Heurle, F. M. See Buaud, P. P.
D'Oliesleager, M. See Neslader, M.
D'Souza, C. P. See Choury, A. G.
D'yachenko, A. I.; Chabanenko, V. V.; Zalutsky, M. V.
Hysteresis of adsorption in YBCO textured ceramic plate.—74-03488A
D'yachenko, A. I.; Chabanov, V. V.
Nonlinear irreversible rf impedance of granular YBaCuO films.—74-03542A
D'yakonov, V. P. See Markovich, V. I.
D'yakonov, V. P.; Kozeeva, L. P.; Levchenko, G. G.; Markovich, V. I.; Pavlyuk, A. A.; Fita, I. M.
Magnetic anisotropy under structural phase transition in $DyBa_2Cu_3O_{6.5}$ single crystals.—74-03512A
D'yanchenko, O. G.; Tabachenko, V. V.; Kovba, L. M.
Possibilities of formation of double oxides of uranium and molybdenum with structure derived from β-UMo_2O_8.—74-00886A
Da Cunha, Belo M. See Simoes, A. M. P.
Da Jornada, J. A. H. See De Oliveira, L. S.
Da Rosa, F. G. See De Oliveira, A. P. N.
Da Silva, E. Z. See Salem, Sugui S.
Da Silva, M. I. N.; Correa, J. A.; Bezzrra, J. C.
Observation of the negative and positive persistent photoconductivity phenomena in Si planar-doped GaAs.—74-08975A
Daamen, F. J. See Beisel, N. F.
Dabadie, T.; Ayral, A.; Guizard, C.
Liquid crystal templating effects on silica gels synthesized using quaternary ammonium surfactants.—74-10833A
Dabbs, Daniel M. See Aksay, Ilhan A.
Dabizha, A. A.; Prokof'ev, A. V.; Akimov, G. Ya.
Role of mechanochemical activation in the evolution of the structure and properties of reaction-bonded ceramics based on mullite and zirconium dioxide.—74-03972A
Dabizha, A. A.; Storozh, V. V.; Akimov, G. Ya.
Influence of hydrostatic treatment of greenware and sintering schedules on the properties of ceramics in the tialite-mullite-corundum system.—74-04700A
Dabrowski, Bogdan; Vaughey, J. T.; Poeppelmeier, Kenneth R.
Preparation and composition of superconducting copper oxides based on Ga-O layers.—74-03655P
Dabrowski, J.; Pehlke, E.; Scheffler, M.
Relation between atomic structure and surface-stress anisotropy—calculations for the clean Si(001) surface.—74-06291A
Dabrunz, M. See Langhammer, H.-T.
Dadabhoy, Mohammad
Reinforced suspension preheater conversion in Pakistan.—74-09710A
Dadkhah, M. S. See Shaw, M. C.

Dagan, Geula See Cahen, David
Dagata, John A. See Bennett, J.; Tseng, Wen F.
Dagata, John A.; Treng, W.; Schneir, J.
Nanofabrication and characterization using a scanning tunneling microscope.—74-08960A
Daglish, M. See Butcher, Steven J.; Chu, Fan; Huang, Y.; Reaney, Ian M.
Daguzan, P. See Auderbert, P.
Dagys, R. See Belonas, G.-J.; Tornan, E.
Dagys, R.; Babonas, G. Yu.; Anisimov, F.
Nature of features of electrical properties and optical absorption edge in rare earth and *3d* transition metal compounds.—74-04371A
Dahlke, P. See Althainz, P.
Dahlman, Greg See Little, Greg
Dahlman, Greg
Kiln furniture for the sanitary ware, electrical porcelain, and electronic industries.—74-09681A
Dahms, M. See Wang, G. X.
Dahn, J. R. See Antaya, M.; Reimers, J. N.; Way, B. M.; Zhong, Q.
Dahotre, Narendra
Joining metal matrix composites using lasers improves joints.—74-00128A
Dai, Bao-Gang See Hou, Wen-Ping
Dai, Chang-Chun See Bai, Chun-Li; Gao, Fan
Dai, H. See Chatenoud, F.
Dai, Hong-Jie; Liu, Jie; Lieber, Charles M.
Surface pinning and grain boundary formation in magnetic flux line lattices of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-05055A
Dai, J. Y.; Li, D. X.; Ye, H. Q.
Characterization of TiB_2-Ti(CN)-Ni ceramics by transmission and analytical electron microscopy.—74-01969A
Dai, Jian-Hua See Lin, H.; Xie, Ping; Xiang, Wang-Hua
Dai, Kevin See Fischer, Paul B.
Dai, X. L. See Wang, T. J.
Dai, Xun-Hu See Xu, Zheng-Kui
Dai, Xun-Hu; Xu, Zheng-Kui; Viehland, Dwight
Dielectric, structural, and microstructural characteristics of tetragonal-structured PLZT relaxors.—74-09122A; Effect of oxygen octahedron rotations on the phase stability, transformational characteristics, and polarization behavior in the lead zirconate titanate crystalline solution series.—74-09124A
Dai, Yi-Sheng; Takahashi, Katsuo; Yamaguchi, Ichiro
Water corrosion behavior of fluoroaluminate glass.—74-00236A
Dai, Z. See Coleman, R. V.
Daimer, Johann See Paschke, Hartmut
Dair, B. See De Yoreo, J. J.
Daitoh, Yoshihiro See Shimura, Kenichi
Daitoh, Yoshihiro; Shimura, Kenichi; Terashima, Takahito; Bando, Yoshichika
TEM study of microstructures of ultrathin $YBa_2Cu_3O_7$ films on $SrTiO_3$(100) and MgO(100).—74-03603A
Dal Maschio, Roberto See Bartlett, Andrew H.; Della Mea, G.
Dalal, N. S. See Ravkin, B.
Dalal, Vikram L. See Moradi, Behnam
Dalba, Giuseppe See Cervinka, Ladislav
Dalby, R. J. See Baumann, J. A.
Dalgleish, Brian J. See Cao, J.; De Graef, M.; Evans, Anthony G.; Locatelli, M. R.
Dalgleish, Brian J.; Tomsia, Anthony P.; Glaeser, A. M.
Transient liquid phase bonding of silicon ceramics via microdesigned Ni-based interlayers.—74-10707A
Dalidovich, V. V.; Babkin, O. E.; Ivakhnyuk, G. K.
Membranes on the basis of oxide ultrafine powders and their porous structures.—74-01234A
Dall, F. C. See Loboda, Mark J.
Dallaire, S. See Legoux, J.-G.
Dallaire, S.; Legoux, J.-G.; Levert, H.
Abrasion-wear resistance of arc sprayed stainless steel and composite stainless steel coatings.—74-08123A
Dalta, S.; Das, G. C.
Preparation of glass-silver microcomposites by sol-gel route.—74-05785A
Daltin, A. L.; Grimblot, J.; Thierry, B.
Preparation and properties of calcined PLZT powders.—74-03723A
Daly, D. See Otto, A.
Dalzell, William J., Jr.; Wright, Robert J.; Spence, Jarrett L.
Electrophoresis process for preparation of ceramic fibers.—74-01017P; Electrophoresis process for preparation of ceramic fibers.—74-03749P
Dalziel, Rosalie
In-process quality control.—74-10408A
Damen, T. C. See Wang, Hai-Lin
Damidot, Denis; Stronach, Stuart; Kindness, Andrew
Thermodynamic investigation of the $CaO-Al_2O_3-CaCO_3-H_2O$ closed system at 25°C and the influence of Na_2O.—74-07138A
Damjanovic, Dragan See Brooks, H. S.; Chu, Fan
Damm, Oliver F. R. A.; Tank, Klaus
Diamond bearing assembly.—74-04045P; Diamond bearing assembly.—74-04046P
Damodaran, Alathoor D. See Koshy, Jacob; Mani, T. V.
Damzen, M. J. See Throth, R. C.
Dan'shin, N. K.; Kramarchuk, G. G.
Energy gaps in the spin-wave spectrum of rare-earth orthoferrites in a magnetic field.—74-04311A
Dan'shin, N. K.
Nature of energy gaps in spin-wave spectra formed during induced transitions in $ErFeO_3$.—74-05199A
Dananjay, A. See Manthiram, A.
Dance, J. M. See Pizzarro-Sanz, J. L.
Danchaivijit, Sawai; Shetty, Dinesh K.; Eldridge, Jeffrey I.
Critical stresses for extension of filament-bridged matrix cracks in ceramic matrix composites: an assessment with a model composite with tailored interfaces.—74-05330A
Danchevskaya, M. N.; Ivakin, Yu. D.; Ovchinnikova, O. G.; Smirnov, V. N.
Spectroscopic features of intrinsic defects in silica glasses fused from different raw materials.—74-08350A
Dando, Neal R. See Seyferth, Dietmar
Danek, Vladimir See Lubyova, Zelmira
Danek, Vladimir; Turcarova, Andrea; Lubyova, Zelmira
Synthesis of $BaTi_3O_7$ in molten salts.—74-06443A
Danesi, P. See Loegel, B.
Danforth, Stephen C. See Chang, W.; Chen, Wei; Gonczy, S. T.; Khasgiwale, N. R.; Tobin, Albert G.; Vaidyanathan, K. Ranji; Van Weeren, R.; Yu, Sung-Hun
Dang, Le Si See Legras, R.
Dang, Tuan A.; Hilliard, Clinton
Factors influencing the quantitative compositional analysis of powders in sputtered neutral mass spectrometry.—74-05142A
Danger, T. See Grunwaldt, J.-D.
Daniel, A. M. See Cain, M. G.
Daniel, Isaac M. See Luo, Jyi-Jim
Daniel, Jay P.; De Jonghe, Lutgard C.
Coating of ceramic fibers with yttria films.—74-10226A
Daniel, R. L.; Sanders, H. L.; Mendrek, M. J.
Replacement of environmentally hazardous corrosion protection paints on the space shuttle main engine using wire arc sprayed aluminum.—74-08265A
Daniele, Stephane See Hubert-Pfalzgraf, Liliane G.
Danielson, Don See Corcoran, Sean F.
Danil'chenko, B. A.; Kazakovtsev, D. V.; Obukhov, I. A.
Simulation of the space-time evolution of nonequilibrium phonons in GaAs by the Monte Carlo method.—74-09038A
Danilov, V. A. See Bakulin, E. A.
Danishevskii, A. M. See Perlin, E. Yu.
Danishevskii, A. M.; Rogachev, A. Yu.; Chelnokov, V. E.
Surface uv photoluminescence of SiC crystals.—74-09059A
Danishevskii, A. M.; Trapeznikova, I. N.; Terukov, E. I.
Effect of carbon concentration on the properties of the structure network in a-$Si_{1-x}C_x$:H.—74-08869A
Danko, Gene A.; Popovic, Dragan; Stuffle, Kevin; King, Bruce H.; Halloran, John W.; Holmes, John W.
Commercial development of fibrous monolithic ceramics.—74-09860A
Dannat, C. See Von Alvensleben, Ferdinand
Dannefaer, S.; Bretagnon, T.; Kerr, D.
Positron lifetime investigations of diamond films.—74-04818A
Dannheim, Henning See Bauer, Gerd
Danot, M.; Afanasov, A. M.; Bezverkhy, I. S.
Study of the dynamic properties of surface- and bulk-located dopant ions on Cr_2O_3 by Mossbauer spectroscopy with a diamagnetic ^{119}Sn probe.—74-06477A
Dantsker, E. See Ludwig, F.
Dantzig, J. A. See Cockerill, T. M.
Danzer, Robert
Properties of ceramics during high-temperature applications: I.—74-11066A; II.—74-11067A
Danzuka, Toshio See Aikawa, Haruhiko; Ohga, Yuichi
Daous, M. A. See Khawaja, E. E.
Dapkunas, S. J. See Chen, Wei
Dapkus, I.; Yasulis, V.; Leschitschikas, D.
Double-crystal X-ray diffraction and transmission electron microscopy investigations of strained $Ga_{1-x}In_xAs$/GaAs superlattices.—74-00595A
Dapkus, P. D. See Kawase, M.
Darab, John G.; Buehler, M. F.; Linehan, J. C.
Nanocrystalline powders and suspensions generated using a flow-through hydrothermal process: I, Characterization.—74-10487A; II, Applications.—74-10488A
Darab, John G.; Schmidt, W. R.; Schwenke, G.
Incorporation and thermal stability of organic dyes in dialkylsiloxane-oxide matrices.—74-10409A
Dariel, Mordecai S. See Yeheskel, Jacob
Darinskaya, E. V. See Al'shits, V. I.
Darinskii, A. N. See Al'shits, V. I.
Darinskii, B. M.; Lazarev, A. P.; Sidorkin, A. S.
Domain structure in ferroelastic plate with oblique cut.—74-06401A
Darracq, S.; Demazeau, G.; Fabritchnyi, P.
Mossbauer spectrometric study of the perovskite $CaFe(IV)O_3$ by means of a $^{119}Sn(IV)$ dimagnetic probe.—74-06471A
Das Sarma, S. See Tamborenea, P. I.
Das, B. K. See Dhara, Sandip
Das, G. C. See Dalta, S.
Das, Gopal
Thermal stability of single-crystal and polycrystalline alumina fibers and 85% Al_2O_3-15% SiO_2 fibers.—74-11115A
Das, M. P. See Jackson, D. J. C.
Das, S. K.; Chatterjee, M. K.
Specific surfaces and heat of adsorption of some Indian clays by dye-adsorption technique.—74-08584A
Das, Satyendranath
High-T_c superconducting high power couplers.—74-09367P; High-T_c superconducting high power filters.—74-09368P
Daschbach, J. L. See Fischer, P. R.
Dasgupta, Ajoy K. See Bhattacharya, A. K.
Dasgupta, Sankar; Bhola, Rakesh; Jacobs, James K.
Ceramic articles made of compositions containing borides and nitrides.—74-09908P
Dass, M. Lawrence A. See Liu, Jing-Bao
Dat, Ravi See Singh, Jogender
Dataka, J.; Abramowicz, T.
Hydroxy groups in ferrisilicates studied by ir spectroscopy.—74-05683A
Date, S. K. See Potdar, H. S.
Datta, P. K. See Bhar, G. C.
Datye, A. K. See Sault, A. G.
Dauchot, J. P. See Legrand, P. B.
Daudin, B. See Gros, P.
Dauger, A. See Roche, G.
Dauger, Alain See Anquetil, Jerome
Dauphinee, Eric; Breitschmid, Kurt
Problems with high-efficiency separators.—74-09502A
Dauskardt, Reinhold H. See Gilbert, Christopher J.; Hoffman, M. J.
Dauskardt, Reinhold H.; Ritchie, Robert O.
Pyrolytic carbon coatings.—74-06994A
Dauskardt, Reinhold H.
Cyclic fatrigue-crack growth in grain bridging ceramics.—74-10959A; Frictional wear mechanism for fatigue crack growth in grain-bridging ceramics.—74-02151A
Dauson, Douglas S. See Athey, Patricia R.
Dave, B. B.; White, R. E.; Srinivasan, S.
Impedance analysis for oxygen reduction in a lithium carbonate melt: effects of partial pressure of carbon dioxide and temperature.—74-01758A
David, J. P. R.; Grey, R.; Rees, G. J.; Pabla, A. S.; Sale, T. E.; Woodhead, J.
Growth and characterization of (111)B InGaAs/GaAs multiquantum well *pin* diode structures.—74-06124A
David, Marie Josee See Rocher, Andre
David, Patrick; Mathiot, Alain; Lulewicz, Jean-Daniel
Synthesis and stabilization of hexagonal boron nitride materials.—74-10671A
David, T.; Dufour, J. P.; Goudonnet, J. P.
Scanning tunneling topography and spectroscopy of gold particles sputtered on $BaTiO_3$.—74-05242A
Davidge, R. W. See Martinez, M.; Miranda-Martinez, M.; Sleurs, J.
Davidiene, D. See Tornan, E.
Davidson, David L. See Pan, Y.-M.; Rousseau, C. Q.; Schwab, Stuart T.
Davidson, F. See Boutsikaris, L.
Davidson, Gary A.; Williams, Peter G.
Developments in slurry pump technology.—74-00915A
Davidson, J. L. See Edwards, L. M.; McKinley, J. T.
Davidson, James A.
Zirconium oxide and nitride coated endoprostheses for tissue protection.—74-02428P
Davidson, Michelle
Composites industry: a look at its past and future.—74-05409A
Davidyuk, G. E.; Bogdanyuk, N. S.; Shavarova, A. P.
Dose dependence of the intensity of the green luminescence of CdS single crystals bombarded with electrons at E=1.2 MeV.—74-08865A
Daviero, S.; Avinens, C.; Ibanez, A.; Giuntini, J. C.; Philippot, E.
Dielectric aluminum phosphate thin films.—74-10077A
Davies, Geoffrey J. See Dyer, Henry B.
Davies, Gordon; Collins, A. T.
Vacancy complexes in diamond.—74-01958A
Davies, I. J.; Rawlings, R. D.
Mechanical properties in compression of low-density carbon-carbon composites.—74-04356A
Davies, J. F. See Dyer, T. E.
Davies, Jason; Binner, J. G. P.; Sambrook, R. M.
Novel processing route for the fabrication of complex shaped advanced ceramic components.—74-04783A
Davies, Peter K. See Brosha, Eric L.; Mather, Scott A.
Davies, R. F. See Stoner, B. R.
Davies, S. T.; Khamsehpour, B.
End-point detection using absorbed current, secondary electron, and secondary ion signals during milling of multilayer structures by focused ion beam.—74-01062A
Davies, T. J. See Harabi, A.; Ogwu, A. A.; Wang, Z. C.
Davies, T. J.; Al-Douri, W. A.; Emblem, H. G.
Alumina-chromia-magnesia refractories.—74-05844A
Davis, C. A. See McKenzie, D. R.
Davis, D. E. See Pfeiffer, H. C.
Davis, G. R. See Elliott, J. C.
Davis, H. O.; Pennell, Marvin; Patz, Gary
Ceramic-ceramic composite prepregs and methods for their use and preparation.—74-09815P
Davis, J. See Adkins, T.
Davis, James L. See Arledge, John K.
Davis, Kenneth L.; Weitzel, Charles E.; Mellen, Neal J.
Method of fabricating a silicon carbide vertical MOSFET.—74-09094P
Davis, Kenneth L.; Weitzel, Charles E.
Method of fabricating a silicon carbide vertical MOSFET and device.—74-09093P
Davis, L. E.; Sloan, R.; Paul, D. K.
TM_{OM} modes in transversely magnetized semiconductor-filled coaxial waveguide and parallel plates.—74-09071A
Davis, L.; Lam, Yee-Loy; Chen, Y. C.
Carrier capture and relaxation in narrow quantum wells.—74-08834A
Davis, M. W.
Bottle strength analysis.—74-08361A
Davis, Mark E.; Chen, Cong-Yan; Burkett, Sandra L.
Synthesis of (alumino)silicate materials using organic molecules and self-assembled organic aggregates as structure-directing agents.—74-10672A
Davis, Pamela; Binner, J. G. P.; Cross, Tom E.
Role of glassy grain boundary phases in the microwave joining of alumina.—74-08267A
Davis, Paul R. See Mackie, William A.
Davis, R. F. See Kester, D. J.
Davis, Robert J.
Troubleshooting a dust collector.—74-08114A
Davis, Stephen M. See Clavenna, LeRoy R.
Davis, Stephen M.; Clavenna, LeRoy R.; Fiato, Rocco A.; Say, Geoffrey R.
High performance alumina heat transfer solids for high temperature fluidized bed synthesis gas reactions.—74-03987P

Davito, D. See Roedel, R. J.
Davitt, E. M. See Dowling, D. P.
Davletshin, A. E. See Arbuzov, V. L.
Davydov, V. A. See Ignat'eva, L. N.
Daw, A. N. See Pal, D. K.
Daw, M. S.; Foiles, S. M.; Baskes, M. I.
Embedded atom method—a review of theory and applications.—74-07163A
Daweritz, L. See Wassermeier, M.
Dawson, L. R. See Blum, O.
Dawson, P. See Foxon, C. T.
Dawson, W. M. See Heyes, D. W.; Taylor, S. M. O.
Day, Allan E. See John, P. J.
Day, Allan E.; Zabinski, J. S.
Parametric study of pulsed laser deposited niobium diselenide thin-film growth.—74-01825A
Day, D. E. See He, Y.
Day, Delbert E.; Day, Thomas E.
Radiotherapy glasses.—74-05740A
Day, J. Paul; Hickman, David L.
Method for treating beta-spodumene ceramics.—74-01261P
Day, J. Paul
Extruded ceramic honeycomb and method.—74-09917P
Day, M. E. See Nam, C. W.
Day, Paul S. See Skamser, Daniel J.
Day, Paul S.; Spotz, Mark S.; Skamser, Daniel J.; Jennings, Hamlin M.; Johnson, D. Lynn
Microwave-assisted chemical vapor infiltration.—74-01802A
Day, Robert L. See Shi, Cai-Jun
Day, Robert L.; Shi, Cai-Jun
Effect of initial water curing on the hydration of cements containing natural pozzolan.—74-05497A
Day, T. E. See Owen, J. V.
Day, Thomas E. See Day, Delbert E.
Day, Victor W.; Eberspacher, Todd A.; Klemperer, Walter G.
Barium titanium alkoxides for barium titanates—synthesis, characterization, and applications.—74-06947A
De Aza, Piedad N.; Guitian, Francisco; De Aza, Salvador
Phase diagram of wollastonite–tricalcium phosphate.—74-07100A
De Aza, Salvador See De Aza, Piedad N.
De Baat, W. See Bakker, R. F. M.
De Baranda, Pedro; Knudsen, Arne K.; Ruh, E.
Effect of silica and calcia on the thermal conductivity of aluminum nitride.—74-07155A
De Becdelievre, Anne-Marie See Quinson, Jean-Francois
De Bonte, M.; Economou, S.; Ye, X.
Investigation of debris of plasma-sprayed coatings for understanding wear phenomena.—74-08224A
De Caro, L. See Giannini, C.
De Castro, A. J.; Lopez, F.; Melendez, J.; Fernandez, M.
Optical properties of ion-assisted deposited SiO thin films.—74-04384A
De Castro, M. Jimenez See Vila, R.
De Cesare, G.; Galluzzi, F.; Bemporad, E.
Structural, optical, and electronic properties of wide band gap amorphous carbon-silicon alloys.—74-10160A
De Ceukelaire, L.
Effects of hydrochloric acid on mortar.—74-05509A
De Diana, G. C. See Guadagnino, E.
De Espinosa, F. R.; Baboux, J. C.; Zhang, J.
Differences in the resonance behavior between coupled and uncoupled multifrequency piezoceramic composites.—74-03293A
De Figueiredo, R. S. See Foct, J.
De Fouquet, J. See Poutrot, S.
De Graef, M.; Dalgleish, Brian J.; Turner, M. R.; Evans, Anthony G.
Interfaces between alumina and platinum: structure, bonding, and fracture resistance.—74-08219A
De Grave, E. See Brooks, J. S.
De Gregorio, P.; Valentini, R.; Solina, A.
Porcelain enameling steels and perfect quality porcelain enameled products.—74-00140A
De Groot, K. See Klein, C. P. A. T.
De Groot, Klaas See Li, Pan-Jian
De Groot, P. A. J. See Oussena, M.
De Hosson, J. T. M. See Dijken, D. K.; Greuter, M. J. W.
De Jong, J. G. M.
Quality assurance—European developments.—74-07956A
De Jong, Jelle See Reymer, Arthur
De Jong, Remco; Visser, Hendrikus H.; Westra, Marlies; Wittebrood, Adrianus J.
Method of manufacture of a ceramic membrane for microfiltration.—74-09827P
De Jong, Remco; Visser, Hendrikus H.
Ceramic membranes for industrial applications.—74-03956A
De Jonghe, Lutgard C. See Cao, J.; Daniel, Jay P.; Ghirlanda, M.; Mitchell, Tyrone D., Jr.
De Keijser, M. See De Veirman, A. E. M.
De Kever, Ebba; Frischat, Gunther Heinz
Melting behavior of glass batches with addition of cadmium-containing compounds.—74-05774A
De la Fuente, C. See Jordan, M. M.
De la Fuente, G. See Larrea, A.
De la Fuente, G.; Ruiz, M. T.; Larrea, A.
Recent advances in the synthesis and texturing of HTSC composites.—74-03565A
De la Houssaye, P. R. See Hewett, C. A.
De la Presa, P.; Lopez-Garcia, A.
TDPAC analysis at ^{181}Ta in Ba_2BiO_4.—74-05284A
De la Rosa-Fox, N. See Barrera-Solano, C.
De Lacey, Peter
Investing in quality [at a plaster plant].—74-00071A
De Leonibus, Vittore See Carlomagno, Giovanni
De Loo, M. See Bronswijk, J. P.
De Lorgeril, Jacques See Witzke, Sylvain
De Lourdes Chavez Garcia, M.; De Pablo Galan, Liberto
Compatibility relations in the $BiO_{1.5}$-SrO-CaO-CuO system at 800°C.—74-07047A
De Lozanne, A. L. See Edwards, H. L.
De Martino, C. See Demichelis, F.; Morosanu, C. O.
De Martino, C.; Demichelis, F.; Tagliaferro, A.
Characteristics of a-C:H:Si films deposited by rf sputtering under various deposition conditions.—74-04499A
De Matos Gomes, E. See Ribeiro, R. M.
De Meyer, Kristin M. See Ling, Zhi-Min
De Muinch, Hans
Brick and tile industry in the Netherlands.—74-11144A
De Nagybaczon, Erno N.
Coating process for depositing extremely hard films on substrates.—74-03747P
De Nora, Vittorio See Sekhar, Jainagesh A.
De Oliveira, A. P. N.; Da Rosa, F. G.; Alarcon, O. E.
Effect of the volumetric fraction and particle size on the abrasive mechanism in ceramic glazes.—74-08675A
De Oliveira, L. S.; Da Jornada, J. A. H.
High-pressure diamond synthesis by Mossbauer spectroscopy.—74-10383A
De Pablo Galan, Liberto See De Lourdes Chavez Garcia, M.
De Portu, Goffredo See Meschke, Frank
De Preter, W. See Kolakowski, K.
De Pretis, A. See Papo, A.
De Sande, J. C. G.; Vega, F.; Afonso, C. N.; Ortega, C.; Siejka, J.
Optical properties of Sb and SbO_x films.—74-07179A
De Segovia, J. L. See Torquemada, M. C.
De Veirman, A. E. M. See Dirks, A. G.; Wolf, R. M.
De Veirman, A. E. M.; Cillessen, J. F. M.; De Keijser, M.
$PbTiO_3$ and $PbZr_xTi_{1-x}O_3$ films—microstructure and properties.—74-10860A
De Visser, A.; Kadushkin, V. I.; Kul'bachinskii, V. A.
Features of electron scattering in δ-doped multiquantum well structures.—74-06101A
De Vries, K. J. See Boukamp, B. A.; Brinkman, H. W.; Cao, G. Z.
De Wames, Roger E.; Goldberg, Ira B.; Morgan, Peter E. D.; Ratto, Joseph J.; Marshall, David B.; Hall, William F.
High temperature superconductor magnetic-switch.—74-09369P
De Weldige, K. See Varichenko, V. S.
De With, G. See Groen, Wilhelm A.; Severin, J. W.; Van den Berg, P. H. J.
De Yoreo, J. J.; Land, T. A.; Dair, B.
Growth morphology of vicinal hillocks on the [101] face of KH_2PO_4—from step-flow to layer-to-layer growth.—74-07662A
De, Abhijit See Ghosh, Sukriti
De, G. See Kundu, D.
De, G.; Kundu, D.; Karmakar, B.
Hydroxyl-free clear silica glass by sol-gel processing.—74-00301A
DeArellano-Lopez, A. R. See Calderon-Moreno, J. M.
DeArellano-Lopez, A. R.; Martinez-Fernandez, J.; McMann, M. A.
Room temperature mechanical properties of polycrystalline silicon nitride with different α/ß ratios.—74-07914A
Dearnaley, Geoffrey
Ion beam assisted method of producing a diamondlike carbon coating.—74-09923P; Process for forming protective diamondlike carbon coatings on metallic surfaces.—74-08316P
Deb, S. K.; Roy, A. P.
Excitonic resonance Raman scattering from optic phonons in $AgGaS_2$.—74-03809A
Deb, Sukhendu; Chatterjee, S.; Basu, M. K.
Effects of sintering on properties of titanium-carbide-dispersed alumina ceramics and on-line monitoring of the sintering environment.—74-07285A
DeBiasi, Ronald S.; Fernandes, A. A. R.; Grillo, M. L. N.
Influence of vanadium concentration on the ESR linewidth of V^{+4} in rutile.—74-05165A
Debier, M.
Use of silicon carbide ceramic in high-performance radiant tube burners and low NO_x open flame burners.—74-09724A
Debnath, R.; Chaudhuri, T.
Mutual phase stabilization of aluminum phosphate and titania in $AlPO_4$-TiO_2 binary system.—74-07094A
DeBruyn, K.; Celis, J. P.; Roos, J. R.; Stals, L. M.; Van Stajspen, M.
Description of the different wear mechanisms for the tribological couple chromium steel/TiN-coated HSS.—74-08158A
DeCamps, N. Ayres See Alberto, H. V.
Dechamps, Michel; Djuricic, B.; Pickering, Stephen
Structure of zirconia prepared by homogeneous precipitation.—74-10035A
Deckman, Douglas E.; Hsu, S. M.
Methods for reducing wear on silicon carbide ceramic surfaces.—74-01327P
Declerck, G. See Dekeersmaecker, R.
Decroux, M. See Rabiller, P.
Dedkov, V. S. See Lopatin, V. V.
Dedkov, V. S.; Ivanov, Yu. F.; Lopatin, V. V.
Structure features of pyrolytic boron nitride.—74-05272A
Dedyukyan, R. A. See Volokitin, G. G.
Deeg, Martin See Fehske, Holger
Deering, L. A. See Crosbie, Gary M.
Deering, Scott E.; Szekely, Julian
Mathematical modeling of alternative pad designs in flip-chip soldering processes.—74-06195A
Dees, D. W. See Verbrugge, M. W.
Deevi, Seetharama C.; Hajaligol, Mohammad R.
Flat ceramic heater having discrete heating zones.—74-08790P
Deevi, Seetherama C.
Manufacturing of covalent ceramics by exothermic reactions.—74-10440A
Deffontaines, B. See Deffontaines-Fourez, M.
Deffontaines, B.; Deffontaines-Fourez, M.; Vast, P.
Thermal evolution of phosphate materials obtained by the coacervation process in polyphosphates—for the CaO-MgO-Na_2O-P_2O_5 system.—74-07532A
Deffontaines-Fourez, M. See Deffontaines, B.
Deffontaines-Fourez, M.; Deffontaines, B.; Chicot, D.; Iost, A.
Microhardness and spectroscopy studies of surface modification of titanium alloys by melted metaphosphates.—74-04750A
Defourneau, R. M. See Perriere, J.
Defresart, Edouard See McIntosh, Robert
DeGelormo, J. F. See Ransom, C. M.
Degovics, G. See Kriechbaum, M.
DeGreve, Stanley C.; Lovelace, Joe B.; Watkins, E. Charles; Mathis, Timothy G.; Makitka, Harry; Bour, Thomas C.
Production of glass fibers from scrap glass fibers.—74-02696P
Deguchi, Hiroyuki See Ito, Masakazu
Deguchi, Masahiro See Mori, Yusuke
DeGuire, Mark R.; Heuer, Arthur H.; Sukenik, Chaim N.
Synthesis of metal oxide thin films.—74-04005P
DeHayes, J. Louis See Coppinger, J. Stephen
Dehbi-Alaoui, A. See Bounouh, Y.
Dehmel, Jean-Claude See Kelly, Patrick
Dehmel, Jean-Claude; Kelly, Patrick
What MSDS should present about NORM radioactivity: technical and regulatory issues.—74-11196A
Dein, E. A. See Stevie, F. A.
Deitz, N. See Cattarin, S.
Dekalo, I. E.; Palachev, V. V.; Serdobol'skaya, O. Yu.
Effect of microcracks on linear and nonlinear acoustic properties of bismuth-based high-T_c ceramics.—74-03449A
Dekeersmaecker, R.; Declerck, G.; Felix, P.; Haond, M.; Hill, C.; Janssen, G.
ADEQUAT project for development and transfer of 0.25 μm logic complementary metal-oxide-semiconductor modules.—74-05972A
Dekeersmaecker, R.; Felix, P.; Haond, M.; Hill, C.; Janssen, G.; Lorenz, J.
ADEQUAT project for development and transfer of 0.25 μm logic complementary metal-oxide-semiconductor modules.—74-07938A
Dekempeneer, E. H. A. See Meneve, J.
Dekempeneer, E. H. A.; Eersels, L.; Smeets, J.; Meneve, J.; Jacobs, R.; Blanpain, B.
Rf plasma-assisted chemical vapor deposition of diamondlike carbon films on complex geometries.—74-01870A
Dekempeneer, E. H. A.; Smeets, J.; Meneve, J.; Eersels, L.; Jacobs, R.
Rf PACVD diamondlike carbon coatings on insulating objects.—74-02858A; Plasma process in methane discharges during rf plasma-assisted chemical vapor deposition of a-C:H thin films.—74-04810A
Dekker, J. P. See Van Dieten, V. E. J.
Dekker, J. P.; Schoonman, J.
Vapor phase manufacture of porous TiN deposits on/in porous supports.—74-07551A
Dekker, J. P.; Van der Put, P. J.; Veringa, H. J.
Kinetic study of titanium nitride chemical vapor deposition using nitrogen, hydrogen, and titanium tetrachloride.—74-07364A
Dekker, J. P.; Van Dieten, V. E. J.; Schoonman, J.
Growth of electrochemical vapor deposited YSZ films.—74-01749A
DeKock, J. See Chang, Y. A.
Del Alamo, J. A. See Bennett, Brian R.
Del Olmo, L.; Garcia Martinez, O.; Garcia, M.
Noncrystalline ceramic precursors in the TiO_2PbO system by sol-gel.—74-04782A
Del Pennino, U. See Goldoni, A.
Delacourt, D.; Armani, F.; Papuchon, Michel
SHG efficiency in periodically poled $LiNbO_3$ waveguides.—74-06434A
Delacourt, Dominique See Dupont, Emanuel B.
Delagnes, D.; Pellerin, Nadia; Fert, Andre R.
Pinning energies in M.T.G. textured YBaCuO ceramics.—74-03554A
Delaite, R.; Aich, Y.
Theoretical analysis of main parameters ruling the sensitivity of quartz crystal accelerators.—74-05965A
Delalut, Uros See Makovec, Darko
Delan, A. See Ullmann, J.
DeLange, Pieter W. See Grotepass, Wilhelm P.
Delannay, F. See Boland, F.
Delattre, Laurent; Babonneau, Florence
Influence of the nature of the R group on the hydrolysis and condensation process of trifunctional silicon alkoxides, R-$Si(OR')_3$.—74-10420A
Delaye, P.; Von Bardeleben, H. J.; Roosen, G.
Bulk photorefractive semiconductors.—74-05993A
Delaye, Philippe See Belaud, Yves
Deletter, M.; Leriche, A.; Cambier, F.
Linear model for both qualitative and quantitative X-ray analysis.—74-09575A
Delikouras, Evangelos A.; Perimutter, Daniel D.
Characterization of PLZT films deposited by spray pyrolysis.—74-03289A
Delineau, Thierry; Allard, Thierry; Muller, Jean-Pierre
FTIR reflectance vs EPR studies of structural iron in kaolinite.—74-08553A
Deljurie, C. See Noblanc, O.
Della Mea, G. See Rigato, V.
Della Mea, G.; Rigato, V.; Colombo, P.; Dal Maschio, Roberto; Sighel, C.; Zandolin, S.
Silicate glass films deposited by reactive rf magnetron sputtering: electrical characterization.—74-04891A
Delmas, Claude See Menetrier, M.
Delmas, Claude; Saadoune, Ismael; Auradou, Helene; Menetrier, M.; Hagenmuller, Paul
Is there a future for lithium batteries as high energy density source in electrical engine vehicles: some recent trends.—74-00502A

DeLoach, Laura D. See Payne, Stephen A.
Delpech, V. See Lebugle, A.
Delph, T. J. See Mohoenian, N.
Delplancke, Marie Paule See Andre, Bernard
Deltour, R. See Diko, P.
DelValle, M.; AlvalosBorja, M.; Cruz, J.
Exfoliation of MoS_2 catalysts—structural and catalytic changes.—74-06973A
Delvaux, Pierre; Lesmerises, Normand; Poisson, Daniel; Gouin, Marcel
Refractory castable composition and process for its manufacture.—74-02800P
Delville, Alfred; Sokolowski, Stefan
Adsorption of a vapor at a solid interface—a molecular model of clay wetting.—74-10058A
Demana, Brian P.; Drummond, Charles H., III
Viscous deformation in a potassia borosilicate glass-crystalline alumina system.—74-08400A
Demangeat, C. See Rakotomahevitra, A.
Demaree, J. D. See Fountzoulas, C. G.
Demarne, V. See Rosenfeld, D.
Demazeau, G. See Darracq, S.; Dubois, T.; Michau, D.
Demazeau, G.
Growth of cubic boron nitride by chemical vapor deposition and high-pressure high-temperature synthesis.—74-01747A
Demchuk, M. I.; Kuleshov, N. V.; Mikhailov, V. P.
Saturable absorbers based on impurity and defect centers in crystals.—74-09029A
Demeester, P. See Coudenys, G.; Vermeire, G.
Dement'ev, S. N. See Drevushchak, V. A.
Dementjev, A. P.; Ivanova, O. P.; Vasilyev, L. A.; Naumkin, A. V.; Nemirovsky, D. M.; Shalaev, D. Y.
Altered layer as sensitive initial chemical state indicator.—74-01343A
Demichelis, F. See De Martino, C.; Morosanu, C. O.
Demichelis, F.; Benedetto, G.; Dunlop, E.
Mechanical and thermophysical properties of diamondlike carbon films with different sp^3/sp^2 ratios.—74-11041A
Demichelis, F.; Crobini, G.; Pirri, C. F.; Tresso, E.; Amato, G.; Coscia, U.
Optimization of a-$Si_{1-x}C_x$:H films prepared by ultrahigh vacuum plasma-enhanced chemical vapor deposition for electroluminescent devices.—74-04793A
Demichelis, F.; De Martino, C.; Tagliaferro, A.
Temperature dependence analysis of the electron paramagnetic resonance signal and electrical conductivity in a-C and a-C:H.—74-04439A
Demidenko, L. M.; Vanicheva, L. L.
Reaction between the binder and ingredients of gunning mixes and characteristics of gunite coatings.—74-00092A
Demirbas, Ayhan See Erdogan, Yunus
Demishev, S. V. See Brazhkin, V. V.
Demiyanets, L. N. See Genkina, E. A.
Demiyanishin, N. M. See Mytsyk, B. G.
Demkina, L. I.
Refractive index, average dispersion, and density of boric anhydride in borosilicate glasses with sodium and potassium oxides.—74-02575A; Refractive index, main dispersion, and density of aluminum, antimony, and arsenic oxides in silicate glasses.—74-02488A
Demsetz, Laura A. See Ghio, Virgilio A.
Demuynck, L.; Bigorgne, F.; Carriere, B.; George, A.; Michel, J. P.; Le Normand, F.
Nucleation and growth of diamond on a well-defined Si(311) substrate monitored by in vacuo surface analysis.—74-05207A
Denanot, M. F. See Rabier, J.
DeNatale, Jeffrey F. See Harker, Alan B.
Denbaars, S. P. See Hashemi, M. M.; Heimbuch, M. E.
Deneuville, A. See Fontaine, F.; Gheeraert, E.; Gonon, P.
Deneuville, A.; Gonon, P.; Collins, A. T.
Influence of oxygen, in gas mixtures and various substrate positions, on the broad cathodoluminescence bands of MPCVD [microwave plasma-assisted CVD] diamond films.—74-10416A
Deng, H. See Nemat-Nasser, S.
Deng, Jian-Guo; Braun, Manuel; Gudowska, Irena
Properties of TiCN coatings prepared by magnetron sputtering.—74-02393A
Deng, Jin-Yuan
Study on body-glaze bonding and glaze of colored glaze products.—74-08703A
Deng, Min See Tang, Ming-Shu
Deng, Min; Tang, Ming-Shu
Formation and expansion of ettringite crystals.—74-02326A; Mechanism of dedolomitization and expansion of dolomitic rocks.—74-00075A
Deng, Min; Wang, Qu; Mu, Xiao-Fang
Chemical reaction in dolomite-KOH solution systems autoclaved at high temperatures.—74-08005A
Deng, Ming-Cheng See Chin, Tsung-Shune
Deng, Yun-Qian See Liu, Yu
Denhoff, M. W.; Grant, P. D.; McCaffrey, J. P.
Growth of thin CeO_2-$YBa_2Cu_3O_7$ superlattices.—74-00813A
Denis, J. P. See Kermaoui, A.; Ozen, G.
Denisenko, A. V. See Burchard, B.; Erchak, D. P.
Denissen, J. A. M.; Van Eijk, J. P. G. M.; Terpstra, R. A.
Processing of hydroxyapatite by injection molding.—74-07448A
Denissen, J. A. M.
Reduction firing of building ceramics: I.—74-02731A; Reduction firing of building ceramics: II.—74-08578A
Denks, V. P.
Temperature dependences [of parameters] of electron-hole and ionic processes in cathodochromic sodalites.—74-07776A
Denlin, G. I. See Belyakova, N. P.
Denn, Morton M. See TeGrotenhuis, Ward E.
Dennhofer, S. See Willert-Porada, M.
Dennis, K. W. See Kramer, M. J.
Dennis, William M. See Eilers, Hergen
Denoirjean-Deriu, P. See Tristant, P.
Denton, Ivor E.
Method of making a holder of ceramic material.—74-09532P
Deppe, D. G. See Huang, Z.; Lin, C. C.
Deptula, A.; Lada, W.; Olczak, T.
Preparation of Pt/Al_2O_3 catalysts by sol-gel process and its application to uranyl ion reduction.—74-10565A; Preparation of calcium phosphate powders by water extraction variant of sol-gel process.—74-10556A
Deptula, A.; Carewska, M.; Olczak, T.
Sintering of ZrO_2-CeO_2 spherical powders prepared by a water extraction variant of the sol-gel process.—74-01889A
Depuydt, J. M. See Kuo, L. H.
Derby, B.; Quin, C. D.
Metal-ceramic interfaces: sources and sinks for mass transfer.—74-08236A
Derby, Jeffrey J. See Martinez-Herrera, Jorge I.
Derderian, Garo J.; Barrie, James D.; Aitchison, Kenneth A.
Epitaxial growth of (110)$KNbO_3$ films on (100)MgO substrates via sol-gel processing.—74-10334A
Deredjian, A. See Djambazov, S.
Deren, Gary; Rhoa, Mark A.
Favorable properties of high-temperature glass fiber insulating material by improved chemistry.—74-00386A
Deren, Gary
Refractory-ceramic-fiber furnace linings.—74-05877A
Derking, Anke See Chen, Zhong-Xin; Reinalda, Donald
Derst, G. See Krotz, G.
Dervieux, G. See Charrier, C.
Deryabin, V. A. See Khoroshavin, L. B.
Deryabin, V. A.; Malyutin, A. A.; Yakhontov, N. P.
Analysis and application of the criteria of wearability of refractory materials.—74-02743A
Deryabin, V. A.
Mechanism of overgrowth of steel-teeming nozzles.—74-02764A
Desai, C. F. See Siddiqui, S. S.
Desai, F. N.; Hammad, H. R.; Hayes, K. F.
Background electrolyte correction for electrokinetic sonic amplitude measurements.—74-10062A
Desai, J. D.; Lokhande, C. D.
Alkaline batch chemical deposition of antimony(III) sulfide thin films.—74-01615A; Solution growth of As_2S_3 thin films from a thioacetamide bath.—74-07487A
Desai, Priyadarshi G.; Xu, Zheng-Kui; Lewis, Jennifer A.
Synthesis and properties of $CaAl_2O_4$-coated Al_2O_3 microcomposite powders.—74-10163A
Desanglois, F. See Follet-Houttemane, C.
Desbrieres, J.
Cement cake properties in static filtration: on the role of fluid loss control additives on the cake porosity.—74-00039A
Descamps, Michel; Mascart, Monique; Thierry, B.; Leger, Daniel
How to control cracking of tape-cast sheets.—74-07340A
Descamps, Michel; Tronc, P.; Laurent, P.; Thierry, B.
Fabrication of PNZT piezoelectric ceramics by the tape casting technique.—74-09140A
Descamps, P. See Poorteman, M.
Desgardin, G. See Cherradi, A.; Kokabi, H. R.
Deshayes, L.; Charbonnier, M.; Romand, M.; Petit, T.; Chevarier, N.; Chevarier, A.
Amorphous hydrogenated carbon films elaborated by plasma-assisted chemical vapor deposition— characterization of composition by nuclear methods.—74-04476A
Deshkovskaya, A. A. See Bogomolova, L. D.
Deshpande, S. B. See Potdar, H. S.
Deshpande, Sadanand V.; Gulari, Erdogan
Hot-filament-assisted CVD of titanium nitride films.—74-10389A
Deshpande, V. K. See Gandhi, P. R.
Desilva, M. J.; Pedraza, A. J.; Lowndes, Douglas H.
New technique to generate conductive paths in dielectric materials.—74-08761A
Desmaison, J. See Courtois, C.
Desmaison-Brut, M.; Montintin, J.; Valin, F.; Boncoeur, M.
Influence of processing conditions on the microstructure and mechanical properties of sintered yttrium oxides.—74-04703A
Despierres, T. See Rouillon, M. H.
Despierres, T.; Drissi-Habti, M.; Gomina, M.
Comparative investigation of damage in two types of SiC/C/SiC composite materials under uniaxial tensile loading.—74-07842A
Dessau, D. S. See Ing, D. M.; Shen, Z.-X.
Dessemond, L. See Kleitz, M.; Steil, M. C.
Destermes, J. See Coupelle, P.
Desu, Seshu B. See Chiu, Chien C.; Hendricks, Warren C.; Vijay, D. P.
Desu, Seshu B.; Pan, Wei
Reactive ion etching of lead zirconate titanate and ruthenium oxide thin films using $CHClFCF_3$ or $CHCl_2CF_3$ as an etch gas.—74-09540P
Desu, Seshu B.; Vijay, D. P.; Yoo, I.-K.
Donor-doped lead zirconate titanate ($PbZr_{1-x}Ti_xO_3$) films.—74-06402A
Desu, Seshu B.; Yoo, I.-K.
Time-dependent dielectric breakdown in $BaTiO_3$ thin films.—74-00766A
Desu, Seshu B.
Influence of stresses on properties of ferroelectric $BaTiO_3$ thin films.—74-00755A
Desvignes See Kharchenko, N. F.
Deswarte, A. See Andre, J. P.
Detchek, B. M. See Pelleg, Joshua
Detwiler, Rachel J. See Hearn, N.
Deubener, Joachim; Bruckner, Rolf; Hessenkemper, Heiko
Nucleation and crystallization kinetics on float glass surfaces.—74-00307A
Deuerler, F. See Lugscheider, E.
DeUnamuno, S. See Antoni, F.
Deus, K. See Boudriot, H.
Deussner, M.
New 5000 t/d kiln plant with short rotary kiln and low NO_x calciner at Hualien, Taiwan.—74-06863A
Deutsch, Josef See Grill, Michael
Deutschmann, S. See Floter, A.; Jungnickel, G.
Devaud, M. See Prieur, J.-Y.
DeVaux, Xavier See Rousset, Abel
Deve, H. E.; McCullough, C.
High-performance aluminum/alumina composites.—74-08204A
Deveraux, T. P.; Einzel, D.; Stadtlober, B.
Electronic Raman scattering in high-T_c superconductors: a probe of $d_{x^2-y^2}$ pairing.—74-03457A
Devillers, J. See Tang, H.
Devine, R. A. B. See Templier, F.
DeVoe, Alan D.; DeVoe, Daniel F.
Monolithic multiple capacitor.—74-02893P
DeVoe, Daniel F. See DeVoe, Alan D.
DeVos, D. E.; Feijen, E. J. P.; Schoonheydt, Robert A.
Influences of ligand and of zeolite topology on the structure of Co^{II} Schiff base chelates in faujasite-type zeolite.—74-04151A
DeVries, J. E. See Zhu, W.
Devyatkin, S. V. See Arsenin, K. I.
Devynck, J. See Cassir, M.
Dew, Steven K. See Gui, Xiang
Dewarrat, Jean
Eliminating EDM electrolysis electrically.—74-03802A
DeWit, J. H. W. See Costa, F. A.
Dexter, James L.; Cooper, David G.; Blackburn, Douglas H.; Cranmer, David C.; Kauffman, Dale A.
Ultraviolet Faraday rotator glass.—74-02699P
Dey, T. K. See Chanda, Bitasta
Dhanaraj, G.; Bhat, H. L.
XRD and SHG studies on $KTiOPO_4$.—74-05802A
Dhanaraj, G.; Shripathi, T.; Bhat, H. L.
Defect characterization of KTP single crystals.—74-07559A
Dhandapani, S. P.; Jayaram, V.; Surrappa, M. K.
Growth and microstructure of Al_2O_3-SiC-Si(Al) composites prepared by reactive infiltration of silicon carbide preforms.—74-02373A
Dhar, L. See Spiberg, P.
Dhara, Sandip; Rastogi, A. C.; Das, B. K.
Effect of deposition orientation on the structure and magnetic properties of chemical-vapor-deposited iron oxide thin films.—74-04571A
Dharani, L. R. See Carroll, Douglas R.; Gopal, P.; Hong, Wei; Zhao, Y.
Dhir, R. K.; Byars, E.
Pulverized fuel-ash concrete: intrinsic permeability.—74-02774A
Dhir, R. K.; Jones, M. R.; McCarthy, M. J.
Pulverized fuel ash concrete: carbonation-induced reinforcement corrosion rates.—74-05575A; Quantifying chloride-induced corrosion from half-cell potential.—74-00091A
Dhumure, S. S.; Lokhande, C. D.
Studies on the preparation and characterization of chemically deposited Ag_2S films from an acidic bath.—74-04920A
Dhurjati, P. See Kordon, A.
Di Fiore, R. R.; Clark, D. E.
Microwave processing of silica sol-gels.—74-10466A
Di Leo, R.; Cucolo, A. M.; Nigro, A.
Influence of Gd, Zn, Fe, and Al substitutions on the tunneling characteristics of the Y-Ba-Cu-O system.—74-09289A
Di Pasquale, Fabrizio; Federighi, Marco
Improved gain characteristics in high concentration Er^{3+}/Yb^{3+} codoped glass waveguide amplifiers.—74-08433A
Di Pasquale, Fabrizio; Zoboli, Maurizio; Federighi, Marco
Finite element modeling of silica waveguide amplifiers with high erbium concentration.—74-06106A
Di Renzo, Francesco; Fajula, Francois; Espiau, Pierre
Influence of microgravity on zeolite crystallization.—74-10415A
Di Venere, A. See Chen, J.
Diakonov, A. M. See Aleksandrov, V. V.
Diamandescu, L.; Mihaila-Tarabasanu, D.
Solid phase transformation goethite-hematite.—74-01457A
Diani, M. See Aubel, D.
Diani, M.; Aubel, D.; Bischoff, J. L.; Kubler, L.; Bolmont, D.
Electron cyclotron resonance plasma ion beam effects on the formation of SiC on Si(001) characterized by in situ photoemission.—74-04610A
Diani, M.; Mansour, A.; Kubler, L.; Bischoff, J. L.; Bolmont, D.
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition.—74-04879A; Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition[—reply].—74-07744A
Dianov, E. M.; Prokhorov, A. M.; Trubenko, P. A.
MBE of $Zn_{1-x}Cd_xSe/ZnSe$ quantum well structures on GaAs.—74-06197A
Dianov, E. M.; Sokolov, V. O.; Sulimov, V. B.
Semiempirical calculations of point defects in silica; oxygen vacancy and twofold-coordinated silicon atom.—74-10743A
Diao, Dongfent; Koji, Kato
Spalling mechanism of Al_2O_3 ceramic coating coated WC-Co substrate under sliding contact.—74-05389A
Dias, F. J. See Ahladas, P.
Dias, F. J.; Kampel, M.; Koch, F. J.
Manufacture and evaluation of highly porous ceramics with adjustable electrical resistance.—74-10438A; Low-voltage heatable highly porous ceramic filters.—74-06186A
Diaz, D. J. See Blann, G. A.
Diaz, G. See Kittl, P.
Diaz, R. See Leon, M.
Dibakar, Sahu
Capacity enhancement at Century Cement (India).—74-03899A

DiBartolo, Baldassare See Chen, Xue-Sheng
Dibben, David C.; Fu, Wai B.; Rickey, A. C.
Numerical models for the sintering of ceramics in a multimode cavity.—74-10503A
Dibben, David C.
Modifications at the St. Mary's Cement Detroit plant.—74-00081A
Dibble, Michelle A.
Materials on the edge turn tough.—74-04745A
Dibirov, M. A.; Mozgovoi, A. G.; Gasanaliev, A. M.
Thermal properties of heat-accumulating materials.—74-01479A
Dibon, Andreas; Eberhardt, Guenter
Economical and ecological aspects in enameling plants.—74-08167A
DiCarlo, J. A. See Yun, H. M.
DiCarlo, J. A.; Morscher, Gregory N.
Simple creep test for ceramic fibers.—74-04418A
Dicarolis, S. A. See Hiskes, R.
Dickens, P. G. See Dueber, R. E.
Dickerson, P. O. See Farmer, Serene C.
Dickerson, Robert M. See Buzniak, Jan J.; Heimann, Paula J.
Dickie, M. W. See Slane, K. W.
Dickin, Peter; Jury, C.; Lagrange, V.
Automatic transformation of two-dimensional works of art into three-dimensional reliefs for the decoration of ceramics.—74-09431A
Dickinson, J. T.; Langford, S. C.; Shin, J. J.
Positive ion emission from excimer laser-excited MgO surfaces.—74-09007A
Dickinson, Michael R. See Anders, Andre
Dickson, J. T. See Wang, X. D.
Diebold, Alain C.; Doris, B.
Survey of nondestructive surface characterization methods used for reliable gate oxide fabrication for silicon ic devices.—74-03877A
Diebold, Alain C.
Materials and failure analysis methods and systems used in the development and manufacture of silicon integrated circuits.—74-06194A
Dieckman, S. L. See Ellingson, W. A.
Dieckmann, Rudiger See Subramanian, Ramesh; Tinkler, S.
Diedel, Ralf; Sperling, Friedrich
Westerwald [Germany] clays—too expensive for waste site construction.—74-01206A
Dieffenbach, J. R.; Mascarin, A. E.
Body-in-white materials systems: a life-cycle cost comparison.—74-02222A
Dieguez, I. See Barrat, S.
Diehl, P. E.; Lund, Mark W.; Madsen, D. W.; McIntyre, L. C., Jr.; Smith, David J.
Characterization of WC_x/B_4C multilayers sputtered in reactive argon/methane atmospheres.—74-01970A
Diehr, Richard D.
Powers/LumenX agreement leads to product innovations.—74-06716A
Diekmann, R. See Ustundag, E.
Diels, P. See Luyten, J.
Diem, W.
Plant for producing dry ready-mixed mortars.—74-05566A; Turnkey dry mortar plant commissioned.—74-08115A
Dierickx, D.; Van der Biest, O.
Chemical preparation of $YBa_2Cu_3O_x$ superconductors.—74-03425A
Dierssen, Gunther H. See Hopstock, David M.
Dietrich, D. A. See Rother, B.
Dietz, Manfred See Buhling, Lutz; Tietz, H.-D.; Winterfeld, J.
Dietz, N. L. See Feng, X.
Dietz, Raymond L.; Peck, David M.
Low temperature glass with improved thermal stress properties and method of use.—74-00336P
Diez-Santiago, Gonzalez; Carreno, Carlos Corzo; Martin-Sanchez, Juan M.
SCAP optimization of cement production.—74-08105A
Diezhandino, Sonya See Hwang, C. James
DiGiovanni, David J. See Becker, Philippe C.
DiGregorio, J. F.; Furtak, T. E.
Raman scattering by surface phonon-polaritons in large SiC microcrystals.—74-05226A
DiIorio, Mark S.; Yoshizumi, Shozo; Yang, Kai-Yueh
High-T_c microbridge superconductor device utilizing stepped edge-to-edge SNS junction.—74-03630P
Dijken, D. K.; DeHosson, J. Th. M.
Shock wave equation of state of powder material.—74-04886A
Dijonneau, Corinne S. See Floch, Herve G.
Dikareva, V. V. See Levchenko, V. I.
Diko, P. See Lanckeen, A.
Diko, P.; Duvigneaud, P. H.; Deltour, R.
Microstructural and crystal defects in $YBa_2Cu_3O_{7-x}$ ceramics.—74-03521A
Diko, P.; Litavec, T.; Csach, K.
Influence of sintering conditions on grain growth of $YBa_2Cu_3O_{7-\delta}$ ceramics.—74-06565A
Dikusar, A. I. See Molin, A. N.
Dillinger, R. See Schmidt, C.
Dillon, A. C.; Ott, A. W.; George, S. M.
Atomic layer controlled deposition of Al_2O_3 films employing trimethylaluminum (TMA) and H_2O vapor.—74-07207A
DiMeo, Frank; Wessels, Bruce W.; Neumayer, Deborah A.
In situ heteroepitaxial $Bi_2Sr_2CaCu_2O_8$ thin films prepared by metallorganic chemical vapor deposition.—74-06560A
Dimitriev, Y. See Gattef, E.
Dimitriev, Y.; Gattef, E.; Jambazov, S.
Influence of Te and Ag additions on the synthesis of high-T_c superconductors.—74-03494A
Dimitrova-Lukacs, M.; Gillemot, L.
Bioactive-bioinert composite ceramics.—74-07211A
Dimitrova-Lukacs, M.; Sajo, I.; Lukacs, P.
Phase composition of Ce-TZP/Al_2O_3 composite ceramics.—74-07097A
Dimos, Duane See Sinclair, Michael B.
Din, S.; Suleman, M.
AES study of syntactic coalescence/overgrowth of α-SiC (15R) on α-SiC (6H).—74-01960A
Dinand, Manfred See Brinkmann, Ralf
Dinard, Manfred; Sohler, Wolfgang
Theoretical modeling of optical amplification in Er-doped Ti:$LiNbO_3$ waveguides.—74-06445A
Dinescu, Maria See Barborica, A.
Ding, Da-Tong; Sun, Ping-Chuan; Jin, Qing-Hua
Studies of mordenite by the Monte Carlo method.—74-05278A
Ding, Ji-Jian See Zhu, Li-Ming
Ding, Jow-Lian; Liu, Kenneth C.; Brinkman, Charles R.; Lin, Sheng-Bin
Development of a high-temperature deformation and life prediction model for an advanced silicon nitride ceramic.—74-10967A
Ding, Lan-Ying See Ren, Quan
Ding, Wei-Lin See Cao, Zhen-Yuan
Ding, X.-Z.; Qi, Z.-A.; He, Y.-Z.
Effect of tin dioxide doping on rutile phase formation in sol-gel-derived nanocrystalline titania powders.—74-07281A
Ding, Xiao-Min See Zhang, Bei
Ding, Xue-Zhou; Zhang, Zhi-Guo; Jiang, Qian
Observation of beating between cw lasers by time-delayed laser-induced double gratings mediated by photorefractive effect.—74-08974A
Ding, Y.; Osaka, Akiyoshi; Miura, Yoshinari
Surface crystallization of lithium diborate on glass induced by ultrasonic treatment.—74-05797A
Ding, Yong-Qing; Wei, Guang-Yu; Peng, Rui-Wu
Reaction kinetics control in preparation of CdTe and HgCdTe by hot wall metallorganic vapor phase epitaxy.—74-03859A
Ding, Zhen-Xiang; Oberacker, Rainer; Thummler, Fritz
Cr_2O_3 particulate reinforced Y-TZP ceramics with high fracture toughness and strength.—74-02108A
Dingeldein, Elvira See Bauer, Hans-Jorg
Dinger, Dennis R. See Funk, James E.
Dinger, Dennis R.; Funk, James E.
Particle packing: V, Computational methods applied to experimental distribution.—74-05900A
Diniz, A. E. See Bonifacio, M. E. R.
Dinsdale, A. T. See Barry, T. I.
Dinwiddie, Ralph B. See Wang, Hong-Yu
Diogenov, G. G.
Character of interaction of salts in ternary systems.—74-01346A
Dion, Pascal See Massiot, Dominique
DiPietro, S. G. See Kibler, J. J.
Dire, S. See Ingo, G. M.; Soraru, Gian Domenico
Dirks, A. G.; Augur, R. A.; De Veirman, A. E. M.
Al-Si-V and Al-Si-V-Pd films as alternatives for Al-Si-Cu interconnect: microstructure and its impact on reliability.—74-04247A
Dirkx, Ryan R. See Russo, David A.
Dirnfeld, S. F. See Mehlmann, A. K.
Dischler, B.; Rothemund, W.; Maier, K.; Wild, C.; Biebl, H.; Koidl, P.
Diamond luminescence—resolved donor-acceptor pair recombination lines.—74-05115A
Dishman, Karla L.; Doolin, Patricia K.; Hoffman, James F.
Comparison of particle size of cracking catalyst determined by laser light scattering and dry sieve methods.—74-07231A
Dismukes, John P. See Busch, John V.
Disson, Jean-Pierre See Bachelard, Roland; Jarrige, J.
Ditina, Z. Z. See Eisele, I.
Ditizio, R. A. See Gu, Tieer
DiTusa, J. F.; Cheong, S.-W.; Park, J.-H.
Magnetic and charge dynamics in a doped 1-D transition metal oxide.—74-07374A
Divakar, Ramesh; Lau, Sai-Kwing
Process for making silicon carbide with controlled porosity.—74-09951P
Divakaruni, Renuka S. See Casey, Jon A.
Dively, Rogest W., III
Cracks in concrete and their effect on coatings and linings.—74-02365A; Osmotic blistering of coating and linings applied to concrete surfaces.—74-04798A
DiVenere, A.; Yi, X. J.; Hou, C. L.; Wang, H. C.; Chen, J.; Ketterson, J. B.
Molecular beam epitaxy growth of Bi epilayers and Bi-CdTe superlattices.—74-05033A
Divis, M.; Nekvasil, V.; Muller, H.
Magnetoelastic interactions in $RECuO_4$ system.—74-03516A
Dixon, A. G. See Hamilton, Kenneth E.
Dixon, J. B. See White, G. Norman
Djaelani, M. Anvar
Indarung plant boosted to 3.24 million tpy.—74-03696A
Djambazov, S.; Nikolov, R.; Deredjan, A.
Ceramic pigments on the base of cobaltous silicate obtained by sol-gel method.—74-10216A
Djeridand, S. See Banthia, N.
Djessas, K. See Masse, G.
Djordjevic, Z. B. See Xing, S. B.; Yan, Q.
Djuricic, B. See Dechamps, Michel; Pickering, Stephen
Djuricic, B.; McGarry, D.; Pickering, Stephen
Coating of ultrafine ceria-stabilized zirconia.—74-04517A
Djurtanov, B. E. See Voronina, T. I.
Dluginski, Ronald S. See Alario, Joseph
Dmitrenko, I. M. See Brodyanskii, A. P.
Dmitrenko, I. M.; Fogel, N. Ya.; Cherkasova, V. G.
Dimension crossover and the nature of the superconducting layers in PbSe/PbS superlattices.—74-03443A
Dmitrienko, Yu. A. See Afinogenova, N. S.
Dmitriev, A. I. See Ordan'yan, S. S.
Dmitriev, A. P. See Kuznetsov, N. I.
Dmitriev, A. V. See Slutsker, A.I.
Dmitriev, D. D. See Filipovich, V. N.
Dmitriev, S. G. See Borisov, V. I.
Dmitriev, V. M. See Galaiko, V. P.
Dmitriev, V. M.; Eremenko, V. V.; Piryatinskaya, V. G.
Photoinduced phenomena in $YBa_2Cu_3O_{6+\delta}$ films.—74-00835A
Dmitriev, V. M.; Isakina, A. P.; Ofitserov, M. N.
Electromagnetic properties and structure of the $YBa_2Cu_{3-x}Sc_xO_y$ ceramic near $T>T_c$.—74-03455A
Dmitriev, V. M.; Kravchenko, E. L.; Ofitserov, M. N.
Temperature correlation of peculiarities of the impedance of a $YBa_2Cu_3O_x$ film and an $SrTiO_3$ substrate.—74-03604A
Dmitriev, V. M.; Ofitserov, M. N.; Prentslau, N. N.
Ac resistance of HTSC single crystals in the normal state.—74-04245A; HTS ceramic conductivity increase preceding the N-S transition.—74-03487A
Dmitriev, V. M.; Zolochevskii, I. V.; Khristenko, E. V.
Nonequilibrium processes induced by microwave field and by supercritical direct current in $YBa_2Cu_3O_{7-x}$.—74-03540A
Dmitriev, Vladimir See Toledano, Pierre
Dmitriev, Yuri N. See Koshkin, V. M.
Dmitrieva, O. G. See Artamonov, O. M.
Dmitruk, L. N. See Vinogradova, N. N.
Dmitruk, N. L.; Kotova, N. V.; Podlesnyi, E. V.
Resonant excitation of vibrational modes on GaAs microrelief surface.—74-03202A
Dmitryuk, A. V.; Solov'eva, N. D.; Timofeev, N. T.
Electron phototransfer spectroscopy in europium-doped phosphate glasses.—74-02537A
Do, K. B. See Benerofe, S. J.
Do-Thoi, Tha; Stingl, Peter
Metal-ceramic joint.—74-08308P
Dobisz, E. A.; Marrian, C. R. K.; Turner, Noel H.
Reduction and elimination of proximity effects.—74-01568A
Dobkin, D. M. See Hitchens, W. R.
Dobkin, Daniel M.
Kinetics and uniformity of deposition of borophosphosilicate glass from silane and oxygen in a single-wafer reactor.—74-00304A
Dobrosotskaya, T. Ya.; Kraevskii, S. L.
Coloring of molybdenum borosilicate glass upon electrical heating.—74-02440A
Dobrowolska, M. See Short, S. W.
Dobson, P. J. See Ayres, J. R.; Salata, O. V.
Dodd, R. A. See Chen, J.
Dodds, Gerald C.; Alexander, Ricky A.
Ceramic material for use in casting reactive metals.—74-08646P
Dodokin, A. P.; Laikho, P.; Laderanta, E.
Magnetic susceptibility of YAG:Ce^{3+} crystals.—74-03392A
Doebele, H. F. See Dowling, D. P.
Doeff, M. M. See Ma, Y.
Doerr, U. See Baranovskii, S. D.
Doettinger, S. G.; Huebner, R. P.; Gerdemann, R.
Electronic instability at high flux flow velocities in HTSC films.—74-06534A
Dogan, F. See Sevinctav, S.
Doghri, I.; Jansson, S.; Leckie, F. A.
Optimization of coating layers in the design of ceramic fiber reinforced metal matrix composites.—74-00135A
Doh, Hyun-Ho See Whang, Ki-Woong
Dohi, Yoshiko See Ohgushi, Hajime
Dohler, G. H. See Schmidt, K. H.
Doi, A.
Atomistic view of conduction polarization in ionic glasses.—74-05704A; Relaxations in ionic motion and the glass transition in ionic glasses.—74-05695A
Doi, Akira; Yamanaka, Shosaku; Kawai, Hiromu
Heat transfer insulated parts and manufacturing method thereof.—74-02419P
Doi, Tetsuya See Naito, Yasuyuki
Dokiya, Masayuki See Montross, Charles S.; Sakai, Natsuko; Yokokawa, Harumi
Dokter, W. H.; Beelen, T. P. M.; Van Garderen, H. F.
Structural development in silica systems.—74-10888A
Dokuchaev, V. G. See Barinova, N. A.
Doladugina, V. S.; Lebedeva, R. B.
Behavior of the refractive index of quartz glasses in the region of the glass transition temperature.—74-02516A
Doleman, Paul A. See Butler, Edwin
Doleschel, H. See Kieslich, A.
Dolgikh, C. G. See Karklit, A. K.
Dolgikh, S. G.; Karklit, A. K.; Kakhmurov, A. V.
Topaz as a refractory raw material.—74-01205A
Dolgikh, V. A. See Baranov, I. Yu.
Dolginov, L. M.; Tunitskaya, I. V.; Polyakov, A. Y.;
Druzhinina, L. V.; Vinogradova, G. V.; Smirnov, N. B.
Effect of Gd doping on carrier concentration in InGaAsSb layers grown by liquid phase epitaxy.—74-06052A
Dolgoborodov, A. Yu.; Voskoboinikov, I. M.
Sound velocities in shock-compressed corundum, boron carbide, and silicon carbide.—74-04423A
Dolgomirov, B. A. See Vainberg, I. A.
Dolgosheev, P. I. See Sytnikov, V. E.
Dolino, G. See Regolini, J. L.
Doll, Gary L. See Terminello, L. J.; Tibbetts, Gary G.
Doll, Roland
Bushing designs simplify shaft-mounted drive servicability.—74-02310A
Dollimore, D.
Thermal analysis.—74-07530A
Domanskaya, L. I. See Shelushinina, N. G.
Domasevich, L. T. See Vlasova, M. V.
Domashneva, E. P. See Andrievskii, R. A.; Grebtsova, O. M.
Dombrowski, Thomas
Theories of origin for the Georgia kaolins—a review.—74-06934A
Domel, R.
Investigation of $SrRuO_3$ barriers in SNS junctions.—74-06569A
Domen, Kay See Kondo, Makoto
Domenech, V.; Sanchez, E.; Sanz, V.
Assessing the plasticity of ceramic masses by determining indentation force.—74-09552A
Domergue, Jean-Marc See Vagaggini, Emmanuel

Domergue, Jean-Marc; Vagaggini, Emmanuel; Evans, Anthony G.
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: II, Experimental studies on unidirectional materials.—74-11071A
Dominec, J.; Nevriva, M.; Laermans, C.
Ultrasound attenuation in $Bi_2Sr_2CuO_4$ single crystal.—74-03613A
Dominguez, M.; Marquez, E.; Villares, P.
Dc electrical properties of some metal-chalcogenide glassy alloys of the Cu-As-Se system.—74-05709A
Dominguez-Adame, F. See Monteiro, T.
Dominguez-Rodriguez, A. See Calderon-Moreno, J. M.; Bravo-Leon, A.; Jimenez-Melendo, M.; Martinez-Fernandez, J.; Pajares, Antonia; Sanchez-Bajo, F.; Ye, Jian-Dong
Dommann, A. See Ramm, J.
Domszy, R. C. See Sigel, G. A.
Don, Siegfried See Rowland, Barry
Dona, J. M.; Herrero, J.
Process and film characterization of chemical-bath-deposited ZnS thin films.—74-07444A
Donaldson, Kimberly Y.; Lu, Yang-Sheng; Hasselman, D. P. H.; Thomas, J. R., Jr.
Effect of fracture and interfacial debonding of reinforcing phase on the effective thermal conductivity of ceramic matrix composites.—74-10971A
Donaldson, William R.; Gupta, Deepnarayan; Kadin, Alan M.
High power energy transfer system utilizing high temperature superconductors.—74-00867P
Donat, M. See Arenas, F. J.
Donate, C. See Marco, J.
Donchenko, Yu. See Iliukha, N.
Dondelewski, Henryk; Macieik, Leslaw
Effect of melamine-formaldehyde resin on selected properties of porous gypsum materials.—74-00052A
Dondi, M. See Ravaglioli, A.
Dondi, M.; Fabbri, B.; Venturi, I.
Preliminary report on the pore size distribution of Italian heavy clay products.—74-07717A
Dong, Zhi-Hong See He, Shui-Qing
Donig, F.; Feltz, A.; Kulakov, M.
Gas phase etching of Si(111)-×7) surfaces by oxygen observed by scanning tunneling microscopy.—74-01996A
Donley, M. S. See McDevitt, N. T.
Donnellan, T. M. See Leek, R.
Donnelly, K. See Dowling, D. P.
Donnelly, V. M. See Cheng, C. C.
Donnely, Joseph P. See Lau, S. D.
Donnet, C. See Le Mogne, T.
Donzac, Jean-Marc N. P. See Lespade, Pierre
Doolin, Patricia K. See Dishman, Karla L.
Doong, Y.-Y. See Wang, Y.-L.
Dorantes-Davila, J. See Aguilera-Granja, F.
Doreau, Franck See Kervadec, Dominique
Dorfel, Ilona; Klotz, H.-D.; Mach, R.
Morphology and phase transition during the heat treatment of plasma Si_3N_4 powders.—74-10848A
Dorfman, Benjamin; Abraizov, Michael; Strongin, M.
Physical properties of diamondlike nanocomposite films.—74-07184A
Dorfman, Benjamin; Goel, Arvind; Abraizov, Michael
Diamondlike nanocomposite films—some characteristics and applications.—74-10076A
Dorfman, Benjamin; Pypkin, Boris
Method for forming diamondlike nanocomposite or doped diamondlike nanocomposite films.—74-04062P
Doris, B. See Diebold, Alain C.
Dorn, D. A. See Vienna, J. D.
Dorn, Friedrich-Wilhelm See Preisler, Eberhard
Dornfeld, Edmund G. See Mathews, Dale J.
Dorofeeva, E. A. See Gonchukova, N. O.
Dorofeyev, O. A.; Popov, A. I.
Magnetically induced linear birefringence of samarium ferrite garnet.—74-06464A
Doroshenko, N. A. See Markovich, V. I.
Doroshev, V. D.; Krivoruchko, V. N.; Shestakov, A. A.
Transition to 3-D magnetic structure near substitutional impurity in La_2CuO_4.—74-03611A
Dorosinskii, L. A. See Vlasko-Vlasov, V. K.
Doroudian, M. See Samandi, M.
Dorozhkin, S. I. See Bakin, A. S.
Dorrego, F. See Luxan, M. P.
Dorris, Stephen E. See Luo, Jian-Shu
Dorris, Stephen E.; Poeppel, Roger B.; Prorok, Barton C.; Lanagan, Michael T.; Maroni, Victor A.
Synthesis of highly phase pure (Bi, Pb)-Sr-Ca-Cu-O superconductor.—74-03668P
Dorsch, O. See Werner, M.
Dorsch, O.; Holzner, K.; Harper, R. E.
Piezoresistive effect of boron-doped diamond thin films.—74-10137A
Dorvaux, J.-M. See Talandier, J.
Dos Santos, A. See Auderbert, P.
Dos Santos, J. H. Z. See Ballinet-Tkatchenko, Danielle
Dos Santos, M. P. See Meng, Li-Jian
Dosal, G. A. See Pina, P. C.
Dosch, Robert G. See Anthony, Rayford G.
Doscher, M.; Pauli, M.; Muller, J.
Study on WSi_2 thin films, formed by the reaction of tungsten with solid or liquid silicon, by rapid thermal annealing.—74-04925A
Doshi, D.; Reed, James S.
Critical flaws in sintered compacts of alumina granules.—74-10958A
Dotsenko, A. V. See Flegonsov, Yu. A.
Dotsenko, V. I.; Kislyak, I. F.; Pai-Val, P. P.
Effect of silver concentration on electric and magnetic properties of HTS composites $YBa_2Cu_3O_x$-Ag.—74-03452A
Dotseva, A. A.; Kasabova, N. A.; Shishkov, D. S.
Optimized composition of Cu-Zn-Al-oxide catalyst for methanol synthesis.—74-01236A
Dotter, W. See Erz, R.
Dou, S.-X. See Guo, Y.-C.
Dou, Shu-Ju; Gan, Fei-Fang; Chang, Xi-Ping
Effects of Cr_2O_3 on slag resistance of magnesia-spinel refractories.—74-05855A
Dougherty, B. J.
Government views on U.S. competitiveness technology and productivity.—74-07948A
Dougherty, Jack See Reagan, Peter
Dougherty, Joseph P. See Wang, Sea-Fue
Dougherty, Joseph P.; Wang, Sea-Fue; Huebner, Wayne
Metallization compositions for BI and PB-containing ceramic dielectrics.—74-08309P
Douglas, John
Solid futures in fuel cells.—74-03930A
Douglas, R. See Hays, C.
Douglas, Trevor; Mann, Stephen
Oriented nucleation of gypsum ($CaSO_4{\cdot}2H_2O$) under compressed Langmuir monolayers.—74-04796A
Doukhan, J. C. See Cordier, P.
Doussineau, P.; Farasi, Y.; Frenois, C.
Dielectric study of the phase transition in $K_{1-x}Li_xTaO_3$.—74-09121A
Doussineau, P.; Frenois, C.; Levelut, A.
Effect of the electric field on the elastic and dielectric properties of a lithium-potassium tantalate crystal.—74-10083A
Douy, Andre See Jaymes, Isabelle
Dove, D. B. See Shih, K. K.
Doverspike, Kathleen See Freitas, J. A., Jr.
Doverspike, Kathleen; Butler, James E.; Freitas, J. A., Jr.
Aerosol doping of flame-grown diamond films.—74-10186A
Dovgii, Ya. O.; Kityk, I. V.; Matkovskii, A. O.; Sugak, D. Y.; Ubizskii, S. B.
Quantum chemical approach to formation of defect states in gadolinium-gallium garnets.—74-05046A
Dovgii, Ya. O.; Kityk, I. V.; Matkovskii, A. O.
Spectroscopic parameters of color centers in $Gd_3Ga_5O_{12}$ single crystals.—74-05052A
Doweidar, H. See Moustafa, Y. M.
Doweidar, H.; Megahed, A. A.; Abd Al-Maksoud, S.
Comparative study of the dc conduction in Na_2O-PbO-B_2O_3 and CdO-PbO-B_2O_3 glasses.—74-05707A
Dowell, M. B. See Barletta, Robert E.; Moore, A. W.
Dowling, D. P.; O'Brien, T. P.; Davitt, E. M.; Donnelly, K.; Kelly, T. C.; Doebele, H. F.
Effect of atomic hydrogen on diamondlike carbon film production.—74-03685A
Downey, S. W.; Emerson, A. B.
Sputtering effects in Si, SiO_2, and the Si/SiO_2 interface.—74-05252A
Downing, M. See Horsfall, I.
Downing, M.; Horsfall, I.
Fabrication of fiber-reinforced nickel aluminide matrix composites by reactive processing.—74-08189A
Downing, R. G. See Lamaze, G. P.
Dowsett, M. G. See Cooke, G. A.
Dowsett, M. G.; Barlow, R. D.; Allen, P. N.
Secondary ion mass spectrometry analysis of ultrathin impurity layers in semiconductors and their use in quantification, instrumental assessment, and fundamental measurements.—74-01100A
Doyle, Donald M. See Cienski, T.
Doyle, F. M.; Duyvesteyn, S.
Aqueous processing of minerals, metals, and materials.—74-00892A
Doyle, J. P. See Pignolet, A.
Doyle, S. E.; Mattern, N.; Pitschke, W.; Weise, G.; Kraut, D.; Bauer, H. D.
X-ray diffraction studies of the structure of molybdenum sulfide thin films.—74-05296A
Dozhdikova, O. L.; Zarichnyak, Yu. P.; Zuev, A. V.; Krylov, S. O.; Ordan'yan, S. S.; Stepanenko, E. K.
Anomalies in the concentration relationship of thermal conductivity of sintered composites with an ultradispersed component in the TiN-AlN system.—74-04253A
Dragan, N. See Parlog, C.
Dragcevic, D. See Music, S.
Dragcevic, Z. See Lahodny-Sarc, O.
Drakin, A. E. See Eliseev, P. G.
Dransfield, Graham P. See McColgan, P.
Dransfield, Graham P.; King, Dennis J.
Metallic oxides.—74-01260P
Dransmann, G. W. See Behrens, G.
Draper, S. L. See Farmer, Serene C.
Drawl, W. See Hong, Byung-You
Drechsler, M. See Emanuelsson, P.
Dreier, G.; Meyer, M.; Schmauder, Siegfried; Elssner, G.
Fracture mechanics studies of thermal mismatch using a four-point bending specimen.—74-11005A
Dreifus, David L. See Miyata, Koichi
Dreifus, David L.
Diamond and II-VI heterojunction semiconductor light emitting device.—74-09085P
Drennan, John See Senda, Tetsuya
Drennan, John; Hartshorn, A. J.; Thompson, S. W.
Effect of low-temperature aqueous environments on magnesia partially stabilized zirconia (Mg-PSZ).—74-01374A
Drescher, D. See Scheibe, H.-J.
Drevet, B. See Eustathopoulos, N.
Drevet, B.; Kalogeropoulou, S.; Eustathopoulos, N.
Wettability and interfacial bonding in Au-Si/SiC system.—74-00162A
Drevillon, B.
In situ spectroscopic ellipsometry studies of interfaces of thin films deposited by PECVD.—74-05163A
Drevushchak, V. A.; Dement'ev, S. N.
Thermodynamic study of quartz in the vicinity of the α-ß transition.—74-04233A
Drew, R. A. L. See Allahverdi, M.
Drews, H.; Hempel, J.; Gerhardt, W.
Basic concept of process control in cement plants.—74-02309A
Drexler, H.; Leonard, D.; Hansen, W.
Spectroscopy of quantum levels in charge-tunable InGaAs quantum wells.—74-09047A
Drexler, Hubert See Winter, Ernst
Dreyer, Klaus; Kassel, Dieter; Kolaska, Hans
Ceramic composite body, process for producing a ceramic composite.—74-04035P
Drichko, I. L.; Popov, V. V.
Effect of surface conductivity on acoustic and galvanomagnetic properties of high-resistivity InSb at low temperatures.—74-06056A
Driscoll, T. J.; Gale, G. M.; Hache, F.
Ti sapphire second-harmonic-pumped visible range fs optical parametric oscillator.—74-06362A
Drissi-Habti, M. See Despierres, T.; Rouillon, M. H.
Drjaca, J. See Plecas, I.
Drobot'ko, V. F. See Grishin, A. M.
Drofenik, M. See Rozman, Marko; Znidarsic, M.
Drogue, Sophie; Breininger, Shannon; Ruiz, Roberto
Minimizing NO_x emissions through improved oxy-fuel.—74-03922A
Droillard, C.; Voisard, P.; Heibst, C.; Lamon, Jacques
Determination of fracture toughness of 2-D woven SiC matrix composites made by chemical vapor infiltration.—74-05337A
Dron, Roger; Brivot, F.
Thermodynamic and kinetic approach to the alkali-silica reaction: I, Concepts.—74-05607A
Droopad, Ravi See Cody, Jeffrey G.; Kuo, C. H.
Droopad, Ravi; Kuo, C. H.; Anand, S.; Choi, K. Y.; Maracas, G. N.
Determination of molecular beam epitaxial growth parameters by ellipsometry.—74-03795A
Drost, A. See Mentink, S. A. M.
Drouet, M. G.; Handfield, M.; Meunier, J.
Dross treatment in a rotary arc furnace with graphite electrodes.—74-06848A
Drozdov, S. V.; Kipshzde, G. D.; Kreshchuk, A. M.
Quantum wires with controllable conducting channel width based $In_{0.53}Ca_{0.47}As$/InP heterostructures.—74-03189A
Drozdov, Yu. P.
Triclinic deformation of pseudomorphous layers on substrates with disoriented slice.—74-05293A
Drozdova, I. A.; Korsunskaya, N. E.; Markevich, I. V.
Conductivity anisotropy induced by an electric field in CdS crystals.—74-02947A
Drozdova, N. M. See Sirotinkin, V. P.
Druetta, M. See Magne, S.
Drulis, H. See Shengelaya, A. D.
Drummond, Charles H., III See Bansal, Narottam P.; Demana, Brian P.
Drummond, I. C. See John, P.; Jubber, M. G.
Drummond, T. J. See Sherwin, M. E.
Druzenko, T. V. See Zolotositskaya, E. S.
Druzhinina, L. V. See Dolginov, L. M.
Dshmukh, Subhash; Hitchcock, Lynne M.; Rothe, Erhard W.; Reck, Gene P.
Graphitization of synthetic diamond by 193 nm laser light: comparison of ^{12}C-enriched diamonds with those of natural isotopic composition.—74-04659A
Du, Chun-Le; Miao, Jing-Qi; Kunz, R. E.
Investigation on humidity sensors of Ta_2O_5 planar waveguides.—74-08942A
Du, Hai-Qing See Du, Wei-Fang; Zhou, Song-Qing
Du, Hong-Hua See Koppikar, Sandeep R.; Yang, Zun-De
Du, She-Jun; Zhang, Ping-Xian; Ji, Ping
Preparation and properties of YBCO/Ag composite tape using powder melting process (PMP).—74-06617A
Du, Wei-Fang; Du, Hai-Qing
Monitoring of microcrack propagation in ceramics under thermal stress by acoustic emission.—74-01082A
Du, Wei-Fang; Xiao, Han-Ning; Du, Hai-Qing
Oxidation of SiC matrix multiphase ceramics at high temperature and its effect on strength.—74-10930A
Du, Wei; Keeling, Lori A.; Greenlief, C. Michael
Thermal decomposition of diethylgermane on Si(100)-(2×1).—74-04956A
Du, Xin-Min; Orignac, Xavier; Almeida, R. M.
Striation-free, spin-coated sol-gel optical films.—74-07492A
Du, Xin-Min; Shen, Ding-Kun; Chen, Xian-Qiu
Nucleation mechanism of $5K_2O$-43CaO-$12Al_2O_3$-$40SiO_2$ glass catalyzed by Ni_2O_3.—74-08342A
Du, Xin-Min; Yu, Ling; Shen, Ding-Kun; Wang, Kai-Tai; Fang, Xiang-Yu; Chen, Xian-Qiu
Structure and pleochroism of $Bi_2Sr_2CaCu_2O_4$ superconducting crystal.—74-09339A
Du, Y.-J.; Holland, D.; Pittson, R.
Synthesis of glass powder precursors in the BaO-Al_2O_3-SiO_2 and BaO-ZnO-Al_2O_3-SiO_2 systems by the sol-gel route.—74-00319A
Du, Yang; Nowick, Arthur S.
Structural transitions and proton conduction in nonstoichiometric $A_3B'B_2''O_9$ perovskite-type oxides.—74-10033A
Du, Yu-Kou See Yang, Ye
Du, Yu-Kou; Che, Guang-Can; Jia, Shun-Lian
Difference between forming processes of $RBa_2Cu_3O_{7-\delta}$ (R=3Y, Yb) phases and preparation of single-phase Yb-123 superconductor.—74-00797A; Phase structure and superconductivity in $Bi_{1.6}Pb_{0.4}Sr_2Ca_{2-x}(Nd_{0.75}Ce_{0.25})_xCu_3O_y$ system.—74-00833A
Du, Z.-Z.; Cocks, A. C. F.
Constitutive models for the sintering of ceramic components: I, Material models.—74-10237A; II, Sintering of inhomogeneous bodies.—74-10238A

Dua, A. K.; George, V. C.
TaC coatings prepared by hot filament chemical vapor deposition—characterization and properties.—74-04951A
Duan, Kai; Mai, Yiu-Wing; Cotterell, Brian
Resistance to crack propagation in an Al_2O_3/ZrO_2 ceramic.—74-02192A
Duarte, J. See Ray, Mark A.
Dub, S. N. See Novikov, N. V.; Voronkin, M. A.
Dube, D. See Lambert, P.
Dube, D.; Arsenault, B.; Gelinas, C.; Lambert, P.
Mass transfer in an $ErBa372Cu_3O_7$ pellet partially melted in a thermal gradient.—74-06580A
Dubois, Bernard See Maugendre, Stephane
Dubois, L. H. See Prybyla, J. A.
Dubois, T.; Demazeau, G.
Preparation of Fe_3O_4 fine particles through a solvothermal process.—74-07430A
Dubok, V. A. See Kabanova, M. I.
Dubots, Dominique; Faure, Pierre
Abrasive and/or refractory products based on melted and solidified oxynitrides and process preparing the same.—74-00004P
Dubova, A. V. See Il'icheva, E. N.
Dubrovina, I. N. See Vikhreva, O. A.
Dubrovskii, Yu. V.; Larkin, I. A.; Morozov, S. V.
Sequential emission of optical phonons by ballistic electrons in single barrier heterostructures.—74-09035A
Dubsky, J.; Kolman, B.; Chraska, P.
Stability of α-phase in alumina-chromia plasma-sprayed deposits after annealing.—74-08275A
Ducarroir, M. See Poirier, L.
Ducati, U. See Cavallotti, P.
Ducel, J. F.; Videau, J. J.
Effect of additional calcium hydroxyapatite on sodium borophosphate glasses—physical and chemical characterizations.—74-05710A
Ducel, J. F.; Videau, J. J.; Suh, K. S.
^{31}P MAS and ^{11}B NMR study of sodium-rich borophosphate glasses.— 74-05661A
Duchesne, J.; Berube, M. A.
Effectiveness of supplementary cementing materials in suppressing expansion due to ASR [alkali-silica reaction]—another look at the reaction mechanism: I, Concrete expansion and portlandite depletion.—74-03904A; II, Pore solution chemistry.—74-05506A
Duchesne, J.
Evaluation of the validity of the pore solution expression method from hardened cement pastes and mortars.—74-05520A
Ducheyne, P.; Marcolongo, M.; Schepers, E.
Bioceramic composites.—74-06950A
Duchowicz, R.; Ferrer, M.; Amat-Guerri, F.
Proton transfer dye laser pumped by a third harmonic of an Nd:YAG laser.—74-01566A
Duckers, J. G.; Tucker, R. J.
Use of a permeable ceramic for radiation enhancement in a gas-fired furnace.—74-09722A
Duclos, R. See Baddi, R.; Beclin, F.; Bernard-Granger, G.; Peni, F.
Duclot, M. J. See Caillot, E.
Ducman, V.; Suvorov, D.
Influence of B_2O_3 addition on the crystallization and properties of LAS-based glass-ceramics.—74-05772A
Ducroux, J.-P. See Rekhson, S. M.
Duda, Jerzi
New semiwet process using coal shales in Warta II cement plant (Poland).—74-03948A
Dudareva, A. G. See Kiriaku, E. A.
Dudas, Istvan See Kotsis, Ildiko
Dudek, Hans Joachim See Hemptenmacher, Jorg
Duderov, Yu. G. See Kolesnik, S. V.
Dudkevich, V. P. See Surowiak, Z.
Dudnik, E. V. See Lopato, L. M.
Dudnik, E. V.; Zaitseva, Z. A.; Shevchenko, A. V.; Lopato, L. M.
Methods for preparing fine powders based on zirconium dioxide.—74-01796A
Dudnik, T. A. See Atkarskaya, A. B.
Dudrova, E. See Slesar, M.
Dueber, R. E.; Bond, A. M.; Dickens, P. G.
Investigation of the mechanism of formation of insertion compounds of uranium oxides by voltammetric reduction of the solid phase after mechanical transfer to a carbon electrode.—74-00885A
Duerkop, Detlev See Blank, Kurt
Duffy, D. M.; Harding, J. H.; Stoneham, A. M.
Atomic modeling of the metal/oxide interface with image interactions.—74-08129A
Duffy, J. A. See Baucke, F. G. K.; Blair, J. A.
Dufour, J. P. See David, T.
Dugan, Tracy P.; Robertson, James H., Jr.
Whisker-reinforced ceramic roller guides.—74-09845P
Dugnoille, B. See Legrand, P. B.
Duk, Yong-Yoon See Lee, Ho-Yong
Duke, John C., Jr.
NDE method selection for advanced materials.—74-01084A
Dul'kin, E. A.; Gavrilyachenko, V. G.; Semenchev, A. F.
Acoustic emission during phase transition in barium titanate crystals subjected to step-by-step etching.—74-06392A
Dulak, J. See Blumenstock, K.
Dulea, M. See Jarrendahl, K.
Dullea, Leonard V. See Dutta, Arunava
Duloisy, E. See Ignat, M.
Dulov, A. A. See Abramova, L. A.
Duma, Gyorgy
Data on the origin of the word "porcelain."—74-07941A
Dumas, Jean-Pierre; Belouet, Christian
Method of making a preform for an optical fiber.—74-02687P
Dumas, P. See Roge, T. P.; Vatel, O.
Dumas, P.; Gu, M.; Hallimaoui, A.; Salvan, F.; Gimzewski, J. K.; Schlittler, R. R.
Photon spectroscopy, mapping, and topography of 85% porous silicon.—74-07712A
Dumas, P.; Gu, M.; Syrykh, C.; Hallimaoui, A.; Salvan, F.; Gimzewski, J. K.
Nanostructuring of porous silicon using scanning tunneling microscopy.—74-06793A
Dumbaugh, William H., Jr.
Making glass sheet with defect-free surfaces and alkali metal-free soluble glasses therefor—74-00337P
Dumford, S. A.; Lavine, J. M.
Ag_2Te/As_2S_3, a top-surface, high-contrast negative-tone resist for deep ultraviolet submicron lithography.—74-01611A
Dumic, J. See Todorovic, M.
Dumitrascu, M. See Burghelea, V.
Dumitrescu, Lucia F. S. See Teoreanu, Ion
Dumont, Herve; Qu'Hen, Bruno; Bouree, Jean-Eric; Kuhn, Wolf; Gorochov, Ouri
Photoassisted metallorganic vapor phase epitaxy of ZnTe on GaAs.—74-03156A
Dumont, Herve; Svob, Ludvik; Ballutaud, Dominique; Gorochov, Ouri
Carbon and hydrogen incorporation in ZnTe layers grown by metallorganic chemical vapor deposition.—74-04492A
Dunaeva, T. Yu. See Baikov, Yu. M.
Dunaevskii, Yu. M. See Polyakova, A. A.
Duncan, W. M.; Henck, S. A.; Kuehne, J. W.; Loewenstein, L. M.; Maung, S.
High-speed spectral ellipsometry for in situ diagnostics and process control.—74-06774A
Dunderdale, Kevin See Tucker, Leslie E. J.
Dunkers, Joy P.; Parnas, Richard S.
Infrared attenuated total reflection cure monitor for control of the liquid composite molding process.—74-09476A
Dunlop, E. See Demichelis, F.; Maydell, E. A.
Dunmead, Stephen D.; Howard, Kevin E.
Method for forming beta-silicon carbide whiskers, singly or in a matrix, using an organotitanium coordination compound catalyst.—74-09931P
Dunmead, Stephen D.; Moore, William G.; Weimer, Alan W.; Eisman, Glenn A.; Henley, John P.
Method for making submicrometer carbides, submicrometer solid solution carbides, and the material resulting therefrom.—74-09933P
Dunn, B. See Akbarian, F.
Dunn, Bruce See Nishida, Fumito; Zink, Jeffrey I.
Dunn, Gregory; Krich, John
Effects of radiative processing steps on inversion layer mobility and channel hot carrier damage in reoxidized nitrided oxide MOSFET's.—74-02984A
Dunn, Martin L. See Li, Zhi-Guang
Dunn, Stanley A. See Sung, Yun-Mo
Dunscombe, C. J. See Clark, S. A.
Dunster, A. M.; Kendrick, D.; Parsonage, J. R.
Mechanism of hardening and hydration of white portland cement admixed with salicylaldehyde.—74-05550A
Dunyak, Thomas See Elahi, Mehran
Dupas, Luc H. See Ling, Zhi-Min
Dupau, F. See Larigue Korinek, S.
Dupont, Emanuel B.; Delacourt, Dominique; Papuchon, Michel
Mid-ir phase modulation via Stark effect on intersubband transitions in GaAs/GaAlAs quantum wells.—74-00659A
Dupont, L. See Aquilar, G.
Dupouy, P. See Perriere, J.
Dupuis, V. See Paillard, V.
Dupuy, C. See Mazhukin, V.
Dupuy, J. C. See Glachant, A.
Duquette, D. J. See Stoloff, N. S.
Dura, J. See Mayer, J.
Duraj, Stan A. See Hepp, Aloysius F.
Durakpasa, Hildrun See Leeb, Kurt
Duran, P. See Caballero, A.; Capel, F.; Fernandez, J. F.; Gregori, M. L.; Jurado, J. R.; Nieto, E.; Tartaj, J.
Duran, P.; Moure, C.; Jurado, J. R.
Processing, sintering behavior, and microstructural characterization of some ceria-gadolinia solid electrolytes.—74-04844A
Durand, Jean See Cros, Bernard
Durand, Jean; Azema, Nathalie; Cros, Bernard; Cot, L.
Different morphologies of AlN thin films synthesized at low temperature by PECVD.—74-10271A
Durand, L.; Pastol, J. L.
Dy_2BaCuO_5 distribution size in melt-textured $DyBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method.—74-06516A
Durandet, A. See Giroult-Matlakowski, G.
Duraud, J. P. See Gautier, M.
Durbin, T. D. See Chakarian, V.
Durchholz, Michael See Blank, Kurt
Durekovic, Andrija
Hydration of silica fume containing cement pastes of low water-to-solid ratio.—74-08046A
Durian, D. J.
Relaxation in aqueous foams.—74-07462A
Durmashkin, A. L. See Kortel, A. A.
Durrwalchter, Eugen; Waibel, Brigitte; Martin, Wolfram; Bunge, Hans-Joachim
Ceramic plate (substrate) which is coated with metal at least on one side.—74-08302P
Dusek, Joseph See Balachandran, U.; Capone, Donald W.
Dusek, V.; Vanecek, M.; Siroky, P.; Vorlicek, V.
Influence of the electron cyclotron resonance [ECR] microwave plasma on growth and properties of diamondlike carbon [DLC] films deposited onto rf biased substrates.—74-01767A
Dusza, J. See Hvizdos, P.; Sajgalik, Pavol
Dutov, A. G.; Komar, V. A.; Shiryaev, S. V.
Neutron activation analysis and an investigation of the element distribution in thin semiconductor films.—74-00667A
Dutta, A.; Basu, S.
Insulating ZnO film on silicon for MIS application.—74-05943A
Dutta, Arunava; Morrison, Mark A.; Dullea, Leonard V.; Kingston, Richard A.; Olsen, Joseph A.
Method for coating asymmetric glass envelope for lamp by electrostatic coating.—74-02682P
Dutta, D.; Chattopadhyay, K. K.; Dutta, J.
Optical properties of diamondlike transitional films produced by dc plasma deposition of acetylene.—74-07405A
Dutta, Geeta See Mitra, Shantanu
Dutta, Indranath See Mitra, Shantanu
Dutta, J. See Bhattacharyya, D.; Chattopadhyay, K. K.; Dutta, D.
Dutta, Joydeep; Roubeau, Pierre; Emeraud, Thierry; Laurent, Jean-Marc; Smith, Agnes; Leblanc, Francois
Application of pyrosol deposition process for large-area deposition of fluorine-doped tin dioxide thin films.—74-00569A
Dutta, Prabhir K.; Bronic, Josip
Mechanism of zeolite formation—seed-gel interaction.—74-10446A
Dutton, Rollie E. See Gustafson, Cathleen M.
Duval-Riviere, M. L.; Carry, Claude; Vicens, J.
Creep behavior and microstructure evolution of hot-pressed α-silicon carbide deformed at high temperature.—74-07848A
Duvierre, Gerard See Reber, A.
Duvierre, Gerard; Zanoli, Alain; Nelson, Michael
Fused cast AZS adapted for superstructure applications in today's glass furnaces.—74-08619A
Duvigneaud, P. H. See Baukens, I.; Diko, P.; Lanckeen, A.
Duyvesteyn, S. See Doyle, F. M.
Dvorak, George J.; Sejnoha, Michal
Initial failure maps for fibrous CMC laminates.—74-02158A
Dvurechenskii, A. V. See Zinovyev, V. A.
Dwivedi, Priya J.; Green, David J.
Determination of subcritical crack growth parameters by in situ observation of indentation cracks.—74-07859A; Indentation crack-shape evolution during subcritical crack growth.—74-05367A
Dwivedi, Ratnesh K. See Claar, Terry D.
Dwivedi, Ratnesh K.
Method of making ceramic composite articles and articles made thereby.—74-09826P
Dworschak, W. See Schwan, J.
Dworschak, W.; Jung, K.; Ehrhardt, H.
Growth of cubic boron nitride coatings in a magnetic field enhanced rf glow discharge.—74-04671A
Dwyer-Joyce, R. S.; Sayles, R. S.; Ioannides, E.
Investigation into the mechanisms of closed three-body abrasive wear.—74-02285A
Dyas, R. L. See Roy, P. K.
Dyczek, Jerzy; Mariarka, A.
Microscopic examination of the interface in the polyester and epoxide resins—hardened cement paste systems.—74-08073A
Dye, R. C. See Wu, X. D.
Dyer, A. See Teertstra, David K.; Wark, M.
Dyer, Henry B.; Davies, Geoffrey J.; Burns, Robert C.
Ultrahard abrasive particles.—74-07979P
Dyer, T. E.; Marshall, J. M.; Pickin, W.; Hepburn, A. R.; Davies, J. F.
Optoelectronic and structural properties of polysilicon produced by excimer laser and furnace crystallization of hydrogenated amorphous silicon (a-Si:H).—74-05213A
Dykes, J. W. See Mosley, W. D.
Dykhuizen, R. C. See Smith, M. F.
Dynes, R. C.
Order parameter of high-T_c superconductors—experimental probes[—review].—74-06602A
Dynes, Robert C.; Hartford, Elliot H., Jr.; Hellman, E. S.; Pargellis, Andrew N.; Sharifi, Fred
Article comprising a superconductor/insulator layer structure, and method of making the article.—74-03623P
Dynowska, E. See Kaminska, E.
Dytrich, K. See Enninga, G.
Dywer, John See Makarova, Marina A.
Dzhafarova, E. M. See Kasumov, F. B.
Dzhafarova, S. A. See Kasumov, F. B.
Dzhigiris, P. D.; Chyuvaskov, Yu. N.; Malchova, M. F.
Stapel fibers made of andesite porfyrite and used for heat insulating purposes.—74-00403A
Dzhkhangirov, Z. A. See Gashimzade, F. M.
Dziedzic, Chester J.; Ezis, Andre; Talbott, Robiee L.
Can tooling components.—74-09906P
Dziegielewska, Maria; Fligier, Miroslaw; Gregorowioz, Zbigniew
Possibility of utilization of calcium sulfate dihydrate waste from polyaluminum coagulant production process as binding material.—74-00087A
Dzioba, Steven; Cook, J. P. D.; Herak, T. V.; Livermore, S.; Young, M.; Rousina, R.
Wafer scale processing of InGaAsP/InP lasers.—74-06379A
Dzioba, Steven; Rousina, R.
Dielectric thin-film deposition by electron cyclotron resonance plasma chemical vapor deposition for optoelectronics.—74-00592A
Ealet, B.; Elyakhloufi, M. H.; Gillet, E.; Ricci, M.
Electronic and crystallographic structure of α-alumina thin films.—74-07641A

Ealey, Mark A. See Blackwood, Gary H.
Earl, W. L. See Smith, D. M.
Early, K. See Rittenhouse, G. E.
Early, K.; Windt, D. L.; Tennant, D. M.
Repair of soft X-ray optical elements by stripping and redeposition of Mo/Si reflective coatings.—74-01869A
Earthman, J. C. See Kim, H. K.
Eason, D. B. See Ren, J.
Eastman, J. A.
Microstructural development in nanophase TiO_2 during annealing.—74-04163A
Eastman, L. F. See Chen, Y.-P.
Eastman, Martin; Lane, Charles
Machining MMC's.—74-00948A
Eastman, Martin
Milling with cermets.—74-00955A
Eastwood, A. W. See Prewett, P. D.
Eaton, J. H. See Smith, R. G.
Ebato, Kouichi; Matsuo, Katsuyoshi; Ohte, Akira
Development of new slab continuous caster with advanced technology at Kakogawa Works.—74-05852A
Ebenhoch, J. See Ter Maat, J. H. H.
Eberhardt, A. W.; Zhou, C.; Rigney, E. D.
Bending and thermal stresses in a fatigue experiment of HAp-coated Ti rods.—74-08133A
Eberhardt, Guenter See Dibon, Andreas
Eberhardt, M. A.; Houalla, M.; Hercules, D. M.
Ion scattering and electron spectroscopic study of the surface coverage of V/Al_2O_3 catalysis.—74-05175A
Eberhardt, R.; Paliege, A.; Guyenot, V.
Joining of Al_2O_3 ceramics by glass solder.—74-05637A
Eberhardt, W. See Malten, C.
Eberi, D. D.; Blum, Alex
Illite crystallite thickness by X-ray diffraction.—74-06778A
Eberl, K. See Shields, A. J.
Eberspacher, Todd A. See Day, Victor W.
Ebert, R. See Illmann, U.
Ebert, W. L.; Bates, J. K.; Buck, E. C.; Gong, M.; Wolf, S. F.
Disposition of actinides released from high-level waste glasses.—74-09398A
Ebert, W.; Vescan, A.; Kohn, E.
General diamond Schottky-barrier diode model from locus diagram analysis.—74-03028A
Ebigt, Helmut See Petschauer, Hans
Ebihara, Kenji; Fujishima, Tomoyuki; Shiga, Masanobu
Plasma-enhanced MOCVD of superconducting oxides.—74-06612A
Ebisawa, Junichi See Ando, Eiichi
Ebner, D. See Bechinger, C.
Eccleston, R. S.; Barnes, T.; Brody, J.
Inelastic neutron scattering from spin ladder compound $(VO)_2P_2O_7$.—74-10822A
Ece, Muzeyyen See Oral, Baybars
Ece, Muzeyyen; Habermeier, Hans-Ulrich; Oral, Baybars; Hofmann, Siegfried
Superconducting films on diamond by pulsed laser deposition.—74-03593A
Ece, Omer Isik; Coban, Fazli
Geology, occurrence, and genesis of Eskisehir sepiolites, Turkey.—74-03943A
Ecelberger, Scott A. See Bryden, Wayne A.
Eck, Ralf See Greiner, Horst
Eckardt, T.; Mallener, W.; Stover, D.
Reactive plasma spraying of silicon in controlled nitrogen atmosphere.—74-10605A
Eckart, D. W. See Cole, M. W.
Eckebracht, Andrea See Kaplan-Diedrich, Hannelore
Eckel, Andrew J. See Glime, W. H.
Eckel, Andrew J.; Cawley, James D.; Parthasarathy, Triplicane A.
Oxidation kinetics of a continuous carbon phase in a nonreactive matrix.—74-05311A
Eckert, Hellmut See Maxwell, Robert
Eckhardt, C. J.; Peachey, N. M.; Takacs, J. M.; Uphaus, R. A.
Crystal engineering in two dimensions: control of planar packing by design of new amphiphiles.—74-05104A
Eckles, William E. See Hepp, Aloysius F.
Eckstein, James N. See Bozovic, Ivan
Eckstein, Ralf See Teuschler, Thomas
Ecom, C. B. See Suzuki, Y.
Economou, S. See De Bonte, M.
Economy, James See Cofer, Cameron G.; Kim, Dong-Pyo
Economy, James; Jung, H.; Gogeva, T.
One-step process for fabrication of carbon-carbon composites.—74-04017A
Eda, Kazuo; Taguchi, Yutaka; Miyauchi, Katsuyuki
High-frequency ceramic multilayer substrate.—74-08795P
Eddrief, M. See Brahim-Otsmane, L.
Eddy, C. R., Jr.; Youchison, D. L.; Sartwell, B. D.
Comparison of $(CH_4\text{-}O_2)\text{-}H_2$ and $CO\text{-}H_2$ plasmas for low-temperature diamond film deposition by electron cyclotron resonance plasma-assisted chemical vapor deposition.—74-04519A
Eddy, Michael M. See Olson, William L.; Young, K. H.
Eddy, T. L.; Sears, J. W.; Grandy, J. D.; Miley, D. V.;
Erickson, A. W.; Farnsworth, R. N.
Properties of vitrified Rocky Flats TRUW [transuranic-contaminated mixed waste] with different waste loadings.—74-09413A
Edelman, Piotr See Henley, Worth B.
Edelstein, A. S. See Trzaskoma, P. P.
Eden, J. G. See Farkas, A. M.
Eden, Richard C.
Application of diamond substrates for advanced high-density packaging.—74-08722A
Edgar, James H.
Properties of Group III Nitrides.—74-11209B
Edil, T. B.; Sandstrom, L. K.; Berthouex, P. M.
Interaction of inorganic leachate with compacted pozzolanic fly ash.—74-00070A
Edirisinghe, Mohan See Yu, Ga-Er
Edler, James P.; Lisowsky, Bohdan
Nondensified silicon nitride beta-phase material.—74-09944P
Edler, James P.
Method of converting a silicon nitride from alpha-phase to beta-phase, apparatus used therefor, and silicon nitride material made therefrom.—74-04066P; Method of nitriding silicon.—74-01325P
Edmond, John A. See Brown, Dale M.
Edvold, Bent; Andersen, Peter E.; Buchhave, Preben
Polarization properties of a photorefractive $Bi_{12}SiO_{12}$ crystal and their application in an optical correlator.—74-06989A
Edwards, D. E. See Giamei, A. F.
Edwards, G.; Inkson, J. C.
Hole states in GaAs/AlAs heterostructures and the limitations of the Luttinger model.—74-05017A
Edwards, George H.
[Sampling and testing protocol] for characterizing glass cullet obtained from postconsumer sources[—comment].—74-09425A
Edwards, H. L.; Barr, A. L.; Markert, J. T.
Modulations in the CuO chain layer of $YBa_2Cu_3O_{7-\delta}$—charge waves.—74-06589A
Edwards, H. L.; Markert, J. T.; De Lozanne, A. L.
Surface structure of $YBa_2Cu_3O_{7-x}$ probed by reversed-biased scanning tunneling microscopy.—74-06642A
Edwards, L. M.; Davidson, J. L.
Fabrication process development and characterization of polycrystalline diamond film resitors.—74-08749A
Edwards, M. J.
NMOS and CMOS polysilicon drive circuits for liquid crystal displays.—74-03128A
Edwardson, Kip
Museum helps promote ceramics.—74-05455A
Eersels, L. See Dekempeneer, E. H. A.; Meneve, J.
Efendiyev, E. G.; Hajiyev, E. Sh.; Shafizade, R. B.
Phase formation in films of the As_2Se_3-Yb system.—74-01432A
Efimenko, A. V.; Semenova, T. L.; Gordienko, P. S.
Formation of anode films of given phase composition on zirconium.—74-00493A
Efimov, A. M.; Makarova, E. G.
Accurate interpolation and extrapolation of the refractive index of glass in the transparency region.—74-02510A
Efimov, A. V. See Abakumova, R. A.
Efimov, Andrei M.
Optical constants of inorganic glasses.—74-11208B
Efimov, V. G. See Erchak, D. P.
Efimova, N. N.; Popkov, Yu. A.; Kufterina, S. R.
Magnetic and thermal properties at the initial stage of formation of spin-glass-type states in $Li_{0.5}Fe_{2.5-x}Ga_xO_4$ (x=0.9, 1).—74-07171A
Efimova, N. N.; Popkov, Yu. A.; Ustimenkova, M. B.
Investigation of magnetic properties of HTS ceramics $RBa_2Cu_3O_{7-\delta}$ (R = Y, Gd, Dy, Eu) in constant and varying field.—74-03504A
Efimova, T. P. See Balashova, E. V.
Efremov, M. D. See Bolotov, V. V.
Efremov, V. A.; Zakharov, N. D.; Kuz'micheva, G. M.
Yttrium-scandium-gallium garnet: crystal structure.—74-01491A
Efremova, E. P.; Kuznetsov, V. A.; Klimova, A. Yu.
Effect of pH on growth and properties of KDP crystals.—74-07276A
Efremova, N. N. See Finkelstein, L. D.
Eftekhari, G.
Electrical conduction through anodic oxides on sulfur-passivated InP.—74-06067A
Eftekhari, G.
Electrical properties of sulfur-passivated and rapidly thermal annealed GaAs metal-oxide-semiconductor structures with the oxide layer grown anodically.—74-06073A
Egashira, Makoto See Feng, C. D.; Lin, Feng-Cang
Egashira, Yasayuki See Hong, Lu-Sheng
Egner, David See Nesbitt, Kirby
Egorov, A. Yu. See Ledentsov, N. N.; Maksimov, M. V.
Egorov, A. Yu.; Zhukov, A. E.; Kop'ev, P. S.
Effect of deposition conditions on the formation of (In,Ga)As quantum clusters in a GaAs matrix.—74-08871A; Growth of (In,Ga)As/GaAs quantum well heterostructures through the deposition of "submonolayer" strained InAs layers.—74-03034A
Egorov-Tismenko, Yu. K. See Yamnova, N. A.
Egorova, L. S. See Budov, V. V.
Eguchi, Koichi See Setoguchi, Toshihiko
Eguchi, Koichi; Setoguchi, Toshihiko; Tamura, Satoshi; Arai, Hiromichi
Solid oxide fuel cell with a thin stabilized zirconia film supported on an electrode substrate.—74-00534A
Ehara, Shaw See Oshio, Takanori
Ehrburger, P. See Vix-Guteri, C.
Ehrenreich, H. See Kim, Don H.
Ehrhardt, H. See Dworschak, W.; Erz, R.; Gerber, J.; Schwan, J.; Weiler, M.
Ehrlich, A. See Elstner, F.
Ehrlich, J. E.; Neilson, D. T.; Walker, A. C.
Carrier-dependent nonlinearities and modulation in an InGaAs SQW waveguide.—74-00573A
Eib, Nicholas K. See Muller, K. Paul
Eichhorn, F. See Haussler, F.
Eichler, K.; Schaffrath, W.; Otschik, P.
Electrolyte of the SOFC as thick film.—74-05936A
Eichler, Ruediger
Liquid nitrogen provides shear cooling solution.—74-00946A
Eicke, Hans-Friedrich See Schlag, Stefan
Eidelman, S.; Altshuler, A.
Synthesis of nanoscale materials using detonation of solid explosives.—74-01910A
Eigenmann, B.
Measurement and evaluation of internal stresses in ceramic materials and components.—74-02013A
Eilers, Hergen See Hommlich, U.
Eilers, Hergen; Dennis, William M.; Yen, William M.
Performance of a Cr:YAG laser.—74-00678A
Eimori, N.; Mori, Yusuke; Moon, J.
Nickel chemical vapor deposited diamond interface studied by electron energy loss spectroscopy.—74-08246A
Ein-Eli, Y. See Aurbach, D.
Einset, Erik O. See Kosky, Philip G.
Einset, Erik O.; Patibandla, N.; Luthra, Krishan L.
Processing conditions for boron nitride coatings in fiber bundles via chemical vapor deposition.—74-04836A
Einuliaev, A. V. See Aliev, O. M.; Alieva, O. A.
Einzel, D. See Deveraux, T. P.
Eisele, I. See Flietner, B.; Ramm, J.
Eisele, I.; Wittmann, F.; Lifshits, V. G.; Zotov, A. V.; Ditina, Z. Z.; Ryshkov, S. V.
Transport properties of delta-doped Si:Sb superlattices.—74-01598A
Eisen, F. See Lie, D. Y. C.
Eisman, Glenn A. See Dunmead, Stephen D.
Eizenberg, M. See Mosleh, N.
Eizner, B. A.; Minevich, A. A.; Chebotko, I. S.; Ralko, A. P.
Evaluation of composite Ni matrix coatings with cubic BN interstitials on titanium applied by cathodic arc evaporation.—74-07303A
Ejima, Takeo See Tezuka, Yasuhisa
Ejiri, Yasunori See Hattori, Takeo
Ekberg, L.-L. See Kristoffersson, A.
Ekenhorst, D.; Goebbels, J.; Wolff, V.
Application of microcomputer tomography for optimizing the manufacture of fiber ceramics.—74-01040A
Ekerdt, J. G. See Mahajan, A.
Ekimov, A. I. See Gurevich, S. A.
Eklund, Lars See Liden, Eva
Ekstrom, Thommy See Mandal, H.; Nordberg, Lars O.
Ekstrom, Thommy; Herbertsson, Harald; James, Matthew; Fleck, Ian
Nd_2O_3-doped SiAlON's with ZrO_2/ZrN additions formed by sintering and hot isostatic pressing.—74-04771A
Ekstrom, Thommy; Olsson, Per-Olof
ß-SiAlON-TiN particle composite ceramics.—74-02100A
El Bouazzaoui, R. See Camus, G.
El Khakani, M. A. See Blouin, M.
El Khakani, M. A.; Chaker, M.
Physical properties of the X-ray membrane materials.—74-01563A
El Khiati, N. See Morell, A.
El Mandouh, Z. S. See Salama, Samia N.
El'chaninova, S. D.; Litvinenko, Yu. G.; Mil'ner, A. A.
Magnetooptical analysis of a $CsDy_{0.93}Eu_{0.07}(MoO_4)_2$ crystal.—74-01538A
El'kin, G. M.
Calculation of the amount of substances participating in silicate-forming reactions in the glass-melting process.—74-02433A
El-Agroudy, A. See Ibrahim, D. M.
El-Batanouny, M. See Swan, A.
El-Damrawi, G. See Moustafa, Y. M.
El-Desoky, Mohamed M. See Ahmed, Mohamed A.
El-Didamony, H. See Amin, A. M.
El-Dieb, A. S.; Hooton, R. D.
Evaluation of the Katz-Thompson model for estimating the water permeability of cement-based materials from mercury intrusion porosimetry data.—74-05519A
El-Elshereafy, E.; Abou-Sekkina, M. M.
Effect of Bi_2O_3 addition on the thermophysical properties of Na- and K-niobate perovskites.—74-10080A
El-Faiky, H. E. See Mogoda, A. S.
El-Habek, A. M.
Evaluation of laminated stacking sequence under compressive load.—74-05715A
El-Hagary, M. A. See Abd El-Hady, S. A.
El-Kareh, B.
Ultrashallow-doped film requirements for future technologies.—74-00729A
El-Korashy, A. See El-Zahed, H.
El-Masry, N. A. See Tye, L.
El-Nabarawy, T. See El-Shobaky, G. A.
El-Sayed, A. See Abdel-Fattah, Wafa I.
El-Sayed, Adly H.; Bellinger, E.; Calzona, V.
Synthesis and properties of superconducting $HgBa_2CuO_{4+x}$ from a single-step low-temperature solid-state reaction.—74-06643A
El-Sayed, Adly H.; Calzona, V.; Cimberle, M. R.
Study of superconducting $HgBa_2CuO_{4+x}$ from a one-step low-temperature reaction.—74-03583A
El-Shabini, A. S. See Abdel-Fattah, Wafa I.
El-Shall, M. Samy; Stack, W.; Hanley, D.
Characterization of nanoscale particles produced by laser vaporization/condensation in a diffusion cloud chamber.—74-07224A
El-Sherif, Mahmoud A.; Hu, Shi-Chuang; Lei, Charles; Ko, Frank K.; Mach, Kervyn; Coate, Jack
Optomechanical properties of a sapphire fiber-optic sensor.—74-02183A
El-Shobaky, G. A.; El-Nabarawy, T.; Fagal, G. A.
Surface and catalytic properties of copper oxide supported on Al_2O_3 and active carbon.—74-01244A
El-Shobaky, G. A.; Ghozza, A. M.; Fagal, G. A.
Effects of γ-irradiation and lithium oxide doping on surface and catalytic properties of manganese oxides supported on α-alumina.—74-06970A
El-Zahed, H.; Khaled, M. A.; El-Korashy, A.
Dependence of optical band gap on the composition of $Se_{1-x}Te_x$ thin films.—74-05108A
El-Zahed, H.
Electrical and structural studies of $AgSbSe_2$ thin films.—74-01698A

Elahi, Mehran See Liao, Kin

Elahi, Mehran; Liao, Kin; Reifsnider, Kenneth L.; Dunyak, Thomas
Fully reversed cyclic fatigue response of ceramic matrix composites at elevated temperature.—74-11011A

Elangovan, S. See Hartvigsen, J.

Elangoven, A.; Navaneenthakrishnan, K.
Phonon polariton modes in quantum well wire superlattices.—74-03152A

Elbatal, H. A.; Ezz-Eldin, F. M.
Indentation microhardness of γ-irradiated glasses and glass-ceramics.—74-05722A

Elders, J.; VanVoorst, J. D. W.
Laser-induced chemical vapor deposition of titanium diboride.—74-04728A

Eldredge, J. W. See Goorsky, M. S.

Eldridge, Jeffrey I. See Danchaivijit, Sawai; Gaeta, P. J.; Heimann, Paula J.

Eldridge, Jeffrey I.
New testing tool for composite interface.—74-09590A

Eleazer, Prince B.; Slavejkov, A. G.
Oxy-fuel: Niche solution or trend: II.—74-03924A

Elesin, V. F.; Kashurnikov, V. A.; Krashennikov, A. V.
Effect of pressure on the optical gap of high-temperature superconductors.—74-06522A

Elesin, V. F.; Kashurnikov, V. A.; Openov, L. A.
Attractive interactions and phase separation in the Cu_4O_8 cluster with infinite on-site repulsion: a comparison with analytical solution for the CuO_2 plane.—74-02918A

Elesin, V. F.; Krashennikov, A. V.; Openov, L. A.
Pairing correlations with s^* and d symmetry—exact results for the Cu_4O_8 clusters.—74-10858A

Elfimov, L. B.; Ivanov, P. A.
Surface capacitance of a semiconductor with a deep dopant (in the example of p-6H-SiC(B)).—74-03242A

Elfrink, R. J. M. See Jacobs, J. P.

Elia, A. See Knolle, W. R.

Elias, Joseph A.; Wisoff, Peter J.; Wilson, William L.
Photodissociation dynamics of DMZn at 193 nm—implications for the growth of ZnSe films by laser-assisted metallorganic chemical vapor deposition.—74-05043A

Elias, N. G. See Blonski, Robert P.

Elices, Manuel See Pastor, Jose Ygnacio

Eliezer, Zwy See Marcus, H. L.

Elingson, William A. See Steckenrider, J. Scott

Elinson, V. M.; Sleptsov, V. V.; Polyakov, V. I.
Thin hydrogenated alpha-C:H films in semiconductor/diamondlike film single-crystal heterostructures.—74-05289A

Eliseev, P. G.; Drakin, A. E.; Pittroff, W.
Study of laser emission wavelength variations in 1.5 μm InGaAsP/InP BRS laser diodes—theoretical model and experiment.—74-09054A

Elissa, L. See Talaat, H.

Elissalde, C.; Ravez, Jean; Kazaoui, S.; Etourneau, J.
High-frequency dielectric relaxation in oxyfluoride perovskite ceramics.—74-04332A

Elissalde, C.; Ravez, Jean
Relation between high-frequency relaxation, ferroelectric properties, and microstructure in ceramics with composition $Ba(Ti_{0.975}Li_{0.025})O_{2.925}F_{0.075}$.—74-03347A

Elissalde, Catherine; Cross, L. Eric
Dynamic characteristics of rainbow ceramics.—74-06403A

Elizalde, E. See Yubero, F.

Elizarov, V. A. See Bashirov, R. I.

Ellerbrock, H.-G. See Schiller, B.

Ellerbrock, H.-G.
High-pressure grinding rolls.—74-08042A

Elliman, R. G. See Jiang, H.

Ellingson, W. A.; Singh, Jitendra P.; Holloway, D. L.; Dieckman, S. L.; Singh, Dileep; Jacobs, T. D.
Development of nondestructive evaluation methods and prediction of effects of flaws on the fracture behavior of structural ceramics.—74-01057A

Elliot, T. S. See Lee, Bo

Elliott, J. C.; Anderson, P.; Davis, G. R.
Computed tomography: II, Practical use of a single source and detector.—74-06747A

Elliott, Michael L. See Kim, Dong-Sang

Elliott, N. See Arendt, P.

Ellis, D. E. See Wu, Yue

Ellis, Frank B., Jr.
Formation of tin oxide films on glass substrates.—74-08476P

Ellis, P. J. See Buhaenko, D. S.; Fox, B. A.

Ellison, Cristan See Bigelow, Louis K.

Ellison, D.; Wray, G.
Optimization of glass conditioning.—74-05780A

Ellison-Hayashi, Cristan; Emond, George T.; Kuo, Shih Y.
Method of abrading with boron suboxide (BxO) and the boron suboxide (BxO) articles and composition used.—74-02291P

Ellmer, K. See Lichtenberger, D.

Ellmer, K.; Kudella, F.; Mientus, R.; Schieck, R.; Fiechter, S.
Influence of discharge parameters on the layer properties of reactive magnetron sputtered ZnO:Al films.—74-03064A

Ellui, Joseph P. See Tay, Sing-Pin

Elmer, Thomas H.
Use of alkoxides in the preparation of low-expansion reconstructed TiO_2-SiO_2 glasses.—74-00322A

Elokhina, L. V. See Yarnoshenko, Yu. M.

Elouadi, B. See Ouchetto, M.

Elsaesser, Thomas See Leitenstorfer, Alfred

Elsenhans, O.; Boni, P.; Freidli, H. P.; Grimmer, H.; Buffat, P. A.; Leifer, K.
Development of Ni/Ti multilayer supermirrors for neutron optics.—74-05114A

Elssner, G. See Dreier, G.; Gibbesch, B.; Korn, D.; Suga, T.

Elst, K.; Vandervorst, W.; Snauwaert, J.
Influence of oxygen on the formation of ripples on Si.—74-02002A

Elst, K.; Vandervorst, W.
Influence of the composition of the altered layer on the ripple formation.—74-06154A

Elstner, F.; Ehrlich, A.; Giegengack, H.; Kupfer, H.; Richter, F.
Structure and properties of titanium nitride thin films deposited at low temperatures using direct current magnetron sputtering.—74-01895A

Elthon, Don See Tsang, Chi-Fo

Eltoukhy, A. See Jia, C. L.

Elyakhloufi, M. H. See Ealet, B.

Elzey, D. M. See Warren, J.

Emanuelsson, P.; Drechsler, M.; Hofmann, D. M.
Optically detected cyclotron resonance in ZnTe.—74-03139A

Emblem, H. G. See Davies, T. J.

Emblem, H. G.; Sargeant, G. K.
Preparation and properties of mullite grain.—74-08626A

Emel'yanova, T. A. See Babitsyna, A. A.

Emelyanov, V. A. See Lesnikova, V. P.; Turtsevich, A. S.

Emenike, C. O.
Innovations in plating techniques for composite production.—74-05631A

Emeraud, Thierry See Dutta, Joydeep

Emerson, A. B. See Downey, S. W.

Emery, J.-Y. See Brahim-Otsmane, L.

Emesh, Ismail T.; McDonald, David R.
Formation of ruthenium oxide for integrated circuits.—74-02880P

Emig, G. See Ache, H. J.

Emig, G.; Popovska, N.; Schoch, G.
Chemical vapor deposition of silicon carbide on mesophase pitch-based carbon fibers.—74-04512A

Emin, D. See Forro, L.

Emirbekov, E. T.; Baitinger, E. M.; Kovalev, I. N.
Diffuse scattering of X-rays by imperfect single crystals of graphite.—74-07631A

Emmerichs, U.; Meyer, C.; Bakker, H. J.; Wolter, F.; Kurz, H.; Lucovsky, G.
Optical second harmonic generation—a probe of atomic structure and bonding at Si-SiO_2 interfaces, and other chemically modified Si surfaces.—74-06242A

Emmerson, G. T. See Ragan, S.

Emmerstorfer, B. See Blaauev, C.; Knight, Gordon

Emond, George T. See Ellison-Hayashi, Cristan

Emond, M. H. J. See Wiegel, M.

Emseley, R. J. P. See Reid, A. W.

En, Cao See Xu, Shi

En, William See Jones, Erin C.

Enachescu, M.; Hartmann, E.; Koch, F.
Evolution of visible photoluminescence and surface morphology of ultrathin porous Si films imaged by scanning tunneling microscopy.—74-07647A

Enami, Shinichi See Hirahara, Seiichiro

Enck, Rudy See Harris, Jonathan H.

Endo, Hidehiro See Ono, Toru

Endo, Hidehiro; Ueki, Masanori
Microstructure and mechanical properties of hot-pressed and pressureless-sintered WC-Al_2O_3 ceramic composites.—74-10459A

Endo, Koretomo See Kishimoto, Akira

Endo, Morinobu; Takeuchi, Kenji; Igarashi, Susumu
Production and structure of pyrolytic carbon nanotubes (PCNT's).—74-00977A

Endo, Shigeo See Tsuchiya, Shinji

Endo, Utako; Koyama, Satoshi; Okamura, Kazuo; Kawai, Tomoji; Kitazawa, Koichi
Bismuth system oxide superconductors and preparation thereof.—74-03624P

Endo, Yasuyuki; Tsuchiya, Toshiaki; Furuse, Yutaka
Corrosion behavior of ceramics for gas turbine application.—74-02069A

Endou, Hirohisa See Hoshii, Shinsuke

Endres, K. See Hoebbel, D.

Eng, D. See Alqahtany, H.

Engdahl, N. C. See Hong, Byung-You

Engel, Thomas See Szabo, Andras

Engel, W.; Ingram, D. C.; Keay, Joel C.; Kordesch, Martin E.
Removal of nondiamond carbon from the surface of CVD diamond films.—74-07463A

Engelhard, M. H. See Baer, D. R.

Engell, J. E. See Nielsen, K. A.

Engemann, J. See Spitzl, R.

Engle, P. D.; Geller, J. D.
Computer centric rotational depth profiling.—74-03790A

English, John. H. See Brar, Berinder

Engqvist, Jan; Jansson, Ulf; Carlsson, Jan-Otto
C49/C54 phase transformation during chemical vapor deposition of $TiSi_2$.—74-01345A

Engqvist, Jan; Myers, Clifford; Carlsson, Jan-Otto
Selective deposition of $TiSi_2$ from H_2-$TiCl_4$ gas mixture and Si: aspects of thermodynamics including critical evaluation of thermochemical data in the Ti-Si system.—74-01452A

Enichen, W. A. See Pfeiffer, H. C.

Enisz-Bodogh, Margit See Kotsis, Ildiko

Enkegaard, Torben
Cement plant of the future.—74-08001A

Enloe, Jack H. See Lau, John W.

Ennaoui, A.; Fiechter, S.; Tributsch, H.; Giersig, M.; Vogel, R.; Weller, H.
Photoelectrochemical energy conversion obtained with ultrathin organometallic chemical vapor deposition layer of FeS_2 (pyrite) on TiO_2.—74-00519A

Enninga, G.; Dytrich, K.; Barklage, H.
Practical experience with raw material preheating on glass-melting furnaces.—74-00310A

Enoki, Kiyotaka See Yamamura, Takashi

Enoki, Manabu See Jang, B. Y.; Kageyama, Kensuke

Enomoto, Naoya See Saito, Kenji

Enomoto, Yuji See Kaneko, Reizo; Umeda, Kazunori

Enrique, Jose E.; Moreno, Arnaldo; Bou, Encarna; Marti, Joaquin
Rare-earth oxides as ceramic glaze components.—74-05904A

Ensinger, Wolfgang; Nowak, R.; Horino, Yuji
Modification of mechanical properties of single-crystal aluminum oxide by ion-beam-induced structural changes.—74-11058A

Entin, S. B. See Shubin, W. I.

Eom, C. B.; Phillips, Julia M.; Cava, Robert J.
Epitaxial thin films and heterostructures of various isotropic metallic oxides for device applications.—74-09134A

Epicier, T.; Esnouf, C.
Benefits of HREM for the study of metal-ceramic interfaces.—74-05614A

Epperson, J. E. See Li, Z.

Eppler, Douglas R. See Eppler, Richard A.

Eppler, Richard A.; Eppler, Douglas R.
Controlling the gloss of leadless glazes.—74-08669A

Eppler, Richard A.
Development and use of ASTM test methods for ceramic plants.—74-11154A; Glazing defects and their control.—74-08682A

Epshtein, E. M.
Nucleation on charged substrate.—74-04788A

Eranen, S. See Grahn, K.

Erauw, J.-P.; Van Gerven, H.; Sleurs, J.
Silicon nitride powder mechanics.—74-04417A

Erb, Roger L. See Johnson, Robert S.

Erbil, A. See Feng, Z. C.

Erchak, D. P.; Efimov, V. G.; Azarko, I. I.; Denisenko, A. V.; Penina, N. M.; Stelmakh, V. F.
Electron paramagnetic resonance of boron-implanted natural diamonds and epitaxial diamond films.—74-09988A

Erck, R. A. See Ajayi, O. O.

Erdal, Merve; Friedrichs, Burkhard; Guceri, Selcuk
Infiltration of preforms with particle-filled preceramic polymers.—74-10412A

Erdemir, A. See Ajayi, O. O.; Bhattacharya, R. S.

Erdemir, A.; Nichols, F. A.; Wei, Rong-Hua
Friction and wear performance of ion-beam-deposited diamondlike carbon films on steel substrates.—74-05360A

Erdemir, A.
Crystal chemistry and solid lubricating properties of the monochalcogenides gallium selenide and tin selenide.—74-08847A

Erdogan, Yunus; Demirbas, Ayhan; Genc, Hasan
Partly refined chemical byproduct gypsums as cement additives.—74-05562A; Utilization of borogypsum for cement.—74-05609A

Eremeev, A. See Bykov, Y.

Eremenko, V. V. See Anders, A. G.; Dmitriev, V. M.

Eremin, M. V.; Varlamov, S. V.; Brinkmann, D.
Charge-excitation picture of the Cu NMR Knight shift and relaxation in $YBa_2Cu_4O_8$ deduced from a three-band model.—74-09243A

Eremin, V. K. See Verbitskaya, E. M.

Erhard, H. S.; Scheuer, A.
Burning technology and thermal economy [in cement manufacture].—74-06843A

Erhardt, Manfred See Loos, Herbert

Erickson, A. W. See Eddy, T. L.

Erickson, Dwight D. See Kotula, Paul G.

Erickson, Dwight D.; Wood, W. P.
In situ magnetoplumbite growth in sol-gel-derived alumina matrices.—74-10404A

Ericson, F. See Hjort, K.

Eriksson, Ken
Using ASTM standards in the tile industry.—74-08712A

Erkaev, A. V.; Isabaev, E. A.; Namarov, Sh. S.
Application of X-ray phase analysis to the determination of components in $CaSO_4$·$2H_2O$–$CaSO_4$·$0.5H_2O$–$CaSO_4$.—74-07038A

Erkalfa, H. See Ozkan, O. T.

Erkalfa, H.; Misirli, Z.; Baykara, T.
Mechanical properties of colloidally processed alumina with Cr_2O_3 and MnO_2 additives.—74-07377A

Erkison, Gunnar See Subramanian, Ramesh

Erland, J. See Razbirin, B. S.

Ermakov, M. G. See Ermakova, O. N.

Ermakova, O. N.; Polyakov, V. I.; Ermakov, M. G.; Perov, P. I.; Lazareva, O. I.; Sokolina, G. A.
Electrical characteristic frequency dispersion of diamond polycrystalline films.—74-10091A

Ermer, E. See Stobierski, L.

Ermer, J. See Rockett, A.

Ermolov, S. N. See Glebovsky, V. G.

Ernst, F. See Trampert, A.

Ernst, K.-H.; Patscheider, J.; Hauert, R.
XPS study of the a-C:H/Al_2O_3 interface.—74-07793A

Ernst, S.; Goni, A. R.; Syassen, K.
Collapse of the Hartree term of the coulomb interaction of a very dilute 2-D electron gas.—74-06007A

Ernstbrunner, Ludwig
Use of paper residues in rotary kilns.—74-09723A

Ersels, L. See Dekempeneer, E. H. A.

Ershov, V. A. See Beicembaeva-Dzhumyshieva, G. B.

Ershova, T. T.; Permyakova, T. V.
Effect of the conditions of preliminary surface treatment on the distribution of Ag^+ ions in the surface layers of glasses during ion exchange with nitrate melts.—74-00255A; 74-00294A

Ersoy, A. See Werner, M.

Erturk, Turgay See Gaudette, F.

Erturk, Turgay; Chepolis, William M.
Fiber twist test: a new single fiber test method to measure composite interface properties.—74-09569A

Erturk, Turgay; McKelliget, J.
Heat transfer during burner rig thermal fatigue of ceramic matrix composites.—74-09572A

Erturk, Turgay; Park, K.; Sung, C.
Microstructural characterization of burner rig thermal-fatigued SiC continuous fiber/Si_3N_4 ceramic composites.—74-09686A
Erwin, R. W. See Keimer, B.
Erz, R.; Dotter, W.; Jung, K.; Ehrhardt, H.
Preparation of smooth and nanocrystalline diamond films.—74-10568A
Esashi, M.
Silicon micromachining and micromachines.—74-00996A
Escardino, A. See Aparici, J.
Escure, P. See Baukens, I.
Esebeck, V.; Beitz, W.
Investigation of the behavior of shaft-hub connections and screw connections of ceramics and metal with the help of adhesive and braze from components.—74-05635A
Eser, S. See Gergova, K.
Eshina, O. B. See Lyashenko, L. P.
Eshpulatov, B. E. See Korovin, L. I.
Eskildsen, Svend S. See Bentzon, M. D.; Bienk, Ewa J.; Matthews, A.
Esnouf, C. See Epicier, T.
Espagne, M. See Prince, W.
Esperance, E. See Thevenot, F.
Espiau, Pierre See Di Renzo, Francesco
Espig, D. See Assmus, R.
Espinos, J. P. See Leinen, D.
Esposito, E. See Christiano, R.
Esposito, L. See Bellosi, A.; Galassi, C.; Tucci, A.
Esposito, L.; Carani, G.; Tucci, A.
Indentation fracture of glazed ceramic tiles—stress fields and their interaction.—74-07893A
Esposito, L.; Tucci, A.
Evaluation of damaged glaze layers using the Vickers indentation technique.—74-08541A; Tribological behavior of ceramic/ceramic and metal/ceramic couples.—74-05659A; Vickers determines tile surface hardness.—74-05915A
Esser, K.-R.
Westsachsische Steinwerke Ltd.'s new [rock] processing plants at Hartmannsdorf, near Chemnitz, Germany.—74-06733A
Esser, N. See Krost, A.
Essick, J. M. See Pool, F. S.
Esterowitz, Leon See Pinto, Joseph F.
Estes Wickenden, A. See Giordana, A.
Esteve, J. See Cifre, J.; Polo, M. C.
Estienne, J. See Russ, E.
Estrada, C. A.; Nair, P. K.; Nair, M. T. S.
Chemical bath deposition of ZnSe and CuSe thin films using N, N-dimethylselenourea.—74-06003A
Estrada, C. A.; Zingaro, Ralph A.; Meyers, Edward A.; Nair, P. K.
Modification of chemically deposited ZnSe thin films by ion exchange reaction with copper ions in solution.—74-04762A
Estropov, V. V.; Zhilyaev, Yu. V.; Mynbaeva, M. G.
Photoelectric properties of a surface barrier: Au-*n*-GaP structures on Si substrates.—74-03160A
Esumi, Kunio See Tateishi, Daisaku
Etchells, Paul
Abrasive water jet systems for cutting glass.—74-03672A
Etgens, V. H. See Tatarenko, S.
Eto, M. See Oku, T.
Eto, Mikio
Plasmons in an ultrathin film of weakly coupled layered materials.—74-04397A
Etourneau, J. See Elissalde, C.
Ettema, Roger
Electrostatic precipitator performance improvement through numerical simulation.—74-02754A
Eun, Hee-Tai See Whang, Chin-Myung
Eun, Kwang-Yong See Baik, Young-Joon; Lee, Jae-Kap; Lee, Kwang-Ryeol
Eusner, Paul R.; Jain, Dilip C.
Value evaluation of high-alumina aggregates.—74-08641A
Eustacchio, Claudio
ITO technology—an alternative to conventional plant construction.—74-09678A
Eustathopoulos, N. See Drevet, B.; Rado, C.
Eustathopoulos, N.; Drevet, B.
Interfacial bonding, wettability, and reactivity in metal/oxide systems.—74-05634A
Euthymiou, P. C. See Kourtoutas, C. D.
Evans, Anthony G. See Bourrat, Xavier; Cady, Carl M.; De Graef, M.; Domergue, Jean-Marc; Heredia, Fernando E.; Lamon, Jacques; Mackin, Thomas J.; Spearing, S. M.; Turner, Kristofer; Vagaggini, Emmanuel
Evans, Anthony G.; Dalgleish, Brian J.
Fracture resistance of metal-ceramic interfaces.—74-08195A
Evans, B. L. See Xu, Shi
Evans, Christopher J. See Padture, Nitin P.
Evans, David T.; Quin, John; Whiteley, Philip G.
Magnesia-graphite refractories for basic oxygen converters.—74-02762A
Evans, Geoff; Quirk, Richard
3R—recent developments in deNO$_x$ control.—74-09634A
Evans, H. L. See Conley, John F.
Evans, J. T.; Budd, S. M.
Model of the effect of abrasion on the strength of glass.—74-05731A
Evans, James W. See Shieh, Sy-Yuan
Evans, L. P. See Lowes, T. M.
Evans, N. G.; Hamlyn, M. G.
Density dependence of high-temperature dielectric properties of debased alumina and the effect of a high loss additive.—74-08736A
Evans, S. L.; Gregson, P. J.
Effect of a plasma-sprayed hydroxyapatite coating on the fatigue properties of Ti-6Al-4V.—74-02121A
Evans, S. See Ash, L. A.
Evans, Susan
Woody Hughes at Peters Valley.—74-01010A
Evans, W. Thomas See Belitskus, David L.
Evdokimenko, E. See Kadyrov, V. H.
Evdokimova, T. F. See Kraevskii, S. L.
Evdokimova, V. V. See Kuz'micheva, G. M.
Evdoseeva, I. A. See Anoshkina, E. V.
Evele, Holger
Firing temperature profiles: measurement methods and the effect of temperature differences on enamel surfaces.—74-00120A
Even, W. R., Jr.; Gregory, D. P.
Emulsion-derived foams—preparation, properties, and application.—74-07644A
Eveno, P. See Backhaus-Ricoult, M.
Everett, Don
Lafarge in major project to cut CKD [cement kiln dust].—74-03944A
Everett, R. K. See Trzaskoma, P. P.
Everitt, Nicole M. See Cock, Alex M.; May, P. W.
Everitt, Robert G. See Tucker, Leslie E. J.
Everson, M. P.; Tamor, M. A.; Scholl, D.
Positive identification of the obligations triangular defect on the (110) faces of vapor-grown diamond.—74-05045A
Evetts, J. E. See Kumar, R. V.
Evetts, J. E.; Somekh, Robert E.
Epitaxial deposition.—74-03626P
Evstrop'ev, S. K.; Mazurina, E. K.; Petrovskii, G. T.
Formation of an optical property gradient in monolithic porous xerogels and the glasses based on them.—74-02627A; Formation of the gradient of optical properties in monolithic porous xerogels and glasses based on them.—74-00297A
Evstropov, V. V. See Bessolov, V. N.
Ewart-Paine, Lynn M.
Method for joining ceramic to ceramic or to carbon.—74-09823P
Ewel, Horst See Konig, Theo
Exarhos, Gregory J. See Laine, Richard M.
Eye, R. See Arendt, P.
Eymery, J. See Gros, P.
Ezaki, Kenichi See Takahashi, Hisakazu
Ezgoda, Tadeusz See Boniecki, Marek
Ezhov, A. I. See Kiriaku, E. A.
Ezis, Andre See Dziedzic, Chester J.; Franklin, J. E.
Ezis, Andre
Monolithic, fully dense silicon carbide material, method of manufacturing, and end uses.—74-04068P; Monolithic, fully dense silicon carbide material, method of manufacturing, and end uses.—74-04069P; Monolithic, fully dense silicon carbide mirror and method of manufacturing.—74-04070P
Ezz-Eldin, F. M. See Elbatal, H. A.
Fabbri, B. See Biasini, V.; Dondi, M.
Fabbri, B.
State-of-the-art raw material analysis in ceramic laboratories.—74-01109A
Fabbriche, D. Dalle See Granziani, T.
Faber, Friedrich; Terskan, Herbert
Pyrolytic porcelain enamel.—74-08260A
Faber, K. T. See Gu, W.-H.; Steyer, Todd E.
Fabisiak, K.; Maar-Stumm, M.; Blank, E.
Defects in chemically vapor deposited diamond films studied by electron spin resonance and Raman spectroscopy.—74-10727A
Fabre, D. See Gicquel, A.
Fabre, F. See Guerri, F.
Fabrega, L.; Fontcuberta, J.; Welf, U.
Field-induced diamagnetic fluctuations at low temperature in $Pr_{1.85}Ce_{0.15}CuO_{4-y}$ superconductor.—74-09273A
Fabricuse, N. See Shi, L. P.
Fabris, Rino; Christophe, Huclin; Sakami, Mohamed
Identification method for infrared absorption spectra of semitransparent media by their emission data: application to lime-aluminosilicate glasses at high temperatures.—74-02547A
Fabritchnyi, P. See Darracq, S.
Face, Dean W.
Process for producing thin films of inorganic oxides of controlled stoichiometry.—74-09836P
Fadeeva, E. E.; Ardashnikova, E. I.; Popovkin, B. A.
Problems in the fluorination of copper oxide high-temperature superconductors.—74-00844A
Fadeeva, V. I. See Tikhomirova, T. I.
Fafard, S. See Gossard, A. C.; Leonard, D.
Fagal, G. A. See El-Shobaky, G. A.
Fagan, J. G.; Partis, D. A.; Richmond-Hope, J. A.; Amarakoon, V. R. W.
Characterization of the texturing of $YBa_2Cu_3O_{7-\delta}$ in the presence of liquid phase additives.—74-06497A; Influence of excess yttrium and platinum on the growth behavior of $YBa_2Cu_3O_{7-\delta}$ and Y_2BaCuO_5.—74-06563A
Fagan, M. J.
Expert systems for the selection of engineering ceramics.—74-11162A
Fagrigo, L. See Albarracin, B. Magdaleno, Jr.
Fahim, F. See Ibrahim, D. M.
Fahner, W. R. See Burchard, B.
Fahrenkrog, H.-H. See Ballweg, T.
Faieta-Boada, S. M.; McColm, I. J.
Thermal analysis of an Ecuadorian clay and its correlation with mechanical properties.—74-06935A
Fain, D. E.; Neal, R. B.; Roettger, G. E.
Ceramic membranes for high-temperature hydrogen separation.—74-01220A
Fain, D. E.
Membrane gas separation principles.—74-07682A
Faing, Man; Cima, Michael J.
Crystallization of epitaxial lanthanum aluminate and spinel thin films derived from nitrate precursors.—74-10251A
Fainman, Y.; Ma, J.; Lee, S. H.
Nonlinear optical materials and applications.—74-00271A
Fajardo, F. See Comedi, D.
Fajula, Francois See Di Renzo, Francesco
Fakkar, A.; Bui, A.; Loubiere, A.
Thermal modeling of zinc oxide varistors; simulation and measurements.—74-06355A
Fal'kovskaya, L. D. See Ivanov, M. A.
Falin, M. L. See Abdulsabirov, R. Yu.
Falke, U. See Floter, A.
Fallah, J. E. See Romeo, M.
Fallahi, M. See Templeton, I. M.
Faller, F. See Kieslich, A.
Fallon, P. J. See Veerasamy, V. S.
Fallon, P. J.; Brown, L. M.
Analysis of chemical vapor deposition diamond grain boundaries using transmission electron microscopy and parallel electron energy loss spectroscopy in a scanning transmission electron microscope.—74-10757A
Fan, Danan; Chen, Long-Qing
Computer simulation of twin formation during the displacive $c \rightarrow t''$ phase transformation in the zirconia-yttria system.—74-04111A; Possibility of spinodal decomposition in ZrO_2-Y_2O_3 alloys: a theoretical investigation.—74-07105A
Fan, Dian-Yuan See Zhang, Zhu-Hong
Fan, Qi-Kang See Wei, Chun-Long
Fan, Qi-Sheng See Fu, Xue-You
Fan, X.-W. See Lu, Y.-M.; Zheng, Z.-H.
Fan, Xu See Wang, Xian-Jin
Fan, Y. D. See Zhou, Z. F.
Fan, Y.; Grillo, D. C.; Ringle, M. D.; Han, J.; He, L.; Gunshor, R. L.
Electrical properties of blue/green diode lasers.—74-06069A
Fan, Y.; Han, J.; He, L.; Saraie, J.; Gunshor, R. L.; Hagerott, M.
Electrical transport characterizations of nitrogen doped ZnSe and ZnTe films.—74-02988A
Fan, Zhan-Guo See Yang, Hong-Shun
Fanciulli, M. See Jin, Shu
Faneesa, A. See Park, W. G.
Fanelli, Anthony J. See Rohrbach, Ronald P.
Fang, Chang-Shui See Wang, Qing-Wu
Fang, Jia-Guang; Wu, Bai-Mei; Proch, Dieter
Measurement of surface resistance for YBCO thick film.—74-09306A
Fang, Jun See Xu, Xiao-Jun
Fang, Ming-Hu; Hu, Gang-Jin; Cai, Meng
Flux pinning effect of small size defects in $YBa_2Cu_3O_{7-\delta}$.—74-03465A
Fang, Ming-Ming See Suslick, Kenneth S.
Fang, Pao-Hsien
Method and apparatus for production of a carbon nitride.—74-09928P
Fang, T.-N. See Hung, K.-M.
Fang, Tsang-Tse See Wu, Ma-Shine
Fang, Xiang-Yu See Du, Xin-Min
Fang, Xiao M.; Li, Ya-Bo; Langer, Dietrich W.; Solomon, James S.
Metallorganic chemical vapor deposition growth of GaAs:Er using $Er(C_2H_5C_5H_4)_3$.—74-06203A
Fang, Y. K.; Chen, Kuin-Hui; Liu, Ching-Ru
Observation of very high peak-to-valley current ratio in amorphous Si/SiC double barrier structure with barrier enhancement layer.—74-08978A
Fang, Y. See Li, Z.
Fang, Y.; Routbort, J. L.
Tracer diffusion of Ag in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$.—74-05057A
Fang, Yi See Cheng, Ji-Ping
Fang, Yi; Agrawal, Dinesh K.; Roy, Della M.
Thermal stability of synthetic hydroxyapatite.—74-09805A
Fang, Yi; Agrawal, Dinesh K.; Roy, Della M.; Roy, Rustum
Ultrasonic sieving of fine, dry powders.—74-07542A
Fang, Z. M. See Ma, K. Y.
Fang, Z. Q. See Look, D. C.
Fannin, L. W.; Pearce, R. H.; Webb, D. W.
Constant indium delivery from trimethyl indium/hexadecane slurry.—74-03792A
Fantini, M. C. A. See Carreno, M. N. P.; Velasquez, E. L. Z.
Fantozzi, G. See Chevalier, Jerome; Sudreau, F.
Faraci, P. See Cantile, M.
Farafunov, G. A.; Bas'yas, I. P.; Belozerov, M. M.
Processes of washing out the steel tapping channel in submerged tapping of molten steel from arc steelmelting furnaces.—74-02772A
Farag, B. S. See Mansour, B. A.
Faraji-Dana, R. See Safavi-Naeimi, S.
Faraone, L. See Winton, G. H.
Farasi, Y. See Doussineau, P.
Farber, Y.; Khonsari-Arefi, F.; Amouroux, J.
Thin-film deposition of conductive tin oxide from tetramethyltin in a low pressure glow discharge diode reactor.—74-04964A
Farberovich, O. V. See Masyukova, N. I.
Farhat, S. See Gicquel, A.
Faria, R. C.; Bulhoes, L. O. S.
Novel synthetic route to Nb_2O_5 thin films for electrochromic devices.—74-05779A
Farias, M. See Mendez, J. M.
Farina, I. A. See Gnatenko, Yu. P.
Farinas, J. C.; Moreno, R.
Control of rheological parameters of ceramic materials for slurry-ICP solid analysis.—74-06750A
Farinas, J. C.; Valle, F. J.
Comparative study of ICP and XRF for chemical analysis of clays.—74-07612A; Determination of major and minor elements in ceramic raw materials by ICP-AES with direct introduction of slurries.—74-07628A
Fariss, Robert H.
Fifty years of safer windshields.—74-02623A
Farkas, A. M.; Eden, J. G.
Pulsed dye amplification and frequency douling of single longitudinal mode semiconductor lasers.—74-00693A
Farmer, Anthony D. See Chadwick, Robert

Farmer, Serene C. See Moore, A. W.; Morscher, Gregory N.; Sayir, H.
Farmer, Serene C.; Sayir, Ali; Dickerson, P. O.; Draper, S. L.
Microstructural stability and strength retention in directionally solidified Al_2O_3-YAG fibers.—74-11053A
Farmer, Serene C.; Sayir, Ali
$Al_2O_3(ZrO_2)$ cellular fibers.—74-09754A
Farmer, Walter J.
Movement of neutral particles in charged media.—74-10739A
Farnsworth, R. N. See Eddy, T. L.
Farnum, Eugene E. See Yano, Toyohiko
Farques, J.; Stucky, M.
Characterization of graphite shape with an image analyzer.—74-10770A
Farquhar, D. S.; Phoenix, S. L.; Raj, R.
Determination of fracture toughness and bridging tractions from crack-opening displacement measurements in particulate composites of diamond in zinc sulfite.—74-05336A
Farrel, Kevin C.
International perspective on decorating/heavy metals.—74-02244A
Faryna, M. See Ciach, R.; Pyda, W.
Fater, D.; Segal, E.
Structure of silicon and aluminum films.—74-10891A
Fauchais, P. See Mellali, M.; Planche, M. P.
Faure, Pierre See Dubots, Dominique
Faure, S. P.; Hector, J.; Gaucher, P.; Ganne, J. P.
Microstructural and electrical properties of PZT thin films by sol-gel process.—74-06423A
Faure, Thomas B. See Muller, K. Paul
Faust, William D.
Frit and enameling technology.—74-08199A; Present status of porcelain enamel technology in the U.S.—74-00146A
Fave, J. L. See Bounouh, Y.
Favia, Pietro See D'Agostino, Riccardo
Favorskii, I. A. See Murtazaev, A. K.
Favreau, Philippe See Krauter, Gertrud
Fayer, A. See Mehlmann, A. K.
Fayette, L. See Ababou, A.
Fayette, L.; Marcus, B.; Mermoux, M.; Abello, L.; Lucazeau, G.
In situ Raman investigation of diamond films during growth and etching processes.—74-04694A
Fayette, L.; Mermoux, M.; Marcus, B.
Role of nucleation step in the growth rate of diamond films.—74-04875A
Fayeulle, S. See Langlade, C.; Le Mogne, T.
Faynberg, V. See Jiang, J. C.
Fazan, P. C. See Ishibashi, K.
Fearheiley, M. L. See Chemseddine, A.
Fearheiley, M. L.; Kanis, M.; Fiechter, S.
Effect of the sulfur pressure on the growth of $CuInS_2$ single crystals by the gradient freeze technique.—74-00597A
Fecht, H. J.
Geometric aspects of low-energy metal-ceramic interphase boundaries.—74-08200A
Federighi, Marco See Di Pasquale, Fabrizio
Fedin, A. A. See Poltavtsev, S. I.
Fedoroff, M. See Gaffet, E.
Fedorov, D. L. See Markov, L. S.
Fedorov, L. M. See Krivolapchuk, V. V.
Fedorov, P. P. See Pavlova, L. N.
Fedorov, P. P.; Val'kovskii, M. D.; Bondareva, O. S.
Synthesis of the fluorohafnates of the rare earths RHf_2F_{11} (R=La–Nd).—74-04947A
Fedorov, P. P.; Val'kovskii, M. D.; Medvedeva, L. V.
Synthesis of the compounds $LiKRF_5$ (R=Gd–Lu).—74-01911A
Fedorov, S. A. See Pashkevich, Yu. G.
Fedorov, V. A. See Gan'shin, V. A.; Kuznetsova, I. Ya.
Fedorov, Yu. K. See Baikova, L. G.
Fedoruk, R. M. See Pitak, N. V.
Fedoseev, D. V.; Bukhovets, V. L.; Tolmachev, Y. N.; Varshavskaya, I. G.; Kvaskov, V. B.
Deposition and properties of polycluster diamond films.—74-10258A
Fedotov, V. K.; Kolesnikov, A. I.; Kulakov, V. I.
Inelastic neutron scattering study of vibration anharmonism of copper and oxygen atoms in yttrium ceramics.—74-03492A
Fedotov, V. K.; Kolesnikov, A. I.; Sinitsyn, V. V.
Inelastic neutron scattering study of hydrogen in superconducting ceramics.—74-03491A
Fedotov, Yu. V. See Bondar, A. V.
Fedotova, M. V. See Ol'khovik, I. V.
Fedotova, V.V. See Stognii, A.I.
Feduska, William See Lin, Ching-Yu
Feenstra, F. K. See Terpstra, R. A.
Feenstra, R. M.; Collins, D. A.; Ting, D. Z.-Y.; Wang, M. W.; McGill, T. C.
Scanning tunneling microscopy of InAs/GaSb superlattices: subbands, interface roughness, and interface asymmetry.—74-06301A
Feest, E. A.
Interfacial phenomena in metal matrix composites.—74-02378A
Fehske, Holger; Deeg, Martin
Hall resistivity of hole- and electron-doped high-T_c cuprates.—74-09280A
Feige, F.
Roller grinding mill—current technical position and potential for development.—74-06721A; State of the art in high-compression comminution.—74-05589A
Feigelson, R. S. See Huang, Chao-En; Lu, Z.
Feijen, E. J. P. See DeVos, D. E.
Feijoo, D.; Bean, J. C.; Peticolas, L. J.; Feldman, L. C.; Liang, W.-C.
Epitaxial Si-Ge etch stop layers with ethylene diamine pyrocatechol for bonded and etchback silicon-on-insulator.—74-04620A
Feil, Janine See Meyer, Edwin F.
Feiler, David; Williams, R. Stanley
Epitaxial growth of CoO(001) and Co_3O_4(001) films on MgO(001) by pulsed laser deposition.—74-10335A
Feinerman, A. D. See Shoaf, S. E.
Fekete, Laszlo
Experiences with a VORTEX hammer crusher in a quarry.—74-06699A
Felch, S. B. See Chapek, D. L.; Sheng, T.
Felder, William See Calcote, Hartwell F.
Feldman, A. See Schechtman, D.
Feldman, L. C. See Feijoo, D.; Miller, B.; Moriya, N.
Feldmeier, H.; Schickenrieder, B.
Automatic checking and classification of tiles.—74-00421A
Feigner, K.-H. See Langhammer, H.-T.
Feliu, C. See Negre, F.
Feliu, V. See Romero, M.
Felix, P. See Dekeersmaecker, R.
Feller, Steve See Martin, Steve W.
Feltes, Mike
Conveyor belt rip repair fasteners.—74-00908A
Feltz, A. See Donig, F.; Jung, J.
Fend, T.; Goring, J.
Strength and fatigue behavior of 2-D–carbon/carbon composites under shear conditions.—74-11094A
Fendler, E. See Telle, R.
Fendrich, J. See Kwok, W. K.
Feng, C. D.; Shimizu, Y.; Egashira, Makoto
Effect of gas diffusion process on sensing properties of SnO_2 thin-film sensors in an SiO_2/SnO_2 layer-built structure fabricated by sol-gel process.—74-06762A
Feng, C. R. See Sadananda, K.
Feng, Duan See Wu, Xing-Long
Feng, Gai-Shan
Principle of functionally gradient material (FGM) and its possibility applied to refractories.—74-05870A
Feng, H. J.; Moore, J. J.
Combustion synthesis of high performance ceramic-metal composites.—74-08147A; Effect of pressure on the combustion synthesis of a functionally graded material TiB_2-Al_2O_3-Al ceramic metal composite system.—74-04584A; Properties of combustion-synthesized dense ceramic metal composites.—74-08258A
Feng, Hao; Wang, Ming-Hua; Hu, Xiao-Wen
Study of GaAs asymmetric X-junction waveguide hybrid coupler.—74-03232A
Feng, K. A. See Zhao, L. B.
Feng, L. See Ma, Ji-Ming
Feng, M.-S. See Chen, H.-D.
Feng, Q. See Kanoh, H.
Feng, Shang-Shen See Gao, Xiao-Wen
Feng, X. See Buck, E. C.; Kwok, R. W. M.
Feng, X.; Buck, E. C.; Bates, J. K.; Gong, M.; Dietz, N. L.; Pegg, I. L.
Effects of S/V on secondary phase formation on waste glasses.—74-09402A
Feng, X.; Pegg, I. L.
Effects of salt solutions on glass dissolution.—74-05677A
Feng, Xi-Qi; Shao, Tian-Hao; Mahdavi, S. M.
Properties of surface layer of H^+-implanted $Bi_4Ge_3O_{12}$ crystals.—74-02653A
Feng, Yi-Jun; Cheng, Qi-Heng; Wu, Pei-Heng
Spatial distribution of J_c in TlBaCaCuO thin film.—74-03576A; J_c distribution in TlBaCuO thin-film ring resonator.—74-09232A
Feng, Z. C.; Kwak, B. S.; Erbil, A.
Raman spectra of MOCVD-grown ferroelectric $PbTiO_3$ thin films.—74-07726A
Fenigstein, A. See Betser, Y.
Fenner, David B. See Neville Connell, George A.; Swift, Charles D.
Fenollosa, J. L. See Bort, J.
Fenrich, J. A. See Kwok, W. K.
Fenske, G. R. See Ajayi, O. O.
Ferber, M. K. See Chawla, K. K.; Jenkins, M. G.; Lara-Curzio, Edgar; Raghuraman, S.; Wereszczak, A. A.
Fergus, Jeffrey W.; Worrell, Wayne L.
Effect of carbon and boron on the high-temperature oxidation of silicon carbide.—74-07806A
Ferguson, Alan; Lassiter, Perry B.
Ceramic fiber product and structure for high temperature severe application environments and method of making same.—74-02795P
Ferguson, Gregory S. See Kleinfield, Elain R.
Ferguson, I. T.; Cheng, T. S.; Torres, C. M. Sotomayer; Murray, R.
Photoluminescence of molecular beam epitaxial grown $Al_{0.48}In_{0.52}As$.—74-06259A
Fernandes, A. A. R. See DeBiasi, Ronald S.
Fernandes, J. J.; Rosa, L. Guerra; Morrell, R.
Fracture toughness using a biaxial indentation strength method.—74-07881A
Fernandes, Rosana Z. D. See Santos, Adelina P.
Fernandez, J. F. See Tartaj, J.
Fernandez, A. M.; Sebastian, P. J.; Campos, J.
Structural and optoelectronic properties of chemically deposited Cu_xS thin film and the precipitate.—74-01581A
Fernandez, A. See Leinen, D.
Fernandez, A.; Bautista, C.; Rubio, J.
FTIR and DSC analysis of the carbonation of zirconia gels.—74-04653A
Fernandez, D. See Gonzalez, P.; Szorenyi, T.
Fernandez, D.; Gonzalez, P.; Pou, J.; Garcia, E.; Serra, J.; Leon, B.
CO_2 laser chemical vapor deposition of silica films in a parallel configuration: a study of gas phase phenomena.—74-01636A
Fernandez, E. See Cuetos, J. M.
Fernandez, J. F. See Caballero, A.; Gregori, M. L.; Luna, R. G.; Nieto, E.; Tartaj, J.
Fernandez, J. F.; Caballero, A.; Duran, P.
Dielectric properties of Z5U capacitor based on $BaTiO_3$ modified by relaxor ceramic compounds.—74-02830A
Fernandez, Juan M. See Young, A. P.
Fernandez, Juan M.; Chen, Jian-Hui; Wieder, H. H.
Galvanomagnetic properties of two-dimensional electron gases in strain-relaxed $In_xGa_{1-x}As$ (x<0.4) heterostructures grown by molecular beam epitaxy on GaAs substrates.—74-06116A
Fernandez, M. See De Castro, A. J.
Fernandez, Rouel; Harwit, Alex; Kinell, Don
Accurate measurements of transients and intentional rates of change in molecular beam epitaxy growth rate calibrations.—74-03779A
Feron, B.; Guth, J. L.; Mimouni-Erddalane, N.
Influence of the presence of NaF on the crystallization of zeolite A(LTA)—first evidence for the existence of fluorosodalite, the missing end-member of the halosodalite series.—74-10421A
Ferrando, William A.
Chromic oxide coatings by thermal decomposition of chromic acid anhydride (CrO_3).—74-09912P
Ferrater, C. See Sanchez, F.
Ferrato, M. See Chartier, Thierry
Ferrato, M.; Chartier, Thierry; Baumard, J. F.
Binder burnout in ceramics.—74-10723A
Ferreira, A. A.; Labrincha, J. A.; Frade, J. R.
Optimization of screen-printed cathode layers.—74-03142A; Effects of La_2O_3 on sintering and transport properties of $SrZrO_3$-based photonic conductors.—74-02831A
Ferreira, M. G. S. See Simoes, A. M. P.
Ferreira, P. M. See Pei, Z. J.
Ferreira, Serafin See Siguin, Dionisio
Ferrer, L.; Sales, M.; Alarcon, J.
Sphene-structure-based ceramic pigments.—74-07116A; Synthesis of Co_2SiO_4 by sol-gel.—74-04939A
Ferrer, M. See Duchowicz, R.
Ferrieu, F. See Boucaud, P.
Ferris, K. F.
Dipolar indicators of site acidity in metal oxides.—74-00594A
Ferro, D. See Giardini-Guidoni, A.
Fert, Andre R. See Delagnes, D.; Gotor, Francisco J.
Fertein, E. See Cordier, P.
Fesenko, E. G. See Semenchev, A. F.
Fetherston, R. P. See Malik, Shamim M.
Fetisov, A. V. See Koshcheeva, S. N.
Fetisov, G. P. See Karpman, M. G.
Fett, Theo; Munz, Dietrich; Thun, Gerhard; Bahr, H.-A.
Evaluation of bridging parameters in aluminas from R-curves by use of the fracture mechanical weight function.—74-05349A
Fett, Theo; Munz, Dietrich; Thun, Gerhard
Cyclic fatigue of coarse-grain alumina.—74-02119A
Fett, Theo; Munz, Dietrich; Yu, Chang-Te; Kobayashi, Albert S.
Determination of bridging stresses in reinforced Al_2O_3.—74-05335A
Fett, Theo; Munz, Dietrich
R-curve effect during subcritical crack growth under static load.—74-02099A; Estimation of bridging interactions for natural cracks from bending strength of coarse-grained Al_2O_3.—74-02133A
Fett, Theo
Evaluation of the bridging relation from crack-opening-displacement measurements by use of the weight function.—74-03808A
Feuchter, T. See Wang, J.
Feusier, G.; Mi, Y.; Schaller, R.
Low-temperature internal friction spectrum of Ca-doped $YBa_2Cu_3O_{6+x}$.—74-06573A
Feve, J. P.; Boulanger, B.; Marnier, G.
Experimental study of the internal and external conical refractions in KTP.—74-03011A
Fewster, Paul F.
Thin layer diffraction.—74-06359A
Fhilippov, E. A. See Savochkin, A.Yu.
Fiat, G. See Gros, P.
Fiato, Rocco A. See Clavenna, LeRoy R.; Davis, Stephen M.
Fidelman, David See Olson, Larry D.
Fiebig, M.; Frohlich, D.; Krichevtsov, B. B.
SHG and magnetic dipole–electric dipole interference in antiferromagnetic Cr_2O_3.—74-09221A
Fiebiger, W.; Heuser, W.; Althof, J.
Characterization and quality control of clay raw materials and ceramic batches from the raw material suppliers' point of view.—74-09743A
Fiechter, S. See Ellmer, K.; Ennaoui, A.; Fearheiley, M. L.; Lichtenberger, D.
Fiederling-Kapteinat, Hans-Georg
Ceramic raw materials in western Turkey: occurrence and uses.—74-01188A
Fiedor, J. N.; Proctor, A.; Houalla, M.
Determination of the distribution of molybdenum oxidation states in reduced Mo/TiO_2 catalysts by factor analysis and curve fitting.—74-03961A
Fiegl, B.; Kuhnert, R.; Schwarzbauer, H.; Koch, F.
Diamond films as thermal conductors and electrical insulators applied to semiconductor power modules.—74-04012A
Field, J. E. See Seward, C. R.
Fiermans, L. See Poelman, H.
Figueras, A. See Garelik, S.; Santiso, J.
Fil, V. D. See Zherlitsyn, S. V.
Filatova, N. D. See Kazanov, Yu. K.
Filchner, W. David
Preheater modification concepts.—74-03927A
Filipenko, V. M. See Kislyi, P. S.
Filipov, V. J. See Grabchak, V. P.

Filipovich, V. N.; Dmitriev, D. D.
Polymorphic structural transformations in melts.—74-04196A
Filippov, A. E. See Ivanchenko, Yu. M.
Filippov, B. N. See Solin, N. I.
Fillaux, F.; Cachet, C. H.; Ouboumour, H.
Inelastic neutron scattering study of the proton dynamics in manganese oxides: I, γ-MnO_2 and manganite.—74-02000A; II, Proton insertion in electrodeposited MnO_2.—74-02001A
Fillion, Gray L.
Mold restoration and protection.—74-06984A
Finch, Dudley S. See Yu, Ga-Er
Finch, Dudley S.; Wagner, J. B., Jr.
Composite electrolytes with special reference to the copper chloride-alumina system.—74-00468A
Fincke, J. R. See Swank, W. D.
Fincke, J. R.; Swank, W. D.; Haggard, D. C.
Comparison of the characteristics of HVOF and plasma thermal spray.—74-10233A
Fine, Morris E. See Marcus, H. L.; Wang, Q.
Fini, P. T.; Hrma, Pavel
Maximization of waste loading for a vitrified Hanford high-activity simulated waste.—74-09405A
Finkelstein, L. D.; Efremova, N. N.; Postnikov, A. V.
Time and composition dependence of the spectral shape of the X-ray Ce L_{III} absorption in the $R_{2-y}Ce_yCuO_{4-y}$ superconductors.—74-00858A
Finlayson, Trevor R. See Gross, Anita K.; Kisi, E. H.
Finnie, K. S.; Thompson, J. G.; Withers, R. L.
Phase transitions in cristobalite and related structures studied by variable temperature infrared emission spectroscopy.—74-04194A
Finnis, M. W.
Metal-ceramic cohesion and the image interaction.—74-08234A
Finot, M. See Shen, Y.-L.
Fionova, L. See Perez, R.
Fiordalice, R. W. See Travis, E. O.
Fiore, D. F. See Gentilman, R. L.
Fiore, Eric M. See Sutherland, Audrey E.
Fiori, C.; Venturi, Viviano
Variability of the material in a quarry of clay for "cottoforte" tile production.—74-06938A
Fiorini, Thomas L.
Systematic approach to problem solving for porcelain enamel powder facilities.—74-00155A
Firmiss, J. See Chen, A.
Fisch, E. See Krause, Christina
Fischer, Donald F. See Lewis, Michael A.
Fischer, Edward S. See Manghnani, M. H.
Fischer, F. See Waag, A.
Fischer, G.
Portal bridge scaper reclaimer for multipurpose blending bed stores.—74-00971A
Fischer, I. M.
New method of corrugated asbestos cement sheet production in home practice.—74-00964A
Fischer, K. See Krabbes, G.
Fischer, P. R.; Daschbach, J. L.; Gragson, D. E.; Richmond, G. L.
Sensitivity of second harmonic generation to space charge effects at Si(111)/electrolyte and Si(111)/SiO_2/electrolyte interfaces.—74-06307A
Fischer, Paul B.; Dai, Kevin; Chen, Erli
10-nm pillars fabricated using electron-beam lithography, reactive ion etching, and HF etching.—74-01918A
Fischer, Peter See Bittner, Hans-Georg
Fischer, R. J. See Baillargeon, J. N.
Fischer, Roland See Voigt, Heinz
Fischer, Udo K.; Akerman, Jan; Asberg, Bengt A.; Lagerberg, Stig E.
Method of making a cemented carbide body for tools and wear parts.—74-00173P
Fischer, V.; Kim, T.-J.; Holloway, P. H.; Ristolainen, E.; Schoenfeld, D.
Formation of ohmic contacts to n-GaAs using $(HN_4)_2S$ surface passivation.—74-06111A
Fischer, W. K. See Hume, S. M.
Fischman, Gary; Clare, Alexis G.; Hench, Larry L.
Ceramic Transactions, Volume 48: Bioceramics: Materials and Applications.—74-07966B
Fischmeister, H. F. See Korn, D.; Trampert, A.
Fish, Russ See Clausen, John
Fisher, A. J.; Kim, D. S.; Hays, J.
Fs coherent spectroscopy of bulk ZnSe and ZnCdSe/ZnSe quantum wells.—74-08918A
Fisher, C. H. See Brown, A. J. W.
Fisher, P. A. See Coronado, C. A.; Lu, K.
Fishler, Mark K. See Rancoule, Gilbert I.
Fishman, A. Ya. See Ivanov, M. A.
Fister, Dietmar See Konig, Theo
Fita, I. M. See D'yakonov, V. P.
Fitch, Lawrence D.; Smith, Stanley A.
High alumina refractory shapes.—74-00408P
Fitch, Lawrence D.
Slide gate plate and method.—74-02803P
Fitzer, E. See Boudina, A.
Fitzer, E.; Wahl, G.; Boudina, A.
Properties of diamond films prepared from methane by arc-discharge plasma jet CVD.—74-04401A
Fitzgerald, E. A.; Gossmann, H.-J.; Unterwald, F. C.; Luftman, H. S.; Monroe, D.
Electron-beam-induced current determination of shallow junction depth.—74-00488A
Flagan, Richard C. See Rulison, Aaron J.
Flaherty, E. T.; Marshall, J.; Albert, P.
Stability of diborane mixtures used for borophosphosilicate films.—74-00317A
Flamant, G. See Mazhukin, V.
Flanick, Bruce A. See Piloto, Andrew J.
Flano, N. See Garcia, A.
Flat, A. Ya. See Olemskii, A. I.
Fleck, Hellmut
Optimizing a planetary cooler on a 3000 tpd kiln.—74-03923A
Fleck, Ian See Ekstrom, Thommy
Fleetwood, D. M. See Warren, W. L.
Flegonsov, Yu. A.; Dotsenko, A. V.; Petrova, I. R.
Propagation of light in periodic structures based on photochromic glass.—74-02571A
Fleischer, James F. See Anthony, Thomas R.
Flemig, G. See Samlenski, R.
Fleming, Debra A. See Chandross, Edwin A.
Fleming, Debra A.; Grader, Gideon S.; Johnson, David W., Jr.; O'Bryan, Henry M., Jr.; Rhodes, Warren W.
Sintered ceramic components and method for making same.—74-08813P
Fleming, J. G.; Roherty-Osmun, E.; Godshall, N. A.
Low-temperature, high-strength, wafer-to-wafer bonding.—74-01789A
Flemish, J. R.; Schauer, S. N.; Wittstruck, R.; Landstrass, M. I.; Plano, M. A.
Growth and characterization of phosphorus-doped diamond films.—74-04661A
Flerov, A. V. See Flerov, V. I.
Flerov, I. N. See Gorev, M. V.
Flerov, I. N.; Gorev, M. V.; Aleksandrov, K. S.
Hydrostatic pressure effect on phase transitions in perovskite-like ferroelastics.—74-06450A
Flerov, V. I.; Flerov, A. V.; Konyaev, V. M.
Effect of growth condition on luminescence of corundum crystals.—74-04132A
Flesher, S. See Kowk, W. K.
Fletcher, P. R.; Leach, C.; Wellhofer, F.
Defect analysis in substrate materials for high-T_c superconducting thin films.—74-09248A
Fleurial, Jean-Pierre See Borshchevsky, Alexander
Fleurial, Jean-Pierre; Borshchevsky, Alexander
High-performance thermoelectric semiconductors.—74-06133A
Fleuster, M. See Bauer, S.
Fleuster, M.; Buchal, Ch.; Snoeks, E.
Optical and structural properties of MeV erbium-implanted $LiNbO_3$.—74-03326A
Flietner, B.; Eisele, I.
Work function measurements for gas detection using tin oxide layers with a thickness between 1 and 200 nm.—74-06834A
Fligier, Miroslaw See Dziegielewska, Maria
Flintoff, John F. See Harker, Alan B.
Flis, A. A.; Novitskaya, G. N.; Kryuchkova, N. I.
Preparation and properties of yttrium-barium cuprate powder.—74-09322A
Flitsiyan, E. S. See Kist, A. A.
Floch, Herve G.; Belleville, Philippe F.; Priotton, Jean-Jacques; Pegon, Philippe M.; Dijonneau, Corinne S.; Guerain, Jacques
Sol-gel optical coatings for lasers: I.—74-08459A
Florczak, Glenn P. See Russo, David A.
Flores, M. See Rodriguez, R.
Florian, Reinhold See Lutz, Ekkehard H.
Floter, A.; Mainz, B.; Stiegler, J.; Falke, U.; Schulze, S.; Deutschmann, S.
Microscopic investigations of silicon surfaces pretreated for use in diamond deposition.—74-04751A
Flower, H. M. See Rehman, F. U.; Zhang, Z.
Floyd, P. D. See Yokogawa, T.
Fluxman, S. M. See Reita, C.
Fluxman, S. M.
Design and performance of digital polysilicon thin-film transistor circuits on glass.—74-02962A
Flynn, C. P. See Li, D. X.; Mayer, J.; Trampert, A.; Yang, M. H.
Flynn, C. P.; Yadavalli, S.
Growth of metal-ceramic interfaces by molecular beam epitaxy.—74-08201A
Flynn, David I. See Xu, Shi
Foad, M. A. See Sotomayor Torres, C. M.
Foct, J.; De Figueiredo, R. S.
Mossbauer study of phase transformation induced by mechanosynthesis in Fe_4N.—74-07702A
Foessy, A. See Aquilar, G.
Fogarassy, E. See Antoni, F.; Marine, W.; Repplinger, F.
Fogel, N. Ya. See Dmitrenko, I. M.
Fogelberg, Torbjorn
Glass furnace is the heart of the glassworks.—74-01156A
Fohey, W. R.; Battison, J. M.; Nielsen, T. A.; Hastings, S.
Ceramic composite turbine engine component evaluation.—74-09855A
Foiles, S. M. See Daw, M. S.
Fokina, E. E. See Babak, V. N.
Foldeaki, M. See Paranthaman, Mariappan
Foley, Henry C.; Sonnichsen, George C.; Brake, Loren D.; Mariwala, Ravindra K.; Lafyatis, David S.
$CMS/SiO_2/Al_2O_3$ catalysts for improved selectivity in the synthesis of amines from methanol and/or dimethyl ether and ammonia.—74-03984P
Foley, Michael R. See Pujari, Vimal K.; Wereszczak, A. A.
Folkerts, J. See Chiu, Y. P.
Follet-Houttemane, C.; Desanglois, F.; Conflant, P.
Electrical properties of new materials belonging to the Bi_2O_3-CdO-PbF_2 system.—74-07161A
Folliard, Kevin J.; Ohta, Makoto; Rathje, Ellen
Influence of mineral admixtures on expansive cement mortars.—74-05535A
Folliet, Michel
Expansion of Conceca's San Sebastian plant [Venezuela].—74-03687A
Folsom, Craig A. See Moore, Edmund H.; Parthasarathy, Triplicane A.
Foltyn, S. R. See Arendt, Paul; Wu, X. D.
Folz, D. C. See Clark, D. E.
Fombella, Ricardo
Brick and tile industry in Spain.—74-11143A
Fomina, G. A. See Ansiferova, I. V.; Galakhov, A. V.
Fominski, V. Yu.; Markeev, A. M.; Nevolin, V. N.; Prokopenko, V. B.; Vrubievski, A. R.
Pulsed laser deposition of MoS_2 films in a buffer gas atmosphere.—74-07453A
Fomkin, A. A. See Tvardovskii, A. V.
Fonash, S. J. See Gu, Tieer
Fonseca, L. F.; Balberg, I.
Calculation of the flicker noise in metal-insulator composites using a mean-field theory.—74-00462A
Fonstad, Clifton G. See Choi, Woo-Young
Fontaine, F. See Gheeraert, E.; Gonon, P.
Fontaine, F.; Deneuville, A.; Gheeraert, E.; Gonon, P.; Abello, L.; Lucazeau, G.
Reality of doping by boron implantation of CVD polycrystalline diamond from a comparison of Raman and electrical measurements.—74-04867A
Fontaine, F.; Germain, C.; Oberlin, J. D.
Raman signal vs preparation conditions of C-implanted and excimer laser-annealed Cu thin films.—74-10595A
Fontana, A. See Brodin, A.
Fontana, F.; Ridi, N.; Romagnoli, M.
Fully integrated 30-ps mode-locked fiber laser electronically tunable over 1530–1560 nm.—74-03309A
Fontana, M. D.; Laabidi, K.; Jannot, B.
Relationship between electrooptic, vibrational, and dielectric properties in $BaTiO_3$.—74-10150A
Fontana, S. See Ascarelli, P.
Fontcuberta, J. See Fabrega, L.
Foord, John S. See Beckman, Judith; Chua, Lye-Hing
Foote, M. C.; Vasquez, R. P.; Jones, B. B.; Hunt, B. D.; Barner, J. B.
Composition of pulsed-laser-deposited Y-Ba-Cu-O and Ba-K-Bi-O thin films.—74-06500A
Forbes, D. V. See Cockerill, T. M.
Forbes, D. V.; Coleman, J. J.; Klatt, J. K.; Averbeck, R. S.
Ion beam mixing characteristics of MOCVD grown InGaAs/GaAs superlattices.—74-03077A
Forchel, A. See Hamisch, Y.; Schilling, O.; Schmidt, A.
Ford, C. J. B.; Simpson, P. J.; Kern, D. P.
Coulomb blockage in small quantum dots.—74-00470A
Ford, I. J.
Cavity model of the indentation hardness of a coated substrate.—74-05323A
Ford, Spencer
Design and installation of ceramic tiling.—74-08518A
Fordham, R. J. See Costa, F. A.
Forest, J.
Study of the effect of $C_{11}A_7CaF_2$ on the properties of portland cement.—74-05595A
Forin, Michela See Siviero, Enzo
Fork, D. K. See Ghonge, Subodh G.; Kingston, J. J.
Fork, David K. See Neville Connell, George A.; Swift, Charles D.
Forkel, K. See Simurka, Peter; Wihsmann, F. G.
Formica, Riccardo; Parolini, Tullio
Casting of sanitary ware: comparison of technology.—74-00424A
Fornasini, Paolo See Cervinka, Ladislav
Forrest, S. R. See Hirose, Y.
Forro, L.; Chauvet, O.; Emin, D.
High mobility n-type charge carriers in large single crystals of anatase (TiO_2).—74-03040A
Forsen, O.; Aromaa, J.; Kukkonen, J.-J.; Tavi, M.
Electrochemical behavior of steel coated with plasma-sprayed coatings.—74-05621A
Forst, Donald See Viehland, Dwight
Forster, J. A. See Jha, S. C.
Forster, J. A.; Jha, S. C.; Amatruda, A.
Processing and evaluation of clad metals.—74-00975A
Forster, M. See Rempel, Andrei A.
Forsythe, George D.; Rajendran, Giovindasamy P.
Process for producing catalyst coated thermal shock resistant ceramic honeycomb structures of cordierite, mullite, and corundum.—74-04082P
Fort, A. F. See Varkey, A. J.
Fortin, B. See Sarret, M.
Fortin, E. See Mysyrowicz, A.
Fortsch, R. See Melzer, Dieter
Fortunati, Stefano; Tului, Mario; Risso, Luca
Process for the manufacture of 95% by weight single phase YCBO powder in one combustion step, comprising the use of citrate complex compounds as starting materials.—74-03659P
Fortunato, G. See Pecora, A.; Quinn, M.
Foster, B. E. See Stinton, David P.
Foster, Barbara See Chernoff, Don
Foster, Barbara
Focus on microscopy.—74-03813A; See what's new in the field of optical microscopes.—74-03868A
Foster, C. M.; Li, Z.; Bai, G. R.
Substrate effects on the structure and optical properties of epitaxial $PbTiO_3$ thin films prepared by metallorganic chemical vapor deposition.—74-10895A
Foster, Douglas F.; Glidewell, Christopher; Cole-Hamilton, David J.
Probing the mechanisms of growth of gallium arsenide by metallorganic vapor phase epitaxy using experimental and theoretical studies of designed precursors.—74-03852A
Foster, R. F. See Marcus, Steven D.
Foster, Robert F.; Hillman, Joseph T.
Method for chemical vapor deposition of titanium nitride films at low temperatures.—74-09930P
Foster, Robert F.; Srinivas, Damodaran
Method of nucleating tungsten on titanium nitride by CVD without silane.—74-00175P

Foster, Steve
UK lime plants: II, Syngleton Birch, Melton Ross[, UK].—74-08117A
Fotiev, A. A. See Koshcheeva, S. N.; Laishevtseva, N. A.
Foufre, Luis See Siguin, Dionisio
Fougere, G. E.; Weertman, J. R.; Siegel, R. W.
Hardening and softening of nanocrystalline materials.—74-01392A
Fougt, Jorgen
Influence of impurities in raw materials for glass manufacturing.—74-01195A
Fountzoulas, C. G.; Kattamis, T. Z.; Demaree, J. D.; Kosik, W. E.; Franzen, W.; Hirvonen, J. K.
Mechanical properties of Si diamondlike carbon films formed by ion-beam-assisted deposition.—74-02382A
Fouquet, J. See Hiskes, R.
Fourches, N.; Turban, G.
Plasma deposition of hydrogenated amorphous carbon—growth rates, properties, and structures.—74-03850A
Fourment, J. See Fromentin, J.
Fournier, D. H.
New technologies in refractory forming and their effects on product performance.—74-08624A
Fournier, D. See Plamann, K.
Fournier, Pascal See Ponthieu, Christine
Fournier, T. See Xavier, P.
Fourniguet, M. J.; Cassagne, J. P.; Hilaire, C.
Five years of industrial experience with the use of advanced ceramic components in burner systems.—74-09665A
Foursova, T. See Ralchenko, V. G.
Fowler, B.; O'Brien, E.
Relationships between the material properties of silicon oxide films deposited by electron cyclotron resonance chemical vapor deposition and their use as an indicator of the dielectric constant.—74-00699A
Fowler, Bruce O. See Markovic, Milenko
Fox, B. A.; Stoner, B. R.; Malta, D. M.; Ellis, P. J.; Glass, R. C.; Sivazlian, F. R.
Epitaxial nucleation, growth, and characterization of highly oriented, (100)-textured diamond films on silicon.—74-04619A
Fox, Dennis S.; Nguyen, Q. N.
Oxidation kinetics of enhanced SiC/SiC.—74-10925A
Fox, Dennis S.
Oxidation kinetics of coated silicon carbide fiber-reinforced silicon carbide (SiC/SiC).—74-10924A
Fox, T. G. See Maksoud, T. M. A.
Foxon, C. T.; Cheng, T. S.; Dawson, P.; Lacklison, D. E.; Orton, J. W.; Van der Vleuten, W.
External photoluminescence efficiency and minority carrier lifetime of (Al, Ga)As/GaAs multiquantum well samples grown by molecular beam epitaxy using both As_2 and As_4.—74-03012A
Frade, J. R. See Abrantes, J. C. C.; Ferreira, A. A.; Labrincha, J. A.; Marques, R. M. C.
Frade, J. R.; Cable, Michael
Numerical solutions for mixed control of powder reactions for spherical, cylindrical, or planar particles.—74-01820A
France, Paul W.; Carter, Steven F.; Williams, John R.
Method for the preparation of halide glass articles.—74-00340P
Franceschini, D. F.; Freire, F. L., Jr.; Beyer, W.
Structural modifications in a-C:H films doped and implanted with nitrogen.—74-04917A
Franchuk, V. P.; Svetkina, E. Yu.
Crushing properties of silicon and titanium carbides in a vertical vibratory mill.—74-01653A
Francis, L. F. See Cooney, T. G.; Hachfeld, E. A.; Kim, Y. J.; Wright, John S.
Franck, M. See Oberlander, B. C.
Franck, M.; Blanpain, B.; Celis, J. P.; Roos, J. R.; Pattyn, H.
Carbonaceous surface layers deposited on TiN coatings by ion implantation.—74-05081A
Franck, Raymond See Chevalier, Sophie; Lambert, Jean-Francois
Francois, Raoul; Arliguie, Ginette; Bardy, Didier
Electrode potential measurements of concrete reinforcement for corrosion evaluation.—74-05517A
Francz, G. See Kania, P.
Francz, G.; Kania, P.; Oelhafen, P.
Photoelectron spectroscopy of CVD diamond.—74-07711A
Frangi, F.; Varesi, E.; Ripamonti, G.
Y_2BaCuO_5 excesses and quenching influences on melt-textured YBCO.—74-06666A
Frangis, N. See Nassiopoulos, A. G.
Frank, Curtis W. See Wachsman, Eric D.
Frank, Douglas G. See Chyan, Oliver M. R.
Franke, D. See Rathousky, J.
Franke, James E. See Niemczyk, Thomas M.
Franke, James E.; Zhang, L.; Niemczyk, Thomas M.
Quantitative analysis of infrared reflection spectra from phosphosilicate glass films.—74-00210A
Franke, Lutz; Bentrup, Hermann
Evaluation of the frost resistance of bricks in regard to long service life: I.—74-08543A; II.—74-08544A
Franke, P. See Lu, F.-H.
Frankel, David
Color variation on prehistoric Cypriot Red Polished pottery.—74-02296A
Frankel, Michael Y.; Pavlidis, Dimitris; Mourou, Gerard A.
Study and optoelectronic verification of AlGaAs/GaAs heterojunction bipolar transistor large-signal characteristics.—74-00720A
Frankenthal, R. P. See Choquette, Kent D.
Frankenthal, R. P.; Siconolfi, D. J.; Sinclair, J. D.
Accelerated life testing of electronic devices by atmospheric particles: why and how.—74-01034A
Franklin, J. E.; Ezis, Andre; Herbell, T. P.
Making ceramic components for advanced aircraft engines.—74-07021A
Franklyn, C. B.; Nothnagel, G.
Nitrogen profiles of high-dose, high-temperature plasma source ion-implantation-treated austenitic stainless steel.—74-04781A
Franks, George V. See Luther, Erik P.
Franks, George V.; Velamakanni, Bhaskar V.; Lange, Fred F.
VibraForming and in situ flocculation of consolidated, coagulated, alumina slurries.—74-04977A
Fransen, T. See Van Corbach, H. D.
Fransson, Jan
Thermal gradients in glass container during transfer from IS machine to lehr.—74-00321A
Frantz, G. C. See Rashid, R. A.; Triano, J. R.
Franz, H. See Polato, P.
Franz, Helmut
Surface chemistry of commercial glasses.—74-08353A
Franzen, H. F. See He, L.
Franzen, P.; Vietzke, E.
Atomic release of hydrogen from pure and boronized graphites.—74-04482A
Franzen, W. See Fountzoulas, C. G.; Swan, A.
Franzosi, P. See Attolini, G.
Fraser, David B. See Jones, Erin C.
Frassek, Lutz See Wotting, Gerhard
Frasunyak, V. M. See Shchennikov, V. V.
Fratzi, P. See Peterlik, Herwig
Frauenheim, T. See Schelz, S.
Frauenheim, T.; Stephan, U.; Blaudeck, P.; Jungnickel, G.
Molecular dynamic investigations of amorphous carbon:pi bonding vs electronic defect generation.—74-04368A
Frauenheim, T.; Stephan, U.; Blaudeck, P.; Porezag, P.; Busmann, H.-P.; Zimmermann-Edling, W.
Stability and reconstruction of diamond (100) and (111) surfaces.—74-05253A
Fray, D. J. See Kale, G. M.; Kumar, R. V.
Fray, D. J.; Kumar, R. V.
Process control in the production of molten metals.—74-08766A
Frayssinet, P.; Conte, P.; Tourenne, F.
Influence of the crystallinity of plasma-sprayed HA coatings on their osseointegration.—74-09787A
Frazier, W. E. See Shih, Wei-Heng
Frear, D. R. See Vianco, P. R.
Frechette, Francis J.; Storm, Roger S.; Venkatswaren, Viswanathan; Andrejcak, Michael J.; Kim, Jonathan J.
Process for making silicon carbide ceramic fibers.—74-04081P
Frederic, James C. See Robinson, Gilbert C.
Frederickson, A. R.; Karakashian, A. S.
Recombination-induced randon walk diffusion of interstitial carbon in silicon.—74-05047A
Frederiksen, P. K. See Christensen, F. E.
Fredriksson, E. See Hudner, J.
Freeman, Garth B. See Lackey, W. Jack
Frei, H.; Matt, R.; Grathwohl, G.
In situ testing of ceramic materials.—74-01071A
Freidli, H. P. See Elsenhans, O.
Freim, John; McKittrick, Joanna; Katz, Joel D.
Phase transformation and densification behavior of microwave-sintered α-alumina.—74-10518A
Freimuth, A. See Buchner, B.
Freimuth, Claus
Latest gypsum and plasterboard plant news.—74-02336A
Freire, F. L., Jr. See Franceschini, D. F.; Mariotto, Gino
Freire, F. L., Jr.; Achete, C. A.; Mariotto, Gino; Canteri, R.
Amorphous nitrogenated carbon films—structural modifications induced by thermal annealing.—74-07200A
Freitag, Douglas W. See Richardson, Kerry K.
Freitag, Douglas W.; Richardson, Kerry K.
BAS reinforced in situ with silicon nitride.—74-03980P
Freitas, C. M. M.; Rettore, R. P.; Brandao, P. R. G.
Hydration and microstructure of CA_2 in the presence and in the absence of microsilica.—74-05528A
Freitas, J. A., Jr. See Bilodeau, T. G.; Doverspike, Kathleen
Freitas, J. A., Jr.; Doverspike, Kathleen; Klein, P. B.; Khong, Y. L.; Collins, A. T.
Luminescence studies of nitrogen- and boron-doped diamond films.—74-04743A
Freitas, J. A., Jr.; Strom, U.; Collins, A. T.
Photoluminescence and cathodoluminescence studies of semiconducting diamond.—74-00682A
Freller, H. See Illmann, U.
French, I. D. See Oversluizen, G.
French, Jonathan D. See Wiederhorn, Sheldon M.
French, Jonathan D.; Wiederhorn, Sheldon M.; Petrovic, John J.
Tensile creep and creep rupture of SiC-reinforced $MoSi_2$.—74-11106A
French, K. W. See Gentilman, R. L.
Frenette, Robert O. See Rogers, Jim L.
Frenk, A.; Kurz, W.
Microstructural effects on the sliding wear resistance of a cobalt-based alloy.—74-10836A
Frenois, C. See Doussineau, P.
Frentrup, W. See Hartmann, A.
Fresina, M. T. See Stockman, S. A.
Freslon, A.
Safety devices required for the use of hydrogen in plasma spraying.—74-09507A
Freud, P. J.; Trainer, M. N.; Frock, H. N.
Unified scatter technique for full-range particle size measurement.—74-06830A
Freudenberg, B. See Jung, J.
Freund, H.-J. See Libuda, J.
Freund, R. S. See Choquette, Kent D.; Grober, L. H.; Hong, M.
Freundlich, A. See Bensaoula, A.; Vilela, M. F.
Frey, M. L. See Butenuth, G.
Frey, T. See Schmidt, C.
Frey, Thomas See Betz, Thomas
Freyburg, S.
Ancient monuments of the brick and tile industry with reference to examples in Thuringia.—74-02293A
Frias, M. See Luxan, M. P.
Frias, M.; Sanchez de Rojas, M. I.; Garcia, N.
Contribution of toxic elements: hexavalent chromium in materials used in the manufacture of cement.—74-05480A
Fried, Daniel; Shehdeh, Jodeh; Reck, Gene P.
Internal state population and the time-of-flight of ground-state species ejected after the 190 nm excimer laser ablation of CuO, BaO_2, and Y_2O_3.—74-03502A
Friedbacher, Gernot See Ritala, Mikko
Friede, Helmut
Quality control and assurance during construction, repair, and inspection of sewage channels and pipe lines.—74-02264A
Friederich, Kilian; Michell, Winfried; Von Behr, Diedrich
Valve.—74-09964P
Friederichs, John W.; Mirchandani, Prakash K.; Krudy, Paul J.
Process for making nonmagnetic nickel tungsten carbide cemented carbide compositions and articles.—74-00179P
Friederichs, John W.
Articles of ultrafine grained cemented carbide and process for making same.—74-04028P
Friedman, D. J. See Kurtz, Sarah R.
Friedmann, T. A.; McCarty, K. F.; Klaus, E. J.
Pulsed laser deposition of BN onto silicon (100) substrates at 600°C.—74-01863A
Friedrichs, Burkhard See Erdal, Merve
Friel, John J. See Jessen, Todd L.
Frieling, I. See Zhang, H.
Fries, T. See Varichenko, V. S.
Friese, Karl-Hermann; Neumann, Harald
Temperature sensor and method for producing temperature sensor elements.—74-09104P
Friess, M. See Bill, Joachim
Frigione, Giuseppe; Sersale, Riccardo
Blast-ace cement mortars manufactured with fresh granulated and weathered slags. Influence of gypsum content and aging on carbonation depth and strength development.—74-05467A
Frigo, S. P. See Nelson, Art J.
Frindt, R. F. See Kucherenko, I. V.
Fripiat, Jose J. See Coster, Dominique
Frisch, A.; Kaysser, Wolfgang A.; Zhang, W.; Petzow, G.
Stress relaxation and bonding in Si_3N_4/MA6000 joints by reactive interlayers.—74-08276A
Frisch, B.; Hoer, T.; Thiehle, W. R.
Characterization of ceramic dry pressed bodies—measurement techniques and evaluation.—74-09557A
Frischat, Gunther Heinz See De Kever, Ebba; Heinemann, T.; Kaplan-Diedrich, Hannelore; Sebastian, K.
Frischholz, M. See Hammerschmidt, A.
Frischholz, M.; Schmidt, G.; Hammerschmidt, A.
OBIC [optical beam induced current] measurements on planar high voltage *p*+–*n* junctions with diamondlike carbon films as passivation layer.—74-10126A
Frisk, Lars-Joran
Glass manufacturer cuts thermal losses and utility costs.—74-00299A
Friske, Mark S.; Johnson, Ronald E.; Reagan, Christine M.; Winer, Theresa A.; Wu, Lung-Ming
Glass-plastic composite.—74-02676P
Frisken, B. J.; Liu, A. J.; Cannell, D. S.
Critical fluids in porous media.—74-07242A
Fritsch, Emmanuel; Phelps, Andrew W.
Type IIb diamond thin films deposited onto near-colorless natural gem diamonds.—74-01307A
Fritts, Sharon D. See Talbot, Jan B.
Fritts, Sharon D.; Gopal, R.
Report of the electrolytic industries for the year 1992.—74-02271A
Fritz, H. P.; Chatziagorastou, P.
New electrochemical method for selenization of stacked CuIn layers and preparation of $CuInSe_2$ by thermal annealing.—74-04772A
Fritz, I. J. See Blum, O.
Fritz, O. See Behler, S.; Moser, A.
Frock, H. N. See Freud, P. J.
Froehlich, Guenter See Petschauer, Hans
Froelich, H. R. See John, P. K.
Froes, F. H. See Suryanarayana, C.
Frohlich, D. See Fiebig, M.
Frolov, A. A.
Optimization of the machining process of optical glass pieces by tool masking.—74-03719A
Frolov, G. I. See Khrustalev, B. P.
Frolov, S. I. See Lisovskii, I. P.; Litovchenko, V. G.
Fromentin, J.; Fourment, J.
French crystal producers invest in energy-saving technology.—74-01154A
Fromentin, J.; Fourment, J.
Pot furnaces with regenerative burners.—74-09706A
Fromknecht, R. See Hagena, O. F.
Fromm, E. See Martin, M.; Muller, D.
Frost, H. J.
Stochastic models of grain growth.—74-07491A
Frost, Michael R. See Ishida, Emi
Froumin, N.; Baram, J.; Polak, M.
Effects of interfacial segregation on wetting of PbBiSrCaCuO ceramic by Ag and Ag-based alloys.—74-06526A
Frovel, Malte R.
Method for manufacturing fiber-reinforced structures with a glass matrix.—74-08486P
Frtalova, Dana See Stevula, Ladislav
Fruchter, L. See Janossy, B.
Fruh, F. E.; Sallese, J. M.; Beck, M.
Magnetotransport investigation of Si-doped $n^+Al_{0.48}In_{0.52}As$: observation of the DX center.—74-03099A
Fruhwirth, O.; Macher, A.; Reichmann, K.
Dc and ac properties of zinc-stabilized NTC materials.—74-04274A

Frunzio, L. See Christiano, R.
Fruth, V. See Teoreanu, I.
Fry, I. V. See Gehring, A. U.
Fryda, H.; Vetter, G.; Boch, Philippe
High-alumina cement/silica fume materials for cesium trapping.—74-06669A
Fryda, M.; Six, R.; Pockelmann, R.; Klages, C.-P.
New method of diamond CVD with a closed gas circuit.—74-04775A
Ftikos, C.; Kiatos, D.
Effect of chlorides on the formation of belite and alinite phase.—74-02321A
Ftikos, C.; Marinos, J.; Malami, C.
Durability of hydrated cements containing various Greek pozzolans in aggressive media.—74-08015A
Ftikos, C.; Philippou, T.; Marinos, J.
Study of the efect of some factors influencing alinite clinker formation.—74-00097A
Fu, Chun-Sheng See Li, Nan
Fu, Dechun
Particle size effect on the properties of electrostatic powders.—74-00969A
Fu, G. F.; Gonzalez, A. M.; Pardo, L.
Evolution of domain size and crystal strain in calcium-modified lead titanate ceramics during poling.—74-03303A
Fu, G. F.; Pardo, L.; Mendiola, J.
Effect of composition and microstructure on the broadening of XRD profiles in modified lead titanate ceramics.—74-05126A
Fu, Gao-Ling See Zangvil, Avigdor
Fu, Guo-Yi See Fyfe, Colin A.
Fu, Jian-Ming; Adams, James; Catchen, Gary L.; Miller, D. L.; Kim, J.; Gallagher, M. C.
Bonding and migration of ^{111}In atoms of GaAs surfaces studied by perturbed angular correlation spectroscopy.—74-04254A
Fu, Jie; Osaka, Akiyoshi; Namba, Tokuro; Miura, Yoshinari; Yamanaka, Hiroshi
XPS study of aluminum and fluoride ions in the system Al-Cd-Pb-O-F.—74-07141A
Fu, Joseph See Tseng, Wen F.
Fu, Ruo-Wen; Zeng, Han-Min; Lu, Yon
Studies on the mechanism of the reaction of activated carbon fibers with oxidants.—74-07826A
Fu, S. S. See Wang, E.; Xing, S. B.
Fu, S.-L.; Chin, T. P.; Zhu, B.; Tu, C. W.; Lau, S. S.; Asbeck, P. M.
Electrical properties of He$^+$ ion-implanted GaInP.—74-02987A
Fu, Wai B. See Dibben, David C.
Fu, Xian-Zhi See Luo, Sheng-Cheng
Fu, Xue-You; Lin, Yun-Fei; Fan, Qi-Sheng; Gu, Pei-Zhi
Effect of heat treatment on microstructure and strength of pressureless-sintered Si_3N_4.—74-10791A
Fu, Yan See Gu, Ping; Xie, Ping
Fu, Yan; Sheikh, Shamin A.; Hooten, R. D.
Microstructure of highly expansive cement pastes.—74-00078A
Fu, Yan; Xie, Ping; Gu, Ping
Characteristics of shrinkage-compensating expansive cement containing a prehydrated high-alumina cement-based expansive additive.—74-05475A
Fu, Yao-Xian See Wang, Ge-Ya
Fu, Yong-Jian See Liu, Xiao-Bo
Fu, Zuhair A. See Yuan, R.-Z.
Fuchs, G. See Cadete Santos Aires, F. J.
Fuchs, H. V.
Sound absorbers for heavily polluting exhaust gas systems.—74-06819A
Fuchs, H. See Ying, J. Y.
Fuchs-Pohl, G. R. See Beisel, N. F.
Fuertes, A. See Palacin, M. R.
Fugmann, K.; Reh, H.
How to produce tiles: XV, Drying (Pt. V.).—74-00431A
Fugol, I. Ya.; Ratner, A. M.; Samovarov, V. N.
Optical spectroscopy of superconductors—changes of electron structure and electron processes in $YBa_2Cu_3O_{7-\delta}$ when crossing over from underdoping to overdoping.—74-06600A
Fuh, Chwan; Myers, Marcus N.; Giddings, J. Calvin
Centrifugal SPLITT fractionation: new techniques for separation of colloidal particles.—74-03785A
Fuhs, W. See Schutte, Susanne
Fuierer, A. See Sridharan, S.
Fujii, H.; Nakae, H.; Okada, K.
Interfacial reaction wetting in the boron nitride/molten aluminum system.—74-00127A
Fujii, K.; Tsuboi, S.; Setoguchi, S.
Sub-half-micron metal-oxide-semiconductor device fabrication using a compact synchrotron radiation lithography system.—74-00721A
Fujii, S. See Sugie, Y.
Fujii, T. See Kageshima, M.; Negishi, N.
Fujii, Toru See Morinaka, Hiroaki
Fujii, Y. See Sohma, M.
Fujii, Yoji; Minamizono, Hiroshi
Ceramic coating material.—74-07017A; Inorganic heat-proof adhesive.—74-01770A
Fujikami, Jun; Sato, Kenichi; Shibuta, Nobuhiro; Mukai, Hidehito; Kato, Takeshi
Method of joining superconducting wire using oxide high-temperature superconductor.—74-03646P
Fujikawa, Nobuyoshi See Hirahara, Sciichiro
Fujiki, Yoshinori; Sasaki, Takayoshi; Watanabe, Mamoru
Synthesis of fibrous crystals of $(K,Ba)_2Ti_6O_{13}$ and $(K,Sr)_2Ti_6O_{13}$ by composition-structural changes from Ba- and Sr-doped $K_2Ti_6O_{13}$.—74-01909A
Fujimine, Satoshi See Miyaji, Fumiaki
Fujimori, Atsushi See Ogawa, Susumu
Fujimori, Hiroyasu See Ikebe, Manabu
Fujimori, Naoji See Itozaki, Hideo; Shikata, Shinichi; Shiomi, Hiromu; Tanabe, Keiichiro
Fujimori, Naoji; Nishibayashi, Yoshiki
Cathodoluminescence of epitaxial diamond films.—74-10211A
Fujimori, Yoshinori
Space environment and materials.—74-11190A
Fujimoto, H.; Kikui, Y.; Kasuh, T.
Highly stable fluorine-intercalated graphite fibers coated with graphite fluoride film.—74-09873A
Fujimoto, Masayuki
Observation of grain boundary crystallographic structure—electron microscopy and molecular dynamics.—74-10014A
Fujimoto, Sam
Reducing specific power usage in cement plants.—74-03730A
Fujimoto, Shirou See Nakamura, Yoshikazu
Fujimura, Norifumi; Kakinoki, Masami; Tsuboi, Hiroshi
$LiNbO_3$ film with a new epitaxial orientation on *R*-cut sapphire.—74-09151A
Fujimura, Shuzo; Suzuki, Miki T.; Shinagawa, Keisuke; Nakamura, Moritaka
Sodium contamination-free ashing process using O_2+H_2O plasma downstream.—74-04899A
Fujino, K.; Nishimoto, Y.; Tokumasu, N.
TEOS and ozone atmospheric pressure CVD of borophosphosilicate glass films using triethylborate and trimethylphosphate.—74-01919A
Fujino, Shigeru; Takebe, Hiromichi; Morinaga, Kenji
Measurements of refractive indexes and factors affecting dispersion in oxide glasses.—74-02561A
Fujinoki, Akira See Nishimura, Hiroyuki
Fujioka, Junzo See Tabata, Hitoshi
Fujisawa, Akira; Terui, Akira
Development of ceramic artificial joints.—74-03962A
Fujisawa, Satoru; Sugawara, Y.; Morita, S.; Ito, Shuiti; Mishima, S.; Okada, T.
Study on the stick-up phenomenon on a cleaved surface of the muscovite mica using an atomic force/lateral force microscope.—74-07767A
Fujisawa, Satoru; Sugawara, Y.; Ito, Shuiti
Two-dimensional stick-slip phenomenon with atomic resolution.—74-10049A
Fujishima, A. See Nagahara, L. A.
Fujishima, Tomoyuki See Ebihara, Kenji
Fujishita, Hideshi
Crystal structure and phase transitions of intermediate phase of $PbZrO_3$.—74-07054A
Fujita, Daisuke; Yoshihara, Kazuhiro
Surface precipitation process of epitaxially grown graphite(0001) layers on carbon-doped nickel(111) surface.—74-05283A
Fujita, K.; Izumi, T.; Ohsaki, K.; Tambo, T.; Ueba, H.; Tatsuyama, C.
Growth of GaSe layered compound on a GaAs(001) surface.—74-03380A
Fujita, Nobuhiko See Itozaki, Hideo
Fujita, Nobuhiko; Kobayashi, Tadakazu; Itozaki, Hideo; Tanaka, Saburo; Yazu, Shuji; Jodai, Tetsuji
Process for preparing high-T_c superconducting material.—74-03656P
Fujita, Shigeo See Fujita, Shizuo
Fujita, Shizuo; Asano, Takeharu; Maehara, Kensaku; Fujita, Shigeo
Nitrogen doping in ZnSe by photoassisted metallorganic vapor phase epitaxy.—74-04778A
Fujita, Tsuyoshi; Iwanaga, Shoichi; Tanei, Hirayoshi
Thin film ceramic multilayer wiring hybrid board.—74-08816P
Fujitsu, Satoru; Hamada, Tomosuke
Electrical properties of manganese-doped titanium dioxide.—74-02835A
Fujiwara, A. See Fukatsu, S.
Fujiwara, Hideaki See Ichikawa, Kenji
Fujiwara, Shuji; Yuasa, Ryokan; Furukawa, Hiroaki; Nemoto, Masaaki; Nakao, Masao
Method for processing superconducting thin films.—74-03640P
Fujiwara, T. See Kumagai, Naoaki
Fujiwara, Teiichi See Harako, Hisayuki
Fujiwara, Teiichi; Nobuhara, Keiichi; Nishiyama, Hideaki; Ogata, Masanori
Application of spinel checker brick for glass furnace regenerators.—74-03895A
Fujukawa, Takao See Nanko, Makoto
Fukada, Shinichi; Kudo, Kazue; Suzuki, Masayasu
Relationship between void formation and electromigration performance in Al/TiW multilayered interconnections.—74-00698A
Fukada, Shinichi; Suwa, Motoo
Effect of Mo oxide layer on electromigration resistance of Al-Si-Cu/Mo bilayered interconnections.—74-00115A
Fukagawa, Mitsuru See Shiosaki, Tadashi
Fukai, Seiki See Tanaka, Hiroshi
Fukai, Yoshino; Furuta, Tomofumi; Ishibashi, Tadao
Electroluminescence measurement of ballistic electron distribution on AlGaAs/GaAs heterojunction by bipolar transistor structures with base width modulation.—74-08887A
Fukami, T. See Panagopoulos, C.
Fukano, Y. See Sugawara, Y.
Fukanuma, H.; Ohmori, A.
Behavior of molten droplets impinging on flat surfaces.—74-10759A
Fukao, Kaname See Noguchi, Yasushi
Fukarek, W.; Kersten, H.
Application of dynamic in situ ellipsometry to the deposition of tin-doped indium oxide by reactive direct current magnetron sputtering.—74-00458A
Fukatsu, S. See Kato, Y.; Takahashi, S.
Fukatsu, S.; Fujiwara, A.; Muraki, K.; Takahashi, Y.; Shiraki, Yasuhiro
Time-of-flight measurement of carrier transport and carrier collection in strained $Si_{1-x}Ge_x$/Si quantum wells.—74-05056A
Fukatsu, S.; Sunamura, H.; Shiraki, Yasuhiro
Room temperature photoluminescence in strained $Si_{1-x}Ge_x$/Si quantum wells.—74-04414A
Fukuda, Hidemi See Arakawa, Toshihiko
Fukuda, Kanao See Ono, Toru
Fukuda, T. See Sawada, Yoshihiro
Fukuda, T.; Hirota, Y.
Scanning tunneling microscopy study of deoxygenated and deionized water rinsed GaAs(111)-B surfaces.—74-00703A
Fukuhara, Minoru See Goto, Seishi
Fukui, Hiroshi; Suzuki, Fukuji
Cosmetics and fine particles.—74-10072A
Fukui, T. See Ishikawa, Y.
Fukuma, Kazuto See Lee, Peter W.
Fukumi, Kohei See Kitamura, Naoyuki
Fukumoto, K. See Isozaki, T.; Saito, Y.
Fukumoto, Masanori See Sekiguchi, Mitsuru
Fukunaga, Osamu See Nakano, Satoshi
Fukunaga, T. See Mizutani, U.; Wada, M.
Fukushige, Y. See Hirata, Y.
Fukushima, Akio; Iga, Fumitoshi; Inoue, Isao H.; Murata, Keizo; Nishihara, Yoshikazu
Annealing effects on transport and magnetic properties of perovskite-type vanadium oxide $CaVO_3$.—74-04251A
Fukushima, Kazuko See Iwadate, Yasuhiko
Fukushima, Noburu; Nomura, Shunji; Yoshino, Hisashi; Ando, Ken; Niu, Hiromi; Yamashita, Tomohisa
Insulating composition.—74-02883P
Fukuto, Masafumi See Hornbostel, Marc D.
Fukutomi, Masao See Aoki, S.; Komori, Kazunori
Fukutomi, Masao; Aoki, S.; Komori, K.; Tanaka, Y.; Asano, T.; Maeda, Hiroshi
Control of Y_2O_3-stabilized ZrO_2 thin film orientation by modified bias sputtering.—74-00791A
Fukuyama, Koyo See Okada, Kiyoshi
Fukuyama, Koyo; Okada, Kiyoshi
XPS analysis of surface state of various silicon nitride powders.—74-05301A
Fulde, P.; Zevin, V.
Low-energy excitations in superconducting doped cuprates.—74-09297A
Fuller, E. W. See Reimers, J. N.
Fuller, Edwin R., Jr. See Butler, E. P.; Xu, Hockin H. K.
Fuller, Keith C. See Pastor, Ricardo C.
Fullowan, T. R. See Ren, F.
Fulmer, Mark T. See Ison, Ira C.
Funahashi, Toshihiko See Isomura, Keiichiro
Funayama, Chihito See Mizukami, Tomohito
Fundus, M. See Knoch, H.
Funk, James E. See Dinger, Dennis R.
Funk, James E.; Dinger, Dennis R.
Flocculation by VDW [van der Waals] energy/particle size distribution.—74-05895A
Funkenbusch, Paul D. See Zhou, Yi-Yang
Funtikov, V. A.
Structural characteristics of chalcogenide glasses.—74-00224A; Structural peculiarities of chalcogenide glasses.—74-00228A
Fuqua, P. D. See Akbarian, F.
Furdyna, J. K. See Luo, H.; Yokogawa, T.
Furlani, C. See Passamonti, M. R.
Furman, A. S. See Kuznetsov, N. I.
Furman, V. V. See Rutkovskii, A. E.
Furmanova, N. G. See Geifman, I. N.
Furnival, James
Firing heavy clay products more efficiently.—74-08550A
Furtak, T. E. See DiGregorio, J. F.
Furukawa, Hiroaki See Fujiwara, Shuji
Furukawa, Osamu See Kanai, Hideyuki
Furusato, Isao See Ikesue, Akio
Furusawa, Masahiro See Hori, Hidenobu
Furusawa, Shinichi; Yanagisawa, Hiroyuki; Ishibashi, Yoshihiro
Phase transition and electric property of $KSnOPO_4$ (KS) single crystal.—74-01438A
Furuse, Yutaka See Endo, Yasuyuki
Furuta, Naoki; Ootsubo, Masakazu; Hamaguchi, Setsunori; Watanabe, Isao; Furuta, Yoichi; Suruga, Toshihiro
Refractory material and product thereof containing low-silica electrofused magnesia clinker.—74-02801P
Furuta, S. See Katsuki, Hiroaki
Furuta, Shinsaku See Takahashi, Makoto
Furuta, Tomofumi See Fukai, Yoshino
Furuta, Yoichi See Furuta, Naoki
Fusegawa, Izumi; Yamagishi, Hirotoshi
Method for pulling up semiconductor single crystal.—74-03273P
Fushii, Yasuhito; Nakamura, Miyuki; Nakajima, Yukihiko; Kato, Kazuo; Miyai, Akira; Hiruta, Kazuyuki
Method for forming a ceramic circuit board.—74-02886P
Fushimi, Koji See Kawasaki, Keiji
Fushimi, Tetsuro; Shibata, Shoji
Kiln furniture for sintering electronic ceramics.—74-09680A
Fuso, Francesco See Pellegrini, Vittorio
Fusser, H.-J. See Kading, O. W.
Fusshuller, E. See Holtje, W.
Fyfe, Colin A.; Fu, Guo-Yi; Grondey, Hiltrud
Pillaring of layered double hydroxides with cagelike polysilicates—a possible new class of base catalysts or catalyst precursors.—74-10521A
Gaanguly, A. K. See Jensen, K. L.
Gaarenstroom, S. W. See Waldo, R. A.
Gabay, M. See Lederer, P.
Gabelkova, E. A. See Skomorovskaya, L. A.
Gabor, Thomas; O'Selly, James M.
Continuous atmospheric pressure CVD coating of fibers.—74-10240A

Gaboriaud, R.J. See Benayoun, S.
Gabovich, A. M.
Josephson and quasi-particle currents in partially dielectrized superconductors with spin density waves.—74-03508A
Gabriel, Calvin T.; Melaku, Yosias
Gate oxide damage in a high-density inductively coupled plasma.—74-00625A
Gabrscek, S. See Kolar, D.
Gabrusenok, E. V. See Nachal'naya, T. A.
Gadave, K. M.; Jodgudri, S. A.; Lokhande, C. D.
Chemical deposition of PbS from an acidic bath.—74-04507A
Gaddipati, Achuta R. See Singh, Raj N.
Gadgil, P. K.; Mantei, T. D.; Mu, X. C.
Evaluation and control of device damage in high-density plasma etching.—74-00613A
Gaertner, G. F.; Lydtin, H.
Review of ultrafine particle generation by laser ablation from solid targets in gas flows.—74-07467A
Gaeta, P. J.; Sisson, R. D., Jr.; Singh, M.; Eldridge, Jeffrey I.
Interfacial properties of SiC (SCS-6) fiber-reinforced reaction-formed SiC matrix composites.—74-10828A
Gaewdang, T.; Chaminade, J. P.; Garcia, A.
Crystal growth and luminescence properties of In_6WO_{12}.—74-07051A; Luminescence of Ce^{3+} in the $In_2Sc_{1-x}BO_3$ ($0 \le x \le 1$) solid solution.—74-10115A
Gaffet, E. See Michel, D.
Gaffet, E.; Marco, P.; Fedoroff, M.; Rouchaud, J. C.
Metastable phase transition induced by mechanical alloying in an Si(B/C) mixture.—74-07092A
Gagnon, D. M.; Glann, G. A.
Thermal spray coating impregnation—vacuum vs high-pressure/vacuum technique.—74-10697A
Gagnon, David R. See Vanderah, Terrell A.
Gagnon, G.; Currie, J. F.; Beique, G.
Characterization of reactively evaporated TiN layers for diffusion barrier applications.—74-10066A
Gagnon, R. See Oussena, M.
Gago-Duport, L. See Villar, M. P.
Gaillard, J. M.; Weber, F.; Blanchart, P.
Drying behavior of clay minerals.—74-05808A
Gaillard, J. M.
Technique for rapid prototyping—the stereolithography.—74-09623A
Gaines, D. F. See Huang, J. W.
Gaines, J. M. See Chen, W.; Li, L. K.; Marshall, T.
Gaishun, V. E.; Semchenko, I. V.; Serdyukov, A. N.
Gyrotropic properties of superlattices with magnetic structure in long-wave approximation.—74-04146A
Gaissmaier, K.; Weis, O.
Superpolishing of diamond.—74-10658A
Gajewski, D. A. See Sun, A. G.
Gal'perin, Yu. M.
Flicker noise in rf SQUIDs based on high-temperature superconductors.—74-03811A
Gal-Or, Leah See Chaim, Rachman
Galaev, A. A. See Artemiev, A. V.
Galaiko, V. P.; Dmitriev, V. M.; Ofitserov, M. N.
Low-frequency anomalies in conductivity of superconducting metal oxides in the normal state.—74-03510A
Galakhov, A. V.; Fomina, G. A.; Il'cheva, A. A.
Mechanical properties of ZrO_2+12% CeO_2 ceramics with additives of CaO, Y_2O_3, and Nb_2O_5.—74-05378A
Galakhov, A. V.; Kutsev, S. V.; Kryuchkov, V. A.
Effect of compaction pressure on the sinterability of submicron powders of tetragonal zirconium dioxide.—74-04570A
Galaktinov, S. S. See Popovich, N. V.
Galal, A. F. See Abo-El-Enein, S. A.
Galanov, B. A. See Strel'nitskij, V. E.
Galassi, C. See Roncari, E.
Galassi, C.; Esposito, L.; Rastelli, E.
Water-based alumina dispersions for tape casting.—74-04980A
Galasso, Francis S. See Xiao, You-Ming
Galazka, R. R. See Orlowski, B. A.
Galdeano, Vicente See Tschudin, M.
Galdeano, Vicente
Start-up and operation of Cementos Apasco's Ramos Arizpe plant (Mexico).—74-03736A
Gale, G. M. See Driscoll, T. J.
Gale, Julina D.; Henson, Neil J.
Derivation of interatomic potentials for microporous aluminophosphates from the structure and properties of Berlinite.—74-10786A
Galenko, P. K.; Tolochko, O. V.
Dynamics of dendritic crystallization of an amorphous structure in the nickel-zirconium system.—74-01371A
Galenko, V. T. See Gogotsi, G. A.
Galgali, R. K. See Bhattacharjee, S.
Galiametdinov, Yu. G. See Ulakhovich, N. A.
Galimov, G. G.
Selecting optimum parameters for slip casting.—74-02784A
Galipeau, Rick
Cement plant engineering using computer-aided design: an update.—74-02313A
Galkin, Yu. M. See Ust'vantsev, V. M.
Gall, N. R.; Rut'kov, E. V.; Semchinova, O. K.
Studying electron states of Cu and Ba atoms in $YBa_2Cu_3O_7$ by high-resolution AES.—74-06636A
Gallagher, D. See Bhargava, R. N.
Gallagher, M. C. See Fu, Jian-Ming; Kim, Jong-Geol
Gallagher, Robert See Santee, Ross
Gallardo, Jose See Busca, Guido
Galli, Giulia See Gilgein, Lise
Galliano, P. G.; Cavalieri, A. L.; Porto Lopez, J. M.
Microhardness and fracture toughness of bioactive glasses in the system CaO-RO-SiO_2-P_2O_5-CaF_2 (R=Sr, Ca, and Mg).—74-05730A
Gallimore, Philip See Sumer, Guner
Gallo, Anthony J.
How to better understand NO_x requirements.—74-05769A
Gallon, Peter
Materials testing with monolithic and composite ceramics.—74-09576A
Galloway, H. C.; Benitez, J. J.; Salmeron, M. B.
Growth of FeO_x on Pt(111) studied by scanning tunneling microscopy.—74-05153A
Galluzzi, F. See De Cesare, G.; Vincenzoni, R.
Galushka, A. P. See Adonkin, V. T.
Galzerani, J. C. See Pizanai, P. S.
Gam, Jig-Sang; Ha, Jung-Soo; Cheong, Deock-Soo
Machinability and strength of AlN-BN ceramics.—74-11036A
Gambardella, U. See Giardini-Guidoni, A.
Gambarova, Pietro Ricercatore; Rosati, G. P.; Sufi, Geilani M.
Steel-concrete bond and concrete splitting for small diameter bars.—74-05590A
Gambino, Jeffrey P. See Chapple-Sokol, Jonathan D.
Gamble, H. S. See Wu, Y.
Gamblin, Rodger L.
New grinding machine.—74-09489A
Gamernik, R. V. See Gnatenko, Yu. P.; Slyn'ko, V. V.
Gamkrelidze, K. P. See Gamtsemlidze, T. A.
Gammel, P. L. See Safar, H.
Gamo, Kenji See Kosugi, Toshihiko
Gamtsemlidze, T. A.; Gamkrelidze, K. P.; Mirzoeva, M. I.
Isothermal residual magnetization in $YBa_2Cu_3O_{7-x}$.—74-04341A
Gamulya, G. D.; Ostrovskaya, Ye. L.; Ostapenko, I. L.; Presnyakova, G. N.; Strel'nitskij, V. E.
Friction behavior and wear resistance of diamondlike carbon films under cryogenic temperatures.—74-07882A
Gamzaev, D. O. See Alekperov, O. Z.
Gan'shin, V. A.; Korkishko, Yu. N.; Fedorov, V. A.
Phase diagram of the ZnSe-CdSe system in the subsolidus region.—74-01427A; Structure-phase diagram of the states of the system ZnS-CdS in the subsolidus region.—74-04220A
Gan'shin, V. A.; Korkishko, Yu. N.; Morozova, T. V.
Formation of planar optical waveguides in $LiTaO_3$ by nonisovalent ion exchange in molten salts and their study.—74-03307A
Gan'shina, E. A.; Zotov, V. V.; Milov, V. N.
Magnetooptical properties of orthochromites.—74-04355A
Gan, Chang-Cheng; Liang, Wen-Fan; Bai, Guang
Development of blast-furnace slag cement with low clinker content.—74-08013A
Gan, Fei-Fang See Dou, Shu-Ju
Gan, Z.-Z. See Zhu, Xing
Gan, Zhao-Ping See Peng, Xi-Ling
Ganatra, C. P. See Rowland, Barry
Ganbarov, D. M.; Allakhverdiev, I. P.; Gasymov, V. V.
Alkali resistance and crystallization of calcium aluminosilicate glasses.—74-02430A
Gandhi, D. P. See Kothiyal, G. P.
Gandhi, Haren S. See Chattha, Mohinder S.
Gandhi, P. R.; Deshpande, V. K.; Singh, K.
Lithium borosulfate glasses: an analysis of glass transition temperature results.—74-05685A
Ganesh Babu, K.; Siva Nageswara, G. Rao
Early strength behavior of fly ash concretes.—74-05494A
Gangal, S. A. See Vispute, R. D.
Gangopadhyay, A. K.; Tamor, M. A.
Friction and wear behavior of diamond films against steel and ceramics.—74-00002A
Gangopadhyay, U. See Bandopadhyay, S.
Ganguli, D. See Atta, A. K.; Chatterjee, M.; Kundu, D.; Roy, S.
Ganguli, D.
Sol-gel processing of materials for electronic and related applications.—74-06726A; Sol-gel processing: a versatile concept for special glasses and ceramics[—review].—74-10642A
Ganguly, A. K. See Jensen, K. L.
Ganguly, C. See Upadhyaya, D. D.
Ganguly, C.
Sol-gel microsphere palletization: a powder-free process for fabrication of ceramic nuclear fuel pallets.—74-09417A
Gani, Mary S. J. See Pyda, Waldemar
Gani, Mary S. J.; Chen, Lap-Hing; Pravdic, G.
Thermal modification of ceramic powders.—74-04959A
Ganne, J. P. See Faure, S. P.
Gannon, John
Getting the most from turbine flow meters.—74-03816A
Gansert, R. V.; Benary, R.; Berndt, C. C.
Automated thermal spray system (ATSS) for infrastructure rehabilitation and maintenance.—74-08131A
Gantt, George E.; Adkisson, Thomas J.; Gladin, Preston B.; Ussery, Randall E., Jr.
Selective separation of finely-divided minerals by addition of selective collector reagent and centrifugation.—74-03775P
Ganzha, Yu. V. See Grushko, Yu. S.
Gao, De See Gao, Xiao-Hui
Gao, Fan; Dai, Chang-Chun; Chen, Zeng-Bo; Huang, Gui-Zhen; Bai, Chun-Li; Tao, Hong-Jie
Newly developed low-temperature scanning tunneling microscope and its application to the study of superconducting materials.—74-06796A
Gao, Feng; Lin, Ray Y.
Theoretical modeling of chemical vapor deposition of silicon carbide in a hot-wall reactor.—74-07528A
Gao, G. B. See Reed, J.
Gao, Hong-Sheng; Chen, Hong
Preparation of platelike mullite powders by dry gel method and their applications.—74-07434A
Gao, Jin-Yuan See Shen, Qiang
Gao, Li-Ming See Sun, Hong-Wei
Gao, Ling-Xiang See Lehman, Richard L.
Gao, Shi-Jian; Gu, Zhe-Nan
Silica glass doped with fluorine.—74-08455A
Gao, Shi-Jian; Wang, Jin-Lu
Approach to computer aided design (CAD) of pattern of glazed tile.—74-02701A
Gao, Tie See Nishikawa, Tadahiro
Gao, Wen-Bin See Chen, Jun
Gao, Xiao-Hui See Yang, Hong-Shun
Gao, Xiao-Hui; Jiang, Shu-Fen; Li, Jie
Quantitative study on chemistry kinetics of F-doped Bi-based superconducting phase.—74-09328A
Gao, Xiao-Hui; Li, Jie; Gao, De
Chemical reactional kinetics during preparation of high-T_c superconductors.—74-03427A
Gao, Xiao-Wen; Feng, Shang-Shen; Xu, Xiao-Jun
Magnetization and pinning potential of magnetic flux for $Tl_2Ba_2Ca_2Cu_3O_x$ bulk superconductor.—74-09302A
Gao, Y. See Merkle, K. L.
Gao, Yi-Min See Zhou, Lin
Gao, Yuan-Kai; Han, Ai-Zhen; Lin, Yi-Qing
Electrodeposition and characterization of GaAs polycrystalline thin films.—74-02991A
Gao, Zhi-Hui See Zhan, Yu-Shu
Gapochenko, S. D.; Olikh, Ya. M.; Bazakutsa, V. A.
Features of elastic properties of $Ge_xAs_ySe_{1-x-y}$ chalcogenide glasses near topological phase transition.—74-02455A
Gapotchenko, A. G. See Luppov, A. E.
Garbacik, Albin
Cement standards in European Standardization System.—74-08004A
Garboczi, Edward J. See Bentz, Dale P.
Garbuz, A. S. See Brodyanskii, A. P.
Garbuzov, D. Z.; Gulakov, A. B.; Kochnev, I. V.
Characteristics of the electric current dependence of the efficiency of spontaneous emission from AlGaAs/GaAs laser diodes with a single quantum well.—74-00579A
Garcia Alcazar, David
Adaptive and predictive systems for energy management.—74-09635A
Garcia Martinez, O. See Del Olmo, L.
Garcia Sole, J.; Petit, T.; Boulon, G.
Lattice location of the nonequivalent Nd^{3+} ions in $LiNbO_3$:Nd and $LiNbO_3$:MgO:Nd.—74-09150A
Garcia, A. See Gaewdang, T.
Garcia, A.; Flano, N.; Gomez-Aleixandre, C.
Micromechanical properties of diamond films deposited by microwave-plasma-enhanced chemical vapor deposition.—74-11051A
Garcia, Alberto; Northrup, John E.
First principles study of Zn- and Se-stabilized ZnSe(100) surface reconstructions.—74-06107A
Garcia, D. See Pizanai, P. S.
Garcia, Daniel E.; Janssen, R.; Claussen, Nils
In situ reinforced reaction-bonded aluminum oxide (RBAO).—74-07348A
Garcia, Daniel E.; Rodel, Jurgen; Claussen, Nils
Subcritical crack growth and *R*-curve behavior in Al_2O_3-toughened Y-TZP.—74-02209A
Garcia, E. See Fernandez, D.; Gonzalez, P.; Szorenyi, T.
Garcia, Fernando See Siguin, Dionisio
Garcia, J. See Marquina, E.; Meterns-Lecomte, C.
Garcia, M. P. See Ayala, J. M.
Garcia, M. See Del Olmo, L.
Garcia, N. See Frias, M.
Garcia, S. See Gimenez, S.
Garcia, V. See Glachant, A.
Garcia-Alvarado, F.; Tarascon, J. M.; Wilkens, B.
Synthesis and electrochemical study of new copper vanadium bronzes and of two new V_2O_5 polymorphs: ß′- and ε′-V_2O_5.—74-02863A
Garcia-Cuenca, M. V. See Lopez, F.
Garcia-Garibay, Miguel A.; Turro, Nicholas J.; Ottaviani, M. Francisca
Solid-state NMR and EPR studies of intracrystalline vs external surface adsorption of photoreactive ketones in pentasil zeolites.—74-01458A
Garcia-Gorduno, M. V. See Velez, D.
Garcia-Heras, M.
Celtiberian pottery production in the Spanish Late Iron Age—a case study in the Central Meseta (Soria, Spain).—74-05450A
Gardiner, R. A. See Vaartstra, Brian A.
Gardiner, R. A.; Van Buskirk, P. C.; Kirlin, Peter S.
Liquid delivery of low-vapor-pressure MOCVD precursors.—74-07369A
Gardner, T. J. See Sault, A. G.
Gardos, Gyorgy; Redey, Akos; Tamas, Ferenc
Disposal of acid resins, investigation of disposal products and their utilization in the cement industry.—74-05490A
Gardos, Michael N.; Hardisty, Robert G.
Fracture toughness and hardness-dependent polishing wear of silicon nitride ceramics.—74-11009A
Gardziella, A.; Suren, J.; Beisue, M.
Carbon from phenolic resins: carbon yield and volatile contents—recent studies.—74-04494A
Garelik, S.; Figueras, A.; Rodriguez-Clemente, R.
Comparison of the carbothermic reduction and nitridation of various forms of silica to produce Si_3N_4 powders.—74-04521A
Garenne, Jean-Jacques See Vitton, Jean-Pierre
Garfunkel, E. See Mayer, J. T.
Garg, Anita See Ramakrishna, T. Bhatt; Rastogi, A. C.
Gargon, Fernando H.; Raistrick, Ian D.; Brown, David R.
Improved barium fluoride process $YBa_2Cu_3O_{7-x}$ films via postanneal monitoring.—74-03489A
Garibov, F. A.; Aliev, F. G.; Aliev, O. M.
Phase diagram of the system Pr_2S_3-Bi_2S_3.—74-01426A
Garkavi, M. S. See Sulimova, F. V.
Garmestani, H. See Chandra, N.
Garmire, E. See Kawase, M.
Garrett, M. H. See Chang, J. Y.
Garrido, J. See Hernandez, M. J.
Garrison, Stephen M. See Char, Kookrin

Garshin, A. P.; Oleinik, G. S.
Formation of the reaction-bonded silicon carbide microstructure.—74-07319A; Formation of silicon carbide grain structure and its growth in polycrystalline SiC obtained by the reaction-sintering technique.—74-07650A
Garshin, A. P.; Shvaiko-Shvaikovski, V. E.; Haviar, M.
Oxidation of ß-BN and Si_3N_4 ceramics.—74-07820A
Garshin, A. P.; Shvaiko-Shvaikovski, V. E.
Nonstoichiometry and mechanism of boron nitride oxidation.—74-07817A
Garshin, A. P.
Tribological characteristics of reaction-bonded silicon carbide.—74-05449A
Gartner, M. See Parlog, C.
Gartner, S. See Riesemeier, H.
Gartside, Paul See Bringhurst, Shane
Garvie, Gudrun H.
Ceramics composite material and production thereof.—74-00163P
Garzon, Fernando H. See Brosha, Eric L.
Gas'kov, A. M. See Labeau, M.
Gasan-Zade, S. G.; Zhad'ko, I. P.; Zinchenko, E. A.
Photoconductivity and photomagnetic effect in $Mn_xHg_{1-x}Te$ layers at low temperatures.—74-06254A
Gasanaliev, A. M. See Dibirov, M. A.
Gashimzade, F. M.; Orudzhev, G. S.; Dzhkhangirov, Z. A.
Valence electron density distribution in $TlFeSe_2$.—74-07787A
Gaskell, D. R. See Kim, J. S.
Gaskell, L. J. R.
Forehearth temperature control strategies.—74-09670A
Gaskill, D. K. See Giordana, A.
Gasser, Werner; Uchida, Yasutaka; Matsumura, Masakiyo
Quasi-monolayer deposition of silicon dioxide.—74-07455A
Gastaldi, J. See Trignan-Piot, L.
Gastaldi, L. See Antolini, A.
Gasymov, V. V. See Ganbarov, D. M.
Gat, E. See Cros, Bernard
Gat, Roy
Composite fibers having a diamond surface.—74-04040P
Gatica, J. E. See Viljoen, H. J.
Gatica, J. M. See Calvino, J. J.
Gattef, E. See Dimitriev, Y.
Gattef, E.; Staneva, E.; Dimitriev, Y.
Glass-ceramics in the systems La-Pb-Mn-B-O and La-Pb-Mn-Te-O.—74-08430A
Gaubas, E. See Vaitkas, Y.
Gaucher, P. See Faure, S. P.; Noblanc, O.
Gauckler, Ludwig J. See Graule, Thomas J.; Hidber, Pirmin C.; Huisman, W.; Risold, Daniel
Gauckler, Ludwig J.; Sasaki, K.; Heinrich, H.; Bohac, P.; Oriiukas, A.
Ionic conductivity of tetragonal- and cubic-ZrO_2 doped with In_2O_3.—74-01527A
Gaude, J. See Mouallem-Bahout, M.
Gaudette, F.; Erturk, Turgay; Robertson, S.
Finite element modeling of the fiber twist test.—74-09570A
Gault, M.; Mawby, P.; Adams, A. R.
2-D simulation of constricted-mesa InGaAsP/InP buried heterostructure lasers.—74-05969A
Gault, Rosette
Amazing paperclay[—sculpture material].—74-00007A
Gauneau, Marcel See Beniere, Francos
Gaussorgues, Gilbert; Houis, Rene
HADES: thermal surveillance of clinker coolers.—74-02330A
Gautheron, B. See Labeau, M.
Gautier, M.; Duraud, J. P.
Formation of metal-ceramic interfaces—a surface science approach.—74-05625A
Gauzzi, Andrea; Bauer, Manuel; Pavuna, Davor; Xanthopoulos, Nicolaos; Mathieu, Hans Jorg; Licci, Francesca
Lateral homogeneity of $YBa_2Cu_3O_{7-\delta}$ films by Auger electron spectroscopy.—74-06571A
Gavaleshko, N. N.; Teterkin, V. V.; Sizov, F. F.; Paranchich, S. Y.
Parameters of the band spectrum, and electrical and magnetic properties of quaternary semimagnetic semiconductors of HgCdMnTe.—74-00677A
Gavaleshko, N. P. See Shchennikov, V. V.
Gavrikov, S. I.; Putilin, S. N.; Zakharov, N. D.
Structure and defects of lanthanum pentatantalate.—74-05268A
Gavrilyachenko, V. G. See Dul'kin, E. A.; Semenchev, A. F.
Gavrilyuk, Yu. N.; Grinshtein, P. M.; Ladochkin, A. A.
Nature of bending of monocrystalline silicon wafers caused by one-sided machining.—74-06219A
Gavrish, A. M.; Karyakin, E. L.; Shulik, I. G.
Phase composition and structure of specimens in the ZrO_2-CaO system after aging.—74-04803A
Gawlicki, M.; Nocun-Wczelik, W.
Structural ceramic materials from FGD gypsum.—74-05591A
Gaylard, Jeremy See Van Doornum, Anton
Ge, Man-Zheng; Kan, Hong-Hua; Yang, Hui
Additive-coated Si_3N_4 powder prepared by the sol-gel method.—74-10184A
Ge, Rong-De
Development of a new hot-pressing equation in powder metallurgy.—74-01670A
Ge, Yu-Ru; Wiedemeier, Heribert
Crystal defects and interdiffusion behavior of $Hg_{1-x}Cd_xTe$/(100)CdTe epitaxial layers grown by chemical vapor transport.—74-06018A
Ge, Zhao-Ming; Lin, Jin-Lan; Shi, Yi-Lin
Sintered bricks of fluidized bed slag, coal spoil, and clay.—74-02735A
Geantet, Christophe See Afanasiev, Pavel
Geballe, T. H. See MacManus-Driscoll, J.
Geballe, Theodore H.
Epitaxial oxide films.—74-08896A
Gebbe, R. See Ranze, W.
Gebhardt, Joseph J.
Preparation of a high purity aluminum nitride antenna window by organometallic pyrolysis.—74-04079P
Gedwill, Michael A. See Smialek, James L.
Gee, Alison W.; Krishnaswamy, Premachandran; Sane, Ajit Y.
Molten metal filter medium and method for making same.—74-02799P
Geerk, J. See Burmann, T.; Schneider, R.
Gegout, P. See Rafai, Noureddine
Geguzina, G. A. See Surowiak, Z.
Gehring, A. U.; Fry, I. V.; Luster, J.
Chemical form of vanadium(IV) in kaolinite.—74-01354A
Gehrke, E. See Hollstein, T.
Gehrke, E.; Liebelt, A.; Hollstein, T.
Tensile testing: technical state and perspectives.—74-01116A
Geibel, A. See Poorteman, M.
Geier, S. See Hessmer, R.; Schreck, M.
Geifman, I. N.; Furmanova, N. G.; Nagornyi, P. G.
Crystal structure and EPR of V^{4+} in lithium titanium diorthophosphate oxide, α-$LiTiOPO_4$.—74-07053A
Geiger, Greg
Computer-aided drying and firing.—74-06845A; Powder synthesis and shape forming of advanced ceramics.—74-07954A; Refractories challenge: meeting performance demands.—74-05872A
Geigle, A.; Hauswurz, K.; Mager, S.
Optimization of spray granulates for isostatic pressing of tableware pieces.—74-00438A; Optimization of spray-dried granulates for isostatic pressing of tableware.—74-00439A
Geimer, R. See Leatherman, G. L.
Geis, Michael W.; Smythe, Daniel L.
Insulator films on diamonds—74-00553P
Geis, W. See Weiand, W.
Geissler, S. See Givens, J.
Gel'gor, N. B. See Golovin, A. I.
Gelb, Allan S. See Sutherland, Audrey E.
Gelerali, P. See Carani, G.
Gelfand, R. B. See Ulyashin, A. G.
Gelfant, Fredericks
Designing reinforced thermoset linings for concrete structures.—74-03902A
Gelinas, C. See Dube, D.; Lambert, P.
Geller, J. D. See Engle, P. D.
Gellings, P. J. See Van Corbach, H. D.
Geluk, E. J. See Lieftink, G. H.
Genc, Hasan See Erdogan, Yunus
Gendry, M. See Tabata, A.
Generazio, Edward R.; Roth, Don J.
Use of video in microscopic and ultrasonic inspection.—74-06832A
Genet, Joe
Developing a decorating department in a new fine china plant.—74-00016A
Genevey, P. See Rabiller, P.
Geng, Qian
Thermal stability of bone china.—74-05838A
Gengemembre, Leon See Courcot, Dominique
Genkin, G. M.; Skuzovatkin, V. V.; Tokman, I. D.
Magnetization of ferromagnet-superconductor structures.—74-03514A
Genkina, E. A. See Samygina, V. R.
Genkina, E. A.; Maksimov, B. A.; Demiyanets, L. N.
Synthesis and structure of new compound of hollandite series.—74-07132A
Gennari, S.; Lottici, P. P.; Attolini, G.
Raman scattering of strained GaAs layers grown by MOVPE on In?(III) A and B.—74-03193A
Gennari, S.; Lottici, P. P.; Ricco, F.
Raman scattering in GaAs/GaP strained heterostructures grown by MOVPE.—74-06285A
Genova, F. See Antolini, A.
Gentilman, R. L.; Fiore, D. F.; Pham, H. T.; French, K. W.; Bowen, Leslie J.
Fabrication and properties of 1-3 PZT-polymer composites.—74-09139A
Georga, S. See Nassiopoulos, A. G.
Georgakilas, A. See Peiro, F.
George, A. M. See Sivan Pillai, C. G.
George, A. See Demuynck, L.
George, B. See Majkova, E.
George, M. A.; Glaunsinger, W. S.
Electrical and structural properties of gold films and mercury-covered gold films.—74-04295A
George, S. M. See Dillon, A. C.
George, T. See Lee, H. P.
George, V. C. See Dua, A. K.
Georgescu, M. See Puri, A.
Georgiev, J.; Mladenov, G.; Ivanov, D.
Monte Carlo simulation of electron-beam exposure distributions in the resist on structures with high-T_c superconducting thin films.—74-06592A
Georgiev, M. See Mihailov, L.
Georgieva, Galina D. See Apblett, Allen W.
Georgiou, E. See Jelinek, M.
Geotti-Bianchini, Franco
Parameters affecting the workability of container glass: I, Description of the problem—melting history, rheology, and influence of microstructure.—74-00308A; II, Influence of dissolved gases and other parameters.—74-05781A
Geraldia, J. M. See Villar, M. P.
Gerard, J.-M. See Marzin, J.-Y.
Gerashchenko, I. P. See Kanygina, O. N.
Gerasimchuk, V. S.; Sukstanskii, A. L.
Nonlinear dynamics of the four-sublattice antiferromagnet La_2CuO_4.—74-03395A
Gerasimov, S. Yu. See Amosov, A. V.
Gerbasi, Rosalba See Battiston, Giovanni
Gerber, D. S.; Maracas, G. N.
Simple method for extraction of multiple quantum well absorption coefficients from reflectance and transmittance measurements.—74-00711A
Gerber, J.; Weiler, M.; Sohr, O.; Jung, K.; Ebrhardt, H.
Investigations of diamond nucleation on a-C films generated by dc bias and microwave plasma.—74-04719A
Gerberich, William W. See Tsai, Chung-Hsien; Wang, H. F.
Gerblinger, Josef; Hausner, Martin; Meixner, Hans
Electric and kinetic properties of screen-printed strontium titanate films at high temperatures.—74-07159A
Gerblinger, Josef; Meixner, Hans
Manufacturing and properties of thin barium and strontium titanate films.—74-06422A
Gerdemann, R. See Doettinger, S. G.
Gerdes, T. See Willert-Porada, M.
Gerdes, T.; Willert-Porada, M.
Microwave sintering of metal-ceramic and ceramic-ceramic composites.—74-10469A
Gerger, W. See Liebl, P.
Gergova, K.; Eser, S.
Porosity characteristics of activated carbons produced from agricultural byproducts.—74-04817A
Gerhards, U.
Beams and lintels—the Hungaria Wienerberger Works at Koszeg.—74-02702A
Gerhardt, W. See Drews, H.
Gerhardy, T. See Hufenbach, W.
Gerhold, Bruce W. See Kallenbach, Lyle R.
Gerking, L.
Powder from metal and ceramic melts by laminar gas streams at supersonic speeds.—74-00973A
Gerlach, U. See Pabst, Jurgen
Germain, Allen See Robertson, Dan
Germain, Allen; Robertson, Dan
Evolution of a furnace.—74-01151A
Germain, C. See Fontaine, F.
Germain, C.; Girault, C.; Gisbert, R.; Aubreton, J.; Catherinot, A.
KrF laser photoablation of a graphite target—application to the development of thin films.—74-04724A
Germain, P.; Labbe, J.
Orthorhombicity, antiferromagnetism, and superconductivity in $YBa_2Cu_3O_{6+x}$.—74-09317A
German, R. M. See Shaw, K. G.
Gerretsen, J. See Gorter, H.
Gerri, M. See Marine, W.
Gerschutz, J. See Waag, A.
Gerstel, P. See Hapke, J.; Janosovits, U.
Gerstle, Kurt H.; Tulin, Lenard G.; Ko, Hon-Yim
Concrete research at the University of Colorado.—74-05479A
Gerth, Kirsten See Kloss, Thomas
Gervits, E. I. See Kas'yanenko, A. A.
Ges, A. P. See Stognii, A.I.
Gesemann, Hans-Jurgen; Schonecker, Andreas
Ceramic materials for actuators—composition-related properties.—74-03287A
Gesi, Kazuo See Ishibashi, Yoshihiro
Gesing, Adam J.; Luce, Edward S.; Raghavan, Narashima S.; White, Danny R.
Production of metal carbide articles.—74-09956P
Get'man, E. I.; Al'ragig-Salekh, M. M.; Marchenko, V. I.
Interactions in the system TiO_2-$GaSbO_4$.—74-01400A
Gettings, Robert J.; Quinn, George D.
Surface crack in flexure (SCF) measurements of the fracture toughness of advanced ceramics.—74-11101A
Getty, J. See Rofan, Reza
Geus, E. E.; Jansen, J. C.; Van Bekkum, H.
Calcination of large MFI-type single crystals: I, Evidence for the occurrence of consecutive growth forms and possible diffusion barriers arising thereof.—74-10206A
Geva, M. See Asom, M. T.
Gevelyuk, Sergey A. See Roizin, Yakov O.
Geyer, A. See Westerheide, R.
Geyer, Volker; Russel, Christian
Oxynitride glasses in the system Mg-Al-Si-O-N prepared with the aid of an electrochemically derived polymeric precursor.—74-08447A
Ghanbari, R. A.; Burkhardt, M.; Antoniadis, D. A.; Smith, H. I.; Melloch, Michael R.; Rhee, K. W.
Comparative mobility degradation in modulation-doped GaAs devices after e-beam and X-ray irradiation.—74-06010A
Ghate, Bhaskar B.; Simmins, John J.
Ceramics Transactions, Volume 47: Magnetic Materials.—74-05439B
Gheber, L. A.; Gorodetsky, G.; Volterra, V.
Submicron gold islands on silicon by STM.—74-00722A
Gheeraert, E. See Fontaine, F.; Gonon, P.
Gheeraert, E.; Fontaine, F.; Deneuville, A.; Khong, Y. L.; Collins, A. T.
Characterization of defects in boron-implanted chemically vapor deposited diamond films by electron paramagnetic resonance and cathodoluminescence.—74-04993A
Gheeraert, E.; Gonon, P.; Abello, L.
Effect of boron incorporation on the "quality" of MPCVD [microwave plasma-assisted CVD] diamond films.—74-10278A
Ghezzo, Mario See Brown, Dale M.
Ghio, Virgilio A.; Monteiro, Paulo J. M.; Demsetz, Laura A.
Rheology of fresh cement paste containing polysaccharide gums.—74-05582A
Ghirlanda, M.; De Jonghe, Lutgard C.
Sintering of doped ZnO powders: relationship between grain growth and sintering stress.—74-07483A
Ghisler, C.; Luthy, W.; Weber, H. P.
Tm^{3+}-sensitized Ho^{3+} silica fiber laser at 2.04 µm pumped at 809 µm.—74-09070A
Ghodsi, Alain
Thermoelastic stress analysis—application to concrete altered by fire.—74-02789A

Ghodsi, M. See Baukens, I.; Tenoutasse, N.

Ghodsi, M.; Naessens, G.; Gigot, F.
Behavior of the glass/zircon interface.—74-10760A

Ghonge, Subodh G.; Goo, Edward; Ramesh, R.; Haakenaasen, R.; Fork, D. K.
Microstructure of epitaxial ferroelectric/metal oxide electrode thin-film heterostructures on $LaAlO_3$ and silicon.—74-09155A

Ghosh, Asish See Hiremath, Basavaraj

Ghosh, Asish; Hiremath, Basavaraj; Halloran, John W.
Ceramic Transactions, Volume 50: Design for Manufacturability of Ceramic Components.—74-07967B

Ghosh, Asish
Implementing statistical process control.—74-11167A

Ghosh, Biswajit; Agrawal, Dinesh C.; Bhatia, Subhash
Synthesis of zeolite A from calcined diatomaceous earth—optimization studies.—74-07521A

Ghosh, Gorachand
Dispersion of thermooptic coefficients of soda-lime-silica glasses.—74-00254A; Sellmeier coefficients and chromatic dispersions for some tellurite glasses.—74-08392A

Ghosh, Kunal See Varadachari, Chandnika

Ghosh, P. K. See Azimi, M.; Zavala-Enriquez, G.

Ghosh, S.; Kumar, V.
Stretched exponential relaxation of persistent photoconductivity due to the Si-related DX center in $Al_xGa_{1-x}As$.—74-09050A

Ghosh, Sukriti; De, Abhijit; Ray, Swati
Microcrystalline silicon carbon alloy film prepared by photochemical vapor deposition.—74-04749A

Ghosh, Syamal K. See Chatterjee, Dilip K.

Ghosh, Syamal K.; Chatterjee, Dilip K.; Koziol, Dennis R.
Zirconia ceramics and a process of producing the same.—74-01278P

Ghosh, Syamal K.; Chatterjee, Dilip K.
Surface modification of zirconia-alumina composite ceramics.—74-10662A

Ghozza, A. M. See El-Shobaky, G. A.

Giamei, A. F.; Edwards, D. E.
Using visualization to interpret solidification simulations.—74-01926A

Giamello, Elio; Murphy, Damien; Ravera, Luca
Surface color centers on MgO generated by Mg and alkali-metal doping.—74-10660A

Giannakopoulos, A. E. See Olsson, M.

Giannakopoulos, A. E.; Breder, Kristin; Olsson, M.
Microcracking of an internally pressurized ceramic ring: II, Experimental observations.—74-02174A

Giannelis, Emmanuel P. See Levine, Timothy E.; Ziolo, R. F.

Giannini, C.; De Caro, L.; Tapfer, L.
Observation of a triclinic lattice distortion of $In_xGa_{1-x}As$(100)-oriented epitaxial layers by high-resolution double-crystal XRD.—74-06230A

Giannuzzi, L. A. See Rugg, K. L.

Giardini-Guidoni, A. See Teghil, R.

Giardini-Guidoni, A.; Ferro, D.; Gambardella, U.; Marotta, V.; Martino, R.; Morone, A.
Structural characterization and properties of superconducting thin films produced by pulsed laser deposition.—74-03579A

Gibbesch, B. See Suga, T.

Gibbesch, B.; Elssner, G.
Ultrahigh-vacuum diffusion-bonded Nb-Al_2O_3 and Cu-Al_2O_3 joints—the role of welding temperature and sputter cleaning.—74-08289A

Gibbons, C. S. See Vecht, A.

Gibbons, P. C. See Viano, A. M.

Gibbs, W. Blaine
What role does batch sulfate play in the production of float glass.—74-06878A

Gibler, Martin J. See Prewo, Karl M.

Gibson, G. W., Jr.; Sawin, Herbert H.; Tepermeister, I.; Ibbotson, D. E.; Lee, J. T. C.
Comparison of advanced plasma sources for etching applications: III, Ion energy distribution functions for a helicon and a multipole electron cyclotron resonance source.—74-02942A

Gibson, James O. See Seibold, Robert W.

Gibson, R. F. See Yang, S.

Gicquel, A. See Plamann, K.; Vivensang, C.

Gicquel, A.; Anger, E.; Ravet, M. F.; Fabre, D.; Scatena, G.; Wang, Z. Z.
Diamond deposition in a bell-jar reactor: influence of the plasma and substrate parameters on the microstructure and growth rate.—74-01673A

Gicquel, A.; Hassouni, K.; Farhat, S.; Breton, Y.; Scott, C. D.; Lefebre, M.
Spectroscopic analysis and chemical kinetics modeling of a diamond deposition plasma reactor.—74-04908A

Giddings, J. Calvin See Fuh, Chwan

Giebultowicz, T. M. See Zhao, D.

Giegengack, H. See Elstner, F.

Giersig, M. See Ennaoui, A.

Giersz, W. See Jablonski, R.

Gifford, K. D. See Auciello, Orlando

Giglio, M. See Asnaghi, D.

Gigot, F. See Ghodsi, M.

Gil, J. M. See Alberto, H. V.

Gil, R. V. See Irvine, S. J. C.

Gilabert, A. See Aboudihab, I.

Gilbert, Christopher J.; Dauskardt, Reinhold H.; Ritchie, Robert O.
Behavior of cyclic fatigue cracks in monolithic silicon nitride.—74-10949A

Gilbert, Michael H., Sr.; Heji, Timothy J.
Pyrolytic boron nitride heating unit.—74-01334P

Gilbert, S. R.; Wessels, Bruce W.; Neumayer, Deborah A.
Preparation of $Ba_{1-x}Sr_xTiO_3$ thin films by metallorganic chemical vapor deposition and their properties.—74-06431A

Gildenblat, Gennady See Carter, Calvin H. Jr.

Gilev, V. G. See Antsiferov, V. N.

Gilewicz-Wolter, J.
Tracer diffusion of Mn in α-MnS.—74-10750A

Gilgein, Lise; Galli, Giulia; Gygi, Francois
Ab initio study of positron trapping at a vacancy in GaAs.—74-02904A

Giling, L. J. See Schermer, J. J.

Gilinskaya, L. G.
Stable paramagnetic center $Pb^{3+}(^2S_{1/2})$ in natural apatites $Ca_5(PO_4)_3$ (F, Cl, OH).—74-05256A

Gilkes, K. W. R.
Detailed atomic structure of tetrahedral amorphous carbon.—74-05111A

Gill, C. See Lawson, S.

Gill, D. M. See Svensson, Stefan P.

Gill, S. C. See Tsui, Y. C.

Gill, S. C.; Clyne, T. W.
Monitoring a residual stress generation during thermal spraying by curvature measurements.—74-09584A

Gill, S. M. See Banfill, P. F. G.

Gill, W. N. See Annamalai, J.

Gillemot, L. See Dimitrova-Lukacs, M.

Gillen, Greg See Kaiser, Debra L.

Giller, Russell S.; Horrigan, James D.
Method for producing ceramic-based electronic components—74-00411P

Gillespie, W. D. See Haddix, G. W.

Gillet, E. See Ealet, B.

Gillier, Dominique
Correlation, effect of various conditions on lead release.—74-00426A

Gilliland, Douglas D. See Hitchman, Michael L.

Gillis-D'Hamers, I. See Van der Voort, P.

Gillman, E. S. See Bishop, G. G.

Gillot, B.; Kharroubi, M.; Metz, R.
Electrical properties of copper and nickel manganite spinels in relation with cationic distribution and thermal histories.—74-07160A

Gillot, C.; Michenaud, J. P.
Electrical conductivity of similarly doped $BaTiO_3$ single crystals and ceramic in the rhombohedral phase.—74-04300A

Gilman, John J.
Why covalent ceramics are hard.—74-11131A

Gilmutdinov, A. Kh.; Zakhalnov, Yu. A.; Ivanov, V. P.
Nonstationary structure of atomic and molecular absorbing layers in electrochemical atomic absorption spectroscopy. Visualization of absorbing layers of thallium, germanium, and bismuth atoms.—74-02031A

Gimenez, S.; Garcia, S.; Blanco, M. T.; Palomo, A.
Behavior of a low-energy cement in Ba_2SO_4 and seawater media.—74-05466A

Gimzewski, J. K. See Dumas, P.

Gingh, Jasprit See Turgaftman, Igor

Ginley, David S. See Martens, Jon S.

Ginley, David S.; Hietala, Vincent M.; Hohenwarter, Gert K. G.; Martens, Jon S.; Plut, ThomAS A.; Tigges, Chris P.
High-temperature superconductor step-edge Josephson junctions using Ti-Ca-Ba-Cu-O.—74-03629P

Giometti, Stephen M.
Machine for squeeze testing glass containers.—74-03890P

Giordana, A.; Gaskill, D. K.; Wickenden, D. K.; Estes Wickenden, A.
Modulated reflectance and absorption characterization of single-crystal GaN films.—74-03115A

Giorgi, R. See Borsella, E.

Giorgio, S. See Trignan-Piot, L.

Gippius, Aleksey A.
Impurity-defect reactions in ion-implanted diamond.—74-07570A; Luminescent characterization of radiation damage and impurities in ion-implanted natural diamond.—74-10006A

Giquel, Alix See D'Agostino, Riccardo

Girata, D.; Rojas, Y.; Bacca, E.
Plasma characterization of high-pressure dc sputtering system used for the "in situ" preparation of high-T_c superconductor thin films.—74-03555A

Girault, C. See Germain, C.

Girault, Daniel G. See Benoit, Joel M. D.

Gire, A. See Bohnke, O.

Girgis, L. G. See Serry, M. A.

Giritlioglu, Bugra; Cima, Michael J.
Anisotropy in rectangular bars fabricated via three-dimensional printing.—74-10196A

Girouard, F. E. See Badilescu, S.

Giroult-Matlakowski, G.; Charles, C.; Durandet, A.; Boswell, R. W.; Armand, S.; Persing, H. M.
Deposition of silicon dioxide films using the helicon diffusion reactor for integrated optics applications.—74-06032A

Girshick, S. L.; Yu, B. W.; Li, C.
Diamond deposition by atmospheric pressure induction plasma—effects of impinging jet fluid mechanics on film formation.—74-10265A

Gisbert, F. See Regolini, J. L.

Gisbert, R. See Germain, C.

Gisby, J. A. See Barry, T. I.

Gissler, W.; Hammer, P.; Haupt, J.
Hardness and elasticity of diamondlike carbon films prepared by ion-beam-assisted sputter deposition.—74-04328A

Gitzhofer, F. See Coulombe, S.; Jiang, X. L.

Giuliani, A.; Sanguinetti, S.
Phonon-mediated particle detectors: physics and materials.—74-01092A

Giuntini, J. C. See Daviero, S.

Giurgiu, C. See Pavel, E.

Giuriani, E.; Veroli, M.
Study of the distortion in box-girder bridges by means of the scaler and vector potentials of the displacement.—74-05594A

Givargizov, E. I. See Liu, J.; Zhrinov, V. V.

Givargizov, E. I.; Zhirnov, V. V.; Kuznetsov, A. V.
Growth of diamond particles on sharpened silicon tips.—74-07331A

Givens, J. H. See Carson, R. T.

Givens, J.; Geissler, S.; Cain, O.; Marks, J.; Keswick, P.; Cunningham, C.
Selective dry etching in a high-density plasma for 0.5 μm complementary metal-oxide-semiconductor technology.—74-01876A

Gizhevskii, B. A. See Samokhvalov, A. A.

Glachant, A.; Garcia, V.; Balland, Bernard; Bureau, J. C.; Plossu, C.; Dupuy, J. C.
Low-energy (3–100 ev) electron-bombardment-induced nitridation of thin SiO_2 films: physicochemical and electrical analyses.—74-00504A

Gladden, D. G.; Goodhue, W. D.; Wang, C. A.; Lincoln, G. A.
Electrical and structural characterization of GaAs vertical sidewall epilayers grown by atomic layer epitaxy.—74-06064A

Gladin, Preston B. See Gantt, George E.

Gladun, C. See Schumann, J.

Gladyshchuk, A. A. See Yablonski, G. P.

Gladysheva, L. G. See Bert, N. A.

Glaeser, A. M. See Dalgleish, Brian J.; Locatelli, M. R.

Glaeser, Andreas M.
Transient liquid phase ceramic bonding.—74-02425P

Glancy, S. D.
How metallographic preparation affects the microstructure of WC/Co thermal spray coatings.—74-08207A

Glann, G. A. See Gagnon, D. M.

Glanz, James
Electricity may replace fire in battle against organic waste.—74-03906A

Glas, P. See Androsch, I.

Glas, P.; Naumann, M.; Schirrmacher, A.
Mode-locked ps pulse generation from a phase-coupled fiber array laser.—74-08442A

Glas, R. See Blaschko, O.

Glaskaya, N. V. See Kamenetskii, Yu. L.

Glass, J. T. See McClure, Michael T.; Tachibana, T.; Von Windheim, J. A.; Wolter, S. D.; Zhu, W.

Glass, James M. See Churchill, Russell J.

Glass, R. C. See Fox, B. A.

Glass, S. J. See Turman, B. N.

Glassen, Lynn F. See Wright, Adrian C.

Glasser, Fredrick P. See Andac, O.; Sagoe-Crentsil, K. K.

Glasson, Nigel
Benefits of Dorset ball clay in traditional whiteware applications.—74-00422A; Dorset ball clay and traditional whitewares.—74-08674A

Glaunsinger, W. S. See George, M. A.

Glavee, G. N.; Klabunde, K. J.; Hadjipanayis, G. C.
Preparation of magnetic fine particles by borohydride reduction.—74-01848A

Glavin, G. G. See Mare, G. N.

Glazier, Michael See Leung, Roger Y.

Glazounov, A. E.; Bell, A. J.
Electromechanical and dielectric properties of $(Pb_{0.7}Ba_{0.3})(Zr_{1-x}Ti_x)O_3$ ceramics.—74-03301A

Glazounov, A. See Reaney, Ian M.

Glazov, A. L.; Muratikov, K. L.; Suvorov, A. V.
Effect of ion implantation processes on the characteristics of thermal wave signals from semiconductor materials in the "mirage-effect" geometry.—74-03801A

Glazov, V. M.; Kol'tsov, V. E.; Burkharov, A. S.
Magnetic susceptibility of copper and silver chalcogenides near the crystal-melt phase transition.—74-04352A

Gleason, K. K. See Mitra, S.

Glebov, L. B. See Barinova, N. A.; Vashukov, S. V.

Glebovsky, V. G.; Oganyan, R. A.; Ermolov, S. N.; Stinov, E. D.; Kolosova, E. V.
Preparation of tungsten disilicide thin films by laser evaporation.—74-04829A

Glebovsky, V. G.; Oganyan, R. A.; Ermolov, S. N.; Kolosova, E. V.
Deposition of cobalt disilicide thin films by laser ablation of cast targets.—74-07252A

Gleible, W. See Graczyk, J.

Glejbol, K. See Song, J. P.

Glesener, John W.; Anthony, John M.; Cunningham, A.
Photoluminescence investigation of a-C:H thin films.—74-10133A

Glesener, John W.; Merrish, Arthur A.; Snail, Keith A.
Method of synthesizing high quality, doped diamond and diamonds and devices obtained therefrom.—74-09942P

Glezer, Victor See Tsionsky, Michael

Glidewell, Christopher See Foster, Douglas F.

Glien, Willfried See Neumann, Gerd

Glimcher, Melvin J. See Kim, Hyun-Min; Rey, Christian

Glime, W. H.; Cawley, James D.; Eckel, Andrew J.
Evolution of a nonplanar oxidation front in receding carbon fibers.—74-10914A

Glodic, S. See Plecas, I.

Gloster, L. A. W.; McKinnie, I. T.; King, T. A.
Noncollinear phase matching in a type I barium borate optical parameter oscillator.—74-08968A

Glovan, R. J. See Tierney, J. C.

Glowacki, F. See Boucaud, P.

Glozman, O. See Brandon, D. G.

Glukhov, K. Yu. See Morozov, A. N.

Glumac, N. G.; Corat, E. J.; Goodwin, D. G.
Diamond growth by methane injection into hydrogen-oxygen flames.—74-01675A

Glumac, N. G.; Goodwin, D. G.
Large-area diamond film growth in a low-pressure flame.—74-07365A

Glunz, Stefan W.; Sproul, Alistair B.; Warta, Wilhelm
Injection-level-dependent recombination velocities at the Si-SiO_2 interface for various dopant concentrations.—74-10109A

Glushchenko, O. F. See Borovik, A. S.

Glushkov, V. V. See Brazhkin, V. V.

Gluzman, N.; Auslender, M.
Method for the measurement of the thermal conductivity tensor in thin layers.—74-06586A
Glyakin, V. P.
Certain approach of predicting new compounds with structure of indium-antimonite-type.—74-07042A
Gnade, Bruce E. See Balkus, Kenneth J.
Gnaser, Hubert See Bieck, W.
Gnaser, Hubert
Improved quantification in secondary ion mass spectrometry detecting MCs* molecular ions.—74-01070A
Gnatchenko, S. L. See Bedarev, V. A.
Gnatchenko, S. L.; Piotrowski, K.; Szymczak, R.
Magnetic-field-induced spatial spin reorientation of $DyFeO_3$.—74-04353A
Gnatenko, V. I.; Torchinskaya, T. V.
Deep centers due to Ge atoms in AlGaAs-based double heterostructures.—74-08849A
Gnatenko, Yu. P.; Farina, I. A.; Gamernik, R. V.
Optical and photoelectric properties of CdTe:Fe and $Cd_{1-x}Fe_xTe$.—74-01549A
Gnatyuk, V. A. See Mozol, P. E.
Gnesin, G. G.
Wear resistance of silicon carbide and nitride based ceramic materials.—74-11130A
Gnitetskii, O. A. See Khaenko, B. V.
Gobel, E. O. See Cundiff, S. T.
Gobel, R. See Luysberg, M.
Godinho, Norman; Liaw, Hai-Pyng
Oxynitride fuse protective/passivation film for integrated circuit having resistors.—74-04073P
Godler, F.; Hagenbach, J.
New acoustic method for measuring the filling ratio of mill feed in tube mills.—74-09586A
Godneva, M. M.; Popova, R. A.; Okhrimenko, R. F.
Thermal decomposition of potassium fluorotitanates.—74-01478A
Godshall, N. A. See Fleming, J. G.
Godzhaev, M. O.; Kakhramanov, N. B.; Suleimanov, R. A.
Electron-hole liquid and light amplification in layered InSe and GaSe crystals.—74-02994A
Goebbels, J. See Ekenhorst, D.
Goedgebuer, Jean-Pierre See Hauden, Jerome
Goedken, Virgil L. See Krauter, Gertrud
Goel, Arvind See Dorfman, Benjamin
Goela, Jitendra S. See Kim, Yong-Il; Pickering, Michael A.; Wang, Hong-Yu
Goela, Jitendra S.; Burns, Lee E.; Teverovsky, ALexander; MacDonald, James C.
Triangular deposition chamber for a vapor deposition system.—74-03778P
Goerenz, Edmund; Janssen, Reinhold; Wachter, Klaus
Zirconium silicate brick and method for its production.—74-08656P
Goethe, John E. See Carroll, Douglas R.
Goetschius, Sue
Industry interest creates Whiteware Research Center.—74-05897A
Goetze, Jens; Hoene, Diethard; Thang, Do-Quang
Genesis and melting behavior of quartz raw materials.—74-00298A
Goeuriot, D. See Abreal, A.; Thevenot, F.
Goeuriot, P. See Granon, A.
Goforth, R. C.; Chandran, B.; Nasrazadani, S.
New techniques for measuring strain at fracture of thin-film materials.—74-09589A
Goforth, R. C.; Chandran, B.; Ulrich, R. K.; Nasrazadani, S.
Comparison of three techniques for measuring strain at fracture of thin-film materials.—74-06746A
Gogeva, T. See Economy, James
Gogotsi, G. A.; Galenko, V. T.; Ozersky, B. A.
Strength and crack resistance of zirconia crystals containing yttrium and terbium oxides.—74-02204A
Gogotsi, G. A.; Swain, Michael V.
Comparison of strength and fracture toughness of single and polycrystalline zirconia.—74-02105A
Gogotsi, G. A.
Thermal shock resistance of heterogeneous ceramics and refractories.—74-07929A
Gogotsi, Yu. G. See Koch, D.
Gogotsi, Yu. G.; Grathwohl, G.; Porz, F.
Creep and oxidation of Si_3N_4/TiN composite ceramics.—74-02113A
Gogotsi, Yu. G.; Orlovskaya, N. A.; Goncharuk, V. A.
Mechanical properties of the system Al_2O_3-ZrO_2-TiN.—74-02171A
Gogotsi, Yu. G.; Yoshimura, Masahiro
Low-temperature oxidation, hydrothermal corrosion, and their effects on properties of SiC (Tyranno) fibers.—74-07812A
Goh, T. N. See Rahman, M.
Gohda, S. See Oki, S.
Gokoglu, Suleyman A.; Stewart, G. D.; Collins, J.
Numerical analysis of an impinging jet reactor for the CVD and gas-phase nucleation of titania.—74-07403A
Goktas, A. A.; Weinberg, M. C.
Sol-gel-processed CaO-Al_2O_3—properties, crystallization, and structural evolution.—74-04904A
Gokularathnam, C. V. See Annamalai, V. E.
Gol'dberg, Yu. A.
Ohmic metal/III-V semiconductor contacts—fabrication methods and properties (review).—74-08980A
Gol'dman, E. I.; Zindan, A. G.; Ponomarov, A. N.
Reservoir effect in the thermal delocalization of carriers near an Si-SiO_2 interface.—74-09025A
Gol'nik, V. See Yushchenko, K.
Gol'tsman, B. M. See Balashova, E. V.
Golaski, Leszek See Rudzinski, Lech
Goldacker, Jeffrey See Li, Chien-Wei
Goldberg, Ira B. See De Wames, Roger E.; Harker, Alan B.
Goldberg, L. See Busse, L. E.
Goldberg, Richard P.; Arch, B.
Effects and control of moisture in ceramic tile facades.—74-08538A
Goldhar, Julius See Cho, Pak S.
Goldman, Ariel See Bentur, Arnon; Cohen, Menashi D.
Goldman, R. S. See Raisanen, A.
Goldner, P. See Kermaoui, A.
Goldoni, A.; Del Pennino, U.; Parmigiani, F.
EELS investigation of Bi_2CuO_4 single crystals.—74-05124A
Goldsby, J. C. See Yun, H. M.
Goldstein, H. E. See Kourtides, D. D.
Goldstein, J. R. See Sharon, Y.
Goldstein, Joseph L.; Choi, Seung K.; Van Loo, Frans J. J.; Bastin, Guillaume F.; Metselaar, R.
Solid-state reactions and phase relations in the Ti-Si-O system at 1373 K.—74-02396A
Goleanu, Aurica
Heat-resistant self-glazed porcelain.—74-05627A
Golecki, I.; Morris, R. C.; Narasimhan, D.; Clements, N.
Rapid densification of carbon-carbon by thermal-gradient chemical vapor infiltration.—74-10596A
Golenishchev-Kutuzov, V. A. See Akhmadullin, I. Sh.
Golikov, Yu. V.; Ovchinnikova, L. A.; Sapozhnikova, T. V.
Effect of the cooling method on phase composition, crystal structure, and morphology of spinels of the system Cu-Mn-O in air.—74-04135A
Golikov, Yu. V.; Yankin, S. M.; Balyakirev, V. F.
Phase diagrams of nonequilibrium states of the system Mn-Ti-O in air.—74-04177A
Golini, Donald See Zhou, Yi-Yang
Goller, K. See Huggard, P. G.
Goller, Ralf; Kleer, G.; Kriegesmann, Jochen
Fracture mechanical testing of laminated SiSiC: I.—74-05355A; II.—74-11004A
Gollin, G. See Mahajan, A. V.
Gololobov, E. M. See Popov, I. P.
Golonzka, O. V. See Zayats, A. V.
Golova, V. M. See Kashper, Zh. I.
Golovashkin, A. I. See Anshukova, N. V.
Golovin, A. I. See Shchavelev, O. S.
Golovin, A. I.; Shchavelev, O. S.; Gel'gor, N. B.
Spectral absorption of coloring agents in lead phosphate glass.—74-02580A
Golovko, S. A. See Blank, A. B.
Golovsch, V. G.
Express analyzer for determining of the silicate mass activity.—74-01063A
Golovshkhin, A. I.; Gudenko, A. V.; Zherikhina, L. N.
Electron-phonon mechanism for resistivity in $Ba_{1-x}K_xBiO_3$.—74-06533A
Golubenko, T. I. See Lebedev, A. V.
Golubev, A. I.
Optimization of the composition of coarse-grained ceramics.—74-02477A
Golubev, Alexander A. See Vladimir, V.
Golubev, V. G.; Morozova, L. E.; Petsov, A. B.
Collection of nonequilibrium carriers generated in a-Si-H and a-SiC-H structures by an electron beam.—74-02940A
Golubkov, V. V.; Zhilin, A. A.; Chashchin, S. V.
Investigation of the peculiarities of crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 by the method of small-angle X-ray scattering.—74-02469A
Golubkov, V. V.
Phase decomposition and structure of glasses of the system TiO_2-B_2O_3.—74-00207A; Phase decomposition and structure of glasses of the TiO_2-B_2O_3 system.—74-02033A; Structure of alkali silicate glasses according to the method of X-ray small-angle scattering.—74-00229A; Structure of alkali silicate glasses based on small-angle X-ray scattering data.—74-02052A
Golubok, A. O.; Gur'yanov, G. M.; Petrov, V. N.
Formation of arrays of facets on vicinal surfaces of GaAs(100) during MBE.—74-04143A
Gomes, A. S. L. See Bernardin, J. P.
Gomes, M. J. M. See Ribeiro, R. M.
Gomez, J. See Rodriguez, R.
Gomez, P.; Piqueras, J.; Opagiste, C.
Luminescence properties of tetragonal $Tl_2Ba_2CuO_{6+\delta}$.—74-07170A
Gomez, R. See Lopez, T.
Gomez, S. See Carrera, L. M.
Gomez-Aleixandre, C. See Garcia, A.; Orgaz, F.; Sanchez, O.
Gomez-Cortez, A. See Santiago, P.
Gomezdaza, O. See Nair, P. K.
Gomina, M. See Despierres, T.
Gomis, V. See Pinol, S.
Gomoyunova, M. V.; Grigoriev, A. K.; Moshkin, S. V.
Electron-stimulated processes on [pure and carbon-coated] surface of high-T_c Bi-Sr-Ca-Cu-O single crystal.—74-03456A
Goncalves, A. P. See Costa, F. M.
Goncharov, A. A. See Sevost'vanov, V. S.
Goncharov, E. G. See Semenova, G. V.
Goncharov, E. G.; Semenova, G. V.; Kalyuzhnaya, M. I.
Polythermal cross section SiAs-SiP.—74-01441A
Goncharov, V. I.; Belous, K. P.; Tishchenko, B. G.
Ecological and economic improvement of compacted powder production.—74-02715A
Goncharov, Yu. I; Tersenova, L. A.; Grishmanov, I. A.
Ceramic body based on diopside.—74-02704A
Goncharuk, V. A. See Gogotsi, Yu. G.
Goncharuk, V. K.; Usol'tseva, T. I.; Urusovskaya, L. N.
Gallium-containing fluorozirconate glass.—74-02545A; Gallium-containing fluorozirconate glasses.—74-02628A
Gonchukova, N. O.; Dorofeeva, E. A.
Effect of structural relaxation on the hysteresis of magnetically soft amorphous melts.—74-02534A
Gonchukova, N. O.; Larionova, T. V.
Effect of duration of annealing below the vitrification interval on the heat capacity and Curie temperature of metallic glasses.—74-02449A
Gonchukova, N. O.; Tolochko, O. V.
Deformation of metallic glasses $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{61}Co_{20}Si_5B_{14}$ with small stresses.—74-00250A; 74-00251A
Gonczy, S. T. See Campbell, S. S.; Stranford, Gerald T.; Yu, Sung- Hun
Gonczy, S. T.; Butler, E. P.; Khasgiwale, N. R.; Tsakalakos, L.; Cannon, W. Roger; Danforth, Stephen C.
Blackglas–Nicalon composites with CVD boron nitride fiber interface coatings.—74-09848A
Gonda, Masayuki See Kojo, Katsuhiko
Gonda, S. I. See Asami, Kumiko
Gonda, S. See Yoshimoto, M.
Gonella, F. See Quarantana, A.
Gong, F.
Glass formation and structure of tantalum borate system.—74-05679A
Gong, Hui See Li, Zhong-Ya
Gong, Jun See Huang, Rong-Fang
Gong, M. See Ebert, W. L.; Feng, X.
Gong, Ma-Li; Wan, Zuo-Wen; Jin, Feng
Preliminary experiments of inside-pumped miniature Nd:YAG tube laser.—74-03176A; TEM_{00} mode high-efficient cw-Nd:YAG laser end-pumped by laser diode.—74-02589A
Gong, Wen-Hong See Yuan, Ji-Zu
Gong, Y. See Coleman, R. V.
Goni, A. R. See Ernst, S.
Goni, J.; Munoz, A.; Vivente, J. L.
Fracture analysis of the transition zone between unreinforced alloy and composite.—74-02145A
Gonon, P. See Deneuville, A.; Fontaine, F.; Gheeraert, E.
Gonon, P.; Deneuville, A.; Gheeraert, E.; Fontaine, F.
Influence of annealing on the resistance of polycrystalline chemically vapor deposited diamond films—a surface chemical effect.—74-04697A; Spectral response of the photoconductivity of polycrystalline chemically vapor deposited diamond films.—74-04425A
Gonsalves, Kenneth E. See Zhang, Su-Kun
Gonsalves, Kenneth E.; Xiao, Tongsan D.; Strutt, Peter R.
Processing and property evaluation of Si(N, C) coatings on silica glass/quartz substrates.—74-10585A
Gontar, A. G. See Romanko, L. A.
Gontcharov, V. V.; Razhanskaya, A. M.
Influence of admixtures on corrosive strength of building mortars in technogene media.—74-05533A
Gonthier, Sylvie; Gora, Leszek; Guray, Ipek; Thompson, R. W.
Further comments on the role of autocatalytic nucleation in hydrothermal zeolite syntheses.—74-01743A
Gontijo, I.; Krauss, T.; Marsh, J. H.
Postgrowth control of GaAs/AlGaAs quantum well shapes by impurity-free vacancy diffusion.—74-06269A
Gonzalez, A. M. See Fu, G. F.
Gonzalez, Luis A.; Carpenter, Scott J.; Lohmann, Kyger C.
Inorganic calcite morphology: roles of fluid chemistry and fluid flow.—74-01196A
Gonzalez, M.; Jurado, J. R.; Moure, C.
Comparative properties study of ytterbia-doped zirconia with its alumina composite.—74-05100A
Gonzalez, P. See Fernandez, D.; Szorenyi, T.
Gonzalez, P.; Garcia, E.; Pou, J.; Fernandez, D.; Serra, J.; Leon, B.
Silicon oxide thin films grown by Xe_{2^*} excimer lamp chemical vapor deposition—the role of the substrate temperature and the window-substrate distance.—74-03734A
Gonzalez-Carreno, Teresita See Bickley, Roger
Gonzalez-Carreno, Teresita; Morales, M. P.; Gracia, M.
Preparation of uniform γ-Fe_2O_3 particles with nanometer size by spray pyrolysis.—74-07440A
Gonzalez-Doncel, G. See Wolfenstine, J.
Gonzalez-Elipe, A. R. See Bickley, Roger; Leinen, D.
Gonzalez-Garcia, F. See Vargas Munoz, M.
Gonzalez-Hernandez, J. See Ruiz, F.; Zuniga-Segundo, A.
Gonzales-Morales, J. A. See Roque-Malherbe, R.
Gonzalez-Pena, Julia See Ibanez, Augusto
Gonzalez-Rodriguez, M. See Vargas Munoz, M.
Gonzalo, J.; Vega, F.; Afonso, C. N.
Real-time emission spectroscopy during laser ablation of BiSrCaCuO targets.—74-03564A
Gonze, Xavier See Lee, Chang-Yol
Gonzo, L. See Sarkar, M.
Gonzo, L.; Anderie, M.
Tunneling microscopy and spectroscopy for the study of high-T_c superconductors.—74-07784A
Goo, Edward See Ghonge, Subodh G.
Goodhue, W. D. See Gladden, D. G.
Goodhue, W. D.; Nitishin, P. M.; Harris, C. T.; Bozler, Carl O.; Rathman, Dennis D.; Johnson, G. D.
Bright-field analysis of field-emission cones using high-resolution transmission electron microscopy and the effect of structural properties on current stability.—74-05079A
Goodisman, Jerry See Chaiken, J.
Goodman, B.
Investigation of dispersion processes of sprayed particles by means of torch modulation.—74-09573A
Goodman, D. Wayne See Vesecky, Scott M.; Xu, Xue-Ping
Goodwin, D. G. See Glumac, N. G.; Shin, H. S.
Goodwin, G.
Modeling and testing of thermal barrier coating in diesel engines.—74-09582A
Goodwin-Johansson, Scott; Liu, Xue-Feng; Ray, Mark A.
Two-dimensional doping profiles from experimentally measured one-dimensional secondary ion mass spectroscopy data.—74-02059A
Goorsky, M. S.; Ekiredge, J. W.; Lord, S. M.; Harris, James S., Jr.
Structural properties of highly mismatched InGaAs-based devices grown by molecular beam epitaxy on GaAs substrates.—74-03230A

Goossen, K. W. See Cunningham, J. E.
Gopal, P.; Dharani, L. R.; Blum, Frank D.
Fade and wear characteristics of a glass fiber-reinforced phenolic friction material.—74-08190A
Gopal, R. See Fritts, Sharon D.
Gopalakrishnan, Sudhakar See Bayya, Shyam S.
Gopalan, Srikanth; Virkar, Anil V.
Interdiffusion and Kirkendall effect in doped barium titanate-strontium titanate diffusion couples.—74-05023A; Thermodynamic stabilities of $SrCeO_3$ and $BaCeO_3$ using molten salt method and galvanic cells.—74-01483A
Gopalan, Venkatraman; Raj, Rishi
Structure–optical property correlation of epitaxial potassium niobate thin films deposited on magnesium oxide(100) substrates using a strontium titanate transition layer.—74-06438A
Gopinath, V.; Salbert, G. T.; Grotjohn, T. A.
Electron cyclotron resonance sputter removal of SiO_2 on silicon wafers.—74-01707A
Gopinathan, V. See Bhaduri, A.
Gora, Leszek See Gonthier, Sylvie
Gorbachev, A. V. See Voronko, Yu. K.
Gorban, S. I. See Babentsov, V. N.
Gorbatenko, V. E.; Guzin, V. A.; Zubekhin, A. P.
Formation of brilliant finishes on enamel coatings.—74-02371A
Gorbatenko, V. M.; Karaseva, E. V.; Krivenko, L. F.
Anomalies in physical and mechanical properties of Bi ceramics below T_c.—74-05321A
Gorbatova, S. V.; Zyabnev, A. M.; Kraevskii, S. L.
Thermochromic characteristics of heterogeneous glasses.—74-00281A; Thermochromic characteristics of heterogeneous systems.—74-00232A
Gorce, F. See Schaad, P.
Gordienko, P. S. See Efimenko, A. V.
Gordon, Andrew W.
Factors influencing hydrogen-related defects in porcelain enamel coatings.—74-00119A
Gordon, D. C. See Vaartstra, Brian A.
Gordon, Michael S. See Petric, Paul F.
Gorelik, V. S.; Agal'tsov, A. M.; Moiseenko, V. N.
Two-photon-excited luminescence in paratellurite crystals.—74-04459A
Gorelkinskii, Yu. V.; Nevinnyi, N. N.; Lyuts, E. A.
Hydrogen transport in submicron SiO_2 films on Si.—74-05019A
Goretta, K. C. See Cancurtaran, M.; Li, Y. F.; Martin, L. J.; Singh, Jitrenda P.
Gorev, M. V. See Flerov, I. N.
Gorev, M. V.; Flerov, I. N.; Voronov, V. N.
Phase *p-T* diagrams of $Rb_2KB^{3+}F_6$ elpasolites (B^{3+}=Ho, Dy, Tb).—74-04175A
Gori, Roberto
Cyclic tests on concrete confined by spiral reinforcements.—74-07854A
Gorin, Andrew H. See Holcombe, Cressie E.
Goring, J. See Fend, T.; Kanka, B.
Goringe, M. J. See Su, L. Y.
Gorkiewicz, Daniel W. See Tibbetts, Gary G.
Gornik, E. See Steinmuller-Nethl, D.
Gorny, Gabriela; Kwatera, A.
Adhesion of CVD-deposited alumina on cemented carbides.—74-07586A
Gorochov, Ouri See Dumont, Herve
Gorodetskii, A. E. See Akimov, A. G.
Gorodetskii, S. D. See Vasil'ev, M. A.
Gorodetsky, G. See Gheber, L. A.
Gorokhovskii, A. V.; Polyakov, K. V.
Features in the structure of surface layers of silicate glass modified with hydrocarbon vapor.—74-02454A
Gorovtsov, A. F. See Lutsenko, V. G.
Gorpinchenko, S. D.; Trakhtenberg, I. Sh.; Bakunin, O. M.; Plotnikov, S. A.; Nechaev, A. A.; Mizgulin, V. N.
Breakdown of a-C coatings on ion-implantation-modified metal alloys with a jet of abrasive particles.—74-04488A
Gorre, Luisa E. See Pastor, Ricardo C.
Gorshunov, B. P. See Volkov, A. A.
Gorshunov, B. P.; Volkov, A. A.; Kozlov, G. V.
CDW paraconductivity in $K_{0.3}MoO_3$.—74-07146A
Gorsmann, Claus See Schubert, Ulrich
Gorter, H.; Gerretsen, J.; Terpstra, R. A.
Comparison of the reactivity of some surface-treated AlN powders with water.—74-04011A
Gorter, H.; Hermsen, H.; Ayar, S.
Influence of binder composition on the green strength of powder compacts.—74-04698A
Goruppa, A. A. See McColl, I. R.
Goruppa, A. A.; Braithwaite, N. St. J.; Grant, D. M.
Direct electrical control of diamondlike carbon growth by plasma-enhanced CVD.—74-06695A
Gorwadkar, S. See Vispute, R. D.
Goryunov, A. V. See Pakhomov, V. I.
Goschnick, J. See Ache, H. J.; Althainz, P.
Gosele, Ulrich M. See Mitani., Kiyoshi
Gossard, A. C. See Holtz, P. O.; Hu, S. Y.; Ibbetson, J. P.
Gossard, A. C.; Fafard, S.
Quantum engineering of II-IV semiconductor structures[—review].—74-06280A
Gosselin, Cynthia A.
Mill-applied solid film lubricant and protective coating for enameling steels.—74-00132A
Gossett, K. J. See Bowers, K. A.
Gossmann, H.-J. See Fitzgerald, E. A.
Gossow, Klaus
Thirteen theses regarding construction and operation of sewer systems.—74-02280A
Goswami, D. P.; Kalra, M. L.
Nonlinear electrical transport in K-TCNQ [potassium tetracyanoquinodimethane] at low temperatures.—74-08762A
Gotman, I.; Gutmanas, E. Y.
Microstructure and thermal stability of coated Si_3N_4 and SiC.—74-08241A
Goto, E. See Nagata, M.
Goto, K. S. See Azad, Abdul M.; Subramanian, J. S.
Goto, K. See Zheng, X.
Goto, Kiyoshi; Lee, William E.
Direct bond in magnesia chromite and magnesia spinel refractories.—74-05853A
Goto, Naoyuki; Yamaguchi, Katsuhiko
Glass-ceramic for magnetic disks and method for manufacturing the same.—74-08482P
Goto, Naoyuki; Yatsuda, Hisao
Low expansion transparent crystallized glass-ceramic.—74-00335P
Goto, Seishi; Suenaga, Kenzo; Kado, Takeshi; Fukuhara, Minoru
Calcium silicate carbonation products.—74-09972A
Goto, Shigeo See Morishita, Yoshitaka; Nomura, Yasuhiko
Goto, Takashi; Narushima, Takayuki; Iguchi, Yasutaka; Hirai, Toshio
High-temperature passive/active oxidation for CVD SiC and Si_3N_4.—74-02079A
Goto, Terutaka See Nakamura, Shintaro
Goto, Y.; Yamazaki, K.; Ishida, H.
Unique performance of ceramic tiles shown in Japan.—74-08600A
Goto, Yasuhiro; Thomas, G.
α to ß transformation and microstructural changes on Si_3N_4 during sintering.—74-01607A
Gotor, Francisco J.; Fert, Andre R.; Odier, Philippe; Pellerin, Nadia
Grain growth, microstructure, and superconducting properties of pure and Y_2BaCuO_5-doped $YBa_2Cu_3O_{7-x}$ ceramics.—74-06552A
Gotou, Yashushi See Wada, Yasuo
Gottfried, N. H. See Leonhardt, R.
Gotthardt, R. See Butenuth, G.
Gottscho, R. A. See Tepermeister, I.
Gottwald, G. See Wihsmann, F. G.
Gouby, D. See Thomas, P.
Gouby, I.; Thomas, P.; Merle-Mejean, T.
Al/Si ordering in alkali-doped cordierites $M_{0.5}Mg_2Al_{4.5}Si_{4.5}O_{18}$ (M=Na,K,Cs).—74-07198A
Goudonnet, J. P. See David, T.
Gougeon, P. See Moreau, C.
Gouin, Marcel See Delvaux, Pierre
Goujard, S.; Vandenbulcke, L.; Bernard, C.
Thermodynamic and experimental study of the chemical vapor codeposition in the silicon-boron-carbon system at 1400 K.—74-07137A
Goujard, S.; Vandenbulcke, L.
Deposition of Si-B-C materials from the vapor phase for applications in ceramic matrix composites.—74-10262A; Oxidation tests of carbonaceous composite materials protected by Si-B-C CVD coatings.—74-05314A
Goupil, C. See Hardy, V.
Gourbilleau, F.; Hillel, R.; Nouet, G.
Growth and stability of CVD codeposited nanocomposite SiC-TiC-C.—74-05152A
Gourlaouen, V.; Schnedecker, G.; Grimaud, A.
Metastable phase in yttrium oxide plasma-spray deposits and their effect on coating properties.—74-10008A
Gourley, P. L. See Wendt, J. R.
Goutenoire, F.; Maignan, A.; Van Tendeloo, Martin G.
Substitution of Hg for Tl in the 2223 cuprate. The 130-K superconductor $Tl_{1.6}Hg_{0.4}Ba_2Cu_3O_{10-\delta}$.—74-03588A
Gouveia, E. A. See Nicacio, D. L.
Goveas, Neena; Mukhopadhyay, G.; Mukhopadhyay, P.
Study of Y and Lu iron garnets using Bethe-Peierls-Weiss method.—74-09225A
Govindarajan, S. See Monroe, K. A.
Govorkov, S. A.; Il'chev, E. V.; Tulin, V. A.
Surface impedance of YBaCuO single crystals in the mixed state.—74-06641A
Goyal, A. See Selvamanickam, V.
Goyal, A.; Specht, E. D.; Wang, Z. L.; Kroeger, Donald M.; Sutliff, J. A.; Tkaczyk, J. E.
Dependence of critical current density on microstructure and processing of high-T_c superconductors.—74-06508A
Gozalbo, A. See Rodrigo, J. L.
Grabchak, V. P.; Terentev, A. A.; Filipov, V. J.
Oxygen influence on the kinetics of hydrogen interaction with sensors based on Pt-SiO_2-Si and Pd-SiO_2-Si structures.—74-00515A
Grabel, David
Color-Fast decorator defect detector.—74-01050A
Grabovskii, S. B. See Vainberg, I. A.
Gracheva, L. V. See Valov, P. M.
Gracia, M. See Gonzalez-Carreno, Teresita
Graczyk, J.; Gleible, W.
Characterization of the extrusion properties and the shaping of ceramic catalysts.—74-04505A
Gradauskas, I. See Ashmontas, S.
Grader, Gideon S. See Fleming, Debra A.
Grady, D. E.
Hydrodynamic compressibility of silicon carbide through shock compression of metal-ceramic mixtures.—74-02374A
Graebner, J. E. See Jin, Sung-Ho; Lu, Grant; McCormack, M.
Graebner, J. E.; Jin, Sung-Ho; Herb, J. A.
Thermal conductivity and the microstructure of state-of-the-art chemical vapor deposition diamond.—74-09626A
Graef, Renee C. See Pan, Y.-M.; Schwab, Stuart T.
Graeffe, M. See Hupa, Leena
Graettinger, Thomas M.; Morris, P. A.; Roshiko, A.
Growth of epitaxial $KNbO_3$ thin films.—74-09146A
Graf, Herbert See Ballewski, Heinrich
Graf, Konrad See Mevec, Gernot
Grafff, Gordon L. See Song, Lin
Grafstrom, S. See Hagen, T.
Gragson, D. E. See Fischer, P. R.
Graham, G. W. See Ahmad, M.
Graham, George M.; Yang, J.; Ume, Charles
Laser ultrasound directivity in CS-3 ceramic.—74-03830A
Graham, J. Myatt See Peter, M. Budd
Graham, J. T. See Tran, C. A.
Graham, Michael J. See Petot Ervas, Georgette; See Tao, Y.
Graham, W. G. See Sakeek, H. F.
Grahl, Hannelore
Unique porcelain enamel for every part—product-specific porcelain enameling processing in a single plant.—74-00160A
Grahn, K.; Eranen, S.; Kuivanlainen, P.
Diamond power transistor performance.—74-06040A
Graimann, C. See Ransom, C. M.
Grainer, W. See Marc, J. L.
Gramain, P. See Schaad, P.
Granata, P. See Celle, F.
Grancher, A. Roy
U.S. cement industry: demand and price considerations of profit.—74-05433A
Grande, T. See Steinsvik, S.
Grandy, J. D. See Eddy, T. L.
Granli, K.; Miksch, F.
Nephelinitic syenite from North Cap—deposit, production, properties.—74-06917A
Grannec, J. See Ruchaud, N.
Granon, A.; Goeuriot, P.; Thevenot, F.
Reaction sintering in Al_2O_3-MgO-AlN system.—74-04863A
Granova, N. S. See Velikhov, Yu. N.
Granstaff, Victoria Edwards; Martin, Stephen J.
Characterization of a thickness-shear mode quartz resonator with multiple nonpiezoelectric layers.—74-09112A
Grant, D. M. See Goruppa, A. A.; Parker, T. L.
Grant, J. T. See Solomon, J. S.
Grant, P. D. See Denhoff, M. W.
Grant, R. W. See Collins, D. A.
Granziani, T.; Bellosi, A.; Fabbriche, D. Dalle
Sintering and characterization of B_4C/TiB_2.—74-07481A
Grasserbauer, M. See Griesser, M.; Kubelka, S.; Ritala, Mikko
Grassi, James See Haupt, Steven G.
Grathwohl, G. See Frei, H.; Gogotsi, Yu. G.; Liu, Tian-Shun; Rendtel, A.; Weddigen, A.
Grathwohl, G.
Crack resistance and fatigue limits of structural ceramics.—74-02109A
Grau, Walter See Wagner, Friedrich
Grauheer, Bettina; Kollenberg, Wolfgang
Strength of granulates.—74-01111A
Graule, Thomas J. See Hidber, Pirmin C.; Huisman, W.
Graule, Thomas J.; Gauckler, Ludwig J.
Electrostatic stabilization of aqueous alumina suspensions by substituted phenols.—74-04615A
Graupner, R. See Stockel, R.
Graupner, R.; Stockel, R.; Janischowski, K.; Ristein, J.; Hundhausen, Martin; Ley, Lothar
Influence of surface treatment on the electronic structure of CVD diamond films.—74-04706A
Graupner, W.; Roth, S.
Industrial applications of conducting polymers.—74-05941A
Gravereau, P. See Barth, S.
Graves, D. B. See Stewart, R. A.
Gravesteijn, D. J. See Van Veen, A.
Gray, David C. See Arnold, John C.
Gray, David C.; Mhindra, Vivek; Sawin, Herbert H.
Redeposition kinetics in fluorocarbon plasma etching.—74-02088A
Gray, J. L. See Kim, G. H.
Gray, Kevin J. See Lu, Grant
Gray, P. G. See Sun, L. M.
Graybeal, J. M. See Rittenhouse, G. E.
Grebtsova, O. M. See Andrievskii, R. A.
Grebtsova, O. M.; Domashneva, E. P.; Kurtin, E. N.; Budanov, A. A.
Plasma chemical synthesis of oxides in the Y-Ba-Cu-O system.—74-00837A
Grechushnikov, B. N.; Konstantinova, A. F.; Otabaev, G. R.
Determination of light beam ellipticity and optical parameters of crystals by means of spectrophotometer.—74-06755A
Greco, A. See Koval, S.
Greegor, R. B.; Lytle, F. W.; Wu, A. Y.
Structural investigation of bulk and thin-film PLZT using X-ray absorption spectroscopy.—74-05265A
Green, D. S. See Owano, T. G.
Green, David J. See Dwivedi, Priya J.; Nanjangud, Savitha C.; Sglavo, Vincenzo M.
Green, Deborah A. See Carleton, James J.
Green, G. J. See Hellring, S. D.
Green, L. See Partin, D. L.
Green, Mino; Syms, R. R. A.; Holmes, Andrew S.; Ueki, Ken; Yanagawa, Hisaharu
Method of manufacturing silica waveguide optical components.—74-08489P
Green, Philip R. See Sumer, Guner
Green, R. P. M. See Syed, K. S.
Greenacre, N. R. See Binner, J. G. P.
Greenberg, Charles B.
Optically switchable thin films—a review.—74-07181A
Greenblatt, Martha See Breuer, Klaus
Greenburg, C. B.
Enabling thin films for solar control transparencies: a review.—74-00257A
Greene, J. E. See Petrov, I.
Greene, P.D. See Adams, A.R.
Greene, W. J. See Kubby, J. A.
Greenfield, T. Kyle
Dehumidification equipment reduces moisture in concrete during coating application.—74-02366A
Greenhut, Victor A. See Jessen, Todd L.; Lehman, Richard L.
Greenlief, C. Michael See Du, Wei
Greenwald, Anton C.; Kalkhoran, Nader M.; Namavar,

Fereydoon
Heteroepitaxial Si-ZrO_2-Si by MOCVD.—74-07336A
Greer, James A.; Tabat, Martin
Properties of laser-deposited yttria films on CdTe and silicon substrates.—74-09016A
Gregor, M.; Gukelberger, A.
Apparatus for tensile, tension-compression, and bending tests of ceramic samples at temperatures up to 1600°C.—74-01039A
Gregori, M. L.; Fernandez, J. F.; Duran, P.
Low-temperature synthesis of pure and Ti-, Co-modified barium hexaferrite.—74-06461A
Gregorova, Eva See Havrda, Jiri
Gregorowioz, Zbigniew See Dziegielewska, Maria
Gregory, D. A. C. See D'Addato, S.
Gregory, D. P. See Even, W. R. Jr.
Gregory, John C. See Bhan, Mohan K.
Gregory, N. C.
Manufacturer's view on robotics.—74-11178A
Gregory, Otto J.; McCauley, Joseph J., III
Method utilizing a ceramic for temperature measurement—74-01131P
Gregson, P. J. See Evans, S. L.
Gregusova, D.; Lalinsky, T.; Mozolova, Z.; Machajdik, D.; Pochaba, I.; Vavra, I.
Characterization of WN_x metallization prepared by ion implantation of nitrogen.—74-07225A
Greiderer, Sigurd See Block, Christian
Greil, Peter
Active-filled-controlled pyrolysis of preceramic polymers.—74-04468A
Greiner, Axel; Bill, Joachim; Riedel, Ralf
Polymer-derived micro-nanostructured Si_3N_4/SiC-composites.—74-10534A
Greiner, Axel; Kroll, Peter; Riedel, Ralf; Bill, Joachim
Fabrication of polymer-derived micro-nano-structured Si_3N_4/SiC-composites.—74-10349A
Greiner, Horst; Eck, Ralf; Kneringer, Gunter; Kock, Wolfgang
Material for the metal components of high-temperature fuel cell systems.—74-08800P
Grejtak, Frantisek See Krajcovic, Jozef
Grejtak, Frantisek; Horvath, Ivan; Krajcovic, Jozef
Temperature-programmed-desorption of ammonia from dealuminated clinoptilolite.—74-07777A
Grekov, A. A.; Kramarov, S. O.; Rozin, L. G.
Photoactive illumination effect on crack growth in $BaTiO_3$ crystals.—74-03155A
Gremenok, V. F. See Kindyak, V. V.
Gremm, F.
Forward-looking logistics in the new gypsum works at Barrow upon Soar, in Great Britain.—74-05525A
Grenier, Don
DCS's (distributed control systems) up product consistency, quality, output.—74-07942A
Grest, G. S. See Monette, L.; Robbins, M. O.
Greuter, M. J. W.; Niesen, L.; Van Veen, A.; Verwerft, M.; De Hosson, J. T. M.
Highly pressurized Kr agglomerates in sputtered Si films.—74-05156A
Greve, D. W. See Lin, F.
Greving, D. J.; Rybicki, E. F.; Shadley, J. R.
Residual stress evaluations of thermal-spray coatings by a modified layer removal method.—74-11075A; Effects of coating thickness and residual stresses on bond strength of C633-79 thermal spray coating test specimens.—74-10305A
Grey, F.; Huang, De-Huan; Kobayashi, A.; Snyder, E. J.; Uchida, Hironaga; Aono, Masakazu
Time-resolved atomic-scale modifications of silicon with a scanning tunneling microscope.—74-06363A
Grey, R. See David, J. P. R.
Greznev, Yu. S.; Mamin, R. F.; Motrya, S. F.
Phase transition temperature shift in $Sn_2P_2Se_6$ under fast temperature variation.—74-04191A
Gribb, T. T. See Wereszczak, A. A.
Gridneva, L. K. See Averkieva, G. K.
Gries, Thomas; Wulfhorst, B.
Ceramics in the textile industry: applications and requirements.—74-09770A
Gries, W. H. See Schmitt, W.
Griessen, R.; Wen, Hai-Hu; Van Dalen, J. J.
Evidence for mean free path fluctuation induced pinning in $YBa_2Cu_4O_8$ films.—74-04313A
Griesser, M.; Stingeder, G.; Grasserbauer, M.; Baumann, H.; Wurzinger, P.; Lux, H.; Haubner, R.
Characterization of tantalum impurities in hot-filament diamond layers.—74-03787A
Griffin, C. J.; Kieschke, R. R.
CVD processing of fiber coatings for CMCs.—74-10253A
Griffis, Dieter P. See Kimball, John F.
Griffiths, Brian L.
Computer-aided design and surface pattern decoration in whiteware.—74-08666A
Griffiths, John R. See Gross, Anita K.; Kisi, E. H.
Griffiths, Stephen
Fast-fire technology: thermal potential control.—74-09663A; Kiln development for fast decorating firing.—74-01161A
Griffiths, Trevor R.; Phillips, Nicolas J.
Definitive thin-film hot-corrosion studies: testing and evaluation of a new machined glass-ceramic crucible.—74-02528A
Grigor'ev, O. N. See Strel'nitskij, V. E.
Grigoriev, A. K. See Gomoyunova, M. V.
Grigorov, V. A. See Mironov, V. P.
Grigoryan, E. A. See Kir'yakov, N. V.
Grigoryan, L. N. See Verdanyan, G. A.
Grigull, S. See Klein, W.
Grill, A.; Patel, Vishnubhai; Cohen, S.
Electrical resistivities of diamondlike carbon.—74-04303A
Grill, A.; Patel, Vishnubhai
Stresses in diamondlike carbon films.—74-05259A; Tribological properties of diamondlike carbon and related materials.—74-11123A
Grill, A.
Review of the tribology of diamondlike carbon [DLC].—74-02194A
Grill, Michael; Deutsch, Josef
Process for producing sintered magnesia.—74-01267P
Grillo, D. C. See Fan, Y.; Han, J.
Grillo, M. L. N. See DeBiasi, Ronald S.
Grimaldi, M. G. See Terrasi, A.
Grimaud, A. See Bernard, D.; Gourlaouen, V.; Mellali, M.
Grimberg, I. See Levit, M.
Grimblot, J. See Daltin, A. L.; Ponthieu, E.
Grimmer, Arnd-Rudiger See Colombet, Pierre
Grimmer, H. See Elsenhans, O.
Grimshaw, M. P. See Brown, K. M.; Burroughs, J. H.
Grimshaw, M. P.; Ritchie, D. A.; Burroughs, J. H.; Jones, G. A. C.
Effect of the proximity of an ex situ patterned interface on the quality of two-dimensional electron gases at GaAs/AlGaAs heterojunctions.—74-02978A
Grinberg, V. R. See Nepsha, V. I.
Grineitite, G. See Schatkovskaya, D.
Grinshtein, P. M. See Gavrilyuk, Yu. N.
Grinyaev, S. N.; Karavaev, G. F.; Chemyshov, V. N.
Model for the interaction of electron waves with heterojunctions in GaAs/AlAs(001).—74-08955A
Grisa, Miroslav
100th anniversary of the Olovi Glassworks.—74-09633A
Griscom, David L.
Electron spin resonance characterization of self-trapped holes in amorphous silicon dioxide.—74-08334A; Hydrogen model for radiation-induced interface states in SiO_2-on-Si structures: a review of the evidence.—74-03053A
Grishaev, V. V.; Tostanovskii, V. I.
Properties of oxide structural ceramics made from mechanically milled powders.—74-02729A
Grishin, A. M.; Drobot'ko, V. F.; Mazaev, A. A.
Magnetic response of a YBaCO film supporting an alternating current.—74-03513A
Grishin, A. M.; Nikolaenko, Yu. M.; Zinokov, A. V.
Vortex creep in $Bi_2Sr_2CaCu_2O_{8+\delta}$ films.—74-03616A
Grishmanov, I. A. See Goncharov, Yu. I
Gritzner, G. See Wagner, A.
Grob, A. See Repplinger, F.
Grob, H. J. See Mallener, W.
Grob, J. J. See Repplinger, F.
Grober, L. H. See Hong, M.
Grober, L. H.; Hong, M.; Mannaerts, J. P.; Freund, R. S.; Luftman, H. S.; Chu, S. N. G.
Interface analysis of dry-etched and molecular beam epitaxial regrown AlGaAs.—74-05168A
Grochal, Wlodzimierz See Rudzinski, Lech
Grochal, Wlodzimierz; Rudzinski, Lech
Study of cement pastes for injection under hot climate.—74-00096A
Groen, Wilhelm A.; Kraan, Marcel J.; De With, G.
New covalent ceramics—$MgSiN_2$.—74-09881A
Groenen, P. A. C.; Tekcan, O. F.; Holscher, J. G. A.; Brongersma, H. H.
Loss of selectivity during W chemical vapor deposition on Si using the WF_6/SiH_4 process.—74-04733A
Groger, Howard P. See Churchill, Russell J.
Gromovoi, Yu. S. See Plyatsko, S. V.
Gronbeck, H. See Reichling, M.
Grondey, Hiltrud See Fyfe, Colin A.
Gronsky, Ronald See Liu, Jing-Bao
Gropyanov, V. M. See Vezikova, R. M.
Gropyanov, V. M.; Novikov, V. L.; Vezikova, R. M.
Hydroxylation kinetics in lime clinkers.—74-02758A
Gros, P.; Fiat, G.; Brun, D.; Daudin, B.; Eymery, J.; Ligeon, E.
In situ characterization of rare-earth–CdTe heterostructures by ion beam analysis.—74-06146A
Grosjean, P.
Cordierite ceramics.—74-01225A; Engobes for glazed floor tiles.—74-08540A; Use of talc in white earthenware Monoporosa tiles.—74-00445A
Gross, Anita K. See Kisi, E. H.
Gross, Anita K.; Batchelor, Warren; Finlayson, Trevor R.; Griffiths, John R.
Effect of microstructure on the plastic deformation of Mg-PSZ.—74-01509A
Gross, K. A. See Brogan, J. A.
Gross, Ulrich M.; Muller-Mai, Christian; Voigt, Christian
Ceravital bioactive glass-ceramics.—74-05667A
Grosskopf, Vincent
Use of air-cushioned explosion doors for coal dust silos.—74-02792A
Grossman, David G. See Anusavice, K. J.
Grossman, David G.
Colored glass-ceramic articles.—74-08472P
Grossmann, Wolfgang See Ballewski, Heinrich
Grosstueck, Peter
Optimization of multicolor tampon printing for porcelain decorating technology.—74-00968A
Grotepass, Wilhelm P.; DeLange, Pieter W.
Diamond coated wear resistant tools.—74-02415P
Grotjohn, T. A. See Gopinath, V.
Groudev, Stoyan N. See Groudeva, Veneta I.
Groudeva, Veneta I.; Groudev, Stoyan N.
Improvement of the ceramic properties of a kaolin by means of silicate bacteria.—74-05813A
Groudeva, Veneta I.; Groudev, Stoyan N.
Microorganisms improve kaolin properties.—74-06914A
Grove, Cindy I. See Weiss, James R.
Grovenor, C. R. M. See Su, L. Y.
Grow, J. M.; Levy, R. A.; Bhaskaran, M.
Low-pressure chemical vapor deposition of silicon carbide from ditertiarybutylsilane.—74-01781A
Grow, J. M.; Levy, R. A.; Shi, Y. T.
Low-pressure chemical vapor deposition of silicon carbide from diethylsilane.—74-01780A
Growcott, Tim
Not entailing excessive cost {while adhering to EPA}.—74-02253A
Groza, J. R. See Hensley, J. E., Jr.
Grozdanov, I.
Electroless chemical deposition technique for Cu_2O thin films.—74-07292A
Gruber, John B. See Seltzer, Michael D.
Gruber, K. See Caldarone, M.
Gruen, Dieter M. See Krauss, A. R.; Ma, Z.
Gruen, Dieter M.; Liu, Sheng-Zhong; Krauss, A. R.
Buckyball microwave plasmas: fragmentation and diamond film growth.—74-10205A
Gruen, Dieter M.
Conversion of fullerenes to diamond.—74-04043P
Grundbacher, R. See Chang, H.
Grundbacher, R.; Chang, H.; Hannan, M.
Fabrication of parallel quantum wires in GaAs/AlGaAs heterostructures using AlAs etch stop layers.—74-01727A
Grundmann, M.; Christen, J.; Heinrichsdorff, F.; Krost, A.; Bimberg, D.
Strain distribution in InP grown on patterned Si—direct visualization by cathodoluminescence wavelength imaging.—74-03228A
Grunewald, Herbert
Developmental tendencies and technological advances of ceramic tiles.—74-02806A
Gruninger, M. F. See Shaw, K. G.
Grunthaner, F. E. See Stalder, R. E.
Grunwaldt, J.-D.; Gunber, W.; Danger, T.
Determination of a new titanium site in Ti:$YAlO_3$.—74-09980A
Grupe, Art
Firing wet pots.—74-00018A; Wood ash in glazes: economical and ecological.—74-00030A
Gruschka, D.; Opitz, D.; Schneider, H.
Dome silo for 43 000 tons of clinker.—74-06696A
Grushko, Yu. S.; Ganzha, Yu. V.; Kovalev, M. F.
Raman scattering in high-temperature phase of fullerite C_{60}.—74-04406A
Grutzeck, Michael W. See Kwan, Stephen
Gruver, V. See Coster, Dominique
Gruzinskis, V. See Mitin, V.
Gryaznov, V. A. See Vashukov, S. V.
Gryko, J. See Lengel, G.
Grzeszczyk, Stefania
Effect of alkalis on the phase composition and hydraulic activity of belite cements.—74-08016A
Gu, C. X. See Han, J. H.
Gu, Ding See Anthony, Rayford G.
Gu, Genda See Takamuku, Kenshi
Gu, Hong-En
Spectral properties and zero-phonon transitions of color centers in colored KCl and KBr crystals.—74-10156A
Gu, J. H. See Bein, B. K.
Gu, M. See Dumas, P.
Gu, Pei-Zhi See Fu, Xue-You
Gu, Ping See Fu, Yan; Xie, Ping
Gu, Ping; Fu, Yan; Xie, Ping
Ac impedance phenomena in hydrating cement systems: frequency dispersion angle and pore size distribution.—74-02304A; Ac impedance phenomena in hydrating cement systems: the drying-rewetting process.—74-02305A; Characterization of surface corrosion of reinforcing steel in cement paste by low-frequency impedance spectroscopy.—74-07798A; Method for evaluating the corrosion potential of a cement slurry to reinforcing steel.—74-02765A; Study of the hydration and setting behavior of OPC [ordinary portland cement]–HAC [high-alumina cement] pastes.—74-05597A
Gu, Ping; Xie, Ping; Beaudoin, James J.
Ac impedance spectroscopy: I, A new equivalent circuit model for hydrated portland cement paste.—74-05461A; Computer simulation impedance behavior in hydrating portland cement systems.—74-00041A; Investigation of the retarding effect of superplasticizers on cement hydration by impedance spectroscopy and other methods.—74-05542A
Gu, Tieer; Ditizio, R. A.; Fonash, S. J.; Awadelkarim, O. O.; Ruzyllo, Jerzy; Collins, R. W.
Damage to Si substrates during SiO_2 etching—a comparison of reactive ion etching and magnetron-enhanced reactive ion etching.—74-05106A
Gu, W.-H.; Faber, K. T.; Steinbrech, R. W.
Microcracking and *R*-curve behavior in SiC-TiB_2 composites.—74-11049A
Gu, W.-H.; Faber, K. T.
Tensile behavior of microscracking SiC-TiB_2 composites.—74-07926A
Gu, Wei-Zhong; Porter, John R.; Langdon, Terence G.
Anelastic creep recovery in SiC whisker- and particulate-reinforced alumina.—74-10946A; Anelastic creep recovery of alumina reinforced with SiC whiskers or particulates.—74-10947A
Gu, Wen-Jie See Zhou, Shi-Gui
Gu, Y. H.
Fracture behavior of continuous alumina fiber-reinforced epoxy.—74-11001A
Gu, Zhe-Nan See Gao, Shi-Jian
Guadagnino, E.; De Diana, G. C.; Scalet, B. M.; Scahdellari, M. L.
Determination of selenium in glass by graphite furnace atomic absorption spectroscopy after extraction with dithizone: a comparison with X-ray fluorescence and vapor generation atomic absorption spectroscopy.—74-02445A
Guan, Mao-Fang
Application of program controller to raw material preparation.—74-08502A
Guan, Q. B. See Wang, T. J.
Guan, Z.-P. See Lu, Y.-M.; Zheng, Z.-H.
Guardiota, Carlos; Aragonez, Oscar; Kemmerer, P. Jeffrey
Summit control system for Cementos de Chihuahua (Mexico).—74-03738A

Guay, D. See Blouin, M.
Gubanova, N. V. See Kotova, V. N.
Gubarev, A. V. See Mynko, N. I.
Gubbels, G. H. M. See Zhang, X.
Gubkin, M. K.; Perekalina, T. M.; Bykov, A. V.
Study of electrical conductivity [and magnetic properties] of some manganites with perovskite structure.—74-06476A
Gubkin, M. K.; Perekalina, T. M.; Chubarenko, V. A.; Shapiro, A. Y.
Effect of partial substitution of manganese by rhenium on some electrical and magnetic properties of $La_{0.8}Na_{0.1}MnO_{3+\gamma}$ ceramics.—74-04285A
Guceri, Selcuk See Erdal, Merve
Gudaev, O. A.
Temperature dependence of ac hopping conductivity.—74-07191A
Gudenko, A. V. See Golovshkhin, A. I.
Gudowska, Irena See Deng, Jian-Guo
Gueldener, B. See Hufen, N.
Guelton, Michel See Courcot, Dominique
Guenther, D. E. See Baer, D. R.
Guerain, Jacques See Floch, Herve G.
Guerin, Brian J. See Hur, Katerina Y.
Guerin, O. See Abelard, P.
Guermazi, Mohamed
Oxidation and temperature effects on the interfacial shear strength in SCS-6 fiber-reinforced reaction-bonded silicon nitride.—74-02185A
Guermeur, C. See Lebeau, B.
Guerri, F.; Fabre, F.; Zwick, A.
Raman diffusion and luminescence in pure and Dy-doped silica aerogels.—74-03858A
Guerriero, P. See Cattarin, S.
Guether, Hans-Michael; Seitz, Katharina; Hessel, Friedrich; Schroeder, Frank; Koestler, Christine; Roosen, Andreas
Process for converting water-sensitive ceramic powders into a free-flowing granulated powder.—74-09948P
Gugel, E.; Leimer, Gerhard
Structural applications of ceramics.—74-02277A
Guglielmi, M. See Colombo, Paolo
Guglielmi, M.
Glasses from gels.—74-00300A
Guha, Sumit; Loutfy, Raouf O.; Withers, James C.; Kiousis, Panos
Innovative approach to joining metals to ceramics.—74-08216A
Gui, Lin-Lin See Luo, Sheng-Cheng
Gui, Xiang; Dew, Steven K.; Brett, Michael J.
Three-dimensional simulation of impurity diffusion in thin-film diffusion barriers.—74-06361A; Three-dimensional thermal analysis of high density triple-level interconnection structures in very large scale integrated circuits.—74-00723A
Guiberteau, F. See Pajares, Antonia; Sanchez-Bajo, F.
Guicciardi, S. See Melandri, C.
Guido, L. J. See Moise, T. S.; Seshadri, S.
Guigonis, Jacques; Jorge, Eric T. G.
Mixture of grains and particles of vitreous silica, and new material made of sintered vitreous silica.—74-08493P
Guiheen, James V. See Minh, Nguyen Q.
Guilemany, J. M. See Sobolev, V. V.
Guillen, C.; Herrero, J.
Effects of thermal and chemical treatments on the composition and structure of electrodeposited $CuInSe_2$ thin films.—74-06063A
Guillon, Herve See Hubert-Pfalzgraf, Liliane G.
Guillot, G. See Tabata, A.
Guillou, B. See Roussell, D.
Guillou, Marie-Odile; Henshall, J. L.; Hooper, Robert Maurice
Repeated point contact loading on Ce-TZP.—74-11073A
Guilment, Jean See Poncelet, Olivier
Guilmin, F.
Plant engineering [in the cement industry].—74-08083A
Guinn, K. V. See Cheng, C. C.
Guipont, V. See Treheux, D.
Guirgiu, C. See Pavel, E.
Guitian, Francisco See De Aza, Piedad N.
Guiu, F. See Li, M.
Guiu, F.
Fatigue in structural ceramics.—74-10997A
Guizard, C. See Dabadie, T.
Guizol, C.
Evolution and tendencies on the implantation of terra cotta works.—74-00362A
Gukelberger, A. See Gregor, M.
Gul, Avci Gamze; Tarik, Baykara
Increasing the pressing behavior of seydisehir alumina by spray drying.—74-07349A
Gulakov, A. B. See Garbuzov, D. Z.
Gulamova, D. D.; Sarkisova, M. K.
Effect of addition and the synthesis method on the characteristics of aluminum titanate ceramics.—74-01684A
Gulamova, D. D.; Voronov, G. V.; Nurmukhamedova, M. I.
Ceramics based on eutectics in zirconia-containing systems.—74-07041A
Gulari, Erdogan See Couzis, Alexander; Deshpande, Sadanand V.
Gulgin, Mehmet A.; Johnson, Bradley R.; Kriven, Waltraud M.
Chemically bonded ceramics as an alternative to high-temperature composite processing.—74-10224A
Gulin, A. N. See Ivanov, I. A.
Gullett, B. K. See Jozewicz, W.
Gully, John H. See Liu, Hsing-Pang
Gulotta, Joseph A.; Krumwiede, John F.; Kutilek, Luke A.; Longobardo, Anthony V.; Heithoff, Robert B.
Dark gray, infrared absorbing glass composition and coated glass for privacy glazing.—74-08475P
Gulotta, Joseph A.; Shelestak, Larry J.
Ultraviolet absorbing green tinted glass.—74-08497P
Gummow, R. J.; Thackeray, M. M.
Characterization of LT-$Li_xCo_{1-y}Ni_yO_2$ electrodes for rechargeable lithium cells.—74-05924A; Investigation of spinel-related and orthorhombic $LiMnO_2$ cathodes for rechargeable lithium batteries.—74-05945A
Gun, Genia See Tsionsky, Michael
Gun, Genia; Tsionsky, Michael; Lev, Ovadia
Characterization of sol-gel-derived composite silica carbon electrodes.—74-09857A
Gunay, E. See Gunay, V.
Gunay, V.; Avci, G. G.; Baykara, T.
Sol-gel processing of ceramic membrane layers.—74-04902A
Gunay, V.; Baykara, T.
Modification of alumina ceramics by sol-gel processing.—74-04761A
Gunay, V.; Sevinctav, S.; Gunay, E.
Effects of oxide additives on the thermal stability of alumina gas.—74-04601A
Gunber, W. See Grunwaldt, J.-D.
Gunderson, Deborah See Bigelow, Louis K.
Gundlach, A. M. See Jin, G. G.
Gunji, Shigeki; Kamimura, Hiroshi; Nakayama, Takashi
Electronic structures of newly predicted intercalation compounds "lithium intercalated alpha-boron."—74-01382A
Gunnarson Bernt, Badcock
Ship loading systems in partnership with gravity.—74-00994A
Gunner, A. See Turley, D. M.
Gunneweg, J.; Asaro, F.; Michel, H. V.
Interregional contacts between Tell-en-Nasbeh and littoral Philistine centers in Canaan during Early Iron Age I.—74-05454A
Gunsburg, Kamilla See Mankowa, Galina
Gunshor, R. L. See Fan, Y.; Han, J.; Nurmikko, Arto V.
Gunter, Mickey E.; Ribbe, Paul H.
Natrolite group zeolites: correlations of optical properties and crystal chemistry.—74-01413A
Gunther, E. See Knitter, E.
Guntherodt, H.-J. See Lang, H. P.; Moser, A.
Gunzel, R.; Wieser, E.; Richter, E.; Steffen, J.
Plasma source ion implantation of oxygen and nitrogen in aluminum.—74-04811A
Guo, Cheng-Ju
Early-age behavior of portland cement paste.—74-00051A
Guo, D.-F. See Liu, W.-C.
Guo, Gong-Yi; Chen, Yu-Li
Formation and properties of a lead-barium-aluminum phosphate glass.—74-02626A
Guo, H. See Zhuang, Q. D.
Guo, Heng-Qun; Ye, Tian-Shui
Transient photoluminescence (PL) in amorphous CdSe.—74-06364A
Guo, J. D. See Schilling, A.
Guo, J. T. See Meng, C. G.
Guo, Jing-Kun See Hong, Jin-Sheng; She, Ji-Hong; Zhang, Yu-Feng
Guo, Jing-Wei See Zeng, Shao-Xian
Guo, Li-Ping See Huang, Rong-Fang
Guo, Li-Ping; Liu, Gui-Rong; Yi, Huai-Ren
Preparation, superconductivity, and microstructure of heteroepitaxial $YBa_2Cu_3O_7$/$SrTiO_3$(STO)/$YBa_2Cu_3O_7$ trilayer thin films grown on Y-stabilized ZrO_2(YSZ) substrate.—74-09326A
Guo, Li-Zhong See Wu, Xue-Zhen
Guo, Lu-Cun See Tomita, Yosinori
Guo, Q.-H.; Yu, Wan-Li; Bi, Yong-Jun
Crystal defects in natural diamond.—74-10725A
Guo, Ru-Yan See Roy, Rustum
Guo, Ru-Yan; Bhalla, A. S.; Roy, Rustum
Candidate HTSC film substrates of complex oxide perovskite compositions.—74-09240A
Guo, S.-J. See Yeh, M.-Y.
Guo, Shu-Quan; Zhang, Jin-Long; Qin, Xiao-Mei
Critical current irreversibility of Bi(2223)/Ag tapes in high magnetic field.—74-09245A
Guo, Tsung-Ju See Nair, S. V.
Guo, X. S. See Li, S. C
Guo, Xi-Bin See Lu, Jian
Guo, Y.-C.; Liu, H.-K.; Dou, S.-X.
Effect of silver additions on properties of (Bi, $Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag high-temperature superconducting tapes.—74-06524A
Guo, Zong-Qi
Corrosion resistance of high chrome refractories exposed to molten acidic coal ash.—74-00380A
Gupta, A. K. See Arora, S. K.; Yadava, R. D. S.
Gupta, B. K.; Bhushan, Bharat; Chevallier, Jacques
Modification of tribological properties of silicon by boron ion implantation.—74-10124A
Gupta, Deepnarayan See Donaldson, William R.
Gupta, L. C. See Tamhane, A. S.
Gupta, P. See Maiti, B.
Gupta, Prabhat K.; Inniss, Daryl; Kurkjian, Charles R.; Brownlow, Darryl L.
Determination of crack velocity as a function of stress intensity from static fatigue data[—correction].—74-07858A
Gupta, R. K. See Stinespring, C. D.
Gupta, Vijay; Pronin, Alexander
New technique to measure the toughness of thin-film interfaces.—74-03843A
Gur'yanov, G. M. See Golubok, A. O.
Gur, Turgut M. See Li, Jin-Shan
Gur, Turgut M.; Huggins, Robert A.
High-temperature oxygen transport and electrochemical behavior of $YBa_2Cu_3O_x$.—74-00814A; Direct electrochemical conversion of carbon to electrical energy in a high-temperature fuel cell.—74-00478A
Gurav, A. S.; Kodas, Toivo T.; Kauppinen, E. I.; Joutsensaari, J.; Zilliacus, R.
Phase evolution and gas-phase particle size distributions during spray pyrolysis of (Bi,Pb)SrCaCuO and Ag(Bi,Pb)SrCaCuO powders.—74-06610A
Guray, Ipek See Gonthier, Sylvie
Gurevich, S. A. See Bert, N. A.
Gurevich, S. A.; Ekimov, A. I.; Kudryavtsev, I. A.
Growth of CdS nanocrystals in a silicate glass and in thin SiO_2 films in the initial stages of the phase separation of a solid solution.—74-05680A
Gurevich, Yu. Ya.; L'vov, A. L.; Nimon, E. S.
Ionic injection in solid electrolyte films.—74-05947A
Gurov, A. See Serebryakov, A.
Gurumurugan, K.; Mangalaraj, D.; Narayandass, S. K.
Correlations between the optical and electrical properties of CdO thin films deposited by spray pyrolysis.—74-07149A
Gurzhi, R. N.; Kalinenko, A. N.; Kopilevich, A. I.
Momentum relaxation processes during electron collisions in 2-D conducting systems.—74-03121A
Gusakov, V. E. See Saiko, A. P.
Gusarov, A. I.
Efficiency of defect generation due to irradiation in silica.—74-07564A
Gusarov, V. V.; Malkov, A. A.; Malygin, A. A.
Effect of phase and technology history on $AlO_{1.5}$-TiO_2 system evolution.—74-01375A
Gusarov, V. V.; Suvorov, S. A.
High-rate thermal materials composition.—74-01753A
Gusev, Alexander I. See Rempel, Andrei A.
Guseva, M. B.; Babaev, V. G.; Khvostov, V. V.; Valioullova, Z. Kh.; Bregadze, A. Yu.; Obraztsov, A. N.
Deposition of thin highly dispersive diamond films by laser ablation.—74-04543A
Gusmano, Gualtiero See Traversa, Enrico
Gusmano, Gualtiero; Montesperelli, Giampiero; Nunziate, P.
Processing of spinel thick films for humidity sensors.—74-03182A
Gust, M. C. See Momoda, L. A.
Gust, M. C.; Momoda, L. A.; McCartney, M. L.
Microstructure and crystallization behavior of sol-gel-prepared $BaTiO_3$ thin films.—74-10458A
Gustafson, Cathleen M.; Dutton, Rollie E.; Kerans, Ronald J.
Fabrication of glass matrix composites by tape casting.—74-02622A
Gustafsson, A. See Samuelson, L.
Gutekunst, G. See Gutsche, M.; Mayer, J.
Gutenev, M. S.
Use of physicochemical analysis for study of vitreous systems.—74-00235A; Use of physicochemical analysis for studying glassy systems.—74-02502A
Guth, J. L. See Feron, B.
Guth, Jason R. See Ting, Jyh-Ming
Gutjahr, E. See Bender, Willi
Gutlich, P. See Sprenger, D.
Gutmanas, E. Y. See Gotman, I.
Gutmann, Benjamin; Chalup, Alan
Barium carbonate.—74-06883A
Gutmann, Martine See Ienny, Patrick
Gutsche, M.; Kraus, H.; Jochum, J.; Kemmather, B.; Gutekunst, G.
Growth and characterization of epitaxial vanadium films.—74-04323A
Guttmann, Paul F.
Silica.—74-06926A
Guven, Necip
Molecular aspects of clay-water interactions.—74-08563A; Rheological aspects of aqueous smectite suspensions.—74-08581A
Guyenot, V. See Eberhardt, R.
Guyomard, D. See Colson, S.
Guyomard, D.; Tarascon, J. M.
Rechargeable $Li_{1+x}Mn_2O_4$/carbon cells with a new electrolyte composition.—74-01301A
Guzin, V. A. See Gorbatenko, V. E.
Guzman, I. Ya.
Reaction sintering and its practical application.—74-04862A
Gvozd, V. S.
Micro-X-ray spectrographic analysis of the impurity and additive distribution in periclase ceramic.—74-05186A; Structure and properties of periclase ceramics doped with rare-earth oxides.—74-05270A
Gvozdikov, V. M.
Nature of the T_c shift under uniaxial compression of $YBa_2Cu_3O_{7-\delta}$.—74-00826A
Gwaltney, Ralph
User program for evaluating incoming materials.—74-00161A
Gwo, S. See Smith, A. R.
Gwo, S.; Smith, A. R.; Chao, K.-J.; Shih, C. K.; Sadra, K.; Streetman, B. G.
Cross-sectional scanning tunneling microscopy and spectroscopy of passivated III-V heterostructures.—74-02951A
Gyekenyesi, John P. See Choi, Sung-R.
Gygi, Francois See Gilgein, Lise
Gyorgy, E. M. See Van Dover, R. B.
Gyuro, I. See Ils, P.; Schmidt, A.
Ha, Ho; Hwang, Gyu-Min; Lee, Hee-Cheol
Synthesis of titanium carbonitride by SHS (self-propagating high-temperature synthesis).—74-10687A
Ha, J.-S. See Chawla, K. K.
Ha, Jeong-Sook See Park, Seong-Ju
Ha, Jung-Soo See Gam, Jig-Sang
Ha, Yong-Min; Lee, Seong-Hoon; Han, Chul-Hi
Effects of oxygen on crystallization of amorphous silicon films and polysilicon TFT characteristics.—74-01379A
Haakenaasen, R. See Ghonge, Subodh G.
Haaland, D. M. See Niemczyk, Thomas M.
Haanappel, V. A. C. See Van Corbach, H. D.
Haas, F. See Mikolas, D.
Haase, I.; Muller, R.
Correlation between the powder structure and the microstructure of tetragonal ZrO_2 ceramics.—74-04529A

Haase, I.; Schneider, U.; Winkler, W.
CeO_2-doped AlN ceramics.—74-01283A
Habeck, Andreas See Bruckner, Rolf
Haber, Richard A. See Behal, Lalit K.; Haerle, Andrew G.; Smith, Peter A.
Haberko, K. See Bucko, M. M.; Pyda, W.
Haberko, K.; Pedzich, Z.; Piekarczyk, J.
Zirconia-based composites.—74-07553A
Habermeier, Hans-Ulrich See Ece, Muzeyyen; Jager-Waldau, G.
Habig, K.-H. See Skopp, A.
Habita, M. F. See Curtil, L.
Hache, F. See Driscoll, T. J.
Hachfeld, E. A. See Cooney, T. G.
Hachfeld, E. A.; Kim, Y. J.; Francis, L. F.
Dip coating of titanium ethoxide solutions.—74-07262A
Hachigo, A. See Shikata, Shinichi
Hachiya, Yoichi
Development of high-strength devitrified machinable ceramics.—74-08365A
Hachmeiser, D. See Willert-Porada, M.
Hachtel, Ludwig See Baumgartl, Siegfried
Hackenberger, L. B. See Lamaze, G. P.
Hackett, C. M.; Settles, G. S.
Turbulent mixing of the HVOF thermal spray and coating oxidation.—74-08288A
Hackett, Raymond L. See Khan, Saeed R.
Haddab, Y.; Py, M. A.; Buhlmann, H.-J.; Ilegems, M.
Investigation of DX centers in modulation doped field effect transistor type $Al_{0.3}Ga_{0.7}As/GaAs$ heterostructures using a Fourier transform deep level transient spectroscopy system.—74-06165A
Haddad, Rami See Abdel-Jawad, Yahia
Haddix, G. W.; Narayana, M.; Gillespie, W. D.
Double rotation and magic-angle spinning NMR study of an ultrastable Y zeolite.—74-05119A
Hadfield, M.; Stolarski, T. A.; Cundill, R. T.
Failure modes of precracked ceramic elements under rollling contact.—74-02137A
Hadjiivanov, Konstantin; Saint-Just, Jacques; Che, Michel
Preparation and characterization of multiple ion-exchanged Pt/TiO_2 catalysts.—74-06991A
Hadjipanayis, G. C. See Glavee, G. N.
Haefke, H. See Meyer, E.
Haenni, W. See Mueller, C.
Haepe, F. M.
Slide-table press forming of glass.—74-08457A
Haereid, S. See Hua, D. W.; Stein, D. J.
Haerle, Andrew G. See Smith, Peter A.
Haerle, Andrew G.; Haber, Richard A.
Ultrasonic real-time monitoring of cake structure during slip casting.—74-03885A
Haeuser, J. See Schoeps, Wolfgang
Hafich, M. J. See Mahalingam, K.; Prasad, M.
Hafner, Hans; Wolfschaffner, Hubert
Optimized process control of rotary kilns with rotor weigh feeders.—74-01170A
Haft, Rainer; Linz, Hans-Juergen
Investigations into all-electric melting of neutral glass with improved reboil behavior.—74-02639A
Haga, Y.; Miwa, S.; Morita, E.
Fine structure of the GaAs(001) surface.—74-06105A
Haga, Yoshinori See Kasuya, Tadao
Hagberg, Mats; Jonsson, Bjorn; Larsson, Anders G.
Investigation of chemically assisted ion beam etching for the fabrication of vertical, ultrahigh-quality facets in GaAs.—74-03073A
Hagege, S. See Backhaus-Ricoult, M.
Hagelstein, Peter L. See Kaushik, Sumanth
Hagen, G. See Jelle, B. P.
Hagen, Kari Brovold
Sandcasting ceramics.—74-01179A
Hagen, M. See Zrenner, A.
Hagen, T.; Grafstrom, S.; Ackermann, J.; Neumann, R.; Trautmann, C.; Vetter, J.
Friction force microscopy of heavy-ion-irradiated mica.—74-07651A
Hagena, O. F.; Knop, G.; Fromknecht, R.; Linker, G.
Magnesium cluster-beam deposition on glass and Si(111).—74-00650A
Hagenbach, J. See Godler, F.
Hagenmuller, Paul See Delmas, Claude
Hagerott, M. See Fan, Y.
Haggard, D. C. See Fincke, J. R.; Swank, W. D.
Haggerty, J. S. See Lightfoot, A.; Sheldon, Brian W.
Haggerty, J. S.; Lightfoot, A.
Opportunities for enhancing the thermal conductivities of SiC and Si_3N_4 ceramics through improved processing.—74-10505A
Haggerty, J. S.
Synthesis and properties of reaction-bonded silicon nitride made from high-purity Si powders.—74-01306A
Haglund, R. F. See White, C. W.
Hagston, W. E. See Stirner, T.
Hagston, W. E.; Weston, S. J.; O'Neill, M.; Stirner, T.; Harrison, P.; Hogg, J. H. C.
Characteristic Zeeman patterns in novel graded gap II-VI quantum well structures.—74-05083A
Hague, D. C. See Mayo, M. J.
Hague, D. C.; Mayo, M. J.
Effect of crystallization and a phase transformation on the grain growth of nanocrystalline titania.—74-01372A
Hahm, Yeong-Min See Hong, Young-Ho
Hahn, H. See Chang, W.; Skandan, G.
Hahn, I.; Schneider, G. A.; Petzow, G.
R-curve behavior of Al_2O_3 under transient thermal stresses.—74-02098A
Hahn, Jun-H. See Hwang, Nong-M.
Hahn, Mark T.
Ceramic corona treating rollers.—74-06955A
Hahn, Rainer; Schulze, P.
Ultrasonic machining of complex ceramic components.—74-09510A
Haigh, Mike See McCracken, Derek J.
Haile, S. M.; Maier, J.; Wuensch, B. J.; Laudise, R. A.
Anisotropy in the ionic conductivity of $K_3NdSi_3O_8(OH)_2$.—74-00454A
Haines, Julian; Leger, Jean Michel; Atouf, Abdeltif
Crystal structure and equation of state of cotunnite-type zirconia.—74-04114A
Hainsworth, S. V. See Sjostrom, H
Hair, M. L. See Tripp, C. P.
Haire, R. G. See Chen, G.
Hairston, Deborah
Advanced ceramics take the heat.—74-06838A
Hajaligol, Mohammad R. See Deevi, Seetharama C.
Hajiyev, E. Sh. See Efendiyev, E. G.
Hajto, E. See Rangel-Rojo, R.
Hakansson, G.
New floating bulk cement terminal now commissioned.—74-00963A
Hakotani, Yasuhiko; Nakatani, Seiichi; Katada, Tsuneharu; Yuhaku, Satoru; Miura, Kazuhiro; Nakamura, Yoshifumi
Method for producing multilayered ceramic substrate.—74-02889P
Halbleib, J. A. See Turman, B. N.
Haldar, P. See Balachandran, U.; Iyer, A. N.
Hale, Jeffrey S. See Woollam, John A.
Hales, D. L. See Hashemi, T.
Halicioglu, Timur
Binding energies for carbon atoms and clusters deposited on the Si(100) surface.—74-05989A; Strain dependence of binding energies for carbon adatoms on the Si(100) surface.—74-01578A
Haliski, Dan; Ionescu, Ion; Ispas, Traian
Attempts to improve the quality of sand concrete.—74-07995A
Hall, Anthony H. P.; Winstanley, Alistair W.
Zeolite catalysts suitable for hydrocarbon conversion.—74-01276P
Hall, Benjamin L.; Baldwin, Leo B.
Machine for inspecting the bottom of glass containers.—74-01019P
Hall, J. S. See Bastow, T. J.
Hall, Mark A. See Carroll, Douglas R.
Hall, Robert D., Sr. See Johnson, Robert S.
Hall, William F. See De Wames, Roger E.
Hallak, A. B. See Khawaja, E. E.
Halledt, J.
Liquified petroleum gas in the brick and tile industry.—74-05820A
Hallimaoui, A. See Dumas, P.
Hallin, C. See Hjort, K.
Halloin, V.; Boxho, B.
Experimental study of viscous flows in a forehearth model.—74-02542A
Halloran, John W. See Danko, Gene A.; Ghosh, Asish; King, Bruce H.; Popovic, Dragan
Hallstedt, Bengt See Risold, Daniel
Hallstedt, Bengt
Thermodynamic assessment of the CaO-MgO-Al_2O_3 system.—74-01481A
Halman, Paul F. See Stevenson, Jeffry W.
Halpert, Gerald See Peled, Emmanuel
Haluska, Loren A.; Michael, Keith W.
High dielectric constant coatings.—74-08794P; Low-temperature process for the formation of ceramic coatings.—74-01257P
Ham-Su, R.; Castano, V. M.
Studies on the behavior of the roughness of the fracture surface of silica glass.—74-00280A
Ham-Su, R.; Wilkinson, David S.
Strength of tape cast and laminated ceramics.—74-07919A
Hamada, Kazuyuki; Sugii, Nobuyuki; Wakata, Mitsunobu; Kubo, Kohichi; Matsuura, Kiyotaka; Yamauchi, Hisao
Boride materials for electronic elements and method of preparing the same.—74-02869P
Hamada, Kunihiko See Tokuda, Yu
Hamada, Noriaki
Electronic band structure of $LaNiO_3$.—74-00804A
Hamada, Tomosuke See Fujitsu, Satoru
Hamagami, Junichi; Huybrechts, Ben; Watanabe, Yuichi
Optical hydrogen sensor using Pd/MoO_3 films.—74-08984A
Hamaguchi, Hiroo See Kim, Byung-Kook
Hamaguchi, Setsunori See Furuta, Naoki
Hamaji, Yukio See Kajiyoshi, Koji; Nishiyama, Toshiki
Hamamoto, Terufumi; Adachi, Nobuyasu; Kido, Giyuu; Hase, Masashi; Sasago, Yoshitaka; Uchinokura, Kunimitsu
Phase diagram of spin-Peierls cuprate $CuGeO_3$ based on ac susceptibility in high magnetic fields.—74-04391A
Hamamura, Atsushi
Process of producing calcined materials for ferrite magnet.—74-09230P
Hamano, Akihiro See Terao, Koichi
Hamano, Hideto See Tagawa, Hiroaki
Hamano, Kenya
Firing of porcelain—oxidation and reduction.—74-07982A
Hamano, Y.
Progress in structural applications of silicon nitride.—74-01300A
Hamasaki, Y.; Ohkubo, S.; Murakami, K.
Photoelectrochemical properties of anatase and rutile films prepared by the sol-gel method.—74-07413A
Hamazaki, Shinichi See Tsukioka, Masayuki
Hamdan, N. M.; Ziq, K. A.; Shirokoff, J.
Anisotropic stress of a (Bi, $Pb)_2Sr_2Ca_2Cu_3O_{10}$ high-T_c superconductor.—74-06483A
Hamelau, K.; Koszinski, Andreas
History of lime production at Rudersdorf near Berlin—an open-air museum project of the building materials industry.—74-07950A
Hamerich, A.; Wunderlich, R.; Muller, J.
Modeling of deposition and resputtering rate profiles in planar face-to-face sputtering systems.—74-07390A
Hamers, Robert J. See Wang, Ya-Jun
Hamilton, A. R. See Jones, G. A. C.
Hamilton, Kenneth E.; Coker, Eric N.; Dixon, A. G.
Effects of silica source on the crystallization of zeolite NaX.—74-10314A
Hamisch, Y.; Steffen, R.; Oshinowo, J.; Forchel, A.; Rontgen, P.
Selective order-disorder transition in GaInP/AlGaInP: a new approach for the definition of buried quantum wires.—74-06304A
Hamlyn, M. G. See Evans, N. G.
Hamlyn, Michael See Bowden, Alan
Hamm, R. A. See Cotta, M. A.
Hamm, R. A.; Ritter, D.; Temkin, H.
Compact metallorganic molecular beam epitaxy growth system.—74-06686A
Hammad, A. M. See Issa, M. A.
Hammad, H. R. See Desai, F. N.
Hammel, P. C. See Reyes, A. P.
Hammer, Edward E. See Bucher, Gerald L.
Hammer, G. E.; Shemenski, R. M.; Hunt, J. D.
Brass-rubber adhesive interphase investigated via depth profiling by using Auger electron spectroscopy.—74-05078A
Hammer, K. See Stiegler, J.
Hammer, P. See Gissler, W.; Thiele, J.-U.
Hammerschmidt, A. See Frischholz, M.
Hammerschmidt, A.; Mandel, T.; Frischholz, M.; Helbig, R.
Improved electronic properties of diamondlike carbon films by high-pressure post-deposition treatment.—74-04687A
Hammond, Donald E.; Skibo, Michael D.
Cast composite material with high-silicon aluminum matrix alloy and its applications.—74-08301P
Hammond, H. K. See Hitchcock, C. D.
Hammond, Robert B. See Olson, William L.
Hampden-Smith, Mark J. See Roger, C.; Senzaki, Yoshihide; Zeng, D.
Hamplova, Vera; Malkova, Zuzana; Novak, Jozef
Determination of silicon in boron.—74-06756A
Hampshire, Stuart See Ohashi, Masayoshi
Hampton, J. Holly D.; Thomas, M. D.
Modeling relationships between permeability and cement paste pore microstructures.—74-00079A
Hamuro, Mitsuro; Nakahara, Kunikazu; Higuchi, Hirokazu; Watanabe, Kenich
Apparatus for laminating ceramic green sheets.—74-03742P
Han, Ai-Zhen See Gao, Yuan-Kai
Han, Bin See Hinds, Bruce J.
Han, Chul-Hi See Ha, Yong-Min
Han, Dong-Bin; Park, Byoung-Hark
Oxidation of Cr_3C_2 composites with Fe scale.—74-10929A
Han, E.-H. See Kim, M.-C.
Han, Gil-Soo See Pyun, Su-Il
Han, H. See Cockerill, T. M.
Han, Hyun-Kyu See Kim, Seung-Hyun
Han, In-Sub; Kim, Hong-Soo; Woo, Sang-Kuk
Manufacture of SiC-TiC system composite by reaction bonded sintering.—74-10439A
Han, In-Sub; Yang, Joon-Hwan; Chung, Yun-Joong
Preparation of SiC composite by the method of reaction-bonded sintering.—74-10566A
Han, In-Sub; Yang, Joon-Hwan; Suhr, Dong-Soo
Properties of SiC/$MoSi_2$ composites prepared by reaction sintering method.—74-10593A
Han, J. H.; Gu, C. X.
EXAFS studies on Pr-doped YBCO.—74-06538A
Han, J. See Fan, Y.
Han, J.; He, L.; Grillo, D. C.; Clark, S. M.; Gunshor, R. L.; Jeon, H.
Molecular beam epitaxy growth of pseudomorphic II-VI multilayered structures for blue/green laser diodes and light-emitting diodes.—74-03120A
Han, Jong-Hee See Lin, Ue-Sheng
Han, K. N. See Liu, J.
Han, Kyoung-R.; Lim, Chang-Sup
Application of sol-gel coating process in pressureless sintering of Si_3N_4 and their properties.—74-04479A
Han, S. See Pan, L. S.
Han, S.; Pan, L. S.; Wagner, R. S.
Temporally resolved response of a natural type IIA diamond detector to single particle excitation.—74-10166A
Han, Sang-Mok See Shin, Dae-Yong
Han, Seung-Hee See Lee, Kwang-Ryeol
Han, W. Y. See Cole, M. W.
Han, Yang-Su See Choy, Jin-Ho
Han, Yong See Voiles, E. Todd
Han, Yong; Akinc, Mufit
Zinc sulfide/gallium phosphide composites by chemical vapor transport.—74-07552A
Han, Yong; Voiles, E. Todd; Chumbley, L. Scott; Akinc, Mufit; Naiini, Ahmad A.; Verkade, John G.
Synthesis and characterization of zinc sulfide/gallium phosphide nanocomposite powders.—74-04934A
Han, Z. Y. See Yoon, S. F.
Han, Zheng-He; Selinder, T. I.; Helmersson, U.
Formation of Cu-rich particles on the surface of $YBa_2Cu_3O_{7-x}$ thin film grown by in situ off-axis sputtering.—74-09276A
Hanada, Teiichi See Tanabe, Setsuhisa
Hanada, Teiichi; Shinoda, Takuya; Tanabe, Setsuhisa; Soga, Naohiro
Preparation and elastic properties of rf-sputtered amorphous films in the system SiO_2-Y_2O_3.—74-05383A
Hanaki, Yoshikazu See Nishida, Toshihiko
Hanane, Z. See Crousier, J.
Hanawa, Kenzo See Kidoh, Takanori
Hanawa, Takeshi; Ishikawa, Masayasu; Miyatani, Kazuo
Disappearance of ferromagnetism at low temperatures in $CoNb_2O_6$.—74-07152A

Hanazuka, S. See Odawara, O.
Hancock, Kristin
Boron.—74-06889A
Hancock, R. G. V.; Chafe, A.; Kenyon, I.
Neutron activation analysis of sixteenth- and seventeenth-century European blue glass trade beads from the eastern Great Lakes area of North America.—74-05456A
Handfield, M. See Drouet, M. G.
Handoo, S. K. See Ali, M. M.
Handrock, James See Moody, Neville R.
Handu, V. K. See Kothiyal, G. P.
Haneda, Hajime See Sakaguchi, Isao
Hang, Kenneth W. See Carroll, Alan F.
Hanggi, Peter See Riseborough, Peter S.
Hanigofsky, John A. See Lackey, W. Jack; Starr, Thomas L.
Hanley, D. See El-Shall, M. Samy
Hanlon, J. G. See Spector, M.
Hannan, M. See Grundbacher, R.
Hannant, D. J.; Magnani, S.
Comparison of severe hailstorm damage on two types of fiber-reinforced cement roofing sheets.—74-02705A
Hanni, W. See Alers, P.
Hannink, R. H. J. See Lathabai, Srinivasarao; Nightingale, S. A.
Hannon, Alex C.; Arai, Masatoshi; Sinclair, Roger N.; Wright, Adrian C.
Dynamic correlation function for amorphous solids.—74-09562A
Hannon, Alex C.; Vessal, Behnam; Parker, John M.
Structure of alkali silicate glasses.—74-02499A
Hannula, S.-P. See Koskinen, J.
Hanrahan, Stephen
Outlook for trade and shipping 1994-2005.—74-02254A
Hansen, J. B. See Barholm-Hansen, C.
Hansen, J. C. See Mason, M. G.
Hansen, J. L. See Thomsen, E. V.
Hansen, J. S.; Tress, J. E.; Nafziger, R. H.
Carbothermic reduction of U.S. ferruginous manganese resources.—74-01624A
Hansen, James D. See Reed, David P.
Hansen, K.; Peiner, E.; Schlachetzki, A.; Von Ortenberg, M.
Dopant activation energy and hole effective mass in heavily Zn-doped InP.—74-06045A
Hansen, Lars
Dry scrubbing technologies for control of emissions from ceramic kilns.—74-09652A
Hansen, O. See Thomsen, E. V.
Hansen, Tony
Database technology to empower ceramic professionals.—74-11153A
Hansen, W. See Drexler, H.
Hansmann, S. See Hillmer, Hartmut
Hansmann, S.; Walter, H.; Hillmer, Hartmut
Static and dynamic properties of InGaAsP-InP DFB lasers—a detailed comparison between experiment and theory.—74-09048A
Hanson, A. W. See Stockman, S. A.
Hanson, Cynthia M.; Basco, Rocardo; Agahi, Farid; Lau, Kei-May; Lareau, R. T.; Monahan, T. P.
Compositional inhomogeneity at the epitaxial layer and substrate interface of AlGaAs/GaAs heterostructures.—74-02946A
Hanykyr, Vladimir; Barborkova, Lenka; Sedmidubsky, Jiri
Effect of body composition and technological conditions on the properties of porous wall tiles.—74-08537A; Influence of raw material composition and technological conditions on properties of earthenware tiles.—74-08685A
Hanyu, Hiroyuki See Sakai, Mototsugu
Hanyu, Naohiko See Yata, Kunio
Hanzawa, Katsurou
Analysis of the electric field gradients and the Knight shifts at all Cu and O nuclei in $YBa_2Cu_3O_7$.—74-00783A
Hanzawa, Shigeru; Komiyama, Tsuneo
Silicon carbide sintered article and method.—74-01337P
Hao, Hong-Qi; Wang, Yong-Lan; Jin, Zhi-Hao; Wang, Xiao-Tian
Joining of zirconia ceramic to stainless steel and to itself using $Ag_{57}Cu_{38}Ti_5$ filler metal.—74-05639A
Hao, Jin-Hua See Zhou, Fang-Qiao
Hao, S.; Somergon, C.; Tunnicliffe, D. L.; Savage, J. A.; John, P.; Milne, D. K.
X-ray photoelectron spectroscopy study of the surface layers between diamond crystallites and silicon substrate deposited by microwave plasma-assisted chemical vapor deposition.—74-10051A
Hao, S.; Tunnicliffe, D. L.; Savage, J. A.
Optical characterization of textured microwave CVD diamond.—74-04381A
Hao, Xue-Jun See Song, Wei
Haond, M. See Dekeersmaecker, R.
Hapke, J.; Gerstel, P.; Keuthen, M.
Formation of nonoxide-based composites from liquid precursors.—74-04647A
Happo, N. See Sato, H.
Happonen, Risot-Pekka See Wilson, June
Hara, Kimihiko
Introduction to enameling technology (electrostatic powder coating) by powdery raw materials.—74-08223A
Hara, Naoki See Ohtaka, Osamu
Hara, S. See Yamaga, M.
Hara, Tsukushi See Yoshida, Noriyuki
Harabi, A. See Achour, S.
Harabi, A.; Davies, T. J.
Effect of chromia on grain growth in alumina.—74-07267A
Harada, Hidefumi; Inoue, Yasuo
Potassium hexatitanate fibers having tunnel structure, process for producing the same, and composite material containing said fibers.—74-01330P
Harada, K. See Kotaki, T.
Harada, Keizo See Itozaki, Hideo
Harada, Keizo; Itozaki, Hideo; Yazu, Shuji
MBE process for preparing oxide superconducting films.—74-00870P
Harada, Kesazi See Kawada, Nobuo
Harada, Shigeru
Manufacturing method for protective silicon oxynitride film.—74-02884P
Harada, Tamotsu See Kuwabara, Mitsuo
Harako, Hisayuki; Fujiwara, Teiichi; Taniguchi, Masashi
Silica bricks manufactured by Luoyang Refractory Factory, Ministry of Metallurgical Industry, People's Republic of China.—74-02785A
Haralambous, K. J. See Tsagaroyannis, J.
Haram, Santosh K.; Santhanam, K. S. V.
Electroless deposition of orthorhombic copper (i) selenide and its room temperature phase transformation to cubic structure.—74-01381A
Haranacin, M.
ROMCIM and French cements in Romania.—74-08102A
Harasaki, Akiko; Tanaka, Arata; Jo, Takeo
Capability of resonant photoemission with soft X-rays in rare-earth systems.—74-01043A
Harashina, Hiroshi; Kakurai, Kazuhisa; Shirane, G.
Temperature dependence of the magnetic excitation spectra of $YBa_2Cu_{2.5}Zn_{0.1}O_{6.75}$.—74-01587A
Harbison, J. P. See Tanaka, M.
Harbour, John R. See Marra, James C.
Harder, Christoph See Hunziker, Guido
Harder, Joe See Buchfink, A.
Harder, Joe
CPAG installations in operation.—74-02317A
Hardin, Regina D. See Lackey, W. Jack
Harding, C. See Baumann, J. A.
Harding, Dan H. See Crawford, Russell J.
Harding, J. H. See Duffy, D. M.
Hardisty, Robert G. See Gardos, Michael N.
Hardtl, Karl Heinz See Moos, Ralf; Pecina, A.
Hardy, V.; Maignan, A.; Goupil, C.
Anistropic superconducting properties of a Tl-2223 single crystal studied by transport measurements.—74-06485A
Hare, T. M. See Shin, M. W.
Harigaya, Kikuo See Yamaji, Kunihiko
Haring, Richard See Paschke, Hartmut
Harker, Alan B.; DeNatale, Jeffrey F.; Hood, Patrick J.; Flintoff, John F.
Method of fabricating of diamond moth-eye surface.—74-01028P
Harker, Alan B.; Goldberg, Ira B.
Diamond growth by microwave generated plasma flame.—74-00737P
Harkness, S. D.; Singh, R. K.
Reduction in particle density of laser-deposited $YBa_2Cu_3O_7$ thin films by low-energy ultraviolet radiation.—74-03566A
Harkness, S. D.; Viatella, J. W.; Nagabushnam, V.
Aging characteristics of ferroelectric epitaxial $BaTiO_3/YBa_2Cu_3O_7$ heterostructures.—74-09107A
Harkness, S. D.; Yue, C. F.; Borek, M. A.; Singh, R. K.
Pulsed laser deposition of epitaxial $Ba_xSr_{1-x}TiO_3/Ba_2Cu_3O_7$ bilayers on $LaAlO_3$ substrates.—74-06622A
Harley, R. T. See Zheludev, N. I.
Harmer, Mark A. See Barbe, Christophe J.; Jagota, Sujata
Harmer, Martin P. See Bheemineni, Veerabhadrarao; Booth, Charles L.; Thompson, A. Mark
Haro, M.; Corrales, C.; Villares, P.
Thermoelectric and Hall effect in amorphous alloy $As_{0.2}Se_{0.4}Te_{0.4}$.—74-01596A
Harold, M. P.; Lee, C.; Burggraaf, A. J.
Catalysis with inorganic membranes.—74-06951A
Harper, R. E. See Dorsch, O.; Werner, M.
Harper, T. J. See Booth, E.
Harrekilde-Petersen, K. See Thomsen, E. V.
Harrigan, W., Jr.
Fatigue testing welded joints for P/m Al matrix composites.—74-05622A
Harrington-Hughes, Kathryn
Treatment halts corrosion in concrete.—74-04971A
Harriott, L. R.
Focused ion beam XeF_2 etching of materials for phase-shift masks.—74-01735A
Harris, B. See Chant, J. M.; Russell-Floyd, R. S.
Harris, C. T. See Bozler, Carl O.; Goodhue, W. D.
Harris, G. S. See Miles, D. S.
Harris, G. See Ashburn, S. P.
Harris, J. J. See Cheng, T. S.
Harris, J. M.; Yan, Y. F.; Tsui, Ophelia K. C.
Hall angle evidence for the superclean regime in 60 K $YBa_2Cu_3O_{6+y}$.—74-06554A
Harris, J. W.
Geology of diamond: time and depth profiles from inclusions.—74-01193A
Harris, James S., Jr. See Bozovic, Ivan; Chui, H. C.; Goorsky, M. S.; Miller, David J.; Solomon, G. S.; Van der Wagt, Jan P. A.; Weckwerth, M. V.
Harris, Jonathan H.; Youngman, Robert A.; Enck, Rudy
Oxygen-related defect in aluminum nitride ceramics—a thermal conduction limiting defect in technologically important materials.—74-09884A
Harris, Kenneth D. M.; Tremayne, Maryjane; Lightfoot, Phillip
Crystal structure determination from powder diffraction data by Monte Carlo methods.—74-04115A
Harris, Mark A. See Bozler, Carl O.
Harris, Michael T.; Sisson, Warren G.; Scott, Timothy C.
Multiphase electrodispersion precipitation of zirconia powders.—74-10486A
Harris, Robert B.; Wright, Jeffrey F.; Cook, John K.
PEI's programs of service for the porcelain enamel industry.—74-02255A
Harris, Robert B.
Market conceptions of porcelain enamel.—74-02249A
Harrison, J.; Martinsen, R. J.
Thermal modeling for mode-size estimation in microlasers with application to linear arrays in Nd:YAG.—74-09068A
Harrison, Judith A.; Colton, Richard J.; White, Carter T.
Effect of atomic-scale surface roughness on friction: a molecular dynamics study of diamond surfaces.—74-01980A; Atomistic simulations of friction at sliding diamond interfaces.—74-01497A
Harrison, P. See Hagston, W. E.; Stirner, T.
Harrod, John F. See He, Ji-Liang
Harrysson, R. See Babushkin, O.
Harshavardhan, K. S. See Iyer, Suman B.
Harshe, G.; Bhalla, A. S.; Cross, L. Eric
Synthesis and dielectric properties of a cubic perovskite: $La(Mg_{1/2}Ti_{1/2})O_3$.—74-05962A
Hart, Charles M.
Wear-resistant ceramic fiber conveyor rolls.—74-04007P
Hart, D. W.
Compressed air filtration.—74-06687A
Hartfield-Wunsch, S. E.; Tung, S. C.
Effect of microstructure on the wear behavior of thermal spray coatings.—74-08174A
Hartford, Elliot H., Jr. See Dynes, Robert C.; Hellman, E. S.
Hartig, Klaus W.; Lingle, Philip J.
High performance, durable, low-E glass.—74-00334P
Hartman, Miloslav; Trnka, Otakar; Svoboda, Karel
Free settling of nonspherical particles.—74-07322A
Hartman, Miloslav; Trnka, Otakar; Vesely, V.
Thermal dehydration of magnesium hydroxide and sintering of nascent magnesium oxide.—74-04957A
Hartman, Robert L. See Mackie, William A.
Hartmann, A.; Russell, G. J.; Frentrup, W.
Electronic structural changes in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ single crystals due to Pr 4*f* states.—74-05137A
Hartmann, E. See Enachescu, M.
Hartmann, J. See Karl, H.
Hartridge, A. See Bhattacharya, A. K.
Hartshorn, A. J. See Drennan, John
Hartsock, Dale L. See Stiles, Ernest D.
Hartsock, Dale L.
Cast-in-place ceramic manifold and method of manufacturing same.—74-09907P
Hartung, D.; Byland, Peter
Modernization of the Karsdorf Works to improve production of the furnaces and reduce thermal and electric energy consumption.—74-08076A
Hartung, R.; Koepp, C.
Grain growth control during reaction sintering of sodium-ß″-alumina.—74-07327A
Hartvigsen, J.; Elangovan, S.; Khandkar, Ashok C.
Modeling, design, and performance of solid oxide fuel cells.—74-00513A
Hartweg, M. See Jiang, X.
Haruna, K.; Maeta, H.
Thermal expansion of synthetic diamond single crystals at low temperatures.—74-10172A
Haruta, K. See Kato, T.
Harvey, Thomas B., III See Moyer, Curtis D.
Harvill, T. L. See Holve, D. J.
Harwit, Alex See Fernandez, Rouel
Has, Z. See Mitura, E.
Hasakke, Wolfgang
Automatic bag filing systems for cement, lime, and gypsum.—74-00034A
Hasan, M.-A. See Radnoczi, G.
Hasbullah, M. See Sahar, M. R.
Hase, Masashi See Hamamoto, Terufumi; Kikuchi, Jun; Kuroe, Haruhiko
Hase, Takashi; Kita, Ryusuke; Sasaki, Masato; Morishita, Tadataka
Method of manufacturing an oxide superconductor film.—74-00873P
Hasegawa, Akira See Hohnoki, Satoshi
Hasegawa, Haruhiro See Nishino, Toshikazu
Hasegawa, Hideki See Hashizume, Tamotsu; Ishikawa, Y.
Hasegawa, Isao; Ishida, Masanori; Motojima, Seiji
Organic-silica hybrid materials consisting of the double four-ring silicate structure as a building block.—74-10511A
Hasegawa, K. See Hishinuma, K.
Hasegawa, Katsuya See Torii, Yasuko
Hasegawa, Masaki See Yamamoto, Kenichi
Hasegawa, Minoru See Itatani, Kiyoshi
Hasegawa, Ryuzo
Red stoneware of "Shudei (Red mud)" wares of Tokoname.—74-08700A
Hasegawa, S.; Amano, Y.; Inokuma, T.
Effects of active hydrogen on the stress relaxation of amorphous SiN_x:H films.—74-09987A
Hasegawa, T.; Kohno, M.; Hosaka, S.; Hosoki, S.
Dynamic observation of silicon homoepitaxial growth by high-temperature scanning tunneling microscopy.—74-06048A
Hasegawa, Takeshi See Tsuchida, Takeshi
Hasegawa, Yoshihisa See Suzuki, Masaaki
Hasegawa, Yoshiki See Naito, Yasuyuki
Hasegawa, Yutaka See Komiyama, Yoshizo
Hasegawa,, Mitsuru
Role of NaCl during preparation of $NiTiO_3$ powders by the coprecipitation process.—74-01871A
Hasenberg, T. C. See Cirlin, Eun-Hee
Hashemi, M. M. See Li, Y.-J.; Yokogawa, T.
Hashemi, M. M.; Shealy, J. B.; Corvini, P. J.; Denbaars, S. P.; Mishra, U. K.
High-performance InP JFETs grown by MOCVD using tertiarybutylphosphine.—74-04679A
Hashemi, T.; Hales, D. L.; Brinkman, A. W.
Preparation, sintering, and electrical behavior of barium stannate.—74-10138A
Hashemi, Tooraj
Electrodes and battery cells.—74-08788P

Hashi, Yoko; Senna, Mamoru
Crack initiation mechanism on the glass beads used as grinding media in an agitation bead mill.—74-05708A
Hashibe, Yoshio See Kurahashi, Toyohide
Hashida, Toshiyuki See Takahashi, Hideaki
Hashimoto, K. See Masuda, T.; Nagahara, L. A.; Yoshiki, H.
Hashimoto, Kazuaki; Toda, Yoshitome; Mitsuyama, Naomichi
Chemical composition of magnesium phosphates prepared by a wet chemical method using $Mg(NO_3)_2$-KOH-H_3PO_4-H_2O system.—74-05668A
Hashimoto, Masafumi See Manabe, Katsuhide
Hashimoto, Noritaka See Akai, Toshiro; Nagamori, Keiji
Hashimoto, Shinobu; Yamaguchi, Akira
Growth of hollow Cr_3C_2 polycrystals with Cr_2O_3.—74-07333A; Synthesis of Mg_2SiO_4 whiskers by an oxidation-reduction reaction.—74-07516A
Hashimoto, T. See Kitaura, Y.
Hashimoto, T.; Shimamura, H.; Kawazoe, Hiroshi
Crystal structure of $BaBi_{1-x}Pb_xO_3$ and its effect on chemical state of Bi.—74-09978A
Hashimoto, Tadanori See Yokoo, Toshinobu
Hashimoto, Y.; Tanaka, G.; Ikoma, T.
Roles of Si insertion layer at GaAs/AlAs heterointerface determined by X-ray photoemission spectroscopy.—74-02041A
Hashimoto, Yuzo See Ito, Masakazu
Hashinaga, Tatsuya See Yamaguchi, Akira
Hashizume, T. See Bakhtizin, R. Z.; Jeon, D.; Noh, H. P.; Park, C.
Hashizume, Tamotsu; Schweeger, Giorgio; Wu, Nan-Jian; Hasegawa, Hideki
Novel in situ electrochemical technology for formation of oxide- and defect-free Schottky contact to GaAs and related low-dimensional structures.—74-06226A
Hashmi, M. S. J. See Karim, M. Z.
Hasimoto, Mituru See Qiu, Hong
Haskal, E. I. See Hirose, Y.
Hasko, D. See Smith, C. B.
Hasoon, F. See Nelson, Art J.; Swartzlander, A.
Hass, T. W. See John, P. J.
Hassan, Mohamed Y. See Ahmed, Mohamed A.
Hassanein, El-S. See Abdel-Fattah, Wafa I.
Hassel, G. See Leatherman, G. L.
Hasselman, D. P. H. See Donaldson, Kimberly Y.
Hassen, F. See Bacquet, G.
Hassouni, K. See Gicquel, A.
Hastings, Kim R.
Dakota Coal Company builds state-of-the art lime plant to meet flue gas desulfurization needs.—74-03682A; Modified preheater/kiln system design.—74-09690A
Hastings, S. See Fohey, W. R.
Hata, Kotaro; Kokubo, Tadashi; Nakamura, Takashi; Yamamuro, Takao
Growth of a bonelike apatite layer on a substrate by a biomimetic process.—74-04669A
Hata, M. See Ohno, Y.
Hata, Takuoki See Okinaka, Hideyuki
Hatakeyama, Toshiya See Akita, Noboru
Hatalis, Miltiadis K. See Lin, F.; Voutsas, Apostolos T.
Hatalova, Beata; Liska, Marek
Structure and properties of MD-simulated $Na_2O.SiO_2$ melt—comparison of the Born-Mayer-Huggins and Pauling interionic potentials.—74-05699A
Hatanaka, Kenji See Nishida, Akio
Hatanaka, Koji; Aota, Takashi
Glow plug with dual, dissimilar resistive heating elements in ceramic heater.—74-02881P
Hatano, Takeshi; Nakamura, Keikichi; Narita, Hideo
Uniformly layered mixtures of the $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ phases formed in artificially layered films—structural analysis and superconducting properties.—74-09358A
Hatcher, H. See Pollard, A. M.
Hathaway, K. B.; Clark, A. E.
Magnetostrictive materials.—74-00778A
Hattangady, S. V. See Lucovsky, G.
Hattori, Mitsuru
Ceramic gas-turbine nozzle with cooling fine holes and method for preparing the same.—74-01311P
Hattori, R. See Miyakuni, S.
Hattori, Takeo See Iwadate, Yasuhiko; Zama, Hideaki
Hattori, Takeo; Ejiri, Yasunori; Saito, Kenji; Yasutake, Masatoshi
Fabrication of nanometer-scale structures using atomic force microscope with conducting probe.—74-04629A
Hattori, Takeshi
Problems and controls of particulates in semiconductor manufacturing.—74-09011A
Haubner, R. See Brunsteiner, R.; Joksch, M.; Kubelka, S.; Schwarzbach, D.; Steiner, R.
Haubner, R.; Lindlbauer, A.; Lux, B.
Diamond deposition on chromium, cobalt, and nickel substrates by microwave plasma chemical vapor deposition.—74-04548A
Haubner, R.; Lux, B.
Diamond growth by hot-filament chemical vapor deposited state of the art.—74-10267A
Hauck, D.; Ruppik, M.; Hilker, E.
Reduction of fluorine emissions in brickworks.—74-00374A
Hauden, Jerome; Porte, Henry; Goedgebuer, Jean-Pierre
Quasi-polarization-independent Mach-Zehnder coherence modulator/demodulator integrated in *Z*-propagating $LiNbO_3$.—74-09174A
Hauert, R. See Ernst, K.-H.
Haug, Steven B. See Carroll, Douglas R.
Haukka, S.; Lakomaa, E.; Jylha, O.
Dispersion and distribution of titanium species bound to silica from $TiCl_4$.—74-09983A
Haung, J.-S. See Wang, Y.-L.
Haupt, J. See Gissler, W.; Maydell, E. A.
Haupt, Steven G.; Riley, David R.; Grassi, James
Preparation and characterization of $YBa_2Cu_3O_{7-\delta}$ polypyrrole bilayer structures.—74-06615A
Hausner, Hans See Li, J. G.
Hausner, Hans; Messing, Gary L.; Hirano, Shinichi
Ceramic Transactions, Volume 51: Ceramic Processing and Technology.—74-07968B
Hausner, Martin See Gerblinger, Josef
Haussler, F.; Eichhorn, F.; Baumbach, H.
Small-angle neutron scattering of hardened cement paste and various substances for hydration.—74-07748A
Haussonne, Jean-Marie See Paris, Pierre
Haussonne, Jean-Marie; Lostec, Jean; Bertat, J. R.
Synthesis process for aluminum nitride.—74-10689A
Hauswurz, K. See Geigle, A.
Hauswurz, K.
Pressure casting in sanitary ware production—trend setter for structural change.—74-05903A
Hautestad, Tor See Syverud, Tor
Haverlag, M. See Oehrlein, G. S.
Haverlag, M.; Oehrlein, G. S.; Vender, D.
Sidewall passivation during the etching of poly-Si in an electron cyclotron resonance plasma of HBr.—74-00709A
Haverlock, Tamara J. See Shoup, Shara S.
Haviar, M. See Garshin, A. P.
Havlik, Tomas; Skrobian, Milan; Petricko, Frantisek
Automatic quantitative powder diffraction phase analysis—system RIFRAN 2.0.—74-07597A
Havrda, Jiri See Kovac, Miroslav
Havrda, Jiri; Travnickova, Jana; Gregorova, Eva
Controlling the microstructure of porcelain in the course of plastic paste formation.—74-07240A
Hawk, J. A. See Alman, D. E.
Hawley, M. E. See Reimanis, Ivar E.
Hay, Jack C.; White, Kenneth W.
Crack face bridging mechanisms in monolithic $MgAl_2O_4$ spinel microstructures.—74-10954A; Grain boundary phases and wake zone characterization on monolithic alumina.—74-05150A
Hay, M. See Shibao, R. K.
Hayakawa, Kei See Mizusaki, Junichiro
Hayakawa, Takashi See Tsunoda, Tatsuo
Hayakawa, Tetsuo See Ishii, Masahiko
Hayami, Hiroyuki See Takita, Masatoshi
Hayashi, Akihiko See Itoh, Yutaka
Hayashi, Hiroshi See Soeda, Koichi
Hayashi, Katsura; Sakaue, Katsushi
Ceramic material reinforced by the incorporation of TiC, TiCN, and TiN whiskers and processes for production thereof.—74-03981P
Hayashi, Kazuhiko; Nonoyama, Hisao; Nagata, Misayuki
Method of maufacturing superconductor of ceramics superconductive material.—74-09377P
Hayashi, Kazuhiko
Ceramic superconductor and method of preparing the same.—74-09361P
Hayashi, Kazuo See Noda, Etsuo
Hayashi, Masahito
Consideration on the (numerical) analysis of blow-forming process in glass bottle manufacturing.—74-08409A
Hayashi, Masaru See Kanai, Hideyuki
Hayashi, Noriki See Yoshida, Noriyuki
Hayashi, Noriki; Takano, Satoshi; Okuda, Shigeru; Hitotsuyanagi, Hajime
Oxide superconductive wire, method of manufacturing the same and the products using the same.—74-03652P
Hayashi, Shigeo See Aoki, Chikako
Hayashi, Shigetoshi See Arahori, Tadahisa
Hayashi, Tetsusuke See Tanabe, Setsuhisa
Hayden, Joseph S.
Phosphate glass useful in lasers—74-00345P
Hayduk, Edward A., Jr. See Zurecki, Zbigniew
Hayes, Brian
Nature's algorithms.—74-07174A
Hayes, K. F. See Desai, F. N.
Hayes, William W.
Batch chargers often overlooked in enhancing furnace performance.—74-03897A
Haylock, Jill
Effect of granule morphology on the strength and Weibull modulus of ZTA made from spray-dried powders.—74-02125A
Hays, C.; Douglas, R.; Sokol, L. S.
Improved Cr_3C_2-Nichrome powder.—74-08208A
Hays, J. See Fisher, A. J.
Hayward, Joseph E.; Cassidy, Daniel T.
Nonlinear gain and the spectral output of short external cavity 1.3 μm InGaAsP semiconductor diode lasers.—74-08971A
Hazen, Brian J. See Smith, Sandra L.
He, A. Q. See Xu, J.
He, Ai-Sheng See Cheng, Guo-Sheng
He, B.; Tangerman, F.; Van der Woude, G.
Net shape simulation and control.—74-10491A
He, Dai-Ying; Nui, Dong
Study of high-temperature agate red ceramic stains and their applications.—74-07002A
He, Di-Jie See Ye, Hui
He, Guo-Ping See Xu, Shu-Hui
He, Hui-Juan See Lin, Yue-Ming
He, J.-L. See Wang, H.-L.
He, Ji-Liang; Scarlete, Mihai; Harrod, John F.
Silicon nitride and silicon carbonitride by the pyrolysis of poly(methylsiladiazane).—74-10627A
He, Jun; Clarke, David R.
Determination of the piezospectroscopic coefficients for chromium-doped sapphire.—74-04276A
He, K.-Y. See Sui, M.-L.; Zhou, F.
He, L. See Fan, Y.; Han, J.
He, L.; Anderson, W. A.
Current transport in fluorine-implanted GaAs.—74-01937A; Influence of plasma etching on trap levels in InP.—74-06153A
He, L.; Franzen, H. F.; Vitt, J. E.
Synthesis and characterization of Ru-Ti_4O_7 microelectrode arrays.—74-05961A
He, L.; Shi, Z. Q.; Anderson, W. A.
Experimental studies of metal/InP interfaces formed at room temperature and 77 K.—74-06090A
He, Lin; Zhang, Chang-Jun
Investigation of the role of secondary carbide in martensitic steel during three-body abrasion wear.—74-02286A
He, Ming Y. See Mackin, Thomas J.
He, Shui-Qing; Dong, Zhi-Hong
Manufacture and application of split tiles.—74-05898A
He, Wen See Zhang, Xu-Dong
He, X. G. See Jelen, C.
He, Xiao-Ming See Li, Wen-Zhi
He, Xiao-Ming; Li, Wen-Zhi; Li, Heng-De
Structural characterization and properties enhancement of diamondlike carbon films synthesized under low-energy Ne^+ bombardment.—74-07754A
He, Y. J. See Winnubst, A. J. A.
He, Y. J.; Winnubst, A. J. A.; Verweij, H.
Sinter forging of zirconia-toughened alumina.—74-07480A
He, Y.-L. See Bai, Chun-Li
He, Y.-Z. See Ding, X.-Z.
He, Y.; Day, D. E.
Development of low-temperature phosphate sealing glass.—74-05760A
He, Yu See Zhao, Hong
He, Zong-Wu
Study on application of Hengshan albite to glass and ceramics.—74-09753A
Headley, T. J. See Blum, O.
Healey, L. M.; Ponton, C. B.; Marquis, P. M.
Hydrothermal processing of $MgAl_2O_4$ spinel-based ceramics.—74-04685A
Healy, Matthew D. See Parmeter, John E.
Healy, Matthew D.; Smith, David C.; Rubiano, Rodrigo R.
Organometallic chemical vapor deposition of transition metal carbides—the use of homoleptic alkyls.—74-10512A
Healy, Matthew D.; Smith, David C.
Metallic chemical vapor deposition: new deposition technologies.—74-02250A
Healy, Thomas W. See Leong, Yee-Kwong
Hearn, N.; Detwiler, Rachel J.; Sframeli, Carmen
Water permeability and microstructure of three old concretes.—74-05610A
Hearn, N.
Sample mass and dimension effects on mercury intrusion porosimetry results.—74-05583A
Heathcote, Russell
Custom-designed zirconia.—74-09774A
Heatherly, L. See Tschersich, K. G.
Heaton, M. G. See Strausser, Y. E.
Heberlein, J. See Malmberg, S.; Tsai, Chung-Hsien; Zhuang, Q. D.
Hecht, D.; Stark, D.
Electrical and structural properties of thin gold films on glass substrates.—74-01984A
Hecht, M. H. See Stalder, R. E.
Hechtman, Charles D. See Lenzing, Erik H.
Hecq, M. See Legrand, P. B.
Hector, J. See Faure, S. P.
Hedberg, Eva; Winquist, Fredrik; Lundstrom, Ingemar
Influence of wettability on the properties of thin porous platinum films as gates of metal-oxide-semiconductor devices in electrolytes.—74-02843A
Heddleson, J. M. See Le Dudal, Roger; Weinzierl, S. R.
Heddleson, J. M.; Weinzierl, S. R.; Hillard, R. J.; Rai-Choudhury, P.; Mazur, R. G.
Profiling of silicide-silicon structures using a combination of the spreading resistance and point contact curent-voltage methods.—74-00690A
Hedlund, C.; Blom, H.-O.; Berg, S.
Microloading effect in reactive ion etching.—74-03108A
Hedrick, James B.
Mica.—74-06913A; Rare earths.—74-06923A
Heedt, C. See Kunzel, H.
Heesel, H. See Hunsche, S.
Hefny, M. M. See Mogoda, A. S.
Hegab, N. A. See Kotkata, M. F.
Hegde, M. S. See Beesabathina, D. Prasad
Heger, A. See Bruckner-Foit, A.
Heggie, M. I. See Latham, C. D.
Hegmann, F. A.; Preston, J. S.
Photoresponse of high-T_c superconductor thin films.—74-00836A
Hegner, Frank; Schmidt, Elke; Klahn, Thomas; Reimann, Peter; Breitenstein, Heinz; Messmer, Stephan
Apparatus for fabricating a foil.—74-02406P
Hehemann, David G. See Hepp, Aloysius F.
Heibel, Marija See Bocarsly, Andrew B.
Heibst, C. See Droillard, C.
Heider, W.; Bohmer, M.
Long-term behavior of SiSiC heat exchanger tubes under the specific conditions of a solar power plant.—74-09877A
Heider, W.
Slip cast SiSiC—a material for many applications.—74-09895A
Heidger, S. See Zorman, C. A.
Heikinheimo, E.; Kodenstov, A.; Van Beek, J. A.; Klomp, J. T.; Van Loo, Frans J. J.
Reactions in the systems Mo-Si_3N_4 and Ni-Si_3N_4.—74-08263A
Heikkila, L. See Yu, Tao
Heiman, D. See Twardowski, A.
Heimann, Paula J. See Hurwitz, Frances I.
Heimann, Paula J.; Hurwitz, Frances I.; Wheeler, D.; Eldridge, Jeffrey I.; Baranwal, R.; Dickerson, Robert M.
Preceramic polymers for use as fiber coatings.—74-09887A
Heimann, Robert B.
Linear finite carbon chains (carbynes): their role during dynamic transformation of graphite to diamond, and their

geometric and electronic structure.—74-04732A; Linear finite carbon chains (carbynes): their role during dynamic transformation of graphite to diamond, and their geometric and electronic structure.—74-07086A

Heimbuch, M. E.; Holmes, A. L., Jr.; Reaves, C. M.; Mack, M. P.; Denbaars, S. P.; Coldren, L. A.
Tertiarybutylarsine and tertiarybutylphosphine for the MOCVD growth of low threshold 1.55 μm $In_xGa_{1-x}As/InP$ quantum well lasers.—74-04954A

Hein, A. M. See Hwang, J. Y.

Hein, S. See Werner, M.

Heine, David R. See Newell, Michael A.

Heine, W.
Armored chain conveyors for metered hopper extraction.—74-06680A

Heinemann, T.; Frischat, Gunther Heinz
Sodium transport mechanism in Na_2O-$2SiO_2$ glass determined by the Chemla experiment.-- 74-02578A

Heinig, K.-H. See Zinovyev, V. A.

Heinio, R.-L. See Ahveainen, R.

Heinrich, A. See Schumann, J.

Heinrich, H. See Gauckler, Ludwig J.

Heinrichsdorff, F. See Grundmann, M.; Krost, A.

Heinzmann, U.
X-ray gratings and projection lithography by means of laterally structured multilayers.—74-06386A

Heiss, H. See Klein, W.

Heithoff, Robert B. See Gulotta, Joseph A.

Hejduk, Jiri See Nemazal, Zdenek

Hejl, Timothy J. See Gilbert, Michael H., Sr.

Hejwowski, Tadeusz See Weronski, Andrzej

Hejwowski, Tadeusz; Weronski, Andrzej; Szewczyk, Slawomir
Erosion resistance tests of constructional steels applied in cement industry.—74-08021A

Hekal, E. E. See Abo-El-Enein, S. A.

Helanti, V.; Mantyla, T.; Isaksson, J. A.
Strength testing of tubular ceramic gas filters by internal hydraulic pressure test.—74-09621A

Helbig, R. See Hammerschmidt, A.

Helble, Joseph J.; Moniz, Gary A.; Morency, Joseph R.
Process for producing nanoscale ceramic powders.—74-03773P

Hellemans, L. See Oberlander, B. C.; Snauwaert, J.

Heller, Laura M. See Hulse, John E.

Hellman, E. S. See Dynes, Robert C.

Hellman, E. S.; Hartford, Elliot H., Jr.
Effects of oxygen on the sublimation of alkaline earths from effusion cells.—74-04138A; Epitaxial solid-solution films of immiscible MgO and CaO.—74-10337A

Hellman, Olof
Buried reconstruction inhibition of solid phase epitaxy of Ge on Si(111).—74-05994A

Hellmann, J. R. See Stough, M. A.; Traumbauer, Eric R.

Hellmold, Peter; Misselwitz, Heike; Schulz, Gerd
Light scattering investigations of cover coat porcelain enamels using reflection spectroscopy.—74-00130A

Hellmold, Peter; Stuchlik, Uwe
Influence of anatase-rutile transformation on the color stability of melt-colored enamels.—74-02376A

Hellring, S. D.; Green, G. J.
Laser-induced thermal desorption (LITD) from zeolites: apparatus and technique for rapid, in vacuo sample desorption for FTIR analysis.—74-03706A

Hellstrom, Eric E. See Sung, Yeon-Soo

Helm, Alexander; Rosholm, Peter
State-of-the-art preheater design.—74-03932A

Helmbold, A. See Thiele, J.-U.

Helmer, Thomas; Peterlik, Herwig; Kromp, Karl
Coating of carbon fibers—the strength of the fibers.—74-02104A

Helmersson, U. See Han, Zheng-He

Helmich, D. R. See Turman, B. N.

Hemmes, Diederik G. See Tom Wu, T. H.

Hemmes, H. See Aschern, W.

Hemmings, R. T. See Berry, E. E.

Hempel, J. See Drews, H.

Hemptenmacher, Jorg; Leucht, Rolf; Dudek, Hans Joachim
Characterization of SiC-fiber/Ti_6Al_4V-matrix composites by macroindentation tests.—74-06743A; Microstructural characterization of titanium alloy Ti_6Al_4V used as metal matrix in SiC fiber composites.—74-07686A

Henager, C. H., Jr. See Jones, R. H.

Hench, Larry L. See Chia, Tai-Pau; Fischman, Gary; Pereira, Marivalda M.; West, Jon K.

Hench, Larry L.; Andersson, Orjan
Bioactive glass coatings.—74-06948A; Bioactive glasses.—74-05665A

Hench, Larry L.; Wilson, June
Introduction to bioceramics.—74-06980A

Hench, Larry L.
Biochemical processing of materials—a review.—74-09761A; Characterization of bioceramics.—74-06961A; Summary and future directions.—74-07004A

Henck, S. A. See Butler, S. W.; Duncan, W. M.

Hencsei, Pal; Jantai, Adam
Comparative investigation of corrosion sensitivity of [concrete] reinforcing steel bars.—74-05846A; Corrosion of steel reinforcement [in concrete] in the presence of admixtures and inhibitors.—74-05483A

Henderson, E.; Turrillas, X.; Barnes, P.
Hydration behavior of simulated high-performance concrete pastes using synchrotron energy-dispersive diffraction.—74-08043A

Henderson, John
High-purity raw materials—a contradiction in terms.—74-09745A

Henderson, Leslie J., Jr. See Keller, Teddy M.

Henderson, R. H. See Sun, De-Cai

Hendricks, H. See Pan, N.

Hendricks, Warren C.; Desu, Seshu B.; Peng, Chien H.
Lead titanate thin films prepared by metallorganic chemical vapor deposition (MOCVD) on sapphire, Pt, and RuO_x substrates.—74-07368A

Hendricks, Warren C.; Desu, Seshu B.; Tsai, Ching Y.
Structure and kinetics study of MOCVD lead oxide (PbO) from lead bis-tetramethylheptadionate (Pb(thd)-2).—74-07756A

Hendriks, H. T. See Lemonias, P. J.

Henery, F.; Combescure, C.; Armas, B.
SiC deposition by hot-wall LPCVD using tetramethylsilane.—74-07476A

Henes, R. See Schuster, T.

Henirich, Jurgen See Schonberger, Ernst

Henley, John P. See Dunmead, Stephen D.

Henley, Worth B.; Edelman, Piotr; Anc, M.
Formation of thermal donors in SIMOX method.—74-03023A

Henn, Francois E. G. See Wachsman, Eric D.

Henne, R.; Muhlhan, C.; Braue, Wolfgang
VPS mullite-coatings for oxidation protection of structural components operated at high temperatures in air atmosphere.—74-08291A

Henne, R.; Weber, Winfried; Schiller, Guenter; Schnurnberger, Werner; Kabs, Michael
Process for applying ceramic coatings using a plasma jet carrying a free-form nonmetallic element.—74-03769P

Henneberg, M.
Influence of crystalline structure and amorphous materials in depth resolution of sputter etching.—74-05164A

Hennicke, Hans-Walter See Hesse, Andreas; Kim, Il-Soo; Lucke, Ralph; Schoepwinkel, Gert

Hennicke, Hans-Walter; Spang, M. D.
Enameling of chemical equipment.—74-04616A

Hennicke, Hans-Walter
PTFE/steel, porcelain enamel/steel: two composite materials for the chemical industry.—74-00147A

Hennicke, Jurgen See Lindner, Hans A.

Henningsen, A.; Stassen, T.; Westra, C. D.
Intelligent alarm handling at Cemij plant in the Netherlands.—74-06783A

Henoc, P. See Ben Assayag, G.

Henshall, J. L. See Guillou, Marie-Odile

Henshall, J. L.
Ceramic membrane filters.—74-10064A

Hensley, J. E., Jr.; Risbud, S. H.; Groza, J. R.
Plasma-activated sintering of aluminum nitride.—74-04812A

Henson, Neil J. See Gale, Julina D.

Henty, David L.
Method for texturing high-temperature superconductors.—74-09374P

Henzler, M. See Pietsch, G. J.

Heo, Jong See Shim, Sung-Hun

Heo, Jong; Kim, Choon-Gon; Kim, You-Song
Characterization and X-ray photoelectron spectroscopy investigation of PbO-Bi_2O_3-Ga_2O_3 glasses.—74-02436A

Hepburn, A. R. See Dyer, T. E.

Hepp, Aloysius F.; Andras, Maria T.; Duraj, Stan A.
Synthesis and decomposition of a novel carboxylate precursor to indium oxide.—74-07507A

Hepp, Aloysius F.; Andras, Maria T.; Landry, Christopher C.
Room-temperature synthesis of $CuInQ_2$ (Q=S or Se) in nonaqueous solution using an organoindium reagent.—74-10614A

Hepp, Aloysius F.; Eckles, William E.; Duraj, Stan A.
Copper-containing ceramic precursor synthesis—solid-state transformations and materials technology.—74-10248A

Hepp, Aloysius F.; Hehemann, David G.; Duraj, Stan A.
One-step synthesis of dithiocarbamates from metal powders.—74-10504A

Hepper, R.
Knowledge-based process control of grinding plants.—74-08061A

Herak, T. V. See Dzioba, Steven

Herard, Claude See Lemaitre, Jacques

Herb, J. A. See Graebner, J. E.

Herbell, T. P. See Franklin, J. E.

Herbertsson, Harald See Ekstrom, Thommy

Hercules, D. M. See Eberhardt, M. A.

Heredia, Fernando E. See Cady, Carl M.

Heredia, Fernando E.; Evans, Anthony G.; Andersson, Clarence A.
Tensile and shear properties of continuous fiber-reinforced SiC/Al_2O_3 composites processed by melt oxidation.—74-11105A

Heredia, Fernando E.; McNulty, John C.; Zok, Frank W.; Evans, Anthony G.
Oxidation embrittlement probe for ceramic matrix composites.—74-06801A

Heremans, J. See Partin, D. L.

Herhold, Amy B. See Tolbert, Sarah H.

Herko, S. P. See Marshall, T.

Herlin, Nathalie See Boulanger, L.; Tougne, P.

Herlin, Nathalie; Luce, M.; Musset, Emmanuel
Production of nanocomposite Si/C/N preceramic powders by laser pyrolysis of hexamethyldisilazane.—74-04848A

Herman, H. See Ilavsky, J.; Sampath, S.

Herman, I. P. See Cheng, C. C.

Herman, M. J. See Passaretti, J. D.

Hermanek, William P. See Alario, Joseph

Hermann, Hans-Joachim
Ceramics, glass, enamel. Release of harmful substances from common food storage articles. Limits, testing, and analysis methods: I.—74-02225A; II.—74-02224A

Hermann, H. See Martin, Scot T.

Hermann, J. See Thomann, A. L.

Hermann, V. See Passerini, S.

Hermanns, Jan Matthijis; Verbeek, Adriaan Cornelis
Gas exchange between bubbles and molten glass.—74-02546A

Hermel, W.; Herrmann, M.; Schubert, C.
Have the limits of the development of ß-Si_3N_4 materials already been reached.—74-07335A

Herminghaus, S. See Bechinger, C.

Hermsen, H. See Gorter, H.

Hernandez, J. J. See Bishop, G. G.

Hernandez, M. J.; Garrido, J.; Piqueras, J.
Silicon dioxide deposition by electron cyclotron resonance plasma—kinetic and ellipsometric studies.—74-04893A

Hernandez, M. T. See Jurado, J. R.

Hernandez, M. T.; Osendi, M. I.; Jurado, J. R.
Mullite and alumina/yttria-zirconia composites as solid electrolytes.—74-03966A

Hernando, A. See Lachowicz, H. K.

Herrera, Carlos F.; Noboa, Gabriel
How to control emissions on a container melter through oxy-fuel firing.—74-06856A

Herrera-Gomez, A.; Kendelewicz, T.; Woicik, J. C.; Miyano, K. E.; Pianetta, P.; Southworth, S.
Geometrical structure of the Bi/GaP(110) interface: an X-ray standing wave triangulation study of a nonideal system.—74-03815A

Herrero, Carlos P.
Coordination sequence of zeolites revisited—asymptotic behavior for large distances.—74-07049A

Herrero, J. See Dona, J. M.; Guillen, C.

Herres, N. See Bachmann, P. K.; Wild, C.

Herrmann, M. See Hermel, W.; Kessler, S.

Herrmann, M.; Millers, T.; Rendtel, A.
Densification, microstructure, and properties of SiCN nanocomposites.—74-07245A

Herrmann, R.
Ceramic laboratory—more important than ever.—74-01046A

Herron, Norman; Wang, Ying
Synthesis and characterization of semiconductor nanoparticulates.—74-09060A

Hertl, B. See Bobel, F. G.

Hervieu, M. See Martin, C.; Raveau, B.

Herzog, U. See Sauberli, R.

Hesketch, P. J. See Li, Chun-Shien

Heskett, D. See Swanston, D. M.

Hess, Don H. See Cywar, Douglas

Hess, K. See Chang, H.

Hess, P. See Barth, M.; Schneider, D.

Hess, P.
Amorphous semiconductors: deposition chemistry and bonding.—74-02909A

Hess, Thomas R. See Mollah, M. Yousuf A.

Hesse, Andreas; Hennicke, Hans-Walter
Thin ceramic composition layers for joining SiC high-performance ceramics.—74-03740A; Thin ceramic interlayers for high-strength and high-temperature stable SiC joints.—74-07536A

Hesse, M.; Koschnick, F. K.; Krambock, K.
Metastability of arsenic antisite-related defects created by electron irradiation in GaAs.—74-08953A

Hessel, Friedrich See Guether, Hans-Michael

Hessenkemper, Heiko See Deubener, Joachim

Hessler, Klaus-Michael See Koslowski, Thomas

Hessman, D. See Seifert, W.

Hessmer, R. See Schreck, M.

Hessmer, R.; Schreck, M.; Geier, S.; Stritzker, B.
Correlation between breakdown voltage and structural properties of polycrystalline and heteroepitaxial CVD diamond films.—74-02950A

Heuer, Arthur H. See Behrens, G.; DeGuire, Mark R.; Laraia, Vincent J.; Li, D. X.; Maloy, S. A.; Martinez-Fernandez, J.

Heusdains, S. See Weyten, H.

Heuser, W. See Fiebiger, W.

Hewett, C. A. See Ziedler, J. R.

Hewett, C. A.; De la Houssaye, P. R.; Roser, M.; Zeidler, J. R.; Wilson, R. G.
Comparative Hall mobilities of ion-implanted boron and implanted carbon plus boron in insulating diamond.—74-00467A

Hewett, C. A.; Ziedler, J. R.
Ohmic contacts to epitaxial and natural diamond.—74-08979A

Heyes, D. W.; Dawson, W. M.
Effect of Fe on magnetic and mechanical properties in MgZn ferrites.—74-04283A

Heym, J.
Reaction-bonded silicon carbide components for burners, radiant heating, and heat exchangers.—74-09708A

Heyman, Joseph S.; Winfree, William P.; Cramer, K. Elliot
Thermalite apparatus.—74-03880A

Hiatt, Eric E. See Budd, David A.

Hibbs-Brenner, M. K.; Ruden, P. P.; Lehmann, J. A.
Optical properties of AlGaAs/GaAs *nipi* superlattices and their application in asymmetric cavity spatial light modulators.—74-06239A

Hibino, Hiroshi; Matsumoto, Koji
Paper crane made by ceramic process.—74-07988A

Hibino, T. See Iwahara, H.

Hiboux, S. See Chang, K.

Hickman, David L. See Day, J. Paul

Hicks, Lana P. See Buck, Gregory M.

Hida, G. T.
Synthesis of SiAlON precursors.—74-10683A

Hidalgo, Rafael See Zhang, Xin-Yu

Hidber, Pirmin C.; Graule, Thomas J.; Gauckler, Ludwig J.
Competitive adsorption of citric acid and poly(vinyl alcohol) onto alumina and its influence on the binder migration during drying.—74-07234A

Hieda, M. See Miyazaki, K.

Hietala, Vincent M. See Ginley, David S.

Higaki, Kenjiro See Itozaki, Hideo

Higaki, Kenjiro; Moto, Akihiro; Itozaki, Hideo
Microwave resonator of compound oxide superconductor material having a temperature adjustable heater.—74-09380P

Higashi, G. S. See Blayo, N.
Higashiguchi, Michiaki See Nishikawa, Tadahiro
Higgins, D.
Novel applications for GGBS [ground granulated blast-furnace slag].—74-05867A
Higgins, J. K.
Studies of platinum and molybdenum electrodes in molten silicates, borates, and phosphates.—74-05742A
Higgins, M. J. See Bhattacharya, S.
Hight, Susan C.
Quality control practices for determination of lead and cadmium in ceramic ware leach solutions by inductively coupled plasma-atomic emission spectroscopy [ICP-AES].—74-09607A
Higuchi, Hirokazu See Hamuro, Mitsuro
Higuchi, K. See Kohzaki, M.
Higuchi, M.; Sawada, M.; Kuronuma, Y.
Microstructure and electrical characteristics of sputtered indium tin oxide films.—74-01542A
Higuchi, Sigekazu
Refractory composite materials for rocket vehicles.—74-09890A
Higuchi, Yukio See Michiura, Nobuhiko
Hijikata, K. See Phelan, P. E.
Hikata, Hajime; Tanaka, Kumi; Shindo, Kazuyoshi
Low temperature sealing composition.—74-00238P
Hikata, T. See Yasuda, I.
Hikata, Takeshi See Sato, Kenichi
Hikata, Takeshi; Sato, Kenichi
Method of preparing oxide high-temperature.—74-09378P
Hikita, Kazuyasu; Miyayama, Masaru; Yanagida, Hiroaki
New approach to selective semiconductor gas sensors using a dc-biased *pn* heterocontact.—74-03126A; Gas sensing by ac impedance under dc bias of CuO/ZnO *pn* heterocontact.—74-08921A
Hikita, T. See Yasuda, I.
Hikita, Tomoji
Research and development of planar solid oxide fuel cells at Tokyo Gas.—74-00531A
Hilado, J. Oscar See Albarracin, B. Magdaleno, Jr.
Hilaire, C. See Fourniguet, M. J.
Hilarius, V. See Kastner, G.
Hilarius, V.; Butzke, J.; Kilgus, G.
Pyrolytic powder processing for varistor materials.—74-03186A
Hildebrand, Hillary; Row, Gordon
Laser light scattering in particle size analysis.—74-06784A
Hileman, Bennett See Lin, Jong-Kai
Hilgraf, P.; Paepcke, J.
Introducing bulk materials into pneumatic conveying lines by screw feeders.—74-06709A
Hilgraf, P.
Pneumatic conveying—a review.—74-06715A
Hilker, E. See Hauck, D.
Hill, Barry C. See Murphy, Dawn
Hill, C. See Cooke, G. A.; Dekeersmaecker, R.
Hill, G. J. See Reece, M. J.
Hill, Michael D.; Blendell, John E.; Vaudin, Mark D.; Chiang, C. K.
Processing effects on microstructure and superconducting properties of sintered $YBa_2Cu_3O_{6+x}$.—74-07720A
Hillard, R. J. See Heddleson, J. M.; Le Dudal, Roger; Weinzierl, S. R.
Hillel, R. See Gourbilleau, F.
Hilliard, Clinton See Dang, Tuan A.
Hillinger, Gerald; Hlavacek, Vladimir
Direct synthesis and sintering of silicon nitride/titanium nitride composite.—74-04559A
Hillman, C. See Ho, S.
Hillman, Joseph T. See Foster, Robert F.
Hillmer, Hartmut See Hansmann, S.
Hillmer, Hartmut; Hansmann, S.; Burkhard, Herbert
Study of wavelength shift in InGaAs/InAlGaAs QW DFB lasers based on laser parameters from a comparison of experiment and theory.—74-09056A
Hills, C. D.; Koe, L.; Sollars, C. J.
Early heat of hydration during the solidification of a metal plating sludge.—74-05493A
Hills, C. D.; Sollars, C. J.; Perry, Roger
Solidification of hazardous wastes containing cyanide.—74-05586A
Hiltner, A. See Chen, F.
Hinds, Bruce J.; Schindler, Jon L.; Han, Bin
Metallorganic chemical vapor deposition of epitaxial $Tl_2Ba_2Ca_3Cu_3O_{10-\delta}$ thin films.—74-06584A
Hines, A. M. See Tu, J. S.
Hines, P. J. See Brown, I. W. M.
Hingorani, Narain G.; Stahlkopf, Karl E.
High-power electronics.—74-00631A
Hino, Takafumi See Maeda, Hideaki
Hinokuma, K.; Kishimoto, A.; Kudo, T.
Coloration dynamics of spin-coated $MoO_3 nH_2O$ electrochromic films fabricated from peroxo-polymolybdate solution.—74-05706A
Hintermann, H. E. See Alers, P.; Kowalkowski, R.; Mueller, C.
Hipps, K. W. See Wang, Xiao-Dong
Hirabayashi, A. See Matsuzaki, K.
Hirabayashi, Kenji; Matsumoto, Seiichiro
Flattened diamond crystals synthesized by microwave plasma chemical vapor deposition in a CO-H_2 system.—74-04639A
Hirahara, Seiichiro; Fujikawa, Nobuyoshi; Enami, Shinichi; Nishi, Toyomi
Dielectric ceramic composition and dielectric resonator.—74-02875P
Hirahara, Seiichiro; Fujikawa, Nobuyoshi
Dielectric ceramic for microwaves.—74-02877P
Hirai, Hisako; Kondo, Kenichi; Yano, T.
Consolidation mechanism of nanocrystalline Si_3N_4 ceramics and transition mechanism of α-to-β phase under shock compaction.—74-09976A
Hirai, Hisako; Kukino, Satoru; Ohwada, Takeshi; Kondo, Kenichi
Dependence of diamond transition on microtexture in graphite starting materials under shock compression.—74-07626A
Hirai, T. See Sasaki, M.
Hirai, T.; Yoshimatsu, I.; Yamaki, J.
Influence of electrolyte on lithium cycling efficiency with pressurized electrode stack.—74-05942A
Hirai, Toshiharu; Abe, Yoneji; Komatsu, Michio
Coating solutions for forming transparent conductive ceramic coatings, substrates coated with transparent conductive ceramic coatings and process for preparing same, and uses of substrates coated with transparent conductive ceramic coatings.—74-08783P
Hirai, Toshio See Goto, Takashi; Mizoguchi, Y.; Omori, Mamoru; Yamane, Hisanori
Hiraiwa, A. See Miyazaki, H.
Hiraiwa, Tadashi; Ono, Fumiyoshi
Sintered alumina abrasive grain and abrasive products.—74-07977P
Hirakata, Keigo; Rhine, Wendell E.; Cima, Michael J.
Carbon determination in small amounts of ceramic powder by coulombic titration.—74-09556A; Organic acid adsorption on lead titanate surfaces.—74-10509A
Hiramatsu, Ikuko See Mori, Haruhiko
Hirano, Akira; Suzuki, Minoru; Ippommatsu, Masamichi
Evaluation of a new solid oxide fuel cell system by nonisothermal modeling.—74-00489A
Hirano, Katsuhiko See Mizusaki, Junichiro
Hirano, Masanori See Kato, Eturo
Hirano, Masanori
Inhibition of low-temperature degradation of tetragonal zirconia ceramics—a review.—74-11031A
Hirano, Motohisa; Shinjo, Kazumasa
Superlubricity and frictional anisotropy.—74-02210A
Hirano, Shingo; Kawabata, Akio; Yoshinaka, Masaru; Hirota, Ken; Yamaguchi, Osamu
Formation and characterization of Ce_2ZrO_8 prepared by the hydrazine method.—74-04643A
Hirano, Shinichi See Hausner, Hans; Nomura, Koichi; Yogo, Toshinobu
Hirano, Shinichi; Yogo, Toshinobu; Kikuta, Koichi; Noda, Kenichi; Ichida, Masuo; Nakamura, Arao
Synthesis of $KTiOPO_4$ (KTP) thin films using metallorganics.—74-10680A
Hirano, Shinichi; Yogo, Toshinobu; Kikuta, Koichi
Processing of better ferroelectric films through chemistry.—74-03341A
Hirano, Takahiro See Miyamoto, Yoshiko
Hirano, Takeshi See Niihara, Koichi; Ohji, Tatsuki
Hirano, Takeshi; Nakahira, Atsushi; Niihara, Koichi; Izaki, Kansei; Wakai, Fumihiro; Ohji, Tatsuki
High-temperature creep behavior of Si_3N_4/SiC nanocomposites.—74-10814A
Hirao, Kazuyuki See Ishihara, Tsuguo; Tanaka, Katsuhisa; Umesaki, Norimasa
Hirao, Kiyoshi See Ohashi, Masayoshi; Ohji, Tatsuki; Yasuoka, Masaki
Hirao, Kiyoshi; Ohashi, Masayoshi; Brito, Manuel E.; Kanzaki, Shuzo
Processing strategy for producing highly anisotropic silicon nitride.—74-07451A
Hiraoka, Hiroyuki See Latsch, Stefan A.
Hiraoka, Hiroyuki; Latsch, Stefan A.; Xiao, Rong-Fu
Method for the deposition of diamond on a substrate.—74-04064P
Hirasawa, Hideo See Koide, Hiroyuki
Hirasawa, Satomi; Nakajima, Ken; Tamura, Takao
Effect of beam condition in variable-shaped electron-beam direct writing for 0.25 μm and below.—74-01686A
Hirashima, Hiroshi; Adachi, Kenji; Imai, Hiroaki
Modification of sol-gel thin films by ion implantation.—74-08443A
Hirashima, Hiroshi; Obu, Yusuke; Nagai, Takayuki
Preparation of sol-gel coatings by electrophoretic deposition.—74-10569A
Hirata, A.; Yoshikawa, M.
Enlargement of the diamond deposition area by one-cathode three-anode arc discharge plasma jet chemical vapor deposition.—74-10333A
Hirata, G. A.; Ma, W.; Matsumoto, Y.
Diamond films grown on *p*-type microcrystalline, SiC:H/crystalline-Si subsubstrates.—74-04550A
Hirata, H. See Okabe, N.
Hirata, Kazuto See Takada, Toshio
Hirata, Kimio See Tsuchiya, Shinji
Hirata, T.; Kitajima, M.; Nakamura, K. G.
Infrared and Raman spectra of solid solutions $Ti_{1-x}Zr_xO_2$ ($x \leq 0.1$).—74-03824A
Hirata, Y.; Kawabata, M.
Dispersion and consolidation of ultrafine $BaTiO_3$ powder in nonaqueous solutions.—74-01683A
Hirata, Y.; Takeshima, K.
Colloidal processing for laminated composites of mullite/alumina woven fabrics.—74-01641A; Colloidal processing for preparation of laminated composites of mullite/woven fabrics of Si-Ti-C-O fibers.—74-01224A; Effects of particle classification on colloidal processing of mullite.—74-01696A
Hirata, Y.; Yamada, S.; Fukushige, Y.
Colloidal processing of silicon carbide.—74-01642A
Hirata, Yoshihiro; Ozaki, Tetsuaki
Rheology and consolidation of aqueous suspensions with nanometer-sized $BaTi_{1-x}Zr_xO$ powders.—74-07469A
Hirata, Yoshihiro; Shinya, Hiroshi; Izaiku, Takeshi
Annealing effects on electrical properties of reaction-sintered β+β″-alumina ceramics.—74-07202A
Hirayama, Shigekazu See Nakamura, Yoshikazu
Hirde, J. P. See Tembhurkar, Y. D.
Hiremath, Basavaraj See Ghosh, Asish; Trolier-McKinstry, Susan
Hiremath, Basavaraj; Bruce, Allan J.; Ghosh, Asish
Ceramic Transactions, Volume 49: Manufacture of Ceramic Components.—74-07964B
Hiroi, M. See Sera, Masafumi
Hiroi, M.; Sera, Masafumi; Sato, H.
Studies of the low temperature electronic states of $La_{2-x}Sr_xCuO_4$ measured by means of the Cu site substitution effects in the specific heat.—74-09341A
Hiroi, Zenji See Azuma, Masaki
Hiroki, Nobuyoshi; Takahashi, Akira; Namba, Yasutoshi; Tsukamoto, Noboru; Kurashina, Yukinobu; Yanagawa, Koyo
Development and application of annular step submerged entry nozzle.—74-00381A
Hirono, S.; Tanimoto, Masafumi; Inoue, N.
Atomically controlled growth of GaAs/NiAl/GaAs structures by molecular beam epitaxy.—74-04483A
Hirosaki, Naoto See Mitomo, Mamoru; Umesaki, Norimasa
Hirose, K.; Shimada, H.; Shimomura, S.
Ion-implanted photoresist and damage-free stripping.—74-07362A
Hirose, M.; Yasaka, T.; Hiroshima, M.; Miyazaki, S.
Characterization of silicon surface microroughness and tunneling transport through ultrathin gate oxide.—74-05088A
Hirose, Y.; Chen, W.; Haskal, E. I.; Forrest, S. R.; Kahn, A.
Structural and electronic properties of an organic/inorganic semiconductor interface—PTCDA/GaAs(110).—74-06330A
Hirose, Yukio See Asada, Hiroaki
Hiroshi, Uchikawa
Management strategy in cement technology for the next century.—74-08065A
Hiroshima, M. See Hirose, M.
Hirota, K.; Cox, D. E.; Lorenzo, J. E.
Dimerization of $CuGeO_3$ in the spin-Peierls state.—74-07071A
Hirota, Ken See Aoyama, Tatsuji; Hirano, Shingo; Kawabata, Akio
Hirota, Y. See Fukuda, T.
Hirotsuru, Hideki See Kim, Young-Wook; Mitomo, Mamoru
Hirschheydt, S. V. See Wilke, A.
Hirt, Drew See Sherman, Robert
Hiruta, Kazuyuki See Fushii, Yasuhito
Hirvonen, J. K. See Fountzoulas, C. G.
Hirvonen, J.-P. See Koskinen, J.
His, Sylvie; Lequertier, Jean-Michel
Fasteners made of composite material of a ceramic matrix reinforced with refractory fibers.—74-09820P
Hisamoto, Takenao See Ichikawa, Kenji
Hishil, Masao See Nagai, Haruhiko
Hishinuma, K.; Abe, M.; Hasegawa, K.; Nakai, Z.; Akiba, T.; Somiya, S.
Hydrothermal synthesis and properties of yttria fully stabilized zirconia powders.—74-01757A
Hishiyama, Y. See Inagaki, Michio; Kaburagi, Y.
Hiskes, R.; Dicarolis, S. A.; Fouquet, J.
Electrooptic materials by solid-source MOCVD.—74-07296A
Hitchcock, C. D.; Hammond, H. K.; Yau, W. W.
Dual-capillary method for modern-day viscometry.—74-03798A
Hitchcock, Lynne M. See Dshmukh, Subhash
Hitchen, S. A.; Ogin, S. L.; Smith, P. A.; Soutis, C.
Effect of fiber length on fracture toughness and notched strength of short carbon fiber/epoxy composites.—74-05339A
Hitchens, W. R.; Krusell, W. C.; Dobkin, D. M.
Tantalum oxide thin films for dielectric applications by low-pressure chemical vapor deposition.—74-01916A
Hitchman, Michael L.; Shamlian, Sarkis H.; Gilliland, Douglas D.
Considerations of MOCVD for the preparation of high-T_c thin films.—74-06501A
Hitomi, M.; Kera, Y.; Tatsumoto, H.
Evaluation of adsorption property of porous carbon materials: II.—74-10102A; III—74-10338A
Hitotsuyanagi, Hajime See Hayashi, Noriki
Hives, Jan See Znasik, Peter
Hiyamizu, S. See Wakejima, A.
Hiyamizu, S.; Shimomura, S.; Wakejima, A.; Kaneko, S.; Adachi, A.; Okamoto, Y.
Extremely high uniformity of interfaces in GaAs/AlGaAs quantum wells grown on (411)A GaAs substrates by molecular beam epitaxy.—74-03013A
Hjerth, Ulla See Johansen, Vagn
Hjort, K.; Ericson, F.; Schweitz, J. A.; Hallin, C.; Janzen, E.
Hardness, internal stress, and fracture toughness of epitaxial $Al_xGa_{1-x}As$ films.—74-06130A
Hlavac, Jan; Michajlovic, Jaroslav; Skovankova-Rohanova, Jana
Vitrification of simulated intermediate level waste from nuclear power plants: II, Chemical stability of vitrified products in acidic solutions.—74-06672A
Hlavacek, Vladimir See Hillinger, Gerald
Ho, E. See Coronado, C. A.; Lu, K.
Ho, Herbert L. See Srinivasan, Radhika
Ho, In-Chyuan See Hsieh, Huey-Lin
Ho, In-Chyuan; Hsieh, Huey-Lin
Low-temperature-fired positive temperature coefficient resistors.—74-02849A
Ho, P. See Martin, P. A.
Ho, P.-T. See Cho, Pak S.
Ho, Pauline; Melius, Carl F.
Thermochemical data for CVD modeling from ab initio calculations.—74-07535A
Ho, R. H. See Weng, B. J.
Ho, S.; Hillman, C.; Lange, Fred F.; Suo, Z.
Surface cracking in layers under biaxial, residual compressive stress.—74-11102A

Ho, Yen-Shyh; Chen, Chien-Yung
Nitride cap sidewall oxide protection from BOE etch.—74-02894P
Hoar, Peter
Meeting the need for slow-speed gob feed.—74-02644A
Hobbs, A. See Kimata, M.
Hobbs, D. W.
Effectiveness of PFA in reducing the risk of cracking due to ASR in concretes containing cristobalite.—74-05505A
Hobbs, L. See Blaauev, C.
Hobby, James D. See Butcher, Steven J.
Hobert, H. See Burger, H.
Hobrecht, M. E.; Wilk, M. P.
Further development of magnesia spinel for lining transition and sintering zones of rotary cement kilns.—74-08618A
Hobson, W. S. See Pearton, S. J.
Hobson, W. S.; Pearton, S. J.; Abernathy, C. R.
Selective regrowth of InP and GaAs by organometallic vapor phase epitaxy and metallorganic molecular beam epitaxy around dry etched features.—74-00704A
Hochmuth, H. See Lorenz, M.
Hockey, Bernard J. See Luecke, William E.
Hocking, Michael G.; Sidky, Paulette S.
Production of ceramic filaments.—74-09539P
Hocquellet, Dominique
Part made of a carbon-carbon composite with an SIC surface-treated matrix resistant to oxidation and a process for producing it.—74-09945P
Hodeau, J.-L. See Nunez-Regueiro, M.
Hodes, G. See Salitra, G.
Hodes, G.; Howell, I. D. J.; Peter, L. M.
Nanocrystalline photoelectrochemical cells: a new concept in photovoltaic cells.—74-00664A
Hodge, James D.; Klemptner, Lori J.
Superconducting 123 YBaCu oxide produced at low temperatures.—74-00882P
Hodges, R. G. L.; Neeson, C. G.; Abell, J. S.
Growth of BSCCO fibers using the laser-heated pedestal growth process.—74-03474A
Hodgeson, N.; Weber, H.
Influence of spherical aberration of the active medium on the performance of Nd:YAG lasers.—74-00640A
Hodgkinson, Ian J. See Wu, Qi-Hong
Hodgson, Simon
Fourteen month payback for cruciform regenerator packing project.—74-06852A; Green light for a green industry.—74-03911A
Hoebbel, D.; Endres, K.; Reinert, T.
New routes to silicic-acid-containing inorganic-organic hybrid precursors and polymers.—74-10496A
Hoehn, J. G., Jr. See Iyer, A. N.
Hoekstra, Robert J. See Ventzek, Peter L. G.
Hoellwarth, C. C.; Archibald, W. B.; Klavins, P.; Lan, M. D.; Shelton, R. N.; Raman, R. V.
Rapid consolidation of $Ba_{0.6}K_{0.4}BiO_3$ into superconducting shapes.—74-06623A
Hoene, Diethard See Goetze, Jens
Hoener, Carolyn F.; Pylant, Eddie; Boden, Edward G.; Wang, Shi-Qing
Auger depth profiles of TiN/Ti films in submicron contact holes: a comparison of collimate and uncollimated deposition processes.—74-07208A
Hoer, T. See Frisch, B.
Hofbauerova, H. See Vanickova, M.
Hofer, H.; Kock, W. F.
Crystal chemistry and thermal behavior in the La(Cr,Ni) perovskite system.—74-01360A
Hofer, H.; Schmidberger, R.
Electronic conductivity in the $La(Cr,Ni)O_3$ perovskite system.—74-05937A
Hoffman, A.
Fine structure in the secondary electron emission spectrum as a spectroscopic tool for carbon surface characterization.—74-05143A
Hoffman, C. A. See Youngdale, E. R.
Hoffman, David M.; Rangarajan, Sri Prakash; Athavale, Satish D.
Plasma-enhanced metallorganic chemical vapor deposition of germanium nitride thin films.—74-07415A
Hoffman, James F. See Dishman, Karla L.
Hoffman, M. F. See Pastoriza, H.
Hoffman, T. T.
Real-time video imaging for high-luminosity processes.—74-00983A
Hoffman, W. P. See Upadhya, K.
Hoffman, W. P.; Silver, D. S.
Atomic structure of ultrahigh modulus carbon fibers.—74-05075A
Hoffman, W. P.
Microscopic tube material and its method of manufacture.—74-03760P; Scanning probe microscopy of carbon fiber surfaces.—74-05237A
Hoffmann, Hans
Influence of different time periods on the evolution of the porcelain enameling industry.—74-00123A
Hoffmann, M.; Steen, M.; Martins, C. S.
High-temperature properties of HPSN under load in simulated coal gasification environments.—74-10108A
Hoffmann, M. J. See Kramer, M.; Sajgalik, Pavol
Hoffmann, M. J.; Dauskardt, Reinhold H.; Mai, Yiu-Wing; Ritchie, Robert O.
Review of the mechanics and mechanisms of cyclic fatigue-crack propagation in transformation-toughened zirconia ceramics.—74-02193A
Hoffmann, M. J.; Mai, Yiu-Wing; Wakayama, Shuichi; Kawahara, Masanori; Kishi, Teruo
Crack-tip degradation processes observed during in situ cyclic fatigue of partially stabilized zirconia.—74-10955A
Hoffmann, Michael R. See Martin, Scot T.
Hoffmann, R. See Janiak, Christoph; Proserpio, Davide M.; Steinberg, H.
Hofmann, Andreas
Safe handling of concentrated cleaning and conditioning agents.—74-00151A
Hofmann, Christian
Calcium fluoride for high-performance optics—problems and solutions.—74-07016A
Hofmann, D. M. See Emanuelsson, P.
Hofmann, Otto R.
Boussinesq approximation to compute the temperature and velocity distributions in glass melts.—74-00288A
Hofmann, Siegfried See Ece, Muzeyyen
Hofmeister, H. See Berger, A.
Hofsass, H.; Binder, H.; Klumpp, T.
Doping and growth of diamondlike carbon films by ion beam deposition.—74-04563A
Hoga, Hirosi See Ohta, Tsuneaki
Hogenkamp, J. E. M. See Schermer, J. J.
Hogg, J. H. C. See Hagston, W. E.
Hoggins, James T. See Bigelow, Louis K.
Hogbooghi, Bahar; McKittrick, Joanna; Butler, Chad
Near-net-shape forming of celsian ceramics from ion-exchanged zeolite precursors.—74-08444A
Hogmark, Sture See Blomberg, Adam; Yamamoto, Toyohisa
Hohenwarter, Gert K. G. See Ginley, David S.
Hohler, R. See Prieur, J.-Y.
Hohn, F. J. See Reeves, C. M.; Rosenfield, M. G.
Hohnoki, Satoshi; Katayama, Shinichi; Hasegawa, Akira
Optical absorption of ZnSe-ZnS strained-layer superlattices.—74-04378A
Hoidalen, O. See Syverud, Tor
Hojaji, H. See Barkatt, A.
Hojjaji, A. See Menetrier, M.
Hoke, Darren A.; Meyers, Marc A.
Consolidation of combustion-synthesized titanium diboride-based materials.—74-04525A
Hoke, W. E. See Lemonias, P. J.
Hokke, R. See Severin, J. W.
Holand, W.; Vogel, W.
Machinable and phosphate glass-ceramics.—74-05727A
Holcomb, M. J.; Collman, J. P.; Little, W. A.
Optical evidence of an electronic contribution to the pairing interaction in $Tl_2Ba_2Ca_2Cu_3O_{10}$.—74-09316A
Holcombe, Cressie E.; Gorin, Andrew H.; Seals, Roland D.
Ceramic-bonded abrasive grinding tools.—74-03983P
Holcombe, Cressie E.; Pfeiler, William A.
Nongraphite crucible for high temperature applications.—74-00414P
Hole, Magnar; Oye, K. M. S.; Oye, M. A.
Microstructure and thermal expansion of petroleum coke.—74-04361A
Holec, Jiri See Smrcek, Josef
Holenbar, U. See Shi, L. P.
Holland, D. See Du, Y.-J.; Yakinci, M. E.
Hollar, William E.; Mills, Wendell H.
Engineering-scale development of the vapor-liquid-solid (VLS) process for the production of silicon carbide fibrils.—74-01708A
Holleck, Helmut See Park, Sang-Hee
Holleri, Norbert
Return of the dry grinding process.—74-00989A
Hollinger, G. See Lefebvre, I.; Tabata, A.
Hollmann, E. K.; Zaitsev, A. G.; Loginov, V. E.
Preparation of CeO_2 films on $LiNbO_3$ substrates by dc reactive sputtering.—74-10559A
Holloway, D. L. See Ellingson, W. A.
Holloway, P. H. See Alexander, W. Brock; Arlinghaus, H. F.; Fischer, V.; Mueller, C. H.; Viljoen, P. E.; Yu, J. E.
Hollstein, T. See Gehrke, E.
Hollstein, T.; Gehrke, E.
Fatigue, creep, and corrosion behavior of high-performance ceramics.—74-02141A
Holmberg, Kenneth See Andersson, Peter
Holmes, A. L., Jr. See Heimbuch, M. E.
Holmes, Andrew S. See Green, Mino
Holmes, Brian
Drive units for heavy clay processing.—74-05807A
Holmes, D. Scott See Swinehart, Philip R.
Holmes, John W. See Danko, Gene A.; Tobin, Albert G.; Vaidyanathan, K. Ranji
Holmes, John W.; Wu, Xin; Sorensen, Bent F.
Frequency dependence of fatigue life and internal heating of a fiber-reinforced/ceramic-matrix composite.—74-04649A
Holmes, R. See McKechnie, Timothy N.
Holmes, Ralph E. See Shors, Edwin C.
Holoptsev, V. See Bykov, Y.
Holowczak, John E. See Breder, Kristin; Strobel, Tina M.
Holroyd, Bill; Solheim, Svein
Olivine.—74-06919A
Holscher, J. G. A. See Groenen, P. A. C.
Holstein, William L. See Budhani, R. C.
Holstein, William L.
Thermodynamic constraints for the in situ MOCVD growth of superconducting Tl-Ba-Ca-Cu-O thin films.—74-06653A
Holt, J. Birch See Wang, Lily L.
Holterhoff, Adam G.
Calcium aluminate cements.—74-06890A; Raw material blending and batching in the production of calcium aluminate cements.—74-08097A
Holtje, W.; Fusshuller, E.; Ropke, K.
Refractory lining in the new annular shaft kilns [for lime burning] at the "Kaltes Tal" works in Rubeland, Harz, Germany.—74-06873A
Holtz, P. O.; Monemar, B.; Sundaram, M.; Merz, J. L.; Gossard, A. C.
Two electron transitions of the exciton bound at the Si donor confined in $GaAs/Al_xGa_{1-x}As$ quantum wells.—74-03257A
Holve, D. J.; Harvill, T. L.
Comparison of liquid and dry particle size distributon measurements using in-line and off-line optical instruments.—74-01972A
Holy, V. See Plotz, W.
Holz, Dietmar; Claussen, Nils
Reaction-bonded Al_2O_3 (RBAO) and related technology.—74-10603A
Holzem, Johannes See Preisler, Eberhard
Holzgen, M. See Weiand, W.
Holzhausen, Volkmar
Critical considerations regarding the restoration of sanitary sewers.—74-00358A
Holzherr, M. See Kirchhoff, G.; Pompe, W.
Holzner, K. See Dorsch, O.
Homma, Tetsuya; Murao, Yukinobu
Properties of liquid-phase-deposited SiO_2 films for interlayer dielectrics in ultralarge-scale integrated circuit multilevel interconnections.—74-05952A; Spin-on-glass film treatment technology using a fluoroalkoxysilane vapor at room temperature.—74-01893A
Homma, Tetsuya; Yamaguchi, R.; Murao, Yukinobu
Room temperature chemical vapor deposition SiOF film formation technology for interlayer in submicron multilevel interconnections.—74-01872A
Homma, Y. See Miyazaki, H.
Hommel, H. See Tougne, P.
Hommel, J. See Bergmann, R.
Hommlich, U.; Eilers, Hergen; Yen, William M.
Effects of uniaxial stress on the metastable level in Cr^{4+}-Y_2SiO_5.—74-03300A
Hon, Min-Hsiung See Chen, Y.-I.; Chu, C.-H.; Tsia, Ming-Shyong; Wang, H.-L.; Yeh, Chih-Hung
Honda, Hidemasa See Tateishi, Daisaku
Honda, K. See Murayama, H.
Honda, T. See Kuroiwa, T.; Mikami, N.
Honda, Takuya See Sekiguchi, Hidetoshi
Honerkamp, Michael See Baumgartner, Walter
Honey, D. A. See Mikolas, D.
Honeycomb, J. See Ashburn, S. P.
Hong, Byung-You; Wakagi, M.; Collins, R. W.; An, Il-Sin; Engdahl, N. C.; Drawl, W.
Real-time spectroscopic ellipsometry studies of diamond film growth by microwave plasma-enhanced chemical vapor deposition.—74-03861A
Hong, C.-Y. See Oh, Y.-T.
Hong, Cheol-Min; Park, Hyun-Soo
Fabrication of Bi-Sr-Ca-Cu-O superconducting thin films by rf magnetron sputtering.—74-09270A
Hong, Cong-Jia See Cao, Zhen-Yuan
Hong, Franklin Chau-Nan; Hsieh, Jing-Chuang; Wu, Jih-Jen; Liang, G.-T.; Hwang, J.-H.
Low-temperature deposition of diamond using chloromethane in a hot-filament chemical vapor deposition reactor.—74-01783A
Hong, Gi-Gon; Chae, Sang-Tack
Effects of additives on properties of unfired Al_2O_3C bricks.—74-08539A
Hong, Glenn T.; Killilea, William R.; Ordway, David W.
Zirconium oxide ceramics for surfaces exposed to high temperature water oxidation environments.—74-04009P
Hong, H.; Stadnyk, N. M.
Evaluation of high-temperature lubricants in ceramic/metal and metal/metal contacts.—74-08187A
Hong, J. See Yelland, C.
Hong, J.-H. See Jeong, J.-I.
Hong, J.-W. See Kim, B.-I.
Hong, Jin-Sheng; Huang, Xiao-Xian; Guo, Jing-Kun; Li, Bao-Shun
Mechanical properties and microstructure of SiC_w/mullite and SiC_w/Y-TZP/mullite composites.—74-11043A
Hong, Kug-Sun See Kim, Byung-Kook
Hong, Kwon See Kim, Byong-Ho
Hong, Lu-Sheng; Shimogaki, Yukihiro; Egashira, Yasayuki; Komiyama, Hiroshi
Reaction of Si_2H_6 in the presence of C_2H_2 in synthesis of SiC films by LPCVD using a macro/microcavity method.—74-01866A
Hong, M. See Choquette, Kent D.; Grober, L. H.
Hong, M.; Choquette, Kent D.; Mannaerts, J. P.; Grober, L. H.; Freund, R. S.; Vakhshoori, D.
In situ process for AlGaAs compound semiconductor: materials science and device fabrication.—74-03061A
Hong, M.; Vakhshoori, D.; Grober, L. H.; Mannaerts, J. P.; Asom, M. T.; Wynn, J. D.
Buried heterostructure laser diodes fabricated using in situ processing.—74-02926A
Hong, M.; Vakhshoori, D.; Mannaerts, J. P.; Thiel, F. A.; Wynn, J. D.
In situ nonalloyed ohmic contacts to *p*-GaAs.—74-04692A
Hong, M.; Wu, M. L.; Chen, Y. K.; Mannaerts, J. P.; Chin, M. A.
MBE growth and characteristics of periodic index separate confinement heterostructure InGaAs quantum well lasers.—74-06196A
Hong, S.-H. See Park, H.-C.
Hong, Seong-Jae; Virkar, Anil V.
Lattice parameters and densitive of rare-earth oxide doped ceria electrolytes.—74-02846A
Hong, Shi-Ming; Li, Wei; Jia, Xiao-Peng; Wakatsuki, M.
Diamond formation from a system of SiC and a metal.—74-08161A
Hong, Suk K. See Kim, Kyung Y.
Hong, Tao See Smith, John R.
Hong, Tsao-Ming See Chen, Chia-Fu
Hong, W.
Influence of the microstructure on the electrical properties of ceramics.—74-07667A
Hong, Wei; Dharani, L. R.
Pressureless sintering of a ceramic matrix with multiple rigid inclusions: finite element model.—74-07441A
Hong, X. See Bhargava, R. N.
Hong, Y.-K. See Jeong, B.-S.
Hong, Young-Ho; Hahm, Yeong-Min; Chang, Yoon-Ho
Interfacial properties of alumina/KCl(aq) electrical double layer.—74-08756A

Hongo, K. See Nogami, G.; Shiratsuchi, R.
Honma, Kanehito See Tani, Hiroji
Honma, Koji See Niwano, Michio
Honmyo, Torayuki See Yamamoto, Akinori
Hontzopoulos, E. See Jelinek, M.
Hood, Patrick J. See Harker, Alan B.
Hoogenhof, W. V. D. See Plotz, W.
Hooker, K.
Reducing efflorescence potential.—74-00373A
Hoole, A. C. F See Moore, D. F
Hoole, A. C. F.; Broers, A.
Etch rate characterization of irradiated SiO_2 and its application in the fabrication of a *T*-gate structure.—74-06086A
Hooper, Robert Maurice See Guillou, Marie-Odile
Hooten, R. D. See Fu, Yan; El-Dieb, A. S.; Kerrick, D. M.
Hoover, Gordon L. See Weiss, James R.
Hopkins, David A.
Diatomite.—74-06897A
Hopkins, James G.; Bushman, James D.
Eliminating cracks in fast-firing sanitary ware.—74-05893A; Eliminating preheat and cooling cracks in fast-firing sanitary ware.—74-08676A
Hoppe, R.; Schulz-Ekloff, G.; Rathousky, J.
Effect of the addition of methylene blue to the reaction mixture for the hydrothermal synthesis of aluminophosphate molecular sieves on their morphology.—74-10300A
Hoppe, U.; Walter, G.; Stachel, D.
Short-range order of metaphosphate glasses investigated by X-ray diffraction.—74-00214A
Hoppert, Hans See Hufen, N.
Hopple, G. B. See Loewenthal, S. H.
Hopstock, David M.; Roden, John S.; Dierssen, Gunther H.; Sapieszko, Ronald S.
Process of making hexagonal magnetic ferrite pigment for high density magnetic recording applications.—74-09229P
Hopwood, J. See Rossnagel, S. M.
Horgan, Michael See Hunt, Margaret
Horhager, S.; Schmid, W.; Stroh, R.; Kruss, W.; Reissner, M.; Steiner, W.
Investigation of calcination and sintering of $Pb_{0.3}Bi_{0.7}SrCaCu_{0.5}O_y$ based superconductors.—74-00821A
Horhager, S.; Schmid, W.; Wruss, Werner
Manufacture and properties of infiltrated SiSiC-SiC platelet composites.—74-02163A
Hori, Hidenobu; Furusawa, Masahiro; Takeuchi, Tetsuya; Sugai, Shunji; Kindo, Koichi; Yamagishi, Akio
Magnetic measurements of $CuGeO_3$ by means of high magnetic field.—74-04350A
Hori, Shoji See Ikeda, Shigeru
Horiguchi, Akihiro See Ueno, Fumio
Horiguchi, N. See Czajka, R.
Horikawa, T. See Kuroiwa, T.; Mikami, N.
Horikoshi, Yoshiji See Sasaki, Satoshi
Horino, Yuji See Ensinger, Wolfgang
Horio, Isayuki; Zhou, Xue-Zhi; Morrish, Allan Henry
Surface magnetic structure of $^{57}Fe^{2+}$ coated 8*g*-$^{56}Fe_2O_3$ particles with and without adsorbed cobalt.—74-05282A
Horita, Teruhisa; Choi, Jin-Sam; Lee, You-Kee; Sakai, Natsuko; Kawada, Tatsuya; Yokokawa, Harumi
Reaction between calcium-doped lanthanum chromite and silica.—74-07107A
Horiuchi, Noriaki See Uesu, Yoshiaki
Hormes, J. See Schmitt, W.
Hornbostel, Marc D.; Fukuto, Masafumi; Johnson, David C.
Use of superlattice reactants in the synthesis of ternary Cu-Nb-Se compounds.—74-10714A
Horne, Craig R. See Minh, Nguyen Q.
Horner, G. See Arent, D. J.
Hornstrup, A. See Christensen, F. E.
Hornung, B. See Spanos, L.
Horowitz, Emanuel; Mueller, Edward
Regulation of medical devices.—74-06996A
Horowitz, Emanuel; Parr, Jack E.
Characterization and Performance of Calcium Phosphate Coatings for Implants.—74-11199B
Horrigan, James D. See Giller, Russell S.
Horsfall, I. See Downing, M.
Horsfall, I.; Downing, M.; Rogers, K. D.
Interaction of alumina fibers with titanium aluminide matrices.—74-08218A
Horton, J. Hugh; Moggeridge, Geoffrey D.; Ormerod, R. Mark
Electron spectroscopic study of the growth, composition, and stability of GeS_x films prepared in ultrahigh vacuum.—74-01987A
Horton, M.; Shelby, J. E.
Formation and properties of lead chlorosilicate glasses.—74-02543A
Horton, Mitchell; Stash, Andrew
Chip resistance of two-coat/one-fire porcelain enamels as determined by torsion testing.—74-00109A
Horuchi, Tatsuro; Osaki, Toshihiko; Sugiyama, Toyohiko
High-surface-area alumina aerogel at elevated temperatures.—74-07082A
Horvath, Imre See Opoczky, Ludmilla
Horvath, Ivan See Grejtak, Frantisek; Krajcovic, Jozef
Horwitz, James S. See Treece, Randolph E.
Hosaka, S. See Hasegawa, T.
Hoshi, Yuzi See Takagi, Hiroyoshi
Hoshiba, Kazuhiro
Thin film capacitor.—74-03362P
Hoshide, Toshihiko See Kishimoto, Hidehiro
Hoshii, Shinsuke; Kojima, Akira; Endou, Hirohisa
Mechanical properties of carbon fiber/ceramic composites prepared for borosiloxane with high boron content.—74-09879A
Hoshino, Hisakiyo See Okuda, Kouji; Yanagida, Hiroaki
Hoshino, Sumio; Ito, Masumi; Kanamori, Hiroo
Process for producing thin glass film by sol-gel method.—74-02694P
Hoshiyama, Yasuhiro See Nishio, Hideaki
Hosler, W.; Palmer, W.
Effects of crystallinity in depth resolution in sputter depth profiles.—74-05130A
Hosoda, Yoshikazu See Aizawa, Toshiyuki
Hosoe, Shigeru; Yoshida, Takoshi
Applied measurements of multipurpose precise interferometer (AMOS-1).—74-09551A
Hosoi, Katsuhiko See Moriguichi, Isamu
Hosokawa, Takao
Method of stacking ceramic green sheets.—74-03759P
Hosoki, S. See Hasegawa, T.
Hosono, Hideo
Importance of implantation sequence in the formation of nanometer size colloid particles—embedded amorphous SiO_2—formation of composite colloids with a Cu core and a Cu_2O shell by coimplantation of Cu and F.—74-10395A
Hossain, Mohammad See Naik, Tarun R.
Hossain, Zakir See Nagarajan, R.
Hosseini, F. See Tanabe, K.
Hotchandani, Surat See Bedja, Idriss
Hou, Bi-Hui; Liu, Yi-Hua; Wang, Mei-Sheng
High-T_c superconductor $YBa_2Cu_3O_{7-\delta}$—magnetism and ESR measurements.—74-09285A
Hou, C. L. See Chen, J.; DiVenere, A.
Hou, Feng-Zhen See Zhou, Shi-Gui
Hou, H. Q.; Tu, C. W.; Shan, W.; Hwang, S. J.; Song, J. J.; Chu, S. N. G.
Structural and optical characterization of InAsP/InP strained multiple quantum wells grown on InP(111)B substrates.—74-05261A
Hou, H. Q.; Tu, C. W.
Growth of $GaAs_{1-x}P_x$/GaAs and $InAs_xP_{1-x}$/InP strained quantum wells for optoelectronic devices by gas-source molecular beam epitaxy.—74-06129A
Hou, Hao-Bo
Influence of CaO addition on structure and properties of granulated cinder.—74-08051A
Hou, Jian-Guo See Tan, Qi-Guang
Hou, Lei See Li, Jia-Ju
Hou, Wen-Ping; Zhao, Zong-Yu; Dai, Bao-Gang
Factors affecting viscosity of sanitary porcelain slurry.—74-04633A
Houalla, M. See Eberhardt, M. A.; Fiedor, J. N.; Scierca, S. J.
Houdy, P.; Boher, P.
Design and manufacture of sputtered multilayers for applications to soft X-ray optics.—74-06692A
Houis, Rene See Gaussorgues, Gilbert
Houk, Carol S.; Burgoine, Gary A.; Page, Catherine J.
Homogeneity in the polyether alkoxide sol-gel synthesis of $YBa_2Cu_3O_{7-\delta}$.—74-09288A
Houmes, Joel D. See Bem, David S.
Houmes, Joel D.; Bem, David S.; Zur Loye, Hans-Conrad
Synthesis of new nitrides using solid-state oxide precursors.—74-10682A
Houng, Y. M.; Tan, M. R. T.; Liang, B. W.; Wang, S. Y.; Mars, D. E.
In situ thickness monitoring and control for highly reproducible growth of distributed Bragg reflectors.—74-03062A
House, J. L. See Coronado, C. A.; Lu, K.
Housley, Robert M. See Morgan, Peter E. D.
Houzay, F. See Petit, E. J.
Hovel, Harold J. See Callegari, Alessandro
Hovis, J. S. See Becker, C. H.
Howald, L. See Meyer, E.
Howard, A. J. See Blum, O.; Sherwin, M. E.
Howard, Christopher J. See Argyriou, Dimitri N.
Howard, Kevin E. See Dunmead, Stephen D.
Howard, Kevin E.; Moyer, John R.
Aluminum nitride powder having a reduced ammonia odor and a method for preparing the same.—74-04027P
Howard, S. J.; Tsui, Y. C.; Clyne, T. W.
Effect of residual stresses on the debonding of coatings under an applied load.—74-10973A
Howard, S. M. See Liu, J.
Howarth, Thomas R. See Ting, Robert Y.
Howell, F. Scott See Itatani, Kiyoshi
Howell, I. D. J. See Hodes, G.
Howell, John
Keeping cobalt in its place.—74-03704A
Howes, Charles P., Jr.
Thermal spraying—processes, preparation, coatings, and application.—74-07533A
Howng, Wei-Yean See Ramakrishnan, Ed S.
Howson, A. See Overend, Neil
Hoyer, P. See Konenkamp, R.
Hozhabri, N.; Sharma, S. C.; Pathak, R. N.; Alavi, K.
Defects in molecular beam epitaxial GaAs grown at low temperatures.—74-02958A
Hradecky, Zdenek
Problems on contemporary batch plants for container glass.—74-00313A
Hrbek, Jan See Rodriguez, Jose A.
Hrdina, Kenneth E. See Zhen, Yong S.
Hricovini, K. See Aristov, V. Yu.
Hrma, Pavel See Fini, P. T.; Kim, Dong-Sang; Peeler, D. K.; Vienna, J. D.
Hrma, Pavel
Towards optimization of nuclear waste glass—constraints, property models, and waste loading.—74-09420A
Hrovat, M. See Bernik, S.
Hse, Jen-Yen See Sundaram, S. Kamakshi
Hsia, L. C.; Christensen, T.
Radiation damage effects on bipolar and MOS devices in X-ray lithography.—74-03191A
Hsieh, H.-F. See Shih, H.-C.
Hsieh, Huey-Lin See Ho, In-Chyuan
Hsieh, Huey-Lin; He, In-Chyuan; Yu, Cheng-Sheng
Effects of cooling profiles on the microstructure development and electrical properties of PTC $BaTiO_3$ ceramics.—74-04597A
Hsieh, J.-H. See Ajayi, O. O.
Hsieh, Jing-Chuang See Hong, Franklin Chau-Nan
Hsu, B. F. See Sheen, S. R.
Hsu, C. C.-H.; Wang, L. K.; Zicherman, D.; Acovic, A.
Effect of hydrogen annealing on hot carrier instability of X-ray-irradiated CMOS devices.—74-02973A
Hsu, C.-C.; Lu, Y.-C.; Xu, J.-B.; Wong, T. K. S.; Wilson, I.-H.
Spiral growth of GaAs by metallorganic vapor phase epitaxy.—74-07489A
Hsu, Chi-Ming See Tung, Chiun-Yen
Hsu, Huey S. See Kroeger, Donald M.
Hsu, J.-K.; Juang, C.; Lee, B.-J.; Chi, G.-C.
Photoluminescence studies of interstitial Zn in InP due to rapid thermal annealing.—74-06262A
Hsu, L. See Mutasim, Z.
Hsu, P. P. See McNallen, M. J.
Hsu, R. T.; Lin, W.; Kao, M. J.; Wu, Y. H.; Hsu, W. C.
Mobility enhancement in a highly strained δ-doped $In_{0.9}Ga_{0.1}In_{0.75}Ga_{0.25}As/In_{0.53}Ga_{0.47}As/InP$ heterostructure.—74-03110A
Hsu, S. M. See Deckman, Douglas E.; Park, K.; Wang, Pu-Sen
Hsu, S. M.; Shen, M. C.; Ying, T. N.; Wang, Y. S.; Lee, S. W.
Tribology of silicon-based ceramics.—74-02215A
Hsu, S.-E. See Chen, Chia-Fu; Ko, Hsien-Wen
Hsu, Sung-Lin See Chin, Tsung-Shune
Hsu, T. See Irby, J.
Hsu, Thomas T. C.
Crack angle in unified theory of reinforced concrete.—74-05485A
Hsu, W. C. See Hsu, R. T.; Shieh, H. M.
Hsu, W.-T. See Shih, H.-C.
Hsu, Y.; Wang, W. I.; Kuan, Tung-Sheng
Molecular beam epitaxial heterostructures in the (311)A orientation.—74-07698A
Hsueh, Chun-Hway See Alexander, Kathleen B.; Becher, Paul F.
Hsueh, Chun-Hway; Becher, Paul F.
Determination of the *R*-curve from the strength–indentation load relation.—74-07860A
Hu, En-Liang See Yu, Hong-Chang
Hu, Evelyn L. See Chang, Ying-Lan; Khare, Reena; Schramm, Jeff E.; Skidmore, J. A.; Tan, I-Hsing
Hu, Feng-Juan See Zhao, Xi-Wen
Hu, Gang-Jin See Fang, Ming-Hu
Hu, H.; Sangier, J. M.; Castano, V. M.
Deformation behavior of polyacrylic acid–metal oxide composites in water.—74-02120A
Hu, Hai-Tian; Wu, Qing-Chong
Application of microwave heating to ceramic processing.—74-07203A
Hu, Hail-In See Saniger, Jose M.
Hu, He-Fang See Qi, Chang-Hong
Hu, Hong-Zhang See Yuan, Bing
Hu, J. G. See Miller, D. J.
Hu, Ji-Fan; Shen, Bao-Gen; Wang, Fang-Wei
Modified angular dependence of coercivity in inhomogeneous magnets: I, $Sm_2Fe_{17}N_x$.—74-05032A
Hu, Ji-Fan; Shen, Bao-Gen; Yang, Fu-Ming
Effects of interparticle interaction in $Sm_2Fe_{17}N_x$ and $Nd_2Fe_{14}B$ isotropic ferromagnets.—74-03375A
Hu, Ke-Liang See Liu, Fang-Xin
Hu, L.; Jiang, Z.
Formation and properties of tin(II) chlorophosphate glasses.—74-05678A
Hu, M. See Khare, Reena
Hu, S. Y.; Young, D. B.; Gossard, A. C.
Effect of lateral leakage current on the experimental gain/current-density curve in quantum well ridge-waveguide lasers.—74-08875A
Hu, Shi-Chuang See El-Sherif, Mahmoud A.
Hu, T. See Liu, N.
Hu, Wen-Tao See Zhou, Fu-Zheng
Hu, Xiao-Wen See Feng, Hao
Hu, Y. Z.; Joseph, J.; Irene, E. A.
Electron cyclotron resonance plasma oxidation studies of InP.—74-02993A
Hu, Z.-Q. See Li, Y.-L.
Hua, D. W. See Smith, D. M.
Hua, D. W.; Anderson, J.; Haereid, S.
Pore morphology study of silica aerogels.—74-10862A
Hua, Shu-Jun See Wang, Xian-Jin
Hua, You-Nan See Yap, C. T.
Huan, A. C. H. See Lin, J.
Huan, Hui See Ren, Quan
Huang, Bohr-Ran; Reinhard, D. K.; Asmussen, J.
Electrical properties of undoped large-grain and small-grain diamond films.—74-10097A
Huang, C. C. See Chiu, H. T.
Huang, C. I. See Wang, Y.
Huang, C. W. See Lin, C. H.
Huang, Chao M.; Zhu, D.; Xu, You-Ren; Mackin, T.;
Kriven, Waltraud M.
Interfacial bonding and friction in SiC fiber/β′ SiAlON.—74-10825A
Huang, Chao-En; Zhao, Min-Ru; Route, R. K.; Feigelson, R. S.
Growth and luminescence properties of some single-crystal fibers of laser host materials.—74-10106A
Huang, Chin-Kuan See Tsaih, Wen-Chou
Huang, D. See Weng, L.
Huang, De-Huan See Grey, F.
Huang, De-Huan; Uchida, Hironaga; Aono, Masakazu
Deposition and subsequent removal of single Si atoms on the Si(111)-7×7 surface by a scanning tunneling microscope.—74-05109A
Huang, De-Xing See Li, Xiao-Ming
Huang, Fang; Huang, Liu
Picosecond optical parametric amplification in β-BaB_2O_4.—74-09002A

Huang, Gui-Zhen See Gao, Fan
Huang, H.-D. See Yeh, M.-Y.
Huang, Hai-Bin
Development of metal glaze for hot spraying.—74-08673A
Huang, Hui-Huang See Zhang, Zhi-Ping
Huang, J. C.; Liauo, C. S.; Kao, P.-W.
Characterization of AC8A/Al_2O_3 composites after long exposure at elevated temperatures.—74-10765A
Huang, J. W.; Gaines, D. F.; Kuech, T. F.; Potemski, R. M.; Cardone, F.
Alkoxide precursors for controlled oxygen incorporation during metallorganic vapor phase epitaxy GaAs and $Al_xGa_{1-x}As$ growth.—74-02908A
Huang, J.-Y. See Seki, H.
Huang, Jow-Lay See Chou, Hon-Lian
Huang, Kang-Quan See Zeng, Xian-Ting
Huang, Kao-Yang See Carter, Gary M.
Huang, L. J. See Chang, W. H.; Kwok, R. W. M.; Landheer, D.
Huang, Li-Lei; Wang, Yan-Qi; Chen, Ji-Qin
Energy transfer of Er^{3+} and Cr^{3+} to Tm^{3+} ions in YAG crystals.—74-06457A
Huang, Liu See Huang, Fang
Huang, M. X. See Saul, J.
Huang, Mei-Chun See Ke, San-Huang
Huang, Qi-Zhong; Shi, Qiang; Xiao, Han-Ling
Effects of alumina sintering aids on properties of hot-pressed C-B_4C-SiC composite.—74-10304A
Huang, Rong-Fang; Guo, Li-Ping; Gong, Jun; Yu, Bao-Hui; Wen, Li-Shi
Microstructure of Ti/TiN multilayer films.—74-08242A
Huang, Rui-Fu See Sun, Hong-Wei
Huang, Sui-Yang; Von Der Muhll, Regnault; Ravez, Jean
Structural, ferroelectric, and pyroelectric properties of nonstoichiometric ceramics based on $BaAl_2O_4$.—74-03350A
Huang, T.-H.; Kuo, C.-T.; Lin, T.-S.
Wear behavior of various diamond-coated cutting tools under different deposition conditions.—74-11126A
Huang, Tong-Kai See Shikano, Masahiro
Huang, Wen-Chang; Lei, Tan-Fu; Lee, Chung-Len
Pd-Ge contact to *n*-GaAs with the TiW diffusion barrier.—74-03150A
Huang, Wen-Hai See Xu, Shu-Hui
Huang, X. See Hwang, J. Y.
Huang. Xiao-Xian See Hong, Jin-Sheng; Zhang, Yu-Feng
Huang, Xue-Ning See Kuo, Chu-Kun; Nicholson, Patrick S.
Huang, Xue-Ning; Kuo, Chu-Kun; Nicholson, Patrick S.
Modification of α-Al_2O_3 platelet/ZrO_2 matrix interface by epitaxial growth of ß´´-Al_2O_3 on the α-Al_2O_3.—74-04760A
Huang, Y. M. See Spence, J. C. H.
Huang, Y. M.; Spence, J. C. H.; Sankey, Otto F.
Effect of impurities on the ideal tensile strength of covalent crystals—ab initio quantum molecular dynamics calculations.—74-08874A
Huang, Y. See Mar, S. Y.
Huang, Y.; Daglish, M.; Reaney, Ian M.
Pyroelectric properties of sol-gel-prepared $PbTiO_3$ thin films.—74-03345A
Huang, Y.; Williams, C. C.
Capacitance-voltage measurement and modeling on a nanometer scale by scaning *c-v* microscopy.—74-00463A
Huang, Ya-Cheng
Fabrication of hollow clay blocks using lean laterite.—74-08548A
Huang, Yao-Tsung See Tsai, Ming-Jinn
Huang, Yi-Chuan; Wu, Bo-Chang; Qiu, Min-Wang; Luo, Zun-Du; Chen, Guang; Wang, Guo-Fu
Measurement of refractive indices (η_0, η_e) and temperature coefficient of self-frequency doubling NYAB crystals.—74-10118A
Huang, Yi-Dong; Komori, Kazuhiro; Arai, Shigehisa
Reduction of noise figure in semiconductor laser amplifiers with $Ga_{1-x}In_xAs/GaInAsP$ strained quantum well structures.—74-00696A
Huang, Yi-Dong; Komori, Kazuhiro; Kudo, Koji
Saturation characteristics of $Ga_{0.68}In_{0.32}As/GaInAsP/InP$ tensile-strained quantum well semiconductor laser amplifier with tapered-waveguide structures.—74-09030A
Huang, Yi-Ping
Dissection of imported automatic glass bottle packing machine and its programmable controller.—74-09452A
Huang, Yong See Zhang, Zong-Tao
Huang, Yu-Zhen See Zhou, Wen-Jie
Huang, Z. P.; Sun, Y.; Bell, T.
Friction behavior of TiN, CrN, and (TiAl)N coatings.—74-08197A
Huang, Z.; Lin, C. C.; Deppe, D. G.
Spontaneous lifetime and quantum efficiency in light-emitting diodes affected by a close metal mirror.—74-00716A
Huang, Zhao-Hui See Zhang, Zhi-Ping
Huang, Zhen-Kun; Nunn, S. D.; Peterson, Irene M.; Tien, Tseng-Ying
Formation of N-phase and phase relationships in MgO-Si_2N_2O-Al_2O_3 system.—74-04144A
Huang, Zhen-Long See Tucker. James
Huang, Zhen-Wu See Wang, Xin-Fu
Huang, Zheng-Ren; Jiang, Dong-Liang; Tan, Shou-Hong
Colloidal processing of SiC whisker composites.—74-07229A; SiC whisker-reinforced Al_2O_3 matrix composite.—74-09800A
Huang, Zhi-Guang; Wu, Guang-Zhong; Jian, Jian-Ming
Study on furnace linings of ceramic fibers.—74-02787A
Hubbard, Arthur T. See Chyan, Oliver M. R.
Hubbard, Camden See Sethuraman, A. R.
Hubbard, K See Arendt, P.
Huber, C. A. See Unruh, K. M.
Huber, D. L. See Zhao, D.
Huber, H. L. See Schafer, L.
Huber, R.; Schmaderer, F.
Applications of CVD-coated multifilament fibers.—74-07014A
Huber, T. E. See Unruh, K. M.
Hubert, T. See Witke, K.
Hubert-Pfalzgraf, Liliane G. See Papiernik, Renee
Hubert-Pfalzgraf, Liliane G.; Daniele, Stephane; Boulmaaz, Souad
Controlling the properties of bulk metal oxides at a molecular level—alkoxides vs carboxylate-alkoxide routes.—74-10245A
Hubert-Pfalzgraf, Liliane G.; Labrize, Florence; Guillon, Herve
Volatile mixed metal Y-Ba and Ba-Cu precursors for MOCVD of high-T_c superconductors: a way to improve the transport of barium.—74-09359A
Hubner, B. See Zengerle, R.
Hubner, H. See Acchar, W.; Von Minden, V.; Wolf, C.; Marx, U.
Hubsch, H. See Bewilogua, K.
Hudec, Lubomir See Siroky, Karel
Hudner, J. See Thomas, O. P.
Hudner, J.; Ohlsen, H.; Fredriksson, E.
Properties of yttrium oxide thin films on silicon(100) prepared by evaporation of yttrium in atomic oxygen.—74-09017A
Hudner, J.; Ohlsen, H.; Ostling, M.; Stolt, L.; Norling, P.
Studies of $YBa_2Cu_3O_{7-x}$ formation in coevaporated Y-BaF_2-Cu-O thin films on sapphire substrates.—74-03580A
Hudner, J.; Thomas, O. P.; Weiss, F.
Measurements of critical currents as a function of temperature in $YBa_2Cu_3O_{7-x}$ thin films: a comparative study.—74-06581A
Hue, F. See Murat, M.
Huebner, R. P. See Doettinger, S. G.; Newns, D. M.
Huebner, Wayne See Busse, Lawrence J.; Dougherty, Joseph P.; Wang, Sea-Fue
Huet, O. See Stroh, R. J.
Huett, T. See Sun, Y.-M.
Huettinger, K. J. See Schorr, R.
Huettner, R. See Bein, B. K.
Hufen, N.; Hoppert, Hans; Gueldener, B.
Wear of Al_2O_3 ceramics by jet blasting.—74-03977A
Hufenbach, W.; Gerhardy, T.
Characterization of mechanical properties of ceramic material with the account of statistical effects.—74-02103A
Hug, H. J. See Behler, S.; Moser, A.
Huggard, P. G.; Zeuner, S.; Goller, K.
Normal-state $YBa_2Cu_3O_x$ films: a new fast thermal detector for infrared laser radiation with a uniform wavelength response.—74-03544A
Huggins, H. A. See Liddle, J. Alexander
Huggins, Robert A. See Gur, Turgut M.
Hughes, Anthony E.; Ciacchi, F. T.; Badwal, S. P. S.
Degradation of Y-TZP in moist environments.—74-01366A
Hughes, Anthony E.; Rajendran, S.; Smith, M. E.
Characterization of the thermal transformation of hydrous aluminas by XPS and NMR.—74-01349A
Hughes, Anthony E.
Segregation in single-crystal fully stabilized yttria-zirconia.—74-05244A
Hughes, O. H. See Cheng, T. S.
Hughes, R. E.; Moore, D. M.; Reynolds, R. C.
Nature, detection, occurrence, and origin of kaolinite/smectite.—74-06916A
Hugot-Le Goff, A. See Bernard, M. C.
Huh, Jae-Ho See Yoon, Ki-Hyun
Hui, Meng-Jun See Yang, Chang-Xi
Hui, P.; Tan, H.-S.
Temperature distributions in a heat dissipation system using a cylindrical diamond heat spreader on a copper heat sink.—74-02399A
Huiras, G.
Alumina for ceramics.—74-09756A
Huisman, W.; Graule, Thomas J.; Gauckler, Ludwig J.
High-quality ceramics by centrifugal slip casting.—74-04681A
Hulbert, S. F.
Use of alumina and zirconia in surgical implants.—74-07008A
Huling, Jeffrey C. See Messing, Gary L.
Hulinsky, Vaclav See Nebesarova, Jana
Hull, David R. See Ramakrishna, T. Bhatt
Hull, P. J. See Salata, O. V.
Hulliger, F. See Schilling, A.
Hulse, John E.; Helier, Laura M.; Rolfe, Stephen J.
Analysis of $Si/Si_xGe_{1-x}/Si$ microstructures by spectroscopic ellipsometry.—74-05976A
Hultman, L. See Sjostrom, H.; Weinl, Gerold
Hume, S. M.; Perruchoud, R. C.; Fischer, W. K.
Gas reactivity testing of raw materials and anodes.—74-06771A
Hummel, Daniele C.; Torriani, Iris L.; Ramos, Aline Y.
CdSe nanocrystal formation in silica sonogels.—74-10212A
Hummel, R. E. See Ludwig, M. H.
Humphrey, D. A. See Hwang, Wen-Yen
Humphreys, T. P. See Baumann, P. K.
Hunden, O. See Bremer, J.
Hunderi, O. See Wold, E.
Hundhausen, Martin See Graupner, R.; Teuschler, Thomas
Hung, K.-M.; Fang, T.-N.; Chen, C.-J.
Theoretical study of dynamics of type-II tunnel diodes.—74-09067A
Hunn, David L. See Richardson, Kerry K.
Hunn, John D. See Parikh, N. R.
Hunn, John D.; Parikh, N. R.; Zuhr, R. A.
Conduction in ion-implanted single-crystal diamond.—74-08843A
Hunnekes, C.; Bohn, H. G.; Schilling, W.
Flux line matching effects in $YBa_2Cu_3O_{7-\varepsilon}$ thin films.—74-04319A
Hunsche, S.; Heesel, H.; Kurz, H.
Influence of reflectivity on fs transmission spectroscopy of thin GaAs films.—74-08938A
Hunt, Arlon J. See Cao, Wan-Qing
Hunt, Arlon J.; Cao, Wan-Qing
New routes to nanocomposite materials.—74-10495A
Hunt, B. D. See Foote, M. C.
Hunt, Charles E. See Chakhovskoi, Andrei G.
Hunt, J. D. See Hammer, G. E.
Hunt, Margaret; Horgan, Michael
Metal and ceramic composites come down to earth.—74-06982A
Hunziker, Guido; Knop, Werner; Harder, Christoph
Gain measurements on one, two, and three strained GaInP quantum well laser diodes.—74-08919A
Huo, Deng-Wei See Sun, Hong-Mao
Huo, Yu-Jing See Que, Wen-Xiu
Hupa, Leena; Karlsson, K. H.; Graeffe, M.
Refining—physics and chemistry.—74-00213A
Hupa, Leena
Working towards a batch optimization program for refining.—74-08357A
Hupen, H. See Solozhenko, V. L.
Huppauff, Martin; Lengeler, Bruno
Surface analysis of float glass by means of X-ray absorption, reflection, and fluorescence analysis.—74-02588A
Huppertz, M. See Lobl, P.
Hur, Katerina Y.; Guerin, Brian J.; Kazior, Thomas E.
Reactive ion etching of InP via holes.—74-06288A
Hur, Katerina Y.; McKenna, Thomas P.; Kazior, Thomas E.
Electron beam sublimation deposited and lifted-off carbon mask for InP reactive ion etching.—74-06077A
Hur, N. H.; Kim, S. H.; Yu, K. S.
Structural and magnetic properties of the anion-deficient $LaVO_{3-\delta}$.—74-10158A
Hur, S.-H. See Kim, M.-C.
Hur, W.-D. See Lee, K.-H
Hurd, Alan J. See Nishida, Fumito
Hurley, John P. See Breder, Kristin; Senior, Constance L.; Strobel, Tina M.
Hurran, David K. See Tucker, Leslie E. J.
Hurtado, A. M.
Coating method for innovative graphitic components with high corrosion resistance.—74-08146A; Pressureless-sintered SiC—material using polymers for new technical applications.—74-07023A
Hurwitz, Frances I. See Heimann, Paula J.
Hurwitz, Frances I.; Heimann, Paula J.; Kacik, Terrence A.
Redistribution reactions in Blackglas during pyrolysis and their effect on oxidative stability.—74-10872A
Hurwitz, Frances I.; Kacik, Terrence A.; Bu, Xin-Ya
Conversion of polymers of methyl- and vinylsilane to SiC ceramics.—74-10246A
Hurych, Z. See Mangat, P. S.
Huse, D. A. See Safar, H.; Schiffer, P.
Husing, Nicola See Schubert, Ulrich
Hussain, Eftesham S.; Rasheeduzzafar; Al-Gahtani, Ahmed
Influence of sulfates on chloride binding in cements.—74-02334A
Hussain, Eftesham S.; Rasheeduzzafar
Effect of temperature on pore solution composition in plain cements.—74-00054A
Hussain, T.; Cleaver, J. R. A.; Ahmed, H.
Fabrication and performance of GaAs metal-semiconductor field effect transistors with step-graded striped focused ion beam doping in the channel regions.—74-00615A
Hussler, John W. See Senzaki, Yoshihide
Hutchings, R. See Samandi, M.
Hutchinson, J. L. See Salata, O. V.
Hutchinson, John W. See Lu, Tian-Jian; Xia, Z. C.
Hutchison, J. See Schechtman, D.
Hutschenreuther, Peter See Neumann, Gerd
Hutson, D. See Popova, K.
Huttel, Y. See Mangat, P. S.
Hutter, Jeffrey L.; Bechhoefer, John
Measurement and manipulation of van der Waals forces in atomic force microscopy.—74-07172A
Huve, M.; Van Tendeloo, Martin G.; Maignan, A.
Mercury-based "1201-0201" intergrowth $HgBa_2La_2Cu_2O_{6+\delta}$: a 53-K superconductor.—74-03520A
Huybrechts, Ben See Hamagami, Junichi
Huyser, Bill
Enameling steels 1974–1994—maximizing your enameling steel dollar.—74-00118A
Hvizdos, P.; Dusza, J.; Rudnayova, E.
Deformation and relaxation behavior of silicon nitride ceramics with different microstructures.—74-10963A
Hwang, B. J.; Hwang, C. S.
Mechanism of codeposition of silicon carbide with electrolytic cobalt.—74-01233A
Hwang, C. James; Diezhandino, Sonya
Effects of different raw Si_3N_4 powders on microstructures and properties of a high-temperature SiAlON ceramic.—74-10308A
Hwang, C. James; Susnitzky, David W.; Beaman, Donald R.
Preparation of multication α-SiAlON containing strontium.—74-04826A
Hwang, C. James; Susnitzky, David W.; Newman, Robert A.; Beaman, Donald R.; Pyzik, Aleksander J.
Controlled crystallization in self-reinforced silicon nitride with Y_2O_3, SrO, and CaO: crystallization behavior.—74-09977A
Hwang, C. S. See Hwang, B. J.
Hwang, C.-T. See Shih, H.-C.
Hwang, Cheol-Seong; Kim, Hyeong-Joon
Deposition of $Pb(Zr,Ti)O_3$ thin films by metallorganic chemical vapor deposition using ß-diketonate precursors at low temperatures.—74-04542A; Pb diffusion barrier layers for $PbTiO_3$ thin films deposited on Si substrates by metallorganic chemical vapor deposition.—74-03328A
Hwang, D. K.; Tressler, R. E.; Ruzyllo, Jerzy
Evaluation of new temperature boron solid planar diffusion sources through *p-n* junction characterization.—74-06087A

Hwang, Eui-Hwan; Hwang, Taek-Sung; Kamada, Eiji
Relationship between microstructure and freezing-thawing resistance of polymer-cement mortars.—74-08100A
Hwang, Gyu-Min See Ha, Ho
Hwang, H. L. See Chen, H. Y.; Chen, P. C.
Hwang, H. Y.; Batlogg, Bertram J.; Takagi, H.
Scaling of the temperature-dependent Hall effect in $La_{2-x}Sr_xCuO_4$.—74-04415A
Hwang, I.-S. See Youm, H.-N.
Hwang, J. Y.; Huang, X.; Hein, A. M.
Synthesizing mullite from beneficiated fly ash.—74-07524A
Hwang, J. See Chung, C. K.; Lee, S. L.
Hwang, J.-H. See Hong, Franklin Chau-Nan
Hwang, K.-H.; Kim, E.-H.
Attrition milling and reaction sintering of oxide-metal mixed powders: II, Reaction sintering behavior as the milling characteristics of powders.—74-10202A
Hwang, K.-S.; Lu, Y.-C.
Reaction sintering of 0.1% B-doped Ni_3Al.—74-00148A
Hwang, Nong-M.; Hahn, Jun-H.; Bahng, Gun-W.
Thermodynamic approach to the C-H-O deposition diagram in the diamond chemical vapor deposition process.—74-04231A
Hwang, Robert Q. See Moody, Neville R.
Hwang, S. J. See Hou, H. Q.
Hwang, Taek-Sung See Hwang, Eui-Hwan
Hwang, Wen-Yen; Miller, D. L.; Chen, Y. K.; Humphrey, D. A.
Carbon doping of InGaAs in solid-source molecular beam epitaxy using carbon tetrabromide.—74-02929A
Hwang, Yong-Gyoo; Chen, Bin; Boguslawski, Piotr
Reconstructions at Si- and C-terminated surfaces of 2H-SiC—an ab initio molecular dynamics study.—74-09022A
Hwu, Jenn-Gwo See Wu, You-Lin
Hyatt, Theodore P.
Electronics: tape casting, roll compaction.—74-10323A; Tape casting and roll compaction.—74-10691A
Hyeom, Taeg-Hwan See Suslick, Kenneth S.
Hyland, Mary E. See Roopchand, Brijmohan J.
Hyllberg, Bruce E.
Ceramic heater roller with thermal regulating layer.—74-09813P
Hyodo, Koji See Tatishi, Tetsuya
Hytry, R. See Von Keudell, A.
Hyun, Sang-Hoon See Ahn, Sang-Wook
Hyun, Sang-Hoon; Kang, Beom-S.
Synthesis of nanoparticle silica composite membranes by the pressurized sol-gel technique.—74-04945A
Ianculescu, Adelina See Teoreanu, Ion
Ianno, N. J. See Woollam, John A.
Iashvili, A. A. See Bakradze, V. N.
Iatrides, Jean-Yves See Ruiz, Roberto
Ibanez, A. See Daviero, S.
Ibanez, Augusto; Sandoval, Ferando; Gonzalez-Pena, Julia
Hydrothermal reaction in diatomite-lime mixtures at ambient temperature to 200°C.—74-07342A
Ibanez, R. See Miao, H.; Primo, V.
Ibarra, A. See Pokorny, P.; Vila, R.
Ibberson, R. M. See Belushkin, A. V.
Ibbetson, J. P. See Pond, K.
Ibbetson, J. P.; Mirin, R.; Mishra, U. K.; Gossard, A. C.
Effects of As_4 flux on reflection high energy electron diffraction oscillations during growth of GaAs at low temperatures.—74-02980A
Ibbotson, D. E. See Gibson, G. W., Jr.; Tepermeister, I.
Ibendahl, R. See Van Digen, Frans K.
Ibragimov, K. O.; Savikhin, F. A.
Cross luminescence and intraband luminescence of CsI crystals.—74-06016A
Ibrahim, A. M. See Zayed, H. A.
Ibrahim, D. M. See Ibrahim, S. M.
Ibrahim, D. M.; Bagdady, R. M.; Ibrahim, S. M.
Synthesis of HAp powder for periapical plugs.—74-07514A
Ibrahim, D. M.; El-Agroudy, A.; Katamish, H.
Effect of PSZ on strength of dental porcelain.—74-06968A
Ibrahim, D. M.; Fahim, F.; Saad-Eldin, S.
Urea formaldehyde as a precursor for sol-gel processing of ceramic powders.—74-04975A
Ibrahim, S. M. See Ibrahim, D. M.
Ibrahim, S. M.; Azim, M. Abdel; Ibrahim, D. M.
Clinical radiographic evaluation of HAp in the healing of periapical lesions.—74-06963A
Ibudunni, A. O.; MaSaitis, R. L.; Opila, R. L.
Characterization of the oxidation of tantalum nitride.—74-05091A
Ichida, Masuo See Hirano, Shinichi
Ichihara, Katsutaro; Inoue, Naoyuki; Okubo, Michiko
Origin of the inhomogeneity of electrical resistivity in magnetron sputtered indium tin oxide thin films.—74-02854A
Ichikawa, Hiroshi See Okabe, N.; Takeda, M.; Tokutomi, Atsuya
Ichikawa, Kenji; Morita, Akihiro; Kawabe, Yoichiro
Behavior of powder slag film and influence of powder slag film on mold heat transfer rate.—74-00378A; Latest trends in continuous casting mold powders.—74-03707A
Ichikawa, Kenji; Nishio, Hideaki; Uchida, Shigeki
Fracture energy and K_{Ic} [stress intensity factor] of Al_2O_3-SiC-C bricks at high temperature.—74-07877A
Ichikawa, Kenji; Nomura, Osamu; Yanagawa, Koyo; Fujiwara, Hideaki
Development of less corrosive mold powder.—74-00382A
Ichikawa, Kenji; Saito, Keiji; Hisamoto, Takenao; Ogata, Masanori
Effect of chemical composition on properties of fused magnesia-chrome raw materials.—74-04131A
Ichikawa, Kenji; Tsukamoto, Noboru; Iida, Eishi; Nakamura, Makoto; Yamamura, Takemi
Tyranno fiber addition to alumina-graphite refractories.—74-05883A
Ichikawa, Kouichi; Umehara, Takashi; Tsutsumi, Kenjiro
Rare-earth $N_{4,5}$ emission spectra of some rare-earth hexaborides.—74-02037A
Ichikawa, Masahiro
Reliability evaluation and prooftesting of ceramics.—74-11072A
Ichiki, Takanori; Momose, Toshihiro; Yoshida, Toyonobu
Effects of the substrate bias on the formation of cubic boron nitride by inductively coupled plasma-enhanced chemical vapor deposition.—74-10317A
Ichimura, Koichi; Nomura, Kazushige
STM study of anisotropic superconducting gap of $Bi_2Sr_2CaCu_2O_8$.—74-00853A
Ichimura, M.; Nakatani, S.; Usami, A.
Liquid phase epitaxy of highly lattice-mismatched $In_xGa_{1-x}As$ layers on (001)GaAs substrates.—74-06178A
Ichinokawa, T. See Itoh, H.; Winau, D.
Ichinokawa, T.; Itoh, H.; Schmid, A. K.; Winau, D.; Kirschner, J.
Reconstructured structures in metal/Si(100) surfaces at high temperature observed by scanning tunneling microscopy.—74-07730A
Ichinose, Akiko See Sugiyama, Toshio
Ichinose, Ataru See Maeda, Toshihiko
Ichinose, Hiromichi See Katsuki, Hiroaki
Ichinose, Noboru See Okazaki, Kiyoshi
Ichinose, Noburo
Nonlinear conduction mechanism in perovskite-type ceramics.—74-08970A
Ichinose, Y. See Saitoh, H.
Ide, M. See Yoda, Mitsuo
Ide, Yuichi; Yamada, Masamichi
Role of Ga_2O in the removal of GaAs surface oxides induced by atomic hydrogen.—74-03204A
Ido, T. See Moss, David J.
Idorn, Gunnar M. See Johansen, Vagn
Ienny, Patrick; Gutmann, Martine
Creep behavior of reaction-bonded ceramics at 1200°C under air.—74-07849A
Iga, Fumitoshi See Fukushima, Akio
Iganov, Z. G.; Kapluneko, V. K.; Stepantsov, E. A.
Experimental implementation of high-T_c-based RSFQ set-reset trigger at 4.2 K.—74-06539A
Igarashi, Shinichi; Kawamura, Mitsunori
Detection of failures around main cracks and their relation to the fracture toughness of cement pastes.—74-05488A; Effects of size in bundled fibers on the interfacial zone between the fibers and the cement paste matrix.—74-05510A
Igarashi, Susumu See Endo, Morinobu
Igari, Akihide See Ochi, Hideo
Igashira, Kenichiro See Tanaka, Isao
Iglesia, A. See Alloza, A. M.
Ignat'ev, A. S. See Karachevtseva, M. V.
Ignat'ev, A. S.; Karachevtseva, M. V.; Mokerov, V. G.
Width of exciton line in the low-temperature photoluminescence of $In_xGa_{1-x}As/GaAs$ structures with a single quantum well.—74-03262A
Ignat'eva, G. P.; Abramov, V. Ya.
Kinetics of slit component transient extraction from aluminate cake porous particles.—74-01777A
Ignat'eva, L. N.; Stremousova, E. A.; Davydov, V. A.
Spectroscopic investigation of the structure of glasses and crystals in the system ZrF_4-SrF_2-MF_3.—74-00218A; Spectroscopic study of the structure of ZrF_4-SrF_2-MF_3 glasses and crystals.—74-00220A
Ignat, M.; Scafidi, P.; Duloisy, E.
Determination of the mechanical behavior of thin films on substrate systems from micromechanical experiments.—74-10966A
Ignatchenko, O. A.; Babushkin, A. N.; Mel'nikova, N. V.
Electrical conductivity and Seebeck coefficient of germanium sulfide and selenide under pressure of 20-50 GPa.—74-06068A
Ignateva, L. N. See Autokhina, T. F.
Ignet'ev, A. S.; Kaminskii, V. E.; Kopytov, V. B.
Static characteristics of a selectively doped pseudomorphic FET.—74-06324A
Iguchi, Yasutaka See Goto, Takashi
Ihara, M. See Arimoto, Y.
Il'cheva, A. A. See Galakhov, A. V.
Il'inskii, A. V.; Kutsenko, A. B.
Determination of the ionization energy of a deep acceptor level in the p^0 of a GaAs-based *p-i-n* structure.—74-02963A
Iida, Eishi See Ichikawa, Kenji; Tsukamoto, Noboru
Iida, Masaru; Konno, Akihiro; Yamada, Michio
Method for forming an electrode.—74-02887P
Iijima, Kenji See Takada, Toshio
Iinuma, Hitoshi See Koide, Hiroyuki
Iio, Katsunori See Mitsui, Toshiharu
Iio, Satoshi; Watanabe, Masakazu; Ito, Toshimichi; Tsubokawa, Masaya
Diamond-coated bodies and process for preparation thereof.—74-01318P
Iiyama, Michitomo See Nakamura, Takao; Tanaka, So
Iiyama, Tadaaki See Nojima, Taketoshi
Iizuka, Toshihiro See Nakano, Takashi
Ijichi, H.; Tadanaga, O.; Otsuki, A.; Murakami, Masanori
Thermal strain in indium thin films deposited on GaAs substrates.—74-07193A
Ikari, Masanori See Yano, Toyohiko
Ikari, Saiji See Maeda, Hideaki
Ikawa, H. See Nakano, Satoshi
Ikebe, Manabu; Obi, Yoshihisa; Fujimori, Hiroyasu
Dimensional crossover in the Nb/Al_2O_3 Josephson-coupled multilayers.—74-00477A
Ikeda, H. See Morii, K.
Ikeda, Katsushige
Handmaking of (zirconia) wine cups.—74-08683A
Ikeda, Kiyohiko; Tamiaki, Minoru; Tanigawa, Yoshinobu
Fatigue behavior of glass-ceramics under multiaxial stress states: an examination by diametral compression.—74-02139A
Ikeda, Nariaki See Azuma, Masaki
Ikeda, Shigeru; Hori, Shoji
Effect of purification on properties of high fine grain graphite.—74-07865A
Ikeda, Susumu; Noda, Yukio; Sugimoto, Hidehiko; Yamada, Yasusada
Dynamical properties of protons in KH_2PO_4 studied by incoherent neutron scattering.—74-05120A
Ikegami, Kiyoshi See Kuwabara, Mitsuo
Ikegami, Takayasu See Sakaguchi, Isao; Yashima, Masatomo
Ikegaya, Akihiko See Tanabe, Keiichiro
Ikehata, Seiichiro See Mori, Takao
Ikejiri, Makoto; Ogata, Toshihiro; Ogawa, Hiroshi; Nishio, Mitsuhiro; Yoshida, Akira
Low-temperature growth of ZnTe by synchrotron radiation using metallorganic sources.—74-00649A
Ikesue, Akio; Furusato, Isao; Kamata, Kiichiro
Fabrication of polycrystalline, transparent YAG ceramics by a solid-state reaction method.—74-01728A
Ikesue, Akio; Kamata, Kiichiro; Yoshida, Kunio
Synthesis of Nd^{3+},Cr^{3+}-codoped YAG ceramics for high-efficiency solid-state lasers.—74-09061A
Ikesue, Akio; Kinoshita, Toshiyuki; Kamata, Kiichiro; Yoshida, Kunio
Fabrication and optical properties of high-performance polycrystalline Nd:YAG ceramics for solid-state lasers.—74-04316A
Ikoma, Nobuyuki See Ohkouchi, Shunsuke
Ikoma, T. See Hashimoto, Y.
Ikuhara, Yuichi See Sasaki, Yukichi; Shibata, N.
Ikuina, Kazuhiro See Kageyama, Kensuke
Ikuma, Yasuro See Sugiyama, Toshio
Il'chenko, I. A. See Beletskii, V. M.
Il'chev, E. V. See Govorkov, S. A.
Il'icheva, E. N.; Dubova, A. V.; Peterson, V. K.
Magnetooptical dark-field study of domain boundaries in $[(BiLu)_3(FeGa)_5O_{12}]$ ferrite-garnet films of (210) type.—74-06466A
Il'in, A. A. See Yumashev, N. I.
Il'in, V. I. See Bakueva, L. G.
Il'inskii, A. V.; Kutsenko, A. B.; Mel'nikov, M. B.
Photoinduced displacement of the space-charge region in GaAs *p-i-n* structures.—74-08996A; Steady-state distribution of the field and space charge in the interior of the *i* layer in a GaAs *p-i-n* structure.—74-03226A
Ilavsky, J.; Herman, H.; Berndt, C. C.
Porosity in plasma-sprayed alumina deposits.—74-10538A
Ilegems, M. See Haddab, Y.
Ilescu, T.; Ardelan, I.; Simon, S.
Raman study of B_2O_3-PbO-Gd_2O_3 glasses.—74-02485A
Ilie, G. See Pavel, E.
Iliuc, Ivan; Jokl, Michael
Comparative investigation of the sliding wear mechanism in lubricated steel-on-steel and diamond-on-steel friction pairs.—74-05099A
Iliukha, N.; Timofeyeva, V.; Donchenko, Yu.
Ceramic composites based on lanthanum zirconium.—74-02364A
Illmann, U.; Ebert, R.; Reisse, G.; Freller, H.; Lorenz, P.
Laser-based chemical vapor deposition of titanium nitride coatings.—74-04726A
Illson, T. J.; Ponton, C. B.; Marquis, P. M.
Manufacture of woven fiber ceramic matrix composites using electrophoretic deposition.—74-02381A
Ils, P.; Michel, M.; Gyuro, I.
Fabrication and optical properties of InGaAs/InP quantum wires and dots with strong lateral quantization effects.—74-00614A
Im, Ho-Bin See Park, Jin; Park, Jung-Woo
Imada, Masatoshi
Theory of antiferromagnetic correlations in high-T_c cuprates.—74-03406A
Imaeda, C. See Mizutani, U.
Imaeda, Masao
New application of Kanthal Super—Superthal flat panel.—74-00392A
Imagawa, Seisaku See Kitamura, Naoyuki
Imai, Hiroaki See Hirashima, Hiroshi
Imai, Nobuhiko See Terao, Masaru
Imai, Osamu See Asai, Yuji
Imai, Takahiro See Sekiguchi, Hidetoshi; Shiomi, Hiromu; Tanabe, Keiichiro
Imai, Y. See Takeda, M.
Imamov, R. M. See Afanasiev, A. M.; Lomov, A. A.
Iman, A. See Ramesh, R
Imanaga, Syunji See Kimura, Hitoshi
Imanaka, M. See Osawa, K.
Imanaka, Yoshihiko; Aoki, Shigenori; Kamehara, Nobuo; Niwa, Koichi
Cristobalite phase formation in glass/ceramic composites.—74-02442A
Imanishi, Nobuyuki See Yamamoto, Osamu
Imanov, R. M.; Lomov, A. A.; Sirochenko, V. N.
Study of an InGaAs/GaAs(100) heterostructure by high-resolution XRD.—74-09053A
Imbert, F. E.; Moreno, C.; Montero, A.
Venezuelan natural aluminosilicates as a feedstock in the synthesis of zeolite A.—74-10717A
Imenkov, A. N. See Andaspaeva, A. A.
Imura, Koichi See Shimai, Shunzo
Imura, Toru See Nakano, Kikuo
In, Chi-Bum; Jung, Byung-Jin; Lee, Won-Jong
Comparative study on the characteristics of TiN films deposited by plasma-assisted CVD, ion plating, and reactive sputtering.—74-10782A
Inaba, Hideaki
Nonstoichiometry and its effect on the magnetic properties of a manganese-zinc ferrite.—74-09213A
Inaba, Minoru See Mineshige, Atsushi
Inaba, Shizue See Ogata, Haruhiko
Inabe, Tamotsu See Onoda, Masashige

Inada, Hiroshi See Nakamura, Takao
Inagaki, Michio See Ito, Yoshiho; Sakai, Mototsugu; Shimada, Shiro; Soneda, Y.; Tsuchida, Takeshi
Inagaki, Michio; Iwashita, N.; Hishiyama, Y.
Relations among structural parameters in various carbons.—74-05236A
Inaguma, Yoshiyuki See Oguni, Masaharu; Shikano, Masahiro
Inaguma, Yoshiyuki; Sohn, Jeong-Ho; Kim, In-Seon; Itoh, Mitsuru; Nakamura, Tetsuro
Quantum paraelectricity in a perovskite $La_{1/2}Na_{1/2}TiO_3$.—74-05954A
Inaki, Kyoichi See Nishimura, Hiroyuki
Inam, A. See Young, K. H.
Inam, Arun; Ramesh, R.; Rogers, Charles T., Jr.
Growth of *a,b*-axis oriented pervoskite thin films.—74-03628P
Indge, John
Finest grind.—74-00928A
Ing, D. M.; Shen, Z.-X.; Dessau, D. S.
Observation of a saddle-point singularity in $Bi_2(Sr_{0.97}Pr_{0.03})_2CuO_{6+\delta}$ and its implications for normal and superconducting state properties.—74-09313A
Ingle, S. G.; Moon, K. S.; Kakde, R. N.
Cooperative ordering of impurity dipoles in $KNbO_3$ single crystals.—74-06397A
Ingo, G. M.; Padeletti, G.; Dire, S.
Surface chemical structure of SiO_2-TiO_2 sol-gel powders.—74-10896A
Ingram, D. C. See Engel, W.; Ting, Jyh-Ming
Ingram, D. C.; Keay, Joel C.; Tang, C.; Lake, Max L.; Ting, Jyh-Ming
Trapping of hydrogen in diamond.—74-10709A
Ingram, Michael B. See Jones, Linda E.
Iniewski, K.; Liu, M.; Salama, C. A. T.
Doping profiles characterization in GaAs semiinsulating substrates using capacitance-voltage, conductance-voltage, and current-voltage measurements.—74-00479A
Inkson, J. C. See Edwards, G.
Inniss, Daryl See Gupta, Prabhat K.
Inokuma, T. See Hasegawa, S.
Inori, Kazutomo
Advanced ceramic magnetic drive pump.—74-09194A
Inoue, A. See Wakejima, A.
Inoue, Akihisa See Kimura, Hisamichi; Masumoto, Tsuyoshi
Inoue, Hiroyuki See Akasaka, Youichi; Makishima, Akio; Okura, Toshinori; Soga, Kohei
Inoue, Isao H. See Fukushima, Akio
Inoue, K. See Ohmori, A.
Inoue, Keisuke See Ohgushi, Hajime
Inoue, Koichi; Matsuda, Osamu; Murase, Kazuo
Comparison between the Raman modes of the tetrahedral network in amorphous and layered crystalline $GeSe_2$.—74-08328A
Inoue, Masasi See Koyano, Mikio
Inoue, Masataka See Yano, Mitsuaki
Inoue, N. See Hirono, S.
Inoue, Naoyuki See Ichihara, Katsutaro
Inoue, Nobuhiko; Yoshimaru, Masaki
Method of making a semiconductor device with a capacitor.—74-09095P
Inoue, Satoru See Soga, Kohei
Inoue, Shinichi See Takahashi, Kazuo
Inoue, T. See Kitaura, Y.
Inoue, Takahito See Yokoyama, Hiroshi
Inoue, Takayoshi; Kanayama, Toshihiko; Komuro, Masanori
Pattern formation in amorphous WN_x by low temperature electron cyclotron resonance etching for fabrication of X-ray mask.—74-01828A
Inoue, Tatsuya See Kasuga, Toshihiro
Inoue, Tatsuya; Kagata, Hiroshi; Kato, Junichi; Kameyama, Ichiro
Dielectric ceramic for use in microwave device, a microwave dielectric ceramic resonator dielectric ceramics.—74-00549P
Inoue, Tohru; Kadono, Masaya; Miyanaga, Akiharu
Method for forming diamond and apparatus for forming the same.—74-03272P
Inoue, Tomoyasu; Yamamoto, Yasuhiro; Satoh, Masataka
Study on epitaxial growth of CeO_2(110)/Si(100) in conjunction with substrate off-orientation.—74-09057A
Inoue, Yasunobu; Asai, Yoshihiro; Sato, Kazunori
Photocatalysts with tunnel structures for decomposition of water: I, $BaTi_4O_9$, a pentagonal prism structure and its combination with various promotors.—74-04804A
Inoue, Yasunobu
Acoustic effects on catalytic activities of Cu and Pd thin films combined with piezoelectric lead strontium zirconium titanate activated by low-frequency voltage.—74-03282A
Inoue, Yasuo See Harada, Hidefumi
Inout, A. See Ogasawara, T.
Intemann, A.; Koerner, H.; Koch, F.
Film properties of CVD titanium nitride deposited with organometallic precursors at low pressure using inert gases, ammonia, or remote activation.—74-01730A
Interrante, Leonard V.; Whitmarsh, C. W.; Yang, C.-Y.; Sherwood, W.; Schmidt, W.; Marchetti, P. S.
Processing of Si-based ceramics and ceramic composites using hydridopolycarbosilane (HPCS).—74-01859A
Interrante, Leonard V.; Whitmarsh, C. W.; Sherwood, W.
High-yield polycarbosilane precursors to stoichiometric SiC—synthesis, pyrolysis, and application.—74-10385A
Inui, Saburo See Ota, Yoshio
Inushima, Takashi
Infrared detector utilizing diamond film.—74-09087P
Ioannides, E. See Dwyer-Joyce, R. S.
Ionescu, Ion See Haliski, Dan
Iori, Ivo See Basco, Cresentino
Iori, Ivo; Rosati, G. P.; Schumm, Cristiano
Concentration of the state of stress in notched beams.—74-07844A; Fracture behavior of masonry bricks under bending.—74-07875A
Iori, Ivo
Speckle photography method in the determination of plane displacement fields in reinforced concrete elements.—74-05587A
Ioroi, Tsutomu See Ogumi, Zempachi
Iost, A. See Deffontaines-Fourez, M.
Ipatova, I. P. See Bairamov, B. Kh
Ippommatsu, Masamichi See Hirano, Akira
Iqbal, M. Zafar See Khan, Nawazish A.
Iraki, M. R. See Bezlepkin, A. A.
Irassar, E. F. See Bonavetti, V. L.
Irby, J.; Kinosky, D.; Hsu, T.; Qian, R.; Mahajan, A.; Thomas, S.
In situ B-doped Si epitaxial films grown at 456°C by remote plasma-enhanced chemical vapor deposition: physical and electrical characterization.—74-03060A
Irene, E. A. See Hu, Y. Z.; Liu, Q.; Poler, J. C.; Spanos, L.
Irie, Miki See Maeda, Hideaki
Irie, Takatoshi See Miyauchi, Nobuaki
Irish, Vivien
Innovations—how to protect them and how to use them.—74-10424A
Irokawa, Katsumi; Komukae, Masaru; Osaka, Toshio; Makita, Yasuhara
Dielectric, thermal, and optical studies of phase transitions in TlH_2AsO_4 single crystal.—74-04126A
Irons, G.; Kratochvil, W. R.; Bullock, W. R.
Investigation of erosion-resistant Cr_4C_3 coatings sprayed with the high pressure HVOF process.—74-10919A
Ironside, C. N.; Aitchinson, J. S.; Arnold, J. M.
All-optical switch employing the cascade second-order nonlinear effect.—74-00566A
Irvine, S. J. C.; Bajaj, J.; Gil, R. V.
Integrated in situ monitoring of a metallorganic vapor phase epitaxy reactor for II-VI epitaxy.—74-04711A
Irwin, A. D. See Prabakar, S.
Irwin, Bruce
NO_x reduction techniques for the ceramic industry.—74-09696A; NO_x reduction techniques.—74-09697A
Irwin, C. J. See Kucherenko, I. V.
Irwin, J. C. See Chen, X. K.
Isaacs, E. D.; Aeppli, G.; Zschack, P.
Diffuse X-ray scattering from $La_{2-x}Sr_xNiO_4$ and $La_{2-x}Sr_xCuO_4$.—74-04279A
Isaacson, Michael See Sarikaya, Mehmet
Isabaev, E. A. See Erkaev, A. V.
Isaev, D. G.; Serova, N. A.; Isaev, G. S.
Obtaining aluminomagnesia spinel powder using a high-frequency induction plasmatron.—74-02646A
Isaev, G. S. See Isaev, D. G.
Isaev, Kh. I. See Aronov, D. A.
Isaev-Ivanov, V. V. See Masterov, V. F.
Isaevich, L. A. See Stepanenko, A. V.
Isakina, A. P. See Dmitriev, V. M.
Isakov, A. A. See Kryl, Ya. A.
Isaksson, J. A. See Helanti, V.
Iseda, Tohru See Komagata, Kazuyuki
Iseda, Toru
Glass substrates for hard disk or photomask and the process technology.—74-08427A
Iseki, Takayoshi See Lin, Bor-Wen; Yano, Toyohiko
Iseki, Takayoshi
Science and technology in composite materials: VI, 3. Joining of ceramics.—74-08269A
Isfahani, S. See Poech, M. H.
Ishchenko, S. S.; Baran, N. P.; Okulov, S. M.
Double low-field absorption in high-T_c superconductor single crystals.—74-06515A
Ishibashi, K. See Baumann, P. K.
Ishibashi, K.; Patnaik, B. K.; Parikh, N. R.; Sandhu, Gurtej S.; Fazan, P. C.
Thermal stability of thin poly-Si/Ta_2O_5/TiN capacitors for dynamic random access memory applications.—74-06358A
Ishibashi, Keiji See Yokoo, Toshinobu
Ishibashi, Tadao See Fukai, Yoshino
Ishibashi, Yoshihiro See Furusawa, Shinichi
Ishibashi, Yoshihiro; Gesi, Kazuo
Reexamination of temperature dependence of dielectric constants under high pressure in lead orthovanadate $Pb_3(VO_4)_2$ crystal.—74-00529A
Ishida, Atsumi; Miyayama, Masaru; Yanagida, Hiroaki
Electrical and mechanical properties in CaF_2/SiC-whisker composites.—74-10985A
Ishida, Emi; Sigmon, Thomas; Weiner, Kurt H.; Frost, Michael R.
Ultrashallow boxlike profiles fabricated by pulsed ultraviolet-laser doping process.—74-01923A
Ishida, H. See Goto, Y.
Ishida, K. See Kitaura, Y.
Ishida, Kenji See Ohsugi, Shigeki
Ishida, Kenji; Kitaoka, Yoshio; Asayama, Kunisuke; Kadowaki, Kazuo; Mochiku, Takashi
Cu NMR study in single crystal $Bi_2Sr_2CaCu_2O_8$: observation of gapless superconductivity.—74-03438A
Ishida, Kenji; Kitaoka, Yoshio; Asayama, Kunisuke.
^{63}Cu nuclear relaxation study in the mixed superconducting state in $YBa_2Cu_3O_7$: magnetic excitation at low temperatures.—74-03436A
Ishida, Kenji; Kitaoka, Yoshio; Cooper, J. R.
Cu NMR and MQR studies of impurities-doped $YBa_2(Cu_{1-x}M_x)_3O_7$ (M=Zn and Ni).—74-00793A
Ishida, Masanori See Hasegawa, Isao
Ishida, Shingo See Ishikawa, Makoto
Ishida, T.; Kouno, H.; Kobayashi, H.
Dependence of photovoltages of spray-deposited indium tin oxide/silicon oxide/silicon junction solar cells on spray solvents.—74-06030A
Ishida, Y.; Wang, J.; Suga, T.
Designing structural defects to relieve thermal stress.—74-08159A
Ishigame, Juji See Matsumura, Yoshiaki
Ishigame, Juji; Matsumura, Yoshiaki
Ceramic substrate sintered at low temperatures.—74-00542P
Ishiguro, Eiji See Akune, Yasuhiro
Ishiguro, T. See Saitoh, H.
Ishiguro, Yoichi See Kyoto, Michihisa
Ishihara, K. See Sakiyama, K.
Ishihara, Shozo See Miyamoto, Yoshiko
Ishihara, Tadashi See Yen, Bing K.
Ishihara, Tatsumi See Mizuhara, Yukako; Takita, Yusaku
Ishihara, Tatsumi; Kometani, Kazuhiro; Mizuhara, Yukako; Takita, Yusaku
Application of a mixed oxide capacitor to the selective carbon dioxide sensor: II, CO_2 sensing characteristics of a CuO-based oxide capacitor.—74-00457A
Ishihara, Tatsumi; Matsuda, Hideaki; Takita, Yusaku
Doped $LaGaO_3$ perovskite-type oxide as a new oxide ionic conductor.—74-04562A
Ishihara, Toshinobu See Takeda, Yoshihumi
Ishihara, Tsuguo; Tanaka, Katsuhisa; Hirao, Kazuyuki
Microstructure and optical absorption spectra of transparent glass-ceramics containing $ZnAl_2O_4$:Cr^{3+}.—74-00202A
Ishii, Chikara See Suzuki, Fumihisa
Ishii, H. See Ishikawa, Y.
Ishii, Koji See Sato, Mitsukuni; Yamamoto, Kenji
Ishii, M. See Sato, H.
Ishii, Masahiko; Nakashima, Kenji; Hayakawa, Tetsuo; Tajima, Ichiro; Yamamoto, Minoru
Effects of substrate temperature and bias potential on hydrogen plasma etching of silicon.—74-06062A
Ishii, Masami See Ito, Yoshitaka
Ishii, Takao See Yamaji, Akihiko
Ishii, Takehiko See Tezuka, Yasuhisa
Ishii, Tsukasa; Matsushita, M.
Fragmentation of long thin glass rods.—74-05720A
Ishikawa, Kunio See Chow, Laurence C.
Ishikawa, Makoto; Takeuchi, Nobuyuki; Ishida, Shingo
Effect of sintering additives and impurities on the high-temperature oxidation of Si_3N_4.—74-02075A
Ishikawa, Masayasu See Hanawa, Takeshi
Ishikawa, T. See Yokogawa, T.
Ishikawa, Tatsuo; Yasukawa, Akemi; Kandori, Kazuhiko
Textures of tetradecahedron δ-FeOOH particles and their thermal decomposition products.—74-07778A
Ishikawa, Tomonori See Osaka, Fukunobu; Tanaka, Nobuyuki
Ishikawa, Y.; Ishii, H.; Hasegawa, Hideki; Fukui, T.
Macroscopic electronic behavior and atomic arrangements of GaAs surfaces immersed in HCl solution.—74-06190A
Ishikawa, Yuichi See Yoshimura, Toshihiko
Ishiki, T.; Nishio, K.; Aoyagi, I.
High-resolution transmission electron microscopy of layer structure and stacking faults in tungsten disulfide lubricants.—74-10812A
Ishimaru, Hajime
Turbomolecular pump having vanes with ceramic and metallic surfaces.—74-01274P
Ishimaru, S. See Shiratsuchi, R.
Ishino, Toshihiro See Kida, Otojiro
Ishiwara, H. See Moon, B. K.
Ishiyama, O. See Murakami, Y.; Zhang, Ding-Jin
Ishizaka, Masatoshi
Luminous inorganic materials (phosphors).—74-10436A
Ishizaki, Kozo See Nanko, Makoto; Niihara, Koichi
Ishizawa, Nobuo See Yashima, Masatomo
Ishizuki, Takayuki See Sato, Teiji
Isidak, O. See Yilmaz, V. T.
Iskander, Magdy F. See Bringhurst, Shane; Tucker, James
Iskander, Magdy F.
Computer modeling and numerical simulation of microwave heating systems.—74-00904A
Ismail, M. G. M. U. See Takano, Yoichi
Ismailov, K. M. See Myurk, V. V.
Ismatov, A. A. See Tulyaganov, D. U.
Isobe, Tetsuhiko; Komatsubara, Satoru; Senna, Mamoru
Effects of the homogeneity of noncrystalline Pb-Ti-O gels on the complex thermal processes leading to $PbTiO_3$.—74-02618A
Isobe, Tetsuhiko; Okamoto, Yutaka; Senna, Mamoru
Mechanochemical synthesis of $ZrTiO_4$ precursor from inhomogeneous mixed gels.—74-10447A
Isogai, Yuji; Miyayama, Masaru; Yanagida, Hiroaki
Piezoelectric actuator responsive to environmental humidity.—74-09162A
Isomura, Keiichiro; Funahashi, Toshihiko; Uchimura, Ryojo; Ogasahara, Kazuki
Mold for slip casting and method of slip casting.—74-03762P
Isomura, Kenji See Kamiya, Hidehiro
Isomura, Manabu See Takahashi, Tomonori
Ison, Ira C.; Fulmer, Mark T.; Barr, Brayan M.
Synthesis of dahlite—the mineral phase of bone.—74-09804A
Isonage, Teruto See Shibata, Masatoshi
Isotani, Mitsuo See Niihara, Koichi
Isozaki, Kei See Ametani, Kohei
Isozaki, T. See Saito, Y.
Isozaki, T.; Saito, Y.; Masuda, A.; Fukumoto, K.; Chosa, M.; Ito, T.
Improvement on adhesion strength of diamond film on cemented carbide by heated intermediate layer.—74-08210A
Ispas, Traian See Haliski, Dan
Israeloff, N. E. See Buan, J.
Issa, M. A.; Hammad, A. M.
Assessment and evaluation of fractal dimension of concrete fracture surface digitized images.—74-07838A
Isu, T. See Morishita, Yoshitaka
Isupov, V. A.
Graphic representation of multicomponent systems of complex perovskites.—74-01391A
Itatani, Kiyoshi; Hasegawa, Minoru; Aizawa, Mamoru; Howell, F. Scott; Kishioka, Akira; Kinoshita, Makio
Properties of aluminum carbide powder prepared by the pyrolysis of alkylaluminum.—74-04849A

Itatani, Kiyoshi; Kishioka, Akira; Kinoshita, Makio
Properties of magnesium nitride and related compounds.—74-07024A

Itkin, S. M.; Vikulin, V. V.
Study of quartz ceramic strengthening by hydrothermal treatment.—74-07921A

Ito, Atsuko See Kawano, Hazuki

Ito, Daisuke See Nishikawa, Hiroyuki

Ito, Hiroshige See Uematsu, Keizo

Ito, Joji
Method of making thin sheet glass by fusion process.—74-08440A

Ito, Katsuhide; Akane, Hiroki; Ohi, Kikuo
Raman scattering of ferroelectric soft mode in $Sr_2Ta_2O_7$.—74-00764A

Ito, Katsura See Kidoh, Takanori

Ito, Kozo See Kojima, Norimichi

Ito, M. See Onuma, E.

Ito, M.; Murakami, Y.; Kaji, H.
Preparation of ultrafine RuO_2-SnO_2 binary oxide particles by a sol-gel process.—74-07438A

Ito, Masakazu; Deguchi, Hiroyuki; Hashimoto, Yuzo
Magnetic phase diagram of $DyNi_2Si_2$ with two-dimensionally modulated spin structures.—74-01533A

Ito, Masaya; Taniguchi, Masato
Method of producing a carburized ceramic-steel joined body.—74-08314P

Ito, Masumi See Hoshino, Sumio

Ito, Ryoichi See Kato, Y.; Zhang, Bao-Ping; Zhang, Xiong

Ito, S. See Maki, Iwao

Ito, Setsuro See Sugimoto, Naoki

Ito, Shinji See Kaneko, Yuji

Ito, Shuiti See Fujisawa, Satoru

Ito, T. See Aoyama, T.; Isozaki, T.; Saito, Y.; Tamasaku, K.

Ito, Tohimitsu See Yamaguchi, Hirotaka

Ito, Toshimichi See Iio, Satoshi

Ito, Tsugio See Oshima, Kenji

Ito, Yasuhiro See Yogo, Toshinobu

Ito, Yoshibo; Shimada, Shiro; Inagaki, Michio
Molten-salt synthesis of $Ba_{1-x}Pb_xTiO_3$ in the system $BaTiO_3$-$PbCl_2$.—74-09157A

Ito, Yoshitaka; Ishii, Masami; Oka, Tetsuo; Nakagawa, Takeo; Zhang, Li-Hong
Oxide superconductor wire having sintered silver powder layers.—74-03653P

Itoh, Akira See Tsuchiya, Shinji

Itoh, H. See Ichinokawa, T.; Mori, M.; Winau, D.

Itoh, H.; Tanabe, H.; Winau, D.; Schmid, A. K.; Ichinokawa, T.
Growth mode and surface structures of the Pb/Si(001) system observed by scanning tunneling microscopy.—74-07660A

Itoh, Hiromi See Kashihara, Keiichiro

Itoh, Hiroyuki See Sugino, Takashi

Itoh, Hisayoshi; Yoshikawa, Masahito; Nashiyama, Isamu; Misawa, S.; Okumura, H.; Yoshida, S.
Electron spin resonance study of defects in CVD-grown 3C-SiC irradiated with 2-MeV protons.—74-05011A

Itoh, M. See Miyamoto, Y.; Mori, S.

Itoh, Minoru; Ohno, Nobuhito; Uzawa, Yasuyuki
Intrinsic luminescence in synthetic mica crystals.—74-04154A

Itoh, Mitsuru See Choy, Jin-Ho; Inaguma, Yoshiyuki; Oguni, Masaharu

Itoh, Shinichi; Saito, Riichiro; Yabushita, Satoshi
Ab initio calculations of the multiplet terms of $(TmP_4)^{3+}$ cluster.—74-00563A

Itoh, T.; Suga, T.
Development of a force sensor for atomic force microscopy using piezoelectric thin films.—74-09118A

Itoh, Yutaka; Yasuoka, Hiroshi; Hayashi, Akihiko; Ueda, Yutaka
Cu nuclear spin-spin relaxation in $Tl_2Ba_2CuO_{6+\delta}$.—74-04273A

Itou, Kenji See Kawada, Nobuo

Itozaki, Hideo See Fujita, Nobuhiko; Harada, Keizo; Higaki, Kenjiro; Tanaka, Saburo

Itozaki, Hideo; Harada, Keizo; Fujimori, Naoji; Yazu, Shuji; Jodai, Tetsuji
Semiconductor substrate having a superconducting thin film.—74-09390P

Itozaki, Hideo; Higaki, Kenjiro; Yazu, Shuji
Superconducting thin film.—74-03664P

Itozaki, Hideo; Tanaka, Saburo; Fujita, Nobuhiko; Yazu, Shuji; Jodai, Tetsuji
Process for preparing superconducting material.—74-00878P

Itskevich, E. S. See Kraidenov, V. F.; Luppov, A. E.

Itsovich, R. Yu; Kvichko, L. A.; Kotok, L. A.
Modified method for obtaining highly textured YBaCu ceramics.—74-06588A

Itsumi, M.
Contamination determination for silicon carbide cantilever forks in diffusion furnaces.—74-06846A

Iturriza, I. See Ordonez, S.

Ivakhnyuk, G. K. See Dalidovich, V. V.

Ivakin, Yu. D. See Danchevskaya, M. N.

Ivanchenko, Yu. M.; Filippov, A. E.; Radievskii, A. V.
Fluctuation-induced discontinuous phase transition in the magnetic subsystem in La_2CuO_4.—74-03379A

Ivancho, I. See Vasil'kovskii, S.A.

Ivanisenko, Yu. V. See Korznikov, A. V.

Ivankovic, Hrvoje See Nass, Rudiger

Ivanov, A. I. See Svechnikov, G. S.

Ivanov, D. See Georgiev, J.

Ivanov, I. A. See Bogomolova, L. D.

Ivanov, I. A.; Stefanovskii, S. V.; Gulin, A. N.
Water resistance and ion diffusion in glass materiais simulating vitrified radioactive waste.—74-02504A

Ivanov, I. I. See Arakcheyeva, A. V.

Ivanov, I. See Belu-Marian, A.; Sjostrom, H

Ivanov, M. A. See Pikhtin, N. A.

Ivanov, M. A.; Mitrofanov, V. Ya.; Fal'kovskaya, L. D.
Influence of charge transport effects on behavior of impurity centers in cubic magnetics with mixed-valence ions.—74-07571A

Ivanov, M. A.; Mitrofanov, V. Ya.; Fishman, A. Ya.
Analysis of low-temperature properties of $La_{2-x}M_xCuO_{4-\delta}$ [M=Sr, Ca, Ba] in the multiwell potential centers.—74-04248A

Ivanov, P. A. See Andreev, A. N.; Elfimov, L. B.

Ivanov, P. A.; Konstantinov, A. O.; Pantaleev, V. N.
Charge properties of an Al-SiO_2-*n*-SiC{(0001)Si} MOS structure.—74-08839A

Ivanov, P. A.
FET based on 6H-SiC—temperature dependence of the conductivity of the *n*-type channel.—74-08912A

Ivanov, S. A. See Zhurov, V. V.

Ivanov, S. B. See Antokhina, T. F.

Ivanov, V. P. See Gilmutdinov, A. Kh.

Ivanov, Valeri I. See Stavrev, Starvri Y.

Ivanov, Yu. F. See Dedkov, V. S.; Lopatin, V. V.

Ivanov, Z. G. See Boikov, Yu. A.

Ivanova, E. V. See Suvorov, S. A.

Ivanova, I. V.
Phase-type composition and hydraulic activity of the products of thermally decomposed solid wastes in asestos cement production.—74-00086A

Ivanova, L. M.; Kovalenko, V. V.; Tkacheva, T. M.
Stresses and adhesion of thin polycrystalline 3C-SiC films grown by CVD on silicon substrates.—74-09049A

Ivanova, M. N.; Tsyrenova, G. D.; Bazarova, Zh. G.
Phase equilibria in the systems Rb_2MoO_4-$AMoO_4$-$Zr(MoO_4)_2$ (A=divalent elements).—74-04183A

Ivanova, O. P. See Dementjev, A. P.

Ivanova, Y.; Ceorgieva, I.; Kashchieva, E.
Ceramic pigments obtained by sol-gel method.—74-07217A

Ivanovich, M. See Mihailov, L.

Ivanovskii, A. L. See Sabiryanov, R. F.

Ivashevskii, S. N. See Petrovskii, G. T.

Ivashka, V. See Visatskas, A.

Ivashka, V.; Visatskas, A.
Magnetostatic surface waves in ferrite-superconductor contacts.—74-09304A

Ivchenko, L. G. See Raikhel, A. M.

Ivey, Douglas G. See Jian, Ping; Zhang, Lin

Ivey, Douglas G.; Wang, D.; Yang, D.; Bruce, Robert; Knight, Gordon
Au/Ge/Ni ohmic contacts to *n*-type InP.—74-02919A

Ivkov, J. See Kusevic, I.

Ivlev, G. D.; Nuprienok, I. S.; Chaplanov, A. M.
Effect of nanosecond laser heating on the phase composition and electrophysical characteristics of Ti-Si thin-film systems.—74-04284A

Iwadate, Yasuhiko; Fukushima, Kazuko; Hattori, Takeo; Mochinaga, Junichi
X-ray diffraction study of the structure of B_2O_3-Cs_2O liquids.—74-04239A

Iwahara, H. See Nagata, M.

Iwahara, H.; Yajima, T.; Hibino, T.
Performance of solid oxide fuel cell using proton and oxide ionic mixed conductors based on $BaCe_{1-x}Sm_xO_{3-\alpha}$.—74-00679A

Iwaki, M. See Tanabe, N.

Iwaki, Masaya See Watanabe, Hiroshi

Iwaki, Masaya; Takahashi, Katsuo; Sekiguchi, Atsushi
Wear and Raman spectroscopy of ion-bombarded glasslike carbon.—74-04982A

Iwakoshi, Y. See Ohzuku, T.

Iwami, Tomoaki; Tadanaga, Kiyoharu; Tatsumisago, Masahiro; Minami, Tsutomu; Tohge, Noboru
Preparation of CdS-doped glasses from gels containing diethyldithiocarbamatocadmium.—74-05784A

Iwamoto, Takashi; Mackenzie, John D.
Ormosils of high hardness.—74-10131A

Iwamoto, Yuji See Matsumura, Masahiro; Takahashi, Hideo

Iwanaga, Hikaru See Kitano, Yukishige

Iwanaga, Shoichi See Fujita, Tsuyoshi; Tanei, Hirayoshi

Iwasaki, Tatsuya; Okano, Ken; Matsumae, Yoshiaki
Formation of ohmic contacts on semiconducting diamond grown by chemical vapor deposition.—74-03021A

Iwase, Hiroaki See Kosugi, Toshihiko

Iwase, M.; Watanabe, H.; Nakayama, N.
Solubilities of CO_2 in candidate glasses for nuclear waste immobilization: I, Systems Cs_2O+SiO_2, Cs_2O+B_2O_3, Rb_2O+SiO_2, and Na_2O+B_2O_3.—74-05696A

Iwashita, Katsuhiko See Nakamura, Shintaro

Iwashita, N. See Inagaki, Michio

Iwashita, Tetsushi See Ota, Yoshio

Iwata, Keiichi See Akita, Noboru

Iwata, Misao See Oshima, Kenji

Iwata, S.
Concept of a "virtual production line" produced by integrating databases and models of materials.—74-00906A

Iwata, Tadao See Watanabe, Mitsuo

Iwatsuki, M. See Uesugi, K.; Yoshimura, M.

Iwauchi, Kozo
Ac conductivity of $LaCuO_4$.—74-02820A

Iwaya, Shoichi See Sato, Teiji

Iyengar, N.; Reifsnider, Kenneth L.
Low cycle fatigue life prediction of ceramic matrix composites at elevated temperatures.—74-11035A

Iyer, A. N. See Balachandran, U.

Iyer, A. N.; Balachandran, U.; Motowidlo, L. R.; Hoehn, J. G., Jr.; Haldar, P.
Fabrication and characteristics of tapes and test magnets made from Ag-clad Bi-2223 superconductors.—74-06542A

Iyer, Suman B.; Harshavardhan, K. S.; Kumar, Vikram
Interfacial electrical properties of diamondlike carbon/gallium arsenide heterostructures.—74-03070A

Iyi, Nobuo See Tanaka, Hidehiko

Izaiku, Takeshi See Hirata, Yoshihiro

Izaki, Kansei See Hirano, Takeshi; Niihara, Koichi

Izhevskii, V. A.; Koval'chenko, M. S.; Timofeeva, I. I.; Rogozinskaya, A. A.
Phase formation, microstructure, and high-temperature strength of sintered materials based on aluminum nitride SiAlON polytypes.—74-05219A

Izhevskii, V. A.; Koval'chenko, M. S.
Additional heat treatment of sintered ceramics based on ß-SiAlON's.—74-01608A

Izmailova, S. G.; Kvoschev, S. S.; Shubaeva, M. A.
Adsorption properties of low-silica zeolite ZK-5.—74-07142A

Izolov, Yu. L.; Lapshin, N. G.; Pogrebnyak, N. A.
Concrete mixtures from coarse and porosive fillers.—74-00042A

Izotov, A. I. See Tsymbal, L. T.

Izrael, A. See Marzin, J.-Y.

Izumi, Fujio See Kito, Hijiri; Ohtaka, Osamu

Izumi, Mamoru See Saitoh, Shiroh

Izumi, S. See Miyakuni, S.

Izumi, T. See Fujita, K.

Jaber, B. See Remiens, D.

Jablonski, R.; Byszewski, P.; Giersz, W.; Pajaczkowska, A.; Pracka, I.
Magnetic properties of $CaNdAlO_4$ high-T_c substrates.—74-06577A

Jaccodine, R. J. See Beck, S. E.

Jachim, Lorraine A. See Naito, Naomi

Jackel, R. See Scheibe, H.-J.

Jackman, Richard B. See Beckman, Judith; Chua, Lye-Hing

Jackson, Andrew D. See Jones, Philip A.

Jackson, Cheryl L.; Liu, John Y.
Plastic refractory compositions having improved flowability.—74-00415P

Jackson, D. B. See Philipossian, A.

Jackson, D. J. C.; Das, M. P.
Freezing of the vortex liquid in the high-T_c superconductors.—74-03468A

Jackson, G. S. See Pan, N.

Jackson, J. D.; Yen, Chien-Cheng
Measurements of total and spectral emissivities of some ceramic fiber insulation materials.—74-09580A

Jackson, Mitchell L. See Janney, Mark A.

Jackson, Robert A. See Akhtar, M. J.

Jackson, Stuart
Microwave drying of ceramics.—74-10462A

Jackson, T. N. See Ransom, C. M.

Jacob, J. M.; Kim, D. S.; Bouchalka, A.
Spatial characteristics of GaAs, GaAs-like, and AlAs-like phonons in $GaAs/Al_xGa_{1-x}As$ superlattices: the strong *x* dependence.—74-06319A

Jacob, N. E. See Shaikh, A. A.

Jacob, N. E.; Joshi, P. N.; Shaikh, A. A.; Shiralkar, V. P.
Crystallization of gallium analog of zeolite Nu-23/ferrierite.—74-01362A

Jacob, W.; Reinke, P.; Moller, W.
Ion energy distributions from electron cyclotron resonance [ECR] methane plasmas.—74-01772A

Jacoboni, Charles P.; Boulard, Brigitte R. J.
Vapor-phase deposition of fluorine glass.—74-02700P

Jacobs, David S.; Chen, I-Wei
Cyclic fatigue in ceramics: a balance between crack shielding accumulation and degradation.—74-05331A

Jacobs, J. P.; Reijne, S.; Elfrink, R. J. M.; Mikhailov, S. N.; Brongersma, H. H.; Wuttig, M.
Quantification of the composition of alloy and oxide surfaces using low-energy ion scattering.—74-05224A

Jacobs, James K. See Dasgupta, Sankar

Jacobs, R. See Dekempeneer, E. H. A.; Meneve, J.

Jacobs, T. D. See Ellingson, W. A.

Jacobson, L. A.; McKitrick, J.
Rapid solidification processing.—74-07456A

Jacobson, Nathan S. See Lee, Kang N.

Jacobson, S. See Axen, N.

Jacot, K. Thomas; Waseda, Yoshio
Phase relations in the system La-Rh-O and thermodynamic properties of $LaRh_3O_3$.—74-04188A

Jacquet, M. See Caperaa, C.

Jadrijevic, Ante
Wet sieve analysis of fresh concrete: correction procedures.—74-00102A

Jaeger, H. M.; Knight, J. B.; Liu, C. H.
What is shaking in the sandbox.—74-07788A

Jaegermann, W. See Papageorgopoulos, C. A.

Jaekel, Christian; Barth, Roland; Roskos, Hartmut G.; Kurz, H.
End-point detection by sputtered neutral mass spectrometry in ion milling of prepatterned semiconductor and high-T_c superconductor films.—74-06766A

Jaenicke-Robler, K. See Otschik, P.

Jaffrezic-Renault, N. See Rocher, V.

Jagannadham, K. See Zheleva, Tsvetanka

Jagannadham, K.; Narayan, J.; Chowdhury, Rina; Tsvetanka, Z.; Tiwari, P.
Domain epitaxial growth on TiN/Si(001), TiN/GaAs(001), Si/TiN/Si(001) heterostructures by laser physical vapor deposition: theory and experiment.—74-07263A

Jager, G. See Bauer, C.

Jager, S.; Bewilogua, K.; Klages, C.-P.
Infrared spectroscopic investigations on h-BN and mixed h/c-BN thin films.—74-04152A

Jager-Waldau, G.; Habermeier, Hans-Ulrich; Zwicker, G.; Bucher, E.
Electron beam induced current investigations of active electrical defects in silicon due to reactive ion etching and reactive ion beam etching processes.—74-05009A

Jaglello, Jacek See Bandosz, J. Teresa

Jagota, Anand See Jagota, Sujata

Jagota, Anand; Scherer, George W.
Viscosities and sintering rates of composite packings of spheres.—74-04978A

Jagota, Sujata; Harmer, Mark A.; Lemon, Michael F.; Jagota, Anand; McCarron, Eugene M., III
Pillared smectite clay coatings for ceramic matrix composites.—74-07414A
Jahanmir, Said See Xu, Hockin H. K.
Jahnel, F. See Von Criegern, R.
Jain, A.; Kodas, Toivo T.; Jairath, R.
Selective and blanket copper chemical vapor deposition for ultra-large-scale integration.—74-01875A
Jain, Adesh; Sirkis, James S.
Continuum damage mechanics in piezoceramics.—74-00747A
Jain, Dilip C. See Eusner, Paul R.
Jain, Dilip C.
Comparison of various high-alumina aggregates in 90% ultralow-cement castable and blast-furnace trough and runner castable.—74-08613A; Mullite.—74-06915A
Jain, J. See Kasap, S. O.
Jain, S. C.; Bardes, B. B.
Trends in aerospace forgings in the 1990's.—74-07961A
Jain, V. K. See Koshy, Philip
Jain, Vijay See Bickford, Dennis F.; Simpson, J. C.
Jairath, R. See Jain, A.
Jakovkina, L. V. See Smironova, T. P.
Jakovlev, G. D. See Chukichev, M. V.
Jakubenas, Kevin; Marcus, H. L.
Silicon carbide from laser pyrolysis of polycarbosilane.—74-07478A
Jakubowicz, Abraham See Cahen, David
Jakubowski, A. See Brozek, T.; Mitura, E.
Jakus, Karl See Murphy, Dawn; Nair, S. V.; Webb, James E.; Widjaja, Sujanto
Jambazov, S. See Dimitriev, Y.
Jambazov, S.; Lepkova, D.
Synthesis and properties of Al_2TiO_5 ceramics.—74-06442A
James, A. S.; Matthews, A.
Ceramic surface engineering.—74-10217A
James, Matthew See Ekstrom, Thommy
James, Peter F. See Chen, Makan; Lee, William E.; Wu, J.
James, Timothy W. See Olson, William L.
Jamison, Gregory M.; Loy, Douglas A.; Assink, Roger A.
Hydrocarbon-bridged polysiloxane and polysilsesquioxane network materials.—74-10393A
Jamnicky, Miroslav See Znasik, Peter
Jan, W. See Cunningham, J. E.
Janas, Victor E. See McNulty, Thomas F.; Livneh, Shai S.
Janas, Victor F.; McNulty, Thomas F.; Walker, Francis R.; Schaeffer, Robert P.; Safari, Ahmad
Processing of 1-3 piezoelectric ceramic/polymer composites.—74-09173A
Janas, Victor F.; Safari, Ahmad
Overview of fine-scale piezoelectric ceramic/polymer composite processing.—74-09161A
Jang, B. Y.; Enoki, Manabu; Kishi, Teruo
Effect of microstructure on mechanical properties of Al_2O_3-based composites by particulate-precipitated dispersion.—74-10288A
Jang, Hyun-M. See Kim, You-Song
Jang, Hyun-M.; Cho, Sung-R.; Lee, Kyu-Mann
Mechanism of formation of perovskite phase and dielectric properties of $Pb(Zn,Mg)_{1/3}Nb_{2/3}O_3$ [PZMN] ceramics prepared by columbite precursor routes.—74-03322A
Jang, Hyun-M.; Moon, Jong-H.; Kim, Kwang-S.
Microstructures and densification behaviors of Al_2O_3-ZrO_2 (ZTA) composites fabricated by a surface-induced coating.—74-04362A
Jang, Hyun-M.
Surface precipitation route for the development of cordierite-zirconia composites.—74-04932A
Jang, Jae-Hyuk See Yoon, Ki-Hyun
Jang, Se A.
Method for forming a field oxide film in a semiconductor device.—74-09089P
Jang, Woo-S. See Yoon, Jung-S.
Janiak, Christoph; Hoffmann, R.; Sjovall, Peter
Potassium promoter function in the oxidation of graphite: an experimental and theoretical study.—74-10863A
Janischowski, K. See Graupner, R.
Janko, Andras
Microstructural characteristics of adherent layers formed in the sintering zone of clinker burning rotary kilns.—74-06862A
Janney, Mark A.; Jackson, Mitchell L.; Kimrey, Hal D.
Microwave sintering of ZrO_2-12 mol% CeO_2.—74-01801A
Janning, H. See Luysberg, M.
Jannot, B. See Fontana, M. D.
Janocha, Hartmut
Moisture measurement in granulated solids.—74-09583A
Janosovits, U.; Gerstel, P.; Keuthen, M.
Influence of synthesis parameters on structure and morphological characteristics of Al_2O_3-aerogel-based materials.—74-04707A
Janossy, B.; Fruchter, L.; Campbell, I. A.
High field magnetic fluctuations in LaSrCuO.—74-04331A
Jansen, J. C. See Geus, E. E.
Jansen, Martin; Letschert, Hans-Peter; Speer, Dietrich
Method of producing tantalum (V) nitride.—74-03995P
Jansen, R.; Van der Wielen, M. C. M. M.; Prins, M. W. J.; Abraham, D. L.; Van Kempen, H.
Progress toward spin-sensitive scanning tunneling microscopy using optical orientation in GaAs.—74-06804A
Janssen, Frans J. J. G. See Bolech, Mark
Janssen, G. See Dekeersmaecker, R.; Schermer, J. J.; Van Enckevort, W. J. P.
Janssen, R. See Garcia, Daniel E.; Kosmac, T.
Janssen, Reinhold See Goerenz, Edmund
Jansson, S. See Doghri, I.
Jansson, S.; Leckie, F. A.
Mechanics of failure of silicon carbide fiber-reinforced glass matrix composites.—74-11047A
Jansson, Ulf See Engqvist, Jan
Jantai, Adam See Hencsei, Pal
Jantzen, Carol M. See Bennert, David M.
Janz, S. See Chatenoud, F.
Janzen, E. See Hjort, K.
Jardim, R. F. See Machado, A. J. S.
Jardim, R. F.; Maple, M. B.
Formation of $LnCeO_x$ (Ln=Nd, Pr, Sm, Eu) solid solutions.—74-06550A
Jardinier-Offergeld, M. See Maoujoud, M.
Jarosinski, Andrzej
Properties of anhydrite cement obtained from apatite phosphogypsum.—74-02349A
Jarosinski, W. J. See Shaw, K. G.
Jarque, J. C. See Negre, F.
Jarrendahl, K.; Birch, J.; Dukea, M.; Arwin, H.; Sundgren, J.-E.
X-ray study of generalized Cantor superlattices.—74-05299A
Jarrendahl, K.; Pecz, B.; Sundgren, J.-E.; Arwin, H.
Growth and ellipsometric studies of periodic and Cantor aperiodic amorphous Ge/Si superlattices.—74-03032A
Jarrige, J.; Mexmain, J.; Oumaloul, M.; Bachelard, Roland; Disson, Jean-Pierre
Aluminum nitride—from the powder to the substrate.—74-10190A
Jartoux, Pierre; Lacroix, Roger
External prestressing in bridges—a state of art.—74-05522A
Jarulaitis, Vytautas See Lasys, Adolfas
Jaschinski, Wolfgang; Nagel, Alwin
Possibilities and limits of shaping ceramic powders.—74-00972A
Jashkin, I. L. See Smironova, T. P.
Jaskie, James E. See Moyer, Curtis D.
Jaskiewicz, P. See Pekala, K.
Jaskowiak, Martha H. See Philipp, Warren H.
Jauberteau, J. L. See Thomas, L.
Jaume, Richard R.
Sol-gel elaboration of lanthanum chromite heating element.—74-09801A
Jaussaud, C. See Ouisse, T.
Jayaram, V. See Dhandapani, S. P.
Jayaram, Vikram See Balmer, Mari Lou; Salas, Olimpia
Jayaraman, N. See Rangaswamy, Partha
Jayaratne, Kumudini C. See Winter, Charles H.
Jayashankar, S.; Kaufman, Michael J.
Refractory metal reinforced $MoSi_2$/SiC composite with matched thermal coefficients of expansion.—74-00180P
Jaymes, Isabelle; Douy, Andre; Massiot, Dominique; Busnel, Jean-Pierre
Synthesis of a mullite precursor from aluminum nitrate and tetraethoxysilane via aqueous homogeneous precipitation: a ^{27}Al and ^{29}Si liquid- and solid-state NMR spectroscopic study.—74-10673A
Jaymes, Isabelle; Douy, Andre
Novel synthesis of mullite powder.—74-04785A
Jayne, D. T. See Ogbuji, Linus U. J. T.
Jayne, Douglas T.; Matthiesen, Mary M.
Removing hydroxypropyl methylcellulose sizing from sapphire fibers by ultraviolet/ozone cleaning.—74-10610A
Jaynes, William F. See Boyd, Stephen
Je, Jung-Ho See Shim, Chang-Hoon
Jean, A. See Blouin, M.
Jeanjaquet, S. See Kendig, M. W.; Tench, D. M.
Jedamzik, Heinz-Werner
Contraction and expansion—deformation of building materials under the influence of moisture: I.—74-08514A; II.—74-08515A
Jedlicka, A. B. See Mroz, Cathleen
Jedlinski, J.; Borchardt, G.; Bennett, M. J.
Current approaches in studying the transport processes in thermally growing thin oxide films.—74-05304A
Jeelani, S. See Mahfuz, H.; Vaidya, U. K.
Jeffries, Jay B. See Stalder, Kenneth R.
Jelen, C.; Slivken, S.; He, X. G.; Razeghi, M.; Shastry, S.
Characterization of high-quality GaIn/GaAs superlattices grown on GaAs and Si substrates by gas source molecular beam epitaxy.—74-05086A
Jelinek, M.; Olsan, V.; Soukup, L.; Charalabidis, D.; Hontzopoulos, E.; Georgiou, E.
Properties of carbon films deposited by laser ablation.—74-04850A
Jelle, B. P.; Hagen, G.
Transmission spectra of an electrochromic window based on polyaniline, prussian blue, and tungsten oxide.—74-05745A
Jen, M.-H. R. See Lin, C.-T.
Jenkins, C. E. See Buhaenko, D. S.
Jenkins, M. G. See Piccola, J. P., Jr.
Jenkins, M. G.; Breder, Kristin; Salem, Jonathan A.; Tennery, Victor J.
Elevated-temperature macroflaw fracture and tensile creep/creep rupture behavior of a self-reinforced silicon nitride.—74-02132A
Jenkins, M. G.; Lin, C.-K. J.; Ferber, M. K.
Fatigue and failure behavior of a HIPed silicon nitride under static, dynamic, and cyclic tensile loading at elevated temperatures.—74-02138A
Jennings, Hamlin M. See Day, Paul S.; Skamser, Daniel J.
Jennings, Hamlin M.; Tennis, Paul D.
Model for the developing microstructure in portland cement pastes.—74-02339A; Model for the developing microstructure in portland cement pastes[—correction].—74-08074A
Jensen, James A.
Thermoset polymeric precursors for aluminum nitride.—74-01341P
Jensen, K. L.; Gaanguly, A. K.
Numerical simulation of field emission from silicon.—74-00672A; Time-dependent, self-consistent simulations of field emission from silicon using the Wigner distribution function.—74-03253A
Jenssen, H. P. See Chang, J. Y.
Jeon, C.-H. See Jeung, J.-W.
Jeon, D. Y.; Chin, G. M.; Lee, K. F.; Yan, R. H.; Westerwick, E.; Cerullo, M.
Gate technology for 0.1-μm Si complementary metal-oxide-semiconductor using *g*-line exposure and deep ultraviolet hardening.—74-06118A
Jeon, D. See Khang, Yoon-Ho; Noh, H. P.
Jeon, D.; Hashizume, T.; Sakurai, T.
Scanning tunneling microscopy of alkali-induced structures on the Si(111) surface.—74-07739A
Jeon, H. See Han, J.
Jeon, Il-Cheol See Park, Seong-Ju
Jeon, Yoo-Chan; Lee, Ho-Young; Joo, Seung-Ki
I-V characteristics of electron-cyclotron-resonance plasma-enhanced chemical-vapor-deposition silicon nitride thin films.—74-04242A
Jeong, B.-S.; Hong, Y.-K.; An, J.-Y.
Site symmetry of Er^{3+} in $In_{0.5}Ga_{0.5}P$.—74-09040A
Jeong, G.-T. See Kim, B.-I.
Jeong, Hyeok-Je See Park, Hee-Dong
Jeong, J.-I.; Lim, B.-M.; Moon, J.-H.; Hong, J.-H.; Kang, J.-S.; Lee, Y.-P.
Reaction mechanism between BN-sprayed graphite and molten Al, in vacuum, and its application to the evaporation source for reactive metals including Al.—74-04020A
Jeong, Won-Joong See Whang, Chin-Myung
Jeong, Yu-Cheol See Yeom, Han-Cheol
Jepsen, Kim S.; Storkfelt, Niels; Vaa, Michael
Polarization dependence of linewidth enhancement factor in InGaAs/InGaAsP MQW material.—74-06266A
Jergel, M. See Luby, S.; Majkova, E.
Jernot, J. P. See Osterstock, F.
Jero, Paul D. See Parthasarathy, Triplicane A.
Jero, Paul D.; Kriven, Waltraud M.
High-temperature transformation toughening of magnesia by terbia.—74-01393A
Jess, P. See Behler, S.
Jessen, Todd L. See Bender, Barry A.
Jessen, Todd L.; Greenhut, Victor A.; Friel, John J.; Lewis, David, III
Effect of nonuniform fiber distribution on the properties of a unidirectional CFCMC [ceramic fiber, ceramic matrix composite]: mechanical and physical properties.—74-10081A
Jessen, Todd L.
Ceramic composites with ceramic fibers.—74-09911P
Jessop, P. E. See Boudreau, Marcel; Ojha, Jugnu J.
Jeung, J.-W.; Park, D.-W.; Jeon, C.-H.
Preparation of yttria-stablized zirconia films by the electrochemical vapor deposition.—74-10573A
Jewell, John M.; Sachon, Maria; Aggarwal, Ishwar D.
H_2O and HF evolution from ZBLAN glasses.—74-05681A
Jeynes, C. See Ajayi, O. B.; Pan, Xiao-Dan
Jha, A. K.; Mendiratta, R. G.
Mossbauer study in Pb-Bi-Sr-Ca-Cu-O superconductor.—74-09310A
Jha, Animesh See Yoon, S. J.
Jha, S. C. See Forster, J. A.
Jha, S. C.; Forster, J. A.
Producing titanium aluminide foil from plasma-sprayed preforms.—74-00976A
Jhon, M. S. See Azarian, M. H.; O'Connor, T. M.
Ji, H.-L. See Zhuang, Rui-Fang
Ji, H.-L.; Shi, Zhi-Xiang; Jin, Xin
Magnetization relaxation in $YBa_2Cu_3O_{7-\delta}$.—74-09303A
Ji, J. J.; Brungs, M. P.
Probe for measuring oxygen activity in molten glasses.—74-00689A
Ji, Ping See Du, She-Jun
Ji, Yang-Yang; Liang, Jing-Kui; Xie, Si-Shen; Yu, Yude
Subsolidus phase equilibria of the CaO-B_2O_3-BaO system.—74-04224A
Jia, C. L.; Nguyen, P.; Teng, E.; Eltoukhy, A.
Role of surface properties in the mechanical performance of thin-film rigid disks.—74-04876A
Jia, Q. X.; Anderson, W. A.
Epitaxial BaF_2 films on InP(100) deposited by rf magnetron sputtering.—74-03002A
Jia, Q. X.; Chang, L. H.; Anderson, W. A.
Interactions between ferroelectric $BaTiO_3$ and Si.—74-03316A
Jia, Q. X.; Shi, Z. Q.; Yi, J.
Effect of barrier layers on $BaTiO_3$ thin-film capacitors on Si substrates.—74-01508A
Jia, Shun-Lian See Du, Yu-Kou
Jia, Xiao-Lin See Zhang, Hong-Xi
Jia, Xiao-Peng See Hong, Shi-Ming
Jian, Jian-Ming See Huang, Zhi-Guang
Jian, Ping; Ivey, Douglas G.; Bruce, Robert; Knight, Gordon
Ohmic contact formation in palladium-based metallizations in *n*-type InP.—74-06232A
Jiang, Bing-Hui
Effect of talc on thermal stability of porcelain glaze.—74-05891A
Jiang, D. See Zhou, Y.
Jiang, D.-T. See Coulthard, I.
Jiang, Dong-Liang See Huang, Zheng-Ren; Liu, Q.; Pan, Y.-B.; She, Ji-Hong
Jiang, Dong-Liang; She, Ji-Hong; Tan, Shou-Hong
Nitridation of SiC-TiC composites by hot isostatic pressing.—74-05649A
Jiang, G.-S. See Lu, F.-X.
Jiang, H. X. See Staikov, P.
Jiang, H.; Elliman, R. G.; Williams, J. S.
p-type doping of GaAs by carbon implantation.—74-02902A
Jiang, J. C.; Faynberg, V.; Allen, P. K.
Fabrication of micromachined silicon tip transducer for tactile sensing.—74-00619A
Jiang, Jing See Chen, Guang
Jiang, Nai-Xiong See Wachsman, Eric D.
Jiang, Q. D.; Matacotta, F. C.; Konijnenberg, M. C.; Muller,

G.; Schultheiss, C.
Deposition of $YBa_2Cu_3O_{7-x}$ thin films by channel-spark pulsed electron beam ablation.—74-03440A
Jiang, Qian See Ding, Xue-Zhou
Jiang, S. P.
Role of water vapor on the kinetics of H_2 oxidation on porous Ni electrodes at 1000°C.—74-02089A
Jiang, Shu-Fen See Gao, Xiao-Hui
Jiang, W. See Wang, Xiao-Dong
Jiang, W.; Yeh, N.-C.; Reed, D. S.
Evidence of a Bose glass transition in superconducting $YBa_2Cu_3O_7$ single crystals with columnar defects.—74-04314A
Jiang, Wei-Nan; Mishra, U. K.
Study of the *I-V* characteristics of planar-doped-barrier electron emitters.—74-03235A
Jiang, Wei-Zhong; Qian, Hui-Chun
Elimination and prevention of fishscale of sheet steel enamel.—74-08182A
Jiang, Wu; Mao, S.-N.; Xi, X.-X.
Anomalous transport properties in superconducting $Nd_{1.85}Ce_{0.15}CuO_{4+\delta}$.—74-06488A
Jiang, X. L. See Coulombe, S.
Jiang, X. L.; Gitzhofer, F.; Boulos, M. I.
Induction plasma reactive deposition of tungsten and titanium carbides.—74-08212A
Jiang, X. X. See Weng, L.
Jiang, X. See Boettger, E.; Liu, N.; Salditt, T.
Jiang, X.; Klages, C.-P.
Deposition and characterization of ß-SiC and diamond/ß-SiC composite films.—74-10257A; Heteroepitaxial diamond growth on (100)silicon.—74-10380A
Jiang, X.; Six, R.; Klages, C.-P.; Zachai, R.; Hartweg, M.
Effect of substrate bias voltage on the nucleation of diamond crystals in a microwave plasma-assisted chemical vapor process.—74-01691A
Jiang, Xian-Yi; Ahao, Ying; Cao, Bo-Ling
Research on once fast firing of glazed tile at low temperature.—74-05907A
Jiang, Xiang-Liu See Zhang, Wen-Jun
Jiang, Xin-Li See Bihari, Bipin
Jiang, Xiu-Gang See Zuo, F.
Jiang, Y. Q.; Chen, X. J.; Yang, D. M.
Measure of the interfacial shear strength between SiC (CVD)/B (CVD) filament-aluminum matrix by fragmentation method.—74-10445A
Jiang, Yen-Dao See Xu, Zheng-Kui
Jiang, Z. See Hu, L.
Jiang, Zhi-Hua See Zhou, Li-Qin
Jiang, Zhong-Hong See Ye, Hui
Jiang, Zuo-Zhao See Zhang, Zong-Tao
Jiao, Peng-Fei See Chen, Wei-Xi
Jiao, Quing-Ze See Li, Xi
Jiao, Shu-Liang See Song, We-Dong
Jickells, A. J. See Khela, S.; Pearce, D. H.
Jickells, A. J.; Knela, S.; Alliat, I.
Comparative study of test methodologies for thermal shock and thermal fatigue testing of ceramics in high-temperature energy applications.—74-09559A
Jimbo, Genji See Kamiya, Hidehiro
Jimbo, Genji
Ultrafine particles: advantages and drawbacks.—74-10710A
Jimenez, Basilio See Calzada, M. L.
Jimenez, Basilio; Vicente, J. M.
Piezoelectric coefficients of materials with high anisotropy.—74-03334A
Jimenez, C. See Montero, I.; Perez-Rigueiro, J.
Jimenez, J. See Moreno, R.
Jimenez-Becerril, Jaime See Carrera, Luz Maria
Jimenez-Ceniceros, A.; Vasquez-Polo, G.; Renero, C.
Mechanical model for two-dimensional coarsening foams.—74-07679A
Jimenez-Melendo, M. See Bravo-Leon, A.; Martinez-Fernandez, J.
Jimenez-Melendo, M.; Dominguez-Rodriguez, A.; Castaing, J.
Fast temperature changes during high-temperature creep of stabilized ZrO_2.—74-07567A
Jimenez-Solis, C. See Barrera-Solano, C.
Jin, Biao-Bin; Cheng, Qi-Heng; Xu, Wei-Wei
Harmonic mixer in 3-mm band at liquid nitrogen temperature.—74-03478A
Jin, Duo See Zhang, Zhong
Jin, Feng See Gong, Ma-Li
Jin, G. G.; Tang, Y. S.; Thoms, S.; Wilkinson, C. D. W.; Gundlach, A. M.
Nanometer metal oxide semiconductor field effect transistor structures for studying electron transport.—74-06218A
Jin, Ji-Rong; Jin, Xin; Qin, Meng-Jun
Effects of slow neutron irradiation on *R-T* curves of high-temperatures superconductors.—74-09262A
Jin, Ji-Rong; Jin, Xin; Shen, Jian-Chang
Effects of neutron irradiation on high-T_c superconductors (HTSC).—74-06528A
Jin, Jian-Feng See Wang, Min-Quan
Jin, Ma; Ying, Li-Shu
Preparation of ZnO films by reactive evaporation.—74-01853A
Jin, Nan-Guo See Qian, Xiao-Qian
Jin, P. See Nowak, R.
Jin, Qing-Hua See Ding, Da-Tong
Jin, Quian See Tu, Quiang
Jin, S.; Wen, X. Y.; Zhang, Z.
Transmission electron microscopic study of titanium silicides fabricated by implantation of titanium into silicon and thermal annealing.—74-07782A
Jin, Shu; Fanciulli, M.; Moustakas, T. D.; Robins, L. H.
Electronic characterization of diamond films prepared by electron cyclotron resonance microwave plasma.—74-04612A
Jin, Shu; Moustakas, T. D.
Growth of diamond thin films by ECR plasma-assisted CVD at low pressures and temperatures.—74-10378A
Jin, Sung-Ho See Graebner, J. E.; McCormack, M.
Jin, Sung-Ho; Graebner, J. E.; Tiefel, T. H.
Thinning and patterning of CVD diamond films by diffusional reaction.—74-10749A
Jin, Sung-Ho
Batch process for thinning and shaping diamond films.—74-01620A
Jin, Wei
Molecular dynamics simulations of structural transformation and dynamical correlations in silica glass at high pressures.—74-08378A
Jin, Xin See Ji, H.-L.; Jin, Ji-Rong; Shao, Hui-Min; Shi, Zhi-Xiang; Yu, Yang
Jin, Yan; Li, Chun-Zhi; Mi, Jia-Wei; Yan, Ming-Gao
New phase transition of SiC particulates in cast Al metal matrix composites.—74-05647A
Jin, Yuan-Sheng See Wu, Hua-Dong
Jin, Zhi-Hao See Hao, Hong-Qi
Jin, Zhi-He; Mai, Yiu-Wing
Effects of damage on thermal shock behavior of ceramics.—74-07156A
Jin, Zhuo-Ren
Function of admixtures on production of nonfired fly ash brick.—74-00363A
Jin, Zong-Zhe See Zhang, Guo-Jun; Zhao, Hong
Jin, Zong-Zhe; Yang, Hong; Zhao, Hong; Yue, Xue-Mei
Failure criteria for high-temperature fatigue of ceramic materials.—74-10993A
Jinnouchi, Shimpei See Suzuki, Toshiya
Jiresova, Jana See Siroky, Karel
Jo, Dong-Soo See Choi, Sang-Wook
Jo, J. See Parthasarathi, S.
Jo, Takeo See Harasaki, Akiko; Tanaka, Arata
Jo, William See Choi, H. S.
Joachim, C. See Tang, H.
Joag, D. S. See Sharma, A. K.
Jochum, J. See Gutsche, M.
Jodai, Tetsuji See Fujita, Nobuhiko; Itozaki, Hideo; Yamamoto, Susumu
Jodgudri, S. A. See Gadave, K. M.
Johansen, H. See Reisse, G.
Johansen, T. H.; Mestl, H.; Bratsberg, H.
Lateral magnetic force and stiffness between a high-T_c superconductor and magnet of rectangular shapes.—74-09295A
Johansen, Vagn; Hjerth, Ulla
Examination of clinkers with light-colored cores.—74-05141A
Johansen, Vagn; Thaulow, Nils; Idorn, Gunnar M.
Expansion reactions in mortar and concrete.—74-08026A
Johansson, E. See Skytt, P.
Johansson, E.; Norekrans, A.-S.; Carlsson, Jan-Otto
Nucleation of diamond on vapor deposited graphite.—74-00134A
Johansson, Lars G. See Jonson, Bjorn
Johansson, Leena-Sisko; Juhanoja, Jyrki
Applicability of the Tougaard ratio *D* in the analysis of nanometric TiO_2 overlayers.—74-01962A
Johansson, Leena-Sisko; Losoi, T.; Juhanoja, Jyrki
Surface study of DWA [dispersing and wetting agent] wetted TiO_2 pigments.—74-03975A
Johansson, Leena-Sisko
Static SIMS study of coated TiO_2 pigments.—74-04913A
Johansson, M. See Sjostrom, H.
Johansson, Robert
Modern conveyor belt technology for the cement industry.—74-00959A
John, P. J.; Day, Allan E.; Hass, T. W.
Long-duration exposure facility: preliminary observations on the effects of low earth orbit on MgF_2, ThF_4, and SiO_2 optical materials.—74-03831A
John, P. K.; Froelich, H. R.; Rastogi, A. C.
Silicide growth and oxygen effects in annealed Si thin-film/Ni single-crystal structures.—74-01455A
John, P. See Hao, S.; Jubber, M. G.
John, P.; Drummond, I. C.; Jubber, M. G.
Fundamental limits to growth rates in a methane-hydrogen microwave plasma.—74-04654A
John, P.; Milne, D. K.; Drummond, I. C.; Jubber, M. G.; Wilson, J. I. B.; Savage, J. A.
Ir-attenuated total reflectance studies of dc-biased growth of diamond films.—74-04721A
John, P.; Milne, D. K.; Smith, J. P.; Jubber, M. G.; Wilson, J. I. B.
Photoionization threshold yields for the pulsed laser irradiation of diamond films at 266 nm.—74-10519A
John, P.; Milne, D. K.; Vijayarajah, W. C.; Jubber, M. G.; Wilson, J. I. B.
Growth of (100)-oriented diamond films.—74-04667A
Johnson, Bradley R. See Gulgin, Mehmet A.
Johnson, Christopher S. See Tolbert, Sarah H.
Johnson, D. D. See Smith, R. G.
Johnson, D. J. See Amm, D. T.
Johnson, D. Lynn See Day, Paul S.; Skamser, Daniel J.; Spotz, Mark S.
Johnson, David C. See Hornbostel, Marc D.
Johnson, David W., Jr. See Bhandarkar, Suhas D.; Chandross, Edwin A.; Fleming, Debra A.
Johnson, David See Calvin, Rick
Johnson, F. G. See Varriano, J. A.; Wicks, G. W.
Johnson, G. D. See Goodhue, W. D.
Johnson, George W. See Bird, R. Keith
Johnson, J. L. See Belhadjhamida, A.
Johnson, L. F. See Klemm, Karl A.
Johnson, M. B. See Salemink, H. W. M.
Johnson, N. M. See Liu, H. I.
Johnson, Randall L.
Talc.—74-06933A
Johnson, Richard C.
Evolution of state-of-the-art refractory systems.—74-00384A
Johnson, Robert S.; Hall, Robert D., Sr.; Erb, Roger L.
Glass container forming machine including neck ring mold cooling.—74-02674P
Johnson, Ronald E. See Friske, Mark S.
Johnson, S. R. See Mak, A.
Johnson, S. R.; Lavoie, C.; Nodwell, E.; Nissen, M. K.; Tiedje, T.; Mackenzie, J. A.
Factors affecting the temperature uniformity of semiconductor substrates in molecular beam epitaxy.—74-03016A
Johnson, Sylvia M. See McGinn, Joseph T.
Johnson, Sylvia M.; Lamoreau, Robert H.; Loehman, Ronald E.
Crystallization of a lithium silicate glass-ceramic under pressure.—74-02610A
Johnson, T. See Adkins, T.
Johnson, Thomas A. See Anderson, Edward N.
Johnson, William B. See Claar, Terry D.; Creber, David K.; Kordon, A.
Johnson, William C. See Reinke, Christian
Johnston, C. See Chalker, P. R.; Werner, M.
Johnston, C.; Chalker, P. R.; Marsden, P. J.
Diamond device delineation via excimer laser patterning.—74-10266A
Johnston, Colin See Chua, Lye-Hing
Johnston, D. See Cheng, T. S.
Johnston, J. C.; Thompson, D. A.
Visualization and animation in manufacturing and materials.—74-01007A
Johs, B. See Woollam, John A.
Jokanovic, Vokuman; Spasic, A.
Phase analysis and wear mechanisms of aluminosilicate bricks.—74-00395A
Jokiel, P. See Knotek, O.; Lugscheider, E.
Jokl, Michael See Iliuc, Ivan
Joksch, M.; Wurzinger, P.; Pongratz, P.; Haubner, R.; Lux, B.
Characterization of diamond coatings with transmission electron microscopy.—74-05085A
Jonas, J. See Xu, Shu
Jonas, S. See Walasek, E.
Jonas, S.; Ptak, W. S.; Walasek, E.
Studies of layered $Si_3N_4/TiO_2/Si$ composite by means of surface-sensitive electron spectroscopes.—74-07763A
Jones, A. M. See McCabe, A. R.
Jones, B. B. See Foote, M. C.
Jones, Barbara L.
Light emitting diamond device.—74-00740P
Jones, D. A. See Childs, T. H. C.
Jones, D. Cris See Sumida, David S.
Jones, Erin C.; En, William; Fraser, David B.; Ogawa, Shinichi; Cheung, Nathan W.
Anomalous behavior of shallow BF_3 plasma immersion ion implantation.—74-04478A
Jones, F. R. See Alexander, M. R.; Wang, D.; Wu, J.
Jones, G. A. C. See Brown, K. M.; Burroughs, J. H.; Grimshaw, M. P.; Law, V. J.; Simmons, M. Y.
Jones, G. A. C.; Ritchie, D. A.; Linfield, E. H.; Thompson, J. H.; Hamilton, A. R.; Brown, K. M.
Ultrahigh vacuum in situ fabrication of three-dimensional semiconductor structures using a combination of particle beams.—74-06369A
Jones, J. W. See Kalnas, C. E.
Jones, James D. See Quadir, Tariq
Jones, James V. See Pecoraro, George A.
Jones, James V.; Boulos, Edward N.
Neutral gray absorbing glass comprising manganese oxide for selenium retention during processing.—74-00342P
Jones, K. A. See Cole, M. W.
Jones, K. M. See Woods, L. M.
Jones, K. S. See Yu, J. E.
Jones, Linda E. See Traumbauer, Eric R.
Jones, Linda E.; Ingram, Michael B.
Measurement of hazardous air pollutants: impact of the Clean Air Act on the manufacturing community.—74-11180A; Measuring hazardous air pollutants.—74-07952A
Jones, M. R. See Dhir, R. K.
Jones, M.
Selection of earth-moving systems.—74-06723A
Jones, Mark L. See Kibler, J. J.
Jones, Mark L.; Starr, Thomas L.
Enhancements to the Georgia Tech chemical vapor infiltration process model for ceramic matrix composites.—74-10332A
Jones, Mark L.; Teti, Guido; Rubinsky, J.
Thermomechanical analysis of oxidation-resistant carbon-carbon composites.—74-09899A
Jones, Peter J.; Chem, C.; Ceram, F. I.
Ceramic tiling as a hygienic surface in food preparation areas.—74-08508A
Jones, Philip A.; Jackson, Andrew D.; Lickiss, Paul D.; Pilkington, Richard D.; Tomlinson, Robert D.
Plasma-enhanced chemical vapor deposition of $CuInSe_2$.—74-00685A
Jones, R. C.; Malik, H. U.
Computer technique for rapid decomposition of X-ray diffraction instrumental aberrations from mineral line profiles.—74-06748A
Jones, R. H.; Henager, C. H., Jr.; Tortorelli, P. F.
Elevated-temperature effects of oxygen on SiC/SiC composites.—74-07809A
Jones, R. L.
Thermogravimetric study of the 800°C reaction of zirconia stabilizing oxides with SO_3-$NaVO_3$.—74-02095A
Jones, R. See Latham, C. D.
Jones, Robert M.
Hermetically sealed semiconductor ceramic package.—74-09086P
Jones, Steven A.; Burlitch, James M.
In situ formation of composites of alumina with nickel and with nickel aluminide.—74-07346A; Sol-gel synthesis of protoenstatite.—74-10644A

Jonson, Bjorn See Hagberg, Mats

Jonson, Bjorn; Johansson, Lars G.
No lead, no barium... no crystals.—74-08339A

Jonsson, J. See Reinhardt, F.

Jonsson, U.
Manpower problems [in the cement industry].—74-11177A

Joo, G.-C.; Chen, S. P.; Tsakalakos, T.
Molecular dynamics of nanoscale layered structures.—74-02028A

Joo, J. See Martin, L. J.

Joo, Jae-Hyun See Kil, Deok-Sin

Joo, Seung-Ki See Jeon, Yoo-Chan; Kil, Deok-Sin; Lee, Hwan-Soo

Joosten, G. J. P. See Vugts, M. J. M.

Joosten, G. J. P.; Vugts, M. J. M.; Spruijt, H. J.; Senhorst, H. A. J.; Beijerinck, H. C. W.
Dynamics of ion-assisted etching in the Si(100)/XeF_2/Ar^+ system on a time scale of 100 μs-1000 s.—74-04565A

Jordan, A. S.; Robertson, A.
Thermodynamic analysis of AsH_3 and PH_3 decomposition including subhydrides.—74-02094A

Jordan, M. M.; Sanfeliu, T.; De la Fuente, C.
Ceramic interest weald clays from Castellon.—74-06893A

Jordovic, B. See Milosovic, O.

Jorge, Eric T. G. See Guigonis, Jacques

Jorgensen, C. K. See Lenglet, M.

Jorgensen, J. F.; Carneiro, K.; Madsen, L. L.
Scanning tunneling microscope and surface characterization.—74-10881A

Jorget, Serge
New CF/FCB low-NO_x precalciner—a decisive advance in environmental protection.—74-06864A; New Ciments Francais/FCB low-NO_x precalciner: technological progress in the service of the environment.—74-09694A

Joseph, J. See Hu, Y. Z.

Joseph, Werner
Metal substrates aluminum, copper, stainless steel: specifications, pretreatment, frit selection, enameling processes.—74-02383A

Joshi, Ashok V. See Taylor, Dale M.

Joshi, M. L. See Panahi, Sherry K.

Joshi, M. L.; Wishnick, D. B.; Madrazo, R. F.; Benz, W. H.; Panahi, Sherry K.; Slavejkov, A. G.
Cost-effective NO_x reduction using oxygen-enriched air staging on regenerative glass furnaces.—74-09648A

Joshi, P. N. See Jacob, N. E.; Shaikh, A. A.

Joshi, S. P. See Shah, D. K.

Joshi, S. V.; Srivastva, M. P.; Chatterjee, M.
Plasma spraying of an indigenous yttria-stabilized zirconia powder prepared by the sol-gel technique.—74-10528A

Jouan, A. See Ladirat, C.

Jouan, P. Y.; Lemperiere, G.
Influence of low energy ion bombardment on the properties of TiN films deposited by rf magnetron sputtering.—74-01525A

Joubert, J. C. See Marage, P.

Joubert, O. See Bell, F. H.; Oehrlein, G. S.

Joubert, O.; Oehrlein, G. S.; Surendra, M.; Zhang, Y.
Reactive ion etching lag investigation of oxide etching in fluorocarbon electron cyclotron resonance plasmas.—74-04864A

Joubert, O.; Oehrlein, G. S.; Surendra, M.
Fluorocarbon high density plasma: VI, Reactive ion etching lag model for contact hole silicon dioxide etching in an electron cyclotron resonance plasma.—74-04641A

Joubert, O.; Oehrlein, G. S.; Zhang, Y.
Fluorocarbon high density plasma: V, Influence of aspect ratio on the etch rate of silicon dioxide in an electron cyclotron resonance plasma.—74-04640A

Jousse, Didier See Ponthieu, Christine

Joutsensaari, J. See Gurav, A. S.

Jozewicz, W.; Gullett, B. K.
Structural transformation in Ca-based sorbents used for SO_2 emission control.—74-08110A

Ju, C.-P. See Chen, J.-D.

Juan, M. Garces See Philip, R. Rudolf

Juang, C. See Chen, P.-A.; Hsu, J.-K.

Juang, C.-B.; Cai, H.; Becker, M. F.; Keto, J. W.; Brock, J. R.
Synthesis of ultrafine glass particles by laser ablation of microspheres.—74-05798A

Juang, F.-Y. See Lin, J.-D.

Juang, Y.-Z.; Su, Y.-K.; Shei, S.-C.
Comparative reactive ion etching of III-V compounds in Cl_2/BCl_3/Ar and CCl_2F_2/BCl_3/Ar discharges.—74-01644A

Jubber, M. G. See John, P.

Jubber, M. G.; Wilson, J. I. B.; Drummond, I. C.; John, P.; Milne, D. K.
Microwave plasma chemical vapor deposition of high-purity diamond films.—74-01800A

Judas, D.; Bricout, J. P.; Thierry, B.
Optimization of zirconia coatings produced by thermal plasma spraying.—74-08249A

Judeinstein, P.; Brik, M. E.; Bayle, J. P.
Mobility range in hybrid materials.—74-10843A

Jue, Jan-Fong See Tanner, C. W.

Jue, Jan-Fong; Jusko, John; Virkar, Anil V.
Electrochemical vapor deposition of CeO_2: kinetics of deposition of a composite, two-layer electrolyte.—74-00487A

Juelys, A. See Kvietkus, V.

Juhanoja, Jyrki See Johansson, Leena-Sisko

Juhasz, Zoltan A.; Kollath, Bernadett
Mechanochemical capillary reactions in the $CaSO_4$-H_2O-Al_2O_3 system.—74-05554A

Jun, Byung-Hyuk See Lee, Jae-Kuin

Jung, Byung-Jin See In, Chi-Bum

Jung, Chang-Ju See Kim, Nam-Il

Jung, Choong-Hwan See Kang, Thae-Khapp

Jung, Dae-Yung See Kweon, Soon-Yong

Jung, H. See Economy, James

Jung, Hong-Sik See Choi, Sang-Wook

Jung, Hyung-Jin See Cho, Nam-Woong; Oh, Young-Jei; Yoon, Sang-Ok

Jung, J.; Feltz, A.; Freudenberg, B.
Improved thermal stability of Al titanate solid solutions.—74-10397A

Jung, K. See Dworschak, W.; Erz, R.; Gerber, J.; Kleber, R.; Schwan, J.; Weiler, M.

Jung, M. See Yoon, Y.-S.

Jung, S. J.; Ohsawa, H.; Nakamura, Y.
Effects of Na_2CO_3 addition on the gas sensing characteristics of CuO/ZnO heterocontact.—74-06060A

Jung, Soo-Cheol; Park, Hyu-Bum; Kim, Jeong
Structure and electric properties of PZT ceramics substituted by La and Nd.—74-08773A

Jungling, Thomas See Sigl, Lorenz S.

Jungnickel, G. See Frauenheim, T.; Weiler, M.

Jungnickel, G.; Kuhn, M.; Deutschmann, S.; Richter, F.; Stephan, U.; Blaudeck, P.
Structure and chemical bonding in high-density amorphous carbon.—74-05267A

Junker, K. H. See Mackay, R. Scott

Jurado, J. R. See Carda, J.; Colomer, M. T.; Duran, P.; Gonzalez, M.; Hernandez, M. T.; Navarro, L. M.; Romero, M.; Villegas, M.

Jurado, J. R.; Hernandez, M. T.; Duran, P.
Ac impedance characterization of translucent cubic zirconia solid solution.—74-04466A

Jurcik, Benjamin See Ruiz, Roberto

Jurgensen, Arthur See Resce, James L.

Jurisik, J.
Columnar microstructure of amorphous cadmium arsenide thin films.—74-07611A

Jurkovic, M. See Li, L. K.

Jury, C. See Dickin, Peter

Jusko, John See Jue, Jan-Fong

Justnes, H.; Bryhn, K.; Rosvold, G. O.
Neutron radiography—an excellent method of measuring water penetration and moisture distribution in cementitious materials.—74-08077A

Justo, A. See Aviles, M. A.; Leinen, D.; Sanchez-Soto, P. J.

Juve, D. See Treheux, D.

Juve, D.; Lourdin, P.; Serier, B.
Chemistry and interfacial properties of metal/ceramic interfaces.—74-05616A

Jylha, O. See Haukha, S.

Jyonosono, Keiko See Kato, Akio

Kabanov, V. O. See Zubkova, L. V.

Kabanova, M. I.; Dubok, V. A.; Nochevkin, S. A.; Chistyi, A. F.; Pekshev, P. Yu.
Sintering and evolution of porosity in compacts obtained from ZrO_2(Y_2O_3) powders under pressure of 6 GPa.—74-01883A

Kabanova, M. I.; Dubok, V. A.
Phase and chemical changes in sintering partially stabilized zirconia.—74-04176A

Kabeya, Hideo
Application of ceramics to materials and components for buildings and dwellings.—74-11139A

Kabos, P. See Wiese, G.

Kabs, Michael See Henne, R.

Kaburagi, Y.; Yoshida, A.; Hishiyama, Y.
Galvanometric properties and microtexture of cellulose carbon film.—74-05147A

Kachi, T. See Kozawa, T.

Kacik, Terrence A. See Hurwitz, Frances I.

Kacsich, Thorsten; Lieb, Klaus-Peter
Oxidation of thin CrN and Cr_2N films analyzed via nuclear reaction analysis and Rutherford backscattering spectrometry.—74-05312A

Kadik, A. A.; Matveev, S. V.; Tsipenyuk, Yu. M.
Gamma activation determination of nitrogen in silicates in degassing studies of the earth's mantle.—74-01995A

Kadin, Alan M. See Donaldson, William R.

Kading, O. W.; Matthias, E.; Zachai, R.; Fusser, H.-J.
Thermal diffusivities of thin diamond films on silicon.—74-10170A

Kading, O. W.; Rosler, M.; Zachai, R.; Fusser, H.-J.; Matthias, E.
Lateral thermal diffusivity of epitaxial diamond films.—74-07574A

Kado, Hiroyuki; Yamamoto, Shinichi; Yokoyama, Kazuo; Tohda, Takao; Umetani, Yukihiro; Yano, Kohsaku
Observation of the bottom surfaces of contact holes by hopping atomic force microscopy with a ZnO whisker tip.—74-07706A

Kado, Takeshi See Goto, Seishi

Kadono, K.; Kinugawa, K.; Tanaka, H.
X-ray photoelectron spectroscopy of $ZnCl_2$-based glasses.—74-05703A

Kadono, K.; Tanaka, H.
Effect of glass composition on precipitation of crystallites in CuCl-doped glasses.—74-05676A

Kadono, Kohei See Mori, Masami

Kadono, Masaya See Inoue, Tohru; Miyanaga, Akiharu; Yamazaki, Shunpei

Kadoun, A.; Bremond, G.; Barbier, D.
Carrier compensation induced by rapid thermal annealing in undoped InP.—74-02930A

Kadowaki, Kazuo See Ishida, Kenji

Kadushkin, V. I. See De Visser, A.; Kul'bachinskii, V. A.

Kadushkin, V. I.; Kul'bachinskii, V. A.; Bogdanov, E. V.
I-V characteristics of structures with GaAs vicinal faces δ-doped with tin.—74-08819A

Kadyrov, V. H.; Brik, V. B.; Worzala, F. J.
Characteristics of coatings applied by the Demeton detonation gun process.—74-09440A

Kadyrov, V. H.; Evdokimenko, E.; Kisel, V.
Calculation of the limiting parameters for oxide ceramic particles during HVOF spraying.—74-10208A

Kadyshev, S. K. See Plyatsko, S. V.

Kaempfer, Kersten
Automated production of fine white porcelain within the scope of a closed production line.—74-00894A

Kaga, Y. See Ohno, Y.

Kagata, Hiroshi See Inoue, Tatsuya

Kagawa, M. See Mizoguchi, Y.; Uzawa, M.

Kager, A. See Liou, J. J.

Kageshima, M.; Sakama, H.; Fujii, T.
Development of an ultrahigh vacuum atomic force microscope for investigations of semiconductor surfaces.—74-01056A

Kageyama, Junichi See Niwano, Michio

Kageyama, K. See Nagata, M.

Kageyama, Kensuke; Enoki, Manabu; Kishi, Teruo; Ikuina, Kazuhiro; Kimura, Michiru
Numerical simulation of toughening of alumina particulate glass matrix composite by interfacial precipitation.—74-08380A

Kageyama, Tatsuya See Shiranita, Akira

Kagiya, Shoichi See Murakami, Masato

Kahlert, Wolfgang
Glass connecting elements and constructive glass applications.—74-02460A

Kahlke, Michael
Cooking appliance having a plate made of a material transparent to thermal radiation and having at least two types of heat sources.—74-08474P

Kahlman, Lars See Olsson, Mikael

Kahlman, Lars; Karlsson, S.; Carlsson, Roger
Thermal spalling wear of silicon nitride and silicon carbide materials.—74-05448A

Kahlman, Lars; Rundgren, Kent; Liden, Eva
Processing of liquid-phase-sintered SiC—mechanical and wear properties.—74-07449A

Kahn, A. See Chen, W.; Hirose, Y.

Kahnmann, F.; Pankrath, R.; Rupp, R. A.
Photoassisted generation of ferroelectric domain gratings in SBN.—74-03332A

Kaidanov, V. I.; Nemov, S. A.; Ravich, Yu. I.
Self-compensation of electrically active impurities by intrisic defects in IV-VI semiconductors.—74-03209A

Kaide, Tamotsu See Zushi, Toshihiro

Kaindl, G. See Cuberes, M. T.

Kainer, K. U. See Purazrang, K.

Kaiser, A. B. See Subramaniam, C. K.

Kaiser, A.; Vassen, R.; Stover, D.; Buchkremer, H. P.
Heat treatment of ultrafine SiC powders to reduce oxidation sensitivity and grain growth.—74-06132A

Kaiser, Debra L. See Robins, Lawrence H.

Kaiser, Debra L.; Vaudin, Mark D.; Gillen, Greg
Growth of $BaTiO_3$ thin films by MOCVD.—74-07663A

Kaiser, Gregory A. See Petcavich, Robert J.

Kaishima, Shunichiro See Nitta, Tsuneharu

Kaji, H. See Ito, M.

Kajita, T. See Amalnaerkar, D. P.

Kajiwara, Kenichi; Mori, Kikuichi
Shaft sleeve made of ceramics.—74-01270P

Kajiwara, T. See Czarnetski, U.

Kajiyoshi, Koji; Tomono, Kunisaburo; Hamaji, Yukio; Kasanami, Toru; Yoshimura, Masahiro
Short-circuit diffusion of Ba, Sr, and O during ATiO72 (A=Ba, Sr) thin-film growth by the hydrothermal–electrochemical method.—74-07475A

Kajuch, J. See Parthasarathi, S.

Kakazei, N. G. See Vlasova, M. V.

Kakde, R. N. See Ingle, S. G.

Kakegawa, Kazuyuki; Matsunaga, Osamu; Kato, Tamani; Sasaki, Yoshinori
Compositional change and compositional fluctuation in $Pb(Zr,Ti)O_3$ containing excess PbO.—74-04110A

Kakhmurov, A. V. See Dolgikh, S. G.; Karklit, A. K.

Kakhramanov, N. B. See Godzhaev, M. O.

Kakihana, Masato See Cho, Woo-Seok; Yashima, Masatomo

Kakinoki, Masami See Fujimura, Norifumi

Kakurai, Kazuhisa See Harashina, Hiroshi

Kakuzen, Hideo See Kyoto, Michihisa

Kalabukhova, E. N.; Lukin, S. N.; Mokhov, E. N.
142 GHz range EPR of transmutation-produced phosphorus impurity in 6HSiC [single crystals].—74-05062A

Kalabukhova, E. N.; Lukin, S. N.; Sergeyev, O. T.
Electron paramagnetic resonance of silicon carbide technological coatings.—74-04013A

Kalbitzer, S. See Krotz, G.

Kalcher, K. See Orel, B.

Kaldis, E. See Lang, H. P.

Kale, G. M.; Fray, D. J.
Gibbs energy of formation of $CuGd_2O_4$ and phase relations in the Cu-Gd-O system.—74-07080A

Kalevichius, T. See Vaitkus, Y.

Kalibaeva, G. M. See Wolf, O. V.

Kalin, M. V.; Pyshnaya, N. B.; Tiginyanu, I. M.
Observation of an electron gap at E=0.41 eV in InP:Fe by a method of thermally stimulated currents.—74-08973A

Kalinenko, A. N. See Gurzhi, R. N.

Kalinin, V. I. See Bagdasarov, Kh. S.

Kalinin, Yu. E. See Zolotukhin, I. V.

Kalinkin, I. P. See Belyaev, A. P.

Kalinovskii, V. S. See Andreev, V. M.

Kalish, R. See Avigal, Y.; Cytermann, C.; Lifshitz, Y.; Miller, B.; Moriya, N.

Kalish, R.
Ion beam modification of diamond.—74-10429A

Kalitina, M. A. See Kolbasov, V. M.

Kalkhoran, Nader M. See Greenwald, Anton C.

Kallay, N.; Zalac, S.; Stefanic, G.
Enthalpies of reactions at the metal oxide/aqueous interface.—74-09992A

Kallenbach, Lyle R.; Gerhold, Bruce W.
Carbon and ceramic-containing layers for use in sintering of silicon nitride article.—74-04032P

Kalmykov, A. E. See Shelekhov, N. S.

Kainas, C. E.; Munsfield, J. F.; Was, G. S.; Jones, J. W.
In situ bend fixture for deformation and fracture studies in the environmental scanning electron microscope.—74-05365A
Kainin, A. A.; Neubert, F.; Pezoldt, J.
Polytype patterning in epitaxial layers on the basis of nonequilibrium phase transitions.—74-04815A
Kalogeropoulou, S. See Drevet, B.; Rado, C.
Kalpakjian, Kent M.; Lieberman, Michael A.; Oldham, W. G.
High-frequency reactive ion etching of silylated photoresist.—74-06773A
Kalra, K. C.; Singh, K. C.; Singh, Mohinder
Ionic conduction in anodic oxide films on titanium in mixed solutions of aqueous electrolytes and diethylene glycol.—74-00499A
Kalra, M. L. See Goswami, D. P.
Kalyuzhnaya, M. I. See Boltaev, A. P.; Goncharov, E. G.
Kamada, Eiji See Hwang, Eui-Hwan
Kamal, S. See Zhang, Kuan
Kamat, Prashant V. See Bedja, Idriss
Kamata, Kiichiro See Ikesue, Akio
Kamath, Sanjay G. See Smith, Preston P.
Kameda, Isao See Takeuchi, Yoshiaki
Kamegashira, N. See Xu, H. W.
Kamehara, Nobuo See Imanaka, Yoshihiko
Kamen, Melvin E.; Patel, Bhupendra; Bernstein, Phillip
Hot stamping glass.—74-08483P
Kamen, Melvin E.
Environmental cure for glass decorators' ills.—74-00296A
Kamenetskii, Yu. L.; Antonov, G. I.; Glaskaya, N. V.
Development of usage rates of periclase-chromite refractories for open-hearth and twin-bath furnace roof repairs.—74-03903A
Kamenic, N. See Krstulovic, P.
Kamenitsa, Dennis See Yang, Shyh-Horng
Kameshima, Yoshikazu See Okada, Kiyoshi
Kameyama, Ichiro See Inoue, Tatsuya
Kameyama, K.; Shohji, Shigeru; Onoue, S.
Preparation of ultrafine RuO_2-TiO_2 binary oxide particles by a sol-gel process.—74-01445A
Kameyama, K.; Tsukada, K.; Yahikozawa, K.
Application of scanning Auger microscopy to the surface characterization of RuO_2-TiO_2-coated titanium electrodes.—74-01618A; Surface characterization of RuO_2-IrO_2-TiO_2-coated titanium electrodes.—74-07770A
Kamimura, Hiroshi See Gunji, Shigeki
Kamimura, Hiroshi; Suwa, Yuji
New theoretical view for high-temperature superconductivity.—74-00827A
Kaminska, E.; Piotrowska, A.; Mizera, E.; Dynowska, E.
Evolution of the microstructure of Au(Zn) metallization during formation of an ohmic contact to *p*-type GaAs.—74-03006A
Kaminskii, V. E. See Ignet'ev, A. S.
Kaminsky, Friedrich D.
Interaction of alumina ceramics with copper and copper oxides.—74-07668A
Kamiryo, Eiji See Shibata, Masatoshi
Kamiya, Akira See Nakano, Kikuo
Kamiya, Hidehiro; Isomura, Kenji; Jimbo, Genji; Tsubaki, Junichiro
Powder processing for the fabrication of Si_3N_4 ceramics: I, Influence of spray-dried granule strength on pore size distribution in green compacts.—74-01842A
Kamiya, K. See Wada, M.
Kamiya, Kanichi; Katayama, Akiko; Matsuoka, Jun
Preparation of silicon oxycarbide glass fibers by the sol-gel method.—74-08451A
Kamiya, Sumio See Kojima, Koichi
Kamiya, Tadashi See Okada, Masaru
Kamiya, Toyoharu See Kondo, Ichiharu
Kamiyama, S.; Lesaicherre, P. Y.; Suzuki, H.
Ultrathin tantalum oxide capacitor dielectric layers fabricated using rapid thermal nitridation prior to low pressure chemical vapor deposition.—74-00537A
Kamiyama, S.; Suzuki, H.; Watanabe, H.
Ultrathin tantalum oxide capacitor process using oxygen-plasma annealing.—74-05968A
Kamiyama, Satoshi; Uenoyama, Takeshi; Mannoh, Massaya
Analysis of GaInP/AlGaInP compressive strained MQW lasers.—74-05975A
Kamiyama, Satoshi
Method for manufacturing a semiconductor device.—74-02888P
Kamiyama, Takashi See Kito, Hijiri
Kamiyama, Tomoaki See Suzuya, Kentaro
Kamiyama, Tomoaki; Mikami, Masaki; Suzuki, Kenji
SAXS study of the gelation process of silicon and titanium alkoxides.—74-08454A
Kammlott, G. W. See Kurkjian, Charles R.; McCormack, M.
Kamo, Mutsukazu See Ando, Toshihiro
Kamo, Tomoichi See Sato, Junichi
Kampel, M. See Dias, F. J.
Kampert, William P. See Belitskus, David L.
Kamra, S. See Chou, H. C.
Kamshilin, Alexei A.; Touvinen, Hemmo; Prokofiev, Victor V.
Coupling of mutually incoherent beams in photorefractive $Bi_{12}TiO_{20}$ fiber.—74-08846A
Kan, Hong-Hua See Ge, Man-Zheng
Kanada, Yasuyuki See Nakamura, Tsutomu
Kanai, Hideyuki; Furukawa, Osamu; Nakamura, Shinichi; Hayashi, Masaru; Yoshiki, Masahiko; Yamashita, Yohachi
Effects of silver doping on the reliability of $(Pb_{0.875}Ba_{0.125})$-$[(Mg_{1/3}Nb_{2/3})_{0.5}$-$(Zn_{1/3}Nb_{2/3})_{0.3}Ti_{0.2}]O_3$ relaxor dielectric ceramics.—74-02833A
Kanai, Hideyuki; Furukawa, Osamu; Nakamura, Shinichi; Yamashita, Yohachi
Role of PbO and Ag on insulation resistance degradation in relaxor-based MLCs.—74-05956A
Kanai, Hideyuki
Dielectric materials for high-capacitance, multilayered ceramic condensers.—74-08741A
Kanai, T. See Yugo, Shigemi
Kanalina, V. A. See Trakhtenberg, I. Sh.
Kanamaru, Fumikazu See Kikkawa, Shinichi
Kanamaru, Kozou See Tsukamoto, Noboru
Kanamori, Hiroo See Hoshino, Sumio
Kanamori, Terutoshi See Asobe, Masaki
Kanayama, Toshihiko See Inoue, Takayoshi
Kanazawa, M. See Kimura, Y.
Kanazawa, Takafumi See Okura, Toshinori
Kanber, H.; Bar, S. X.; Norris, P. E.; Beckham, C.; Pacer, M.
Optimization of selective area growth of GaAs by low pressure organometallic vapor phase epitaxy for monolithic integrated circuits.—74-04794A
Kanda, H. See Collins, A. T.; Lawson, S. C.
Kanda, Hisao; Yamaoka, Shinobu
Inhomogeneous distribution of nitrogen impurities in {111} growth sectors of high-pressure synthetic diamond.—74-10002A
Kandaka, Y. See Moriya, K.
Kandori, Kazuhiko See Ishikawa, Tatsuo
Kandracik, F. See Mahel, M.
Kane, Jeffrey; Chen, Qun; Ng, K.-W.
Observation of *a*-*b* plane gap anisotropy in $Bi_2Sr_2CaCu_2O_8$ with a low-temperature STM.—74-03546A
Kane, Russell D.
Advanced materials resist chemicals.—74-06946A
Kanehisa, M. A. See Schwarcz, R.
Kanehori, Keiichi; Saito, Shinichiro; Sugii, Nobuyuki
Effects of plasma enhancement on the carrier-gas-free metallorganic chemical vapor deposition of oxide superconducting thin films.—74-00800A
Kaneko, Katumi
Characterization and molecular behavior in carbon nanospaces.—74-10764A
Kaneko, Reizo See Miyake, S.
Kaneko, Reizo; Enomoto, Yuji
Microtribology: proceedings of the First International Workshop, October 12-13, 1992, Morioka, Japan.—74-02251A
Kaneko, Reizo
Microtribology today and tomorrow.—74-00952A
Kaneko, S. See Hiyamizu, S.
Kaneko, Takejiro See Adachi, Yoshiya
Kaneko, Tsutomu See Miyakawa, Nobuaki
Kaneko, Yuji; Ito, Shinji; Tajima, Satoru
Electric discharge machining apparatus.—74-09525P
Kaner, Richard B. See Rao, Lin
Kaneshige, Toshihiko See Yamamura, Takashi
Kanetkar, S. M. See Ogale, S. B.
Kang, B. S.; Won, C. W.; Chun, B. S.
Preparation of Ni-coated alumina composite powder.—74-08253A
Kang, Beom-S. See Hyun, Sang-Hoon
Kang, C. S. See Shiosaki, Tadashi
Kang, Dong-Heon See Yoon, Ki-Hyun
Kang, Eui-Son See Kim, Deug-Joong
Kang, Eun-Tae See Park, Kang-Seok
Kang, Hee-Bog See Kim, Yoon-H.
Kang, Hee-Bog; Kim, Yoon-H.
Synthesis of ZrO_2+12 mol% CeO_2 powders by coprecipitation technique and their sintering behaviors.—74-10688A
Kang, Hyung-Kyu See Lee, Dong-A.
Kang, J.-S. See Jeong, J.-I.
Kang, S. G. See Choy, J. H.
Kang, S.-H. See Kim, K.-H.
Kang, Sang-Won See Yun, Sun-Jin
Kang, Suk-Joong L. See Lee, Ho-Yong
Kang, Suk-Joong L.; Shin, Yu. S.; Whang, Nong M.; Yoon, Duk-Y.; Kim, Deug-Joong
Method of surface strengthening alumina-zirconia composites using MoO_3.—74-01263P
Kang, T.-K. See Kim, S.-J.
Kang, T.-W. See Kim, D.-Y.; Oh, Y.-T.
Kang, Thae-Khapp; Jung, Choong-Hwan
Microstructural changes of SiO_2-Si during liquid-phase sintering.—74-10834A
Kang, Thae-Khapp; Kim, Sun-Jae
Optimization of electrical conductivity and fracture toughness in Y_2O_3-stabilized ZrO_2 through microstructural designs.—74-10857A
Kang, W. P.; Kim, C. K.
Gas sensitivities of silicon MIS capacitors incorporated with catalyst and adsorptive oxide layers.—74-00624A
Kang, W.-N. See Yoon, Y.-S.
Kang, W.-P. See Li, Q.
Kang, Wuk-Won; Kim, Hai-Doo; Kim, Shin
Effect of tetragonal ZrO_2 addition on the mechanical properties of α-alumina/La-ß-aluminate composite.—74-10976A
Kang, Y.-S. See Kim, M.-C.
Kang, Young-Min See Kim, Sang-Sub
Kangas, Matthew
Richard Fairbanks.—74-00026A
Kania, D. R.; Landstrass, M. I.; Pan, L. S.
Diamond radiation detectors.—74-09865A
Kania, P. See Francz, G.; Schelz, S.
Kania, P.; Francz, G.; Oelhafen, P.
Valence band photoelectron spectroscopy and structural morphology of nitrogen and boron-containing MPACVD diamond films.—74-05294A
Kanis, M. See Fearheiley, M. L.
Kanka, B.; Goring, J.
Strengthening and toughening in 1-D-SiC/RBSN composites.—74-11098A
Kankanala, S. V.; Kashani, R.
Control modeling and regulation of plasma spraying process.—74-10242A
Kankawa, Yoshimitsu
Organic materials used in the production of new ceramics.—74-10510A
Kannan, C. Srinivasa; Rad, S. Subba; Varma, Y. B. G.
Kinetic model for drying of solids in batch fluidized beds.—74-04722A
Kanno, Munekazu; Kashiwagi, Yuzo; Okabe, Hiroshi
Fatigue strength of optical fiber.—74-05716A
Kanno, Takashi
Injection molding of stator models with silicon carbides with additives of alumina.—74-01295A
Kano, H. See Kozawa, T.
Kano, Satoru See Zhang, Bao-Ping
Kanoh, H.; Feng, Q.; Miyai, Y.
Equilibrium potentials of spinel-type manganese oxide in aqueous solutions.—74-01384A
Kansal, Pallavi; Laine, Richard M.
Group II tris(glycolato)silicates as precursors to silicate glasses and ceramics.—74-04660A; Pentacoordinate silicon complexes as pecursors to silicate glasses and ceramics[—correction].—74-02647A
Kanygina, O. N.; Gerashchenko, I. P.; Zinov'ev, O. N.
Thermal stability, strength, and structure of corundum ceramic.—74-05393A
Kanzaki, Masami See Yamaji, Akihiko
Kanzaki, Shuzo See Hirao, Kiyoshi; Ohashi, Masayoshi; Ohji, Tatsuki; Yasuoka, Masaki
Kanzaki, Shuzo; Matsubara, Hideaki
New developments in ceramic material research.—74-11182A
Kanzawa, Atsushi See Sekiguchi, Hidetoshi
Kao, Chio-Chun See Lin, Jun-Nun
Kao, M. J. See Hsu, R. T.; Shieh, H. M.
Kao, P.-W. See Huang, J. C.; Lin, C.-T.
Kapelko, Aleksander
Special concretes for carrying out of pit shaft linings in copper ore mines.—74-02354A
Kapelski, G. See Languillaume, J.
Kapitonov, V. I. See Karyuk, G. G.
Kaplan, Jonathan
Low-fire redware bodies.—74-00368A
Kaplan, M. I. See Ramirez, A. P.
Kaplan, Wayne D. See Levin, Igor
Kaplan, Wayne D.; Mullejans, Harald; Ruhle, Manfred; Rodel, Jurgen; Claussen, Nils
Ca segregation to basal surfaces in α-alumina.—74-10761A
Kaplan-Diedrich, Hannelore; Eckebracht, Andrea; Frischat, Gunther Heinz
Viscosity and surface tension of oxynitride glass melts.—74-02596A
Kaplienko, A. I. See Khats'ko, A. S.; Khats'ko, E. N.
Kapluneko, V. K. See Iganov, Z. G.
Kappler, G.
Radiometric measurement techniques for the ceramic industry.—74-01095A
Kaps, Christian
Electrophoretic deposition and reactive strengthening of a Bioglass-ceramic containing fluorapatite onto titanium implants.—74-00117A
Kapshuk, A. A. See Nagornyi, P. G.
Kapur, Vijay K. See Basol, Bulent M.
Karabanova, T. A. See Vlasov, A. S.
Karabashev, S.; Wolf, T.
Reaction paths during melt texturing of $YBa_2Cu_3O_{7-x}$.—74-00849A
Karachevtseva, M. V. See Ignat'ev, A. S.
Karachevtseva, M. V.; Ignat'ev, A. S.; Mokerov, V. G.
Temperature dependence of the photoluminescence of $In_xGa_{1-x}As$/GaAs quantum well structures.—74-09064A
Karachevtseva, M. V.; Strakhov, V. A.; Yaremenko, N. G.
Tunneling-recombination currents in nonideal InGaAsP/InP heterostructures.—74-06366A
Karaev, A. D. See Nasyrov, A. N.
Karain, W. I.; Knight, Larry V.; Allred, David D.; Reyes-Mena, A.
Emitted current instability from silicon field emission emitters due to sputtering by residual gas ions.—74-02997A
Karain, W. I.; Knight, Larry V.; Allred, David D.
Use of sharp silicon tips as photocathodes and electron sources for X-ray generation.—74-00733A
Karakashian, A. S. See Frederickson, A. R.
Karam, G. N.; Tonyan, T. D.
Fractal morphology of cement foams.—74-00061A
Karam, G. N.
Effect of fiber-fiber interactions on the strength properties of short-fiber-reinforced cements.—74-02322A
Karamara, A. See Karwan-Baczewska, J.
Karanovic, L. See Brankovic, Z.
Karanovic, L.; Poleti, D.; Vasovic, D.
Possibility of pyrochlore phase formation in zinc oxide varistor ceramics.—74-06268A
Karapetyan, G. O. See Belyaev, M. V.
Karaseva, E. V. See Gorbatenko, V. M.
Karasutani, Kiyoshi See Sugino, Takashi
Karauda, Wanda; Wroblewska, Lucyna; Kobierzynski, Kazimierz
Utilization of spent tires in rotary kilns for cement clinker burning.—74-09727A
Karauda, Wanda; Wroblewska, Lucyna
Admissible SO_2 and NO_x emission levels from rotary kilns for cement clinker burning: domestic and foreign standards.—74-01134A; Problem of CO_2 emission from clinker manufacturing process.—74-02348A; SO_2 and NO_x emission rates from rotary kilns in Polish cement industry.—74-01180A
Karaulov, A. G.; Piskun, T. V.; Kvasman, N. M.
Physical and mechanical characteristics of zirconia refractories and their resistance to attack by molten metals.—74-00396A
Karavaev, G. F. See Grinyaev, S. N.
Karavaev, G. F.; Tkachenko, E. A.; Uimanov, E. V.
Quasi-ballistic instability in InP structures.—74-03190A

Karayama-Yoshida, H.; Takahashi, T.
Similarity and dissimilarity of doped fullerenes and oxide superconductors from the viewpoint of electronic structure.—74-00851A
Karbhari, Vistasp M. See Pitchumani, Rangarajan
Karetnikov, A. V. See Morozova, N. K.
Kargin, Yu. F.
Thermal stability of γ-Bi_2O_3.—74-04450A
Karibaloo, Bhushan L. See Andreasen, Jens H.; Thomsen, Niels B.
Karihaloo, Bhushan L.
Fracture Mechanics & Structural Concrete (Concrete Design & Construction Series).—74-05441B
Karim, M. Z.; Cameron, D. C.; Hashmi, M. S. J.
Plasma diagnostics in the growth c-BN films.—74-04808A; Vapor-deposited boron nitride thin films.—74-07029A
Karimi, D. See Pathak, J. P.
Karimoto, H. See Takaoka, S.
Karion, A. See Kramer, M. J.
Kariya, Toshimitsu See Saito, Keishi
Karjalainen, Pentti See Zhang, Hong-Xue
Karklit, A. K. See Dolgikh, S. G.
Karklit, A. K.; Dolgikh, C. G.; Kakhmurov, A. V.
Electrically melted corundum from Northern Onega bauxites and refractories based on it.—74-02753A
Karl, H.; Hartmann, J.; Stritzker, B.
In-plane lattice constant relaxation during laser ablation of YBCO and yttria-stabilized zirconia.—74-04695A
Karlicek, R. F., Jr. See Chand, N.
Karlsson, K. H. See Hupa, Leena
Karlsson, K. H.
From handicraft to industry: Notsjo Glasbruk after 1950.—74-02236A
Karlsson, S. See Kahlman, Lars
Karlsson, S.; Carlsson, R.
High-temperature characterization of refractory binders.—74-05856A; Wear properties of glazed ceramic tableware.—74-05917A
Karmakar, B. See De, G.; Kundu, D.
Karnachev, A. S.; Moskvin, A. S.; Solov'ev, E. E.
Electron-nuclear interactions and spin reorientation in $HoFeO_3$.—74-05135A
Karp, Floyd; Kirby, Bob
[Sampling and testing] protocol for characterizing glass cullet obtained from postconsumer sources.—74-09426A
Karp, Floyd
Sampling and testing protocol for characterizing glass cullet obtained from postconsumer sources[—reply].—74-09508A
Karp, I. N.; Petrov, S. V.; Rudoy, A. P.
Spraying of coating by supersonic metallization.—74-08274A
Karp, I. N.; Petrov, S. V.; Pashchenko, V.
New plasma spray apparatus.—74-09492A
Karpenko, V. P.; Matveev, O. A.
CdTe detectors designed for computer X-ray tomography.—74-00575A
Karpets, M. V. See Kovtum, V. I.
Karpinski, J. See Lang, H. P.
Karpman, M. G.; Saidakhmedov, R. Kh.; Fetisov, G. P.
Estimation of microbrittleness of two- and three-component nitride ion-plasma coatings.—74-08186A
Karpov, V. V. See Sharivker, S. Yu.
Karpovich, I. A.; Bednyi, B. I.; Baidus, N. V.
Heteroepitaxial passivation of the surface of GaS.—74-00630A
Karpukhin, V. I. See Platonov, P. A.
Karpur, Prasanna See Matikas, Theodore E.
Karpur, Prasanna; Matikas, Theodore E.; Krishnamurthy, S.
Ultrasound as a tool for the development of aerospace structural titanium and ceramic matrix composites.—74-09629A
Karumidze, G. S.; Shengelia, L. A.
Isotopic effect of boron carbide thermal conductivity.—74-04342A
Karvot, P. See Poilov, V. Z.
Karvot, R. See Poilov, V. Z.
Karwan-Baczewska, J.; Karamara, A.
Fracture surface morphology and composition of sintered distaloy steels.—74-07879A
Karyakin, E. L. See Gavrish, A. M.
Karymshakov, R. K.
Optical activity of $CdSnAs_2$ and $CdGeP_2$.—74-08982A
Karyuk, G. G.; Silenko, P. M.; Abrashkevich, Yu. D.;
Orlovskii, K. E.; Litvak, Yu. A.; Kapitonov, V. I.
Application of silicon carbide fibers for increasing the service parameters of abrasive cutting wheels.—74-00001A
Kas'yanenko, A. A. See Shipilova, L. A.
Kas'yanenko, A. A.; Petrovskii, V. Ya.; Shipilova, L. A.;
Chugunova, S. I.
Structure and electrophysical properties of hot-pressed ceramic materials in the Si_3N_4-SiC system: I, Structure formation and phase composition.—74-04218A
Kas'yanenko, A. A.; Petrovskii, V. Ya.; Shipilova, L. A.;
Gervits, E. I.
Structure and electrophysical properties of hot-pressed ceramic materials from the Si_3N_4-SiC system: III, Influence of electromagnetic and thermal fields on the electrophysical properties.—74-04431A
Kasa, Stanislav See Lisy, Antonin
Kasa, Stanislav; Lisy, Antonin; Randak, Roman
Glass annealing process in laboratory conditions and its control.—74-05764A
Kasa, Stanislav; Lisy, Antonin
Influence of divided electric boosting on the distribution of temperatures and on flow of glass in the melting furnace.—74-03697A
Kasabova, N. A. See Dotseva, A. A.
Kasahara, Kenichi See Saito, Hideaki
Kasai, Junichi See Tsuyuki, Naomitsu
Kasai, Toshio
Ultraprecision machining technology for advanced ceramics and its recent trend.—74-11194A
Kasanami, Toru See Kajiyoshi, Koji
Kasano, Hironobu See Shigematsu, Hirotake
Kasap, S. O.; Polischuk, B.; Aiyah, Viswanath; Bekirov, A.;
Jain, J.; Baillie, A.
Electrographic and charge transport measurements on amorphous semiconductor films of $(Se_{1-x}Te_x)_{1-y}P_y$.—74-00608A
Kase, Takahisa See Sichanugrist, Porponth
Kasemann, Reiner; Schmidt, Helmut; Wintrich, Elisabeth
New type of a sol-gel-derived inorganic-organic nanocomposite.—74-10497A
Kasenov, B. K.; Ashyaeva, I. V.
Phase equilibria in the system As_2O_3-SrO.—74-04180A
Kashani, R. See Kankanala, S. V.
Kashcheev, I. D.; Semyannikov, V. P.
Role of structural factors in improving the corrosion resistance of refractories.—74-02783A
Kashcheev, I. D.
Effect of rare-earth chromites on sintering of magnesia.—74-04586A
Kashchieva, E. See Ivanova, Y.
Kashida, Meguru See Kuwabara, Haruyoshi
Kashihara, Keiichiro; Itoh, Hiromi
Semiconductor device having a ferroelectric capacitor with a planarized lower electrode.—74-09190P
Kashimoto, Satoru See Sato, Mitsukuni
Kashirin, V. B.; Shudegov, V. E.
Computer experiments on amorphization of the superstructure of Cu_3Au by disclinations.—74-01358A
Kashiwagi, Yuzo See Kanno, Munekazu
Kashper, Zh. I.; Kolotii, P. V.; Golova, V. M.
Enhancing the whiteness of porcelain ware.—74-02807A
Kashurnikov, V. A. See Elesin, V. F.
Kasi, Srinandan R. See Rabalais, John W.
Kaslyan, V. A.; Nedeoglo, D. D.; Oprya, S. V.
High-temperature anomalies in the kinetic coefficient of ZnSe:Cu.—74-08933A
Kasori, Mitsuo See Ueno, Fumio
Kasrai, M. See Kwok, R. W. M.
Kassel, Dieter See Dreyer, Klaus
Kassmaul, Michael T. See Mirtich, Michael J.
Kassner, M. E. See Rosen, R. S.
Kastingschafer, G.
New rotary kiln concept.—74-06866A; Repol-RS time-proven and innovative features.—74-00988A
Kastner, G.; Wagner, R.; Hilarius, V.
Preferential grain growth and orientation relationshiips in $BaTiO_3$ and ZnO ceramics.—74-07716A
Kasuga, Toshihiro See Ota, Yoshio
Kasuga, Toshihiro; Inoue, Tatsuya; Tsuji, Kenji; Ota, Yoshio; Abe, Yoshihiro
Preparation of porous ceramics with calcium metaphosphate fiber skeleton for biomedical use.—74-00312A
Kasuh, T. See Fujimoto, H.
Kasumov, F. B.; Dzhafarova, E. M.; Dzhafarova, S. A.
Characteristics of industrial catalyst deactivation during Clauss process.—74-01223A
Kasuya, A. See Czajka, R.
Kasuya, Tadao; Haga, Yoshinori; Suzuki, Takashi
Magnetic orders in CeP.—74-01532A; Magnetic polaron formation in CeP and CeAs.—74-01534A
Kasuya, Tadao; Sera, Masafumi; Suzuki, Takashi
Anomalous magnetoresistance in $Ce_{1-x}La_xSb$ and $Ce_{1-x}La_xBi$.—74-01495A
Kasuya, Tadao
Hall mobility and optical conductivity in SmB_6.—74-04327A
Katada, Tsuneharu See Hakotani, Yasuhiko
Katakura, Takeo See Matsunaga, Noboru
Katamish, H. See Ibrahim, D. M.
Kataoka, Hiroya See Sugino, Takashi
Kataoka, Masayuki See Matukawa, Koei
Katardjiev, I. V. See Berg, S.
Katayama, Akiko See Kamiya, Kanichi
Katayama, Muneyososhi See Yamamura, Takashi
Katayama, Shigehisa See Okada, Masaru
Katayama, Shinichi See Hohnoki, Satoshi
Katayama, Yoshifumi See Morishita, Yoshitaka; Nomura, Yasuhiko
Katerinchuk, V. N.; Kovalyuk, M. Z.; Ogorodnik, A. D.
Photosensitive native-oxide p-In_4Se_3 heterostructures.—74-08998A
Kato, Akio See Nagashima, Satoko
Kato, Akio; Jyonosono, Keiko; Nagashima, Satoko
Crystallization of $CaCO_3$ from $Ca(NO_3)_2$ solution: II, Effect of metallic ions on phase and morphology of $CaCO_3$.—74-07067A
Kato, Ayako See Nogami, Masayuki
Kato, Eturo; Hirano, Masanori; Nagai, Akihiro
Growth of monoclinic ZrO_2 thin, flaky crystals by hydrothermal decomposition of zirconium oxide sulfate crystals.—74-07334A
Kato, H. See Okada, K.
Kato, Hirokazu See Adachi, Sadao
Kato, Hiroyuki See Tamura, Hitoshi
Kato, J. See Okuyama, F.
Kato, Junichi See Inoue, Tatsuya
Kato, K. See Childs, T. H. C.; Takarada, T.; Yokohata, T.
Kato, Kazuo See Fushii, Yasuhito
Kato, Rie See Kobashi, Koji
Kato, S.
SHG and sum-frequency generation on $KTiOAsO_4$.—74-06310A
Kato, T.; Haruta, K.; Kusakabe, Katsuki
Effect of catalyst seeding on formation of vapor-grown carbon fibers.—74-04569A
Kato, Takaaki See Nakasuji, Mamoru
Kato, Takeshi See Fujikami, Jun
Kato, Tamani See Kakegawa, Kazuyuki
Kato, Tetsuya See Mitsui, Toshiharu
Kato, Toshiyuki See Nishimura, Hiroyuki
Kato, Y. See Yasutake, Masatoshi
Kato, Y.; Fukatsu, S.; Shiraki, Yasuhiro
Solid- and gas-source "hybrid" Si molecular beam epitaxy for an $Si_{1-x}Ge_x$/Si quantum well electroluminescent device.—74-01892A
Kato, Y.; Takahashi, T.; Fukatsu, S.; Shiraki, Yasuhiro; Ito, Ryoichi
Quantum-confined Stark shift observed by electroluminescence and circularpolarized luminescence excitation spectroscopy in GaAs/AlGaAs coupled quantum wells.—74-04404A
Kato, Yoshio See Kobayashi, Fumiaki
Kato, Yoshitsugu See Oshima, Kenji
Katoh, Tokiomi; Ozeki, Hirofumi
Microwave dielectric ceramic composition.—74-00744P
Katou, Kiminari; Watanabe, K.; Miwa, S.
Characteristic and application of silicon nitride ceramics.—74-09856A
Katou, Masaaki See Mizusaki, Junichiro
Katou, Yoshirou See Takahashi, Makoto
Katou, Yoshiyuki
Piezoelectric ceramics.—74-09164A
Katsuda, T. See Nakagawa, K.
Katsui, A. See Matsuoka, T.
Katsuki, Hiroaki; Furuta, S.; Terasaki, M.; Takagi, Hiroyoshi
Surface modification of alumina ceramics with mullite coating.—74-01245A
Katsuki, Hiroaki; Ichinose, Hiromichi; Takagi, Hiroyoshi
Preparation and mechanical properties of laminated alumina/mullite-glass composites.—74-05783A
Katsumata, Satoshi; Oobuchi, Yoshimichi; Asano, Tanemasa
Patterning of CVD diamond films by seeding and their field emission properties.—74-07412A
Katsumata, Satoshi; Yugo, Shigemi
New method for selective growth of diamonds by microwave plasma chemical vapor deposition.—74-04774A
Kattamis, T. Z. See Fountzoulas, C. G.
Kattelus, H. See Koskinen, J.
Katutani, Yikio See Yokochi, Masao
Katz, A.; Baiocchi, F.; Lane, E.
Au-Sn/W and Au-Sn/Cr metallized chemical vapor deposited diamond heat sinks for InpP laser device applications.—74-02363A
Katz, A.; Bentur, Arnon
Mechanical properties and pore structure of carbon-fiber-reinforced cementitious composites.—74-05548A
Katz, Allan P. See Parthasarathy, Triplicane A.
Katz, J. L.; Miquel, P. F.
Synthesis and applications of oxides and mixed oxides produced by a flame process.—74-07005A
Katz, Joel D. See Freim, John; Thomas, J. R.
Katz, R. N. See Cho, K.; Pascucci, Marina R.
Katz, R. N.
Commercial applications of silicon nitride based ceramics.—74-01286A
Katzman, H. A.; Adams, P. M.; Lee, T. D.
Characterization of low thermal conductivity PAN-based carbon fibers.—74-07607A
Kauffman, Dale A. See Dexter, James L.
Kaufman, D. Y.; Lanagan, Michael T.; Ballen, T. A.
Bi-rich Bi-Pb-Sr-Ca-Cu-O (2-2-2-3) superconducting tapes.—74-06494A
Kaufman, Michael J. See Jayashankar, S.
Kaufmann, M. See Bauer, C.; Kotzler, J.
Kaup, F.
Practical experience with coal-fired Maerz kilns.—74-03926A
Kauppinen, E. I. See Gurav, A. S.
Kaushik, Sumanth; Hagelstein, Peter L.
Semiempirical line shape model of GaAs MQW structures.—74-09034A
Kaushik, V. K.; Bhat, S. G. T.; Corbin, D. R.
Surface composition and electronic structure of zeolites using X-ray photoelectron spectroscopy.—74-10039A
Kautek, W. See Pimenta, G.
Kauzlarich, Susan M. See Roberts, Gerald L.
Kavanagh, Karen L. See Raisanen, A.; Talin, A. Alec
Kavetskaya, I. V.; Sibel'din, N. N.; Tsvetkov, V. A.
Magnetically stabilized exciton impurity compiexes in InSb.—74-06192A
Kaviratna, Padmananda D. See Pinnavaia, Thomas J.
Kawabata, Akio See Hirano, Shingo; Okada, Yoshitaka
Kawabata, Akio; Yoshinaka, Masaru; Hirota, Ken; Yamaguchi, Osamu
Hot isostatic pressing and characterization of sol-gel-derived chromium(III) oxide.—74-05857A
Kawabata, Chikao; Nakanishi, Takamitsu
Critical temperatures, T_c, of ionic-crystal model for infinite layer compounds.—74-06506A
Kawabata, M. See Hirata, Y.
Kawabe, Mitsuo See Okada, Yoshitaka
Kawabe, Nozomu See Yamamoto, Susumu
Kawabe, Ushio See Nishino, Toshikazu
Kawabe, Yoichiro See Ichikawa, Kenji
Kawachi, Masaru See Saitoh, Shiroh
Kawada, Nobuo; Kubota, Yoshihiro; Harada, Kesazi; Itou, Kenji
Triple-layered ceramic heater.—74-00562P
Kawada, Tatsuya See Horita, Teruhisa; Sakai, Natsuko; Yokokawa, Harumi
Kawagoe, Tomoo See Mineshige, Atsushi
Kawaguchi, Jun See Kobayashi, Hiroaki; Muromachi, Takashi
Kawaguchi, K. See Sohma, M.

Kawaguchi, K.; Sohma, M.
Preparation of EuO and EuO/Cu multilayered films and their magnetic properties.—74-03398A
Kawaguchi, Teruo
Polarcor/glass polarizers for near-infrared.—74-08385A
Kawahara, Masanori See Hoffmann, M. J.
Kawahara, Takayuki See Yamamoto, Osamu
Kawai, Chihiro
Method of manufacturing fiber-reinforced composites having a gradient function.—74-04067P
Kawai, Hiromu See Doi, Akira
Kawai, Makoto See Kubota, Yoshihiro
Kawai, Shichio See Tabata, Hitoshi
Kawai, T. See Murakami, K.
Kawai, Tomoji See Endo, Utako; Tabata, Hitoshi
Kawaji, Hitoshi See Mifune, Tatsue
Kawakami, F. See Nakagawa, P. M.
Kawakami, Y.; Ohnakado, T.; Tsuka, M.
p-type ZnSe grown by molecular beam epitaxy with remote microwave plasma of N_2.—74-01604A
Kawamoto, Hiromi; Kubota, Yoshinori; Nishimura, Natsuya; Sakanoue, Akira
1.3 micrometer-band amplifying optical fiber preform.—74-00324P
Kawamura, Hikaru See Nishimori, Hidetoshi
Kawamura, K. See Kimata, M.
Kawamura, K.; Ono, M.; Okazaki, K.
Silicon carbide/carbon composite sheets derived from PCS/coal-tar pitch mixtures.—74-04892A
Kawamura, M. See Chatterji, Susanta
Kawamura, Mitsunori See Igarashi, Shinichi; Torii, Kazuyuki
Kawamura, Mitsunori; Takeuchi, Katsunobu; Sugiyama, Ayanori
Mechanisms of expansion of mortars containing reactive aggregate in NaCl solutions.—74-05553A
Kawanabe, Yoshihiro See Ohgushi, Tatsuo
Kawano, Hazuki; Yoshizawa, Hideki; Ito, Atsuko
Two successive spin glass transitions in nondiluated Heisenberg-like spin glass $Ni_{0.42}TiO_3$.—74-01599A
Kawano, Kenji
High-speed shielded velocity matched Ti:$LiNbO_3$ optical modulator.—74-00754A
Kawarada, H. See Sasaki, H.
Kawarada, H.; Aoki, M.; Sasaki, H.; Tsugawa, K.
Characterization of hydrogen-terminated CVD diamond surfaces and their contact properties.—74-02935A
Kawarada, H.; Yamaguchi, A.
Excitonic recombination radiation as characterization of diamonds using cathodoluminescence.—74-01385A
Kawarada, Motonobu See Kurihara, Kazuaki
Kawarada, Motonobu; Kurihara, Kazuaki; Sasaki, Kenichi; Teshima, Akitomo; Koshino, Nagaaki
Plasma jet CVD apparatus for forming diamond films.—74-09534P
Kawarada, Motonobu; Kurihara, Kazuaki; Sasaki, Kenichi
Diamond synthesis on a metal substrate.—74-08162A
Kawarazaki, Shuzo; Kobashi, Yutaka; Taniguchi, Toshifumi; Miyako, Yoshihito; Amitsuka, Hiroshi
Frozen-in devil's staircase in $U(Ru_{1-x}Rh_x)_2Si_2$ mixed compound system as studied by neutron diffraction.—74-04145A
Kawasaki, Keiji; Fushimi, Koji
Ultrasonic testing method for balls.—74-09632P
Kawase, Hiroyuki See Mizuno, Takeyuki
Kawase, Hiroyuki
Machining method of ceramic turbine rotor.—74-01020P
Kawase, M.; Garmire, E.; Dapkus, P. D.
Single-pulse pump-probe measurement of optical nonlinear properties in GaAs/AlGaAs multiple quantum wells.—74-06317A
Kawase, M.; Garmire, E.; Lee, H. C.
Impact of amplified spontaneous emission (ASE) on carrier density for measurement of optical nonlinearities in GaAs/AlGaAs multiple quantum wells.—74-00636A
Kawashima, I. See Sato, Y.
Kawashima, Maumi
Method of manufacturing superconductor.—74-00874P
Kawazoe, Hiroshi See Awazu, Koichi; Hashimoto, T.
Kay, John F.
Synthetic bone mineral analog as a substrate for biological research.—74-03879A
Kaysser, Wolfgang A. See Frisch, A.
Kazakov, S.V. See Kvyatkovsky, O. V.
Kazakovtsev, D. V. See Danil'chenko, B. A.
Kazanov, Yu. K.; Filatova, N. D.
Modeling of technological properties of enamel slips.—74-02385A
Kazanov, Yu. K.
Structure formation in silicate systems used industrially.—74-02356A
Kazanskii, L. N. See Stepanov, A. I.
Kazanskii, L. P. See Akimov, A. G.
Kazaoui, S. See Elissalde, C.
Kazei, Z. A. See Abdulsabirov, R. Yu.
Kazimierski, P. See Tyczkowski, J.
Kazior, Thomas E. See Hur, Katerina Y.
Ke, Ning See Wong, S.-P.
Ke, San-Huang; Huang, Mei-Chun; Wang, Ren-Zhi
Electronic structures of wurtzite compounds GaN, AlN, and strained-layer superlattices $(Ga_2N_2)_n(Al_2)_n$ (001), (n=1, 2).—74-05139A
Kear, B. H. See Chang, W.; McCandlish, L. E.; Sadangi, R. K.; Skandan, G.
Kear, B. H.; McCandlish, L. E.
Chemical processing and properties of nanostructured WC-Co materials.—74-00900A
Keay, Joel C. See Engel, W.; Ingram, D. C.
Keefe, P. Brian
Conversion of St. Mary's conventional grate cooler at the Boumanville plant.—74-00907A
Keegan, James, III
Thermography: use of heat release decal system.—74-00028A
Keeling, Lori A. See Du, Wei
Kehat, Ephraim See Regev, Oren
Kehoe, V. M. See Schwartz, M.
Keimer, B.; Shih, W. Y.; Erwin, R. W.
Vortex lattice symmetry and electronic structure in $YBa_2Cu_3O_7$.—74-09360A
Keiper, B. See Reisse, G.
Keishs, Yu. Ya.; Chekhovskii, V. G.; Petrov, Yu. A.
Crystallization of glasses of the CaO-Fe_2O_3-B_2O_3 system.—74-02443A; 74-00192A
Kelemanis, L. See Tsivilis, S.
Kelemen, Miklos
Forecasting of load-bearing characteristics of reinforced concrete structures in aggressive environment.—74-05524A
Kelkar, Girish P.; Carim, Altaf H.
Phase equilibria in the Ti-Al-O system at 945°C and analysis of Ti/Al_2O_3 reactions.—74-04184A
Keller, F. See Mannweiler, U.
Keller, Kristin A. See Moore, Edmund H.
Keller, Teddy M.; Henderson, Leslie J., Jr.
Ceramics formed by pyrolysis of either linear or thermosetting carborane (siloxane or silane) acetylene based precursor polymers.—74-01314P
Keller, Walter D. See Lahodny-Sarc, O.; Murray, Haydn H.
Kellerman, B. K. See Mahajan, A.
Kellerwessel, H. See Battersby, M. J. G.
Kellett, Bruce J.; Wilkinson, David S.
Processing and properties of alumina–graphite platelet composites.—74-04834A
Kellett, Bruce J.
Application of soil mechanics to ceramic processing.—74-10198A
Kelly, John S. See Reed, David P.
Kelly, P. J. See Brocks, G.
Kelly, Patrick M. See Wauchope, Corinna J.
Kelly, Patrick See Dehmel, Jean-Claude
Kelly, Patrick; Dehmel, Jean-Claude
Measurement of naturally occurring radioactivity in refractories: analytical methods for the workplace.—74-08622A
Kelly, Peter See Rofan, Reza
Kelly, R. See Bertoti, I.; Verdi, L.
Kelly, T. C. See Dowling, D. P.
Kelly, Thomas J., III See Yasrebi, Mehrdad
Kelly, W. J.
Sampling procedures for raw materials.—74-09752A
Kelty, Stephen P.; Ruppert, Albert F.; Chianelli, Russell R.
Scanning probe microscopy study of layered dichalcogenide ReS_2.—74-10880A
Kemmather, B. See Gutsche, M.
Kemmerer, P. Jeffrey See Guardiota, Carlos
Kemp, William W. See Yasrebi, Mehrdad
Kenan, Wilfred M.
Graphite, natural and synthetic particles.—74-06904A; Why graphite.—74-08642A
Kenawy, M. A. See Zayed, H. A.
Kendelewicz, T. See Herrera-Gomez, A.
Kendig, M. W. See Tench, D. M.
Kendig, M. W.; Tench, D. M.; Jeanjaquet, S.
Electrodeposition of mixed metal oxides from the eutectic sodium-potassium nitrate melt.—74-07291A
Kendrick, D. See Dunster, A. M.
Kennedy, J. H. See Zhang, Z.
Kennerknecht, Steven
Ceramic core for investment casting and method for preparation of the same.—74-08645P
Kennish, Richard A. See Laine, Richard M.
Kenny, T. W. See Stalder, R. E.
Kentgens, A. P. M. See Van Blaaderen, A.
Kenyon, I. See Hancock, R. G. V.
Kera, Y. See Hitomi, M.
Keramidas, V. G. See Ramesh, R.; Simion, B. M.; Tanaka, M.
Kerans, Ronald J. See Gustafson, Cathleen M.; Parthasarathy, Triplicane A.
Kerber, A.; Wagner, R.
Nanocomposite ceramics—Al_2O_3/SiC and Si_3N_4/SiC.—74-07395A
Keren, A. See Uemura, Y. J.
Kergaputskaya, L. A.; Kupalova, T. P.; Zhuchenko, O. V.
Refractory fibers—a reinforcing component of metal matrix composites: a review.—74-02394A
Kerkar, Awdhoot V.
Manufacture of conical pore ceramics by electrophoretic deposition.—74-01021P
Kermaoui, A.; Denis, J. P.; Ozen, G.
Effect of Yb^{3+} on red to blue conversion fluorescence of Tm^{3+} in fluorozirconate glass.—74-05712A
Kermaoui, A.; Ozen, G.; Goldner, P.
Infrared to blue upconversion fluorescence in heavy metal fluoride glass codoped with Tm^{3+} and Yb^{3+} ions.—74-08434A
Kern, D. P. See Ford, C. J. B.; Rishton, S. A.
Kern, H.
Terrain conforming long distance transport by roller belt conveyors.—74-06729A
Kerr de Paiva Cortes, Gabriel Warwick
Brown fused alumina for the refractory industry.—74-08609A; Magnesia alumina spinels for the refractory industry.—74-08621A
Kerr, D. See Dannefaer, S.
Kerrick, D. M.; Hooton, R. D.
ASR [alkali-silica reaction] of concrete aggregate quarried from a fault zone: results and petrographic interpretation of accelerated mortar bar tests.—74-05464A
Kerstan, W.
Raw materials for the production of colored glazes and ceramic colorants.—74-01202A
Kersten, H. See Fukarek, W.
Kervadec, Dominique; Maupas, Helene; Doreau, Franck
Creep of 1-D and 2-D SiC-F-MLAS composites.—74-07851A
Kesan, V. P. See Agnello, P. D.
Keshavan, Madapusi K. See Tucker, Robert C., Jr.
Kesling, W. Dawson See Chakhovskoi, Andrei G.
Kessler, B. See Thiele, J.-U.
Kessler, H.; Kleebe, Hans-Joachim; Cannon, Rowland M.; Pompe, W.
Influence of internal stresses on crystallization of intergranular phases in ceramics.—74-10000A
Kessler, S.; Herrmann, M.; Schubert, C.
Alpha-beta transformation and anisotropic growth of beta grains during sintering of Si_3N_4.—74-07589A
Kessler, Vadim G.; Turevskaya, E. P.; Kucheiko, Sergei I.
Alkoxides of molybdenum, tungsten, and vanadium and their hydrolysis products.—74-09755A
Kester, D. J.; Ailey, K. S.; Davis, R. F.
Deposition and characterization of boron nitride thin films.—74-04537A
Kester, D. J.; Ailey, K. S.; Lichtenwalner, D. J.; Davis, R. F.
Growth and characterization of cubic boron nitride thin films.—74-07328A
Keswani, S. T.; Wasowski, R. J.
Fuzzy logic in color quality control.—74-11164A
Keswick, P. See Givens, J.
Ketcham, Thomas D.; Share, Leroy S.; St. Julien, Dell J.
Microlaminated composites and method.—74-00178P
Ketcham, Thomas D.
Sintered inorganic composites comprising cosintered tape reinforcement.—74-01272P
Keto, J. W. See Juang, C.-B.
Ketterson, A. See Tong, M.
Ketterson, J. B. See DiVenere, A.; Williams, S. M.
Kettunen, P. O. See Konos, T.; Siitonen, P.
Keul, Mariane See Tanasescu, Speranta
Keuschnigg, J.
Results with a Hurriclon centrifugal separator for dedusting a roller grinding mill.—74-06720A
Keuthen, M. See Hapke, J.; Janosovits, U.
Keville, Kathleen M.; Timken, Hye K. C.; Ware, Robert A.
Method for preparing catalysts comprising zeolites.—74-09824P
Kewtsch, Anthony S.; Mordechai, Segev; Yariv, Amnon
Ferroelectric domain gratings in $Sr_{0.75}Ba_{0.25}Nb_2O_6$ induced by photorefractive space charge fields.—74-06409A
Keyes, Brian R. See Lovejoy, Michael L.
Khabarov, S. E. See Lipovskii, A. A.
Khabelashvili, I. D. See Chubunova, E. V.
Khachaturyan, Armen G. See Wang, Yun-Zhi
Khadkikar, P.
Principles and properties of thermostat metals.—74-01564A
Khaenko, B. V.; Gnitetskii, O. A.
Crystal structure of low-temperature ordered modification of Nb_2C carbide.—74-07060A
Khailova, E. G.; Lysenko, T. A.; Cherginets, V. L.
Solubility of the oxides of divalent metals in the eutectic melt of CsCl-KCl-NaCl at 700°C.—74-01574A
Khakhomov, S. A. See Semchenko, I. V.
Khakulov, Z. L.; Shurdymov, G. K.; Mokhosoev, M. V.
Thermal analysis of the system K_2MoO_4-KF-KBO_2.—74-04228A
Khaled, M. A. See El-Zahed, H.
Khalil, Ali E.
Diffusion and dynamical randomness of the flux flow in high-temperature superconductors.—74-03442A
Khalilev, V. D. See Amandikov, M. A.
Khalilev, V. D.; Chekhovskii, V. G.; Bogdanov, V. L.
Crystallization of glasses based on usovite.—74-00190A; Crystallization of usovite-based glasses.—74-00193A
Khaloo, A. R.
Properties of concrete using crushed clinker brick as coarse aggregate.—74-05826A
Khamankar, R. See Sudhama, C.
Khamsehpour, B. See Davies, S. T.
Khan, Mohammad Shamin; Ayers, Michael E.
Curing requirement of silica fume and fly ash mortars.—74-00045A
Khan, Nawazish A.; Iqbal, M. Zafar; Baber, N.
Electrical and ir characterization of the semiconducting phases of $YBa_2Cu_3O_{6.5}$.—74-09263A
Khan, R. U. See Biur, A. P.
Khan, Saeed R.; Adair, James H.; Morrone, A. A.
Calcium phosphate deposition in rat kidneys.—74-09764A
Khan, Saeed R.; Hackett, Raymond L.
Pathological crystallization of calcium oxalate and calcium phosphate.—74-09795A
Khandelwal, P. K.; Wildman, W. D.
Design and development of a CMC interturbine seal.—74-09446A
Khandkar, Ashok C. See Hartvigsen, J.
Khandkar, Ashok C.
Creep resistant, metal-coated $LiFeO_2$ anodes for molten carbonated fuel cells.—74-00547P
Khandl, Vladimir See Majling, Jan
Khang, Yoon-Ho; Khang, S.-J.; Mang, K.-M.; Jeon, D.; Lee, J.-H.; Kim, Y.-N.
Structure of nickel silicide on Si(001): an atomic view.—74-07760A
Khanna, N. See Pei, Z. J.
Khanna, S. K.
Performance and progress of the cement industry in India.—74-05430A
Kharas, Karl C. C.
Barium-containing alumina.—74-09807P
Kharchenko, N. F.; Bedarev, V. A.
Effect of nonlinear polarization of light on magnetization reversal in an antiferromagnetic Ca-Mn-Ge garnet.—74-03374A

Kharchenko, N. F.; Bibik, A. V.; Desvignes
Quadratic magnetic rotation of polarization plane of light in antiferromagnetic CaMnGe garnet.—74-03402A
Kharchenko, Yu. N. See Kut'ko, V. I.
Khare, Reena; Brown, Julia J.; Hu, M.; Pierson, D.; Melendes, M.; Constantine, C.
$CH_4/H_2/Ar/Cl_2$ electron cyclotron resonance plasma etching of via holes for InP-based microwave devices.—74-06000A
Khare, Reena; Hu, Evelyn L.; Brown, Julia J.
Micromachining in III-V semiconductors using wet photoelectrochemical etching.—74-00657A
Kharlamov, A. I. See Vlasova, M. V.
Kharroubi, M. See Gillot, B.
Kharton, V. V. See Mamedova, G. G.
Khasgiwale, N. R. See Gonczy, S. T.
Khasgiwale, N. R.; Butler, E. P.; Vaidyanathan, K. Ranji; Tsakalakos, L.; Cannon, W. Roger; Danforth, Stephen C.
Evaluation of ammonia-treated Nextel 312 fiber–Blackglas matrix composites.—74-10103A
Khats'ko, A. S.; Chernyi, A. S.; Kaplienko, A. I.
Spin-orientational phase transitions and magnetic structure of low-2-D noncollinear Ising magnet, $KDy(MoO_4)_2$.—74-09222A
Khats'ko, E. N.; Chernyi, A. S.; Kaplienko, A. I.
Magnetic properties of low-dimensional Ising magnet $KEr(MO_4)_2$.—74-01536A
Khats'ko, E. N.; Chernyi, A. S.; Kobets, M. I.
Magnetic structure and properties of the quasi-2-D Ising magnet $CsEr(MoO_4)_2$.—74-09206A
Khavala, V. M. See Sarkisov, P. D.
Khawaja, E. E. See Salim, M. A.
Khawaja, E. E.; Bouamrane, F.; Al-Adel, F.; Haliak, A. B.; Daous, M. A.; Salim, M. A.
Study of the Lorentz-Lorentz law and the energy loss of ^4He ions in titanium oxide films.—74-04435A
Khazai, Bijan; Moore, William G.
Composition and method for producing boron carbide/titanium diboride composite ceramic powders using a boron carbide substrate.—74-01315P
Khazan, L. S. See Tkhorik, Yu. A.; Vdovin, V. I.
Khela, S. See Jickells, A. J.
Khela, S.; Jickells, A. J.; Matthews, S. J.
Thermal cycling performance of ceramics for gas-fired furnaces.—74-09718A
Kheyrandish, H. See Kim, J.-K.
Kheyrandish, H.; Colligon, J. S.; Kim, J.-K.
Effect of deposition parameters on the microstructure of ion-beam-assisted deposition TiN films.—74-07268A
Khimyi, V. F.; Seminozhenko, V. P.; Kozlovskii, A. A.
Detection and investigation of the properties of circular vortex rings in current-carrying type II superconductors $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$.—74-06510A
Khinkis, J. See Panahi, Sherry K.
Khlybov, E. P. See Kuz'micheva, G. M.
Khodakov, A. Yu. See Bragin, O. V.
Khodan, A. N. See Akimov, A. G.
Khodier, S. A. See Mansour, B. A.
Khodskii, L. G.; Stefanyuk, I. V.; Shkadratsova, V. G.
Anticorrosion properties of glass enamel coatings in media containing hydrogen sulfide.—74-02362A
Khokle, W. S. See Singh, Awatar
Kholkin, A. L. See Sonin, E. B.
Khomutchenko, S. Ya. See Rastrigin, O. P.
Khomyakov, A. P. See Rastsvetaeva, R. K.
Khong, Y. L. See Freitas, J. A., Jr.; Gheeraert, E.
Khong, Y. L.; Collins, A. T.; Allers, Lars
Luminescence decay time studies and time-resolved cathodoluminescence spectroscopy of CVD diamond.—74-04346A
Khonsari-Arefi, F. See Farber, Y.
Khor, K. A.; Cheang, P.
Effect of powder feedstock on thermal-sprayed hydroxyapatite coatings.—74-09779A; Laser post-treatment of thermally sprayed HAp coatings.—74-10434A
Khor, K. A.; McPherson, R.
Formation of ultrafine multicomponent ZrO_2-based powders in an rf plasma.—74-01739A
Khor, K. A.
Production of fine metal and ceramic powders by the plasma melt and rapid solidification process.—74-06992A
Khorosh, A. G. See Skipetrov, E. P.
Khoroshavin, L. V.; Deryabin, V. A.; Perepelitsyn, V. A.
Hexavalent chromium in refractories.—74-02332A
Khoroshavin, L. V.; Kononov, V. A.
Market for magnesia raw materials.—74-06912A
Khoroshavin, L. V.; Perepelitsyn, V. A.
Mechanical activation of periclase cements.—74-02337A
Khramov, B. L. See Yurchenko, E. N.
Khristenko, E. V. See Dmitrev, V. M.
Khristov, Ts. I. See Popovich, N. V.
Khrustalev, B. P.; Pozdnyakov, V. G.; Frolov, G. I.
Hall effect and transition into noncollinear state in ferrimagnetic amorphous Dy-Co films under strong magnetic fields.—74-03381A
Khudolii, V. A.; Pan'ko, V. V.; Shelmba, M. S.
Phase equilibria in the systems HgS-HgSe-$HgCl_2(Br_2)$.—74-04182A
Khulbe, K. C.; Mann, R. S.; Tezel, F. H.
Characterization of clinoptilolite by interaction of H_2S, CO, and SO_2 by the ESR technique.—74-10767A
Khuzhakulov, E. S. See Amandikov, M. A.
Khvostov, V. V. See Guseva, M. B.
Khvosttatsev, L. G. See Sidorov, V. A.
Khwaja, Z. See Mazanek, J.
Kiatos, D. See Fiikos, C.
Kibbler, A. E. See Kurtz, Sarah R.
Kibler, J. J.; DiPietro, S. G.
Analytical modeling support of the development of fiber-reinforced ceramic composite materials for reheater burners.—74-09846A
Kibler, J. J.; Jones, Mark L.; Yen, C. F.
Nonlinear behavior model for SiC/SiC composites.—74-11061A
Kida, Otojiro; Ishino, Toshihiro
High zirconia fused cast refractory.—74-00409P
Kido, Giyuu See Hamamoto, Terufumi
Kidoh, Takanori; Ito, Katsura; Hanawa, Kenzo
Magnetic particles for perpendicular magnetic recording.—74-03410P
Kieback, B. F. See Teresiak, A.
Kiefl, R. F. See Sonier, J. E.
Kielpinski, A. L.
Process modeling of low-level mixed waste vitrification systems.—74-09411A
Kieschke, R. R. See Chang, Y. A.; Griffin, C. J.
Kieslich, A.; Doleschel, H.; Faller, F.
Longitudinal and lateral distribution of implantation-induced damage in GaAs/InGaAs heterostructures —74-00646A
Kiflawi, I. See Sangster, M. J. L.
Kiggans, J. O. See Maria, J.-P.; Tiegs, Terry N.
Kiggans, J. O.; Tiegs, Terry N.
Studies on the scale-up of the microwave-assisted nitridation and sintering of reaction bonded silicon nitride.—74-10655A
Kihlstrom, K. E. See Benerofe, S. J.
Kikkawa, Shinichi; Nato, Namie; Taya, Noriko; Tada, Masakazu; Kanamaru, Fumikazu
Formation of infinite-layered $(Ca_{1-x}Sr_x)CuO_2$ and $NaCuO_2$-type $(Ca_{1-y}Na_y)_{0.85}CuO_2$ in tartrate route.—74-03467A
Kikuchi, Hiroyuki; Mimura, Masanao; Uno, Naoki; Tanaka, Yasuzo
Multifilamentary oxide superconducting wires and method of manufacturing the same.—74-00875P
Kikuchi, Jun; Yasuoka, Hiroshi; Hase, Masashi; Sasago, Yoshitaka; Uchinokura, Kunimitsu
Cu nuclear quadrupole resonance study of $CuGeO_3$.—74-04272A
Kikuchi, Noribumi; Ohsawa, Yuzo; Suzuki, Ikuro
Diamond synthesis by CO_2 laser irradiation.—74-01679A
Kikui, Y. See Fujimoto, H.
Kikuta, Koichi See Hirano, Shinichi; Yogo, Toshinobu
Kil, Deok-Sin; Joo, Jae-Hyun; Joo, Seung-Ki
Effects of Ta doping in sputter-deposited PZT thin film.—74-08746A
Kilbride, I. P.; Baker, A. J.
Processing and properties of extruded hydrothermally derived maganese zinc ferrites.—74-03401A
Kilgus, G. See Hilarius, V.
Kilian, A. See Oh, Kyung-Hwan
Kiliptari, I. G.
Effect of transverse relaxation time inhomogeneity on nuclear spin echo signals in ferromagnets.—74-06454A
Killeen, K. P.; Breiland, William G.
In situ spectral reflectance monitoring of III-V epitaxy.—74-05162A
Killilea, William R. See Hong, Glenn T.
Kim, B.-I.; Hong, J.-W.; Jeong, G.-T.; Moon, S.-H.; Lee, D.-H.; Shim, T.-U.
Effect of $Mg(OH)_2$ on $YBa_2Cu_3O_7$ thin film on MgO substrate studied by atomic force microscope.—74-06519A
Kim, Bo-Woo See Yun, Sun-Jin
Kim, Byong-Ho See Lee, Chang-Ho
Kim, Byong-Ho; Hong, Kwon; Cho, Hong-Yeon
Preparation of ferroelectric PZT thin film by sol-gel processing: I, Synthesis of stable PZT sol using chelating agent and preparation of its thin film.—74-09169A
Kim, Byong-Ho; Hong, Kwon; Shin, Dong-Won
Improvement of oxidation and corrosion resistance of stainless steel by sol-gel ceramic coating: I, Synthesis of zirconia sol and fabrication of its thin film.—74-10918A
Kim, Byong-Ho; Moon, Sung-Hoon; Lee, Keun-Heon
Synthesis and characterization of cordierite glass-ceramics for low firing temperature substrate: IV, Metallizing by using Cu powder coated by sol-gel method.—74-08464A
Kim, Byung-Hoon; Na, Yong-Han
Effects of additives on the microstructure and mechanical properties in porous aluminum titanate ceramics.—74-10302A
Kim, Byung-Kook; Hamaguchi, Hiroo; Kim, In-Tae; Hong, Kug-Sun
Probing of 1:2 ordering in $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics by XRD and Raman spectroscopy.—74-10866A
Kim, C. J.; Lai, S. H.; McGinn, P. J.
Morphology of Y_2BaCuO_5 and segregation of second phase particles in melt-textured Y-Ba-Cu oxides with/without $BaCeO_3$ addition.—74-06593A
Kim, C. K. See Kang, W. P.
Kim, C.-S. See Kwak, J.-S.
Kim, Chan-Joong; Kim, Ki-Baik; Won, Dong-Yeon
Oxygen diffusion paths and microcrack formation in the textured 1-2-3 regions of partial-melted Y-Ba-Cu-O oxide.—74-06605A
Kim, Chang-Eun; Lee, Jong-Hyuk; Kim, Goo-Dae
Preparation and characterization of TiO_2-SiO_2 aerogels by supercritical drying.—74-10865A
Kim, Cheol-Young See Park, Sang-Jong
Kim, Chong-Don See Park, Seung-Eek
Kim, Chong-Hee See Kim, Tae-Song; Lee, Seung-Kun; Moon, Young-Tae
Kim, Choon-Gon See Heo, Jong
Kim, D. P. See Walsh, W. R.
Kim, D. S. See Fisher, A. J.; Jacob, J. M.
Kim, D.-H. See Park, B.-S.
Kim, D.-Y.; Kang, T.-W.; Kim, T.-W.
Optical properties of a strained GaAs/Si heterostructure after rapid thermal annealing.—74-06238A
Kim, D.; Sakurai, Makoto; Watanabe, Makoto
Mo-Si multilayer as soft X-ray mirrors for the wavelengths around 20-nm region.—74-02027A
Kim, Deug-Joong See Kang, Suk-Joong L.
Kim, Deug-Joong; Kang, Eui-Son
Sintering behavior of B_4C-SiC composite.—74-10632A
Kim, Do-Kyung See Lee, Seung-Kun; Moon, Young-Tae
Kim, Doh-Yeon See Chae, Ki-Woong; Oh, Kyung-Sik
Kim, Don H.; Ehrenreich, H.; Runge, E.
Band structure of fs-laser-pulse excited GaAs.—74-02921A
Kim, Dong-Il See Suh, Im-Choon
Kim, Dong-Pyo See Cofer, Cameron G.
Kim, Dong-Pyo; Cofer, Cameron G.; Economy, James
Fabrication and properties of ceramic composites with a boron nitride matrix.—74-07307A
Kim, Dong-Sang; Hrma, Pavel; Lamar, David A.; Elliott, Michael L.
Development of high-waste loaded high-level nuclear waste glasses for high-temperature melter.—74-09397A
Kim, Dong-Sang; Hrma, Pavel
Laboratory studies for estimation of melting rate in nuclear waste glass melters.—74-09404A; Models for liquidus temperature of nuclear waste glasses.—74-09406A
Kim, E. T.; Lee, J. W.; Lee, S. H.
Characterization of Y_2O_3-stabilized ZrO_2 thin films by plasma-enhanced metallorganic chemical vapor deposition.—74-01630A
Kim, E.-H. See Hwang, K.-H.
Kim, E.-S. See Kim, K.-H.
Kim, Elena V. See Rakhimov, Roustam K.
Kim, G. H.; Gray, J. L.; Yoo, H. M.; Ohuchi, F. S.
Low-temperature growth and characterization of GaAs epitaxial layer on (111)B GaAs substrates.—74-05181A
Kim, Goo-Dae See Kim, Chang-Eun; Lee, Dong-A.
Kim, H. J. See Lee, Y.-E.
Kim, H. K. See Wolfenstine, J.
Kim, H. K.; Earthman, J. C.
High-temperature deformation and fracture mechanisms in a dendritic Ni3Al alloy.—74-05363A
Kim, H.-J.; Kweon, Y.-G.
Improvement of three-body abrasive wear of plain carbon steel by thermochemical treatments.—74-08209A
Kim, Hai-Doo See Kang, Wuk-Won; Park, Dong-Soo
Kim, Han-Gyun; Park, Seung-Eek; Park, Hyun-Min
Imperfections in $LiTaO_3$ crystal.—74-10735A
Kim, Hee-Do; Kim, Jin-Ho; Cho, Sang-Hee
Phase relation and microwave dielectric properties of BaO-$(Nd, Sm)_2O_3$-TiO_2 ceramics.—74-08763A
Kim, Ho-Gi See Kim, Yong-Bum; Won, Tae-Kyung
Kim, Hong-Koo; Kleemeier, Walter; Li, Ya-Bo; Langer, Dietrich W.; Cassidy, Daniel T.; Bruce, Douglas M.
Thin-film-induced stress in GaAs ridge-waveguide structures integrated with sputter-deposited ZnO films.—74-06360A
Kim, Hong-Koo; Li, Cheng-Chung; Barrios, Pedro Jose
Erbium-doped indium oxide films prepared by radio frequency sputtering.—74-07302A
Kim, Hong-Soo See Han, In-Sub
Kim, Hwan See Choi, Ki-Sik
Kim, Hyeong-Gon; Kim, Jong-Hean; Kim, Young-Tae
Nonlinear ac magnetic susceptibility of the high-T_c superconductor $NdBa_2Cu_3O_7$.—74-03541A
Kim, Hyeong-Joon See Hwang, Cheol-Seong; Kim, Sun-Oo
Kim, Hyoun-Ee See Lee, Dong-Han
Kim, Hyoun-Ee; Moorhead, Arthur J.; Riu, Doh-Hyung; Lee, Dong-Han
Effects of heat treatment in a wet hydrogen atmosphere on the reliability of sintered α-silicon carbide.—74-07282A
Kim, Hyun-Min See Rey, Christian
Kim, Hyun-Min; Miyaji, Fumiaki; Kokubo, Tadashi; Ohtsuki, Chikara; Nakamura, Takashi
Bioactivity of Na_2O-CaO-SiO_2 glasses.—74-09760A
Kim, Hyun-Min; Rey, Christian; Glimcher, Melvin J.
Isolation of calcium phosphate crystals of mature bovine bone by reaction with hydrazine at low temperature.—74-09789A
Kim, Hyung-Seok See Kim, Jae-Whan
Kim, Hyung-Sun; Roberts, Steve
Brittle-ductile transition and dislocation mobility in sapphire.—74-05322A
Kim, Il-Soo; Hennicke, Hans-Walter
Al_2O_3 matrix composites with different fillers by melt oxidation of the Al alloys.—74-01215A; Influence of additives on the formation of the Al_2O_3/metal composite by melt oxidation of Al: I.—74-08213A
Kim, Il-Soo
Shrinkage-free mullite ceramics from kaolin and Al powder.—74-00995A
Kim, In-Seon See Inaguma, Yoshiyuki
Kim, In-Sool See Kim, Seong-Hyun
Kim, In-Sub; Lee, Byung-Ha
Effect of the amount of free silicon on the tribological properties of Si-SiC.—74-10977A
Kim, In-Tae See Kim, Byung-Kook
Kim, J. C.; Choi, K. H.; Oh, S. J.
Classification of the length of ceramic fibers by settling process.—74-10780A
Kim, J. H. See Bozovic, Ivan
Kim, J. S.; Gaskell, D. R.
Decomposition of $YBa_2Cu_3O_{7-x}$ at low oxygen pressures.—74-00795A
Kim, J. See Fu, Jian-Ming
Kim, J.-D.; Lee, Y.-B.; Park, S.-H.
Study on the honing of zirconia ceramics by diamond abrasive sticks.—74-06728A
Kim, J.-H.; Blairs, S.
Thermodynamic properties of bismuth trifluoride from vapor pressure measurements.—74-10045A
Kim, J.-H.; Kwon, Young-S.; Kim, K.-T.
Bending creep and creep fracture of sintered alumina under high temperature.—74-10951A
Kim, J.-K. See Kheyrandish, H.
Kim, J.-K.; Kheyrandish, H.; Colligon, J. S.
Influence of charge exchange on ion/neutral arrival rates in an ion-assisted deposition system.—74-07351A
Kim, Jae-Seong See Whang, Ki-Woong

Kim, Jae-Whan; Kim, Hyung-Seok; Lee, Won-Jong
Reactive ion etching characteristics of aluminum oxide films prepared by PECVD in CCl_4 dry etch plasma.—74-10604A
Kim, Jeong See Jung, Soo-Cheol
Kim, Jeong-Bae; Kim, Jung-Nam
Structural and dielectric characterizations of the mixed crystal $Li_{0.8}Na_{0.2}NbO_3$.—74-05260A
Kim, Ji-Young See Chikarmane, Vinay; Sudhama, C.
Kim, Jin-Ho See Kim, Hee-Do; Lim, Jin-Ho
Kim, Jonathan J. See Frechette, Francis J.
Kim, Jong-Choul See Lee, Won-Gyu
Kim, Jong-Geol; Gallagher, M. C.; Willis, R. F.; Miller, D. L.
Defect structure of GaAs(111)B(2×2) surface observed by scanning tunneling microscopy.—74-04999A
Kim, Jong-Hean See Kim, Hyeong-Gon
Kim, Jong-Min; Weimer, Jeffrey J.; Zukic, Muamer; Torr, Douglas G.
Depth profiling analysis of aluminum oxidation during film deposition in a conventional high vacuum system.—74-07805A
Kim, Jong-Ok; Son, Woo-Chang; Chun, Seong-Yong
Synthesis of $BaTi_4O_9$, $Ba_2Ti_9O_{20}$, and $BaTi_5O_{11}$ compounds by coprecipitation method and their electrical and thermal properties.—74-10677A
Kim, Joon-Soo; Lee, Byung-Ha; Lee, Kyung-Hee
Effect of Sb_2O_3 addition on the microstructure and the PTCR characteristic in $BaTiO_3$.—74-10794A
Kim, Jung-Nam See Kim, Jeong-Bae
Kim, K. D.; Ondracek, G.
Phase diagrams and sinter aids (Cs_2O) for SiO_2-sinterglass.—74-08345A
Kim, K. Y. See Kim, W. S.
Kim, K.-H. See Kim, S.-J.
Kim, K.-H.; Ko, D.-H.; Kang, S.-H.; Kim, S.-T.; Shim, S.-J.; Kim, E.-S.
Characteristics of the NO dielectric film with low-pressure chemical vapor deposition in situ nitridation.—74-05923A
Kim, K.-J. See Seo, J.-M.; Suemitsu, M.
Kim, K.-T. See Kim, J.-H.
Kim, K.; Ryu, C. K.
Generation of charged liquid cluster beam of liquid-mix precursors and application to nanostructured materials.—74-07325A
Kim, Ki-Baik See Kim, Chan-Joong
Kim, Ki-Won See Park, Kang-Seok
Kim, Kitae T. See Kwon, Young-S.
Kim, Kwang-S. See Jang, Hyun-M.
Kim, Kyoung-Nam See Lee, Young-Keun
Kim, Kyung Y.; Yun, Jung R.; Hong, Suk K.; Chang, Kwang H.
Microwave dielectric ceramic composition.—74-08807P
Kim, Kyung-Nam See Shin, Dae-Yong
Kim, M. R.; Smith, R. W.; McCune, R. C.
High-deposition rate coating of aluminum cylinder bores.—74-08203A
Kim, M.-C.; Han, E.-H.; Kang, Y.-S.
Evaluation of grain boundary property in oxide ceramics by isothermal capacitance transient spectroscopy (ICTS).—74-08899A
Kim, M.-C.; Kang, Y.-S.; Hur, S.-H.
Analysis of grain boundary oxidation in (Ba, Sr)TiO_3-based PTCR ceramics by μ-AES and DV-Xα energy simulation.—74-10906A
Kim, Mahn; Oh, Jae-Hyun
Redispersion characteristics of water-based magnetic fluids using oleic acid and saturated fatty acid (C_9-C_{11}) system—preparation and redispersion characteristics of water-based magnetic fluid with synthesized magnetite.—74-09219A
Kim, Myung-Chul See Cho, Seo-Yong
Kim, N. See Zhang, Q. M.
Kim, Nack J.; Park, W. J.; Ahan, S.
Microstructure and mechanical properties of spray-cast SiCp/Al-Fe-V-Si composite.—74-08240A
Kim, Nam See Viehland, Dwight
Kim, Nam-Il; Park, Kye-Hyuck; Jung, Chang-Ju
Synthesis of kaolinitic clay mineral from amorphous aluminosilicate by hydrothermal process.—74-08590A
Kim, S. H. See Hur, N. H.
Kim, S.-J.; Kang, T.-K.; Kim, K.-H.
Electrical properties of tape-cast zirconia thin plates with mixing ratios of 3Y-ZrO_2 and 8Y-ZrO_2 powders.—74-10096A
Kim, S.-S. See Yoon, K.-J.
Kim, S.-S.; Lee, O.-Y.; Lee, C.-G.
Preparation and properties of 15R-SiAlON by SHS.—74-10549A
Kim, S.-T. See Kim, K.-H.
Kim, Sae-Hoon See Terashima, Kentaro
Kim, Sae-Hoon; Yoko, Toshinobu
Nonlinear opotical properties of TeO_2-based glasses: MO_x-TeO_2 (M=Sc, Ti, V, Nb, Mo, Ta, and W) binary glasses.—74-02567A
Kim, Sae-Yong See Choi, Sang-Wook
Kim, Sang-Sub; Kang, Young-Min; Baik, Sung-Gi
Sputter deposition of ferroelectric $PbTiO_3$ thin films on MgO(100) substrates.—74-09178A
Kim, Sang-Woo; Lee, Hae-Weon; Song, Hue-Sup
Application of compression molding to determination of binder system for low-pressure injection molding.—74-10197A
Kim, Seock-Sam See Cho, Seong-Jai
Kim, Seong-Hyun; Kim, In-Sool; Park, Hong-Chae
Fabrication of Si_3N_4-SiC nanocomposites by hot-pressing.—74-10351A
Kim, Seung-Hyun; Han, Hyun-Kyu; Oh, Young-Jei
Preparation of $PbTiO_3$ thin films using metal alkoxide and diethanolamine complexing agent.—74-09170A
Kim, Shin See Kang, Wuk-Won
Kim, Song-Hee See Tai, Weon-Pil
Kim, Soon-Hwan See Choi, Byung-Hyun
Kim, Su-Nuk See Kim, You-Song
Kim, Sun-Jae See Kang, Thae-Khapp
Kim, Sun-Oo; Kim, Hyeong-Joon
Fabrication of *n*-metal-oxide semiconductor field effect transistor with Ta_2O_5 gate oxide prepared by plasma-enhanced metallorganic chemical vapor deposition.—74-06096A
Kim, Sung-Hee See Lee, Joon-Hyung
Kim, Sung-S.
Calculations of liquidus curve and subliquidus miscibility gap in the $LiTaO_3$-SiO_2 system.—74-03286A
Kim, T.-J. See Fischer, V.
Kim, T.-W. See Kim, D.-Y.; Yoon, Y.-S.
Kim, Tae-Song See Oh, Young-Jei
Kim, Tae-Song; Kim, Chong-Hee; Oh, Myung-Hwan
Electrical properties of radio frequency magnetron sputtered (BaSr)TiO_3 thin films on indium-tin-oxide-coated glass substrate.—74-00607A
Kim, Tee-Song See Yoon, Y.-S.
Kim, W. S.; Yoon, S. J.; Kim, K. Y.
Effects of sintering conditions of sintered Ni-Zn ferrites on properties of electromagnetic wave absorber.—74-06455A
Kim, Wang-Sup See Lee, Chang-Ho
Kim, Y. J. See Hachfeld, E. A.; Lee, Y.-E.
Kim, Y. J.; Wara, N. M.; Velamakanni, Bhaskar V.; Francis, L. F.
Microstructure development in particulate ceramic coatings.—74-10839A
Kim, Y. K.; Oliveria, M.
Magnetic properties of reactively sputtered $Fe_{1-x}O$ and Fe_3O_4 thin films.—74-03390A
Kim, Y. W.
Ordered intermetallic alloys: III, γ- titanium aluminides.—74-05650A
Kim, Y. See Kurmaev, E. Z.
Kim, Y.-N. See Khang, Yoon-Ho
Kim, Yong-Bum; Yoon, Soon-Gil; Kim, Ho-Gi
Ferroelectric properties of lead titanate films deposited by low-pressure chemical deposition.—74-00752A
Kim, Yong-Chun; Lee, Won-Jong; Park, Hyung-Ho
Compositional and structural analysis of aluminum oxide films prepared by plasma-enhanced chemical vapor deposition.—74-01974A
Kim, Yong-Il; Zangvil, Avigdor; Goela, Jitendra S.; Taylor, Raymond L.
Microstructure comparison of transparent and opaque CVD SiC.—74-07692A
Kim, Yong-Tae See Lee, Chang-Woo; Yoon, Ki-Hyun
Kim, Yoon-H. See Kang, Hee-Bog
Kim, Yoon-H.; Oh, Tae-S.; Lee, Byeong-C.
Intercrystalline semiconductive ceramic capacitor.—74-08798P
Kim, Yoon-H.; Park, Jae K.; Lim, Dong K.; Kang, Hee-Bog
Light-transmissive polycrystalline alumina ceramics.—74-03990P
Kim, Yoon-Kee; Lee, Jai-Young
Effect of SiC codeposition on the oxidation behavior of carbon-carbon composites prepared by chemical vapor deposition.—74-07807A
Kim, You-Song See Heo, Jong; Shim, Sung-Hun
Kim, You-Song; Jang, Hyun-M.
Sol-gel technology for ferroelectric thin films.—74-09177A
Kim, You-Song; Kim, Su-Nuk; Yoon, Man-Soon
Preparation of lead titanate ceramics by sol-gel processing.—74-03339A
Kim, Young-Ho See Ahn, Jae-Min
Kim, Young-Jung See Choi, Ki-Sik
Kim, Young-Tae See Kim, Hyeong-Gon
Kim, Young-Wook See Choi, Hoon-Jin
Kim, Young-Wook; Mitomo, Mamoru; Hirotsuru, Hideki
Grain growth and fracture toughness of fine-grained silicon carbide ceramics.—74-10810A
Kimata, M.; Suzuki, T.; Saino, K.; Kawamura, K.; Hobbs, A.
Stabilized α-Sn grown at high temperature by molecular beam epitaxy.—74-05255A
Kimball, John F.; Allen, Patricia E.; Griffis, Dieter P.;
Radzimski, Zbigniew J.; Russell, Philip E.
Selectivity variations of electron beam patterned silicon dioxide films.—74-04882A
Kimerling, L. C. See M'Saad, Hichem
Kimrey, Hal D. See Janney, Mark A.
Kimura, Daisuke; Oshime, Yuji
Laminated piezoelectric element.—74-09186P
Kimura, Hiroshi See Bak, Chan S.
Kimura, Hisamichi; Inoue, Akihisa; Matsumoto, Tsuyoshi
Production of nanocrystalline ZrO_2 and Pd composites by oxidation of an amorphous $Zr_{65}Pd_{35}$ alloy.—74-05653A
Kimura, Hitoshi; Imanaga, Syunji; Adachi, Hirohiko
Electronic structure of one-dimensional (1-D), 2-D, and 3-D silicon clusters.—74-01989A
Kimura, Koji See Sakata, Masaru
Kimura, Michiru See Kageyama, Kensuke
Kimura, Osamu; Matsumoto, Masafumi; Sakakura, Mitsuo
Enhanced dispersion frequency of hot-pressed Z-type magnetoplumbite ferrite with the composition $2CoO{\cdot}3Ba_{0.5}Sr_{0.5}O{\cdot}10.8Fe_2O_3$.—74-09132A
Kimura, Shoji
Methods of making gas-selective membranes—general survey.—74-10455A
Kimura, T. See Arimoto, Y.; Yang, Z. J.; Yugo, Shigemi
Kimura, T.; Nishimura, T.; Murotani, T.
Vapor phase epitaxy of InP with halide transport on earth and under microgravity.—74-03260A
Kimura, Takahiro See Yamada, Chikashi
Kimura, Toshio; Takeshita, Takuo; Suzuki, Motokazu
Method for manufacturing an oxide superconducting tape.—74-03637P
Kimura, Y. See Shibata, A.
Kimura, Y.; Yoshioka, T.; Kanazawa, M.
Effects of sealing treatment and microstructural grading upon corrosion characteristics of plasma-sprayed ceramic coating.—74-10910A
Kinase, Wataru See Nakamura, Kenro
Kinashi, Koji See Niwano, Michio
Kinbara, Akira See Kondo, Ichiharu
Kincaid, Nancy See Corcoran, Sean F.
Kindall, Glen E.
Forehearth temperature control system.—74-02673P
Kinder, T. J. See Martin, P. J.
Kindl, Bruno See Mogensen, Mogens
Kindness, Andrew See Damidot, Denis
Kindo, Koichi See Hori, Hidenobu
Kindyak, A. S. See Kindyak, V. V.
Kindyak, V. V.; Kindyak, A. S.; Gremenok, V. F.; Kutas, A. A.
Optical transitions in laser-evaporated thin $CuInSe_2$ films.—74-04387A
Kinell, Don See Fernandez, Rouel
Kineri, Tohru See Mori, Masami
King Smith, R. D. See Zhong, W.
King, Bruce H. See Danko, Gene A.
King, Bruce H.; Halloran, John W.
Polycrystalline yttrium aluminum garnet fibers from colloidal sols.—74-07416A
King, C. A. See Moriya, N.
King, David E. See Pitts, J. Roland
King, Dennis J. See Dransfield, Graham P.; McColgan, P.
King, M. See Chang, W. H.
King, R. A.; Mackenzie, R. A. D.; Smith, G. D. W.; Cade, N. A.
Atom probe analysis and field emission studies of silicon.—74-05073A
King, T. A. See Gloster, L. A. W.
King, Terence A. See Li, Xiao-Chun
Kingonn, A. I. See Shin, M. W.
Kings, David H. M. See Butcher, Steven J.
Kingsley, Christopher J. See Chua, Lye-Hing
Kingsley, J. J. See Armstrong, Timothy R.; Chick, L. A.; Youngblood, G. E.
Kingsley, J. J.; Pederson, L. R.
Combustion synthesis of perovskite $LnCrO_3$ powders using ammonium dichromate.—74-07230A
Kingston, J. J. See Wellstood, F. C.
Kingston, J. J.; Fork, D. K.; Leplingard, F.
C– outgrowths in C+ thin films of $LiNbO_3$ on Al_2O_3-*c*.—74-09109A
Kingston, Richard A. See Dutta, Arunava
Kinikoglu, S.; Misirli, Z.; Onuriu, S.
Preparation of wear-resistant alumina/mullite by silica addition.—74-07907A
Kinkela, John F.
Establishing regulatory compliance in a new plant.—74-11159A
Kinney, Michael A. See Schade, J.
Konos, T.; Siitonen, P.; Kettunen, P. O.
Effect of post-treatments on the corrosion resistance of plasma-sprayed duplex stainless steel coating in salt water.—74-08175A
Kinoshita, Kyoichi; Yamada, Tomoaki
Copper oxide superconductor containing carbonate radicals.—74-03625P
Kinoshita, Makio See Itatani, Kiyoshi
Kinoshita, Makoto See Matsubara, Ichiro
Kinoshita, Toshiya; Kubo, Hiroshi
High purity dense silicon carbide sintered body and process for making same.—74-09920P
Kinoshita, Toshiyuki See Ikesue, Akio
Kinosky, D. See Irby, J.
Kinugawa, Isao See Takei, Makoto
Kinugawa, K. See Kadono, K.
Kinugawa, Kenichi See Kitamura, Naoyuki
Kiosse, G. A. See Molin, A. N.
Kiousis, Panos See Guha, Sumit
Kipshzde, G. D. See Drozdov, S. V.
Kir'yakov, N. V.; Grigoryan, E. A.; Morozov, Yu. G.
Sorption-desorption of oxygen upon heating in an O_2 atmosphere of the ceramic $YBa_2Cu_3O_{6.3}$.—74-00852A
Kirby, Bob See Karp, Floyd
Kirchheim, R. See Wagner, T.
Kirchhoff, G. See Pompe, W.; Rettig, U.
Kirchhoff, G.; Holzherr, M.; Pflugbeil, I.
Fracture mechanical characterization of thermal damage of ceramics by means of laser irradiation.—74-11003A
Kirchner, G. See Albeck, J.
Kiriaku, E. A.; Dudareva, A. G.; Ezhov, A. I.
Interaction of yttrium triiodide with the iodides of sodium, potassium, and rubidium.—74-01399A
Kirichok, P. P. See Pashchenko, V. P.
Kirillov, D. See Solomon, G. S.
Kirino, Manabu See Komiyama, Masaharu
Kirk, Robert S.
Fracture toughness of oxide fiber-reinforced silicon carbide composites.—74-11010A
Kirk, T. J.; Winnick, J.
Hydrogen sulfide solid-oxide fuel cell using ceria-based electrolytes.—74-05940A
Kirk, W. P. See Andrews, C. C.; Li, F.
Kirkbir, F. See Meyers, D. E.
Kirkbir, Fikret See Wang, Shiho
Kirkland, Timothy P. See Wereszczak, A. A.
Kirlin, Peter S. See Gardiner, R. A.
Kirlin, Peter S.
Depositing high-T_c superconductors on normal conductor wires.—74-06509A
Kirpa, V. I. See Ogorodnikov, I.N.
Kirsch, J.
Measures [in cement industry] to protect the environment.—74-11181A
Kirschbaum, C. L. See Batra, Shubneesh
Kirschner, J. See Ichinokawa, T.
Kirtley, J. R. See Tsuei, C. C.

Kisel, N. G.; Sukhorukova, N. E.; Limar, T. F.
Polymorphism of zinc metatantalate and manganese metatantalate.—74-01440A
Kisel, V. See Kadyrov, V. H.
Kiseleva, N. V. See Slobodin, B. V.
Kiser, J. D.; Singh, M.
Effect of particulate additions on the rheological properties of polymer-based slurry mixtures and the characteristics of polymer-based slurry-derived preforms.—74-10290A
Kishan, P. See Purushotham, Y.
Kishan, Rao K. See Sangaiah, G.
Kishi, M. See Sasaki, M.
Kishi, Teruo See Hoffmann, M. J.; Jang, B. Y.; Kageyama, Kensuke; Torizuka, Shiro
Kishi, Yoichi See Asada, Hiroaki
Kishii, Toru
Observation and analysis technique of edge stress of thermally tempered plate glass.—74-08381A
Kishimoto, A. See Hinokuma, K.; Kuwabata, S.
Kishimoto, Akira; Endo, Koretomo; Nakamura, Yoshinobu; Motohira, Naobumi; Yanagida, Hiroaki; Sugai, Kazuhito
Effect of high-voltage screening on strength distribution for titanium dioxide ceramics.—74-07864A
Kishimoto, Akira; Sugai, Kazuhito; Nakamura, Yoshinobu; Motohira, Naobumi; Yanagida, Hiroaki
Simultaneous loading system to evaluate the structural reliability of brittle materials.—74-06816A
Kishimoto, Hidehiro; Hoshide, Toshihiko; Oakbe, Nagatoshi
Current Japanese Materials Research, Volume 14: Cyclic Fatigue in Ceramics.—74-11202B
Kishio, K. See Yang, Z. J.
Kishio, Koji See Shimoyama, Junichi
Kishioka, Akira See Itatani, Kiyoshi
Kisi, E. H.; Griffiths, John R.; Gross, Anita K.; Finlayson, Trevor R.
Stress-induced tetragonal→orthorhombic transformation in Mg-PSZ.—74-01463A
Kisil E. P. See Babich, G. A.
Kislyak, I. F. See Dotsenko, V. I.
Kislyi, P. S.; Kryl, Ya. A.; Filipenko, V. M.
Two-stage consolidation of silicon nitride under static gas pressure.—74-04974A
Kiss, S. J.; Kostic, E.
Phenomenological analysis of sintering in the presence of heterogeneities.—74-01830A
Kist, A. A.; Flitsiyan, E. S.
Elemental composition of superconducting ceramics [investigated] by neutron activation and radiography methods.—74-00807A
Kistenmacher, Thomas J. See Bryden, Wayne A.; Wickenden, D. K.
Kita, Hideki See Yasutomi, Yoshiyuki
Kita, Hideki
Low thermal conductivity ceramic and process for producing the same.—74-09924P
Kita, Ryusuke See Hase, Takashi
Kitada, T. See Wakejima, A.
Kitagaki, Kazuhisa See Yamashita, Kimihiro
Kitagawa, Nobuyuki; Nomura, Toshio; Saito, Katuyosi
Method for manufacturing sintered parts.—74-03756P
Kitai, Adrian H. See Young, Richard; Zhong, J.
Kitajima, M. See Hirata, T.
Kitamura, Naoyuki; Kinugawa, Kenichi; Matsuoka, Jun; Fukumi, Kohei; Kondoh, Isao; Kose, Saburo; Yamashita, Hiroshi; Kinoshita, Makoto
Glass having refractive index distribution.—74-08481P
Kitamura, Naoyuki; Ohta, Hitoshi; Imagawa, Seisaku; Motokawa, Mitsuhiro
Submillimeter-wave EPR of Cu^{2+} spins in $Ca(PO_3)_2$ glass.—74-02587A
Kitamura, Noboru See Sugimura, Hiroyuki
Kitano, H. See Shibauchi, T.
Kitano, Yukishige; Iwanaga, Hikaru; Oishi, Manabu
Structural and mechanical changes of zirconia and zirconia composites after aging.—74-07920A
Kitaoka, Yoshio See Ishida, Kenji; Ohsugi, Shigeki
Kitaura, Y.; Hashimoto, T.; Inoue, T.; Ishida, K.; Uchitomi, N.; Nii, R.
Long-term reliability of Pt and Mo diffusion barriers in Ti-Pt-Au and Ti-Mo-Au metallization systems for GaAs digital integrated circuits.—74-06181A
Kitazawa, Hideaki See Soda, Kazuo
Kitazawa, Koichi See Endo, Utako; Tanaka, Shoji
Kito, Hijiri; Akimitsu, Jun; Izumi, Fujio; Kamiyama, Takashi; Asano, Hajime
Structural refinements of orthorhombic $(La_{1-x}Ca_x)_2CuO_4$ (x=0.05).—74-04217A
Kittaka, S.; Miyahara, H.; Yokota, Y.
Electron microscope study of revolving crystal growth of beta-type vanadium oxide hydrate under hydrothermal conditions.—74-10796A
Kittaka, S.; Sumida, M.; Kuroda, Y.
Photochemical formation of V^{4+} in a layered vanadium pentoxide hydrate.—74-10520A
Kittl, P.; Diaz, G.; Alarcon, H.
Dosification of a cement-talc-chamotte refractory mortar subjected to thermal shock.—74-05492A
Kityk, A. V.; Soprunyuk, V. P.; Vlokh, O. G.
Incommensurate phase transitions in Rb_2ZnBr_4 crystals: I, Acoustic and electroacoustic properties.—74-07083A; II, Effects of hydrostatic pressure on temperature dependences of elastic properties and birefringence.—74-07166A
Kityk, I. V. See Dovgii, Ya. O.
Kivivuori, S. O. See Pischow, K. A.
Kiyama, Masao See Yamamoto, Akinori
Kiyan, R. V. See Petrov, M. P.
Kiyota, H. See Okano, Ken
Kiyota, H.; Okushi, H.; Okano, Y.
Isothermal capacitance transient spectroscopy study of defect states in polycrystalline diamond films.—74-10736A
Kizroev, S. See Zuo, F.
Klabunde, Charles E. See Kunchur, Milind N.
Klabunde, K. J. See Glavee, G. N.
Klages, C.-P. See Boettger, E.; Fryda, M.; Jager, S.; Jiang, X.; Schafer, L.; Weber, A.
Klahn, Thomas See Hegner, Frank
Klamut, J. See Shengelaya, A. D.
Klank, D.
Characterization of active carbons by different models.—74-04260A
Klatt, J. K. See Forbes, D. V.
Klatt, K. H. See Zaitsev, A.
Klaus, D. P. See Wind, S. J.
Klaus, E. J. See Friedmann, T. A.
Klausmeier-Brown, Martin E. See Bozovic, Ivan
Klavins, P. See Hoellwarth, C. C.
Klebanov, M. L.; Lyubin, V. M.; Tikhomirov, V. K.
Photoinduced anisotropic phenomena in chalcogenide glasses: light scattering and spectral selectivity.—74-02479A
Klebe, Tom See Poupitch, Greg
Kleber, R. See Weiler, M.
Kleber, R.; Weiler, M.; Kruger, A.; Sattel, S.; Kunz, G.; Jung, K.
Influence of ion energy and flux composition on the properties of plasma-deposited amorphous carbon and amorphous hydrogenated carbon films.—74-01765A
Kleebe, Hans-Joachim See Braue, Wolfgang; Kessler, H.; Meissner, E.; Sigl, Lorenz S.
Kleemeier, Walter See Kim, Hong-Koo
Kleer, G. See Goller, Ralf; Manns, P.
Klein, C. P. A. T.; Wolke, J. G. C.; De Groot, K.
Stability of calcium phosphate ceramics and plasma-sprayed coating.—74-06999A
Klein, Claude A.; Cardinale, Gregory F.
Young's modulus and Poisson's ratio of CVD diamond.—74-11132A
Klein, Claude A.
Diamond windows for ir applications in adverse environments.—74-09866A
Klein, E. See Salitra, G.
Klein, Gernot
Influence of plastic raw materials on the pressure casting forming process for fine ceramics.—74-10417A
Klein, J. D.; Yen, A.; Clauson, S. L.
Epitaxial $LaNiO_3$ interlayers for ferroelectric memory structures.—74-09133A
Klein, L. C. See Colson, S.; Mouchon, E.
Klein, Lisa C. See Pavlik, Robert S., Jr.; Rivas, Patricia C.; Yu, C. Charles
Klein, M. A.
New supply and storage system for Dutch cement plant.—74-03715A
Klein, P. B. See Freitas, J. A., Jr.
Klein, W.; Bohm, G.; Sexi, M.; Grigull, S.; Heiss, H.; Trankle, G.
Modulation-doped InAlAs/InGaAs quantum well structures for high electron mobility transistors.—74-03116A
Kleinfield, Elain R.; Ferguson, Gregory S.
Molecular approach to ultrathin multilayered films of titanium dioxide.—74-07697A
Kleist, G. See Kurth, R.
Kleitz, M.; Pescher, C.; Dessemond, L.
Impedance spectroscopy of microstructure defects and crack characterization.—74-01998A
Klem, John F. See Vawter, G. A.
Klemens, F. P. See Tepermeister, I.
Klemm, Karl A.; Johnson, L. F.; Kosik, W. E.
Hafnium nitride dielectric phase films fabricated by ion-beam sputtering.—74-08753A
Klemm, U.; Sobek, D.
Friction measurements during dry pressing of ceramics.—74-04652A
Klemperer, Walter G. See Day, Victor W.
Klemperer, Walter G.; Marquart, Todd A.
Preparation of centimeter-sized zeolite crystals by hydrothermal seeded growth.—74-10558A
Klemptner, Lori J. See Hodge, James D.
Kletke, Hans-Jurgen See Kurze, Peter
Klima, Stanley J. See Baaklini, George Y.
Klimov, A. K. See Polyakova, A. A.
Klimova, A. Yu. See Efremova, E. P.
Klimovich, G. V.
Angle-resolved photoemission spectra from strong coupling superconductors.—74-06482A
Klinchuk, Yu. I. See Boiko, Yu. I.
Klink, S. A.
Cement and the elastic constants of concrete.—74-05472A
Klinskaya, N. See Nechepurenko, A.
Klissurska, Radosvete D.; Brooks, Keith G.; Reaney, Ian M.; Pawlaczyk, Czeslaw; Kosec, Marija; Setter, Nava
Effect of Nb doping on the microstructure of sol-gel-derived PZT thin films.—74-06404A
Klokova, N. E.; Maksimov, B. A.; Tamaayan, R. A.
X-ray diffraction study of paraelectric phase of $Na_4TiP_2O_9$ crystals at 743 K.—74-07139A
Klomp, J. T. See Heikinheimo, E.
Klose, Rainer
Emission measurement in the ceramic industry.—74-03907A
Klose, Wiltrud
Cooling lubricants on metal surfaces.—74-10247A
Klosko wski, Alan B.
Method for making a ceramic mold.—74-02798P
Kloss, Thomas; Stein, Elfi; Gerth, Kirsten; Wickardt, Andrea
Optical crown glass having negative anomalous partial dispersion and high uv transmission.—74-00343P
Klotz, H.-D. See Dorfel, Ilona
Klug, Thomas; Bruckner, Rolf
SiC- and carbon-fiber-reinforced glass under alternating bending stress loadings.—74-00277A
Klumper-Westkamp, H.; Mayr, P.
TiN, magnetron sputter coating controlled by an in situ eddy current sensor.—74-03882A
Klumpp, T. See Hofsass, H.
Klyavin, O. V.
Dislocation-dynamical diffusion in crystalline solids.—74-05006A
Klyuev, Yu. A. See Nepsha, V. I.
Klyui, N. I. See Litovchenko, V. G.
Klyui, N. I.; Litovchenko, V. G.; Romanyuk, B. N.
Investigation of multilayer SOI structures by electroreflectance spectroscopy.—74-06167A
Klyusov, Anatoly A.
$3CaO·SiO_2$ hydration under low temperatures.—74-03892A
Knauss, D. See Mader, Werner
Knauss, Richard J.
MgO-spinel refractory mix and shapes made therefrom.—74-00412P
Knecht, S. See Bar-On, I.
Knechtel, M. See Claussen, N.
Kneer, E. A. See Teowee, G.
Kneippe, K. See Burger, H.
Knemeyer, Friedel S. See Kosky, Philip G.
Kneringer, Gunter See Greiner, Horst
Knight, Gordon See Ivey, Douglas G.; Jian, Ping
Knight, Gordon; Emmerstorfer, B.; Pakulski, G.; Larocque, C.; Springthorpe, A. J.
Low-pressure MOCVD growth of buried heterostructure laser wafers using high-quality semiinsulating InP.—74-06184A
Knight, J. B. See Jaeger, H. M.
Knight, Larry V. See Karain, W. I.
Knight, R.; Smith, R. W.; Xiao, Z.
Particle velocity measurements in HVOF and APS systems.—74-09599A
Knitter, E.; Gunther, E.; Odemer, C.
Fabrication of microstructured ceramic layers by tape casting and subsequent stamping.—74-04628A
Knobbe, Edward T. See Arbuthnot, Diane
Knoch, H. See Schwetz, Karl-Alexander
Knoch, H.; Fundus, M.
Sintered silicon carbide with defined porosity for sliding wear applications.—74-09894A
Knoch, Martin See Wotting, Gerhard
Knofel, Dietbert See Marten, A.; Trautmann, I.
Knoll, E.; Bialas, H.
Growth modes of epitaxial copper films on c-sapphire.—74-07661A
Knolle, W. R.; Osenbach, J. W.; Elia, A.
Plasma-deposited silicon oxynitride from silane, nitrogen, and carbon dioxide or carbon monoxide or nitric oxide.—74-01836A
Knop, G. See Hagena, O. F.
Knop, Werner See Hunziker, Guido
Knopf, U. See Richter, M.
Knotek, O.; Loffler, F.; Brand, J.
Hydrogen-free amorphous carbon coatings deposited by the arc ion-plating process.—74-01755A
Knotek, O.; Loffler, F.; Wolkers, L.
Amorphous SiC PVD coatings.—74-10191A; Properties and thermal behavior of Si_3N_4 thin films.—74-10141A
Knotek, O.; Lugscheider, E.; Jokiel, P.
Chromium coatings by HVOF thermal spraying—simulation and practical results.—74-10225A
Knotts, Wayne
Ball clay selection using experimental design techniques.—74-09740A; Problem solving using experimental design techniques.—74-11185A
Knowles, Kevin M. See Silva, S. R. P.; Turan, Servet
Knowles, Shawn D.; Brosnan, Denis A.
Recrystallization of incinerator residuals to produce environmentally safe construction materials.—74-09751A
Knox, Ralph See Moradi, Behnam
Knudsen, Arne K. See De Baranda, Pedro
Knudsen, Arne K.
Aluminum nitride.—74-06880A
Knudsen, Jorgen K. H.
Next generation of control systems: the FLS-Summit Series.—74-03716A
Knyazik, A. M. See Sharivker, S. Yu.
Ko, D.-H. See Kim, K.-H.
Ko, Frank K. See El-Sherif, Mahmoud A.
Ko, Frank K.; Ross, Erin; Lei, Charles
Fiber architecture design for CMC engine seal.—74-09462A
Ko, Hon-Yim See Gerstle, Kurt H.
Ko, Hsien-Wen See Chen, Chia-Fu
Ko, Hsien-Wen; Hsu, S.-E.; Tsia, M.-S.
Characterization of diamond films for optical coatings.—74-10221A
Ko, K. K.; Pang, S. W.
Controllable layer-by-layer etching of III-V compound semiconductors with an electron cyclotron resonance source.—74-00585A
Ko, Tae-Gyung See Bae, Ho-Gi
Kobashi, Koji See Chalker, P. R.; Koyama, Hisashi; Miyata, Koichi; Sugino, Takashi
Kobashi, Koji; Miyauchi, Shigeaki; Nishimura, Kozo; Kumagai, Kazuo; Kato, Rie
Method for forming diamond films by vapor phase synthesis.—74-04061P
Kobashi, Yutaka See Kawarazaki, Shuzo
Kobayashi, A. See Grey, F.
Kobayashi, Albert S. See Fett, Theo
Kobayashi, Fumiaki; Ogawa, Toru; Akabori, Mitsuo; Kato, Yoshio
Anodic dissolution of uranium mononitride in lithium chloride–potassium chloride eutectic melt.—74-06668A
Kobayashi, H. See Ishida, T.
Kobayashi, Hideo
Adhesion strength and residual stress in ceramic/metal joints.—74-08126A

Kobayashi, Hiroaki; Muromachi, Takashi; Kawaguchi, Jun
Heat-screening glass.—74-00284P
Kobayashi, Ikunori See Matsuoka, Tomizo
Kobayashi, K.; Suzuki, K.; Uno, Y.
Carbonation of concrete structures and the decomposition of C-S-H.—74-02746A
Kobayashi, Kenji See Kuroe, Haruhiko
Kobayashi, Kenji; Mutsukura, Nobuki; Machi, Y.; Nakano, Tomoyasu
Diamond nucleation on pretreated substrates.—74-01678A
Kobayashi, Masato See Nagasawa, Hiroyuki
Kobayashi, Mitsunori See Omori, Naoya
Kobayashi, T. See Takeuchi, S.
Kobayashi, Tadakuzu See Fujita, Nobuhiko
Kobayashi, Takashi See Wada, Yasuo
Kobayashi, Takayoshi See Zhu, Ka-Di
Kobayashi, Tetsuhiko; Kume, Masayuki; Takame, Kenji
Preparation of Co_3O_4 thin films by sputter deposition for the detection of CO in air.—74-06275A
Kobayashi, Tsuyoshi See Saitoh, Shiroh
Kobayashi, Yosuke See Sato, Mitsukuni
Kobets, M. I. See Khatsko, E. N.; Kut'ko, V. I.; Pashchenko, V. A.
Kobierzynski, Kazimierz See Karauda, Wanda
Kobiki, Hideaki See Yamazaki, Masakatsu
Kobiki, Mamoru
Current progress in electric heating elements for high-temperature use and its effective use.—74-09445A
Koblischka, M. R. See Schuster, T.
Kobudera, Kenichi See Asobe, Masaki
Kobune, M. See Sugie, Y.
Kocakusak, S.; Ayok, T.; Akcay, K.
Granular boraxhydrate preparation by compaction of powders.—74-04657A
Koch, C. C. See Shin, M. W.
Koch, D.; Weddigen, A.; Gogotsi, Yu. G.
Tensile tests of ceramic materials.—74-01115A
Koch, F. J. See Dias, F. J.
Koch, F. See Enachescu, M.; Fiegl, B.; Intemann, A.
Koch, Gerhard
Thermal insulation of masonry—state of the CEN standards.—74-08593A
Koch, M. W. See Varriano, J. A.; Wicks, G. W.
Kocharyan, K. N. See Avakyan, A. A.
Kocheresi, V. P. See Cundiff, S. T.
Kocherginsky, D. M.; Reddy, R. G.
In situ formation of silicon carbide.—74-10402A
Kochman, A. See Mehlmann, A. K.
Kochnev, I. V. See Garbuzov, D. Z.
Kock, W. F. See Hofer, H.
Kock, Wolfgang See Greiner, Horst
Kocsis, Geza
Manufacture of foamed glass granules.—74-05773A
Koda, Yuzo See Saito, Keishi
Kodaira, S.; Sakisaka, Y.; Maruyama, T.
Angle-resolved photoemission study of an in-gap state in TiO_2.—74-02912A
Kodama, Takashi; Yoneda, Yasunobu
Oxide magnetic material.—74-00781P
Kodama, Tatsuya; Tamaura, Yutaka
Reaction condition for the synthesis of ultrafine particles of the high-vacancy-content Zn(II)-bearing ferrites from iron(III) tartrate solution.—74-03403A
Kodama, Yasuharu See Zheng, Guo-Qing
Kodas, Toivo T. See Gurav, A. S.; Jain, A.; Senzaki, Yoshihide; Xiong, Yun
Kodenstov, A. See Heikinheimo, E.
Kodess, B. N. See Polyakov, E. V.
Kodura, Yu. See Poilov, V. Z.
Koe, L. See Hills, C. D.
Koeberer, G.; Meyer, H.; Nahser, W.
Operating experience with grate coolers for clinker capacities of 10 000 t/d in Thailand and South Korea.—74-06867A
Koeda, Masaru See Akune, Yasuhiro
Koepp, C. See Hartung, R.
Koerner, H. See Intemann, A.
Koester, S. J.; Bolognesi, C. R.; Rooks, M. J.
Design and analysis of InAs/AlSb ballistic constrictions for high temperature operation and low gate leakage.—74-00589A
Koestler, Christine See Guether, Hans-Michael
Koezuka, Hiroshi See Yoshida, Yasuhiro
Koga, Kazuyuki
Recent progress in SiC single-crystal growth.—74-10606A
Koh, Jae H. See Yoon, Jung-S.
Koh, James See Vecht, A.
Kohanyi, Istvan; Laska, Imre
Reconstruction of the "RIBBON" furnace in 50 days.—74-06872A
Kohiki, Shigemi; Nishitani, Mikihiko; Wada, Takahiro
Enhanced electrical conductivity of zinc oxide thin films by ion implantation of gallium, aluminum, and boron atoms.—74-08894A
Kohl, A. See Schilling, O.
Kohl, R. See Locher, R.; Wild, C.
Kohler, U. See Pietsch, G. J.
Kohmoto, S. See Takado, N.
Kohn, E. See Ebert, W.
Kohnke, G. E. See Wicks, G. W.
Kohno, M. See Hasegawa, T.
Kohr, Robert L.
Using ASTM slip test methods in ceramic tile plants.—74-08710A; Using ASTM slip test methods.—74-05914A
Kohtoku, Yasuhiko
Silicon nitride powder produced by imide decomposition process.—74-10629A
Kohyama, Norihiko
Influence of inhaling fine particles on human health.—74-11171A
Kohzaki, M.; Higuchi, K.; Noda, S.
Large-area diamond deposition and brazing of the diamond films on steel substrates for tribological applications.—74-08227A
Koide, Hiroyuki; Iinuma, Hitoshi; Hirasawa, Hideo
Preparation of a preform of optical fibers.—74-02692P
Koidl, P. See Dischler, B.; Locher, R.; Samlenski, R.; Schmitz, J.; Wild, C.
Koinuma, Michio; Uosaki, Kohei
In situ observation of anodic dissolution process of *n*-GaAs in HCl solution by electrochemical atomic force microscope.—74-06148A
Koishi, Masumi See Matsuno, Takashi
Koiwa, I.
Effect of calcium content on the discharge characteristics of $Ca_xLa_{1-x}CrO_3$ thick-film cathodes for use in dc-type plasma display panels.—74-06050A
Koji, Kato See Diao, Dongfeng
Kojima, Akira See Hoshii, Shinsuke; Ohte, Takeo; Saito, Fumihito
Kojima, H. See Miyazaki, H.
Kojima, Ikunori
Porous silica microcapsule.—74-09796A
Kojima, Isao; Kurahashi, Masayasu
Scanning tunneling microscope and atomic force microscope study of epitaxially grown palladium crystallites on graphite.—74-07733A
Kojima, K. See Uemura, Y. J.
Kojima, Koichi; Kamiya, Sumio
Ceramics for automobiles.—74-09769A
Kojima, Norimichi See Terashima, Taichi
Kojima, Norimichi; Ito, Kozo; Mogi, Iwao
Optical investigation of the magnetic excitations in two-dimensional triangular lattice antiferromagnets.—74-01551A
Kojima, Shinji See Kubota, Yoshihiro
Kojima, Yoshiyuki See Yasue, Tamotsu
Kojo, Katsuhiko; Negishi, Akibumi; Gonda, Masayuki
Cermet alloy and process for its production.—74-00164P
Kokabi, H. R.; Desgardin, G.; Raveau, B.
Synthesis and characterization of $(V_{1-x}Cr_x)_2O_3$ ceramic thermistors with PTCs.—74-06345A
Kokubo, Tadashi See Cho, Sung-Baek; Hata, Kotaro; Kim, Hyun-Min; Komori, Kiyotaka; Li, Pan-Jian
Kokubo, Tadashi
A/W glass-ceramic—processing and properties.—74-05748A; Novel ceramics for biomedical applications.—74-06987A
Kokubu, Yoshinori
Methods to obtain strong glasses.—74-08441A; Why do glasses break.—74-08401A
Kol'chenko, T. I.; Lomakoi, V. M.
New metastable center in electron-bombarded GaAs.—74-06221A
Kol'tsov, G. I.; Yurchuk, S. Yu.
Experimental study of the nature of deep-level centers in ion-implanted GaP.—74-08903A
Kol'tsov, M. A.; Solov'ev, E. E.; Moskvin, A. S.
NMR of ^{57}Fe, $^{69/71}Ga$ nuclei in Ga-substituted $TmFeO_3$.—74-06474A
Kol'tsov, V. E. See Glazov, V. M.
Kolakowski, K.; De Preter, W.; Van Gemert, D.
Low-shrinkage cement-based building components.—74-05821A
Kolar, D. See Ceh, M.; Kunaver, U.; Makovec, Darko; Rozman, Marko; Valant, M.
Kolar, D.; Gabrscek, S.; Suvorov, D.
Structural and dielectric properties of perovskite-like rare-earth titanates.—74-04215A
Kolaska, H.; Schulz, P.; Beiss, P.
Die compaction.—74-01058A
Kolaska, Hans See Dreyer, Klaus
Kolawa, E. See Chen, J. S.; McLane, G. F.; Reid, J. S.; Sun, Xin
Kolawa, E.; Sun, Xin; Ruiz, R. P.
Amorphous W/40 Re/40 B/20 diffusion barriers for <Si>/Al and <Si>/Cu metallizations.—74-01932A
Kolb, Gerhard
Fine grinding of ceramic glazes in agitator bead mills.—74-08678A; Preparation of ceramics in agitator mills—homogenization, comminution.—74-06717A
Kolbasov, V. M.; Kalitina, M. A.; Revenok, T. V.
Ways of obtaining self-organizing structures in hardening of cements.—74-02358A
Kolchanova, N. M. See Andaspaeva, A. A.
Kolenbrander, K. D. See Chiu, L. A.
Kolesnik, S. V.; Chistyakov, A. M.; Duderov, Yu. G.
Lightweight aggregates based on Al_2O_3 and phosphate binder microsphere.—74-01231A
Kolesnikov, A. I. See Fedotov, V. K.
Kolesnikova, T. A. See Baryshnikov, V. I.
Kolesov, G. M.
Determination of trace elements: neutron activation analysis in geochemistry and astrochemistry.—74-01055A
Kolin, N. G. See Zaitseva, T. N.
Kolka, Randakk K.; Laird, David A.; Nater, Edward A.
Comparisons of four elemental mass balance methods for clay mineral quantification.—74-08513A
Kolkmeier, Helmut
Firing technology in the heavy clay industry.—74-08551A
Kollath, Bernadett See Juhasz, Zoltan A.
Kollenberg, Wolfgang See Grauheer, Bettina
Kollenberg, Wolfgang; Rymon-Lipinska, Eva
Sintering of aluminum oxynitride (AlON).—74-01885A
Kollenberg, Wolfgang
Research Institute of the Refractory Industry, Bonn.—74-02781A
Koller, Ales
Materials Science Monographs 80: Structure and Properties of Ceramics.—74-07973B
Kollrack, Marc M. See Law, Kam S.
Kollyukh, A. G. See Malyutenko, V. K.
Kolmakova, N. P.; Krynetskii, I. B.
Is giant rare earth magnetostriction possible in perovskite structure.—74-03383A
Kolman, B. See Dubsky, J.
Kolobkova, E. V. See Nikonorov, N. V.
Kolosova, E. V. See Glebovsky, V. G.
Kolotii, P. V. See Kashper, Zh. I.
Koltai, M. I.
State of the Hungarian cement industry.—74-08109A
Kolyadin, A. I.; Kravchenko, A. V.; Kravko, T. A.
Inconstancy of the reflection coefficient of optical glasses upon storage in air.—74-02548A
Kolyshev, A. N.
Possible structural transformations upon thermal decomposition of potassium permanganate.—74-01443A
Komadel, Peter; Schomburg, Joachim
Swelling of acid-treated bentonites.—74-05834A
Komagata, Kazuyuki; Iseda, Tohru
Flat glass for space uses.—74-08374A
Komar, V. A. See Dutov, A. G.
Komarkov, D. A.; Zhukov, A. A.; Mirkovic, J.
I-V characteristics of a $Bi_2Sr_2Ca_2Cu_3O_{x+\delta}$ ceramic superconductor.—74-03413A
Komarneni, S. See Pannaparayil, T.
Komarneni, Sridhar See Liu, Chun-Ling; Rutiser, C.; Shrivastava, O. P.; Srikanth, Varanasi
Komarneni, Sridhar; Roy, Rustum; Li, Q. H.
Microwave hydrothermal synthesis of ceramic powders.—74-10465A
Komarov, V. F. See Vereschagin, A. L.
Komatsu, Kenji See Ueda, Yasukiyo
Komatsu, Michio See Hirai, Toshiharu
Komatsu, Nobuyuki See Mochida, Isao
Komatsubara, Satoru See Isobe, Tetsuhiko
Kometani, Kazuhiro See Ishihara, Tatsumi
Komiya, Hidetoshi See Ogata, Haruhiko
Komiyama, Hiroshi See Hong, Lu-Sheng
Komiyama, Masaharu; Kirino, Manabu; Kurokawa, Hiroyuki
Construction of model-supported metal catalysts for scanning tunneling microscopy examinations: platinum ultrafine particles on silica and on alumina.—74-06749A
Komiyama, Takeshi See Kuwabara, Mitsuo
Komiyama, Tsuneo See Hanzawa, Shigeru
Komiyama, Yoshizo; Arai, Fumio; Toyama, Yoshiyasu; Hasegawa, Yutaka; Tanioka, Tetsuya
Method for molding optical glass elements.—74-00339P
Komma, Ottmar; Steidl, Juergen
Dental ceramic material with a relatively low processing temperature.—74-01252P
Komori, K. See Aoki, S.; Fukutomi, Masao
Komori, Kazuhiro See Huang, Yi-Dong
Komori, Kazunori; Fukutomi, Masao; Aoki, Shigeki; Maeda, Hiroshi
Grain orientation of the $YBa_2Cu_3O_y$ superconducting thin films prepared by the low-pressure plasma flash evaporation technique and its dependence on the starting composition.—74-06553A
Komori, Kiyotaka; Yamakawa, Seishiro; Yamamoto, Shigeru; Naka, Jun; Kokubo, Tadashi
Glass fiber forming composition, glass fibers obtained from the composition and substrate for circuit board including the glass fibers as reinforcing material.—74-08480P; Substrate for circuit board including the glass fibers as reinforcing material.—74-00561P
Komorita, Hiroshi; Mizunoya, Nobuyuki
Bonded ceramic-metal composite substrate, circuit board constructed therewith and methods for production thereof.—74-02407P
Kompan, M. E.; Laikho, R.
Time-resolved luminescence spectra and origin of visible luminescence kinetics in porous silicon.—74-03254A
Komratov, G. N.; Shkiro, V. M.
Scaling resistance in binary titanium and chromium carbides made by SHS.—74-05318A
Komratov, G. N.
Kinetics of oxidation SHS of titanium carbide and titanium and chromium double carbide powders in air.—74-02007A
Komukae, Masaru See Irokawa, Katsumi
Komukae, Masaru; Sakata, Ken; Osaka, Toshio; Makita, Yasuharu
Optical and X-ray studies in ferroelastic $Cs_3H(SeO_4)_2$.—74-04170A
Komura, Osamu See Awazu, Tomoyuki; Matsui, Jin-Joo
Komuro, Masanori See Inoue, Takayoshi
Kon'kov, O. I. See Konstantinov, A. O.
Konakova, R. V. See Tkhorik, Yu. A.
Kondo, Ichiharu; Kamiya, Toyoharu; Kinbara, Akira
Adhesion measurement of Ti thin films on Si substrate using internal stress in overcoated Ni films.—74-01609A
Kondo, Kazuo See Mizutani, Hidetoshi; Okamoto, Naoyuki; Tatishi, Tetsuya
Kondo, Kazuo; Morikawa, Asao
Process for making a high heat-conductive, thick film multilayered circuit board.—74-02896P
Kondo, Kenichi See Hirai, Hisako
Kondo, Makoto; Okada, Naoko; Domen, Kay; Sugiura, Katsumi; Anayama, Chikashi; Tanahashi, Toshiyuki
Origin of nonradiative recombination centers in AlGaInP grown by metallorganic vapor phase epitaxy.—74-05214A
Kondo, Yoshihito See Nanko, Makoto
Kondoh, Akihiro See Murakami, Masato
Kondoh, Eiichi; Ohta, Tomohiro; Mitomo, Tohru; Ohtsuka, Kenichi
Effect of gas phase composition on the surface morphology of polycrystalline diamond films.—74-04575A
Kondoh, Isao See Kitamura, Naoyuki
Kondou, Isao; Tamari, Nobuyuki; Tanaka, Takahiro; Sodeoka, Satoshi
Process for producing composite raw material for ceramics and composite raw material for ceramics produced by said process.—74-09538P
Kondratenko, A. V. See Beletskii, V. M.

Konenkamp, R.; Wahi, A.; Hoyer, P.
Photoelectric properties of colloidal semiconductor films.—74-04805A
Koneshova, T. I.
Directed synthesis of ceramic materials with stable properties on the basis of phase diagrams.—74-04128A
Konev, V. N. See Suevaloy, S. A.
Kong, D.-S. See Zhong, W.-L.
Kong, H. S. See Zhu, W.
Kong, H.; Ashby, Michael F.
Wear mechanisms in brittle solids.—74-11127A
Konig, G. See Schober, R.
Konig, Theo; Bachle, Kurt; Stein, Falk; Ewel, Horst; Rose, Volker; Zippenfenig, Gerd
Device for producing finely-divided metal and ceramic powder.—74-03748P
Konig, Theo; Fister, Dietmar
Fine nonoxide ceramic powders.—74-09918P; Fine-particle oxide ceramic powders.—74-09821P
Konig, V.
Advances in the coating of tools.—74-00106A
Konijnenberg, M. C. See Jiang, Q. D.
Konishi, Masahiro See Sugimoto, Makoto; Tomita, Akira
Konkar, A. See Chen, P.; Rajkumar, K. C.
Konkol, A.; Sulyok, A.; Menyhard, M.; Barna, A.
Auger in-depth profiling of Mo-Si multilayers.—74-01963A
Konkov, O. I.; Terukov, E. I.; Trapeznikova, I. N.; Chelnokov, V. E.
Model of density of states in amorphous Si, C, and SiC from time-of-flight measurement.—74-06209A
Konnikov, S. G. See Verbitskaya, E. M.
Konno, Akihiro See Iida, Masaru
Kononenko, T. V. See Ralchenko, V. G.
Kononov, M. E.; Protsyuk, A. P.; Polyakov, K. I.
Changes in olivine during heating in air.—74-03941A
Kononov, V. A. See Khoroshavin, L. V.
Konorova, L. F.; Zhdanovich, N. S.
Influence of neutron irradiation on ir absorption in glassy As_2S_3.—74-00639A
Konos, T. See Siitonen, P.
Konos, T.; Siitonen, P.; Kettunen, P. O.
Effect of post-treatments on the corrosion resistance of plasma-sprayed duplex stainless steel coating in salt water.—74-08175A
Konov, V. I. See Pimenov, S. M.
Kons, P. See Maoujoud, M.
Konstantinov, A. O. See Ivanov, P. A.
Konstantinov, A. O.; Konstantinova, N. S.; Kon'kov, O. I.
Passivation of crystalline SiC in H plasma.—74-03149A
Konstantinov, I. See Podolesheva, I.
Konstantinov, K.; Souleva, A.; Stambolova, I.
Alkaline doped Bi-Pb-(Sb)-Sr-Ca-Cu-O superconducting materials.—74-06480A
Konstantinova, A. F. See Grechushnikov, B. N.
Konstantinova, A. F.; Stepanov, A. N.; Korostel, L. A.
Study of anomalous dichroism and birefringence in [pure and doped] $SrTiO_3$ crystals.—74-06439A
Konstantinova, G. V. See Abakumova, R. A.
Konstantinova, N. S. See Konstantinov, A. O.
Konstantinova, T. E. See Alekseyenko, V. I.
Konvalinskas, Y.; Krivaite, G.; Miekunas, R.
Infrared reflection and electroreflectance spectra of B^+-implanted semimagnetic semiconductors $Ag_{1-x}Mn_xTe$.—74-06155A
Konyaev, V. M. See Flerov, V. I.
Konyashin, I. Yu.
Mechanism of interaction between Cl-containing gaseous phase and cemented carbides in the chemical vapor deposition process.—74-07278A
Koo, L. S.; Telschow, K. L.
Calculation of the electromagnetic critical state response of high-T_c superconductor tape.—74-09239A
Koone, Neil See Shao, Yong
Koot, Wouter See Chen, Zhong-Xin
Kop'ev, P. S. See Egorov, A. Yu.
Kop, A.; Nafe, H.; Weppner, W.; Kountouros, Paris W.; Schubert, H.
Ionic and electronic conductivity of TiO_2-Y_2O_3-stabilized tetragonal zirconia polycrystals.—74-00498A
Kopf, R. F. See Choquette, Kent D.; Pearton, S. J.; Ren, F.
Kopia, Bartosz; Małolepszy, Jan
Investigation methods of heavy metals immobilization in building materials.—74-08056A
Kopilevich, A. I. See Gurzhi, R. N.
Koppikar, Sandeep R.; Du, Hong-Hua
Electron microscopy and thermogravimetry studies of Nicalon fiber-reinforced Blackglas matrix composites.—74-10797A
Koptelov, V. N. See Kulebakin, V. G.
Kopysov, V. See Nechepurenko, A.
Kopytov, V. B. See Ignet'ev, A. S.
Korableva, S. L. See Abdulsabirov, R. Yu.
Korai, Yozo See Mochida, Isao; Yoon, Seong-Ho
Korb, J.-P. See Xu, Shu
Kordesch, Martin E. See Engel, W.; Wang, Cong-Jun
Kordi Ardakani, H.
Electrical and optical properties of in situ "hydrogen-reduced" titanium dioxide thin films deposited by pulsed excimer laser ablation.—74-07286A
Kordon, A.; Beris, A.; Dhurjati, P.; Rossing, B.; Johnson, William B.
Knowledge base system architecture for a rapid ceramic preforming process.—74-01778A
Korhonen, A. S. See Pischow, K. A.
Kori, Tomonari See Masuda, Masahiro
Koriyama, Shinichi See Maeda, Toshihiko
Korkishko, Yu. N. See Gan'shin, V. A.
Korlyakov, Andrey B. See Roizin, Yakov O.
Korn, D.; Elssner, G.; Fischmeister, H. F.; Ruhle, Manfred
Influence of interface impurities on the fracture energy of uhv-bonded niobium-sapphire bicrystals.—74-08214A
Korn, George C.; Blonski, Robert P.
Enamel for use on glass and a method of using the same.—74-00330P
Korneev, V. V. See Chechenin, N. G.
Korobov, V.; Shapira, Yoram; Ber, B.
Effect of deposition parameters on the properties of In_2O_3/InP junctions.—74-10280A
Korol'kov, D. V. See Kostikova, G. P.
Korostel, L. A. See Konstantinova, A. F.
Korovin, L. I.; Pavlov, S. T.; Eshpulatov, B. E.
Two- and three-phonon resonance Raman scattering in quasi-2-D electron systems under strong magnetic field.—74-07785A
Korshunov, B. G. See Safonov, V. V.
Korsukewitz, J.
From craft trade to industrialization—industrialization of the brickmakers' trade and its social consequences in Northern Germany in the 19th century.—74-08552A
Korsunskaya, N. E. See Drozdova, I. A.
Kortel, A. A.; Durmashkin, A. L.; Maksimova, A. N.
Manufacture of periclase plates for gate valves.—74-03947A
Korthonjiya, V. P. See Andreevskii, K. N.
Kortov, V. S. See Mazurenko, V. G.
Korzhenevskii, A. L.; Luzhkov, A. A.
Heterophase mechanism of emergence of low-temperature peak in real part of high-T_c superconductor conductivity.—74-03479A
Korzhuev, M. A.; Svechnikova, T. E.; Milykh, A. N.
Nonlinear *I-V* characteristics in copper-doped Bi_2Te_3 single crystals.—74-04374A
Korzhuev, M. A.
Low-temperature limit of bipolar coefficient in superionic conductors with mixed electronic and ionic conduction.—74-02848A
Korznikov, A. V.; Ivanisenko, Yu. V.; Laptionok, D. V.; Safarov, I. M.; Pilyugin, V. P.; Valiev, R. Z.
Influence of severe plastic deformation on structure and phase composition of carbon steel.—74-03065A
Kos, Gary A. See Little, Greg; Sumer, Guner
Kos, Gary A.
Kiln furniture for the tableware and brick industries.—74-09682A
Kosa, T. See Rangel-Rojo, R.
Kosaka, Hideo See Saito, Hideaki
Kosaka, Katsushi See Sato, Mitsukuni
Koschnick, F. K. See Hesse, M.
Kose, Saburo See Kitamura, Naoyuki
Kosec, M. See Malic, B.
Kosec, Marija See Klissurska, Radosvete D.
Kosenko, V. G.
Use of iron-containing glass enamels for protecting petroleum-grade water lines.—74-02403A
Koshcheeva, S. N.; Fetisov, A. V.; Fotiev, A. A.
Phase formation in the system Bi-Pb-Sr-Ca-Cu upon synthesis of $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$.—74-04186A
Koshchug, O. S. See Aliev, G. N.
Koshelev, A. E.; Leviev, G. I.; Papikyan, R. S.
Microwave interaction in granulated YBaCuO superconductor.—74-09308A
Koshiba, S. See Akiyama, H.
Koshimura, Masami See Tsunoda, Masakiyo
Koshino, Nagaaki See Kawarada, Motonobu; Kurihara, Kazuaki
Koshita, Gen See Yokoo, Kuniyoshi
Koshizuka, Naoki See Murakami, Masato; Takamuku, Kenshi
Koshkin, V. M.; Dmitriev, Yuri N.
Crowdion spreading and radiation stability possibility of nonoxides.—74-09861A
Koshkin, V. M.; Ovechkina, E. E.; Tkachenko, N. V.
Adsorption on grain boundaries and superconducting parameters of ceramics.—74-03414A
Koshy, Jacob; Kumar, K. S.; Kurian, J.; Yadava, Yogendra P.; Damodaran, Alathoor D.
Rare-earth barium stannates: synthesis, characterization, and potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductor.—74-09330A
Koshy, Jacob; Thomas, J. K.; Kurian, J.; Yadava, Yogendra P.; Damodaran, Alathoor D.
$YBa_2HfO_{5.5}$: a new perovskite potentially suitable as a substrate for YBCO films.—74-06667A
Koshy, Jacob; Thomas, J. K.; Kurian, J.
Development and characterization of $GdBa_2NbO_6$, a new ceramic substrate for YBCO thick films.—74-01669A
Koshy, Philip; Jain, V. K.; Lal, G. K.
Model for the topography of diamond grinding wheels.—74-00957A
Kosik, W. E. See Fountzoulas, C. G.; Klemm, Karl A.
Koskinen, J. See Ronkainen, H.
Koskinen, J.; Hirvonen, J.-P.; Hannula, S.-P.; Pischow, K. A.; Kattelus, H.; Suni, I.
Nanolayered gradient structure as an intermediate layer for diamond coatings.—74-02387A
Koskinen, J.; Lappalainen, R.; Hirvonen, J.-P.
Interfacial characteristics of arc-discharge-deposited diamondlike films on 19 different substrate materials.—74-02377A
Kosky, Philip G.; Einset, Erik O.; Woodruff, David W.
Apparatus for chemical vapor deposition of diamond including thermal spreader.—74-09518P
Kosky, Philip G.; Slutz, David E.; Knemeyer, Friedel S.
Apparatus for chemical vapor deposition of diamond including graphite substrate holders.—74-09517P
Koslowski, Thomas; Hessler, Klaus-Michael; Musebrink, Olaf
Process for the production of calcium hydrosilicate bonded shaped articles.—74-00104P
Kosmac, T. See Novak, S.
Kosmac, T.; Krell, Andreas
Role of powder homogenization techniques in the fabrication of zirconia-toughened alumina.—74-01242A
Kosmac, T.; Novak, S.; Janssen, R.
Injection molding of RBSN-based ceramics.—74-04710A
Kosov, A. A.
Dynamics of ions and isotope effect in $YBa_2Cu_3O_{7-\delta}$.—74-03444A; Variation of the superconducting transition temperature in $YBa_2Cu_3O_{7-\delta}$ upon substitution of paramagnetic impurities for copper ions.—74-06664A
Kossanyi, J. See Bachir, S.
Kosslick, Hendrik; Berndt, Heinz; Lanh, Hoang D.
Acid properties of a ZSM-20-type zeolite.—74-07991A
Kossowsky, Ram
Report on the 19th Annual Meeting of the Society for Biomaterials in conjunction with the 25th International Biomaterials Symposium.—74-02272A
Kostadinovic, A. See Plecas, I.
Koster, Jorg; Schwarzenau, Franz
Next generation of burners for melting furnaces.—74-01168A
Kostic, E. See Kiss, S. J.
Kostic-Gvozdenovic, Ljiljana See Cerovic, Ljiljana S.; Cirjakovic, R.
Kostic-Pulek, Aleksandra See Marinkovic, Slobodanka
Kostikov, Yu. P. See Kostikova, G. P.
Kostikova, G. P.; Korol'kov, D. V.; Kostikov, Yu. P.
High-temperature superconductivity of oxides as a periodic redox reaction.—74-03485A; Redox reactions in HTS oxides.—74-05317A
Kostok, G. K.; Roskova, G. P.; Mazurin, O. V.
Distribution of refractive indices in laminae of microporous glass of different compositions and thicknesses.—74-02530A; Refractive index distribution in microporous glass plates differing in initial composition and thickness.—74-02574A
Kostyk, D.; Shapira, Y.; McNiff, E. J., Jr.
Magnetic anisotropy and phase transformation of (100)EuTe/PbTe superlattices and (100)EuTe films.—74-08950A
Kostylek, Milos
Computer control of technological processes in Vetropack Moravia Glass AS, Kyjov.—74-00290A
Kostyreva, T. G. See Antropova, T. V.
Kostyuk, I. O. See Krylov, A. I.
Kosuge, A. See Qiu, Hong
Kosugi, Toshihiko; Iwase, Hiroaki; Gamo, Kenji
Characteristics of ion beam assisted etching of GaAs: surface stoichiometry.—74-00576A
Koszinski, Andreas See Hamelau, K.
Koszinski, Andreas
Rudersdorf Lime Works and Industrial[—Germany].—74-08103A
Kot, M. See Walachova, J.
Kota, C. See Naik, R.
Kotacska, Lawrence H.; Brown, John T.; Cooper, Timothy J.
Dynamic gas/oxy superstructure refractory testing.—74-08615A
Kotaki, Masahiro See Manabe, Katsuhide
Kotaki, T. See Matsumoto, O.
Kotaki, T.; Amada, Y.; Harada, K.; Uyama, H.; Matsumoto, O.
Diamond deposition from an Ar-CCl_4-H_2 plasma jet at 13.3 kPa.—74-01672A
Kotani, Akio See Uozumi, Takayuki
Kotani, H.
Interlayer dielectric technology by using TEOS-based CVD.—74-08757A
Kotecki, D. See Ransom, C. M.
Kotek, Vladimir
Use of ZrO_2 phase transformation in increasing fracture toughness of ceramics[—review].—74-07934A
Kotel'nikov, I. N. See Mordovets, N. A.
Kothiyal, G. P.; Muthe, K. P.; Vyas, J. C.; Gandhi, D. P.; Handu, V. K.; Singh, K. D.
Electron spectroscopy for chemical analysis studies on electron-beam-evaporated CuO_x thin films.—74-07295A
Kotkata, M. F.; Affi, M. A.; Labib, H. H.; Hegab, N. A.; Abdel-Aziz, M. M.
Memory switching in amorphous Ge-Se-Tl chalcogenide semiconductor films.—74-03105A
Kotlensky, W. V. See Rahhal, W. F.
Kotok, L. A. See Itsovich, R. Yu
Kotosonov, A. S. See Levintovich, I. Ya.
Kotov, I. V.
Calculation of the spectra of natural frequencies in a stochastic model of quartz glass.—74-02434A; Monte Carlo modeling of the structure of quartz glass.—74-02473A; Problem of modeling the structure of quartz glass by the Monte Carlo method.—74-00209A
Kotov, M. I. See Vinogradova, N. N.
Kotova, N. M. See Yanovskaya, M. I.
Kotova, N. V. See Dmitruk, N. L.
Kotova, V. N.; Gubanova, N. V.; Lebedeva, E. S.
Ionometric determination of perchlorate in slags.—74-01074A
Kotsis, Ildiko; Enisz-Bodogh, Margit; Dudas, Istvan
Ceramic floor tiles made with wastes [of hydrocarbon processing].—74-05803A
Kotte, R. See Bittner, D.
Kottman, P.; Polak, M.; Pitel, J.
Magnetic field distribution above a superconducting Y-Ba-Cu-O sample as an indication of sample inhomogeneities.—74-06575A
Kottmann, A. See Schuster, T.
Kottnauer, Cenek A. See Lewis, Albert
Kotula, Paul G.; Carter, C. Barry
Nucleation of solid-state reactions between nickel oxide and aluminum oxide.—74-01418A
Kotula, Paul G.; Erickson, Dwight D.; Carter, C. Barry
Use of thin-film substrates to study enhanced solid-state phase formations.—74-04238A
Kotzler, J.; Kaufmann, M.; Nakielski, G.
Anisotropic dynamical scaling near the vortex-glass transition of twinned $YBa_2Cu_3O_{7-\delta}$.—74-04249A

Koudelka, L. See Lostak, P.
Koumoto, Kunihito See Tokiai, Takeo
Kouno, H. See Ishida, T.
Kountouros, Paris W. See Kop, A.; Kruse, O.; Schubert, H.; Weller, M.
Kountouros, Paris W.; Petzow, G.
Defect chemistry, phase stability, and properties of zirconia polycrystals.—74-01938A
Kountz, Dennis J.; Pellicone, Frank M.
Superconducting Tl-Pb-Sr-Ca-Cu-O thin film.—74-00884P
Koura, N. See Takami, N.
Kouroukiis, Harry N.; Nix, R. M.
Growth and structure of ZnO_x overlayers on Cu(100).—74-10377A
Kourtides, D. D.; Pitts, W. C.; Goldstein, H. E.
Insulating blankets withstand higher temperatures.—74-08620A
Kourtoutas, C. D.; Kovacs, B.; Euthymiou, P. C.
Profile of the E3 electron trap in GaAs.—74-03183A
Koutsky, James A. See Sung, Yun-Mo
Koutsomichalis, A.; Panagopoulos, C.; Badekas, H.
Wear behavior of alumina plasma-sprayed coating on an Al-Cu alloy.—74-07936A
Kouzaki, Takashi See Sekiguchi, Mitsuru
Kovac, Miroslav; Havrda, Jiri; Oujiri, Frantisek
Model of slip casting.—74-07389A
Kovac, Miroslav; Havrda, Jiri
Determining the diffusion coefficient of the liquid in the pouring of ceramic slips.—74-06693A; Model of body formation and solidification involving liquid transfer in porous mold.—74-07387A
Kovachik, V. See Nikiforov, V. N.
Kovacs, B. See Kourtoutas, C. D.
Koval'chenko, M. S. See Izhevskii, V. A.
Koval, S.; Greco, A.
Strong correlations, frozen phonons, and double-well potential in the Cu-O chains of $YBa_2Cu_3O_{7-\delta}$: an exact diagonalization approach.—74-03577A
Kovalchuk, M. V. See Zheludeva, S. I.
Kovalenko, V. V. See Ivanova, L. M.
Kovalev, A. S.; Bogdan, M. M.
Fine structure of magnetic frustration field.—74-06549A
Kovalev, I. N. See Emirbekov, E. T.
Kovalev, M. F. See Grushko, Yu. S.
Kovalev, Sergei P. See Borovik, Valeri G.
Kovalev-Troitskii, K. L. See Aleshina, L. A.
Kovaleva, I. S. See Kuznetsova, I. Ya.
Kovalevskaya, G. G. See Slobodchikov, S. V.
Kovalevskaya, G. G.; Meredov, M. M.; Russu, E. V.
Si MOS photodetectors as detectors of hydrogen.—74-03214A
Kovalyuk, M. Z. See Katerinchuk, V. N.
Kovar, Desiderio See O'Donnell, Heather L.
Kovar, M. See Li, K.-H.
Kovarik, Peter See Bourdon, Elisa
Kovba, L. M. See D'yanchenko, O. G.
Kovler, K. See Bentur, Arnon
Kovner, Yu. M.; Kuznetsov, A. I.; Tomil'tsev, E. A.
Chemical resistance of colored glass frit colored with ferrite waste.—74-02438A
Kovtum, V. I.; Petrenko, A. V.; Zaulichnyi, Ya. V.; Trefilov, V. I.; Britun, V. F.; Karpets, M. V.
Valence-band electron structure in polycrystalline cubic boron nitride sintered in shock waves.—74-01485A
Kovtum, V. I.; Trefilov, V. I.; Karpets, M. V.; Chugunova, S. I.
Formation of new compounds in shock-wave sintering of sphaleritic boron nitride with Al_2O_3 and ZrO_2.—74-01738A
Kowada, Yoshiyuki See Tatsumisago, Masahiro
Kowalik, R. W.; Wang, S.-W.; Ownby, P. Darrell; Thompson, D. M.; Thompson, W. T.
Thermodynamics of hot corrosion of SiC/CAS composite.—74-10941A
Kowalkowski, R.; Hintermann, H. E.
Properties of stoichiometric and silicon-rich polycrystalline silicon carbide films deposited by chemical vapor deposition on various substrates.—74-10145A
Kowalski, B. See Olszyna, A.; Orlowski, B. A.
Kowalski, O. P. See Mowbray, D. J.
Kowbel, W. See Vaidya, U. K.
Koyama, Hisashi; Miyata, Koichi; Kobashi, Koji
Method for forming boron-doped semiconducting diamond films.—74-03271P
Koyama, Satoshi See Endo, Utako
Koyama, Takashi; Nihara, Koichi
Platelet α-Al_2O_3 based ceramic composite.—74-09831P
Koyama, Takashi; Uchida, Susumu; Yanai, Ken
Cermet blade member.—74-02411P
Koyano, Mikio; Suezawa, Manabu; Watanabe, Hajime; Inoue, Masasi
Low-field magnetization and ac magnetic susceptibility of spin and cluster glasses of itinerant manget Fe_xTiS_2.—74-04345A
Kozak, Samuel J. See Schreiber, Henry D.
Kozankova, J. See Stevula, Ladislav
Kozawa, T. See Tamaki, Makoto
Kozawa, T.; Kachi, T.; Kano, H.
Raman scattering from LO phonon-plasmon coupled modes in gallium nitride.—74-04405A
Kozdoba, V. I. See Pilipchatin, L. D.
Kozeeva, L. P. See D'yakonov, V. P.
Kozhevatkin, S. G. See Molev, V. I.
Kozhevatkin, S. G.; Artamonova, M. V.; Molev, V. I.
Athermal glasses with special dispersion behavior.—74-02515A
Kozhukharov, V. See Burger, H.
Kozik, Tomas See Stubna, Igor
Koziol, Dennis R. See Ghosh, Syamal K.
Kozlov, G. V. See Gorshunov, B. P.; Sanditov, D. S.; Volkov, A. A.
Kozlov, V. I.; Osipova, L. P.
Effect of high-temperature annealing on magnetic properties of ferrite-garnet films implanted by helium ions.—74-03373A
Kozlov, Zh. A.; Padureanu, I.; Rapeanu, S.
Vibrational frequency distribution functions of atoms in ThO_2 and UO_2.—74-06671A
Kozlova, N. I. See Turova, N. Ya.
Kozlovskii, A. A. See Khimyi, V. F.
Kozlovsky, Milan See Molnar, Ludovit
Kozlowski, M. R. See Tench, R. J.
Kozma, Bela
Measuring the electrical conductivity of high-T_c superconducting oxide ceramics.—74-06582A
Kozora, Joseph W.
Air tube structure in a glass container forming machine.—74-02667P; Cylinder-port block arrangement for glass container forming apparatus—74-01014P
Kozyrev, S. P.
Anomalous properties of lattice TO vibrations in HgTe: I, Off-center lattice vibration model.—74-05978A; II, One-dimensional two-well crystal model.—74-07037A
Kraack, Karl Ernst; Trinks, Volker
Development of ceramic binders for grinding wheels at lower firing temperatures.—74-00913A
Kraan, Marcel J. See Groen, Wilhelm A.
Krabbes, G.; Bieger, W.; Wiesner, U.; Fischer, K.; Schatzle, P.
Univariant reactions in the YBCO system and the influence of oxygen on solidification and microstructure.—74-06661A
Krachino, T. V. See Baikov, Yu. M.
Kraevskii, S. L. See Dobrosotskaya, T. Ya.; Gorbatova, S. V.
Kraevskii, S. L.; Evdokimova, T. F.; Zolotukhina, L. V.
Spectra of transmission and electron paramagnetic resonance of alkali titanophosphate glasses.—74-00216A; Transmission and ESR spectra of alkali titanium phosphate glasses.—74-00282A
Krahl, Gotz
Clay building products in European standardization—an interim balance: I.—74-08511A; II.—74-05408A
Kraidenov, V. F.; Itskevich, E. S.
Thermo-emf of $YBa_2Cu_3O_{6.2}$ under hydrostatic pressure up to 13 kbar.—74-03606A; Thermo-emf of $YBa_2Cu_4O_8$ under hydrostatic pressure up to 10 kbar.—74-03607A
Krainsky, I. L. See Lamouri, A.
Krainyukova, N. V.; Strzhemechny, M. A.
Low-temperature RHEED: a study of $SrTiO_3$ surface (100).—74-03319A
Krajcovic, Jozef See Grejtak, Frantisek
Krajcovic, Jozef; Horvath, Ivan; Grejtak, Frantisek
Thermal stable porous crystals from montmorillonite: II, Preparation and the properties of Cr-pillared montmorillonites.—74-07534A
Krajevski, T. See Borisov, B. F.
Krajewski, A. See Ravaglioli, A.
Krajewski, A.; Ravaglioli, A.; Meschke, Frank
Ceramic cutting tools for medicine—transformation on the surface of steam-treated TSZ ceramics.—74-06956A
Kramarchuk, G. G. See Dan'shin, N. K.
Kramarov, S. O. See Grekov, A. A.
Krambock, K. See Hesse, M.
Kramer, C. See Bertness, K. A.
Kramer, Carl; Becker, Guido
Horizontal toughening design features convective heating.—74-01158A
Kramer, H. W. See Li, Zheng
Kramer, Klaus See Wotting, Gerhard
Kramer, M. J.; Karion, A.; Dennis, K. W.; Park, M.; McCullum, R. W.
Enhanced superconductivity in $Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$ by low oxygen partial pressure annealing.—74-06536A
Kramer, M. J.; McCallum, R. W.; Nellis, W. J.; Balachandran, U.
Effects of shock-induced defect density on flux pinning in melt-textured $YBa_2Cu_3O_{7-\delta}$.—74-06530A
Kramer, M. See Byrnes, L.
Kramer, M.; Hoffmann, M. J.; Petzow, G.
Grain growth kinetics of Si_3N_4 during alpha/beta transformation.—74-01944A
Kramer, S. J.; Mackenzie, J. D.
Thermal stability enhancement of rubbery ormosils.—74-10173A
Kranz, G. See Rabe, T.
Krarup, H. G. See Nielsen, K. A.
Krasevec, V. See Ceh, M.
Krashennikov, A. V. See Elesin, V. F.
Krasil'nikov, V. N. See Bazuev, G. V.
Krasil'nikova, N. A. See Bogomolova, L. D.
Krasnitsky, V. Y. See Lesnikova, V. P.; Turtsevich, A. S.
Krasnov, A. N.; Vaksman, Yu. F.; Purtov, Yu. N.
Diffusion of lithium in *p*-type ZnSe.—74-00593A
Kratochvil, W. R. See Irons, G.
Kratzig, E. See Buse, K.; Sochova, S.
Kraus, H. See Gutsche, M.
Kraus, Ivo
Application of X-ray tensometry to ceramic materials.—74-06738A
Kraus, Josef
Pressure casting in silicate ceramics.—74-09500A
Kraus, Peter
New developments in the transporting and robotic spray glazing of sanitary ware.—74-08695A
Krause, Christina; Fisch, E.; Rohrbach, G.
Cation exchange capacity: a contribution to the standardization of methods for the evaluation of clay suitability as the base layer in waste disposal sites.—74-01044A
Krause, G. See Melzer, Dieter
Krause, Joseph P. See Sokola, Raymond L.
Krause, K.-A. See Patzke, J.
Krause, Ralph F., Jr. See Xu, Hockin H. K.; Luecke, William E.; Xu, Hockin H. K.
Krauss, A. R. See Auciello, Orlando; Gruen, Dieter M.
Krauss, A. R.; Lin, Y.; Auciello, Orlando; Lamich, G. J.; Gruen, Dieter M.; Schultz, J. A.
Pulsed ion beam surface analysis as a means of in situ real-time analysis of thin films during growth.—74-03854A
Krauss, T. See Gontijo, I.
Kraut, D. See Doyle, S. E.
Krauter, Gertrud See Rees, William S.
Krauter, Gertrud; Favreau, Philippe; Nunnally, Brian K.
Preparation and characterization of group 14 element bis(thiolate) compounds and evaluation of their potential as molecular precursors in the low-temperature synthesis of binary metal sulfides.—74-10545A
Krauter, Gertrud; Goedken, Virgil L.; Neumuller, Bernhard
Group 12 thiolates—synthesis, characterization and decomposition pathways.—74-10372A
Kravchenko, A. V. See Kolyadin, A. I.
Kravchenko, E. L. See Dmitriev, V. M.
Kravchenko, I. See Olevsky, E.
Kravko, T. A. See Kolyadin, A. I.
Kravtsov, S. V. See Lesnikova, V. P.; Turtsevich, A. S.
Krebs, R.; Kronert, W.
Experiences with ceramic fiber linings in industrial kiln construction.—74-00385A
Krejcir, Oldrich
Air vibroinsulation suspension of the centrifugal machine.—74-00890A
Krell, Andreas See Kosmac, T.
Krell, Andreas; Blank, Paul; Pippel, Eckhard; Woltersdorf, Jorg
Sintering ZrO_2/TiC composites with TiH_2: the role of transient liquid phase and of substoichiometry.—74-10637A
Krell, Andreas; Blank, Paul
Grain size dependence of hardness in dense submicrometer alumina.—74-05361A; Mechanical behavior of strengthened Al_2O_3 and ZrO_2 ceramics with a high content of TiC.—74-02169A
Krell, Andreas
Grain boundary relevant micromechanical investigations and microstructural observations in ZrO_2 ceramics.—74-07654A; Load dependence of hardness in sintered submicrometer Al_2O_3 and ZrO_2.—74-05373A
Kreller, D. See Blaauev, C.
Kreshchuk, A. M. See Bystrov, S. D.; Drozdov, S. V.
Kretchmer, James W. See Brown, Dale M.
Kretz, T. See Stroh, R. J.
Kretzschmar, C. See Otschik, P.
Krexner, G. See Blaschko, O.
Krich, John See Dunn, Gregory
Krichevtsov, B. B. See Fiebig, M.
Kriechbaum, M.; Degovics, G.; Laggner, P.
Investigations of cement pastes by small-angle X-ray scattering and BET—the relevance of fractal geometry.—74-08058A
Krieg, Peter; Uhrig, Wolfgang
Burners and burner control systems: I.—74-09642A
Kriegesmann, Jochen See Goller, Ralf
Kriegsmann, Gregory A.; Wagner, B. A.
Microwave heating of carbon-coated ceramic fibers.—74-10464A
Kriegsmann, Gregory A.
Growth and stabilization of hot spots in microwave-heated ceramic fibers.—74-10376A
Krier, A. See Mao, Y.
Krishnadev, M. R.; Angers, R.; Nair, C. G. K.
Structure and properties of magnesium matrix composites.—74-00154A
Krishnakumar, S.; Menon, C. S.
Electrical and optical properties of molybdenum trioxide thin films.—74-10089A
Krishnamurthy, M. See Leonard, D.
Krishnamurthy, R. See Ravindra, H. V.
Krishnamurthy, S. See Karpur, Prasanna
Krishnamurthy, Vikram B. See Brown, Dale M.
Krishnan, Shankar See Weber, J. K. Richard
Krishnaswamy, Premachandran See Gee, Alison W.
Krisko, Annette J.; Proscia, James W.
Plasma enhanced chemical vapor deposition of oxide film stack.—74-03766P
Krison, M. E.; Listovnichaya, S. P.; Pilipovskii, Yu. L.; Vasilenkov, Yu. M.
Effect of an oxide coating on the strength properties of boron and silicon carbide fibers.—74-02122A
Kristoffersson, A.; Ekberg, L.-L.; Leandersson, H.
High-strength triaxial porcelain by an improved glassy phase.—74-05896A
Kristofik, J. See Mares, J. J.
Krivaite, G. See Konvalinskas, Y.
Krivandina, E. A. See Meleshina, V. A.
Kriven, Waltraud M. See Cherian, Isaac K.; Gulgin, Mehmet A.; Huang, Chao M.; Jero, Paul D.; Kuo, Dong-Hau; Sudre, O.
Krivenko, L. F. See Gorbatenko, V. M.
Krivolapchuk, V. V.; Poletaev, N. K.; Fedorov, L. M.
Effects of metastable states in shaping the steady-state photoluminescence spectra of *n*-GaAs.—74-02983A
Krivoruchko, V. N. See Doroshev, V. D.
Krivoruchko, V. N.; Primak, T. E.
Magnetic structure, phase transitions, and propagation of electromagnetic waves in La_2CuO_4.—74-03391A
Krivoruchko, V. N.; Zubov, E. E.
Antiparamagnons and anomalies of the tunnel density of states in YBCO.—74-06490A
Krivtsun, I. See Borisov, Y.
Krockel, O.
Equation describing the isostatic compaction of ceramic pressed bodies.—74-01712A
Kroeger, Donald M. See Goyal, A.; Selvamanickam, V.
Kroeger, Donald M.; Hsu, Huey S.; Brynestad, Jorulf
Method of producing Pb-stabilized superconductor precursors

and method of producing superconductor articles therefrom.—74-09379P

Kroemer, Herbert See Brar, Berinder

Kroll, Peter See Greiner, Axel

Kromer, H.; Moertel, Heinrich; Oel, Heribert J.
Study of luting sands in respect to new application possibilities.—74-08586A

Kromp, Karl See Helmer, Thomas; Peterlik, Herwig

Kronert, W. See Krebs, R.

Kronmuller, H. See Schuster, T.

Krontiras, C. See Nassiopoulos, A. G.

Kropf, Christian See Burgard, Detlef

Krost, A. See Grundmann, M.

Krost, A.; Esser, N.; Selber, H.; Christen, J.; Richter, W.; Bimberg, D.
Identification of ordered and disordered $Ga_{0.51}In_{0.49}P$ domains by spatially resolved luminescence and Raman spectroscopy.—74-06142A

Krost, A.; Heinrichsdorff, F.; Schnabel, F.; Schatke, K.; Bimberg, D.; Cerva, H.
Optical and crystallographic properties of high perfection InP grown on Si(111).—74-04169A

Krotz, G.; Muller, G.; Derst, G.; Wilbertz, C.; Kalbitzer, S.
Thin-film SiC as an optical and optoelectronic material.—74-03252A

Krowne, C. M.
Nonreciprocal electromagnetic properties of composite chiral-ferrite media.—74-09212A; Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimeter-wave propagation.—74-09080A

Krstic, V. D. See Mulla, M. A.

Krstulovic, P.; Kamenic, N.; Popovic, K.
New approach in evaluation of filler effect in cement: I, Effect on strength and workability of mortar and concrete.—74-05557A

Krstulovic, R. See Zmikic, A.

Kruaval, G. B. See Parsons, J. D.

Krudy, Paul J. See Friederichs, John W.

Kruger, A. See Kleber, R.

Kruger, C. H. See Owano, T. G.

Kruger, D. See Ramm, J.

Kruger, Wolfgang See Wei, William

Krumins, A.; Sternberg, A.
Applications of ferroelectric ceramics in optics and electronics.—74-03285A

Krumpholz
Multiplaten systems for mechanical presses—hydraulic and pneumatic concepts.—74-00960A

Krumwiede, John F. See Gulotta, Joseph A.

Kruner, H. See Riedel, G.

Krupa, A. A.; Bondarenko, S. A.
Kinetics of carbon burning out under ceramic annealing.—74-05818A

Krupanidhi, S. B.; Rao, G. Mohan
Pulsed laser deposition of strontium titanate thin films for dynamic random access memory applications.—74-05953A

Krupenin, V. A.; Lotkhov, S. V.; Vyshenskii, S. V.
Photo- and electron-beam lithography sharing common stencil.—74-00970A

Krusche, Matthias
Optimized technologies in drying and fast firing of wall tiles.—74-08568A

Kruse, N. See Scandella, L.

Kruse, O.; Carstanjen, H. D.; Kountouros, Paris W.; Schubert, H.; Petzow, G.
Characterization of H_2O-aged TZP by elastic recoil detection analysis (ERDA).—74-01347A

Krusell, W. C. See Hitchens, W. R.

Krusin-Elbaum, L.; Civale, L.; Baltter, G.
Bose glass melting in YBaCuO crystal with correlated disorder.—74-04255A

Krusius, J. P. See Bair, J. E.; Osse, A. L. M.

Kruss, W. See Horhager, S.

Kruzelecky, Roman V. See Boudreau, Marcel; Pang, Zheng-Da

Kruzhanov, A. V. See Ogorodnikov, I.N.

Kryl, Ya. A. See Kislyi, P. S.; Lichko, T.

Kryl, Ya. A.; Isakov, A. A.; Artemyuk, S. A.; Cherednichenko, V. V.
Variation of the dispersion and phase composition of ultradispersed silicon nitride powders in annealing.—74-01929A

Krylov, A. I.; Volynets, N. F.; Kostyuk, I. O.
Concentration of organic compounds from aqueous solutions by polymeric sorbents of polysorb and polychrom types.—74-01651A

Krylov, I. L. See Akimov, A. G.

Krylov, I. V. See Zemlyanov, M. G.

Krylov, K. R.; Lerinman, N. K.; Ponomarov, A. I.
Magnetic susceptibility and galvanometric properties of $Hg_{1-x}Mn_xTe_{1-y}Se_y$.—*74-08951A*

Krylov, S. O. See Dozhdikova, O. L.

Krynetskii, I. B. See Kolmakova, N. P.

Kryuchkov, V. A. See Galakhov, A. V.

Kryuchkov, Yu. N.
Accuracy of processing of the sedimentation curves.—74-04467A; Cluster model of the structure in shaped powdered materials.—74-04516A; Statistical analysis of grain-size composition of ceramic materials.—74-05257A

Kryuchkova, N. I. See Flis, A. A.

Kuan, Tung-Sheng See Hsu, Y.; McIntosh, Robert

Kuang, Xue-Cheng
Relationship between chemical composition and crystal phase structure of Na_2O-K_2O-MgO-CaO-Al_2O_3-SiO_2 (NKMCAS) pyroxene-type white glaze.—74-05906A

Kuban, Baha
Diopside glass-ceramic by DTA.—74-05675A

Kubby, J. A.; Greene, W. J.
Imaging extrinsic defects at the $NiSi_2$/Si(111) metal-semiconductor interface.—74-05158A

Kubeckova, Marta; Matejec, Vlastimil
Sol-gel method used for preparation of the thin superconductive layers[—literature review].—74-06632A

Kubelka, S.; Haubner, R.; Lux, B.; Steiner, R.; Stingeder, G.; Grasserbauer, M.
Influences of WC-Co hard metal substrate pretreatments with boron and silicon on low-pressure diamond deposition.—74-07354A

Kubler, L. See Aubel, D.; Diani, M.

Kubler, P. See Bergmann, R.

Kubo, Hiroshi See Kinoshita, Toshiya

Kubo, Kohichi See Hamada, Kazuyuki

Kubo, Osamu; Maeda, Tatsumi; Nomura, Tutomu; Kurisu, Shunji; Ogawa, Etsuji
Magnetic powder for magnetic recording and magnetic recording medium containing the same.—74-09228P

Kubo, R. See Okada, K.

Kubo, S. See Tanabe, K.

Kubota, Nobuhiko; Sugimoto, Tsunemi; Sugawara, Kazushi; Shiohara, Yuh
Bi-Sr-Ca-Cu-O superconducting thin film.—74-00862P

Kubota, Shigeru See Yoshida, Yasuhiro

Kubota, Shinichi See Kurakake, Hirohide

Kubota, T. See Apte, P. P.

Kubota, Yoshihiro See Kawada, Nobuo

Kubota, Yoshihiro; Kawai, Makoto; Kojima, Shinji; Arai, Kenichi
Ceramic-titanium nitride electrostatic chuck.—74-08782P

Kubota, Yoshinori See Kawamoto, Hiromi

Kubsch, H. See Teresiak, A.

Kucera, M.; Berankova, P.; Bok, J.
Faraday effect in a single magnetic sublattice garnet $Ca_3Fe_2Ge_3O_{12}$.—74-03378A

Kucheiko, Sergei I. See Kessler, Vadim G.

Kucher, Eberhard
Alpha—a new generation of roller mills: success by system analysis.—74-03674A

Kucherenko, I. V.; Frindt, R. F.; Irwin, C. J.
Scanning tunneling microscopy of charge density waves in TaS_2-4Hb[-polytypes].—74-05239A

Kudella, F. See Ellmer, K.

Kuderko, Max
Cast tools take the plunge.—74-02284A

Kudesia, Rajiv; McHale, Anna E.; Snyder, Robert L.
Effects of La_2O_3/ZrO_2 additives on microstructure and microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ ceramics.—74-02832A

Kudo, Akihiko See Cho, Woo-Seok

Kudo, Kazue See Fukada, Shinichi

Kudo, Koji See Huang, Yi-Dong

Kudo, T. See Hinokuma, K.

Kudoh, T. See Nakagawa, P. M.

Kudoh, Yasuhito See Matsumura, Yoshiaki

Kudoyarova, V. Kh.; Terukov, E. I.; Trapeznikova, I. N.
Optical and electric properties of an $Si_{1-x}C_x$:H layers in connection with promising electrophotographic applications.—74-08983A

Kudra, M. M. See Chernyaev, S. V.

Kudrat, Mahammed See Varadachari, Chandnika

Kudryavtsev, I. A. See Gurevich, S. A.

Kudryavtsev, I. K. See Aslanov, L. A.

Kuech, T. F. See Chen, C.-P.; Huang, J. W.

Kuehne, Arndt; Oberacker, Rainer; Weiss, M.
Dilatometer supported process optimization of sinter HIP consolidation of advanced ceramics.—74-00916A

Kuehne, J. W. See Duncan, W. M.

Kuettel, O. M.; Osterwalder, J.; Schlapbach, L.; Agostino, R.
Photoelectron diffraction analysis of diamond and metal-diamond interfaces.—74-10019A

Kufterina, S. R. See Efimova, N. N.

Kugimiya, Koichi See Nishida, Masamitsu; Okuyama, Kojiro

Kuharuangrong, Sutin; Schulze, Walter A.
Compositional modifications of 10% Pb-doped $Bi_{0.5}Na_{0.5}TiO_3$ for high-temperature dielectrics.—74-05926A

Kuhl, J. See Smith, G. O.

Kuhlmann, K.
Product ecobalance—a method for complete assessment, exemplified by cement-based structural materials.—74-11186A

Kuhn, M. See Jungnickel, G.

Kuhn, M.; Meja, P.; Richter, F.
Deposition of carbon films by a filtered cathodic arc.—74-10260A

Kuhn, Wolf See Dumont, Herve

Kuhnert, R. See Fiegl, B.

Kuhr, M. See Reinke, S.

Kuipers, H. P. C. E. See Twomey, T. A. M.

Kuivanlainen, P. See Grahn, K.

Kujur, B.; Ban, Manoj; Chandra, Jayanta; Chandra, Navin
Simple method for estimation of calcium in minerals by wet chemical analysis.—74-09616A

Kuk, Y. See Noh, H. P.

Kukacka, L. E. See Allan, M. L.

Kukhto, O. L. See Zaitseva, T. N.

Kukino, Satoru See Hirai, Hisako

Kukkonen, J.-J. See Forsen, O.

Kukushkin, S. A.; Osipov, A. V.
Microscopic theory of epitaxial growth: I, Nucleation of heteroepitaxial films on vicinal surfaces.—74-07381A; II, Nonlinear waves and formation of continuous structures.—74-07685A; Theory of new phase nucleation on surfaces of solids in nonisothermal conditions.—74-07529A

Kukushkin, S. A.; Sakalo, T. V.
Kinetics of diffusive coalescence of solid solutions and of temperature-induced coalescence of single-component melts under layer-by-layer growth of nuclei of the new phase.—74-05028A

Kukushkin, S. A.
Evolution of [highly] dispersed particle ensembles on surface of solids—mechanisms of initial stages of forming thin multicomponent films: I, Conservative systems.—74-07646A; II, Open systems.—74-07305A

Kul'bachinskii, V. A. See De Visser, A.; Kadushkin, V. I.

Kul'bachinskii, V. A.; Kadushkin, V. I.; Kytin, V. G.
Features of transport phenomena in spaced doped superlattices.—74-06102A

Kula, W. See Sobolewski, R.

Kulakov, M. See Donig, F.

Kulakov, V. I. See Fedotov, V. K.

Kulebakin, V. G.; Kopteiov, V. N.; Bocharov, L. D.
Influence of mechanical activation of basic refractories and mixtures on sintering.—74-02761A

Kuleev, I. G.; Lerinman, N. K.; Lyapilin, I. I.; Sabirzyanova, L. D.; Tsidilkovskii, I. M.
Why the low-temperature mobility of electrons in HgSe:Fe is constant.—74-00735A

Kuleev, I. G.; Lyapilin, I. I.; Lonchakov, A. T.
Inelastic electron scattering in HgSe:Fe crystals.—74-08937A; Effect of phonon drag of electrons on thermoelectric and thermomagnetic effects in HgSe:Fe.—74-06054A

Kuleshov, N. V. See Demchuk, M. I.

Kulibekov, A. M. See Alekperov, O. Z.

Kulik, A. S. See Antonov, G. I.

Kulik, Joseph See Morris, Jonathan C.

Kulik, T. See Lachowicz, H. K.; Pekala, K.

Kulisch, W. See Beckmann, R.; Reinke, S.

Kulkarni, A. J.
Thermoelectric power of ferroelectric potassium vanadate, cesium vanadate, lithium vanadate and their solid solutions.—74-09226A

Kulkarni, D. See Bhongale, G. J.

Kullmer, Iris See Schwarz, Martin

Kulwicki, Bernard M.; Lynch, David F.; Lukasiewicz, Stanley J.
Method for producing titanate powder and product made thereby.—74-03992P

Kumada, Seiya; Suga, Seiichiro; Okiji, Ayao
Intersubband elementary excitations of quasi-two-dimensional electron systems in quantum well.—74-03072A

Kumagai, Kazuo See Kobashi, Koji

Kumagai, Naoaki; Fujiwara, T.; Tanno, Kazuo
Thermodynamic and kinetic studies of electrochemical lithium insertion into quaternary Li-Mn-V-O spinel as positive materials for rechargeable lithium batteries.—74-01480A

Kumagai, Naoaki; Matsuura, Yasayuki; Tanno, Kazuo; Kumagai, Nobuko
Kinetic and structural studies of the electrochemical insertion of lithium into hexagonal-type $x(A_2O)$-WO_3 (A=Na^+, K^+, NH_4^+).—74-00503A

Kumagai, Nobuko See Kumagai, Naoaki

Kumar, A. See Arjunan, P.; Maity, Soumen

Kumar, D. See Pinto, R.

Kumar, Gireesh See Bocarsly, Andrew B.

Kumar, J. See Tripathy, S. K.

Kumar, Jayant See Bihari, Bipin

Kumar, K. K.; Balaram, B.; Sirdeshmukh, L.
Characterization and dielectric properties of almandine-pyrope garnet.—74-07147A

Kumar, K. Ravi
ACC's expansion projects at Gagal (India).—74-00887A

Kumar, K. S. See Liu, C. T.; Koshy, Jacob

Kumar, K. S.; Liu, C. T.
Ordered intermetallic alloys: II, Silicides, trialuminides, and others.—74-02085A

Kumar, N. See Srinivasu, V. V.

Kumar, P.; Pillai, V.; Bates, S. R.
Preparation of $YBa_2Cu_3O_{7-x}$ superconductor by coprecipitation of nanosize oxalate precursor powder in microemulsions.—74-00843A

Kumar, R. V. See Fray, D. J.

Kumar, R. V.; Fray, D. J.; Evetts, J. E.
Application of high temperature electrochemical techniques to $YBa_2Cu_3O_{7-y}$.—74-00785A

Kumar, R. See Prasad Rao, Hari P. R.; Reddy, K. Ramesh

Kumar, Rakesh See Ohta, Tsuneaki

Kumar, Ravi; Walia, R.; Oussena, M.
High field magnetization study of $YBa_2Cu_4O_8$.—74-03480A

Kumar, Susmit See Reddy, Srinivas K.

Kumar, Susmit; Singh, Raj N.
Thermal conductivity of polycrystalline materials.—74-04445A

Kumar, V. See Ghosh, S.

Kumar, Vikram See Iyer, Suman B.

Kumarasinghe, A. R. See Tennakone, K.

Kumaria, S.; Singh, Raj N.; Bhatt, Ramakrishna T.
Effect of flaw size on first matrix cracking stress in fiber-reinforced ceramic composites.—74-10970A

Kumata, Fumio See Takahashi, Kazuo

Kumazawa, Kohichi See Yokochi, Masao

Kume, A.; Yakabe, H.; Shiohara, Y.
Synthesis of the carrier-doped infinite-layer films by rf thermal plasma evaporation.—74-09352A

Kume, Masayuki See Kobayashi, Tetsuhiko

Kume, Shoichi See Ohtaka, Osamu

Kumta, Prashant N. See Sriram, Mandyam A.

Kumzerov, Yu. A. See Babamuratov, K. Kh.

Kunaver, U.; Kolar, D.
Computer simulation and experimental analysis of anisotropic grain growth in ceramics.—74-07615A; Computer simulation of anisotropic grain growth in ceramics.—74-01936A

Kunchur, Milind N.; Christen, David K.; Klabunde, Charles E.
Hall effect in $YBa_2Cu_3O_{7-\delta}$ in the limit of free flux flow.—74-04326A; Pair-breaking effects of high current densities on the superconducting transition in $YBa_2Cu_3O_{7-\delta}$.—74-04389A

Kundu, D. See De, G.
Kundu, D.; De, G.; Karmakar, B.; Patra, A.; Ganguli, D.
Sol-gel preparation of silica glass.—74-05791A
Kung, Fred H. See Sanghera, Jasbinder S.
Kung, Harriet See Yu, Ning
Kunieda, Katsutoshi
Manufacturing process of flame wares, Banko Yaki wares.—74-07987A
Kunigelis, V. See Kvietkus, V.
Kunii, Satoru See Nakamura, Shintaro
Kunka, Marilyn K. See MacZura, George
Kunkle, Richard P. See Lin, Ching-Yu
Kuntsevich, S. P. See Bezlepkin, A. A.
Kuntzsch, Pia See Will, Peter
Kunz, G. See Kleber, R.
Kunz, R. E. See Du, Chun-Le
Kunze, R. See Besold, J.
Kunzel, H.; Bach, H.-G.; Bottcher, J.; Heedt, C.
Improved inverted AlInGa/GaInAs two-dimensional electron gas structures for high-quality pseudomorphic double heterojunction AlInAs/GaInAs high electron mobility transistor devices.—74-06144A
Kunzelmann, U. See Scheibe, H.-J.
Kuo, C. H. See Droopad, Ravi
Kuo, C. H.; Anand, S.; Droopad, Ravi; Choi, K. Y.; Maracas, G. N.
Measurement of GaAs temperature-dependent optical constants by spectroscopic ellipsometry.—74-03100A
Kuo, C.-T. See Huang, T.-H.
Kuo, Chu-Kun See Huang, Xue-Ning
Kuo, Chu-Kun; Huang, Xue-Ning; Nicholson, Patrick S.
Structure of Na- and Ca-β″-Al_2O_3 coatings on α-Al_2O_3 single-crystal platelets.—74-05274A
Kuo, Dong-Hau; Kriven, Waltraud M.
Characterization of yttrium phosphate and a yttrium phosphate/yttrium aluminate laminate.—74-10778A
Kuo, J. M. See Ren, F.
Kuo, L. H.; Salamanca-Riba, L.; Depuydt, J. M.; Cheng, H.; Qiu, J.
Dislocation nucleation mechanism and doping effect in *p*-type ZnSe/GaAs.—74-05117A
Kuo, Shih Y. See Ellison-Hayashi, Cristan
Kuo, Wen-Shyong; Chou, Tsu-Wei
Elastic response and effect of transverse cracking in woven fabric brittle matrix composites.—74-05347A; Multiple cracking of unidirectional and cross-ply ceramic matrix composites.—74-05381A
Kuo-Ching, Liu; Thomas, G.; Caballero, A.
Mullite formation in kaolite-alpha-alumina.—74-03841A
Kupalova, T. P. See Kergaputskaya, L. A.
Kupfer, H. See Elstner, F.
Kupper, D. See Maas, U.; Schmitz, T.
Kuprienko, P. I.; Malyarenko, V. V.
Stabilization of aerosil suspensions by aluminum hydroxynitrate.—74-04427A
Kupriyanova, T. A. See Lyamina, O. I.
Kurahashi, Masayasu See Kojima, Isao
Kurahashi, Toyohide; Hashibe, Yoshio; Ninomiya, Masayuki
Marblelike glass-ceramic.—74-08484P
Kurakake, Hirohide; Uchida, Toru; Kubota, Shinichi
Performance of (InAs)$_1$/(GaAs)$_1$ short period superlattice strained single quantum well laser on GaAs substrate.—74-06251A
Kurashina, Yukinobu See Hiroki, Nobuyoshi; Tsukamoto, Noboru
Kurata, Naoki See Aoyama, Tatsuji
Kurbatova, G. I. See Petrovskii, G. T.
Kurbatova, G. I.
Control of the exchanging-component boundary concentration in the fabrication of graded-index optical elements.—74-02608A
Kurdowski, Wieslaw
Polish cement industry.—74-02345A
Kurdyumov, A. V. See Barnitskaya, T. S.
Kure, Tokuo See Wada, Yasuo
Kurennykh, T. E. See Vykhodets, V. B.
Kurian, J. See Koshy, Jacob
Kurihara, Kazuaki See Kawarada, Motonobu
Kurihara, Kazuaki; Sasaki, Kenichi; Kawarada, Motonobu; Koshino, Nagaaki
Method and apparatus for vapor deposition of diamond.—74-09929P; Method for arc discharge plasma vapor deposition of diamond.—74-04060P
Kurihara, Kazuaki; Sasaki, Kenichi; Kawarada, Motonobu
Process and apparatus for producing diamond film.—74-01030P
Kurihara, Kazuaki
High deposition rate synthesis of diamond films "DIA-JET" process.—74-10382A
Kurilovich, N. F. See Tekhanovich, N. P.
Kurisu, Shunji See Kubo, Osamu
Kurita, Sumihiko See Nakashima, Masazumi
Kurita, Yasuji
Laminated flat glasses (for automobiles).—74-00305A
Kuriyama, Hideaki See Oohara, Yasuakai
Kuriyama, Kazuyoshi
Electrical conduction model for disordered carbons.—74-10986A; Nanospace deformation in active carbon by heat treatment.—74-10740A
Kurkjian, Charles R. See Gupta, Prabhat K.
Kurkjian, Charles R.; Kammlott, G. W.; Chaudhri, M. Munawar
Indentation behavior of soda-lime silica glass, fused silica, and single-crystal quartz at liquid nitrogen temperature.—74-05366A
Kurmaev, E. Z.; Shamin, S. N.; Kim, Y.
Crystallization of CVD carbon films on Si substrates.—74-07244A
Kuroda, Kazuo See Okazaki, Yoshikatsu
Kuroda, Y. See Kittaka, S.
Kuroe, Haruhiko; Kobayashi, Kenji; Sekine, Tomoyuki; Hase, Masashi; Sasago, Yoshitaka; Terasaki, Ichiro
Heat capacity in an inorganic spin-Peierls system $CuGeO_3$.—74-04329A
Kuroiwa, K. See Tanimoto, S.
Kuroiwa, T. See Mikami, N.
Kuroiwa, T.; Honda, T.; Watarai, H.; Mikami, N.; Horikawa, T.; Makita, T.
Conduction mechanism of $SrTiO_3$ thin films by rf sputtering.—74-08735A
Kurokawa, Hideo See Mitani, Tsutomu
Kurokawa, Hideo; Mitani, Tsutomu; Nakaue, Hirokazu
Plasma CVD apparatus and method therefor.—74-03765P
Kurokawa, Hiroyuki See Komiyama, Masaharu
Kurokawa, S. See Singh, Dileep
Kurolesova, T. I. See Kuznetsov, V. A.
Kuronuma, Y. See Higuchi, M.
Kurosaka, Akihito; Tomomatu, Kazuhiko; Nakao, Osamu; Ajimura, Shoji; Tominaga, Haruo
Process for preparing barium titanate single crystals.—74-04000P
Kuroshima, Tasuyuki See Masuda, Masahiro
Kurosu, T. See Okano, Ken
Kuroyanagi, Akio
$Zn_xCd_{1-x}S$ thin films grown by ion-beam deposition.—74-06387A
Kurshev, Vadim See Back, Gern-Ho
Kurth, R.; Kleist, G.; Steinbrech, R. W.
Novel method to determine the fracture toughness of ceramics by the controlled propagation of indentation cracks.—74-06799A
Kurtin, E. N. See Grebtsova, O. M.
Kurtz, Anthony D. See Shor, Joseph S.
Kurtz, S. K. See Lesieutre, G. A.
Kurtz, Sarah R.; Olson, J. M.; Friedman, D. J.; Kibbler, A. E.; Asher, S.
Ordering and disordering of doped $Ga_{0.5}In_{0.5}P$.—74-03144A
Kuryleva, E. F. See Shevchenko, V. V.
Kuryshev, G. L.; Myasnikov, A. M.; Safronov, L. N.
Redistribution of beryllium in InSb and InAs resulting from ion implantation and subsequent annealing.—74-03197A
Kurz, E.A.; Becker, C. H.; Wu, K. J.; Becker, O.; Sommer, H.
Investigation of the core-clad interface of coherent fiber optic devices using secondary ion mass spectrometry, surface analysis by laser ionization, and transmission electron microscopy.—74-03828A
Kurz, H. See Emmerichs, U.; Hunsche, S.; Jaekel, Christian
Kurz, W. See Frenk, A.
Kurze, Peter; Banerjee, Dora; Kletke, Hans-Jurgen
Method of producing oxide ceramic layers on barrier layer-forming metals and articles produced by the method.—74-08315P
Kusakabe, Katsuki See Kato, T.; Maeda, Hideaki; Watanabe, Masayuki; Yan, Sheng-Chun
Kusevic, I.; Babic, E.; Ivkov, J.
Flux pinning in Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+y}$.—74-09275A
Kushitani, Hideki; Nishizawa, Manabu; Nakao, Yasumasa
Alkali-free glass.—74-00325P
Kushkhov, Kh. B.; Malyshev, V. V.; Tishchenko, A. A.; Shapoval, V. I.
Electrochemical synthesis of tungsten and molybdenum borides in a dispersed condition.—74-01701A
Kushner, Mark J. See Ventzek, Peter L. G.
Kuskonmaz, N.; Toy, C.; Addemir, O.
Si_3N_4 and SiC formation from rice husk.—74-04888A
Kut'ko, V. I.; Kharchenko, Yu. N.; Nesterenko, N. M.
Magnetooptical studies of $KEr(MoO_4)_2$ in long-wave ir region.—74-05183A
Kut'ko, V. I.; Pashchenko, V. A.; Kobets, M. I.
Cooperative Jahn-Teller effect induced in ferroelastic $KEr(MoO_4)_2$ by an external magnetic field.—74-01503A
Kutas, A. A. See Kindyak, V. V.
Kutilek, Luke A. See Gulotta, Joseph A.
Kutsenko, A. B. See Il'inskii, A. V.
Kutsev, S. V. See Galakhov, A. V.
Kutty, T. R. G. See Upadhyaya, D. D.
Kutvitskii, V. A.; Chernyshova, L. M.; Maruf, M.
Making vitreous specimens for X-ray fluorescence analysis of langasite.—74-04744A
Kuwabara, Haruyoshi; Otsuka, Akio; Kashida, Meguru
High-packing silicon nitride powder and method for making.—74-09922P
Kuwabara, Haruyoshi; Otsuka, Akio; Maki, Yasuyuki; Kashida, Meguru
High-packing silicon nitride powder and method for making.—74-01321P
Kuwabara, Makoto See Shimooka, Hirokazu
Kuwabara, Mitsuo; Ikegami, Kiyoshi; Yoshida, Teruaki; Takahashi, Koji; Harada, Tamotsu; Komiyama, Takeshi
Molded ceramic articles and production method thereof.—74-03763P
Kuwabata, S.; Kishimoto, A.; Tanaka, T.
Electrochemical synthesis of composite films of manganese dioxide and polypyrrole and their properties as an active material in lithium secondary batteries.—74-06971A
Kuwahara, Kazuyuki See Ohtsuka, Hiroshi
Kuwano, Hiroki See Sugimoto, Iwao
Kuwano, Yasuhiko
ß-BaB_2O_4 (CZ method).—74-09965A
Kuz'micheva, G. M. See Efremov, V. A.
Kuz'micheva, G. M.; Evdokimova, V. V.; Khlybov, E. P.
Phases of high-pressure high-temperature superconducting cuprates.—74-00834A
Kuz'micheva, G. M.; Mukhin, B. V.; Sarin, V. A.
Neutronographic investigation of the structure of yttrium-scandium-aluminum garnets.—74-01414A
Kuz'micheva, G. M.; Mukhin, B. V.; Zharikov, E. V.
X-ray structure investigation of monocrystals of gadolinium- and yttrium-scandium-gallium garnets doped with chromium and neodymium ions.—74-03408A
Kuz'micheva, G. M.; Murashov, V. V.; Mitin, A. V.
Superconductivity in the system Ln-Sr-Nb-O (Ln=La, Nd, Gd, Dy, Tm, Lu).—74-00855A
Kuz'micheva, G. M.; Tarasova, T. N.; Afanas'eva, I. N.
Superconducting and nonsuperconducting (up to 4.2 K) phases $MA'A''_2Cu_2O_x$ with perovskite-like structure.—74-04225A
Kuz'micheva, G. M.; Tarasova, T. N.
Quantitative X-ray method for determining phases in the system Bi-Sr-Ca-Cu-O.—74-00848A
Kuz'micheva, G. M.
Poling's law and superconductivity.—74-00838A
Kuz'min, V. S. See Saiko, A. P.
Kuz'minskii, E. V. See Arsenin, K. I.
Kuzakov, S. V. See Rabinovich, A. S.
Kuzel, R., Jr.; Cerny, R.; Valvoda, V.; Blomberg, M.; Merisalo, M.
Complex XRD microstructural studies of hard coatings applied to PVD-deposited TiN films: I, Problems and methods.—74-05101A
Kuzin, E. A. See Petrov, M. P.
Kuzma, M. See Ciach, R.
Kuzminov, Dimitry See Banerjee, Indrajit
Kuzminski, M. See Lachowicz, H. K.
Kuznetskii, R. S.
Criteria presentation and analysis of quadratic-linear hydraulic resistance of porous medium.—74-01975A
Kuznetsov, A. I. See Kovner, Yu. M.
Kuznetsov, A. N. See Rogachev, N. A.
Kuznetsov, A. V. See Givargizov, E. I.
Kuznetsov, N. I. See Anikin, M. M.
Kuznetsov, N. I.; Dmitriev, A. P.; Furman, A. S.
Properties of a center associated with an Al impurity in 6H-SiC.—74-06279A
Kuznetsov, N. I.
Current relaxation spectroscopy of deep levels.—74-00587A
Kuznetsov, N. T. See Slovyanskikh, V. K.
Kuznetsov, O. A. See Vdovin, V. I.
Kuznetsov, V. A. See Efremova, E. P.
Kuznetsov, V. A.; Kurolesova, T. I.
Engineering method of calculation of temperature field in founding and heat treatment of glassware.—74-02755A
Kuznetsov, V. V. See Vendik, I. B.
Kuznetsov, Yu. A. See Ageyev, V. N.
Kuznetsova, I. Ya.; Kovaleva, I. S.; Fedorov, V. A.
Cross sections of $CsHgBr_3$-Cs_2ZnBr_4 and $CsHg_2Br_5$-Cs_2ZnBr_4 of the ternary system $ZnBr_2$-$HgBr_2$-$CsBr$.—74-01359A; Interactions in the system $ZnBr_2$-$HgBr_2$.—74-01401A
Kuznetsova, T. F. See Barkatina, E. N.
Kvam, Eeic P.; Samavedam, S. B.
Dislocations in strained layers—Ge-Si system.—74-06043A
Kvam, Eric P. See Pavate, Vikram
Kvam, Eric P.; Pavate, Vikram; Linehan, Daniel S.
Dislocations and flux pinning in $YBa_2Cu_3O_7$.—74-06514A
Kvardakov, A. M.; Mikhailova, A. Ya.; Sangyin, V. P.
Unstandardized electron probe microanalysis of thin films of high-temperature superconducting oxides and semiconductors (thickness <1 μm).—74-01126A
Kvashnin, G. M. See Kvashnina, O. P.
Kvashnina, O. P.; Kvashnin, G. M.; Sorokina, T. P.
Elastic properties of rare-earth ferrite garnets.—74-04292A
Kvaskov, V. B. See Fedoseev, D. V.
Kvasman, N. M. See Karaulov, A. G.
Kvasnitsa, K. See Ostroushko, A. A.
Kvichko, L. A. See Itsovich, R. Yu
Kvietkus, V.; Kunigelis, V.; Juelys, A.
Transverse acoustoelectric voltage in semiconductor-piezoelectric structure.—74-06448A
Kvoschev, S. S. See Izmailova, S. G.
Kvyatkovskii, O. E. See Vorotilova, L. S.
Kvyatkovsky, O. V.; Kazakov, S.V.; Borisovsky, E. S.
Phase formation during sintering of chromium ore concentrate with titanium-containing addition and during firing of the periclase-spinellide products.—74-01829A
Kwak, B. S. See Feng, Z. C.
Kwak, J.-S.; Baik, H.-K.; Shin, D.-W.; Park, C.-G.; Kim, C.-S.; Noh, S.-K.
Interactions between Si/Co films and GaAs(001) substrates.—74-06160A
Kwan, Stephen; LaRosa, Judith; Grutzeck, Michael W.
^{29}Si and ^{27}Al MAS-NMR study of stratlingite.—74-07032A
Kwatera, A. See Gorny, Gabriela
Kwatera, A.
Method of controlling the deposition of thin CVD layers.—74-07380A
Kweon, Soon-Yong; Jung, Dae-Yung; Choi, Si-Kyung
Wetting characteristics and interfacial reaction at Al/Al_2O_3 interface.—74-08296A
Kweon, Y.-G. See Kim, H.-J.
Kweon, Yeong-Sik See Cho, Chong-Du
Kwok, R. W. M.; Huang, L. J.; Lau, W. M.; Kasrai, M.; Feng, X.; Tan, K.
X-ray absorption near-edge structures of sulfur on gas-phase polysulfide-treated InP surfaces and at SiN_x/InP interfaces.—74-06383A
Kowk, W. K.; Fendrich, J.; Flesher, S.
Vortex liquid disorder and the first-order melting transition in $YBa_2Cu_3O_{7-\delta}$.—74-05061A
Kwok, W. K.; Fendrich, J.; Welp, U.
Suppression of the first-order vortex melting transition by intrinsic pinning in $YBa_2Cu_3O_{7-\delta}$.—74-04436A
Kwok, W. K.; Fenrich, J. A.; Van der Beek, C. J.
Peak effect as precursor to vortex lattice melting in single-crystal $YBa_2Cu_3O_{7-\delta}$.—74-09318A
Kwon, Chul-Han See Yoon, Ki-Hyun
Kwon, Dong-Il See Lee, Sung-Hak
Kwon, H. C. See Yoo, K.-H.
Kwon, H.-J. See Shin, Jae-Young
Kwon, Hyeok-Kee See Whang, Chin-Myung
Kwon, Oh-Hun See Yeckley, Russell L.

Kwon, Oh-Hun; Nordahl, C. Scott; Messing, Gary L.
Submicrometer transparent alumina by sinter forging seeded γ-Al_2O_3 powders.—74-04926A
Kwon, S.-J. See Shin, H.-S.
Kwon, Young-S. See Kim, J.-H.
Kwon, Young-S.; Kim, Kitae T.
Finite element analysis for high-temperature densification processing of alumina powder compacts.—74-10355A
Kwon, Young-S.; Son, Geon-Seog; Suh, Jeong; Kim, Kitae T.
Densification and grain growth of porous alumina compacts.—74-04535A
Kwong, D. L. See Sinikrishnan, U.
Kyi, Aye-Aye; Batchelor, Bill
Electrical conductivity method for measuring the effects of additives on effective diffusivities in portland cement pastes.—74-05514A
Kyotani, T.; Suzuki, Kenya; Yamashita, H.
Formation of carbon-metal composites for metal ion-exchange graphite oxide.—74-08193A
Kyoto, Michihisa; Ishiguro, Yoichi; Urano, Akira; Kakuzen, Hideo
Method for producing glass preform for optical fiber.—74-02684P
Kytin, V. G. See Kul'bachinskii, V. A.
L'esperance, Drew; Browne, Clarice A.; Chronister, Eric L.
Chromophore dynamics in sol-gel glasses and xerogel clad fiberoptic sensors.—74-08407A
L'vov, A. L. See Gurevich, Yu. Ya.
L'vova, T. V. See Ankudinov, A. V.; Berkovits, V. L.
La Mantia, A. See Terrasi, A.
Laabidi, K. See Fontana, M. D.
Labatut, C. See Sabri, A.
Labatut, C.; Berjoan, R.; Armas, B.
Chemical vapor deposition of the Al-Fe-O system.—74-04513A
Labbe, J. See Germain, P.
Labeau, M.; Gas'kov, A. M.; Gautheron, B.; Senateur, J. P.
Synthesis of Pd-doped SnO_2 films on silicon and interaction with ethanol and CO.—74-04946A
Labib, H. H. See Kotkata, M. F.
Laborde, O.; Soutetie, B.; Tholence, J. L.
Magnetoresistance of $HgBa_2Ca_2Cu_3O_8$ and $HgBa_2Ca_2Cu_4O_{12}$.—74-03517A
Labrador, D. P. See Walsh, W. R.
Labregere, G. See Roche, G.
Labrincha, J. A. See Costa, A. D. S.; Ferreira, A. A.
Labrincha, J. A.; Frade, J. R.; Marques, F. M. B.
Cathode materials for SOFCs.—74-07215A
Labrincha, J. A.; Marques, F. M. B.; Frade, J. R.
Effects of Co for Mn substitution in (La, Sr)MnO_3 cathode materials.—74-02981A
Labrize, Florence See Hubert-Pfalzgraf, Liliane G.
Labuda, J. See Vanickova, M.
Labusch, R. See Schmidt, J.
Lace, L. A. See Silin, A. R.
Lacefield, William R.
Hydroxyapatite coatings.—74-06977A
Lach, Erhardt
Mechanical behavior of ceramics and their ballistic properties.—74-02168A
Lachman, Irwin M. See Beauseigneur, Patricia A.
Lachowicz, H. K.; Kuzminski, M.; Kulik, T.; Hernando, A.
Resistometric study of nanocrystallization kinetics in Fe-based metallic glasses.—74-05788A
Lackey, W. Jack See Lee, Jong-Heon
Lackey, W. Jack; Hanigofsky, John A.; Freeman, Garth B.; Hardin, Regina D.; Prasad, Ajit
Continuous fabrication of silicon fiber tows by chemical vapor deposition.—74-07238A
Lackey, W. Jack; Vaidyaraman, Sundar; Freeman, Garth B.; Agrawal, Pradeep K.; Langman, M. D.
Rapid fabrication of carbon-carbon composites.—74-10597A
Lackey, W. Jack; Vaidyaraman, Sundar; Freeman, Garth B.; Agrawal, Pradeep K.
Technique for monitoring densification during chemical vapor infiltration.—74-03889A
Lacklison, D. E. See Foxon, C. T.
Lacour, C. See Weyl, C.
Lacout, J. L. See Mejdoubi, E.
Lacout, J. L.; Taitai, A.
Carbonate-containing europium apatite.—74-10762A
Lacquaniti, V.; Bergoglio, M.; Steni, R.
Characterization by Auger spectroscopy of niobium-aluminum oxide-niobium sandwiches for Josephson junctions.—74-05084A
Lacquet, Beatrys M. See Bulkin, Pavel V.
Lacroix, Roger See Jartoux, Pierre
Lada, W. See Deptula, A.
Ladbrooke, P. H. See Cameron, N. I.
Lade, H. See Bachmann, P. K.
Laderanta, E. See Dodokin, A. P.
Ladieu, Francois; Bouchaud, Jean-Philippe
Conductance statistics in small GaAs:Si wires at low temperatures: I, Theoretical analysis: truncated quantum fluctuations in insulating wires.—74-08733A
Ladieu, Francois; Mailly, D.; Sanquer, M.
Conductance statistics in small insulating GaAs:Si wires at low temperatures: II, Experimental study.—74-08734A
Ladirat, C.; Boen, R.; Jouan, A.; Moncouyoux, J. P.
French nuclear waste vitrification: state of the art and future developments.—74-09403A
Ladnorg, Uwe; Schon, H.-J.
Red firing to the third power.—74-02730A
Ladnorg, Uwe
Supply of proven raw materials: the preconditions.—74-03951A; Water protection in open pit clay mining.—74-08604A; Weighed and found good: weighing and proportioning of bulk material.—74-09515A
Ladochkin, A. A. See Gavrilyuk, Yu. N.
Laenger, Fritz
Designing an extruder with allowance for the properties of ceramic extrusion compounds: IVa.—74-00912A; Designing an extruder with allowance for the properties of ceramic extrusion compounds: Vb.—74-09449A
Laermans, C. See Dominec, J.
Laessoe, Jorgen
Improving line efficiency via hot-end inspection.—74-06707A
LaFage, B.; Taxil, P.
Titration of molten soda-lime-silicate glasses by square wave voltammetry.—74-00233A
Lafer, M.; Bouvard, D.; Stutz, P.
Influence of alumina inclusions on the densification of superalloy powder.—74-01762A
Lafyatis, David S. See Foley, Henry C.
Lagaly, Gerhard
Layer charge determination by alkylammonium ions.—74-08560A
Lagarde, T. See Pelletier, J.
Lagerberg, Stig E. See Fischer, Udo K.
Lagerlof, K. P. D. See Buzniak, Jan J.; Sayir, H.
Laggner, P. See Kriechbaum, M.
Lagrange, A. See Rousset, Abel
Lagrange, V. See Dickin, Peter
Lagunova, T. S. See Voronina, T. I.
Lahaye, J. See Vix-Guteri, C.
Lahdensuo, M. See Makela, A.
Laher-Lacour, F. See Weyl, C.
Lahodny-Sarc, O.; Dragcevic, Z.; Keller, Walter D.
Hydrothermal synthesis of kaolinite up to 350°C.—74-07343A
Lahres, M. See Muller-Hummel, P.
Lai, C.-H. See Lu, Y.-Y.; Wu, Jenn-Ming
Lai, Gao-Chao; Nojiri, Takuo; Nakano, K.
Stability of β-Ca_2SiO_4 doped by minor ions.—74-05588A
Lai, S. H. See Kim, C. J.
Lai, Shy-Wen; Chung, D. D. L.
Aluminum-matrix aluminum nitride particle composite as a low-thermal-expansion thermal conductor.—74-10061A
Lai, Z.-H. See Zhou, F.
Laibowitz, R. B. See Ma, Q. Y.
Laiho, R. See Yu, Tao
Laikho, P. See Dodokin, A. P.; Kompan, M. E.
Laimer, J. See Lang, T.
Laimer, J.; Shimokawa, M.; Matsumoto, S.
Growth of diamond in a pulsed microwave discharge.—74-04672A
Laine, Richard M. See Kansal, Pallavi; Zhang, Zhi-Fan
Laine, Richard M.; Babonneau, Florence; Blowbawiak, Kay Y.; Kennish, Richard A.; Rahn, Jeffrey A.; Exarhos, Gregory J.
Evolutionary process during pyrolytic transformation of poly(N-methylsilazane) from a preceramic polymer into an amorphous silicon nitride/carbon composite.—74-01716A
Laird, David A. See Kolka, Randakk K.
Laird, David A.
Evaluation of the structural formula and alkylammonium methods of determining layer charge.—74-10804A
Laishevtseva, N. A.; Zhuravlev, V. D.; Fotiev, A. A.
Synthesis of $K_{0.4}Ba_{0.6}BiO_{3+y}$.—74-01471A
Lake, Max L. See Ingram, D. C.; Ting, Jyh-Ming
Lakeman, Charles D. E. See Tani, Toshihiko
Lakestani, F. See Lemaitre, P.
Lakki, A.; Schaller, R.; Nauer, M.
High-temperature superplastic creep and internal friction of yttria-doped zirconia polycrystals.—74-02156A
Lakomaa, E. See Haukha, S.
Lakshman, Induvadan See Appl, F. C.
Lakshminarayanan, R. See Chao, Luen-Yuan
Lal, G. K. See Koshy, Philip
Lal, K. See Singh, Awatar
Lal, Misri See Bheemineni, Veerabhadrarao
Lal, Rakesh See Phatak, Girish
Lalevic, B. See Yoon, Yeong J.
Lalinsky, T. See Gregusova, D.
Lalonde, Christian See Cywar, Douglas
Lalykin, N. V. See Shutov, A. L.
Lam, Yee-Loy See Davis, L.
Lam, Yee-Loy; Singh, Jasprit
Monte Carlo simulation of gain compression effects in GRINSCH quantum well laser structures.—74-08957A
Lamar, David A. See Kim, Dong-Sang
Lamarre, Leslie
Building from ash.—74-02745A
Lamaze, G. P.; Downing, R. G.; Hackenberger, L. B.; Pilione, L. J.; Messier, R.
Analysis of cubic boron nitride thin films by neutron depth profiling.—74-05069A
Lamb, R. N. See Puchert, M. K.; Winton, G. H.
Lambers, E. S. See Viljoen, P. E.
Lambert, B. See Perotin, M.
Lambert, H. Wayne See Schreiber, Henry D.
Lambert, Jean-Francois; Chevalier, Sophie; Franck, Raymond
Al-pillared saponites: II, NMR studies.—74-05066A
Lambert, P. See Dube, D.
Lambert, P.; Dube, D.; Gelinas, C.; Arsenault, B.
Effect of precursors on the size of 2-1-1 in melt-processed $ErBa_2Cu_3O_{7-\delta}$.—74-06521A
Lambrecht, Vincent G., Jr. See Becker, Philippe C.
Lambrecht, W. R. L. See Albanesi, E. A.
Lambrecht, W. R. L.; Segall, B.
Electronic structure of SiC-TiC interfaces.—74-09990A
Lamendola, Ritalba See D'Agostino, Riccardo
Lamich, G. J. See Krauss, A. R.
Lamilla, Luis Felipe See Wagg, Erik
Lamilla, Luis Felipe; Wagg, Erik
Decorating techniques for single-fire, fast-fire tile production.—74-08517A; Decorating techniques for single-fire, fast-fire tile.—74-08670A
Lammle, Werner
Profile of modern batch plant control system.—74-06718A
Lamon, Jacques See Droillard, C.; Lara-Curzio, Edgar
Lamon, Jacques; Rebillat, F.; Evans, Anthony G.
Microcomposite test procedure for evaluating the interface properties of ceramic matrix composites.—74-03835A
Lamontagne, M. See Moreau, C.
Lamoreau, Robert H. See Johnson, Sylvia M.
Lamouri, A.; Krainsky, I. L.; Muller, W.
Electronic structure and work function study of a model dispenser cathode surface.—74-07642A
Lan, Guo-Xiang See Lin, Yuan-Kun
Lan, M. D. See Hoellwarth, C. C.
Lan, Sheng See Zhang, Bei
Lan, Tie See Pinnavaia, Thomas J.
Lan, Xiang-Hui See Tang, Ming-Shu
Lanagan, Michael T. See Dorris, Stephen E.; Kaufman, D. Y.; Li, Y. F.; Luo, Jian-Shu
Lanckbeen, A. See Legros, C.
Lanckeen, A.; Duvigneaud, P. H.; Diko, P.
Interface reactions and diffusion in ZnO-$YBa_2Cu_3O_{7-\delta}$ and Fe_2O_3-$YBa_2Cu_3O_{7-\delta}$ systems.—74-03501A
Lancucki, C. J. See Shayan, A.
Land, T. A. See De Yoreo, J. J.
Landgren, G.; Wallin, J.; Pellegrino, S.
Optimal growth interrupts for very high quality InGaAs(P)/InP superlattices grown by MOVPE.—74-06244A
Landheer, D. See Tao, Y.
Landheer, D.; Lu, Z.-H.; Baribeau, J.-M.; Huang, L. J.; Lau, W. M.
Capacitance-voltage characteristics of metal-insulator-semiconductor diodes with S passivation and Si interface control layers on GaAs and InP.—74-05996A
Landis, Eric N.; Shah, Surendra P.; Li, Zong-Jin
Applications of quantitative NDE to basic fracture research of concrete.—74-09550A
Landon, Thomas E. See Coleman, Nancy A.
Landron, C.
Elaboration of ceramics by aerosol way.—74-10318A
Landry, Christopher C. See Hepp, Aloysius F.
Landry, Christopher C.; Barron, Andrew R.
Synthesis of polycrystalline chalcopyrite semiconductors by microwave irradiation.—74-09062A
Landstrass, M. I. See Flemish, J. R.; Kania, D. R.
Landstrass, M. I.; Plano, M. A.; Pan, L. S.
Device properties of homoepitaxially grown diamond.—74-10075A
Lane, Charles See Eastman, Martin
Lane, E. See Katz, A.
Lane, J. A. See Steele, B. C. H.
Lane, S.; Biner, S. B.; Buck, O.
Fracture behavior of 20% Nb particulate-reinforced alumina composite.—74-08194A
Lanford, W. A. See Li, S. C
Lang, A. R.
Topographic methods for studying defects in diamonds.—74-01957A
Lang, H. P.; Karpinski, J.; Kaldis, E.; Ramseyer, J.-P.; Guntherodt, H.-J.
Atomic force microscopy study of the fractal shape of residual barium cuprate/copper oxide flux on the surface of $Y_2Ba_4Cu_7O_{15}$ and $YBa_2Cu_4O_8$ single crystals.—74-06492A
Lang, K. See Beddoe, R. E.
Lang, T.; Laimer, J.; Stori, H.
Quasi-equilibria of gaseous species in the C-H system.—74-04198A
Langdon, Terence G. See Gu, Wei-Zhong
Lange, David A. See Mitsui, Kenro
Lange, Fred F. See Balmer, Mari Lou; Franks, George V.; Ho, S.; Luther, Erik P.
Lange, M. D. See Wijewarnasuriya, P. S.
Lange-Gieseler, R. See Von Criegern, R.
Langell, M. A. See Nassir, M. H.
Langenohl, Mark C.
Vitreous silica-based plastic refractory.—74-00417P
Langer, Dietrich W. See Fang, Xiao M.; Kim, Hong-Koo
Langford, J. Ian See Auffredic, Jean-Paul
Langford, S. C. See Dickinson, J. T.
Langhammer, H.-T. See Voeltzke, D.
Langhammer, H.-T.; Dabrunz, M.; Felgner, K.-H.; Abicht, Hans-Peter
Grain growth, segregation, and diffusion in ceramic systems [investigated] by using heterogeneous structures.—74-07658A
Langlade, C.; Fayeulle, S.; Olier, S.
Role of additive in the physicochemistry of graphite-based transfer films.—74-00991A
Langlet, M. See Marage, P.
Langman, M. D. See Lackey, W. Jack
Langowski, M. H. See Smith, P. A.
Languell, M. L. See McKinley, J. T.
Languillaume, J.; Chmelik, F.; Kapelski, G.
Microstructures and hardness of ultrafine-grained Ni_3Al.—74-02024A
Lanh, Hoang D. See Kosslick, Hendrik
Lanin, A. G. See Antsiferov, V. N.
Lannoo, M. See Lefebvre, I.
Lannutti, John J. See Park, Eun-Sung
Lantratov, V. M. See Berkovits, V. L.
Lanyi, S. See Pincik, Emil
Lapiano-Smith, D. A. See Terminello, L. J.
Lapidus, M. A. See Sulimova, F. V.
Lapp, J. C. See Shelby, J. E.
Lappalainen, R. See Koskinen, J.
Lappe, J. J. See M'Saad, Hichem
Lapshin, N. G. See Izolov, Yu. L.
Laptionok, D. V. See Korznikov, A. V.
Laqua, W. See Schutz, Stefan
Lara-Curzio, Edgar See Chawla, K. K.; Shanmugham, S.; Wereszczak, A. A.

Lara-Curzio, Edgar; Ferber, M. K.; Besmann, Theodore M.; Rebillat, F.; Lamon, Jacques
Fiber-matrix bond strength, fiber frictional sliding, and the macroscopic tensile behavior of a 2-D SiC/SiC composite with tailored interfaces.—74-10999A

Lara-Curzio, Edgar; Ferber, M. K.; Boisvert, Ronald; Szweda, Andy
High-temperature tensile fatigue behavior of a polymer-derived ceramic matrix composite.—74-11022A

Lara-Curzio, Edgar; Ferber, M. K.
Redistribution of internal stresses in composite materials during creep.—74-11068A

Laraia, Vincent J.; Rus, Ioan L.; Heuer, Arthur H.
Microstructural shape factors: relation of random planar sections to three-dimensional microstructures.—74-07688A

Lareau, R. T. See Hanson, Cynthia M.

Larigue Korinek, S.; Dupau, F.
Grain-boundary behavior in superplastic Mg-doped alumina with yttria codoping.—74-05151A

Larionov, V. R. See Andreev, V. M.

Larionova, T. V. See Gonchukova, N. O.

Larker, R.; Nissen, A.; Pejryd, L.; Loberg, B.
Diffusion bonding reactions between an SiC/SiC composite and two superalloys during joining by hot isostatic pressing.—74-08164A

Larkin, David J.; Powell, J. Anthony
Process for the controlled growth of single-crystal films of silicon carbide polytypes on silicon carbide wafers.—74-03280P

Larkin, I. A. See Dubrovskii, Yu. V.

Larkin, Matthew P. See Yavuz, Bulent O.

Larnac, Guy J. C. See Lespade, Pierre

Laroche, J. M. See Tonneau, D.

Larocque, C. See Knight, Gordon

LaRosa, Judith See Kwan, Stephen

Larrard, F.; Aitcin, Pierre-Claude
Apparent strength retrogression of silica-fume concrete.—74-02744A

Larre, A. See Boucaud, P.

Larrea, A. See De la Fuente, G.

Larrea, A.; Ruiz, M. T.; De la Fuente, G.
Microstructure of laser-float-zone grown superconducting ceramics.—74-03527A

Larriva, Rene F.; Nelson, Anne; Czechanski, James G.; Poff, Ray E.
Spacecraft ceramic protective shield.—74-09962P

Larsen, A. Nylandsted See Thomsen, E. V.

Larson, D. E. See Patello, G. K.; Smith, H. D.

Larson, Dan
Thin slab casting mold powder selection.—74-02790A

Larson, Kurt
Quarry case study—the Foster Yeoman experience.—74-08261A

Larsson, Anders G. See Hagberg, Mats

Larsson, Peter
Edmeston emission control system for glass furnace emission.—74-01149A

Larsson, Staffan
PET-returnables—technical and economical aspects.—74-00309A

Laryous, Albir A. See Levin, Igor

Lasday, Stanley B. See Maus, Stephen A.

Lasday, Stanley B.
Estimating temperature by use of graphite.—74-01150A; New generation sensors proving advantageous in monitoring continuous casting lines.—74-01086A

Lasjaunias, J. C. See Sahling, S.

Laska, Imre See Kohanyi, Istvan

Lasky, P.J. See Yang, Q. Y.

Lassiter, Perry B. See Ferguson, Alan

Lasys, Adolfas; Stanaitis, Vytautas; Jarulaitis, Vytautas
Recycling of metal fabrication industry waste in ceramic products.—74-00400A

Latella, Bruno A.; Burton, Graeme R.; O'Connor, Brian H.
Use of spodumene in the processing of alumina-matrix ceramics—influence on microstructure and mechanical properties.—74-07544A

Latge, A. See Moran-Lopez, J. L.

Lathabai, Srinivasarao See Argyriou, Dimitri N.; Pajares, Antonia

Lathabai, Srinivasarao; Hannink, R. H. J.
Microstructure-crack resistance-fatigue correlations in eutectoid-aged Mg-PSZ.—74-02176A

Latham, C. D.; Heggie, M. I.; Jones, R.; Briddon, P. R.
Energetics of hydrogenic reactions at diamond surfaces calculated by a local spin density functional theoretical method.—74-07645A

Latham, C. D.; Heggie, M. I.; Jones, R.
Ab initio energetics of CVD growth reactions on the three low-index surfaces of diamond.—74-04464A

Lathrop, David See Tepe, Thomas

Latsch, Stefan A. See Hiraoka, Hiroyuki

Latsch, Stefan A.; Hiraoka, Hiroyuki
Diamond films by the excimer laser photoablation of polymers.—74-07258A

Lau, John W.; Enloe, Jack H.
Electronic package using closed pore composites.—74-00551P

Lau, Kei-May See Hanson, Cynthia M.

Lau, S. D.; Donnely, Joseph P.; Wang, C. A.
Integrated AlGaAs waveguide components for optical phase difference measurement and correction.—74-06156A

Lau, S. S. See Fu, S.-L.

Lau, Sai-Kwing See Divakar, Ramesh; Srinivasan, G. V.

Lau, W. M. See Chang, W. H.; Kwok, R. W. M.; Landheer, D.

Laube, Michael; Rauch, Friedrich; Ottermann, Clemens
Composition of titania coatings deposited by different techniques.—74-04523A

Laudise, R. A. See Haile, S. M.

Lauer, J. L. See Vlcek, B. L.

Lauer, J. L.; Blanchet, T. A.; Ng, Quock
Composition and performance of hydrogenated carbon overcoats on magnetic storage disks.—74-10070A

Laufer, S. See Stiegler, J.

Lauhoff, H.
Belt conveyors for horizontal curves: the key to reducing material handling costs.—74-09432A

Laukmanis, L. A.; Sedmale, G. P.; Tsimdin'sh, R. A.
Influence of vitreous coating on the magnetic properties of iron-cobalt alloys.—74-04709A

Launay, Jean-Claude See Belaud, Yves

Laundry, Joseph, Jr.
Inspection and measurement priorities in the container section.—74-00199A

Laurell, Fredrik See Ahlfeldt, Henrik

Laurenceau, Serge; Lepoutre, Etienne; Petrie, Wilfrid
Technical developments for cost-effective oxy-fuel glass melting.—74-00999A

Laurent, C.; Bonnefond, P.; Oquab, D.
Mechanical properties of alumina-metal-zirconia composites.—74-07900A

Laurent, F. See Poirier, L.

Laurent, Jean-Marc See Dutta, Joydeep

Laurent, P. See Descamps, Michel

Laurent, Y. See Tasserie, M.

Laurich, B. K. See Tuszewski, M.

Laursen, T. See Amm, D. T.

Lauschmann, H.; Moravcova, M.; Neufuss, K.
Elastic Young's modulus of plasma-sprayed materials.—74-09566A

Lauter, Josef; Mayr, Walter; Opitz, Joachim; Romanowski, Gerd
Method of manufacturing aqueous ceramic suspensions and the use of said suspensions.—74-03757P

Laval, J.-Y. See Amamra, M. C.

Lavaste, Valerie; Besson, Jacques; Berger, Marie-Helene; Bunsell, Anthony R.
Elastic and creep properties of alumina-based single fibers.—74-10984A

Lavernia, E. J. See Liu, H.; Wu, Y. C.

Laverty, S. J. See Liu, J. S.

Lavine, J. M. See Dumford, S. A.

Lavoie, C. See Johnson, S. R.; Mak, A.

Lavoie, Mark A. See Rogers, Jim L.

Lavrentyev, Anton I. See Chu, Y.-C.

Lavrova, G. V.; Milovzorova, S. V.; Beletskii, V. M.
Influence of the method of production of aluminum oxide–titanium oxide composite powders on structure formation.—74-01768A; xAl_2O_3-$yTiO_2$ powders for plasma sputtering.—74-01605A

Law, Kam S.; Robertson, Robert; Lou, Pamela; Kollrack, Marc M.; Lee, Angela; Maydan, Dan
Plasma CVD of silicon nitride thin films on large area glass substrates at high deposition rates.—74-09947P

Law, V. J.; Clary, D. C.; Jones, G. A. C.
300 KHz pulse plasma etching of GaAs using a mixture of $ClCH_3$ and H_2.—74-01922A

Lawandy, N. M. See Bernardin, J. P.

Lawler, J. E. See Menningen, K. L.

Lawn, Brian R. See Padture, Nitin P.; Pajares, Antonia

Lawrence, R. See Smith, J. H.

Lawrie, Ian D. See Overend, Neil

Lawson, S. C.; Kanda, H.
Nickel in diamond: an annealing study.—74-00133A

Lawson, S.; Gill, C.; Smith, J. M.
Aging studies of novel Y-TZPs.—74-07036A

Lawton, J. M.
European cement industry's approach to the use of secondary raw materials and fuels.—74-08023A

Lawton, Stanley A.; Theby, Edward A.
Effect of tungsten and molybdenum doping on the semiconductor-metallic transition in vanadium dioxide produced by evaporative decomposition of solutions and hydrogen reduction.—74-00598A; Synthesis of vanadium oxide powders by evaporative decomposition of solutions.—74-01912A

Lay, Kenneth W.
Elongate bismuth system superconductor having aligned 2212 phase.—74-09363P; Oxide superconductor tape having silver alloy sheath with increased hardness.—74-09383P

Lazarev, A. P. See Darinskii, B. M.

Lazareva, M. B.; Okovit, V. S.; Petrenko, V. T.
Internal friction and shear modulus in bismuth ceramics at $T<T_c$.—74-06568A

Lazareva, O. I. See Ermakova, O. N.

Lazaroff, Jerold E. See Weirauch, Douglas A., Jr.

Lazaroff, Jerold E.; Ownby, P. Darrell; Weirauch, Douglas A., Jr.
Wetting in an electronic packaging ceramic system: I, Wetting of tungsten by glass in controlled oxygen partial pressure atmospheres.—74-02404A

Lazarov, Slavcho B. See Stavrev, Starvri Y.

Lazutka, A. See Zhidovainis, R.

Lazzarini, L. See Attolini, G.

Le Bideau, J. See Bujoli, Bruno

Le Bihan, F. See Sarret, M.

Le Caer, G. See Righetti, F.

Le Corre-Frisch, A. See Nicoloso, N.

Le Dudal, Roger; Hillard, R. J.; Heddleson, J. M.; Weinzierl, S. R.; Rai-Choudhury, P.; Mazur, R. G.
Accurate profiling of ultrashallow implants with mercury gate metal-oxide-semiconductor capacitance-voltage.—74-00451A

Le Huu, T. See Zaidi, H.

Le Huu, T.; Nery, H.; Zaidi, H.; Paulmier, D.
Tribological behavior of hard carbon coatings deposited on steel substrates by plasma-assisted chemical vapor deposition.—74-04457A

Le Lay, G. See Aristov, V. Yu.

Le Lay, L. See Rabiller, P.

Le Mercier, Thierry See Bermejo, Edelio

Le Mogne, T.; Donnet, C.; Martin, J. M.; Tonck, A.; Millard-Pinard, N.; Fayeulle, S.
Nature of super-lubricating MoS_2 physical vapor deposition coatings.—74-04769A

Le Normand, F. See Demuynck, L.

Le Rolland, Bruno See Bonafous, Laurent

Le, Kim C. See Akhtar, Masyood

Lea, W. F. See Popova, K.

Leach, C. See Fletcher, P. R.

Leadbeater, M. L. See Burroughs, J. H.

Leadley, D. R.; Nicholas, R. J.; Singleton, J.
Collapse of high field magnetophonon resonance in GaAs-GaAlAs heterojunctions.—74-06006A

Leahu, Viorica See Tanasescu, Speranta

Leahy, Kevin A. See Piloto, Andrew J.

Leahy, William D., Jr. See Boussant-Roux, Yves

Leandersson, H. See Kristoffersson, A.

Leary, Herbert J., Jr. See Settlemeyer, Kenneth T.

Leaskey, Lori A.; Loutfy, Raouf O.; Withers, James C.
Oxidation of SiC whisker- and platelet-reinforced Al_2O_3 composites and resultant mechanical properties.—74-10931A

Leatherman, G. L.; Geimer, R.; Batdorf, J.; Hassel, G.;

Wolfe, P.; Carney, Kevin P.
Plasma hearth process—process residuals characterization.—74-09497A

Lebeau, B.; Guermeur, C.; Sanchez, C.
Synthesis of hybrid inorganic-organic sol-gel coatings for optics.—74-10679A

Lebeau, C.; Rosenblatt, J.; Burin, J. P.
Very low field flux penetration in halogenated cuprates.—74-03615A

Lebedev, A. A. See Anikin, M. M.

Lebedev, A. I. See Akimov, B. A.

Lebedev, A. I.; Sluchinskaya, I. A.
Doping impurity effect on ferroelectric phase transitions in $PbTe_{1-x}S_x$ and $Pb_{1-x}Ge_xTe$.—74-03297A

Lebedev, A. V.; Burenkov, Yu. A.; Golubenko, T. I.
Internal friction and acoustoplastic effect during deforming zinc single crystals.—74-05369A

Lebedev, M. V. See Bessolov, V. N.

Lebedev, M. V.
Nonequilibrium phonon heating of CdS crystal excited by high-power optical pulses.—74-08969A

Lebedeva, E. L.
Mg impurity effect on nonstationary photoresponse of Fe-ion-doped lithium niobate crystals.—74-03323A

Lebedeva, E. S. See Kotova, V. N.

Lebedeva, R. B. See Doladugina, V. S.

Lebedinskii, Yu. Yu. See Chubunova, E. V.

Lebens, J. See Yacobi, B. G.

Lebensohn, R. A.; Tome, C. N.
Self-consistent anisotropic approach for the simulation of plastic deformation and texture development of polycrystals: application to zirconium alloys.—74-02198A

Leber, Helmut
Method for producing a composite glass body with drawing of concentric melts.—74-02683P

Leblanc, Francois See Dutta, Joydeep

Leblanc, P. P.; Rapp, R. A.
Solubilities of Cr_2O_3 and SiO_2 in Na_2SO_4-K_2SO_4-$Fe_2(SO_4)_3$ at 963 K.—74-01459A

Lebout, R. See Nesladek, M.

Lebugle, A.; Sailek, B.
XPS study of apatites and related calcium phosphates.—74-10905A

Lebugle, A.; Subirade, M.; Delpech, V.
Grafting of phosphorylated molecules on apatite surface.—74-09780A

Leburton, J. P. See Chang, H.

Lebyodkin, M. A. See Boborov, V. S.

Lechner, H.
Preformed induction furnace crucibles.—74-08625A

Leckie, F. A. See Doghri, I.; Jansson, S.

Leclercq, Dominique See Acosta, Sylvie; Arnal, Pascal; Corriu, Robert J. P.

Lecocq, David E. See Athey, Patricia R.

Lecompte, J. P. See Missiacn, J. M.; Mullot, J.

Lecoq, Paul See Weber, Marvin J.

Ledbetter, H. See Lin, S.

Ledentsov, N. N.; Usinov, V. M.; Egorov, A. Yu.
Optical properties of heterostructures with InGaAs-GaAs quantum clusters.—74-08989A

Lederer, H.
New rotary kiln burner with only one primary air duct.—74-06865A

Lederer, P.; Gabay, M.
Fluctuation conductivity in superconducting cuprates is compatible with strong-correlation approach.—74-09274A

Lederich, Richard See Cheng, Long-Ching; Soboyejo, Wole

Lee, Angela See Law, Kam S.

Lee, B. I.
Properties of low-density bulk silica gel—lyosil.—74-07723A

Lee, B.-H. See Lee, K.-H

Lee, B.-J. See Hsu, J.-K.

Lee, Betty Lou
Implementing Responsible Care.—74-11166A

Lee, Bo; Elliot, T. S.; Mazumdar, T. K.; McIntyre, P. M.;

Pang, Y.; Trost, H.-J.
Knife-edge thin-film field emission cathodes on (110) silicon wafers.—74-03080A

Lee, Burtrand I.; Pope, Edward J. A.
Chemical Processing of Ceramics.—74-05440B

Lee, Byeong-C. See Kim, Yoon-H.

Lee, Byoung-Ki See Lee, Ho-Yong

Lee, Byung-Ha See Kim, In-Sub; Kim, Joon-Soo; Park, Jae-Weon

Lee, C. H. See Rahman, M.; Yu, G.

Lee, C. H.; Liang, K. S.
X-ray studies of misfit dislocations in the interfaces of epitaxial Nb films on sapphire.—74-08297A

Lee, C. T.; Loutfy, Raouf O.; Withers, James C.
Ceramic coatings for protecting titanium alloys in high-temperature hydrogen environment.—74-09854A
Lee, C. See Harold, M. P.
Lee, C.-G. See Kim, S.-S.
Lee, Chang-Ho; Kim, Byong-Ho; Kim, Wang-Sup
Effect of solid loading and lamination process on the properties of Ni-Zn ferrite made by tape casting method.—74-10296A
Lee, Chang-Woo; Kim, Yong-Tae; Lee, Choo-Chon; Lee, Jeong-Yong; Min, Suk-Ki; Park, Yong-Wook
Performance of the plasma deposited tungsten nitride barrier to prevent the interdiffusion of Al and Si.—74-01953A
Lee, Chang-Yol; Gonze, Xavier
Lattice dynamics and dielectric properties of SiO_2 shistovite.—74-02845A
Lee, Chi-H. See Yan, Li
Lee, Chong-Mu See Lee, Soo-Chun
Lee, Choo-Chon See Lee, Chang-Woo
Lee, Chun-Sho; Li, Ai-Kang
Method of making a porous ceramic filter.—74-09937P
Lee, Chung-Len See Huang, Wen-Chang
Lee, Chwan-Ying; Lin, Kwang-Lung
Ni-Cu-P and Ni-Co-P as a diffusion barrier between an Al pad and a solder bump.—74-01415A
Lee, D. F. See Salama, K.
Lee, D.-H. See Kim, B.-I.; Yoon, Y.-S.
Lee, Dong-A.; Kim, Goo-Dae; Kang, Hyung-Kyu
Polymer/ceramic composite with application to dye host.—74-09885A
Lee, Dong-Han See Kim, Hyoun-Ee
Lee, Dong-Han; Kim, Hyoun-Ee; Cho, Seong-Jai
Microstructure and fracture toughness of hot-pressed silicon carbide reinforced with silicon carbide whisker.—74-05191A
Lee, E. Y. See Sirringhaus, H.
Lee, E. Y.; Sisson, R. D., Jr.
Effect of bond coat oxidation on the failure of thermal barrier coatings.—74-08170A
Lee, El-Hang See Park, Seong-Ju
Lee, Eung-Jo See Pyun, Su-Il
Lee, Eung-Sang See You, Jae-Keun
Lee, H. C. See Kawase, M.
Lee, H. P.; Szalkowski, F. J.; Sato, D. L.; Liu, X.; Ranalli, E.; George, T.
Novel integration of a group IV electron beam deposition capability with a III-V molecular beam epitaxy.—74-05205A
Lee, H.-Y. See Mahalingam, K.
Lee, H.-Y.; Riehemann, W.; Mordike, B. L.
Grain growth and phase changes during sintering of nanocrystalline zirconia.—74-07655A
Lee, Hae-Weon See Kim, Sang-Woo
Lee, Hae-Weon; Yoon, Bok-Gyu; Song, Hue-Sup
Fabrication of porous ceramics and multilayered ceramics containing porous layers: I, Pore structure.—74-10350A
Lee, Hee-Cheol See Ha, Ho
Lee, Hee-Gyoun; Park, Jong-Hyun; Song, Jin-Tae
Effects of melt chemistry and platinum doping in the refinement of $Y_2Ba_4Cu_1O_x$ [211] particles for the system Y-Ba-Cu-O.—74-06527A
Lee, Hee-Young See Cho, Kyeong-Ho
Lee, Heon-Soo; Son, Myung-Mo; Park, Hee-Chan
Properties of multilayer glass-ceramic dielectrics.—74-08767A
Lee, Ho-Yong; Paek, Yeong-Kyeun; Lee, Byoung-Ki; Kang, Suk-Joong L.
Discontinuous dissolution of iron aluminate spinel in the Al_2O_3-Fe_2O_3 system.—74-07072A
Lee, Ho-Yong; Kang, Suk-Joong L.; Duk, Yong-Yoon
Effect of elastic anisotropy on the direction and faceting of chemically induced grain-boundary migration in Al_2O_3.—74-02123A
Lee, Ho-Young See Jeon, Yoo-Chan
Lee, Hoseong See Yeom, Han-Cheol
Lee, Hsin-Hui See Shyu, Jiin-Jyh
Lee, Hsin-Yi See Wu, Tai-Bor
Lee, Huei-Long; Lu, Wun-Hwa; Chan, Sammy Lap-Ip
Effect of aging on the sliding abrasive wear of P/M 2014 and 6061 Al alloy-SiC particle composites.—74-05620A
Lee, Hun-Sik See Park, Jae-Weon
Lee, Hwan-Chul; Lee, Jai-Young; Ahn, Hyo-Jun
Effect of the substrate bias voltage on the crystallographic orientation of reactively sputtered AlN thin films.—74-07280A
Lee, Hwan-Soo; Joo, Seung-Ki
Effect of substrate temperature on the properties of ZnO transparent conducting thin film prepared by the vapor spraying method.—74-10298A
Lee, J. T. C. See Gibson, G. W., Jr.; Tepermeister, I.
Lee, J. W. See Kim, E. T.
Lee, J. Y.; Boo, J. P.; Choi, S. H.
Preparation of monodispersed, spherical Al_2O_3 and Mg-doped Al_2O_3 powder and sintering characterization of these powders.—74-03725A
Lee, J.-H. See Khang, Yoon-Ho; Shin, H.-S.
Lee, J.-M. See Youm, H.-N.
Lee, J.; Li, S. H.; Singh, J.; Bhattacharya, P. K.
Low-temperature photoluminescence of SiGe/Si disordered multiple quantum wells and quantum well wires.—74-03092A
Lee, Jack C. See Chikarmane, Vinay; Sudhama, C.
Lee, Jae-Chun; Beak, Tae-Hyun
Prediction and reduction of residual stresses in glass: I, Analysis of residual stress in glass by instant freezing method.—74-08388A
Lee, Jae-Do See Park, Hee-Dong
Lee, Jae-Ho; Shoi, Se-Young
Preparation and characterization of alumina thin film by sol-gel method: II, Synthesis of alumina sol for coating and preparation of coating films.—74-10544A
Lee, Jae-Kap; Park, Jong-Ku; Eun, Kwang-Yong
Effect of the buoyancy force on diamond formation during synthesis under a high pressure.—74-10301A
Lee, Jae-Kuin; Jun, Byung-Hyuk; Lee, Won-Jong
Characteristics of aluminum oxide thin films prepared by ECR-PECVD.—74-10220A
Lee, Jai-Young See Kim, Yoon-Kee; Lee, Hwan-Chul
Lee, Jeong-Yong See Lee, Chang-Woo
Lee, Jih-Wa See Seo, Moon-Kyu
Lee, Jin-Sung See Park, Cheol-Won
Lee, Jong-Heon; Benzel, James F.; Lackey, W. Jack
Consolidation of diamond and SiC particulate preforms by the forced flow–thermal gradient diamond CVD process.—74-10235A
Lee, Jong-Heon; Thadhani, Naresh N.
Synthesis of TiC ceramics by reaction sintering of shock-modified powder mixtures.—74-10686A
Lee, Jong-Heun See Cho, Seo-Yong
Lee, Jong-Hyuk See Kim, Chang-Eun
Lee, Jong-Hyun See Lee, Yoon-Bok
Lee, Joon-H.; Roy, Della M.
Modeling of alkali ion leaching from the concrete pad barrier into the underlying saturated soil in above-grade tumulus LLRW disposal facility.—74-08075A
Lee, Joon-Hyung; Kim, Sung-Hee; Cho, Sang-Hee
Valence change of Mn ions into $BaTiO_3$-based PTCR materials.—74-09077A
Lee, Ju-Tung See Tsai, Wen-Ta
Lee, Jun-Young See Park, Yong-Wan
Lee, June-Gunn See Choi, Hoon-Jin
Lee, K. F. See Jeon, D. Y.
Lee, K.-H; Lee, B.-H.; Hur, W.-D.
Preparation of high permeability Mn-Zn ferrites by the wet method.—74-03399A
Lee, Kang N.; Jacobson, Nathan S.
Chemical stability of the fiber coating/matrix interface in silicon-based ceramic matrix composites.—74-05093A
Lee, Kang N.; Miller, R. A.; Jacobson, Nathan S.; Opila, Elizabeth J.
Environmental durability of mullite coating/SiC and mullite-YSZ coating/SiC systems.—74-10912A
Lee, Kang N.; Miller, R. A.; Jacobson, Nathan S.
New generation of plasma-sprayed mullite coatings on silicon carbide.—74-03967A; Plasma-sprayed mullite coatings on silicon-base ceramics.—74-09830P
Lee, Keun-Heon See Kim, Byong-Ho
Lee, Keun-Ho; Park, C. H.; Cheong, Byoung
First-principles study of the optical properties of SiC.—74-08914A
Lee, Ki-Tae; Nam, Hyo-Duk
Effect of pyrochlore phase on electric properties for PNN-PT-PZ piezoelectric ceramics.—74-09125A
Lee, Kwang-Ryeol; Baik, Young-Joon; Eun, Kwang-Yong; Han, Seung-Hee
Precursor gas effect on the structure and properties of diamondlike carbon films.—74-07715A
Lee, Kwang-Ryeol; Baik, Young-Joon; Eun, Kwang-Yong
Stress relief behavior of diamondlike carbon films on glasses.—74-01894A
Lee, Kwy-Ro See Park, Jin
Lee, Kyu-Mann See Jang, Hyun-M.
Lee, Kyung-Hee See Kim, Joon-Soo
Lee, M.-K. See Yeh, M.-Y.
Lee, Mark; Wingreen, Ned S.; Solin, S. A.
Giant growth axis longitudinal magnetoresistance from in-plane conduction in semiconductor lattices.—74-04322A
Lee, O.-Y. See Kim, S.-S.
Lee, Peter W.; Wang, David N. K.; Nagashima, Makoto; Fukuma, Kazuto; Sato, Tetsuya
Boron phosphorus silicate glass composite layer on semiconductor wafer.—74-02870P
Lee, Ray R.-R.; Chen, Chien-Jen; Lin, Jiang-Tsair
Microstructure and mechanical properties of silicon nitride prepared from α-Si_3N_4 powders with addition of ß-Si_3N_4 powders.—74-02020A
Lee, Russ See Lin, Jong-Kai
Lee, S. H. See Fainman, Y.; Kim, E. T.
Lee, S. H.; Bergmann, R.; Bauser, E.
Solution growth of silicon on Al-Si coated quartz-glass substrates.—74-05793A
Lee, S. L.; Lin, S. J.; Hwang, J.
Effect of gas ambient on the resistance of BF_2^+ ion-implanted polycrystalline diamond film.—74-07270A
Lee, S. S. See Zawada, L. P.
Lee, S. W. See Hsu, S. M.
Lee, S. Y. See McNallen, M. J.
Lee, Sang-Jin See Park, Jeong-Hyun
Lee, Sang-Min See Yoo, Han-Ill
Lee, Seok-Hyun See Whang, Ki-Woong
Lee, Seong-Hoon See Ha, Yong-Min
Lee, Sergey See Mon, Mi-Ock
Lee, Seung-Chang See Yun, Sun-Jin
Lee, Seung-Kun; Kim, Do-Kyung; Kim, Chong-Hee
Flaw-tolerance and *R*-curve behavior of liquid-phase-sintered silicon carbides with different microstructures.—74-02144A
Lee, Si-Chen See Chang, Shou-Zen
Lee, Soo-Chun; Lee, Chong-Mu
Properties of the plasma TEOS SiO_2 film.—74-10594A
Lee, Sung-Hak See Sohn, Kee-Sun
Lee, Sung-Hak; Kwon, Dong-Il
Correlation of microstructure and fracture toughness in P/M processed 2XXX aluminum composites reinforced with SiC whiskers.—74-08151A
Lee, T. D. See Katzman, H. A.
Lee, W. E. See Miao, X.
Lee, W. T. See Bi, Xiang-Xin
Lee, William E. See Akbas, Mehmet A.; Goto, Kiyoshi
Lee, William E.; Chen, Makan; James, Peter F.
Crystallization of celsian ($BaAl_2Si_2O_8$) glass.—74-05673A
Lee, William L.; Rainforth, W. M.
Ceramic Microstructures—Property Control and Processing.—74-05434B
Lee, Won-Bo See Yeom, Han-Cheol
Lee, Won-Gyu; Woo, Seong-Ihl; Kim, Jong-Choui
Preparation and properties of amorphous TiO_2 thin films by plasma enhanced chemical vapor deposition.—74-01845A
Lee, Won-Jong See In, Chi-Bum; Kim, Jae-Whan; Kim, Yong-Chun; Lee, Jae-Kuin
Lee, Woo-Y. See Bae, Yong-W.
Lee, Woo-Y.; Bae, Yong-W.; Stinton, David P.
Na_2SO_4-induced corrosion of Si_3N_4 coated with chemically vapor deposited Ta_2O_5.—74-07816A
Lee, Woong-Jea See Park, Cheol-Won
Lee, Y. H. See Rishton, S. A.
Lee, Y. M.
Modeling results of the high-temperature pressure-controlled atomization process (PCAP).—74-10477A
Lee, Y. W. See Carson, R. T.
Lee, Y.-B. See Kim, J.-D.; Park, H.-C.
Lee, Y.-E.; Kim, H. J.; Kim, Y. J.
Preparation of homogeneous polycrystalline $CuInSe_2$ thin films by a two-step chemical-vapor-transport process.—74-07433A
Lee, Y.-J.; Baik, Sung-Gi
Effects of deposition parameters on MgO thin films on Si(100) substrates by reactive rf magnetron sputtering.—74-10306A
Lee, Y.-P. See Jeong, J.-I.
Lee, Yong-Min See Song, Jong-Tack
Lee, Yoon-Bok; Lee, Jong-Hyun; Park, Hong-Chae
Influence of ZrO_2 on microstructure and mechanical strength of sintered magnesia.—74-10423A
Lee, Yoon-Bok; Park, Hong-Chae; Oh, Ki-Dong
Influence of TiO_2 on sintering and microstructure of magnesia.—74-10422A
Lee, You-Kee See Horita, Teruhisa
Lee, Young-Keun; Choi, Se-Young; Kim, Kyoung-Nam
Characterization and preparation of glass-ceramics in the system Fe_2O_3-CaO-SiO_2: I.—74-08406A
Lee, Yu-Hua; Chou, Kan-Sen
Modeling of growth rate uniformity of CdTe epilayer by MOCVD.—74-06210A
Leeb, Kurt; Durakpasa, Hildrun; Breiter, Manfred W.
TGA and DTA studies of solvent-exchanged gels.—74-10695A
Leedy, Glenn J.
Membrane dielectric isolation IC fabrication.—74-02885P
Leek, R.; Carpenter, G.; Madsen, J.; Donnellan, T. M.
Development of a flow model based simulation for RTM [resin transfer molding] of Blackglas ceramic composites.—74-09451A
Leers, D. See Bachmann, P. K.
Leezenberg, Pieter B. See Wachsman, Eric D.
Lefebre, M. See Gicquel, A.
Lefebrre, Monique
European normalization in advanced ceramic techniques.—74-11160A
Lefebvre, I.; Priester, C.; Lannoo, M.; Hollinger, G.
Strained layer epitaxy—how do capping layers and oppositely strained intermediate layers enhance the critical thickness.—74-06326A
Lefko, A. R. See Wang, Y.
Lefort, P. See Tristant, P.
Legagneux, P. See Stroh, R. J.
Leger, A. C. See Vardelle, M.
Leger, Daniel See Descamps, Michel
Leger, Jean Michel See Haines, Julian
LeGeros, John P. See LeGeros, Racquel Z.
LeGeros, Racquel Z.; LeGeros, John P.
Dense hydroxyapatite.—74-06965A
LeGeros, Racquel Z.
Biological and synthetic apatites.—74-09762A
Legg, James D.; Mason, Mark E.; Williams, Roger T.; Weichold, Mark H.
Improved monolithic vacuum field emission diodes.—74-03058A
Legge, Ronald N. See Moyer, Curtis D.
Leggieri, G. See Luby, S.; Mihailescu, I. N.
Legoshin, G. M.
Mathematical model of optimization of glass quenching.—74-03918A
Legoux, J.-G.; Dallaire, S.
Copper-ceramic composite coatings for steel strip casting.—74-08148A
Legoux, J.-G. See Dallaire, S.
Legrand, A. P. See Tougne, P.
Legrand, P. B.; Dauchot, J. P.; Hecq, M.
In situ monitoring by soft X-ray spectrometry of amorphous carbon plasma deposition.—74-04690A
Legrand, P. B.; Wautelet, M.; Dugnoille, B.; Dauchot, J. P.; Hecq, M.
Optical properties of sputter-deposited aluminum nitride films on silicon.—74-07180A
Legrès, R.; Dang, Le Si; Bodin, C.; Cibert, J.; Marcenat, F.; Beuillet, G.
Stimulated emission and optical gain in CdTe/CdMnTe graded index separate confinement heterostructures.—74-03227A
Legros, C.; Marucco, J. F.; Colson, D.
Research of superconductivity in YBa_2MO_6 (M=Bi, Sb).—74-03569A
Legros, C.; Marucco, J. F.; Lanckbeen, A.
Substitution of Cu sites in $YBa_2Cu_3O_x$ by Ni, Zn, and Ga.—74-03587A
Legros, R. See Battault, T.; Rousset, Abel
Lehman, Richard L.; Greenhut, Victor A.; Gao, Ling-Xiang
X-ray diffraction and chemical characterization of the plastic colloid fraction of chinastone.—74-01487A
Lehman, Richard L.
Linear programming as a method for optimization of ceramic processes.—74-11176A; Stolen, adapted, and original recipes.—74-00997A
Lehmann, J. A. See Hibbs-Brenner, M. K.

Lehmann, J.; Rieb, W.; Ziegler, G.
Improved characterization of steric-stabilized aqueous alumina slurries.—74-04686A
Lehoczky, S. L. See Sha, Yi-Gao
Lehr, G. See Bergmann, R.
Lehrke, Jan See Aparicio, J. J. Perez
Lehto, Esko O.; Vehmas, Jukka H.; Vitkala, Jorma K. J.
Method and apparatus for equalizing the temperature profile of glass sheets in a roller-equipped furnace included in a horizontal tempering plant.—74-03755P
Lei, C. See Lin, C. C.
Lei, Charles See El-Sherif, Mahmoud A.; Ko, Frank K.
Lei, H. N.; Metroit, A.; Troyon, M.
Scanning tunneling microscopy analysis of a glassy carbon heat-treated at 2500°C.—74-07736A; Microstructure study by scanning tunneling microscopy of glassy carbons heat-treated at different temperatures.—74-07695A
Lei, M. See Lin, S.
Lei, Tan-Fu See Huang, Wen-Chang
Lei, Zhi-Liang See Liu, Da-Ming
Leibenguth, Ron E. See Vawter, G. A.
Leiderer, P. See Bechinger, C.
Leidy, D. Wayne See Steffan, Leonard D.
Leifer, K. See Elsenhans, O.
Leigh, S. H.; Berndt, C. C.; Wu, C. L.
Tensile adhesion testing of thermal -spray coatings on flat substrates.—74-09624A
Leiman, V. I. See Valov, P. M.
Leimer, Gerhard See Gugel, E.; Wotting, Gerhard
Leinen, D.; Espinos, J. P.; Fernandez, A.; Gonzalez-Elipe, A. R.
Ion-beam-induced chemical vapor deposition procedure for the preparation of oxide thin films: I, Preparation and characterization of TiO_2 thin films.—74-07361A
Leinen, D.; Fernandez, A.; Espinos, J. P.; Belderrain, T. R.; Gonzalez-Elipe, A. R.
Ion-beam-induced chemical vapor deposition for the preparation of thin-film oxides.—74-03703A
Leinen, D.; Fernandez, A.; Espinos, J. P.; Caballero, A.; Justo, A.; Gonzalez-Elipe, A. R.
XAS and XRD structural studies of titanium oxide thin films prepared by ion-beam-induced CVD.—74-05300A
Leinen, D.; Fernandez, A.; Espinos, J. P.
XPS and ISS study of $NiTiO_3$ and $PbTiO_3$ subjected to low energy ion bombardment: I, Influence of the type of ion (Ar^+ and O_2^+).—74-05302A
Leite, E. R.; Longo, E.; Cavaco, M. C. S.
Synthesis of (Nb, Sr)-doped PZT by partial oxalate method.—74-04937A
Leitenstorfer, Alfred; Lohner, Andrea; Elsaesser, Thomas
Ultrafast coherent generation of hot electrons studied via band-to-acceptor luminescence in GaAs.—74-06368A
Leko, V. K.
Structure of vitreous silica.—74-02357A
Lelievre, F.
Dental ceramics—from porcelain to the ceramic-ceramic composites.—74-06966A
Lelonis, Donald A.
Boron nitride—a review.—74-09849A
Lemaitre, Jacques See Bohner, Marc
Lemaitre, Jacques; Herard, Claude; Vogel, Didier
Microstructure and piezoelectric properties of slip-cast barium titanate ceramics.—74-04753A
Lemaitre, P.; Lakestani, F.; Steen, M.
Ultrasonic characterization of two ceramic/ceramic composites.—74-06828A
Lemelson, Jerome H.
Synthetic diamond coated electrodes and filaments.—74-01340P
Lemoine, L.; Leriche, A.; Thierry, B.
PZT powder synthesis through coprecipitation route.—74-04855A
Lemoine, Patrick; Salvo, Milena; Montorsi, Margherita; Scholz, Harald
Reaction of SiC_f/SiC composites with a zinc borate glass.—74-07727A
Lemon, Michael F. See Jagota, Sujata
Lemonias, P. J.; Hoke, W. E.; Weir, D. G.; Hendriks, H. T.
Carbon $p+$ doping of molecular beam epitaxial GaAs films using carbon tetrabromide.—74-02927A
Lemperiere, G. See Jouan, P. Y.
Lempert, G. D. See Lifshitz, Y.
Lena, A.
From packing to loading.—74-08033A
Lenahan, P. M. See Conley, John F.; Yount, J. T.
Lencka, Malgorzata M.; Anderko, Andrzej; Riman, Richard E.
Hydrothermal precipitation of lead zirconate titanate solid solutions: thermodynamic modeling and experimental synthesis.—74-09149A
Lengel, G.; Weimer, M.; Gryko, J.; Allen, R. E.
Interchain vacancy migration on GaAs(110).—74-03069A
Lengeler, Bruno See Huppauff, Martin
Lenglet, M.; Petit, F.; Jorgensen, C. K.
Optical evidence of octahedral iron(III) in mixed spinels $NiGa_{1-x}Fe_xCrO_4$.—74-05211A
Lenhart, Armin See Mueller-Simon, Hayo
Lenk, Reinhard
Rheological properties of silicon carbide hot molding slips.—74-04870A
Lenoble, Maurice; Cresswell, John V.
Uniphase operation of a GaAs resistive gate charge-coupled device.—74-00731A
Lentine, A. L. See Woodward, Ted K.
Lenzing, Erik H.; Hechtman, Charles D.
High-T_c superconducting microstrip phase shifter having tapered optical beam pattern regions.—74-09366P
Leo, G. See Vincenzoni, R.
Leon, B. See Fernandez, D.; Gonzalez, P.
Leon, M.; Diaz, R.; Rueda, F.
Composition effects in flash-evaporated $CuIn(Se_xTe_{1-x})_2$ films.—74-06013A
Leonard, D. See Drexler, H.; O'Shea, J. J.
Leonard, D.; Fafard, S.; Pond, K.; Zhang, Y. H.; Merz, J. L.; Petroff, P. M.
Structural and optical properties of self-assembled InGaAs quantum dots.—74-06331A
Leonard, D.; Krishnamurthy, M.; Fafard, S.; Merz, J. L.; Petroff, P. M.
Molecular beam epitaxy growth of quantum dots from strained coherent uniform islands of InGaAs on GaAs.—74-05197A
Leone, E. See Van Weeren, R.
Leonelli, C. See Barbieri, L.
Leong, Yee-Kwong; Scales, Peter J.; Healy, Thomas W.; Boger, David V.
Effect of particle size on colloidal zirconia rheology at the isoelectric point.—74-07275A
Leonhardt, R.; Gottfried, N. H.
Generation of nearly transform limited fs pulses by pulse compression of an APM YAG laser.—74-08923A
Leonov, V. G.; Mosin, M. Yu.
Structure evolution in thermoplastic slips based on aluminum nitride.—74-04919A
Leonyuk, N. I. See Yamnova, N. A.
Lepkova, D. See Jambazov, S.
Lepkova, D.; Baatarjav, A.; Pavlova, L.
Effect of additives on the firing and properties of magnesium spinel ceramics.—74-01685A
Lepley, B. See Bath, A.
Leplingard, F. See Kingston, J. J.
Lepnev, G. P.; Artem'ev, Yu. M.; Artem'eva, M. A.
Changes in the character of the electrode function upon the application of Al, Si, and Ti oxides to the surface of a glass electrode.—74-02435A
Lepore, M.; Netti, M. C.; Tommasi, R.
Polarization dependence of two-photon absorption in ZnSe-ZnSSe strained-layer superlattices.—74-09005A
Lepoutre, Etienne See Laurenceau, Serge
Leppavuori, Seppo See Zhang, Hong-Xue
Lequertier, Jean-Michel See His, Sylvie
Lequertier, Jean-Michel
Process for the production of a carbon-containing composite material part protected against oxidation.—74-04084P
Lequeux, Nicolas; Richard, Nathalie; Boch, Philippe
Shrinkage reduction in silica-based refractory cores infiltrated with boehmite.—74-08634A
Lerat, Andre See Schwarz, Wolfgang
Lercel, M. J.; Tiberio, R. C.; Sheen, C. W.
Self-assembled monolayer electron beam resists on GaAs and SiO_2.—74-00707A
Lereah, Y. See Avigal, Y.
Leriche, A. See Deletter, M.; Lemoine, L.
Lerinman, N. K. See Krylov, K. R.; Kuleev, I. G.
Lerman, A. A. See Artyushenko, V. G.
Lesage, Bernard
Aspects of diffusion in ceramics.—74-07555A
Lesaicherre, P. Y. See Kamiyama, S.
Leschitschikas, D. See Dapkus, I.
Leschnitzer, D. H. See Mullica, D. F.
Leshchuk, T. See Vikulin, V. V.
Lesher, H. Daniel See Newkirk, Marc S.
Lesieutre, G. A.; Yariagadda, S.; Kurtz, S. K.
Passively damped structural composite materials using resistively shunted piezoceramic fibers.—74-06427A
Lesk, Israel A.; Robb, Francine Y.; Terry, Lewis E.; D'Aragona, Frank S.
Conductive diffusion barrier of titanium nitride in ohmic contact with a plurality of doped layers therefor.—74-04042P
Leskela, Markku See Charreire, Y.; Ritala, Mikko
Lesmerises, Normand See Delvaux, Pierre
Lesnikova, V. P.; Turtsevich, A. S.; Krasnitsky, V. Y.;
Emelyanov, V. A.; Nalivaiko, O. Y.; Kravtsov, S. V.
Structure, morphology, and resistivity of in situ phosphorus-doped polysilicon films.—74-05277A
Lespade, Pierre; Larnac, Guy J. C.; Peres, Patrick; Donzac, Jean-Marc N. P.
Composite material with a glass-ceramic or ceramic matrix obtained by the sol-gel process and reinforced by fibers based on silicon carbide, its manufacture and its applications.—74-08473P
Lessard, R. A. See Xue, S.
Lesuer, D. R. See Syn, C. K.
Letolle, Rene See Rafai, Noureddine
Letschert, Hans-Peter See Jansen, Martin
Leucht, Rolf See Hemptenmacher, Jorg
Leuner, Barbara See Neumann, Gerd
Leung, Roger Y. See Stranford, Gerald T.; Yu, Sung-Hun; Zupancic, Joseph J.
Leung, Roger Y.; Glazier, Michael
Morphology and structure development in the densification of 3-D Blackglas Nextel 312 composites.—74-10849A
Leutwyler, S. See Buerki, P. R.
Lev, Ovadia See Gun, Genia
Levashov, Evgeny A. See Padyukov, Konstantin L.
Levasseur, A. See Menetrier, M.; Schmidt, E.
Levchenko, G. G. See D'yakonov, V. P.
Levchenko, V. I.; Postnova, L. I.; Dikareva, V. V.
Absorption of oxygen by PbS films.—74-05970A; Determination of the activation energy for oxygen diffusion in PbS films.—74-08856A
Levedev, A. A.; Chelnokov, V. E.
Measurement of electrophysical properties of silicon carbide epitaxial films.—74-06198A
Levelut, A. See Doussineau, P.
Levelut, C. See Ramos, Aline Y.
Levert, H. See Dallaire, S.
Levi, Carlos G. See Balmer, Mari Lou; Salas, Olimpia
Levi, Dean See Nelson, Art J.
Leviev, G. I. See Kosheliev, A. E.
Levin, A. A. See Vorotilova, L. S.
Levin, A. A.; Smolin, Yu. I.; Shepelev, Yu. F.
Modulated structure of the superconducting crystal $Bi_2Sr_2CaCu_2O_{8+x}$.—74-03534A
Levin, Igor; Kaplan, Wayne D.; Brandon, David G.; Laryous, Albir A.
Effect of SiC submicrometer particle size and content on fracture toughness of alumina-SiC nanocomposites.—74-02126A
Levin, Yu. See Serebryakov, A.
Levine, Timothy E.; Revesz, Peter; Giannelis, Emmanuel P.; Mayer, J. W.
Ion-beam-induced densification of sol-gel ceramic thin films.—74-04720A
Levinshtein, M. E.; Rumyantsev, S. L.
Difference between static and dynamic friction forces.—74-04278A
Levinskii, Yu. V.; Petrov, A. P.; Zavodnova, S. V.
Preparation of titanium oxide powder of prescribed composition.—74-01852A
Levintovich, I. Ya.; Kotosonov, A. S.
Interrelation of Young's modulus of pyrolytic carbon and pyrolytic graphite with their texture.—74-07167A
Levit, M.; Grimberg, I.; Weiss, B. Z.
Residual micro- and macrostresses in the plasma-sprayed zirconia-based TBC's.—74-07910A
Levitskaya, N. G. See Storozh, V. V.
Levitskii, I. A.
Nonfritted matt glazes using plating sludges.—74-02388A
Levitz, Pierre See Coster, Dominique
Levoni, Gilda
Ceramic machinery requirements for the "CE" symbol.—74-05405A
Levy, F. See Moser, J.
Levy, M. See Montani, R. A.
Levy, R. A. See Grow, J. M.
Levy-Clementi, C. See Natarajan, C.
Lewandowski, Al
Deposition of diamondlike carbon films and other materials processes using a solar furnace.—74-01665A
Lewandowski, J. J. See Maloy, S. A.
Lewerenz, H. J. See Cattarin, S.; Scheer, R.
Lewis, Albert; Kottnauer, Cenek A.
Apparatus for production of glass fibers utilizing spinning cup structure.—74-03743P
Lewis, Clifford W.
Accuracy in temperature measurement.—74-01035A
Lewis, David, III See Jessen, Todd L.
Lewis, Jennifer A. See Desai, Priyadarshi G.
Lewis, M. H. See Cain, M. G.
Lewis, Michael A.; Fischer, Donald F.; Murphy, Christopher D.
Properties of glass-bonded zeolite monoliths.—74-09412A
Lewis, Wesley A., Jr.
Material variables involved in the precision process of surface finishing of ceramic products.—74-10441A
Ley, Lothar See Graupner, R.; Schafer, J.; Stockel, R.; Teuschler, Thomas
Lhuillery, C. See Bethke, U.
Li, Ai-Kang See Lee, Chun-Sho
Li, Bao-Shun See Cai, J.; Hong, Jin-Sheng; Zhang, Yu-Feng
Li, Bao-Xin
Blistering in enamel wares and its solution.—74-08134A
Li, Biao-Rong See Chen, Ang
Li, C. H.
Dynamic mismatch between bonded dissimilar materials.—74-01507A
Li, C. See Girshick, S. L.
Li, C.; Moncorge, R.; Souriau, J. C.
RT cw laser action of Y_2SiO_5-Yb^{3+}, Er^{3+}.—74-03205A
Li, Cheng-Chung See Kim, Hong-Koo
Li, Cheng-Fu See Li, Zhong-Ya
Li, Chien-Wei; Lui, Siu-Ching; Goldacker, Jeffrey
Relation between strength, microstructure, and grain-bridging characteristics in in situ reinforced silicon nitride.—74-05235A
Li, Chong-Li
Application of rare-earth microalloy cast iron for glass mold.—74-09430A
Li, Chou H.
Ceramic bonding method.—74-09910P
Li, Chuang-Yi See Chen, Jun
Li, Chun-Shien; Hesketch, P. J.; Maclay, G. J.
Thin gold film strain gauges.—74-03250A
Li, Chun-Zhi See Jin, Yan
Li, D. H. See Zheng, Z. J.
Li, D. X. See Dai, J. Y.
Li, D. X.; Ping, D. H.; Lu, Y. X.
Characterization of the microstructure in TiB whisker-reinforced Ti alloy matrix composite.—74-01968A
Li, D. X.; Pirouz, P.; Heuer, Arthur H.; Yadavalli, S.; Flynn, C. P.
Characterization of Nb-Al_2O_3 and Nb-MgO interfaces in MBE-grown Nb-MgO-Nb-Al_2O_3 multilayers.—74-08141A
Li, D. See Pashley, M. D.
Li, D.; Pashley, M. D.
ZnSe nucleation on the GaAs(001): Se-(2×1) surface observed by scanning tunneling microscopy.—74-06388A
Li, Dong; Chung, Yip-Wah; Wong, Ming-Show; Sproul, William D.
Nanoindentation and tribological studies of ultrahigh-strength carbon nitride thin films.—74-11060A
Li, F. See Andrews, C. C.; Boland, F.
Li, F.; Spencer, G. F.; Kirk, W. P.
Effects of low energy ion exposure on modulation-doped GaAs heterostructures.—74-00601A
Li, Feng-Ying See Manghnani, M. H.
Li, Gan-Sheng See Lu, Jian
Li, Guo-Zheng See Zhao, Ce-Zhou
Li, H. M. See Yoon, S. F.
Li, H. S.; Chen, Y. W.; Wang, K. L.; Pan, D. S.; Chen, L. P.;
Liu, J. M.
Photocontrolled double-barrier resonant tunneling diode.—74-03157A

Li, H. See Peng, X.
Li, Hao-Wen See Zhang, Xu-Dong
Li, Heng-De See He, Xiao-Ming; Li, Wen-Zhi
Li, Hong-Nian
Approach to temperature distribution of longitudinal section of annular kiln.—74-01136A
Li, Hong; Agarwal, Anand; Tomozawa, Minoru
Effect of fictive temperature on dynamic fatigue behavior of silica and soda-lime glasses.—74-02533A
Li, Hua; Liang, Jing-Kui
Dependence of crystallization behavior of sodium diborate ($Na_2O{\cdot}2B_2O_3$) on its glass structure and the characteristics of phase transformation.—74-02444A
Li, Hua; Ye, Jun; McInemey, John G.
Detailed analysis of coherence collapse in semiconductor lasers.—74-00590A
Li, Hui-Ping; Xu, Xiao-Qing; Chen, Qin-Ye; Sun, Cheng-Xu
Insulation of glass tank furnace [studied] with computer.—74-09677A
Li, Hui-Ping
Calculation of thickness of insulating layers of glass tank furnace.—74-09554A
Li, Hui-Zhi; Meng, Zhao-Dian; Yang, Shu-Rong
Determination of ten elements in special $BaTiO_3$ ceramic by inductive coupling plasma atomic emission spectroscopy (ICPAES).—74-06757A
Li, J. G.; Hausner, Hans
Wetting and adhesion in liquid silicon/ceramic systems.—74-07194A
Li, J. G.
Influence of oxygen partial pressure on the wetting behavior of titanium carbide by molten copper and other metals.—74-00125A; Wettability of silicon carbide by liquid silver and binary silver-silicon alloy.—74-06381A
Li, J. P. See Chyan, Oliver M. R.
Li, J. See Vizkelethy, G.; Zhu, X.
Li, J.-J. See Chen, Y.-I.
Li, J.; Mayer, J. W.
Refractory metal nitride encapsulation for copper wiring.—74-00697A
Li, Jia-Ju; Hou, Lei; Zheng, Hui
Synthesis of ß′-SiAlON powder from clay.—74-05835A
Li, Jia-Zhi See Luo, Lan
Li, Jian-Qi See Che, Guang-Can
Li, Jiang-Ping See Meng, Jin-Fang
Li, Jie See Gao, Xiao-Hui; Lian, Gui-Jun
Li, Jie-Fang See Tani, Toshihiko; Viehland, Dwight
Li, Jie-Fang; Ai, Hua; Viehland, Dwight
Anomalous electromechanical behavior of portland cement: electroosmotically induced shape changes.—74-02307A
Li, Jie-Fang; Viehland, Dwight; Tani, Toshihiko
Piezoelectric properties of sol-gel-derived ferroelectric and antiferroelectric thin layers.—74-03335A
Li, Jin-Shan; Gur, Turgut M.; Sinclair, Robert
Solid-state electrochemical technique to study barium ferrite thermodynamic stability.—74-04211A
Li, Jin-Shan; Sinclair, Robert; Rosenblum, Stephen S.
Characterization of sputtered barium ferrite thin films on silicon-nitride-coated carbon substrates.—74-09196A
Li, Jin-Shan; Sinclair, Robert
Deposition of barium ferrite thin films by rf off-axis sputtering.—74-04541A
Li, Jing-Feng; Watanabe, Ryuzo
Fracture toughness of Al_2O_3-particle-dispersed Y_2O_3-partially stabilized zirconia.—74-05357A
Li, Jing-Wei; Wang, Rui-Lan; Wang, Chang-An
Design and Q measurements of high-T_c superconducting ring resonator in microwave band.—74-03441A
Li, Jun-Suo See Xu, Xue-Ying
Li, K.-H.; Tsai, C.; Campbell, J. C.; Kovar, M.; White, J. M.
Effect of surface species on the photoluminescence of porous silicon.—74-02977A
Li, Ke-Bin; Yao, Wei-Guo; Qi, Zhen-Zhong
Scaling properties of the anisotropic magnetoresistance of $(YBa_2Cu_3O_7)_7/(PrBa_2Cu_3O_7)_8$ superlattice.—74-09334A
Li, L. K.; Wang, W. I.; Gaines, J. M.; Petruzzello, J.; Marshall, T.
Doping results in ZnSe grown by molecular beam epitaxy.—74-02969A
Li, L. K.; Wang, Y.; Jurkovic, M.
Molecular beam epitaxial growth of single domain ZnSe on Ge.—74-08956A
Li, Lai-Feng See Zhang, Zhong
Li, Li-Hua
Bioactive glass-ceramics in medicine.—74-05664A
Li, Li-Qun See Zhang, Bei
Li, Lin; Chung, D. D. L.
Thermally conducting polymer matrix composites containing both AlN particles and SiC whiskers.—74-04961A
Li, Long-Tu
Development of ferroelectric relaxor ceramics.—74-09119A
Li, M.; Birringer, R.; Shull, R. D.
Nanocrystalline Fe-Si phase by mechanical attrition and its soft magnetic properties.—74-01544A
Li, M.; Guiu, F.
Effect of grain size on the cyclic crack growth rate in alumina.—74-07863A
Li, M.; Yakovlev, V. A.; Wall, J. F.
Ellipsometric determination of the thickness and refractive index of silicon films.—74-01515A
Li, Meng-Li; Beale, Guy O.; Black, W. Murray
Feedback control of temperature profiles during microwave joining of ceramics.—74-08192A
Li, Mia-Liang
Study of artificial thighbone made of high-density strengthened ceramics.—74-07001A
Li, N.; Tan, T. C.; Zeng, H. C.
High-temperature carbon monoxide potentiometric sensor.—74-01066A
Li, Nan See Meng, Ge
Li, Nan; Qian, Sheng-Fa; Fu, Chun-Sheng; Xie, Si-Shen
Combined scanning tunneling microscopy/spectroscopy study on the surface electronic structure of GaAs(100) with spatially resolved scanning tunneling spectroscopy spectra.—74-06744A
Li, Ning-Fang See Shen, Qiang
Li, Ning-Fang; Wang, Wen-Can; Wu, Feng
Reaction mechanism during firing of glazed tile based on silica-containing dolomite.—74-08576A
Li, Ning-Fang; Zhang, Hong-Quan; Wang, Guo-Mei
Study on the heat treatment reinforcement of aluminum nitride-silicon carbide composites.—74-10657A
Li, P. See Wong, S.-P.
Li, Pan-Jian; De Groot, Klaas; Kokubo, Tadashi
Correlation of physicochemistry of gel-derived silica and its apatite induction.—74-07241A
Li, Peng-Zing See Si, Wei-Min
Li, Q. H. See Komarneni, Sridhar
Li, Q. L. See Chou, P. C.
Li, Q.; Kang, W.-P.; Yaun, M.-Y.; Xu, J.-F.; Zhang, D.
Fabrication and characterization of an array of gated avalanche p^+-n^{++} junction as a microvacuum triode.—74-06093A
Li, Q.; Yuan, M.-Y.; Kang, W.-P.; Tang, S.-H.; Xu, J.-F.; Zhang, D.
Fabrication and characterization of silicon field emission diodes and triodes.—74-03014A
Li, Qi See Mao, S.-N.
Li, Qing-Hui See Zhang, Yue-Min
Li, Rui-Ning; Xie, Chang-De; Wang, Jun-Min
Cw Nd:MgO:$LiNbO_3$ self-frequency doubling laser at RT.—74-00748A
Li, S. C; Murarka, S. P.; Guo, X. S.; Lanford, W. A.
Annealing of low-pressure chemical vapor deposited phosphorus glass films: effect on electrical properties and concentrations of hydrogen-containing species.—74-00455A
Li, S. H. See Lee, J.
Li, S. See Zhang, Heng-Bin
Li, S.; Bhalla, A. S.; Newnham, R. E.
Quantitative evaluation of extrinsic contribution to piezoelectric coefficient d_{33} in ferroelectric PZT ceramics.—74-00763A
Li, Shag-Jie See Yu, Hong-Chang
Li, Shu-Jia See Li, Xi
Li, W. B.; Warren, R.
Model for nanoindentation creep.—74-02177A
Li, Wan-Jun See Zhu, Li-Ming
Li, Wei See Hong, Shi-Ming
Li, Wei-Dan; Anan, Takayoshi; Schowalter, Leo J.
Molecular beam epitaxial growth of GaAs on CaF_2/Si(111) substrates.—74-04763A
Li, Wen-Chao See Wang, Jin-Shu; Zhao, Hai-Lei
Li, Wen-Yu; Sorensen, O. T.
Processing of Al_2O_3 matrix TiB_2 platelet composites.—74-07447A
Li, Wen-Zhi See He, Xiao-Ming
Li, Wen-Zhi; He, Xiao-Ming; Li, Heng-De
Effects of ion bombarding energy on the structure and properties of TiN films synthesized by dual ion beam sputtering.—74-10310A
Li, X. P. See Wang, Y. H.
Li, X.; Tansley, T. L.; Chin, V. W. L.
Dielectric properties of AlN films prepared by laser-induced chemical vapor deposition.—74-05929A
Li, Xi See Zhang, Heng-Bin
Li, Xi-Shain See Zhang, Guo-Xuan
Li, Xi; Zhang, Heng-Bin; Jiao, Quing-Ze; Li, Shu-Jia; Zhao, Mu-Yu
Synthesis studies of nanocrystalline composite oxides with the perovskite structure based on $LaFeO_3$.—74-07523A
Li, Xiang-Min; Rigaud, Michel; Palco, Stefan
Oxidation kinetics of graphite phase in magnesia-carbon refractories.—74-02768A
Li, Xiao-Chun; King, Terence A.
Structural and optical aspects of sol-gel optical composites.—74-10886A
Li, Xiao-Jing See Mills, Andrew
Li, Xiao-Ming See Sheldon, David A.
Li, Xiao-Ming; Huang, De-Xing; Zhou, Qing
Study of binding mechanism of SiO_2 ultrafines in cement-free castables at low temperature.—74-04921A
Li, Xing-Sheng; Low, It-Meng; Perera, Dan
Flank wear mechanisms of zirconia-toughened alumina cutting tools during machining of steel.—74-02143A
Li, Xu-Ping See Zhang, Qi-Tu
Li, Y. F.; Loomans, M. E.; Goretta, K. C.; Lanagan, Michael T.; Poeppel, Roger B.; Wenzlaff, J. J.
Reactive sintering of $Bi_2Sr_2CaCu_2O_x$ superconductors.—74-06625A
Li, Y. See Park, K.
Li, Y.-J. See Zhu, Xing
Li, Y.-J.; Hashemi, M. M.; Wassermeier, M.; Mishra, U. K.; Merz, J. L.; Petroff, P. M.
Effects of a pseudomorphic InGaAs layer on focused ion-beam modulation-doped GaAs-AlGaAs quantum well structures.—74-06057A
Li, Y.-L.; Liang, Y.; Hu, Z.-Q.
Crystallization and phase development of nanometric amorphous Si-N-C powders.—74-07065A
Li, Ya-Bo See Fang, Xiao M.; Kim, Hong-Koo
Li, Yang; Chen, Ning; Zhao, Zhong-Xian
Lattice mismatch induced stress field pinning in Y-123 superconductors.—74-03509A
Li, Yi See Youdelis, W. V.
Li, Ying-Jun See Xiao, Han-Ning
Li, Yu-Fang See Chen, Zu-Yao
Li, Yu-Shan; Ma, Sao-Je; Yu, Tao
Characteristics in proton-exchanged $LiTaO_3$ optical waveguides and annealing.—74-02520A
Li, Yu-Shu; Wang, Zhen-Ping; Ye, Li-Yuang
Study on high-strength hemihydrate gypsum for molding.—74-05598A
Li, Yu-Shu; Ye, Zhen-Qiu
Research on strengthening plaster molds.—74-07465A
Li, Yu-Shu
Effects of technology parameters on properties of quartz ceramics.—74-01697A; Study of quartz ceramics using fused quartz.—74-02786A
Li, Z. G. See Carcia, P. F.
Li, Z. Z.; Rifli, H.; Vaures, A.
Synthesis of $Bi_2Sr_2CaCu_2O_8/Bi_2Sr_2CuO_6$ superlattices with a T_c enhancement effect.—74-06645A
Li, Z. See Foster, C. M.
Li, Z.; Epperson, J. E.; Fang, Y.; Chan, S. K.
Tetragonal-monoclinic transformations of zirconia studied by small angle neutron scattering and differential thermal analysis.—74-01476A
Li, Zai-Geng; Wang, Shou-Ye; Wang, Zhan-Min
Effects of addition of Si, Al, or Si_3N_4 on properties of Al_2O_3-SiC-C castables.—74-07808A
Li, Zai-Geng; Ye, Fang-Bao; Zhou, Ning-Sheng
Development of high density and strength blocks for float glass bath bottom and their applications.—74-02711A
Li, Zai-Geng
Development of mullite-based castables with high strength.—74-02750A
Li, Zheng-Shu; Wang, Zheng-Ping
Diopside glazed tiles fired at low temperature.—74-08535A
Li, Zheng; Kramer, H. W.
Fast neutron radiation damage effets on high-resistivity silicon junction detectors.—74-03017A
Li, Zhi-Gang See Yan, Jun-Jue
Li, Zhi-Guang; Taya, Minoru; Dunn, Martin L.; Watanabe, Ryuzo
Experimental study of the fracture toughness of a ceramic/ceramic matrix composite sandwich structure.—74-07874A
Li, Zhong-Ya; Li, Cheng-Fu; Gong, Hui
Effects of laser treatment on laser-induced damage of optical thin-film and laser glass.—74-02617A
Li, Zhuang See Xu, Zheng-Kui
Li, Zong-Jin See Landis, Eric N.; Mitsui, Kenro
Lian, G.-J. See Zhu, Xing
Lian, Gui-Jun; Xiong, Guang-Cheng; Li, Jie
Influences of substrate temperature on characteristic of in situ grown (Bi, Pb)$_2Sr_2CuO_y$ thin films.—74-09292A
Lian, H.-Z. See Xiao, C.-Z.
Liang, B. W. See Houng, Y. M.
Liang, B. W.; Tu, C. W.
Group V composition control for InGaAsP grown by gas source molecular beam epitaxy.—74-06122A
Liang, Bing See Zhang, Shao-Ying
Liang, G.-T. See Hong, Franklin Chau-Nan
Liang, J. S. See Mar, S. Y.
Liang, James J.; Ballantyne, Joseph M.
Self-aligned dry etching process for waveguide diode ring lasers.—74-06305A
Liang, Jia-Kang See Xu, Xue-Ying
Liang, Jia-Qi
Recent advance of brick-firing annular kilns in China.—74-06871A
Liang, Jing-Kui See Ji, Yang-Yang; Li, Hua
Liang, K. S. See Lee, C. H.
Liang, S. See Chern, C. S.; Shi, Z. Q.
Liang, S.; Chern, C. S.; Shi, Z. Q.
MOCVD growth of epitaxial $SrTiO_3$ thin films on $YBa_2Cu_3O_{7-\delta}$/$LaAlO_3$.—74-07385A
Liang, W.-C. See Feijoo, D.
Liang, Wen-Fan See Gan, Chang-Cheng
Liang, Y. See Li, Y.-L.
Liang, Yong See Carroll, D. L.
Liang, Yong; Bonnell, Dawn A.
Effect of variations in stoichiometry on the surface structure of $SrTiO_3$(001).—74-10795A
Liang, Yong; Rothman, J. Bruce; Bonnell, Dawn A.
Effect of annealing on the stoichiometry of $SrTiO_3$(001).—74-04567A
Liang, Zhi-Lin See Tao, Xin-Xia
Liao, Hong-Mei; Coyle, Thomas W.
Effects of organotitanate additions on the dispersion of aluminum nitride in nonpolar solvents.—74-04600A
Liao, Hung; Cale, Timothy S.
3-D simulation of an isolation trench refill process.—74-01597A
Liao, J.; Senna, Mamoru
Formation and properties of amorphous magnesium silicates.—74-07078A
Liao, Kin See Elahi, Mehran
Liao, Kin; Elahi, Mehran; Reifsnider, Kenneth L.
Uniaxial and multiaxial fatigue of ceramic composite tubes.—74-11125A
Liauo, C. S. See Huang, J. C.
Liaw, B. Y.; Liu, J.; Weppner, W.
Amperometric tetragonal zirconia sensors.—74-00567A
Liaw, Hai-Pyng See Godinho, Norman
Liba, A. See Sarret, M.
Libera, Matthew See Yang, Zun-De
Liberman, Ya. L. See Trakhtenberg, I. Sh.
Libezny, M. See Caymax, M.
Libuda, J.; Baumer, M.; Freund, H.-J.
Structural characterization of platinum deposits supported on ordered alumina films.—74-05264A
Licci, Francesca See Gauzzi, Andrea
Licciulli, Schmidt A. See Burkhart, T.
Lichko, T.; Kryl, Ya. A.; Rymar, V. E.
High-temperature reaction between silicon carbide and nitrogen under pressure.—74-01754A
Lichtenberger, D.; Ellmer, K.; Schieck, R.; Fiechter, S.; Tributsch, H.
Structural, optical, and electrical properties of polycrystalline iron pyrite deposited by reactive dc magnetron sputtering.—74-04430A
Lichtenwainer, D. J. See Kester, D. J.; Milewski, P. D.

Lichtner, P. C. See Ramseyer, Karl
Lickiss, Paul D. See Jones, Philip A.
Liddle, J. Alexander; Huggins, H. A.; Mulgrew, P.
Fracture strength of thin ceramic membranes.—74-11008A
Liden, Eva See Kahlman, Lars; Lyckfeldt, O.
Liden, Eva; Carlstrom, Elis; Eklund, Lars; Nyberg, Brita; Carlsson, Roger
Homogeneous distribution of sintering additives in liquid-phase-sintered silicon carbide.—74-07338A
Lie, D. Y. C.; Vantomme, A.; Eisen, F.; Vreeland, T.; Nicolet, M.-A.; Carns, T. K.
Damage and strain in pseudomorphic vs relaxed Ge_xSi_{1-x} layers on Si(100) generated by Si ion irradiation.—74-02956A
Lieb, Klaus-Peter See Kacsich, Thorsten; Wenzel, T.
Liebelt, A. See Gehrke, E.
Lieber, Charles M. See Dai, Hong-Jie
Lieberman, Michael A. See Kalpakjian, Kent M.; Pico, Carey A.
Liebertz, Helge See Willert-Porada, M.
Liebl, Hans; Scharrer, Karin
Production control during dry pressing operations.—74-00978A
Liebl, P.; Gerger, W.
Benefits and limitations when using secondary materials.—74-06886A
Liebler, V.; Baumann, H.; Bethge, K.
Characterization of ion-beam-deposited diamondlike carbon films.—74-10771A
Liebling, T. M. See Righetti, F.
Liebman, Horst
Used refractory materials: I, Analyses.—74-08640A
Lieder, S. L. See Wilson, David M.
Liedl, Gerald L. See Mansour, Said A.; Venkatraman, C.
Lieftink, G. H.; Geluk, E. J.; Varst, P. V. D.
Shear strength measurement of metal-ceramic joints.—74-06813A
Lierke, Rosemarie
Early history of lampwork—some facts, findings, and theories: II, Fire or flame? Lampworking techniques in antiquity.—74-05451A
Lifshits, V. G. See Eisele, I.
Lifshits, V. G.; Saranin, A. A.; Zotov, A. V.
Surface Phases on Silicon: Preparation, Structures, and Properties.—74-07975B
Lifshitz, Y.; Lempert, G. D.; Rotter, S.; Avigal, I.; Uzan-Saguy, C.; Kalish, R.
Effect of ion energy on the diamondlike/graphitic (sp^3/sp^2) nature of carbon films deposited by ion beams.—74-04577A; Influence of substrate temperature during ion beam deposition on the diamondlike or graphitic nature of carbon films.—74-01766A
Ligeon, E. See Gros, P.
Lightfoot, A. See Haggerty, J. S.
Lightfoot, A.; Haggerty, J. S.; Rhine, Wendell E.
Ceramic matrices and monoliths synthesized from a combination of reactive polymers, fillers, and atmospheres.—74-10215A
Lightfoot, Phillip See Harris, Kenneth D. M.
Lihrmann, J.-M. See Vrel, D.
Lihrmann, J.-M.
Processing of laser-formed, nanosized SiC powders.—74-04837A
Lii, Y. T. See Reeves, C. M.; Wind, S. J.
Likhachev, V. A. See Shudegov, V. E.
Likhanskii, S. V. See Pimenov, S. M.
Likonen, J. See Ronkainen, H.
Liliental-Weber, Z. See Lin, X. W.
Liliental-Weber, Z.; Schwartz, P. V.; Wu, C. C.; Sturm, J. C.
Structure of oxygen-doped silicon grown by chemical vapor deposition at low temperature.—74-07494A
Lim, B.-M. See Jeong, J.-I.
Lim, Chang-Sup See Han, Kyoung-R.
Lim, David L. See Tasch, A. F.; Yang, Shyh-Horng
Lim, Dong-K. See Kim, Yoon-H.
Lim, Jin-Ho; Kim, Jin-Ho; Cho, Sang-Hee
Effect of excess and deficiency of PbO on the sintering and electrical properties of PZT.—74-10283A
Lim, Jin-Ho; Shon, Joon-Ho; Kim, Jin-Ho
Effect of annealing atmosphere on the piezoelectric and mechanical properties of PZT.—74-09123A
Lim, S. See Ryu, J. H.
Lim, S.; Ryu, J. H.; Wager, J. F.; Plant, T. K.
Rugate filters grown by plasma-enhanced chemical vapor deposition.—74-04878A
Lima, M. M. R. See Monteiro, R. C. C.
Limar, T. F. See Kisel, N. G.
Limaye, Santosh Y. See Stinton, David P.
Limpel, M. See Znidarsic, M.
Limpo, J.; Bautista, C.; Rubio, J.
Drying evolution of wet silica gels.—74-04564A
Lin, Bi-Zhou; Xu, Cheng-Huang; Wu, Ji-Huai
Experimental study of broad NaCl(OH^-):(^+_2F)$_H$ color center laser at low temperature.—74-02621A
Lin, Bor-Wen; Iseki, Takayoshi
Different toughening mechanisms in SiC/TiC composites.—74-10969A
Lin, C. C. See Huang, Z.
Lin, C. C.; Deppe, D. G.; Lei, C.
Role of waveguide light emission in planar microcavities.—74-09027A
Lin, C. H.; Huang, C. W.; Chang, S. C.
Hydroxyapatite ceramics from hydrothermally prepared powders.—74-09785A
Lin, C. H.; Yan, T. S.
Titanate ceramics from wet chemically prepared powders.—74-10703A
Lin, C.-K. J. See Jenkins, M. G.
Lin, C.-T. See Mahloudji, A. M.
Lin, C.-T.; Kao, P.-W.; Jen, M.-H. R.
Thermal residual strains in carbon fiber-reinforced aluminum laminates.—74-04448A
Lin, Chan-Jian See Tung, Ming S.
Lin, Chhiu-Tsu See Catuara, Christine M.
Lin, Chhiu-Tsu
Production of PT/PZT/PLZT laser direct write patterns.—74-00559P
Lin, Chien-Cheng; Zangvil, Avigdor; Ruh, Robert
Phase and microstructure evolution in alkoxide-derived mullite/MgO partially stabilized zirconia.—74-05218A
Lin, Chih-Hsiang; Meese, Jo M.; Chang, Yia-Chung
Low-voltage, high-reflectancechange normally off refractive GaAs/$Al_{0.2}Ga_{0.8}As$ MQW reflection modulator.—74-06187A
Lin, Ching-Yu; Kunkle, Richard P.; Feduska, William
Composition for extracting oxygen from fluid streams.—74-09816P
Lin, Chung-Chieh See Lin, Chung-Kwei
Lin, Chung-Kwei; Lin, Chung-Chieh; Berndt, C. C.
Simulation of hardness testing on plasma-sprayed coatings.—74-02395A
Lin, E. See Chaklader, A.
Lin, F. See Waechter, D.
Lin, F.; Sarcona, G.; Hatalis, Miltiadis K.; Cserhati, A. F.; Austin, Eva; Greve, D. W.
Characterization of cobalt annealed on silicon-germanium epilayers.—74-07222A
Lin, Feng-Cang; Takao, Yuji; Shimizu, Yasuhiro; Egashira, Makoto
Zinc oxide varistor gas sensors: I, Effect of Bi_2O_3 content on the H_2-sensing properties.—74-09083A
Lin, Feng-Liang See Wang, Wen-Lou
Lin, Fu-Cheng See Mao, Sen
Lin, Geng-Zhao
Applications of zircon raw glazes.—74-05886A
Lin, H. T. See Becher, Paul F.; Tiegs, Terry N.
Lin, H.; Radloff, J. L.; Dai, Jian-Hua
Nonstationary bandlike spatial patterns of phase conjugate emission generated by a self-pumped $BaTiO_3$ phase conjugator.—74-03325A
Lin, Hong-Ming See Tung, Chiun-Yen
Lin, Hui-Shan; Xia, Yuan-An; Qiang, Min
Chemical modification of thermoplastic phenolic resin—etherification of phenolic hydroxyl.—74-02747A
Lin, I.-Nan See Shaw, Jin-Chen
Lin, J. Y. See Chen, H. Y.; Chen, P. C.
Lin, J.-D.; Su, Y.-K.; Juang, F.-Y.
Passivation with SiO_2 on HgCdTe by direct photochemical vapor deposition.—74-01827A
Lin, J.-J.
Nonlinear *I-V* characteristics of the granular $PrBa_2Cu_3O_{7-\delta}$ compound.—74-06597A
Lin, J.-S. See Su, Y.-L.
Lin, J.; Wee, A. T. S.; Huan, A. C. H.; Tan, K. L.; Neoh, K. G.
X-ray phtoelectron spectroscopy/Fourier transform infrared spectroscopy study of the interaction of $YBa_2Cu_3O_x$ with CO, NO, and H_2+CO.—74-03618A
Lin, Jau-Wen See Bryant, Michael D.
Lin, Jiang-Tsair See Lee, Ray R.-R.
Lin, Jin-Lan See Ge, Zhao-Ming
Lin, Jing See Liu, Qing-Cai
Lin, Jong-Kai; Hileman, Bennett; Lee, Russ
Assessment of Au wire bump thermomechanical integrity in GaAs/Al_2O_3 flip chip modules.—74-08826A
Lin, Jun-Nun; Kao, Chio-Chun
Multilayer ZnO varistor.—74-03275P
Lin, Kui-Xun See Lin, Xuan-Ying
Lin, Kwang-Lung See Lee, Chwan-Ying
Lin, M. C. See Bu, Y.; Tuan, H. W.
Lin, Ming-Chieh See Chiou, Bi-Shiou
Lin, Ray Y. See Gao, Feng; Warrier, S. G.
Lin, Ray Y.; Warrier, S. G.; Blue, C. A.
Applied technology—infrared infiltration and joining of advanced materials.—74-05612A
Lin, Ray Y.; Warrier, S. G.
Interface control in metal matrix composite fabrication using infrared processing.—74-10427A; Innovative infrared processing of metal matrix composites.—74-08217A
Lin, S. J. See Lee, S. L.
Lin, S. M.; Wen, T. C.
Oxygen evolution on Ir-Ru-Sn ternary oxide-coated electrodes in H_2SO_4 solution.—74-01824A
Lin, S.; Lei, M.; Ledbetter, H.
Elastic constants and Debye temperature of $Y_1Ba_2Cu_3O_x$: effect of oxygen content.—74-00803A
Lin, Shawn-Yu See Chaudhari, P.
Lin, Sheng-Bin See Ding, Jow-Lian
Lin, Shun-Tian See Chan, Tien-Yin
Lin, T.-S. See Huang, T.-H.
Lin, Ue-Sheng; Wang, Wei-Jian; Han, Jong-Hee
Oxygen permeation through thin mixed-conducting solid oxide membranes.—74-02856A
Lin, W. Y.; Wei, C.; Rajeshwar, K.
Photocatalytic reduction and immobilization of hexavalent chromium at titanium dioxide in aqueous basic media.—74-01831A
Lin, W. See Hsu, R. T.
Lin, Wen-Tai; Pan, Shyi-Ming; Chen, Yung-Fu
Parametric study of the in situ growth of BaKBiO thin films by laser ablation.—74-03550A
Lin, Wen-Xiu
Influence of moisture content of sand-lime (hollow) bricks on properties of brickworks.—74-02721A
Lin, X. F.; Nogami, J.
Au on the Si(001) surface: room-temperature growth.—74-05985A
Lin, X. W.; Liliental-Weber, Z.; Washburn, J.; Weber, E. R.; Sasaki, A.; Wakahara, A.
Molecular beam epitaxy of InAs and its interaction with a GaAs overlayer on vicinal GaAs(001) substrates.—74-06214A
Lin, Xuan-Ying; Wang, Hong; Lin, Kui-Xun
Light-induced changes in the photoconductivity of rapidly deposited hydrogenated amorphous silicon films.—74-01530A
Lin, Y. C. See Philipp, Warren H.
Lin, Y. See Auciello, Orlando; Krauss, A. R.
Lin, Ye See Xu, Guan-Lu
Lin, Yi-Qing See Gao, Yuan-Kai
Lin, Yu-Lian See Zhang, Yue-Min
Lin, Yuan-Kun; Lan, Guo-Xiang; Wang, Hua-Fu
Irreversible pressure-induced amorphization in $LiTaO_3$.—74-07677A
Lin, Yue-Ming; He, Hui-Juan; Lu, Yu-Tian
Continuous-wave single-frequency operation of diode laser-pumped Nd:YAG laser.—74-06015A
Lin, Yun-Fei See Fu, Xue-You
Lin, Yung-Jen See Sacks, Michael D.
Lin, Yung-Jen; Su, Kuan-Chieh
Synthesis of mullite composites from powder mixtures of alumina, silica and zirconia.—74-10681A
Lin, Z. D. See Zhao, L. B.
Lin, Zun-Fei See Lu, Zhang-Ming
Lincoln, G. A. See Gladden, D. G.
Lincoln, J. R. See Wang, J.
Lind, David M.
Implications of interfacial coupling and strain on the magnetic and structural ordering of Fe_3O_4/NiO superlattices.—74-10817A
Lindahl, J. See Samuelson, L.
Lindback, T. See Babushkin, O.
Lindemann, G. See Sonsino, C. M.
Linden, Hans L. See Meinema, Harry A.
Linder, H. A.; Thoma, H.-J.
Strength of high-performance ceramic components under multiaxial loading.—74-02207A
Linder, N. See Schmidt, K. H.
Lindgren, Eric A.; Rosen, M.
Ultrasonic characterization of density changes in presintered ceramics.—74-09627A
Lindlbauer, A. See Haubner, R.
Lindner, Hans A.; Caspers, Bernhard
Lifetime diagram of structural ceramic materials. DKG/DGM joint experiment.—74-02161A
Lindner, Hans A.; Hennicke, Jurgen; Caspers, Bernhard
Production-oriented nondestructive testing of structural ceramic components: vibration analysis.—74-09605A
Lindquist, Arue See Zhou, Yi-Yang
Lindquist, B. H.; Shelby, J. E.
Formation and properties of rare-earth galliogermanate and aluminogermanate glasses.—74-05718A
Lindsey, Steve
New quality control system uses lehr alarm for quick response.—74-06795A
Linehan, Daniel S. See Kvam, Eric P.
Linehan, J. C. See Darab, John G.; Matson, D. W.
Linfield, E. H. See Brown, K. M.; Jones, G. A. C.
Ling, C. C. See Au, H. L.
Ling, H. See Negas, T.
Ling, M. See Collins, B. T.
Ling, Zhao-Xing See Zeng, Xian-Ting
Ling, Zhi-Min; Dupas, Luc H.; De Meyer, Kristin M.
Implementation of the power law model in silicon oxidation process simulation.—74-05309A
Lingle, Philip J. See Hartig, Klaus W.
Link, B. F. See Schwartz, M.
Linke, Dietmar See Rabe, T.
Linke, Dietmar; Buchholz, Margit; Rohl-Kuhn, Barbara
Porosimetric studies on silicon nitride ceramics of SSN type (SSN=sintered silicon nitride).—74-04816A
Linker, G. See Hagena, O. F.
Linnik, V. D. See Sysoyev, B. I.
Linz, Hans-Juergen See Haft, Rainer
Liou, J. J.; Kager, A.
Theoretical prediction of the performance of Si and SiC bipolar transistors operating at high temperatures.—74-09066A
Liou, Yi-Cheng; Wu, Long
Effect of heating rate on the dielectric properties of the [0.9]PMN–[0.1]PT relaxor ceramics.—74-03298A
Liou, Yung; Ma, Yuan-Ron
Diamond formation in the carbon-hydrogen-oxygen system.—74-04551A
Lipin, N. G.; Orlova, L. A.; Pankova, N. A.
Estimation of the redox potentials of glass batches.—74-02453A
Lipinski, A. See Mycielski, W.
Lipkowski, J. See Mancey, D. S.
Lipovskii, A. A.; Khabarov, S. E.
Photoinduced absorption in sillenites.—74-04394A
Lipowitz, Jonathan; Rabe, James A.; Nguyen, K. T.; Orr, L. D.; Androl, R. R.
Structure and properties of polymer-derived stoichiometric SiC fiber.—74-10890A
Lipowitz, Jonathan; Rabe, James A.
Polycrystalline silicon carbide fibers.—74-04077P
Lipp, G. Daniel
Apparatus for drying ceramic structures using dielectric energy.—74-09730P
Lipsanen, H. K.; Airaksinen, V. M.
Growth and characterization of a GaAs/AlAs superlattice with variable layer thicknesses.—74-03031A
Lis, J. See Piekarczyk, J.
Lis, J.; Pampuch, R.; Stobierski, L.
Sinterable powders of covalent compounds obtained by doping in situ using SHS.—74-04894A
Lischka, K. See Plotz, W.
Lishan, D. G. See Skidmore, J. A.
Lisiauskas, V.; Butkule, R.; Rutavichienas, L.
Composition change of $Bi_2Sr_2CaCu_2O_4$ films prepared by single target dc magnetron sputtering.—74-00789A

Lisinska, A. See Surowiak, Z.
Lisitsyn, S. M. See Pashchenko, V. P.
Liska, Marek See Hatalova, Beata; Simurka, Peter
Liso, M. J. See Rodriguez, M. A.
Lisovskii, A. M. See Pashchenko, V. P.
Lisovskii, I. P.; Litovchenko, V. G.; Lozinskii, V. B.; Melnik, V. P.; Frolov, S. I.
Structure of the modified surface layer formed by ion bombardment of SiO_2 films.—74-05276A
Lisowsky, Bohdan See Edler, James P.
Lisson, Hans-Peter
Precision screen printing fabrics.—74-00025A
Liston, Mary-Jo See Wei, Rong-Hua
Listovnichaya, S. P. See Krison, M. E.
Lisy, Antonin See Kasa, Stanislav
Lisy, Antonin; Kasa, Stanislav; Viewegh, Josef
All-electric melting furnace for the melting of technical glasses.—74-03893A
Lita, Adriana See Mihailescu, I. N.
Litavec, T. See Diko, P.
Litmanovich, A. D. See Bernovskava, L.P.
Litovchenko, V. G. See Klyui, N. I.; Lisovskii, I. P.
Litovchenko, V. G.; Frolov, S. I.; Klyui, N. I.; Tanatar, M. A.; Yefanov, V. S.
Oxygen plasma treatment effect on optical properties of $GdBa_2Cu_3O_{7-\delta}$ high-T_c superconducting films.—74-00829A
Little, B.; Wagner, P.; Mansfeld, F.
Test methods for microbiologically influenced corrosion in marine environments.—74-07830A
Little, Greg; Kos, Gary A.; Thornberry, William C.; Dahlman, Greg; Vitch, Susan; Proia, Stephen E.
Drying and firing: kiln furniture.—74-09653A
Little, W. A. See Holcomb, M. J.
Litvak, Yu. A. See Karyuk, G. G.
Litvinenko, Yu. G. See El'chaninova, S. D.
Liu, A. J. See Frisken, B. J.
Liu, C. H. See Jaeger, H. M.
Liu, C. T. See Kumar, K. S.
Liu, C. T.; Kumar, K. S.
Ordered intermetallic alloys: I, Nickel and iron aluminides.—74-02184A
Liu, Ching-Ru See Fang, Y. K.
Liu, Chun-Ling; Komarneni, Sridhar; Roy, Rustum
Crystallization and seeding effect in $BaAl_2Si_2O_8$ gels.—74-09979A; Epitaxy in the crystallization of feldspar gels and glasses.—74-08418A; Seeding effects on crystallization of $KAlSi_3O_8$, $RbAlSi_3O_8$, and $CsAlSi_3O_8$ gels and glasses.—74-02489A
Liu, D. Z. See Tsai, Chung-Hsien
Liu, D.; Ma, L.; Payne, David A.
Sol-gel synthesis of $Pb(Sc_{0.5}Ta_{0.5})O_3$ powders and thin layers.—74-01891A
Liu, D.; Marcus, R. B.
Characterization of silicon field emission microtriodes.—74-02936A
Liu, Da-Ming See Song, We-Dong
Liu, Da-Ming; Lei, Zhi-Liang; Lu, D.-S.
Determination of angular distributions of excimer-laser-induced plasma near $YBa_2Cu_3O_{7-\delta}$ target surface.—74-09250A
Liu, De-Ming See Yu, Kang-Tai
Liu, Dean-Mo
Thermal conduction behavior of $(Ca,X)Zr_4(PO_4)_6$ ceramic (X=Li, Mg, Zr).—74-10169A
Liu, E. See Xuan, Zhen-Wu
Liu, En-Ke See Zhao, Ce-Zhou
Liu, Fang-Xin; Hu, Ke-Liang; Wang, Yin-Sheng
Research on Fourier transform infrared photoacoustic spectroscopy (FTIR-PAS) spectra of nanocrystal ZrO_2.—74-10877A
Liu, G. See Shang, J. K.
Liu, G.; Shang, J. K.
Effect of interfacial microstructure on fracture of Al_2O_3/Al-Cu composite.—74-10792A
Liu, Gou-Liang See Liu, Sang-Tian
Liu, Gui-Rong See Guo, Li-Ping
Liu, Guo-Xu; Wilcox, David L.
Hollow mullite ceramic microspheres by water extraction of emulsified aqueous droplets.—74-10386A
Liu, H. C. See Wasilewski, Z. R.
Liu, H. I.; Biegelsen, D. K.; Johnson, N. M.
Self-limiting oxidation of Si nanowires.—74-02091A
Liu, H.-K. See Guo, Y.-C.
Liu, H.; Lavernia, E. J.; Rangel, R. H.
Numerical investigation of micropore formation during substrate impact of molten droplets in spraying processes.—74-10854A
Liu, Hang; Yao, Jian-Quan; Puri, Ashok
Second and third harmonic generation in ß-BaB_2O_4 by fs Ti:sapphire laser pulses.—74-09031A
Liu, Hiu-Wen; Zhang, Xu-Shou
Improved tribological properties of sputtered MoS_2 films through N+ implantation.—74-04688A
Liu, Hong-Yuan; Zhou, Li-Min; Mai, Yiu-Wing
Effect of interface roughness on fiber pushout stress.—74-05343A
Liu, Hsing-Pang; Carnes, Robert W.; Gully, John H.
Effect of temperature on wear rate of homopolar pulse consolidated electrical brushes.—74-00480A
Liu, J. M. See Li, H. S.; Liu, Z. G.
Liu, J. S.; Laverty, S. J.; Maguire, P.
Role of an electrolysis reduction in copper-electroplating on transparent semiconductor tin oxide.—74-06294A
Liu, J. See Chowdhury, K. Das; Liaw, B. Y.
Liu, J.; Howard, S. M.; Han, K. N.
Adsorption behavior of cadmium and zinc ions on oxide/water interfaces.—74-10057A
Liu, J.; Son, U. T.; Stepanova, A. N.; Christensen, K. N.; Wojak, G. J.; Givargizov, E. I.
Modification of Si field emitter surfaces by chemical conversion to SiC.—74-03112A
Liu, Jian-Jun; Zou, Guang-Tian; Yang, Hai-Bin
Soft mode phase transition of $SrBi_2Nb_2O_9$.—74-03575A
Liu, Jie See Dai, Hong-Jie
Liu, Jing-Bao; Dass, M. Lawrence A.; Gronsky, Ronald
Transmission electron microscopy study of two-dimensional semiconductor device junction delineation by chemical etching.—74-02056A
Liu, John Y. See Jackson, Cheryl L.
Liu, Jun; Vohra, Yogesh K.
Raman modes of 6H polytype of SiC of ultrahigh pressures—a comparison with Si and diamond.—74-06284A
Liu, Kenneth C. See Ding, Jow-Lian
Liu, Kuo-Shung See Shaw, Jin-Chen
Liu, Lei See Chang, Song-Yuan
Liu, Li-Zhong See Chen, Jia-Gen
Liu, M. See Iniewski, K.
Liu, Ming-Liang
Measurement and evaluation of color of ceramic pigment.—74-09578A
Liu, N.; Ma, Z.; Chu, X.; Hu, T.; Xue, Z.; Pang, S.
Diamond-coated tips and their applications.—74-07260A
Liu, N.; Ma, Z.; Hu, T.; Xue, Z.; Jiang, X.; Pang, S.
Fabrication of diamond tips by the microwave plasma chemical vapor deposition technique.—74-07308A
Liu, Q. See Spanos, L.
Liu, Q.; Wen, S. L.; Jiang, Dong-Liang; She, Ji-Hong
Near-surface structure of the in situ nitrided silicon carbide.—74-10853A
Liu, Q.; Wall, J. F.; Irene, E. A.
Si/SiO_2 interface studies by spectroscopic immersion ellipsometry and atomic force microscopy.—74-06312A
Liu, Qing-Cai; Zhang, Bing-Huai; Lin, Jing
Relationship between structure of Al_2O_3-C-TiO_2 and its resistance to high-FeO slag corrosion.—74-05878A
Liu, Qing-Guo See An, Li-Guo
Liu, Qing-Zheng
Study of press-forming mechanism of calcium silicate brick.—74-08588A
Liu, R. See Zhu, Xing
Liu, Rang-Jiao; Zeng, Xiang-Hui; Wang, Shi-Guang
Superconducting multiturn coils of YBCO-$SrTiO_3$-YBCO films.—74-03594A
Liu, Ru-Shi See Tsai, Ming-Jinn
Liu, Sang-Tian; Xiong, Guang-Cheng; Liu, Gou-Liang
Study of 1/*f* noise in the normal state of $YBa_2Cu_3O_7$/$PrBa_2Cu_3O_7$ superlattices.—74-03581A
Liu, Sheng-Zhong See Gruen, Dieter M.
Liu, T. W.; Chen, D.-H.; Cheng, C. H.
Preparation and properties of $YBa_2Cu_3O_7$-Ag composites via 8-hydroxyquinoline coprecipitation.—74-06616A
Liu, Tian-Shun See Mukhopadhyay, Anoop K.
Liu, Tian-Shun; Mai, Yiu-Wing; Swain, Michael V.; Grathwohl, G.
Cyclic fatigue crack propagation behavior of 9 [mol%] Ce-TZP ceramics with different grain size.—74-02118A; J_R-Δa curves of 9 mol% Ce-TZP ceramics with different grain size and specimen geometry.—74-02159A
Liu, W. S.; Nicolet, M.-A.; Carns, T. K.; Wang, K. L.
Epitaxial Ge layers on Si via $Ge_xSi_{1-x}O_2$ reduction. The roles of the hydrogen partial pressure and the Ge content.—74-03003A
Liu, W.-C.; Sun, C.-Y.; Guo, D.-F.
Perpendicular transport properties of a *p*-GaAs/ß-doped superlattice/*n*$^+$-GaAs structure.—74-08994A
Liu, X. C. See Twardowski, A.
Liu, X. Q. See Cao, G. Z.
Liu, X. Y. See Meng, C. G.
Liu, X. See Lee, H. P.; Seifert, W.; Wang, X.; Zheng, J. F.
Liu, X.-L. See Xiao, C.-Z.
Liu, X.; Su, W.; Zhao, X.
Stabilization of ß-quartz at room temperature and normal pressure.—74-05794A
Liu, Xi-Cheng See Zhao, Xi-Wen
Liu, Xi-La See Yang, Guo-Ping
Liu, Xian-Ming See Zuo, Jian
Liu, Xiang-Dong See Wang, Ke-Ming
Liu, Xiao-Bo; Fu, Yong-Jian; Xiao, Qiu-Guo
Press forming of sintered hollow brick with high fly ash content.—74-08572A
Liu, Xiao-Bo; Xiao, Qiu-Guo; Fu, Yong-Jian
Study on manufacture of lightweight aggregate from bone coal cinder.—74-07499A
Liu, Xing-Yun See Yao, Zhong-Guo
Liu, Xue-Feng See Goodwin-Johansson, Scott
Liu, Y.; Patterson, B. R.
Grain growth inhibition by porosity.—74-01943A
Liu, Yan-Ming; Pruchal, Paul R.
Slow amplitude modulations in the pulse train of a self-mode-locked Ti:sapphire laser.—74-00713A
Liu, Yan-Qiu See Wang, Da-Wen
Liu, Yi-Hua See Hou, Bi-Hui
Liu, Yu; Deng, Yun-Qian
Synthesis of Cr_2O_3(CoO)-BaO-Al_2O_3-SiO_2 ceramic pigment and its applications.—74-07513A
Liu, Yun-Chao
Exergy (available energy) analysis of annular kiln for brick and tile.—74-01152A
Liu, Z. G.; Chen, X. Y.; Liu, J. M.
Pulsed laser deposition of PZT/$La_{0.5}Sr_{0.5}CoO_3$ heterostructure for integrated ferroelectric devices.—74-06432A
Liu, Zhi-Wu See Xu, Jian-Hua
Liu, Zhong-Wei; Chang, Jing-Yi; Zhou, Yue
Influence of glass-ceramic substrate on nucleation density of diamond particle.—74-04699A
Liu, Zhong-Xuan; Zhang, Guang-Zhi; Wang, Xi-Hua
Development of special low-porosity fireclay brick.—74-02714A
Liue, Chun-Ying See Peng, Yu-Min
Livermore, S. See Dzioba, Steven
Liversidge, David C.
Method and apparatus for drying ceramic ware by use of air jets.—74-09732P
Livescu, G. See Asom, M. T.
Livingston, Ron See Baylor, Lewis
Livingstone, J. See Ruther, R.
Livneh, Shai S.; Janas, Victor F.; Safari, Ahmad
Development of fine-scale PZT ceramic fiber/polymer shell composite transducers.—74-06399A
Livshits, V. Ya. See Belyaev, M. V.
Livshits, V. Ya.; Marchuk, E. A.
Comparative investigation of changes in refractive index upon ion-exchange interdiffusion in alkali silicate glasses containing oxides of calcium, strontium, barium, and titanium.—74-00245A; 74-02521A
Livshits, V. Ya.
Composition, structure, and properties of glasses for ion exchange in a salt melt.—74-00186A; Composition, structure, and properties of glasses for ion exchange in a salt solution.—74-00246A
Liysun, T. V. See Autokhina, T. F.
Ljepsa, Komunjer See Ankica, Cizmek
Llopis, J. See Paje, S. E.
Llorca, J. See Pastor, Jose Ygnacio
Lloyd, Isabel K. See Bhalla, A. S.; Xu, Hockin H. K.
Lo, V.-C. See Ma, C.-S.
Lobach, A. S. See Shul'ga, Yu. M.
Lobanov, F. I.; Logunova, S. A.; Popov, A. M.
Rapid extraction and X-ray fluorescence determination of gold in the rock.—74-01201A
Lobanova, L. P.; Trynova, V. V.; Suchkova, N. P.
Quantometer with induction plasma for the determination of metal impurities in technical iron(III) oxide.—74-03857A
Loberg, B. See Larker, R.
Lobkovskaya, T. A. See Popov, I. P.
Lobl, P.; Huppertz, M.; Mergel, D.
Nucleation and growth in TiO_2 films prepared by sputtering and evaporation.—74-06229A
Lobo, Colin; Cohen, Menashi D.
Hydration of type K expansive cement paste and the effect of silica fume: I, Expansion and solid phase analysis.—74-05530A
Lobo, R. P. S. M.; Mohallem, Nelcy D. S.; Moreira, Roberto L.
Grain-size effects on diffuse phase transitions of sol-gel-prepared barium titanate ceramics.—74-03311A; Grain-size effects on diffuse phase transitions of $BaTiO_3$ ceramics obtained by alkoxide precursors.—74-08752A
Loboda, Mark J.; Seifferly, J. A.; Dall, F. C.
Plasma-enhanced chemical vapor deposition of a-SiC:H films from organosilicon precursors.—74-01837A
Loboda, Mark J.
Reverse direction pyrolysis processing.—74-09542P
Locatelli, M. R.; Nakashima, K.; Dalgleish, Brian J.; Tomsia, Anthony P.; Glaeser, A. M.
Transient liquid phase bonding of alumina via microdesigned Ni-based interlayers.—74-08286A
Lochel, B. See Schafer, L.
Locher, R.; Wild, C.; Mullersebert, W.; Kohl, R.; Koidl, P.
Optical reflection and angle-resolved light scattering from textured polycrystalline diamond films.—74-10856A
Lochhead, M. J.; Bray, K. L.
Fluorescence line narrowing studies of Eu^{3+}-doped silica gel glasses.—74-08424A
Lochner, K. H. See Ballweg, T.
Locker, Robert J.; Murtagh, Martin J.
Modified cordierite precursors.—74-09828P
Lockhande, C. D. See Bhosale, C. H.
Lockwood, D. J. See Cottam, M. G.
Lodder, C. See Van Kranenburg, H.
Lodders, W. H. M. See Oversluizen, G.
Lodding, A. R. See Wicks, G. G.
Lodin, Johannes See Rangmark, Lennart
Lodzina, A. See Zalite, I.
Loegel, B.; Danesi, P.; Bolmont, D.
Influence of structure, shape, and thermal treatments on the magnetic properties of superconducting ceramics.—74-06566A
Loehman, Ronald E. See Johnson, Sylvia M.; Turman, B. N.
Loehman, Ronald E.; Tomsia, Anthony P.
Reactions of Ti and Zr with AlN and Al_2O_3.—74-08264A
Loehr, John P.; Singh, Jasprit
Effect of strain on CHSH Auger recombination in strained $In_{0.53+x}Ga_{0.47-x}As$ on InP.—74-00596A
Loest, Hagen; Mitsoulis, Evan; Spauszus, S.
Free surface measurements and numerical simulations of ceramic tape casting.—74-01741A
Loewenstein, L. M. See Barna, G. G.; Duncan, W. M.
Loewenstein, Lee M.; Stefani, Jerry A.; Butler, Stephanie Watts
First-wafer effect in remote plasma processing—the stripping of photoresist, silicon nitride, and polysilicon.—74-07314A
Loewenthal, S. H.; Chou, R. G.; Hopple, G. B.; Wenger, W. L.
Evaluation of ion-sputtered molybdenum disulfide bearings for spacecraft gimbals.—74-09869A
Loffler, F. See Knotek, O.
Lofland, S. E.; Bhagat, S. M.; Paulouse, P. L.
Magnetic phases in a-$Fe_xRu_yB_{100-x-y}$ ribbons.—74-04351A
Lofland, S. E.; Bhagat, S. M.; Rajeswari, M.
Angular dependence of the magnetoabsorption of *c*-axis-oriented YBCO thin films.—74-09235A
Logan, Monica N.; Prabakar, S.; Brinker, C. Jeffrey
Sol-gel-derived silica films with tailored microstructures for applications requiring organic dyes.—74-10645A
Loginov, B. M.; Tolstykh, S. V.
Mechanisms of strain hardening caused by composition ensembles of forest dislocations and point obstacles.—74-07575A
Loginov, V. E. See Hollmann, E. K.

Logothetidis, S. See Nassiopoulos, A. G.
Logunova, S. A. See Lobanov, F. I.
Loh, Michael H. See Cappelli, Mark A.
Loh, Michael H.; Cappelli, Mark A.
Supersonic dc-arcjet synthesis of diamond.—74-10659A
Loh, Roland L. See McNulty, Thomas F.
Lohmann, Kyger C. See Gonzalez, Luis A.
Lohner, Andrea See Leitenstorfer, Alfred
Lohrengel, M. M.
Thin anodic oxide layers on aluminum and other valve metals: high-field regime.—74-05658A
Loizos, Z. See Tsagaroyannis, J.
Lokhande, C. D. See Desai, J. D.; Dhumure, S. S.; Gadave, K. M.
Loktev, N. M.
Polarization and intensity of *dd* transitions in superconducting copper oxides.—74-03558A; Orthogonal holes and hybridized electron spectrum of CuO_2 planes.—74-05216A
Lomakoi, V. M. See Kol'chenko, T. I.
Lombardi, John See Stuffle, Kevin
Lombardo, Christopher A.
Monocottura and monoporosa tile reformulation principles and practices.—74-08694A
Lomov, A. A. See Imanov, R. M.
Lomov, A. A.; Sirochenko, V. P.; Imamov, R. M.
Studying ion-doped GaAs layers with {100} and {211} orientations by double-crystal X-ray crystallography.—74-06342A
Lomovskoi, V. A.; Bartenev, G. M.
High-temperature relaxation spectra of borate glasses.—74-02466A; 74-02636A
Lomtev, A. I.
Surface plasmon-magnon modes at the interface between a metal and the semiconductor phase of $YBa_2Cu_3O_{6+\delta}$.—74-03599A
Lonchakov, A. T. See Kuleev, I. G.
Long, Elson See Cerri, Jose A.
Long, Gabrielle G. See Luecke, William E.
Long, Robert G. See Becker, James P.
Long, Robert L.
Porcelain enameling: is it a science or is it "black magic."—74-00142A
Long, S. See Zhang, Z.
Long, Xiang-Yun See Zhou, Si-Hai
Longchamp, S. See Pascal, B.
Longo, E. See Leite, E. R.; Olivi, P.
Longobardo, Anthony V. See Gulotta, Joseph A.
Lonnoy, L. See Ponthieu, E.
Look, D. C.; Fang, Z. Q.; Look, J. W.
Hopping conduction in molecular beam epitaxial GaAs grown at very low temperatures.—74-06139A
Look, J. W. See Look, D. C.
Look, J.-L.; Zukoski, C. F.
Colloidal stability and titania precipitate morphology: influence of short-range repulsions.—74-01643A
Loomans, M. E. See Li, Y. F.
Loos, Herbert; Erhardt, Manfred; Reichert, Gerhard
Grinding tool and the like made of a ceramic material coated with extremely hard abrasive granules.—74-00006P
Loos, Michael; Lux, Wolfgang
Neuronal acoustic classification in the porcelain industry.—74-01085A
Lopatin, V. V. See Dedkov, V. S.
Lopatin, V. V.; Ivanov, Yu. F.; Dedkov, V. S.
Structure-diffraction analysis of nanometer-sized polycrystals.—74-07761A
Lopato, L. M. See Dudnik, E. V.
Lopato, L. M.; Dudnik, E. V.; Zaitseva, Z. A.; Alekseev, A. F.; Ponomarchuk, S. G.
Cryochemical method for producing powders from the Al_2O_3-ZrO_2-MgO system.—74-04531A
Lopes, Rogerio A.; Segadaes, Ana M.
Effect of the green body processing history on the properties of very porous ceramics.—74-04591A
Lopez Garcia, Alberto R. See Rivas, Patricia C.
Lopez, Andres
Automated physical testing.—74-03783A
Lopez, Buendia See Bastida, J.
Lopez, F. See De Castro, A. J.
Lopez, F.; Garcia-Cuenca, M. V.; Serra, C.; Morenza, J. L.
Growth process of hydrogenated amorphous carbon films on silicon.—74-01752A
Lopez, Hugo F. See Wang, De-Qing
Lopez, J. M. See Urretavizcaya, G.
Lopez, Maximo See Osaka, Fukunobu
Lopez, T.; Asamoza, M.; Gomez, R.
Novel Pt-Sn/Al_2O_3 sol-gel catalyst—synthesis and thermal characterization.—74-06988A; Spectroscopic study of Pt-Sn/Al_2O_3 sol-gel catalysts.—74-07749A
Lopez, V. See Serrano, E.
Lopez-Cordero, R. See Roque-Malherbe, R.
Lopez-Garcia, A. See De la Presa, P.
Lopez-Rubio, J. A.; Sangrador, J.; Clement, M.; Rodriguez, T.
Multistep rapid thermal annealing of boron- and indium-implanted $Hg_{1-x}Cd_xTe$.—74-07394A
Lord, S. M. See Goorsky, M. S.
Lorec, Simone
Methodology of estimation of fluorine compounds emissions in burning of terra cotta products.—74-00369A
Lorent, R. See Nesladek, M.
Lorenz, J. See Dekeersmaecker, R.
Lorenz, M.; Hochmuth, H.; Borner, H.
Large area pulsed laser deposition of YBCO thin films and buffer layers on 3-inch wafers.—74-09294A
Lorenz, P. See Illmann, U.
Lorenzo, J. E. See Hirota, K.
Lorici, Loris
Roller kiln and its influence on the planarity of the final product.—74-09711A
Lorimer, J. W. See Coulthard, I.
Lorke, A. See Pond, K.
Lorlowhakarn, Santi See Puvanunt, Panard
Losev, V. N.; Runov, B. K.; Strepatova, T. V.
Luminescence determination of iridium with 2,2′-dipyridyl after sorption on silica-based anion exchanger.—74-01078A
Loshazin, A. V.; Sosnin, E. P.
Nuclear magnetic resonance of sodium borosilicate glasses containing aluminum oxide.—74-02476A
Losoi, T. See Johansson, Leena-Sisko
Lostak, F. See Weyten, H.
Lostak, P.; Lounek, J.; Koudelka, L.
Effect of NiO doping on the stoichiometry of ZnO.—74-07563A
Lostec, Jean See Haussonne, Jean-Marie; Paris, Pierre
Lothian, J. R. See Ren, F.
Lotke, S. D. See Patil, M. G.
Lotkhov, S. V. See Krupenin, V. A.
Lottici, P. P. See Gennari, S.
Lou, Jie-Yao See Bao, Zhi-Qin
Lou, Pamela See Law, Kam S.
Lou, Su-Hao See Yu, Jiang-Tsu
Lou, Yu-Dan; Xu, Yu-Huan; Mackenzie, John D.
Multilayer epitaxial ferroelectric ($SrTiO_3$/$PbTiO_3$) thin films prepared by the sol-gel technique.—74-09158A
Loubert, J. L. See Paillard, V.
Loubiere, A. See Fakkar, A.; Talhi, C.
Loubnin, E. N. See Ralchenko, V. G.
Louer, Daniel See Auffredic, Jean-Paul
Lounek, J. See Lostak, P.
Lourdin, P. See Juve, D.; Treheux, D.
Loutfy, Raouf O. See Guha, Sumit; Leaskey, Lori A.; Lee, C. T.
Lovejoy, Michael L.; Melloch, Michael R.; Lundstrom, Mark S.; Keyes, Brian R.; Ahrenkiel, Richard K.
Temperature dependence of minority hole mobility in n^+-GaAs measured with a new variable temperature technique.—74-03247A
Lovelace, Joe B. See DeGreve, Stanley C.
Lovell, Anthony L. See Araya, Abraham
Lovold, S. See Skauli, T.
Lovzova, R. V. See Lukjanova, V. T.
Low, It-Meng See Li, Xing-Sheng
Low, Norman M. P.; Beaudoin, James J.
Effect of wollastonite microfiber aspect ratio on reinforcement of portland cement-based binders.—74-00055A; Flexural toughness and ductility of portland-cement-based binders reinforced with wollastonite microfibers.—74-05523A; Mechanical properties and microstructure of high-alumina cement-based binders reinforced with natural wollastonite microfibers.—74-05547A; Mechanical properties of high performance cement binders reinforced with wollastonite microfibers.—74-05549A
Low, Philip
Interparticle forces in clay suspensions: flocculation, viscous flow, and swelling.—74-08556A
Lowden, Richard A. See Besmann, Theodore M.
Lowden, Richard A.; More, K. L.; Vaughn, N. L.; Schwarz, O. J.
Improved fiber coatings for controlling interfacial forces in SiC matrix composites: III. Boron nitride.—74-01293A
Lowe-Ma, Charlotte K. See Vanderah, Terrell A.
Lowes, T. M.; Evans, L. P.
Effect of burner design and operating parameters on flame shape, heat transfer, NO_x, and SO_2 cycles.—74-06849A
Lowndes, Douglas H. See Desilva, M. J.
Lowndes, Douglas H.; Norton, David P.
Experimental investigations of superconductivity in quasi-two-dimensional epitaxial copper oxide superlattices and trilayers.—74-06540A
Lowney, Jeremiah R. See Tseng, Wen F.
Lowney, Jeremiah R.; Mayo, Santos
Persistent photoconductivity due to potential barriers.—74-04390A
Loxley, Ted A.; Blackmer, John F.
Cristobalite reinforcement of quartz glass.—74-08648P
Loy, Douglas A. See Jamison, Gregory M.
Loy, Douglas A.; Buss, Richard J.; Assink, Roger A.
Engineering of porosity in amorphous materials—plasma oxidation of hydrocarbon templates in polysilsesquioxanes.—74-10330A
Lozes, R. L. See Amar, A.
Lozhnikov, V. B.
High-alumina ceramic with a wide sintering range.—74-03691A
Lozinskii, N. S.; Chekhovskii, V. G.
Influence of some factors on ruthenium-lead borate film properties.—74-00264A; Interactions in PbO-B_2O_3-RuO_2 system at a temperature as high as 1473 K.—74-00265A
Lozinskii, V. B. See Lisovskii, I. P.
Lozykowski, H. J. See Alshawa, A. K.
Lu, Chin-Tu; Bryant, Michael D.
Thermoelastic evolution of contact area and mound temperatures in carbon graphite electrical brushes.—74-09898A
Lu, D.-S. See Liu, Da-Ming; Song, We-Dong
Lu, De-Xing See Zheng, An-Zhong
Lu, F.-H.; Franke, P.; Nichols, C. S.
Monte Carlo simulation of cation transport via vacancies in spinel solid solutions: one type of cation exchange prevails.—74-05034A
Lu, F.-X.; Jiang, G.-S.; Yang, B.-X.; Chen, J.; Wang, J.-J.; Yuan, Y.
X-ray study of the interface layer between low-temperature-deposited diamond film and the silicon substrate.—74-10052A
Lu, Grant; Gray, Kevin J.; Graebner, J. E.
Free-standing white diamond for thermal and optical applications.—74-10105A
Lu, Guo-Quan See Bang, Jae-Cheol
Lu, Jian-Ping See Tang, Ying
Lu, Jian; Guo, Xi-Bin; Li, Gan-Sheng; Wu, Jin-Hua; Shi, Zhen-Zhu
Aluminum carbide (Al_4C_3) in precursors for $YAlO_3$ crystal growth.—74-10189A
Lu, Jun See Blomberg, Adam
Lu, K. See Coronado, C. A.
Lu, K.; Fisher, P. A.; House, J. L.; Ho, E.; Coronado, C. A.; Petrich, G. S.
Gas source molecular beam epitaxy growth of ZnSe on novel buffer layers.—74-05148A
Lu, Liang
Fabrication of fly ash mortar mixture.—74-00926A
Lu, Ling See Song, We-Dong
Lu, Meng-Kai See Yin, Xin
Lu, P.; Cosandey, F.
Dislocation structures at Cu-MgO and Pd-MgO interfaces.—74-08166A
Lu, Pei-Wen See Zhang, Qi-Tu
Lu, Ping
Current situation and development of cement and concrete in China.—74-05486A
Lu, Tai-Jing; Mai, Zhen-Houg; Chao, Jiang
Surface microtopography of InAlAs/InP heterostructures grown by MBE.—74-09058A
Lu, Tian-Jian; Hutchinson, John W.
Role of fiber stitching in eliminating transverse fracture in cross-ply ceramic composites.—74-02195A
Lu, Wun-Hwa See Lee, Huei-Long
Lu, Xiang-Jun See Wu, Han-Yan
Lu, Y. X. See Li, D. X.
Lu, Y.-Y.; Lai, C.-H.; Tseng, Tseung-Yuen
Influence of sintering profile on the resistivity of low-Curie-point PTCR ceramics.—74-01395A
Lu, Y.-C. See Hsu, C.-C.; Hwang, K.-S.
Lu, Y.-M.; Fan, X.-W.; Chen, L.-C.; Guan, Z.-P.; Yang, B.-J.
Dispersive optical bistability in ZnS-ZnTe strained-layer superlattices grown on transparent substrates BaF_2 by MOCVD.—74-06044A; 74-05221A
Lu, Yang-Sheng See Donaldson, Kimberly Y.
Lu, Yi-Cheng See Yoon, Yeong J.
Lu, Yon See Fu, Ruo-Wen
Lu, Yu-Tian See Lin, Yue-Ming
Lu, Z.-H. See Landheer, D.; Min, G.-W.; Tao, Y.
Lu, Z.-H.; Bryskiewicz, B.; McCaffrey, J. P.
Ultraviolet-ozone oxidation of GaAs(100) and InP(100).—74-00730A
Lu, Z.; Feigelson, R. S.; Route, R. K.
Growth of (001)-oriented SBN thin films by solid-source MOCVD.—74-07329A
Lu, Zhang-Ming; Lin, Zun-Fei; Yang, Ye-Shi
XPS study on electrofloat glass.—74-08358A
Lu, Zhao-Qing See Zhu, Wen-Hua
Lubitz, P. See Williams, C. M.
Lubjuhn, U. See Schonert, K.
Lubjuhn, U.; Sander, U.; Schonert, K.
Pressure profile in the compression zone of the high-pressure roller mill.—74-09604A
Lubrincha, J. A. See Ferreira, A. A.
Luby, S. See Majkova, E.
Luby, S.; Leggieri, G.; Luches, A.; Jergel, M.; Majni, G.; Majkova, E.
Interfacial reactions of thin iron films on silicon under amorphous silicon and SiO_x capping.—74-03071A
Lubyova, Zelmira See Danek, Vladimir
Lubyova, Zelmira; Danek, Vladimir
Reaction mechanism and kinetics of $SrTiO_3$ crystal grown in molten alkali metal chloride medium.—74-07457A
Lubyshev, D. I. See Zhuravlev, K. S.
Lucas, D. B.; Santos, P.
Synthesis of ß-wollastonite at low temperature from low cost raw materials.—74-06932A
Lucas, J. P.; Zhou, J.
Effects of sorbed moisture on resin-matrix composites.—74-07870A
Lucas, Jacques; Zhang, Xiang H.
Tellurium and selenium halide-based glasses, their preparation and use.—74-02698P
Lucas, James P. See Moody, Neville R.
Lucas, S. R.; Partlow, W. D.; Choyke, W. J.; Yates, J. T., Jr.
Ga-CH_3 bond scission by atomic H—the depletion of surface carbon from a gallium alkyl film on silicon dioxide.—74-06114A
Lucazeau, G. See Fayette, L.; Fontaine, F.; Nunez-Regueiro, M.
Lucca, D. A.; Seo, Y. W.; Rhorer, R. L.
Energy dissipation and tool-workpiece contact in ultraprecision machining.—74-09458A
Lucchese, P. See Bianchi, L.
Luce, Edward S. See Gesing, Adam J.
Luce, M. See Boulanger, L.; Herlin, Nathalie; Tougne, P.
Luches, A. See Luby, S.; Mihailescu, I. N.
Lucke, Ralph See Zenger, Manfred
Lucke, Ralph; Hennicke, Hans-Walter
Microstructure/property relations during the initial sintering stage of Al_2O_3.—74-10461A
Lucovsky, G. See Emmerichs, U.; Ma, Y.
Lucovsky, G.; Wortman, J. J.; Yasuda, T.; Xu, X.-L.; Misra, V.; Hattangady, S. V.
Formation of Si-SiO_2 stacked-gate structures by plasma-assisted and rapid thermal processing—improved device performance through process integration.—74-06112A
Lucty, W. See Tempus, M.
Ludeke, R. See Bauer, A.; Swanston, D. M.
Ludeke, R.; Bauer, A.
Hot electron scattering effects in metal-semiconductor structures and their role in interface transport.—74-03051A
Luders, K. See Riesemeier, H.
Ludescher, B. See Schuster, T.
Ludewig, H. See Barletta, Robert E.

Ludviksson, A. See Campbell, C. T.

Ludwig, F.; Dantsker, E.; Nemeth, D. T.
Fabrication issues in optimizing $YBa_2Cu_3O_{7-x}$ flux transformers for low 1/*f* noise.—74-06545A

Ludwig, M. H.; Hummel, R. E.; Chang, S.-S.
Bright visible photoluminescence of spark-processed Ge, GaAs, and Si.—74-05992A

Ludwig, Udo; Rudiger, I.
Quantitative determination of ettringite in cement pastes, mortars, and concretes.—74-05576A

Ludwig, Udo; Urbonas, L.
Synthesis and reactivity of fluoroalinites and fluoroalinite cements.—74-05602A

Luecke, William E. See Wiederhorn, Sheldon M.

Luecke, William E.; Wiederhorn, Sheldon M.; Hockey, Bernard J.; Krause, Ralph F., Jr.; Long, Gabrielle G.
Cavitation contributes substantially to tensile creep in silicon nitride.—74-07840A

Lueneburg, D. C. See Wilson, David M.

Luer, Kevin See Wang, Bu-Qian

Luftman, H. S. See Fitzgerald, E. A.; Grober, L. H.; Moriya, N.

Lugagne-Delpon, E. See Andre, J. P.

Lugscheider, E. See Borgerding, B.; Knotek, O.; Oki, S.; Smith, R. W.; Solter, H.-J.

Lugscheider, E.; Jokiel, P.; Remer, P.
Hard-particle-reinforced aluminum alloys for aircraft applications EWISCO 1993-1994.—74-08202A

Lugscheider, E.; Muller, U.
Evaluation of dc plasma jet chemical vapor deposition for diamond coatings on tungsten carbide based cutting plates.—74-04623A

Lugscheider, E.; Rass, J.
Underwater plasma spraying of components located in greater water depths.—74-10712A

Lugscheider, E.; Schlump, W.; Deuerler, F.; Remer, P.
Extensive diamond film deposition by dc plasma jet chemical vapor deposition.—74-04626A

Lugscheider, E.
Quo isti, thermal spraying.—74-02265A

Lui, Cai-Qun
Study of bauxitic clay minerals with infrared spectrometry.—74-02737A

Lui, Siu-Ching See Li, Chien-Wei

Lukacs, Alexander, III; Matsumoto, Roger L. K.
Reaction injection molding of silicon nitride ceramics having crystallized grain boundary phases.—74-09958P

Lukacs, J. J.
Controlling Btu input with high-velocity burners.—74-09647A

Lukacs, P. See Dimitrova-Lukacs, M.

Lukasiewicz, Stanley J. See Kulwicki, Bernard M.; Shukla, Vishwa N.

Lukaszewicz, K. See Boiko, M. E.

Lukco, Dorothy B. See Spearing, S. M.; Tenhover, Michael A.

Lukin, E. S. See Zhuravleva, N. V.

Lukin, E. S.; Andrianov, N. T.; Mamaeva, N. B.
Production of oxide ceramics with a regular structure.—74-01239A

Lukin, E. S.; Popova, N. A.; Zdvizhkova, N. I.
Strong ceramic based on aluminum oxide and zirconium dioxide.—74-03973A

Lukin, N. V. See Bazuev, G. V.

Lukin, S. N. See Kalabukhova, E. N.

Lukin, S. N.
Effect of uniform compression on EPR of manganese ions in zinc fluorosilicate. Switching-off of phonon contribution.—74-05129A

Lukjanova, V. T.; Lovzova, R. V.
Carbon fibers in nature.—74-06891A

Lukyanova, M. V. See Tikhomirova, T. I.

Lulewicz, Jean-Daniel See David, Patrick

Lumpp, Janet K.; Coretsopoulos, Christopher N.; Allen, Susan D.
Fluence dependence of excimer laser ablation of AlN.—74-10356A

Luna, R. G. See Vincueria, I.

Luna, R. G.; Bueno, R. M.; Fernandez, J. F.
ZnO piezoelectric thin films for electronic applications.—74-03355A

Lund, Mark W. See Diehl, P. E.

Lundberg, Robert S. See Brandt, Jesper; Sheldon, David A.

Lunden, Arnold
Ionic conduction in sulfates.—74-00501A

Lundgren, Sven-Erik
Mechanical finishing of glass.—74-00306A

Lundstrom, Ingemar See Hedborg, Eva

Lundstrom, Mark S. See Lovejoy, Michael L.

Lunney, J. G. See Tokarev, V.

Lunter, S. G. See Amandikov, M. A.

Luo, H. See Short, S. W.; Yokogawa, T.

Luo, H.; Samarth, N.; Short, S. W.; Xin, S. H.; Furdyna, J. K.; Ahrenkiel, P.
First indications of spontaneous ordering in $ZnSe_{0.5}Te_{0.5}$ alloy.—74-05144A

Luo, J. S.; Olson, J. M.; Bertness, K. A.; Raikh, M. E.; Tsiper, E. V.
Investigation of spontaneous ordering in GaInP using reflectance difference spectroscopy.—74-06170A

Luo, J.; Stevens, R.
Interfacial structure and precipitate formation in MgO/SiC composites.—74-10829A

Luo, J.; Taylor, R.; Stevens, R.
Physical properties of MgO/SiC composites—comparison between a micromechanics analysis and experimental results.—74-10135A

Luo, Jian-Shu; Merchant, Nazarali; Maroni, Victor A.; Dorris, Stephen E.; Lanagan, Michael T.; Tani, Benjamin S.
Effect of lead loss and sheath structure on phase formation and alignment in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$/Ag composite conductors.—74-09255A

Luo, Jyi-Jim; Wooh, Shi-Chang; Daniel, Isaac M.
Acoustic emission study of failure mechanisms in ceramic matrix composite under longitudinal tensile loading.—74-07836A

Luo, L. See Wu, X. D.

Luo, Lan; Li, Jia-Zhi
Influence of B_2O_3 and P_2O_5 upon the phase separation of $CaO-MgO-Al_2O_3-B_2O_3-SiO_2-P_2O_5$-F glasses.—74-08335A

Luo, Sheng-Cheng; Gui, Lin-Lin; Fu, Xian-Zhi
Titania-alumina composites.—74-10704A

Luo, Wen-Ling See Wang, Guo-Zheng

Luo, Wu-Quan
Development of glazed tile with relief patterns by underglaze printing.—74-02710A

Luo, Xin-Wu; Tao, Zheng-Wu
Production technology of vitrified tile and its quality.—74-08574A

Luo, You-Quan See Chen, Hui-Yu

Luo, Yun-Xia; Qu, Jian-Jun
Trouble analysis of blades of double-shaft mixers.—74-05840A

Luo, Zun-Du See Huang, Yi-Chuan

Lupich, I. N. See Voronkin, M. A.

Luppov, A. E.; Itskevich, E. S.; Gapotchenko, A. G.
Effect of pressure on the superconductivity in high-T_c Hg ceramics.—74-06523A

Luster, J. See Gehring, A. U.

Luther, Erik P.; Lange, Fred F.; Pearson, Dale S.
Alumina surface modification of silicon nitride for colloidal processing.—74-07199A; Colloidal and rheological behavior of aqueous, Al_2O_3 precursor coated, Si_3N_4 slurries.—74-01639A

Luther, Erik P.; Yanez, Joesph A.; Franks, George V.; Lange, Fred F.; Pearson, Dale S.
Effect of ammonium citrate of the rheology and particle packing of alumina slurries.—74-07265A

Luther, L. See Asom, M. T.

Luthi, R. See Bogli, U.; Meyer, E.; Scandella, L.

Luthra, Krishan L. See Einset, Erik O.; Patibandla, N.

Luthy, W. See Ghisler, C.

Lutsenko, A. S. See Pilipchatin, L. D.

Lutsenko, V. G. See Beletskii, V. M.

Lutsenko, V. G.; Beletskii, V. M.; Gorovtsov, A. F.; Pokrovskii, D. D.; Verkhovlyuk, T. V.; Shein, S. L.
Phase composition and morphology of filament crystals of silicon carbide obtained from flotation froth.—74-01421A

Lutsiv, R. V.; Aksel'rud, L. G.; Myasoedov, Yu. N.
Superconductivity in $(Hg_{0.83}Cu_{0.17})Ba_2CuO_{4+\delta}$ at ≈120 K.—74-06638A

Lutwyche, M. I. See Moore, D. F

Lutz, Ekkehard H.; Florian, Reinhold
Welding of plasma ceramics.—74-01009A

Lutz, Ekkehard H.
Plasma ceramics.—74-01832A; Size sensitivity to thermal shock of plasma-sprayed ceramics and factors affecting the size effect.—74-11088A

Lutz, G.
Grinding of advanced ceramics.—74-00934A

Lutz, W. See Wark, M.

Lux, B. See Brunsteiner, R.; Haubner, R.; Joksch, M.; Kubelka, S.; Schwarzbach, D.

Lux, G. E. See Batra, Shubneesh

Lux, H. See Griesser, M.

Lux, H.
Influence of the gas composition on the electrical resistivity of diamond thin films synthesized by the tantalum hot filament method.—74-04708A

Lux, Wolfgang See Loos, Michael

Luxan, M. P.; Frias, M.; Dorrego, F.
Potential expansion of cement mortars in the presence of K_2SO_4 and pozzolana.—74-05569A

Luysberg, M.; Gobel, R.; Janning, H.
FeP precipitates in hydride vapor phase epitaxially grown InP:Fe.—74-06103A

Luyten, J.; Cooymans, J.; Diels, P.; Sleurs, J.
Effect of powder conditioning on the synthesis of RBAO.—74-10291A

Luyten, J.; Cooymans, J.; Diels, P.
RBAO—used as part of a membrane configuration.—74-04859A

Luyten, J.; Vangrunderbeek, J.; Smolders, A.
Characterization of B and B″ alumina sensor tubes produced by injection molding.—74-06960A

Luzhkov, A. A. See Korzhenevskii, A. L.

Lyakhovets, E. V. See Stepanenko, A. V.

Lyamina, O. I. See Meleshina, V. A.

Lyamina, O. I.; Kupriyanova, T. A.
X-ray fluorescence analysis of $GaAs-Ga_{1-x}Al_xAs$.—74-09082A

Lyapilin, I. I. See Kuleev, I. G.

Lyashenko, D. Yu. See Belyakova, L. A.

Lyashenko, L. P.; Rogachev, A. S.; Eshina, O. B.
Diffusive interaction in the system $ZrO_2-Y_2O_3$-BaO-CuO.—74-07070A

Lyashenko, V. I. See Bartnitskaya, T. S.

Lyckfeldt, O.; Liden, Eva; Persson, M.
Pressure slip casting of silicon nitride.—74-04832A

Lyder, C. See Cordero, N.

Lydtin, H. See Gaertner, G. F.

Lyman, J. W.; Palmer, G. R.
Investigating the recycling of nickel hydride battery scrap.—74-01771A

Lynch, Ann M.
Effect of composition of today's laundry detergents on porcelain enamel surfaces.—74-00114A

Lynch, David F. See Kulwicki, Bernard M.

Lynch, William M.
Plaster processing dynamics.—74-05901A; Processing dynamics of plaster.—74-08090A

Lyons, Shirley W. See Xiong, Yun

Lysak, S. V.; Smirnov, V. A.
Structural features of glass-crystalline materials in the AsSe-TlSe system.—74-02494A; 74-02496A

Lysek, Norbert
Selected problems related to producing carbonate sorbents for exhaust gas desulfurization installations in Silesian lime industry plant "OPOLWAP" SA.—74-08107A

Lysenko, T. A. See Khailova, E. G.

Lytle, F. W. See Greegor, R. B.

Lytschakov, V. V.
Microstructure and permeability of cement stone and concretes.—74-00077A

Lyubchenko, A. V. See Vlasenko, A. I.

Lyubchenko, V. E. See Borisov, V. I.

Lyubin, V. M. See Klebanov, M. L.

Lyuts, E. A. See Gorelkinskii, Yu. V.

M'Saad, Hichem; Michel, Jurgen; Lappe, J. J.; Kimerling, L. C.
Electronic passivation of silicon surfaces by halogens.—74-02996A

Ma, C.-S.; Chan, P.-W.; Lo, V.-C.; Ong, C.-W.; Wong, S.-P.
Investigation of the 1.2-eV photoluminescence band in rapid thermal annealed InP.—74-03075A

Ma, G. H. See Stoner, B. R.

Ma, H. See Chowdhury, K. Das

Ma, J. See Fainman, Y.

Ma, Ji-Ming; Cheng, Hu-Min; Zhao, Zhen-Guo; Qiang, D.; Feng, L.
Stability of dispersions of $PbTiO_3$ powders in aqueous and nonaqueous liquids.—74-07490A

Ma, K. Y.; Fang, Z. M.; Cohen, R. M.; Stringfellow, G. B.
Ultralow-temperature OMVPE of InAs and InAsB.—74-06370A

Ma, Kun; Sha, Jian; Wang, Jin-Song
Influence of interface resistance of high-T_c superconducting composites on measurement of J_c.—74-00818A

Ma, L. See Liu, D.

Ma, L.; Sinces, G.
Threshold size for cyclic fatigue crack propagation in a pyrolytic carbon.—74-02212A

Ma, Li-Tai See Zhu, Pei-Nam

Ma, Q. Y.; Wong, A.; Carolan, J. F.
Inhibition patterning of oxide superconducting films with Si ion implantation.—74-06567A

Ma, Q. Y.; Yang, E. S.; Laibowitz, R. B.; Chang, C. A.
Si-YBCO intermixing and reactive patterning technique.—74-03573A

Ma, Sao-Je See Li, Yu-Shan

Ma, S. See Wang, Ke-Ming

Ma, W. See Hirata, G. A.

Ma, Xin-Xin See Xia, Li-Fang

Ma, Y.; Doeff, M. M.; Visco, S. J.
Rechargeable Na/Na_xCoO_2 and $Na_{15}Pb_4/Na_xCoO_2$ polymer electrolyte cells.—74-01567A

Ma, Y.; Lucovsky, G.
Deposition of single phase, homogeneous silicon oxynitride by remote plasma-enhanced chemical vapor deposition, and electrical evaluation in metal-insulator-semiconductor devices.—74-06033A

Ma, Yang-Zhi
Effects of firing period and temperature on properties and structure of wall and floor tiles.—74-02716A

Ma, Ying See Shen, Lu

Ma, Yu-Tao See Bronson, Arturo

Ma, Yuan-Ron See Liou, Yung

Ma, Z. See Liu, N.

Ma, Z.; Coon, S. R.; Calaway, W. F.; Pellin, M. J.; Gruen, Dieter M.; Von Nagy-Felsobuki, E. I.
Sputtering of neutral and ionic indium clusters.—74-03222A

Maar-Stumm, M. See Fabisiak, K.

Maartense, I. See Norton, M. Grant

Maas, U.; Kupper, D.
Assessing the burnability of cement raw meal and its behavior in the rotary kiln.—74-06841A

Maathiez, P. See Roge, T. P.

Maboudian, R. See Pond, K.

MacAdam, S. S.; Stringer, J.
Effects of bed particle properties on wear in fluidized bed combustors.—74-02130A

Macaulay, John M. See Wang, Cong-Jun

MacChesney, John B. See Bhandarkar, Suhas D.; Chandross, Edwin A.

MacDonald, James C. See Goela, Jitendra S.

MacDonald, Noel C. See Santos, Edval J. P.; Zhang, Z. Lisa

Macedo, P. B. See Yan, Q.; Yaschenko, E.

Macek, M. See Orel, B.

MacGill, Robert A. See Anders, Andre

MacGregor, J. G. See Bartlett, F. M.

Mach, Kervyn See El-Sherif, Mahmoud A.

Mach, R. See Dorfel, Ilona

Machado, A. J. S.; Jardim, R. F.
Transformation of $Y_2Cu_2O_5$ into $YCuO_2$.—74-06656A

Machaidze, T. V. See Bakradze, V. N.

Machajdik, D. See Gregusova, D.

Macher, A. See Fruhwirth, O.

Machi, Y. See Kobayashi, Kenji

Machi, Yoshio See Shimada, Yoshihito

Machida, Katsuyuki
SiO_2 films formed by ECR plasma CVD method.—74-09039A

Machida, Kenichi See Mitsui, Toshiharu

Machida, Nobuya See Shigematsu, Toshihiko

Machinaga, Osamu See Sakamoto, Yoshiaki; Tanaka, Satoshi

Macieik, Leslaw See Dondelewski, Henryk

Maciejko, R.; Champagne, A.; Reid, E.
Analysis of an InGaAsP/InP twin-overlayed-waveguide switch.—74-08823A

Mack, Ken; Cham, Johnny; Moghadam, Farhad
Characterization of PECVD $Si_xO_yN_z$:H films and its correlation to device performance and reliability.—74-08838A

Mack, M. P. See Heimbuch, M. E.
Mackay, A. L. See Terrones, H.
Mackay, M. See Twomey, T. A. M.
Mackay, R. Scott; Junker, K. H.; White, J. M.
Photodesorption dynamics of ammonia from Ni(111) and NiO(111).—74-04393A
MacKay, Rebecca A.; Nathal, Michael V.
Gripping system for mechanical testing of composites.—74-06772A
Mackenzie, J. A. See Johnson, S. R.; Mak, A.
Mackenzie, J. D. See Kramer, S. J.; Oka, Kris S.
Mackenzie, John D. See Iwamoto, Takashi; Lou, Yu-Dan; Park, Sung-Soon; Wong, Phillip W.
MacKenzie, Joshua See Martin, Steve W.
Mackenzie, R. A. D. See King, R. A.
Mackenzie, R. A. D.; Cerezo, A.; Smith, G. D. W.
Characterization of nanometer-scale compositional variations using field ion microscopy and the position sensitive atom probe.—74-01965A
Mackey, T. S.
Upgrading ilmenite into a high-grade synthetic rutile.—74-07543A
Mackie, William A.; Hartman, Robert L.; Anderson, Mark A.; Davis, Paul R.
Transition metal carbides for use as field emission cathodes.—74-03256A
Mackin, T. See Huang, Chao M.
Mackin, Thomas J. See Cady, Carl M.
Mackin, Thomas J.; Purcell, Thomas E.; He, Ming Y.; Evans, Anthony G.
Notch sensitivity and stress redistribution in three ceramic matrix composites.—74-07905A
MacKinnon, N.; Sinclair, B. D.
Laser diode array pumped, Nd:YVO_4/KTP composite material microchip laser.—74-03082A
Mackintosh, Joseph R. See Busby, T. S.
Mackintosh, Joseph R.
Forbel view of furnace maintenance.—74-01153A
MacLaughlin, D. E.; Vithayathil, J. P.; Brom, H. B.
Abrupt but continuous antiferromagnetic transition in nearly stoichiometric $La_2CuO_{4+\delta}$.—74-03363A
Maclay, G. J. See Li, Chun-Shien
MacManus-Driscoll, J.; Geballe, T. H.; Bravman, J. C.
Understanding and electrochemical control of $YBa_2Cu_3O_{7-x}$ thin-film epitaxy on yttrium-stabilized zirconia.—74-03614A
MacNeill, Gerald F.
High temperature resistant material.—74-08650P
MacZura, George; Moody, Kenneth J.; Anderson, Edward M.; Kunka, Marilyn K.
Alumina.—74-06879A
Madar, R. See Templier, F.
Maddalena, A.; Raccanelli, A.
Young's modulus of thin ZrO_2 films obtained by the sol-gel method.—74-05400A
Maddex, David P. See Blanchette, Curtis N.
Madej, J. See Stevula, Ladislav
Mader, W. See Martin, M.
Mader, Werner; Knauss, D.
Equilibrium position of misfit dislocations at planar interfaces.—74-08184A
Madhav, Rao L.
Probing exotic magnetic phases in ferrites with neutrons.—74-09218A
Madhukar, A. See Chen, P.; Rajkumar, K. C.
Madrazo, R. F. See Joshi, M. L.
Madrigal, S. See Tschudin, M.
Madsen, D. W. See Diehl, P. E.
Madsen, J. See Leek, R.
Madsen, L. L. See Jorgensen, J. F.
Madsen, Lynette D.; Weaver, Louise
Barrier layers for lead zirconate titanate thin films.—74-05921A
Maeda, H. See Aoki, S.
Maeda, Hideaki See Tsugeki, K.; Yan, Sheng-Chun
Maeda, Hideaki; Ikari, Saiji; Masuda, Sumihasa
Effect of substrate pretreatment on diamond deposition.—74-10297A
Maeda, Hideaki; Irie, Miki; Hino, Takafumi; Kusakabe, Katsuki; Morooka, Shigeharu
Diamond growth from a mixture of fluorocarbon and hydrogen in a microwave plasma.—74-04552A
Maeda, Hideaki; Masuda, Sumihasa; Kusakabe, Katsuki; Morooka, Shigeharu
Heteroepitaxial growth of diamond on c-BN in a microwave plasma.—74-04677A
Maeda, Hiroshi See Fukutomi, Masao; Komori, Kazunori
Maeda, Kozo See Ota, Rikuo
Maeda, M. See Mori, H.
Maeda, T. See Yoshimoto, M.
Maeda, Tatsumi See Kubo, Osamu
Maeda, Toshihiko; Sakuyama, Kazuhiro; Koriyama, Shinichi; Ichinose, Ataru; Yamauchi, Hisao; Tanaka, Shoji
Method of manufacturing an oxide superconductor.—74-09376P
Maeder, Thomas; Muralt, Paul
In situ thin-film growth of $PbTiO_3$ by multitarget sputtering.—74-10407A
Maehara, Kensaku See Fujita, Shizuo
Maeta, H. See Haruna, K.
Maex, K.
Silicides for integrated circuits—$TiSi_2$ and $CoSi_2$.—74-06314A
Maezono, Akikazu
Science and technology of composite materials: I, Thermal conductivity measurement of composites.—74-10152A
Magarajan, R. See Mahesh, R.
Magarill, L. I. See Buldygin, A. F.
Mager, S. See Geigle, A.
Magerl, F.; Schneider, G. A.; Petzow, G.
Thermal fatigue and subcritical crack growth in Si_3N_4.—74-02211A
Maginnis, M. Abbot See Bennett, James P.
Maginnis, M. Abbot; Bennett, James P.
Recycling spent refractory materials at the U.S. Bureau of Mines.—74-08630A
Magis, M. See Stroh, R. J.
Magistris, A. See Mustarelli, P.
Magistris, A.
Ionic conduction in glasses.—74-00500A
Maglione, M. See Nicoloso, N.
Magnani, S. See Hannant, D. J.
Magne, S.; Querdane, Y.; Druetta, M.
Cooperative luminescence in a Yb-doped silica fiber.—74-08363A
Magruder, R. H., III See Weeks, R. A.
Maguire, P. See Liu, J. S.
Magunov, I. R. See Magunov, R. L.
Magunov, R. L.; Sotulo, V. S.; Magunov, I. R.
Phase relations in the systems $ZrO_2(HfO_2)$-Nb_2O_5.—74-01435A
Mah, Tai-Il See Moore, Edmund H.; Parthasarathy, Triplicane A.
Mahajan, A. V.; Alloul, H.; Gollin, G.
^{89}Y NMR probe of Zn-induced local moments in $YBa_2(Cu_{1-y}Zn_y)_3O_{6+x}$.—74-04462A
Mahajan, A. See Irby, J.
Mahajan, A.; Kellerman, B. K.; Russell, N. M.; Banerjee, Sanjay; Campion, A.; Ekerdt, J. G.
Surface chemistry of diethylsilane and diethylgermane on Si(100): an atomic layer epitaxy approach.—74-04929A
Mahajan, V. C. See Patil, M. G.
Mahalingam, K.; Nakamura, Y.; Otsuka, N.; Lee, H.-Y.; Hafich, M. J.; Robinson, G. Y.
TEM study of the effect of growth interruption in MBE of InGaP/GaAs superlattices.—74-06347A
Mahan, John E. See Becker, James P.
Mahdavi, S. M. See Feng, Xi-Qi
Mahel, M.; Benacke, S.; Kandracik, F.
Modulated high-frequency and microwave absorption in ceramic high-temperature superconducters.—74-03533A
Maheo, D.; Poitevin, J.-M.
Microstructure and electrical resistivity of TiN films deposited on heated and negatively biased silicon substrates.—74-00509A
Maher, Dennis M.; Zhang, Bojun
Characterization of structure/dopant behavior by electron microscopy.—74-01967A
Mahesh, R.; Magarajan, R.; Rao, C. N. R.
Superconducting borate derivatives of 123 cuprates.—74-03589A
Mahfuz, H. See Vaidya, U. K.
Mahfuz, H.; Maniruzzaman, M.; Vaidya, U. K.; Brown, T.; Jeelani, S.
Room- and high-temperature fatigue damage evaluation of SiC_f/Si_3N_4 composites.—74-11081A
Mahloudji, A. M. See Meuret, L. B.
Mahloudji, A. M.; Meuret, L. B.; Lin, C.-T.
Photochemistry channels of merocyanine encapsulated in sol-gel glasses.—74-08384A
Mahmood, F. See Warris, J.
Mahmood, S. See Childs, T. H. C.
Mahmoud, S. A. See Ashour, A.
Mahrous, Salah See Ahmed, Mohamed A.
Mai, Yiu-Wing See Duan, Kai; Hoffmann, M. J.; Jin, Zhi-He; Liu, Hong-Yuan; Liu, Tian-Shun; Mukhopadhyay, Anoop K.
Mai, Zhen-Houg See Lu, Tai-Jing
Maier, C. U. See Bandi, A.
Maier, J. See Haile, S. M.
Maier, K. See Dischler, B.
Maier, Karin; Muller, Harald D.; Schneider, Jurgen
Transition metals in silicon carbide (SiC): vanadium and titanium.—74-06365A
Maier, M. See Schmitz, J.
Maignan, A. See Goutenoire, F.; Hardy, V.; Huve, M.
Mailly, D. See Ladieu, Francois
Maingot, S.; Baddour, R.; Pereira-Ramos, J. P.
New iron V_2O_5 bronze as electrode material for rechargeable lithium batteries.—74-01297A
Mainwaring, David E. See Crawford, Russell J.
Mainz, B. See Floter, A.; Stiegler, J.; Ullmann, J.
Maior, M. M.; Vysochanskii, Yu. M.; Molnar, Sh. V.
Effect of dc electric field on incommensurate phase of $Sn_2P_2Se_6$-type proper ferroelectrics.—74-00749A
Mairesse, G.
Bismuth-based oxide conductors—novel structural and electrical features.—74-00460A
Mairet, V. See Xu, X. Z.
Maiti, B.; Gupta, P.; Chaudhuri, S.; Pal, A. K
Grain-boundary effect in polycrystalline ZnTe films.—74-01519A
Maiti, K. N.
Strength behavior of thermally shocked new porcelains.—74-01579A
Maity, A. B. See Pal, R.
Maity, Soumen; Chatterjee, S.; Basu, M. K.
Improvement of mechanical properties of zirconia-toughened alumina in presence of $SrAl_{12}O_{19}$.—74-07890A
Maity, Soumen; Kumar, A.; Sarkar, B.
Role of nucleating agents during manufacture of high-strength porcelain.—74-02196A
Maiwa, Hiroshi See Okazaki, Kiyoshi
Maiya, Parampalli S. See Balachandran, U.
Maiza, P.J. See Marfil, S.A.
Majkova, E. See Luby, S.
Majkova, E.; Luby, S.; Jergel, M.; Senderak, R.; George, B.; Vaezzadeh, M.
Characterization of obliquely deposited tungsten/silicon multilayers.—74-01966A
Majling, Jan See Sahu, S.; Stevula, Ladislav; Tomkova, Vaclava
Majling, Jan; Sahu, S.; Vlna, Milan
Relationship between raw mixture and mineralogical composition of sulfoaluminate belite clinkers in the system CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3.—74-01448A; Phase composition of four-component oxide systems in chosen plane sections.—74-07098A
Majling, Jan; Znasik, Peter; Khandl, Vladimir
Strength measurement of porous bodies at isostatic pressure conditions.—74-07918A
Majni, G. See Luby, S.
Major, S. See Anitha, V. P.
Majumdar, Amal J. See Quillin, K. C.; Rayment, D. L.
Majumdar, Debasis See Chatterjee, Dilip K.
Mak, A.; Johnson, S. R.; Lavoie, C.; Mackenzie, J. A.; Nissen, M. K.; Rogers, D.
Carbon filament source for *p*-type doping in molecular beam epitaxy.—74-06741A
Mak, V. T.
Radiation-stimulated diffusion of phosphorus in silicon.—74-03670A
Makabe, Toshiji See Takahashi, Kazuo
Makalic, B. See Sole, J. G.
Makarenko, E. S.
Possibilities of use of pneumatic separation processes in refractory production.—74-02770A
Makarov, A. M. See Antsiferov, V. N.
Makarov, E. S.
Electron crystal chemistry of metals and intermetallic compounds.—74-07076A
Makarov, L. L. See Aksenov, N. D.
Makarov, R. I.
Introducing new information technologies based on personal computers into glass production.—74-03701A
Makarov, V. V.
Resistivity and critical currents in $YBa_2Cu_3O_7$ ceramics under magnetic field.—74-03570A
Makarova, E. G. See Efimov, A. M.
Makarova, I. P.; Molchanov, V. N.; Tamazyan, R. A.
Refining atomic structure of Nd_2CuO_4 single crystals.—74-07108A
Makarova, Marina A.; Al-Ghefaili, Khalid M.; Dywer, John
Bronsted acid strength in US-Y: FTIR study on CO adsorption.—74-05080A
Makarova, N. G. See Alekseyenko, V. I.
Makarova, T. L.; Sharonova, L. V.; Shmartsev, Yu. V.
Ellipsometric investigations of anodic oxide on $Ga_{1-x}Al_xAs$ solid solutions.—74-01990A
Makela, A. See Vuoristo, P.
Makela, A.; Vuoristo, P.; Lahdensuo, M.
Rolling contact fatigue testing of thermally sprayed coatings.—74-09612A
Makepeace, Anthony See Moore, Moreton
Maker, D. M. See Ashburn, S. P.
Maki, Iwao; Tanioka, Tetsuya; Ito, S.
Texture and grindability of the dust component in portland cement clinker.—74-05606A
Maki, M. See Sera, Masafumi
Maki, Yasuyuki See Kuwabara, Haruyoshi
Makishima, Akio See Soga, Kohei
Makishima, Akio; Inoue, Hiroyuki; Uo, Motohiro
Preparation and properties of bulk amorphous silica doped with organic molecules by sol-gel method.—74-10550A
Makishima, Akio
Materials design and expert system on glass.—74-00267A
Makita, Atsuya See Maruta, Ryo
Makita, T. See Kuroiwa, T.; Mikami, N.
Makita, Yasuhara See Irokawa, Katsumi; Komukae, Masaru
Makitka, Harry See DeGreve, Stanley C.
Makovec, Darko; Samardzija, Zoran; Delalut, Uros; Kolar, D.
Defect structure and phase relations of highly lanthanum-doped barium titanate.—74-07068A
Makris, Angelo
Function of cermet elements in heat-treating furnaces.—74-06853A
Makroum, A. Hany; Mounir, Alas Eldin
Cost reductions by clay drying.—74-09444A
Makroum, A. Hany
Disposal of bypass dust.—74-08014A
Maksimov, B. A. See Bolotina, N. B.; Genkina, E. A.; Klokova, N. E.; Samygina, V. R.
Maksimov, M. G. See Aksenov, I. I.
Maksimov, M. V.; Egorov, A. Yu.; Zhukov, A. E.
Optical study of GaAs/AlAs structures with isolated GaAs clusters grown on a surface with high Miller indices.—74-06243A
Maksimov, V. M.; Valov, P. M.; Nakhapetyan, R. A.
Aplanatic lens with radial gradient of refractive index formed by ion exchange Na^+_{gl}-Li^+_{melt}.—74-02599A
Maksimova, A. N. See Kortel, A. A.
Maksoud, T. M. A.; Morgan, J. E.; Fox, T. G.
Grinding of ceramics—the effect on their strength properties.—74-05447A
Makurin, Yu. N. See Sumin, V. I.
Malagon, G. Pacheco See Valdes, E.
Malam, S. C.; Pell, T.; Nix, R. M.
Noninvasive infrared-based measurement of the temperature of GaAs semiconductor crystals.—74-06223A
Malami, C. See Ftikos, C.
Malatis I. Riera, A. See Noubeyo, J. C. Yamegni
Malchova, M. F. See Dzhigiris, P. D.
Malengreau, Nathalie; Meller, Jean-Pierre; Calas, Georges
Fe speciation in kaolins: a diffuse reflectance study.—74-02719A
Malet, P.; Capitan, M. J.; Centeno, W. A.
EXAFS data analysis for lanthanide sesquioxides.—74-10805A
Maleto, M. I.; Solovjeva, L. I.; Turevskaya, E. P.; Vorotilov, K. A.; Yanovskaya, M. I.
Alkoxy-derived Y_2O_3-stabilized ZrO thin films.—74-05919A
Malevannyi, V. A.; Min'ko, N. I.; Bakhmutova, T. S.
Determination of the various oxidation degrees of manganese in silicate glasses and glass-ceramics.—74-02446A

Maley, M. See Arendt, P.
Malghan, S. G. See Chen, Wei; Wang, Pu-Sen
Malhi, Satwinder
SiC power MOSFET device structure.—74-09099P; Silicon carbide wafer bonded to a silicon wafer.—74-00746P
Malic, B.; Kosec, M.
Structural evolution of alkoxide-derived compositions within the $Pb(Zr, Ti)O_3$ solid solution.—74-04916A
Malik, H. U. See Jones, R. C.
Malik, Shamim M.; Sridharan, K.; Fetherston, R. P.; Chen, A.; Conrad, J. R.
Overview of plasma source ion implantation research at University of Wisconsin-Madison.—74-03720A
Malik, Tata I.; Yelon, W. B.; Rhyne, J. J.
Structural and magnetic properties of intermediate oxygen stoichiometry $PrBa_2Cu_3O_x$.—74-04429A
Maline, M. See Maupas, Helene,
Malinowski, A. See Zheludev, N. I.
Malisova, Martina See Ballinet-Tkatchenko, Danielle
Malitskaya, M. A. See Raevskii, I. P.
Malkov, A. A. See Gusarov, V. V.
Malkova, Zuzana See Hamplova, Vera
Mall, G. See Berelson, S.
Mall, S.; Bullock, D. E.; Pernot, J. J.
Tensile fracture behavior of fiber-reinforced ceramic matrix composite with hole.—74-02400A
Malla, Prakash B.; Arrington-Webb, Lee Ann
Properties and characterization of porous material prepared by hydrothermal treatment of kaolin.—74-10022A
Mallener, W. See Eckardt, T.
Mallener, W.; Grob, H. J.; Stover, D.
Properties of plasma-sprayed boron carbide coatings.—74-08259A
Mallick, K. K. See Bhattacharya, A. K.
Malm, J.-O. See Samuelson, L.
Malmberg, S.; Heberlein, J.; Pfender, E.
Effect of nozzle design on plasma jet behavior, particle motion, and coating properties.—74-09456A
Malnev, V. I. See Novikov, N. V.
Malolepszy, Jan See Kopia, Bartosz
Malone, Philip G. See Brabston, William N.
Malov, V. V.; Ryabov, P. M.; Titov, V. V.
Equipment for contactless determination of the superconducting transition of ceramic specimens.—74-03806A
Maloy, S. A.; Heuer, Arthur H.; Lewandowski, J. J.; Mitchell, T. E.
Slip systems in $MoSi_2$.—74-10885A
Malpezzi, M. C. See Tampieri, A.
Malric, B. See Andrade, C.
Malta, D. M. See Fox, B. A.; Von Windheim, J. A.
Malten, C.; Cramm, S.; Colbow, K. M.; Eberhardt, W.
Photoemission study of the growth of the LaF_3/Si(111) interface.—74-01560A
Maltzev, M. V. See Udalova, L. V.
Malyarenko, V. V. See Kuprienko, P. I.
Malygin, A. A. See Gusarov, V. V.
Malygin, G. A.
Deformation strengthening of crystals. Size, orientational, and surface effects.—74-07856A; Equation of dislocation density evolution and first stage of deformation strengthening of crystals.—74-07872A
Malyshev, V. V. See Kushkhov, Kh. B.
Malysheva, N. E. See Zheludeva, S. I.
Malyshevskii, V. S. See Borovik, A. S.
Malyshkin, V. G.; Shchukin, V. A.
Development of composition inhomogeneities in layer-by-layer growth of an epitaxial film of a solid solution of III-V semiconductors.—74-00591A
Malyukin, Yu. V.; Pogrebnyak, N. L.; Seminozhenko, V. P.
Anomalous dephasing of optical transitions of a Pr^{+3} ion in Y_2SiO_5 crystal.—74-07144A
Malyushitskaya, Z. V. See Blank, V. D.
Malyutenko, V. K.; Bulashenko, O. M.; Kollyukh, A. G.
Long-wave ir emission in *n*-InSb in strong electric fields.—74-08945A
Malyutin, A. A. See Deryabin, V. A.
Mamaeva, N. B. See Lukin, E. S.
Mamalui, A. A.; Palatnik, L. S.; Bednov, K. V.
Low-temperature quenching of $YBa_2Cu_3O_{7-\delta}$.—74-00823A
Mambetkaziev, E. A.; Baibatyrov, E. N.; Beremzhanov, R. B.
Polarographic determination of In and Sb in anode films of InSb.—74-09006A
Mamedova, G. G.; Rodtsevich, S. P.; Kharton, V. V.
Effects of some technological factors on the properties of current-carrying films.—74-02834A
Mamedova, G. G.; Rodtsevich, S. P.
Properties of conducting coatings.—74-02857A
Mamin, R. F. See Greznev, Yu. S.
Mamin, R. F.
Memory effect [and hysteresis phenomena] in incommensurate phase of semiconductors.—74-03104A
Mamoshin, V. L. See Sanditov, D. S.
Manabe, Katsuhide See Takeuchi, Tetsuya
Manabe, Katsuhide; Kotaki, Masahiro; Tamaki, Makoto; Hashimoto, Masafumi
Light-emitting device of gallium nitride compound semiconductor.—74-09088P
Manaila, R. See Belu-Marian, A.
Manao, Fumihiro See Sugino, Takashi
Mancey, D. S.; Shoesmith, D. W.; Lipkowski, J.
Electrochemical investigation of the dissolution of magnetite in acidic electrolytes.—74-00774A
Mancha, L. M.
Effect of heat-treatment temperature on the properties of polyfurfuryl alcohol-based carbon-carbon composites.—74-07271A
Mand, R. S. See Ojha, Jugnu J.
Mandai, Harufumi; Sugo, Kimihide
Multilayer ceramic circuit board.—74-08809P
Mandal, H.; Patel, J. K.; Thompson, D. J.
Nitrogen pyroxenes.—74-07401A
Mandal, H.; Thompson, D. P.; Ekstrom, Thommy
Optimization of SiAlON ceramics by heat treatment.—74-07406A
Mandal, P. See Sarkar, S.
Mandel, T. See Hammerschmidt, A.
Mandour, M. A. See Serry, M. A.
Mandru, Ilie; Olteanu, Mihaela; Cinteza, Otilia
Obtaining and characterization of silica powder.—74-10855A
Mandt, P.
Importance of feldspar as a flux in the ceramics industry.—74-06905A
Manes, L.
Statistical thermodynamics of point defects and interactions between point defects in ceramics.—74-07584A
Manet, R. M. See Caetano Zurita, Jose
Manfredini, Tiziano See Andreola, F.; Barbieri, L.
Manfredini, Tiziano; Pellacani, Gian Carlo; Romagnoli, Marcello; Pennisi, Licio
Porcelainized stoneware tile.—74-05902A
Mang, K.-M. See Khang, Yoon-Ho
Mangalaraj, D. See Gurumurugan, K.
Mangat, P. S. See Chen, W.
Mangat, P. S.; Soukiassian, P.; Huttel, Y.; Hurych, Z.
Structural properties of the Na/Si(111) 2×1 surface studied by photoemission extended X-ray absorption fine structures.—74-07755A
Manghi, F.; Calandra, C.; Ossicini, Stefano
Quasi-particle band structure of NiO—the Mott-Hubbard picture regained.—74-09019A
Manghnani, M. H. See Askarpour, V.
Manghnani, M. H.; Fischer, Edward S.; Li, Feng-Ying; Wang, Ru-Ju; Singh, Jitendra P.; Routbort, J. L.
Elastic anisotropy in hot-pressed Si_3N_4 composites—role of in situ ß-Si_3N_4 grains and added ß-Si_3N_4 whiskers.—74-10085A
Mangin, C. G. E.; Neely, J. E.; Clark, J. P.
Potential for advanced ceramics in automotive engine applications.—74-02259A
Manguin, Fritsch A.; Burlet, H.
Modeling of the pyrolysis of an organic binder for shaping of injected ceramic pieces.—74-07391A
Mani, T. V.; Damodaran, Alathoor D.; Warrier, Krishna Gopakumar
Texture development in BPSCCO superconductors.—74-09355A
Mani, T. V.; Pillai, P. K.; Damodaran, Alathoor D.
Dependence of calcination conditions of boehmite on the alumina particulate characteristics and sinterability.—74-07247A
Maniar, P. D. See Sudhama, C.
Manias, C. G.; Nathan, G. J.
Low NO_x clinker production.—74-03917A
Maniruzzaman, M. See Mahfuz, H.
Manivannan, Ayyakkannu; Santiago, Yolanda; Cabrera, Carlos R.
Scanning tunneling microscopy and spectroscopy of MoS_2 thin films prepared by an intercalation-exfoliation method.—74-07737A
Mankowa, Galina; Gunsburg, Kamilla; Berger, Iris
Galvanic waste in the structural ceramic industry: an opportunity for use of industrial discards.—74-00364A
Mann, K. See Muller, F.
Mann, Philip A.
Parison forming and plungers for use therein.—74-03764P
Mann, R. S. See Khulbe, K. C.
Mann, Stephen See Douglas, Trevor
Mannaerts, J. P. See Choquette, Kent D.; Grober, L. H.; Hong, M.
Mannhart, Jochen D. See Bednorz, Johannes G.
Manning, C. See Adkins, T.
Mannion, M.; Clements, S.; Truslove, T.
Applying expert systems to glass furnace design.—74-09639A
Mannoh, Massaya See Kamiyama, Satoshi
Manns, P.; Baranyai, A.; Kleer, G.
Oxidation behavior of different types of SiC materials.—74-07819A
Mannweiler, U.; Keller, F.
Design of a new anode technology for the aluminum industry.—74-07943A
Manodoro, P. See Bruno, G.
Manoli, S. See More, J.
Mansfeld, F. See Little, B.
Mansfield, J. F. See Kalnas, C. E.
Mansfield, Janet
Pollution-free salt kiln.—74-01173A
Mansour, A. See Diani, M.
Mansour, B. A. See Abd El-Hady, S. A.; Abo Elsoud, A. M.
Mansour, B. A.; Farag, B. S.; Khodier, S. A.
Transport properties and band structure of nonstoichiometric $Cu_{2-x}Te$.—74-04455A
Mansour, Said A.; Liedl, Gerald L.; Vest, Robert W.
Microstructural developments and dielectric properties of rapid thermally processed PZT thin films derived by metallorganic decomposition.—74-06424A
Mansurova, E. P. See Adylov, G. T.
Mantel, T. D. See Gadgil, P. K.
Mantel, T. D.
Plasma etching of electronic materials.—74-06264A
Mantel, D. G.
Investigation into the hydraulic activity of five granulated blast-furnace slags with eight different portland cements.—74-05862A
Manthiram, A.; Bourell, D. L.; Marcus, H. L.
Nanophase materials in solid free-form fabrication.—74-01812A
Manthiram, A.; Zhu, Y.-T.; Dananjay, A.
New route for the synthesis of reduced transition metal oxides using borohydrides.—74-10494A
Manthiram, A.; Zhu, Y.-T.
Synthesis of WC-Co nanocomposites using polymer as carbon source.—74-08281A
Mantyla, T. See Bruckner, J.; Helanti, V.
Manuel, R.; Yung, E.
Metal seated ball valves with carbide coatings.—74-08233A
Manysheva, E. A. See Zubekhin, A. P.
Mao, Hong-Wei See Tan, Qi-Guang
Mao, S.-N. See Jiang, Wu
Mao, S.-N.; Xi, X.-X.; Li, Qi
Superconducting and structural properties of $Nd_{2-x}33Ce_xCuO_{4-y}$ thin films on perovskite and fluorite substrates.—74-09346A
Mao, Sen; Lin, Fu-Cheng; Meng, Zhi-Cong
Absorption spectrum of optical glass doped with fullerenes.—74-02509A
Mao, Y.; Krier, A.
Energy band offsets and electroluminescence in *n*-$InAs_{1-x}Sb_x$/N-GaSb heterojunctions grown by liquid phase epitaxy.—74-02998A
Mao, Zhi-Qiang See Tian, Ming-Liang; Yao, Lian-Zeng; Wang, Dong-Fang
Maoujoud, M.; Kons, P.; Jardinier-Offergeld, M.; Bouillon, F.
c-growth of dc-sputtered Mo and W thin films.—74-00461A
Maple, M. B. See Jardim, R. F.; Sun, A. G.
Mar, S. Y.; Liang, J. S.; Sun, C.-Y.; Huang, Y.
Grain-boundary scattering in ruthenium dioxide thin films.—74-01390A
Maracas, G. N. See Cody, Jeffrey G.; Droopad, Ravi; Gerber, D. S.; Kuo, C. H.
Marage, P.; Langlet, M.; Joubert, J. C.
New route for the deposition of SiO_2 sol-gel coatings.—74-01814A
Marande, R. See Pannaparayil, T.
Marc, J. L.; Grainer, W.; Pradel, A.
Preparation of II-VI semiconductor nanocrystallites in a glass matrix using chalcogenizing agent: application to CdSe.—74-09010A
Marcelli, N. See Chaboy, J.
Marcenat, F. See Legras, R.
Marchal, Gerard
Grinding energy and plant throughput improvement.—74-08035A
Marchant, David D.; Stangle, Timothy K.
Using failure mode and effects analysis in new glaze introduction.—74-08713A; Using FMEA in new glaze introduction.—74-08714A
Marchello, Joseph M. See Baucom, Robert M.
Marchenko, V. I. See Get'man, E. I.
Marcheselli, Giancarlo See Polini, Riccardo
Marchet, P.; Champeaux, C.; Mercurio, J. P.; Catherinot, A.
High-temperature superconducting thin films—correlation between properties and deposited parameters.—74-09286A
Marchetti, P. S. See Interrante, Leonard V.
Marchuk, E. A. See Livshits, V. Ya.
Marchywka, M. See Binari, S. C.
Marcias, M. See Sanchez-Soto, P. J.
Marco, J. See Algarra, J. M.; Caballer, V.
Marco, J.; Donate, C.; Snachez, E.
Interaction between soluble salts and ceramic wall and floor tiles.—74-05815A
Marco, P. See Gaffet, E.
Marcolongo, M. See Duchеyne, P.
Marcos, M. D. See Amoros, P.
Marcus, B. See Ababou, A.; Fayette, L.
Marcus, H. L. See Jakubenas, Kevin; Manthiram, A.
Marcus, H. L.; Eliezer, Zwy; Fine, Morris E.
Method of making copper-titanium nitride alloy.—74-00174P
Marcus, R. B. See Liu, D.
Marcus, Steven D.; Foster, R. F.
Characterization of low pressure chemically vapor deposited tungsten nitride films.—74-01499A
Mardirosova, I. V. See Vassel, N. P.
Mardosevich, G. A. See Tropin, Yu. D.
Mare, G. N.; Glavin, G. G.; Zheleznova, A. A.
Atomic fluorescence analysis of high-temperature superconducting materials based on yttrium, barium, and copper.—74-06491A
Marenkin, S. F.
Phase diagrams of the ternary systems $Zn(Cd)$-A^{III}-B^{V}.—74-04178A
Mares, J. J.; Oswald, J.; Kristofik, J.
Stability of a single δ layer in GaAs.—74-03223A
Marest, G. See Thimon, F.
Marfil, S.A.; Maiza, P.J.
Zeolite crystallization in portland cement concrete due to alkali-aggregate reaction.—74-00406A
Marginean, P. See Palibroda, E.
Margulies, D. T.; Parker, F. T.; Spada, F. E.
Anisotropy in epitaxial Fe_3O_4 and $NiFe_2O_4$ thin films.—74-09195A
Maria, J.-P.; Kiggans, J. O.; Tiegs, Terry N.; Nunn, S. D.
Gel casting of sintered reaction-bonded silicon nitride for improved mechanical properties.—74-10367A
Mariarka, A. See Dyczek, Jerzy
Marigo, Antonio See Battiston, Giovanni
Marinaro, Douglas E. See Roopchand, Brijmohan J.
Marine, W. See Tokarev, V.
Marine, W.; Tokarev, V.; Gerri, M.; Sentis, M.; Fogarassy, E.
Ablation dynamics of silicon-based targets in oxygen and nitrogen atmospheres.—74-05063A
Marinelli, M. See Balestrino, G.
Mariner, John T.
Boron nitride vaporization vessel.—74-09905P
Marinkovic, Slobodanka; Kostic-Pulek, Aleksandra; Tomanec, Rudolf
Advanced method for α-hemihydrate production.—74-04471A
Marinos, J. See Ftikos, C.

Mariotto, Gino See Freire, F. L., Jr.; Soraru, Gian Domenico

Mariotto, Gino; Freire, F. L., Jr.; Achete, C. A.
Raman spectroscopy on nitrogen-incorporated amorphous hydrogenated carbon films.—74-05227A

Mariotto, Gino
Optical properties of transition-metal and rare-earth ions in beta aluminas.—74-01554A

Mariucci, L. See Pecora, A.

Mariwala, Ravindra K. See Foley, Henry C.

Mark, J. E. See Ahmad, Z.

Mark, J. E.; Calvert, Paul D.
Biomimetic, hybrid, and in situ composites.—74-04486A

Markeev, A. M. See Fominski, V. Yu.

Markert, J. T. See Edwards, H. L.

Markevich, I. V. See Drozdova, I. A.

Markham, James R.; Cosgrove, Joseph E.; Carangelo, Martin D.; Solomon, Peter R.; Best, Philip E.
Temperature profiling of glass by FTIR emission spectroscopy.—74-02591A

Markiewicz, Robert S. See Zhang, Xin-Yu

Markl, J. See Brandl, D.; Schindler, W.

Markle, John K. See Picard, William G.

Markov, L. S.; Fedorov, D. L.
Elementary excitations in crystals with unidimensional disorder.—74-04309A

Markov, Lyudmil G. See Stavrev, Starvri Y.

Markov, V. N. See Veisman, V. L.

Markova, I. V.
Precise determination of copper in high-temperature superconductor samples by potentiostatic coulometry.—74-00841A

Markovic, Milenko; Fowler, Bruce O.; Brown, Walter E.
Octacalcium phosphate carboxylates: V, Incorporation of excess succinate and ammonium ions in the octacalcium phosphate succinate structure.—74-09793A

Markovich, V. I. See D'yakonov, V. P.

Markovich, V. I.; Doroshenko, N. A.; D'yakonov, V. P.
Electrical and magnetic properties of $DyBa_{2-x}Sr_xCu_3O_{7-\delta}$ system [x=0.5 and 1].—74-03454A

Markovitz, M. A. See Chow, G.

Marks, J. See Givens, J.

Marks, N. A. See McKenzie, D. R.

Markvart, Tomas See Peters, Jan

Marletta, G. See Bertoti, I.

Marlow, Mark
Near-infrared solution to moisture measurement in ceramics.—74-09585A

Marnier, G. See Feve, J. P.

Maroni, Victor A. See Dorris, Stephen E.; Luo, Jian-Shu

Marotta, V. See Giardini-Guidoni, A.; Teghil, R.

Maroulis, Z. B.; Saravacos, G. C.
Thermophysical properties of concrete as a material for solar energy storage.—74-08111A

Marquart, Todd A. See Klemperer, Walter G.

Marques, F. M. B. See Abrantes, J. C. C.; Labrincha, J. A.; Marques, R. M. C.; Pais, T. F.

Marques, R. M. C. See Colomer, M. T.

Marques, R. M. C.; Frade, J. R.; Marques, F. M. B.
Mixed conduction in zirconia-based solid solutions.—74-02851A

Marquez, C. See Sepulveda, A.

Marquez, E. See Dominguez, M.; Ramirez-Malo, J. B.

Marquina, E.; Garcia, J.; Mondragon, M. A.
Uv light effect in α-Al_2O_3:C gamma dosimeters.—74-01128A

Marquis, P. M. See Healey, L. M.; Illson, T. J.

Marquis, P. M.
Sol-based processing in high-performance ceramics.—74-04900A

Marra, James C.; Andrews, Mary K.; Schumacher, Ray F.
Vitrification in the presence of molten salts.—74-09422A

Marra, James C.; Bibler, Ned E.; Harbour, John R.; Tosten, Michael H.
Transmission electron microscopy of simulated DWPF high-level nuclear waste glasses following gamma irradiation.—74-09421A

Marra, Robert A. See Belitskus, David L.

Marrian, C. R. K. See Dobisz, E. A.

Mars, D. E. See Houng, Y. M.

Marsden, Malcolm
Ceramic capacitor arrays—a new approach.—74-08725A

Marsden, P. J. See Johnston, C.

Marsh, J. H. See Gontijo, I.

Marshall, David B. See Cox, B. N.; De Wames, Roger E.; Morgan, Peter E. D.; Shaw, M. C.

Marshall, David B.; Ratto, Joseph J.
Crack resistance curves in layered Ce-ZrO_2/Al_2O_3 ceramics.—74-02111A

Marshall, J. M. See Dyer, T. E.

Marshall, J. See Flaherty, E. T.

Marshall, K. See Chatrathi, K.

Marshall, Richard See Al-Chalabi, Rifat

Marshall, T. See Li, L. K.

Marshall, T.; Petruzzello, J.; Herko, S. P.; Gaines, J. M.; Ponzoni, C.
Electrical transport in *n*-type ZnMgSSe grown by molecular beam epitaxy on GaAs.—74-02989A

Marten, A.; Knofel, Dietbert; Strunge, J.
Quantitative structure analysis via image analysis—a suitable tool for quality control of portland cement clinker.—74-09503A

Martens, Jon S. See Ginley, David S.

Martens, Jon S.; Sorensen, N. R.; Ginley, David S.
Novel millimeter wave corrosion detection method.—74-01091A

Marti, Joaquin See Enrique, Jose E.

Marti, M. C.; Cantavella, V.; Monros, G.
Effect of aging gels obtained from alkoxides on the stability of nanocomposite of tetragonal zirconia in silica matrix.—74-04566A

Martin, B. See Prewett, P. D.

Martin, C. A.; Talmy, I. G.
High-temperature mechanical properties of phosphate-bonded ceramics.—74-11020A

Martin, C.; Hervieu, M.; Van Tendeloo, G.
Hg-based cuprate with the "2212" structure: $Hg_{2-x}(Cu,Pr)_xBa_2PrCu_2O_{8-\delta}$.—74-09283A

Martin, J. M. See Le Mogne, T.

Martin, J. See Arendt, P.

Martin, L. J.; Goretta, K. C.; Joo, J.
Mechanical properties of BiSrCaCuO/Ag superconductors.—74-00824A

Martin, L. See Tcheliebou, F.

Martin, M.; Mader, W.; Fromm, E.
Oxidation of iron, aluminum, and titanium films in the temperature range 50-200°C.—74-07822A

Martin, P. A.; Ballingall, J. M.; Ho, P.; Rogers, T. J.
Photoluminescence evaluation of pseudomorphic high electron mobility transistor device wafers.—74-06258A

Martin, P. J.; Bendavid, A.; Swain, M.; Netterfield, R. P.; Kinder, T. J.; Sainty, W. G.
Properties of thin films of tantalum oxide deposited by ion-assisted deposition.—74-04851A

Martin, Rachel D.; Beeston, Mark A.; Unwin, Patrick R.
Rotating-disk electrode voltammetry as a probe of adsorption rates on solid particles in liquids: application to Zn^{II} adsorption at the hydroxyapatite/aqueous interface.—74-09613A

Martin, Scot T.; Hermann, H.; Choi, Woo-Yong
Time-resolved microwave conductivity: I, TiO_2 photoreactivity and size quantization.—74-09069A

Martin, Scot T.; Hermann, H.; Hoffmann, Michael R.
Time-resolved microwave conductivity: II, Quantum-sized TiO_2 and the effects of adsorbates and light intensity on charge-carrier dynamics.—74-10701A

Martin, Stephen J. See Granstaff, Victoria Edwards

Martin, Steve W.; Bhatnagar, Ajay; Parameswar, Chitra; Feller, Steve; MacKenzie, Joshua
^{29}Si MAS-NMR study of the short-range order in potassium borosilicate glasses.—74-02429A

Martin, Wolfram See Durrwalchter, Eugen

Martin-Martinez, J. M.; Mittelmeijer-Hazeleger, M. C.
n-nonane preadsorption as a tool to understand the mechanism of CO_2 adsorption in activated carbons.—74-10053A

Martin-Sanchez, Juan M. See Diez Santiago, Gonzalez

Martinengo, P. C. See Martinetti, R.

Martinetti, R.; Martinengo, P. C.; Ravaglioli, A.
Ceramic prototypes for medical applications.—74-06958A

Martinez-Fernandez, J.; Jimenez-Melendo, M.; Dominguez-Rodriguez, A.
Dependence of the phase content and orientation on the high-temperature mechanical properties of yttria partially stabilized single crystals.—74-07857A

Martinez, J. A. See Rivas, Patricia C.

Martinez, J. C.; Van der Linden, P. J. E. M.; Bulaevskii, L. N.
Equilibrium magnetization of a $Bi_2Sr_2CaCu_2O_x$ single crystal measured up to 20 T.—74-04312A

Martinez, M. R. See Barba, M. F.

Martinez, M.; Davidge, R. W.; Riley, F. L.
Wet erosive wear of ceramics.—74-07937A

Martinez, O. E. See Prasad, M.

Martinez, R. See Corral, M. P.; Criado, E.

Martinez, Rafael See Baudin, C.

Martinez-Canales, J. F. See Bonfil, C.

Martinez-Duart, J. M. See Perez-Rigueiro, J.

Martinez-Fernandez, J. See Behrens, G.; DeArellano-Lopez, A. R.

Martinez-Fernandez, J.; Jimenez-Melendo, M.; Dominguez-Rodriguez, A.; Behrens, G.; Heuer, Arthur H.
Stability of tetragonal precipitates in Y_2O_3 partially stabilized ZrO_2 single crystals.—74-01461A

Martinez-Fernandez, J.; Jimenez-Melendo, M.; Dominguez-Rodriguez, A.
High-temperature precipitation hardening of Y_2O_3 partially stabilized ZrO_2 (Y-PSZ) single crystals: II, A quantitative model for the hardening.—74-02155A

Martinez-Herrera, Jorge I.; Derby, Jeffrey J.
Analysis of capillary-driven viscous flows during the sintering of ceramic powders.—74-06736A; Viscous sintering of spherical particles via finite element analysis.—74-04979A

Martini, K. M. See Swan, A.

Martini, M.; Spinolo, G.; Vedda, A.
Phosphorescence and thermally stimulated luminescence of amorphous SiO_2.—74-06253A

Martini, T. See Reisse, G.

Martino, R. See Giardini-Guidoni, A.

Martinovich, E. F. See Mironov, V. P.

Martins, C. S. See Hoffmann, M.

Martinsen, R. J. See Harrison, J.

Martinu, L.; Raveh, A.; Boutard, D.
Properties and stability of diamondlike carbon films related to bonded and unbonded hydrogen.—74-10023A

Martirosyan, R. M. See Avakyan, A. A.

Marton, D. See Boyd, K. J.; Todorov, S. S.

Marty, M. See Scafidi, P.

Martynova, L. F. See Slovyanskikh, V. K.

Martynovich, E. F. See Baryshnikov, V. I.

Martys, Nick See Skamser, Daniel J.

Marucco, J. F. See Legros, C.

Maruf, M. See Kutvitskii, V. A.

Maruno, S. See Nowak, R.

Marushkin, K. N.; Nipan, G. D.
Phase equilibria in the system ZrO_2-HfO_2.—74-01430A

Marusin, S. L.
Simple treatment to distinguish alkali-silica gel from delayed ettringite formations in concrete.—74-05584A

Maruta, Ryo; Makita, Atsuya; Ohshima, Kenichi
Local structure of intercalants in layered compound $Cu_{0.15}Ti_{1.06}S_2$.—74-02010A

Maruyama, Benji See Morrish, Arthur A.

Maruyama, Fumio; Nagai, Hiroyuki; Adachi, Kengo
NMR study of $(Y_{1-x}Sm_x)_2Co_{14}B$ compounds.—74-05202A

Maruyama, Garcia H. See Chaboy, J.

Maruyama, H. See Nogami, G.; Qiu, Hong

Maruyama, T. See Kodaira, S.

Maruyama, T.; Arai, S.
Electrochromic properties of tungsten trioxide thin films prepared by chemical vapor deposition.—74-07288A

Maruyama, Toshiro; Morishita, Tomonori
Tin dioxide thin films prepared by photochemical vapor deposition from tin(II) acetate.—74-07538A

Marvin, Dan
Supplier quality management [SQM] for ceramic industries.—74-11192A

Marwan, Friedrich See Winter, Ernst

Marx, U.; Hubner, T.; Abicht, P.
Temperature-dependent cathodoluminescence spectroscopy and microscopy and analytical electron microscopy of $BaTiO_3$-based PTC ceramics.—74-04441A

Marynowski, M. See Swan, A.

Maryska, Martin See Blaha, Jindrich

Marzin, J.-Y.; Bastard, G.
Calculation of the energy levels in InAs/GaAs quantum dots.—74-08832A

Marzin, J.-Y.; Gerard, J.-M.; Izrael, A.
Photoluminescence of single InAs quantum dots obtained by self-organized growth on GaAs.—74-06260A

Masai, J.; Shibata-Seki, T.; Seki, K.; Mori, K.; Yamauchi, H.; Sasaki, K.
Surface characterization of flexible magnetic disk with scanning probe microscopy.—74-07769A

MaSaitis, R. L. See Ibudunni, A. O.

Masakazu, Hayashi See Toshiyuki, Nagao

Masaki, Takaki See Oishi, Manabu

Mascarenhas, A. See Sinha, K.

Mascarin, A. E. See Dieffenbach, J. R.

Mascart, Monique See Descamps, Michel

Mascher, P. See Boudreau, Marcel; Pang, Zheng-Da; Zhong, J.

Mase, M. See Nagaoka, T.

Maser, Karl
Numerical models for predicting tracer profiles in silicon double-oxidation experiments[—comment].—74-10920A

Maserjian, J. See Thakoor, Sarita

Mashimo, Masaaki See Sakai, Etsuo

Mashir, Yu. I.
Conditions of evaporation of copper and cadmium compounds from a photochromic glass melt.—74-02607A

Mashiyama, Hiroyuki See Shigematsu, Hirotake

Mashovets, D. V. See Smirnov, D. V.

Mashuga, A. I. See Zhitar, V. F.

Masi, C. G.
Water quality monitoring aids industrial pollution control.—74-03888A

Maskara, A. See Stein, D. J.

Maskara, A.; Smith, D. M.
Factors affecting strength of agglomerates formed during spray drying of nanophase powders.—74-10354A

Maslehuddin, M. See Al-Amoudi, O.

Maslov, A. V. See Afanasiev, A. M.

Masnari, N. A.
Single wafer process integration for submicron structures.—74-06316A

Mason, M. G.; Hansen, J. C.
Scanning tunneling microscopy studies of thin-film AgBr on Au(111).—74-05241A

Mason, Mark E. See Legg, James D.

Mason, R. B.; Tite, M. S.
Beginnings of Islamic stonepaste technology.—74-02294A

Mason, Stephen
Method of manufacturing a hollow silicon carbide fiber reinforced silicon carbide matrix component.—74-09939P

Mason, Thomas O. See Cooper, Elizabeth A.; Wu, Yue

Masood, Irshad; Agarwal, S. K.; Sinha, U. N.
Effect of various admixtures on the particle size distribution of cement determined with the aid of laser particle analysis.—74-05503A

Masood, Irshad; Agarwal, S. K.
Effect of various superplasticizers on rheological properties of cement paste and mortars.—74-05504A

Massaccesi, S.; Roquette-Sanchez, S.; Vedel, J.
Cathodic deposition of copper selenide films on tin oxide in sulfate solutions.—74-01625A

Massaglia, Viviano
Utilization of alternative combustibles in the tile and brick industry.—74-09725A

Masse, G.; Djessas, K.
Thermodynamical study of the preparation of $CuInSe_2$ thin films in vertical closed tube systems.—74-01920A

Massiot, Dominique See Bonafous, Laurent; Jaymes, Isabelle

Massiot, Dominique; Dion, Pascal; Alcover, Jean Francois; Bergaya, Faiza
^{27}Al and ^{29}Si MAS NMR study of kaolinite thermal decomposition by controlled rate thermal analysis.—74-09966A

Massol, Jean-Jacques See Combes, Pierre

Massor, Michel
Ionic conducting glasses—properties and applications[—review].—74-05724A

Massoud, H. Z. See Conrad, K. A.

Massuda, Mona See Pilgrim, Steven M.

Masterov, V. F. See Nasredinov, F. S.

Masterov, V. F.; Isaev-Ivanov, V. V.; Patrina, I. B.
New ESR spectrum in the Y-Ca-Ba-La-Cu-O high-T_c superconductor system.—74-06594A

Masuda, A. See Isozaki, T.; Saito, Y.

Masuda, H. See Mochizuki, K.

Masuda, Masahiro; Kuroshima, Tasuyuki; Chujo, Yoshiteru
Failure of tungsten carbide–cobalt alloy tools in machining of carbon materials.—74-01518A

Masuda, Masahiro; Sato, Teisuke; Kori, Tomonari; Chujo,

Yoshiteru
Cutting performance and wear mechanism of alumina-based ceramic tools when machining austempered ductile iron.—74-08156A
Masuda, Sumihasa See Maeda, Hideaki
Masuda, T.; Mukai, S. R.; Hashimoto, K.
New method for continuously producing long vapor-grown carbon fibers at high growth rates.—74-04773A
Masuhara, Hiroshi See Sugimura, Hiroyuki
Masui, K. See Nomura, T.
Masuko, Noboru See Mitsuda, Yoshitaka
Masumi, Taizo See Shimada, Hiroshi
Masumi, Taizo
Superconductive photoconductive substance of the Ba-Pb-Bi-O group system and a method for producing the same.—74-03667P
Masumoto, K. See Abe, S.
Masumoto, Tsuyoshi See Masumoto, Ysuyoshi
Masumoto, Yasuaki See Yamamoto, Aishi
Masumoto, Yasuaki
Optical properties and new functionalities of semiconductor nanocrystals embedded in host crystals and glasses.—74-08986A
Masumoto, Ysuyoshi; Inoue, Akihisa; Yamagata, Hiroshi; Inoue, Akihisa; Masumoto, Tsuyoshi
Hard wear-resistant film and method for production thereof.—74-02418P
Masut, R. A. See Tran, C. A.
Masyukova, N. I.; Farberovich, O. V.
Theoretical study of electronic structure and electrophysical properties of samarium monosulfide.—74-04443A
Matacotta, F. C. See Jiang, Q. D.
Mate, C. Matthew
Nanotribology studies of carbon surfaces by force microscopy.—74-01545A
Matejec, Vlastimil See Kubeckova, Marta; Sedlar, Miroslav
Matez, Jiri
Ten years of the melting of lead glasses with low-frequency current.—74-02661A
Mather, R. T. See Pool, F. S.
Mather, Scott A.; Davies, Peter K.
Nonequilibrium phase formation in oxides prepared at low temperature: fergusonite-related phases.—74-10012A
Mathews, Dale J.; Miele, Philip F.; Dornfeld, Edmund G.
Acidic glass fiber binding composition, method of use and curable glass fiber compositions.—74-02666P
Mathews, Viju K.
Barrier process for Ta_2O_5 capacitor.—74-03264P
Mathieu, Hans Jorg See Gauzzi, Andrea
Mathine, David L. See Cody, Jeffrey G.
Mathiot, Alain See David, Patrick
Mathis, B. S. See Bonnot, A. M.
Mathis, B. S.; Bonnot, A. M.
Elastic scattering of light and reflectivity development during low-pressure diamond film growth.—74-10320A
Mathis, Timothy G. See DeGreve, Stanley C.
Mathuni, J. See Pamler, W.
Mathur, R. B.; Mittal, J.; Bahl, O. P.
Characteristics of $KMnO_4$-modified PAN fibers: its influence on the resulting carbon fibers' properties.—74-07220A
Matikas, Theodore E. See Karpur, Prasanna
Matikas, Theodore E.; Karpur, Prasanna
Micromechanics approach to characterize interfaces in metal matrix and ceramic matrix composites.—74-09581A
Matkovic, Boris See Sun, G.-K.
Matkovic, Boris; Mikoc, Miroslav; Young, J. Francis
Developing strength in belite mortars.—74-05489A
Matkovskii, A. O. See Dovgii, Ya. O.
Matkowsky, B. J. See Shkadinsky, K. G.
Matossian, Jesse N.
Plasma ion implantation at Hughes Research Laboratories.—74-03722A
Matson, D. W.; Linehan, J. C.; Bean, R. M.
Ultrafine iron oxide powders generated using a flow-through hydrothermal process.—74-07541A
Matson, Lawrence E. See Sayir, Ali
Matsubara, Hideaki See Kanzaki, Shuzo
Matsubara, Ichiro; Tanigawa, Hideo; Ogura, Toru; Yamashita, Hiroshi; Kinoshita, Makoto
Single crystalline fibrous superconductive composition and process for preparing the same.—74-03662P
Matsubara, K. See Miki, T.
Matsubara, Kenichi See Nobuhara, Keiichi
Matsubara, Motonari See Ohkawa, Hideki
Matsuda, Hideaki See Ishihara, Tatsumi
Matsuda, Motohide; Ogawa, Yoshihisa; Aihara, Yasuhiko
Microstructure and superconducting properties of highly dense $Ba_2RCu_4O_8$ (R=rare earth) ceramics by two-stage sintering.—74-03525A
Matsuda, Motohide; Yamashita, Kimihiro; Umegaki, Takao
Novel Hg system high-T_c superconductor (HTSC) with Ca.—74-09312A
Matsuda, Osamu See Inoue, Koichi
Matsuda, Y. See Tsui, Ophelia K. C.
Matsuda, Yukihisa See Oishi, Manabu
Matsuhiro, K.; Miwa, S.
Ceramic valves in automobile construction of tomorrow.—74-06684A
Matsuhisa, Makoto See Soeda, Koichi
Matsui, Akio See Yanagida, Hiroaki
Matsui, Jin-Joo; Komura, Osamu; Yamakawa, Akira; Miyake, Masaya
Silicon nitride composite sintered body and process for producing the same.—74-09960P
Matsui, Jin-Joo; Yamakawa, Akira
Silicon nitride composite sintered body and process for producing same.—74-04088P
Matsui, Koji; Suzuki, Hajime; Ohgai, Michiharu; Arashi, Haruo
Raman spectroscopic studies on the formation mechanism of hydrous zirconia fine particles.—74-01447A
Matsui, Shinji See Watanabe, Heiji
Matsui, Y. See Miki, T.
Matsukiyo, H. See Rave, R.
Matsukura, Nobuki See Shimada, Yoshihito
Matsumae, Yoshiaki See Iwasaki, Tatsuya
Matsumoto, Akio; Nishikawa, Toshiya
Vitreous china, method for preparing the vitreous china, sanitaryware produced therefrom and glaze therefor.—74-02819P
Matsumoto, Koji See Hibino, Hiroshi
Matsumoto, Masafumi See Kimura, Osamu
Matsumoto, O. See Aoyama, K.; Kotaki, T.; Moriwaki, Takayuki
Matsumoto, O.; Kotaki, T.; Shikano, H.
Synthesis of carbon nitride in plasma arc.—74-07512A
Matsumoto, Roger L. K. See Lukacs, Alexander III
Matsumoto, S. See Laimer, J.
Matsumoto, Seiichiro See Hirabayashi, Kenji
Matsumoto, T. See Ogasawara, T.
Matsumoto, Tsuyoshi See Kimura, Hisamichi
Matsumoto, Y. See Hirata, G. A.
Matsumoto, Yoshiyuki; Ogura, Kiyoshi
Phenomenological dynamical theory of KH_2PO_4 in paraelectric phase.—74-00761A
Matsumura, Masahiro; Nishiyama, Seiya; Iwamoto, Yuji
Temperature dependence of the sublattice magnetization measured by Cu NMR in quasi-two-dimensional antiferromagnet $YBa_2Cu_3O_{6.1}$.—74-01589A
Matsumura, Masakiyo See Gasser, Werner
Matsumura, Sadao
Fabrication of single-crystal substrates for surface acoustic wave devices.—74-09141A
Matsumura, Yoshiaki See Ishigame, Juji
Matsumura, Yoshiaki; Ishigame, Juji; Kudoh, Yasuhito
Development of crystallizable glass for low-temperature cofired ceramic substrates with high performance.—74-08413A
Matsunaga, Noboru; Azeyanagi, Kazuyoshi; Sogaishi, Ichirou; Katakura, Takeo; Ueda, Yoshihisa; Ohsawa, Takaaki
Method of making bone implants.—74-01262P
Matsunaga, Osamu See Kakegawa, Kazuyuki
Matsunami, Hiroyuki
Growth and application of cubic SiC.—74-10373A
Matsuno, Takashi; Sakurai, Kiyoko; Koishi, Masumi
Evaluation of homogeneity for sintered hydroxyapatite by CT values.—74-07304A
Matsunuma, Kenji See Nishioka, Takao
Matsunuma, Kenji; Nishioka, Takao; Yamamoto, Takehisa; Yamakawa, Akira
Adjusting shim.—74-04026P
Matsuo, Katsuyoshi See Ebato, Kouichi
Matsuo, Tadateru See Yamamura, Takashi
Matsuoka, Jun See Kamiya, Kanichi; Kitamura, Naoyuki; Okamoto, Hideki; Wada, M.
Matsuoka, T.; Yoshimoto, N.; Sasaki, T.; Katsui, A.
Wide-gap semiconductor InGaN and InGaAlN grown by MOVPE.—74-06382A
Matsuoka, Tomizo; Takeda, Mamoru; Kobayashi, Ikunori
Method of making thin film transistors.—74-00239P
Matsushita, M. See Ishii, Tsukasa
Matsuura, Kiyotaka See Hamada, Kazuyuki
Matsuura, N. See Amm, D. T.
Matsuura, Takahiro See Nakahata, Seiji; Sogabe, Kouichi
Matsuura, Takashi See Tanaka, Saburo
Matsuura, Tsukasa; Uchizawa, Manabu
Wear behavior of thin film heads for VCR in sliding with metal evaporated tapes.—74-08293A
Matsuura, Yasayuki See Kumagai, Naoaki
Matsuya, Toshikatsu See Nishimura, Hiroyuki
Matsuzaki, K.; Hirabayashi, A.; Saga, M.
Characterization of reactively sputtered silicon nitride.—74-04504A
Matt, R. See Frei, H.
Matteazzi, Paolo
Nanocomposite and nanophase materials synthesized with mechanical energy.—74-00961A
Mattei, Giorgio See Polini, Riccardo
Mattern, N. See Doyle, S. E.; Teresiak, A.
Matthai, C. C. See Morris, S. J.
Matthais, E. See Kading, O. W.
Matthe, P. See Rossberg, Andreas
Matthews, A. See Bounouh, Y.; James, A. S.
Matthews, A.; Eskildsen, Svend S.
Engineering applications for diamondlike carbon.—74-04014A
Matthews, J. D. See Thomas, M. D.
Matthews, S. J. See Khela, S.
Matthias, E. See Kading, O. W.
Matthiesen, Mary M. See Jayne, Douglas T.
Mattos, L., Jr.; Clare, Alexis G.
Crystallization and optical properties of gallium cerium lanthanum sulfide glass.—74-04121A
Matukawa, Koei; Kataoka, Masayuki; Morinushi, Ken
Effect of pulsed laser annealing on wear and corrosion properties of electroless Ni-P plating.—74-08176A
Matveev, O. A. See Karpenko, V. P.
Matveev, O. M.; Terent'ev, A. I.
Self-compensation of the intrinsic conduction region of CdTe:Cl under conditions of two-phase equilibrium in a crystal-gas system.—74-01453A
Matveev, S. V. See Kadik, A. A.
Matveeva, N. Yu. See Bashirov, R. I.
Matvilchuk, V. N.; Panichkina, V. V.
Application of high-energy grinding for the activation of sintering of silicon nitride powder.—74-01617A
Matyi, R. J. See Chapek, D. L.; Wang, V. S.
Matz, N. See Besold, J.
Maugendre, Stephane; Dubois, Bernard
Process of production of a glass intended to be transformed into continuous or stable fibers.—74-00348P
Maung, S. See Butler, S. W.; Duncan, W. M.
Maupas, Helene See Kervadec, Dominique
Maupas, Helene; Maline, M.; Chermant, J. L.
Process, microstructure, and mechanical properties of SiC-TiC-C nanocomposites.—74-07908A
Maupin, G. D. See Chick, L. A.
Maus, Stephen A.; Lasday, Stanley B.
Improving control of thermal processes with new system enhances equipment performance and work quality.—74-06780A
Mawby, P. See Gault, M.
Maxwell, K. L. See Tipton, G. D.
Maxwell, Robert; Eckert, Hellmut
Chemical equilibria in glass-forming melts: high-temperature ^{31}P and ^{77}Se NMR of the phosphorus-selenium system.—74-02437A
Maxwell-Cook, Paul
Cement industry solutions at your fingertips.—74-07999A
May, P. W. See Cock, Alex M.; Partridge, Peter G.; Rego, C. A.
May, P. W.; Rego, C. A.; Thomas, R. M.; Ashfold, M. N. R.; Rosser, K. N.; Everitt, Nicole M.
CVD diamond wires and tubes.—74-05410A
May, P. W.; Rego, C. A.; Trevor, C. G.; Williamson, E. C.; Ashfold, M. N. R.; Rosser, K. N.
Deposition of diamond films on sapphire—studies of interfacial properties and patterning techniques.—74-07627A
Maya, Leon
Deposition of a-SiC:H using organosilanes in an argon/hydrogen plasma.—74-08854A; Deposition of amorphous hydrogenated silicon carbide films using organosilanes in an argon/hydrogen plasma.—74-04540A
Mayberry, J. See Singh, Dileep
Mayboroda, T. I. See Strakhov, Yu. M.
Maydan, Dan See Law, Kam S.
Maydell, E. A.; Dunlop, E.; Haupt, J.
Electron energy loss study of diamondlike and amorphous carbon films.—74-10098A
Maydl, Peter; Schlogelhofer, Ferdinand
Use of short-range photogrammetry in the measurement of surface deformations of brick masonry.—74-03886A
Mayer, B. See Alff, L.
Mayer, J. T.; Garfunkel, E.
Nickel diffusion and silicide island formation on silicon(111).—74-05201A
Mayer, J. W. See Levine, Timothy E.; Li, J.; Nastasi, M.; Vizkelethy, G.
Mayer, J. See Strecker, A.
Mayer, J.; Gutekunst, G.; Mobus, G.; Dura, J.; Flynn, C. P.; Ruhle, Manfred
Structure and defects of MBE-grown Nb-Al_2O_3 interfaces.—74-10034A
Mayers, E. J. See Smith, G. O.
Maynard, L.; Venkatesan, V.; Von Vindheim, J. A.; Thompson, D. G.
Application of ion-assisted electron beam metallization to diamond electronics.—74-00459A
Mayo, M. J. See Cross, T. H.; Hague, D. C.
Mayo, M. J.; Hague, D. C.
Porosity–grain growth relationships in the sintering of nanocrystalline ceramics.—74-01838A
Mayo, Santos See Lowney, Jeremiah R.
Mayr, P. See Klumper-Westkamp, H.
Mayr, Walter See Lauter, Josef
Mays, T. J.; McEnaney, Brian
Review of methods of quantitative optical microscopy for characterizing macropores in carbon materials.—74-03863A
Mayur, A. J.; Sciacca, M. Dean; Miotkowski, I.
Local modes of substitutional transition metal ions in II-VI semiconductors.—74-06180A
Mazaev, A. A. See Grishin, A. M.
Mazanek, J.; Von Gizycki, U.; Khwaja, Z.
Control of mold plaster properties using organic additives.—74-08668A; Control of spray granulate properties using organic additives.—74-09443A
Mazdiyasni, Khodabakhsh S. See Chen, Kuo-Chun
Mazerolles, L. See Michel, D.
Mazhukin, V.; Smurov, I.; Flamant, G.; Dupuy, C.
Peculiarities of laser melting and evaporation of superconducting ceramics.—74-03551A
Mazo, L. See Cherradi, A.
Mazot, P. See Poutrot, S.
Mazumdar, Chadan See Nagarajan, R.
Mazumdar, T. K. See Lee, Bo
Mazur, R. G. See Heddleson, J. M.; Le Dudal, Roger; Weinzierl, S. R.
Mazur, Ursula See Wang, X. D.
Mazurenko, D. M. See Mintairov, A. M.
Mazurenko, V. G.; Kortov, V. S.
Nature of quasi-local vibrational modes in $YBa_2Cu_3O_7$ crystals with oxygen vacancies.—74-05038A
Mazurin, O. V. See Kostok, G. K.; Kostuk, G. K.
Mazurina, E. K. See Evstrop'ev, S. K.
Mazzuca, Anthony R.
Optimizing the porcelain enameling process to achieve ideal processing conditions.—74-00136A
McAnany, William J. See Wu, X. L. Kevin
McCabe, A. R.; Jones, A. M.; Bull, S. J.
Mechanical properties of ion-beam-deposited diamondlike carbon on polymers.—74-04358A
McCaffrey, J. P. See Chatenoud, F.; Denhoff, M. W.; Lu, Z.-H.
McCallen, Celeste L. See Readey, Michael J.
McCallum, J. C. See White, C. W.
McCallum, R. W. See Kramer, M. J.
McCandlish, L. E. See Kear, B. H. Sadangi, R. K.
McCandlish, L. E.; Kear, B. H.; Bhatia, Swarn J.
Spray conversion process for the production of nanophase composite powders.—74-03777P

McCandlish, L. E.
Chemical processing of nanostructured materials.—74-01631A
McCarroll, William See Breuer, Klaus
McCarron, Eugene M., III See Jagota, Sujata
McCarter, William J.
Effects of temperature on conduction and polarization in portland cement mortar.—74-02323A
McCarthy, Anthony M.
Method for forming silicon on a glass substrate.—74-09090P
McCarthy, K. See Cordero, N.
McCarthy, M. J. See Dhir, R. K.
McCarty, K. F. See Bernardez, L. J.; Friedmann, T. A.
McCauley, Joseph J., III See Gregory, Otto J.
McCauley, Ronald A. See Pavlik, Robert S., Jr.
McCauley, Ronald A.
Corrosion of Ceramics.—74-11201B
McCauley, Thomas S. See Vohra, Yogesh K.
McClelland, R. J. See Wolfenstine, J.
McClure, Bill
ISO 9000 certification—preparation and expectations.—74-02247A
McClure, D. S. See Zhou, Z.
McClure, Michael T. See Von Windheim, J. A.
McClure, Michael T.; Von Windheim, J. A.; Glass, J. T.; Prater, John T.
Effect of native SiO_2 layer on the nucleation of diamond using a combustion flame.—74-04582A
McClurg, Gary
Fluorspar.—74-06902A
McColgan, P.; Dransfield, Graham P.; King, Dennis J.
Production and characterization of novel ceria-stabilized zirconia ceramics.—74-04845A
McColl, I. R. See Parker, T. L.
McColl, I. R.; Parker, T. L.; Goruppa, A. A.
Low-temperature plasma-assisted chemical vapor deposition of amorphous carbon films for biomedical-polymeric substrates.—74-04740A
McColliste, Howard L. See Brow, Richard K.
McColm, I. J. See Faieta-Boada, S. M.
McConnell, John See Credle, Kenneth
McCormack, M.; Jin, Sung-Ho
Progress in the design of new lead-free solder alloys.—74-02087A
McCormack, M.; Jin, Sung-Ho; Graebner, J. E.; Tiefel, T. H.; Kammlott, G. W.
Low-temperature thinning of thick chemically vapor deposited diamond films with a molten Ce-Ni alloy.—74-04742A
McCormick, Alon V. See Ng, Li-Voon
McCormick, K. L. See Tarsa, E. J.
McCoy, K. P. See Shaw, K. G.
McCoy, Michael A. See Akbas, Mehmet A.
McCracken, Derek J.; Haigh, Mike
Lithium minerals.—74-06910A
McCracken, William H.
Andalusite.—74-06881A
McCrone, Walter C.
Using the microscope...for the nonmicroscopist.—74-03887A
McCullough, C. See Deve, H. E.
McCullough, E. See Bernard, J. E.
McCullum, R. W. See Kramer, M. J.
McCune, R. C. See Kim, M. R.; Zaluzec, M. J.; Zhu, W.
McCune, R. C.; Zaluzec, L. V.; Reatherford, L. V.
Thermally sprayed self-lubricating composites from cored wires: I, Fabrication and chemistry.—74-10699A
McDaniel, Harry C.
Methods of producing durable lustrous coating on vitreous objects.—74-02818P
McDermott, I. See Turley, D. M.
McDevitt, N. T.; Zabinski, J. S.; Donley, M. S.
Use of Raman scattering to study disorder in pulsed laser deposited MoS_2 films.—74-04237A
McDonald, David R. See Emesh, Ismail T.
McDonald, K. R. See Smith, P. A.
McDougal, Tom
Portable thermometers and thermal imagers.—74-09705A; Temperature measurement and control in the cement industry.—74-03934A
McEnaney, Brian See Mays, T. J.; Neighbour, B. Gareth
McEvoy, A. J. See Van Herle, J.
McFall, W. D. See McKenzie, D. R.
McFayden, A. A.; Thomas, G.; Petrovic, John J.
Mullite whisker–molybdenum disilicide composites.—74-09880A
McGahan, W. A. See Woollam, John A.
McGarry, D. See Djuricic, B.; Pickering, Stephen
McGarry, Dennis L.
Titanium nitride diffusion barrier for platinum-coated fiberglass spinner bores.—74-08322P
McGibbon, M. M.; Browning, N. D.; Chisholm, M. F.
Atomic scale structure and chemistry of interfaces by Z-contrast imaging and electron energy loss spectroscopy in the stem.—74-10758A
McGill, T. C. See Collins, D. A.; Feenstra, R. M.
McGinn, Joseph T.; Blum, Yigal; Johnson, Sylvia M.
Interactions between crystalline Si_3N_4 and preceramic polymers at high temperature.—74-10824A
McGinn, P. J. See Balkin, D. K.; Black, M. A.; Kim, C. J.; Pavate, Vikram; Todt, V. R.; Varanasi, C.
McGrath, William R.; Tai, Yu-Chong; Yap, Markus
Micromachined silicon waveguides.—74-06206A
McGruer, N. E. See Bintz, W. J.
McGuire, G. E. See Ray, Mark A.
McHale, Anna E. See Kudesia, Rajiv
McHugh, K. M.
Materials processing with de Laval spray-forming nozzles—net-shape applications.—74-09483A
McHugh, P. Sean See Stein, Joseph L.
McIlroy, D. N. See Swanston, D. M.
McIlvain, J.
Ceramic tile.—74-00355A
McInerney, John G. See Li, Hua
McIntosh, Robert; Kuan, Tung-Sheng; Defresart, Edouard
Hydrogen fluoride vapor etching for pre-epi silicon surface preparation.—74-06140A
McIntyre, Craig
Ceramics and PTOF (pulse time of flight) microwave push level measurement reliability.—74-01047A
McIntyre, Donald A. See Stein, Joseph L.
McIntyre, L. C., Jr. See Diehl, P. E.
McIntyre, P. M. See Lee, Bo
McIntyre, Paul C. See Chang, Bertha P.; Sonnenberg, Neville
McKay, K. K. See Poler, J. C.
McKechnie, Timothy N. See Woodford, William H.
McKechnie, Timothy N.; Zimmerman, F.; Holmes, R.
Near-net shape forming of ceramic refractory composite high-temperature cartridges by VPS.—74-08623A
McKee, M. See Tompa, G. S.
McKee, R. A.; Walker, F. J.; Specht, E. D.
Interface stability and the growth of optical quality perovskites on MgO.—74-03317A; MBE growth and optical quality of $BaTiO_3$ and $SrTiO_3$ thin films on MgO.—74-10443A
McKelliget, J. See Erturk, Turgay
McKenna, Thomas P. See Hur, Katerina Y.
McKenzie, D. R. See Puchert, M. K.; Veerasamy, V. S.
McKenzie, D. R.; McFall, W. D.; Sainty, W. G.
Compressive stress-induced formation of cubic boron nitride.—74-10783A
McKenzie, D. R.; Yin, Y.; Marks, N. A.; Davis, C. A.; Pailthorpe, B. A.; Amaratunga, G. A. J.
Hydrogen-free amorphous carbon preparation and properties.—74-04684A
McKenzie, Lynn
Microscope—a method and tool to study lime burning and lime quality.—74-08072A
McKiernan, John M. See Nishida, Fumito
McKimpson, M. G.; O'Donnell, D.
Joining ODS materials for high-temperature applications.—74-05636A
McKinley, J. T.; Albridge, R. G.; Barnes, A. V.; Chen, G. C.; Davidson, J. L.; Languell, M. L.
Free-electron laser spectroscopy of semiconductors and interfaces.—74-03025A
McKinnie, I. T. See Gloster, L. A. W.
McKitrick, J. See Jacobson, L. A.
McKittrick, Joanna See Freim, John; Hoghooghi, Bahar
McLane, G. F.; Casas, L. M.; Reid, J. S.; Kolawa, E.; Nicolet, M.-A.
Reactive ion etching of Ta-Si-N diffusion barriers in CF_4+O_2.—74-04865A
McLane, G. F.; Meyyappan, M.; Namaroff, M.
Magnetron reactive ion etching of GaAs in a BCl_3 discharge.—74-00652A
McLaughlin, J. C. See Stinton, David P.
McLean, A. B. See Swanston, D. M.
McLean, F. Barry See Benedetto, Joseph M.
McMahon, A. W. See Arlinghaus, H. F.
McMahon, Arlene
Can partial conversion to oxy-fuel combustion be a solution to furnace problems.—74-06844A
McMahon, M. I. See Neimes, R. J.
McMann, M. A. See DeArellano-Lopez, A. R.
McMullin, Hugh See Wallace, Donald G.
McNallan, Michael J. See Campbell, S. S.; Park, Chen
McNallen, M. J.; Hsu, P. P.; Lee, S. Y.
Oxidation of Si-based ceramics in the presence of alkali halide vapors.—74-07823A
McNiff, E. J., Jr., See Kostyk, D.
McNulty, John C. See Heredia, Fernando E.
McNulty, Thomas F. See Janas, Victor F.
McNulty, Thomas F.; Janas, Victor F.; Safari, Ahmad; Loh, Roland L.; Cass, Richard B.
Novel processing of 1-3 piezoelectric ceramic/polymer composites for transducer applications.—74-09160A
McPherson, R. See Khor, K. A.; Senda, Tetsuya
McPherson, R.; Miller, P. R.
Structure of rapidly quenched zircon melts.—74-02053A
McVittie, James P. See Singh, Vivek K.
McWhinnie, Harold J.
Cone 06-04 clear and white glazes.—74-00425A; White/clear glazes: low fire.—74-00447A; White/clear glazes: mid to high fire.—74-00448A
Meassick, S.; Xia, Z.; Chan, Chung; Browning, J.
Investigation of the operating modes of gated vacuum field emitter arrays to reduce failure rates.—74-03076A
McCartney, M. L. See Gust, M. C.; Momoda, L. A.
Mecholsky, John J., Jr. See Thompson, Jeffrey Y. Tsai, Y. L.
Medda, M. P.; Musinu, A.; Paschina, G.; Piccaluga, G.
X-ray diffraction study of sodium borate glasses.—74-02505A
Medelci, N. See Vilela, M. F.
Meden, A. See Ceh, M.
Medrano, Ricardo E. See Ye, Jian-Dong
Medrano, Ricardo E.
Master fatigue curve for optical fibers.—74-05728A
Medvedev, B. K.; Mokerov, V. G.; Peskov, N. V.
Kinetics of bulk vacancy creation in MBE growth of GaAs.—74-05027A
Medvedev, E. F.
Ceramics and glass-ceramic materials for bone implants.—74-03958A
Medvedeva, L. I. See Zavorotnev, Yu. D.
Medvedeva, L. V. See Fedorov, P. P.
Medwid, James L. See Carlson, Robert A.
Meen, James K. See Tsang, Chi-Fo
Meese, Jo M. See Lin, Chih-Hsiang
Megahed, A. A. See Doweidar, H.
Megtert, S. See Pan, Guo-Qiang
Meguid, S. A. See Xu, P. C.
Mehdi, Imran See Siegel, Peter H.
Mehlmann, A. K.; Berger, S.; Fayer, A.; Dirnfeld, S. F.; Bamberger, M.; Avigal, Y.
Investigation of cobalt behavior during diamond deposition on cemented carbides.—74-04716A
Mehlmann, A. K.; Fayer, A.; Dirnfeld, S. F.; Avigal, Y.; Porath, R.; Kochman, A.
Nucleation and growth of diamond on cemented carbides by hot-filament chemical vapor deposition.—74-01817A
Mehrabian, Robert See Salas, Olimpia
Mehrotra, Pankaj K. See Beeghly, Craig W.
Mehrotra, Pankaj K.; Billman, Elizabeth R.; North, Bernard
Cutting tool.—74-09913P
Mehrotra, Pankaj K.; Nixon, Robert D.
Silicon nitride ceramic and cutting tool made thereof.—74-09959P
Mehrotra, Pankaj K.; Swiokla, Joyce L.; Nixon, Robert D.
High Z sialon and cutting tools made therefrom and method of using.—74-04054P
Mehta, B. R.; Ogryzlo, Elmer A.
Room-temperature deposition of diamondlike carbon films by the microwave plasma jet method.—74-04877A
Mei, J.; Shelton, R. M.; Aindow, M.
Modification of the crystallization process on Bioglass by proteins in vitro.—74-05777A
Mei, Q.; Zurn, S.; Polla, D. L.
Process characterization and analysis of sealed vacuum microelectronic devices.—74-03180A
Mei, Ting; Xia, Mong-Hua; Xu, An-Xi
Dynamic visible-to-infrared image-converting device and system.—74-02531A
Meier, Jurg; Paul, Willi
High-temperature superconductor and its use.—74-09371P
Meijerink, J. See Brinkman, H. W.; Cao, G. Z.
Meinema, Harry A.; Timmer, Klaas; Linden, Hans L.
Synthetic strategies for MOCVD precursors for HTS thin films.—74-06647A
Meissner, E.; Kleebe, Hans-Joachim; Ziegler, G.
Influence of post-sintering anneal on Si_3N_4 matrix grain morphology.—74-07666A
Meixner, Hans See Gerblinger, Josef
Meja, P. See Kuhn, M.
Mejdoubi, E.; Lacout, J. L.; Michaud, P.
Hydraulic cement for biological uses.—74-09782A
Mel'nik, N. N. See Okonechnikov, A. P.
Mel'nikov, M. B. See Il'inskii, A. V.
Mel'nikov, O. K. See Yakubovich, O. V.
Mel'nikova, N. V. See Ignatchenko, O. A.
Mel'nikova, V. S. See Mikhailova, I. G.
Melaku, Yosias See Gabriel, Calvin T.
Melandri, C. See Bellosi, A.
Melandri, C.; Biasini, V.; Guicciardi, S.
Comparison of wear behavior of silicon nitride and cast iron lubricated conditions.—74-07843A
Melas, Andreas A. See Akram, Salman
Melchionna, Carmine M.
Method of crushing a bottle and a glass crushing apparatus.—74-01027P
Mele, A. See Teghil, R.
Mele, P. See Agbossou, A.
Melebaev, D. See Zhilyaev, Yu. V.
Melendes, M. See Khare, Reena
Melendez, J. See De Castro, A. J.
Meleshina, V. A.; Lyamina, O. I.; Krivandina, E. A.
Component distribution features in $La_{1-x}Sr_xF_{3-x}$ solid solution crystals due to development of cellular structure (vertical oriented crystallization).—74-04108A
Melinon, P. See Cadete Santos Aires, F. J.; Paillard, V.
Melius, Carl F. See Ho, Pauline
Mell, Helmut See Schutte, Susanne
Mellali, M.; Grimaud, A.; Fauchais, P.
Parameters controlling the sand blasting of substrates for plasma spraying.—74-10514A
Mellander, Bengt-Erik See Zhu, Bin
Mellen, Neal J. See Davis, Kenneth L.
Meller, Jean-Pierre See Malengreau, Nathalie
Melloch, Michael R. See Ghanbari, R. A.; Lovejoy, Michael L.; Nolte, D.
Melloch, Michael R.
Papers from the 13th North American Conference on Molecular Beam Epitaxy.—74-03148A
Melnik, V. P. See Lisovskii, I. P.
Melnikov, A. A. See Burchard, B.
Melville, D. L.; Simmons, J. G.; Thompson, D. A.
Identification of volatile products in low-pressure hydrocarbon electron cyclotron resonance reactive ion etching of InP and GaAs.—74-00635A
Melzer, Dieter; Krause, G.; Schulle, Wolfgang; Fortsch, R.
Computation of thermal stresses in high-voltage insulators by FEA.—74-00469A
Melzer, Dieter; Mueller, Franziska; Timmermann, Klaus
Material properties and behavior of electrical porcelain in the temperature range to –80°C.—74-02164A
Menchhofer, P. A. See Tiegs, Terry N.
Mendenhall, Melvin D. See Tucker, Robert C. Jr.
Mendez, J. M.; Muhl, S.; Andrade, E.; Cota-Araiza, L.; Farias, M.; Soto, G.
Optical properties of boron nitride thin films.—74-04791A
Mendez-Vivar, Juan; Mexico Arroyo, R.
Electron spin resonance (ESR) study of VO^{2+}-doped germanium dioxide synthesized via the sol-gel process.—74-10322A
Mendheim, Jurgen; Schmid, Ingrid
Modern high-temperature tunnel kilns—high-tech firing aggregates.—74-09689A
Mendiola, J. See Fu, G. F.
Mendiola, J.; Alemany, C.; Ramos, P.
Poling fatigue in modified lead titanate ferroelectric ceramics.—74-03337A
Mendiratta, R. G. See Jha, A. K.
Mendrek, M. J. See Daniel, R. L.
Menendez, Jose Paul; Sitzler, Wilfried
Tile laying on problematic supports. New supports need new technologies.—74-08595A

Menet, Martine See Colomban, Philippe
Menetrier, M. See Delmas, Claude
Menetrier, M.; Hojjaji, A.; Levasseur, A.; Couzi, M.; Rao, K. J.
Structural hypotheses and Raman spectroscopy investigations of glasses belonging to the B_2S_3-Li_2S-LiI system.—74-00225A
Menetrier, M.; Rougier, A.; Delmas, Claude
Co segregation in the $LiNi_{1-y}Co_yO_2$ solid solutions. A preliminary ^7Li NMR study.—74-05097A
Meneve, J. See Dekempeneer, E. H. A.
Meneve, J.; Dekempeneer, E. H. A.; Jacobs, R.; Eersels, L.; Van den Bergh, V.; Smeets, J.
Deposition of wear-resistant amorphous hydrogenated a-$Si_{1-x}C_x$:H coatings by rf plasma-assisted CVD.—74-08157A
Meng, C. G.; Guo, J. T.; Liu, X. Y.
New criterion of hardness for materials with rocksalt structure.—74-01546A
Meng, G.-Y. See Cao, C.-B.
Meng, Ge; Zhang, Qing-Zhe; Li, Nan
High-resolution electron energy loss of $GdBa_2Cu_3O_{7-\delta}$ thin films.—74-03483A
Meng, Jin-Fang; Zou, Guang-Tian; Li, Jiang-Ping
Investigation of the phase transition in nanocrystalline $Pb_{1-x}La_xTiO_3$.—74-04155A
Meng, Jin-Fang; Zou, Guang-Tian; Cui, Qi-Liang
Influence of grain size on the soft mode and the phase transition in the nanocrystalline $PbTi_{1-x}Zr_xO_3$ system.—74-04150A
Meng, Li-Jian; Dos Santos, M. P.
Direct current reactive magnetron sputtered zinc oxide thin films—the effect of the sputtering pressure.—74-06041A; Effect of substrate temperature on the properties of sputtered tin oxide films.—74-01510A
Meng, Li-Jian; Moreira de Sa, Carlos P.; Dos Santos, M. P.
Porosity of titanium oxide films by X-ray photoelectron spectroscopy and ir transmittance.—74-02035A
Meng, Zhao-Dian See Li, Hui-Zhi
Meng, Zhi-Cong See Mao, Sen
Meng, Zhong-Yan See Zou, Qing
Meng, Zhong-Yue See Xiao, Shu-Yong
Mennig, M. See Burkhart, T.
Menningen, K. L.; Childs, M. A.; Toyoda, H.; Ueda, Y.; Anderson, L. W.; Lawler, J. E.
Absolute radical density measurements in a CH_4-H_2 dc discharge.—74-04465A
Menon, C. S. See Krishnakumar, S.
Menon, Mohan; Chen, I-Wei
Reaction densification of α′-SiAlON: I, Wetting behavior and acid-base reactions.—74-04200A; II, Densification behavior.—74-04860A
Menoni, C. S. See Prasad, M.
Menschig, A. See Bergmann, R.
Mentink, S. A. M.; Drost, A.; Niewenhuys, G. J.
Magnetic ordering and frustration in hexagonal UNi_4B.—74-06670A
Mentruit, M. Penarroya See Platero, E. Escalona
Menyhard, M. See Konkol, A.
Menyhard, M.; Barna, A.; Biersack, J. P.
Study of ion mixing during Auger electron spectroscopy depth profiling of Ge-Si multilayer system.—74-03873A
Merazzi, S. See Pfinstner, C.
Merchant, Nazarali See Luo, Jian-Shu
Merchant, S. M. See Stevie, F. A.
Mercurio, D. See Thomas, P.
Mercurio, J. P. See Marchet, P.
Meredov, M. M. See Kovalevskaya, G. G.; Slobodchikov, S. V.
Merfeld, Glen D.; Petrich, Mark A.
Plasma fluorination of graphite.—74-01833A
Mergel, D. See Lobl, P.
Merhari, Lhadi See Baraton, Marie-Isabelle
Meriani, S. See Schmid, Herbert K.
Merienne, Jean
Energy saving in the brick and tile industry.—74-02717A
Merigaud, Bernard; Claus, Michel
Zinc-containing, lead- and cadmium-free glass frits, method of their production and their use.—74-01214P
Merisalo, M. See Kuzel, R., Jr.
Merkel, K. G.; Bright, V. M.; Schauer, S. N.; Casas, L. M.; Walck, S. D.
Electrical and structural properties of GeMoW ohmic contact to an $In_{0.5}Ga_{0.5}As$ cap layer on *n*-type GaAs.—74-06065A
Merkely, Dennis R. See Weber, J. K. Richard
Merkle, K. L.; Buckett, M. I.; Gao, Y.
Atomic structure of heterophase interfaces.—74-08130A
Merkle, K. L.; Wolf, D.
Quasi-periodic features in the atomic structure of long-period grain boundaries.—74-01955A
Merklein, S.; Sporn, D.; Schonecker, Andreas
Ferroelectric thin films in the system PZT.—74-03305A
Merkurov, I. A.; Rodina, A. V.
Theory of the line shape and the anisotropy of the linear polarization of hot photoluminescence in *p*-GaAs.—74-06353A
Merle-Mejean, T. See Gouby, l.
Mermelstein, Marc D.; Vohra, Sandeep T.
Low-frequency electrostrictive ceramic plate voltage sensor.—74-09187P
Mermoux, M. See Ababou, A.; Fayette, L.
Mermut, A. R.
Problems associated with layer charge characterization of 2:1 phyllosilicates.—74-10867A
Merrish, Arthur A. See Glesener, John W.
Mertens, R. See Caymax, M.
Merz, J. L. See Chang, Ying-Lan; Holtz, P. O.; Leonard, D.; Li, Y.-J.; Yokogawa, T.
Merz, M. D. See Smith, H. D.
Merzbacher, C. I.
Infrared reflectance of barium gallogermanate glasses.—74-00198A
Meschke, Frank See Krajewski, A.
Meschke, Frank; Claussen, Nils; De Portu, Goffredo; Rodel, Jurgen
Phase stability of fine-grained (Mg,Y)-PSZ.—74-07182A
Meschke, Frank; De Portu, Goffredo; Claussen, Nils
Preparation and characterization of fine-grained (Mg,Y)-PSZ ceramics with spinel additions.—74-01238A
Meshcheryakov, V. V.
Discrete contact between solid bodies under normal load.—74-05005A
Meshkauskas, J. See Visatskas, A.
Mesnier, M. T. See Caboche, G.
Messeguer, F. See Vazquez, L.
Messerschmidt, Ulrich See Baither, Dietman
Messier, R. See Lamaze, G. P.
Messina, G.; Santangelo, S.; Paoletti, A.; Tucciarone, A.
Simulation of electron-scattering properties of diamond membranes in X-ray mask fabrication.—74-04419A
Messing, Gary L. See Hausner, Hans; Kwon, Oh-Hun
Messing, Gary L.; Huling, Jeffrey C.
Transformation, microstructure development, and sintering in nucleated alumina gels.—74-04236A
Messler, R. W.
Self-propagating high-temperature synthesis as a joining process.—74-10621A
Messmer, Stephan See Hegner, Frank
Mestl, H. See Johansen, T. H.
Meterns-Lecomte, C.; Muck, D.; Garcia, J.
Characterization of a new aerospace thermal barrier coating.—74-08139A
Methfessel, M. See Rucker, H.; Schonberger, U.
Metlov, V. V. See Artyushenko, V. G.
Metroit, A. See Lei, H. N.
Metselaar, R. See Chen, Ming-Yuan; Goldstein, Joseph L.; Sopicka-Lizer, M.; Van Rutten, J. W. T.
Metz, P. See Battault, T.
Metz, R. See Gillot, B.
Metzger, T. H. See Salditt, T.
Metzger, T. See Blumel, J.
Meuffels, P. M. See Zaitsev, A.
Meunier, G. See Schmidt, E.
Meunier, J. See Drouet, M. G.
Meuret, L. B. See Mahloudji, A. M.
Meuret, L. B.; Catuara, Christine M.; Mahloudji, A. M.
Evidence of hexacoordination CcP immobilized in sol-gel glass.—74-08419A
Mevec, Gernot; Bruckbacher, Siegfried
Optimization of fiber-insulating material up to 1800°C by coatings.—74-00394A
Mevec, Gernot; Graf, Konrad; Wruss, Werner
Fiber insulation boards [for applications] up to 1800°C.—74-08617A
Mexico Arroyo, R. See Mendez-Vivar, Juan
Mexmain, J. See Jarrige, J.; Seck, O.
Meyer, C. See Emmerichs, U.
Meyer, D. W.; Cooper, R. F.; Plesha, M. E.
High-temperature creep and the interfacial mechanical response of a ceramic matrix composite.—74-02153A
Meyer, E. See Overney, R.; Scandella, L.
Meyer, E.; Howald, L.; Luthi, R.; Haefke, H.; Ruetschi, M.; Bonner, T.
Scanning probe microscopy on the surface of Si(111).—74-06296A
Meyer, Edwin F.; Mulvihill, Geraldine; Feil, Janine
Physical adsorption of neopentane on Sterling FT graphite.—74-10134A
Meyer, F. See Mosleh, N.
Meyer, H. See Koeberer, G.
Meyer, Heinz
New applications for the Jet-Bag filter systems.—74-08078A
Meyer, Helmut; Muller-Spath, Guido
Combined pulverized coal grinding and loading plant (Lausitz).—74-00902A
Meyer, J. R. See Youngdale, E. R.
Meyer, M. See Dreier, G.
Meyer, O. See Burmann, T.
Meyer, S. See Sonsino, C. M.
Meyer, W. E. See Myburg, G.
Meyers, D. E.; Kirkbir, F.; Murata, H.
Mechanical and microstructural properties of two-step acid-base catalyzed silica gels.—74-10119A
Meyers, Edward A. See Estrada, C. A.; Nair, P. K.
Meyers, Howard
How to control Worker's Comp costs.—74-05422A
Meyers, Marc A. See Hoke, Darren A.
Meyerson, B. S. See Rittenhouse, G. E.
Meyyappan, Ilango See Chilakamarri, Prasad
Meyyappan, M. See McLane, G. F.
Mhaisalkar, S. G. See Azad, Abdul M.
Mhindra, Vivek See Gray, David C.
Mi, Jia-Wei See Jin, Yan
Mi, Y. See Feusier, G.
Miao, H.; Primo, V.; Ibanez, R.
Fast solution precursor synthesis of the 2223 phase—the role of lead in the reaction pathway.—74-09272A; Influence of morphological aspects in the reaction pathway and superconductive properties of $Bi2223$-Ca_2CuO_3 ceramic composites.—74-09290A
Miao, Jing-Qi See Du, Chun-Le
Miao, Song-Hua
Study and application of rabbit hair colored glaze.—74-05909A
Miao, X.; Lee, W. E.; Rainforth, W. M.
Zirconia matrix composites for tribological applications.—74-07030A
Miaoulis, I. N. See Papamichael, H.
Michael, Keith W. See Haluska, Loren A.
Michajlovic, Jaroslav See Hlavac, Jan
Michau, D.; Tanguy, B.; Demazeau, G.
CVD deposition of diamond on nitrides and oxides as substrates.—74-01655A
Michaud, P. See Mejdoubi, E.
Michel, Bernd See Will, Peter
Michel, C. See Raveau, B.
Michel, D.; Mazerolles, L.; Gaffet, E.
Nanocrystalline oxide powders prepared by ball milling.—74-04767A
Michel, H. V. See Gunneweg, J.
Michel, H. See Barrat, S.
Michel, J. P. See Demuynck, L.
Michel, Jurgen See M'Saad, Hichem
Michel, M. See Ils, P.
Michell, Winfried See Friederich, Kilian
Michenaud, J. P. See Gillot, C.
Michiura, Nobuhiko; Tamura, Hiroshi
Dielectric ceramic composition for use in high frequency.—74-08785P
Michiura, Nobuhiko; Tatekawa, Tsutomu; Higuchi, Yukio; Tamura, Hiroshi
Role of donor and acceptor ions in the dielectric loss tangent of $(Zn_{0.8}Sn_{0.2})TiO_4$ dielectric resonator material.—74-02859A
Michon, Gerald J. See Brown, Dale M.
Middleton, J. See Cheng, T. S.
Middleton, Time
Cost-effective machining for mold manufacture and repair.—74-06691A
Miekunas, R. See Konvalinskas, Y.
Miele, Philip F. See Mathews, Dale J.
Mientus, R. See Ellmer, K.
Mieville, Rodney L. See Balachandran, U.
Mifune, Tatsue; Kawaji, Hitoshi; Saito, Y.
Thermodynamic studies of Bi-based high-T_c oxide superconductors.—74-09357A
Migachev, S. A. See Akhmadullin, I. Sh.
Migliorato, P. See Pecora, A.; Quinn, M.
Migliori, Albert
Resonant ultrasound: a new technique that accurately measures the elastic moduli of advanced materials for nondestructive evaluation and on-line control.—74-01099A
Mignard, F. See Murat, M.
Mihaila-Tarabasanu, D. See Diamandescu, L.
Mihailescu, I. N. See Barborica, A.
Mihailescu, I. N.; Chitica, N.; Lita, Adriana; Teodorescu, V. S.; Luches, A.; Leggieri, G.
Simultaneous formation of titanium nitride and titanium silicide in a one-step process in heterogeneous phase during multipulse laser treatment of an Si wafer with a thin Ti coating in superatmospheric N_2.—74-07479A
Mihailov, L.; Ivanovich, M.; Georgiev, M.
T_{c-x} phase diagrams and infrared spectra due to axial charge-transfer modes in $La_{2-x}Sr_xCuO_4$: a composite-boson model.—74-01342A
Mihailovic, D. See Yu, G.
Mihaiu, Suzana See Zaharescu, Maria
Mii, Y. J. See Rishton, S. A.
Mijnarends, P. E. See Andre, Bernard
Mika, M. See Sasek, L.
Mikami, Masaki See Kamiyama, Tomoaki
Mikami, N. See Kuroiwa, T.
Mikami, N.; Horikawa, T.; Makita, T.; Sato, K.; Kuroiwa, T.; Honda, T.
Dielectric properties of $(Ba,Sr)TiO_3$ films by rf sputtering.—74-08742A
Mikeska, Kurt R.; Schaefer, Daniel T.
Green ceramic composite and method for making such composite.—74-09822P
Mikhail, Habib See Ahmed, Mohamed A.
Mikhailenko, N. Yu. See Sarkisov, P. D.
Mikhailov, S. G.; Osipov, V. V.; Solomonov, V. I.
Periodic pulse cathodoluminescence of minerals.—74-03849A
Mikhailov, S. N. See Jacobs, J. P.
Mikhailov, V. P. See Demchuk, M. I.
Mikhailova, A. Ya. See Kvardakov, A. M.
Mikhailova, I. G.; Mel'nikova, V. S.; Morozovskii, A. E.
Magnetic properties and crystal structure of $La_xCa_{1-x}CoO_{3-y}$.—74-06462A
Miki, Kazushi See Asami, Kumiko
Miki, T.; Matsui, Y.; Matsubara, K.
Electron paramagnetic resonance of defects in ß-iron disilicide ceramics.—74-10730A
Mikoc, Miroslav See Matkovic, Boris
Mikolas, D.; Bojko, R.; Craighead, Harold G.; Haas, F.; Honey, D. A.; Bare, H. F.
Fabrication of aspheric high numerical aperture reflective diffractive optic elements using electron beam lithography.—74-01721A
Miksch, F. See Granli, K.
Mikulo, R. V. See Mukhina, L. L.
Mikushev, V. M. See Vasitskii, V.
Mil'ner, A. A. See El'chaninova, S. D.
Mil'vidskii, A. M. See Artemiev, A. V.
Mil'vidskii, M. G. See Vdovin, V. I.
Milani, E. See Balestrino, G.
Milanova, M.; Cholakova, T.; Bedikjan, L.; Stanev, N.
Investigation of high-quality GaAs:In layers grown by liquid phase epitaxy.—74-06166A
Milenin, V. V. See Tkhorik, Yu. A.
Miles, D. S.; Harris, G. S.; Venables, D.
Comparison of film quality and step coverage for silicon dioxide dielectrics formed by RTCVD using tetraethoxysilane and silanes.—74-08731A
Miles, R. H. See Youngdale, E. R.
Milewski, John V.
Method and apparatus for continuous controlled production of single crystal whiskers.—74-09927P
Milewski, P. D.; Lichtenwalner, D. J.; Zhang, D.
Light emission from crystalline silicon and amorphous silicon oxide (SiO_x) nanoparticles.—74-01529A
Miley, D. V. See Eddy, T. L.
Militello, M. C. See Waldo, R. A.

Mill, B. V. See Belokoneva, E. L.; Stefanovich, S. Yu.

Mill, B. V.; Butashin, A. V.; Stefanovich, S. Yu.
$NaSbOSiO_4$—a new silicate with the structure of $KTiOPO_4$.—74-01412A

Millan, P. See Castro, A.

Millar, C. E.; Wolny, W.; Pardo, L.
Processing of piezoceramics for SAW applications.—74-03342A

Millard-Pinard, N. See Le Mogne, T.

Miller, B.; Kalish, R.; Feldman, L. C.
Patterned electrical conductance and electrode formation in ion-implanted diamond films.—74-07411A

Miller, D. A. B. See Cunningham, J. E.

Miller, D. J.; Hu, J. G.; Ren, Z.; Wang, J. H.
Microstructural development and critical currents in long-length (Tl, Bi)-(Sr, Ba)-Ca-Cu-O wires.—74-06587A

Miller, D. L. See Fu, Jian-Ming; Hwang, Wen-Yen; Kim, Jong-Geol; Zhang, K.

Miller, David J.; Harris, James S., Jr.
50 nm GaAs/AlAs wire structures grown on corrugated GaAs.—74-02903A

Miller, George P. See Bhan, Mohan K.

Miller, Gregory Hale; Puckett, Elbridge Gerry
Edge effects in molybdenum-encapsulated molten silicate shock wave targets.—74-08168A

Miller, MacGregor
Emerging technologies for utilizing waste in cement production.—74-02324A

Miller, P. R. See McPherson, R.

Miller, R. A. See Lee, Kang N.

Miller, R. A.; Brindley, W. J.
Effect of silica on the cyclic life of a zirconia-yttria thermal barrier coating.—74-08177A

Miller, W. J.
Novel banding and coating techniques.—74-09493A

Millers, T. See Herrmann, M.; Zalite, I.

Millet, Jean-Marc M. W. See Rouzies, Dominique

Mills, Andrew; Li, Xiao-Jing
Kinetics of the reductive dissolution of $NaBiO_3$ by Ce^{III} and Mn^{II} ions.—74-10005A

Mills, K. C. See Susa, M.

Mills, Wendell H. See Hollar, William E.

Milman, V. See Morris, S. J.

Milne, D. K. See Hao, S.; John, P.; Jubber, M. G.

Milne, S. J. See Chewasatn, S.; Pardo, L.

Milne, W. I. See White, A. J.

Milonjic, S. See Cirjakovic, R.

Milonjic, Slobodan K. See Cerovic, Ljiljana S.

Milosev, I.; Navinsek, B.
Effect of postdeposition heat treatment on reactively sputtered CrN, and Cr(N, O) coatings.—74-01690A

Milosevic, O. See Brankovic, Z.

Miloseveska, R. See Spaseska, D.

Miloseveski, M. See Spaseska, D.

Milosovic, O.; Jordovic, B.; Uskokovic, D.
Preparation of fine spherical ZnO powders by an ultrasonic spray pyrolysis method.—74-07432A

Milov, V. N. See Gan'shina, E. A.

Milovzorova, S. V. See Lavrova, G. V.

Milykh, A. N. See Korzhuev, M. A.

Mima, H. See Saitoh, H.

Mimouni-Erddalane, N. See Feron, B.

Mimura, Masanao See Kikuchi, Hiroyuki

Min'ko, N. I. See Malevannyi, V. A.

Min'ko, N. I.; Bilinskii, R. L.; Bilinskaya, S. P.
Silicomanganese slag as colorant for silicate glasses based on sulfate and soda-sulfate mixtures with cullet.—74-02656A

Min'ko, N. I.; Vasil'eva, O. I.; Bilinskii, R. L.
Use of silicomanganese slag in the melting of colored glasses.—74-03936A

Min, G.-W.; Yang, X.-M.; Lu, Z.-H.; Yu, W.
Scanning tunneling microscope investigation of semiconductor nanometer particles.—74-06298A

Min, Guo-Qiang See Wang, Qing-Ling

Min, Pan-Rong See Cai, Xiu-Kai

Min, Suk-Ki See Lee, Chang-Woo

Minabov, Yu. D. See Zolotukhin, I. V.

Minagawa, Kazuhiro See Arahori, Tadahisa

Minakata, Shunichi See Tabata, Hitoshi

Minami, Tadatsugu See Sato, Hirotoshi

Minami, Tsutomu See Iwami, Tomoaki; Taniguchi, Akihiro; Tatsumisago, Masahiro

Minami, Tsutomu; Toge, Noboru
Formation of inorganic coatings on polymer films by sol-gel method.—74-10362A

Minamizono, Hiroshi See Fujii, Yoji

Minato, Kunio See Nishio, Hideaki

Mindess, Sidney See Skalny, Jan

Mindess, Sidney; Qu, L.; Alexander, M. G.
Influence of silica fume on the fracture properties of paste and microconcrete.—74-08054A

Mine, Katsutoshi; Nakamura, Takashi; Sasaki, Motoshi
Method for the formation of a silicon oxide film.—74-03993P; Method for the formation of a silicon oxide film.—74-04065P; Method for the formation of silicon oxide films.—74-03994P; Methods for the formation of a silicon oxide film.—74-08491P

Minegishi, K. See Namatsu, H.

Minero, C. See Pelizzetti, E.

Mineshige, A. See Sugie, Y.

Mineshige, Atsushi; Inaba, Minoru; Ogumi, Zempachi; Takahashi, Tadayoshi; Kawagoe, Tomoo; Tasaka, Akimasa
Preparation of yttria-stabilized zirconia microtube by electrochemical vapor deposition.—74-08254A

Mineshima, Katsuji See Watanabe, Koichi

Minevich, A. A. See Eizner, B. A.

Mingotaud, A. F.; Mingotaud, C.; Patterson, L. K.
Database of information from Langmuir films: design and use.—74-05411A

Mingotaud, C. See Mingotaud, A. F.

Minh, Nguyen Q.; Armstrong, Timothy R.; Van Ackeren, James J.
Monolithic fuel cell having improved interconnect layer.—74-02892P

Minh, Nguyen Q.; Horne, Craig R.; Guiheen, James V.
Preparation of devices that include a thin ceramic layer.—74-02895P

Minh, Nguyen Q.
Solid oxide fuel cells: materials, fabrication processes, and development trends.—74-00535A

Minh-Ha, N. See Badilescu, S.

Mininni, R. M. See Clark, T. J.

Miniscalco, W. J. See Quimby, R. S.

Minnear, William P. See Walter, John L.

Minner, Kerstin See Berger, Iris

Minner, Kerstin; Berger, Iris
Localized crater and bubble formation in porcelain glazes.—74-00434A

Minnick, Randall B. See Perrotta, Anthony J.

Mintairov, A. M.; Mazurenko, D. M.; Sinitsin, M. A.
Optical phonons and ordering of the crystal lattice of $In_xGa_{1-x}As$ solid solutions.—74-08985A

Miotello, A. See Verdi, L.

Miotkowski, I. See Mayur, A. J.

Miquel, P. F. See Katz, J. L.

Mir, Jose M. See Chatterjee, Dilip K.

Miragliotta, J. See Wickenden, D. K.

Miranda, F. A. See Mueller, C. H.

Miranda, Raul See Ochoa, Rosibel

Miranda-Martinez, M.; Davidge, R. W.; Riley, F. L.
Reduction of erosive wear rates of advanced technical ceramics.—74-11188A

Miranzo, Pilar See Baudin, C.; Belmonte, Manuel

Mirchandani, Prakash K. See Friederichs, John W.

Mirezejewski, M.; Zielinski, I.
Superconductivity of weakly correlated electrons in 2-D Hubbard lattice.—74-03597A

Mirin, R. See Ibbetson, J. P.; Tan, I-Hsing

Mirkovic, J. See Komarkov, D. A.

Mironov, V. P.; Martinovich, E. F.; Grigorov, V. A.
Laser materials based on diamond with *GR* 1 centers.—74-03083A

Mironova, N. V. See Ostroushko, A. A.

Mironova, N.; Skvortsova, V.; Ulmanis, U.
Near-ir absorption spectra in Co_3O_4.—74-06473A

Mirtic, Breda; Strasek, Joze
Influence of the forming pressures on some physical properties of clay body before and after sintering.—74-05814A

Mirtich, Michael J.; Kassmaul, Michael T.; Sovey, James S.
Making diamondlike films more transparent.—74-09878A

Miryuk, O. A.
Effect of Fe_2O_3 on magnesia pleochroite formation and properties.—74-01373A

Mirzoeva, M. I. See Gamtsemlidze, T. A.

Mis'ko, V. R.; Moskalenko, S. A.
Exciton-photon interaction in semiconductor microcrystals.—74-03008A

Misawa, H. See Tobe, S.

Misawa, S. See Itoh, Hisayoshi

Mishima, O. See Taniguchi, T.

Mishima, S. See Fujisawa, Satoru; Ohta, M.

Mishima, T. See Mochizuki, K.

Mishina, Tomobumi See Yamamoto, Aishi

Mishra, Amarendra See Pecoraro, George A.

Mishra, B. See Monroe, K. A.

Mishra, K. K.; Osseo-Asare, K.
Electroreduction of Fe^{3+}, O_2, and $Fe(CN)_6^{3-}$ at the *n*-pyrite (FeS_2) surface.—74-01514A

Mishra, P. K.; Nayak, B. B.; Mohanty, B. C.
Synthesis of silicon carbide from rice husk in a packed bed arc reactor.—74-10684A

Mishra, U. K. See Hashemi, M. M.; Ibbetson, J. P.; Jiang, Wei-Nan; Li, Y.-J.

Misirli, Z. See Erkalfa, H.; Kinikoglu, S.

Misirli, Z.; Uguz, A.; Baykara, T.
Characterization of commercial alumina ceramic pieces.—74-07602A

Misochko, A. V.; Tajima, S.; Miyamoto, S.
Raman study of ortho-II phase of the $YBa_2Cu_3O_{7-\delta}$ single crystal—role of local oxygen ordering in the doping.—74-09329A

Misra, A. K. See Antony, J. P.

Misra, D. S.; Padalia, B. D.; Pai, S. P.; Pinto, R.; Palmer, S. B.
Microstructure flux pinning and critical current density in $YBa_2Cu_3O_{7-\delta}$ films grown by laser ablation.—74-03526A

Misra, S. K.; Pescia, J.; Averous, M.
EPR study of dilute magnetic semiconductors $Hg_{1-x}Co_xSe$ (x=0.0045 and 0.0087).—74-03805A

Misra, Sudhir See Uomoto, Taketo

Misra, V. See Lucovsky, G.

Misselwitz, Heike See Hellmold, Peter

Missiaen, J. M.; Lecompte, J. P.
Relation between microstructure and thermal properties of aluminum nitride based ceramics.—74-05234A

Mistler, Richard E.
Tape casting technology.—74-10692A

Mit'kin, V. M.; Petrovskii, G. T.; Chernokova, N. A.
Ability of glass to gain a gradient in refractive index upon action of radially nonuniform heat treatment.—74-02508A

Mita, T.; Ohno, Y.; Nakashima, T.
Recovery process of photochromism of *H2* and *H3* centers in diamond.—74-10149A

Mitani, Kiyoshi; Gosele, Ulrich M.
Wafer bonding technology for silicon-on-insulator applications: a review.—74-02868A

Mitani, Tsutomu See Kurokawa, Hideo

Mitani, Tsutomu; Kurokawa, Hideo; Nakaue, Hirokazu
Apparatus for forming a diamondlike thin film.—74-09519P

Mitchell, D. F.; Clark, K. B.; Bardwell, J. A.
Film thickness measurement of SiO_2 by XPS.—74-06770A

Mitchell, David L., Jr. See Zurecki, Zbigniew

Mitchell, I. V. See Chang, W. H.

Mitchell, James K.
Characteristics and mechanisms of clay creep and creep rupture.—74-08509A

Mitchell, James L. See Mitchell, James T.

Mitchell, James T.; Mitchell, James L.; Woods, Mark A.
Glass cullet separator and method of using same.—74-01018P

Mitchell, S. J. N. See Wu, Y.

Mitchell, T. E. See Maloy, S. A.; Reimanis, Ivar E.; Yano, Toyohiko; Zhou, D. S.

Mitchell, Tyrone D., Jr.; De Jonghe, Lutgard C.; Moberly Chan, Warren J.; Ritchie, Robert O.
Silicon carbide platelet/silicon carbide composites.—74-01303A

Mitchell, Tyrone D., Jr.; De Jonghe, Lutgard C.
Processing and properties of particulate composites from coated powders.—74-01857A

Mithrope, B. K. See Ruys, A. J.

Mitin, A. V. See Kuz'micheva, G. M.

Mitin, O. B. See Bercha, D. M.

Mitin, V.; Gruzinskis, V.; Starikov, E.
Submillimeter wave generation and noise in InP diodes.—74-03240A

Mito, Hideo See Sekiguchi, Atsushi

Mitomo, Mamoru See Bando, Y.; Kim, Young-Wook

Mitomo, Mamoru; Hirosaki, Naoto; Ando, Motohide
ß-silicon nitride sintered body and method of producing same.—74-09900P

Mitomo, Mamoru; Hirotsuru, Hideki; Suematsu, Hisayuki; Nishimura, Toshiyuki
Fine-grained silicon nitride ceramics prepared from ß-powder.—74-01732A

Mitomo, Tohru See Kondoh, Eiichi

Mitra, B. L.; Biswas, N. C.; Aggarwal, P. S.
Thermomechanical properties and microstructure of alumina-zirconia.—74-07930A

Mitra, P. See Chattopadhyay, K. K.

Mitra, S.; Gleason, K. K.
^1H NMR studies on the effects of annealing on chemical vapor deposited (CVD) diamond.—74-01606A

Mitra, Shantanu; Dutta, Geeta; Dutta, Indranath
Effect of heat treatment on the microstructure and properties of dense AlN sintered with Y_2O_3 additions.—74-10285A

Mitrofanov, V. Ya. See Ivanov, M. A.

Mitrokhin, V. A. See Sytnikov, V. E.

Mitsoulis, Evan See Loest, Hagen

Takita, Masatoshi; Hayami, Hiroyuki; Suzuki, Koichi
Ultraviolet resistant silica glass fiber.—74-00353P

Mitsuda, Setsuo See Oohara, Yasuakai

Mitsuda, Takeshi See Miyake, Michihiro

Mitsuda, Yoshitaka; Moriyasu, Taro; Masuko, Noboru
Effect of high supersaturation at the initial stage on diamond nucleation phenomena.—74-01687A

Mitsuhashi, Takefumi See Yashima, Masatomo

Mitsui, Akira See Umeda, Kazunori

Mitsui, Kenro; Li, Zong-Jin; Lange, David A.
Relationship between microstructure and mechanical properties of the paste-aggregate interface.—74-01097A

Mitsui, Toshiharu; Machida, Kenichi; Kato, Tetsuya; Iio, Katsunari
Ferroelectric phase transition in hexagonal antiferromagnet $RbFeBr_3$ with linear chains of face-sharing octahedra $(FeBr_6)^{4-}$.—74-04141A

Mitsuyama, Naomichi See Hashimoto, Kazuaki

Mittal, B. D. See Antony, J. P.

Mittal, J. See Mathur, R. B.

Mittal, M. See Said, R. A.

Mittal, P. K. See Batra, V. K.

Mittelmeijer-Hazeleger, M. C. See Martin-Martinez, J. M.

Mitura, E.; Mitura, S.; Niedzielski, P.; Has, Z.; Wolowiec, R.; Jakubowski, A.
Diamondlike carbon coatings for biomedical applications.—74-04554A

Mitura, E.; Wawrzyniak, P.; Rogacki, G.; Szmidt, J.; Jakubowski, A.
Properties of diamondlike carbon layers deposited onto SiO_2 aerogel.—74-04019A

Mitura, S. See Beck, R. B.; Mitura, E.; Mycielski, W.; Olborska, A.; Pilankiewicz, E. A.; Szmidt, J.

Mityushin, V. V. See Nikonova, N. S.

Mitzi, D. B. See Takigawa, M.

Miura, Kazuhiro See Hakotani, Yasuhiko

Miura, Kazunori See Mizutani, Hidetoshi; Okamoto, Naoyuki; Tatishi, Tetsuya

Miura, Noboru See Sasaki, Satoshi

Miura, Yoshinari See Ding, Y.; Fu, Jie

Miwa, S. See Haga, Y.; Katou, Kiminari; Matsuhiro, K.; Noguchi, Yasushi

Miya, Masaru See Mori, Masami

Miyadai, Masao
Manufacturing process of big raccoon dog statues of Shigaraki wares.—74-07986A

Miyadera, H. See Muranaka, Y.

Miyagi, Masahide
Insulating substrate for mounting semiconductor devices.—74-08797P

Miyahara, H. See Kittaka, S.

Miyahara, Kenichiro See Okawa, Yoshihiro

Miyahara, N. See Mutoh, Y.

Miyai, Akira See Fushii, Yasuhito

Miyai, Y. See Kanoh, H.

Miyaji, Fumiaki See Kim, Hyun-Min

Miyaji, Fumiaki; Fujimine, Satoshi; Yoko, Toshinobu; Sakka, Sumio
Structure and properties of Bi_2O_3-BaO-CuO glasses.—74-02497A

Miyaji, Fumiaki; Fujimine, Satoshi; Yoko, Toshinobu
Crystallization behavior of Bi-Ba-Cu-O glasses.—74-00189A

Miyajima, Yoshiaki See Onishi, Masashi

Miyakawa, Nobuaki; Shiina, Yasushi; Kaneko, Tsutomu
Analysis of phonon structures in the tunneling conductance of Bi cuprates.—74-01494A
Miyake, Hidehiko See Nagamori, Keiji
Miyake, Kazumasa See Narikiyo, Osamu
Miyake, Masamiti See Morinaka, Hiroaki
Miyake, Masaya See Matsui, Jin-Joo; Nishioka, Takao
Miyake, Michihiro; Suzuki, Takashi; Mitsuda, Takeshi
Heavy metallic ions—removing characteristics of gyrolite.—74-08038A
Miyake, Natsumi See Okuda, Kouji
Miyake, S.; Miyamoto, T.; Kaneko, Reizo
Microtribological improvement of carbon film by silicon inclusion and fluorination.—74-02026A
Miyake, Takashi; Asao, Fumihiro; Ooka, Chihiro
Relation between flexural strength and phase transformation in ground tetragonal zirconia.—74-02190A
Miyako, Yoshihito See Kawarazaki, Shuzo
Miyakuni, S.; Sakai, M.; Hattori, R.; Izumi, S.; Shimura, T.; Takano, H.
Low-damage etching of InGaAs/AlGaAs by the electron cyclotron resonance plasma with Cl_2/He mixture for heterojunction bipolar transistors.—74-03088A
Miyamato, Yoshinari; Takahashi, Akira; Tanihata, Kimiaki
Combustion synthesis of superconducting $NbN_{1-x}C_x$.—74-03429A
Miyamoto, Hirofumi See Yagi, Akira
Miyamoto, Hitoshi See Nanjo, Fusayuki
Miyamoto, Nobuo See Niwano, Michio; Suemitsu, M.
Miyamoto, S. See Misochko, A. V.
Miyamoto, T. See Miyake, S.
Miyamoto, Y.; Itoh, M.; Tanaka, K.
Mobility of Ag ions in Ag-As-S glasses.—74-08377A
Miyamoto, Yoshiko; Ishihara, Shozo; Hirano, Takahiro
Ferroelectricity of magnetite (Fe_3O_4) observed by means of magnetoelectric effect.—74-03306A
Miyanaga, Akiharu See Inoue, Tohru
Miyanaga, Akiharu; Kadono, Masaya; Yamazaki, Shunpei
Method of forming diamond or diamond containing carbon film.—74-09936P
Miyano, K. E. See Herrera-Gomez, A.
Miyata, Koichi See Bade, J. P.; Koyama, Hisashi
Miyata, Koichi; Kobashi, Koji; Dreifus, David L.
Rectifying diodes with a metal/intrinsic semiconductor/semiconductor structure using polycrystalline diamond films.—74-08768A
Miyata, T. See Sato, H.
Miyatani, Kazuo See Hanawa, Takeshi
Miyauchi, Katsuyuki See Eda, Kazuo
Miyauchi, Nobuaki; Irie, Takatoshi
Multilayer ceramic packages.—74-00554P
Miyauchi, Shigeaki See Kobashi, Koji
Miyauchi, Yasuharu See Moro, Hideharu
Miyawaki, Toshiaki See Yamamura, Takashi
Miyayama, Masaru See Hikita, Kazuyasu; Ishida, Atsumi; Isogai, Yuji; Traversa, Enrico
Miyazaki, H.; Kojima, H.; Hiraiwa, A.; Homma, Y.; Murakami, K.
Phosphosilicate glass passivation for VLSI Cu metallization.—74-03154A
Miyazaki, H.; Kojima, H.; Hiraiwa, A.
Improved phosphosilicate glass passivation against Cu contamination using the rapid thermal annealing process.—74-05770A
Miyazaki, K. See Czarnetski, U.; Takao, Yuji
Miyazaki, Kazuhide See Xu, Chao-Nan
Miyazaki, Kazuhide; Xu, Chao-Nan; Hieda, M.
New potential-type humidity sensor using EMD-based manganese oxides as a solid electrolyte.—74-06986A
Miyazaki, S. See Hirose, M.; Randall, C. A.
Miyazawa, Kunichi; Suzuki, Kunio; Wey, Myeong-Yong
Microstructure and oxidation-resistant property of sol-gel-derived ZrO_2-Y_2O_3 films prepared on austenitic stainless steel substrates.—74-02384A
Mizell, Greg See Scheps, Richard
Mizera, E. See Kaminska, E.
Mizgulin, V. N. See Gorpinchenko, S. D.
Mizoguchi, Y.; Kagawa, M.; Suzuki, M.; Syono, Y.; Hirai, Toshio
Synthesis of ultrafine particles and thin films of $BaFe_{12}O_{19}$ by the spray-ICP technique.—74-07520A
Mizonow, E. Wadim See Zukow, P. Wladimir
Mizu, T. See Suganuma, S.
Mizuhara, Howard
Joining of metal to ceramic bodies by brazing.—74-02420P
Mizuhara, Yukako See Ishihara, Tatsumi; Takita, Yusaku
Mizuhara, Yukako; Noguchi, Masao; Ishihara, Tatsumi; Takita, Yusaku
Preparation of silicon nitride whiskers from diatomaceous earth: I, Reaction conditions.—74-01851A
Mizukami, Tomohito; Funayama, Chihito
Pigment-attached blue-emmitting phosphor and color cathode-ray tube.—74-03279P
Mizuno, Mineo; Okuda, Hiroshi
VAMAS round robin on fracture toughness of silicon nitride.—74-07935A
Mizuno, Takeyuki; Kawase, Hiroyuki
Ceramic-metal composite joint body.—74-02410P
Mizunoya, Nobuyuki See Komorita, Hiroshi
Mizunuma, Akiko See Sakata, Masaru
Mizusaki, Junichiro See Tagawa, Hiroaki
Mizusaki, Junichiro; Narita, Hidekazu; Tagawa, Hiroaki; Katou, Masaaki; Hirano, Katsuhiko
Anomalous oxygen evolution from zirconia cells at the transient state.—74-00456A
Mizusaki, Junichiro; Tagawa, Hiroaki; Hayakawa, Kei; Hirano, Katsuhiko
Thermal expansion of $YBa_2Cu_3O_{7-x}$ as determined by high-temperature X-ray diffraction under controlled oxygen partial pressures.—74-06652A
Mizusaki, Junichiro
Science and technology of composite materials: VIII.4, Surface reactions at electrodes in solid oxide fuel cells.—74-08771A
Mizutani, Hidetoshi See Okamoto, Naoyuki
Mizutani, Hidetoshi; Miura, Kazunori; Kondo, Kazuo
Glass-ceramic composite.—74-02675P; Glass-ceramic composite.—74-08792P
Mizutani, Katsumi See Yamaguchi, Katsumi
Mizutani, U.; Imaeda, C.; Murasaki, S.; Fukunaga, T.
Mechanical alloying of mixture of Y, Cu, and Ba elemental powders in the formation process of the $YBa_2Cu_3O_{7-\delta}$ superconducting oxides.—74-06583A
Mizuuchi, Kiminori; Yamamoto, Kazuhisa; Sato, Hisanao
Domain inversion in $LiTaO_3$ using proton exchange followed by heat treatment.—74-09984A
Mladenov, G. See Georgiev, J.
Mlayah, A.; Brugman, A. M.; Carles, R.
Surface phonons and alloying effects in $(CdSe)_1(CdSe)_{1-x}$ nanospheres.—74-03243A
Mo, C. See Wang, T.; Xie, C.
Mo, Y. W.
Study and control of molecule surface interaction at the atomic level: Sb_4 on Si(001).—74-06822A
Moazzami, Reza See Abt, Norman E.
Moberly Chan, Warren J. See Cao, J. Mitchell, Tyrone D., Jr.
Mobus, G. See Mayer, J.
Mocellin, A. See Righetti, F.
Mochida, Isao See Yoon, Seong-Ho
Mochida, Isao; Korai, Yozo; Komatsu, Nobuyuki
Roles of carbon in ceramic materials.—74-08633A
Mochiku, Takashi See Ishida, Kenji
Mochinaga, Junichi See Iwadate, Yasuhiko
Mochizuki, K.; Nakamura, T.; Mishima, T.; Masuda, H.; Tanoue, T.
Molecular beam deposition of low-resistance polycrystalline GaAs.—74-03117A
Mockl, Thomas See Stein, Christian
Modi, O. P. See Saxena, Mohini
Moeggenborg, Kevin J.; Reed, Peter E.
Polymeric binders for ceramic processing.—74-03997P
Moens, J. R. See Barbezat, G.
Moerman, I. See Coudenys, G.; Vermeire, G.
Moertel, Heinrich See Kromer, H.; Mueller, Franziska
Moertel, Heinrich; Berger, Iris
Problem of the glazing defect "peeling."—74-01094A
Moet, A. S.; Akelah, A.
Polymer-clay nanocomposites—polystyrene grafted onto montmorillonite interlayers.—74-07417A
Moffett, Keith R.; Morrow, John D.
Ceramic composite of silicon carbide and aluminum nitride.—74-04037P
Mogel, H. J. See Rendtel, P.
Mogel, H. J.; Rendtel, P.; Schafer, R.
Influence of shear time, mechanical stress, and addition of different electrolytes on the rheological behavior of kaolin suspensions.—74-07352A
Mogensen, Mogens; Kindl, Bruno
Solid state fuel cell and process for the production thereof.—74-00560P
Moggeridge, Geoffrey D. See Horton, J. Hugh
Moghadam, Farhad See Mack, Ken
Mogi, Iwao See Kojima, Norimichi
Mogilevsky, J. A. See Soni, K. K.
Mogilevsky, R. See Zhang, K.
Mogoda, A. S.; Hefny, M. M.; Salih, S. A.; El-Faiky, H. E.
Electrochemical behavior of surface zirconium oxides in the presence of some electroactive species.—74-05934A
Mohadjeri, B.; Svensson, B. G.
Secondary ion mass spectrometry measurements of shallow boron profiles in cobalt, silicon, and cobalt disilicide.—74-01874A
Mohai, M. See Bertoti, I.; Pavlyak, F.
Mohallem, Nelcy D. S. See Lobo, R. P. S. M.
Mohallem, Nelcy D. S.
$BaTiO_3$ thin films prepared by dip-coating process.—74-09108A
Mohan, S. See Muralidhar, G. K.
Mohandas, E. See Raju, S.
Mohanty, B. C. See Bhattacharjee, S.; Mishra, P. K.
Mohanty, M. See Smith, R. W.
Moharty, B. P.; Smith, K. A.
Alkali metal catalysis of carbothermic reduction of ilmenite.—74-09969A
Mohoenian, N.; Deiph, T. J.; Bolle, D. M.
Two-dimensional finite element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material.—74-08774A
Mohr, D. L. See Starr, Thomas L.
Mohr, Peter B.; Myers, Wendell B.
Double-ended ceramic helical-rotor expander.—74-09916P
Mohrbacher, H.; Blanpain, B.; Celis, J. P.
Low amplitude oscillating sliding wear on chemically vapor deposited diamond coatings.—74-08229A
Moisa, S. See Constantinescu, F.
Moisan, Michel See Bou, Pierre
Moise, T. S. See Seshadri, S.
Moise, T. S.; Guido, L. J.; Beggy, J. C.; Cunningham, T. J.; Seshadri, S.; Barker, R. C.
Optical properties of strained layer (111)B $Al_{0.15}Ga_{0.85}As$-$In_{0.04}Ga_{0.96}As$ quantum well heterostructures.—74-06241A
Moiseenko, V. N. See Gorelik, V. S.
Moiseenko, V. N.; Sharaichuk, V. N.; Volnyanskii, M. D.
Hyper-Raleigh light scattering in weakly polar $Li_2Ge_7O_{15}$ ferroelectric.—74-03312A
Moiseev, D. P. See Suski, V. N.
Moiseev, K. D. See Voronina, T. I.
Moison, J. M.
Order and phase transitions in surfaces.—74-10015A
Mokerov, V. G. See Ignat'ev, A. S.; Karachevtseva, M. V.; Medvedev, B. K.; Musatov, A. L.
Mokhammad, Arif See Ananachev, V. A.
Mokhosoev, M. V. See Khakulov, Z. L.
Mokhov, E. N. See Kalabukhova, E. N.
Moki, Akira See Adachi, Sadao
Mokrik, R. I.; Pyr'ev, Yu. A.
State of stress in a semiinfinite cylinder upon ion exchange.—74-02658A
Mokrushin, A. V.
Influence of the mineralogical composition on the clinker activity and the intensity of the cement hardening at the thermal-humid elaboration.—74-00068A
Molchanov, V. N. See Makarova, I. P.; Sorokina, N. I.
Molecke, M. A. See Wicks, G. G.
Moler, K. A.; Baar, D. J.; Urbach, J. B.
Magnetic field dependence of the density of states of $YBa_2Cu_3O_{6.95}$ as determined from the specific heat.—74-09298A
Molev, V. I. See Kozhevatkin, S. G.
Molev, V. I.; Shchavelev, O. S.; Kozhevatkin, S. G.
Lead metaphosphate-based athermal flint glasses with anomalous partial dispersions.—74-02556A
Molian, P. A. See Shehata, G. H.
Molin, A. N.; Dikusar, A. I.
Electrodeposition of $CuInSe_2$ thin films from aqueous citric solutions: II, Investigation of macrokinetics of electrodeposition by means of rotating disk electrode.—74-01706A
Molin, A. N.; Dikusar, A. I.; Kiosse, G. A.
Electrodeposition of $CuInSe_2$ thin films from aqueous citric solutions: I, Influence of potential and mass transfer rate on composition and structure of films.—74-01705A
Molinari, E. See Caldas, M. J.
Mollah, M. Yousuf A.; Hess, Thomas R.; Cocke, David L.
Surface and bulk studies of leached and unleached fly ash using XPS, SEM, EDS, and FTIR techniques.—74-05281A
Mollekopf, G. See Barth, M.
Moller, Carsten V. See Andreasen, Jens H.
Moller, H. See Bobel, F. G.
Moller, W. See Jacob, W.; Von Keudell, A.
Molnar, Ludovit See Vadasz, Pavol
Molnar, Ludovit; Vadasz, Pavol; Kozlovsky, Milan
Study of interactions at the slag-basic refractory boundary.—74-05881A
Molnar, Sh. V. See Maior, M. M.
Molsa, Heini; Niinisto, L.
Deposition of cerium dioxide thin films on silicon substrates by atomic layer epitaxy.—74-07251A
Molteni, C.; Colombo, L.; Miglio, L.
Structural properties of liquid and amorphous GaAs by tight-bending molecular dynamics.—74-09051A
Mombru, A. See Veretnik, D.
Momoda, L. A. See Gust, M. C.
Momoda, L. A.; Gust, M. C.; Mecartney, M. L.
Processing effects on the microstructure of sol-gel-derived SBN thin films.—74-10586A
Momose, Toshihiro See Ichiki, Takanori
Momot, E. G. See Beletskii, V. M.
Mon, Mi-Ock; Lee, Sergey; Bae, Myong-Kwang
Conductivity fluctuation in HBCCO superconductor.—74-03431A
Monahan, T. P. See Hanson, Cynthia M.
Monakhov, A. Yu.; Satanin, A. M.
Harmonic generation in ceramic high-temperature superconductors.—74-03477A
Monceau, Daniel See Petot Ervas, Georgette
Monceau, P. See Sahling, S.; Saint-Paul, M.
Monch, J.-I. See Schumann, J.
Moncoffre, N. See Thimon, F.
Moncorge, R. See Li, C.
Moncouyoux, J. P. See Ladirat, C.
Mondal, T. K. See Titus, S. S. K.
Mondragon, M. A. See Marquina, E.
Monemar, B. See Holtz, P. O.
Monette, L.; Anderson, M. P.; Grest, G. S.
Effect of volume fraction and morphology of reinforcing phases in composites.—74-05346A
Moniz, Gary A. See Helble, Joseph J.; Senior, Constance L.
Monma, Hideki
Morphology and calcium deficiency of electrochemically deposited apatite.—74-01410A
Monnier, A.; Boutinaud, P.; Bill, H.
Silver-doped alkaline earth fluorides—crystal growth and physicochemical processes studied by optical spectroscopy and EPR.—74-10028A
Monroe, D. See Fitzgerald, E. A.
Monroe, K. A.; Govindarajan, S.; Moore, J. J.; Mishra, B.; Olson, D. L.
Combustion synthesis of $MoSi_2$-SiC oxidation-resistant coatings.—74-10229A
Monros, G. See Carda, J.; Cordoncillo, E.; Marti, M. C.; Tena, M. A.
Monshi, Ahmad; Chahouki, Mehdi
Investigation of sintering in a chamotte refractory.—74-05863A
Montani, R. A.; Levy, M.; Souquet, J. L.
Electrothermal model for high-field conduction and switching phenomena in TeO_2-V_2O_5 glasses.—74-08372A
Montaretto, N.
Restructuring tendencies of terra cotta installations.—74-08580A
Montavon, G.; Coddet, C.; Sampath, S.
Vacuum plasma spray forming of Astroloy—an investigation of processing parameters.—74-10715A
Montavon, G.; Roussel, E.; Coddet, C.
Plasma spray forming of Astroloy.—74-10526A
Montecchi, M. See Polato, P.
Monteiro, Paulo J. M. See Ghio, Virgilio A.
Monteiro, R. C. C.; Lima, M. M. R.
Coalescence and crystallization in powdered glasses.—74-05670A

Monteiro, T.; Pereira, E.; Dominguez-Adame, F.
Photoluminescence studies of heat-treated GaP:S samples.—74-06261A
Montelius, L. See Samuelson, L.
Montelius, L.; Tegenfeldt, J. O.; Van Heeren, P.
Direct observation of the atomic force microscopy tip using inverse atomic force microscopy imaging.—74-06759A
Montero, A. See Imbert, F. E.
Montero, I.; Jimenez, C.; Albella, J. M.
Growth of anodic oxides on reactively sputtered TiN_x films.—74-04670A
Montesperelli, Giampiero See Gusmano, Gualtiero; Traversa, Enrico
Montgomery, D. G.; Wang, G.
Instant chilled steel slag aggregate in concrete—fracture-related properties.—74-05538A
Montgomery, J. H. See Wu, Y.
Montgomery, Lionel C.
Ceramic composite and method.—74-00407P; Ceramic composite.—74-08644P
Montintin, J. See Desmaison-Brut, M.
Montorsi, Margherita See Lemoine, Patrick
Montross, Charles S.; Yokokawa, Harumi; Dokiya, Masayuki; Bekessy, Lambert
Mechanical properties of magnesia-doped lanthanum chromite versus temperature.—74-07901A
Monzo, Jose; Paya, Jordi; Peris-Mora, Eduardo
Preliminary study of fly ash granulometric influence on mortar strength.—74-05570A
Moodenbaugh, A. R. See Zhu, Yi-Mei
Moody, Kenneth J. See MacZura, George
Moody, Neville R.; Robinson, Steven L.; Lucas, James P.; Handrock, James; Hwang, Robert Q.
Effects of radiation and hydrogen on the fracture resistance of borosilicate glasses.—74-00256A
Moody, Neville R.; Venkataraman, S.; Nelson, J.
Interface roughness effects of adhesion of Ta_2N films.—74-11033A
Moon, B. K.; Ishiwara, H.
Epitaxial relationships and electrical properties of $SrTiO_3$ films on various thin fluoride/Si structures.—74-10336A
Moon, Byung-Hoon; Nam, Gun-Tae; Choi, Sang-Wook
Packing of regular particles—preparation of dense sintered silicon carbide: I.—74-10513A
Moon, Dae-Gyu See Park, Jin
Moon, J. See Eimori, N.
Moon, J.-H. See Jeong, J.-I.
Moon, Jong-H. See Jang, Hyun-M.
Moon, K. S. See Ingle, S. G.
Moon, S.-H. See Kim, B.-I.
Moon, Sung-Hoon See Kim, Byong-Ho
Moon, Young-Tae; Kim, Do-Kyung; Kim, Chong-Hee
Preparation of monodisperse ZrO_2 by the microwave heating of zirconyl chloride solutions.—74-04825A
Moon, Young-Tae; Park, Hong-Kyu; Kim, Do-Kyung; Kim, Chong-Hee; Seog, In-Sig
Preparation of monodisperse and spherical zirconia powders by heating of alcohol-aqueous salt solutions.—74-10564A
Moore, A. W. See Woollam, John A.
Moore, A. W.; Dowell, M. B.; Stover, E. R.; Bentsen, L. D.
Oxidation protection of carbon-carbon composites by (B+Si)N coatings.—74-10933A
Moore, A. W.; Sayir, H.; Farmer, Serene C.; Morscher, Gregory N.
Improved interface coatings for SiC fibers in ceramic composites.—74-10396A
Moore, Clyde W.
Portland cement clinker grindability and work index.—74-05567A
Moore, D. F; Lutwyche, M. I.; Hoole, A. C. F
Fabrication of freestanding structures and proposed applications in tunneling sensors.—74-01725A
Moore, D. M. See Hughes, R. E.
Moore, Edmund H.; Folsom, Craig A.; Keller, Kristin A.; Mah, Tai-Il
Mechanical testing of matrix slurry pressure-infiltrated composites.—74-11046A
Moore, G. A. See Rabin, B. H.
Moore, J. F.; Strongin, D. R.; Ruckman, M. W.
Deposition of dielectric thin films by irradiation of condensed reactant mixtures.—74-07255A
Moore, J. J. See Chen, Ning-Wei; Feng, H. J.; Monroe, K. A.; Tefft, Phillip
Moore, J. L. See Stevie, F. A.
Moore, L. V.
Analytical advances at PPC Lime: II, Characterization of environmetal dusts by X-ray fluorescence spectrometry—a microbead technique.—74-07994A
Moore, Moreton; Waggett, Richard; Wierzchowski, W.; Makepeace, Anthony
Synchrotron spike topography of natural type Ia diamond.—74-01468A
Moore, R. A. See Panwar, O. S.
Moore, Randall A. See Benedetto, Joseph M.
Moore, Robert E.
Significance and utility of refractories test data.—74-05879A
Moore, Ronald H. See Pieper, Helmut
Moore, William G. See Dunmead, Stephen D.; Khazai, Bijan; Weimer, Alan W.
Moorhead, Arthur J. See Kim, Hyoun-Ee
Moos, Ralf; Hardtl, Karl Heinz
Dependence of the intrinsic conductivity minimum of $SrTiO_3$ ceramics on the sintering atmosphere.—74-08737A
Mootgat, G.; Vancaster, N.; Vandeneede, V.
Characterization of clay slurries using polarization resistance measurements.—74-08510A
Moradi, Behnam; Dalal, Vikram L.; Knox, Ralph
Properties of polysilicon films deposited on amorphous substrates using reactive plasma beam deposition technique.—74-01862A
Moraitis, G. See Rakotomahevitra, A.
Morales de la Garza, L. See Perez, R.
Morales, J. L. See Pina, P. C.
Morales, M. P. See Gonzalez-Carreno, Teresita
Morales, Manuel See Sarrion, Maria Luisa Martinez
Moran, E. See Alario-Franco, M. A.
Moran-Lopez, J. L.; Sanchez, J. M.; Latge, A.
Oxygen disorder effects on the electronic structure of $YBa_2Cu_3O_{6+\delta}$.—74-06606A
Morante, J. R. See Peiro, F.
Morariu, M. See Pavel, E.
Moravcova, M. See Lauschmann, H.
Morch, K. A. See Song, J. P.; See Song, S. P.
Mordechai, Segev See Kewtsch, Anthony S.
Mordike, B. L. See Lee, H.-Y.
Mordovets, N. A.; Kotel'nikov, I. N.
Effect of unthermalized electrons on the photoconductivity of GaAs/AlGaAs heterostructures at cyclotron resonance.—74-08877A
More, J.; Manoli, S.; Schoennahl, J.
Ceramic rollers for rapid firing kilns.—74-09644A
More, K. L. See Lowden, Richard A.; Randall, C. A.; Wereszczak, A. A.
Moreau, C.; Boire-Lavigne, S.; Saint-Jacques, R. G.
Relationship between the microstructure and thermal diffusivity of plasma-sprayed tungsten coatings.—74-10874A
Moreau, C.; Gougeon, P.; Lamontagne, M.
On-line control of the plasma spraying process by monitoring the temperature, velocity, and trajectory of in-flight particles.—74-09596A
Moreau, Jacques A. See Balhadere, Aline
Moreau, Jean See Mottet, Leon P.
Moreira de Sa, Carlos P. See Meng, Li-Jian
Moreira, Jose C. See Neiva, Sonia M. C.
Moreira, Roberto L. See Lobo, R. P. S. M.
Moreland, John See Bertness, K. A.
Morell, A.; El Khiati, N.
Green phosphors for large plasma TV screens.—74-00627A
Morency, Joseph R. See Helble, Joseph J.
Moreno, Arnaldo See Aparici, J.; Enrique, Jose E.
Moreno, C. See Imbert, F. E.
Moreno, R. See Castanho, S. R. H. M.; Farinas, J. C.; Moya, Jose S.; Salomoni, A.
Moreno, R.; Carvajal, A.; Jimenez, J.
Development of an SOFC—single cell fabricated by slip casting.—74-04545A
Moreno, R.; Cordoba, Gonzalo
Oil dispersion of alumina for tape casting.—74-07404A
Morenza, J. L. See Lopez, F.; Sardin, G.
Moret, J. See Baldinozzi, G.
Moretti, Giuliano
Contribution of X-ray photoelectron and X-ray excited Auger spectroscopies in the characterization of zeolites and of metal clusters entrapped in zeolites.—74-10784A
Morgan, A. B.; Schreiber, Henry D.
Recovery of recyclable metals from waste glass melts.—74-09414A
Morgan, Brent A. See Talin, A. Alec
Morgan, D. V. See Camacho, A.
Morgan, J. E. See Maksoud, T. M. A.
Morgan, Peter E. D. See De Wames, Roger E.
Morgan, Peter E. D.; Housley, Robert M.
Effects of eutectic liquid under reducing conditions in the alumina–tin dioxide–tin composite system.—74-01377A
Morgan, Peter E. D.; Marshall, David B.
Ceramic composites of monazite and alumina.—74-06954A; Ceramic composites of monazite and alumina[—correction].—74-09766A
Morgenthaler, K. D.
Ceramic parts in engines, requirements and properties.—74-01284A
Mori, H.; Sakata, T.; Yasuda, H.; Maeda, M.
Effect of MeV electron irradiation on gold atom implantation into silicon carbide and silicon nitride.—74-04580A
Mori, Haruhiko; Hiramatsu, Ikuko; Saito, Koichi
Method of manufacturing multilayer ceramic electronic component.—74-02890P
Mori, Hirotaro See Tanaka, Katsuhisa
Mori, K. See Masai, J.; Odawara, O.
Mori, Kikuichi See Kajiwara, Kenichi
Mori, M.; Itoh, H.; Mori, N.; Abe, T.; Yamamoto, Osamu; Takeda, Yasuo
Reaction between alkaline-earth-metal-doped lanthanum chromite and yttria-stabilized zirconia.—74-00525A
Mori, Masami; Kineri, Tohru; Kadono, Kohei; Sakaguchi, Toru; Miya, Masaru; Wakabayashi, Hajimu
Effect of the atomic ratio of Ba to Ti on optical properties of gold-dispersed $BaTiO_3$ thin films.—74-10082A
Mori, N. See Mori, M.
Mori, S.; Onodera, N.; Itoh, M.
Tribochemical reactions of very thin layers on magnetic recording disks.—74-00779A
Mori, Takao; Shimazu, Yoshihiro; Ikehata, Seiichiro
NMR study on compensated Si:P.—74-00671A
Mori, Tamiko See Soda, Kazuo
Mori, Yusuke See Eimori, N.
Mori, Yusuke; Deguchi, Masahiro; Nishimura, Kazuhito
Radiation damage and electrical properties of ion-implanted chemically vapor deposited diamond.—74-10147A
Mori, Yusuke; Yamamura, K.; Yamauchi, K.
Plasma CVM [chemical vaporization machining]: an ultraprecision machining technique using high-pressure reactive plasma.—74-10523A
Moriconi, G.
Mortar deterioration of the walls in historic buildings. A case history: Vanvitelli's role in Ancona.—74-05556A
Morigaki, Kazuo See Yamaguchi, Masaaki
Moriguichi, Isamu; Hosoi, Katsuhiko; Nagaoka, Hidenori
Stepwise growth of size-confined CdS in the 2-D hydrophilic interlayers of Langmuir-Blodgett films by the repeated sulfidation-intercalation technique.—74-04914A
Morii, K.; Ikeda, H.; Nakayama, Y.
Effects of annealing on the structural and optical properties of amorphous thin films of Ga-55 mol% S.—74-00599A
Morii, K.; Wanaka, S.; Nakayama, Y.
Effects of crystallization on the optical and electrical properties of amorphous Sb-S-Ge thin films.—74-06059A
Morikawa, Asao See Kondo, Kazuo
Morikawa, Takashi; Shamoto, Hiroyuki; Suganuma, Tetsuya
Process for producing TiB_2 -dispersed TiAl-based composite material.—74-08319P
Morimiya, Osami See Noda, Etsuo
Morimoto, Kenji See Yashima, Masatomo
Morimoto, Shigeki; Noguchi, Tadashi; Taguchi, Yasusi; Taniguchi, Masakazu
Infrared and ultraviolet ray absorbing glass.—74-02677P
Morimoto, Shigeki; Noguchi, Tadashi
Bronze-colored infrared and ultraviolet radiation absorbing glass.—74-08468P; Neutral gray-colored infrared and ultraviolet radiation absorbing glass.—74-02688P
Morimoto, T.
Effect of tricresyl phosphate on wear of silicon nitride sliding against bearing steel.—74-02129A
Morimoto, Tadashi See Naito, Yasuyuki
Morinaga, Kenji See Fujino, Shigeru; Takebe, Hiromichi
Morinaga, Kenji; Yoshida, Hideki; Takebe, Hiromichi
Compositional dependence of absorption spectra of Ti^{3+} in silicate, borate, and phosphate glasses.—74-02522A
Morinaka, Hiroaki; Miyake, Masamiti; Fujii, Toru
Cyclic effect on fatigue of SiC-whisker/Si_3N_4 composite.—74-02117A
Morinushi, Ken See Matukawa, Koei
Morioka, Naoto
Making gas sensors.—74-10437A
Morisawa, Masaaki See Zushi, Toshihiro
Morishita, Tadataka See Hase, Takashi
Morishita, Tomonori See Maruyama, Toshiro
Morishita, Yoshitaka See Nomura, Yasuhiko
Morishita, Yoshitaka; Goto, Shigeo; Nomura, Yasuhiko; Tamura, M.; Isu, T.; Katayama, Yoshifumi
Real-time scanning microprobe reflection high-energy electron diffraction observations of InGaAs surfaces during molecular beam epitaxy on InP substrates.—74-07728A
Morita, Akihiro See Ichikawa, Kenji
Morita, E. See Haga, Y.; Fujisawa, Satoru; Ohta, M.; Sugawara, Y.
Moritz, Kirsten; Reetz, Teja
Electrophoretic deposition of aluminum nitride.—74-04614A; Electrophoretic shaping of aluminum nitride.—74-10326A
Moritz, T.; Reetz, T.
Granulation of spray-freeze drying.—74-04658A
Moriwaki, Masahiro See Arashi, Haruo
Moriwaki, Takayuki; Matsumoto, O.
Formation of silicon nitride film by plasma decomposition of methylsilazane.—74-04648A
Moriya, K.; Tomino, H.; Kandaka, Y.
Sealing of plasma-sprayed ceramic coatings by sol-gel process.—74-10620A
Moriya, N.; Feldman, L. C.; Luftman, H. S.; King, C. A.
Electrical and structural characterization of boron-doped $Si_{1-x}33Ge_x$ strained layers.—74-00484A
Moriya, N.; Shacham-Diamand, Y.; Kalish, R.
Modification effects in ion-implanted SiO_2 spin-on-glass.—74-00270A
Moriyasu, Taro See Mitsuda, Yoshitaka
Moro, G. See Zannini, P.
Moro, Hideharu; Miyauchi, Yasuharu
Composite soft magnetic material.—74-00780P
Morone, A. See Giardini-Guidoni, A.
Morooka, S. See Watanabe, Masayuki
Morooka, Shigeharu See Maeda, Hideaki
Morosanova, E. I.; Selivestrova, L. S.; Zolotov, Yu. A.
Possibility of noncovalent immobilization of silicagel.—74-01839A
Morosanu, C. O.; Stoica, T.; De Martino, C.; Demichelis, F.; Tagliaferro, A.
High gap sputtered DLC layers.—74-04678A
Morozenko, Yu. V.
Spatial variation of the edge luminescence in epitaxial SiC-6H films.—74-06320A
Morozov, A. N. See Morozova, O. Yu.
Morozov, A. N.; Morozova, O. Yu.; Glukhov, K. Yu.
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: II, Refinement of crystal syngony by precision measurements of unit cell parameters by Bond method.—74-04205A
Morozov, A. N.; Morozova, O. Yu.; Ponomarev, N. M.
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: I, X-ray diffractometry and X-ray topography studies.—74-04204A
Morozov, A. N.; Voronova, M. I.; Vyrelkin, V. P.
Extended structural defects in $LiNbO_3$ crystals.—74-07566A
Morozov, A. V. See Morozova, N. K.
Morozov, S. V. See Dubrovskii, Yu. V.
Morozov, Yu. G. See Kir'yakov, N. V.
Morozova, A. A. See Semenova, G. V.
Morozova, L. E. See Golubev, V. G.
Morozova, N. K.; Morozov, A. V.; Karetnikov, A. V.
Effect of controlled change in intrinsic point defects and oxygen on the optical properties of CdS.—74-08870A
Morozova, O. Yu. See Morozov, A. N.
Morozova, O. Yu.; Morozov, A. N.; Ponomarev, N. M.
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: III, High-temperature studies.—74-02486A
Morozova, T. V. See Gan'shin, V. A.
Morozovskii, A. E. See Mikhailova, I. G.
Morrell, R. See Fernandes, J. J.
Morris, A. E.; Stephenson, J. B.
Computer software for chemical and extractive metalurgy calculations.—74-00905A

Morris, Donald E.
Highly oxidized superconductors.—74-00868P
Morris, Jonathan C.; Callahan, Daniel L.; Kulik, Joseph; Patten, John A.; Scattergood, Ronald O.
Origins of the ductile regime in single-point diamond turning of semiconductors.—74-07407A
Morris, L. F. See Stendera, J. W.
Morris, Martin; Wagner, Robert J.
Alumina-zirconia refractory material and articles made therefrom.—74-08643P
Morris, P. A. See Graettinger, Thomas M.
Morris, R. C. See Golecki, I.
Morris, S. J.; Bass, J. M.; Matthai, C. C.; Milman, V.; Payne, M. C.
Reflectance anisotropy of reconstructed GaAs(001) surfaces.—74-06290A
Morris, Steven J. See Tasch, A. F.; Yang, Shyh-Horng
Morrish, Allan Henry See Horio, Isayuki
Morrish, Arthur A.; Natishan, Paul M.; Maruyama, Benji; Pehrsson, Pehr E.
Self-supporting diamond filaments.—74-02423P
Morrish, Arthur A.; Pehrsson, Pehr E.; Maruyama, Benji
Diamond tubes and fibers.—74-02369A
Morrison, Faith See Surapanani, Srinivas
Morrison, Fiona See Bingham, Eric
Morrison, Mark A. See Dutta, Arunava
Morrone, A. A. See Khan, Saeed R.; Sacks, Michael D.
Morrow, John D. See Moffett, Keith R.
Morrow, T. See Sakeek, H. F.
Morscher, Gregory N. See DiCarlo, J. A.; Moore, A. W.
Morscher, Gregory N.; Farmer, Serene C.; Sayir, Ali
Bend stress relaxation of Al_2O_3-YAG eutectic fibers.—74-10950A
Morse, T. F. See Oh, Kyung-Hwan
Mortel, Heinrich
Visit to Kiev[, Ukraine].—74-08603A
Mortenson, Mark G. See Niskanen, Paul W.
Mortimer, M. See Berry, F. J.
Mortini, Ignat P. See Scafidi, P.
Mortini, Patrick See Papadas, Constantin
Morton, David See Vecht, A.
Mosentsov, K. T. See Bol'shkova, N. V.
Moser, A.; Hug, H. J.; Fritz, O.; Parashikov, I.; Guntherodt, H.-J.
Magnetic force microscopy on high-T_c superconductors.—74-06576A
Moser, Horst
Economics of batch and cullet preheating.—74-09455A; Zippe builds batch plant for Rockware.—74-06734A
Moser, J.; Levy, F.; Bussy, F.
Composition and growth of MoS_x sputtered films.—74-01648A
Moser, J.; Levy, F.
Random stacking in MoS_{2-x} sputtered thin films.—74-04199A
Moses, D. See Binari, S. C.
Moshkin, S. V. See Gomoyunova, M. V.
Mosin, M. Yu. See Leonov, V. G.
Moskalenko, S. A. See Mis'ko, V. R.
Moskvin, A. S. See Karnachev, A. S.; Kol'tsov, M. A.
Moskvin, A. S.; Bostrem, I. G.; Sidorov, M. A.
Exchange-relativistic double-ion spin anisotropy. Tensor shape, temperature dependence, and numerical value.—74-09200A
Mosleh, N.; Meyer, F.; Schwebel, C.; Pellet, C.; Eizenberg, M.
Growth mode of Ge films on Si(100) substrate deposited by ion beam sputtering.—74-04666A
Mosley, W. D.; Dykes, J. W.; Shelton, R. N.
Direct observation of the Fermi surface in $Ba_{1-x}K_xBiO_3$.—74-06513A
Moss, David J.; Ido, T.; Sano, H.
Calculation of photogenerated carrier escape rates from GaAs/$Al_xGa_{1-x}As$ quantum wells.—74-05995A
Moss, H. See Mountford, A.
Mosset, A. See Benbertal, D.
Mostafa, M. R.; Youssef, A. M.
Structural and textural properties of SnO_2-Cr_2O_3 catalysts.—74-07000A
Mostaghaci, Hamid
Advanced ceramics in Canada.—74-11134A
Mostaghimi, J. See Pasandideh-Fard, M.
Mostowicz, R.; Crea, F.; Nagy, J. B.
Crystallization of silicalite-1 in the presence of fluoride ions.—74-10252A
Motizuki, Kazuko See Nishio, Yoshimasa
Moto, Akihiro See Higaki, Kenjiro
Motohira, Naobumi See Kishimoto, Akira
Motojima, Seiji See Hasegawa, Isao
Motokawa, Mitsuhiro See Kitamura, Naoyuki
Motowidlo, L. R. See Iyer, A. N.
Motrya, S. F. See Greznev, Yu. S.; Voroshilov, Yu. V.
Mottet, Leon P.; Zvosec, Charles M.; Cherico, Stephen D.; Zivkovic, Alexandre; Van Marcke de Lummen, Guy;
Moreau, Jean; Robyn, Pierre
Ceramic welding powder mixture.—74-08303P
Mottram, J. T.
Design charts for the thermal conductivity of continuous fiber-reinforced composites.—74-06753A; Design charts for the thermal conductivity of particulate composites.—74-06754A
Mouallem-Bahout, M.; Gaude, J.; Calvarin, G.
Anisotropic thermal expansion and Gruneisen coefficients of the bismuth cuprate 2-2-1-2.—74-06484A
Mouchon, E.; Klein, L. C.; Picard, V.
Sol-gel lithium silicate electrolyte thin films.—74-08772A
Mouchon, Emmanuelle See Colomban, Philippe
Moulin, S. See Bonnot, A. M.
Moulin, S.; Bonnot, A. M.
In situ monochromatic and spectroscopic optical investigations of diamond thin-film growth.—74-04691A
Moulson, A. J. See Sirisoonthorn, S.
Mound, M. C.
Cement plant instrumentation, automation, and process control.—74-08000A
Mounir, Alas Eldin See Makroum, A. Hany
Mountford, A.; Moss, H.
Fast-firing technology in ceramic decoration.—74-09664A
Mountford, A.
Trends in the decoration of flat glass.—74-02662A
Moure, C. See Capel, F.; Duran, P.; Gonzalez, M.; Tartaj, J.; Villegas, M.
Mouri, T. See Sato, H.
Mourichoux, H. See Vincent, H.
Mouricou, Isabelle See Balhadere, Aline
Mourou, Gerard A. See Frankel, Michael Y.
Moussa, A. M. A. See Shehata, G. H.
Moustafa, Y. M.; Doweidar, H.; El-Damrawi, G.
Utilization of infrared spectroscopy to determine the fraction of the four-coordinated borons in borate glasses.—74-05700A
Moustakas, T. D. See Jin, Shu
Moutiers, G. See Cassir, M.
Mowbray, D. J.; Kowalski, O. P.; Skolnick, M. S.
Solid-source molecular beam epitaxy growth of GaInP and GaInP-containing quantum wells.—74-09043A
Moya, Jose S. See Belmonte, Manuel; Requena, J.; Steier, Hanns P.; Wohlfromm, Hans
Moya, Jose S.; Sanchez-Herencia, A. J.; Moreno, R.
Layered ceramic composites- a new family of advanced materials.—74-07367A
Moya, Jose S.; Sanchez-Herencia, A. J.; Requena, J.; Moreno, R.
Functionally gradient ceramics by sequential slip casting.—74-07324A
Moyer, Curtis D.; Harvey, Thomas B., III; Jaskie, James E.
Diamond/organic LED.—74-00738P
Moyer, Curtis D.; Jaskie, James E.; Legge, Ronald N.
Diamond/phosphor polycrystalline LED and display.—74-00739P
Moyer, John R. See Howard, Kevin E.
Mozdzierz, N. See Backhaus-Ricoult, M.
Mozgovoi, A. G. See Dibirov, M. A.
Mozhaev, A. P. See Chernyaev, S. V.
Mozol, P. E.; Gnatyuk, V. A.; Sukach, A. V.
Influence of structure characteristics of epitaxial $Cd_xHg_{1-x}Te$ films on electrical and photoelectric properties after laser irradiation.—74-01948A
Mozolova, Z. See Gregusova, D.
Mozumder, P. K. See Barna, G. G.
Mrkva, Frantisek
Properties and behavior of glass melts with fine seeds.—74-00275A
Mronga, Norbert See Schmid, Raimund
Mroz, Cathleen See Rahman, Matiur
Mroz, Cathleen; Bray, Donald J.; Mroz, T. M.; Jedlicka, A. B.; Barnes, A. S.; Sperber, D. M.
Processing and properties of Al_2O_3/SiC whisker composites.—74-10584A
Mroz, Cathleen
Titanium diboride.—74-06937A; Zirconium diboride.—74-06944A
Mroz, T. M. See Mroz, Cathleen
Mroz, Thomas J. See Spohn, Mary T.
Mu, X. C. See Gadgil, P. K.
Mu, Xiao-Dong; Shao, Zhong-Shu; Zhuo, Zhuang
Cerenkov second harmonic generation (CSHG) in proton-exchanged (PE) $LiTaO_3$ optical waveguides.—74-09111A
Mu, Xiao-Fang See Deng, Min
Muck, D. See Meterns-Lecomte, Ch.
Muckensturm, Robert
Decorating lehrs: the decorator's final signature.—74-02297A; Decorator's final signature.—74-01977A
Mueller, C. H.; Holloway, P. H.; Miranda, F. A.; Bhasin, K. B.
Effect of oxygen pressure on the orientation of $YBa_2Cu_3O_{7-x}$/$SrTiO_3$ films deposited on (1102)Al_2O_3 substrates.—74-01688A
Mueller, C.; Haenni, W.; Binggeli, M.; Hintermann, H. E.
Uniform diamond coatings in 4-in. Si wafers.—74-10713A
Mueller, Carl A. See Bednorz, Johannes G.
Mueller, Edward See Horowitz, Emanuel
Mueller, Franziska See Melzer, Dieter
Mueller, Franziska; Moertel, Heinrich
Brick production using [abatement] fluid bed ash.—74-02703A
Mueller, Wolfgang; Torge, Manfred; Adam, Karin
Ratio of CaO/K_2O >2 as evidence of a special Rhenish type of medieval stained glass.—74-02298A
Mueller-Simon, Hayo; Wagner, Joerg; Lenhart, Armin
Practical strength of glass containers: I, Influence of the type of defect.—74-08387A
Muenchausen, R. See Wu, X. D.
Muhl, S. See Mendez, J. M.
Muhlbauer, Michal
Decolorizing crystal glass.—74-05758A
Muhlhan, C. See Henne, R.
Mui, D. S. L.; Strand, T. A.; Thibeault, B. J.
Characteristics of in situ Cl_2 etched/regrown GaAs/GaAs interfaces.—74-01498A
Muijsenberg, E. See Simonis, F.
Mukae, Kazuo
Characterization of electronic interfacial states at grain boundaries—transient capacity response method and molecular orbital calculation.—74-10769A
Mukai, Hidehito See Fujikami, Jun; Sato, Kenichi
Mukai, Hidehito; Sato, Kenichi; Shibuta, Nobuhiro
Method of preparing oxide superconducting wire.—74-03648P
Mukai, S. R. See Masuda, T.
Mukas'yan, A. S. See Sharivker, S. Yu.
Mukerji, J. See Chakrabarti, O. P.
Mukherjee, B.; Banerjee, G.
Ceria-TZP with intergranular alumina.—74-01222A
Mukhin, B. V. See Kuz'micheva, G. M.
Mukhina, L. L.; Provanenkov, V. V.; Mikulo, R. V.
Laser damage of the surface of glass undergoing ion exchange.—74-00266A; Damage by laser impulse of the surface of glasses intended for ion exchange.—74-00249A
Mukhina, L. V. See Shmyreva, T. P.
Mukhopadhyay, Anoop K.; Liu, Tian-Shun; Swain, Michael V.; Mai, Yiu-Wing
Scratch experiments on ceria-stabilized tetragonal zirconia.—74-02197A
Mukhopadhyay, G. See Goveas, Neena
Mukhopadhyay, K. See Bandopadhyay, S.
Mukhopadhyay, P. See Goveas, Neena
Mukhopadhyay, P.
High-T_c films on GGG substrates.—74-06555A
Mukhopadyay, S. See Paschalis, E. P.
Mula, Guido See Nicolini, R.
Mulgrew, P. See Liddle, J. Alexander
Mulla, M. A.; Krstic, V. D.
Mechanical properties of beta-SiC pressureless sintered with Al_2O_3 additions.—74-04357A
Mullejans, Harald See Kaplan, Wayne D.
Muller, Anette See Sturmer, Sylvia
Muller, D. See Repplinger, F.
Muller, D.; Cho, Y. R.; Fromm, E.
Measurement of the adhesion of TiN and Al coatings by fracture mechanics tests.—74-02166A
Muller, F.; Mann, K.
Laser-induced physical vapor deposition of diamondlike carbon films.—74-01779A
Muller, G. See Jiang, Q. D.; Krotz, G.; Reise, M.; Sternitzke, Martin; Winter, W.
Muller, H. See Divis, M.
Muller, Harald D. See Maier, Karin
Muller, I. See Yan, Q.; Yaschenko, E.
Muller, J. See Doscher, M.; Hamerich, A.
Muller, J.
Productivity increases through electronic communication.—74-00315A
Muller, Jean-Pierre See Delineau, Thierry
Muller, K. Paul; Eib, Nicholas K.; Faure, Thomas B.
Etching on silicon membranes for sub-0.25-μm X-ray mask manufacturing.—74-00925A
Muller, Lothar See Uhlig, Stefan
Muller, R. See Haase, I.; Schweizer, T.
Muller, R.; Schweizer, T.; Bohac, P.
Homogeneity ranges of the $Bi_2Sr_2CaCu_2O_x$ and $Bi_{2-x}Sr_{2-x}CuO_x$ high-T_c superconductors.—74-03486A
Muller, Theo; Pulker, Hans K.
Shock fracture replicas for thin-film microstructure investigation in a transmission electron microscope.—74-05245A
Muller, U. See Lugscheider, E.; Solter, H.-J.
Muller, W. See Lamouri, A.
Muller-Hummel, P.; Lahres, M.
Infrared temperature measurements on diamond-coated tools during machining.—74-03825A
Muller-Mai, Christian See Gross, Ulrich M.
Muller-Sebert, W. See Samlenski, R.; Wild, C.
Muller-Spath, Guido See Meyer, Helmut
Mullersebert, W. See Locher, R.
Mullica, D. F.; Leschnitzer, D. H.
Short-range order structural investigation of amorphous europium, gadolinium, and terbium hydrous oxides.—74-01454A
Mullick, A. K.; Saxena, J. P.; Ashwani, Pahuje
Energy performance and conservation efforts in Indian cement industry.—74-08019A
Mulligan, Anthony See Stuffle, Kevin
Mullinger, J. Peter
Flame control in rotary lime kilns.—74-03908A
Mullins, Michael E. See Surapanani, Srinivas
Mullot, J.; Winter, K.; Lecompte, J. P.
Aluminum nitride thermal conductivity of tape casting substrates.—74-07013A
Mulone, Roberto See Bowen, Paul
Mulpuri, Rao; Sarin, Vinod K.
Thermodynamic analysis of CVD mullite coatings.—74-10043A
Mulvihill, Geraldine See Meyer, Edwin F.
Mun, C.-S. See Park, H.-S.
Munakata, N. See Onissi, T. R.
Munekata, H. See Swanston, D. M.
Munir, Z. A. See Wang, Lily L.; Yuan, R.-Z.
Munoz, A. See Goni, J.
Munshi, Jonathan See Brambani, Eric J.
Munson, M. C.
Events and trends in metal and mineral commodities.—74-02234A; 74-07944A
Munz, Dietrich See Bruckner-Foit, A.; Fett, Theo
Munz, Dietrich; Sckuhr, Matthias A.; Yang, Ying-Yuan
Thermal stresses in ceramic-metal joints with an interlayer.—74-02401A
Munzinger, P. C. See Borst, T. H.
Murai, Teruyuki See Yamamoto, Susumu
Murakami, I. See Okabe, N.
Murakami, K. See Hamasaki, Y.; Miyazaki, H.
Murakami, K.; Okamoto, T.; Kawai, T.
Rapidly solidified high-strength deposits of Fe-C base alloys produced by low pressure plasma spraying.—74-08262A
Murakami, M.; Nishika, N.; Nakamura, K.
High-quality and highly oriented graphite block from polyimide films.—74-04680A
Murakami, Masanori See Ijichi, H.; Uchibori, Chihiro
Murakami, Masato; Sakai, Naomichi; Takaichi, Hiroshi; Kondoh, Akihiro; Kagiya, Shoichi; Nakamura, Naomichi; Fujimoto, Hiroyuki; Koshizuka, Naoki; Tanaka, Shoji
Process of producing oxide superconductor.—74-09389P
Murakami, Masato; Takata, Tsutomu; Yamaguchi, Koji;

Kondoh, Akihiro; Koshizuka, Naoki
Oxide superconductor and process for producing the same.—74-09382P
Murakami, Seishi See Suzuki, Toshiya
Murakami, Y. See Ito, M.; Zhang, Ding-Jin
Murakami, Y.; Yamaguchi, F.; Ishiyama, O.
Effect of H_2 reduction on methanol decomposition over various titanium oxides.—74-10284A
Muraki, K. See Fukatsu, S.
Muraleedharan, Ramayi V. See Ramanathan, Srinivasan
Muralidhar, G. K.; Rao, G. Mohan; Mohan, S.
Characterization of $YBa_2Cu_3O_{7-\delta}$ thin films deposited by high pressure oxygen sputtering.—74-03424A; Fabrication and performance study of a $YBa_2Cu_3O_{7-\delta}$ thin-film varistor.—74-00616A
Muralt, Paul See Maeder, Thomas
Muranaka, Y.; Yamashita, H.; Miyadera, H.
Worldwide status of low-temperature growth of diamond.—74-04983A
Murao, S. K.; Wilkinson, C. D. W.; Wang, P. D.
Very low damage etching of GaAs.—74-01930A
Murao, Yukinobu See Homma, Tetsuya
Muraoka, K. See Czarnetski, U.
Murarka, S. P. See Li, S. C
Murasaki, S. See Mizutani, U.
Murase, Kazuo See Inoue, Koichi
Murashov, V. V. See Kuz'micheva, G. M.
Murashova, E. V.; Velikodnyi, Yu. A.; Zhuravlev, V. D.
Crystal structures of double pyrovanadates $CaMgV_2O_7$ and $CaCoV_2O_7$.—74-04119A
Murat, M.; Mignard, F.; Hue, F.
Elaboration of composite ceramic powders "alumina/whiskers SiC" by the sol-gel method.—74-10319A
Murata, H. See Meyers, D. E.
Murata, Keizo See Fukushima, Akio
Murata, Osamu See Tabata, Hitoshi
Muratikov, K. L. See Glazov, A. L.
Murayama, H.; Honda, K.
Preparation of ultrafine graphite flakes with ordered size and microstructure from vapor-grown ribbonlike filaments.—74-04830A
Muret, P. See Cros, A.
Muromachi, Takashi See Kobayashi, Hiroaki
Muromachi, Takashi; Kawaguchi, Jun; Nakai, Hidemi
Automotive window glass.—74-00326P
Murota, Junichi See Yokoo, Kuniyoshi
Murotani, T. See Kimura, T.
Murozono, Mikio
II-VI compound semiconductors for solar batteries.—74-08935A
Murphy, Christopher D. See Lewis, Michael A.
Murphy, Damien See Giamello, Elio
Murphy, Dawn; Jakus, Karl; Ritter, John E.; Hill, Barry C.
High-temperature behavior of indent and creep-nucleated cracks in vitreous-bonded alumina.—74-07886A
Murray, C. B. See Norris, D. J.
Murray, Haydn H. See Salter, Timothy L.
Murray, Haydn H.; Keller, Walter D.
Kaolins, kaolins, and kaolins.—74-06909A
Murray, M. G. S. See Wang, J.
Murray, P. T. See Peeler, D. T.
Murray, P. T.; Peeler, D. T.
Pulsed laser deposition of carbon films: dependence of film properties on laser wavelength.—74-07452A
Murray, R. See Ferguson, I. T.
Murtagh, Martin J. See Locker, Robert J.
Murtazaev, A. K.; Favorskii, I. A.
Simulation of small magnetic particles of Cr_2O_3 and α-Fe_2O_3.—74-04420A
Murthy, V. R. K.; Raju, K. C. J.; Viswanathan, B.
Characteristics of materials for microwave devices.—74-06451A
Murthy, V. S. R. See Verma, Avinash R. B.
Murthy, V. S. R.
Processing and microstructure of nonoxide ceramic fibers[—review].—74-10583A
Murty, Gollapudi S. See Verma, Avinash R. B.
Musasa, Mamoru See Sugimoto, Makoto
Musatov, A. L.; Mokerov, V. G.; Pakhomov, A. A.
Spectra of the surface photo-emf of *n*-GaAs(100).—74-09045A
Musebrink, Olaf See Koslowski, Thomas
Music, S. See Ristic, M.
Music, S.; Dragcevic, D.; Popovic, S.
Preparation and characterization of transparent γ-ε-AlOOH films.—74-07421A
Musikhin, L. A.; Osintsev, V. V.; Chernyak, R. V.
Active control of $LiNbO_3$ single crystals for classification by the velocities of acoustic ACE waves.—74-10183A
Musikhin, S. F. See Bakueva, L. G.
Musikhin, S. F.; Nemov, S. A.; Proshin, V. I.; Semin, I. E.; Shamshur, D. V.; Berezin, A. V.
Electrical properties of $(Sn_{0.8}Ge_{0.2})_{1-x}In_xTe$ films formed by a laser-evaporation method.—74-00605A
Musinu, A. See Medda, M. P.
Muskas'yan, A. S. See Sharivker, S. Yu.
Musset, Emmanuel See Herlin, Nathalie
Mustafa, M. A.; Yusof, K. M.
Atmospheric chloride penetration into concrete in semitropical marine environment.—74-05465A
Mustarelli, P.; Magistris, A.
Structure and heat capacity of Na_2O-$2B_2O_3$ glass: effects of the cooling rate.—74-05698A
Mutasim, Z.; Hsu, L.
Thermal durability and abradability of plasma sprayed Al-Si polyimide seal coatings.—74-08282A
Muthe, K. P. See Kothiyal, G. P.
Mutin, J. C. See Sornay, P.
Mutin, P. H. See Corriu, Robert J. P.
Muto, Norio; Yanagida, Hiroaki; Nakatsuji, Teruyuki
Design of intelligent materials with self-diagnosing function for preventing fatal fracture.—74-05487A
Muto, Tadayoshi See Shimai, Shunzo
Muto, Yasuaki See Sugino, Takashi
Mutoh, Y.; Miyahara, N.; Yamaishi, K.; Oikawa, T.
High-temperature fracture toughness in silicon nitride and SiAlON.—74-11019A
Mutso, Rein R. See Bronson, Arturo
Mutsukura, Nobuki See Kobayashi, Kenji
Mutter, Wolfgang
Optimized laser particle sizing.—74-09597A
Muysenberg, Hendrikus P. H. See Beerkens, Ruud G. C.
Mwarania, E. K. See Wang, J.
Myasnikov, A. M. See Kuryshev, G. L.
Myasoedov, Yu. N. See Lutsiv, R. V.
Myburg, G.; Auret, F. D.; Meyer, W. E.; Burger, H.
Fermi level pinning by various metal Schottky contacts on (100) OMVPE-grown *n*-GaAs.—74-06104A
Mycielski, W.; Staryga, E.; Lipinski, A.; Mitura, S.; Sokolowska, A.
Open-circuit mode drift mobility measurements in DLC films.—74-04377A
Myers, A. See Petrov, I.
Myers, Blake
Ceramic tile expansion engine housing.—74-09814P
Myers, Clifford See Engqvist, Jan
Myers, Joseph F. See Scheps, Richard
Myers, Marcus N. See Fuh, Chwan
Myers, R. A. See Brueck, S. R. J.
Myers, Wendell B. See States Department of Energy,
Myketin, Michael See Staffel, Thomas
Mynbaeva, M. G. See Estropov, V. V.
Mynko, N. I.; Gubarev, A. V.
Crystallization mechanism and characteristics of silicomanganese slag melts used to make glass-ceramics (review).—74-02609A
Myrick, M. L. See Noll, J. D.
Mysem, B. O. See Alberto, H. V.
Myslinski, P. See Barnard, C.
Mysyrowicz, A.; Fortin, E.; Benson, E.
Soliton propagation of excitonic packets and superfluidity in Cu_2O.—74-09044A
Mytsyk, B. G.; Demiyanishin, N. M.; Yakovleva, L. M.
Piezooptic effect in alum crystals.—74-03336A
Myurk, V. V.; Ismailov, K. M.
Decay kinetics of luminescence of autolocalized excitons in Al_2O_3 and $Y_3Al_5O_{12}$.—74-03368A
Na, Yong-Han See Kim, Byung-Hoon
Nacer, B. See Tetot, R.
Nachal'naya, T. A.; Andreyev, V. D.; Gabrusenok, E. V.
Shift of the frequency and Stokes–antiStokes ratio of Raman spectra from diamond powders.—74-07746A
Nadal, M. See Poirier, L.
Nadazdy, V. See Pincik, Emil
Nadler, P. See Schubert, E.
Nadler, P.; Schubert, E.
Solution of the problem of proof tests on praxis.—74-01105A
Nadolinny, V.; Yelisseyev, A. P.
New paramagnetic centers containing nickel ions in diamond.—74-05039A; Structure and creation conditions of complex nitrogen-nickel defects in synthetic diamonds.—74-04918A
Nadyozhina, T. N.; Pushcharovskii, D. Yu.; Taroev, V. K.
Crystal structure of ferrialuminosilicate low sanidine.—74-07057A
Naefe, H.; Naziri, M.; Walk, H.
Optimum chrome-free burning zone lining for rotary cement kilns.—74-06869A
Naessens, G. See Ghodsi, M.
Nafe, H. See Kop, A.
Nafe, H.
Peculiarities in the low-temperature ion and electron conductivity of solid oxide electrolytes.—74-00516A
Nafziger, R. H. See Hansen, J. S.
Nag, Debashish See Amin, Kamal E.
Nag, Pallob K. See Bhan, Mohan K.
Naga, S. M.; Abou El-Maaty, M. A.
Influence of alkali olivine basalt on the properties of cordierite-based ceramics.—74-06906A
Naga, S. M.; Sallam, E. H.; Abd Elaziz, D. O.
Vitrified heavy-duty floor tiles from Egyptian raw materials.—74-00376A
Nagabushnam, V. See Harkness, S. D.
Nagae, Nobusada See Zushi, Toshihiro
Nagaev, E. L.
Ferron mechanism of charge transport in antiferromagnetic semiconductors and its peculiarities at phase separation.—74-08911A
Nagahama, Mutsuhisa See Tamura, Hideki
Nagahara, L. A.; Hashimoto, K.; Fujishima, A.; Snowden-Ifft, D.; Price, P. B.
Mica etch pits as a height calibration source for atomic force microscopy.—74-07683A
Nagahori, Aisushi; Raj, Rishi
Deposition of titanium oxide films from metallorganic precursor by electron cyclotron resonance plasma-assisted chemical vapor deposition.—74-06035A; Electron cyclotron resonance plasma-enhanced metallorganic chemical vapor deposition of tantalum oxide thin films on silicon near room temperature.—74-07294A
Nagai, Akihiro See Kato, Eturo
Nagai, Haruhiko; Hishil, Masao; Tanaka, Masaaki
Cw 20-kW SAGE CO_2 laser for industrial use.—74-01052A
Nagai, Hiroyuki See Maruyama, Fumio
Nagai, Takayuki See Hirashima, Hiroshi
Nagamori, Keiji; Hashimoto, Noritaka; Akizuki, Toshihiko; Nakano, Masanobu
Friction, wear, and rolling contact fatigue of fine ceramics.—74-07883A
Nagamori, Keiji; Hashimoto, Noritaka; Miyake, Hidehiko
Application of fine ceramics to machine tools.—74-01217A
Nagamori, Keiji
Ceramic dies for plastic molding.—74-03955A
Nagano, Tetsuya See Akune, Yasuhiro
Nagao, Yoshihiko See Tanaka, Hiroshi
Nagaoka, H. See Ohta, M.
Nagaoka, Hidenori See Moriguichi, Isamu
Nagaoka, T.; Mase, M.
Application of a dry turbo vacuum pump to semiconductor manufacturing processes.—74-05979A
Nagarajan, R. See Tamhane, A. S.
Nagarajan, R.; Mazumdar, Chadan; Hossain, Zakir
Bulk superconductivity at an elevated temperature ($T_c \approx 12$ K) in a nickel-containing alloy system Y-Ni-B-C.—74-03419A
Nagarajan, V. S. See Ravikiran, A.
Nagasawa, Hiroshi See Saito, Yoshiaki
Nagasawa, Hiroyuki See Arakawa, T.
Nagasawa, Hiroyuki; Sugawara, Minoru; Yamashiro, Kazuhide; Kobayashi, Masato; Yamaguchi, Yohichi
Process for formation of silicon carbide film.—74-09949P
Nagasawa, Kaya See Sakuria, Yuryo
Nagashima, Makoto See Lee, Peter W.
Nagashima, Satoko See Kato, Akio
Nagashima, Satoko; Yoshida, T.; Kato, Akio
Synthesis of In_2O_3-SnO_2 composite powders by a homogeneous precipitation technique and their sintering behavior.—74-07515A
Nagasubramanian, Ganesan See Peled, Emmanuel
Nagata, K. See Susa, M.
Nagata, Katsunori See Takahashi, Makoto
Nagata, Keisuke See Nakamura, Kazutaka
Nagata, M.; Iwahara, H.
Measurement of water vapor pressure in the vicinity of anode of SOFC during discharge.—74-00507A
Nagata, M.; Kageyama, K.; Goto, E.
Evaluation method of slipperiness based on human perception.—74-09568A
Nagata, Misayuki See Hayashi, Kazuhiko
Nagatome, Tomoo See Yashima, Masatomo
Nagayama, Katsuya See Aikawa, Haruhiko
Nagayama, M. See Ohzuku, T.
Nagel, Alwin See Jaschinski, Wolfgang
Nagels, P. See Tichy, L.
Nageno, Yoshikazu See Takebe, Hiromichi
Nagesh, V. K. See Anderson, John T.
Nagornyi, A. P.; Sakhno, V. A.; Nagornyi, S. A.
Wear of the periclase-lime lining of steel teeming ladles in ladle desulfurization of steel.—74-02794A
Nagornyi, P. G. See Geifman, I. N.
Nagornyi, P. G.; Kapshuk, A. A.
Synthesis and structure of the double phosphate $K_3Ti_3P_5O_{20}$.—74-01469A
Nagornyi, S. A. See Nagornyi, A. P.
Nagro, Louis A.
Corrosion resistant composition for wear products.—74-04044P
Nagy, J. B. See Mostowicz, R.
Nagy, Kathryn L.; Blum, Alex
Scanning Probe Microscopy of Clay Minerals (CMS Workshop Lectures, Vol. 7).—74-05445B
Nahm, Sahn See Sung, Gun-Yong
Nahser, W. See Koeberer, G.
Naidoo, R.; Pretorius, R.; Comrie, C. M.
Formation of $YBa_2Cu_3O_{7-x}$ thin films by pulsed ruby laser ablation.—74-06551A
Naidu, K. Subramanyam; Buddhudu, S.
Photoluminescence properties of Ho^{3+}-doped $(NaPO_3)_4$-$BaCl_2$-$ZnCl_2$-RCl glasses.—74-05736A
Naiini, Ahmad A. See Han, Yong
Naik, R.; Kota, C.; Rao, B. U. M.; Auner, G. W.
Study of epitaxial growth of Ag on hydrogen-terminated Si(111) and Si(100) surfaces.—74-03872A
Naik, Tarun R.; Singh, Shiw S.; Hossain, Mohammad
Abrasion resistance of concrete as influenced by inclusion of fly ash.—74-05459A
Nair, C. G. K. See Krishnadev, M. R.
Nair, K. M. See Bhalla, A. S.
Nair, M. T. S. See Estrada, C. A.; Nair, P. K.
Nair, M. T. S.; Nair, P. K.; Zingaro, Ralph A.
Conversion of chemically deposited photosensitive CdS thin films to *n*-type by air annealing and ion exchange reaction.—74-08844A
Nair, P. K. See Estrada, C. A.; Nair, M. T. S.
Nair, P. K.; Nair, M. T. S.; Gomezdaza, O.
Metal sulfide thin film photography using photoaccelerated chemical deposition of bismuth sulfide thin films.—74-01795A
Nair, P. K.; Nair, M. T. S.; Pathirana, H. M. K. K.
Structure and composition of chemically deposited films of bismuth sulfide and copper sulfide: effect on optical and electrical properties.—74-01582A
Nair, P. K.; Nair, M. T. S.; Zingaro, Ralph A.; Meyers, Edward A.
XRD, XPS, optical and electrical studies on the conversion of SnS thin films to SnO_2.—74-02097A
Nair, S. V. See Wang, Y.-L.
Nair, S. V.; Guo, Tsung-Ju
Role of crack wake toughening on elevated temperature crack growth in a fiber-reinforced ceramic composite.—74-11078A
Nair, S. V.; Jakus, Karl
High Temperature Mechanical Behavior of Ceramic Composites.—74-11204B
Naithani, K. P. See Antony, J. P.
Naito, Naomi; Jachim, Lorraine A.
Highly oriented superconductor oxide ceramic platelets and process for the production thereof.—74-03631P
Naito, Yasuyuki; Doi, Tetsuya; Hasegawa, Yoshiki; Morimoto, Tadashi; Tanaka, Yukio
Method of manufacturing multilayer ceramic electronic component.—74-08805P
Naka, Jun See Komori, Kiyotaka
Nakae, H. See Fujii, H.

Nakagawa, K.; Shelkovnikov; Katsuda, T.
Fast frequency stabilization of a diode-laser pumped monolithic Nd:YAG laser with an extra-cavity electrooptical modulator.—74-08908A
Nakagawa, Manabu; Shibata, Masatoshi
Method and apparatus for manufacturing glass bottles.—74-09528P
Nakagawa, N. See Takarada, T.
Nakagawa, P. M.; Kawakami, F.; Kudoh, T.
Trends in automotive applications of thermal spray technology in Japan.—74-08287A
Nakagawa, Takeo See Ito, Yoshitaka
Nakagawa, Z. See Saito, Kenji
Nakagawa, Zenbee See Ochi, Hideo
Nakahara, Kunikazu See Hamuro, Mitsuro
Nakahara, S. See Schwarcz, D.
Nakahara, Shigeru See Zushi, Toshihiro
Nakahara, Yoshiko; Tsubota, Susumu; Nakamura, Toshiko
Silica microencapsulation of iron oxide powder and its properties.—74-07477A
Nakahata, H. See Shikata, Shinichi
Nakahata, Seiji See Sogabe, Kouichi
Nakahata, Seiji; Matsuura, Takahiro; Sogabe, Kouichi; Yamakawa, Akira
Aluminum nitride sintered body and method of preparing the same.—74-09902P; Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron.—74-04127A
Nakahira, Atsushi See Hirano, Takeshi; Nawa, Masahiro; Nishijima, S.; Ohji, Tatsuki; Oshima, Kenji
Nakahira, Atsushi; Niihara, Koichi
Microstructures and high-temperature hardness of Al_2O_3/SiC nanocomposites.—74-02025A
Nakai, Hidemi See Muromachi, Takashi
Nakai, Hisashi See Qiu, Hong
Nakai, Osamu See Nojima, Taketoshi
Nakai, Tetsuo See Nakamura, Tsutomu
Nakai, Z. See Hishinuma, K.
Nakajima, Hiroaki See Tsunoda, Masakiyo
Nakajima, K. See Okada, K.
Nakajima, Kazuhiko
Recent trends in HIP equipment and related systems.—74-09505A
Nakajima, Ken See Hirasawa, Satomi
Nakajima, Kunio; Yakushiji, Makoto; Aoki, Sadao
Layer structure evaluation of multilayer X-ray mirror by combination of focused ion beam etching and transmission electron microscopy.—74-02009A
Nakajima, Shinya See Nonami, Tohru
Nakajima, Yukihiko See Ametani, Kohei; Fushii, Yasuhito
Nakamura, Arao See Hirano, Shinichi
Nakamura, Eiji See Ozaki, Toru
Nakamura, Haruo
Evaluation of fracture toughness of ceramics at high temperature—comparison with metallic materials.—74-10988A
Nakamura, Hitoshi See Aizawa, Toshiyuki
Nakamura, K. G. See Hirata, T.
Nakamura, K. See Murakami, M.
Nakamura, Kazuo See Ohashi, Masayoshi
Nakamura, Kazutaka; Nagata, Keisuke; Yoneda, Yasunobu; Tani, Hiroji
Fixed resistor.—74-02879P
Nakamura, Keikichi See Hatano, Takeshi
Nakamura, Kenro; Kinase, Wataru
Theory of the successive phase transition in $BaTiO_3$.—74-07135A
Nakamura, Kousuke See Yasutomi, Yoshiyuki
Nakamura, Makoto See Ichikawa, Kenji
Nakamura, Makoto See Tsukamoto, Noboru
Nakamura, Miyuki See Fushii, Yasuhito
Nakamura, Moritaka See Fujimura, Shuzo
Nakamura, N. See Abe, S.
Nakamura, Naomichi See Murakami, Masato
Nakamura, Nobuo
Preparation of SiC mirrors for X-ray.—74-09888A
Nakamura, Ryosuke See Nishio, Hideaki
Nakamura, Shinichi See Kanai, Hideyuki
Nakamura, Shintaro; Goto, Terutaka; Kunii, Satoru; Iwashita, Katsuhiko; Tamaki, Akira
Quadrupole-strain interaction in rare-earth hexaborides.—74-04403A
Nakamura, Shuji See Carter, Calvin H., Jr.
Nakamura, T. See Mochizuki, K.
Nakamura, Takao; Iiyama, Michitomo
Superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—74-09392P
Nakamura, Takao; Inada, Hiroshi; Iiyama, Michitomo
Superconducting device having a reduced thickness of oxide superconducting layer.—74-09391P
Nakamura, Takao
MBE method for preparing high Tc superconducting thin films.—74-09373P
Nakamura, Takashi See Cho, Sung-Baek; Hata, Kotaro; Kim, Hyun-Min; Mine, Katsutoshi
Nakamura, Takashi
Ceramic fan heater.—74-08726A; Structurally matched ferroelectric device.—74-03361P
Nakamura, Tetsuro See Inaguma, Yoshiyuki
Nakamura, Toshiko See Nakahara, Yoshiko
Nakamura, Tsutomu; Kanada, Yasuyuki; Nakai, Tetsuo
Polycrystalline diamond cutting tool and method of manufacturing the same.—74-04076P
Nakamura, Y. See Jung, S. J.; Mahalingam, K.
Nakamura, Yoshifumi See Hakotani, Yasuhiko
Nakamura, Yoshikazu; Aoi, Tsuneharu; Aruga, Atsushi; Watanabe, Yoshihisa; Hirayama, Shigekazu; Fujimoto, Shirou
Synthesis and properties of dielectric ceramics from metallorganic precursors through the solid-state reaction of mixed gels.—74-05964A
Nakamura, Yoshinobu See Kishimoto, Akira
Nakamura, Yuko See Yamaguchi, Takashi
Nakanishi, Kazuki See Cho, Sung-Baek
Nakanishi, Masatsugu; Tsutsuki, Misao; Yokoishi, Shouji
Carbon film coated glass.—74-08469P
Nakanishi, Norihiko See Shigematsu, Toshihiko
Nakanishi, S. See Asakawa, T.
Nakanishi, Takamitsu See Kawabata, Chikao
Nakanishi, Y. See Sawada, Yoshihiro
Nakano, K. See Lai, Gao-Chao
Nakano, Kikuo; Kamiya, Akira; Nishino, Yoichi; Imura, Toru; Chou, Tsu-Wei
Fabrication and characterization of three-dimensional carbon-fiber-reinforced silicon carbide and silicon nitride composites.—74-10342A
Nakano, Masanobu See Nagamori, Keiji
Nakano, Satoko See Sugimoto, Iwao
Nakano, Satoshi; Ikawa, H.; Fukunaga, Osamu
High-pressure reactions and formation mechanism of cubic BN in the system BN-Mg_3N_2.—74-09998A; Synthesis of cubic boron nitride using Li_3BN_2, $Sr_3B_2N_4$, and $Ca_3B_2N_4$ as solvent-catalysts.—74-04940A
Nakano, Satoshi; Fukunaga, Osamu
New scope of high-pressure–high-temperature synthesis of cubic boron nitride.—74-10010A
Nakano, Takashi; Iizuka, Toshihiro; Takada, Tomoyuki; Yamaguchi, Takashi
Glass/substrate interaction in model RuO_2–glass double-layer thick films.—74-05938A
Nakano, Takashi; Yamaguchi, Takashi
Effect of O_2 concentration in firing atmosphere on resistance of RuO_2–glass thick-film resistors.—74-05931A
Nakano, Tomoyasu See Kobayashi, Kenji
Nakano, Yukie See Nomura, Takeshi
Nakao, Masao See Fujiwara, Shuji
Nakao, Osamu See Kurosaka, Akihito
Nakao, Yasumasa See Kushitani, Hideki
Nakashima, K. See Locatelli, M. R.
Nakashima, Kenji See Ishii, Masahiko
Nakashima, Masazumi; Kurita, Sumihiko
BN-group ceramics having excellent resistance to loss by dissolving.—74-09904P
Nakashima, Masazumi; Nakawara, Hiroshi; Kurita, Sumihiko
Boron nitride sinter and process for its production.—74-01309P
Nakashima, T. See Mita, T.
Nakasugi, T. See Azuma, T.
Nakasuji, Mamoru; Shimizu, Hiroyasu; Kato, Takaaki
Low-voltage and high-speed operating electrostatic wafer chuck using sputtered tantalum oxide membrane.—74-06981A
Nakata, Hitoshi See Sato, Teiji
Nakata, Yoshinori See Suzuki, Masaaki
Nakatani, Isao
Science and technology in composite materials—iron nitride ultrafine particles and iron nitride magnetic fluids.—74-09220A
Nakatani, S. See Ichimura, M.
Nakatani, Seiichi See Hakotani, Yasuhiko
Nakatsuji, Teruyuki See Muto, Norio
Nakaue, Hirokazu See Kurokawa, Hideo
Nakaue, Hirokazu See Mitani, Tsutomu
Nakawaga, K. See Tamagawa, T.
Nakawara, Hiroshi See Nakashima, Masazumi
Nakaya, Kenichi See Shiosaki, Tadashi
Nakaya, Seiichi See Sakai, Etsuo
Nakayama, Masaaki See Tanaka, Isao
Nakayama, N. See Iwase, M.
Nakayama, Norili See Sakamoto, Yoshiaki
Nakayama, Susumu; Sadaoka, Yoshihiko
Microstructure and humidity sensitivity of sintered $Zr(XPO_4)_2$-nH_2O (X=Li, Na, K, Rb, Cs).—74-05192A
Nakayama, T.
Structure of TiO_2/SiO_2 multilayer films.—74-05960A
Nakayama, Takashi See Gunji, Shigeki
Nakayama, Y. See Morii, K.
Nakazato, Koji See Onishi, Masashi
Nakhapetyan, R. A. See Maksimov, V. M.
Nakielski, G. See Kotzler, J.
Nalbat, Yu. S. See Xiang, Yu. N.
Nalivaiko, O. Y. See Lesnikova, V. P.; Turtsevich, A. S.
Nam, C. W.; Ashok, S.; Tsai, W.; Day, M. E.
Silicon surface electrical properties after low-temperature in situ cleaning using an electron cyclotron resonance plasma.—74-06315A
Nam, Chul-Woo; Woo, Seong-Ihl
Characterization of spin-coated silicate and phosphosilicate thin films prepared by the sol-gel method.—74-01629A
Nam, Gun-Tae See Moon, Byung-Hoon
Nam, Hyo-Duk See Cho, Kyeong-Ho; Lee, Ki-Tae
Nam, Ki-Woong See Chung, Min-Chul
Namaroff, M. See McLane, G. F.
Namarov, Sh. S. See Erkaev, A. V.
Namatsu, H.; Minegishi, K.
Effect of plasma cure temperature on spin-on glass.—74-01689A
Namavar, Fereydoon See Greenwald, Anton C.
Namba, Tokuro See Fu, Jie
Namba, Yasutoshi See Hiroki, Nobuyoshi
Nanataki, Tsutomu See Abe, Masahiro
Nanba, Makoto See Yamamura, Takashi
Nanba, T. See Akasaka, Youichi
Nancollas, George H. See Spector, M.
Nancollas, George H.; Zhang, Jing-Wu
Formation and dissolution mechanisms of calcium phosphates in aqueous systems.—74-10358A
Nanjangud, Savitha C.; Brezny, Rasto; Green, David J.
Strength and Young's modulus behavior of a partially sintered porous alumina.—74-02206A
Nanjo, Fusayuki; Takenobu, Kouichi; Watanabe, Kiyoshi; Miyamoto, Hitoshi; Sumi, Masao; Tokunaga, Setsuo
Development of the Mitsubishi planar reversible cell.—74-00473A
Nanjou, F. See Yoshida, Y.
Nanko, Makoto; Ishizaki, Kozo; Fujukawa, Takao; Kondo, Yoshihito
Surface diffusivity under high-pressure gas.—74-07502A
Nanot, M. See Perriere, J.
Naoumidis, Aristides See Ahladas, P.; Stochniol, Guido; Syskakis, Emmanuel
Napier, Norman See Wagg, Erik
Narasimhan, D. See Golecki, I.
Narayan, J. See Jagannadham, K.; Raghunathan, Rohini; Tiwari, P.; Zheleva, Tsvetanka
Narayan, J.
Single crystal titanium nitride epitaxial on silicon.—74-09102P
Narayana, M. See Haddix, G. W.
Narayanamurti, V. See O'Shea, J. J.
Narayandass, S. K. See Gurumurugan, K.
Narayani, V.; Sukumar, B.
Polarizability of a shallow donor in a quantum well wire: geometric effects.—74-03174A
Narikiyo, Osamu; Miyake, Kazumasa
Is spin-gap behavior near T_c in cuprates evidence for d_{xy} pairing? A role of superconducting fluctuations.—74-03507A
Narita, Akira
Permanent magnet (ferrite magnet).—74-09216A
Narita, Hidekazu See Mizusaki, Junichiro
Narita, Hideo See Hatano, Takeshi
Narula, Chaitanya K.; Cemczyk, Brian G.; Czubarow, Paul; Seyferth, Dietmar
Preparation of silicon nitride–titanium nitride and titanium–titanium nitride composites from $(CH_3)_3SiNHTiCl_3$-coated Si_3N_4 and Ti particles.—74-04828A
Narula, Chaitanya K.; Crosbie, Gary M.
Preparation of titanium nitride-containing refractory material composites.—74-01331P
Narula, Chaitanya K.
Single phase metal-alumina sol-gel process and material.—74-08321P
Narushima, Takayuki See Goto, Takashi
Narutani, Tetsu See Yamazaki, Masakatsu
Naseem, H. A. See Chilakamarri, Prasad
Nashimoto, Keiichi
Metal-alkoxide-derived-oriented and epitaxial ferroelectric thin films.—74-09153A
Nashiyama, Isamu See Itoh, Hisayoshi
Nasman, L.; Wimmerstedt, R.
Drying of plasterboard—some quality aspects.—74-06760A
Nasrallah, M. M. See Chen, C. C.
Nasrazadani, S. See Goforth, R. C.
Nasrednov, F. S. See Amandikov, M. A.
Nasrednov, F. S.; Masterov, V. F.; Seregin, P. P.;
Alpamishev, P.; Shadrin, E. B.; Shcherbatyuk, O. K.
Parameters of electric field gradient tensor at copper sites of $La_{2-x}CuO_4$ lattice.—74-03549A
Nass, Rudiger See Burgard, Detlef
Nass, Rudiger; Tkalcec, Emilija; Ivankovic, Hrvoje
Single-phase mullite gels doped with chromium.—74-10029A
Nassenstein, K. See Steffens, H. D.
Nassetti, G. See Palmonari, C.
Nassetti, G.; Brightenti, G.; Sillem, H.
Innovative process for the preparation of powders for red and white ceramic tile bodies.—74-09477A
Nassiopoulos, A. G.; Tambouris, D.; Frangis, N.;
Logothetidis, S.; Georga, S.; Krontiras, C.
Titanium disilicide on silicon by interdiffusion of titanium and amorphous silicon multilayers—transmission electron microscopy, spectroscopic ellipsometry and resistivity measurements.—74-05290A
Nassir, M. H.; Langell, M. A.
CoO(100) Fuchs-Kliewer phonon spectrum by high-resolution electron energy loss spectroscopy.—74-08845A
Nastasi, M.; Mayer, J. W.
Ion beam mixing in metallic and semiconductor materials.—74-06171A
Nasu, Hiroyuki See Okamoto, Hideki; Wada, M.
Nasyrov, A. N.; Tylczinski, Z.; Karaev, A. D.
Acoustic studies of low-temperature phase transition in K_2ZnCl_4 crystals.—74-03780A
Natarajan, C.; Sharon, M.; Levy-Clementi, C.
Electrodeposition of zinc selenide.—74-00116A
Natarajan, Govindarajan See Casey, Jon A.
Natasi, Michael See Yu, Ning
Nater, Edward A. See Kolka, Randakk K.
Nathal, Michael V. See MacKay, Rebecca A.
Nathan, G. J. See Manias, C. G.
Natishan, Paul M. See Morrish, Arthur A.
Nato, Namie See Kikkawa, Shinichi
Naudjyus, K. See Ashmontas, S.
Naudon, A. See Riviere, J. P.
Nauer, M. See Boutz, Michel M.; Lakki, A.
Nauer, M.; Carry, Claude
Grain growth in yttria-doped tetragonal zirconia polycrystals (Y-TZP).—74-07656A
Naumann, M. See Glas, P.
Naumkin, A. V. See Dementjev, A. P.
Naumkin, A. V.; Vasilyev, L. A.
Depth profile optimization.—74-05110A
Naumov, I. I.; Ol'khovskii, G. A.; Velikokhatnyi, O. I.
Mechanism of cubic phase stabilization in ZrO_2.—74-04161A
Nava, F.; Tu, K. N.; Thomas, O.
Electrical and optical properties of silicide single crystals and thin films.—74-00483A
Navaneenthakrishnan, K. See Elangoven, A.
Navarro, Fernandez See Salvado, Miranda
Navarro, Jose E. Enrique
Technical requirements of ceramic tiles for specific uses.—74-08591A

Navarro, L. M.; Recio, P.; Jurado, J. R.
Development of high-density Y_2O_3-ZrO_2/Al_2O_3 composites as solid electrolyte for SOFC.—74-04546A
Navarro, L. M.; Reico, P.; Jurado, J. R.
Enhancement of mechanical performance in YSZ solid electrolytes by using fine-dispersed alumina particles.—74-06972A
Navinsek, B. See Milosev, I.
Navrostsky, A. See Zhou, Z.
Navrotsky, Alexandra See Bolech, Mark
Nawa, Masahiro; Niihara, Koichi; Nakahira, Atsushi; Sekino, Tohru
Method of fabricating a sintered ceramic composite.—74-08311P
Nayak, B. B. See Mishra, P. K.
Nayar, Padmanabha K. Krishnan See Ramanathan, Srinivasan
Nazare, M. H.; Boemare, Claude; Assuncao, M.
High-resolution photoluminescence studies of acceptor bound excitons in CdS/CdSe heterostructures under magnetic field.—74-03046A
Nazare, S.
Directional solidification of sintered bulk $Y_1Ba_2Cu_3O_x$ superconductors by zone melting.—74-00798A
Nazarov, Andrey P. See Petrunin, Maxim A.
Nazarov, N. See Berkeliev, A.; Zhilyaev, Yu. V.
Naziri, M. See Naefe, H.
Nazmutdinov, R. Sh. See Zagnoyko, V. V.
Neagu, Roberto See Toma, Gubriela
Neal, R. B. See Fain, D. E.
Nebesarova, Jana; Hulinsky, Vaclav
Application of Monte Carlo method to quantitative electron probe microanalysis of silicate glass.—74-05662A
Nechaev, A. A. See Gorpinchenko, S. D.
Nechepurenko, A.; Klinskaya, N.; Kopysov, V.
Chromium diboride powder as the material for plasma spraying.—74-08144A
Neddermeyer, H. See Bertrams, T.
Nedeoglo, D. D. See Kasiyan, V. A.
Needleman, A. See Shen, Y.-L.
Neely, J. E. See Mangin, C. G. E.
Neergaard, Lynn J.; Petrovic, John J.
Fracture behavior of $MoSi_2/Si_3N_4$ composite.—74-11002A
Neeson, C. G. See Hodges, R. G. L.
Neeson, C. G.; Ponton, C. B.; Butler, E. G.
Growth of single-crystal mullite fibers by the laser-heated float zone process.—74-04675A
Neethling, J. H. See Venter, A.
Nefedov, V. I.; Chuvaev, A. V.; Oksenoid, K. G.
Change in the physical-chemical properties of high-temperature superconductors on passage of a direct current.—74-03420A
Neff, Glenn C. See Panahi, Sherry K.
Neff, Glenn C.; Slavejkov, A. G.
Oxy-fuel glass melting with the Cleanfire burner.—74-01171A
Neff, H.
RQ-mode principal components analysis of ceramic compositional data.—74-02300A
Negas, T.; Ling, H.
Ceramic Transactions, Volume 53: Materials and Processes for Wireless Communications.—74-07970B
Negishi, Akibumi See Kojo, Katsuhiko
Negishi, N.; Fujii, T.; Anpo, M.
Characteristics of the fluorescence spectra of pyrene molecules during the sol to gel to xerogel transitions of silica-titania binary oxide systems.—74-09973A
Negm, S. See Talaat, H.
Negre, F. See Caballer, V.; Sanchez, J.
Negre, F.; Jarque, J. C.; Feliu, C.
Spray-drying operation of ceramic powders on an industrial scale, its control and automation.—74-10651A
Nehlert, Johannes; Plueschke, Reinhard
Quartz-porphyry from Dobritz: a raw material for the ceramics and glass industries.—74-01200A
Neifel'd, E. A. See Shelushinina, N. G.
Neighbour, B. Gareth; McEnaney, Brian
Creep and recovery in graphites at ambient temperature: an acoustic emission study.—74-07847A
Neilo, G. N.; Prokhorov, A. D.
EPR of Mn^{2+} in high-pressure phase of $MgSiF_6{\cdot}6H_2O$.—74-04140A
Neilson, D. T. See Ehrlich, J. E.
Neiman, S. M. See Bagautdinov, A. A.
Neimes, R. J.; McMahon, M. I.; Wright, N. G.
Crystal structure of ZnTe III at 16 GPa.—74-07063A
Neimes, R. J.; McMahon, M. I.
Ordered superstructure of InSb-IV.—74-08992A
Neiser, R. A. See Smith, M. F.
Neiva, Sonia M. C.; Santos, Jose A.; Moreira, Jose C.
Novel synthetic route for supporting ruthenium complexes on functionalized silica gel.—74-10502A
Nekrasova, A. N. See Skipetrov, E. P.
Nekvasil, V. See Divis, M.
Nel'son, D. K. See Razbirin, B. S.
Nelipovich, K. I. See Suski, V. N.
Nellis, W. J. See Kramer, M. J.
Nelms, Leonard; Pretorius, Fred; Ranney, John Q.; Stoffa, George M.
Study rates HF measurement methods.—74-05911A
Nelms, Leonard; Pretorius, Fred; Ranney, John Q.; Stoma, George M.
Evaluation of fluoride emissions methods for use at ceramic tile kilns.—74-11161A
Nelson, Anne See Larriva, Rene F.
Nelson, Art J.; Frigo, S. P.; Rosenberg, R. A.
Chemistry and electronic structure of the H_2 plasma passivated surface of CdTe.—74-08840A
Nelson, Art J.; Hasoon, F.; Levi, Dean
Processing and characterization of large-grain thin-film CdTe.—74-07445A
Nelson, Douglas M.
Method of introducing protective atmosphere gases into a glass forming chamber.—74-02686P
Nelson, J. See Moody, Neville R.
Nelson, John C. See Tsai, Chung-Hsien
Nelson, Michael See Duvierre, Gerard
Nemanich, R. J. See Baumann, P. K.; Carter, Calvin H., Jr.; Van der Weide, J.
Nemat-Nasser, S.; Deng, H.
Strain-rate effect on brittle fracture in compression.—74-05390A
Nemazal, Zdenek; Novak, Jozef; Hejduk, Jiri
Determination of yttrium, calcium, and magnesium in the zirconium compound.—74-05619A
Nemec, Lubomir See Chmelar, Josef
Nemec, Lubomir
Modeling of the glass-melting process and glass-melting furnaces.—74-09688A; Refining and sand dissolution in the glass-melting process.—74-05787A; Simplified energy-consumption model of melting process and its technological application.—74-09713A
Nemeth, D. T. See Ludwig, F.
Nemeth, Noel N. See Choi, Sung-R.
Nemets, I. I. See Trubitsyn, M. A.
Nemirovsky, D. M. See Dementjev, A. P.
Nemoto, Masaaki See Fujiwara, Shuji
Nemov, S. A. See Berezin, A. V.; Kaidanov, V. I.; Musikhin, S. F.; Zakharova, I. B.; Zhitinskaya, M. K.
Nender, C. See Bardos, L.; Berg, S.
Neoh, K. G. See Lin, J.
Neov, S. See Burger, H.
Nepijoko, S. A. See Park, W. G.
Nepomnyashchii, O. A. See Raikhel, A. M.
Nepsha, V. I.; Grinberg, V. R.; Klyuev, Yu. A.
Effective free path length of phonons in diamond.—74-09986A
Nerad, I.; Sausova, S.; Stevula, Ladislav
CaO-Al_2O_3-$CaSO_4$-H_2O system.—74-05469A
Nery, H. See Le Huu, T.
Nesbitt, Kirby; Egner, David
Forming and extrusion of porcelain bodies.—74-08679A
Neshpor, V. S.; Brykov, S. I.; Zakharov, V. G.; Zaitsev, G. P.; Nikitina, T. P.; Pavlov, S. M.
Structure and properties of boron and silicon carbide-base materials obtained by reaction-activated microwave sintering in contact with aluminum nitride.—74-02051A
Nesladek, M. See Spinnewyn, J.
Nesladek, M.; Asinari, C.; Spinnewyn, J.; Lebout, R.; Lorent, R.; D'Olieslaeger, M.
Investigation of the CVD diamond-intermediate layer-steel interface.—74-05173A
Nesladek, M.; Spinnewyn, J.; Asinari, C.
Improved adhesion of CVD diamond films to steel and WC-Co substrates.—74-05159A
Nesladek, M.
Rotating dc discharge for diamond deposition.—74-01873A
Nesterenko, N. M. See Kut'ko, V. I.
Nesvizhskii, A. I. See Aliev, G. N.
Netsch, Alfred
Design and construction of pressing machine tooling for the tableware industry.—74-00910A
Netterfield, R. P. See Martin, P. J.
Netti, M. C. See Lepore, M.
Netzelman, U. See Boudina, A.
Neubert, F. See Kalnin, A. A.
Neufuss, K. See Lauschmann, H.
Neuman, George A. See Athey, Patricia R.
Neuman, George A.; Stewart-Davis, Royann L.
Neutral, low emissivity coated glass articles and method for making.—74-08494P
Neumann, Gerd; Hutschenreuther, Peter; Glien, Willfried; Raab, Dagmar; Leuner, Barbara; Steinborn, Gabriele; Berger, Georg
Joint endoprosthesis with Al_2O_3 ceramic head and a composite socket and process for making it.—74-01256P
Neumann, Harald See Friese, Karl-Hermann
Neumann, R. See Hagen, T.
Neumayer, Deborah A. See DiMeo, Frank; Gilbert, S. R.
Neumuller, Bernhard See Krauter, Gertrud
Neureither, B.; Basa, C.; Sandwick, T.
Boron nitride and silicon boron nitride film and polish characterization.—74-07213A
Neveux, D.; Simon, J.; Ballini, Y.
Optical and electrical properties of $Sc_{0.2}Yb_{0.8}As$ and $Sc_{0.7}Er_{0.8}As$ semimetallic compounds lattice matched to GaAs.—74-00674A
Neville Connell, George A. See Swift, Charles D.
Neville Connell, George A.; Fenner, David B.; Boyce, James B.; Fork, David K.
Silicon substrate having YSZ epitaxial barrier layer and an epitaxial superconducting layer.—74-03661P
Nevinnyi, N. N. See Gorelkinskii, Yu. V.
Nevolin, V. N. See Chubunova, E. V.; Fominski, V. Yu.
Nevriva, M. See Dominec, J.
Newbury, Dennis
Compliance and new precious metals techniques.—74-00011A
Newcomb, S. A.; Tressler, R. E.; Spear, K. E.
Oxidation kinetics of Al-doped SiC single crystals.—74-10923A
Newell, Kenneth J.
Porous load bearing materials.—74-09833P
Newell, Michael A.; Heine, David R.
Ceramic block filter having nonsymmetrical input and output impedances and combined radio communication apparatus.—74-08778P
Newhouse, Mark A. See Aitken, Bruce G.
Newkirk, Marc S. See Creber, David K.
Newkirk, Marc S.; Urquhart, Andrew W.; Zwicker, Harry R.; Lesher, H. Daniel
Composite ceramic articles.—74-00167P
Newkirk, Marc S.; Zwicker, Shirley L.
Methods of making shaped ceramic composites.—74-03996P
Newman, Nathan See Char, Kookrin; Sheats, James R.; Van Schilfgaarde, Mark
Newman, Robert A. See Hwang, C. James
Newman, T. H. See Reeves, C. M.; Wind, S. J.
Newnham, R. E. See Li, S.; Randall, C. A.; Trolier-McKinstry, Susan
Newnham, R. E.
Size effects and nonlinear phenomena in ferroic ceramics.—74-03348A
Newns, D. M.; Tsuei, C. C.; Huebner, R. P.
Quasi-classical transport at a van Hove singularity in cuprate semiconductors.—74-06282A
Newsam, J. M. See Rice, S. B.
Ng, K. Y. Simon See Zhu, W.
Ng, K.-W. See Kane, Jeffrey
Ng, Li-Voon; McCormick, Alon V.
Self-diffusion coefficients of sol-gel intermediates.—74-07474A
Ng, Quock See Lauer, J. L.
Ngan, Kenny K. See Nulman, Jaim
Ngujen, H. See Nykiel, M. D.
Nguyen, K. B.; Nguyen, T. B.
Defect coverage profile and propagation of roughness of sputter-deposited Mo/Si multilayer coating for extreme ultraviolet projection lithography.—74-01978A
Nguyen, K. T. See Lipowitz, Jonathan
Nguyen, P. See Jia, C. L.
Nguyen, Q. N. See Fox, Dennis S.
Nguyen, R. See Ziedler, J. R.
Nguyen, T. B. See Nguyen, K. B.
Nguyen, Tue See Srinivasan, Radhika
Nguyen, Van Thien
Cement industry develops in Vietnam.—74-11145A
Nicacio, D. L.; Gouveia, E. A.; Reis, A. M.
Generation of intense green light through amplified spontaneous emission in Er^{3+}-doped germanosilicate single-mode optical fiber pumped at 1.319 μm.—74-08922A
Nicholas, R. J. See Leadley, D. R.
Nicholls, J. R.; Shih, N.-C.; Stephenson, D. J.
Assessment of diffusion barriers for Ti-SiC composites.—74-10721A
Nichols, C. S. See Lu, F.-H.
Nichols, F. A. See Ajayi, O. O.; Erdemir, A.
Nichols, J. W.
Continuing upgrading program at South Ferriby (UK).—74-03678A
Nicholson, John M. See Crosbie, Gary M.
Nicholson, Patrick S. See Huang, Xue-Ning; Kuo, Chu-Kun; Prakash, Orm; Sarkar, Partho
Nicholson, Patrick S.; Sarkar, Partho; Huang, Xue-Ning
Potentially strong and tough ZrO_2-based ceramic composites ≥1300°C by electrophoretic deposition.—74-01840A
Nicholson, Patrick S.; Sarkar, Partho; Prakash, Orm; Wang, G.
Mimicking nature's ceramic/ceramic laminar composites by electrophoretic deposition.—74-10474A
Nickel, Klaus G.
Corrosion of Advanced Ceramics: Measurement and Modeling.—74-11200B
Nickolayev, O.; Petrenko, V. F.
Study of dislocations in ZnSe and ZnS by scanning force microscopy.—74-07765A
Nicol, M. J.
Progress in electrometallurgy research and applications.—74-00980A
Nicolas, M. See Zanoun, Y.
Nicolet, M.-A. See Chen, J. S.; Lie, D. Y. C.; Liu, W. S.; McLane, G. F.; Sun, Xin
Nicoletti, Fabiano; Polato, P.; Roucur, Jean
Interlaboratory comparison of solar range transmittance and reflectance of coated and uncoated glass.—74-02550A
Nicolini, R.; Vanzetti, L.; Mula, Guido
Local interface composition and band discontinuities at heterovalent heterostructures.—74-03087A
Nicoll, A. R. See Barbezat, G.; Wu, Hua-Dong
Nicoll, A. R.
Production plasma spraying in the automotive industry—a European viewpoint.—74-08256A
Nicollian, Edward H.
Electrical characterization of defects created in the Si-SiO_2 system by ionizing radiation.—74-05008A
Nicoloso, N.; Le Corre-Frisch, A.; Maglione, M.
Modeling of the conduction mechanism in RuO_2/glass resistive compounds.—74-05733A
Nie, H. Y.; Shimizu, T.; Tokumoto, H.
Atomic force microscopy study of Pd clusters on graphite and mica.—74-07594A
Nie, Wen-Zhi
Research on low-temperature strengthened porcelain with high silica content.—74-08702A
Niebauer, Kenneth L. See Beeghly, Craig W.
Niebylski, Leonard M.
Preceramic compositions and ceramic products.—74-03999P
Niedrig, Heinz See Bautsch, Markus
Niedzielski, P. See Mitura, E.; Olborska, A.
Nieh, T. G. See Chou, T. C.
Nielsen, K. A.; Krarup, H. G.; Engell, J. E.
Aqueous corrosion of ceramics.—74-07796A
Nielsen, P. S. See Bentzon, M. D.
Nielsen, T. A. See Fohey, W. R.
Nielson, Anders
Development of alkali silica reactions in concrete structures with time.—74-02319A
Niemczyk, Thomas M. See Franke, James E.
Niemczyk, Thomas M.; Franke, James E.; Zhang, Song-Biao
Infrared sensor for CVD deposition of dielectric films.—74-08755A
Niemczyk, Thomas M.; Wangmaneerat, B.; Haaland, D. M.
Precise property determinations of arsenosilicate glass thin films using infrared spectroscopy.—74-02570A

Niemi, K. See Vuoristo, P.

Niemi, K.; Sorsa, P.; Vuoristo, P.
Thermally sprayed alumina coatings with strongly improved wear and corrosion resistance.—74-10698A

Niesen, L. See Greuter, M. J. W.

Niesz, Dale E. See Ashkin, Daniel

Nieto, E.; Fernandez, J. F.; Duran, P.
Dip coating preparation of thin films of piezoelectric materials.—74-03294A

Niewenhuys, G. J. See Mentink, S. A. M.

Niftiev, N. N.
Optical absorption in $MnIn_2S_4$ single crystals.—74-08981A

Nightingale, S. A.; Hannink, R. H. J.; Street, S.
Fabrication and characterization of microwave sintered zirconia ceramics.—74-01717A

Niglio, L. See Molteni, C.

Nigrin, Jaroslava M.; Rose, Paul L.
Fluorine-containing lead- and cadmium-free glazes.—74-08719P

Nigro, A. See Di Leo, R.

Nii, R. See Kitaura, Y.

Nii, Tetsuro See Sichanugrist, Porponth

Niihara, Koichi See Chae, Ki-Woong; Hirano, Takeshi; Koyama, Takashi; Nakahira, Atsushi; Nawa, Masahiro; Nishijima, S.; Ohji, Tatsuki; Oshima, Kenji; Tanaka, Isao

Niihara, Koichi; Hirano, Takeshi; Izaki, Kansei; Wakai, Fumihiro
High-temperature creep/deformation of Si_3N_4/SiC nanocomposites.—74-02154A

Niihara, Koichi; Ishizaki, Kozo; Isotani, Mitsuo
Ceramic Transactions, Volume 44: Materials Processing and Design: Grain-Boundary-Controlled Properties of Fine Ceramics: II.—74-05436B

Niinisto, L. See Charreire, Y.; Molsa, Heini; Ritala, Mikko; Viirola, H.

Nijs, J. See Caymax, M.

Nikiforov, V. N.; Kovachik, V.; Velikovskii, A. A.
Electrical and magnetic properties of new ternary compound $CeRuSi_2$.—74-04294A

Nikiforov, V. V.; Stefko, V. V.
Method for depositing solid ohmic contacts of CdSe and CdS crystals.—74-03834A

Nikitina, E. A. See Aleshina, L. A.

Nikitina, T. P. See Neshpor, V. S.

Nikol'skii, Yu. A.
Negative photoconductivity in *n*-InSb films.—74-08966A

Nikolaenko, Yu. M. See Grishin, A. M.

Nikolaev, A. V.; Andreyev, B. V.
Electronic structure of CrO_2 ferromagnetic phase—LAPW calculation.—74-07162A

Nikolaev, V. I. See Smirnov, B. I.

Nikolaeva, L. V. See Veisman, V. L.

Nikolaeva, R. B. See Pashkov, G. L.

Nikolas, Douglas G. See Yasrebi, Mehrdad

Nikolic, L.; Radonjic, L.
Sol-gel protective coating.—74-07486A

Nikolov, R. See Djambazov, S.

Nikolov, Z. See Pantchev, B.

Nikonorov, N. V. See Vasitskii, V.

Nikonorov, N. V.; Kolobkova, E. V.; Zukhvatova, M. B.
Niobium phosphate glass planar optical waveguides fabricated by ion exchange.—74-02645A

Nikonorov, N. V.; Palagin, D. A.; Shchavelev, O. S.
Ion-exchange hardening of phosphate laser glasses.—74-00303A; Ion-exchange strengthening of phosphate laser glasses.—74-02554A; Planar optical waveguides based on laser silicoaluminophosphate glass fabricated by ion exchange.—74-02648A

Nikonorov, N. V.; Pan'sheva, E. I.; Tunimanova, I. V.
Characteristics of coloration of multichromatic glasses induced by laser radiation.—74-00243A; Peculiarities in coloring of multichrome glasses under the action of laser irradiation.—74-00273A

Nikonov, Yu. P. See Tkacheva, I. I.

Nikonova, N. S.; Mityushin, V. V.; Tikhomirova, I. N.
Formation of the anion structure of calcium hydrosilicates in hardening of slag cements.—74-02457A

Nikulin, E. I.; Stepanov, Yu. P.
Conductivity of semiconductor phase of $YBa_2Cu_3O_{6+x}$ ($0.26<x<0.38$) in the 2–300 K temperature range.—74-03432A

Nikulski, R. See Weber, A.

Niles, D. W. See Swartzlander, A.

Nillson, P. A. See Winkler, D.

Nilsen, Kevin J. See Weimer, Alan W.

Nilsen, Kevin J.
Low temperature, pressureless sintering of silicon nitride.—74-04058P

Nilsson, P. A. See Brorsson, G.

Nimon, E. S. See Gurevich, Yu. Ya.

Ninomiya, Masayuki See Kurahashi, Toyohide

Ninomiya, Sachio
Ceramics in the personal computer.—74-08729A

Nipan, G. D. See Marushkin, K. N.

Nishi, Tokumitsu See Okuda, Kouji; Yanagida, Hiroaki

Nishi, Toyomi See Hirahara, Seiichiro

Nishibayashi, Yoshiki See Fujimori, Naoji; Tomikawa, Tadashi

Nishibayashi, Yoshiki; Shikata, Shinichi
Method for etching diamond.—74-01023P

Nishibe, Tohru
Fabrication of ultrafine aniotropic SiO_2 mask by the combination of electron beam lithography and SF_6 reactive ion beam etching using aluminum lift-off technique.—74-07310A

Nishida, Akio; Terai, Kenji; Hatanaka, Kenji
Effects of grain size and artificial crack length on bending strength of MgO sintered body.—74-02131A

Nishida, Fumito; McKiernan, John M.; Dunn, Bruce; Zink, Jeffrey I.; Brinker, C. Jeffrey; Hurd, Alan J.
In situ fluorescence probing of the chemical changes during sol-gel thin film formation.—74-07345A

Nishida, Masamitsu; Kugimiya, Koichi
Dielectric ceramics composite material.—74-08786P

Nishida, Toshihiko; Hanaki, Yoshikazu; Nojima, Taketoshi; Pezzotti, Giuseppe
Measurement of rising *R*-curve behavior in toughened silicon nitride by stable crack propagation in bending.—74-11039A

Nishida, Toshihiko; Suzuki, Hideyuki; Saito, Hiromi
Hot-forge sintering of fine alumina powder.—74-00938A

Nishide, Toshikazu See Shinoda, Makota

Nishihara, Ken See Takehara, Shigeru

Nishihara, Ken; Togawa, Kazumi
Refractories for ash melting furnace of incinerator.—74-02776A

Nishihara, Yoshikazu See Fukushima, Akio

Nishijima, S.; Nakahira, Atsushi; Niihara, Koichi; Okada, T.
Applicability of ceramics for cryogenic use.—74-09758A

Nishika, N. See Murakami, M.

Nishikawa, Hiroyuki See Sakuria, Yuryo

Nishikawa, Hiroyuki; Watanabe, Eiki; Ito, Daisuke
Decay kinetics of the 4.4 eV photoluminescence associated with the two states of oxygen-deficient-type defect in amorphous SiO_2.—74-04996A

Nishikawa, Tadahiro; Gao, Tie; Takatsu, Manabu
Heat transmission on the thermal shock test of ceramics.—74-01520A

Nishikawa, Tadahiro; Higashiguchi, Michiaki; Takatsu, Manabu
Cyclic fatigue properties of isotropic graphite at elevated temperatures.—74-07853A

Nishikawa, Tadahiro; Suzuki, Kazutaka
Chemical conversion of C-S-H in concrete.—74-02314A

Nishikawa, Takashi See Takeda, Jun

Nishikawa, Takashi; Takeda, Jun; Sato, Masatoshi
Anomalous temperature dependence of the Hall coefficient in $La_{2-x}Sr_xCuO_4$ above room temperature.—74-01496A

Nishikawa, Toshiya See Matsumoto, Akio

Nishimori, Hidetoshi; Kawamura, Hikaru
Gage glass ordering in two dimensions.—74-00262A

Nishimoto, Y. See Fujino, K.

Nishimura, Akira
Surveys in the trends of standardization on ceramics in Japan.—74-09622A

Nishimura, Hiroyuki; Fujinoki, Akira; Matsuya, Toshikatsu; Inaki, Kyoichi; Kato, Toshiyuki; Shimada, Atsushi
Optical member of synthetic quartz glass for excimer lasers and method for producing same.—74-02690P

Nishimura, Hitoshi See Tanaka, Isao

Nishimura, Kazuhito See Mori, Yusuke

Nishimura, Kimihiro; Yoshino, Kenji
Binder system for use in the injection molding of sinterable powders and molding compound containing the binder system.—74-09521P

Nishimura, Kozo See Kobashi, Koji

Nishimura, Natsuya See Kawamoto, Hiromi

Nishimura, T. See Kimura, T.

Nishimura, Tetsuhiko; Chida, Yukio; Choda, Takahiro
Piezoelectric ceramic composition for actuator.—74-09188P

Nishimura, Toshiyuki See Mitomo, Mamoru

Nishina, Y. See Czajka, R.

Nishino, Atsushi See Numoto, Hironao

Nishino, Shigehiro See Takahashi, Koji

Nishino, Toshikazu; Hasegawa, Haruhiro; Kawabe, Ushio
Superconducting device having superconducting weak coupling.—74-00883P

Nishino, Yoichi See Nakano, Kikuo

Nishio, Hideaki See Ichikawa, Kenji

Nishio, Hideaki; Minato, Kunio; Nakamura, Ryosuke; Usuda, Satoru
Refractories for dc electric arc furnaces.—74-02777A

Nishio, Hideaki; Ogata, Masanori
Distribution of B_2O_3 and its mineralogical phase in seawater magnesia clinkers.—74-05854A

Nishio, Hideaki; Yamamura, Takashi; Nomura, Osamu; Hoshiyama, Yasuhiro
Improvement of the oxidation test method of MgO-C bricks and effects of metal additives on oxidation of MgO-C bricks.—74-03822A

Nishio, Hiroaki See Torizuka, Shiro

Nishio, K. See Ishiki, T.

Nishio, Mitsuhiro See Ikejiri, Makoto

Nishio, Yoshimasa; Shirai, Masafumi; Suzuki, Naoshi; Motizuki, Kazuko
Role of electron-lattice interaction in layered transition metal dichalcogenide 2H-NbS_2: I, Phonon anomaly and superconductivity.—74-04412A

Nishio, Yoshimasa
Role of electron-lattice interaction in layered transition metal dichalcogenide 2H-NbS_2: II, Transport phenomena.—74-04413A

Nishioka, Takao See Matsunuma, Kenji

Nishioka, Takao; Yamamoto, Takehisa; Matsunuma, Kenji; Yamakawa, Akira; Miyake, Masaya
Sintered silicon nitride bodies suitable for use as high impact materials.—74-01338P

Nishisako, Masaru See Shimada, Shiro

Nishitani, Mikihiko See Kohiki, Shigemi

Nishiyama, Hideaki See Fujiwara, Teiichi; Nobuhara, Keiichi

Nishiyama, Seiya See Matsumura, Masahiro

Nishiyama, Toshiki; Hamaji, Yukio
Nonreducible dielectric ceramic composition.—74-08811P

Nishizawa, Aki
Ceramics for mobile telecommunication.—74-08728A

Nishizawa, Manabu See Kushitani, Hideki

Niskanen, Paul W.; White, Danny R.; Mortenson, Mark G.; Antolin, Stanislav
Composite golf club head.—74-00168P

Nissan-Cohen, Yoav See Abt, Norman E.

Nissen, A. See Larker, R.

Nissen, M. K. See Johnson, S. R.

Nissen, M. K. See Mak, A.

Nitishin, P. M. See Goodhue, W. D.

Nitta, Tsuneharu; Kaishima, Shunichiro
Smart/intelligent sensors.—74-09041A

Nitzsche, R. See Boden, G.

Niu, Hiromi See Fukushima, Noburu

Niu, Jun-Gao See Ying, Hu-Min

Niu, M. Y. See Cao, J.

Niwa, Koichi See Imanaka, Yoshihiko

Niwa, Miki
Science and technology of composites: VIII.2, Catalysts with high functional ability, 1) control of surface structure—modification of catalysts by chemical vapor deposition of silica.—74-10619A

Niwano, Michio; Kageyama, Junichi; Kinashi, Koji; Miyamoto, Nobuo; Honma, Koji
Infrared spectroscopic study of initial stages of ultraviolet ozone oxidation of Si(100) and (111) surfaces.—74-02003A

Nix, R. M. See Kourouklis, Harry N.; Malam, S. C.

Nixon, Robert D. See Mehrotra, Pankaj K.

Nizametdinova, M. A. See Abdullaev, N. A.

No, Kwang-Soo See Baik, Dong-Soo

Noack, W.
Construction and architectural design with brick.—74-02707A

Noblanc, O.; Deljurie, C.; Gaucher, P.
Dielectric and piezoelectric properties of PMN-PT ceramics around the morphotropic composition and the relationship to the crystal structure.—74-03291A

Noboa, Gabriel See Herrera, Carlos F.

Nobre, Marcos A. L. See Cerri, Jose A.

Nobst, P. See Spauszus, S.

Nobuhara, Keiichi See Fujiwara, Teiichi; Takehara, Shigeru

Nobuhara, Keiichi; Nishiyama, Hideaki; Matsubara, Kenichi; Okada, Haruo
Refractories for ash melting furnace by incinerator residue and sludge.—74-05873A

Nobumasa, Hitoshi; Shimizu, Kazuharu
Oxide superconductor.—74-03654P

Nochevkin, S. A. See Kabanova, M. I.

Nocun-Wczelik, W. See Gawlicki, M.

Noda, Etsuo; Suzuki, Setsuo; Morimiya, Osami; Hayashi, Kazuo
Method for manufacturing an oxide superconductor thin film.—74-03638P

Noda, Kenichi See Hirano, Shinichi

Noda, S. See Kohzaki, M.

Noda, T. See Suzuki, H.

Noda, Yukio See Ikeda, Susumu

Nodwell, E. See Johnson, S. R.

Noell, Matthew S. See Taft, Robert C.

Nogami, G. See Ponomarev, E. A.; Shiratsuchi, R.

Nogami, G.; Aikoh, Y.; Shiratsuchi, R.
Fixation mechanism of carbon dioxide on oxide semiconductors by current transients.—74-01733A

Nogami, G.; Maruyama, H.; Hongo, K.
Thin-film dielectric ion sensors.—74-01120A

Nogami, G.; Shiratsuchi, R.
Decomposition rate of hydrogen peroxide to oxygen on illuminated semiconductor electrodes.—74-00588A

Nogami, J. See Lin, X. F.

Nogami, Masayuki; Abe, Yoshihiro; Kato, Ayako
Formation of small-sized CdS_xSe_{1-x} crystals in sol-gel-derived SiO_2 glasses.—74-03022A

Nogar, N. S. See Wu, X. D.

Noggerath, J.; Bohni, H.
Macrocell corrosion of steel in chloride-containing concrete.—74-05545A

Noguchi, Kenichi See Oishi, Manabu

Noguchi, Masao See Mizuhara, Yukako; Takita, Yusaku

Noguchi, Tadashi See Morimoto, Shigeki

Noguchi, Yasushi; Miwa, S.; Fukao, Kaname
Aluminum titanate ceramic and process for producing the same.—74-01248P

Noguera, Claudine; Bordier, Gilles
Theoretical approach to interfacial metal-oxide bonding.—74-07779A

Noh, H. P.; Park, C.; Jeon, D.; Cho, K.; Hashizume, T.; Kuk, Y.
Adsorption of Bi on Si(001) surface: an atomic view.—74-07587A

Noh, Jin-Hwan; Boles, James R.
Origin of zeolite cements in the miocene sandstones, North Tejon Oil Fields, California.—74-01199A

Noh, S.-K. See Kwak, J.-S.

Nojima, Taketoshi See Nishida, Toshihiko

Nojima, Taketoshi; Iiyama, Tadaaki
Simple method of tensile tests in engineering ceramics.—74-01103A

Nojima, Taketoshi; Nakai, Osamu
Stable crack extension of an alumina ceramic in three-point bending test.—74-02202A

Nojiri, Takuo See Lai, Gao-Chao

Noker, F.; Beyer, E.
Production of microstructure bodies from ceramics.—74-00979A

Noky, Werner; Tebbe, Frederick N.; Baker, Ralph T.
Process and apparatus for producing a filter in the form of a monolithic honeycomb body.—74-03768P

Noll, J. D.; Cooper, J. B.; Myrick, M. L.
Analysis of highly ordered pyrolytic graphite step defects: via scanning tunneling microscope.—74-01933A

Nolte, D.; Melloch, Michael R.
Band gap and defect engineering for semiconductor holographic materials.—74-05986A

Noma, Hiroyasu See Nonami, Tohru

Noma, Tatsuo See Yashima, Masatomo

Nomoto, Akira See Sato, Junichi

Nomoto, Kenichiro
Satsuma wares with characteristic crackle glaze.—74-07980A; Ceamic folklore of Ryumonji-Yaki and Naeshirogawa-Yaki.—74-07981A

Nomura, Kazushige See Ichimura, Koichi
Nomura, Koichi; Takasuka, Yutaka; Hirano, Shinichi
Crystallization behavior of TiO_2 gel prepared by the sol-gel method.—74-04122A
Nomura, Osamu See Ichikawa, Kenji; Nishio, Hideaki
Nomura, Shunji See Fukushima, Noburu
Nomura, T.; Masui, K.
Experimental evidence for anion-selective behavior of ion-beam-sputtered film of alkali metal-free phosphate glass deposited on MOS diode.—74-00258A
Nomura, Takeshi; Nakano, Yukie; Satoh, Akira; Arashi, Tomohiro
Multilayer ceramic chip capacitor.—74-00556P
Nomura, Tetuo See Yokochi, Masao
Nomura, Toshio See Kitagawa, Nobuyuki; Omori, Naoya
Nomura, Tutomu See Kubo, Osamu
Nomura, Yasuhiko See Morishita, Yoshitaka
Nomura, Yasuhiko; Morishita, Yoshitaka; Goto, Shigeo; Katayama, Yoshifumi
Lateral growth of GaAs on patterned {111}B substrates for the fabrication of nanowires using metalorganic molecular beam epitaxy.—74-04729A
Nonaka, Kazuhiro; Takase, Akira; Watanabe, Tadaiko; Yoshida, Hisayoshi
Effects of heat treatments on photostriction in PLZT ceramics.—74-08878A
Nonami, Tohru; Noma, Hiroyasu; Nakajima, Shinya
Materials for living hard tissue replacements.—74-01258P
Nonat, A.
Interactions between chemical evolution (hydration) and physical evolution (setting) in the case of tricalcium silicate.—74-02335A
Nonoyama, Hisao See Hayashi, Kazuhiko
Norberg, J. C. See Batra, Shubneesh
Nord-Varhaug, K.; Ulvensoen, J. H.; Skybakmoen, E.
Penetration of aluminum in TiB_2.—74-07581A
Nordahl, C. Scott See Kwon, Oh-Hun
Nordberg, Lars O.; Ekstrom, Thommy
Hot-pressed $MoSi_2$-particulate-reinforced α-SiAlON composites.—74-04015A
Nordine, Paul C. See Wallenberger, Frederick T.; Weber, J. K. Richard
Nordstrom, Olof
1800—glass production history.—74-02229A; 1800—last decade—an unsettled time for the glassworks [in Sweden].—74-02230A; Glassworks [in Sweden].—74-02238A; Interwar period—the beginning of diversification.—74-02245A
Norekrans, A.-S. See Johansson, E.
Norfolk, R. D. B.; Wise, M. H. L.; Ponton, C. B.
Mullite-titanium nitride ceramic composites for electrical discharge machining applications.—74-06985A
Norgan, Michael
Advanced ceramics get tough on costs.—74-07012A
Norkin, Bevan
Crystalline glazes: a precise method.—74-00012A
Norling, P. See Hudner, J.
Norman, D.
Environment challenges to the flat glass industry.—74-02619A
Normandin, R. See Chatenoud, F.
Norris, Allyn P.
Evolution of ceramic fiber and lining method provides energy savings and efficiency for reheat furnaces.—74-06850A
Norris, D. J.; Sacra, A.; Murray, C. B.
Measurement of the size-dependent hole spectrum in CdSe quantum dots.—74-03101A
Norris, P. E. See Kanber, H.
North, Bernard See Mehrotra, Pankaj K.
North, John G. See Zurecki, Zbigniew
Northrup, John E. See Garcia, Alberto
Northwood, Derek O. See Roy, Salil K.
Norton, David P. See Lowndes, Douglas H.
Norton, Kirk P. See Streckert, Holger H.
Norton, M. Grant See Wang, Xiao-Dong
Norton, M. Grant; Biggers, Rand R.; Maartense, I.
Examination of particles and outgrowths on the surface of epitaxial $YBa_2Cu_3O_7$ thin films.—74-09269A
Nothnagel, G. See Franklyn, C. B.
Noto, Kazuyuki; Yosinaga, Takasi
Piezoelectric resonator.—74-00771P
Noubeyo, J. C. Yamegni; Malatis I Riera, A.; Werckmann, J.
Metal-oxide composite $(Fe_{0.7}Co_{0.8})$-0.8$(Fe_{2.38}Co_{0.62}O_4$: HRTEM and EDX characterization.—74-09209A
Nouet, G. See Gourbilleau, F.
Novak, Jozef See Hamplova, Vera; Nemazal, Zdenek
Novak, Ladislav See Novotny, Jaroslav
Novak, S. See Chikarmane, Vinay; Kosmac, T.
Novak, S.; Kosmac, T.
Dispersion of fused silica in an aqueous solvent.—74-04560A
Novikov, E. V. See Bessolov, V. N.
Novikov, N. V.; Dub, S. N.; Mal'nev, V. I.; Beskrovanov, V. V.
Mechanical properties of natural diamonds at 1200°C.—74-05377A
Novikov, N. V.; Sirota, Yu. V.; Malnev, V. I.
Setup for testing superhard materials under dynamic loading over a wide temperature range.—74-01102A; Strain effect on the mechanical properties of diamond and cBN at high temperatures.—74-02203A
Novikov, N. V.; Sirota, Yu. V.; Malnev, V. I.; Petrusha, I. A.
Mechanical properties of diamond and cubic BN at different temperatures and deformation rates.—74-11044A
Novikov, N. V.; Voronkin, M. A.; Bondar, I. V.
Interaction of diamond with molybdenum during ion plasma deposition.—74-04712A
Novikov, S. V. See Bystrov, S. D.
Novikov, V. L. See Gropyanov, V. M.
Novikova, N. N. See Zheludeva, S. I.
Novinson, T. See Pong, W.
Noviov, V. L.; Abbakumov, V. G.; Vikhman, S. I.
Kinetic parameters of sintering of chemically enriched magnesium oxide.—74-04723A
Novitskaya, G. N. See Flis, A. A.
Novokhatskaya, N. See Serebryakov, A.
Novotny, Jaroslav; Barta, Stanislav; Novak, Ladislav
Melting of lead crystal glass in all-electric furnaces in joint-stock company Sklo Bohemia in Svetla and Sazavou (Czech Republic).—74-03920A
Novov, Yu. D. See Akopov, F. A.; Belyakov, A.V.
Nowacki, Jerzy
Mathematical and chemical description of friction of diffusive phosphorized iron.—74-10117A
Nowak, Edmund See Syrek, Halina
Nowak, J. F. See Cellier, F.
Nowak, R. See Ensinger, Wolfgang
Nowak, R.; Maruno, S.; Jin, P.
Properties of TiN and ZrN thin films on silicon studied by low load indentation.—74-07909A
Nowak, R.; Sakamoto, I.; Maruno, S.
Indentation deformation and fracture of HT superconducting crystals—$YBa_2Cu_3O_{7-\delta}$.—74-03490A
Nowakowski, Nikodem; Ahmad, Mohamed S.
Foamed gypsum from flue gas desulfurization.—74-00060A; Contribution to the problem of waterproofing of gypsum materials.—74-00043A
Nowick, Arthur S. See Du, Yang
Nowotny, Janusz See Begg, Bruce D.
Nowotny, Janusz
Materials Science Monographs, 81: Science of Ceramic Interfaces II.—74-11207B
Nozadze, D. A.
Manufacture and modeling of fiber metal matrix composites.—74-05640A
Nozaki, Hitoshi See Takahashi, Kazuo
Nozaki, Shinji; Sato, S.; Ono, H.
Blue light emission from silicon ultrafine particles.—74-05990A
Nui, Dong See He, Dai-Ying
Nukami, Tetsuya; Suganuma, Tetsuya
Method of production of a metallic composite material incorporating metal carbide particles dispersed therein.—74-00177P
Nulman, Jaim; Ngan, Kenny K.
Titanium nitride/titanium silicide multiple layer barrier with preferential (111) crystallographic orientation on titanium nitride surface.—74-03281P
Nummila, K. See Ballegeer, D. G.; Chang, H.
Numoto, Hironao; Nishino, Atsushi; Ono, Yukiyoshi
Method for producing a honeycomb shaped ceramic.—74-09529P
Numoto, K.
Manufacturing process of Hidasuki (fired tasuki, tasuki=string to gird up sleeves) type decorated wares in Hizen Region, Japan.—74-07985A
Nunes, Silvia Irene; Bradt, Richard C.
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with Al_2O_3 additions.—74-10371A
Nunez, A.; Campillo, G.; Varela, A.
Silicon carbide/silicon nitride refractories: I, Nitridation.—74-05880A; II, Properties.—74-07188A
Nunez-Regueiro, M.; Hodeau, J.-L.; Abello, L.; Lucazeau, G.
Fullerenes and diamond.—74-10366A
Nunn, S. D. See Huang, Zhen-Kun; Maria, J.-P.; Tiegs, Terry N.
Nunnally, Brian K. See Krauter, Gertrud
Nunziate, P. See Gusmano, Gualtiero
Nuprienok, I. S. See Ivlev, G. D.
Nurmikko, Arto V.; Gunshor, R. L.
Blue-green semiconductor lasers[—review].—74-05991A
Nurmukhamedova, M. I. See Gulamova, D. D.
Nutt, Steven R. See Chien, Fen-Ren; Sun, Ellen Y.
Nyberg, Brita See Liden, Eva; Olsson, Mikael
Nyberg, Brita; Carlstrom, Elis; Carlsson, Roger
Freeze granulation of liquid-phase-sintered silicon carbide.—74-01742A
Nyberg, T. See Bardos, L.
Nykanen, E. See Charreire, Y.
Nykiel, M. D.; Ngujen, H.
Performance of the Adelaide Brighton Cement IKN cooler.—74-03925A
Nylund, A.; Olefjord, I.
Surface analysis of oxidized aluminum: I, Hydration of Al_2O_3 and decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07828A; II, Oxidation of Al in dry and humid atmosphere studied by ESCA, SEM, SAM, and EDX decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07829A
O'Brien, E. See Fowler, B.; Uram, K. J.
O'Brien, Kari See Tom Wu, T. H.
O'Brien, T. P. See Dowling, D. P.
O'Bryan, Henry M., Jr. See Fleming, Debra A.
O'Connell, Dan
Bottling up energy losses.—74-09436A
O'Connor, Brian H. See Latella, Bruno A.
O'Connor, Margaret See Su, Sophia R.
O'Connor, T. M. See Azarian, M. H.
O'Connor, T. M.; Jhon, M. S.; Azarian, M. H.
Wear characteristics in thin-film media.—74-02217A
O'Donnell, D. See McKimpson, M. G.
O'Donnell, Heather L.; Readey, Michael J.; Kovar, Desiderio
Effect of glass additions on the indentation-strength behavior of alumina.—74-05340A
O'Neill, James A.; Passow, Michael L.; Cotler, Tina J.
Infrared absorption spectroscopy for monitoring condensible gases in chemical vapor deposition applications.—74-03823A
O'Neill, M. See Hagston, W. E.; Stirner, T.
O'Rourke, S. M. See Smith, P. A.
O'Selly, James M. See Gabor, Thomas
O'Shea, J. J.; Sajoto, T.; Bhargava, S.; Leonard, D.; Chin, M. A.; Narayanamurti, V.
Measurement of heterojunction band offsets using ballistic electron emission microscopy.—74-06788A
O'Toole, Mark J.
Baking stone and method of manufacture thereof.—74-00103P
O, Il-Hwan
Uljin pottery stones.—74-03952A
Oakbe, Nagatoshi See Kishimoto, Hidehiro
Oakley, R.; Cochrane, R. F.; Stevens, R.
Extruded magnesium alloy-SiC particulate MMC.—74-08188A
Oates, A. S.; Barr, D. L.
Lattice electromigration in narrow Al alloy thin-film conductors at low temperatures.—74-02008A
Oates, D. E. See Westerheim, A. C.
Ob'edkov, E. V. See Yusunov, M. S.
Ober, Joyce A.
Strontium.—74-06931A
Oberacker, Rainer See Ding, Zhen-Xiang; Kuehne, Arndt; Sigl, Lorenz S.; Westerheide, R.
Oberfin, C.
Studies of the Society Electricite de France on the domain of ceramics.—74-06874A
Oberhauser, F. See Battersby, M. J. G.
Oberkampf, W. L.; Talpallikar, M.
Analysis of a high velocity oxygen-fuel (HVOF) thermal spray torch: I, Numerical formulation.—74-10193A; II, Computational results.—74-10192A
Oberlander, B. C.; Franck, M.; Campbell, P. Q.; Celis, J. P.; Roos, J. R.; Hellemans, L.
Comparative investigation by laser profilometry, scanning electron microscopy, and atomic force microscopy of wear on solar-beam-irradiated partially oxidized TiN coatings.—74-05326A
Oberlin, J. D. See Fontaine, F.
Oberlin, J.-C. See Templier, F.
Obermeier, E. See Werner, M.
Obi, Yoshihisa See Ikebe, Manabu
Obloh, H. See Schmitz, J.
Obolenskii, M. A. See Chaska, Kh. B.
Oborina, E. I. See Belyaev, A. E.
Obraztsov, A. N. See Guseva, M. B.
Obu, Yusuke See Hirashima, Hiroshi
Obukhov, I. A. See Danil'chenko, B. A.
Obunai, T.
Propagation characteristics of a slow surface wave in a 70 GHz solid-plasma waveguide containing an *n*-InSb slab carrying an applied current.—74-09014A
Obvintseva, I. E. See Yanovskaya, M. I.
Ocana, Manuel See Tartaj, Pedro
Ochi, Hideo; Igari, Akihide; Toyoda, Masaaki; Nakagawa, Zenbee
Sintered varistor material with small particle size.—74-09191P
Ochiai, Toru See Sato, Satoshi
Ochoa, Rosibel; Miranda, Raul
Sol-gel preparation and characterization of niobia thin films for catalytic sensor applications.—74-09042A
Odaguchi, Takahiro See Zheng, Guo-Qing
Odani, Niro See Teruuchi, Kiyohiro
Odawara, O.; Mori, K.; Hanazuka, S.
Ti-Al-B composites performed by combustion synthesis under microgravity environments.—74-07537A
Odawara, O.; Mori, K.
Thermite reaction in a short-time microgravity environment.—74-01595A
Odemer, C. See Knitter, E.
Odette, G. R. See Venkateswara, Rao K. T.
Odier, Philippe See Ayache, J.; Gotor, Francisco J.
Odler, I.; Yan, P.
Investigations on ettringite cements.—74-08059A
Oechsner, H. See Bieck, W.
Oehrlein, G. S. See Bell, F. H.; Haverlag, M.; Joubert, O.
Oehrlein, G. S.; Zhang, Y.; Vender, D.; Haverlag, M.
Fluorocarbon high-density plasmas: I, Fluorocarbon film deposition and etching using CF_4 and CHF_3.—74-01734A
Oehrlein, G. S.; Zhang, Y.; Vender, D.; Joubert, O.
Fluorocarbon high-density plasmas: II, Silicon dioxide and silicon etching using CF_4 and CHF_3.—74-02078A
Oel, Heribert J. See Bauer, Gerd; Kromer, H.; Zhou, M.
Oelhafen, P. See Francz, G.; Kania, P.; Schelz, S.
Ofitserov, M. N. See Dmitriev, V. M.; Galaiko, V. P.
Ogai, Michiharu See Arakawa, Toshihiko
Ogale, S. B. See Vispute, R. D.
Ogale, S. B.; Choughule, D. D.; Kanetkar, S. M.
Giant T_c depression effect in $YBa_2Cu_3O_{7-\delta}$ doped simultaneously with Zn and Fe.—74-03470A
Oganyan, R. A. See Glebovsky, V. G.
Ogasa, Nobuo See Yamakawa, Akira
Ogasahara, Kazuki See Isomura, Keiichiro
Ogasawara, Naohito See Tsuyuki, Naomitsu
Ogasawara, T.; Inoue, A.; Matsumoto, T.
Preparation of Fe-C-B powders by mechanical alloying and heat-resistant hardness of their hot-pressed products.—74-07906A
Ogasawara, T.; Yasuda, E.
Fatigue crack growth behavior of silicon nitride under cyclic loading.—74-10995A
Ogata, Haruhiko; Komiya, Hidetoshi; Inaba, Shizue
Lead-free glass composition having properties similar to lead crystal glass.—74-02678P
Ogata, Masanori See Fujiwara, Teiichi; Ichikawa, Kenji; Nishio, Hideaki
Ogata, Toshihiro See Ikejiri, Makoto
Ogawa, Etsuji See Kubo, Osamu
Ogawa, Hiroshi See Ikejiri, Makoto
Ogawa, Junichi See Ohashi, Takayuki
Ogawa, Mitsue See Awaji, Hideo

Ogawa, N. See Sato, H.
Ogawa, Shinichi See Jones, Erin C.
Ogawa, Susumu; Suga, Shigemasa; Fujimori, Atsushi
Electronic structure of $Ce(Pd_{1-x}Cu_x)O_3$ ($0 \le x \le 0.133$) studied by photoemission and bremsstrahlung isochromat spectroscopy.—74-01988A
Ogawa, Takanori See Ogumi, Zempachi
Ogawa, Takeshi
Evaluation of creep and fatigue strength of ceramics.—74-10987A
Ogawa, Toru See Kobayashi, Fumiaki
Ogawa, Toshio
Preparation and evaluation of ferroelectric thin films.—74-09166A
Ogawa, Yoshihisa See Matsuda, Motohide
Ogawara, Kazuhiro See Yamane, Hisanori
Ogbuji, Linus U. J. T.; Bryan, Scott R.
SiO_2-Si_3N_4 interface: I, Nature of the interphase.—74-05247A
Ogbuji, Linus U. J. T.; Jayne, D. T.
Mechanism of incipient oxidation of bulk chemical vapor deposited Si_3N_4.—74-01793A
Ogbuji, Linus U. J. T.; Singh, M.
Oxidation resistance of reaction-formed silicon carbide ceramics.—74-10934A
Ogbuji, Linus U. J. T.
Porous, oxidation-resistant fiber coating for CMC interphase.—74-09886A; SiO_2-Si_3N_4 interface: II, O_2 permeation and oxidation reaction.—74-05050A
Ogin, S. L. See Hitchen, S. A.
Ogino, T. See Prabhakaran, K.
Ogietree, D. F. See Zheng, J. F.
Ogorodnik, A. D. See Katerinchuk, V. N.
Ogorodnikov, I.N.; Kirpa, V. I.; Kruzhanov, A. V.
Spontaneous emission from BeO and fluctuational rearrangement of structure: I, Single crystals.—74-05251A
Ogryzlo, Elmer A. See Athwal, Iqbal; Mehta, B. R.
Oguchi, T.; Tamatani, M.
Contact electrification phenomena and powder surface treatments.—74-01652A
Ogumi, Zempachi See Mineshige, Atsushi
Ogumi, Zempachi; Ioroi, Tsutomu; Uchimoto, Yoshiharu; Takehara, Zenichiro; Ogawa, Takanori; Toyama, Takanori
Novel method for preparing nickel/YSZ cermit by a vapor-phase process.—74-02389A
Oguni, Masaharu; Inaguma, Yoshiyuki; Itoh, Mitsuru
Calorimetric and electrical studies on positional disordered Li ions in $Li_{0.35}La_{0.51}TiO_{2.94}$.—74-06395A
Ogura, Ichiro See Saito, Hideaki
Ogura, Kiyoshi See Matsumoto, Yoshiyuki
Ogura, Masayoshi See Terakado, Shingo
Ogura, Takahiko See Tamura, Hideki
Ogura, Toru See Matsubara, Ichiro
Ogwu, A. A.; Davies, T. J.
Effect of transition/rare-earth metal oxide additions on densification during sintering of Si_3N_4.—74-01695A; Electron theory as an aid to binder selection for a TiC/TiB_2 composite.—74-04611A
Oh, Eun-Soon; Ramdas, A. K.
Multimode behavior of optical phonons in II-VI ternary and quaternary alloys.—74-03123A
Oh, Jae-Hee See Shin, Jae-Young
Oh, Jae-Hyun See Kim, Mahn
Oh, Ki-Dong See Lee, Yoon-Bok
Oh, Kyung-Hwan; Morse, T. F.; Reinhart, L.; Kilian, A.; Risen, W. M., Jr.
Spectroscopic analysis of an Eu-doped aluminosilicate optical fiber preform.—74-08394A
Oh, Kyung-Sik; Kim, Doh-Yeon; Cho, Seong-Jai
Shrinkage of large isolated pores during hot isostatic pressing of presintered alumina ceramics.—74-10625A
Oh, Myung-Hwan See Kim, Tae-Song; Yoon, Y.-S.
Oh, S. J. See Kim, J. C.
Oh, Tae-S. See Kim, Yoon-H.
Oh, Y.-T.; Kang, T.-W.; Hong, C.-Y.
Hydrogenating and annealing effects of GaAs.—74-03055A
Oh, Young-Jei See Kim, Seung-Hyun
Oh, Young-Jei; Kim, Tae-Song; Jung, Hyung-Jin
Structural and electrical characteristics of ferroelectric PLZT thin film prepared on Pt substrate by sol-gel route.—74-09180A
Oh-Ishi, Katsuyoshi See Ueno, Fumio
Ohamae, N.
Influence of atomic oxygen on space tribology in a low earth orbit.—74-02082A
Ohashi, M. See Takahashi, S.
Ohashi, Masaharu See Shiraki, Kazuyuki
Ohashi, Masayoshi See Hirao, Kiyoshi
Ohashi, Masayoshi; Nakamura, Kazuo; Hirao, Kiyoshi; Kanzaki, Shuzo; Hampshire, Stuart
Formation and properties of Ln-Si-O-N glasses (Ln=lanthanides or Y).—74-00260A
Ohashi, Masayoshi; Nakamura, Kazuo; Hirao, Kiyoshi; Kanzaki, Shuzo
Formation and properties of Ln-Si-O-N glasses (Ln=lanthanides or Y)—[correction].—74-02544A
Ohashi, Naofumi See Owada, Nobuo
Ohashi, Takayuki; Shibata, Kenichi; Ogawa, Junichi; Wadasako, Mitsushi
Shaped fibrous materials for fiber-reinforced metals.—74-03776P
Ohashi, Yoji; Shiba, Hiroyuki
Pairing and depairing effects of antiferromagnetic spin fluctuations in high-T_c superconductivity.—74-01556A
Ohashi, Yoji
Temperature dependence of uniform susceptibility in high-T_c superconductors.—74-01590A
Ohba, Takayuki See Suzuki, Toshiya
Ohfuji, Shinichi See Tsukada, Mitsuo
Ohga, Yuichi; Danzuka, Toshio; Saito, Masahide; Amemiya, Kouji; Yokota, Hiroshi
Method of flame abrasion of glass preform.—74-00341P
Ohgai, Michiharu See Matsui, Koji
Ohgushi, Hajime; Okumura, Motoaki; Inoue, Keisuke; Tamai, Susumu; Tabata, Shiro; Dohi, Yoshiko
Tissue compatibility of biomaterials: assessment of bioactivity concerning the osteogenic response to the materials.—74-03976A
Ohgushi, Tatsuo; Kawanabe, Yoshihiro
Properties of Na ions in NaZSM-5 zeolite.—74-10143A
Ohi, Kikuo See Ito, Katsuhide
Ohji, Tatsuki See Hirano, Takeshi
Ohji, Tatsuki; Hirao, Kiyoshi; Kanzaki, Shuzo
Fracture resistance behavior of highly anisotropic silicon nitride.—74-11006A
Ohji, Tatsuki; Nakahira, Atsushi; Hirano, Takeshi; Niihara, Koichi
Tensile creep behavior of alumina/silicon carbide nanocomposite.—74-05392A; Tensile creep failures of Al_2O_3/SiC nanocomposite.—74-11108A
Ohkawa, Fusayoshi
Superconductivity in the Hubbard model.—74-06639A
Ohkawa, Hideki; Matsubara, Motonari; Yasuda, Nobuaki
X-ray photoelectron and vibrational spectroscopic studies of Te-C:H films for optical disk memory.—74-01308A
Ohkido, Shinobu See Yoshimura, Toshihiko
Ohkouchi, Shunsuke; Ikoma, Nobuyuki; Tanaka, Ichiro
Scanning tunneling microscopy of argon ion-bombarded GaAs(001) surfaces.—74-06299A; Surface structures of InP and InAs thermally cleaned in an arsenic flux.—74-07771A
Ohkubo, S. See Hamasaki, Y.
Ohl, A.; Ropcke, J.; Schleinitz, W.
Influence of atomic hydrogen gradients on the growth rate and nucleation of diamond produced by microwave plasma assisted deposition.—74-01763A
Ohlsen, H. See Hudner, J.
Ohmi, Tadahiro; Shibata, Tadashi
Advanced scientific semiconductor processing based on high-precision controlled low-energy ion bombardment.—74-04472A
Ohmori, A. See Fukanuma, H.
Ohmori, A.; Zhou, Z.; Inoue, K.
Improvement of plasma-sprayed ceramic coating properties by heat treatment with liquid Mn.—74-10399A
Ohmori, A.; Zhou, Z.; Inoue, K.
Liquid Mn sintering of plasma-sprayed zirconia-yttria coatings.—74-07370A
Ohmori, Akira; Aoki, Katsuyuki; Sano, Saburo
Bonding of zirconia ceramics and strengthening of adhesion of zirconia coatings by electric field assisted treatment.—74-00108A
Ohmura, Yamichi
Role of the valence band density of states in the piezoresistance of *p*-type semiconductors Si and Ge.—74-00701A
Ohnakado, T. See Kawakami, Y.
Ohno, K.; Abe, T.
Synthesis and particle growth mechanism of bright green phosphor YAG:Tb.—74-06346A
Ohno, Nobuhito See Itoh, Minoru
Ohno, Takahisa; Shiraishi, Kenji
Novel core effects in Cs/GaAs(110) overlayers—adsorption-induced buckling enhancement.—74-08972A
Ohno, Takashi; Yasuoka, Hiroshi; Ueda, Yutaka
Low-temperature nuclear spin-lattice relaxation process in the Cu(2) sites of $YBa_2Cu_3O_{6.98}$.—74-05948A
Ohno, Y. See Mita, T.
Ohno, Y.; Hata, M.; Kaga, Y.; Tsukamoto, K.; Uchiyama, F.; Okuo, T.
Interfacial evaluation of solid oxide fuel cell components fabricated by the acetylene spraying processes.—74-00497A
Ohring, M. See Schwarcz, D.
Ohsaka, Shigeru See Uematsu, Keizo
Ohsaki, Hiromi See Takeda, Yoshihumi
Ohsaki, K. See Fujita, K.
Ohsawa, H. See Jung, S. J.
Ohsawa, Takaaki See Matsunaga, Noboru
Ohsawa, Yuzo See Kikuchi, Noribumi
Ohshiba, Kazumoto See Ueda, Sadao
Ohshima, Kenichi See Maruta, Ryo
Ohsugi, Shigeki; Kitaoka, Yoshio; Ishida, Kenji; Zheng, Quo-Qing; Asayama, Kunisuke
Cu NMR and NQR studies of high-T_c superconductor $La_{2-x}Sr_xCuO_4$.—74-03437A
Ohta, Hitoshi See Kitamura, Naoyuki
Ohta, K. See Okada, F.
Ohta, M.; Sugawara, Y.; Morita, S.; Nagaoka, H.; Mishima, S.; Okada, T.
Ultrahigh vacuum atomic force microscope with sample cleaving mechanism.—74-06827A
Ohta, Makoto See Folliard, Kevin J.
Ohta, S. See Oku, T.
Ohta, Shigeru See Okada, Yoshitaka
Ohta, Takeo
Amorphous thin films for (rewritable) optical memory disks based on phase change mode.—74-08324A
Ohta, Tomohiro See Kondoh, Eiichi
Ohta, Tsuneaki; Kumar, Rakesh; Yamashita, Yoshio; Hoga, Hiroshi
High-temperature deposition of SiN films using low-pressure chemical vapor deposition system for X-ray mask application.—74-03047A
Ohtaka, Osamu; Von Der Muhll, Regnault; Ravez, Jean
Low-temperature sintering of $Pb(Zr,Ti)O_3$ ceramics with the aid of oxyfluoride additive: X-ray diffraction and dielectric studies.—74-03320A
Ohtaka, Osamu; Yamanaka, Takamitsu; Kume, Shoichi; Hara, Naoki; Asano, Hajime; Izumi, Fujio
Structural analysis of orthorhombic hafnia by neutron powder diffraction.—74-01464A
Ohtani, A. See Stevens, K. S.
Ohtani, Osamu; Takahara, Wataru
Nonreducing dielectric ceramic composition.—74-08810P
Ohte, Akira See Ebato, Kouichi
Ohte, Takeo; Shimizu, K.; Kojima, Akira
Strengthening of CFRC by plasma treatment with mixed gas of oxygen and CF_4.—74-11099A; Effect of lamination method of plasma-treated carbon fiber on mechanical properties of CFRC.—74-10286A
Ohtsuka, Hiroshi; Kuwahara, Kazuyuki; Onodera, Toshio
Evaluation of repair phase and size tolerance for a phase-shift mask.—74-01715A
Ohtsuka, Kenichi See Kondoh, Eiichi
Ohtsuka, Tamio
Economical and technical competition of imported ceramic raw powders with domestic powders in Japan.—74-11156A
Ohtsuki, Chikara See Cho, Sung-Baek; Kim, Hyun-Min
Ohuchi, F. S. See Kim, G. H.; Rumaner, L. E.
Ohwada, Takeshi See Hirai, Hisako
Ohyagi, Tomohito See Tanaka, Katsuhisa
Ohzuku, T.; Iwakoshi, Y.; Sawai, K.
Formation of lithium-graphite intercalation compounds in nonaqueous electrolytes and their applications as a negative electrode for a lithium ion shuttlecock cell.—74-01737A
Ohzuku, T.; Ueda, A.; Nagayama, M.
Electrochemistry and structural chemistry of $LiNiO_2$ ($R\bar{3}m$) for 4-volt secondary lithium cells.—74-01703A
Oikawa, T. See Mutoh, Y.
Oishi, Manabu See Kitano, Yukishige
Oishi, Manabu; Matsuda, Yukihisa; Noguchi, Kenichi; Masaki, Takaki
Evaluation of tensile strength and fracture toughness of yttria-stabilized zirconia polycrystals with fracture surface analysis.—74-05350A
Oishi, Shuji
Simple methods of crystal growth of emerald.—74-10630A
Ojha, Jugnu J.; Vetter, Anthony S.; Simmons, J. G.; Jessop, P. E.; Mand, R. S.; Springthorpe, A. J.
Optical bistability in the GaAs/AlGaAs bistable FET.—74-00675A
Ojo, I. A. See Ajayi, O. B.
Oka, Kris S.; Mackenzie, J. D.
Leaching behavior of EDTA in a silica sol-gel matrix.—74-09479A
Oka, Kunihiko See Yamaguchi, Hirotaka
Oka, Tetsuo See Ito, Yoshitaka
Okabayshi, H.
Stress-induced void formation in metallization for integrated circuits.—74-06327A
Okabe, Hiroshi See Kanno, Munekazu
Okabe, N.; Murakami, I.; Hirata, H.; Yoshioka, Y.; Ichikawa, Hiroshi
Environmental deterioration and damage of ceramic matrix composites.—74-09567A
Okabe, Nagatoshi
Strength evaluation in development and application engineering of ceramics.—74-11096A
Okada, F.; Togawa, S.; Ohta, K.
Solid-state ultraviolet tunable laser: a Ce^{3+}-doped $LiYF_4$ crystal.—74-03220A
Okada, Haruo See Nobuhara, Keiichi
Okada, K. See Fujii, H.; Ouyang, Q.
Okada, K.; Kato, H.; Kubo, R.; Nakajima, K.
Preparation of silicon carbide fiber from activated carbon fiber and gaseous silicon monoxide.—74-10567A
Okada, Kiyoshi See Fukuyama, Koyo
Okada, Kiyoshi; Fukuyama, Koyo; Kameshima, Yoshikazu
Characterization of surface-oxidized phase in silicon nitride and silicon oxynitride powders by X-ray photoelectron spectroscopy.—74-07044A
Okada, Kozo See Uozumi, Takayuki
Okada, Masaki
Electric resistance of graphite heater at high temperatures.—74-10088A
Okada, Masaru; Katayama, Shigehisa; Kamiya, Tadashi
MOCVD of magnetooptical ceramics.—74-06470A
Okada, Naoko See Kondo, Makoto
Okada, T. See Czarnetski, U.; Fujisawa, Satoru; Nishijima, S.; Ohta, M.
Okada, Yoshio See Tobin, Philip J.
Okada, Yoshitaka; Ohta, Shigeru; Kawabata, Akio; Shimomura, Hirofumi; Kawabe, Mitsuo
Photoluminescence study of GaAs films on Si(100) grown by atomic hydrogen-assisted molecular beam epitaxy.—74-03166A
Okamoto, Hideki; Matsuoka, Jun; Nasu, Hiroyuki
Effect of cadmium-to-sulfur ratio in the photoluminescence of CdS-doped glasses.—74-08367A
Okamoto, Kenichi See Shimai, Shunzo
Okamoto, Kotaro See Setoguchi, Toshihiko
Okamoto, Naoyuki; Mizutani, Hidetoshi; Miura, Kazunori; Kondo, Kazuo
Ceramic substrate.—74-03265P
Okamoto, T. See Murakami, K.
Okamoto, Tairo See Tanaka, Isao
Okamoto, Y. See Hiyamizu, S.
Okamoto, Yasunori
Science and technology of composite materials—high-temperature mechanical properties—deformation and properties.—74-11085A
Okamoto, Yutaka See Isobe, Tetsuhiko
Okamura, Kazuo See Endo, Utako
Okamura, Kiyohito See Sugimoto, Masaki; Suzuya, Kentaro
Okamura, Ryuji See Takai, Yasuyoshi
Okaniwa, Kiyoshi See Yoshida, Noriyuki
Okano, Ken See Iwasaki, Tatsuya
Okano, Ken; Kiyota, H.; Kurosu, T.
Doping of diamond.—74-02968A
Okano, Y. See Kiyota, H.
Okawa, Yoshihiro; Miyahara, Kenichiro
Sintered product of aluminum nitride, a process for the preparation thereof, and a baking jig using the same.—74-04092P
Okazaki, Hideo See Shimojo, Fuyuki

Okazaki, K. See Kawamura, K.

Okazaki, Kiyoshi; Maiwa, Hiroshi; Ichinose, Noboru
Preparation of (Pb,La)TiO_3 thin films by multiple cathode sputtering.—74-09167A

Okazaki, Susumu See Sato, Mitsukuni

Okazaki, Yoshikatsu; Kuroda, Kazuo
Temperature dependence of the photorefractive effect in GaP.—74-01588A

Okhrimenko, R. F. See Godneva, M. M.

Oki, S.; Gohda, S.; Lugscheider, E.
Plasma spraying of high nitrogen steels.—74-08251A

Okiji, Ayao See Kumada, Seiya

Okinaka, Hideyuki; Hata, Takuoki
Varistor, thermistor manufacturing in Japan.—74-06377A

Okonechnikov, A. P.; Mel'nik, N. N.
Deep levels in single crystal and polycrystalline ZnSe bombarded by electrons.—74-08850A; Defect formation of ZnSe bombarded by α particles.—74-04998A

Okovit, V. S. See Lazareva, M. B.

Okovit, V. S.; Starodubov, Ya. D.; Chirkina, L. A.
Effect of a magnetic field on the amplitude dependence of interface friction and shear modulus of yttrium ceramics at 4.2–300 K.—74-04280A

Oksenoid, K. G. See Nefedov, V. I.

Oksoy, D. See Simpson, J. C.

Oksoy, D.; Pye, L. D.
Batch to oxide percentage and oxide percentage to batch calculations for glass processing.—74-05752A

Oku, T. See Uchibori, Chihiro

Oku, T.; Ohta, S.; Eto, M.
Evaluation of mechanical properties of carbon materials by hardness test.—74-10989A

Okubo, Michiko See Ichihara, Katsutaro

Okubo, Tatsuya See Watanabe, Masayuki

Okuda, Hiroshi See Mizuno, Mineo

Okuda, Kouji See Yanagida, Hiroaki

Okuda, Kouji; Nishi, Tokumitsu; Hoshino, Hisakiyo; Takai, Hiroshi; Miyake, Natsumi
Joining method for joining electrically ceramic bodies and a joining apparatus and joining agent for use in the joining method.—74-03754P

Okuda, Shigeru See Hayashi, Noriki; Yoshida, Noriyuki

Okulov, S. M. See Ishchenko, S. S.

Okumiya, Masataro See Takahashi, Hideo; Uematsu, Keizo

Okumura, H. See Itoh, Hisayoshi

Okumura, Motoaki See Ohgushi, Hajime

Okunev, V. D.
Effect of Fe concentration on Urbach edge of optical absorption of $(CdGeAs_2)_{100-x}Fe_x$ amorphous films near structural resonance.—74-04282A

Okunishi, Masayuki See Uchibori, Chihiro

Okuno, Yasuo See Tamura, Hitoshi

Okuo, T. See Ohno, Y.

Okura, Toshinori; Sudoh, Giichi; Inoue, Hiroyuki
Molecular orbital calculation of SiKß spectra.—74-07699A

Okura, Toshinori; Sudoh, Giichi; Kanazawa, Takafumi
Molecular orbital approach to SiKß energy shifts by second-nearest-neighbor phosphorus atoms.—74-10845A

Okusako, T. See Sugawara, Y.

Okushi, H. See Kiyota, H.

Okutani, Takeshi See Suzuki, Masaaki

Okutani, Takeshi
Materials synthesis under short-time microgravity.—74-09484A

Okuyama, F.; Kato, J.
Novel fiber growth on Ar^+-sputtered InP.—74-06225A

Okuyama, H. See Arakawa, T.

Okuyama, Kojiro; Yokotani, Yoichiro; Kugimiya, Koichi
Dielectric ceramic compositions and dielectric resonator.—74-02876P

Ol'khovaya, L. A. See Pavlova, L. N.

Ol'khovik, I. V. See Zhurov, V. V.

Ol'khovik, I. V.; Politova, E. D.; Fedotova, M. V.
Phase formation and properties of metaplumbate of barium and solid solutions $Ba_{1-x}Sr_xPbO_3$ ($0 \le x \le 0.5$).—74-04185A

Ol'khovskii, G. A. See Naumov, I. I.

Olagnon, Christian See Chevalier, Jerome; Sudreau, F.

Olazcuaga, R. See Barth, S.

Olborska, A.; Swider, M.; Wolowiec, R.; Niedzielski, P.; Rylski, A.; Mitura, S.
Amorphous carbon—biomaterial for implant coatings.—74-04010A

Olczak, T. See Deptula, A.

Olde Scholtenhuis, R. J. M. See Winnubst, A. J. A.

Oldham, W. G. See Kalpakjian, Kent M.

Olefjord, I. See Nylund, A.

Oleinik, G. S. See Garshin, A. P.; Tkachenko, Yu. G.; Vlasova, M. V.

Oleinik, G. S.; Yarosh, V. V.; Shevchenko, O. A.; Yurchenko, D. Z.
Microstructure of polycrystalline aluminum nitride formed in shock waves.—74-02023A

Oleinik, V. T.; Vlasov, V. V.; Prokhorova, I. Ya.
Vibration pressing of refractory blocks of the lining of removable induction units.—74-02793A

Oleksuk, L. L. S. See Reifsnider, Kenneth L.

Olemskii, A. I.; Flat, A. Ya.
Effect of flux stochasticity on coalescence [of new phase precipitations].—74-04573A

Oles, Andrej M. See Baha, Jan

Olesik, J.; Calusinski, B.
Influence of an internal electric field in a sample on the secondary electron emission phenomenon.—74-01073A

Olesinska, W. See Wlosinski, W. K.

Olevsky, E.; Kravchenko, I.
Deformation aspects of the phase transformations for sintering of the glass and glass-ceramic composites.—74-05674A

Olier, S. See Langlade, C.

Olikh, Ya. M. See Gapochenko, S. D.

Olinger, D. M. See Tu, J. S.

Oliva, C.
Electron spin-spin interactions between paramagnetic centers in ceramics as studied by EPR spectroscopy.—74-06765A

Oliveira, F. J. See Costa, F. M.

Oliver, G. J.
Ceramic analysis at the end of the 20th century.—74-11146A

Oliveria, M. See Kim, Y. K.

Olivi, P.; Pereira, E. C.; Longo, E.
Electrochemical and optical response of dip-coated SnO_2 films.—74-04603A; Preparation and characterization of a dip-coated SnO_2 film for transparent electrodes for transmissive electrochromic devices.—74-00311A

Olsan, V. See Jelinek, M.

Olsen, J. A. See Blum, O.

Olsen, Joseph A. See Dutta, Arunava

Olson, D. L. See Monroe, K. A.

Olson, J. M. See Arent, D. J.; Bertness, K. A.; Kurtz, Sarah R.; Luo, J. S.

Olson, Larry D.; Sack, Dennis A.; Fidelman, David
Scanning apparatus and method for nondestructive materials evaluation and mapping through use of acoustic waves.—74-09631P

Olson, William L.; Eddy, Michael M.; Hammond, Robert B.; James, Timothy W.; Robinson, McDonald
Epitaxial thin superconducting thallium-based copper oxide layers.—74-03627P

Olsson, E. See Brorsson, G.

Olsson, M. See Giannakopoulos, A. E.

Olsson, M.; Giannakopoulos, A. E.
Microcracking of an internally pressurized ceramic ring.—74-02173A

Olsson, Mikael See Yamamoto, Toyohisa

Olsson, Mikael; Kahlman, Lars; Nyberg, Brita
Abrasive wear of structural ceramics.—74-07835A

Olsson, Per-Olof See Ekstrom, Thommy

Olszyna, A. See Brozek, T.; Sokolowska, A.

Olszyna, A.; Kowalski, B.; Szmidt, J.
Optical properties of E-BN.—74-04792A

Olt, V. See Thiemeier, T.

Olteanu, Mihaela See Mandru, Ilie

Olver, M. M.; Pastalan, J. Z.; Romaine, S. E.
Observation of the integral quantum Hall effect in $PbTe/Pb_{1-x}Eu_xTe$ quantum well structures.—74-04376A

Omar, A. A.; Ali, E. M.
Glass-ceramics based on the pyroxene-nepheline system.—74-05766A

Omatete, O. O.; Bleier, A.
Tailoring suspension flow for the gelcasting of oxide and nonoxide ceramics.—74-10690A

Omi, Hiroo; Saito, Hideaki; Osaka, Toshiaki
Polarity propagation in InSb/a-Sn-/InSb heterostructure.—74-03173A

Omori, Mamoru See Yamane, Hisanori

Omori, Mamoru; Hirai, Toshio
Rare earth oxide-alumina-silica sintered body and method of producing the same.—74-09838P

Omori, Naoya; Kobayashi, Mitsunori; Nomura, Toshio
Diamond-coated hard material and a process for the production thereof.—74-04049P

Omori, Naoya; Nomura, Toshio
Diamond or diamondlike carbon-coated hard materials.—74-09915P

Onabe, Kentaro See Zhang, Xiong

Onari, Seinosuke See Tanaka, Akinori

Onate-Martinez, J. See Roque-Malherbe, R.

Ondracek, G. See Boccaccini, Aldo R.; Kim, K. D.; Zabicky, J.

Ong, C.-W. See Ma, C.-S.; Shen, Z.-X.

Ong, N. P. See Tsui, Ophelia K. C.

Ong, Sze-Woo See Cotterell, Brian

Ong, Tiong P.; Shing, Y. H.
Deposition of cubic BN on diamond interlayers.—74-07253A

Ongsiek, Karl
Enameling furnaces integrated into enameling lines: economic and development trends.—74-02370A

Onina, M. M.
New principle of the cement activation.—74-00084A

Onishi, Masashi; Nakazato, Koji; Chigusa, Yoshiki; Watanabe, Minoru; Miyajima, Yoshiaki
Optical functioning glass and method of manufacturing same, optical fiber, waveguide device, and laser device.—74-00344P

Onishi, S. See Sakiyama, K.

Onishi, Toshiuki
Antimicrobial glass "ion pure."—74-08403A

Onissi, T. R.; Munakata, N.
Generating electrical power from the exhaust gases of [cement] rotary kilns.—74-00062A

Ono, Fumiyoshi See Hiraiwa, Tadashi

Ono, H. See Nozaki, Shinji

Ono, K. See Yoda, Mitsuo

Ono, M. See Kawamura, K.

Ono, Naoki See Uchibori, Chihiro

Ono, Shoichi See Yokoo, Kuniyoshi

Ono, Toru; Endo, Hidehiro; Ueki, Masanori
Hot-pressing of TiC-graphite composite materials.—74-04148A

Ono, Toru; Fukuda, Kanao; Endo, Hidehiro
Characteristics of hot-pressed TiC-C composites.—74-07219A

Ono, Yasuhiro; Bungo, Akihiro; Yamada, Noboru
Geometric isotope effect of $NaH_3(SeO_3)_2$.—74-01389A

Ono, Yukiyoshi See Numoto, Hironao

Onoda, Masashige See Saito, Yoshiaki

Onoda, Masashige; Inabe, Tamotsu
Role of structural change in phase transition in $LiVO_2$.—74-01450A

Onodera, N. See Mori, S.

Onodera, Toshio See Ohtsuka, Hiroshi

Onoprienko, A. A.; Shaginyan, L. R.
Role of microstructure in forming thin carbon film properties.—74-04874A

Onoue, S. See Kameyama, K.

Onuma, E.; Ito, M.
High efficiency separators in coal grinding circuits.—74-08040A

Onuma, E.
High-efficiency separators and grinding circuit design.—74-08041A

Onuoha, A. See Blayo, N.

Onurlu, S. See Kinikoglu, S.

Onwuagba
Energy band structure studies of zinc blende BN and BP.—74-04310A

Oobuchi, Yoshimichi See Katsumata, Satoshi

Oogi, S. See Azuma, T.

Oohara, Yasuakai; Mitsuda, Setsuo; Yoshizawa, Hideki; Yaguchi, Nariyasu; Kuriyama, Hideaki; Asano, Takayuki
Magnetic phase transition in $AgCrO_2$.—74-03387A

Ooka, Chihiro See Miyake, Takushi

Ootsubo, Masakazu See Furuta, Naoki

Opagiste, C. See Gomez, P.

Openov, L. A. See Elesin, V. F.

Opielka, H. See Poech, M. H.

Opila, Elizabeth J. See Lee, Kang N.

Opila, Elizabeth J.
Influence of alumina reaction tube impurities on the oxidation of chemically vapor deposited silicon carbide.—74-05310A

Opila, R. L. See Ibudunni, A. O.

Opitz, D. See Gruschka, D.

Opitz, Joachim See Lauter, Josef

Opoczky, Ludmilla; Horvath, Imre
Principles of macro-defect-free (MDF) cement production.—74-05572A

Opoczky, Ludmilla
Development of particle size distribution during intergrinding a mixture of clinker and limestone.—74-00048A; Grinding technology and quality problems of composite cements.—74-06705A

Oppermann, Dean A. See Crimp, Melissa J.

Oprya, S. V. See Kaslyan, V. A.

Oquab, D. See Laurent, C.

Orain, H. See Tonneau, D.

Oral, Baybars See Ece, Muzeyyen

Oral, Baybars; Ece, Muzeyyen; Rogelet, Thierry; Yu, Z. M.
Characterization of catalytically synthesized turbostratic carbon films used for improved rates of diamond nucleation.—74-01964A

Oral, Baybars; Ece, Muzeyyen
Nucleation of diamond on graphitic carbon.—74-05208A

Orban, Jozsef
Corrosion of stressing elements of the IMS skeleton structure reinforcement.—74-05847A

Ordan'yan, S. S. See Basalaeva, T. S.; Dozhdikova, O. L.

Ordan'yan, S. S.; Dmitriev, A. I.; Vikhman, S. V.
Interaction in SiC-HfB_2 system.—74-01396A

Ordan'yan, S. S.
Rules for the reactions in B_4C-$Me^{IV-VI}B_2$ systems.—74-01451A

Ordonez, S.; Iturriza, I.; Cartro, F.
Study of the Si_3N_4-SiO_2-Y_2O_3 system—sintering. α→ß, transformation, and microstructure.—74-07498A

Ordway, David W. See Hong, Glenn T.

Orel, B.; Macek, M.; Svegl, F.; Kalcher, K.
Electrochromism of iron oxide films prepared via the sol-gel route by the dip-coating technique.—74-04606A

Orenstein, J. See Spielman, S.

Orent, T.
Electrical characteristics of zinc sulfide thin films deposited by various methods.—74-06066A

Orgaz, Emilio
Correlation between the critical Pr concentration and structural parameters in $Ln_{1-x}Pr_xBa_2Cu_3O_7$.—74-03435A

Orgaz, F.; Gomez-Aleixandre, C.; Albella, J. M.
Constant heating rate sintering of chemically vapor deposited silicon nitride.—74-07237A

Orgaz, F.
Sintering and mechanical behavior of mullite prepared from silica and alumina colloids.—74-07482A

Orignac, Xavier See Du, Xin-Min

Orimo, Yoshizo See Tsuchiya, Shinji

Orishchin, S. V. See Chikhrii, S. I.

Orkina, T. N.; Baidakov, L. A.
Chalcogenide glass in the systems Ga_2S_3-GeS_2-MeF_n.—74-00182A; Chalcogenide glasses in Ga_2S_3-GeS_2-MeF_n systems.—74-00183A

Orlenko, A. T.; Shaposhnikova, A. V.; Shushpanov, V. A.
Method for the determination of the filler humidity and water-containing guiniting concrete mixtures.—74-00076A

Orliukas, A. See Gauckler, Ludwig J.

Orlova, L. A. See Lipin, N. G.

Orlovskaya, N. A. See Gogotsi, Yu. G.

Orlovskii, K. E. See Karyuk, G. G.

Orlowski, B. A.; Kowalski, B.; Galazka, R. R.
Electronic structure of $Pb_{0.2}Sn_{0.72}Mn_{0.08}Te$ by means of photoemission.—74-05138A

Ormerod, R. Mark See Horton, J. Hugh

Orr, L. D. See Lipowitz, Jonathan

Orrman-Rossiter, Kevin G. See Paterson, Melissa J.

Ortega, C. See De Sande, J. C. G.

Ortega, P. See Barba, M. F.

Orth, J. E. See Sun, H.

Orth, J. See Wilke, A.

Ortiz, M. See Bower, A. F.

Ortiz-Saavedra, J. See Aguilera-Granja, F.

Ortmanns, Guenter
Glass with super thermal insulation properties—an important element in the fight to reduce heat consumption in buildings.—74-02631A

Orton, J. W. See Foxon, C. T.

Orudzhev, G. S. See Gashimzade, F. M.

Orumwense, Faraday F.
Flocculation and coagulation behavior of a kaolin—a comparative study.—74-07315A

Os'kina, T. E.; Tret'yakov, Yu. D.
Synthesis of Bi-Sr-Ca-Cu-O filament crystals.—74-06646A
Osagawa, Masaaki
Temperature-viscosity characteristics of glasses(— the methods of measurement).—74-08397A
Osaka, Akiyoshi See Ding, Y.; Fu, Jie
Osaka, Fukunobu; Ishikawa, Tomonori; Tanaka, Nobuyuki; Lopez, Maximo
Scanning tunneling microscopy of Cl_2-gas-etched GaAs(001) surfaces using an ultrahigh vacuum sample transfer system.—74-06300A
Osaka, Toshiaki See Omi, Hiroo
Osaka, Toshio See Irokawa, Katsumi; Komukae, Masaru
Osaki, Toshihiko See Horuchi, Tatsuro
Osaki, Yasushi See Satokawa, Shigeo
Osawa, K.; Imanaka, M.; Satoh, S.
Sheet steel with superior porcelain enameling properties processed by continuous casting and continuous annealing.—74-00152A
Osburn, C. M. See Tsai, J. Y.; Weinzierl, S. R.
Osseald, J. See Zavetova, M.
Osenbach, J. W. See Knolle, W. R.
Osenbach, J. W.
Water-induced corrosion of materials used for semiconductor passivation.—74-07833A
Osendi, M. I. See Baudin, C.; Hernandez, M. T.
Osgood, R. M., Jr. See Shor, Joseph S.
Oshima, Kenji; Ito, Tsugio; Kato, Yoshitsugu; Niihara, Koichi; Nakahira, Atsushi; Iwata, Misao
Carbon fiber reinforced silicon nitride based nanocomposite material and method for preparing same.—74-04034P
Oshima, M. See Prabhakaran, K.
Oshima, T. See Alonso, J. C.
Oshime, Yuji See Kimura, Daisuke
Oshinowo, J. See Hamisch, Y.
Oshio, Kenichi; Yahata, Hideo
Chaotic current oscillations in the Gunn-effect device under the dc and the rf bias voltages.—74-00464A
Oshio, Takanori; Sakai, Yoshiyuki; Ehara, Shaw
Scanning tunneling microscopy/spectroscopy study of V_2O_5 surface with oxygen vacancies.—74-07583A
Osiko, V. V. See Voronko, Yu. K.
Osintsev, V. V. See Musikhin, L. A.
Osipov, A. V. See Kukushkin, S. A.
Osipov, V. V. See Mikhailov, S. G.
Osipova, L. P. See Kozlov, V. I.
Osiris, W. G. See Abdel-Fattah, Wafa I.
Ositinskaya, T. D.; Podoba, A. P.; Shmegera, S. V.
Influence of point defects on the thermal conductivity of diamond single crystals: state of the art.—74-05022A
Oskarsson, Rolf See Weinl, Gerold
Osman, A. M. G. See Serry, M. A.
Osmanov, T. Sh. See Shchetkin, I. S.
Osse, A. L. M.; Krusius, J. P.; Weinzierl, S. R.
Accurate determination of shallow doping profiles and interface states for metal-oxide-semiconductor structures from measured capacitance-voltage data.—74-00450A
Osseo-Asare, K. See Mishra, K. K.
Ossicini, Stefano See Manghi, F.
Ostapchuk, P. N. See Alekceyechkin, N. V.
Ostapenko, I. L. See Gamulya, G. D.
Ostermann, Meinrad J.; Baroch, Edmund F.; Patrick, George R.
Using molybdenum in electric melting of glass.—74-08467A
Osterstock, F.; Caplan, D.; Prouteau, C.
Effect of thermal shock and related transient stresses on the stable and unstable extension of Vickers indentation cracks in brittle solids.—74-07866A
Osterstock, F.; Jernot, J. P.
Influence of initial glass powder size on the final microstructure and on the variation of toughness with porosity.—74-05723A
Ostertag, Claudia P. See Xu, Hockin H. K.
Osterwalder, J. See Aebi, P.; Kuettel, O. M.
Ostling, M. See Hudner, J.
Ostmann, E. See Spauszus, S.
Ostronova, M. M. See Sedykh, E. M.
Ostroushko, A. A.; Kvasnitsa, K.; Vidmer, Kh.
Interaction of $YBa_2Cu_3O_{7-\delta}$ coatings with metallic substrates.—74-00819A
Ostroushko, A. A.; Mironova, N. V.; Ostroushko, I. P.
Structure of reaction zones on solid-phase interaction between complex oxides containing SrO.—74-01467A
Ostroushko, I. P. See Ostroushko, A. A.
Ostrovskaya, N. F. See Barnitskaya, T. S.
Ostrovskaya, Ye. L. See Gamulya, G. D.
Ostrowski, Czesław; Wzorek, Zbigniew
Formation of solid solutions in the system $CaO-P_2O_5-SO_3-H_2O$.—74-08032A
Osuntola, O. K. See Ajayi, O. B.
Osvald, J. See Aristov, V. Yu.
Osvet, A. See Sildos, I.
Oswald, J. See Mares, J. J.
Ota, Rikuo; Maeda, Kozo; Wakasugi, Takashi
Structure and some physical properties of $SiO_2-Al_2O_3-CaO-ZnO$ glass.—74-02584A
Ota, Yoshio See Kasuga, Toshihiro
Ota, Yoshio; Inui, Saburo; Iwashita, Tetsushi; Kasuga, Toshihiro; Abe, Yoshihiro
Preparation of aragonite whiskers.—74-07427A
Otabaev, G. R. See Grechushnikov, B. N.
Otani, Seigen
Layer-by-layer process for forming Bi-containing oxide superconducting films.—74-00869P
Oteo, J. L. See Rubio, F.
Oto, K. See Takaoka, S.
Otoshi, Hirokazu See Takai, Yasuyoshi
Otschik, P. See Eichler, K.
Otschik, P.; Kretzschmar, C.; Jaenicke-Robler, K.
Interaction between electronic pastes and AlN substrates.—74-05944A
Otsuka, Akio See Kuwabara, Haruyoshi
Otsuka, N. See Mahalingam, K.
Otsuki, A. See Ijichi, H.; Uchibori, Chihiro
Ott, A. W. See Dillon, A. C.
Ott, H. R. See Schilling, A.
Ott, Heidrun See Wolter, Herbert
Ott, J. A. See Agnello, P. D.
Ott, Jack J. See Pyzik, Aleksander J.
Ott, Kevin D.
Report on the 2nd International Superconductivity Industry Summit, Hakone, Japan, May 10-11, 1993.—74-02273A
Ottaviani, M. Francisca See Garcia-Garibay, Miguel A.
Otter, G. C. J. See Schermer, J. J.
Otterloo, A. F. See Buiting, M. J.
Ottermann, Clemens See Laube, Michael
Otterstedt, J. E. See Schoeman, B. J.
Otto, A.; Craven, C.; Daly, D.
Properties of high-T_c wires made by the metallic precursor process.—74-00847A
Otto, K. See Rossberg, Andreas
Otto, Rick See Thomas, Alan
Otwinowski, Henryk See Zukow, P. Wladimir
Ou, Ken-Ying
Characteristics of dickite and its applications to household fine porcelain.—74-01189A
Ouboumour, H. See Fillaux, F.
Ouchetto, M.; Parke, S.; Elouadi, B.
Kinetics of volatilization loss from phosphate glass melts.—74-05725A
Ouisse, T.; Becourt, N.; Jaussaud, C.
Low-frequency, high-temperature conductance and capacitance measurements on metal-oxide-silicon carbide capacitors.—74-02847A
Ouisse, T.
Self-consistent calculations in silicon carbide inversion layers.—74-10153A
Oujiri, Frantisek See Kovac, Miroslav
Oumaloul, M. See Jarrige, J.
Ounaies, Z.; Selmi, F.; Varadan, V. K.
Microwave calcination of conventionally and sol-gel-prepared lead zirconium titanate.—74-01799A
Ourmazd, A.
Chemical mapping and its application to interfaces, point defects, and materials processing.—74-01049A
Ousi-Benomar, W. See Xue, S.
Oussena, M. See Kumar, Ravi
Oussena, M.; De Groot, P. A. J.; Gagnon, R.
Lock-in oscillations in magnetic hysteresis curves in $YBa_2Cu_3O_{7-x}$ single crystals.—74-04344A
Oustry, Andre See Rocher, Andre
Ouwens, J. Daey; Schropp, R. E. I.; Van der Weg, W. F.
Effect of hydrogen dilution on the bonding configuration in a-SiC.—74-08873A
Ouyang, C. See Shah, Surendra P.
Ouyang, Q.; Okada, K.
Friction properties of aluminum-based composites containing cluster diamond.—74-04320A
Ovcharenko, M. G. See Zhilin, A. A.
Ovchinnikov, A. V. See Shutov, A. L.
Ovchinnikov, S. G.
Orthorhombic distortion effect on X-ray and X-ray photoelectron spectra of copper oxides.—74-04388A; Variations in the density of states during hole doping of CuO_2.—74-10177A
Ovchinnikova, L. A. See Golikov, Yu. V.
Ovchinnikova, O. G. See Danchevskaya, M. N.
Ovechkina, E. E. See Koshkin, V. M.
Overcamp, Thomas J. See Bennert, David M.; Resce, James L.; Sargent, Thomas N., Jr.
Overend, Neil; Howson, A.; Lawrie, Ian D.
3-D x-y scaling of the specific heat of $YBa_2Cu_3O_{7-\delta}$ single crystals.—74-04243A
Overney, R.; Meyer, E.
Tribological investigations using friction force microscopy.—74-01123A
Oversluizen, G.; Lodders, W. H. M.; French, I. D.
Plasma-enhanced chemical vapor deposition of amorphous silicon nitride for thin-film diode active matrix liquid crystal displays.—74-04813A
Overwijk, M. H. F.; Van den Heuvel, F. C.; Bulle-Lieuwma, C. W. T.
Novel scheme for the preparation of transmission electron microscopy specimens with a focused ion beam.—74-00966A
Owada, Nobuo; Ohashi, Naofumi
Planarization technology of spin-on-glass films on LSI devices.—74-09004A
Owano, T. G.; Kruger, C. H.; Green, D. S.
Degenerate four-wave mixing diagnostics of atmospheric pressure diamond deposition.—74-10254A
Owen, David M.; Chokshi, Atul H.
Observations of transitions in creep behavior of a superplastic yttria-stabilized zirconia.—74-02181A
Owen, J. V.; Day, T. E.
Estimation of the bulk composition of fine-grained media from microchemical and backscatter image analysis: application to biscuit wasters from the Bow factory site, London.—74-05452A
Owens, F. J.
Ac magnetic-field-induced microwave absorption in HTSC $Tl_2Ba_2Ca_2Cu_3O_x$.—74-06479A
Owens, William
Industrial recorders get a technology overhaul.—74-05423A
Ownby, P. Darrell See Kowalik, R. W.; Lazaroff, Jerold E.; Weirauch, Douglas A., Jr.
Owsiak, Zdzislawa See Piasta, G. Wojciech
Oye, K. M. S. See Hole, Magnar
Oye, M. A. See Hole, Magnar
Oyler, M. See Pepe, A. J.
Ozaki, M. See Takado, N.
Ozaki, Tetsuaki See Hirata, Yoshihiro
Ozaki, Toru; Senju, Takashi; Nakamura, Eiji
Fractal aspects of the ferroelectric domain structures in KH_2PO_4 crystal.—74-00753A
Ozasa, Kazunari; Ye, Tian-Chun; Aoyagi, Yoshinobu
Decomposition of gallium oxide and indium oxide on GaAs for in situ process use by alternating supply of TEGa, TMIn, and H_2O_2 as surge pulses.—74-01657A; Deposition of thin indium oxide film and its application to selective epitaxy for in situ processing.—74-02960A
Ozeki, Hirofumi See Katoh, Tokiomi
Ozen, G. See Kermaoui, A.
Ozen, G.; Wu, Xu; Denis, J. P.
Optical properties and upconverted emissions of Tm^{3+} in Yb^{3+}-doped fluorophosphate glasses.—74-00272A
Ozen, Ilker See Ozgen, Serdar
Ozersky, B. A. See Gogotsi, G. A.
Ozgen, Serdar; Ozen, Ilker
Investigation on some Turkish ceramic raw materials for sanitary ware production.—74-06907A
Ozkan, O. T.; Erkalfa, H.; Tagar, M. S.
Effect of yttrium doping and sintering temperatures on the PTCR characteristics of high-T_c barium titanate.—74-04593A
Ozturk, M. C. See Ashburn, S. P.; Xing, G. C.
Pabla, A. S. See David, J. P. R.
Pabst, Jurgen; Boden, G.; Gerlach, U.
Powder properties influencing the densification kinetics of hot-pressed Si_3N_4.—74-10542A
Pabst, Roland
Experience with cullet preheating at Vetropack plant in Saint-Prex (Switzerland).—74-09658A; Noncatalytic removal of nitrogen in a recuperative container glass furnace.—74-02288A
Pace, Benedict G.
Hybrid circuits and a method of manufacture.—74-08796P
Pacer, M. See Kanber, H.
Pacey, P. D. See Sharma, A.
Pachebutas, V.; Shimikiene, Y.
Electrical and photoelectrical properties of porous silicon diode structures.—74-00602A
Pacheco, G. See Rodriguez, R.
Padalia, B. D. See Misra, D. S.
Padeletti, G. See Ingo, G. M.
Padgett, M. J. See Yelland, C.
Padhi, B. K. See Patel, M.
Padiyath, R. See Seth, Jayshree
Padiyath, R.; Seth, Jayshree; Babu, S. V.
Deposition of copper oxide films by reactive laser ablation of copper formate in an rf oxygen plasma ambient.—74-01663A
Padture, Nitin P. See Xu, Hockin H. K.
Padture, Nitin P.; Evans, Christopher J.; Xu, Hockin H. K.; Lawn, Brian R.
Enhanced machinability of silicon carbide via microstructural design.—74-01709A
Padture, Nitin P.; Lawn, Brian R.
Contact fatigue of a silicon carbide with a heterogeneous grain structure.—74-07845A
Padture, Nitin P.; Pender, David C.; Wuttiphan, Sataporn; Lawn, Brian R.
In situ processing of silicon carbide layer structures.—74-10406A
Padureanu, I. See Kozlov, Zh. A.
Padyukov, Konstantin L.; Levashov, Evgeny A.
Self-propagating high-temperature synthesis: a new method for the production of diamond containing materials.—74-01878A
Paek, Yeong-Kyeun See Lee, Ho-Yong
Paepcke, J. See Hilgraf, P.
Pagano, N. J. See Tandon, G. P.
Page, Catherine J. See Houk, Carol S.
Page, Richard A. See Schwab, Stuart T.
Pai, S. P. See Misra, D. S.; Pinto, R.
Paidassi, S. See Verven, R.
Paillard, V.; Melinon, P.; Perez, J. P.; Dupuis, V.; Perez, A.; Loubert, J. L.
Mechanical properties of nanostructured diamondlike carbon films synthesized by low-energy cluster beam deposition.—74-07813A
Paille, Norman I. See Pujari, Vimal K.
Pailthorpe, B. A. See McKenzie, D. R.
Paine, David C. See Caragianis, C.; Shigesato, Yuzo
Pais, T. F.; Marques, F. M. B.; Wirtz, G. P.
Processing of YSZ layers by electrochemical vapor deposition.—74-04842A
Pajaczkowska, A. See Jablonski, R.
Pajares, Antonia; Guiberteau, F.; Dominguez-Rodriguez, A.
Stable growth of indentation cracks in yttria-stabilized zirconia.—74-07917A
Pajares, Antonia; Guiberteau, F.; Lawn, Brian R.; Lathabai, Srinivasarao
Hertzian contact damage in magnesia-partially stabilized zirconia.—74-05362A
Paje, S. E.; Llopis, J.
Luminescence of polycrystalline cubic and tetragonal yttria-stabilized zirconia.—74-10116A; Luminescence of YSZ crystals.—74-06189A
Pajewski, W.; Wolna, M.; Szwedowska-Kotlinska, J.
PZT coatings prepared by the sol-gel process on metallic substrates (Al).—74-03346A
Pakhlevonyan, G. V. See Bezentsev, A. I.
Pakhomov, A. A. See Musatov, A. L.
Pakhomov, P. V. See Pakhomov, V. I.
Pakhomov, V. I.; Goryunov, A. V.; Pakhomov, P. V.
Formation of crystals of α-SiO_2 with admixtures of Fe^{3+}.—74-01994A
Pakulski, G. See Knight, Gordon
Pal, A. K See Maiti, B.; Pal, R.
Pal, D. K.; Daw, A. N.
Modeling of silicon epitaxy at low pressure.—74-04758A

Pal, R.; Bhattacharyya, D.; Maity, A. B.; Chaudhuri, S.; Pal, A. K.
Nanostructured ZnTe films prepared by dc magnetron sputtering.—74-04768A
Pal, R.; Chattopadhyay, K. K.; Chaudhuri, S.; Pal, A. K.
Variation of trap state density and barrier height with Cu/In ratio in $CuInSe_2$ films.—74-04461A
Pal, U. See Yuan, S.
Pal-Val, L. N. See Pal-Val, P. P.
Pal-Val, P. P. See Dotsenko, V. I.
Pal-Val, P. P.; Pal-Val, L. N.; Braude, I. S.
Effect of Ag concentration on the structure and acoustic properties of the HTS composite $YBa_2Cu_3O_x$-Ag.—74-03446A
Palachev, V. V. See Dekalo, I. E.
Palacin, M. R.; Fuertes, A.; Pastor-Casan, N.
Induction of bidimensionality in Cu-Ti perovskites.—74-10411A
Palagin, D. A. See Nikonorov, N. V.
Palanna, O. G. See Rao, Suresh N.
Palatnik, L. S. See Mamalui, A. A.
Palco, Stefan See Li, Xiang-Min
Palibroda, E.; Marginean, P.
Considerations on the adsorbed water concentration of sulfuric porous aluminum oxide.—74-04269A
Paliege, A. See Eberhardt, R.
Palij, Yu. Ya. See Aksenov, I. I.
Palm, T. See Winterfeld, J.
Palmer, G. B.
Strength loss in low-cement refractory structures.—74-08635A
Palmer, G. R. See Lyman, J. W.
Palmer, G. See Amm, D. T.
Palmer, S. B. See Misra, D. S.
Palmer, W. See Hosler, W.
Palmonari, C.; Nassetti, G.
Traditional ceramics—evolution in the last decade and future trends.—74-07960A
Palomo, A. See Gimenez, S.
Paluszkiewicz, C. See Pamula, E.
Pamler, W.; Mathuni, J.
Thickness determination of thin oxide layers at the bottom of contact holes of semiconductor devices by Auger electron spectroscopy.—74-01119A
Pampuch, R. See Lis, J.; Stobierski, L.
Pamula, E.; Paluszkiewicz, C.; Blazewicz, M.
Structural changes of carbon fibers in biological environment.—74-07027A
Pan'ko, V. V. See Khudolii, V. A.
Pan'sheva, E. I. See Nikonorov, N. V.
Pan'sheva, E. I.; Solov'eva, N. D.; Tunimanova, I. V.
Effect of uv and γ-radiation on polychromatic glass.—74-02452A
Pan, D. S. See Li, H. S.
Pan, Guo-Qiang; Megtert, S.; Collin, G.
Observation of modulation structure in $Bi_{2+x}Sr_{2-x}CuO_y$ crystals by X-ray precession method.—74-09314A
Pan, L. S. See Han, S.; Kania, D. R.; Landstrass, M. I.
Pan, L. S.; Han, S.; Plano, M. A.
Electrical properties of high-quality diamond films.—74-10095A
Pan, N. See Zhang, K.
Pan, N.; Jackson, G. S.; Carter, J.; Hendricks, H.; Brierley, S. K.
Optimization of buffer layers for AlGaAs/InGaAs/GaAs pseudomorphic high electron mobility transistors by atmospheric pressure metallorganic chemical vapor deposition.—74-06245A
Pan, P. See Blumenstock, K.
Pan, S. H. See Behler, S.
Pan, Shyi-Ming See Lin, Wen-Tai
Pan, Wei See Desu, Seshu B.; Vijay, D. P.
Pan, Xiao-Dan; Broers, A.; Jeynes, C.
Lithographic process in deposited silicon dioxide.—74-06179A
Pan, Xiao-Ren See Zhao, Da-Chun
Pan, Y.-B.; Tan, Shou-Hong; Jiang, Dong-Liang; Wang, J. H.
Microstructure and properties of SiC-AlN multiphase ceramics.—74-10460A
Pan, Y.-M.; Davidson, David L.; Schwab, Stuart T.; Graef, Renee C.
Microstructure and mechanical properties of polymer-derived Si_3N_4/SiC fabric composite.—74-11055A
Pan, Yu-Kan; Wan, De-Qing
Design and modification of an imported glass tank furnace.—74-09649A
Panaev, I. A. See Buldygin, A. F.
Panagopoulos, C. See Koutsomichalis, A.
Panagopoulos, C.; Fukami, T.; Aomine, T.
Effects of helium gas adsorption on the phonon drag of granular $YBa_2Cu_3O_{7-\delta}$.—74-03453A
Panahi, Sherry K. See Joshi, M. L.
Panahi, Sherry K.; Abbasi, Hamid A.; Joshi, M. L.; Khinkis, J.; Neff, Glenn C.
Low NO_x technologies for natural gas-fired regenerative glass melters.—74-01162A
Panasyugin,, A. S.; Rat'ko, A. I.; Trofimenko,, N. E.
Montmorillonite intercalated with Fe-Ni mixed oligomer complexes.—74-00370A
Panda, B. K. See Au, H. L.
Pandey, D.; Singh, A. P.; Tiwari, V. S.
Developments in ferroelectric ceramics for capacitor applications.—74-06400A
Pandey, Raghvendra K.; Raina, Kanwal K.; Solayappan, Narayanan
Epitaxial layers of 2122 BCSCO superconductor thin films having single crystalline structure.—74-09365P
Panek, Zdenek
Standard Gibbs energy of formation of ß-silicon nitride.—74-04214A
Panfilov, A. S.; Pushkar, Yu. Ya.; Svechkarev, I. V.
Effect of pressure on the magnetic susceptibility of CeB_6.—74-04287A
Pang, S. K. See Yasutake, K.
Pang, S. W. See Ko, K. K. Thomas, S., III
Pang, S. See Liu, N.
Pang, Y. See Lee, Bo
Pang, Zheng-Da; Boumerzoug, M.; Kruzelecky, Roman V.; Mascher, P.; Simmons, J. G.; Thompson, D. A.
Electrical characterization of rf sputtered TiN thin films on III-V semiconductors.—74-00603A
Pang, Zheng-Da; Boumerzoug, M.; Thompson, D. A.
Low-temperature radio frequency sputter deposition of TiN thin films using optical emission spectroscopy as process monitor.—74-01786A
Panichkina, V. V. See Matviichuk, V. N.
Pankova, N. A. See Lipin, N. G.
Pankova, N. A.; Terman, V. B.
Hydraulic operation of a glass furnace and its role in production.—74-03912A
Pankova, N. A.
Intensification of fining of glass melt with centrifugal forces.—74-02638A
Pankrath, R. See Buse, K.; Kahnmann, F.
Pankratov, S. E. See Bigaev, S. B.
Pannaparayil, T.; Marande, R.; Komarneni, S.
Magnetic properties of high-density Mn-Zn ferrites[—erratum].—74-03389A
Pannell, C. N. See Abdulhalim, I.
Pansheva, E. I. See Anoshkina, E. V.
Pant, W. Y.; Sun, S.; Tuttle, B. A.
Electrical and dielectric instability induced by electric field cycling in ferroelectric ceramic actuators.—74-06406A
Pantaleev, V. N. See Ivanov, P. A.
Pantano, Carlo G. See Beall, Douglas M.; Bojan, B. J.; Qi, Gang; Rigato, V.
Pantano, J. V. See Turner, G. W.
Pantchev, B.; Nikolov, Z.
Characterization of refractive index profiles in silver-sodium ion-exchanged glass waveguides for homogeneous refracting waveguide structures.—74-00289A
Panteleev, V. G.; Ramm, K. S.; Vasilieva, O. A.
Porcelain bodies by image analysis.—74-00371A
Panwar, N. S. See Semwal, B. S.
Panwar, O. S.; Moore, R. A.; Raza, S. H.
Comparative study of large grains and high-performance TFT's in low-temperature crystallized LPCVD and APCVD amorphous silicon films.—74-01357A
Panysheva, E. I. See Nikonorov, N. V.
Paoletti, A. See Balestrino, G.; Messina, G.
Papadas, Constantin; Mortini, Patrick
Comparison between SiO_2 films and nitrided oxides in N_2O ambient in terms of bulk/interface trapping properties.—74-10068A
Papageorgopoulos, C. A.; Jaegermann, W.
Intercalation of Li into single crystals of MoS_2.—74-10426A
Papaioannou, G. J. See Bath, A.
Papamichael, H.; Miaoulis, I. N.
Cooling of optical fibers during the drawing process.—74-05754A
Papapolymerou, G. See Papargyris, A. D.
Papargyris, A. D.; Botis, A. I.; Papapolymerou, G.
Thermal analysis of brick clays.—74-06936A
Papiernik, Renee; Hubert-Pfalzgraf, Liliane G.
Mixed-metal bismuth-titanium species—chemical routes to $Bi_4Ti_3O_{12}$.—74-10475A
Papikyan, R. S. See Koshelev, A. E.
Papo, A.; Caufin, B.; De Pretis, A.
Study of rheological behavior of ceramic powder suspensions by means of oscillatory techniques.—74-01112A
Papp, John F.
Chromite.—74-06895A
Papuchon, Michel See Delacourt, D.; Dupont, Emanuel B.
Par Kupper, D. See Rose, D.
Par Kupper, D.; Brentrup, L.; Rose, D.
Reduction of polluting emissions in cement works.—74-08099A
Parada, C. See Saavedra, M. J.
Paradis, L.; Salin, J. F.
Nondestructive evaluation of the mechanical characteristics of plasma-sprayed ceramic coatings.—74-09592A
Parames, M. L. G. F. See Silvestre, A. J.
Parameswar, Chitra See Martin, Steve W.
Paranchich, S. Y. See Gavaleshko, N. N.
Paranthaman, Mariappan; Beach, David B.
Growth of highly oriented $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films on Ag substrates using a dip-coated barium calcium copper oxide sol-gel precursor.—74-09279A
Paranthaman, Mariappan; Foldeaki, M.; Balzar, D.
Enhanced flux pinning via chemical substitution in bulk superconducting Tl-2212.—74-06535A
Parashikov, I. See Moser, A.
Paraszczak, J.
Integration of materials and processes for reliable silicon interconnections.—74-06158A
Pardo, B. See Bridou, F.
Pardo, L. See Fu, G. F.; Millar, C. E.; Ricote, J.
Pardo, L.; Calzada, M. L.; Milne, S. J.
Microstructures of sol-gel-prepared ferroelectric thin films.—74-03324A
Pareek, A. See Short, S. W.
Parfen'ev, R. V. See Berezin, A. V.; Bakulin, E. A.
Parfenov, O. E.
Correlation between T_N and T_c in high-T_c cuprates with 2-D conductivity in CuO_2 planes.—74-03433A
Parfenova, E. E. See Slutsker, A. I.
Pargellis, Andrew N. See Dynes, Robert C.
Parikh, N. R. See Baumann, P. K.; Hunn, John D.; Ishibashi, K.
Parikh, N. R.; Hunn, John D.
Process for selectively etching diamond.—74-01032P
Paris, Pierre; Haussonne, Jean-Marie; Lostec, Jean; Bertat, J. R.
Apparatus for the thermal characterization of high-conductivity substrates and materials for microelectronics.—74-09548A
Parise, John B.; Corbin, D. R.; Abrams, Lloyd
Structural relationships among some BePO-, BeAsO-, and AlSiO-RHO frameworks.—74-05266A
Parise, John B.; Yeganeh-Haeri, A.; Weidner, D. J.
Pressure-induced phase transition and pressure dependence of crystal structure in low (α) and Ca/Al-doped cristobalite.—74-10021A
Park, B.-S.; Baik, Young-Joon; Kim, D.-H.
Behavior of Co binder phase during diamond deposition on WC-Co substrate.—74-08132A
Park, B.
Compressed air systems.—74-06688A
Park, Bong-Mo; Chung, Su-Jin
Optical, electron microscopic, and X-ray topographic studies of ferroic domains in barium titanate crystals grown from high-temperature solution.—74-05212A
Park, Byoung-Hark See Han, Dong-Bin
Park, C. H. See Lee, Keun-Ho
Park, C.-G. See Kwak, J.-S.
Park, C. See Bakhtizin, R. Z.; Noh, H. P.; Seo, J.-M.
Park, C.; Bakhtizin, R. Z.; Hashizume, T.; Sakurai, T.
Strain relief and ordering of $(2\times n)$-Bi structure on Si(100).—74-07752A
Park, Chen; McNallan, Michael J.
High-temperature mixed oxidation of nitride-bonded silicon carbide in oxidizing gas mixtures containing 2% Cl_2.—74-05308A
Park, Cheol-Won; Lee, Jin-Sung; Lee, Woong-Jea
Formation and color of the spinel solid solution in ZnO-Fe_2O_3-TiO_2-SnO_2 system.—74-10357A
Park, D.-W. See Jeung, J.-W.
Park, Dong-Soo; Kim, Hai-Doo; Chung, Jung-Hee
Effect of sintering variables on the microstructure and mechanical properties of the gas pressure sintered Si_3N_4.—74-10294A
Park, Eun-Sung; Lannutti, John J.; Cawley, James D.
Microstructure and reactions of SiC_w-reinforced alumina with Ag-Cu-In-Ti.—74-02022A
Park, H. K.; Smyrl, W. H.
V_2O_5 xerogel films as intercalation hosts for lithium.—74-07548A
Park, H.-C.; Hong, S.-H.; Lee, Y.-B.
Sintering and microstructure of Ce-TZP/Al_2O_3 ceramic composite.—74-10884A
Park, H.-S.; Cho, K.-S.; Mun, C.-S.
Fabrication of LAS system ceramics for thermal shock resistance from silicate minerals: I, Preparation of eucryptite powders with silimanite group, kaolin group minerals.—74-10347A; II, Preparation of spodumene powders with sillimanite, kaolin, and pyrophyllite group minerals.—74-10348A
Park, Hee-Chan See Lee, Heon-Soo
Park, Hee-Dong; Jeong, Hyeok-Je; Choi, Young-Min; Lee, Jae-Do
Processing parameters of pulse CVI in C/C composites.—74-10590A
Park, Hong-Chae See Kim, Seong-Hyun; Lee, Yoon-Bok
Park, Hong-Kyu See Moon, Young-Tae
Park, Hong-Kyun See Baik, Yong-Hyuck
Park, Hyu-Bum See Jung, Soo-Cheol
Park, Hyun-Min See Kim, Han-Gyun
Park, Hyun-Soo See Hong, Cheol-Min
Park, Hyung-Ho See Kim, Yong-Chun
Park, J.-C. See Yoo, K.-H.
Park, J.-H. See DiTusa, J. F.
Park, Jae-K. See Kim, Yoon-H.
Park, Jae-Weon; Lee, Hun-Sik; Lee, Byung-Ha
Effect of ZrO_2 addition on the synthesis and microwave dielectric properties of $Ba_2Ti_9O_{20}$ fabricated by oxalate method.—74-09127A
Park, Jeong-Hwan See Yoon, Ki-Hyun
Park, Jeong-Hyun; Choi, Hyun-Jeong; Cho, Kyeong-Sik
Reaction between $BaTiO_3$ ceramics and oxide setters.—74-10602A
Park, Jeong-Hyun; Lee, Sang-Jin
Influence of CuO on bonding behaviors of low-firing substrate and Cu conductor.—74-10414A; Mechanism of preventing crystallization in low-firing glass-ceramic composite substrates.—74-05031A
Park, Jeong-Hyun; Sung, Jae-Suk; Lee, Sang-Jin
Preparation of alumina ceramics by pressureless powder packing forming method: I, Development of pressureless powder packing forming method and characterization of green body.—74-03724A
Park, Jin-Seong; Yang, Gwon-Seung
Reliability improvement of thin oxide by double deposition of silicon.—74-04868A
Park, Jin; Moon, Dae-Gyu; Ahn, Byung-Tae; Im, Ho-Bin; Lee, Kwy-Ro
Recrystallization of LPCVD amorphous Si films using F^+ implantation.—74-05232A
Park, Jong-Hyun See Lee, Hee-Gyoun
Park, Jong-Ku See Lee, Jae-Kap
Park, Jung-Woo; Ahn, Byung-Tae; Im, Ho-Bin
Photovoltaic properties of sintered CdS/CdTe solar cells doped with Cu.—74-00683A
Park, Jung-Woo; Chung, Gil-Yong; Ahn, Byung-Tae; Im, Ho-Bin
Effect of hydrogen in the selenizing atmosphere on the properties of $CuInSe_2$ thin films.—74-04576A
Park, K. H. See Batra, Shubneesh
Park, K. See Erturk, Turgay
Park, K.; Hsu, S. M.; Vasilos, T.; Sung, C.
Microstructural characterization of silicon carbide fiber-reinforced aluminum nitride composites.—74-10835A

Park, K.; Li, Y.; Vasilos, T.; Sung, C.
TEM studies of alumina chopped fiber/partially stabilized zirconia composites.—74-10899A

Park, Kang-Seok; Kim, Ki-Won; Kang, Eun-Tae
Preparation of Li_2O-ZrO_2-P_2O_5-SiO_2 based glassy solid electrolytes by sol-gel process and their ionic conduction.—74-10562A

Park, Kye-Hyuck See Kim, Nam-Il

Park, M. See Kramer, M. J.

Park, S.-H. See Kim, J.-D.

Park, Sang-Hee; Holleck, Helmut
Preparation, wear resistance and mechanical properties of W-Ti-C-N based hard materials.—74-05384A

Park, Sang-Jong; Kim, Cheol-Young
Compositional effects of CaO-SiO_2-P_2O_5 bioactive cement on hardening and hydroxyapatite formation.—74-08007A

Park, Seong-Ju; Ha, Jeong-Sook; Ro, Jeong-Rae; Sim, Jae-Ki; Lee, El-Hang; Jeon, Il-Cheol
Atomic force microscopy study of surface morphology of GaAs grown by atomic layer epitaxy using trimethylgallium and arsine.—74-05982A

Park, Seung-Bae; Sun, Chin-Teh
Fracture criteria for piezoelectric ceramics.—74-06413A

Park, Seung-Eek See Kim, Han-Gyun

Park, Seung-Eek; Chae, Seung-Uk; Kim, Chong-Don
Crystal growth of $LiTaO_3$ and the effect of crucible type and atmosphere.—74-04112A

Park, Sung-Soon; Zheng, H.; Mackenzie, J. D.
Ethanol gas sensing properties of SnO_2-based thin-film sensors prepared by the sol-gel process.—74-01714A

Park, Sung-Soon; Mackenzie, John D.
Microstructure effects in multidipped tin oxide films.—74-10840A

Park, T.-H. See Yoon, Y.-S.

Park, W. G.; Nepijoko, S. A.; Faneesa, A.
Temperature dependence in threshold photoemission from HTSC.—74-06649A

Park, W. J. See Kim, Nack J.

Park, Y. S. See Campbell, S. S.

Park, Yong-Wan See Won, Jong-Won

Park, Yong-Wan; Lee, Jun-Young
Preparation of porous glass by sintering.—74-08450A

Park, Yong-Wook See Lee, Chang-Woo

Parke, S. See Ouchetto, M.

Parker, Anthony A.; Anderson, Edward M.; Stanzione, Todd T.
Surface treated ceramic powders.—74-01212P

Parker, Daniel
Thermal barrier coatings for gas turbines, automotive engines, and diesel equipment.—74-05657A

Parker, F. T. See Margulies, D. T.

Parker, F. T.; Berkowitz, A. E.; Slade, S. B.
H_K distributions and H_c calculations for magnetic recording particles.—74-09193A

Parker, John M. See Hannon, Alex C.

Parker, K. L. See Parker, T. L.

Parker, Stephen B.
Conveyor options for material transport.—74-03679A

Parker, T. L. See McColl, I. R.

Parker, T. L.; Parker, K. L.; McColl, I. R.; Grant, D. M.; Wood, J. V.
Biocompatibility of low-temperature diamondlike carbon films—a transmission electron microscopy, scanning electron microscopy, and cytotoxicity study.—74-05077A

Parks, Beth See Spielman, S.

Parlebas, J. C. See Rakotomahevitra, A.

Parlier, Michel See Colomban, Philippe

Parlog, C.; Gartner, M.; Vasilescu, A.; Dragan, N.
Preparation and characterization of SiO_2-Sb_2O_3 films obtained by a sol-gel method.—74-02650A

Parmeter, John E.; Smith, David C.; Healy, Matthew D.
Surface reactions of tetraneopentyl zirconium on zirconium carbide thin films.—74-04933A

Parmigiani, F. See Goldoni, A.

Parnas, Richard S. See Dunkers, Joy P.

Paroli, P. See Balestrino, G.; Pinter, I.

Parolini, Tullio See Formica, Riccardo

Parr, Jack E. See Horowitz, Emanuel

Parry-Jones, Gwilym See Al-Dulaijan, Salah U.

Parshin, P. P. See Zemlyanov, M. G.

Parsonage, J. R. See Dunster, A. M.

Parsons, J. D.; Bunshah, R. S.; Stafsudd, O. M.
Epitaxial growth of beta-SiC on TiC_x by reactive evaporation.—74-01710A

Parsons, J. D.; Kruaval, G. B.
Morphological structure of silicon carbide grown by chemical vapor deposition on titanium carbide using silane and ethylene.—74-07700A

Parthasarathi, S.; Aesoph, M. D.; Yuan, D.-W.; Jo, J.; Kajuch, J.
Ultrasonic characterization of density and elastic properties in Bi-2212 powder compacts.—74-06659A

Parthasarathy, Triplicane A. See Eckel, Andrew J.

Parthasarathy, Triplicane A.; Barlage, Douglas R.; Jero, Paul D.; Kerans, Ronald J.
Effect of interfacial roughness parameters on the fiber pushout behavior of a model composite.—74-05344A

Parthasarathy, Triplicane A.; Mah, Tai-Il; Folsom, Craig A.; Katz, Allan P.
Microstructural stability of Nicalon at 1000°C in air after exposure to salt (NaCl) water.—74-07689A

Parthasarathy, V. See Wereszczak, A. A.

Partin, D. L.; Green, L.; Heremans, J.
Growth of high-mobility InSb by metallorganic chemical vapor deposition.—74-04673A

Partis, D. A. See Fagan, J. G.

Partlow, W. D. See Lucas, S. R.

Partridge, Peter G. See Ward-Close, Charles M.

Partridge, Peter G.; May, P. W.; Ashfold, M. N. R.
Chemical vapor deposited diamond fibers: manufacture and potential properties.—74-04510A

Partridge, Peter G.; May, P. W.; Rego, C. A.
Potential for diamond fibers and diamond fiber composites.—74-09498A

Parvulescu, Vasile I. See Parvulescu, Viorica

Parvulescu, Viorica; Parvulescu, Vasile I.; Angelescu, E.
Method for controlling the second metal distribution within the Pd/γ-Al_2O_3 catalyst support.—74-10453A

Pasandideh-Fard, M.; Mostaghimi, J.
Deformation and solidification of molten particles on a substrate in thermal plasma spraying.—74-10964A

Pascal, B.; Rauline, A.; Longchamp, S.
Automated dissolution of minerals and multielement analysis of major, minor, and trace constituents using inductively coupled plasma source atomic emission spectrometry (ICP-AES): application to glasses.—74-09553A

Paschalis, E. P.; Tucker, B. E.; Mukhopadyay, S.
Dual constant composition kinetics studies of ceramic hydroxyapatite and hydroxyapatite plasma-coated implants.—74-09777A

Paschina, G. See Medda, M. P.

Paschke, Hartmut; Daimer, Johann; Haring, Richard
Preparation of very fine glass powder of high purity.—74-00346P

Pascucci, Marina R.; Katz, R. N.
Modern day applications of advanced ceramics.—74-01235A

Pasek, W. See Tirlocq, J.

Pashchenko, V. A. See Kut'ko, V. I.

Pashchenko, V. A.; Stepanov, A. A.; Kobets, M. I.
Antiferromagnetic resonance in Gd_2CuO_4 in strong magnetic fields.—74-01961A

Pashchenko, V. P.; Kirichok, P. P.; Lisovskii, A. M.; Lisitsyn, S. M.; Ryabova, G. M.; Zadorov, V. E.
Influence of isotropic barium ferrite production conditions on their physical properties.—74-00777A

Pashchenko, V. See Karp, I. N.

Pashitskii, E. A.
Interaction of current carriers with acoustic plasmons is possible origin of high-temperature superconductivity in cuprate metal oxide compounds: I, Electron-plasmon and coulomb interactions in layered metals.—74-03499A; II, T_c and isotope effect.—74-03498A

Pashkevich, Yu. G.; Fedorov, S. A.
Exchange mechanism of Raman scattering in impurity La_2CuO_4.—74-03461A

Pashkevich, Yu. G.; Shakhov, V. V.; Blinkin, V. A.
Magnon contribution to the heat capacity of multisublattice antiferromagnets $LaCuO_4$ and $CuCl_2$·H_2O.—74-06579A

Pashkov, G. L.; Nikolaeva, R. B.; Saikova, S. V.
Zn and Cu oxides sorption leaching process.—74-01959A

Pashley, M. D. See Li, D.

Pashley, M. D.; Li, D.
Control of the Fermi level position on the GaAs(001) surface: Se passivation.—74-02948A

Pashmakov, B. See Zhang, K.

Passamonti, M. R.; Polzonetti, G.; Furlani, C.
XPS, EPMA, and XRD analysis of hot-end coated glass containers.—74-00237A

Passaretti, J. D.; Young, T. D.; Herman, M. J.
Filler pigments designed for recyclability.—74-06974A

Passerini, S.; Scrosati, B.; Hermann, V.
Laminated electrochromic windows based on nickel oxide, tungsten oxide, and gel electrolytes.—74-05726A

Passerini, S.; Scrosati, B.
Characterization of nonstoichiometric nickel oxide thin-film electrodes.—74-06001A

Passing, G. See Baldus, H. P

Passow, Michael L. See O'Neill, James A.

Pastalan, J. Z. See Olver, M. M.

Pasternak, J. See Zavetova, M.

Pastol, J. L. See Durand, L.

Pastor, Adrian Segura See Romagnoli, Marcello

Pastor, Antonio C. See Pastor, Ricardo C.

Pastor, Jose Ygnacio; Llorca, J.; Planas, Jaime; Elices, Manuel
Stable crack growth in ceramics at ambient and elevated temperatures.—74-11091A

Pastor, Jose Ygnacio; Planas, Jaime; Elices, Manuel
Toughness in Y-PSZ ceramics at high temperature.—74-06826A

Pastor, Ricardo C. See Bak, Chan S.

Pastor, Ricardo C.; Pastor, Antonio C.; Gorre, Luisa E.; Fuller, Keith C.
Method for oxidizing precursor compounds of superconducting oxides.—74-03639P; Stable high oxidation state superconducting oxides.—74-00881P

Pastor-Casan, N. See Palacin, M. R.

Pastoriza, H.; Hoffman, M. F.; Arribere, A.
First-order phase transition at the irreversibility line of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-04318A

Paszkiewicz, Zofia See Slosarczyk, Anna

Paszukiewicz, Werner See Cuvelier, Georges

Patel, A. See Wilson, G.

Patel, Bhupendra See Kamen, Melvin E.

Patel, J. K. See Mandal, H.

Patel, M. See Patel, S.

Patel, M.; Padhi, B. K.
Al_2O_3-Fe_2O_3 fibers from bauxite and red mud.—74-10188A

Patel, S.; Patel, M.
Heat treatment of vacuum- and hydrogen-treated Ni and Cu montmorillonite mineral: ir study.—74-09996A

Patel, Vishnubhai See Grill, A.

Patello, G. K.; Smith, H. D.; Wiemers, K. D.; Williford, R. E.; Bell, R. D.; Larson, D. E.
Effect of Pd, Rh, and Ru concentration on HCOOH decomposition during the processing of neutralized current acid waste simulant.—74-09400A

Paterson, Melissa J.; Orrman-Rossiter, Kevin G.; Sood, Dinesh K.; Bhargava, S. K.
Structural investigation of low-energy ion-beam-assisted diamondlike films.—74-10032A

Pathak, Amita; Pramanik, P.
Novel technique for the preparation of fine ceramic oxides.—74-07402A

Pathak, J. P.; Karimi, D.; Tiwari, S. N.
Room temperature wear characteristics of Al-Si-Cd bearing alloys.—74-08268A

Pathak, R. N. See Hozhabri, N.

Pathangey, B. See Yu, J. E.

Pathirana, H. M. K. K. See Nair, P. K.

Patibandla, N. See Cook, M. J.; Einset, Erik O.

Patibandla, N.; Luthra, Krishan L.
Chemical vapor deposition of boron nitride.—74-01633A

Patil, B. L.; Sawant, S. R.; Suryavanshi, S. S.
Conduction mechanism in Sn^{4+}-substituted copper ferrite.—74-09197A

Patil, K. C.
Advanced ceramics: combustion synthesis and properties[—review].—74-11136A

Patil, M. G.; Mahajan, V. C.; Lotke, S. D.
Electrical resistivity and thermoelectric power of $Cd_{0.5}Ni_{0.5-x}Ti_xFe_{2-2x}O_4$.—74-06456A

Patil, Mallanagouda D. See Beauseigneur, Patricia A.

Patil, Nitin G. See Anitha, V. P.

Patil, P. S. See Bhosale, C. H.

Patkai-Horvath, Marta See Tamas, Ferenc

Patkai-Horvath, Marta
Preparation of corundum whiskers.—74-07429A

Patnaik, B. K. See Ishibashi, K.

Paton, B. E.; Sklyarevich, V. E.; Siusarczuk, M. G.
Gyrotron processing of materials.—74-00935A

Patra, A. See Kundu, D.

Patrick, George R. See Ostermann, Meinrad J.

Patrina, I. B. See Masterov, V. F.

Patrizi, G. A. See Woods, L. M.

Patscheider, J. See Ernst, K.-H.

Patten, John A. See Morris, Jonathan C.

Patterson, B. R. See Liu, Y.

Patterson, L. K. See Mingotaud, A. F.

Pattillo, Michael J. See Song, Lin

Pattnaik, R. See Toulouse, J.

Pattyn, H. See Franck, M.

Patz, Gary See Davis, H. O.

Patzelt, N.
Alternative means of protecting the working surfaces of high-pressure grinding rolls against wear.—74-09428A; Finish grinding of slag.—74-02325A

Patzke, J.; Krause, K.-A.
Planned maintenance [in the cement industry].—74-08082A

Paudice, Ciro See Boattini, P. P.

Paul, D. K. See Davis, L. E.

Paul, J. See Axelsson, O.; Shao, Y.

Paul, Kenneth J. See Bubon, Frank J.

Paul, Willi See Meier, Jurg

Pauli, M. See Doscher, M.

Paulini, P.
Through solution model for volume changes of cement hydration.—74-05608A

Paulino, V. Reynaldo See Albarracin, B. Magdaleno, Jr.

Paulmier, D. See Le Huu, T.; Zaidi, H.

Paulouse, P. L. See Lofland, S. E.

Paulus, I. See Peters, D.

Pavate, Vikram See Kvam, Eric P.

Pavate, Vikram; Williams, L. B.; Kvam, Eric P.; Varanasi, C.; McGinn, P. J.
Effects of platinum and oxygenation on microstructure in $YBa_2Cu_3O_{7-\delta}$/Y_2BaCuO_5 bulk materials.—74-06529A

Pavel, E.; Baluta, G.; Guirgiu, C.; Barb, D.; Sandu, V.; Morariu, M.
Metastable diamond formation from solutions at atmospheric pressure.—74-10452A

Pavel, E.; Baluta, G.; Giurgiu, C.; Ilie, G.; Barb, D.; Sandu, V.
Aspects of diamond synthesis.—74-10200A

Pavlenko, N. P. See Vlasova, M. V.

Pavlidis, Dimitris See Frankel, Michael Y.

Pavlik, Robert S., Jr. See Rivas, Patricia C.

Pavlik, Robert S., Jr.; Klein, Lisa C.; McCauley, Ronald A.
Zirconia gels in concentrated NaOH.—74-01931A

Pavlik, V.
Corrosion of hardened cement paste by acetic and nitric acids: I, Calculation of corrosion depth.—74-07803A

Pavlov, S. M. See Neshpor, V. S.

Pavlov, S. T. See Korovin, L. I.

Pavlova, L. N.; Fedorov, P. P.; Ol'khovaya, L. A.
Ordering of heterovalent solid solution with fluorite structure in NaF-BaF_2-GdF_3 system.—74-04171A

Pavlova, L. See Lepkova, D.

Pavlovskii, V. K. See Adylov, G. T.

Pavlovskii, V. K.; Sobolev, Yu. S.
Dissolving of baddelevite-corundum refractories in optical glass melts.—74-03683A

Pavlushkina, T. K. See Bogomolova, L. D.

Pavlyak, F.; Bertoti, I.; Mohai, M.
AES and XPS characterization of SiN_x layers.—74-05064A

Pavlyuk, A. A. See D'yakonov, V. P.

Pavuna, Davor See Gauzzi, Andrea

Pawlaczyk, Czeslaw See Klissurska, Radosvete D.

Pawlek, R. P.
Recent developments in the treatment of spent potlining.—74-02266A

Pawlek, R. W.
Health and safety precautions in the relining of aluminum electrolysis cells.—74-07949A

Pawlik, M. See Snauwaert, J.; Vandervorst, W.

Pawluk, Jenina See Zareba, Jadwiga

Paya, Jordi See Monzo, Jose

Payen, C. See Bujoli, Bruno

Payne, David A. See Bhalla, A. S.; Liu, D.; Tani, Toshihiko; Toyoda, M.; Viehland, Dwight; Xu, Zheng-Kui

Payne, M. C. See Morris, S. J.

Payne, Stephen A.; Smith, Larry K.; DeLoach, Laura D.
Laser, optical, and thermomechanical properties of Yb-doped fluoraptite.—74-07169A
Payne, Stephen A.; Wilke, Gary D.; Smith, Larry K.
Auger upconversion losses in Nd-doped laser glass.—74-08404A
Peachey, N. M. See Eckhardt, C. J.
Pearah, P. J. See Baillargeon, J. N.
Pearce, D. H.; Jickells, A. J.; Ponton, C. B.
Zirconia-coated alumina fibers as a reinforcement for alumina.—74-04987A
Pearce, R. H. See Fannin, L. W.
Pearson, Aaron T. See Boyle, Timothy J.
Pearson, Dale S. See Luther, Erik P.
Pearson, P. J. See Cooke, G. A.
Pearton, S. J. See Hobson, W. S.; Ren, F.
Pearton, S. J.; Abernathy, C. R.; Kopf, R. F.; Ren, F.; Hobson, W. S.
Comparison of multipolar and magnetic mirror electron cyclotron resonance sources for CH_4/H_2 dry etching of III-V semiconductors.—74-06012A
Pearton, S. J.; Ren, F.; Hobson, W. S.; Abernathy, C. R.; Chakrabarti, U. K.
Comparison of surface recombination velocities in InGaP and AlGaAs mesa diodes.—74-00582A
Pearton, S. J.
Low-energy, ion-enhanced etching of III-V's for nanodevice applications.—74-03089A
Pechenik, A. See Chen, Wei
Pecina, A.; Hardtl, Karl Heinz
Contributions to the high-temperature behavior of $YBa_2Cu_3O_{7-y}$.—74-00790A
Peck, David M. See Dietz, Raymond L.
Peckerar, Martin C. See Sprangle, Eric A.
Pecora, A. See Quinn, M.
Pecora, A.; Tallarida, G.; Fortunato, G.; Mariucci, L.; Reita, C.; Migliorato, P.
Hot-hole-induced degradation in polycrystalline silicon thin-film transistors—experimental and theoretical analysis.—74-03052A
Pecoraro, George A.; Mishra, Amarendra; Shelestak, Larry J.; Jones, James V.
Reduction of nickel sulfide stones in a glass melting operation.—74-08496P
Pecz, B. See Jarrendahl, K.
Pedersen, A. Bruce
Microwave digestion technique for trace element analysis of industrial furnace feedstreams.—74-03921A
Pedersen, Kristian Moller See Petersen, Steen Tokkesdal
Pederson, L. R. See Armstrong, Timothy R.; Chick, L. A.; Kingsley, J. J.; Youngblood, G. E.
Pedigo, Jess See Akhtar, Masyood
Pedraza, A. J. See Desilva, M. J.
Pedzich, Z. See Haberko, K.
Peeler, D. K.; Hrma, Pavel
Predicting liquid immiscibility in multicomponent nuclear waste glasses.—74-09409A
Peeler, D. T. See Murray, P. T.
Peeler, D. T.; Murray, P. T.
Dynamics of amorphous carbon film growth by pulsed laser deposition—kinetic energy of the incident particles.—74-05121A
Pegg, I. L. See Feng, X.; Wang, E.; Xing, S. B.; Yaschenko, E.
Pegon, Philippe M. See Floch, Herve G.
Pegrum, C. M. See Popova, K.
Pehlke, E. See Dabrowski, J.
Pehrsson, Pehr E. See Morrish, Arthur A.; Thoms, Brian D.
Pei, Z. J.; Khanna, N.; Ferreira, P. M.
Rotary ultrasonic machining of structural ceramics—a review.—74-10615A
Peiner, E. See Hansen, K.
Peiris, Dunstan H. See Zhang, Jian G.
Peiro, F. See Bennett, Brian R.
Peiro, F.; Cornet, A.; Morante, J. R.; Georgakilas, A.; Christou, A.
Contrast modulations in InAlAs/InP.—74-07616A
Peiro-Saint, Saint Paul Olivier; Slot, Gert; Soderstrom, Claes
Process monitoring and control in the cement industry.—74-03853A
Peirs, Giovanni
Problem of building a brick house in Europe.—74-08573A
Peisl, J. See Salditt, T.
Pejryd, L. See Larker, R.
Peka, P.; Schulz, H.-J.
Unified description of Cu-related luminescence processes in II-VI semiconductors.—74-03258A
Pekala, K.; Jaskiewicz, P.; Kulik, T.
Electron transport study of nanocrystallization in FeSiB-based alloys.—74-07640A
Pekin, S. See Alkoy, S.
Pekshev, P. Yu. See Kabanova, M. I.
Peled, Emmanuel; Nagasubramanian, Ganesan; Halpert, Gerald; Attia, Alan I.
Thin composite solid electrolyte film for lithium batteries.—74-02901P
Pelekhov, D. V. See Skipetrov, E. P.
Pelino, M. See Cantalini, C.
Pelino, M.; Rincon, J. M.; Boattini, P. P.
Properties of glass-ceramics obtained from recycling geothite industrial waste.—74-05738A
Pelizzetti, E.; Minero, C.; Borgarello, E.
Photocatalytic activity and selectivity of titania colloids and particles prepared by the sol-gel technique: photooxidation of phenol and strazine.—74-10132A
Pell, T. See Malam, S. C.
Pellacani, Gian Carlo See Andreola, F.; Barbieri, L.; Manfredini, Tiziano
Pelleg, Joshua; Zalkind, S.; Zevin, L.; Detchek, B. M.
Silicide formation in the Co-Si system by rapid thermal annealing.—74-06313A
Pellegrini, Vittorio; Fuso, Francesco; Arimondo, Ennio
Exciton-polaron modifications in the photoluminescence spectrum of GaAs MQW.—74-03009A
Pellegrino, S. See Landgren, G.
Pellerin, Nadia See Ayache, J.; Delagnes, D.; Gotor, Francisco J.
Pelleriti, R.
Forming in the RAM mode.—74-09465A
Pellet, C. See Mosleh, N.
Pelletier, J.; Lagarde, T.
Chemical vapor deposition in high-density low-pressure plasmas—reactor scale-up and performance.—74-03676A
Pelletier, Paul J. See Pujari, Vimal K.
Pellicone, Frank M. See Kountz, Dennis J.
Pellin, M. J. See Ma, Z.
Pelosi, C. See Attolini, G.
Pels-Leusden, Carl-Otto
Lamination of extruders.—74-00945A
Pemberton, Jeanne E. See Thompson, Wade R.
Pena, J. L. See Zapata-Navarro, A.
Pena, J. Theodore
Raw material use among nucleated industry potters: the case of Vasanello, Italy.—74-02299A
Pena, Pilar See Baudin, C.; Requena, J.; Steier, Hanns P.; Wohlfromm, Hans
Pena-Sierra, R. See Ruiz, F.
Pender, David C. See Padture, Nitin P.
Peng, Chien H. See Hendricks, Warren C.
Peng, D.-K. See Cao, C.-B.
Peng, Jun See Yan, Bei-Ping
Peng, Mei-Chun See Weng, Xue-Hua
Peng, Qiu-Yun See Zhou, Si-Hai
Peng, Rui-Wu See Ding, Yong-Qing; Wei, Guang-Yu
Peng, Shao-Qi See Wong, S.-P.
Peng, X.; Li, H.
Nucleation and growth observations of diamond grown on cast tungsten carbide (W_2C+WC) particles by low-pressure CVD.—74-01816A
Peng, Xi-Ling; Gan, Zhao-Ping
Morphologies and adhesion strength of diamond films deposited on WC-6% Co cemented carbides with different surface characteristics.—74-02029A
Peng, Yu-Min; Wang, Jih-Wen; Liue, Chun-Ying; Yeh, Shinn-Horng
Method of preparing silicon carbide particles dispersed in an electrolytic bath for composite electroplating of metals.—74-00176P
Peni, F. See Burger, P.
Peni, F.; Crampon, J.; Duclos, R.
Morphology and nature of the oxidized layer in the Si_3N_4-based materials.—74-07815A
Penina, N. M. See Erchak, D. P.
Penn, S. See Alford, Neil
Penn, Wayne See Westfall, Leonard
Pennell, Marvin See Davis, H. O.
Pennisi, Licio See Manfredini, Tiziano
Pennisi, Licio
Analysis of fluorine in ceramic bodies containing clay.—74-08499A
Pepe, A. J.; Chen, W.; Oyler, M.
Spectral analysis of electroluminescence from SiO_2 under Fowler-Nordheim tunneling conditions.—74-01576A
Peperko, Gerhard See Block, Christian
Pepin, John G. See Wang, Sea-Fue
Pepin, John G.
Multilayer ceramic capacitor manufacturing process.—74-00555P; Thermal shock cracking resistant multilayer ceramic capacitor termination compositions.—74-02900P
Pepper, M. See Burroughs, J. H.; Smith, C. B.
Peracino, Carlo Valente
New technology in firing systems.—74-01167A
Perami, R. See Prince, W.
Peratello, Stefano; Perego, Carlo; Bellussi, Giuseppe
Extruded catalyst based on silica/alumina gel, and process for preparing it.—74-01253P
Perego, Carlo See Peratello, Stefano
Pereira, E. C. See Olivi, P.
Pereira, E. See Monteiro, T.
Pereira, Enrique See Albano, Patricia
Pereira, J. C. See Almeida, R. M.
Pereira, Marivalda M.; Clark, Arthur E.; Hench, Larry L.
Effect of texture of the rate of hydroxyapatite formation on gel-silica surfaces.—74-10299A
Pereira-Ramos, J. P. See Maingot, S.
Perekalina, T. M. See Gubkin, M. K.
Perekalina, Z. B. See Veremeichik, T. F.
Perepelitsyn, V. A. See Belyakova, N. P.; Khoroshavin, L. V.
Perera, Dan See Li, Xing-Sheng
Peres, Patrick See Lespade, Pierre
Pereyra, I. See Carreno, M. N. P.
Perez, A. See Paillard, V.
Perez, Ignacio M.; Scott, William R.
Josephson break junction thin film device.—74-03633P
Perez, J. P. See Paillard, V.
Perez, R.; Fionova, L.; Morales de la Garza, L.
TEM and AES characterization of thin films of Au, Pt, and Pd deposited on mica.—74-07774A
Perez-Cardenas, F. See Yan, Q.
Perez-Casero, R. See Perez-Rigueiro, J.
Perez-Enciso, E.; Vieira, S.
Low-temperature creep in piezoelectric ceramics.—74-03318A
Perez-Rigueiro, J.; Jimenez, C.; Perez-Casero, R.; Martinez-Duart, J. M.
Preparation of Si-TiSi_2 Schottky diodes by rapid thermal annealing.—74-03178A
Peric, A. See Plecas, I.
Perimutter, Daniel D. See Delikouras, Evangelos A.
Perio, A. See Boucaud, P.
Peris-Mora, Eduardo See Monzo, Jose
Perl, Allen S.
Zinc oxide.—74-06942A
Perlin, E. Yu.; Danishevskii, A. M.
Optical Faraday effect due to spin-sensitivity fluctuations of electrons in *n*-type semiconductors.—74-06237A
Permyakova, T. V. See Ershova, T. T.
Pernkopf, H. See Stoiber, W.
Pernot, J. J. See Mall, S.
Perotin, M.; Coudray, P.; Lambert, B.
Passivation of GaSb by sulfur treatment.—74-01826A
Perov, P. I. See Ermakova, O. N.
Perriere, J.; Cheenne, A.; Defourneau, R. M.; Nanot, M.; Queyroux, F.; Dupouy, P.
Characterization of thin BiSrCaCuO superconducting films.—74-03423A
Perrin, S. D.; Seltzer, C. P.; Spurdens, P. C.
High-quality compressively strained InP-based GaInAs(P)/GaInAsP multiquantum well laser structures grown by metallorganic vapor phase epitaxy.—74-03044A
Perrotta, Anthony J.; Minnick, Randall B.
Transition alumina and method for its production.—74-01213P
Perruchoud, R. C. See Hume, S. M.
Perry, Roger See Hills, C. D.; Pollard, Simon T.
Persans, P. D. See Stokes, Kevin L.
Persing, H. M. See Giroult-Matlakowski, G.
Persson, M. See Lyckfeldt, O.
Pertl, Armin
Present-day quality assurance for manufacture of refractories.—74-02771A; Quality assurance by integrated statistical process control: the path from failure detection to failure prevention.—74-00982A; Quality assurance for the manufacture of refractories.—74-00399A
Pescher, C. See Kleitz, M.
Peschl, Hans P. See Adelmann, Harald E.
Pescia, J. See Misra, S. K.
Pesina, T. I.; Baikova, L. G.; Pukh, V. P.
Reversibility of the lowering of strength of optical quartz fibers upon removal of coatings.—74-02576A
Peskov, N. V. See Medvedev, B. K.
Pestryakov, A. N.; Belousova, V. N.; Roznina, M. I.
Surface activity and a degree of modified silver catalysts carbonization.—74-01897A
Petcavich, Robert J.; Kaiser, Gregory A.
Ceramic utensil for microwave cooking.—74-08718P
Peter, L. M. See Hodes, G.
Peter, M. Budd; Graham, J. Myatt; Colin, Price
Empirical model for the nucleation and growth of zeolites.—74-10327A
Peterlik, Herwig See Helmer, Thomas
Peterlik, Herwig; Fratzi, P.; Kromp, Karl
Pore structure of carbon-carbon composites studied by small angle X-ray scattering.—74-07713A
Peters, Arnd
Improved method to determine fluorides in glasses and glass raw materials.—74-01069A
Peters, D.; Paulus, I.; Stephani, D.
Oxidized amorphous silicon as gate insulator for silicon tips.—74-02855A
Peters, Jan; Markvart, Tomas; Willoughby, Arthur
Radiation-induced defects in silicon solar cells showing improved radiation resistance.—74-07582A
Peters, Karl See Bear, Thomas
Petersen, Steen Tokkesdal; Pedersen, Kristian Moller
QCS/On Stream control application.—74-02350A
Petersohn, B. See Bittner, Hans-Georg
Peterson, Irene M. See Huang, Zhen-Kun
Peterson, Irene M.; Tien, Tseng-Ying
Effect of the grain boundary thermal expansion coefficient on the fracture toughness in silicon nitride.—74-10978A; Thermal expansion and glass transition temperatures of Y-Mg-Si-Al-O-N glasses.—74-05744A
Peterson, J. R. See Chen, G.
Peterson, V. K. See Il'icheva, E. N.
Peteves, S. D. See Ceccone, G.
Pethota, S. I. See Chabanenko, V. V.
Petiau, J. See Ramos, Aline Y.
Peticolas, L. J. See Feijoo, D.
Petit, E. J.; Houzay, F.
Optimal surface cleaning of GaAs(001) with atomic hydrogen.—74-03140A
Petit, F. See Lenglet, M.
Petit, N. See Alliat, I.
Petit, T. See Deshayes, L.; Garcia Sole, J.
Petitet, J.-P. See Vrel, D.
Petitmaire, Denis See Ponthieu, Christine
Petkie, Ronald R.; Tu, K. N.; Rajan, Krishna
Crystallographic evolution of microstructure in thin film processing: II, Grain boundary structure.—74-07624A
Petot Ervas, Georgette; Petot, Claude; Monceau, Daniel; Sproule, G. Irwin; Graham, Michael J.
Kinetic demixing of solute cations in alumina single crystals during cooling.—74-10430A
Petot, C. See Amamra, M. C.
Petot, Claude See Petot Ervas, Georgette
Petrakov, A. P. See Bushuev, V. A.
Petrakovskii, G. A. See Bayukov, O. A.
Petranovic, Nadezda A. See Cvjeticanin, Nikola D.
Petrenko, A. V. See Kovtum, V. I.
Petrenko, V. F. See Nickolayev, O.
Petrenko, V. T. See Lazareva, M. B.
Petretis, B. See Amulevicius, A.
Petric, Anthony See Zou, Yun
Petric, Paul F.; Gordon, Michael S.; Senesi, Joseph J.
EL-4 column and control.—74-00919A
Petrich, G. S. See Coronado, C. A.; Lu, K.
Petrich, Mark A. See Merfeld, Glen D.
Petrich, R. See Stenzel, O.
Petricko, Frantisek See Havlik, Tomas
Petrie, Wilfrid See Laurenceau, Serge
Petrik, V. I. See Udalova, L. V.
Petroff, P. M. See Leonard, D.; Li, Y.-J.
Petron, S. See Wang, H.

Petrosyan, P. G. See Verdanyan, G. A.
Petrov, A. N. See Cherepandv, V. A.
Petrov, A. P. See Levinskii, Yu. V.
Petrov, I.; Myers, A.; Greene, J. E.; Abelson, J. R.
Mass- and energy-resolved detection of ions and neutral sputtered species incident at the substrate during reactive magnetron sputtering of Ti in mixed Ar+N_2 mixtures.—74-06786A
Petrov, Ivailo; Schulle, Wolfgang
Kaolin raw materials for isostatically pressed whiteware bodies.—74-08687A
Petrov, M. P.; Kiyan, R. V.; Kuzin, E. A.
Gain saturation in three- and four-level fiber amplifiers.—74-08920A
Petrov, N.; Razvigorva, M.; Budinoya, T.
Role of the adsorption interaction between pitch and filler in the process of baking of carbon-carbon composites.—74-07026A
Petrov, S. V. See Karp, I. N.
Petrov, V. N. See Golubok, A. O.
Petrov, Yu. A. See Keishs, Yu. Ya.
Petrova, I. R. See Flegonsov, Yu. A.
Petrovic, John J. See French, Jonathan D.; McFayden, A. A.; Neergaard, Lynn J.; Reimanis, Ivar E.
Petrovic, John J.
$MoSi_2$-based high-temperature structural silicides.—74-02180A
Petrovskaya, M. L.; Pronkin, A. A.; Suikovskaya, N. G.
Investigation of the electrical properties of heterogeneous copper-containing photochromic glasses.—74-02552A; 74-02585A
Petrovskii, G. T. See Evstrop'ev, S. K.; Mit'kin, V. M.
Petrovskii, G. T.; Ivashevskii, S. N.; Kurbatova, G. I.
Calculation of heat-transfer and ion-exchange processes in composite cylindrical samples for the fabrication of flat graded-index microlenses.—74-02602A; Computation of thermal and ion-exchange processes in composite cylindrical samples intended for making flat gradient microlenses.—74-02523A
Petrovskii, V. A.
Composition of nuclei.—74-04109A
Petrovskii, V. Ya. See Kas'yanenko, A. A.
Petrovykh, N. V.
Conducting glass materials.—74-02524A
Petrunin, Maxim A.; Nazarov, Andrey P.
Formation and properties of silane monolayers on iron and aluminum surfaces.—74-07649A
Petrusha, I. A. See Novikov, N. V.
Petruska, Jindrich
Software system for analyzing stresses in axially symmetrical bottles.—74-09617A
Petruzzello, J. See Li, L. K.; Marshall, T.
Petrzhik, E. A. See Al'shits, V. I.
Petschauer, Hans; Ebigt, Helmut; Froehlich, Guenter
Steps toward the solution of the tin bath block peeling problem in float glass lines.—74-08462A
Petschauer, Hans
Superduty fireclay refractory brick and methods for its manufacture.—74-08654P
Petsov, A. B. See Golubev, V. G.
Pettsov, G. See Boiko, Yu. I.; Telle, R.
Petukhov, B. V.; Polyakov, Yu. I.
Elementary mechanisms of dislocation movement in combined relief—Peierls barriers and point defects.—74-07565A
Petukhov, B. V.
Anomalous mobility of particles in crystals with point defects.—74-07554A
Petzow, G. See Frisch, A.; Hahn, I.; Kountouros, Paris W.; Kramer, M.; Kruse, O.; Magerl, F.; Schubert, H.
Peuckert, Marcellus See Bruck, Martin
Pevear, D. R.; Schuette, J. F.
Inverting the NEWMOD X-ray diffraction forward model for clay minerals using genetic algorithms.—74-05817A
Pevzner, B. Z.; Azbel, A. Yu.
Model of formation of a powdered glass coating on heating.—74-04757A
Pezoldt, J. See Kalnin, A. A.
Pezzotti, Giuseppe See Nishida, Toshihiko
Pfaff, H. G.; Wilmann, Gerd
Properties of HAp-coated prostheses and implants.—74-06993A
Pfeiffer, H. C.; Davis, D. E.; Enichen, W. A.
EL-4, a new generation electron-beam lithography system.—74-00920A
Pfeiffer, L. N. See Barrett, S. E.
Pfeiler, William A. See Holcombe, Cressie E.
Pfender, E. See Malmberg, S.; Tsai, Chung-Hsien; Wang, X.; Zhuang, Q. D.
Pfendler, Robert D.
Glassmakers face new emissions concerns.—74-05767A
Pfinstner, C.; Weber, R.; Merazzi, S.
Thermal beam distortions in end-pumped Nd:YAG, Nd:GSGG, and Nd:YLF rods.—74-06354A
Pfirrmann, Frederick J.
Mystery of air in drying.—74-09693A
Pflugbeil, I. See Kirchhoff, G.
Pham, H. T. See Gentilman, R. L.
Phatak, Girish; Lal, Rakesh
Deposition and properties of cadmium oxide films by activated reactive evaporation.—74-04538A
Phegley, Lisa L. See Ai, Jiu
Phelan, P. E.; Hijikata, K.
Thermal component of the optical response of thin-film high-T_c superconductors.—74-06650A
Phelps, Andrew W. See Fritsch, Emmanuel
Pheonix, S. L.; Raj, Rishi
Scalings in fracture probabilities for a brittle matrix fiber composite.—74-11083A
Philibart, J.
High-temperature oxidation of metals.—74-10916A
Philip, R. Rudolf; Juan, M. Garces
Rietveld refinement of several structural models for mordenite that account for differences in the X-ray powder pattern.—74-10878A
Philipossian, A.; Jackson, D. B.
Kinetics of oxide growth during reoxidation of lightly nitrided oxides.—74-02083A
Philipp, R. See Bahner, F.
Philipp, Warren H.; Cornell, Linda; Lin, Y. C.
Synthesis of a precursor of silicon nitride.—74-03878A
Philipp, Warren H.; Veitch, Lisa C.; Jaskowiak, Martha H.
Guanadine soaps as vehicles for coating ceramic fibers.—74-10379A; Guanidine based vehicle/binders for use with oxides, metals and ceramics.—74-09527P
Philippe, Louis See Ruiz, Roberto
Philippot, E. See Daviero, S.
Philippou, T. See Fitkos, C.
Phillipps, M. B. See Sammes, N. M.
Phillips, J. C.
Anamalous composition dependence of T_c near T_{cmax} and microstructure of $YBa_2Cu_3O_{7-x}$.—74-06481A; Lattice instabilities and high-temperature superconductivity in the parent structure $(Sr,M)CuO_{2-y}$.—74-00822A; Resonant pinning, supercell structure, and superconductivity (T_c> 140 K) in Hg-Ba-Ca-Cu-O systems.—74-06629A
Phillips, Julia M. See Eom, C. B.
Phillips, Nicolas J. See Griffiths, Trevor R.
Phillips, Richard J. See Zhou, Yan-Chun
Phoenix, S. L. See Farquhar, D. S.
Piancastelli, A. See Capiani, C.; Roncari, E.
Pianetta, P. See Herrera-Gomez, A.; Terry, J.
Piasta, G. Wojciech; Sawicz, Zbigniew; Owsiak, Zdzislawa
Aggressive action of sulfates on loaded concrete.—74-00033A
Piasta, Jerzy See Sambath, Sok Heng
Picard, V. See Mouchon, E.
Picard, William G.; Markle, John K.
Triaxial new editions.—74-08706A
Piccaluga, G. See Medda, M. P.
Piccirillo, S. See Teghil, R.
Piccola, J. P., Jr.; Jenkins, M. G.
Effect of test parameters on tensile mechanical behavior of a continuous fiber ceramic composite (CFCC).—74-10975A
Pichon, L. See Sarret, M.
Pickering, Michael A.; Goela, Jitendra S.; Burns, Lee E.
Highly polishable, highly thermally conductive silicon carbide.—74-04055P
Pickering, Stephen See Dechamps, Michel; Djuricic, B.
Pickering, Stephen; McGarry, D.; Djuricic, B.
Zirconia powders produced by emulsion techniques.—74-04986A
Pickin, W. See Dyer, T. E.
Pickles, C. S. J. See Seward, C. R.
Pickrell, Gary R. See Sun, Tawei
Pico, Carey A.; Lieberman, Michael A.; Cheung, Nathan W.
PMOS integrated circuit fabrication using BF_3 plasma immersion ion implantation.—74-06265A
Pidduck, A. J. See Cullis, A. G.
Piegari, A. See Polato, P.
Piekarczyk, J. See Bialoskorski, J.; Bucko, M. M.; Haberko, K.
Piekarczyk, J.; Storbierski, L.; Lis, J.
Nondestructive control of green and sintered compacts of silicon carbide.—74-06798A
Piekarczyk, W.; Prawer, S.
Behavior of diamond crystal surfaces during heating in fluorine gas and fluorocarbon-fluorine gas mixtures.—74-04098A
Pieper, Helmut; Moore, Ronald H.
LoNOx, an alternative to oxy-fuel or an enhancernent.—74-09684A
Pieper, Helmut
FLEX melter—a new melting furnace for the glass industry.—74-09668A; Large end-fired furnaces with a melting area of 100 m^2 and more.—74-03916A; Regenerative glass melting furnace with reduced NO_x emission.—74-09734P
Pieraggi, B.; Rapp, R. A.
Chromia scale growth in alloy oxidation and the reactive element effect.—74-02066A
Pierantozzi,, Sandi
Terra sigilata.—74-00443A
Piermarini, G. J. See Chen, Wei
Pierson, D. See Khare, Reena
Pierson, Joseph E. See Beall, George H.
Pietsch, G. J.; Kohler, U.; Henzler, M.
Chemistry of silicon surfaces after wet chemical preparation: a thermodesorption spectroscopy study.—74-01634A
Piga, L.; Pochetti, F.; Stoppa, L.
Recovering metals from red mud generated during alumina production.—74-01241A
Pigeon, M. See Banthia, N.
Pignolet, A.; Roy, R. A.; Doyle, J. P.; Cuomo, Jerome J.
Model of lead loss in $Pb(Mg_xNb_{1-x})O_z$ ion-beam-sputtered thin films.—74-07388A
Pigral'skii, E. K. S. See Brusakov, V. E.
Pikhtin, A. N.; Todorov, M. T.
Photoreflectance of semiinsulating GaAs at $h\omega \leq Elg$...
74-06263A
Pikhtin, N. A.; Tarasov, I. S.; Ivanov, M. A.
Features of the specific characteristics of high-power injection heterostructure lasers based on InGaAsP quaternary solutions.—74-08910A
Pikus, F. G. See Pikus, G. E.
Pikus, G. E.; Pikus, F. G.
Mechanism of heavy and light hole mixing in GaAs/AlAs superlattices.—74-03103A
Pilankiewicz, E. A.; Mitura, S.
Structure origins of diffraction pattern features of diamondlike films.—74-10036A
Pilarski, Aleksander See Rose, Joseph L.
Pilate, P. See Poorteman, M.
Pilch, Artur See Pilch, Elzbieta
Pilch, Elzbieta; Pilch, Artur
Utilization of dusts from electrofilters in cement plants Wierzbica and Wiek as major component of mixes W-1 and W-2 for the manufacturing of structural elements and mining facings.—74-08119A
Pileckis, R. See Amulevicius, A.
Pilgrim, Steven M.; Massuda, Mona; Prodey, Jackie D.
Electromechanical properties of some $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-(Ba,Sr)TiO_3 ceramics: II.—74-06407A
Pilione, L. J. See Lamaze, G. P.
Pilipchatin, L. D.; Kozdoba, V. I.; Lutsenko, A. S.
Determining phosphoric anhydride in the gaseous products in firing phosphate-bonded fireclay bodies.—74-02748A
Pilipovskii, Yu. L. See Krison, M. E.
Pilkington, Richard D. See Jones, Philip A.
Pillai, P. K. See Mani, T. V.
Pillai, V. See Kumar, P.
Piller, R. C. See Sleurs, J.
Pillote, Cynthia L.; Shemanshy, Frank A.; Cale, Timothy S.
Characterization of phosphosilicate glass films obtained using plasma-enhanced chemical vapor deposition from tetraethylorthosilicate and trimethylphosphite.—74-01628A
Piloto, Andrew J.; Leahy, Kevin A.; Flanick, Bruce A.; Zaki, Kawthar A.
Waveguide filters having a layered dielectric structure.—74-08818P
Pilyugin, V. P. See Korznikov, A. V.
Pimenov, S. M.; Smolin, A. A.; Ralchenko, V. G.; Konov, V. I.; Likhanskii, S. V.; Veselovskii, I. A.
Uv laser processing of diamond films: effects of irradiation conditions on the properties of laser-treated diamond film surfaces.—74-01927A
Pimenta, G.; Kautek, W.
Pyrite film formation by H_2S reactive annealing of iron.—74-01864A
Pimentel, Daniel R.
Fuel injector heater.—74-03986P
Pimkhaokham, Preeda See Conradt, Reinhard
Pina, P. C.; Dosal, G. A.; Morales, J. L.
New perspectives in the BaKBiO system.—74-07705A
Pinchuk, L. S. See Voronezhtsev, Yu. I.
Pincik, Emil See Bartos, Jiri
Pincik, Emil; Lanyi, S.; Nadazdy, V.
Influence of an ultrathin Al overlayer on GaAs plasma oxide growth kinetics.—74-06151A
Pine, D. J. See Weitz, D. A.
Ping, D. H. See Li, D. X.
Pingitore, Nicholas See Bronson, Arturo
Pinkerton, Steven J. See Bubon, Frank J.
Pinnavaia, Thomas J.; Lan, Tie; Kaviratna, Padmananda D.
Clay-polymer nanocomposites—polyether and polyimide systems.—74-08512A
Pinol, S.; Gomis, V.; Catalan, I.
Microstructure of melt-textured $YBa_2Cu_3O_7$ monolithic ceramics.—74-03528A
Pinter, I. See Balestrino, G.
Pinter, I.; Tebano, A.; Paroli, P.
Chemical basis of the C-H-O phase diagram in diamond plasma depositions.—74-04100A
Pinto, Joseph F.; Esterowitz, Leon; Rosenblatt, Gregg H.
Improved Ti:sapphire laser performance with new high figure of merit crystals.—74-08936A
Pinto, R. See Misra, D. S.; Tamhane, A. S.
Pinto, R.; Kumar, D.; Pai, S. P.
Oxygen order, structure, and superconductivity in $YBa_2Cu_3O_{7-\delta}$ films during in situ formation.—74-06607A
Piotrowska, A. See Kaminska, E.
Piotrowski, K. See Gnatchenko, S. L.
Pippel, Eckhard See Krell, Andreas; Woltersdorf, Jorg
Piqueras, J. See Gomez, P.; Hernandez, M. J.
Pirog, L. A. See Strelkov, V. V.
Pirouz, P. See Li, D. X.
Pirri, C. F. See Demichelis, F.
Piryatinskaya, V. G. See Dmitriev, V. M.
Pirzada, Shahid A. See Taylor, Patrick R.
Pisani, C. See Sumilov, V. B.
Pisch, A. See Bernard, C.
Pischke, W. See Schumann, J.
Pischow, K. A. See Koskinen, J.
Pischow, K. A.; Adamik, Miklos; Barna, Peter B.; Korhonen, A. S.
Cross-section X-scanning force microscopy analysis of different hard coatings and thin films.—74-07620A
Pischow, K. A.; Kivivuori, S. O.; Korhonen, A. S.
Hot wear resistance of TiN-coated mold and tool materials.—74-05628A
Pishch, I. V.; Chudnovskaya, O. N.; Putilina, E. N.
Obtaining pigments by the coprecipitation method.—74-03969A
Piskun, T. V. See Karaulov, A. G.
Pistol, M.-E. See Samuelson, L.
Pitak, N. V.; Fedoruk, R. M.
Formation of kaolin refractories heated in different gas atmospheres.—74-03909A
Pitchumani, Rangarajan; Karbhari, Vistasp M.
Generalized fluid flow model for ceramic tape casting.—74-10370A
Pitel, J. See Kottman, P.
Pitschke, W. See Doyle, S. E.
Pitt, Jeff
Revolution in bottle stacking technology.—74-11189A
Pittroff, W. See Eliseev, P. G.; Walachova, J.
Pitts, J. Roland; Tracy, C. Edwin; King, David E.; Stanley, James T.
Solar-induced chemical vapor deposition of diamond-type carbon films.—74-01339P
Pitts, W. C. See Kourtides, D. D.
Pittson, R. See Du, Y.-J.

Pivinskii, Yu. E.
New generation of refractory concretes: colloid-chemical aspect of their technology.—74-02767A; Refractory concretes of a new generation: relationship between their composition, structure, and properties.—74-02778A; Production and properties of silicaceous expanded clay concretes.—74-00090A; Vibrational molding of ceramic concretes. Molding systems and regularities of the process.—74-00405A
Pivovarov, M. M. See Zubkova, L. V.
Pixley, Francis V.
Burner zone.—74-06842A; Traveling thermocouples solve firing problems.—74-09719A
Pizanai, P. S.; Galzerani, J. C.; Garcia, D.
Raman study on (Pb, La)TiO_3 ceramics.—74-05228A
Pizzarro-Sanz, J. L.; Dance, J. M.; Villeneuve, G.
Natural and synthetic tavorite minerals—crystal chemistry and magnetic properties.—74-07173A
Pizzella, G. See Teghil, R.
Pizzini, S.
New routes in the development of chemical sensors: surface devices.—74-00670A; Surface and interface segregation phenomena in oxide ceramics.—74-06344A
Plamann, K.; Fournier, D.; Anger, E.; Gicquel, A.
Photothermal examination of the heat diffusion inhomogeneity in diamond films of submicron thickness.—74-04396A
Planas, Jaime See Pastor, Jose Ygnacio
Planche, M. P.; Fauchais, P.; Coudert, J. F.
Comparison of dc plasma jet velocity distributions for different plasma gas mixtures—Ar-H_2, Ar-He, Ar-He-H_2.—74-10230A
Planes, Gilberto M.
Process for producing granulated strontium carbonate with a strontium-containing binder.—74-01210P
Plank, F. W.; Schafer, R.
Operating experience with new classifiers.—74-06712A
Plano, M. A. See Flemish, J. R.; Landstrass, M. I.; Pan, L. S.
Plant, T. K. See Lim, S.
Plars, F. See Stroh, R. J.
Platero, E. Escalona; Mentruit, M. Penarroya
Preparation and characterization of catalytic zirconia with temperature-resistant surface area.—74-07420A
Platikanova, V. See Podolesheva, I.
Platonov, P. A.; Karpukhin, V. I.; Chugunov, O. K.
Influence of neutron irradiation on the properties of reactor graphite.—74-04337A
Platts, Dennis R.
Reticular glass surface.—74-00350P
Plauk, G.; Pristl, M.; Zeisig, M.
Terra-cotta facade of the picture gallery at the Museum of European Art in Berlin.—74-05837A
Plawsky, J. L.
Chaotic flow in glasses—steady-state dynamic behavior of a simple model.—74-05705A
Plecas, I.; Peric, A.; Kostadinovic, A.; Drjaca, J.; Glodic, S.
Leaching behavior of ^{60}Co and ^{137}Cs from spent ion exchange resins in cement matrix.—74-05543A
Plesha, M. E. See Meyer, D. W.
Pletka, Bruce J. See Staehler, James M.
Pletnev, R. N. See Polyakov, E. V.
Ploog, K. See Wassermeier, M.
Ploska, K. See Reinhardt, F.
Plossu, C. See Glachant, A.
Plotnikov, S. A. See Arbuzov, V. L.; Gorpinchenko, S. D.; Trakhtenberg, I. Sh.
Plotz, W.; Holy, V.; Hoogenhof, W. V. D.; Lischka, K.
X-ray characterization of semiconductor surfaces and interfaces.—74-06384A
Plovnick, Ross H. See Vogt, Gerald J.
Plsko, A. See Simurka, Peter
Plueschke, Reinhard See Nehlert, Johannes
Plut, Thomas A. See Ginley, David S.
Plyatsko, S. V.; Gromovoi, Yu. S.; Kadyshev, S. K.
Conversion of intrinsic and extrinsic defects by laser light in PbSe and its solid solutions.—74-02949A
Plyuto, L. V. See Lavrova, G. V.
Pobedimskaya, E. A. See Rastsvetaeva, R. K.
Pochaba, I. See Gregusova, D.
Pochetti, F. See Piga, L.
Pochopien, Kevin P. See Claar, Terry D.
Pociask, M. See Ciach, R.
Pockelmann, R. See Fryda, M.
Podesta, W.
Developments in direct-on enameling of degreased steel.—74-02368A
Podlesnyi, E. V. See Dmitruk, N. L.
Podluzhnyi, V. V. See Sobal, V. N.
Podoba, A. P. See Ositinskaya, T. D.
Podolesheva, I.; Platikanova, V.; Konstantinov, I.; Rosler, M.
Thermally induced changes in TeO_x thin layers.—74-01246A
Poech, M. H.; Isfahani, S.; Opielka, H.
Size distribution analysis of powders used for thermal spraying.—74-02044A
Poelman, H.; Fiermans, L.
X-ray photoelectron forward scattering study of vandium oxides.—74-10904A
Poeppel, Roger B. See Balachandran, U.; Dorris, Stephen E.; Li, Y. F.; Singh, Jitrenda P.; Todt, V. R.
Poeppelmeier, Kenneth R. See Dabrowski, Bogdan
Poff, Ray E. See Larriva, Rene F.
Pogemiller, J. E. See Busta, H. H.
Pogemiller, J. E.; Busta, H. H.; Zimmerman, B. J.
Gated chromium volcano emitters.—74-03027A
Pogosov, V. V.
Surface tension of small metal particles.—74-02398A
Pogrebnyak, N. A. See Izolov, Yu. L.
Pogrebnyak, N. L. See Malyukin, Yu. V.
Poilov, V. Z.; Kodura, Yu.; Karvot, P.
Regularities of $Mg(OH)_2$ precipitation in $MgCl_2$-$Ca(OH)_2$-H_2O system inside a continuous reactor.—74-02040A; Regularities of $Mg(OH)_2$ precipitation in $MgCl_2$-$Ca(OH)_2$-H_2O system inside a bath reactor.—74-02039A
Poirier, D. R.
Flows through model microstructures of aligned cylinders and spheres.—74-05145A
Poirier, G. E.; Cavicchi, R. E.; Semancik, S.
Particle growth on palladium on epitaxial tin oxide thin films.—74-03848A
Poirier, L.; Richard, O.; Ducarroir, M.; Nadal, M.;
Teyssandier, F.; Laurent, F.
Vanadocene used as a precursor for the chemical vapor deposition of vanadium carbide at atmospheric pressure.—74-07549A
Poisson, Daniel See Delvaux, Pierre
Poitevin, J.-M. See Maheo, D.
Poitrovskaya, E. M.; Brodskaya, E. N.
Computer simulation of adsorption from binary Ar-Kr solutions in thin slit pores of graphite.—74-10071A
Pokorny, P.; Ibarra, A.
Impurity effects on the thermoluminescence of Al_2O_3.—74-04333A
Pokrovskii, D. D. See Lutsenko, V. G.
Pokutnii, S. I.
Size quantization of carriers in quasi-zero-dimensional structures.—74-03218A
Polak, C. See Bienvenu, G.
Polak, M. See Froumin, N.; Kottman, P.
Polato, P. See Nicoletti, Fabiano
Polato, P.; Franz, H.; Rusticlelli, F.; Montecchi, M.; Piegari, A.
Characterization of TiN_xO_y thin films on architectural glass by X-ray reflection and spectrophotometry.—74-07609A
Polcari, M. See Rishton, S. A.
Polce, N. A. See Schattenburg, M. L.
Poler, J. C.; McKay, K. K.; Irene, E. A.
Characterization of the Si/SiO_2 interface morphology from quantum oscillations in Fowler-Nordheim tunneling currents.—74-00581A
Poleszak, Janusz
Analyzers for in-line analysis of bulk material stream.—74-01038A
Poletaev, N. K. See Krivolapchuk, V. V.
Poleti, D. See Brankovic, Z.; Karanovic, L.
Poletika, T. M. See Savchenko, N. L.
Polini, Riccardo; Marcheselli, Giancario; Mattei, Giorgio; Traversa, Enrico
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: II, Effects of deposition conditions.—74-08247A
Polini, Riccardo; Marcheselli, Giancario; Traversa, Enrico
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: effects of substrate pretreatments—correction.—74-04787A
Polini, Riccardo; Tomellini, M.
Determination of the overall nucleation density on tungsten—a new treatment of the data.—74-10787A
Polischuk, B. See Kasap, S. O.
Politova, E. D. See Ol'khovik, I. V.
Polla Mattiot, F. See Silveira, M.
Polla, D. L. See Mei, Q.
Pollak, F. H.; Shen, H.
Modulation spectroscopy of semiconductors: bulk/thin film, microstructures, surface/interfaces, and devices.—74-00661A
Pollard, A. M.; Hatcher, H.
Chemical analysis of Oriental ceramic body compositions: I, Wares from North China.—74-02295A
Pollard, Simon T.; Sollars, C. J.; Perry, Roger
Clay-carbon adsorbent derived from spent bleaching earth: surface characterization and adsorption of chlorophenols from aqueous solution.—74-04105A
Pollock, Clifford R. See Carrig, Timothy J.
Polo, M. C. See Cifre, J.
Polo, M. C.; Cifre, J.; Esteve, J.
Interfacial layer effects in the growth of CVD diamond.—74-04715A
Polonskii, Yu. A. See Basalaeva, T. S.
Polovinko, I. I. See Sveleba, S. A.
Poltavtsev, S. I.; Fedin, A. A.; Vikhrova, T. N.
Development of the production and improvement of the technology of cellular concrete products.—74-00914A
Polulyak, E. S. See Zhukov, E. G.
Polushkin, N. I.; Salashchenko, N. N.
Artificial magnetic particles in Fe/C medium modulated in composition.—74-03365A
Polushkin, V. M.; Polyakov, S. N.; Rakhimov, A. T.; Suetin, N. V.; Timofeyev, M. A.; Tugarev, V. A.
Diamond film deposition by downstream dc glow discharge plasma chemical vapor deposition.—74-04549A
Polushkin, V. M.; Rakhimov, A. T.; Samorodov, V. A.;
Suetin, N. V.; Timofeyev, M. A.
OES study of plasma processes in dc discharge during diamond film deposition.—74-07176A
Polyakov, A. Y. See Dolginov, L. M.
Polyakov, E. V.; Pletnev, R. N.; Kodess, B. N.
Prognosis of composition and critical temperature phase transition in piezoelectric compounds.—74-03343A
Polyakov, K. I. See Kononov, M. E.
Polyakov, K. V. See Gorokhovskii, A. V.
Polyakov, N. N.
Hall effect in anisotropic films and single crystals.—74-04325A; Measurement of contact resistance and of the components of the electrical conductivity of anisotropic crystals and films.—74-03833A
Polyakov, S. M. See Yarmarkin, V. K.; Polushkin, V. M.
Polyakov, V. I. See Elinson, V. M.; Ermakova, O. N.
Polyakov, Yu. I. See Petukhov, B. V.
Polyakova, A. A.; Dunaevskii, Yu. M.; Klimov, A. K.
Mass spectrometric analysis of metallorganosilicon compounds.—74-01079A
Polyakova, I. G. See Antropova, T. V.
Polyanskii, A. A. See Vlasko-Vlasov, V. K.
Polzonetti, G. See Passamonti, M. R.
Pomerene, Andrew T. See Callegari, Alessandro
Pommier, C.; Chhor, K.; Bocquet, J. F.
Use of supercritical fluids as reaction medium for ceramic powder synthesis.—74-07545A
Pomot, C. See Raynaud, P.
Pompe, W. See Bobeth, M.; Kessler, H.
Pompe, W.; Bahr, H.-A.; Kirchhoff, G.; Holzherr, M.; Ruh, Robert; Zangvil, Avigdor
Thermal shock behavior of boron nitride/boron carbide composite ceramics.—74-11113A
Pompe, W.; Bahr, H.-A.; Schneider, G. A.
Modeling and measurement of the behavior of ceramics under changing thermal loading.—74-02178A; Modeling and measuring the thermal shock behavior of ceramics.—74-10123A
Pompe, Wolfgang See Sergo, Valter
Poncelet, Olivier; Guilment, Jean; Truchet, Sylvie
Study of molecular precursors of group IV metal oxides by TGA-FTIR coupling.—74-10893A
Ponchet, A. See Bensaoula, A.
Pond, K. See Leonard, D.
Pond, K.; Lorke, A.; Ibbetson, J. P.; Bressler-Hill, V.;
Maboudian, R.; Weinberg, W. H.
Step bunching and step equalization of vicinal GaAs(001) surfaces.—74-07750A
Pong, W.; Yamamoto, D.; Novinson, T.
Mechanism of thermal surface deterioration of refractories [studied] using X-ray photoelectron spectroscopy.—74-05552A
Pongratz, P. See Joksch, M.
Ponomarchuk, S. G. See Lopato, L. M.
Ponomarev, E. A.; Nogami, G.; Babenko, S. D.
Charge-transfer processes at *n*-TiO_2 by using a short laser pulse.—74-01500A
Ponomarev, N. M. See Morozov, A. N.; Morozova, O. Yu.
Ponomarov, A. I. See Krylov, K. R.
Ponomarov, A. N. See Gol'dman, E. I.
Pont, R. S.
Throughport burner generates heat transfer improvement.—74-01182A
Ponthieu, Christine; Petitmaire, Denis; Jousse, Didier; Fournier, Pascal
Glasses for substrates intended for electronics and resultant products.—74-08793P
Ponthieu, E.; Lonnoy, L.; Grimblot, J.
Novel synthesis method of AlN—comparison with classical preparation procedures.—74-04784A
Ponton, C. B. See Healey, L. M.; Illson, T. J.; Neeson, C. G.; Norfolk, R. D. B.; Pearce, D. H.; Wang, J.
Ponton, C. B.
Overview of hydrothermal and emulsion processing of multiphase ceramic precursor sols.—74-04799A
Ponzi, C.
Metal matrix composite fabrication processes for high-performance aerospace structures.—74-05644A
Ponzoni, C. See Chen, W.; Marshall, T.
Poojary, Damodara M.; Clearfield, Abraham
Structure refinement of large-pore aliminophosphate molecular sieve, H1, by Rietveld methods.—74-10892A
Pooke, Donald M. See Tallon, Jeffery L.
Pool, F. S.; Essick, J. M.; Shing, Y. H.; Mather, R. T.
Dependence of the a-Si:H defect density of states on the magnetic field profile of an electron cyclotron resonance microwave plasma.—74-04536A
Poole, Toy S. See Brabston, William N.
Pooley, G. Ian
Railton plant upgrade.—74-03928A
Poorteman, M.; Barbary, P.; Pilate, P.; Cambier, F.; Geibel, A.; Verstreken, P.
Plasma processing of ceramic and metallic raw materials: the ceramet project.—74-10525A
Poorteman, M.; Descamps, P.; Cambier, F.
Superplastic deformation of alumina platelet-reinforced Y-TZP.—74-07923A
Poortmans, J. See Caymax, M.
Popa, C. See Burghelea, V.
Popa, Jean-Michel
Catalytic microporous zirconia particulates.—74-09808P
Popall, Michael; Schulz, Jochen; Schmidt, Helmut
Process for photoinitiated control of inorganic network formation in the sol-gel process.—74-03772P
Pope, Edward J. A. See Lee, Burtrand I.
Pope, Edward J. A.
Luminescent microspheres for improved flat-panel color displays.—74-00947A
Popkov, Yu. A. See Efimova, N. N.
Popkov, Yu. A.; Van'kevich, A. V.; Shuvalov, L. A.
Phase states in mixed crystals of $K_{1-x}(NH_4)_xH_2PO_4$. Behavior of the fully symmetric ν_1 vibrational mode of the tetrahedron PO_4.—74-04190A
Popov, A. A.
Radiative recombination in heterostructures LEDs based on limiting-composition GaInAsSb.—74-06283A
Popov, A. I. See Dorofeyev, O. A.
Popov, A. M. See Lobanov, F. I.
Popov, I. P.; Lobkovskaya, T. A.; Gololobov, E. M.
Thermal expansion of $Bi_2Sr_2CaCu_2O_y$, $Bi_2Sr_2CuO_y$, and $Gd_3Ga_5O_{12}$.—74-06651A
Popov, O. A.; Shapoval, S. Y.; Yoder, M. D.; Chumakov, A. A.
Electron cyclotron resonance plasma source for metallorganic chemical vapor deposition of silicon oxide films.—74-00609A
Popov, S. V. See Zheludev, N. I.
Popov, V. V. See Bagaeva, T. Yu.; Drichko, I. L.
Popova, K.; Lea, W. F.; Hutson, D.; Sydow, J. P.; Pegrum, C. M.
Reactive ion etching of Nb thin films for Nb/Al-AlO_x/Nb Josephson tunnel junctions.—74-03860A

Popova, N. A. See Lukin, E. S.
Popova, R. A. See Godneva, M. M.
Popovic, Dragan See Danko, Gene A.
Popovic, Dragan; Baskaran, S.; Zywicki, G.; Arens, C.; Halloran, John W.
Silicon nitride and silicon carbide fibrous monolithic ceramics.—74-01304A
Popovic, K. See Krstulovic, P.
Popovic, S. See Music, S.; Ristic, M.
Popovich, N. V.; Khristov, Ts. I.; Galaktinov, S. S.
Sol-gel method of fabrication of zinc silicate luminophores.—74-02657A
Popovich, N. V.
Low-temperature synthesis of amorphous and glass-ceramic silicate materials (review).—74-02642A
Popovich, S. A.; Borul'ko, V. I.; Atkarskaya, A. B.
Production of large-scale glass with a thermally reflecting coating.—74-02652A
Popovics, John S. See Rose, Joseph L.
Popovkin, B. A. See Baranov, I. Yu.; Fadeeva, E. E.
Popovska, N. See Emig, G.
Popp, Matthias
High-performance ceramic precision roller bearings: design and applications.—74-03692A; Machining: the controlling step to producing apt-to-work ceramic parts.—74-02162A
Poppi, Mauro
Inertizing in ceramic production.—74-00432A
Porath, R. See Mehlmann, A. K.
Porcher, P. See Cascales, C.
Porchia, Marina See Battiston, Giovanni
Porezag, P. See Frauenheim, T.
Porkolab, G. A.; Wolf, E. D.
Self-aligned fabrication or arrays of back-to-back external 45 reflectors integrated with ridge-waveguide lasers for surface-emitting high-power semiconductor laser sources in AlGaAs/GaAs.—74-00706A
Porotnikov, N. V.
Force constant of the metal-oxygen bond in oxides.—74-04142A
Porozova, S. E. See Antsiferov, V. N.
Porte, Henry See Hauden, Jerome
Porter, John R. See Gu, Wei-Zhong
Porter, L. M. See Baumann, P. K.
Porter, William F. See Carlson, Robert A.
Porto Lopez, J. M. See Galliano, P. G.
Portoles, J. See Sanchez, J.
Portsmouth, Robert L. See Wright, Adrian C.
Porz, F. See Gogotsi, Yu. G.
Post, Michael L.
Thin film oxygen sensor.—74-09105P
Post, Richard S. See Sevillano, Evelio
Postnikov, A. V. See Finkelstein, L. D.
Postnova, L. I. See Levchenko, V. I.
Potapova, Ju. B. See Aleksandrov, V. V.
Potapova, V. G. See Zolotositskaya, E. S.
Potdar, H. S.; Deshpande, S. B.; Date, S. K.
Synthesis of PLZT powders via a molecularly modified precursor route.—74-07518A
Potdar, S. S. See Srivastava, R. K.
Potekhina, N. D. See Ageyev, V. N.
Potelezhko, V. P. See Sevost'vanov, V. S.
Potemski, R. M. See Huang, J. W.
Poting, Klaus
Cut crystal glass is automatically decorated.—74-00292A
Potter, Barrett G., Jr. See Sinclair, Michael B.
Potter, Michael J.
Feldspar.—74-06900A; Vermiculite.—74-06939A
Pou, J. See Fernandez, D.; Gonzalez, P.; Szorenyi, T.
Pouch, J. J. See Renschler, Clifford L.
Poulain, Marcel See Saad, Mohammed
Poulain, Marcel; Saad, Mohammed
Process for the synthesis of fluoride glass by the sol-gel method and optical fiber produced from the fluoride glass obtained according to this process.—74-00347P
Poupitch, Greg; Klebe, Tom
Improvements in standard oven drying technology.—74-03913A
Poutrot, S.; Mazot, P.; De Fouquet, J.
Characterization of the vacancy-calcium dipole by electrical and mechanical relaxation measurements in single crystals of calcied zirconia.—74-10777A
Powell, J. Anthony See Larkin, David J.
Powell, J. R. See Barletta, Robert E.
Powell, Patrick S.
Ball clay basics.—74-09739A
Powell, Q. See Roger, C.
Powers, Lynn M. See Choi, Sung-R.
Powley, Mark L. See Aitken, Bruce G.
Pozdnyakov, P. G.
Shear vibrations of quartz rods and resonators on their basis.—74-07113A
Pozdnyakov, V. G. See Khrustalev, B. P.
Prabakar, S. See Logan, Monica N.
Prabakar, S.; Assink, R. A.; Irwin, A. D.
Spinnability of silica sols—the role of alkoxy group exchange.—74-10649A
Prabakar, S.; Assink, R. A.; Raman, N. K.
Cross-condensation reactions in an organically modified silica sol-gel.—74-10249A
Prabhakaran, K.; Ogino, T.; Scimeca, T.; Oshima, M.
Interaction of Al with oxidized Ge/Si(001): a synchrotron radiation photoelectron spectroscopy study.—74-00943A
Pracka, I. See Jablonski, R.
Pradel, A. See Marc, J. L.
Prakash, A. M.; Unnikrishnan, S.
Synthesis of SAPO-34—high-Si incorporation in the presence of morpholine as template.—74-07519A
Prakash, Orm See Nicholson, Patrick S.
Prakash, Orm; Sarkar, Partho; Nicholson, Patrick S.
Crack deflection in ceramic/ceramin laminates with strong interfaces.—74-05328A
Pramanik, P. See Pathak, Amita
Pramila Bai, B. N. See Ravikiran, A.
Prasad Rao, Hari P. R.; Kumar, R.; Ramaswamy, A. V.
Synthesis and characterization of a crystalline vanadium silicate with MEL structure.—74-10041A
Prasad, Ajit See Lackey, W. Jack
Prasad, B. K. See Saxena, Mohini
Prasad, I.; Srivastava, R. S.
Effect of negative air corona stress on metal oxide semiconductor capacitors.—74-05930A
Prasad, K. See Tang, H.
Prasad, M.; Martinez, O. E.; Menoni, C. S.; Rocca, J. J.; Chilla, J. L. A.; Hafich, M. J.
Transient grating measurements of ambipolar diffusion and carrier recombination in InGaP/InAlP multiple quantum wells and InGaP bulk.—74-05058A
Prater, John T. See McClure, Michael T.; Von Windheim, J. A.
Pratsinis, Sotiris E. See Akhtar, M. K.; Vemury, Srinivas; Xiong, Yun
Pravdic, G. See Gani, Mary S. J.
Prawer, S. See Piekarczyk, W.; Stuart, S.-A.
Prechtl, W.
Technical ceramics for pumps and valves.—74-00998A
Preda, M.
Subsolidus phase diagram for the Bi_2O_3-SrO-CaO-CuO system.—74-07126A
Predebon, William W. See Staehler, James M.
Predel, Felicitas; Telle, Rainer; Carle, Veronika
Ceramography of high-strength ceramics—materials, preparation, microstructure.—74-10218A
Predmesky, Ronald L. See Crosbie, Gary M.
Preedy, Kristina S.; Simpson, Frederick H.
Fiber reinforced ceramic matrix laminate.—74-03985P
Preisinger, Dietmar
Processing of porcelain glazes in an annular gap mill.—74-08699A
Preisler, Eberhard See Bock, Joachim
Preisler, Eberhard; Bock, Joachim; Holzem, Johannes; Dorn, Friedrich-Wilhelm
Process for producing tubular molded parts of high temperature superconductor material.—74-03658P
Prentslau, N. N. See Dmitriev, V. M.
Presnyakova, G. N. See Gamulya, G. D.
Preston, J. S. See Antaya, M.; Hegmann, F. A.
Pretorius, Fred See Nelms, Leonard
Pretorius, R. See Naidoo, R.
Pretty, Jack R.; Blubaugh, Elm A.; Caruso, Joseph A.
Determination of chromium(VI) and vanadium(V) using an on-line anodic stripping voltammetry flow cell with detection by inductively coupled plasma mass spectrometry.—74-03794A
Preuss, Paul See Proserpio, Davide M.
Prevot, B. See Antoni, F.; Repplinger, F.
Prewett, P. D.; Martin, B.; Eastwood, A. W.
Effects of focused ion beam reticle repair on optical lithography at i-line and deep ultraviolet wavelengths.—74-01059A
Prewo, Karl M.; Chen, Otis Y.; Gibler, Martin J.; Allen, Glenn M.
Fiber reinforced glass matrix and glass-ceramic matrix composite articles.—74-02671P
Price, Brian
Quality control analysis using XRF spectrometers.—74-08096A
Price, J. B.; Borland, John O.; Selbrede, Steve
Properties of chemical vapor deposited titanium nitride.—74-01861A
Price, P. B. See Nagahara, L. A.
Prielipp, H. See Claussen, N.
Priem, T. See Verven, R.
Priester, C. See Lefebvre, I.
Prietsch, M. See Cuberes, M. T.
Prieur, J.-Y.; Hohler, R.; Devaud, M.
Sound amplification by stimulated emission of radiation in an amorphous compound.—74-08393A
Prijaya, Noviana A.; Angus, John C.; Bachmann, P. K.
Thermochemical computation of the diamond deposition domain.—74-04229A
Primak, T. E. See Krivoruchko, V. N.
Primo, V. See Miao, H.
Primo, V.; Sapina, F.; Sanchis, M. J.; Ibanez, R.; Beltran, A.; Beltran, D.
New improved synthesis of the 110-K bismuth superconducting phase: freeze drying of acetic solutions.—74-03538A
Prince, Robert H. See Bourdon, Elisa
Prince, Robert H.; Bourdon, Elisa
Process and apparatus for production of diamondlike films.—74-04080P
Prince, W.; Perami, R.; Espagne, M.
New approach of the reaction between alkalis and dolomite.—74-02726A
Prins, Johan F.
Cathodoluminescence and electroluminescence in ion-implanted type II diamonds.—74-02932A; Non-CVD methods of diamond growth at low pressures.—74-10498A
Prins, M. W. J. See Jansen, R.
Prins, R. See Scandella, L.
Prints, V. Ya. See Samoilov, V. A.; Zhuravlev, K. S.
Priotton, Jean-Jacques See Floch, Herve G.
Pristl, M. See Plauk, G.
Priven, A. I.; Startsev, Yu. K.
Calculation of the constants of the relaxation model of vitrification.—74-00242A; Calculation of the distribution of the refractive index in glass after ion exchange.—74-02518A; Computation of the relaxation constant of a vitrification model.—74-00247A
Privitera, V. See Vandervorst, W.
Probst, M.
Possibilities of thermal analysis for the characterization of raw materials and clay bodies for structural ceramic products.—74-05823A
Probst, Reiner
New developments in the purification of waste water from ceramic industries.—74-09487A
Proch, Dieter See Fang, Jia-Guang
Proctor, A. See Fiedor, J. N.; Scierca, S. J.
Prodaivoda, G. T. See Aleksandrov, K. S.
Prodan, E. A. See Samuskevich,, V. V.
Prodey, Jackie D. See Pilgrim, Steven M.
Prohaska, Thomas See Ritala, Mikko
Proia, Stephen E. See Little, Greg
Proia, Stephen E.
Lo-Mass kiln cars for the ceramic industry.—74-09683A; Low-mass kiln cars.—74-09685A
Prokhorov, A. D. See Neilo, G. N.
Prokhorov, A. M. See Dianov, E. M.
Prokhorova, I. Ya. See Oleinik, V. T.
Prokof'ev, A. V. See Dabizha, A. A.
Prokofiev, Victor V. See Kamshilin, Alexei A.
Prokopenko, V. B. See Fominski, V. Yu.
Pronin, Alexander See Gupta, Vijay
Pronkin, A. A. See Petrovskaya, M. L.; Yumashev, N. I.
Prorok, Barton C. See Dorris, Stephen E.
Proscia, James W. See Krisko, Annette J.; Winter, Charles H.
Proserpio, Davide M.; Hoffmann, R.; Preuss, Paul
Possible hard materials based on interpenetrating diamondlike networks.—74-07419A
Proshin, V. I. See Musikhin, S. F.
Pross, J. See Schubert, H.
Protsyuk, A. P. See Kononov, M. E.
Prouteau, C. See Osterstock, F.
Provanenkov, V. V. See Mukhina, L. L.
Proverbio, E. See Carassiti, F.
Provost, Gilbert See Witzke, Sylvain
Provost, L. G. See Shor, Joseph S.
Proyanenkov, V. V. See Mukhina, L. L.
Pruchal, Paul R. See Liu, Yan-Ming
Prucher, Bryan P.
Structurally networked matrix ceramic composite material.—74-09842P
Pruett, Harold E.
World-class quality concepts applied to porcelain enameling operations.—74-02283A
Prunier, Arthur R., Jr. See Pyzik, Aleksander J.
Prybyla, J. A.; Chiang, C. M.; Dubois, L. H.
Growth of TiN thin films from $Ti(NMe_2)_4$ and ammonia.—74-01751A
Pryds, N. H. See Song, J. P.
Pshenitsyna, V. V. See Vasil'ev, M. I.
Ptak, W. S. See Jonas, S.
Pu, Jing-Long
Monitoring and ways for energy economy of annular kilns.—74-09692A
Pu, S. T. See Su, L. C.
Pu, Xin See Xuan, Zhen-Wu
Puchert, M. K.; Timbrell, P. Y.; Lamb, R. N.; McKenzie, D. R.
Thickness-dependent stress in sputtered carbon films.—74-04453A
Puckett, Elbridge Gerry See Miller, Gregory Hale
Puente, G. Contreras See Valdes, E.
Pugh, G. M. See Tiberio, R. C.
Puigdollers, J. See Cifre, J.
Pujar, Vijay V.; Cawley, James D.
Effect of stacking faults on the X-ray diffraction profiles of ß-SiC powders.—74-04134A
Pujari, Vimal K.; Tracy, Dennis M.; Foley, Michael R.; Paille, Norman I.; Pelletier, Paul J.; Sales, Lenny C.
Reliable ceramics for advanced heat engines.—74-07025A
Pukh, V. P. See Baikova, L. G.; Pesina, T. I.
Pukhoskaya, V. M. See Runov, V. K.
Pukinskas, G. See Belonas, G.-J.
Pulker, Hans K. See Muller, Theo
Purazrang, K.; Abachi, P.; Kainer, K. U.
Investigation of the mechanical behavior of magnesium composites.—74-05370A
Purcell, Thomas E. See Mackin, Thomas J.
Pureza, P. C. See Sanghera, Jasbinder S.
Puri, A.; Georgescu, M.
Fly ash, a raw material for cement production.—74-00059A
Puri, Ashok See Liu, Hang
Purington, James C. See Salzmann, David R.
Purohit, M. A. See Shrinhande, B. K.
Purtov, Yu. N. See Krasnov, A. N.
Purushotham, Y.; Reddy, M. B.; Kishan, P.
Electrical conductivity and thermopower studies of titanium-substituted lithium-magnesium ferrites.—74-00773A
Pushcharovskii, D. Yu. See Nadyozhina, T. N.; Sokolova, E. V.; Solov'ev, M. V.; Yamnova, N. A.
Pushkar, Yu. Ya. See Panfilov, A. S.
Pushkareva, M. V. See Belousov, Yu. L.
Putilin, S. N. See Gavrikov, S. I.
Putilina, E. N. See Pishch, I. V.
Putnis, A. See Silva, S. R. P.
Putyera, Karol See Bandosz, J. Teresa
Puvanunt, Panard; Lorlowhakarn, Santi; Srisukri, Sira
Problems encountered and lessons learned at KW-1.—74-08087A
Pwu, Leh-Lii See Shih, Wei-Heng
Py, M. A. See Haddab, Y.
Pyda, W.; Haberko, K.; Bucko, M. M.; Faryna, M.
TZP's in the TiO_2-Y_2O_3-ZrO_2 system.—74-01484A
Pyda, Waldemar; Gani, Mary S. J.; Chen, Lap-Hing
Microstructural evolution in spherical zirconia-yttria powders.—74-01798A
Pye, L. D. See Oksoy, D.; Simpson, J. C.
Pylant, Eddie See Hoener, Carolyn F.
Pypkin, Boris See Bozhko, A. D.; Dorfman, Benjamin
Pyr'ev, Yu. A. See Mokrik, R. I.
Pyshnaya, N. B. See Kalin, M. V.

Pyun, Su-Il; Lee, Eung-Jo; Han, Gil-Soo
Localized corrosion of sputtered Al-1 wt% Si-0.5 wt% Cu alloy thin films.—74-02084A
Pyzik, Aleksander J. See Hwang, C. James
Pyzik, Aleksander J.; Beaman, Donald R.
Al-B-C phase development and effects on mechanical properties of B_4C/Al-derived composites.—74-02361A
Pyzik, Aleksander J.; Ott, Jack J.; Carroll, Daniel F.; Prunier, Arthur R., Jr.
Method of preparing boron carbide/aluminum cermets having a controlled microstructure.—74-08313P
Qafssaoui, F. See Chang, K.
Qi, Bai-Yun See Yan, Hong-Shun
Qi, Chang-Hong; Zhang, Xiu-Rong; Hu, He-Fang
Spectral properties of Ho^{3+} in fluorozirconate (ZBLAN) glass.—74-08349A
Qi, Gang; Pantano, Carlo G.
Role of aluminum migration at the interface in SiC-reinforced glass-ceramic matrix composites.—74-09891A; Silicon oxycarbide reaction with glass matrix compositions.—74-08272A
Qi, L. See Xuan, Zhen-Wu
Qi, Shang-Kui See Bai, Ming-Wu
Qi, Z.-A. See Ding, X.-Z.
Qi, Zhen-Zhong See Li, Ke-Bin
Qian, C.-T. See Tao, W.
Qian, Hui-Chun See Jiang, Wei-Zhong
Qian, Lie-Jia
Diffraction coupled high-power Nd:YAG lasers.—74-08861A
Qian, R. See Irby, J.
Qian, Sheng-Fa See Li, Nan
Qian, Xiao-Qian; Jin, Nan-Guo
Study on wall materials of diatomite.—74-05600A
Qian, Zheng-Nan See Chen, Hong-Qi
Qian, Zhi-Zhen; Song, Guo-Wei
Electromelted quartz glass tubes doped with Ce-Ti for making nonozone lights.—74-08417A
Qiang, D. See Ma, Ji-Ming
Qiang, Liang-Sheng See Zhang, Hong-Xi
Qiang, Min See Lin, Hui-Shan
Qiao, L.-J. See Zhang, Yue
Qiao, Zue-Guang See Bai, Jin-Tao
Qin, Cai-Dong See Cotterell, Brian
Qin, Meng-Jun See Jin, Ji-Rong
Qin, Shu; Chan, Chung
Evaluation of contamination from plasma immersion ion implantation on silicon device characteristics.—74-03005A; Plasma immersion ion implantation doping experiments for microelectronics.—74-04809A
Qin, Xiao-Liang See Zhang, Shu-Ren
Qin, Xiao-Mei See Guo, Shu-Quan
Qin, Y. See Rastegar, J.
Qiu, Hong; Kosuge, A.; Maruyama, H.; Adamik, Miklos; Safran, Gyorgy; Barna, Peter B.
Epitaxial growth, structure, and properties of Ni films grown on MgO(100) by dc bias sputter deposition.—74-04618A
Qiu, Hong; Nakai, Hisashi; Hasimoto, Mituru; Safran, Gyorgy; Adamik, Miklos; Barna, Peter B.
Epitaxial growth and characterization of Ni films grown on MgO(001) by biased direct-current sputter deposition.—74-07300A
Qiu, J. See Kuo, L. H.
Qiu, Min-Wang See Huang, Yi-Chuan
Qiu, Tai See Xu, Jie
Qiu, Wen-Fa See Wei, Chun-Long
Qiu, Ze-You
Study on sintered perforated bricks with blind holes.—74-02739A
Qu'Hen, Bruno See Dumont, Herve
Qu, D. Y. See Bai, L.
Qu, Jian-Jun See Luo, Yun-Xia
Qu, L. See Mindess, Sidney
Quadir, Tariq; Jones, James D.; Chakraverty, Jyoti P.
Injection molding of ceramic articles using aqueous based thermoplastic resin.—74-03751P
Quan, M. X. See Shen, T. D.
Quarantana, A.; Gonella, F.; Caccavale, F.
SIMS RBS depth profiling of silver-diffused glass system.—74-06815A
Quarton, M. See Bermejo, Edelio; Tillement, O.
Que, Wen-Xiu; Yao, Xi; Huo, Yu-Jing
Stress-optic effect in YAP ($YAlO_3$) crystal optical fiber.—74-02659A
Quenech, J. L.; Coster, M.; Chermant, J. L.
Sintering kinetics [studied] with the help of random sets models.—74-10635A
Querdane, Y. See Magne, S.
Quesnel, David J. See Zhou, Yi-Yang
Queyroux, F. See Perriere, J.
Quick, G. W. See Shayan, A.
Quilgars, Alain See Bou, Pierre
Quillin, K. C.; Majumdar, Amal J.
Phase equilibria in the $CaO-Al_2O_3-SiO_2-H_2O$ system at 5°C, 20°C, and 38°C.—74-08081A
Quimby, R. S.; Miniscalco, W. J.
Modified Judd-Ofelt technique and application to optical transitions in Pr^{3+}-doped glass.—74-02564A
Quin, C. D. See Derby, B.
Quin, John See Evans, David T.
Quinlan, K. P.; Rai, A. K.; Wittberg, T. N.
Study of the oxidation of *n*-InP with low carrier concentrations in negative potential region.—74-06340A
Quinn, George D. See Gettings, Robert J.; Swab, Jeffrey J.
Quinn, M.; Migliorato, P.; Reita, C.; Pecora, A.; Tallarida, G.; Fortunato, G.
High-field effects in polysilicon thin-film transistors.—74-03042A
Quinones, H.; Shatzkes, M.
Statistics of cack initiation and propagation.—74-11092A
Quinson, Jean-Francois; Chino, Chantal; De Becdelievre, Anne-Marie
Interphase study by XPS of sol-gel ZrO_2 coatings on stainless steel.—74-08222A
Quirk, Richard See Evans, Geoff
Quiroga, I.; Vasquez, J.; Villares, P.
Analysis of short-range order and structural model in the glassy semiconductor $Ge_{0.2}Sb_{0.2}Se_{0.6}$ by X-ray diffraction.—74-00240A
Qureshi, A. H.; Sale, F. R.
EDTA gel processing and microstructural development of Pb-containing BSCCO superconductors.—74-03445A
Qye, H. A. See Steinsvik, S.
Raab, Dagmar See Neumann, Gerd
Raaijimakers, Ivo J.
Low-temperature metallorganic chemical vapor deposition of advanced barrier layers for the microelectronics industry.—74-04738A
Rabalais, John W. See Boyd, K. J.; Todorov, S. S.
Rabalais, John W.; Kasi, Srinandan R.
Process for the deposition of diamond films using low energy, mass-selected ion beam deposition.—74-04083P
Rabe, James A. See Lipowitz, Jonathan
Rabe, James A.
Process for preparing ceramic fibers from polysiloxanes.—74-04001P
Rabe, K. M. See Zhong, W.
Rabe, Steven See Bozler, Carl O.
Rabe, T.; Linke, Dietmar; Kranz, G.
Sintering of silicon nitride (SSN) at heating rates up to 2000 K/min.—74-01888A
Rabier, J.; Tall, P. D.; Denanot, M. F.
Defect study of plastically deformed $YBa_2Cu_3O_{7-\delta}$ ceramics.—74-06507A
Rabiller, P.; Genevey, P.; Decroux, M.; Chevrel, R.; Sergent, M.; Le Lay, L.
Promising advances in the elaboration of superconducting $PbMo_6S_8$-based wires.—74-06621A
Rabin, B. H.; Moore, G. A.
Joining of SiC ceramics and SiC/SiC composites.—74-01296A; Joining of SiC-based ceramics by reaction bonding methods.—74-00129A; Microstructure and properties of SiC-to-SiC joints produced by reaction bonding.—74-02021A
Rabinovich, A. S.; Kuzakov, S. V.; Vanicheva, L. L.
Optimization of the composition and the properties of the plastic bodies for obtaining silicon carbide products.—74-03718A
Rabukhin, A. I.; Belousova, G. V.
Acoustooptic efficiency of bismuth-containing gallate glasses.—74-02511A; Elastooptical properties of bismuth-containing gallate glasses.—74-02536A; Sound velocity and compressibility of bismuth-containing gallate glasses.—74-02579A
Raccanelli, A. See Maddalena, A.
Race, T. D. See Bukowski, J. M.
Rad, S. Subba See Kannan, C. Srinivasa
Rada, M. See Sasek, L.
Radantsev, V. F. See Zav'yalov, V. V.
Radhakrishnan, K. See Yoon, S. F.
Radievskii, A. V. See Ivanchenko, Yu. M.
Radke, Clayton J. See TeGrotenhuis, Ward E.
Radloff, J. L. See Lin, H.
Radnoczi, G.; Hasan, M.-A.; Sundgren, J.-E.
Defects in amorphous and solid phase epitaxial silicon.—74-05002A
Rado, C.; Kalogeropoulou, S.; Eustathopoulos, N.
Surface and bulk interactions in M-SiC systems (M=Au, Cu, Ni).—74-08279A
Radocea, Adrian
New method for studying bleeding of cement paste.—74-05559A
Radonjic, L. J. See Todorovic, M.
Radonjic, L. See Nikolic, L.; Srdic, V.
Radovic, L. R. See Cordero, T.
Radzhabova, A. K. See Borisov, B. F.
Radzimski, Zbigniew J. See Kimball, John F.
Rae, Alan See Chu, Mike S. H.
Rae, Alan; Steiger, Russ
Ceramic raw materials and minerals—some environmental considerations.—74-09742A
Raevskii, I. P. See Bokov, A. A.
Raevskii, I. P.; Malitskaya, M. A.; Trusova, S. A.
Temperature dependence of intergrain potential barrier height in $PbFe_{0.5}Nb_{0.5}O_3$ posistor ceramics.—74-02864A
Rafai, Noureddine; Letolle, Rene; Blanc, Philippe; Gegout, P.; Revertegat, E.
Carbonation-decarbonation of concretes studied by the way of carbon and oxygen stable isotopes.—74-05471A
Rafaniello, William See Weimer, Alan W.
Ragan, S.; Emmerson, G. T.
Effect of heat-treatment temperature upon the properties of matrix-inhibited carbon-carbon composites.—74-05342A
Raghavan, Narashima S. See Gesing, Adam J.
Raghunathan, Rohini; Chowdhury, Rina; Narayan, J.
Combustion for the synthesis of ß-SiC and diamond/SiC composite.—74-10228A
Raghunathan, V. S. See Raju, S.
Raghuraman, S.; Ferber, M. K.; Stubbins, J. F.; Wereszczak, A. A.
Stress-oxidation tests in SiC_f/SiC composites.—74-10939A
Ragsdale, R. Giles See Resce, James L.
Rahaman, M. N.
Ceramic Processing and Sintering.—74-11198B
Rahe, M. See Scheibe, H.-J.
Rahhal, W. F.; Kotlensky, W. V.
Modified short-beam shear test.—74-03838A
Rahman, M. M. See Ahmad, M.
Rahman, M.; Seah, K. H. W.; Goh, T. N.; Lee, C. H.
Appropriate usage of different tool materials.—74-07015A
Rahman, Matiur; Wang, C.-C.; Chen, Wei-Hua; Akbar, Sheikh A.; Mroz, Cathleen
Electrical resistivity of titanium diboride and zirconium diboride.—74-04304A
Rahman, S.; Ramana, M. V.; Sastry, G. S.
Charge carrier transport mechanisms in amorphous layers of the composition $Pb_5Ge_{42-x}Se_{58}$.—74-01935A
Rahmane, M.; Soucy, G.; Boulos, M. I.
Effect of nozzle profile on gas mixing in an atmospheric and low-pressure dc plasma jet.—74-09564A
Rahn, Jeffrey A. See Laine, Richard M.
Rai, A. K. See Bhattacharya, R. S.; Quinlan, K. P.
Rai-Choudhury, P. See Heddleson, J. M.; Le Dudal, Roger; Weinzierl, S. R.
Raikh, M. E. See Luo, J. S.
Raikhel, A. M.; Nepomnyashchii, O. A.; Ivchenko, L. G.
Use of carbon-containing coatings in hardening devitrified cordierite glass.—74-02664A
Raiko, V. See Spitzl, R.
Raina, Kanwal K. See Pandey, Raghvendra K.
Raineri, V. See Vandervorst, W.
Rainforth, W. M. See Lee, William L.; Miao, X.
Raisanen, A.; Brillson, L. J.; Goldman, R. S.; Kavanagh, Karen L.; Wieder, H. H.
Dislocation-induced deep level states in $In_{0.08}Ga_{0.92}As$/GaAs heterostructures.—74-06042A
Raiser, G.; Clifton, Rodney J.
High strain rate deformation and damage in ceramic materials.—74-11016A
Raistrich, Ian D. See Gargon, Fernando H.; Brosha, Eric L.
Raj, R. See Farquhar, D. S.
Raj, Rishi See Gopalan, Venkatraman; Nagahori, Atsushi; Pheonix, S. L.; Versteeg, Vera A.
Rajalah, Jayanth; Ruckenstein, Eli; Andrews, Graham F.
Rheology of sterically stabilized ceramic suspensions.—74-07470A
Rajan, K. See Bhatkal, R. M.
Rajan, Krishna See Petkie, Ronald R. Singh, R. K.
Rajarao, J. L.
Cement industry in Malaysia—1993 performance and 1994 forecast.—74-05404A; Developments in the Malaysian cement industry.—74-05413A
Rajendran, Giovindasamy P. See Forsythe, George D.
Rajendran, S. See Hughes, Anthony E.
Rajesh, K.; Brodie, D. E.
Effect of ion bombardment on some properties of a-$Si_{0.8}Ge_{0.2}$:H alloys prepared by ion-beam-assisted reactive evaporation.—74-06053A
Rajesh, Ramamurti See Cody, Jeffrey G.
Rajeshwar, K. See Lin, W. Y.
Rajeswari, M. See Lofland, S. E.
Rajkumar, K. C.; Madhukar, A.; Chen, P.; Konkar, A.; Chen, Li; Rammohan, K.
Realization of three-dimensionally confined structures via one-step in situ molecular beam epitaxy on appropriately patterned GaAs(111)B and GaAs(001).—74-05230A
Rajner, Walter; Stingl, Peter
Method of joining a ceramic component to a metal component.—74-02421P
Raju, K. C. J. See Murthy, V. R. K.
Raju, P. K. See Vaidya, U. Kumar
Raju, S.; Mohandas, E.; Terrance, A. L. E.; Raghunathan, V. S.
Structural systematics of cubic binary carbides and nitrides.—74-07122A
Rak, Z. S.; Van Tilborg, P. J.
Effect of TiN and SiC on the mechanical properties of ZTA ceramics.—74-07867A
Rakhimov, A. T. See Polushkin, V. M.
Rakhimov, Roustam K.; Kim, Elena V.
Radiation emitting ceramic materials and devices containing same.—74-01268P
Rakhmanova, T. V. See Samsonov, D. P.
Rakotomahevitra, A.; Demangeat, C.; Parlebas, J. C.; Moraitis, G.; Razafindrakoto, E.
Electronic structure model for single B, C, or N adatoms upon graphite.—74-09989A
Rakovich, Yu. P. See Yablonski, G. P.
Ralchenko, V. G. See Pimenov, S. M.
Ralchenko, V. G.; Kononenko, T. V.; Foursova, T.; Loubnin, E. N.; Strelnitsky, V. E.; Seth, Jayshree
Comparison of laser and O_2 plasma etching of diamondlike carbon films.—74-01646A
Ralchenko, V. G.; Kononenko, T. V.; Zlobin, A. Yu.
Catalytic interaction of Fe, Ni, and Pt with diamond films—patterning applications.—74-08136A
Ralko, A. P. See Eizner, B. A.
Ralston, J. D. See Schmitz, J.
Ramakrishna, T. Bhatt See Baaklini, George Y.
Ramakrishna, T. Bhatt; Garg, Anita; Hull, David R.
Microstructural and strength stability of a developmental CVD SiC fiber.—74-11052A
Ramakrishnan, Ed S.; Howng, Wei-Yean
Piezoelectric lead zirconium titanate device and method for forming same.—74-00770P
Ramakrishnan, N.; Arunachalam, V. S.
Effective elastic moduli of porous ceramic materials—[reply].—74-07869A
Ramakrishnan, P. See Balakrishna, P.; Bhaduri, A.
Ramakrishnan, T. V. See Bhattacharya, S.
Ramamurthy, V.; Caspar, J. V.
Photophysical studies of organic molecules included within zeolites.—74-01561A
Ramamurti, V.; Sujatha, C.
Parametric study of ball mills.—74-06714A
Raman, N. K. See Prabakar, S.
Raman, N. S.; Viswanathan, B.
Effect of substitution at the barium site in $YBa_2Cu_3O_{7-\delta}$.—74-09259A
Raman, R. V. See Hoellwarth, C. C.
Raman, Siva N.; Cunningham, John P.
Carbohydrate glass matrix for the sustained release of a therapeutic agent.—74-02507P

Ramana, M. V. See Rahman, S.

Ramanathan, Srinivasan; Muraleedharan, Ramayi V.; Roy, Sujit Kumar; Nayar, Padmanabha K. Krishnan
Dehydration and crystallization kinetics of zirconia-yttria gels.—74-04123A

Ramaswami, K.; Selman, J. R.
Rotating disk studies in molten carbonates: I, Electrode design.—74-06810A; II, Meniscus and film effects.—74-06811A

Ramaswamy, A. V. See Prasad Rao, Hari P. R.

Ramaswamy, Veda See Reddy, K. Ramesh

Ramdani, S. See Sahli, S.

Ramdas, A. K. See Oh, Eun-Soon

Ramesh, Peelamedu D.; Rao, Kalya J.
Preparation and characterization of single-phase ß-SiAlON.—74-04821A

Ramesh, R. See Ghonge, Subodh G.; Inam, Arun; Simion, B. M.

Ramesham, R.; Askew, R. F.; Rose, M. F.
Growth of polycrystalline diamond over glassy carbon and graphite electrode materials.—74-01750A

Ramesh, R.; Chan, W. K.; Wilkens, B.; Iman, A.; Tillerot, F.; Sands, T.
Structure and properties of ferroelectric $PbZr_{0.2}Ti_{0.8}O_3/YBa_2Cu_3O_7$ heterostructures.—74-03351A

Ramesh, R.; Sands, T.; Keramidas, V. G.
Template approaches to growth of oriented oxide heterostructures on SiO_2/Si.—74-01591A

Ramesohl, H.
40 years of Humboldt preheaters.—74-06836A

Ramirez, A. P. See Schiffer, P.

Ramirez, A. P.; Cheong, S.-W.; Kaplan, M. I.
Specific heat of defects in the Haldane system Y_2BaNiO_5.—74-05051A

Ramirez, Amalia Dieguez; Saez, Milagros Paya; Collado, Enrique Rodriguez
Design management in the ceramic sector.—74-08519A

Ramirez-Malo, J. B.; Marquez, E.; Villares, P.
Refractive index dispersion and optical absorption edge of physically vapor deposited films of the $As_{35}S_{65}$ chalcogenide glass.—74-00276A

Ramis, Gianguido See Busca, Guido

Ramm, D. A. J.; Clyne, T. W.; Sturgeon, A. J.
Correlations between spraying conditions and microstructure for alumina coatings produced by HVOF and VPS.—74-08152A; Effect of metal content on the erosion resistance of metal/ceramic Co-sprayed composite coatings produced by VPS.—74-08172A

Ramm, J.; Beck, E.; Dommann, A.; Eisele, I.; Kruger, D.
Low-temperature epitaxial growth by molecular beam epitaxy on hydrogen-plasma-cleaned silicon wafers.—74-04736A

Ramm, K. S. See Panteleev, V. G.

Rammo, Manfred; Roeder, Erwin
Forming of glass melts by continuous pull extrusion.—74-03689A

Rammohan, K. See Rajkumar, K. C.

Ramos, Aline Y. See Hummel, Daniele C.

Ramos, Aline Y.; Levelut, C.; Petiau, J.
Local environment of selenium in silicate glasse.—74-02557A

Ramos, P. See Mendiola, J.

Ramos-Garcia, R. See Throth, R. C.

Ramsey, Keith E.
Low-flow-rate dry-powder feeder.—74-02012A

Ramsey, W. G.; Brown, K. G.; Beam, D. C.
Remediation and production of low-sludge high-level waste glasses.—74-09415A

Ramseyer, J.-P. See Lang, H. P.

Ramseyer, Karl; Boles, James R.; Lichtner, P. C.
Mechanism of plagioclase albitization.—74-01197A

Ramstad, M. J.; Birgeneau, R. J.; Blum, K. I.
Dc current-dependent faceting of vicinal Si(111).—74-08848A

Ran, J.-G.; Zheng, C.-Q.; Ren, J.
Properties and texture of B-doped diamond films as thermal sensors.—74-09015A

Ranalli, E. See Lee, H. P.

Rancoule, Gilbert I.; Fishler, Mark K.
Refractory zirconia mortar.—74-02802P

Rancoule, Gilbert I.
Zirconia graphite slide gate plates.—74-00418P

Rand, B. See Reid, A. W.

Randak, Roman See Kasa, Stanislav

Randall, C. A.; Miyazaki, S.; More, K. L.; Bhalla, A. S.; Newnham, R. E.
Structural-property relationships in dielectrophoretically assembled $BaTiO_3$ nanocomposites.—74-05959A

Rangarajan, Sri Prakash See Hoffman, David M.

Rangaswamy, Partha; Jayaraman, N.
Residual stresses in SCS-6/Ti-24Al-11Nb composite: II, Finite element modeling.—74-05386A

Rangel, R. H. See Liu, H.

Rangel-Rojo, R.; Kosa, T.; Hajto, E.
Near-ir optical nonlinearities in amorphous chalcogenides.—74-08338A

Rangmark, Lennart; Spremberg, Gunther; Lodin, Johannes
Oxy-fuel technology applied to art glass.—74-09701A

Rani, V. K. M. See Venugopal, R.

Rankin, Hanet See Sheldon, Brian W.

Ranney, John Q. See Nelms, Leonard

Ransom, C. M.; Jackson, T. N.; DeGelormo, J. F.; Kotecki, D.; Graimann, C.; Sadana, D. K.
Arsenic gas-phase doping of polysilicon.—74-07205A

Ranze, W.; Gebbe, R.
Oscillating torques when using frequency-controlled motors in the cement industry.—74-06713A

Rao, B. U. M. See Ahmad, M.; Naik, R.

Rao, C. N. R. See Mahesh, R.

Rao, C. N. R.; Raveau, B.
Transition Metal Oxides.—74-11211B

Rao, C. N. R.
Four decades of research in solid-state chemistry[—review].—74-11163A

Rao, C. V. N. See Subramaniam, C. K.

Rao, G. Mohan See Krupanidhi, S. B.; Muralidhar, G. K.

Rao, K. J. See Menetrier, M.

Rao, Kalya J. See Ramesh, Peelamedu D.

Rao, Lin; Kaner, Richard B.
Rapid solid-state precursor synthesis of nonoxide ceramics.—74-10598A

Rao, Mohan P. See Bangera, K. V.

Rao, R. R. See Vispute, R. D.

Rao, Renangi Mohan See Subrahmanyam, Jandhyala

Rao, Suresh N.; Palanna, O. G.
Phase transitions in copper(II) orthovanadate.—74-10018A

Rao, T. R. See Bapat, J. D.

Rapeanu, S. See Kozlov, Zh. A.

Rapinchuk, T. V. See Shipilo, V. B.

Rapoport, Yu. M.; Sloushch, V. G.
Nondestructive quality control of refractories.—74-03846A

Rapp, R. A. See Bianco, R.; Leblanc, P. P.; Pieraggi, B.; Zheng, X.

Rappensberger, Marianna
Crystallization of NaO-MgO-Al_2O_3-SiO_2 glasses during the formation of vitroceramics.—74-05756A

Rarenko, I. M. See Bercha, D. M.

Rarey, Charles R.
Cut edge expansion during forming.—74-00112A

Rasheeduzzafar See Al-Amoudi, O.; Hussain, Eftesham S.

Rasheeduzzafar; Al-Amoudi, O.; Abduljauwad, S.
Magnesium sodium sulfate attack in plain and blended cements.—74-00074A

Rashid, R. A.; Frantz, G. C.
MSW incinerator ash as aggregate in concrete and masonry.—74-00083A

Rashti, M. A.; Brodie, D. E.
Photoresponse of high resistance anatase TiO_2 films prepared by the decomposition of titanium isopropoxide.—74-04395A

Rasmussen, I. See Christensen, F. E.

Rasmussen, Margaret Adams See Spriggs, Richard M.

Rasmussen, Margaret Adams; Spriggs, Richard M.
Charles Fergus Binns: missionary to the American ceramic industry.—74-11150A

Rass, J. See Lugscheider, E.

Rastegar, J.; Qin, Y.; Berndt, C. C.
Optimal motion planning for solid free-form fabrication by thermal spraying.—74-10506A

Rastelli, E. See Capiani, C.; Galassi, C.

Rastogi, A. C. See Dhara, Sandip; John, P. K.

Rastogi, A. C.; Balakrishnan, K. S.; Garg, Anita
New electrochemical selenization technique for preparation of metal selenide semiconductor thin films.—74-00669A

Rastrigin, O. P.; Serdyuk, A. P.; Khomutchenko, S. Ya.
Study of the flow parameters in mortar-air mixtures during guncrete application.—74-03875A

Rastsvetaeva, R. K. See Solov'ev, M. V.

Rastsvetaeva, R. K.; Khomyakov, A. P.; Sokolova, T. N.
Crystal structure of high-calcium *p*-veatchite and its location in line of layered borates with $[B_5O_8OH]^{2-}$ radical.—74-04117A

Rastsvetaeva, R. K.; Pobedimskaya, E. A.; Terent'eva, L. E.
Structural features of afghanite and its position among minerals of cancrinite group.—74-03950A

Rat'ko, A. I. See Panasyugin,, A. S.

Rat'kova, V. P. See Zubekhin, A. P.

Rathje, Ellen See Folliard, Kevin J.

Rathman, Dennis D. See Bozler, Carl O.; Goodhue, W. D.

Rathousky, J. See Hoppe, R.

Rathousky, J.; Zukal, A.; Franke, D.
Adsorption on MCM-41 mesoporous molecular sieves: I, Nitrogen isotherms and parameters of the porous structure.—74-10755A

Ratner, A. M. See Fugol, I. Ya.

Ratto, Joseph J. See De Wames, Roger E.; Marshall, David B.

Ratzenberger, Hansgeorg; Vogt, Stefan
Importance of X-ray phase analysis for the prediction of the shaping, drying, and firing behavior of ceramic clay bodies.—74-03821A

Rau, C. See Beckmann, R.

Rauch, Friedrich See Laube, Michael

Rauf, I. A.
Low resistivity and high mobility tin-doped indium oxide films.—74-06183A

Rauline, A. See Pascal, B.

Raupp, G. B. See Cale, Timothy S.

Rauschenbach, B. See Schreck, M.

Ravaglioli, A. See Krajewski, A.; Martinetti, R.

Ravaglioli, A.; Krajewski, A.; Dondi, M.
Chemical properties of various hydroxyapatite powders for industrial production.—74-06962A

Ravanomanjato, S.; Zehentes, K. A.; Robert, J. L.
Fractional dimensionality of weakly localized electrons in GaAs-$Ga_{0.7}Al_{0.3}$ heterostructures.—74-08916A

Rave, R.; Shiiki, M.; Matsukiyo, H.
Saturation of ZnS:Ag,Al under cathode-ray excitation.—74-03206A

Raveau, B. See Kokabi, H. R.; Rao, C. N. R.

Raveau, B.; Michel, C.; Hervieu, M.
Order-disorder phenomena in high-T_c superconductive cuprates.—74-06603A

Raveh, A. See Martinu, L.

Ravera, Luca See Giamello, Elio

Ravesi, S. See Terrasi, A.

Ravet, M. F. See Gicquel, A.

Ravez, Jean See Elissalde, C.; Huang, Sui-Yang; Ohtaka, Osamu

Ravi, Vilupanur A. See Claar, Terry D.

Ravi, Vilupanur A.; Claar, Terry D.; Berelsman, B.
Zirconium-based composites for orthopedic applications.—74-07031A

Ravich, Yu. I. See Kaidanov, V. I.; Zhitinskaya, M. K.

Ravichandran, G. See Tong, W.

Ravichandran, K. S.
Fracture toughness of two-phase WC-Co cermets.—74-05358A

Ravikiran, A.; Bai, B. N. Pramila
Influence of speed on the tribochemical reaction products and the associated transitions for the dry sliding of silicon nitride against steel.—74-08215A

Ravikiran, A.; Nagarajan, V. S.; Biswas, S. K.; Pramila Bai, B. N.
Effect of speed and pressure on dry sliding interactions of alumina against steel.—74-05345A

Ravindra, H. V.; Srinivasa, Y. G.; Krishnamurthy, R.
Modeling of tool wear based on cutting forces in turning.—74-02179A

Ravkin, B.; Dalal, N. S.
Electron nuclear double resonance evidence for bifurcated hydrogen bonds in KH_2PO_4—possible role in the ferroelectric transition.—74-09130A

Rawers, J. C. See Alman, D. E.

Rawlings, R. D. See Davies, I. J.; Von Schweitzer, C. B.

Rawlings, R. D.
Glass-ceramic matrix composites.—74-02372A

Ray, J. See Chatterjee, M.

Ray, Mark A. See Goodwin-Johansson, Scott

Ray, Mark A.; Duarte, J.; McGuire, G. E.
Selective plasma deposition.—74-01877A

Ray, Swati See Ghosh, Sukriti

Raychaudhuri, Satyabrata See Wang, Shiho

Raygoza-Maceda, Isobel See Aplett, Allen W.

Rayment, D. L.; Majumdar, Amal J.
Microanalysis of high-alumina cement [HAC] clinker and hydrated HAC/slag mixtures.—74-05555A

Raynaud, P.; Pomot, C.
Cleaning of silicon surfaces by hydrogen multipolar microwave plasma excited by distributed electron cyclotron resonance.—74-05096A

Rayne, Roy J. See Bender, Barry A.

Raza, S. H. See Panwar, O. S.

Razafindrakoto, E. See Rakotomahevitra, A.

Razawi, Kassem
Look at Siemens CEMAT system profile.—74-08064A

Razbirin, B. S.; Nel'son, D. K.; Erland, J.
Bound biexcitons in II-VI semiconductors.—74-08831A

Razeghi, M. See Jelen, C.

Razhanskaya, A. M. See Gontcharov, V. V.

Razvigorva, M. See Petrov, N.

Razzini, G. See Cattarin, S.

Reader, A. H. See Van Veen, A.

Readey, D. W. See Camey, M. E. F.; Chen, Ning-Wei; Tefft, Phillip; Yan, J. K.

Readey, Michael J. See O'Donnell, Heather L.

Readey, Michael J.; McCallen, Celeste L.
Microstructure, flaw tolerance, and reliability of Ce-TZP and Y-TZP ceramics.—74-11056A

Reagan, Christine M. See Friske, Mark S.

Reagan, Peter; Dougherty, Jack
New process for the low-cost production of ceramic, metal, and carbon matrix composites.—74-00965A

Reaney, Ian M. See Bursill, L. A.; Chu, Fan; Huang, Y.; Klissurska, Radosvete D.; Steiner, O.

Reaney, Ian M.; Glazounov, A.; Daglish, M.
TEM studies of the relaxor $(Pb_{0.7}Ba_{0.3})(Zr_{1-x}Ti_x)O_3$.—74-05287A

Reardon, Brian J.; Snyder, Robert L.
Use of Ga_2O_3 and In_2O_3 in forming superconducting glass-ceramics in the Bi-Sr-Ca-Cu-O system.—74-00859A

Reatherford, L. V. See McCune, R. C.; Zaluzec, M. J.

Reaves, C. M. See Heimbuch, M. E.

Rebello, J. H. D.; Subramanian, V. V.
Diamond synthesis at low temperatures.—74-07259A

Reber, A.; Duvierre, Gerard; Sertain, E.
Industrial experience of fused cast blocks with very high zirconia content in an electric furnace for lead glass.—74-01160A

Rebillat, F. See Lamon, Jacques; Lara-Curzio, Edgar; Shanmugham, S.

Rebollar-Garcia, Rafael
Tools for installing ceramic tile.—74-08598A

Recio, P. See Navarro, L. M.

Reck, Gene P. See Dshmukh, Subhash; Fried, Daniel; Williams, Keith B.

Reczek, Steven T. See Taylor, Jenifer A. T.

Reddington, D.; Bridgwater, J.
Prediction of multichannel paste flow.—74-04819A

Reddy, C. S. See Viswanathan, K.

Reddy, K. Ramesh; Ramaswamy, Veda; Kumar, R.
Studies on the crystallization of a novel, large-pore, high-SiO_2 molecular sieve, NCL-1.—74-10037A

Reddy, M. B. See Purushotham, Y.

Reddy, P. S. See Aparna, Y.

Reddy, R. G. See Kocherginsky, D. M.

Reddy, Srinivas K.; Kumar, Susmit; Singh, Raj N.
Residual stresses in silicon carbide-zircon composites from thermal expansion measurements and fiber pushout tests.—74-05387A

Reddy, Srinivasa S. N. See Casey, Jon A.

Redey, Akos See Gardos, Gyorgy

Redfern, John P.
Precision-controlled cooling of a differential scanning calorimeter (DSC).—74-01093A

Redington, P. D. See Subramanian, K.

Reece, D. M. See Costello, M. C.

Reece, M. J.; Worrell, C. A.; Hill, G. J.
Microstructural analysis of ferroelectric glass-ceramics.—74-05187A

Reed, D. S. See Jiang, W.

Reed, David P.; Kelly, John S.; Hansen, James D.
Ceramic orthodontic bracket with archwire slot liner.—74-03982P

Reed, J. D. See Chen, Y.-P.

Reed, J.; Gao, G. B.; Bochnarev, A.
Si_3N_4/Si/Ge/GaAs metal-insulator-semiconductor structures grown by in situ chemical vapor deposition.—74-09036A
Reed, James S. See Doshi, D.; Zheng, Jing-Min
Reed, Peter E. See Moeggenborg, Kevin J.
Reedy, M.; Chartier, Thierry; Baumard, J. F.
Binder removal with supercritical CO_2.—74-04484A
Rees Lovat, V. C.; Chandrasekhar, Sathy
Formation of zeolite from the system Na_2O-Al_2O_3-SiO_2-H_2O in alkaline medium (pH>10).—74-10363A; Hydrothermal reaction of kaolinite in presence of fluoride ions at pH<10.—74-10816A
Rees, G. J. See David, J. P. R.
Rees, William S.; Krauter, Gertrud
Processable, chemical routes to binary metal sulfides.—74-10580A
Rees, William S.
Group II element chemistry and its role in OMVPE of electronic ceramics.—74-06121A
Reetz, T.; Schramm, C.
Synthesis of cobalt aluminate.—74-01908A
Reetz, Teja See Moritz, Kirsten
Reetz, Teja; Scheibe, Nicola
Corrosion of AlN, Si_3N_4, and SiC ceramics by alkali metal melts.—74-07802A
Reeve, S. W.; Weimer, W. A.
Plasma diagnostics of a direct current arc jet diamond reactor: I, Electrostatic probe analysis.—74-06803A
Reeves, C. M. See Wind, S. J.
Reeves, C. M.; Wind, S. J.; Hohn, F. J.; Lii, Y. T.;
Bucchignano, J. J.; Newman, T. H.
Design and characterization of compact 100-nm-scale silicon metal-oxide-semiconductor field effect transistors.—74-06036A
Refsum, A. See Wu, Y.
Regev, Oren; Cohen, Yachim; Kehat, Ephraim
Precursors of the zeolite ZSM-5 imaged by cryo-TEM and analyzed by SAXS.—74-10864A
Rego, C. A. See Cock, Alex M.; May, P. W.; Partridge, Peter G.
Rego, C. A.; May, P. W.; Williamson, E. C.; Ashfold, M. N. R.; Chia, Q. S.; Rosser, K. N.
CVD diamond growth on germanium for ir window applications.—74-04532A
Regolini, J. L.; Gisbert, F.; Dolino, G.
Growth and characterization of strain-compensated $Si_{1-x-y}Ge_xC_y$ epitaxial layers.—74-06125A
Reh, H. See Fugmann, K.
Reh, H.
Tableware and sanitary ware plants follow developments in the tile industry.—74-08705A; What will the material of the future for tableware ceramics look like.—74-00446A
Rehman, F. U.; Flower, H. M.; West, D. R. F.
Optimization of alloy-alumina fiber combination for magnesium-based metal matrix composites.—74-08248A
Reich, P. See Witke, K.
Reich, S. See Veretnik, D.
Reiche, P. See Zaitsev, A.
Reichelt, D. See Assmus, R.
Reichert, Gerhard See Loos, Herbert
Reichert, J.; Binner, J. G. P.; Sambrook, R. M.
Effectiveness of hydroxyapatite for water filtration.—74-06969A
Reichert, K.; Schlenkrich, F.
Dielectric properties of lead perovskites as a function of processing and precursors.—74-04556A
Reichling, M.; Gronbeck, H.
Harmonic heat flow in isotropic layered systems and its use for thin film thermal conductivity measurements.—74-10107A
Reichmann, K. See Fruhwirth, O.
Reico, P. See Navarro, L. M.
Reid, A. W.; Rand, B.; Emseley, R. J. P.
Nanoporosity in ceramics from polymeric precursors.—74-10852A
Reid, E. See Maciejko, R.
Reid, J. S. See McLane, G. F.
Reid, J. S.; Kolawa, E.; Ruiz, R. P.
Evaluation of amorphous (Mo, Ta, W)-Si-N diffusion barriers for <Si>Cu metallizations.—74-01942A
Reidy, Richard F.; Swider, Karen E.
Determination of the cerium oxidation state in cerium vanadate.—74-05305A
Reifsnider, Kenneth L. See Elahi, Mehran; Iyengar, N.; Liao, Kin; Stinton, David P.
Reifsnider, Kenneth L.; Stinchcomb, Wayne W.; Oleksuk, L. L. S.
Properties and performance of ceramic composite components.—74-01860A
Reijerse, Edward J. See Simon, Simion
Reijne, S. See Jacobs, J. P.
Reimanis, Ivar E.; Hawley, M. E.; Mitchell, T. E.; Zhou, D. S.
Fracture characteristics of Czochralski-grown $Y_3Al_5O_{12}$.—74-07876A
Reimanis, Ivar E.; Petrovic, John J.; Suematsu, H.; Mitchell, T. E.
Fracture behavior of a CVD crystalline Si_3N_4/amorphous Si_3N_4 composite.—74-02146A
Reimanis, Ivar E.; Suematsu, H.; Petrovic, John J.; Mitchell, T. E.
Mechanical properties of single-crystal α-Si_3N_4.—74-02170A
Reimanis, Ivar E.
Pore removal during diffusion bonding of Nb-Al_2O_3 interfaces.—74-08252A
Reimann, Peter See Hegner, Frank
Reimer, Jeffrey A. See Adler, Stuart B.
Reimers, J. N.; Dahn, J. R.; Von Sacken, U.
Effects of impurities on the electrochemical properties of $LiCoO_2$.—74-01378A
Reimers, J. N.; Fuller, E. W.; Rossen, E.
Synthesis and electrochemical studies of $LiMnO_2$ prepared at low temperatures.—74-05963A
Reinakda, Donald; Derking, Anke
High surface area zirconia.—74-09921P
Reinbold, K. A. See Bukowski, J. M.
Reiner, J. See Schneider, R.
Reiners, Georg See Beck, Uwe
Reinert, T. See Hoebbel, D.
Reinhard, D. K. See Huang, Bohr-Ran
Reinhardt, F.; Jonsson, J.; Zorn, M.; Richter, W.; Ploska, K.; Rumberg, J.
Monolayer growth oscillations and surface structures of GaAs(001) during metallorganic vapor phase epitaxy growth.—74-06217A
Reinhart, L. See Oh, Kyung-Hwan
Reinke, Christian; Johnson, William C.
Influence of coherency stress on kinetic demixing.—74-10413A
Reinke, P. See Jacob, W.
Reinke, S.; Kuhr, M.; Kulisch, W.
Mechanisms in ion-induced c-BN growth.—74-04747A
Reis, A. M. See Nicacio, D. L.
Reise, M.; Muller, G.
Strengthening of mica glass-ceramics.—74-05795A
Reisse, G. See Illmann, U.; Weissmantel, S.
Reisse, G.; Keiper, B.; Weissmantel, S.; Johansen, H.; Scholz, R.; Martini, T.
Properties of laser pulse deposited oxide films.—74-03970A
Reissner, M. See Horhager, S.
Reita, C. See Pecora, A.; Quinn, M.
Reita, C.; Fluxman, S. M.
Design and operation of poly-Si analog circuits.—74-02961A
Reitemeyer, Dieter
Automatic bagging and palletizing plant for pozzolanic building materials.—74-00035A; EC guidelines reduce packing weight.—74-02228A
Rekhson, M. See Rekhson, S. M.
Rekhson, S. M.; Rekhson, M.; Ducroux, J.-P.; Tarakanov, S.
Heat transfer effects in glass processing.—74-08431A
Rellick, Gerald S. See Zaldivar, Rafael J.
Rellick, Gerald S.; Adams, P. M.
TEM studies of resin-based matrix microstructure in carbon-carbon composites.—74-07775A
Rellick, Gerald S.; Zaldivar, Rafael J.; Adams, P. M.
Fiber-matrix interphase development in carbon-carbon composites.—74-10806A
Remer, P. See Lugscheider, E.
Remeshan, G. See Bilodeau, T. G.
Remesnik, V. G. See Varavin, V. S.
Remick, Robert J. See Zhen, Yong S.
Remiens, D.; Tirlet, J. F.; Jaber, B.
Preparation of $PbTiO_3$ thin film by rf sputtering.—74-03340A
Rempel, Andrei A.; Gusev, Alexander I.; Berger, Lutz-M.
Nonstoichiometric transition metal carbides—synthesis, properties, and potential areas of application.—74-09882A
Rempel, Andrei A.; Schaefer, H.-E.; Forster, M.
Atomic defects in transition metal carbides and SiC studied by positron annihilation.—74-10722A
Ren, De-He; Zhang, Yong-Bin; Chang, Liang; Cheng, Zhao-Kan; Chen, Feng; Wang, Zheng-Yu
Basic chimney checkers for glass tank furnace regenerators.—74-08608A
Ren, F. See Pearton, S. J.
Ren, F.; Fullowan, T. R.; Lothian, J. R.; Wisk, P. W.; Abernathy, C. R.; Kopf, R. F.
Role of the diffusivity of Be and C in the performance of GaAs/AlGaAs heterojunction bipolar transistors.—74-06295A
Ren, F.; Kuo, J. M.; Pearton, S. J.; Fullowan, T. R.; Lothian, J. R.
Ohmic contacts to *n*-type $In_{0.5}Ga_{0.5}P$.—74-06233A
Ren, F.; Lothian, J. R.; Pearton, S. J.; Abernathy, C. R.; Wisk, P. W.; Fullowan, T. R.
Fabrication of self-aligned GaAs/AlGaAs and GaAs/InGaP microwave power heterojunction bipolar transistors.—74-06100A
Ren, F.; Pearton, S. J.; Lothian, J. R.
Fabrication of Y-gate, submicron gate length GaAs metal-semiconductor field effect transistors.—74-00927A
Ren, J. See Ran, J.-G.
Ren, J.; Eason, D. B.; Yu, Z.; Sneed, B.; Cook, J. W., Jr.; Schetzina, J. F.
Blue/green ZnSe-ZnCdSe light-emitting diodes and photopumped laser structures grown by molecular beam epitaxy on ZnSe substrates.—74-02924A
Ren, Quan; Huan, Hui; Ding, Lan-Ying
Study on refractive indices of $PbBr_2$ crystals.—74-10038A
Ren, Z. See Miller, D. J.
Renaud, G.
Characterization of interfaces by grazing incidence X-ray scattering.—74-07606A
Rendessy, Endre See Wojnarovits, Ilona
Rendon, L. See Santiago, P.
Rendtel, A. See Acchar, W.; Herrmann, M.
Rendtel, A.; Grathwohl, G.; Tummler, Fritz
Oxidation-induced changes in phase composition of dense silicon nitride.—74-01419A
Rendtel, P. See Mogel, H. J.
Rendtel, P.; Mogel, H. J.
Changing the flow behavior of kaolin suspensions by mechanical stress.—74-01048A
Renero, C. See Jimenez-Ceniceros, A.
Renlund, Gary M.; Syammach, Mustafa A.
Ceramic compositions.—74-09811P
Renschler, Clifford L. See Wang, Joseph
Renschler, Clifford L.; Cox, D. M.; Pouch, J. J.; Achiba, Y.
Materials Research Society Symposium Proceedings, Volume 349: Novel Forms of Carbon II.—74-11206B
Repeyev, Yu. A. See Zayats, A. V.
Repplinger, F.; Fogarassy, E.; Grob, A.; Grob, J. J.; Muller, D.; Prevot, B.
Preparation of $Si_{1-x}Ge_x$ thin crystalline films by pulsed excimer laser annealing of heavily Ge-implanted Si.—74-04827A
Reppy, J. D. See Tylor, A.
Requena, J. See Moya, Jose S.
Requena, J.; Moya, Jose S.; Pena, Pilar
TiC/Al_2O_3 powders obtained by combustion synthesis.—74-04965A
Resce, James L.; Ragsdale, R. Giles; Overcamp, Thomas J.; Jurgensen, Arthur; Cicero, Connie A.; Bickford, Dennis F.
XRF in waste glass analysis and vitrification process control: I, Sample preparation and measurement precision.—74-09424A
Ressler, Kevin G. See Sonnenberg, Neville
Restle, Karl
Clay storage systems to increase product quality.—74-01190A
Rettig, U.; Bast, U.; Kirchhoff, G.
Laser apparatus for measurements of thermal shock resistance of ceramics.—74-01075A
Rettore, R. P. See Freitas, C. M. M.
Reunamaki, Pauli T.
Method for heating a flat glass sheet.—74-01025P
Revankar, Vital See Zhao, Guo
Revcolevschi, A. See Saint-Paul, M.
Revenok, T. V. See Kolbasov, V. M.
Revertegat, E. See Rafai, Noureddine
Revesz, Peter See Levine, Timothy E.
Rey, Christian See Kim, Hyun-Min
Rey, Christian; Kim, Hyun-Min; Glimcher, Melvin J.
Maturation of poorly crystalline synthetic and biological apatites.—74-09790A
Rey, Christian
Apatite channels and zeolite-like properties.—74-09757A
Reyes, A. P.; Hammel, P. C.; Ahrens, E. T.
Phase separation and superconductivity in La_2CuO_4: efects of oxygen diffusion.—74-00832A
Reyes-Gasga, J.; Alcantara-Rodriguez, C. M.
Structural analysis of the human tooth enamel by transmission electron microscopy.—74-09802A
Reyes-Mena, A. See Karain, W. I.
Reymer, Arthur; De Jong, Jelle
Fluoride emission of ceramic products.—74-06851A
Reynier, J.
From rapid drying by selective infrared radiation of vessel to that of tubes made from technical ceramics.—74-07323A
Reynolds, R. C. See Hughes, R. E.
Reynolds, R. C.
Three-dimensional X-ray powder diffraction from disordered illite—simulation and interpretation of the diffraction patterns.—74-05839A
Reyre, P.; Zender, H.
Dosing probe of O_2 in situ for better utilization of combustibles.—74-09453A
Reznikov, B. I.; Tsarenko, G. V.
Light-controlled electric fields in a high-resistance MSM structure with deep impurity levels: I, Low intensities.—74-03086A; II, High intensities.—74-06176A
Rezvanov, R. R. See Vardanyan, E. R.; Vavilov, V. S.
Rhee, K. W. See Ghanbari, R. A.
Rhee, Shi-Woo See Chang, An-Jae; Choi, Yoon
Rhee, Won H. See Yoon, Jung S.
Rhine, Wendell E. See Hirakata, Keigo; Lightfoot, A.
Rhoa, Mark A. See Deren, Gary
Rhodes, James F. See Rogers, William M.
Rhodes, Warren W. See Fleming, Debra A.
Rhorer, R. L. See Lucca, D. A.
Rhyne, J. J. See Malik, Tata I.
Ribbe, Paul H. See Gunter, Mickey E.
Ribeiro, R. M.; Gomes, M. J. M.; De Matos Gomes, E.
Effects of deposition parameters on the structure, morphology, and chemical composition of PLZT thin films.—74-10307A
Ribot, Francois O.; Banse, F.; Sanchez, C.
Sol-gel synthesis of hybrid organic-inorganic tin-oxide-based materials.—74-10643A
Ricci, M. See Ealet, B.
Ricco, F. See Gennari, S.
Rice, Gary W. See Yavuz, Bulent O.
Rice, J. R. See Beltz, G. E.
Rice, Roy W. See Cameron, Craig P.
Rice, Roy W.
Carbon-carbon composite IC engine valve feasibility investigation—a summary.—74-09851A; Effective elastic moduli of porous ceramic materials—[comment].—74-07868A
Rice, S. B.; Treacy, M. M. J.; Newsam, J. M.
Shear faults in lovelock ferrierite—an X-ray and electron diffraction analysis.—74-10744A
Rice, T. M. See Sigrist, Manfred
Rice-Evans, P. C. See Saleh, A. S.; Smith, C. D.
Richard, Nathalie See Lequeux, Nicolas
Richard, O. See Poirier, L.
Richards, E. A. See Smith, R. G.
Richards, Ray S.
High shear mixer and glass melting method.—74-03940P
Richardson, Kerry K. See Freitag, Douglas W.
Richardson, Kerry K.; Freitag, Douglas W.; Hunn, David L.
Barium aluminosilicate reinforced in situ with silicon nitride.—74-08405A
Richmond, G. L. See Fischer, P. R.
Richmond-Hope, J. A. See Fagan, J. G.
Richter, E. See Gunzel, R.
Richter, F. See Elstner, F.; Jungnickel, G.; Kuhn, M.
Richter, H. J. See Schober, R.
Richter, M.; Striegel, H.; Knopf, U.
Manufacture of fluidized bed granulates from a dry mixed porcelain body.—74-00435A
Richter, W. See Krost, A.; Reinhardt, F.

Rickey, A. C. See Dibben, David C.
Ricote, J.; Alemany, C.; Pardo, L.
Influence of microstructure on piezoelectric behavior of calcium-modified lead titanate ceramics.—74-03314A
Ridi, N. See Fontana, F.
Ridings, Wendell; Schultz, Robert
Plastic refractory gunning technique for rotary animal feed dryer sharply reduces downtime increasing productivity.—74-01172A
Ridley, N. See Wang, Z. C.
Rieb, W. See Lehmann, J.
Riedel, G.; Kruner, H.
Si_3N_4 material with high strength (1400 MPa).—74-07915A
Riedel, H. See Svoboda, J.
Riedel, Ralf See Greiner, Axel
Riedhammer, M.
Laboratory automation [in the cement industry].—74-06710A
Rieger, Konrad C.
Pyrophyllite.—74-06921A; Wollastonite.—74-06941A
Riehemann, W. See Lee, H.-Y.
Rieke, P. C. See Baer, D. R.
Riekert, Jan See Van Doornum, Anton
Ries, Hans B.
Preparation of ceramic bodies and the applicable grinding systems and processes.—74-00974A
Ries, Stuart W. See Saad, Elie E.
Riesemeier, H.; Gartner, S.; Luders, K.
Susceptibility and NQR investigations on $NaCuO_2$.—74-09347A
Riess, Ilan See Cohen, Yoel
Rifflet, J. C. See Allancon, C.
Riffi, H. See Li, Z. Z.
Rigato, V. See Della Mea, G.; Terranova, M. L.
Rigato, V.; Della Mea, G.; Pantano, Carlo G.
Hydrogen profiles in the surface of reduced lead silicate glasses.—74-05682A
Rigaud, Michel See Li, Xiang-Min
Rigby, Roy
Ceramic membrane.—74-06957A
Righetti, F.; Liebling, T. M.; Le Caer, G.; Mocellin, A.
Microstructure quantification of a superplastic alumina.—74-07694A
Rigney, E. D. See Eberhardt, A. W.
Rigsbee, J. M. See Carson, R. T.
Rijpers, J. C. N. See Chang, C. V. J. M.
Rilex, Paul See Steuch, E. Hans
Riley, David R. See Haupt, Steven G.
Riley, F. L. See Martinez, M.; Miranda-Martinez, M.
Riley, Scott J. See Balkus, Kenneth J.; Sottile, Laura J.
Riman, Richard E. See Lencka, Malgorzata M.; Yu, Sung-Hun
Rincon, A. See Cuetos, J. M.
Rincon, J. M. See Pelino, M.; Zayas, Ma. E.
Ring, Ken M. See Talin, A. Alec
Ring, Terry A. See Bohner, Marc
Ringle, M. D. See Fan, Y.
Rintoul, D. A. See Wang, J. Y.
Ripa, Donald P. See Claar, Terry D.
Ripamonti, G. See Frangi, F.
Risbud, S. H. See Hensley, J. E. Jr.
Rischer, Rodica See Ruginets, Roman
Riseborough, Peter S.; Hanggi, Peter
Electronic structure of La_2CuO_4.—74-00806A
Risen, W. M., Jr. See Oh, Kyung-Hwan
Rishton, S. A.; Lee, Y. H.; Kern, D. P.
Integrated approach to quantum dot fabrication.—74-00940A
Rishton, S. A.; Mii, Y. J.; Polcari, M.
High-performance sub-0.1 μm silicon *n*-metal-oxide-semiconductor transistors with composite metal/polysilicon gates.—74-00495A
Rishub, Subhash; Underwood, Brian
Synthesis and optical properties of GaAs nanoclusters sequestered in amorphous matrices.—74-04935A
Risold, Daniel; Hallstedt, Bengt; Gauckler, Ludwig J.
Thermodynamic assessment of the Ca-Cu-O system.—74-10044A
Risse, G.; Schlafer, U.; Wendrock, H.
Dendritic growth of $YBa_2Cu_3O_x$.—74-09249A
Risso, L.; Stedman, S. J.
Preparation of SiC-ZrC composites by liquid-phase sintering.—74-07436A
Risso, Luca See Fortunati, Stefano
Ristau, D. See Scheibe, H.-J.
Ristein, J. See Graupner, R.; Schafer, J.
Ristic, M.; Popovic, S.; Music, S.
Structural properties of the system Al_2O_3-Cr_2O_3.—74-01466A
Ristolainen, E. See Fischer, V.
Ritala, Mikko; Leskela, Markku; Niinisto, L.; Prohaska, Thomas; Friedbacher, Gernot; Grasserbauer, M.
Development of crystallinity and morphology in hafnium dioxide thin films grown by atomic layer epitaxy.—74-07629A; Surface roughness reduction in atomic layer epitaxy growth of titanium dioxide thin films.—74-07503A
Ritchey, Steven M.
Thermal shock characteristics of porcelain enameled grates.—74-00157A
Ritchie, D. A. See Brown, K. M.; Burroughs, J. H.; Grimshaw, M. P.; Jones, G. A. C.; Simmons, M. Y.; Smith, C. B.
Ritchie, Robert O. See Dauskardt, Reinhold H.; Gilbert, Christopher J.; Hoffman, M. J.; Mitchell, Tyrone D., Jr.; Venkateswara, Rao K. T.
Rittenhouse, G. E.; Early, K.; Meyerson, B. S.; Smith, H. I.; Graybeal, J. M.
Novel vertical silicon membrane structure and its application to Josephson devices.—74-06228A
Rittenmyer, Kurt M. See Ting, Robert Y.
Ritter, D. See Hamm, R. A.
Ritter, F. See Zhang, H.
Ritter, John E. See Murphy, Dawn; Webb, James E.; Widjaja, Sujanto
Rittler, Hermann L.
Soluble, cellulated mold and foamable mixture.—74-01273P
Ritus, A. I.
Brillouin scattering study of transverse elastic constant anomaly of $TlInS_2$ during phase transition.—74-04257A
Ritzmann, H.
New developments by Krupp Polysius for the cement industry.—74-05558A
Riu, Doh-Hyung See Kim, Hyoun-Ee
Rivas, Patricia C.; Martinez, J. A.; Caracoche, M. C.; Lopez Garcia, Alberto R.; Klein, Lisa C.; Pavlik, Robert S., Jr.
Perturbed-angular-correlation study of zirconias produced by the sol-gel method.—74-04174A
Rivera, E. See Zayas, Ma. E.
Riviere, J. P.; Zaytouni, M.; Naudon, A.
SiC coatings prepared by dynamic ion mixing.—74-01880A
Rizikov, I. V. See Svechnikov, G. S.
Ro, Jeong-Rae See Park, Seong-Ju
Roach, Philip J. See Wang, James C.
Roach, Raymond P. See Weimer, Alan W.
Roan, E. J. See Tong, M.
Robb, Francine Y. See Lesk, Israel A.
Robbins, D. J. See Cullis, A. G.
Robbins, M. O.; Thompson, P. A.; Grest, G. S.
Simulations of nanometer-thick lubricating films.—74-01456A
Robe, J. P. See Tracz, A.
Robert, J. L. See Ravanomanjato, S.
Roberts, Gerald L.; Kauzlarich, Susan M.
Electrochemical synthesis and characterization of $NaCuO_2$.—74-08748A
Roberts, Gordon J. See Shaikh, Aziz S.
Roberts, Steve See Kim, Hyung-Sun
Roberts, Thomas R.
Process for making a chemically-resistant porcelain enamel.—74-08317P
Robertson, A. See Jordan, A. S.
Robertson, Dan See Germain, Allen
Robertson, Dan; Germain, Allen
New gas-fired radiant tube furnace highly efficient in hot water enameling process.—74-01166A
Robertson, I. M. See Cockerill, T. M.
Robertson, James H., Jr. See Dugan, Tracy P.
Robertson, John
Deposition mechanism for promoting sp^3 bonding in diamondlike carbon.—74-10259A; Deposition mechanism of diamondlike a-C and a-C:H.—74-04539A
Robertson, N. L. See Webb, P. R.
Robertson, Robert See Law, Kam S.
Robertson, S. See Gaudette, F.
Robin-Brosse, Christian See Balhadere, Aline
Robins, L. H. See Jin, Shu
Robins, Lawrence H.; Kaiser, Debra L.; Rotter, Lawrence D.
Raman spectroscopy of barium titanate thin films.—74-10871A
Robinson, A. W. See D'Addato, S.
Robinson, G. Y. See Mahalingam, K.; Woods, L. M.
Robinson, George
All in the environment: the lead ban and other acts of Congress.—74-05401A
Robinson, Gilbert C.; Butler, David; Smalley, Allen
Predicting brick frost resistance: I.—74-05824A; II.—74-08570A
Robinson, Gilbert C.; Frederic, James C.
Kiln scheduling for reduction colors.—74-08559A
Robinson, J. J.
Introducing TMS online: an interactive electronic gateway to information dissemination.—74-02246A
Robinson, McDonald See Olson, William L.
Robinson, Sara M.
Wollastonite—its world presence, effectiveness, and future.—74-10180A
Robinson, Steven L. See Moody, Neville R.
Robson, Neal S.
Cement quality control with a new XRF spectrometer.—74-03784A
Robyns, G.
Environment: EC aspects and controls.—74-02620A
Roca, E.; Vanhellemont, J.; Schreutelkamp, R. J.; Vermeiren, J.
Nondestructive thickness determination of thin cobalt and cobalt disilicide layers on silicon substrates.—74-03717A
Rocca, Francesco See Cervinka, Ladislav
Rocca, J. J. See Prasad, M.
Roche, G.; Labregere, G.; Dauger, A.
Spherical powders of precious metals for electrodes in multilayer capacitors.—74-05957A
Rocher, Andre; Oustry, Andre; David, Marie Josee; Caumont, Michel
$CrSi_2$/Si(111)—growth of monotype domains by solid phase epitaxy on a vicinal surface.—74-07623A
Rocher, V.; Chovelon, J. M.; Jaffrezic-Renault, N.
Oxynitride ISFET modified for working in a differential mode for pH detection.—74-06802A
Rockett, A. See Yang, L.-Chung
Rockett, A.; Abou-Elfotouh, F.; Ermer, J.
Structure and chemistry of $CuInSe_2$ for solar cell technology: current understanding and recommendations.—74-02049A
Rockstroth, M. See Bobeth, M.
Rockwell, David A. See Sumida, David S.
Rode, O. V. See Todua, P. A.
Rodel, Jurgen See Claussen, N.; Garcia, Daniel E.; Kaplan, Wayne D.; Meschke, Frank
Rodel, Jurgen
Measurement of the crack tip fracture toughness.—74-02167A
Roden, James S.
Preservation and transfer of knowledge and technology.—74-02260A
Roden, John S. See Hopstock, David M.
Rodhammer, P. See Steinmuller-Nethl, D.
Rodina, A. V. See Merkurov, I. A.
Rodrigo, J. L.; Sanmiguel, E.; Gozalbo, A.
Variables influencing glass in glazes obtained from frit and tungstic oxide mixes.—74-08715A
Rodriguez, A. D. See Cachadina, I.
Rodriguez, Damian E.
Fine-grind cullet technology: I, Application of differential grinding for fine cullet production and contaminant removal.—74-08422A
Rodriguez, Joan See Stewart, Ogie
Rodriguez, Jose A.; Hrbek, Jan
Chemical properties of Zn on Ru(001): coadsorption with Cs, O, Cu, and Au.—74-04103A; Decomposition of NO_2 on metal surfaces: oxidation of Ag, Zn, and Cu films.—74-04534A
Rodriguez, M. A.; Rubio, F.; Liso, M. J.
DSC and FTIR study of the interaction of γ-MPS with slates.—74-07264A
Rodriguez, R. I. See Sepulveda, A.
Rodriguez, R. See Arroyo, R.
Rodriguez, R.; Flores, M.; Gomez, J.; Castano, V. M.
Master behavior for gelation in fluoride-catalyzed gels.—74-07375A
Rodriguez, R.; Uribe, R.; Pacheco, G.
Characterization of different Mexican natural pozzolanas.—74-07043A
Rodriguez, T. See Lopez-Rubio, J. A.
Rodriguez-Clemente, R. See Garelik, S.
Rodriguez-Viejo, J.; Sibieude, F.; Clavaguera-Mora, M. T.
Study of the oxidation of CVD β-SiC—influence of crystallization.—74-07827A
Rodtsevich, S. P. See Mamedova, G. G.
Roedel, R. J.; Davito, D.; West, W.
Ohmic contacts to *p*- and *n*-type GaAs made with Al-Sn-Ni.—74-00673A
Roeder, Erwin See Rammo, Manfred
Roeder, Ryan K.; Steinlage, Greg A.; Trumble, Kevin P.; Bowman, Keith J.
Preventing segregation during centrifugal consolidation of particulate suspensions: particle drafting.—74-10578A
Roehrs, Manfred
Vitrification of secondary raw materials into ceramic building products.—74-03953A
Roettger, G. E. See Fain, D. E.
Rofan, Reza; Bower, Robert; Kelly, Peter; Getty, J.
Photoelectric measurement and study of diamondlike carbon thin films.—74-07183A
Rog, G. See Bucko, M. M.
Rogachev, A. S. See Lyashenko, L. P.
Rogachev, A. Yu. See Danishevskii, A. M.
Rogachev, N. A.; Kuznetsov, A. N.; Trapeznikova, I. N.
Amorphous hydrogenated SiC produced by magnetron sputtering.—74-08822A
Rogacki, G. See Mitura, E.
Roge, T. P.; Thibaudau, F.; Maathiez, P.; Dumas, P.; Salvan, F.
Early stages of Cu growth on boron-segregated Si-(111) surfaces: a scanning tunneling microscopy study.—74-07633A
Rogelet, Thierry See Oral, Baybars
Roger, C.; Corbitt, T.; Xu, C.; Zeng, D.; Powell, Q.; Chandler, C. D.
Principles of molecular precursor selection for aerosol synthesis of materials.—74-07443A
Roger, C.; Hampden-Smith, Mark J.
Building porosity in metal oxide ceramics.—74-02601A
Roger, J. A. See Chatelon, J. P.
Rogers, B. R.; Cale, Timothy S.
Spatial composition variation in sputtered Ti-W films.—74-01575A
Rogers, Bill
Feldspar: What is it. Where does it come from. What do I need to know about using it.—74-09744A
Rogers, Charles T., Jr. See Inam, Arun
Rogers, D. See Mak, A.
Rogers, Jim L.; Varhue, Walter J.; Adams, Edward; Lavoie, Mark A.; Frenette, Robert O.
Growth of Er-doped Si films by electron cyclotron resonance plasma-enhanced chemical vapor deposition.—74-07332A
Rogers, K. D. See Horsfall, I.
Rogers, P. S. See Von Schweitzer, C. B.
Rogers, T. J. See Martin, P. A.
Rogers, William M.; Rhodes, James F.
Pressureless sintering of whisker reinforced composites.—74-09834P
Rogozinskaya, A. A. See Izhevskii, V. A.; Vlasova, M. V.
Rohac, Jan See Stubna, Igor
Rohatgi, A. See Chou, H. C.
Rohde, M.
Photoacoustic characterization of thermal transport properties in thin films and microstructures.—74-01558A
Roherty-Osmun, E. See Fleming, J. G.
Rohl-Kuhn, Barbara See Linke, Dietmar
Rohman, S. J. See Clark, T. J.
Rohrbach, G. See Krause, Christina
Rohrbach, Ronald P.; Schollmeyer, Julie R.; Fanelli, Anthony J.
Modified agar and process for preparing modified agar for use ceramic composition to add green strength and/or improve other properties of a preform.—74-09533P
Rohrer, G. S. See Bonnell, Dawn A.
Rohtagi, P. K. See Asthana, R.
Rohwer, K. See Thiele, J.-U.
Roizin, Yakov O.; Korlyakov, Andrey B.; Gevelyuk, Sergey A.
Silica porous glasses with silicon impregnation.—74-08456A
Rojas, S.; Borghesi, A.; Sassella, A.
Characterization of silicon dioxide and phosphosilicate glass deposited films.—74-00244A
Rojas, Y. See Girata, D.

Rokhlin, Stanislav I. See Chu, Y.-C.

Rokhvarger, A. E.
Use of combustion and incineration wastes for structural clay products.—74-08602A

Rolf, L.
Effect of mechanical vibration on particle populations.—74-06763A; Motional and stressing phenomena in ball mills.—74-06711A

Rolfe, Stephen J. See Hulse, John E.

Romagnoli, M. See Fontana, F.

Romagnoli, Marcello See Manfredini, Tiziano

Romagnoli, Marcello; Pastor, Adrian Segura
Bodies, glazes, and frits for single-fired tiles.—74-08662A

Romaine, S. E. See Olver, M. M.

Romand, M. See Deshayes, L.

Romani, Simon See Chalker, P. R.; Chua, Lye-Hing

Romanko, L. A.; Gontar, A. G.
Synthetic diamond-based detector of ionized radiation.—74-04950A

Romanov, Nikolai G. See Baranof, Pavel G.

Romanowski, Gerd See Lauter, Josef

Romanyuk, B. N. See Klyui, N. I.

Romanyuk, V. F. See Bobkov, V. B.

Romashin, A. See Vikulin, V. V.

Romeo, M. See Ababou, A.

Romeo, M.; Bal, K.; Fallah, J. E.
XPS study of the reaction of cerium dioxide.—74-04240A

Romero, M.; Feliu, V.; Jurado, J. R.
Transfer function analysis to FIT impedance spectra: application to zirconia solid electrolytes.—74-02865A

Romero-Paredes, G. See Ruiz, F.

Rommeluere, J. F. See Tonneau, D.

Roncari, E.; Galassi, C.; Piancastelli, A.
Characterization of dispersing behavior of anatase (TiO_2) aqueous suspensions.—74-04502A

Ronchetti, R.
Energy saving through fast firing and the use of special super alloy material.—74-02718A

Rondot, B. See Simoes, A. M. P.

Ronfard-Haret, J. C. See Bachir, S.

Ronkainen, H.; Koskinen, J.; Likonen, J.; Varjus, S.; Vihersalo, J.
Characterization of wear surfaces in dry sliding of steel and alumina on hydrogenated and hydrogen-free carbon films.—74-05615A

Ronsheim, P. A.; Tejwani, M.
Effect of matrix stopping power on sputter depth profile broadening.—74-01983A

Rontgen, P. See Hamisch, Y.

Rooks, M. J. See Koester, S. J.

Roopchand, Brijmohan J.; Yun, David I.; Marinaro, Douglas E.; Hyland, Mary E.
Coated ceramic bodies in composite armor.—74-02412P

Roos, J. R. See Campbell, P. Q.; DeBruyn, K.; Franck, M.; Oberlander, B. C.

Roosen, Andreas See Guether, Hans-Michael

Roosen, G. See Delaye, P.

Ropcke, J. See Ohl, A.

Roper, Harold See Baweja, Daksh

Ropke, K. See Holtje, W.

Roque-Malherbe, R.; Lopez-Cordero, R.; Gonzales-Morales, J. A.; Onate-Martinez, J.; Carreras-Gracial, M.
Comparative study of MeAPO molecular sieves with AFI structure type.—74-01502A

Roques-Carmes, C. See Takadoum, J.

Roquette-Sanchez, S. See Massaccesi, S.

Rosa, L. Guerra See Fernandes, J. J.

Rosamond, M. F. See Van Hove, J. M.

Rosario, G. D. See Yan, Q.

Rosati, G. P. See Basco, Cresentino; Gambarova, Pietro Ricercatore; Iori, Ivo

Roscher, H. H. See Schmidt, J.

Rose, D. See Par Kupper, D.

Rose, D.; Par Kupper, D.
Adsorption and catalytic flue gas cleaning of exhaust gases from cement kilns: II, Pilot trials in two clinker burning systems.—74-01135A

Rose, J. See Tsai, J. Y.

Rose, Joseph L.; Popovics, John S.; Pilarski, Aleksander
Effects of the viscoelastic nature of concretes on ultrasonic nondestructive evaluation.—74-09565A

Rose, M. F. See Ramesham, R.

Rose, Paul L. See Nigrin, Jaroslava M.

Rose, Volker See Konig, Theo

Rosemann, H. See Sauberli, R.

Rosen, A. See Taylor, Jenifer A. T.

Rosen, M. See Lindgren, Eric A.

Rosen, R. S.; Kassner, M. E.; Cheng, Y.
Kinetics of interlayer growth and changes in residual elastic strain during annealing of Mo/Si multilayers.—74-02006A

Rosenberg, R. A. See Nelson, Art J.

Rosenblatt, Gregg H. See Pinto, Joseph F.; Seltzer, Michael D.

Rosenblatt, J. See Lebeau, C.

Rosenblum, Stephen S. See Li, Jin-Shan

Rosenfeld, D.; Buffat, P. A.; Demarne, V.
Structural and morphological characterization of Nb_2O_5 thin films deposited by reactive sputtering.—74-02047A

Rosenfelder, O. See Thiemeier, T.

Rosenfield, M. G.; Thomson, M. G. R.; Hohn, F. J.
Electron beam lithography for advanced device prototyping: process tool metrology.—74-00921A

Roser, M. See Hewett, C. A.

Roshchina, Yu. V.
Preparation of samples of macroporous glasses more than 2 mm thick from microporous sheets.—74-02651A; Production of samples of macroporous glasses from microporous sheets of thicknesses greater than 2 mm.—74-00314A

Roshiko, A. See Graettinger, Thomas M.

Rosholm, Peter See Helm, Alexander

Rosinski, Edward J.; Rubin, Mae K.
Zeolite ZSM-45.—74-01277P

Roskos, Hartmut G. See Jackel, Christian

Roskova, G. P. See Kostok, G. K.; Kostuk, G. K.

Rosler, M. See Kading, O. W.; Podolesheva, I.

Ross, C. Philip
Emission issues relative to the development of environmental compliance regulations for glass furnaces.—74-11158A

Ross, Erin See Ko, Frank K.

Ross, H. John
Kiln maintenance: unnecessary expense or profit generator.—74-03914A

Ross, K. A.; Westphal, M. J.
Water vapor adsorption of $YBa_2Cu_3O_{7-\delta}$ powder at 298 K.—74-03617A

Rossberg, Andreas; Otto, K.; Matthe, P.
Analytical model for determining free carbon in fine SiC powders in the presence of free silicon.—74-01037A

Rossen, E. See Reimers, J. N.

Rosser, K. N. See Cock, Alex M.; May, P. W.; Rego, C. A.

Rossi, Francois See Andre, Bernard

Rossi, M. See Terranova, M. L.

Rossi, P. See Bethke, U.

Rossignol, V. See Bensaoula, A.; Vilela, M. F.

Rossing, B. See Kordon, A.

Rossman, George R. See Baker, Shenda M.

Rossnagel, S. M.; Hopwood, J.
Metal ion deposition from ionized magnetron sputtering discharge.—74-01794A

Rosvold, G. O. See Justnes, H.

Rotaru, Petre See Blejoiuiu, Serban Ion

Roth, Don J. See Baaklini, George Y.; Generazio, Edward R.

Roth, Hans
Combined heating and power systems in brickworks.—74-09646A

Roth, J. Reece See Smith, Preston P.

Roth, S. See Graupner, W.; Stenzel, O.; Stiegler, J.

Rothberg, G. M. See Tanaka, M.

Rothe, Erhard W. See Dshmukh, Subhash

Rothe, J. See Schmitt, W.

Rothemund, W. See Dischler, B.

Rother, B.; Dietrich, D. A.
Evaluation of coating-substrate interface strength by differential load feed analysis of load-indentation measurements.—74-06768A

Rothman, Curtis See Cass, Richard B.

Rothman, J. Bruce See Liang, Yong

Rothman, Jerry
Zero shrinkage clay and other sculpture bodies.—74-00031A

Rott, Jiri
Hazardous waste disposal/waste derived fuels utilization in Eastern Europe.—74-03669A

Rotter, Lawrence D. See Robins, Lawrence H.

Rotter, S. See Lifshitz, Y.

Rottschalk, M.; Bachmann, T.; Steinberg, S.
Annealed proton-implanted channel waveguides on $LiNbO_3$ and their photorefractive properties.—74-03284A

Rotzsch, C.
Use of moisture control devices during preparation and forming.—74-00444A

Roubeau, Pierre See Dutta, Joydeep

Rouchaud, J. C. See Gaffet, E.

Roucur, Jean See Nicoletti, Fabiano

Rougier, A. See Menetrier, M.

Rouillon, M. H.; Drissi-Habti, M.; Despierres, T.
Frontal process zone effect of the *R*-curve behavior of a 2-D SiC/C/SiC composite material.—74-07884A

Rousina, R. See Dzioba, Steven

Rousseau, C. Q.; Davidson, David L.; Campbell, J. B.
Micromechanism of ambient temperature cyclic fatigue loading in a composite of CAS glass-ceramics reinforced with Nicalon fibers.—74-02563A

Rousseau, Gerard
Process for the production of a composite material protected against oxidation and material obtained by this process.—74-04085P

Roussel, E. See Montavon, G.

Rousselli, D.; Autissier, D.; Guillou, B.
Microwave sintering of barium hexaferrite.—74-09210A

Rousset, Abel; DeVaux, Xavier
Composite alumina/metal powders, cermets made from said powders, and processes of production.—74-00166P

Rousset, Abel; Lagrange, A.; Brieu, M.; Couderc, J. J.; Legros, R.
Influence of the microstructure on elevated stability of NTC [negative temp. coeff.] thermistors.—74-08939A

Rousset, J.-L. See Cadete Santos Aires, F. J.

Routbort, J. L. See Fang, Y.; Manghnani, M. H.

Route, R. K. See Huang, Chao-En; Lu, Z.

Routschka, Gerald
Microwave and high-frequency drying and tempering of precast refractory components.—74-00391A

Rouxel, Tanguy; Wakai, Fumihiro; Sakaguchi, Shuji
R-curve behavior and stable crack growth at elevated temperature (1500–1650°C) in an Si_3N_4/SiC nanocomposite.—74-05385A

Rouxel, Tanguy; Wakai, Fumihiro
Brittle to ductile transition in an Si_3N_4/SiC composite with a glassy grain-boundary phase.—74-02102A

Rouxel, Tanguy
Industrial ceramics in Japan.—74-02243A

Rouzies, Dominique; Varloud, Jean; Millet, Jean-Marc M. W.
Thermal behavior and physicochemical characterization of synthetic and natural iron hydroxyphosphates.—74-10168A

Rovatti, Imer
Automatic storage and handling of tableware.—74-08660A

Row, Gordon See Hildebrand, Hillary

Rowcliffe, David J. See Salomonson, Jonas; Yttergren, R.-M. F.; Zeng, K.

Rowen, Terry E. See Wiltshire, Alan D.

Rowland, Barry; Ganatra, C. P.; Don, Siegfried
Pollution control idea whose time has come.—74-02346A

Rowse, Robert A.; Trischuk, Ronald W.
Modified sol-gel alumina abrasive filaments.—74-02292P

Roxan, P.
Pozzolanicity of a lead slag.—74-08086A

Roy, A. P. See Deb, S. K.

Roy, A.; Byerly, G.; Seals, R.
Byproduct of sulfur recovery from phosphogypsum as concrete aggregate.—74-05468A

Roy, Della M. See Fang, Yi; Lee, Joon-H.

Roy, G.
Recent advances in the CVD of metal nitrides and oxides.—74-07460A

Roy, Nripen See Chang, Yi-Shung

Roy, P. K.; Weinhoffer, M.; Dyas, R. L.
Impact of various in situ preoxidation process perturbations on gate oxide quality.—74-10917A

Roy, R. A. See Pignolet, A.

Roy, Rustum See Fang, Yi; Guo, Ru-Yan; Kornarneni, Sridhar; Liu, Chun-Ling; Rutiser, C.; Srikanth, Varanasi

Roy, Rustum; Guo, Ru-Yan; Bhalla, A. S.; Cross, L. Eric
Oriented film growth, not epitaxy, in HTSC film growth.—74-00828A

Roy, S. K.; Biswas, A.; Banerjee, S.
Self-propagating high-temperature synthesis of titanium borides.—74-10622A

Roy, S. N. See Bhattacharaya, D.

Roy, S.; Ganguli, D.
Wavelength-selective transmission in transition-metal-containing silica gel monoliths.—74-01602A

Roy, Salil K.; Chye, Liam Kok; Northwood, Derek O.
Chloride ingress in concrete as measured by field exposure tests in the atmospheric, tidal, and submerged zones of a tropical marine environment.—74-02065A

Roy, Sujit Kumar See Ramanathan, Srinivasan

Rozak, Susan Vitch See Sumer, Guner

Rozhkov, S. S.
Unsteady nonuniform states of nonequilibrium electrons and magnons in ferromagnetic semiconductors.—74-03259A

Rozin, L. G. See Grekov, A. A.

Rozman, Marko; Drofenik, M.; Kolar, D.
Synthesis of doped MnZn ferrites by chemical methods.—74-04941A

Rozman, Marko; Drofenik, M.
Hydrothermal synthesis of manganese zinc ferrites.—74-09201A

Roznina, M. I. See Pestryakov, A. N.

Ruan, Ke-Qing See Zhang, Yong-Jian

Ruan, Yao-Zhong See Yao, Lian-Zeng

Rubarth, B. See Thiele, J.-U.

Rubel, Aurora M. See Sethuraman, A. R.

Rubets, V. P. See Belyaev, A. P.

Rubiano, Rodrigo R. See Healy, Matthew D.

Rubin, M. See Wruck, D. A.

Rubin, Mae K. See Rosinski, Edward J.

Rubin, P. L.
Dynamics of thermal fluctuations in cooling high-viscosity liquids below vitrification temperature.—74-03799A

Rubinov, V. M. See Aronov, D. A.

Rubinsky, J. See Jones, Mark L.

Rubio, F. See Rodriguez, M. A.

Rubio, F.; Rubio, R.; Oteo, J. L.
FTIR spectra of a heat-treated SiO_2-ZrO_2 glass.—74-05763A

Rubio, J. See Alloza, A. M.; Fernandez, A.; Limpo, J.

Rubio, R. See Rubio, F.

Rubshtein, A. P.; Trakhtenberg, I. Sh.; Vykhodets, V. B.
Electron microscopy study of irradiation and thermal effects on C:H films.—74-05134A

Ruby, Richard C. See Anderson, John T.

Ruch, H.
Lime burning process—between ecology and economy.—74-06861A

Ruchaud, N.; Grannec, J.; Tressaud, A.
X-ray powder structure determination and magnetic behavior of $CsNiPdF_5$.—74-02060A

Ruchti, Randal C. See Weber, Marvin J.

Ruckenstein, Andrei See Sire, Clement

Ruckenstein, Eli See Rajalah, Jayanth

Rucker, H.; Methfessel, M.; Bugiel, E.
Strain-stabilized highly concentrated pseudomorphic $Si_{1-x}C_x$ layers in Si.—74-03229A

Ruckman, M. W. See Moore, J. F.

Rud, V. Yu. See Bodnar, I. V.; Rud, Yu. V.; Zhilyaev, Yu. V.

Rud, V. Yu.; Rud, Yu. V.; Serginov, M.
Fine structure in the photosensitivity spectra of *n*-*p*-$CdSiAs_2$.—74-08913A

Rud, Yu. V. See Bodnar, I. V.; Rud, V. Yu.

Rud, Yu. V.; Rud, V. Yu.
Photovoltaic effect in In/*p*-AgGaAs structures.—74-09001A

Rud, Yu. V.
Optoelectronic phenomena in $ZnGeP_2$ (review).—74-08991A

Rudeloff, R. See Bergmann, R.

Ruden, P. P. See Hibbs-Brenner, M. K.

Rudenko, T. S. See Skomorovskaya, L. A.

Rudham, Robert; Winstanley, Alistair W.
Effect of dry-air calcination on the physicochemical properties of HZSM-5 zeolite.—74-10281A

Rudiger, I. See Ludwig, Udo

Rudnayova, E. See Hvizdos, P.; Slesar, M.

Rudolf, Gunther
History of sanitary sewer systems in Berlin [Germany].—74-02240A

Rudolph, Stephan
Boron nitride.—74-06888A; Composition and application of boron nitride based coatings.—74-01287A; Composition and applications of coatings based on boron nitride.—74-01288A

Rudolph, W. See Schulle, Wolfgang

Rudoy, A. P. See Karp, I. N.

Rudra, A. M. See Bhar, G. C.

Rudzinski, Lech See Grochal, Wlodzimierz

Rudzinski, Lech; Golaski, Leszek; Turlej, Bohuslaw
Synthetic fiber-reinforced cement composites: a study of fracture process by acoustic emission method.—74-01113A

Rudzinski, Lech; Turlej, Bohusław; Grochal, Włodzimierz
Properties and application of polypropylene fiber-reinforced cement composites.—74-08093A
Rueda, F. See Leon, M.
Ruetschi, M. See Meyer, E.
Rugg, K. L.; Giannuzzi, L. A.; Tressler, R. E.
Time-dependent high-temperature mechanical behavior of polycrystalline α-SiC fibers.—74-11117A
Ruginets, Roman; Rischer, Rodica
Microwave sintering of boron carbide composites.—74-07383A
Ruh, E. See De Baranda, Pedro
Ruh, Robert See Lin, Chien-Cheng; Pompe, W.
Ruhle, Manfred See Kaplan, Wayne D.; Korn, D.; Mayer, J.; Trampert, A.; Wagner, T.
Rui, Y. See Shao, Hui-Min
Ruijgrok, Jaap
Flat storage versus silo storage for FGD gypsum.—74-00929A
Ruiz, F. See Zuniga-Segundo, A.
Ruiz, F.; Vazquez-Lopez, C.; Gonzalez-Hernadez, J.; Allred, David D.; Romero-Paredes, G.; Pena-Sierra, R.
Mesostructure of photoluminescent porous silicon.—74-05185A
Ruiz, M. T. See De la Fuente, G.; Larrea, A.
Ruiz, R. P. See Kolawa, E.; Reid, J. S.
Ruiz, Roberto See Drogue, Sophie
Ruiz, Roberto; Wayman, Steve; Jurcik, Benjamin; Philippe, Louis; Iatrides, Jean-Yves
Oxy-fuel furnace design considerations.—74-09700A
Ruiz-Conde, A. See Sanchez-Soto, P. J.
Ruiz-Prieto, J. M. See Torralba, J. M.
Rulison, Aaron J.; Flagan, Richard C.
Synthesis of yttria powders by electrospray pyrolysis.—74-04949A
Ruller, J. A.; Shaw, C. M.; Shelby, J. E.
Properties and morphology of sodium lead germanate glasses.—74-05737A
Ruller, J. A.; Shelby, J. E.
Properties of heavy metal oxide glasses.—74-05739A
Rulmont, A. See Cloots, R.
Rumaner, L. E.; Tazawa, T.; Ohuchi, F. S.
Compositional change of (0001)WS_2 surfaces induced by ion beam bombardment with energies between 100 and 1500 eV.—74-04524A
Rumberg, J. See Reinhardt, F.
Rumyankov, B. M. See Saduakasov, M. S.
Rumyantsev, S. L. See Levinshtein, M. E.
Rundgren, Kent See Kahlman, Lars
Runge, E. See Kim, Don H.
Runov, B. K. See Losev, V. N.
Runov, V. K.; Strepetova, T. V.; Pukhoskaya, V. M.
Sorption of chloride complexes of platinum group metals and gold on silica-based anion exchangers.—74-01106A
Rupaal, A. S. See Youngblood, G. E.
Rupp, R. A. See Kahnmann, F.
Ruppert, Albert F. See Kelty, Stephen P.
Ruppik, M. See Hauck, D.
Rus, Ioan L. See Laraia, Vincent J.
Rusetskii, M. S. See Varichenko, V. S.
Rusli; Silva, S. R. P.; Amaratunga, G. A. J.
Optical properties of band-gap-modulated diamondlike carbon thin films.—74-04383A
Russ, E.; Badeche, T.; Estienne, J.
Reaction of Bi-based superconductors with various chemical reagents.—74-03563A
Russ, S. See Chawla, K. K.
Russel, Christian See Geyer, Volker; Zahneisen, Ralph
Russel, Christian; Zahneisen, Ralph
Electrochemically prepared precursors for the formation of nonoxides.—74-01702A
Russell, G. J. See Hartmann, A.
Russell, N. M. See Mahajan, A.
Russell, Philip E. See Kimball, John F.
Russell-Floyd, R. S.; Cooke, R. G.; Harris, B.
Low-cost ceramic matrix composites.—74-10111A
Russo, David A.; Dirkx, Ryan R.; Florczak, Glenn P.
Coating composition for glass.—74-08471P
Russu, E. V. See Kovalevskaya, G. G.
Rustamov, P. G. See Agaev, A. B.
Rustichelli, F. See Polato, P.
Rut'kov, E. V. See Gall, N. R.
Rutavichienas, L. See Lisiauskas, V.
Ruterana, P. See Andre, J. P.
Ruther, R.; Livingstone, J.
Hydrogenated amorphous silicon—hydrogen content, bonding configurations, and morphology in sputter-deposited, in-chamber annealed thin films.—74-06141A
Rutiser, C.; Komarneni, Sridhar; Roy, Rustum
Composite aerogels of silica and minerals of different morphologies.—74-07235A
Rutkin, O. G.; Syrnicov, P. P.
Magnetooptical polar Kerr effect [MOPKE] in orthorhombic $YBa_2Cu_3O_{6.5\pm0.1}$ crystals.—74-06578A
Rutkovskii, A. E.; Chekhovskii, A. A.; Furman, V. V.; Aleksenko, I. P.
Glass-ceramic composite materials with uniform continuous reinforcing fiber distribution and a unit for their production.—74-01745A
Rutter, Jeremy B.
Group of Late Helladic IIA pottery from Tsoungiza[, Greece].—74-00020A
Ruys, A. J. See Begg, Bruce D.
Ruys, A. J.; Mithrope, B. K.; Sorrell, Charles C.
Preparation of fiber-reinforced hydroxyapatite.—74-07431A
Ruzyllo, Jerzy See Gu, Tieer; Hwang, D. K.; Settlemeyer, Kenneth T.
Ryabchenko, S. M. See Bondar, A. V.
Ryabov, D. E. See Semenenko, V. N.
Ryabov, P. M. See Malov, V. V.
Ryabova, G. M. See Pashchenko, V. P.
Ryabova, L. I. See Akimov, B. A.
Ryabuschenko, O. P. See Zaitseva, G. N.
Ryan, N. See Thornton, J.
Ryasny, V. G. See Strakhov, Yu. M.
Rybakov, K. I.; Semenov, V. E.
Nonthermal vacancy-drift mechanism of plastic deformation of grains in ceramics during microwave sintering.—74-11064A
Rybaltovskii, A. O. See Amosov, A. V.
Rybarikova, Ludmila; Turnhofer, Jaroslav
Leaching of barium from barium glasses.—74-00200A
Rybarikova, Ludmila
Reduction of lead leaching from lead crystal glass.—74-05694A
Rybicki, E. F. See Greving, D. J.
Rybicki, George C.; Williams, Wendell S.
Deep level defects in proton-irradiated Zn-and Cd-doped InP.—74-10726A
Rylski, A. See Olborska, A.
Rymar, V. E. See Lichko, T.
Rymon-Lipinska, Eva See Kollenberg, Wolfgang
Ryshkov, S. V. See Eisele, I.
Ryu, C. K. See Kim, K.
Ryu, J. H. See Lim, S.
Ryu, J. H.; Lim, S.; Wager, J. F.
Alternating-current thin-film electroluminescent devices with multiple dielectric layers.—74-04474A
Ryzhkova, T. M. See Trushin, V. N.
Rzepka, M.; Werner, U.
Removal of hazardous acid gases by passage through slaked lime layers: I, Behavior of pure slaked lime layers during the passage of pollutant-free model gases.—74-05580A
Saad, Elie E.; Ries, Stuart W.
Rare earth-containing alkali silicate frits and their use for the preparation of porcelain enamel coatings with improved cleanability.—74-08320P
Saad, Mohammed See Poulain, Marcel
Saad, Mohammed; Poulain, Marcel
Sol-gel synthesis of fluorozirconate glasses.—74-05792A
Saad-Eldin, S. See Ibrahim, D. M.
Saadaldin, H. S.; Black, W. Murray; Ahmad, Iftikhar
Alternative cavity design for microwave joining of long ceramic tubes.—74-08128A
Saadoune, Ismael See Delmas, Claude
Saak, Aaron W. See Cofer, Cameron G.
Saavedra, M. J.; Parada, C.
Synthesis of $CaZrO_3$, perovskite-type, by sol-gel methods.—74-04938A
Sabiryanov, R. F.; Ivanovskii, A. L.; Shveikin, G. P.
Effect of impurity substitution on the electron energy spectra of cubic silicon carbide.—74-02975A
Sabirzyanova, L. D. See Kuleev, I. G.
Sablina, K. A. See Bayukov, O. A.
Sablina, T. Yu. See Savchenko, N. L.
Sabrah, B. A. See Amin, A. M.
Sabri, A.; Labatut, C.; Thenegal, D.
Zirconia coating by LPCVD from zirconium tetraacetylacetonate.—74-04985A
Sachan, V. See Tranquada, J. M.
Sachon, Maria See Jewell, John M.
Sachs, E. See Yoo, J.
Sack, Dennis A. See Olson, Larry D.
Sacks, Michael D. See Al-Assafi, S.
Sacks, Michael D.; Lin, Yung-Jen; Scheiffele, Gary W.; Wang, Keyun; Bozkurt, Nazim
Effect of seeding on phase development, densification behavior, and microstructure evolution in mullite fabricated from microcomposite particles.—74-10293A
Sacks, Michael D.; Morrone, A. A.; Scheiffele, Gary W.; Saleem, M.
Characterization of polymer-derived silicon carbide fibers with low oxygen content, near-stoichiometric composition, and improved thermomechanical stability.—74-10774A
Sacra, A. See Norris, D. J.
Sadana, D. K. See Ransom, C. M.
Sadananda, K.; Feng, C. R.
Creep of intermetallics and their composites.—74-02115A; 74-08155A
Sadananda, K.; Vasudevan, A. K.
Fatigue crack growth in ceramics and composites.—74-10996A
Sadangi, R. K.; Kear, B. H.; McCandlish, L. E.
Sintering of nanograined Fe-(Fe, Mo)$_6$C powder compacts.—74-01887A; Synthesis and processing of nanograined Fe-(Fe,Mo)6C composite powders.—74-07509A
Sadaoka, Yoshihiko See Aono, H.; Nakayama, Susumu
Sadd, Andrea L. See Aitken, Bruce G.
Sadowski, W. See Walasek, E.
Sadra, K. See Gwo, S.; Shih, Y. C.; Smith, A. R.
Saduakasov, M. S.; Rumyankov, B. M.
Theoretical fundamentals of improving the structure of the gypsum stone based on a plasticized binder.—74-01593A
Sadunas, A. S.
Influence of the granulometric composition on the frost resistance of heavy clay ceramics.—74-01526A
Sadygov, F. M.
Phase development in the ternary system Sm-Bi-Se.—74-01424A
Saegusa, K.; Suzuki, Y.
Decrease of defects of sol-gel-derived $PbTiO_3$ thin film and its grain size effect on ferroelectric properties.—74-09116A
Saeki, A. See Takeda, M.
Saemann-Ischenko, G. See Schindler, W.
Saez, Milagros Paya See Ramirez, Amalia Dieguez
Saez-Puche, R. See Cascales, C.
Safar, H.; Gammel, P. L.; Huse, D. A.
Observation of a nonlocal conductivity in the mixed state of $YBa_2Cu_3O_{7-\delta}$: experimental evidence for the vortex line liquid.—74-05040A
Safari, Ahmad See Janas, Victor F.; Livneh, Shai S.; McNulty, Thomas F.
Safarov, I. M. See Korznikov, A. V.
Safavi-Naeimi, S.; Faraji-Dana, R.; Chow, Y. L.
Studies of edge current densities in regular and superconducting microstrip lines of finite thickness.—74-09340A
Saffarini, G.
Fragmentations of $Ge_{1-x}Sn_xSe_2$ glasses.—74-02458A
Safonchik, M. O. See Smirnov, D. V.
Safonov, V. V.; Korshunov, B. G.
Study of interactions in the systems Li^+, Te^{4+}/Cl^-, F^-, and Na^+, Te^{4+}/Cl^-, F^-.—74-04221A
Safonova, A. A.; Ushakova, T. G.
Determining scandium in zirconia refractories.—74-02749A
Safran, Gyorgy See Qiu, Hong
Safron, S. A. See Bishop, G. G.
Safronov, L. N. See Kuryshev, G. L.
Saga, Jun See Zama, Hideaki
Saga, M. See Matsuzaki, K.
Sagnes, I.; Campidelli, Y.; Badoz, P. A.
Ir/Si/$ErSi_2$ tunable infrared photoemission sensor.—74-03079A
Sagoe-Crentsil, K. K.; Glasser, Fredrick P.; Yilmaz, V. T.
Corrosion inhibitors for mild steel: stannous tin (SnII) in ordinary portland cement.—74-05482A; Corrosion inhibition of steel in concrete by carboxylic acids.—74-02071A
Saha, Chandan K. See Atwell, William H.
Saha, H. See Bandopadhyay, S.
Saha, S. K.; Chakravorty, D.
Inhomogeneous laminar conductor model for dielectric relaxation in oxide glasses.—74-02549A
Sahaida, S. R. See Bade, J. P.
Sahar, M. R.; Hasbullah, M.
Properties of the SnO_2-based ceramics.—74-02392A
Sahli, S.; Segui, Y.; Ramdani, S.; Takkouk, Z.
Rf plasma deposition from hexamethyldisiloxane-oxygen mixtures.—74-07468A
Sahling, S.; Lasjaunias, J. C.; Monceau, P.
Heat capacity of the spin-Peierls compound $CuGeO_3$.—74-09282A
Sahm, Michael K. See Abreu, Raul A.
Sahm, P. R. See Todt, V. R.
Sahoo, P.
High-performance wear coatings: the quest continues.—74-00121A
Sahu, S. See Majling, Jan; Tomkova, Vaclava
Sahu, S.; Majling, Jan
Phase compatibility in the system $CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3$ referred to sulfaluminate belite cement clinker.—74-01420A
Said, R. A.; Mittal, M.; Bridges, G. E.; Thomson, D. J.
High-frequency potential probe using electrostatic force microscopy.—74-03043A
Saidakhmedov, R. Kh. See Karpman, M. G.
Saidi, A.; Chrysanthou, A.; Wood, J. V.
Synthesis of Fe-TiC cemented carbide composites using self-propagated high-temperature synthesis (SHS).—74-04943A
Saidov, M. S. See Atabaev, I. G.
Saiki, Koichiro See Yamamoto, Hideki
Saiko, A. P.; Gusakov, V. E.; Kuz'min, V. S.
Anomalies of elastic properties of $Bi_2Sr_2CaCu_2O_8$.—74-09236A; Temperature hysteresis of ultrasonic wave velocity in $YBa_2Cu_3O_{7-\delta}$.—74-00857A
Saikova, S. V. See Pashkov, G. L.
Saini, N. L. See Sekhar, B. R.
Saino, K. See Kimata, M.
Saint-Jacques, R. G. See Moreau, C.
Saint-Just, Jacques See Hadjiivanov, Konstantin
Saint-Paul, M.; Monceau, P.; Revcolevschi, A.
Elastic anomalies in the quasi-1-D compound $CuGeO_3$.—74-08880A
Sainty, W. G. See Martin, P. J.; McKenzie, D. R.
Saito, Fumihito; Tozaki, Kenichi; Kojima, Akira
Thermal conductivity of superionic conductor Ag_3SI.—74-01594A
Saito, Hideaki See Omi, Hiroo
Saito, Hideaki; Kosaka, Hideo; Sugimoto, Mitsunori; Ogura, Ichiro; Kasahara, Kenichi; Sugimoto, Yoshimasa
Integration of vertical-cavity surface-emitting devices by molecular beam epitaxy regrowth.—74-06159A
Saito, Hiromi See Nishida, Toshihiko
Saito, Katuyosi See Kitagawa, Nobuyuki
Saito, Keiji See Ichikawa, Kenji
Saito, Keishi; Aoike, Tatsuyuki; Kariya, Toshimitsu; Koda, Yuzo
Non-monocrystalline silicon carbide semiconductor, process of production thereof, and semiconductor device employing the same.—74-03276P
Saito, Kenji See Hattori, Takeo
Saito, Kenji; Enomoto, Naoya; Nakagawa, Z.
Glass solidification of the amorphous powder prepared by spray pyrolysis.—74-08426A
Saito, Koichi See Mori, Haruhiko
Saito, Masahide See Ohga, Yuichi
Saito, Osamu See Taniguchi, Ryoziro
Saito, Riichiro See Itoh, Shinichi
Saito, Shinichiro See Kanehori, Keiichi
Saito, Y. See Isozaki, T.; Mifune, Tatsue
Saito, Y.; Isozaki, T.; Masuda, A.; Fukumoto, K.; Chosa, M.; Ito, T.
Adhesion strength of diamond films on cemented carbide insert.—74-08127A
Saito, Yoshiaki; Onoda, Masashige; Nagasawa, Hiroshi
Charge transfer phase transition in $Cu_2V_4O_{11}$.—74-07045A
Saitoh, H.; Mima, H.; Ichinose, Y.; Ishiguro, T.
Role of accelerated electrons in diamond formation processes during electron-assisted chemical vapor deposition.—74-04872A
Saitoh, Masaki See Yamada, Atsuo
Saitoh, Shiroh; Izumi, Mamoru; Yamashita, Yohachi; Shimanuki, Senji; Kawachi, Masaru; Kobayashi, Tsuyoshi
Piezoelectric single crystal, ultrasonic probe, and array-type ultrasonic probe.—74-09189P

Sajgalik, Pavol; Dusza, J.; Hoffmann, M. J.
Relationship between microstructure, toughening mechanisms, and fracture toughness of reinforced silicon nitride ceramics.—74-11069A
Saji, Akira See Sasaki, Yukichi
Saji, Tasaburo
Microwave sintering furnace.—74-09687A
Sajo, I. See Dimitrova-Lukacs, M.
Sajoto, T. See O'Shea, J. J.
Sakagoshi, H. See Suganuma, S.
Sakaguchi, Isao; Srikanth, Varanasi; Ikegami, Takayasu; Haneda, Hajime
Grain boundary diffusion of oxygen in alumina ceramics.—74-10734A
Sakaguchi, Shigeki See Todoroki, Shinichi
Sakaguchi, Shuji See Rouxel, Tanguy
Sakaguchi, Toru See Mori, Masami
Sakai, Etsuo; Nakaya, Seiichi; Mashimo, Masaaki
Reaction of various types of hydrates and sulfuric acid and acid resistance of expansive concrete.—74-05578A
Sakai, M. See Miyakuni, S.
Sakai, Mototsugu; Hanyu, Hiroyuki; Inagaki, Michio
Indentation-induced contact deformation and damage of glasslike carbon.—74-05368A
Sakai, Naomichi See Murakami, Masato
Sakai, Natsuko See Horita, Teruhisa; Yokokawa, Harumi
Sakai, Natsuko; Kawada, Tatsuya; Yokokawa, Harumi; Dokiya, Masayuki
Chemical stability of perovskite interconnects in solid oxide fuel cell.—74-00465A
Sakai, Yoshiyuki See Oshio, Takanori
Sakaki, Hiroyuki
Quantum microstructure devices.—74-06281A
Sakaki, Yoshinori See Yamamoto, Osamu
Sakakibara, Toshiro See Amitsuka, Hiroshi
Sakakura, Mitsuo See Kimura, Osamu
Sakalo, T. V. See Kukushkin, S. A.
Sakama, H. See Kageshima, M.
Sakami, Mohamed See Fabris, Rino
Sakamoto, Akira See Tanaka, Hiroshi
Sakamoto, I. See Nowak, R.
Sakamoto, J. See Takeda, M.
Sakamoto, Kunichiro See Asami, Kumiko
Sakamoto, T. See Asami, Kumiko
Sakamoto, Yoshiaki; Nakayama, Norili; Machinaga, Osamu
Factors affecting synthesis of monosulfate in aqueous solution under atmospheric pressure.—74-07311A
Sakanoue, Akira See Kawamoto, Hiromi
Sakata, Ken See Komukae, Masaru
Sakata, Masaru; Kimura, Koji; Mizunuma, Akiko
Measurement of elastic moduli from the impact sound of engineering ceramics and composites at elevated temperatures.—74-09579A
Sakata, T. See Mori, H.
Sakata, Tadayoshi See Cho, Woo-Seok
Sakaue, Katsushi See Hayashi, Katsura
Sakeek, H. F.; Morrow, T.; Graham, W. G.
Emission studies of the plume produced during $YBa_2Cu_3O_7$ film production by laser ablation.—74-03458A
Sakharov, L. G.
Deposition of epitaxial films of multicomponent compounds by magnetron sputtering, with $YBa_2Cu_3O_{7-\delta}$ as an example.—74-04275A
Sakhno, V. A. See Nagornyi, A. P.
Sakisaka, Y. See Kodaira, S.
Sakiyama, K.; Onishi, S.; Ishihara, K.
Deposition and properties of reactively sputtered ruthenium dioxide films.—74-01660A
Sakka, Sumio See Miyaji, Fumiaki
Sakka, Yoshio See Uchikoshi, T.
Sakka, Yoshio; Aksay, Ilhan A.
Processing of nanocomposite silicon nitride-mullite-alumina by reaction sintering.—74-03181A
Sakka, Yoshio; Bidinger, Donald D.; Aksay, Ilhan A.
Processing of silicon carbide–mullite–alumina nanocomposites.—74-04840A
Sakota, Naokazu See Sugiyama, Kouju
Sakovich, G. V. See Vereschagin, A. L.
Saks, N. S. See Yount, J. T.
Saks, N. S.; Andrews, John M.
Effects of hydrogen annealing on MOS oxides.—74-02982A
Sakuma, T. See Yoshizawa, Y.
Sakuma, T.; Yoshizawa, Y.
Grain growth of zirconia during annealing in the cubic/tetragonal two-phase region.—74-07081A
Sakuma, T.
Cubic-to-tetragonal transformation in zirconia alloys.—74-01365A
Sakuma, Takashi; Suzuki, Fumihito; Sugiyama, Kazumasa
Diffuse scattering of superionic phase of Cu_2Se.—74-01979A
Sakuma, Takashi; Thomas, John O.
Diffuse neutron scattering from cubic lithium sulfate at 908 K.—74-01369A
Sakurai, Hiroshi See Sugiyama, Toshinobu
Sakurai, Kiyoko See Matsuno, Takashi
Sakurai, Makoto See Kim, D.
Sakurai, Makoto; Watanabe, Makoto
Synthesis and thermal property of tetraimidocyclotetraphosphoric acid $[(HPO_2NH)_4]$.—74-07510A
Sakurai, T. See Bakhtizin, R. Z.; Jeon, D.; Park, C.
Sakurai, Yoshihito See Wakasugi, Katushiro
Sakuria, Yuryo; Nagasawa, Kaya; Nishikawa, Hiroyuki
Point defects in high-purity silica induced by high-dose gamma irradiation.—74-10741A
Sakuyama, Kazuhiro See Maeda, Toshihiko
Salaev, F. M. See Suleimanov, R. A.
Salahuddin, H. See Yaschenko, E.
Salama Samia, N.; Salman, S. M.
Chemical stability of some manganese glass-ceramics.—74-05669A
Salama, C. A. T. See Iniewski, K.
Salama, K.; Lee, D. F.
Progress in melt texturing of $YBa_2Cu_3O_x$ superconductor.—74-06620A
Salama, Samia N.; El Mandouh, Z. S.
Electrical conductivity data of some iron-containing glass-ceramics.—74-05713A
Salama, Samia N.
Crystallization of lithia-calcia-magnesia aluminosilicate glasses.—74-05755A
Salamanca-Riba, L. See Beesabathina, D. Prasad; Kuo, L. H.
Salas, Olimpia; Jayaram, Vikram; Vlach, Kenneth C.; Levi, Carlos G.; Mehrabian, Robert
Early stages of composite formation by oxidation of liquid aluminum alloys.—74-05122A
Salashchenko, N. N. See Polushkin, N. I.; Zheludeva, S. I.
Salata, O. V.; Dobson, P. J.; Hull, P. J.; Hutchinson, J. L.
Fabrication of CdS nanoparticles embedded in a polymer film by gas-aerosol reactive electrostatic deposition technique.—74-06097A
Salathe, R. P. See Wang, Li-Jun
Salbert, G. T. See Gopinath, V.
Salditt, T.; Metzger, T. H.; Peisl, J.; Jiang, X.
Diffuse X-ray scattering of amorphous multilayers.—74-06758A
Sale, F. R. See Qureshi, A. H.; Taylor, S. M. O.
Sale, T. E. See David, J. P. R.
Saleem, M. See Sacks, Michael D.
Saleh, A. S.; Rice-Evans, P. C.
Characterization of diamond films by slow positrons.—74-07558A
Salem, Jonathan A. See Choi, Sung-R.; Jenkins, M. G.
Salem, Sugui S.; Da Silva, E. Z.
Superconducting diamagnetic fluctuations for *H*||*ab* planes in $YBa_2Cu_3O_{7-\delta}$ for fields up to 5 T.—74-03591A
Salemink, H. W. M.; Johnson, M. B.; Albrektsen, O.
Cross-sectional scanning tunneling microscopy on heterostructures: atomic resolution, composition fluctuations, and doping.—74-01976A
Sales, Lenny C. See Pujari, Vimal K.
Sales, M. See Ferrer, L.
Sales, M.; Alarcon, J.; Blasse, G.
Luminescence of some stannates activated with titanium.—74-03096A
Sales, M.; Alarcon, J.
Glass-ceramic materials in the CaO-MgO-Al_2O_3-SiO_2 system.—74-05765A; Quantitative X-ray diffraction analysis of crystalline phases in glass-ceramics.—74-05693A
Saliev, T. M. See Atabaev, I. G.
Salih, S. A. See Mogoda, A. S.
Salikhov, Kh. M. See Slovbodchikov, S. V.
Salim, M. A. See Khawaja, E. E.
Salim, M. A.; Khawaja, E. E.
X-ray photoelectron spectroscopy study of sodium germanate glass containing cobalt oxide.—74-02506A
Salin, J. F. See Paradis, L.
Salin, Pentti
Bent glass has gone through a three-stage development.—74-02600A
Salisbury, Wayne C.
Casting process for making glass fiber preforms.—74-08470P
Salitra, G.; Hodes, G.; Klein, E.; Tenne, R.
Highly oriented WSe_2 thin films prepared by selenization of evaporated WO_3.—74-04682A
Sallam, E. H. See Naga, S. M.
Sallek, B. See Lebugle, A.
Sallese, J. M. See Fruh, F. E.
Salley, Will See Calvin, Rick
Salman, S. M. See Salama Samia, N.
Salmeron, M. B. See Galloway, H. C.; Zheng, J. F.
Salmeron, M. B.
Use of the atomic force microscope to study mechanical properties of lubricant layers.—74-01127A
Salmon, E. See Benayoun, S.
Salomoni, A.; Moreno, R.; Stamenkovic, I.
Rheological parameters and pressure casting of slips containing single or mixed oxide powders.—74-04869A
Salomonson, Jonas; Rowcliffe, David J.
Measurement of indentation residual stresses in materials susceptible to slow crack growth.—74-02165A
Salter, Timothy L.; Murray, Haydn H.
SEM investigation of a lateritic weathering profile, Saline County, Arkansas.—74-07745A
Salva, J.
Second Souselas kiln goes on stream.—74-02352A
Salvado, Miranda; Navarro, Fernandez
Al_2O_3-SiO_2 glassy materials prepared by the alkoxide route.—74-05749A
Salvan, F. See Dumas, P.; Roge, T. P.; Vatel, O.
Salviati, G. See Attolini, G.
Salvo, Milena See Lemoine, Patrick
Salzberger, U. See Strecker, A.
Salzle, Erich
Method of reducing the lead and/or barium emission of crystal glass objects containing lead and/or barium on contact with a liquid phase.—74-03758P
Salzman, J. See Betser, Y.
Salzmann, David R.; Purington, James C.
Moisture resistant ceramic igniter for a burner.—74-09829P
Samandi, M.; Doroudian, M.
Plasma-assisted microwave sintering and joining of ceramics.—74-10530A
Samandi, M.; Shedden, B. A.; Bell, T.; Collins, G. A.; Hutchings, R.; Tendys, J.
Significance of nitrogen mass transfer mechanism on the nitriding behavior of austenitic stainless steel.—74-04890A
Samardzija, Zoran See Makovec, Darko
Samarin, S. N. See Artamonov, O. M.
Samarth, N. See Luo, H.
Samavedam, S. B. See Kvam, Eeic P.
Sambath, Sok Heng; Sawiez, Zbigniew; Piasta, Jerzy
Effect of limestone dusts on the durability of concrete under sulfate attack.—74-08017A
Sambrook, R. M. See Davies, Jason; Reichert, J.; Smith, R. T.
Samejima, Soichiro See Satokawa, Shigeo
Saminadayar, K. See Tatarenko, S.
Samitsu, Y.
Study of silicon-wafer surface evaluation using atomic force microscopy.—74-10894A
Samlenski, R.; Flemig, G.; Brenn, R.; Wild, C.; Muller-Sebert, W.; Koidl, P.
Characterization of structure and defects in textured diamond films by ion channelling.—74-05090A
Sammells, A. F. See Schwartz, M.; White, J. H.
Sammes, N. M.; Phillipps, M. B.
Selection, fabrication, and properties of electrodes used in high-temperature solid oxide fuel cells.—74-00532A
Sammet, Manfred See Casey, Jon A.
Samoilov, N. A.
Modification of granular zeolite strength and adsorption with polymethylphenylsiloxane resin impregnation.—74-01951A
Samoilov, V. A.; Yakusheva, N. A.; Prints, V. Ya.
Effect of the isovalent Sb dopant on the formation of electronically active defects in *n*-type GaAs grown by means of LPE from a Bi molten solution.—74-08876A
Samokhvalov, A. A.; Viglin, N. A.; Gizhevskii, B. A.
Low-mobility charge carriers in CuO.—74-10112A
Samori, Lorenzo See Tavolazzi, Valentino
Samorodov, V. A. See Polushkin, V. M.
Samorukov, B. E. See Slovbodchikov, S. V.
Samoska, Lorene See Brar, Berinder
Samovarov, V. N. See Fugol, I. Ya.
Sampath, K. See Shah, R.
Sampath, S. See Montavon, G.; Wayne, S. F.
Sampath, S.; Herman, H.
Plasma spraying forming metals, intermetallics, and composites.—74-01834A
Sampson, R. K. See Conrad, K. A.
Samsonov, D. P.; Rakhmanova, T. V.; Stepanov, N. V.
Use of a quartz ultrafine-fibered material for the preconcentration of polychlorinated dibenze-*p*-dioxines, dibenzofurans, and diphenyl from atmosphere.—74-01924A
Samuelson, L.; Gustafsson, A.; Lindahl, J.; Montelius, L.; Pistol, M.-E.; Malm, J.-O.
Scanning tunneling microscope and electron-beam-induced luminescence in quantum wires.—74-07734A
Samulkawa, Seiji
Advanced electron cyclotron resonance plasma etching technology for precise ultra-large-scale integration patterning.—74-00564A
Samuskevich,, V. V.; Prodan, E. A.
Stability of acidic phosphate anionic forms $M(H_2PO_4)_2{\cdot}2H_2O$ and $MHPO_4{\cdot}xH_2O$ (M=Mn, Zn; x=1.3).—74-00094A
Samygina, V. R.; Genkina, E. A.; Maksimov, B. A.
Crystal structure of La—analog of stillwellite.—74-07059A
Sanada, Kazuo
Fabrication of optical fiber by plasma-activated chemical vapor deposition method.—74-08421A
Sanchez de Rojas, M. I. See Frias, M.
Sanchez, C. See Lebeau, B.; Ribot, Francois O.
Sanchez, E. See Domenech, V.
Sanchez, F.; Aguiar, R.; Ferrater, C.
CeO_2/YSZ and $SrTiO_3$/YSZ double buffer layers deposited on Si(100) by laser ablation.—74-09241A
Sanchez, J. M. See Barandika, M. G.; Moran-Lopez, J. L.
Sanchez, J.; Portoles, J.; Negre, F.
Dynamics of the pressing cycle and its influence on ceramic tile compaction by fitting an industrial press out with sensors.—74-08536A
Sanchez, O. See Vazquez, L.
Sanchez, O.; Gomez-Aleixandre, C.; Agullo, F.; Albella, J. M.
Study of the plasma discharges in diamond deposition with different O_2 concentrations.—74-04924A
Sanchez-Bajo, F.; Cumbrera, F. L.; Dominguez-Rodriguez, A.
Line broadening and Rietveld analysis of 5Y-PSZ nanocrystalline powder samples.—74-05179A
Sanchez-Bajo, F.; Cumbrera, F. L.; Guiberteau, F.; Dominguez-Rodriguez, A.
Microstructural characterization of Y-PSZ (4 mol%) polycrystals by means of X-ray diffraction experiments.—74-07093A
Sanchez-Herencia, A. J. See Moya, Jose S.
Sanchez-Soto, P. J. See Aviles, M. A.
Sanchez-Soto, P. J.; Aviles, M. A.; Marcias, M.
Processing of SiO_2-ZrO_2 composites as precursors of nitrides by carbothermal reduction.—74-04841A
Sanchez-Soto, P. J.; Justo, A.; Ruiz-Conde, A.
Effects of dry grinding on talc and isostructural 2:1 layer silicates.—74-05809A
Sanchis, M. J. See Primo, V.
Sanda, Ludvik See Blaha, Jindrich
Sander, Lewis D. See Woodford, William H.
Sander, U. See Lubjuhn, U.
Sanders, H. L. See Daniel, R. L.
Sanders, William A. See Singh, M.; Tikare, Veena
Sandhage, Kenneth H. See Allemeh, Seyed M.; Chmielewski, David H.
Sandhu, Gurtej S. See Ishibashi, K.
Sandhu, Gurtej S.; Thakur, Randhir P. S.
Method for fabricating stacked layer Si_3N_4 for low leakage high capacitance films using rapid thermal nitridation.—74-03270P
Sandhu, Gurtej S.
Low-pressure chemical vapor deposition process for depositing high-density, highly-conformal titanium nitride films of low bulk resistivity.—74-09925P
Sanditov, D. S.; Kozlov, G. V.; Belousoy, V. N.
Cluster model and the model of fluctuation free volume of polymeric glasses.—74-02439A

Sanditov, D. S.; Kozlov, G. V.
Nature of correlation between the elastic constants and glass transition temperature of amorphous polymers.—74-02565A; Nature of the correlation between elastic moduli and temperature of vitrification of amorphous polymers.—74-04770A
Sanditov, D. S.; Mamoshin, V. L.; Arkhipov, V. G.
Application of the free volume theory to sulfate-phosphate glasses.—74-02514A; Application of the free volume theory to sulfate-phosphate glasses and their melts.—74-02513A
Sandlin, Michael S.; Bowman, Keith J.
Textures in AlN-SiC composite ceramics.—74-10167A
Sandoval, Ferando See Ibanez, Augusto
Sandre, Eric; Bonnot, A. M.; Cyrot-Lackmann, Francoise
Stabilization of diamond relative to different substrate-carbon carbon interfaces: a nucleation model for CVD diamond growth based on a charge transfer consideration.—74-05254A
Sands, T. See Ramesh, R.; Tanaka, M.
Sandstrom, L. K. See Edil, T. B.
Sandu, V. See Pavel, E.
Sandusky, Donald A. See Baucom, Robert M.
Sandwick, T. See Blumenstock, K.; Neureither, B.
Sane, Ajit Y. See Gee, Alison W.
Sanfacon, M. M. See Vernon, S. M.
Sanfeliu, T. See Jordan, M. M.
Sangaiah, G.; Kishan, Rao K.
Microhardness studies on some alum crystals.—74-10120A
Sanghera, Jasbinder S.; Kung, Fred H.; Busse, Lynda E.; Pureza, P. C.; Aggarwal, Ishwar D.
Infrared evanescent absorption spectroscopy of toxic chemicals using chalcogenide glass fibers.—74-06782A
Sanghera, Jasbinder S.; Pureza, P. C.; Aggarwal, Ishwar D.
Plasma treatment of glass surfaces to remove carbon.—74-02691P
Sangier, J. M. See Hu, H.
Sangrador, J. See Lopez-Rubio, J. A.
Sangster, M. J. L.; Kiflawi, I.; Woods, G. S.
Localized modes due to single nitrogen defects in mixed host isotope synthetic diamond.—74-10738A
Sanguinetti, S. See Giuliani, A.
Saniger, Jose M.; Hu, Hail-In; Castano, V. M.
Kinetic studies of the dehydration process for polyacrylic acid metal oxide compounds.—74-07363A
Sanjines, R. See Tang, H.
Sankey, Otto F. See Huang, Y. M.; Spence, J. C. H.
Sanmiguel, E. See Rodrigo, J. L.
Sannikov, D. G.
New types of incommensurate phase transitions.—74-07095A
Sannohe, Yuuiti See Sato, Teiji
Sano, H. See Moss, David J.
Sano, Kazuo See Akune, Yasuhiro
Sano, Saburo See Ohmori, Akira
Sanquer, M. See Ladieu, Francois
Sansores, L. Enrique See Valladares, Ariel A.
Santangelo, S. See Messina, G.
Santee, Ross; Gallagher, Robert
Advances in rheology instrumentation.—74-03673A
Santhanam, K. S. V. See Haram, Santosh K.
Santiago, Manual Olivares
Remarks on rebound of shotcrete.—74-08101A
Santiago, P.; Rendon, L.; Gomez-Cortez, A.
Characterization of the transition xerogel-glass of materials prepared with modified TEOS: the case of Cu^{2+}.—74-01350A
Santiago, Yolanda See Manivannan, Ayyakkannu
Santiago, Yolanda; Cabrera, Carlos R.
Surface analysis and electrochemistry of MoS_2 thin films prepared by intercalation-exfoliation techniques.—74-07768A
Santiso, J.; Figueras, A.
Growth of $YBa_2Cu_3O_{7-x}$ thin films by MOCVD.—74-03475A
Santoro, S.
Clays and compositions for the rapid processing of sanitary ware.—74-08665A
Santos, Adelina P.; Fernandes, Rosana Z. D.
Preparation of stabilized zirconia using a mixture of rare-earth oxides as dopant.—74-10571A
Santos, Edval J. P.; MacDonald, Noel C.
Integration of microstructures onto negative electron affinity cathodes: fabrication and operation of an addressable negative electron affinity cathode.—74-00942A
Santos, Jose A. See Neiva, Sonia M. C.
Santos, M. See Cunningham, J. E.
Santos, P. See Lucas, D. B.
Sanygin, V. P. See Kvardakov, A. M.
Sanz, V. See Domenech, V.
Saparin, G. V.
Microcharacterization of CVD diamond films by scanning electron microscopy—morphology, structure, and microdefects.—74-07684A
Saparov, S. See Babkin, E. V.
Sapieszko, Ronald S. See Hopstock, David M.
Sapina, F. See Primo, V.
Sapozhnikova, T. V. See Golikov, Yu. V.
Sapre, V. B. See Bhongale, G. J.
Saraie, J. See Fan, Y.
Saraie, Junji See Takahashi, Koji
Saranin, A. A. See Lifshits, V. G.
Saraswat, K. C. See Apte, P. P.
Saravacos, G. C. See Maroulis, Z. B.
Sarcona, G. See Lin, F.
Sardarly, A. D. See Abdullaev, N. A.
Sardin, G.; Varela, M.; Morenza, J. L.
Deposition of hydroxyapatite coatings by laser ablation.—74-10261A
Sare, Edward J. See Adkins, T.
Sargeant, G. K. See Emblem, H. G.
Sargent, B. L. See Vlcek, B. L.
Sargent, Thomas N., Jr.; Bennert, David M.; Overcamp, Thomas J.; Bickford, Dennis F.
Operational feasibility of the vitrification of an organic ion-exchange resin.—74-09408A
Sarikaya, Mehmet; Wickramasinghe, H. Kumar; Isaacson, Michael
Materials Research Society Symposium Proceedings, Volume 332: Determining Nanoscale Physical Properties of Materials by Microscopy and Spectroscopy.—74-07971B
Sarin, V. A. See Kuz'micheva, G. M.
Sarin, Vinod K. See Mulpuri, Rao
Sarkar, Arnab See Wang, Shiho
Sarkar, B. See Maity, Soumen
Sarkar, C. K. See Banerji, Pallab
Sarkar, Gautam See Shaikh, Aziz S.
Sarkar, M.; Calliari, L.; Gonzo, L.
Auger depth profiling for silicon dioxide on silicon.—74-04096A
Sarkar, Partho See Nicholson, Patrick S.; Prakash, Orm
Sarkar, Partho; Nicholson, Patrick S.
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media[—comment].—74-10324A
Sarkar, S.; Bhadra, A.; Mandal, P.
Investigation of mortar and stone deterioration in the Victoria Memorial, Calcutta[, India].—74-05541A
Sarkisov, P. D.; Budov, V. V.
Glasses and glass-ceramics reinforced with polycrystalline fibers.—74-02633A
Sarkisov, P. D.; Mikhailenko, N. Yu.; Khavala, V. M.
Biological activity of glass- and glass-ceramic-based materials (review).—74-02432A
Sarkisova, M. K. See Gulamova, D. D.
Sarp, H. See Yamnova, N. A.
Sarret, M.; Liba, A.; Bonnaud, O.; Le Bihan, F.; Fortin, B.; Pichon, L.
In situ phosphorus-doped VLPCVD polysilicon layers for polysilicon thin film transistors.—74-04693A
Sarrion, Maria Luisa Martinez; Morales, Manuel
Preparation and characterizationn of NTC [negative temp. coeff.] thermistors: nickel manganites doped with lithium.—74-03177A
Sarsembinov, Sh. Sh. See Zaikina, R. F.
Sarsenbaev, K. T.; Sinyaev, V. A.; Shalamov, A. E.
Interaction of the cyclotetraphosphate of copper(II) with aluminum oxide upon heating.—74-01398A
Sartwell, B. D. See Eddy, C. R. Jr.
Sarvahi, Reetika See Singh, N. B.
Sas, Laszlo
Disposal possibilities of enamel wastes in the cement industry.—74-05491A
Sasago, Yoshitaka See Hamamoto, Terufumi; Kikuchi, Jun; Kuroe, Haruhiko
Sasaki, A. See Lin, X. W.
Sasaki, H. See Kawarada, H.
Sasaki, H.; Aoki, M.; Kawarada, H.
Reflection electron microscope and scanning tunneling microscope observations of CVD diamond (001) surfaces.—74-10873A
Sasaki, K. See Gauckler, Ludwig J.; Masai, J.
Sasaki, Kenichi See Kawarada, Motonobu; Kurihara, Kazuaki
Sasaki, Kiyomi
Ohmic electrode materials for semiconductor ceramics and semiconductor ceramics elements made thereof.—74-03277P
Sasaki, M.; Hirai, T.; Kishi, M.
Fabrication of silicon carbide-boron carbide composite by chemical vapor deposition.—74-04630A
Sasaki, M.; Wada, T.; Hirai, T.
Corrosion resistance of HfO_2-coated stainless steel in Br_2-O_2 atmosphere.—74-05618A
Sasaki, Masato See Hase, Takashi
Sasaki, Motoshi See Mine, Katsutoshi
Sasaki, Satoshi; Miura, Noboru; Horikoshi, Yoshiji
Type-I–type-II transition in GaAs/AlAs short-period superlattices studied under pulsed high magnetic fields and high pressures.—74-00727A
Sasaki, T. See Matsuoka, T.
Sasaki, Takayoshi See Fujiki, Yoshinori
Sasaki, Y. See Amar, A.
Sasaki, Yoshinori See Kakegawa, Kazuyuki
Sasaki, Yukichi; Suzuki, Toshiyuki; Ikuhara, Yuichi; Saji, Akira
Direct observation of channel structures in zeolite Y and A with a slow-scan, charge-coupled-device camera.—74-05116A
Sasek, L.; Rada, M.; Mika, M.
Zirconium oxide makes for safer crystal.—74-02665A
Sasik, R.; Stroud, D.
Flux lattice melting, flux pinning, and superfluid density tensor in $YBa_2Cu_3O_{7-\delta}$.—74-03464A
Sass, S. L. See Subramanian, Ramesh; Ustundag, E.
Sassella, A. See Rojas, S.
Sassone, G. See Buzzi, S.
Sastry, G. S. See Rahman, S.
Sata, Tsugio; Shimada, Masahiko
Science and technology in composite materials—transformation toughening.—74-09799A
Satanin, A. M. See Monakhov, A. Yu.
Satanin, S. A. See Tkachenko, Yu. G.
Satava, Vladimir
Phase transformations during hydrothermal heating of tricalcium aluminate in liquid water.—74-05565A
Sati, R. See Sharma, S.
Sato, D. L. See Lee, H. P.
Sato, Eiichi; Carry, Claude
Effect of yttrium doping in sintering of fine-grained alumina.—74-04594A
Sato, F. See Sato, K.
Sato, H. See Hiroi, M.
Sato, H.; Minami, T.; Miyata, T.; Takata, S.; Ishii, M.
Transparent conducting ZnO thin films prepared on low-temperature substrates by chemical vapor deposition using $Zn(C_5H_7O_2)_2$.—74-04969A
Sato, H.; Minami, T.; Tamura, Y.; Takata, S.; Mouri, T.; Ogawa, N.
Aluminum content dependence of milky transparent conducting ZnO:Al films with textured surface prepared by dc magnetron sputtering.—74-05067A
Sato, H.; Tamura, M.; Happo, N.
Electronic structure of NiAs-type MnTe studied by photoemission and inverse-photoemission spectroscopies.—74-08891A
Sato, Hidetoshi
Piezoelectric sensor.—74-03359P
Sato, Hirotoshi; Minami, Tadatsugu; Yamada, Eiji
Transparent and conductive impurity-doped GaN thin films prepared by an electron cyclotron resonance plasma metallorganic chemical vapor deposition method.—74-10708A
Sato, Hisanao See Mizuuchi, Kiminori
Sato, Junichi; Seido, Masahiro; Nomoto, Akira; Kamo, Tomoichi; Aihara, Katsuzo
Oxide superconductive material of Tl (thallium) and Pb (lead) system and method for manufacturing the same.—74-09381P
Sato, K. See Mikami, N.
Sato, K.; Sato, F.; Tomioka, T.
Recent trends of carbon fiber technology from mesophase pitch: I, The new methods for high performance and improved properties.—74-10608A
Sato, K.
Operating principles of the bottom impact tester (BIT).—74-00967A
Sato, Kaoru See Torizuka, Shiro
Sato, Kazunori See Inoue, Yasunobu
Sato, Kenichi See Fujikami, Jun; Hikata, Takeshi; Mukai, Hidehito
Sato, Kenichi; Mukai, Hidehito; Hikata, Takeshi
Method of preparing oxide superconducting wire.—74-03649P
Sato, Koshu
Making of chemical beakers.—74-08337A
Sato, Masatoshi See Nishikawa, Takashi; Takeda, Jun
Sato, Masatoshi
Standard materials for refractoriness and firing: Seger cone (,Orton cone, referthermo, and Schmelz probe).—74-09618A
Sato, Mitsukuni; Kobayashi, Yosuke; Yoshikawa, Michinori
Trial to introduce AI [artificial intelligence] into 49 MN (5000 tf) VOP.—74-01001A
Sato, Mitsukuni; Kosaka, Katsushi; Kashimoto, Satoru
5000 tf (49.0MN) VOP system.—74-06674A
Sato, Mitsukuni; Takehata, Yoshimi; Okazaki, Susumu; Ando, Shigeru
Muller mixed and kneading machine with rotary pan transfer system.—74-02725A
Sato, Mitsukuni; Yamamoto, Kenji; Ishii, Koji
New SV [slide valve] AI equipment adapted to automation under hot condition.—74-00393A
Sato, N. See Chen, X. M.
Sato, Nobuyoshi
Method of manufacturing a semiconductor device having an insulating layer composed of a BPSG film and a plasma-CVD silicon nitride film—74-00743P
Sato, S. See Nozaki, Shinji
Sato, Satoshi; Ochiai, Toru
Recent progress in gas-fired sintering kilns for ceramics.—74-09709A
Sato, Sennosuke See Awaji, Hideo
Sato, Shigeru See Tezuka, Yasuhisa
Sato, Shinji See Yokoo, Kuniyoshi
Sato, T. See Terminello, L. J.; Uesugi, K.; Yoshimura, M.
Sato, Teiji; Nakata, Hitoshi; Ishizuki, Takayuki; Iwaya, Shoichi; Takahashi, Koji; Sannohe, Yuuiti
Process for producing columbite-type niobate and process for producing perovskite-type compound therefrom.—74-04002P
Sato, Teisuke See Masuda, Masahiro
Sato, Tetsuya See Lee, Peter W.
Sato, Y.; Kawashima, I.
Fluorine-enhanced boron migration into oxide from underlying silicon.—74-07568A
Sato, Yoichiro See Ando, Toshihiro
Satoh, Akira See Nomura, Takeshi
Satoh, Masataka See Inoue, Tomoyasu
Satoh, S. See Osawa, K.
Satokawa, Shigeo; Osaki, Yasushi; Samejima, Soichiro
Effects of the structure of silica-alumina gel on the hydrothermal synthesis of kaolinite.—74-10316A
Satoski, Tominaga; Shingo, Mukai
Further optimization of pregrinding.—74-02328A
Sattel, S. See Kleber, R.; Weiler, M.
Satunkina, L. F. See Volkov, V. T.
Sauberli, R.; Herzog, U.; Rosemann, H.
Process control and information management [in the cement industry].—74-05573A
Sauder, Donald
PEI's role—how PEI can and will help.—74-02256A
Sauereisen, William P.
Efficient gas-fired infrared burner utilizes heat-resistant cement in its manufacture.—74-05513A; Superior quality fuses related to special electrical resistant cement used in bonding its components.—74-00098A
Saul, J.; Huang, M. X.; Bhagat, S. M.
Evaporation of trapped fluxons from micron-sized powders of Bi-2223 CuO superconductors.—74-09268A
Sault, A. G.; Gardner, T. J.; Ashley, C. S.; Srinivasan, S.; Datye, A. K.
Thin-film ceramic catalyst support materials.—74-01247A
Saunders, G. A. See Cancurtaran, M.
Sausova, S. See Nerad, I.
Sautet, P. See Cadete Santos Aires, F. J.
Savaette, Bernard
Coated glass for building purposes.—74-08408A
Savage, H. S. See Carson, R. T.
Savage, J. A. See Costello, M. C.; Hao, S.; John, P.

Savchenko, N. L.; Sablina, T. Yu.; Poletika, T. M.
Phase composition and mechanical properties of zirconium dioxide-based ceramic obtained by high-temperature sintering in a vacuum.—74-02187A
Savchenko, N. N. See Antokhina, T. F.
Savenkova, M. A. See Vassel, N. P.
Savikhin, F. A. See Ibragimov, K. O.
Savin, E. S.
Determination of structural characteristics of porous glasses by the method of Mossbauer spectroscopy.—74-05113A; Structural characteristics of porous glasses—determination by Mossbauer spectroscopy.—74-02492A
Savkar, Sudhir D.
Apparatus and method for making aligned high-T_c tape superconductors.—74-03622P
Savochkin, A.Yu.; Fhilippov, E. A.; Shilov, V. V.
Phase composition of piezoceramic materials based on lead zirconate and titanate produced by hydrometallurgic reprocessing of solid wastes and reject.—74-01422A
Savosta, M. M. See Shemyakov, A. A.
Sawada, Kazuyuki See Sekiguchi, Mitsuru
Sawada, M. See Higuchi, M.
Sawada, Shozo See Tsukioka, Masayuki
Sawada, Yoshihiro; Nakanishi, Y.; Fukuda, T.
Effect of carbon fiber surface on interfacial adhesive strengths in CFRP.—74-01981A
Sawada, Yoshihiro; Shindo, Akio
Torsional properties of carbon fibers.—74-05394A
Sawai, K. See Ohzuku, T.
Sawant, S. R. See Patil, B. L.
Sawicz, Zbigniew See Piasta, G. Wojciech; Sambath, Sok Heng
Sawin, Herbert H. See Arnold, John C.; Gibson, G. W., Jr.; Gray, David C.; Tepermeister, I.
Sawkow, J.
Phase constitution and service properties of high-alumina refractory cements.—74-05564A
Saxena, J. P. See Mullick, A. K.
Saxena, Mohini; Modi, O. P.; Prasad, B. K.
Erosion and corrosion characteristics of an aluminum alloy–alumina fiber composite.—74-02077A
Say, Geoffrey R. See Clavenna, LeRoy R.; Davis, Stephen M.
Sayir, Ali See Farmer, Serene C.; Morscher, Gregory N.; Sayir, H.; Westfall, Leonard
Sayir, Ali; Matson, Lawrence E.
High-hot-strength ceramic fibers.—74-06976A
Sayir, H. See Moore, A. W.
Sayir, H.; Farmer, Serene C.; Lagerlof, K. P. D.; Sayir, Ali
Temperature-dependent fracture strength of doped single-crystal alumina fibers.—74-11104A
Sayles, R. S. See Dwyer-Joyce, R. S.
Sbaizero, O. See Schmid, Herbert K.
Scafidi, P. See Ignat, M.
Scafidi, P.; Mortini, Ignat P.; Marty, M.
Analysis by scanning acoustic microscopy of the mechanical stability of PSG and Si_3N_4 passivation films.—74-09546A
Scahdellari, M. L. See Guadagnino, E.
Scales, Peter J. See Leong, Yee-Kwong
Scalet, B. M. See Guadagnino, E.
Scandella, L.; Schumacher, A.; Kruse, N.; Prins, R.; Meyer, E.; Luthi, R.
Tribology of ultrathin MoS_2 platelets on mica—studies by scanning force microscopy.—74-04458A
Scanlon, John F.; Wigell, Gary
Lightweight thrust vectoring panel.—74-03991P
Scariete, Mihai See He, Ji-Liang
Scarsbrook, G. A. See Collins, A. T.; Sussmann, R. S.; Valentine, T. J.; Wort, C. J. H.
Scatena, G. See Gicquel, A.
Scattergood, Ronald O. See Morris, Jonathan C.; Tanikella, B. V.
Schaad, P.; Gramain, P.; Gorce, F.
Dissolution of synthetic HAp in the presence of La ions.—74-10274A
Schaal, Kevin D. See Bauer, Jon F.
Schaarschmidt, G. See Stiegler, J.
Schacht, Charles A.
Refractory Linings—Thermomechanical Design and Applications.—74-05444B
Schade, J.; Brown, William A.; Kinney, Michael A.
Tundish life improvements.—74-02791A
Schaefer, D. W.
Engineered porous materials.—74-07297A; Structure of mesoporous aerogels.—74-07759A
Schaefer, Daniel T. See Mikeska, Kurt R.
Schaefer, H.-E. See Rempel, Andrei A.; Wurschum, R.
Schaeffer, Helmut A.
Industry-university cooperative research on glass technology in Germany.—74-11169A; Recycling of cullet and filter dust and its influence on the melting of glass.—74-08452A
Schaeffer, Robert P. See Janas, Victor F.
Schafer, J.; Ristein, J.; Ley, Lothar
Electronic density of states and deep defects of hydrogenated amorphous carbon (a-C:H).—74-04307A
Schafer, L.; Bluhm, A.; Klages, C.-P.; Lochel, B.; Buchmann, L. M.; Huber, H. L.
Diamond membranes with controlled stress for submicron lithography.—74-09864A
Schafer, R. See Mogel, H. J.; Plank, F. W.; Soltesz, U.
Schaff, W. J. See Chen, Y.-P.
Schaffrath, W. See Eichler, K.
Schaidl, H.
Hydraulic press with 10-axis CNC and multiplaten system.—74-01068A
Schaller, R. See Feusier, G.; Lakki, A.
Scharff, J. P. See Vincent, H.
Scharff, W. See Stiegler, J.
Scharrer, Karin See Liebl, Hans
Scharrer, Karin
Pressure casting in the ceramic industry.—74-09501A; Pressure casting—the influence of raw material and slip characteristics.—74-10577A
Schatke, K. See Krost, A.
Schatkovskaya, D.; Grineitite, G.
Molecular model of solid for the investigation of the electron density distribution in tetrahedral systems.—74-01409A
Schattenburg, M. L.; Polce, N. A.; Stein, R.
Fabrication of flip-bonded mesa masks for X-ray lithography.—74-01724A
Schattin, Neil M.
Iso-Press system yields large-format tile.—74-08686A
Schatz, Carl See Al-Chalabi, Rifat
Schatzle, P. See Krabbes, G.
Schauer, S. N. See Flemish, J. R.; Merkel, K. G.
Schechtman, D.; Feldman, A.; Hutchison, J.
High-order twin boundaries in CVD diamond films.—74-01945A
Scheer, R.; Lewerenz, H. J.
Photoemission study of evaporated $CuInS_2$ thin films: I, Surface stoichiometry and phase segregation.—74-01559A; II, Electronic surface structure.—74-00520A
Scheerlinck, F. See Stesmans, A.
Scheetz, Barry E. See Abate, Christopher
Scheffler, M. See Dabrowski, J.
Scheibe, H.-J. See Schneider, D.
Scheibe, H.-J.; Drescher, D.; Jackel, R.; Kunzelmann, U.
Characterization by uv-visible and ir spectroscopy of thin diamondlike carbon films prepared by Laser-Arc.—74-04500A
Scheibe, H.-J.; Ristau, D.; Rahe, M.
Optical properties of diamondlike coatings prepared by Laser-Arc.—74-10129A
Scheibe, H.-J.; Schultrich, B.
DLC film deposition by Laser-Arc and study of properties.—74-03684A
Scheibe, Nicola See Reetz, Teja
Scheibe, W.
100 years of tube ball mills—a historical review.—74-06673A
Scheiffele, Gary W. See Sacks, Michael D.
Schelker, Daniel H. See Behal, Lalit K.
Schellbach, G.
New departures in building with bricks: plank bricks in Germany.—74-02727A
Schelz, S.; Kania, P.; Frauenheim, T.; Stephan, U.; Oelhafen, P.
Investigation about the incorporation of hydrogen into amorphous carbon.—74-07356A
Schepers, E. See Ducheyne, P.
Scheps, Richard; Myers, Joseph F.; Mizell, Greg
Internally folded Nd:YAG and Nd:YVO_4 lasers pumped by laser diodes.—74-08940A
Scheps, Richard; Myers, Joseph F.
Dual-wavelength coupled-cavity Ti-sapphire laser with active mirror for enhanced red operation and efficient intracavity sum frequency generation at 459 nm.—74-06047A
Scherer, George W. See Barbe, Christophe J.; Jagota, Anand
Scherer, George W.
Effect of drying on viscoelasticity and permeability of gel.—74-10282A
Scherer, R. L. See Wang, Y.
Schermer, J. J.; Hogenkamp, J. E. M.; Otter, G. C. J.; Janssen, G.; Van Enckevort, W. J. P.; Giling, L. J.
Controlled deposition of diamond from an acetylene-oxygen combustion flame.—74-10244A
Schermer, J. J.; Van Enckevort, W. J. P.; Giling, L. J.
Flame deposition and characterization of large type IIa diamond single crystals.—74-04638A
Schetzina, J. F. See Bowers, K. A.; Cook, J. W., Jr.; Ren, J.; Vaudo, R. P.
Scheubel, B.
Refractory lining in modern rotary kiln systems.—74-01176A; Refractory linings for modern rotary kiln plants.—74-05876A
Scheuer, A. See Erhard, H. S.
Scheuer, A.
Acquisition and processing of process data [in the cement industry].—74-06837A
Scheuer, J. T. See Tuszewski, M.
Scheunemann, Ude See Bruck, Martin
Schiavetto, Serge
1947-1987. Forty years of the cement market in Central America. Historical evolution and perspectives.—74-07989A
Schickenrieder, B. See Feldmeier, H.
Schieck, R. See Ellmer, K.; Lichtenberger, D.
Schienle, James L.; Strangman, Thomas E.
Strain-tolerant ceramic coated seal.—74-02424P
Schiffer, P.; Ramirez, A. P.; Huse, D. A.
Investigation of the field-induced antiferromagnetic phase transition in the frustrated magnet: gadolinium gallium garnet.—74-09202A
Schiffmann, K. I.
Fabrication parameters for the electron-beam-induced deposition of contamination tips used for atomic force microscopy.—74-10353A
Schiller, B.; Ellerbrock, H.-G.
Grindability of cement components and power consumption of cement-grinding mills.—74-09571A
Schiller, Guenter See Henne, R.
Schilling, A.; Guo, J. D.; Cantoni, M.; Hulliger, F.; Xue, B.; Ott, H. R.
New cuprates with (Bi, Cu)-O monolayers: (Bi, Cu)$Sr_2LnCeCu_2O_{9-\delta}$.—74-03537A
Schilling, O.; Forchel, A.; Kohl, A.
Optical analysis of quantum confined Stark effect in overgrown InGaAs/InP quantum wires.—74-01547A
Schilling, W. See Hunnekes, C.
Schindler, Jon L. See Hinds, Bruce J.
Schindler, W.; Van Hasselt, P.; Markl, J.; Bauer, P.; Tontsch, P.; Saemann-Ischenko, G.
Molecular beam epitaxial growth of $SmBa_2Cu_3O_{7-\delta}$ thin films and effect of substrate temperature on the surface roughness.—74-06590A
Schioler, Liselotte J.
Diamond as the ultimate ceramic.—74-09862A
Schiroky, Gerhard H. See Claar, Terry D.; Wang, James C.
Schirrmacher, A. See Glas, P.
Schlachetzki, A. See Hansen, K.
Schlafer, U. See Risse, G.
Schlag, Stefan; Eicke, Hans-Friedrich
Size-driven phase transition in nanocrystalline $BaTiO_3$.—74-06435A
Schlapbach, L. See Kuettel, O. M.
Schlegel, S. A. See Teowee, G.
Schleinitz, W. See Ohl, A.
Schlenkrich, F. See Reichert, K.
Schlittler, R. R. See Dumas, P.
Schloegl, R. See Bensch, W.
Schlogelhofer, Ferdinand See Maydl, Peter
Schlosser, Ernst-Gunther
Device for producing thin films of mixed metal oxides from organic metal compounds on a substrate.—74-01015P
Schlump, W. See Lugscheider, E.
Schmaderer, F. See Huber, R.
Schmalenbach, B. See Weichert, T.
Schmalhorst, E.
PLM's success with indirect batch and cullet preheating.—74-09704A
Schmauder, Siegfried See Dreier, G.
Schmeller,, Lothar; Coenen,, Matthias
Workability characteristics of glasses.—74-00283A
Schmid, A. K. See Ichinokawa, T.; Itoh, H.; Winau, D.
Schmid, Herbert K.; Sbaizero, O.; Meriani, S.
Microstructure of layered zirconia/alumina composites.—74-07693A
Schmid, Ingrid See Mendheim, Jurgen
Schmid, P. E. See Tang, H.
Schmid, Raimund; Mronga, Norbert
Luster pigments based on multiply coated plateletlike metallic substrates.—74-02816P
Schmid, W. See Horhager, S.
Schmidberger, R. See Hofer, H.
Schmidt, A.; Forchel, A.; Straka, J.; Gyuro, I.; Speier, P.; Zielinski, E.
High-quantum-efficiency InGaAs/InP and InGaAs/GaAs quantum dots.—74-06134A
Schmidt, C.; Frey, T.; Dillinger, R.
Corrosive resistance of plaster molds.—74-10908A
Schmidt, E.; Weill, F.; Meunier, G.; Levasseur, A.
New amorphous molybdenum oxysulfides obtained in the form of thin films and their characterization by TEM.—74-05200A
Schmidt, Elke See Hegner, Frank
Schmidt, G. See Frischholz, M.; Ullmann, J.
Schmidt, H.; Ziegler, G.
Analysis and surface chemistry of silicon nitride powders.—74-05068A
Schmidt, H.
Sol-gel process for the synthesis and processing of ceramic powders.—74-07485A
Schmidt, Helmut See Kasemann, Reiner; Popall, Michael
Schmidt, J.; Roscher, H. H.; Labusch, R.
Preparation and properties of $CuInSe_2$ thin films produced by selenization of cosputtered Cu-In films.—74-06273A
Schmidt, K. H.; Linder, N.; Dohler, G. H.
Coexistence of Vannier-Stark transitions and miniband Franz-Keldysh oscillations in strongly coupled GaAs-AlAs superlattices.—74-05098A
Schmidt, Lanny D. See Wright, John S.
Schmidt, R. See Sporn, D.
Schmidt, R.; Sporn, D.; Schubert, Ulrich
Nanostructured composite materials in the system Si-B-N.—74-07399A
Schmidt, W. G.; Srivastava, G. P.
First-principles calculations of interface phonons of an epitaxial Sb monolayer on GaAs(110) and InP(110).—74-03019A
Schmidt, W. R. See Darab, John G.
Schmidt, W. See Interrante, Leonard V.
Schmitt, W.; Rothe, J.; Hormes, J.; Gries, W. H.
Angle-resolved self-ratio measurements on ion-implanted depth profiles by synchrotron X-ray fluorescence spectrometry.—74-05071A
Schmitz, J.; Wagner, J.; Maier, M.; Obloh, H.; Koidl, P.; Ralston, J. D.
Unintentional As incorporation in molecular beam epitaxially grown InAs/AlSb/GaSb heterostructures.—74-06373A
Schmitz, T.; Kupper, D.
Influence of rheological parameters on the process of interparticulate comminution in twin roll presses.—74-00066A
Schmutz, C.; Basset, E.; Barboux, P.
Titanium phosphate thin films via sol-gel process.—74-10705A
Schnabel, F. See Krost, A.
Schnedecker, G. See Boland, F.; Gourlaouen, V.
Schneider, D.; Scheibe, H.-J.; Schwarz, T.; Hess, P.
Characterization of thin diamondlike carbon films by ultrasonic surface waves.—74-09558A
Schneider, G. A. See Hahn, I.; Magerl, F.; Pompe, W.
Schneider, H. See Gruschka, D.
Schneider, Jurgen See Maier, Karin
Schneider, R.; Reiner, J.; Geerk, J.
Growth frustration of YBaCuO films at the transition from *a*- to *c*-axis orientation.—74-03472A
Schneider, Rudolf See Voigt, Heinz
Schneider, U. See Haase, I.
Schneir, J. See Dagata, John A.
Schnick, Wolfgang See Baldus, Hans-Peter
Schnurnberger, Werner See Henne, R.
Schober, R.; Richter, H. J.; Konig, G.
Experimental and thermodynamic studies in the Si-Al-O-C/C system.—74-07077A
Schoch, G. See Ache, H. J.; Emig, G.

Schoeman, B. J.; Sterte, J.; Otterstedt, J. E.
Colloidal zeolite suspensions.—74-10227A
Schoenfeld, D. See Fischer, V.
Schoennahl, J. See More, J.
Schoeps, Wolfgang; Beer, H.; Haeuser, J.
Granulation of barium ferrite in the fluidized bed.—74-00776A
Schoepwinkel, Gert; Hennicke, Hans-Walter
Blistering and pinholes in raw glazes for sanitary ceramics: III. Results and discussion.—74-08661A
Scholl, D. See Everson, M. P.
Scholl, M.
Plasma spraying with wire feedstock.—74-10527A
Schollmeyer, Julie R. See Rohrbach, Ronald P.
Scholz, Harald See Lemoine, Patrick
Scholz, R. See Reisse, G.
Schomburg, Joachim See Chudzicki, P.; Komadel, Peter
Schon, H.-J. See Ladnorg, Uwe
Schonberger, Ernst; Henirich, Jurgen
Differential thermoanalytical investigation of the reaction of carbon with silicon to silicon carbide.—74-10078A
Schonberger, U.; Andersen, O. K.; Methfessel, M.
Bonding at metal-ceramic interfaces: ab initio density-functional calculations for Ti and Ag on MgO.—74-08135A
Schonecker, Andreas See Gesemann, Hans-Jurgen; Merklein, S.
Schonert, K. See Lubjuhn, U.
Schonert, K.; Lubjuhn, U.
Angle of compression and throughput of twin-roll presses.—74-00891A
Schoonheydt, Robert A. See DeVos, D. E.; Weckhuysen, Bert M.
Schoonman, J. See Bath, A.; Dekker, J. P.; Van Dieten, V. E. J.
Schoppmann, C. See Brandl, D.
Schorr, R.; Huettinger, K. J.
Diamond CVD: a comparison between methane and methanol as carbon sources.—74-04547A
Schotz, Eberhard
Platinum feeders gaining greater industry acceptance.—74-02649A
Schowalter, Leo J. See Li, Wei-Dan
Schowalter, Leo J.; Yang, Kai; Thundat, Thomas
Atomic step organization in homoepitaxial growth on GaAs(111)B substrates.—74-05984A
Schramm, C. See Reetz, T.
Schramm, Jeff E.; Hu, Evelyn L.; Brown, Julia J.
Highly selective reactive ion etch process for InP-based device fabrication using methane/hydrogen/argon.—74-00937A
Schramm, Udo; Ullrich, Bernd; Zwahr, H.
Technological studies of raw materials for increasing whiteness of pyrophyllite- and kaolinite-containing raw materials.—74-01204A
Schreck, M. See Hessmer, R.
Schreck, M.; Hessmer, R.; Geier, S.; Rauschenbach, B.; Stritzker, B.
Structural characterization of diamond films grown epitaxially on silicon.—74-05262A
Schreiber, B. Charlotte; Walker, David
Halite pseudomorphs after gypsum: a suggested mechanism.—74-01194A
Schreiber, Charlotte W. See Schreiber, Henry D.
Schreiber, Henry D. See Morgan, A. B.
Schreiber, Henry D.; Lambert, H. Wayne
Chemistry of copper chalcogenides in waste glasses.—74-09395A
Schreiber, Henry D.; Schreiber, Charlotte W.; Sisk, E. Denton; Kozak, Samuel J.
Sulfur systematics in model glass compositions from West Valley.—74-09419A
Schreifels, John A. See Turner, Noel H.
Schreutelkamp, R. J. See Roca, E.
Schrey, Helmut See Weigt, Paul
Schroder, D.
Bucket wheel excavators for semihard rocks as an alternative to blasting.—74-06681A
Schroder, F. See Storm, W.
Schroeder, Donald R.
Multilayer circuit card connector.—74-00557P
Schroeder, Frank See Guether, Hans-Michael
Schroer, D. See Zysk, K.-H.
Schropp, R. E. I. See Ouwens, J. Daey
Schubert, Berndt
Future of refillables.—74-08425A
Schubert, C. See Hermel, W.; Kessler, S.
Schubert, David M.
Process of making zinc borate and fire-retarding compositions thereof.—74-01211P
Schubert, E. See Nadler, P.
Schubert, E.; Nadler, P.
Criticism of DIN 51 110: III. Determination of the Weibull Modulus of Strength.—74-02116A
Schubert, H. See Kop, A.; Kruse, O.; Weller, M.
Schubert, H.; Kountouros, Paris W.; Pross, J.; Petzow, G.; Boschi, A. O.
Sintering of large TZP components.—74-01886A
Schubert, J. See Copetti, C. A.
Schubert, Ulrich See Schmidt, R.
Schubert, Ulrich; Gorsmann, Clasu; Tewinkel, Stefan
Nanosized metal particles by control of the metal dispersion during sol-gel processing.—74-07398A
Schubert, Ulrich; Schwertfeger, Fritz; Husing, Nicola
Inorganic-organic hybrid aerogels.—74-10425A
Schuette, J. F. See Pevear, D. R.
Schuhrke, T. See Ullmann, J.
Schulle, Wolfgang See Melzer, Dieter; Petrov, Ivailo
Schulle, Wolfgang; Rudolph, W.
Comparative examination of clay beneficiation by wet and dry preparation.—74-00356A; Comparative examination of the upgrading of clays by means of wet and dry preparation.—74-00357A
Schulle, Wolfgang
Influence of moisture content in ceramic building materials on thermal insulating behavior.—74-04336A; Process technology aspects of porcelain manufacture at the time of Bottger.—74-08698A
Schulman, J. N. See Chow, D. H.
Schulte, D. W. See Baer, D. R.
Schultheiss, C. See Jiang, Q. D.
Schultrich, B. See Scheibe, H.-J.
Schultz, J. A. See Krauss, A. R.
Schultz, Mark A. See Struble, Leslie J.
Schultz, Robert See Ridings, Wendell
Schultze, J. O. See Van den Bovenkamp, J. G. H.
Schulz, B.
Thermophysics in development and use of structural ceramic materials.—74-01118A
Schulz, Gerd See Hellmold, Peter; Zenger, Manfred
Schulz, H.-J. See Peka, P.
Schulz, Jochen See Popall, Michael
Schulz, K. J.; Viswanathan, K. V.
Factors influencing the abrasion resistance of thin-film magnetic media.—74-10992A
Schulz, K.
FEM in the ceramics industry.—74-06769A
Schulz, P. See Kolaska, H.
Schulz, R. L. See Clark, D. E.
Schulz-Ekloff, G. See Hoppe, R.; Wark, M.
Schulze, Gisbert
Process for the preparation of a silicate-bound material.—74-09837P
Schulze, N. See Buhrer, H. R.
Schulze, P. See Hahn, Rainer
Schulze, S. See Floter, A.; Weissmantel, S.
Schulze, Walter A. See Bayya, Shyam S.; Capurso, Joseph S.; Kuharuangrong, Sutin
Schumacher, A. See Scandella, L.
Schumacher, Ray F. See Bickford, Dennis F.; Marra, James C.
Schumann, J.; Gladun, C.; Monch, J.-I.; Heinrich, A.; Thomas, J.; Pischke, W.
Nanodispersed Cr_xSi_{1-x} thin films—transport properties and thermoelectric application.—74-04369A
Schumm, Cristiano See Iori, Ivo
Schunck, Richard
Thermal rating for enclosed speed reducers.—74-03935A
Schuster, D. M.; Skibo, Michael D.; Bruski, R. S.
Recycling and reclamation of metal matrix composites.—74-00150A
Schuster, S. See Alff, L.
Schuster, T.; Koblischka, M. R.; Ludescher, B.; Henes, R.; Kottmann, A.; Kronmuller, H.
Variation of grain sizes in sintered $YBa_2Cu_3O_{7-\delta}$ by different sintering conditions.—74-06663A
Schut, H. See Andre, Bernard
Schutte, Susanne; Will, Stephan; Mell, Helmut; Fuhs, W.
Electronic properties of amorphous carbon (a-C:H).—74-10099A
Schutz, Stefan; Laqua, W.
Kinetics of formation of fayalite under defined thermodynamic and microstructural conditions.—74-10737A
Schuy, L. See Althainz, P.
Schwab, Stuart T. See Pan, Y.-M.
Schwab, Stuart T.; Page, Richard A.; Davidson, David L.; Graef, Renee C.; Tredway, William K.
PIP [polymer infiltration/pyrolysis] processing, microstructure, and properties of Si_3N_4 fiber and Al_2O_3 fiber reinforced silicon nitride.—74-10522A
Schwaller, P. See Aebi, P.
Schwan, J.; Dworschak, W.; Jung, K.; Ehrhardt, H.
Microstructures and mechanical properties of amorphous hydrogenated carbon-nitrogen films.—74-04363A
Schwarcz, D.; Nakahara, S.; Ohring, M.
TEM observations of early nucleation and growth stages in aluminum films on liquid gallium droplets.—74-05286A
Schwarcz, R.; Kanehisa, M. A.
Lattice dynamics of a simple GaSe-InSe superlattice.—74-08944A
Schwartz, J. See Bandi, A.
Schwartz, Joseph M. See Wright, John S.
Schwartz, M.; Cook, R. L.; Kehoe, V. M.
Carbon dioxide reduction to alcohols using perovskite-type electrocatalysts.—74-01218A
Schwartz, M.; Link, B. F.; Sammells, A. F.
New brownmillerite solid electrolytes.—74-00514A
Schwartz, P. V. See Liliental-Weber, Z.
Schwartz, Robert W. See Boyle, Timothy J.; Sinclair, Michael B.
Schwartz, Robert W.; Voigt, J. A.; Boyle, Timothy J.; Christenson, T. A.; Buchheit, C. D.
Control of thin-film processing behavior through precursor structural modifications.—74-10243A
Schwartz, Robert W.; Voigt, J. A.; Buchheit, C. D.; Boyle, Timothy J.
Densification and crystallization of zirconia thin films prepared by sol-gel processing.—74-10255A
Schwartzman, A. F. See Stevens, K. S.
Schwarz, Helmut
Report on damage analysis of TiN-coated parts and tools.—74-08266A
Schwarz, J. See Bradenburger, T.
Schwarz, J.
Energy-saving production method for producing ceramic floor tiles.—74-00361A
Schwarz, Martin; Kullmer, Iris; Bock, Joachim
Dense superconducting bodies with preferred orientation.—74-09362P
Schwarz, O. J. See Lowden, Richard A.
Schwarz, T. See Schneider, D.
Schwarz, W. N. See Yang, Q. Y.
Schwarz, Wolfgang; Lerat, Andre
Tectoaluminosilicate cement and a process for its manufacture.—74-02360P
Schwarzbach, D.; Haubner, R.; Lux, B.
Internal stresses in CVD diamond layers.—74-04339A
Schwarzbauer, H. See Fiegl, B.
Schwarzenau, Franz See Koster, Jorg
Schwebel, C. See Mosleh, N.
Schweeger, Giorgio See Hashizume, Tamotsu
Schweitz, J. A. See Hjort, K.
Schweizer, T. See Muller, R.
Schweizer, T.; Muller, R.; Bohac, P.
Oxygen nonstoichiometry of Bi-2212 high-T_c superconductor.—74-03547A
Schwenke, G. See Darab, John G.
Schwertfeger, Fritz See Schubert, Ulrich
Schwetz, Karl-Alexander See Sigl, Lorenz S.
Schwetz, Karl-Alexander; Knoch, H.
Tribological and erosion characteristics of silicon carbide and boron carbide structural ceramics.—74-07832A
Schwickert, Peter W.
Relocation of protected plant species and communities in the Westerwald [Germany]—new methods of modern nature conservation.—74-02268A
Schwoebel, P. R.; Spindt, C. A.
Glow discharge processing to enhance field emitter array performance.—74-03030A
Schwoebel, P. R.
Recovery of luminous efficiency of degraded willemite phosphor in an oxygen glow discharge.—74-00695A
Sciacca, M. Dean See Mayur, A. J.
Scian, Alberto N. See Albano, Patricia
Sciau, P. See Baldinozzi, G.
Scierca, S. J.; Proctor, A.; Houalla, M.
Determination of the distribution of chromium oxidation states in reduced Cr/Al_2O_3 catalysts from XPS by factor analysis and curve fitting.—74-04125A
Scimeca, T. See Prabhakaran, K.
Sckuhr, Matthias A. See Munz, Dietrich
Scorey, Clive
Aluminum-silicon carbide composite and process for making the same.—74-08299P
Scott, C. D. See Gicquel, A.
Scott, Curtis E. See Bucher, Gerald L.
Scott, Tim; Welch, David W.
Benefits from recycling cleaners for porcelain enameling.—74-00896A
Scott, Timothy C. See Harris, Michael T.
Scott, William R. See Perez, Ignacio M.
Scotto, Cathy S. See Zhang, Zhi-Fan
Scrivener, K. L.; Taylor, H. F. W.
Delayed ettringite formation: a microstructural and microanalytical study.—74-00046A
Scrosati, B. See Passerini, S.
Seah, K. H. W. See Rahman, M.
Seal, M. See Van Enckevort, W. J. P.
Seals, R. See Roy, A.
Seals, Roland D. See Holcombe, Cressie E.
Sears, J. W. See Eddy, T. L.
Sebastian, K.; Frischat, Gunther Heinz
Silver ion transport in $AgI\text{-}Ag_2O\text{-}B_2O_3$ glasses.—74-05741A
Sebastian, P. J. See Fernandez, A. M.
Sebastian, P. J.
Transport and optical properties of CdSe-CdTe pseudobinary thin films.—74-04454A
Seck, O.; Winter, K.; Mexmain, J.
Effect of hexagonal boron nitride on aluminum nitride substrate thermal conductivity.—74-07153A
Seddon, A. B.; Cardoso, A. V.
Devitrification behavior of infrared-transmitting AlF_3-[MgF_3-CaF_2-SrF_2-BaF_2]-YF_3 glasses: I, During melt cooling.—74-05761A
Seddon, A. B.
Applicability of sol-gel processing in production of silica-based optical fibers.—74-00285A
Sedlar, Miroslav; Matejec, Vlastimil
Thin inorganic layers with ferroelectric and ferromagnetic properties prepared by the sol-gel method.—74-06732A
Sedmale, G. P. See Laukmanis, L. A.
Sedmidubsky, Jiri See Hanykyr, Vladimir
Sedykh, E. M.; Barmykh, L. M.; Ostronova, M. M.
Electrochemical atomic absorption determination of selenium in geochemical and plant materials after autoclave decomposition and sorption preconcentration.—74-01060A
Seeger, D. See Viswanathan, R.
Segadaes, Ana M. See Lopes, Rogerio A.
Segal, David
Synthesis of advanced ceramic powders.—74-10674A
Segal, E. See Fater, D.
Segall, B. See Albanesi, E. A.; Lambrecht, W. R. L.
Segda, B. See Caperaa, C.
Segon, V.
Good gob for the job.—74-09674A
Seguchi, Tadao See Sugimoto, Masaki
Segui, Y. See Sahli, S.
Sehnke, Errol D.
Bauxite.—74-06885A
Sei, Harauhiko; Akaishi, Minoru; Yamaoka, S.
Effect of small amounts of hydrochloric acid on the synthesis of translucent sintered cubic BN.—74-10295A
Seibold, Robert W.; Buller, Bruce W.; Gibson, James O.
Method of making a fiber reinforced ceramic glass composites having tailored coefficient of thermal expansion.—74-08488P
Seidel, Thorsten
Designing a handling system for high-speed lines.—74-09448A
Seido, Masahiro See Sato, Junichi
Seidov, M. Yu. See Suleimanov, R. A.
Seifert, W.; Hessman, D.; Liu, X.
Formation of interface layers in $Ga_xIn_{1-x}As/InP$ heterostructures: a reevaluation using ultrathin quantum wells as a probe.—74-08915A
Seifferly, J. A. See Loboda, Mark J.

Seike, Shoji; Shimizu, Hideki; Tani, Makoto
Superconductive device for helping shield magnetic field.—74-03665P
Seimetz, Hans-Georg
Pressing force distribution in a powder press.—74-09603A
Seitz, Katharina See Guether, Hans-Michael
Sejnoha, Michal See Dvorak, George J.
Sekhar, B. R.; Saini, N. L.; Srivasrava, P.
XPS studies on the superconductor-insulation transition in $Bi_{2-x}Pb_xSr_3Ca_{1-y}Y_yCu_2O_{8+\delta}$ system.—74-03620A
Sekhar, Jainagesh A.; De Nora, Vittorio
Electrochemical cell component or other material having oxidation preventive coating.—74-02416P
Sekhar, Jainagesh A.; Subramanian, V.; Canarslan, Necip S.
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic, and refractory surfaces.—74-02413P; 74-00165P
Sekhar, Jainagesh A.
Composite electrode for electrochemical processing having improved high temperature properties and method for preparation by combustion synthesis.—74-02873P
Sekhon, S. S. See Sidhu, K. S.
Seki, H.; Yamada, Taro; Chuang, T.-J.; Chin, R.-P.; Huang, J.-Y.; Shen, Y.-R.
Diamond C(111) (2×1) surface exposed to hydrogen and hydrocarbon species using second harmonic generation and sum frequency generation.—74-09982A
Seki, Hideya
Removal of iron oxide from Amakusa pottery stone.—74-08579A
Seki, K. See Masai, J.
Seki, Kazuhikp See Awazu, Koichi
Sekiguchi, Atsushi See Iwaki, Masaya
Sekiguchi, Atsushi; Mito, Hideo
Method of improving or producing oxide superconductor.—74-03645P
Sekiguchi, Hidetoshi; Kanzawa, Atsushi; Imai, Takahiro; Honda, Takuya
Enhancement of the deposition rate of TiO_2 film in radio frequency reactive sputtering.—74-06081A
Sekiguchi, Mitsuru; Sawada, Kazuyuki; Fukumoto, Masanori; Kouzaki, Takashi
Electromigration in AlSiCu/TiN/Ti interconnects with Ti and TiN additional layers.—74-06076A
Sekine, K. See Yasuda, E.
Sekine, Tomoyuki See Kuroe, Haruhiko
Sekino, Tohru See Nawa, Masahiro
Selber, H. See Krost, A.; Su, L. C.
Selbrede, Steve See Price, J. B.
Self, K. W. See Wang, X.-S.
Selin, M. Same See Al-Naafa, M. A.
Selinder, T. I. See Han, Zheng-He
Selivanov, V. N.; Smyslov, E. F.
X-ray diffraction analysis of spherical crystallite distribution in polydispersional systems.—74-05295A
Selivestrova, L. S. See Morosanova, E. I.
Sellar, J. R.
Observation of in situ reduction and oxygen transport in zirconia-tantala ceramic alloys.—74-01952A
Sellers, James A. See Tompkins, Harland G.
Selman, J. R. See Ramaswami, K.
Selmi, F. See Ounaies, Z.; Yu, X. D.
Seltzer, C. P. See Perrin, S. D.
Seltzer, Michael D.; Gruber, John B.; Rosenblatt, Gregg H.
Optical spectra, energy levels, and emission intensity calculations of trivalent thulium ions in gadolinium scandium gallium garnet.—74-04386A
Selvamanickam, V.; Goyal, A.; Kroeger, Donald M.
New process with a potential to rapidly texture bulk $YBa_2Cu_3O_x$ superconductor.—74-06595A
Selviah, D. R.
Optical computing and the role of photorefractive crystals.—74-06426A
Sem, I. M. See Surowiak, Z.
Semancik, S. See Poirier, G. E.
Semchenko, I. V. See Gaishun, V. E.
Semchenko, I. V.; Khakhomov, S. A.
Interaction between ultrasound and rotating electric field in crystals of various symmetry classes.—74-07084A
Semchinova, O. K. See Gall, N. R.
Semenchev, A. F. See Dul'kin, E. A.
Semenchev, A. F.; Gavrilyachenko, V. G.; Fesenko, E. G.
Effect of illumination on 180° repolarization process in $PbTiO_3$ single crystals.—74-03299A
Semenenko, V. N.; Belokopytov, G. V.; Ryabov, D. E.
Uhf photoconductivity of CdS and CdSe polycrystals.—74-06367A
Semenov, V. E. See Rybakov, K. I.
Semenova, G. V. See Goncharov, E. G.
Seminova, G. V.; Morozova, A. A.; Goncharov, E. G.
Thermodynamic analysis of the *p-T-x-y* phase diagram of the system Ge-As-P.—74-04230A
Semenova, G. V.; Sushkova, T. P.; Goncharov, E. G.
Thermodynamic computation of the departure from stoichiometry in solid solutions $InAs_{1-x}P_x$.—74-04232A
Semenova, T. L. See Efimenko, A. V.
Semin, I. E. See Musikhin, S. F.
Seminozhenko, V. P. See Khimyi, V. F.; Malyukin, Yu. V.
Semoenov, Yu. G. See Vlasenko, N. A.
Sempolinski, Daniel R.; Swaroop, Latha I.
Method for producing fused silica with low sodium ion contamination level.—74-08487P
Semrad, E. E. See Voroshilov, Yu. V.
Semwal, B. S.; Panwar, N. S.
Dielectric properties of perovskite crystals.—74-07151A
Semyannikov, V. P. See Kashcheev, I. D.
Sen, Yuan
Self-flowing castables.—74-10154A
Senateur, J. P. See Labeau, M.
Senda, Tetsuya; Drennan, John; McPherson, R.
Sliding wear of oxide ceramics at elevated temperatures.—74-11089A
Senderak, R. See Majkova, E.
Senesi, Joseph J. See Petric, Paul F.
Sengupta, S. P. See Sengupta, S.
Sengupta, S. See Todt, V. R.; Varanasi, C.
Sengupta, S.; Sengupta, S. P.
Microhardness studies in gel-grown ADP and KDP single crystals.—74-07904A
Senhorst, H. A. J. See Joosten, G. J. P.; Vugts, M. J. M.
Senior, Constance L. See Strobel, Tina M.
Senior, Constance L.; Moniz, Gary A.; Hurley, John P.; Strobel, Tina M.
Corrosion of silicon carbides by ash and vapor in a coal combustion environment.—74-02072A
Senju, Takashi See Ozaki, Toru
Senna, Mamoru See Hashi, Yoko; Isobe, Tetsuhiko; Liao, J.
Sennova, T. A. See Suvorov, S. A.
Sentis, M. See Marine, W.; Tokarev, V.
Senzaki, Yoshihide; Caruso, James; Hampden-Smith, Mark J.; Kodas, Toivo T.; Wang, Lu-Min
Preparation of strontium ferrite particles by spray pyrolysis.—74-09217A
Senzaki, Yoshihide; Hampden-Smith, Mark J.; Kodas, Toivo T.; Hussler, John W.
Preparation of metal ruthenates by spray pyrolysis.—74-10563A
Seo, J.-M.; Kim, K.-J.; Yeom, H.-W.; Park, C.
Existence of metastable molecular precursors to dissociative oxygen chemisorption on Si(111) and Si(100) at 40 K.—74-03010A
Seo, Moon-Kyu; Lee, Jih-Wa
Effects of gas flow variables on the crystal growth of diamond in hot filament-assisted CVD.—74-04598A
Seo, Y. W. See Lucca, D. A.
Seog, In-Sig See Moon, Young-Tae
Sepulveda, A.; Marquez, C.; Rodriguez, R. I.
Spectroscopic studies of surface copper spinels. Influence of pretreatments on chemical states of copper.—74-04213A
Sera, Masafumi See Hiroi, M.; Kasuya, Tadao
Sera, Masafumi; Maki, M.; Hiroi, M.
Anomalies of the electrical resistivity and the thermoelectric power around 600 K in a small x region of $La_{2-x}Sr_xCuO_4$.—74-09237A
Seraphin, A. A. See Chiu, L. A.
Serbvanescu, M. D. See Belu-Marian, A.
Serdobol'skaya, O. Yu. See Dekalo, I. E.
Serdyuk, A. P. See Rastrigin, O. P.
Serdyukov, A. N. See Gaishun, V. E.
Serebryakov, A.; Stelmukh, V.; Voropaeva, L.; Novokhatskaya, N.; Levin, Yu.; Gurov, A.
Nanocrystallization of Co-Si-B-Zr amorphous alloy.—74-07396A
Serebryakov, A.; Voropaeva, L.; Levin, Yu.; Novokhatskaya, N.; Abrosimova, G.
Crystallization of amorphous Co-Si-B alloys—effect of Fe additions.—74-07066A
Serebryakova, T. I. See Bartnitskaya, T. S.
Seregin, P. P. See Nasredinov, F. S.
Serezhkin, V. N. See Blatov, V. A.
Sergeenkov, S.; Ausloos, M.; Cloots, R.
London-Silsbee state in magnetically textured $DyBa_2Cu_3O_{7-x}$: filamentary percolation.—74-09296A
Sergent, M. See Rabiller, P.
Sergeyev, O. T. See Kalabukhova, E. N.
Sergienko, V. I. See Antokhina, T. F.
Serginov, M. See Rud, V. Yu.
Sergo, Valter See Srikant, V.
Sergo, Valter; Clarke, David R.; Pompe, Wolfgang
Deformation bands in ceria-stabilized tetragonal/alumina: I, Measurement of internal stresses.—74-05332A
Sergo, Valter; Clarke, David R.
Deformation bands in ceria-stabilized tetragonal/alumina: I, Stress-induced aging at room temperature.—74-05333A
Sergo, Valter; Wang, Xun-Li; Clarke, David R.; Becher, Paul F.
Residual stresses in alumina/ceria-stabilized zirconia composites.—74-07911A
Serier, B. See Juve, D.
Serkowski, Stanislaw; Woynarski, Mariusz
Sintering of corundum ceramics in metal oxide eutectic presence.—74-04897A
Serna, Carlos J. See Tartaj, Pedro
Serova, N. A. See Isaev, D. G.
Serra, C. See Lopez, F.
Serra, J. See Fernandez, D.; Gonzalez, P.; Szorenyi, T.
Serrano, E.; Lopez, V.; Carracosa, M.
Steady-state photorefractive gratings in $LiNbO_3$ for strong light modulation depths.—74-06437A
Serrano, J. See Bastida, J.
Serrano, J.; Bastida, J.; Amigo, J. M.
Crystallite size of mullite in the range 975-1150°C.—74-05105A
Serry, M. A.; Mandour, M. A.; Osman, A. M. G.; Girgis, L. G.
Low-flux hydration-resistant refractory dolomite grains from Egyptian raw materials.—74-00390A
Sersale, Riccardo See Frigione, Giuseppe
Sertain, E. See Reber, A.
Service, Thomas H.
Proof testing reinforced brittle composites.—74-09606A
Seshadri, P. See Choudhary, K. M.
Seshadri, S. See Moise, T. S.
Seshadri, S.; Guido, L. J.; Moise, T. S.; Beggy, J. C.; Cunningham, T. J.; Barker, R. C.
Nonequilibrium Al-Ga interdiffusion in MOCVD reactor-annealed AlGaAs quantum well heterostructures.—74-06222A
Seshdri, A. T. See Viswanath, R. P.
Sesigur, Hakan; Acma, Ercan; Toy, C.
Characterization of magnetic Fe_2O_3.—74-04503A
Sessa, V. See Terranova, M. L.
Sessous, U.
Toningustrie Heisterholz: 30% more capacity with Works IV.—74-08597A
Seth, Jayshree See Padiyath, R.; Ralchenko, V. G.
Seth, Jayshree; Padiyath, R.; Babu, S. V.
Incorporation of nitrogen into diamondlike carbon films.—74-04696A
Sethi, S. A.; Tholen, A. R.
Location of different phases in oxidized ultrafine Fe-Cr (70:30) alloy particles.—74-05180A
Sethuraman, A. R.; Stencel, John M.; Rubel, Aurora M.; Cavin, Burl; Hubbard, Camden
Structural and surface characterization of ultrafine iron carbide particles generated by laser pyrolysis: I, High-temperature He treatment.—74-02048A
Sethuraman, A. R.
In situ high-temperature X-ray diffraction studies of nanocrystalline iron carbides.—74-05021A
Seto, M. See Sugimoto, K.
Setoguchi, S. See Fujii, K.
Setoguchi, Toshihiko See Eguchi, Koichi
Setoguchi, Toshihiko; Okamoto, Kotaro; Eguchi, Koichi; Arai, Hiromichi
Effects of anode material and fuel on anodic reaction of solid oxide fuel cells.—74-00482A
Setter, Nava See Chu, Fan; Klissurska, Radosvete D.
Setti, M. See Celle, F.
Settlemeyer, Kenneth T.; Ruzyllo, Jerzy; Leary, Herbert J., Jr.
Metal-oxide-semiconductor characterization of silicon surfaces thermally oxidized after reactive ion etching and magnetically enhanced reactive ion etching.—74-00655A
Settles, G. S. See Hackett, C. M.
Sevast'yanova, I. G. See Ansiferova, I. V.; Antsiferov, V. N.
Sevastyanov, B. K. See Sharonov, M. Yu.
Sever, A. See Bernik, S.
Sever, G. N. See Adushnaeva, R. Yu.
Severin, Harold See Boothe, David T.
Severin, J. W.; Hokke, R.; Van der Wel, H.
Adhesion of electroless Ni(P) on alumina ceramic using a vacuum-deposited Ti-Pd activator layer.—74-00105A; Changes in surface chemistry during the initial stages of electroless Ni(P) deposition on alumina.—74-01627A; Influence of thermal treatments on the adhesion of electrolessly deposited Ni(P) layers on alumina ceramic.—74-05629A
Severin, J. W.; Van Weert, A. A. M.; De With, G.
Influence of substrate chemistry on the adhesion of electrolessly deposited Ni(P) on metal-oxide-coated ceramics.—74-07353A
Severin, Norman W.
Controlled-temperature dryouts of refractory linings.—74-08614A
Sevillano, Evelio; Bourget, Lawrence P.; Post, Richard S.
High growth rate plasma diamond deposition process and method of controlling same.—74-09919P
Sevinctav, S. See Gunay, V.
Sevinctav, S.; Baykara, T.; Dogan, F.
Monolithic α-alumina through pressure filtration of seeded boehmite gels.—74-04764A
Sevost'vanov, V. S.; Goncharov, A. A.; Potelezhko, V. P.
Improvement of the technology of ball mills.—74-03695A
Seward, C. R.; Pickles, C. S. J.; Field, J. E.
Liquid and solid erosion properties of diamond.—74-11034A
Sexl, M. See Klein, W.
Sexsmith, M.; Troczynski, T.
Variations in coating properties across a spray pattern.—74-08290A
Seyferth, Dietmar See Narula, Chaitanya K.
Seyferth, Dietmar; Strohmann, Carsten; Dando, Neal R.
New organosilicon polymers for ceramic applications.—74-10493A
Seymour, P. See Tringides, M. C.
Sezzi, Graziano
Balgres, the glory of Venezuela.—74-05403A; Laufen: a Swiss multinational.—74-02248A; Return of the railway.—74-02274A
Sframeli, Carmen See Hearn, N.
Sglavo, Vincenzo M. See Soraru, Gian Domenico
Sglavo, Vincenzo M.; Green, David J.
Subcritical growth of indentation median cracks in soda-lime-silica glass.—74-02586A
Sha, Jian See Ma, Kun
Sha, Yi-Gao; Volz, M. P.; Lehoczky, S. L.
Electrical properties and compositional distributions of CVT and PVT grown $Hg^1_{-x}{}^{Cd}{}_xTe$ epilayers.—74-01511A
Shacham-Diamand, Y. See Moriya, N.
Shadley, J. R. See Greving, D. J.
Shadrin, E. B. See Nasredinov, F. S.
Shafai, C.; Thompson, D. J.; Simard-Normandin, M.
Two-dimensional delineation of semiconductor doping by scanning resistance microscopy.—74-02058A
Shaffer, James E.
Ceramic blade attachment system.—74-09909P
Shafi, Z. A. See Chan, K. K.
Shafizade, R. B. See Efendiyev, E. G.
Shaginyan, L. R. See Onoprienko, A. A.
Shah, D. K.; Joshi, S. P.; Chan, W. S.
Static structural response of plates with piezoceramic layers.—74-09179A
Shah, Jagdeep See Wang, Hai-Lin
Shah, R.; Wang, K.-C.; Sampath, K.
Towards manufacturing high-quality thermal-spray coatings.—74-10706A
Shah, Surendra P. See Landis, Eric N.
Shah, Surendra P.; Ouyang, C.
Toughening mechanisms in quasi-brittle materials.—74-11119A
Shaikh, A. A. See Jacob, N. E.
Shaikh, A. A.; Joshi, P. N.; Jacob, N. E.; Shiralkar, V. P.
Direct hydrothermal crystallization of high-silica large-port mordenite.—74-10273A

Shaikh, Aziz S.; Roberts, Gordon J.; Sarkar, Gautam
Dielectric materials.—74-08787P
Shakhmatov, V. S.
Symmetry of high-pressure phases in $CsHSO_4$.—74-07129A
Shakhov, V. V. See Pashkevich, Yu. G.
Shakhverdiev, E. M.
Exciton nature of laser photoluminescence in oxygen-octahedral crystals: theory.—74-03007A
Shakurov, G. S. See Tarasov, V. F.
Shalaev, D. Y. See Dementjev, A. P.
Shalamov, A. E. See Sarsenbaev, K. T.
Shaltout, I. I. See Bahgot, A. A.
Shamin, S. N. See Kurmaev, E. Z.
Shamlian, Sarkis H. See Hitchman, Michael L.
Shamoto, Hiroyuki See Morikawa, Takashi
Shamrai, V. F. See Arakcheyeva, A. V.
Shamshur, D. V. See Berezin, A. V.; Musikhin, S. F.
Shamutarov, E. B.; Batsanov, A. S.; Struchkov, Yu. T.
Crystal structures of the hydrates of bis(quinidium) molybdate and quinidium chloride; to the question on the stable conformation of quinidine.—74-04120A
Shan, W. See Hou, H. Q.
Shan, Xiao-Quan See Tu, Quiang
Shan, Zhen-Guo See Shen, Xiao-Hua
Shaneyfelt, M. R. See Warren, W. L.
Shang, J. K. See Liu, G.; Yao, Da-Ping
Shang, J. K.; Liu, G.
Role of composite interface in fatigue crack growth.—74-11077A
Shanmugham, S.; Stinton, David P.; Rebillat, F.; Bleier, A.; Besmann, Theodore M.; Lara-Curzio, Edgar
Oxidation-resistant interfacial coatings for continuous fiber ceramic composites.—74-10935A
Shannon, T. M.; Blackburn, S.
Effects of binder composition on paste flow mechanics in alumina paste extrusion.—74-04596A; Production of alumina/zirconia laminated composites by coextrusion.—74-10592A
Shao, Bai-Ping
Applications of low-temperature once-fired wollastonite raw material glaze to red stoneware.—74-02805A
Shao, Cheng-Dong See Xue, Guang-Zhi
Shao, Hui-Min; Jin, Xin; Shen, Jian-Chang
Study on superconducting Hg-Ba-Ca-Cu-O (HBCCO) compound system.—74-03585A
Shao, Hui-Min; Zhou, K.; Rui, Y.
Synthesis and XRD analysis of $HgBa_2Ca_2Cu_3O_{8+\delta}$.—74-09348A
Shao, Tian-Hao See Feng, Xi-Qi
Shao, Y.; Paul, J.
Oxidation and reduction of TiC/Co in O_2 and H_2.—74-02086A
Shao, Yin-Nian
Acid resistance of titania-white domestic enamel.—74-08125A
Shao, Yong See Zerda, T. W.
Shao, Yong; Koone, Neil; Zerda, T. W.
Experimental studies on diffusion of liquids in porous glass.—74-10732A
Shao, Zhong-Shu See Mu, Xiao-Dong
Shapira, Y. See Kostyk, D.
Shapira, Yoram See Korobov, V.
Shapiro, A. Y. See Gubkin, M. K.
Shaposhnikova, A. V. See Orlenko, A. T.
Shapoval, S. Y. See Popov, O. A.
Shapoval, V. I. See Kushkhov, Kh. B.
Shapovalov, V.
Porous metals.—74-07418A
Shaqfeh, Eric S. G. See Singh, Vivek K.
Sharagov, V. A.
Increasing chemical stability of annealed hollow glassware.—74-02467A
Sharaichuk, V. N. See Moiseenko, V. N.
Sharapudinova, A. Kh. See Zobov, E. M.
Share, Leroy S. See Ketcham, Thomas D.
Sharifi, Fred See Dynes, Robert C.
Sharivker, S. Yu.; Borovinskaya, I. P.; Mukas'yan, A. S.; Karpov, V. V.
Mechanical activation of powders of silicon and aluminum nitrides produced by the method of self-propagating high-temperature synthesis.—74-01792A
Sharivker, S. Yu.; Borovinskaya, I. P.; Vishnyakova, G. A.; Barinov, Yu. N.; Muskas'yan, A. S.; Knyazik, A. M.
Morphological and technological characteristics of silicon nitride powder prepared by self-propagating high-temperature synthesis.—74-01543A
Sharma, A. K.; Vispute, R. D.; Joag, D. S.
Diamond nucleation at the organic liquid-metal interface by laser-induced reactive quenching.—74-01677A
Sharma, A.; Pacey, P. D.
Rate and mechanism of response of a zirconia oxygen sensor.—74-01096A
Sharma, S. C. See Hozhabri, N.
Sharma, S.; Sati, R.; Choudhary, R. N. P.
Difuse phase transition in solid solution of $Pb(Mg_{1/4}Nb_{1/2})O_{3-\delta}$.—74-01370A
Sharma, T. P. See Tyagi, A. K.
Sharon, M. See Natarajan, C.
Sharon, Y.; Goldstein, J. R.
Mixed conduction in an active porous electrode.—74-00512A
Sharonov, M. Yu.; Bratus, A. L.; Sevastyanov, B. K.
Study of luminescence, absorption from excited state, and amplification in 1.3 μm range in nonstoichiometric neodymium-doped crystals with fluorite structure.—74-07125A
Sharonova, L. V. See Makarova, T. L.
Sharp, John See Bushnell-Watson, Suzanne
Shashkov, A. G. See Udachkin, A. B.
Shastry, B. S. See Walstedt, R. E.
Shastry, S. See Jelen, C.
Shatkovskii, E. V.; Verlinskii, Ya. S.
Photomagnetoelectric effect in epitaxial GaAs films accompanied by electron heating by intense laser light.—74-03167A
Shatzkes, M. See Quinones, H.
Shaughnessey, Joe; Zbigien, J. L.
How proper metal pretreatment can save you big dollars.—74-00122A
Shavarova, A. P. See Davidyuk, G. E.
Shaw, Beverley A.
Secondary emission cathode having supeconductive oxide material.—74-00879P
Shaw, C. M. See Ruller, J. A.
Shaw, Fred V.
Fresh options in drying.—74-06702A
Shaw, Jin-Chen; Liu, Kuo-Shung; Lin, I.-Nan
Modification of piezoelectric characteristics of the $Pb(Mg,Nb)O_3$-$PbZrO_3$-$PbTiO_3$ ternary system by aliovalent additives.—74-00756A
Shaw, John D.
Method of producing wollastonite & ceramic bodies containing wollastonite.—74-08720P
Shaw, K. G.; German, R. M.
Particle classification effects during plasma spraying.—74-10515A
Shaw, K. G.; Gruninger, M. F.; Jarosinski, W. J.
High-temperature intermetallic binders for HVOC carbides.—74-08206A
Shaw, K. G.; McCoy, K. P.; Trogolo, J. A.
Fabrication of composite spray powders using reaction synthesis.—74-10346A
Shaw, Leon; Abbaschian, Reza
Fabrication of SiC whisker-reinforced $MoSi_2$ composites by tape casting.—74-10352A; Test specimen for characterizing the fracture energy of interfaces in composites.—74-11111A; Toughening $MoSi_2$ with niobium metal—effects of size and orientation of ductile laminae.—74-05396A
Shaw, M. C.; Marshall, David B.; Dadkhah, M. S.
Cracking and damage mechanisms in ceramics/metal multilayers.—74-02112A
Shaw, N. See Smith, C. D.
Shaw, P. N. See Brown, V. A.
Shayan, A. See Way, S. J.
Shayan, A.; Quick, G. W.; Lancucki, C. J.
Morphological, mineralogical, and chemical features of steam-cured concretes containing densified silica fume and various alkali levels.—74-00082A
Shchavelev, O. S. See Golovin, A. I.; Molev, V. I.; Nikonorov, N. V.
Shchavelev, O. S.; Babkina, V. A.; Golovin, A. I.
Method for calculating refractive indices of glasses in the uv spectral range.—74-02562A
Shchegolev, B. F.
Study of unshared pairs of the Te atom in paratellurite glass. Nonempirical computation of the TeO_2 molecule.—74-04223A
Shchennikov, V. V.; Gavaleshko, N. P.; Frasunyak, V. M.
Semiconductor-to-metal transitions in $Hg_{1-x}Mg_xTe$ and $HgSe_{1-x}S_x$ under extremely high pressure.—74-04416A
Shchennikov, V. V.
Magnetoresistance of mercury chalcogenides under high pressure up to 30 GPa.—74-02560A
Shchepochkina, Yu. A.
Glass for making biostable products.—74-02461A
Shcherbatyuk, O. K. See Nasredinov, F. S.
Shchetkin, I. S.; Osmanov, T. Sh.
Effects of strong electron-phonon coupling in thallium high-temperature superconductors.—74-00802A
Shchukin, V. A. See Malyshkin, V. G.
She, Ji-Hong See Jiang, Dong-Liang; Liu, Q.
She, Ji-Hong; Jiang, Dong-Liang; Tan, Shou-Hong; Guo, Jing-Kun
Microstructure and properties of hot isostatically pressed SiC ceramics with an Al_2O_3 addition.—74-07691A
Shea, Kenneth J. See Choi, Kyun-Moon
Shealy, J. B. See Hashemi, M. M.
Sheats, James R.; Newman, Nathan; Taber, Robert C.
Effects of processing on electrical properties of $YBa_2Cu_3O_7$ films: II, In situ deposition processes.—74-00801A
Shedden, B. A. See Samandi, M.
Sheen, C. W. See Lercel, M. J.
Sheen, S. R. See Chang, H. S. W.
Sheen, S. R.; Chen, D.-H.; Chang, C.-T.
Preparation of an $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ superconductor via the hydroxide coprecipitation method.—74-06618A
Sheen, S. R.; Chen, D.-H.; Hsu, B. F.
Fabrication of highly pure and small-particle-size $YBa_2Cu_3O_7$ superconducting powder by oxalate coprecipitation.—74-06546A
Shehata, G. H.; Moussa, A. M. A.; Molian, P. A.
Nd:YAG laser alloying of high-speed steel tools with BN and Ti/BN and the effects on turning performance.—74-08244A
Shehdeh, Jodeh See Fried, Daniel
Shei, S.-C. See Juang, Y.-Z.
Sheikh, Shamin A. See Fu, Yan
Shein, S. L. See Lutsenko, V. G.
Shelby, J. E. See Coon, J.; Horton, M.; Lindquist, B. H.; Ruller, J. A.
Shelby, J. E.; Lapp, J. C.
Helium deuterium migration in alkali silicate glasses.—74-02465A
Sheldon, Brian W.; Chang, Han-Chieh
Minimizing densification times during the final stage of isothermal chemical vapor infiltration.—74-01803A
Sheldon, Brian W.; Rankin, Hanet; Haggerty, J. S.
Formation of reaction-bonded silicon nitride from silane-derived silicon powders: nucleation and growth mechanisms.—74-07318A
Sheldon, David A.; Lundberg, Robert S.; Li, Xiao-Ming
Sol-gel alumina abrasive wheel with improved corner holding.—74-07978P
Sheleg, A. O. See Tekhanovich, N. P.
Shelekhov, N. S.; Aver'yanov, V. I.; Kalmykov, A. E.
Structure of a glass-polymer composite based on a matrix of high-silicon porous glass.—74-00318A; Structure of glass-polymer composites based on matrices made of high-silica porous glass.—74-00230A
Shelestak, Larry J. See Gulotta, Joseph A.; Pecoraro, George A.
Shelkovnikov See Nakagawa, K.
Shelly, David W. See Walter, John L.
Shelmba, M. S. See Khudolii, V. A.
Shelton, R. M. See Mei, J.
Shelton, R. N. See Hoellwarth, C. C.; Mosley, W. D.
Shelton, S. R.
Kiln builder's view of the refractories industry.—74-09679A
Shelushinina, N. G.; Neifel'd, E. A.; Domanskaya, L. I.
Temperature dependence of the hole thermal emf in gapless HgCdTe and HgMnTe semiconductors.—74-09063A
Shemanshy, Frank A. See Pillote, Cynthia L.
Shemenski, R. M. See Hammer, G. E.
Shemyakov, A. A.; Savosta, M. M.
Nuclear magnetic resonance of ^{89}Y on yttrium ferrite garnet.—74-05206A
Shen, Ai-Guo See Xu, Jie
Shen, Bao-Gen See Hu, Ji-Fan; Zhang, Shao-Ying
Shen, Ding-Kun See Du, Xin-Min
Shen, Guang-Jun See Sun, Xiao-Han
Shen, H. See Pollak, F. H.
Shen, Hong-Yuan See Xu, Hao
Shen, Jian-Chang See Jin, Ji-Rong; Shao, Hui-Min
Shen, Jun See Wang, Jue
Shen, Lu; Xiao, You-Ming; Ma, Ying
Nanosize silicon whiskers produced by chemical vapor deposition.—74-07397A
Shen, M. C. See Hsu, S. M.
Shen, Qiang; Li, Ning-Fang; Gao, Jin-Yuan
Research on process of synthesizing ß-SiC from colliery gangue containing SiO_2.—74-06293A
Shen, T. D.; Wu, Y. L.; Quan, M. X.
Calculation of the temperature for formation of competing intermetallic compounds in Ni/Ti multilayers.—74-01623A
Shen, Xiao-Dong; Yan, Sheng; Wu, Xue-Quan
Immobilization of simulated high level wastes into AASC (alkali-activated slag cement) waste form.—74-02759A
Shen, Xiao-Hua; Shan, Zhen-Guo; Zhou, Fu-Zheng
Nd:YAG microchip laser pumped by diode laser (LD).—74-08964A
Shen, Xue-Zhong
Reasons for transverse failure of main axis of vacuum pumps.—74-03729A
Shen, Y.-L.; Finot, M.; Needleman, A.
Effective elastic modulus of two-phase composites.—74-04288A
Shen, Y.-R. See Seki, H.
Shen, Ya-Fang See Zhang, Xiu-Rong
Shen, Yang; Xu, Zhong-Zi; Xie, Ping; Tang, Ming-Shu
New method of enhancing cement-aggregate interfaces: II, Mechanical properties and sulfate attack resistances of mortars.—74-05560A
Shen, Z.-X. See Ing, D. M.
Shen, Z.-X.; Dessau, D. S.; Wells, B. O.
Recent results from $Bi_2Sr_2CaCu_2O_8$ and $Nd_{2-x}Ce_xCuO_4$.—74-00850A
Shen, Z.-X.; Ong, C.-W.; Tang, S.-H.
High-pressure Raman studies of ß-$NaVO_3$.—74-09997A; Pressure-induced crystalline-amorphous transition in $NaVO_3$ and its recrystallization.—74-10020A
Sheng, T.; Feich, S. B.; Cooper, C. B., III
Characteristics of a plasma doping system for semiconductor device fabrication.—74-03675A
Shengelaya, A. D.; Drulis, H.; Klamut, J.
Microwave absorption in non- and hydrogenated $La_{1.85}Sr_{0.15}CuO_4$.—74-03531A
Shengelia, L. A. See Karumidze, G. S.
Shepard, A. See Baumann, J. A.
Shepelev, Yu. F. See Batikova, I. K.; Levin, A. A.
Sherby, O. D. See Wolfenstine, J.
Sheregii, E. See Ciach, R.
Sherif, Fawzy G. See Triplett, Kelly B.
Sherman, Robert; Hirt, Drew; Vane, Ronald
Surface cleaning with the carbon dioxide snow jet.—74-04930A
Sherstinov, V. S.
Fluctuation effects in lattice model of superconductor near upper critical field.—74-03463A
Sherwin, M. E.; Zolper, J. C.; Baca, A. G.; Drummond, T. J.; Shul, R. J.; Howard, A. J.
Comparison of Mg and Zn gate implants for GaAs *n*-channel junction field effect transistors.—74-02943A
Sherwood, Peter M. A. See Weitzsacker, Cara L.
Sherwood, W. See Interrante, Leonard V.
Shestakov, A. A. See Doroshev, V. D.
Shesterova, L. P. See Chaprasova, L. V.
Shetty, Dinesh K. See Chao, Luen-Yuan; Danchaivijit, Sawai; Tsai, Jing-Fong
Shevchenko, A. V. See Dudnik, E. V.
Shevchenko, D. G. See Tszyan, Yu. N.
Shevchenko, O. A. See Oleinik, G. S.; Tkachenko, Yu. G.; Xiang, Yu. N.
Shevchenko, V. V.; Smirnova, E. I.; Kuryleva, E. F.
Study of surface chemical processes accompanying the grinding of glass.—74-02501A
Shevchenko, V. V.
Effect of technological production conditions on the surface quality of sheet glass.—74-02615A
Shevtsov, N. I. See Sumarokov, S. Yu.
Sheynin, A. V.; Yakobson, M. Ye.
High-rigid fine-grain concretes with the superplasificator C-3 in railway buildings.—74-00063A
Shi, Bo-Rong See Wang, Ke-Ming
Shi, Cai-Jun See Day, Robert L.

Shi, Cai-Jun; Day, Robert L.
Chemical activation of blended cements made with lime and natural pozzolans.—74-00040A
Shi, Dong-Lu See Todt, V. R.; Wang, Zu-Ning
Shi, Jian-Guo See Chen, Guang
Shi, L. P.; Holenbar, U.; Fabricuse, N.
TE polarizers on $KTiOPO_4$ substrates.—74-03352A
Shi, Lei See Zhou, Gui-En
Shi, Qiang See Huang, Qi-Zhong
Shi, Song See Tan, I-Hsing
Shi, T. S. See Wu, X. C.
Shi, Tian-Sheng See Wang, Ge-Ya
Shi, Wei-Hua
Applications of fly ash in hollow concrete blocks.—74-05463A
Shi, Y. T. See Grow, J. M.
Shi, Yi-Lin See Ge, Zhao-Ming
Shi, Z. Q. See Chern, C. S.; He, L.; Jia, Q. X.; Liang, S.
Shi, Z. Q.; Chern, C. S.; Liang, S.
Electrical and dielectric characteristics of $SrTiO_3$ thin films grown by PE-MOCVD technique.—74-06405A
Shi, Zhen-Zhu See Lu, Jian
Shi, Zhi-Xiang See Ji, H.-L.
Shi, Zhi-Xiang; Zhang, Yi-Tong; Jin, Xin
Magnetization of polycrystalline YBaCuO superconductors in medium fields.—74-03515A
Shiao, J. See Zorman, C. A.
Shiau, Lih-Farn See Wirtz, G. P.
Shiba, Hiroyuki See Ohashi, Yoji
Shibao, R. K.; Srdanov, V. I.; Hay, M.
Plasma-enhanced chemical vapor deposition of silicon sulfide and phosphorus sulfide thin films.—74-10532A
Shibaoka, Kazuo See Akimoto, Toshio
Shibata, A.; Kimura, Y.; Takyanagi, K.
Restructuring process of the Si(111) surface upon Ag deposition studied by in situ high-temperature scanning tunneling microscopy.—74-07732A
Shibata, Kaoru See Suzuya, Kentaro
Shibata, Kazuyoshi; Suzuki, Toshihiko
Process for detecting voids in ceramic bodies.—74-09630P
Shibata, Kenichi See Ohashi, Takayuki; Takahashi, Hisakazu
Shibata, M. See Watanabe, M.
Shibata, Masahiro See Yamaguchi, Akira
Shibata, Masatoshi See Nakagawa, Manabu
Shibata, Masatoshi; Isonage, Teruto; Kamiryo, Eiji; Shinohara, Kiyoshi
Coating composition for glass containers.—74-00328P
Shibata, N. See Tanimoto, S.
Shibata, N.; Ikuhara, Yuichi
New system for the systematic, dynamic, and in situ characterization of microstructures (of ceramics).—74-09588A
Shibata, Shoji See Fushimi, Tetsuro
Shibata, Tadashi See Ohmi, Tadahiro
Shibata-Seki, T. See Masai, J.
Shibauchi, T.; Kitano, H.; Uchimokura, K.
Anisotropic penetration depth in $La_{2-x}Sr_xCuO_4$.—74-04250A
Shibuta, Nobuhiro See Fujikami, Jun; Mukai, Hidehito
Shichi, Yushi See Shinoda, Makota
Shieh, Cheng-Hung See Tsai, Wen-Ta
Shieh, H. M.; Hsu, W. C.; Kao, M. J.; Wu, C. L.
Influences of delta-doping time and spacer thickness on the mobility and two-dimensional electron gas concentration in delta-doped GaAs/InGaAs/GaAs pseudomorphic heterostructures.—74-00641A
Shieh, Sy-Yuan; Evans, James W.
Preliminary observations of the rapid thermal oxidation of porous silicon, and the rapid thermal nitriding of oxidized porous silicon.—74-06272A
Shields, A. J.; Cardona, M.; Eberl, K.
Resonant Raman lineshape of optic phonons in GaAs/AlAs multiple quantum wells.—74-03203A
Shiff, V.
Mathematical simulation of electrothermal fields in flame-electric glass-melting furnaces.—74-03919A; Calculation of the electric field in a glassmaking furnace with plane electrodes.—74-03898A
Shiga, Masanobu See Ebihara, Kenji
Shigematsu, Hirotake; Kasano, Hironobu; Mashiyama, Hiroyuki
Phase transitions and structures of phases I, III, and IV of $(NH_4)_2ZnBr_4$.—74-01439A
Shigematsu, Toshihiko; Shiokawa, Nobuaki; Machida, Nobuya; Nakanishi, Norihiko
Martensitic transformation in deoxidized ceria-zirconia ceramics.—74-01407A
Shigesato, Yuzo See Caragianis, C.
Shigesato, Yuzo; Paine, David C.
Microstructural study of low-resistivity tin-doped indium oxide prepared by dc magnetron sputtering.—74-02018A
Shih, C. K. See Gwo, S.; Smith, A. R.
Shih, H.-C.; Sung, C.-P.; Hsu, W.-T.; Sung, S.-T.; Hwang, C.-T.; Hsieh, H.-F.
Dilution effect of noble gases on structure and composition of chemically vapor deposited diamond films.—74-10272A
Shih, K. K.; Chieu, T. C.; Dove, D. B.
Hafnium dioxide etch-stop layer for phase-shifting masks.—74-01229A
Shih, K. K.; Dove, D. B.
Deposition of aluminum oxide films with high refractive index.—74-01662A; Thin-film materials for the preparation of attenuating phase shift masks.—74-01921A
Shih, N.-C. See Nicholls, J. R.
Shih, W. Y. See Keimer, B.
Shih, Wei-Heng; Boodey, J. B.; Frazier, W. E.; Wang, S.-W.
Thermodynamic stability of titanium-aluminum alloys in air.—74-10047A
Shih, Wei-Heng; Pwu, Leh-Lii; Tseng, Ampere A.
Boehmite coating as a consolidation and forming aid in aqueous silicon nitride processing.—74-04487A
Shih, Y. C. See Smith, A. R.
Shih, Y. C.; Sadra, K.; Streetman, B. G.
Random-period superlattice quantum wells.—74-03195A
Shiiki, M. See Rave, R.
Shiina, Yasushi See Miyakawa, Nobuaki
Shikano, H. See Matsumoto, O.
Shikano, Masahiro; Huang, Tong-Kai; Inaguma, Yoshiyuki
Pressure dependence of the magnetic transition temperature for ferromagnetic $SrRuO_3$.—74-03400A
Shikata, Shinichi See Nishibayashi, Yoshiki; Tomikawa, Tadashi; Tsuno, Takashi
Shikata, Shinichi; Nakahata, H.; Hachigo, A.; Fujimori, Naoji
High-frequency bandpass filter using polycrystalline diamond.—74-09871A
Shiktorov, N. See Yukna, A.
Shilenas, A. See Zhidovainis, R.
Shilov, V. V. See Savochkin, A.Yu.
Shim, Chang-Hoon; Yasng, Woo-Seuk; Je, Jung-Ho
Formation of superconducting phases of $Bi_2Sr_2Ca_2Cu_3O_x$ thin films prepared by off-axis sputtering.—74-09277A
Shim, S.-J. See Kim, K.-H.
Shim, Sung-Hun; Heo, Jong; Kim, You-Song
Characteristics and structural evolution of low-silica calcium aluminate glasses.—74-08325A
Shim, T.-U. See Kim, B.-I.
Shimada, Atsushi See Nishimura, Hiroyuki
Shimada, H. See Hirose, K.
Shimada, Hiroshi; Masumi, Taizo
Dynamics of hot electrons accumulated in the velocity space of CdS with acoustic phonon interactions.—74-01941A
Shimada, Masaharu See Tagawa, Hiroaki
Shimada, Masahiko See Sata, Tsugio
Shimada, Shiro See Ito, Yoshiho
Shimada, Shiro; Nishisako, Masaru; Inagaki, Michio; Yamamoto, Kazuhide
Formation and microstructure of carbon-containing oxide scales by oxidation of single crystals of zirconium carbide.—74-01993A
Shimada, Takashi See Akita, Noboru
Shimada, Yoshihito; Machi, Yoshio
Selective growth of diamond using an iron catalyst.—74-04881A
Shimada, Yoshihito; Matsukura, Nobuki; Machi, Yoshio
Synthesis of diamond using iron catalyst by rf plasma chemical vapor deposition.—74-10678A
Shimai, Shunzo; Imura, Koichi; Okamoto, Kenichi; Muto, Tadayoshi
Ceramic filter and manufacturing method therefor.—74-09812P
Shimai, Shunzo
Raw ceramic powders and ceramic manufacturing process.—74-10600A
Shimamura, H. See Hashimoto, T.
Shimanuki, Senji See Saitoh, Shiroh
Shimara, Hiroshi
Antiferromagnetic long-range order and spin waves in the spin-fermion model on the CuO_2 lattice.—74-06489A
Shimazu, Yoshihiro See Mori, Takao
Shimek, Richard F. See Blanchette, Curtis N.
Shimikiene, Y. See Pachebutas, V.
Shimizu, Fuminao See Tsukioka, Masayuki
Shimizu, Hideki See Seike, Shoji
Shimizu, Hiroyasu See Nakasuji, Mamoru
Shimizu, K. See Ohte, Takeo
Shimizu, Kazuharu See Nobumasa, Hitoshi
Shimizu, Masakazu
Making glass tubes for fluorescent lamps.—74-09481A
Shimizu, Masaru See Shiosaki, Tadashi
Shimizu, Seiya See Ueda, Yasukiyo
Shimizu, T. See Nie, H. Y.
Shimizu, Tadashi; Yasuoka, Hiroshi; Yoshimura, Kazuyoshi
Orbital and spin susceptibilities of the plane copper sites in $YBa_2Cu_3O_x$ system.—74-01555A
Shimizu, Y. See Feng, C. D.
Shimizu, Yasuhiro See Lin, Feng-Cang; Takao, Yuji
Shimizu, Yasutoshi; Watanabe, Atsuo
Ceramic filtering membranes.—74-09767A; Characteristics (and manufacturing method) of ceramic membranes and their application to biological processes.—74-10219A
Shimogaki, Yukihiro See Hong, Lu-Sheng
Shimoi, Yukihiro See Yamaji, Kunihiko
Shimojo, Fuyuki; Okazaki, Hideo
Molecular dynamics studies of yttria-stabilized zirconia: II. Microscopic mechanism of oxygen diffusion.—74-07577A
Shimokawa, M. See Laimer, J.
Shimomura, Hirofumi See Okada, Yoshitaka
Shimomura, S. See Hirose, K.; Hiyamizu, S.; Wakejima, A.
Shimoo, Toshio See Sugimoto, Masaki
Shimooka, Hirokazu; Kuwabara, Makoto
Preparation of dense $BaTiO_3$ ceramics from sol-gel-derived monolithic gels.—74-10561A
Shimoyama, Junichi; Kishio, Koji
Recent progress in new high-T_c superconductors.—74-09331A
Shimura, Kenichi See Daitoh, Yoshihiro
Shimura, Kenichi; Daitoh, Yoshihiro; Yano, Yoshihiko; Terashima, Takahito; Bando, Yoshichika
Microstructures and superconductivity of ultrathin $YBa_2Cu_3O_7$ films.—74-03530A
Shimura, T. See Miyakuni, S.
Shin, C. K. See Smith, A. R.
Shin, D.-W. See Kwak, J.-S.
Shin, Dae-Yong; Han, Sang-Mok; Kim, Kyung-Nam
Polymer gel fiber of alkali-resistant zirconia system for GRC.—74-08386A
Shin, Dae-Yong; Han, Sang-Mok
Shape of polymers resulting from condensation in the mixed $Si(OC_2H_5)_4$ and $Zr(O\text{-}nC_3H_7)_4$ solutions.—74-10624A
Shin, Dong-Won See Kim, Byong-Ho
Shin, Dong-Woo; Auh, Keun-Ho; Tanaka, Hidehiko
Tensile properties of ceramic matrix fiber composites.—74-11110A
Shin, H. S.; Goodwin, D. G.
Deposition of diamond coatings on particles in a microwave plasma-enhanced fluidized bed reactor.—74-07254A
Shin, H.-S.; Kwon, S.-J.
New method for the oxide lattice energy computation.—74-09587A
Shin, H.-S.; Lee, J.-H.; Kwon, S.-J.
S-block structure in hexagonal ferrites.—74-03404A
Shin, Hyun-Ho
High-temperature behavior of silicon carbide fibers in an Si-Al-Ca-O-N ceramic matrix.—74-09872A
Shin, J. J. See Dickinson, J. T.
Shin, Jae-Young; Kwon, H.-J.; Oh, Jae-Hee
Microwave-absorbing characteristic improvement by permittivity control of ferrite composite microwave absorber.—74-09211A
Shin, Jae-Young; Oh, Jae-Hee
Design of ferrite composite microwave absorber.—74-03369A
Shin, M. W.; Kingonn, A. I.; Hare, T. M.; Koch, C. C.
Effects of excess CuO on the grain growth kinetics, sintering, and microstructure of the $YBa_2Cu_3O_{7-\delta}$ superconductor.—74-06525A
Shin, Shik See Tezuka, Yasuhisa
Shin, Y. C. See Smith, A. R.
Shin, Yong-Deok See Choi, Du-Sun
Shin, Yu. S. See Kang, Suk-Joong L.
Shinagawa, Keisuke See Fujimura, Shuzo
Shindo, Akio See Sawada, Yoshihiro
Shindo, Kazuyoshi See Hikata, Hajime
Shing, Y. H. See Ong, Tiong P.; Pool, F. S.
Shingo, Mukai See Satoski, Tominaga
Shinjo, Kazumasa See Hirano, Motohisa
Shinjo, Teruya See Yamamoto, Akinori
Shino, Kenji
Method of firing ceramic moldings containing a diffusible metallic oxide.—74-00742P
Shinoda, Makota; Nishide, Toshikazu; Shichi, Yushi
Adhesion between polycarbonate substrate and SiO_2 film formed from silane and nitrous oxide by plasma-enhanced chemical vapor deposition.—74-04469A
Shinoda, Takuya See Hanada, Teiichi
Shinohara, Kiyoshi See Shibata, Masatoshi
Shinohara, Nobuhiro See Takahashi, Hideo; Uematsu, Keizo
Shintani, T. See Tamagawa, T.
Shinya, Hiroshi See Hirata, Yoshihiro
Shiohara, Y. See Kume, A.
Shiohara, Yuh See Kubota, Nobuhiko
Shiojiri, M. See Takahashi, N.
Shiokawa, Nobuaki See Shigematsu, Toshihiko
Shiomi, Hiromu; Fujimori, Naoji
Method for producing single crystal diamond film.—74-08804P
Shiomi, Hiromu; Imai, Takahiro; Fujimori, Naoji
Method for producing single crystal diamond film.—74-09935P
Shiosaki, Tadashi; Kang, C. S.; Shimizu, Masaru; Fukagawa, Mitsuru; Nakaya, Kenichi; Tanikawa, Eiki
Growth and properties of PZT thin films on a 6-8 inch wafer by MOCVD.—74-09145A
Shioya, M.; Takaku, A.
Rotation and extension of crystallites in carbon fibers by tensile stress.—74-07111A
Shipilo, V. B.; Rapinchuk, T. V.; Shishonok, E. M.; Sukhikh, L. L.; Bartnitskaya, T. F.; Akimova, T. M.
Ir reflection spectra of aluminum nitride sintered at high pressure.—74-01402A
Shipilova, L. A. See Kas'yanenko, A. A.
Shipilova, L. A.; Kas'yanenko, A. A.
Electrophysical properties of a porous silicon carbide ceramic.—74-01512A
Shiplinova, N. T.; Chachushkova, N. E.
Separation of tungsten from rare-earth elements by ion-exchange chromatography.—74-01879A
Shirafuji, Junji See Sugino, Takashi
Shirai, Masafumi See Nishio, Yoshimasa
Shiraishi, Kenji See Ohno, Takahisa
Shiraiwa, Yoshinori See Amino, Hirokazu
Shiraki, Kazuyuki; Ohashi, Masaharu
Optical properties of sodium aluminosilicate glass.—74-08383A
Shiraki, Yasuhiro See Fukatsu, S.; Kato, Y.; Zhang, Bao-Ping; Zhang, Xiong
Shiralkar, V. P. See Jacob, N. E.; Shaikh, A. A.
Shirane, G. See Harashina, Hiroshi
Shiranita, Akira See Ayuzawa, Nobuo
Shiranita, Akira; Kageyama, Tatsuya
Ceramic beads.—74-06953A; Properties of SiAlON-BN composites and its applications.—74-00398A
Shiratsuchi, R. See Nogami, G.
Shiratsuchi, R.; Hongo, K.; Nogami, G.; Ishimaru, S.
Reduction of CO_2 on fluorine-doped SnO_2 thin-film electrodes.—74-00528A
Shirkhanzadeh, M.; Azadegan, M.; Stack, V.
Fabrication of pure hydroxyapatite and fluoridated-hydroxyapatite coatings by electrocrystallization.—74-07309A
Shirkhanzadeh, M.
Electrochemical fabrication of alkoxy-derived nanocrystalline zirconia coatings at room temperature.—74-01699A
Shirodkar, V. S. See Choury, A. G.
Shirokoff, J. See Hamdan, N. M.
Shiryaev, S. V. See Dutov, A. G.
Shiryaev, S. Y. See Thomsen, E. V.
Shishkov, D. S. See Dotseva, A. A.
Shishonok, E. M. See Shipilo, V. B.
Shkadauskene, O. P.; Shkadauskas, Yu. S.; Blazhis, I. K.
Photometric determination of Ba in YBCO.—74-09319A
Shkadinskaya, G. V. See Shkadinsky, K. G.
Shkadinsky, K. G.; Shkadinskaya, G. V.; Matkowsky, B. J.
Filtration combustion with self-deformation.—74-04637A

Shkadratsova, V. G. See Khodskii, L. G.

Shkaduaskas, Yu. S. See Shkadauskene, O. P.

Shkiro, V. M. See Komratov, G. N.

Shkurato, Sergei
High-temperature superconducting thin films in strong electric fields.—74-00815A

Shkurenko, G. Yu. See Altshuler, H. N.

Shlomo, Golan See Yahnke, Mark S.

Shmartsev, Yu. V. See Makarova, T. L.

Shmegera, S. V. See Ositinskaya, T. D.

Shmyreva, T. P.; Mukhina, L. V.
Formation behavior of new amorphous and composite materials in detonation gun and plasma spraying.—74-10807A

Shoaf, S. E.; Feinerman, A. D.
Aligned Au–Si eutectic bonding of silicon structures.—74-01614A

Shoesmith, D. W. See Mancey, D. S.

Shohji, Shigeru See Kameyama, K.

Shoi, Se-Young See Lee, Jae-Ho

Shoji, Takashi See Sugiura, Chikara

Shon, Joon-Ho See Lim, Jin-Ho

Shor, Joseph S.; Kurtz, Anthony D.
Fabricating porous silicon carbide.—74-04051P; Photoelectrochemical etching of 6H-SiC.—74-06256A

Shor, Joseph S.; Osgood, R. M., Jr.
Broad-area photoelectrochemical eching of *n*-type beta-SiC.—74-00572A

Shor, Joseph S.; Weber, R. A.; Provost, L. G.
High-temperature ohmic contact metallizations for *n*-type 3C-SiC.—74-06136A

Shores, D. A. See Zhang, Y.

Shors, Edwin C.; Holmes, Ralph E.
Porous hydroxyapatite.—74-06990A

Short, Norman
Developments in electric furnace technology.—74-01144A

Short, S. W. See Luo, H.

Short, S. W.; Luo, H.; Xin, S.; Yin, A.; Pareek, A.; Dobrowolska, M.
Migration-enhanced epitaxy and optical properties of ZnSe/CdSe digital alloy quantum wells.—74-04364A

Shorthouse, Gary
Development of a multichip module (MCM) tool box.—74-00472A

Shoup, Shara S.; Haverlock, Tamara J.; Bamberger, Carlos E.
Solid solutions within selected SrO-$LnO_{1.5}$-TiO_2 systems.—74-04210A

Shovlin, Joseph See Wang, Cong-Jun

Show, K. See Tay, J.

Shpak, L. A. See Bokov, A. A.

Shri, Gopal See Ali, M. M.

Shrinhande, B. K.; Tiwari, T. N.; Purohit, M. A.
Cement plant upgrade and optimization.—74-08002A

Shripathi, T. See Dhanaraj, G.

Shrivastava, O. P.; Komarneni, Sridhar
Cesium selectivity of (Al+Na)-substituted tobermorite.—74-05474A

Shrivastava, S. K. See Sinha, R. K.

Shtel'makh, S. V. See Yarmarkin, V. K.

Shu, Ke-Xing; Zeng, Zhao-Yang; Zhang, Yi-Tong
Broadening of resistance transition for melt-textured $YBa_2Cu_3O_7$.—74-03418A

Shubaeva, M. A. See Izmailova, S. G.

Shubin, W. I.; Entin, S. B.
Effectiveness of fine grinding of cements.—74-00056A

Shudegov, V. E. See Kashirin, V. B.

Shudegov, V. E.; Likhachev, V. A.; Zhuravlev, V. A.
Computer experiments on amorphization of crystals in conditions of pulsed external loads and large plastic deformations.—74-02107A; Computer experiments on amorphization of crystals under conditions of impulsive external laoding and large plastic deformations.—74-00187A

Shugrue, J. K. See Uram, K. J.

Shukla, Vishwa N.; Siuzdak, Allan J.; Lukasiewicz, Stanley J.
Process for forming ceramic pixel array and pixel array formed thereby.—74-09536P

Shul'ga, Yu. M.; Lobach, A. S.
Relationship between (σ+π)-plasmon energy and density for C_{60} solid samples.—74-04410A

Shul, R. J. See Sherwin, M. E.

Shulaev, V. M. See Aksenov, I. I.; Vasiljev, V. V.

Shulik, I. G. See Gavrish, A. M.

Shull, R. D. See Li, M.; Ziolo, R. F.

Shum, Kai See Sutkus, Kestusis

Shumilov, I. Yu. See Solin, N. I.

Shurdymov, G. K. See Khakulov, Z. L.

Shushpanov, V. A. See Orlenko, A. T.

Shutko, A. P.; Butchenko, L. I.
Composition, structure, and physicochemical properties of aluminum hydroxide chloride complexes.—74-07048A

Shutov, A. L.; Lalykin, N. V.; Ovchinnikov, A. V.
Correlation between the static and dynamic strengths of quenched glass.—74-02526A

Shutov, S. D. See Simashkevich, A. A.

Shuvalov, A. L. See Al'shits, V. I.

Shuvalov, L. A. See Belushkin, A. V.; Popkov, Yu. A.

Shvaiko-Shvaikovski, V. E. See Garshin, A. P.

Shveikin, G. P. See Sabiryanov, R. F.

Shvets, I. V. See Wiesendanger, R.

Shvinka, V.; Tchonka, A.
Effect of memory in cyclical freezing processes of hydroaluminosilicate structures.—74-04579A

Shyu, Jiin-Jyh; Lee, Hsin-Hui
Sintering, crystallization, and properties of B_2O_3/P_2O_5-doped Li_2O-Al_2O_3-$4SiO_2$ glass-ceramics.—74-05789A

Shyu, Jiin-Jyh; Yang, Yeong-Song
Crystallization of a PbO-BaO-TiO_2-Al_2O_3-SiO_2 glass.—74-05672A

Shyu, Ming-Jyh See Wu, Tai-Bor

Si, Wei-Min; Li, Peng-Zing; Wu, Ren-Jie
Interfacial reactions of α-2(Ti_3Al) alloys with Al_2O_3.—74-08220A

Sibel'din, N. N. See Kavetskaya, I. V.

Sibieude, F. See Rodriguez-Viejo, J.

Sichanugrist, Porponth; Nii, Tetsuro; Kase, Takahisa
Method of forming *p*-type silicon carbide.—74-03274P

Sickafus, Kurt E. See Vollath, Dieter

Sickinger, A. See Buchanan, E. R.

Siconolfi, D. J. See Choquette, Kent D.; Frankenthal, R. P.

Siddique, M. See Arshed, M.

Siddiqui, S. S.; Desai, C. F.
Optical band gap of thin films of SnSe-$SnGe_2$ eutectic alloy.—74-01550A

Siddle, John R. See Burdis, Mark S.

Sideras-Haddad, E.; Connell, S. H.; Bharith-Ram, K.
Time-dependent perturbed angular distribution studies of chemical vapor deposited diamond.—74-04966A

Sideris, K.
Cement hydration equation.—74-05473A

Sidhu, K. S.; Sekhon, S. S.; Chandra, S.
Copper ion transport in CuI-based molybdate-tungstate glasses.—74-00188A

Sidky, Paulette S. See Hocking, Michael G.

Sidler, H. R.
Epicyclic gears—a reliable and proven gear concept.—74-08020A

Sidorkin, A. S. See Darinskii, B. M.

Sidorov, M. A. See Moskvin, A. S.

Sidorov, V. A.; Brazhkin, V. V.; Khvosttatsev, L. G.
Nature of semiconductor-to-metal transition and volume properties of bulk tetrahedral amorphous GaSb and GaSb-Ge semiconductors under high pressure.—74-08962A

Sidorov, Yu. G. See Varavin, V. S.

Siefke, Christian
Microwave drying of ceramic tiles and tapes.—74-01163A

Siegel, Peter H.; Mehdi, Imran; Wilson, Barbara
Microwave GaAs integrated circuits on quartz substrates.—74-03109A

Siegel, R. W. See Fougere, G. E.

Siegel, R. W.
Nanostructured materials—mind over matter.—74-00962A

Siegel, W. See Boudriot, H.

Siegele, D. See Soltesz, U.

Siejka, J. See De Sande, J. C. G.

Sigalov, L. M. See Adylov, G. T.

Sigarev, S. E.
Superionic conductors with mixed framework $[M_2P_3O_{12}]_{\infty}$: crystal structure and physical properties: II, Sodium-conducting phosphates.—74-04226A

Sigel, G. A.; Domszy, R. C.; Welch, W. C.
Cycloaliphatic epoxide based sol-gel-derived materials.—74-08410A

Sighel, C. See Della Mea, G.

Sigl, Lorenz S.; Kleebe, Hans-Joachim
Microcracking in B_4C-TiB_2 composites.—74-11050A

Sigl, Lorenz S.; Schwetz, Karl-Alexander; Jungling, Thomas; Oberacker, Rainer; Thummler, Fritz
Composite materials based on titanium diboride.—74-04041P

Sigmon, Thomas See Ishida, Emi

Sigrist, Manfred; Rice, T. M.
Paramagnetic effect in high-T_c superconductors—a thing for *d*-wave superconductivity.—74-06609A

Siguin, Dionisio; Ferreira, Serafin; Foufre, Luis; Garcia, Fernando
Relationship between isomorphic substitutions and the thermal degradation of bentonites.—74-07109A

Sigurd, D. See Zhang, S.-L.

Siitonen, P. See Kinos, T.

Siitonen, P.; Konos, T.; Kettunen, P. O.
Corrosion properties of stainless steel coatings made by different methods of thermal spraying.—74-08153A

Silberglitt, R.; Ahmad, Iftikhar; Black, W. Murray
Recent developments in microwave joining.—74-00984A

Sildos, I.; Osvet, A.
Spectral hole burning study of a neutron-irradiated type IaB natural diamond.—74-05249A

Silenko, P. M. See Karyuk, G. G.

Siles, John L.
Influence of mechanical properties on the press performance of enameling steels.—74-00124A

Silin, A. P. See Andryushin, E. A.

Silin, A. R.; Lace, L. A.
Influence of stoichiometry on high-temperature intrinsic defects in fused silica.—74-08336A

Sillem, H. See Nassetti, G.

Silva, R. F.; Viera, J. M.
Effects of microstructure and composition on microhardness of CeO_2-doped Si_3N_4 materials.—74-07637A

Silva, S. R. P. See Rusli,

Silva, S. R. P.; Knowles, Kevin M.; Amaratunga, G. A. J.; Putnis, A.
Microstructure of inclusions in nanocrystalline carbon films deposited at low temperatures.—74-05193A

Silveira, M.; Becucci, M.; Castellucci, E.; Polla Mattiot, F.; Barbarossa, V.; Tomaciello, R.
Nondiamond carbon phases in plasma-assisted deposition of crystalline diamond films: a Raman study.—74-10011A

Silver, D. S. See Hoffman, W. P.

Silver, Rick M. See Tseng, Wen F.

Silvestre, A. J.; Parames, M. L. G. F.; Conde, O.
Investigation of the microstructure, chemical composition, and lateral growth kinetics of TiN films deposited by laser-induced chemical vapor deposition.—74-04718A

Silvestre, P. See Woods, L. M.

Sim, Jae-Ki See Park, Seong-Ju

Simard-Normandin, M. See Shafai, C.

Simashkevich, A. A.; Shutov, S. D.
Density of deep states in a-As_2Se_3 films by means of *c-v* characteristics.—74-06028A; Quantitative capacitance of a metal-(amorphous chalcogenide semiconductor) (Al-As_2Se_3) contact.—74-03187A

Simhan, K. See Borgerding, B.

Simioli, Matteo Luca
Slipperiness of floors.—74-01104A

Simion, B. M.; Ramesh, R.; Keramidas, V. G.
Epitaxial magnetic garnet thin films and heterostructures by pulsed laser deposition.—74-09198A

Simkiss, Kenneth See Taylor, Marina G.

Simmins, John J. See Ghate, Bhaskar B.

Simmons, J. G. See Melville, D. L.; Ojha, Jugnu J.; Pang, Zheng-Da

Simmons, J. H. See Al-Assafi, S.

Simmons, Joseph See Alexander, W. Brock

Simmons, M. Y.; Ritchie, D. A.; Zailer, I.; Churchill, A. C.; Jones, G. A. C.
Optimization of high mobility two-dimensional hole gases.—74-03141A

Simoes, A. M. P.; Ferreira, M. G. S.; Rondot, B.; Da Cunha, Belo M.
Passive films [studied] by capacitance measurements.—74-05951A

Simon, J. See Neveux, D.

Simon, S. See Ilescu, T.

Simon, Simion; Van der Pol, Andre; Reijerse, Edward J.
EPR and NMR studies of amorphous aluminium borates.—74-10800A

Simonen, E. P.
Nanofeatures in irradiated materials.—74-07578A

Simonis, F.; Van der Heijden, T.; Muijsenberg, E.
Furnace design and glass quality.—74-09671A

Simonot-Grange, Marie-Helene See Weber, Guy

Simonov, V. I. See Bolotina, N. B.

Simons, D. S. See Stevie, F. A.

Simonsson, D. See Cornell, A.

Simonton, Robert B. See Yang, Shyh-Horng

Simpson, Bill
Colorants and decolorizers in flat and hollow glass production.—74-02605A

Simpson, Frederick H. See Preedy, Kristina S.

Simpson, J. C.; Oksoy, D.; Cleveland, T. C.; Pye, L. D.; Jain, Vijay
Statistics of the time-temperature-transformation diagram for oxidized and reduced West Valley Reference 6 glass.—74-09418A

Simpson, P. J. See Ford, C. J. B.

Sims, Richard
Increasing the intelligence of forehearth control systems.—74-05771A; Super cooling solution...taking it from the bottom.—74-09717A

Simurka, Peter; Liska, Marek; Plsko, A.; Forkel, K.
Development of a composition suitable for the production of alkali-resistant glass fibers with a low fibrizing temperature.—74-05759A

Simurka, Peter; Liska, Marek
Temperature and composition dependence of container glass viscosity.—74-05743A

Simurov, A. V. See Belyakova, L. A.

Sinces, G. See Ma, L.

Sinclair, B. D. See MacKinnon, N.

Sinclair, Derek C.; West, Anthony R.
Use of succinic acid to test the stability of PTCR barium titanate ceramics under reducing conditions.—74-00734A

Sinclair, J. D. See Frankenthal, R. P.

Sinclair, Michael B.; Dimos, Duane; Potter, Barrett G., Jr.; Schwartz, Robert W.
Angularly and spectrally resolved light scattering from lead zirconate titanate thin films.—74-06393A

Sinclair, Robert See Li, Jin-Shan

Sinclair, Roger N. See Hannon, Alex C.; Wright, Adrian C.

Singh, A. P. See Pandey, D.

Singh, A. See Chow, G.

Singh, Awatar; Khokle, W. S.; Lal, K.
Effect of substrate orientation on WSi_2 formation.—74-01376A

Singh, B. P. See Bindal, M. M.

Singh, Dileep See Ellingson, W. A.

Singh, Dileep; Singh, Jitendra P.; Bhatt, Ramakrishna T.
Influence of fiber content on mechanical performance of SiC fiber-reinforced reaction-bonded silicon nitride composites.—74-11025A

Singh, Dileep; Singh, Jitendra P.; Wheeler, Michael J.
Effects of in situ fiber strength characteristics on mechanical properties of SiC(f)/SiC composites.—74-10981A

Singh, Dileep; Wagh, A. S.; Cunnane, J.; Sutaria, M.; Kurokawa, S.; Mayberry, J.
Phosphate-bonded ceramics as candidate final-waste-form materials.—74-09496A

Singh, J. See Lee, J.

Singh, Jasprit See Lam, Yee-Loy; Loehr, John P.

Singh, Jitendra P. See Ellingson, W. A.; Manghnani, M. H.; Singh, Dileep

Singh, Jitendra P.; Bansal, Narottam P.
Ceramic Transactions, Volume 46: Advances in Ceramic Matrix Composites: II.—74-05438B

Singh, Jitrenda P.; Poeppel, Roger B.; Goretta, K. C.; Chen, Nan
Method of manufacture of single phase ceramic superconductors.—74-09375P

Singh, Jogender; Vellaikal, M.; Dat, Ravi
Gas flow effects in synthesis of diamond by hot-filament chemical vapor deposition.—74-01744A

Singh, K. C. See Kalra, K. C.

Singh, K. D. See Kothiyal, G. P.

Singh, K. See Gandhi, P. R.

Singh, M. R.; Bhargava, S. C.
Magnetic behavior of $Ga_{0.3}Fe_{0.7}CuCrO_4$.—74-04348A

Singh, M. See Gaeta, P. J.; Kiser, J. D.; Ogbuji, Linus U. J. T.

Singh, M.; Sanders, William A.
High-temperature flexural strength and creep behavior of reaction-formed silicon carbide ceramics.—74-11018A

Singh, Mohinder See Kalra, K. C.

Singh, Mrityunjay See Behrendt, Donald R.

Singh, N. B.; Sarvahi, Reetika; Singh, N. P.
Effect of superplasticizers on the hydration of cement.—74-05501A
Singh, N. P. See Singh, N. B.
Singh, R. K. See Harkness, S. D.
Singh, R. K.; Rajan, Krishna
Critical issues in thin film microstructure development.—74-07619A
Singh, R. K.; Varshney, D.
Composition dependence of transition temperature in some ceramic superconductors.—74-09244A
Singh, R. K.; Viatella, John
Estimation of plasma absorption effects during pulsed laser ablation of high-critical-temperature superconductors.—74-03460A
Singh, Raj N. See Kumar, Susmit; Kumaria, S.; Reddy, Srinivas K.; Wang, Hong-Yu; Zhou, Hong
Singh, Raj N.; Gaddipati, Achuta R.
Ceramic composite containing coated fibrous material.—74-08779P
Singh, Raj N.; Wang, Hong-Yu
Mechanisms of thermal shock damage in fiber-reinforced ceramic matrix composites.—74-11048A
Singh, Raj N.
Processing and mechanical response of fiber-reinforced ceramic composites for high-temperature applications.—74-08255A
Singh, Shiw S. See Naik, Tarun R.
Singh, V. K.; Sinha, R. K.
Preparation of alumina by a combined precipitation and gelation process.—74-07425A
Singh, Vivek K.; Shaqfeh, Eric S. G.; McVittie, James P.
Study of silicon etching in CF_4/O_2 plasmas to establish surface reemission as the dominant transport mechanism.—74-06337A
Singhal, S. C.
Recent progress in zirconia-based fuel cells for power generation.—74-00527A
Singhal, S. K. See Bindal, M. M.
Singleton, J. See Leadley, D. R.
Sinha, K.; Mascarenhas, A.; Alonso, R.
Optical investigation of the influence of substrate orientation on spontaneous ordering in $Ga_{0.5}In_{0.5}P$ alloy.—74-04382A
Sinha, M. K.
Utilization of two Indian plastic fireclays.—74-05884A
Sinha, R. K. See Singh, V. K.
Sinha, R. K.; Shrivastava, S. K.
Influence of atmosphere on the formation behavior of $YBa_2Cu_3O_{7-x}$.—74-06562A
Sinha, S. K.
X-ray diffuse scattering as a probe for thin-film and interface structure.—74-06835A
Sinha, Shome N. See Sweet, E.
Sinha, Shome N.; Tiegs, Terry N.
Fabrication and properties of Si_3N_4-TiN composites.—74-10344A
Sinha, U. N. See Masood, Irshad
Sinikrishnan, U.; Yoon, G. W.; Kwong, D. L.
Applications of rapid thermal chemical vapor deposition technology to ULSI material processing and device fabrication.—74-04480A
Sinitsin, M. A. See Mintairov, A. M.; Bumai, Yu. A.; Fedotov, V. K.
Sinke, W.
Photovoltaic challenge.—74-02257A
Sinn, M. T. See Bennett, Brian R.
Sinyaev, V. A. See Sarsenbaev, K. T.
Sioshansi, Piran
Ion-beam-assisted polishing of diamond.—74-01774A
Sirdeshmukh, L. See Kumar, K. K.
Sire, Clement; Varma, Chandra M.; Ruckenstein, Andrei
Theory of marginal-Fermi-liquid spectrum and pairing in a local copper oxide model.—74-05288A
Sirera, R. See Calzada, M. L.; Castro, A.
Sirimanne, P. M. See Tennakone, K.
Sirisoonthorn, S.; Moulson, A. J.; Stevens, R.
Electromechanical properties of ceramics in the (PMW-PT-PZ) system.—74-03302A
Sirivivatnanon, V. See Baweja, Daksh; Cao, H. T.
Sirkis, James S. See Jain, Adesh
Sirkis, James S.
Optical and mechanical isotropies in embedded fiber optic sensors.—74-08382A
Sirochenko, V. N. See Imanov, R. M.
Sirochenko, V. P. See Lomov, A. A.
Siroky, Karel; Jiresova, Jana; Hudec, Lubomir
Iron oxide thin-film gas sensor.—74-03829A
Siroky, P. See Dusek, V.
Sirota, N. N.; Zhambaibekov, K. Zh.
X-ray diffraction determination of the compressibility of YBCO as a function of oxygen content.—74-00860A
Sirota, Yu. V. See Novikov, N. V.
Sirotinkin, S. P. See Sirotinkin, V. P.
Sirotinkin, V. P.; Drozdova, N. M.
Phase relations in the system SrO-CuO-Nb_2O_5 in the region with large content of strontium oxide.—74-04189A
Sirotinkin, V. P.; Sirotinkin, S. P.
Systems ANb_2O_6-ATa_2O_6, A=Ca, Sr, Ba.—74-01474A
Sirringhaus, H.; Lee, E. Y.; Von Kanel, H.
In situ study of epitaxial $CoSi_2$/Si(111) by ballistic electron emission microscopy.—74-06149A
Sisk, E. Denton See Schreiber, Henry D.
Sisson, R. D., Jr. See Gaeta, P. J.; Lee, E. Y.; Sohn, Y. H.
Sisson, Warren G. See Harris, Michael T.
Sitzler, Wilfried See Menendez, Jose Paul
Siuzdak, Allan J. See Shukla, Vishwa N.
Siva Nageswara, G. Rao See Ganesh Babu, K.
Sivan Pillai, C. G.; George, A. M.
Thermal conductivity of superconducting $La_{2-x}Sr_xCuO_4$ and semiconducting $Gd_{2-x}Sr_xCuO_4$ at high temperature.—74-09356A
Sivananthan, S. See Wijewarnasuriya, P. S.
Sivazlian, F. R. See Fox, B. A.; Von Windheim, J. A.
Siviero, Enzo; Forin, Michela
Efficiency of PAN fibers in reducing shrinkage-induced cracking in fresh concretes and mortars.—74-05512A
Siviter, Carl See Chadwick, Robert
Six, R. See Fryda, M.; Jiang, X.
Sizov, F. F. See Gavaleshko, N. N.
Sjodin, T. See Tiberio, R. C.
Sjostrom, H.; Hultman, L.; Sundgren, J.-E.; Wallenberg, L. R.
Characterization of interfaces between hydrogenated amorphous carbon films and steel substrates using high-resolution cross-sectional transmission electron microscopy.—74-08140A
Sjostrom, H.; Ivanov, I.; Johansson, M.; Hultman, L.; Sundgren, J.-E.; Hainsworth, S. V.
Reactive magnetron sputter deposition of CN_x films on Si(001) substrates—film growth, microstructure, and mechanical properties.—74-05229A
Sjovall, Peter See Janiak, Christoph
Skalny, Jan; Mindess, Sidney
Materials Science of Concrete IV.—74-07974B
Skamser, Daniel J. See Day, Paul S.; Spotz, Mark S.
Skamser, Daniel J.; Bentz, Dale P.; Coverdale, R. Tate; Spotz, Mark S.; Martys, Nick; Jennings, Hamlin M.
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers—correction.—74-04258A
Skamser, Daniel J.; Day, Paul S.; Jennings, Hamlin M.; Johnson, D. Lynn
Optimization of microwave-assisted chemical vapor infiltration.—74-10507A
Skandan, G. See Chang, W.
Skandan, G.; Hahn, H.; Kear, B. H.
Processing of nanostructured zirconia ceramics.—74-07450A
Skauli, T.; Colin, T.; Lovold, S.
Improved substrate temperature control for growth of twin-free cadmium mercury telluride by molecular beam epitaxy.—74-00637A
Skelcey, James S.; Bartkowiak, Craig J.
Process for densification of powdered ceramics and cermets at temperatures above 1400°C.—74-03770P
Skendzic, Djordje; Stojanovic, Mirjana; Trodorovic, Branislav
Determination of the optimum pigment content in glazes for sanitary ceramic.—74-05889A
Skibo, Michael D. See Hammond, Donald E.; Schuster, D. M.
Skidmore, J. A.; Lishan, D. G.; Young, D. B.; Hu, Evelyn L.; Coldren, L. A.
HCl, H_2, and Cl_2 radical beam ion beam etching of $Al_xGa_{1-x}As$ substrates with varying Al mole fraction.—74-06131A
Skimov, B. A.; Aibul, A. V.; Bogdanov, E. V.
Low-temperature switching in PbTe:Ga under pressure.—74-03093A
Skipetrov, E. P.; Nekrasova, A. N.; Khorosh, A. G.
Effect of electron bombardment on the electrical properties of $Pb_{1-x}Sn_xTe$(In) alloys.—74-06051A
Skipetrov, E. P.; Nekrasova, A. N.; Pelekhov, D. V.
Electrical and photoelectric properties of PbTe(Ga) bombarded by electrons.—74-08882A
Sklyarevich, V. E. See Paton, B. E.
Skofronick, J. G. See Bishop, G. G.
Skolnick, M. S. See Mowbray, D. J.
Skomorovskaya, L. A.; Rudenko, T. S.; Gabelkova, E. A.
Single firing of ceramic tiles for interior wall facing.—74-02812A
Skomorovskaya, L. A.
Magnesia spinel ceramics alloyed with rare-earth oxides.—74-05182A
Skoneczny, W.; Tokarz, A.
Mechanism of destructive changes in oxide-covered surfaces caused by friction.—74-02172A
Skopp, A.; Woydt, M.; Habig, K.-H.
Friction and wear behavior of C- and SiC-fiber-reinforced glass composites against ceramic materials.—74-02148A
Skordeva, E. See Arsova, D.
Skorobogach, L. P. See Tretinnik, V. Yu.
Skorospelova, V. I. See Anan'ev, A. V.
Skovankova-Rohanova, Jana See Hlavac, Jan
Skowronek, C. J. See Wang, H. F.
Skripnikova, N. K. See Volokitin, G. G.
Skrobian, Milan See Havlik, Tomas
Skuzovatkin, V. V. See Genkin, G. M.
Skvara, Frantisek
Effect of the mineralogical composition of clinker on the properties of gypsum-free portland cement.—74-05502A
Skvarla, Michael J. See Soh, Yeong-Ah
Skvortsova, V. See Mironova, N.
Skybakmoen, E. See Nord-Varhaug, K.
Skytt, P.; Johansson, E.; Wassdahl, N.
Soft X-ray emission study of HFCVD diamond films.—74-05248A
Slade, S. B. See Parker, F. T.
Sladek, C. R.
Relation between economy, ecology, and quality assurance in the firing technology for whiteware.—74-05457A
Sladek, Rudolf
Bone china—a high-quality soft porcelain as an enrichment of modern table art.—74-00423A; Can the refractories industry cope with the steadily increasing demand for ceramic fast-firing technology.—74-00379A; Ecology and quality assurance in modern kiln technology for high-voltage ceramic insulators.—74-01148A; Firing technology for sanitary ware.—74-00430A; Furnaces for firing of high-tension ceramic insulators.—74-06854A; Modern kiln construction for ceramic high tension insulators: highest efficiency with ecological consideration and quality assurance.—74-01165A; New directions in porcelain technology.—74-08696A; New orientation of the porcelain industry.—74-08697A; Relationship between economy, ecology, and quality control in whiteware firing technology.—74-00440A; Split tiles and how they're fired.—74-05830A
Slamovich, Elliott B.; Aksay, Ilhan A.
Hydrothermal processing of $BaTiO_3$/polymer films.—74-10394A
Slane, K. W.; Dickie, M. W.
Knidian phallic vase from Corinth[, Greece].—74-00021A
Slavejkov, A. G. See Eleazer, Prince B.; Joshi, M. L.; Neff, Glenn C.
Sleptsov, V. V. See Elinson, V. M.
Slesar, M.; Dudrova, E.; Rudnayova, E.
Plain porosity as a microstructural characteristic of sintered materials.—74-02034A
Sleurs, J. See Brauns, E.; Erauw, J.-P.; Luyten, J.
Sleurs, J.; Piller, R. C.; Ashby, M. F.; Davidge, R. W.
Modeling of HIP: a test by analyzing HIP runs on silicon carbide and nitride.—74-10476A
Slezov, V. V.
Chemical potentials of compounds and their equilibrium concentrations at surfaces of macrodefects in solid.—74-04102A
Slivken, S. See Jelen, C.
Sliwinski, Jacek; Zych, Teresa
Factors that determine the durability of fiber cement composites.—74-08029A
Sloan, D. See Sun, Y.-M.
Sloan, R. See Davis, L. E.
Slobodchikov, S. V.; Kovalevskaya, G. G.; Meredov, M. M.
Pd-*p*-GaP diode structures—electrical and photoelectric characteristics and effect of hydrogen on them.—74-08993A
Slobodin, B. V.; Kiseleva, N. V.
Systems M_2O-CuO-V_2O_5.—74-01475A
Slobodov, A. A. See Sobal, V. N.
Slosarczyk, Anna; Stobierska, Ewa; Paszkiewicz, Zofia
Hydroxyapatite bioceramics.—74-07344A
Slosman, A. I.; Aparov, N. N.; Aparova, L.S.
Effect of preliminary treatment on the process properties of plasma-chemical oxide powders.—74-04583A
Slot, Gert See Peiro-Saint, Saint Paul Olivier
Slough, C. G. See Coleman, R. V.
Sloushch, V. G. See Rapoport, Yu. M.
Slovbodchikov, S. V.; Salikhov, Kh. M.; Samorukov, B. E.
Current transport mechanism in *n*-GaP diode structures with vacuum-deposited palladium.—74-02954A
Slovyanskikh, V. K.; Kuznetsov, N. T.; Martynova, L. F.
Ferrobismuthates of calcium, barium, and lead.—74-00775A
Sluchinskaya, I. A. See Lebedev, A. I.
Slusarczuk, M. G. See Paton, B. E.
Slutsker, A. I.; Dmitriev, A. V.; Parfenova, E. E.
Temperature dependence of the strength of silicon nitride ceramics.—74-04440A
Slutz, David E. See Kosky, Philip G.
Slyn'ko, V. V.; Babii, P. I.; Gamernik, R. V.
State of dopant Ni in CdTe.—74-03225A
Small, G. J.
Cracking behavior of floor tile clays.—74-08516A
Smalley, Allen See Robinson, Gilbert C.
Smart, A. P. See Sotomayor Torres, C. M.
Smeets, J. See Dekempeneer, E. H. A.; Meneve, J.
Smeltzer, W. W. See Czerwinski, F.
Smialek, James L.; Gedwill, Michael A.
High-temperature oxidation-resistant thermocouples.—74-06776A
Smirnitskaya, Yu. Ya. See Belokoneva, E. L.
Smirnov, B. I.; Nikolaev, V. I.
High-temperature localization of plastic deformation in $NaNO_2$ ferroelectric crystals.—74-06414A
Smirnov, D. V.; Mashovets, D. V.; Safonchik, M. O.
Magnetophonon resonance and ir lattice reflection.—74-00651A
Smirnov, N. B. See Dolginov, L. M.
Smirnov, V. A. See Lysak, S. V.
Smirnov, V. N. See Danchevskaya, M. N.
Smirnova, E. I. See Shevchenko, V. V.
Smirnova, E. V. See Urusovskaya, L. N.
Smirnova, N. L.
Is L. Pauling right.—74-07085A
Smironova, T. P.; Jakovkina, L. V.; Jashkin, I. L.
Boron nitride films prepared by remote plasma-enhanced chemical vapor deposition from borazine ($B_3N_3H_6$).—74-01282A
Smith, A. R. See Gwo, S.
Smith, A. R.; Gwo, S.; Sadra, K.; Shin, Y. C.; Streetman, B. G.; Shin, C. K.
Comparative study of cross-sectional scanning tunneling microscopy/spectroscopy on III-V hetero- and homostructures: ultrahigh vacuum-cleaved versus sulfide-passivated.—74-06008A
Smith, A. W. See Starr, Thomas L.
Smith, A.; Smith, D. S.; Abelard, P.
Experimental survey of dopant ions in ZnO—nonlinearity and degradation.—74-06091A
Smith, Agnes See Dutta, Joydeep
Smith, C. B.; Chen, W.; Pepper, M.; Ahmed, H.; Hasko, D.; Ritchie, D. A.
Fabrication and physics of lateral superlattices with 40-nm pitch on high-mobility GaAs/GaAlAs heterostructures.—74-06094A
Smith, C. D.; Rice-Evans, P. C.; Shaw, N.
Observation of a vacancy change state in $Cd_{0.2}Hg_{0.8}Te$ by positron annihilation.—74-03133A
Smith, Charles H. See Akhtar, Masyood
Smith, D. M. See Maskara, A.
Smith, D. M.; Hua, D. W.; Earl, W. L.
Characterization of porous solids.—74-07608A
Smith, D. S. See Smith, A.
Smith, D. W. See Vecht, A.
Smith, David C. See Healy, Matthew D.; Parmeter, John E.
Smith, David J. See Diehl, P. E.

Smith, Deane K.
Calcium phosphate apatites in nature.—74-09763A
Smith, Diana
Preheater kiln start-up and operation at Western Lime, Green Bay.—74-01174A
Smith, Douglas T.; Wei, Lan-Hua
Quantifying local microcrack density in ceramics: a comparison of instrumented indentation and thermal wave techniques.—74-03856A
Smith, Edwyn D. See Tabory, Charles N.
Smith, G. D. W. See King, R. A.; Mackenzie, R. A. D.
Smith, G. L.; Weinberg, M. C.
Experimental test of surface-nucleated crystal growth model in lithium diborate glass.—74-05762A
Smith, G. O.; Mayers, E. J.; Kuhl, J.
Pump-probe investigations of biexcitons in GaAs quantum wells.—74-09018A
Smith, Gary See Bickford, Dennis F.
Smith, H. D. See Patello, G. K.
Smith, H. D.; Merz, M. D.; Wiemers, K. D.; Bell, R. D.; Williford, R. E.; Larson, D. E.
Alternate processing flowsheets for treating NCAW waste slurry with formic acid—split acid addition to reduce H_2 generation rate and total NH_3 production.—74-09394A
Smith, H. I. See Bozler, Carl O.; Ghanbari, R. A.; Rittenhouse, G. E.
Smith, J. H.; Lawrence, R.; Campisi, G. J.
Numerical analyses of silicon-on-insulator short-channel effects in a radiation environment.—74-03132A
Smith, J. M. See Lawson, S.
Smith, J. P. See John, P.
Smith, J. See Adkins, T.
Smith, John A.
RGAs are turning up in surprising places.—74-03865A
Smith, John R.; Hong, Tao; Srolovitz, David J.
Metal-ceramic adhesion and the Harris functional.—74-05645A
Smith, Jon
Matching temperature sensors with process tasks.—74-03832A
Smith, K. A. See Moharty, B. P.
Smith, Kevin E. See Breuer, Klaus
Smith, Larry K. See Payne, Stephen A.
Smith, Lester M.
Practical observations on ways to minimize chipping.—74-00143A
Smith, M. E. See Bastow, T. J.; See Hughes, Anthony E.
Smith, M. F.; Neiser, R. A.; Dykhuizen, R. C.
Investigation of the effects of droplet impact angle in thermal spray deposition.—74-10428A
Smith, P. A. See Hitchen, S. A.; Vienna, J. D.
Smith, P. A.; Langowski, M. H.; O'Rourke, S. M.; McDonald, K. R.
Effects of formic and nitric acids on simulated Hanford neutralized current acid waste rheology.—74-09401A
Smith, Peter A.; Haber, Richard A.
Effect of particle packing on the filtration and rheology behavior of extended size distribution alumina suspensions.—74-07274A
Smith, Peter A.; Haerle, Andrew G.
Particle crowding analysis of slip casting.—74-04801A
Smith, Preston P.; Buchanan, R. A.; Roth, J. Reece; Kamath, Sanjay G.
Enhanced pitting corrosion resistance of 304L stainless steel by plasma ion implantation.—74-05306A
Smith, R. G.; Eaton, J. H.; Johnson, D. D.; Richards, E. A.
Fabrication of full-scale fiber-reinforced hot gas filters by chemical vapor deposition.—74-01726A
Smith, R. T.; Binner, J. G. P.; Sambrook, R. M.
Processing of high-porosity engineering ceramics.—74-10588A
Smith, R. T.; Binner, J. G. P.
Processing and applications of foam ceramics.—74-10581A
Smith, R. W. See Kim, M. R.; Knight, R.; Verstak, A. A.
Smith, R. W.; Bittner, D.; Lugscheider, E.
Thermal spray coatings for protection of polymeric composite aircraft components.—74-08283A
Smith, R. W.; Mohanty, M.
Lightweight TiC/Ti alloy wear-resistant coatings for lightweight materials in aerospace applications.—74-08228A
Smith, R. W.
Advancing thermal spray technologies through international collaborative R&D.—74-00889A; Reactive plasma spray forming for advanced materials synthesis.—74-00149A
Smith, Redd H.
Polycrystalline diamond cutting element.—74-04075P
Smith, Robert G.
High-temperature ceramic composite.—74-01320P
Smith, Roger I. See Argyriou, Dimitri N.
Smith, Roy
Application of porcelain enamel with a high-speed disk.—74-00107A
Smith, Sandra L.; Hazen, Brian J.
Method of protecting aluminum nitride circuit substrates during electroless plating using sol-gel oxide films and article made therefrom.—74-02891P
Smith, Stanley A. See Fitch, Lawrence D.
Smith, Wallace A.
Composite piezoelectrics utilizing a negative Piosson ratio polymer.—74-00767P
Smol'skii, I. L. See Volodin, A. E.
Smolders, A. See Luyten, J.
Smolin, A. A. See Pimenov, S. M.
Smolin, Yu. I. See Batikova, I. K.; Levin, A. A.
Smolyak, I. B. See Arbuzova, T. I.
Smrcek, Josef; Bendlova, Alena; Holec, Jiri
Temperature homogeneity of the gob of glass—where does it arise or become extinct. Electric heating of forehearth.—74-02660A
Smurov, I. See Mazhukin, V.
Smyrl, W. H. See Park, H. K.
Smyslov, E. F. See Selivanov, V. N.
Smyth, Donald M. See Bheemineni, Veerabhadrarao
Smythe, Daniel L. See Geis, Michael W.
Snachez, E. See Marco, J.
Snail, Keith A. See Glesener, John W.
Snauwaert, J. See Elst, K.
Snauwaert, J.; Hellemans, L.; Czech, I.; Clarysse, T.; Vandervorst, W.; Pawlik, M.
Towards a physical understanding of spreading resistance probe technique profiling.—74-01121A
Snedden, J.
Reliability methodology for ceramic components subjected to creep.—74-01098A
Sneed, B. See Ren, J.
Snitzer, Elias; Wei, Kan-Xian
Glass compositions having low energy phonon spectra and light sources fabricated therefrom.—74-08478P
Snoeks, E. See Fleuster, M.
Snowden-Ifft, D. See Nagahara, L. A.
Snyder, E. J. See Grey, F.
Snyder, Robert L. See Kudesia, Rajiv; Reardon, Brian J.
Snyder, William J.; Steigman, Frederic N.; Tasca, Abilio
Applying oxygen firing to industrial glass melters.—74-09640A; Several factors are fueling the movement in oxygen firing conversion.—74-03929A
Sobal, V. N.; Podluzhnyi, V. V.; Slobodov, A. A.
ZnS-Ag luminophor as a chemical system.—74-01603A
Sobek, D. See Klemm, U.
Sobisch, B. See Beckmann, R.
Sobol, Emil N.
Phase Transformations and Ablation in Laser-Treated Solids.—74-05443B
Sobolev, V. V.; Guilemany, J. M.; Calero, J. A.
Theoretical investigation of the gas-powder particles transport phenomena in HVOF spraying.—74-10696A
Sobolev, V. V.; Guilemany, J. M.
Analysis of the porosity formation during HVOF spraying.—74-10194A; Investigation of coating porosity formation during high-velocity oxyfuel (HVOF) spraying.—74-07357A
Sobolev, Yu. S. See Pavlovskii, V. K.
Sobolewska, A. See Czechowski, J.
Sobolewski, R.; Xiaong, W.; Kuia, W.
Monolithic YBCO structures fabricated using the laser writing patterning technique.—74-06591A
Sobolewski, Roman See Alexandrou, Sotiris
Soboyejo, Wole See Cheng, Long-Ching
Soboyejo, Wole; Brooks, Douglas; Chen, Long-Ching; Lederich, Richard
Transformation toughening and fracture behavior of molybdenum disilicide composites reinforced with partially stabilized zirconia.—74-07932A
Sobue, Masahisa See Yasutomi, Yoshiyuki
Sochinskii, N. V. See Babentsov, V. N.
Sochova, S.; Buse, K.; Kratzig, E.
Characterization of photorefractive $KNbO_3$:Fe by non-steady-state photocurrent techniques.—74-03288A
Socino, G. See Xia, Hua
Soda, Kazuo; Mori, Tamiko; Kitazawa, Hideaki
Vuv-photoemission study of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals and their surface degradation.—74-01486A
Sodeoka, Satoshi See Kondou, Isao
Soderholm, K. J. See Anusavice, K. J.
Soderstrom, Claes See Peiro-Saint, Saint Paul Olivier
Soeda, Koichi; Matsuhisa, Makoto; Hayashi, Hiroshi
Influence of chemical composition on properties of nonexplosive demolition agent for low temperature.—74-00065A
Soeda, Koichi; Tsuchiya, Kazuyoshi; Matsuhisa, Makoto
Properties of expansive stress of nonexplosive demolition agent in long period of time.—74-08095A
Soga, Kohei; Uo, Motohiro; Inoue, Hiroyuki; Makishima, Akio; Inoue, Satoru
Site-dependent study of the optical properties of Eu^{3+} in pure and chlorine-doped fluorozirconate glasses.—74-00278A
Soga, Naohiro See Cho, Sung-Baek; Hanada, Teiichi; Tanabe, Setsuhisa; Tanaka, Katsuhisa
Sogabe, Kouichi See Nakahata, Seiji; Yamakawa, Akira
Sogabe, Kouichi; Matsuura, Takahiro; Nakahata, Seiji; Yamakawa, Akira
Aluminum nitride powder having surface layer containing oxynitride.—74-09901P
Sogaishi, Ichirou See Matsunaga, Noboru
Soh, Yeong-Ah; Skvarla, Michael J.; Craighead, Harold G.
Focused ion beam interaction with a shallow two-dimensional electron gas.—74-00620A
Sohler, Wolfgang See Dinard, Manfred
Sohma, M. See Kawaguchi, K.
Sohma, M.; Kawaguchi, K.; Fujii, Y.
Structural characterization of a CuO/MgO artificially supersaturated film by the γ-ray diffraction method.—74-10031A
Sohn, H. Y.; Cho, W. D.
Developments in physical chemistry and basic principles.—74-01368A; 74-07069A
Sohn, J. G. See Byeon, T. B.
Sohn, Jeong-Ho See Choy, Jin-Ho; Inaguma, Yoshiyuki
Sohn, Kee-Sun; Lee, Sung-Hak; Baik, Sung-Gi
Analytical modeling for bridging stress function involving grain size distribution in a polycrystalline alumina.—74-05320A
Sohn, Y. H.; Biederman, R. R.; Sisson, R. D., Jr.
Microstructural development in physical vapor deposited partially stabilized zirconia thermal barrier coatings.—74-07382A
Sohr, O. See Gerber, J.
Sokol, L. S. See Hays, C.
Sokola, Raymond L.; Krause, Joseph P.
Surface mount ceramic filter duplexer having reduced input/output coupling and adjustable high-side transmission zeroes.—74-09103P
Sokolina, G. A. See Ermakova, O. N.
Sokolov, V. O. See Dianov, E. M.
Sokolov, V. V. See Zobov, E. M.
Sokolova, E. V.; Pushcharovskii, D. Yu.; Chesnokov, B. V.
Crystal structure of technogenic magnesioferrite.—74-03367A
Sokolova, N. V. See Belokoneva, E. L.
Sokolova, T. N. See Rastsvetaeva, R. K.
Sokolovich, V. V.; Bayukov, O. A.
Phase transformations in $Cr_{1-x}Fe_xS$ ($x \approx 0.5$).—74-07103A
Sokolowska, A. See Mycielski, W.; Szmidt, J.
Sokolowska, A.; Olszyna, A.
Uv photo-assisted crystallization of carbon.—74-01928A
Sokolowski, Stefan See Delville, Alfred
Solayappan, Narayanan See Pandey, Raghvendra K.
Soldatov, V. P.; Chaikovskaya, N. M.
Microplastic deformation under cyclic bending of yttrium-based HTS ceramic plates.—74-01541A
Sole, J. G.; Makalic, B.; Bausa, L. E.
Optical detection of ion impurity sites in doped $LiNbO_3$.—74-00758A
Solheim, Svein See Holroyd, Bill
Solier, J. D. See Cachadina, I.
Soliman, L. I. See Abo Elsoud, A. M.
Solin, N. I.; Filippov, B. N.; Shumilov, I. Yu.
Magnetostatic wave spectrum and attenuation in ferromagnetic semiconductor $HgCr_2Se_4$ under electric-field-induced heating of magnons.—74-06193A
Solin, S. A. See Lee, Mark
Solina, A. See De Gregorio, P.
Sollars, C. J. See Hills, C. D.; Pollard, Simon T.
Solodskaya, T. I. See Bagaeva, T. Yu.
Solomon, G. S.; Kirillov, D.; Chui, H. C.; Harris, James S., Jr.
Determination of AlAs mole fraction in $Al_xGa_{1-x}As$ using Raman spectroscopy and X-ray diffraction.—74-05112A
Solomon, I. See Bonnell, Dawn A.
Solomon, J. S.; Grant, J. T.
Angle of incidence effects of an oxygen ion beam on the surface chemistry of GaAs.—74-02063A
Solomon, James S. See Fang, Xiao M.
Solomon, Peter R. See Markham, James R.
Solomonov, V. I. See Mikhailov, S. G.
Solov'ev, E. E. See Karnachev, A. S.; Kol'tsov, M. A.
Solov'ev, M. A.; Batyaev, I. M.
Solubility of anhydrous chloride lanthanides in phosphorus oxychloride and phosphorus oxychloride–zinc chloride matrix composition.—74-00215A
Solov'ev, M. V.; Rastsvetaeva, R. K.; Pushcharovskii, D. Yu.
Refined crystal structure of cavansite.—74-04206A
Solov'eva, N. D. See Dmitryuk, A. V.; Pan'sheva, E. I.
Solovjeva, L. I. See Maleto, M. I.
Solozhenko, V. L.; Will, G.; Hupen, H.
Isothermal compression of rhombohedral BN up to 14 GPa.—74-05372A
Solter, H.-J. See Borgerding, B.
Solter, H.-J.; Muller, U.; Lugscheider, E.
High-speed temperature measurement for on-line process control and quality assurance during plasma spraying, I: Identification of important process parameters—measurement principle and potential as an industrial process control instrument.—74-01065A
Soltesz, U.; Siegele, D.; Schafer, R.
Evaluation of the reliability of ceramic component on the example of a conic joint.—74-02135A
Somekh, Robert E. See Evetts, J. E.
Somergon, C. See Hao, S.
Someya, T. See Akiyama, H.
Somiya, S. See Hishinuma, K.
Sommer, B. See Kurz, E.A.
Sommer, M. See Ache, H. J.
Son, Geon-Seog See Kwon, Young-S.
Son, Myung-Mo See Lee, Heon-Soo
Son, U. T. See Liu, J.
Son, Woo-Chang See Kim, Jong-Ok
Soneda, Y.; Inagaki, Michio
Synthesis and exfoliation behavior of ternary molybdenum chloride chloroform graphite intercalaction compound.—74-10670A
Song, C. Y. See Cai, J.
Song, Guo-Wei See Qian, Zhi-Zhen
Song, Hang-Tang See Yang, Shu-Zhen
Song, Hue-Sup See Kim, Sang-Woo; Lee, Hae-Weon
Song, J. J. See Hou, H. Q.
Song, J. P.; Pryds, N. H.; Glejbol, K.; Morch, K. A.; Carneiro, K.
Studies of TiN nucleation and growth by scanning tunneling microscopy in water.—74-07764A
Song, Jia-Qing See Chen, Wei
Song, Jin-Tae See Lee, Hee-Gyoun
Song, Jong-Tack; Lee, Yong-Min
Hydration of granulated blast-furnace slag in the presence of sodium silicate.—74-08045A
Song, Lin; Campbell, Allison A.; Bunker, Bruce
Role of interfacial chemistry in surface nucleation and growth of calcium oxalate monohydrate.—74-09798A
Song, Lin; Pattillo, Michael J.; Graff, Gordon L.
Heterogeneous nucleation of calcium oxalate of native oxide surfaces.—74-10381A
Song, Man-Ho See Yoon, Ki-Hyun
Song, S. P.; Morch, K. A.; Carneiro, K.; Tholen, A. R.
Investigation of scanning tunneling microscopy tunneling barrier signals in air and water.—74-07674A
Song, S. W. See Choy, Jin-Ho
Song, We-Dong; Liu, Da-Ming; Jiao, Shu-Liang; Lu, D.-S.; An, Chen-Wu; Lu, Ling
In situ deposition of $YBa_2Cu_3O_{7-x}$ superconducting thin film without high pressure oxygen during film cooling.—74-00817A
Song, Wei; Hao, Xue-Jun; Zhang, Li-Yuan
Change of electronic structure caused by local substitution of Al for Cu in $La_{1.85}Sr_{0.15}CuO_4$ material.—74-00787A

Song, Xiao-Hong See Yuan, Bing
Song, Y.-H. See Wang, D.-Y.
Song, Y.
Accelerated aging processes in ceramic-reinforced AA6061 composites.—74-10182A
Soni, K. K.; Chabla, J. M.; Mogilevsky, J. A.
Imaging microanalysis of ceramic materials with a scanning ion microprobe.—74-06779A
Sonier, J. E.; Kiefl, R. F.; Brewer, J. H.
New muon spin rotation measurement of the temperature dependence of the magnetic penetration depth in $YBa_2Cu_3O_{6.95}$.—74-04373A
Sonin, E. B.; Kholkin, A. L.
Hall effect and anisotropy of second type-II superconductors in mixed state.—74-03476A
Sonnenberg, Neville See Chang, Bertha P.
Sonnenberg, Neville; Ressler, Kevin G.; McIntyre, Paul C.
Influence of processing parameters on the development of biaxially aligned zirconia thin films deposited by ion-beam-assisted deposition.—74-09291A
Sonnichsen, George C. See Foley, Henry C.
Sonobe, Masanobu; Asai, Kichizo
Magnetization measurement and ^{55}Mn NMR study of $La(Ni_{1-x}Mg_x)_{0.5}Mn_{0.5}O_3$.—74-06465A
Sonsino, C. M.; Meyer, S.; Lindemann, G.
Parameters determining the measurements of strength under cyclic loading of Al_2O_3 and Si_3N_4 ceramics in the temperature range from 20 to 1200°C.—74-02186A
Sood, Dinesh K. See Paterson, Melissa J.
Sopicka-Lizer, M.; Terpstra, R. A.; Metselaar, R.
Carbothermal production of beta'-SiAlON from nanosized powders.—74-07214A
Sopko, John F. See Athey, Patricia R.
Sopori, Bhushan
Hydrogen-induced defects and defect passivation in silicon solar cells.—74-07569A
Sopow, P. Wiktor See Uszerow-Marszek, W. Aleksander
Soprunyuk, V. P. See Kityk, A. V.
Soraru, Gian Domenico; D'Andrea, Gennaro; Campostrini, Renzo; Babonneau, Florence; Mariotto, Gino
Structural characterization and high-temperature behavior of silicon oxycarbide glasses prepared from sol-gel precursors containing Si–H bonds.—74-02493A
Soraru, Gian Domenico; Sglavo, Vincenzo M.; Dire, S.
High-strength, high modulus silicon oxycarbide glasses.—74-05721A
Sorba, L. See Cantile, M.
Sorensen, Bent F. See Holmes, John W.
Sorensen, N. R. See Martens, Jon S.
Sorensen, O. T. See Alcock, J. R.; Li, Wen-Yu
Sornakumar, T. See Annamalai, V. E.
Sornay, P.; Mutin, J. C.
Why does the state of agglomeration of iron oxide used in the preparation of $(MnZn)Fe_2O_4$ powders affect the electromagnetic properties of soft ferrite ceramics.—74-06478A
Sorokin, N. I.
Determination of ion transport percolation threshold in $Sr_{1-x}La_xF_{2+x}$.—74-05003A
Sorokina, N. I. See Voronkova, V. I.
Sorokina, N. I.; Molchanov, V. N.; Tamazyan, R. A.
Structural features of superconducting $YBa_2Cu_{2.91}O_{6.58}$ single crystals.—74-06634A
Sorokina, T. P. See Kvashnina, O. P.
Sorrell, Charles C. See Begg, Bruce D.; Ruys, A. J.
Sorrell, Charles C.
Phase equilibria considerations in the ceramic-metal bonding of silicon-based ceramics.—74-00139A
Sorsa, P. See Niemi, K.
Sosa, Horacio A.
Electroelastic analysis of piezoelectric ceramics with defects.—74-00751A
Sosa, Victor See Zapata-Navarro, A.
Sosnin, E. P. See Loshazin, A. V.
Sosphenov, A. N. See Zheludeva, S. I.
Soto, G. See Mendez, J. M.
Sotomayor Torres, C. M.; Smart, A. P.; Watt, M.; Foad, M. A.; Tsutsui, K.; Wilkinson, C. D. W.
Nanometer fabrication techniques for wide-gap II-VI semiconductors and their optical characterization.—74-03124A
Sottile, Laura J.; Balkus, Kenneth J.; Riley, Scott J.
Molecular-sieve-based chemical sensors.—74-05950A
Sotulo, V. S. See Magunov, R. L.
Soucy, G. See Rahmane, M.
Soukiassian, P. See Aristov, V. Yu.; Chen, W.; Mangat, P. S.
Soukup, L. See Jelinek, M.
Soules, Thomas F. See Bucher, Gerald L.
Souleva, A. See Konstantinov, K.
Souquet, J. L. See Caillot, E.; Montani, R. A.
Souriau, J. C. See Li, C.
Soutetie, B. See Laborde, O.
Southworth, P. See Buhaenko, D. S.
Southworth, S. See Herrera-Gomez, A.
Soutis, C. See Hitchen, S. A.
Souza Oliveira, Wedson
Reactivity and burnability of the cement raw mix and its influence on refractories specifications for the burning and transition zones of a rotary cement kiln.—74-08098A
Sovey, James S. See Mirtich, Michael J.
Soyez, G. See Wurschum, R.
Soza, Dave See Corcoran, Sean F.
Spaar, M. T. See Arlinghaus, H. F.
Spada, F. E. See Margulies, D. T.
Spady, Blaine L. See Woollam, John A.
Spaethling, Walter
Use of a CAD/CAM system for engineering and household ceramics design.—74-01005A
Spang, M. D. See Hennicke, Hans-Walter
Spann, J. Richard See Toth, Louis E.
Spanos, L.; Irene, E. A.
Investigation of roughened silicon surfaces using fractal analysis: I, Two-dimensional variation method.—74-07672A
Spanos, L.; Liu, Q.; Irene, E. A.; Zettler, T.; Hornung, B.; Wortman, J. J.
Investigation of roughened silicon surfaces using fractal analysis: II, Chemical etching, rapid thermal chemical vapor deposition, and thermal oxidation.—74-07673A
Sparioso, Kalin; Birnbaum, Milton
Intracavity 1.549-μm pumped 1.634-μm Er:YAG lasers at 300 K.—74-06164A
Sparks, Robert W.
Quality improvement movement: an overview.—74-11187A
Spaseska, D.; Milosevski, M.; Milosevska, R.
Use of polyfactor experimental design for creation of a porous structure of ceramic biomaterial based on Al_2TiO_5.—74-07028A
Spasic, A. See Jokanovic, Vokuman
Spauszus, S. See Loest, Hagen
Spauszus, S.; Nobst, P.; Ostmann, E.
Ceramic foil production by continuous casting.—74-00899A
Spear, K. E. See Newcomb, S. A.
Spearing, Dane R.; Stebbins, Jonathan F.
Oxygen displacement through the ferroelectric phase transition of barium titanate high-temperature ^{17}O NMR.—74-03327A
Spearing, S. M. See Zok, Frank W.
Spearing, S. M.; Evans, Anthony G.
Role of fiber bridging in the delamination resistance of fiber-reinforced composites.—74-07913A
Spearing, S. M.; Tenhover, Michael A.; Lukco, Dorothy B.
Models for the thermomechanical behavior of metal/ceramic laminates.—74-08243A
Spearing, S. M.; Zok, Frank W.
Stochastic aspects of matrix cracking in brittle matrix composites.—74-11093A
Specht, E. D. See Goyal, A.; McKee, R. A.
Speck, J. S. See Tarsa, E. J.
Speck, James S. See Turner, Kristofer
Spector, M.; Hanlon, J. G.; Nancollas, George H.
Chemistry and structure of calcium-containing coatings and modified surfaces for titanium alloy orthopedic prostheses.—74-09772A
Speer, Dietrich See Jansen, Martin
Speier, P. See Schmidt, A.
Spence, J. C. H. See Huang, Y. M.
Spence, J. C. H.; Huang, Y. M.; Sankey, Otto F.
Lattice trapping and surface reconstruction for silicon cleavage on (111). Ab initio quantum molecular dynamics calculations.—74-02160A
Spence, Jarrett L. See Dalzell, William J., Jr.
Spence, Jarrett L.; Wright, Robert J.
Gas turbine elements bearing alumina-silica coating to inhibit coking—74-00169P
Spencer, G. F. See Andrews, C. C.; Li, F.
Sperber, D. M. See Mroz, Cathleen
Sperling, Friedrich See Diedel, Ralf
Speyer, Robert F. See Sundaram, S. Kamakshi; Villalobos, Guillermo R.
Speyer, Robert F.
Thermal Analysis of Materials.—74-11210B
Spiberg, P.; Butler, James E.; Dhar, L.
In situ Fourier transform ir emission spectroscopy of diamond chemical vapor deposition.—74-09999A
Spielman, S.; Parks, Beth; Orenstein, J.
Observation of the quasi-particle Hall effect in superconducting $YBa_2Cu_3O_{7-\delta}$.—74-06599A
Spiess, J.
Flow conditions in rotary impeller packers.—74-09464A
Spindt, C. A. See Schwoebel, P. R.
Spinella, C. See Terrasi, A.
Spinnewyn, J. See Nesladek, M.
Spinnewyn, J.; Nesladek, M.; Asinari, C.
Diamond nucleation on steel substrates.—74-00113A
Spinolo, G. See Martini, M.
Spitsyn, B. V.
Research and development in the field of diamond films in Russia.—74-01302A
Spitzl, R.; Raiko, V.; Engemann, J.
Diamond deposition on porous silicon by plasma-assisted CVD.—74-06039A
Spohn, Mary T.; Mroz, Thomas J.
Improved utility and economics for aluminum nitride.—74-09874A
Spohn, Mary T.
Boron carbide.—74-06887A
Spolnik, Z. M. See Blank, A. B.
Sporek, Kazimierz
Rules for estimation of damage in pomiculture caused by the fall-out of dust from cement plant "Wierzbica."—74-08104A
Sporn, D. See Merklein, S.; Schmidt, R.
Sporn, D.; Schmidt, R.
Oxidic and nonoxidic fiber coatings by sol-gel processing.—74-07408A
Sposito, Garrison
Diffuse-ion swarm near smectite particles suspended in 1:1 electrolyte solutions: modified Gouy-Chapman theory and quasi-crystal formation.—74-08533A
Spotz, Mark S. See Day, Paul S.; Skamser, Daniel J.
Spotz, Mark S.; Skamser, Daniel J.; Johnson, D. Lynn
Thermal stability of ceramic materials in microwave heating.—74-04451A
Sprangle, Eric A.; Andrews, John M.; Peckerar, Martin C.
Dielectric breakdown strength of SiO_2 using a stepped-field method.—74-00476A
Spremberg, Gunther See Rangmark, Lennart
Sprenger, D.; Bach, H.; Gutlich, P.
Quantitative XPS analysis of leached layers on optical glasses.—74-02484A
Spriggs, Richard M. See Rasmussen, Margaret Adams
Spriggs, Richard M.; Rasmussen, Margaret Adams
New York State: birthplace and cradle of high-technology ceramics and glasses.—74-11183A
Springthorpe, A. J. See Blaauev, C.; Knight, Gordon; Ojha, Jugnu J.
Sproul, Alistair B. See Glunz, Stefan W.
Sproul, William D. See Li, Dong
Sproul, William D.
PVD today.—74-04854A
Sproule, G. Irwin See Petot Ervas, Georgette
Spruijt, H. J. See Joosten, G. J. P.
Spurdens, P. C. See Perrin, S. D.
Spyrellis, N. See Tsagaroyannis, J.
Srdanov, V. I. See Shibao, R. K.
Srdic, V.; Radonjic, L.
Processing of the alumina-zirconia composite and its mechanical properties.—74-07721A
Sreenivas, G.; Ang, S. S.; Brown, W. D.
Effects of nitrogen doping on the growth and properties of plasma-enhanced chemical vapor deposited diamondlike carbon films.—74-04599A
Sridharan, K. See Malik, Shamim M.
Sridharan, S.; Fuierer, A.
Hermetic sealing with glass-ceramics.—74-09468A
Srikant, V.; Sergo, Valter; Clarke, David R.
Epitaxial aluminum-doped zinc oxide thin films on sapphire: I, Effect of substrate orientation.—74-06082A; II, Defect equilibria and electrical properties.—74-06083A
Srikanth, Varanasi See Breval, Else; Sakaguchi, Isao
Srikanth, Varanasi; Roy, Rustum; Komarneni, Sridhar
Acoustic wave stimulation of the leaching of layer silicates.—74-07035A
Srinivas, B.; Subba Rao, G. V.
Fabrication and characterization of nonrandom $YBa_2Cu_3O_{7-}$ Ag composites.—74-06543A
Srinivas, Damodaran See Foster, Robert F.
Srinivas, Vivek; Chen, Yung-Jui; Wood, Colin E.
Bound exciton-induced photoluminescence linewidth broadening in GaAs quantum wells.—74-04256A
Srinivasa, Y. G. See Ravindra, H. V.
Srinivasan, G. V.; Venkateswaran, V.; Lau, Sai-Kwing
Engineering analysis for CMC material design considerations using Carborundum's sintered SiC fiber and slurry cast/melt infiltration process.—74-10329A
Srinivasan, Radhika; Nguyen, Tue; Ho, Herbert L.
Diffusion-induced precipitation in arsenosilicate glass (AsSG).—74-08366A
Srinivasan, S. See Dave, B. B.; Sault, A. G.
Srinivasan, Thallam T.
Ceramic dielectric compositions and capacitors produced therefrom.—74-02871P
Srinivasu, V. V.; Bhat, S. V.; Kumar, N.
Anomalous dc field/dependence of nonresonant rf absorption at high rf fields in $YBa_2Cu_3O_{7-\delta}$.—74-03416A
Sriram, Mandyam A.; Kumta, Prashant N.
New chemical approaches to synthesize titanium disulfide.—74-10492A
Srisukri, Sira See Puvanunt, Panard
Srivasan, M. R.; Bhat, H. L.
Structural aspects of ferroelectric phase transitions.—74-09181A
Srivasrava, P. See Sekhar, B. R.
Srivastava, A. K.; Arora, B. M.; Banerjee, S.
Interdiffusion and relaxation in metallorganic vapor phase epitaxy grown InGaAs/GaAs strained layer quantum wells.—74-05024A
Srivastava, G. P. See Schmidt, W. G.
Srivastava, R. K.; Potdar, S. S.
First TDC 3000 System in the Indian cement industry.—74-08030A
Srivastava, R. S. See Prasad, I.
Srivastva, M. P. See Joshi, S. V.
Srolovitz, David J. See Smith, John R.
Sroubek, Z. See Walachova, J.
St. Clair, Anne K. See Stoakley, Diana M.
St. Julien, Dell J. See Ketcham, Thomas D.
Stachel, D. See Hoppe, U.
Stack, V. See Shirkhanzadeh, M.
Stack, W. See El-Shall, M. Samy
Stadeli, Otto
Heavy-duty planetary gear systems for roller presses.—74-08039A
Stadnyk, N. M. See Hong, H.
Stadtlober, B. See Deveraux, T. P.
Stadtmueller, M.
Mechanical stress of CVD-dielectrics.—74-00508A
Staehler, James M.; Predebon, William W.; Pletka, Bruce J.
High strength alumina and process for producing same.—74-03988P
Stafast, H. See Barth, M.
Stafeev, V. I.; Anisimova, I. D.
Photodiodes with Schottky barriers based on GaP, GaP_xAs_{1-x}, and GaAs for the uv and visible range.—74-03159A
Staffel, Thomas; Myketin, Michael
Liquid dyes for decoration of unglazed tiles.—74-08688A
Stafford, G. R.
Electrodeposition of Al_3Ti from chloroaluminate electrolytes.—74-07290A
Stafsudd, O. M. See Parsons, J. D.
Stahl, Kenny; Thomasson, Ronnie
Dehydration and rehydration processes in the natural zeolite mesolite studied by conventional and synchrotron X-ray powder diffraction.—74-05107A

Stahlkopf, Karl E. See Hingorani, Narain G.

Stalkov, P.; Baum, D.; Jiang, H. X.
Evidence for bistable defects in 6H-SiC.—74-05012A

Stalder, James D.; Wright, Jeffrey F.
Porcelain enameling industry: where we have been, where we are, and where we are going.—74-02258A

Stalder, Kenneth R.; Jeffries, Jay B.
Recent results on the deposition of diamond thin films by arc jet plasmas and diagnostic measurements of the plasma-surface region.—74-10607A

Stalder, R. E.; Boumselilek, S.; Van Zandt, T. R.; Kenny, T. W.; Hecht, M. H.; Grunthaner, F. E.
Micromachined array of electrostatic energy analyzers for charged particles.—74-03836A

Staley, James T. See Aksay, Ilhan A.

Stals, L. M. See DeBruyn, K.

Stambolova, I. See Konstantinov, K.

Stamenkovic, I. See Salomoni, A.

Stanaitis, Vytautas See Lasys, Adolfas

Stanev, N. See Milanova, M.

Staneva, E. See Gattef, E.

Stanford, Kenneth R.
Surface engineering advances boost tool and die performance.—74-10661A

Stangle, Timothy K. See Marchant, David D.

Stanley, H. M.; Bogy, D. B.
Effect of surface conformity on friction.—74-01227A

Stanley, James T. See Pitts, J. Roland

Stanley, Mike; Viel, Charles Henri
How a mass heat extractor can increase the pull rate of a forehearth.—74-06855A

Stanley, Mike
Feeder Cascade bowl design ensures gob consistency using improved symmetry.—74-09460A; Modeling for a new feeder bowl.—74-05776A; New feeder bowl: from concept through appraisal to finished product.—74-09488A

Stanzione, Todd T. See Parker, Anthony A.

Starikov, E. See Mitin, V.

Stark, A. K.; Baglund, L. A.; Tagawa, M.
Effect of atomic oxygen on the mechanical properties of highly graphitized carbon fibers.—74-07862A

Stark, D. See Hecht, D.

Stark, Jochen See Sturmer, Sylvia

Stark, U.
Coulter LS 130 laser diffraction analyzer for testing and research of building materials.—74-06751A

Starodubov, Ya. D. See Okovit, V. S.

Staron, Josef
Basic refractory bricks in the cement industry.—74-00377A

Starr, Thomas L. See Jones, Mark L.

Starr, Thomas L.; Mohr, D. L.; Hanigofsky, John A.
Development of silicon nitride composites with continuous reinforcement.—74-01289A

Starr, Thomas L.; Smith, A. W.
Modeling of chemical vapor infiltration for fabrication of tubes.—74-01806A

Startsev, Yu. K. See Priven, A. I.

Staryga, E. See Mycielski, W.

Staryga, E.
Trap distribution in thin diamondlike carbon films.—74-05059A

Stash, Andrew See Horton, Mitchell

Stassen, S. See Cloots, R.

Stassen, T. See Henningsen, A.

Staszkow, E. See Wajler, C.

Stathis, J. H.; Cartier, E.
Atomic hydrogen reactions with P_b centers at the (100)Si/SiO_2 interface.—74-04990A

Stavrev, Starvri Y.; Lazarov, Slavcho B.; Stoev, Khristo L.; Markov, Lyudmil G.; Ivanov, Valeri I.
Method for production of ultradispersed diamond.—74-04063P

Stavros, A. J. See Whichard, G. C.

Stebbins, Jonathan F. See Spearing, Dane R.

Steckenrider, J. Scott; Elingson, William A.
Surface and subsurface defect detection in Si_3N_4 components by laser scattering.—74-10747A

Steckl, A. J. See Chyan, Oliver M. R.; Yih, P. H.

Stedman, S. J. See Risso, L.

Steele, B. C. H.; Lane, J. A.; Zheng, K.
Ceramic materials for intermediate temperature solid oxide fuel cells.—74-10214A

Steele, B. C. H.
SOFC design requirements for planar zirconia electrolyte components.—74-00533A

Steele, Jon
Testing adhesion of coatings applied to concrete.—74-05605A

Steen, M. See Hoffmann, M.; Lemaitre, P.

Steeper, T. J. See Varacalle, D. J.

Stefani, Jerry A. See Barna, G. G.; Butler, S. W.; Loewenstein, Lee M.

Stefanic, G. See Kallay, N.

Stefanovich, S. Yu. See Mill, B. V.

Stefanovich, S. Yu.; Mill, B. V.; Butashin, A. V.
Phase transitions and ionic conductivity in $TlSbOGeO_4$ ferroelectric [single] crystals.—74-04192A

Stefanovskii, S. V. See Bogomolova, L. D.; Ivanov, I. A.

Stefanyuk, I. V. See Khodskii, L. G.

Steffan, Leonard D.; Leidy, D. Wayne
Servo controlled glass gob distributor.—74-09543P

Steffen, J. See Gunzel, R.

Steffen, R. See Hamisch, Y.

Steffens, H. D.; Nassenstein, K.
Thermal spraying—a review of 1993.—74-06731A

Stefko, V. V. See Nikiforov, V. V.

Stegeman, G. I. See Villeneuve, A.; Yang, C. C.

Stehlin, Thomas See Bruck, Martin

Steidl, Juergen See Komma, Ottmar

Steier, Hanns P.; Pena, Pilar; Moya, Jose S.
Titanium zirconate thick films on rutile substrates by reactive coating of zircon.—74-10048A

Steiger, R.
In the beginning there was... Beton Agglomere.—74-01072A

Steiger, Russ See Rae, Alan

Steigman, Frederic N. See Snyder, William J.

Steil, M. C.; Thevenot, F.; Dessemond, L.
Impedance spectroscopy analysis of conduction percolation in zirconia.—74-02842A

Stein, Christian; Mockl, Thomas
Bonded piezoelectric bending transducer and process for producing the same.—74-09185P

Stein, D. J.; Maskara, A.; Haereid, S.
Contact angle measurement and its application to sol-gel processing.—74-10239A

Stein, Elfi See Kloss, Thomas

Stein, Falk See Konig, Theo

Stein, H. N. See Van der Douck, J. C. J.

Stein, Joseph L.; McIntyre, Donald A.; McHugh, P. Sean
High alumina brick with metallic carbide and its preparation.—74-08649P

Stein, R. See Schattenburg, M. L.

Steinberg, H.; Hoffmann, R.
Bucket wheel excavator in a limestone quarry.—74-07997A

Steinberg, Julis See Tuern, Elvi

Steinberg, S. See Rottschalk, M.

Steinborn, Gabriele See Neumann, Gerd

Steinbrech, R. W. See Gu, W.-H.; Kurth, R.

Steinbruchel, Christoph See Yoo, Won-Jong

Steiner, O.; Colla, E. L.; Reaney, Ian M.
Dielectric behavior as a function of temperature and structure of the complex perovskites, $Ba_2Sr_{1-x}(Mg_{0.33}Ta_{0.66})O_3$, and $Ba_2Sr_{1-x}(In_{0.5}Nb_{0.5})O_3$.—74-02828A

Steiner, Olivier See Chu, Fan

Steiner, R. See Kubelka, S.

Steiner, R.; Stingeder, G.; Haubner, R.
Surface preparation for diamond deposition on molybdenum substrates by secondary ion mass spectroscopy.—74-08280A

Steiner, W. See Horhager, S.

Steinlage, Greg A. See Roeder, Ryan K.

Steinmuller-Nethl, D.; Gornik, E.; Rodhammer, P.
Excitation of surface plasmons on titanium nitride films: determination of the dielectric function.—74-00491A

Steinsvik, S.; Grande, T.; Qye, H. A.
Intercalation of $MgCl_2$ in graphite.—74-04713A

Stelmakh, V. F. See Erchak, D. P.; Varichenko, V. S.

Stelmukh, V. See Serebryakov, A.

Stelte, Norbert
Method and apparatus for sorting bulk material.—74-01022P

Stencel, John M. See Sethuraman, A. R.

Stendera, J. W.; Morris, L. F.
Refractory gunning of BOF vessels in North America.—74-02779A

Steni, R. See Lacquaniti, V.

Stenzel, O. See Stiegler, J.

Stenzel, O.; Petrich, R.; Roth, S.
Determination of the optical constants of fine-grained diamond layers on silicon substrates using curve-fitting procedures.—74-10074A

Stepanenko, A. V.; Isaevich, L. A.; Veremeichik, A. A.; Lyakhovets, E. V.
Cold forming of long rods from $YBa_2Cu_3O_{7-x}$ powder.—74-00788A

Stepanenko, E. K. See Dozhdikova, O. L.

Stepanenko, V. I.
Presolidus texturing of silicate melts.—74-05690A

Stepanov, A. A. See Pashchenko, V. A.; Vitebsky, I. M.

Stepanov, A. I.; Kazanskii, L. N.; Voronov, L. N.
Use of borosilicate and quartz glasses as structural materials of containers for storing ultrapure germanium tetrachloride.—74-08399A

Stepanov, A. N. See Konstantinova, A. F.

Stepanov, N. V. See Samsonov, D. P.

Stepanov, S. A. See Anan'ev, A. V.

Stepanov, Yu. P. See Blinov, E. V.; Nikulin, E. I.

Stepanova, A. N. See Liu, J.

Stepantsov, E. A. See Iganov, Z. G.

Stepanyuk, V. S. See Wolf, O. V.

Stephan, U. See Frauenheim, T.; Jungnickel, G.; Schelz, S.

Stephani, D. See Peters, D.

Stephens, John
Importance of powder equipment maintenance.—74-00939A

Stephenson, D. J. See Nicholls, J. R.

Stephenson, J. B. See Morris, A. E.

Stephenson, Ronald R.
Method for producing ceramic oxide compounds.—74-09825P

Stepniak, F.; Weaver, J. H.
Effects of Cl incorporation during Si oxidation.—74-06058A

Sternberg, A. See Krumins, A.

Sternitzke, Martin; Muller, G.
O/N-interdiffusion in AlN.—74-06800A

Sterte, J. See Schoeman, B. J.

Stesmans, A.; Scheerlinck, F.
Generation aspects of the delocalized intrinsic EX defect in thermal SiO_2.—74-05015A

Steuch, E. Hans; Rilex, Paul
Ash Grove's new 2200-tpd Seattle plant comes on line.—74-03896A

Stevens, K. S.; Ohtani, A.; Schwartzman, A. F.; Beresford, R.
Growth of group III nitrides on Si(111) by plasma-assisted molecular beam epitaxy.—74-05154A

Stevens, M. See Blayze, S. J.

Stevens, R. See Close, J. A.; Crutchley, M.; Luo, J.; Oakley, R.; Sirisoonthorn, S.

Stevenson, Jeffry W. See Busse, Lawrence J.

Stevenson, Jeffry W.; Halman, Paul F.; Armstrong, Timothy R.; Chick, L. A.
Sintering behavior of doped lanthanum and yttrium manganite.—74-02861A

Stevenson, William
Glass colors: the organic alternative.—74-00019A

Stevenson,, J. P.
Minor additions of B_2O_3 to container glass formulations.—74-00203A

Stevie, F. A.; Moore, J. L.; Merchant, S. M.; Bollinger, C. A.; Dein, E. A.
Secondary ion mass spectrometry analysis of a three-level metal structure using sample rotation.—74-05243A

Stevie, F. A.; Wilson, R. G.; Simons, D. S.; Current, M. I.; Zalm, P. C.
Review of secondary ion mass spectrometry characterization of contamination associated with ion implantation.—74-03864A

Stevula, Ladislav See Nerad, I.

Stevula, Ladislav; Madej, J.; Kozankova, J.
Hydration products at the blast-furnace slag aggregate: cement paste interface.—74-06857A

Stevula, Ladislav; Majling, Jan; Frtalova, Dana
Utilization of ferrochromium slag by hydrothermal treatment.—74-07546A

Stevulova, Nadezda See Tkacova, Klara

Stevulova, Nadezda; Tkacova, Klara
Changes in surface of dry activated quartz and magnesite powders during dynamic and static contacts with liquid environments of various polarities.—74-07218A

Stewart, G. D. See Gokoglu, Suleyman A.

Stewart, Ogie See Williams, Keith B.

Stewart, Ogie; Rodriguez, Joan; Williams, Keith B.
Chemical vapor deposition of vanadium oxide thin films.—74-06004A

Stewart, R. A.; Vitello, P.; Graves, D. B.
Two-dimensional fluid model of high-density inductively coupled plasma sources.—74-01003A

Stewart-Davis, Royann L. See Athey, Patricia R.; Neuman, George A.

Steyer, Todd E.; Faber, K. T.
Mechanical behavior of alumina reinforced with carbon-coated silicon carbide whiskers.—74-11042A

Sticen, Frantisek
New raw materials for production of wall and floor tiles.—74-08565A

Stickle, William F.
Recent advances improve Auger analysis.—74-03862A

Stiegler, J. See Floter, A.; Ullmann, J.

Stiegler, J.; Laufer, S.; Mainz, B.; Weber, T.; Schaarschmidt, G.
Diamond deposition by hollow cathode arc discharge.—74-07257A

Stiegler, J.; Roth, S.; Hammer, K.; Stenzel, O.; Mainz, B.; Scharff, W.
Plasma-assisted CVD of diamond films by hollow cathode arc discharge.—74-01835A

Stiles, Ernest D.; Hartsock, Dale L.
Composite automotive exhaust pipe.—74-08304P

Stillman, G. E. See Stockman, S. A.

Stinchcomb, Wayne W. See Reifsnider, Kenneth L.; Stinton, David P.

Stinespring, C. D.; Collazos, D. F.; Gupta, R. K.; Braski, D. N.
Plasma-enhanced chemical vapor deposition of silicon nitride on silicon carbide fibers.—74-10531A

Stingeder, G. See Griesser, M.; Kubelka, S.; Steiner, R.

Stingl, Peter See Do-Thoi, Tha; Rajner, Walter

Stinov, E. D. See Glebovsky, V. G.

Stinton, David P. See Bae, Yong-W.; Besmann, Theodore M.; Lee, Woo-Y.; Shanmugham, S.

Stinton, David P.; Foster, B. E.; McLaughlin, J. C.;

Reifsnider, Kenneth L.; Stinchcomb, Wayne W.
Fabrication of fiber-reinforced composites by chemical vapor infiltration.—74-01723A

Stinton, David P.; Limaye, Santosh Y.
Ceramic Transactions, Volume 52: Low-Expansion Materials.—74-07969B

Stiren, Nick
Plant tour 2—Holnam Seattle plant.—74-03721A

Stirner, T. See Hagston, W. E.

Stirner, T.; Hagston, W. E.; O'Neill, M.; Harrison, P.
Exciton dynamics in multiquantum well CdTe-$Cd_{1-x}Mn_xTe$ systems.—74-05014A

Stjerna, Bertil See Zhu, Bin

Stoakley, Diana M.; St. Clair, Anne K.; Baucom, Robert M.
Low-dielectric-constant polyimide/glass composites.—74-02640A

Stobbe, E. R. See Wiegel, M.

Stobierska, Ewa See Slosarczyk, Anna

Stobierska, Ewa
Synthesis of the green zirconium silicate pigment.—74-05913A

Stobierski, L. See Lis, J.

Stobierski, L.; Pampuch, R.; Ermer, E.
SHS-derived composite powders for making particulate composites in the system of Si-C-B.—74-04887A

Stoch, Anna; Brozek, Alicja
Electrodeposited hydroxyapatite coatings on metal implants.—74-07289A

Stoch, L.; Waclawska, I.
Phase transitions in amorphous precursors of glass-ceramic and ceramic materials.—74-05689A

Stochniol, Guido See Syskakis, Emmanuel

Stochniol, Guido; Syskakis, Emmanuel; Naoumidis, Aristides
Chemical compatibility between strontium-doped lanthanum manganite and yttria-stabilized zirconia.—74-02824A

Stock, D. See Zinovyev, V. A.

Stockel, R. See Graupner, R.

Stockel, R.; Graupner, R.; Ley, Lothar
Initial stages in the growth of polycrystalline diamond on silicon.—74-05167A

Stockman, S. A.; Hanson, A. W.; Colomb, C. M.; Fresina, M. T.; Baker, J. E.; Stillman, G. E.
Comparison of TMGa and TEGa for low-temperature metallorganic chemical vapor deposition growth of CCl_4-doped InGaAs.—74-04522A

Stocks, G. See Thornton, J.

Stoeckel, F. See Vetterhoffer, J.
Stoev, Khristo L. See Stavrev, Starvri Y.
Stoffa, George M. See Nelms, Leonard
Stognii, A.I.; Fedotova, V.V.; Ges, A. P.
Change in the propagation conditions for magnetostatic waves in yttrium garnet films irradiated by low-energy oxygen.—74-03366A
Stoiber, W.; Trenkwalder, J.; Pernkopf, H.
Modernization of the cement grinding plant at the Kirchbichl works of Perlmooser Zement AG, by installing an MFL pregrinding system.—74-09486A
Stoica, T. See Morosanu, C. O.
Stojanovic, Mirjana See Skendzic, Djordje
Stojkovic, Branko P. See Buan, J.
Stokes, David
Ladder logic and distributed control systems in cement plants.—74-08062A
Stokes, Kevin L.; Yukselici, H.; Persans, P. D.
Observation of three electronic transitions in Cd(S, Se) nanocrystals by modulation spectroscopy.—74-08977A
Stolarski, T. A. See Hadfield, M.
Stoloff, N. S.; Duquette, D. J.
Moisture- and hydrogen-induced embrittlement of iron aluminides.—74-07814A
Stolt, L. See Hudner, J.
Stoma, George M. See Nelms, Leonard
Stoneham, A. M. See Duffy, D. M.
Stoner, B. R. See Buhaenko, D. S.; Fox, B. A.; Wolter, S. D.; Zhu, W.
Stoner, B. R.; Ma, G. H.; Wolter, S. D.; Zhu, W.; Wang, Y.-C.; Davies, R. F.
Epitaxial nucleation of diamond on ß-SiC via bias-enhanced microwave plasma chemical vapor deposition.—74-01711A
Stoner, S. See Syn, C. K.
Stoppa, L. See Piga, L.
Storbierski, L. See Piekarczyk, J.
Storch, Werner See Wolter, Herbert
Stori, H. See Lang, T.
Storkfelt, Niels See Jepsen, Kim S.
Storm, Roger S. See Frechette, Francis J.
Storm, W.; Wolany, D.; Schroder, F.; Becker, G.; Burkhardt, B.; Wiedmann, L.
Analysis of stoichiometry and oxide growth of HF-treated GaAs(100) by X-ray photoelectron spectroscopy and time-of-flight secondary ion mass spectrometry.—74-02062A
Storozh, V. V. See Dabizha, A. A.
Storozh, V. V.; Akimov, G. Ya.; Levitskaya, N. G.
Effect of hydrostatic pressing of a sol-gel produced by a powder method on the sintering and characteristics of ceramics in the Al_2O_3-SiO_2-ZrO_2 system.—74-07272A
Stough, M. A.; Hellmann, J. R.; Angelone, M. S.
Interfacial degradation and surface modification in zirconia-coated sapphire fibers.—74-10827A
Stoukides, M. See Alqahtany, H.
Stover, D. See Aschern, W.; Eckardt, T.; Kaiser, A.; Mallener, W.
Stover, E. R. See Moore, A. W.
Stowers, I. F. See Belak, J.
Straka, J. See Schmidt, A.
Strakhov, V. A. See Karachevtseva, M. V.
Strakhov, Yu. M.; Mayboroda, T. I.; Ryasny, V. G.
Use of the spark discharge for the activation of solutions and concrete mixtures.—74-00100A
Stranart, J. C. E. See Xu, P. C.
Strand, T. A. See Mui, D. S. L.
Stranford, Gerald T.; Leung, Roger Y.; Gonczy, S. T.
Reinforced silicon carboxide composite with boron nitride coated ceramic fibers.—74-02697P
Strangman, Thomas E. See Schienle, James L.
Strasek, Joze See Mirtic, Breda
Strauss, Michael T. See Velez, Mariano
Strausser, Y. E.; Heaton, M. G.
Scanning probe microscopy (SPM).—74-03732A
Strecker, A.; Salzberger, U.; Mayer, J.
Specimen preparation for transmission electron microscopy (TEM)—reliable method for cross sections and brittle materials.—74-10647A
Streckert, Holger H.; Norton, Kirk P.
Method of fabrication of composites.—74-01322P
Street, S. See Nightingale, S. A.
Streetman, B. G. See Gwo, S.; Shih, Y. C.; Smith, A. R.
Streit, Pascal See Bowen, Paul
Strel'chuk, A. M. See Andreev, A. N.; Anikin, M. M.
Strel'nitskij, V. E. See Aksenov, I. I.; Gamulya, G. D.; Vasiljev, V. V.
Strel'nitskij, V. E.; Galanov, B. A.; Grigor'ev, O. N.
Elastic characteristics of diamondlike carbon coatings.—74-10086A
Strelkov, V. V.; Pirog, L. A.
Phase relations in the system Na_2O-FeO-Fe_2O_3-Cr_2O_3.—74-01434A
Strelnitsky, V. E. See Ralchenko, V. G.
Stremousova, E. A. See Ignat'eva, L. N.
Strepatova, T. V. See Losev, V. N.; Runov, V. K.
Strickland, K. See Cheng, T. S.
Striegel, H. See Richter, M.
Stringer, J. See MacAdam, S. S.
Stringfellow, G. B. See Ma, K. Y.; Su, L. C.
Stritzker, B. See Hessmer, R.; Karl, H.; Schreck, M.
Strobel, K.
New manufacturing method of porcelain vessel.—74-00436A
Strobel, Tina M. See Breder, Kristin; Senior, Constance L.
Strobel, Tina M.; Hurley, John P.; Breder, Kristin; Holowczak, John E.
Coal slag corrosion and strength degradation of siliconized silicon carbide.—74-09859A
Strobel, Tina M.; Hurley, John P.; Senior, Constance L.; Holowczak, John E.
Coal slag corrosion of silicon-carbide-based ceramics in a combustion environment.—74-02068A
Stroh, R. J.; Plars, F.; Kretz, T.; Legagneux, P.; Huet, O.; Magis, M.
Low-temperature polysilicon thin-film transistors.—74-03090A
Stroh, R. See Horhager, S.
Strohmann, Carsten See Seyferth, Dietmar
Strom, U. See Freitas, J. A., Jr.
Strom-Olsen, J. See Allahverdi, M.
Stronach, Stuart See Damidot, Denis
Strongin, D. R. See Moore, J. F.
Strongin, M. See Dorfman, Benjamin
Stross, Howard F.
How accurate is that infrared thermometer.—74-06777A
Stroud, D. See Sasik, R.
Struble, Leslie J.; Schultz, Mark A.
Using creep and recovery to study flow behavior of fresh cement paste.—74-01925A
Struble, Leslie J.
Cements Research Progress 1993.—74-07965B
Struchkov, Yu. T. See Shamutarov, E. B.
Strukov, Boris A. See Uesu, Yoshiaki
Strunge, J. See Marten, A.
Struthers, Ralph C.
Ceramic aerogel fuel cell.—74-08777P
Strutt, Peter R. See Gonsalves, Kenneth E.
Stryakhilev, D. A. See Bugadyan, B. G.
Strzhemechny, M. A. See Krainyukova, N. V.
Stuart, S. N. See Bastow, T. J.
Stuart, S.-A.; Prawer, S.; Weiser, P. S.
Variation of the Raman diamond lineshape with crystallographic orientation of isolated chemical vapor deposited diamond crystals.—74-10050A
Stubbins, J. F. See Raghuraman, S.
Stubna, Igor; Kozik, Tomas; Rohac, Jan
Tensile deformations of electrical porcelain samples by firing.—74-11109A
Stucchi, E. B. See Caetano Zurita, Jose
Stuchlik, Uwe See Hellmold, Peter
Stucky, M. See Farques, J.
Studencka, B. See Czechowski, J.
Studt, Tim
Artificial bone materials promote natural growth.—74-01280A; Finding order in chaotic mixing.—74-01731A; Materials.—74-03965A; New advances revive interest in cement-based materials.—74-02341A; Thermal instrument research brings new materials insights.—74-06730A
Stuffle, Kevin See Danko, Gene A.
Stuffle, Kevin; Mulligan, Anthony; Lombardi, John
Solid free-body forming of ceramics from polymerizable slurry.—74-10646A
Stukan, L. V. See Yurchenko, E. N.
Stukan, R. A. See Brusakov, V. E.
Sturgeon, A. J. See Ramm, D. A. J.
Sturgis, David H. See Yasrebi, Mehrdad
Sturm, J. C. See Liliental-Weber, Z.
Sturmer, Sylvia; Muller, Anette; Stark, Jochen
Hydration of C_3A and C_2A(AF), separated from sulfate-resisant and white portland cement, under conditions of normal hardening and heat treatment.—74-05858A
Stutz, C. E. See Yu, P. W.
Stutz, P. See Lafer, M.
Stutzman, Paul E. See Bentz, Dale P.
Su, H.; Yan, Z.
Random fractal percolation analysis of ductile fracture.—74-02189A
Su, Kuan-Chieh See Lin, Yung-Jen
Su, L. C.; Pu, S. T.; Stringfellow, G. B.; Christen, J.; Selber, H.; Bimberg, D.
Control of ordering in GaInP and effect on band gap energy.—74-04528A
Su, L. Y.; Grovenor, C. R. M.; Goringe, M. J.
Fabrication of TBCCO films via sequential electrodeposition and coelectrodepostion of thallium-free precursors.—74-06547A
Su, Liang-He See Wang, Xiu-Feng
Su, Mu-Zhen See Wang, Yan-Mou
Su, Sophia R.; O'Connor, Margaret; Butler, Scott
Fabrication of high-T_c superconducting helical resonator coils.—74-00864P
Su, W. See Liu, X.
Su, Y.-K. See Juang, Y.-Z.; Lin, J.-D.
Su, Y.-L.; Lin, J.-S.; Wu, J.-D.
Tribological investigation of physical vapor deposition TiN coatings paired with surface-treated steels for machine element applications.—74-00159A
Su, Y.-L.; Lin, J.-S.
Tribological potential of TiN, CrN, and TiN+CrN physical vapor deposited coatings in machine element applications.—74-11122A
Su, Zhong-Xing See Wang, Guo-Zheng
Subba Rao, G. V. See Srinivas, B.
Subbarao, Eleswarapu C. See Breval, Else
Subirade, M. See Lebugle, A.
Subrahmanyam, Jandhyala; Rao, Renangi Mohan
Combustion synthesis of $MoSi_2$-SiC composites.—74-04518A
Subramaniam, C. K.; Rao, C. V. N.; Kaiser, A. B.
Thermopower and resistivity of La-doped thallium 1201 and bismuth 2201 superconductors.—74-06655A
Subramanian, J. S.; Akbar, Sheikh A.; Goto, K. S.
Preparation and properties of two-phase mixed conductors of beta-alumina and iron oxide.—74-00522A
Subramanian, K.; Redington, P. D.
Optimized grinding of ceramics—a systems approach.—74-09495A
Subramanian, M. A.; Corbin, D. R.; Chowdry, U.
Better ceramic substrates through zeolites.—74-10203A
Subramanian, Ramesh See Tinkler, S.; Ustundag, E.
Subramanian, Ramesh; Dieckmann, Rudiger; Erkison, Gunnar
Model calculations of phase stabilities of the oxide solid solutions in the Co-Fe-Mn-O system at 1200°C.—74-04164A
Subramanian, Ramesh; Dieckmann, Rudiger
Thermodynamics of the oxide solid solution $(Co_xFe_{1-x})_{1-\delta}O$ at 1200°C.—74-04235A
Subramanian, Ramesh; Tinkler, S.; Dieckmann, Rudiger
Defects and transport in the solid solution $(Co, Fe)_{1-\delta}O$ at 1200°C: I, Nonstoichiometry.—74-05000A
Subramanian, Ramesh; Ustundag, E.; Sass, S. L.; Dieckmann, Rudiger
Effect of dopants on the in situ formation of metal-ceramic microstructures by partial reduction reactions.—74-08171A
Subramanian, V. V. See Rebello, J. H. D.
Subramanian, V. See Sekhar, Jainagesh A.
Subrt, Jan; Tlaskal, Jaroslav
Mechanically activated synthesis of particulate hexagonal ferrite $BaFe_{12}O_{19}$.—74-06469A
Suchalkin, S. D. See Vasil'ev, Yu. B.
Suchkova, N. P. See Lobanova, L. P.
Suda, Hiroyuki See Yoshimura, Masahiro
Sudhama, C. See Chikarmane, Vinay
Sudhama, C.; Campbell, A. C.; Maniar, P. D.
Model for electrical conduction in metal-ferroelectric-metal thin-film capacitors.—74-02852A
Sudhama, C.; Kim, Ji-Young; Khamankar, R.; Chikarmane, Viray; Lee, Jack C.
Thickness scaling of sputtered PZT films in the 200 nm range for memory applications.—74-06447A
Sudoh, Giichi See Okura, Toshinori
Sudou, Yoshimi See Wada, Yasuo
Sudraud, P. See Ben Assayag, G.
Sudre, O. See Talandier, J.
Sudre, O.; Venkatachari, K. R.; Kriven, Waltraud M.
Kinetics and crystallography of the monoclinic (B) to cubic (C) transformation in dysprosia (Dy_2O_3).—74-01404A
Sudreau, F.; Olagnon, Christian; Fantozzi, G.
Lifetime prediction—importance of the testing method.—74-06785A
Suematsu, H. See Bando, Y.; Reimanis, Ivar E.
Suematsu, Hisayuki See Mitomo, Mamoru
Suemitsu, M.; Kim, K.-J.; Miyamoto, Nobuo
Role of Ge in SiGe epitaxial growth using silance/germane gas-source molecular beam epitaxy.—74-04873A
Suenaga, Kenzo See Goto, Seishi
Suenaga, M. See Budhani, R. C.
Suetin, N. V. See Polushkin, V. M.
Suevaloy, S. A.; Konev, V. N.
Study of diffusion and ionic conductivity in 2H-Ag_xTaS_2 intercalated compound.—74-05054A
Sueyoshi, T. See Uesugi, K.; Yoshimura, M.
Suezawa, Manabu See Koyano, Mikio
Sufi, Geilani M. See Gambarova, Pietro Ricercatore
Suga, Seiichiro See Kumada, Seiya
Suga, Shigemasa See Ogawa, Susumu
Suga, T. See Ishida, Y.; Itoh, T.
Suga, T.; Takahashi, Y.; Takagi, H.; Gibbesch, B.; Elssner, G.
Structure of Al-Al and Al-Si_3N_4 interfaces bonded at room temperature by means of the surface activation method.—74-08277A
Sugai, Kazuhito See Kishimoto, Akira
Sugai, Shunji See Hori, Hidenobu
Sugai, Shunji
Two-magnon Raman scattering in $CuGeO_3$ which undergoes spin-Peierls transition.—74-01600A
Sugak, D. Y. See Dovgii, Ya. O.
Sugama, T.; Carciello, N. R.
Carbonation of hydrothermally treated phosphate-bonded calcium aluminate cements.—74-05470A; Carbonation of calcium phosphate cements after long-term exposure to Na_2CO_3-laden water at 250°C.—74-00037A; Preceramic polysilazane coatings for cold-rolled steels.—74-05652A
Suganuma, Motohiro
Scanning acoustic microscopy of indentation damage in Y_2O_3-stabilized tetragonal zirconia.—74-11084A
Suganuma, S.; Mizu, T.; Sakagoshi, H.
Fluoride ion conduction of fluorine-intercalated graphite C_xF.—74-10104A
Suganuma, Tetsuya See Morikawa, Takashi; Nukami, Tetsuya
Sugawara, K.
Dielectrics applied for VLSI planarized multilevel metallization.—74-08860A
Sugawara, Kazushi See Kubota, Nobuhiko
Sugawara, Minoru See Nagasawa, Hiroyuki
Sugawara, Y. See Fujisawa, Satoru; Ohta, M.
Sugawara, Y.; Fukano, Y.; Uchihashi, T.; Okusako, T.; Morita, S.; Yamanishi, Y.
Atomic force microscopy studies of contact-electrified charges on silicon oxide film.—74-05980A
Sugie, Y.; Mineshige, A.; Kobune, M.; Fujii, S.
Preparation and characteristics of Y_2O_3-doped CeO_2 film by rf magnetron sputtering.—74-07718A
Sugii, Nobuyuki See Hamada, Kazuyuki; Kanehori, Keiichi
Sugimoto, E. See Aono, H.
Sugimoto, Hidehiko See Ikeda, Susumu
Sugimoto, Iwao; Yanagisawa, Keiichi; Kuwano, Hiroki; Nakano, Satoko; Tago, Akio
Characterization of hydrogen and oxygen atoms in SiN films produced by plasma-enhanced reactive sputtering.—74-07605A
Sugimoto, K. See An, C. H.
Sugimoto, K.; Seto, M.; Tanaka, S.
Corrosion resistance of artificial passivation films of Fe_2O_3-Cr_2O_3-NiO formed by metallorganic chemical vapor deposition.—74-00111A
Sugimoto, Katsuhisa
Science and technology of composite materials: VIII.6, Corrosion-resistant materials.—74-08270A
Sugimoto, M. See Takado, N.
Sugimoto, Makoto; Musasa, Mamoru; Tanabe, Hiroyuki; Konishi, Masahiro
Sintered ceramic body for a spark plug insulator and method of sintering the same.—74-02898P

Sugimoto, Masaki; Shimoo, Toshio; Okamura, Kiyohito; Seguchi, Tadao
Reaction mechanisms of silicon carbide fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: I, Evolved gas analysis.—74-04861A; II, Free radical reaction.—74-07458A
Sugimoto, Mitsunori See Saito, Hideaki
Sugimoto, Naoki; Ito, Setsuro
Optically nonlinear glass.—74-08446A
Sugimoto, Shoji; Takeuchi, Yoshiaki; Umezaki, Hiroshi
Theta-alumina powder, preparation thereof and magnetic recording medium—74-00782P
Sugimoto, Tsunemi See Kubota, Nobuhiko
Sugimoto, Y. See Takado, N.
Sugimoto, Yoshimasa See Saito, Hideaki
Sugimura, Hiroyuki; Uchida, Tatsuya; Kitamura, Noboru; Masuhara, Hiroshi
Scanning tunneling microscope tip-induced anodization of titanium: characterization of the modified surface and application to the metal resist process for nanolithography.—74-06997A
Sugino, Takashi; Itoh, Hiroyuki; Boonyasirikod, Anlroot; Shirafuji, Junji
Ultraviolet laser-assisted surface treatment of InP with phosphine gas.—74-06372A
Sugino, Takashi; Karasutani, Kiyoshi; Manao, Fumihiro; Kataoka, Hiroya; Shirafuji, Junji; Kobashi, Koji
Characterization of undoped and boron-doped polycrystalline diamond films synthesized by hot-filament chemical vapor deposition using methanol.—74-04506A
Sugino, Takashi; Muto, Yasuaki; Kobashi, Koji
Electrical conduction mechanisms in polycrystalline chemically vapor deposited diamond films.—74-10092A; Trap states elucidated by ac conductance measurement in polycrystalline chemically vapor deposited diamond films.—74-10175A
Sugiura, Chikara; Yamasaki, Hiroyuki; Shoji, Takashi
X-ray spectra and electronic structures of CuS and Cu_2S.—74-05298A
Sugiura, Katsumi See Kondo, Makoto
Sugiura, Tatsumi See Abe, Masahiro
Sugiyama, Ayanori See Kawamura, Mitsunori
Sugiyama, Hiroshi; Takemoto, Mitsuteru
New type of direct-bonded MgO-Cr_2O_3 bricks for cement rotary kiln "DIRCO-08B75."—74-05866A
Sugiyama, Kazumasa See Sakuma, Takashi
Sugiyama, Kouju; Suzuki, Takashi; Sakota, Naokazu
Synthesis of Ag^+ from tobermorite and its antibacterial activity.—74-01904A
Sugiyama, Toshinobu; Sakurai, Hiroshi
Method of determining conditions for plasma silicon nitride film growth and method of manufacturing semiconductor device.—74-00741P
Sugiyama, Toshio; Ichinose, Akiko; Yamamoto, Osamu; Ikuma, Yasuro
Preparation of MgO dispersed with ZrO_2 by hydrolysis of zirconium butoxide.—74-01849A
Sugiyama, Toyohiko See Horuchi, Tatsuro
Sugo, Kimihide See Mandai, Harufumi
Suh, Im-Choon; Kim, Dong-Il; Yeh, Byung-Hahn
Multilayer coating for improvement of anti-wear property of graphite.—74-11059A
Suh, Jeong See Kwon, Young-S.
Suh, Jeong-Dae See Sung, Gun-Yong
Suh, K. S. See Ducel, J. F.
Suhr, Dong-Soo See Han, In-Sub
Sui, M.-L. See Zhou, F.
Sui, M.-L.; Zhou, F.; He, K.-Y.; Wang, R.; Cheng, L.-Z.
Investigation on the residual amorphous phase in a nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ soft magnetic alloy.—74-07358A
Suib, Steven L. See Xiao, You-Ming
Suikovskaya, N. G. See Petrovskaya, M. L.
Sujata, M.; Bhargava, S.; Upadhyaya, Gopal S.
Densification of Ti-Al-V powder compacts prepared through premix or prealloyed routes: II.—74-01659A
Sujatha, C. See Ramamurti, V.
Sukach, A. V. See Mozol, P. E.
Sukenik, Chaim N. See DeGuire, Mark R.
Sukhanova, V. N. See Bazuev, G. V.
Sukharevski, B. Ya.
Distribution of holes between CuO_2 and CuO_b planes in the $YBa_2Cu_3O_{6+\delta}$ compound.—74-04129A
Sukhikh, L. L. See Barnitskaya, T. S.; Shipilo, V. B.
Sukhomlin, V. P. See Boiko, Yu. I.
Sukhorukova, N. E. See Kisel, N. G.
Sukstanskii, A. L. See Gerasimchuk, V. S.
Sukumar, B. See Narayani, V.
Suleimanov, R. A. See Abdullaev, N. A.; Godzhaev, M. O.
Suleimanov, R. A.; Seidov, M. Yu.; Salaev, F. M.
Model of structural phase transition sequence in layered $TlInS_2$ crystal.—74-04165A
Suleimanov, S. Kh. See Sultanov, Sh. Sh.; Zhilin, A. A.
Suleman, M. See Din, S.; Warris, J.
Suletmanov, R. A.; Abdullaev, N. A.
Nature of negative linear expansion of graphite crystals.—74-05382A
Sulimov, V. B. See Dianov, E. M.
Sulimova, F. V.; Lapidus, M. A.; Garkavi, M. S.
Problems related to hardening of anhydride binders.—74-00088A
Sullivan, M. See Butler, S. W.
Sultan, Akif; Bhattacharya, Surya; Batra, Shubneesh; Banerjee, Sanjay
Bolzmann-Matano analysis based model for boron diffusion from polysilicon into single-crystal silicon.—74-01622A
Sultanov, Sh. Sh. See Zhilin, A. A.
Sultanov, Sh. Sh.; Suleimanov, S. Kh.; Astakhova, V. V.
Effect of sound and magnetic fields on sitall formation in lithium aluminosilicate glasses synthesized in radiant heating furnaces.—74-02614A
Sulyok, A. See Konkol, A.
Sulzbach, Frank C.
Method for forming light absorbing aluminum nitride films by ion beam deposition.—74-09932P
Sumarokov, S. Yu.; Shevtsov, N. I.; Blank, A. B.
Determination of free copper oxide in high-temperature superconducting ceramics based on $Y_1Ba_2Cu_3O_{7-\delta}$.—74-06512A
Sumer, Guner; Rozak, Susan Vitch; Gallimore, Philip; Green, Philip R.; Tordoff, Jeremy J.; Kos, Gary A.; Dahlman, Greg
Proper selection of kiln furniture.—74-05871A
Sumi, Masao See Nanjo, Fusayuki
Sumida, David S.; Jones, D. Cris; Rockwell, David A.
8.2 J phase-conjugate solid-state laser coherently with combined eight parallel amplifiers.—74-08821A
Sumida, M. See Kittaka, S.
Sumilov, V. B.; Pisani, C.; Corat, F.
Isolated and embedded cluster modeling of the oxygen vacancy in α-quartz.—74-05026A
Sumin, V. I.; Makurin, Yu. N.
Self-propagating high-temperature synthesis—calculation of the basic parameters.—74-04884A; Self-spreading high-temperature synthesis (SHS). SHS-based technology.—74-03733A
Sumiya, H. See Tomikawa, Tadashi
Sumiya, Hitoshi
Cubic boron nitride sintered compact and method of preparing the compact.—74-01316P
Summerfelt, S. R.; Carter, C. Barry
Dissolution of $NiFe_2O_4$ particles in an NiO matrix.—74-10790A; Interaction between dislocations and $NiFe_2O_4$ precipitates in an NiO matrix.—74-10823A
Sun, A. G.; Gajewski, D. A.; Maple, M. B.
Observation of Josephson pair tunneling between $YBa_2Cu_3O_{7-\delta}$ and a conventional superconductor (Pb).—74-04375A
Sun, C.-Y. See Liu, W.-C.; Mar, S. Y.
Sun, Cheng-Xu See Li, Hui-Ping
Sun, Chin-Teh See Park, Seung-Bae
Sun, De-Cai See Towe, Elias
Sun, De-Cai; Towe, Elias; Bennett, Brian R.
Study of lattice-mismatched (In,Ga)As/GaAs heterostructures on the unconventional (110)GaAs surface.—74-03234A
Sun, De-Cai; Towe, Elias; Henderson, R. H.
Influence of the AlAs mole fraction on the luminescence efficiency of GaAs/$Al_xGa_{1-x}As$ quantum well structures.—74-04338A
Sun, Dian-Shuang; Zhang, Wen-Jie; Wan, Hou-Zhi
Effects of adding rare-earth oxides on the sintering and hydration resistance of dolomite.—74-05507A
Sun, Ellen Y.; Nutt, Steven R.; Brennan, John J.
Flexural creep of coated SiC-fiber-reinforced glass-ceramic composites.—74-05354A; Microscopic failure mechanisms in SiC fiber-reinforced glass-ceramic composites.—74-08238A
Sun, G.-K.; Young, J. Francis; Matkovic, Boris
Long-term hydration of $CaSiO_4$ with combined additions of silica fume, calcium sulfoaluminate, and gypsum.—74-08063A
Sun, G.-K.; Young, J. Francis
Hydration reactions in autoclaved DSP cements.—74-00064A
Sun, H.; Orth, J. E.; Wheat, H. G.
Corrosion behavior of copper-based metal matrix composites.—74-02070A
Sun, Han-Dong See Zhou, Fang-Qiao
Sun, Hong-Mao; Zhao, Gui-Wen; Huo, Deng-Wei
EXAFS study on grinding noncrystallization of Bi-based superconductor.—74-00811A
Sun, Hong-Wei; Chen, Xian-Qiu; Huang, Rui-Fu
Technological base of reproduction of phase-separating glazes in successive dynasties in China.—74-02302A
Sun, Hong-Wei; Gao, Li-Ming; Chen, Xian-Qiu
Harmonic trend analysis (HTA) of phase change in silicate melt of zinc system.—74-04147A
Sun, Huan-Bao
Rapid determination of BaO in glassware by potentiometric titration.—74-09609A
Sun, J. Z. See Young, K. H.
Sun, J. See Xuan, Zhen-Wu
Sun, L. M.; Zhong, G. M.; Gray, P. G.
Frequency response analysis by multicomponent diffusion in adsorbents.—74-04650A
Sun, Ping-Chuan See Ding, Da-Tong
Sun, Qiang; Xie, Jian-Jun; Zhang, Tao
Impurity effect on chemisorption properties of composite catalysts.—74-06978A
Sun, S. See Pant, W. Y.
Sun, Tawei; Brown, Nancy R.; Brown, Jesse J., Jr.
Sol-gel beta-aluminum titanate thin film coating.—74-09840P
Sun, Tawei; Pickrell, Gary R.; Brown, Jesse J., Jr.
Corrosion kinetics of silicon nitride in dry air containing sodium nitrate vapors.—74-05303A; Gaseous alkali corrosion kinetics of silicon carbide.—74-10915A
Sun, W.-Y. See Wang, Hao
Sun, Wan-Jun See Zhang, Jing-Wen
Sun, X. K. See Xu, J.
Sun, Xiao-Han; Zhang, Ming-De; Shen, Guang-Jun
SHG in silica optical fiber and its mechanism analysis.—74-10883A
Sun, Xin See Kolawa, E.
Sun, Xin; Kolawa, E.; Nicolet, M.-A.
Properties of reactively sputter-deposited Ta-N thin films.—74-01565A
Sun, Y. See Huang, Z. P.
Sun, Y.-M.; Huett, T.; Sloan, D.; White, J. M.
Nonthermally driven surface chemistry of phosphine on GaAs(100).—74-03130A
Sun, Yue See Xia, Li-Fang
Sun, Zhen-He See Zhu, Xing-Wen
Sun, Zhi-Jian See Wang, Hua-Bing
Sunamura, H. See Fukatsu, S.
Sundaram, M. See Holtz, P. O.
Sundaram, S. Kamakshi; Hse, Jen-Yen; Speyer, Robert F.
Molten glass corrosion resistance of immersed combustion-heating tube materials in E-glass.—74-05865A
Sundersheshu, B. S. See Yadava, R. D. S.
Sundgren, J.-E. See Jarrendahl, K.; Radnoczi, G.; Sjostrom, H.
Sung, C. See Erturk, Turgay; Park, K.
Sung, C.-P. See Shih, H.-C.
Sung, Gun-Yong; Suh, Jeong-Dae; Nahm, Sahn
Epitaxial relationships of the *a*-axis-oriented $YBa_2Cu_3O_{7-x}$ thin films on the $PrBa_2Cu_3O_{7-x}$ buffered $SrTiO_3(100)$ by two-step PLD.—74-09266A
Sung, Jae-Suk See Park, Jeong-Hyun
Sung, S.-T. See Shih, H.-C.
Sung, Yeon-Soo; Hellstrom, Eric E.
Phase regions and kinetics of formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ in Ag-sheathed tape.—74-06611A
Sung, Yun-Mo; Dunn, Stanley A.; Koutsky, James A.
Mullite formation at the interface of CaO-Al_2O_3 fiber-reinforced Al-Si alloy composites.—74-10483A
Suni, I. See Koskinen, J.
Sunshine, Steven A. See Cava, Robert J.
Suo, Z. See Ho, S.
Suquet, Helene See Chevalier, Sophie
Surapanani, Srinivas; Mullins, Michael E.; Morrison, Faith
Gelation point in borosilicate sols from rheological experiments.—74-10368A
Surat, L. L. See Zhuravlev, V. D.
Suren, J. See Gardziella, A.
Surendra, M. See Joubert, O.
Suresh, S. See Yoo, J.
Surette, M. R. See Busse, L. E.
Surowiak, Z.; Czekaj, D.; Dudkevich, V. P.; Bakirov, A. A.; Sem, I. M.; Sviridov, E. V.
Peculiarities of the switching process in polycrystalline thin ferroelectric films of PZT type.—74-03331A
Surowiak, Z.; Geguzina, G. A.; Lisinska, A.
New special ceramic materials of $A_{m-1}Bi_2B_mO_{3m+3}$ type.—74-07175A
Surrappa, M. K. See Dhandapani, S. P.
Suruga, Toshihiro See Furuta, Naoki
Suryanarayana, C.; Froes, F. H.
Nanocrystalline structures from amorphous precursors.—74-01411A
Suryavanshi, S. S. See Patil, B. L.
Susa, M.; Nagata, K.; Mills, K. C.
Absorption coefficients and refractive indices of synthetic glassy slags containing transition metal oxides.—74-10054A
Sushkova, T. P. See Semenova, G. V.
Suski, V. N.; Nelipovich, K. I.; Moiseev, D. P.
Luminescence quenching dynamics of ceramic $YBa_2Cu_3O_{7-\delta}$ near the superconducting transition.—74-03511A
Suslick, Kenneth S.; Hyeom, Taeg-Hwan; Fang, Ming-Ming
Sonochemical synthesis and catalytic properties of nanostructured molybdenum carbide.—74-07488A
Susnitzky, David W. See Hwang, C. James
Sussmann, R. S. See Valentine, T. J.; Wort, C. J. H.
Sussmann, R. S.; Brandon, J. R.; Scarsbrook, G. A.; Sweeney, C. G.; Valentine, T. J.; Whitehead, A. J.
Properties of bulk polycrystalline CVD diamond.—74-04400A
Sussmann, R. S.; Scarsbrook, G. A.; Wort, C. J. H.; Wood, R. M.
Laser damage testing of CVD-grown diamond windows.—74-07366A
Sutaria, M. See Singh, Dileep
Sutherland, Audrey E.; Bridger, Keith; Fiore, Eric M.; Christodoulou, Julie A.; Bailey, Alex E.; Gelb, Allan S.
High energy density lead magnesium niobate-based dielectric ceramic and process for the preparation thereof.—74-00552P
Sutkus, Kestusis; Shum, Kai
High-power ps pulse amplification and generation in field effect GaAs-AlGaAs laser diodes with saturable absorption.—74-08930A
Sutliff, J. A. See Goyal, A.
Sutter, P. See Weber, A.
Sutton, W. H.
Microwave processing of materials.—74-00953A
Suvorov, A. V. See Glazov, A. L.
Suvorov, D. See Ducman, V.; Kolar, D.
Suvorov, S. A. See Gusarov, V. V.
Suvorov, S. A.; Ivanova, E. V.; Sennova, T. A.
Magnesium silicate granules from natural raw materials.—74-03946A
Suwa, Motoo See Fukada, Shinichi
Suwa, Yuji See Kamimura, Hiroshi
Suwannathada, Pichanon See Conradt, Reinhard
Suzuki, A. See Czarnetski, U.
Suzuki, Fukuji See Fukui, Hiroshi
Suzuki, Fumihisa; Ishii, Chikara
Modified spin-wave theory of quasi-two-dimensional Heisenberg antiferromagnet.—74-01408A
Suzuki, Fumihito See Sakuma, Takashi
Suzuki, H. See Kamiyama, S.
Suzuki, H.; Araki, H.; Noda, T.
Microstructure of SiC thin films produced on graphite excimer-laser chemical vapor deposition.—74-10841A
Suzuki, Hajime See Matsui, Koji
Suzuki, Haruhiko See Tsukioka, Masayuki
Suzuki, Hideyuki See Nishida, Toshihiko
Suzuki, Hironori; Bradt, Richard C.
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with TiO_2 additions.—74-02840A
Suzuki, Ikuro See Kikuchi, Noribumi
Suzuki, K. See Aoyama, T.; Kobayashi, K.
Suzuki, Kazutaka See Nishikawa, Tadahiro
Suzuki, Kenji See Kamiyama, Tomoaki; Suzuya, Kentaro

Suzuki, Kenya See Kyotani, T.
Suzuki, Koichi See Ando, Eiichi; Takita, Masatoshi
Suzuki, Kunio See Miyazawa, Kunichi
Suzuki, M. See Mizoguchi, Y.
Suzuki, Masaaki; Hasegawa, Yoshihisa; Aizawa, Masayuki; Nakata, Yoshinori; Okutani, Takeshi; Uosaki, Kohei
Characterization of silicon carbide–silicon nitride composite ultrafine particles synthesized using a CO_2 laser by silicon-29 magic angle spinning NMR and ESR.—74-01348A
Suzuki, Masayasu See Fukada, Shinichi
Suzuki, Miki T. See Fujimura, Shuzo
Suzuki, Minoru See Hirano, Akira
Suzuki, Motokazu See Kimura, Toshio
Suzuki, Motoyuki
Activated carbon fiber: fundamentals and application.—74-07011A
Suzuki, Naoshi See Nishio, Yoshimasa
Suzuki, Setsuo See Noda, Etsuo
Suzuki, Shigeo See Terakado, Shingo
Suzuki, Shoji See Tezuka, Yasuhisa
Suzuki, Shuji
Suspended particles and pollen allergy.—74-11193A
Suzuki, Susumu See Ando, Eiichi
Suzuki, T. See Kimata, M.
Suzuki, T.
Oxygen partial pressure dependence of defects in Czochralski-grown lithium niobate.—74-07580A
Suzuki, Takashi See Kasuya, Tadao; Miyake, Michihiro; Sugiyama, Kouju
Suzuki, Tatsuo; Ando, Tsuneya
Subband structure of quantum wires in magnetic fields.—74-01585A
Suzuki, Toshihiko See Shibata, Kazuyoshi
Suzuki, Toshiya; Ohba, Takayuki; Jinnouchi, Shimpei; Murakami, Seishi
Method for deposition of a refractory metal nitride and method for formation of a conductive film containing a refractory metal nitride.—74-08801P
Suzuki, Toshiyuki See Sasaki, Yukichi
Suzuki, Y. See Chen, X. M.; Saegusa, K.
Suzuki, Y.; Triscone, J.-M.; Ecom, C. B.
Evidence for long localization length along *b*-axis $PrBa_2Cu_3O_7$ in *b*-axis $YBa_2Cu_3O_7$/*a*, *b*-axis $PrBa_2Cu_3O_7$ superlattices.—74-06537A
Suzuki, Yasuo See Yashima, Masatomo
Suzuya, Kentaro; Kamiyama, Tomoaki; Yamamura, Takemi; Okamura, Kiyohito; Suzuki, Kenji
SAXS study of the nanometer-scale hybrid structure of Si-Ti-C-O amorphous fibers.—74-10879A
Suzuya, Kentaro; Shibata, Kaoru; Okamura, Kiyohito; Suzuki, Kenji
Polycarbosilane-to-Si_xC_{1-x} conversion studied by inelastic neutron scattering and infrared absorption.—74-10861A
Svandrlik, J. See Adams, J. W.
Svechkarev, I. V. See Panfilov, A. S.
Svechnikov, G. S.; Rizikov, I. V.; Ivanov, A. I.
Multicolor, radiation-resistant SiC light-emitting diodes.—74-03122A
Svechnikova, T. E. See Korzhuev, M. A.
Svegl, F. See Orel, B.
Sveleba, S. A.; Bublik, M. I.; Polovinko, I. I.
Birefringent and piezooptical properties of $RbHScO_4$ crystals.—74-06394A
Svenaeus, Stefan
Environmental problems in the glass industry.—74-02232A
Svenson, Eva-Maria
Nordic pot furnace project—a new approach to gas heating.—74-01169A
Svensson, B. G. See Mohadjeri, B.
Svensson, Stefan P.; Gill, D. M.; Towner, Frederick J.; Uppal, P. N.
Room temperature photoluminescence from modulation doped AlGaAs/InGaAs/GaAs quantum wells.—74-00702A
Svensson, Stefan P.; Towner, Frederick J.
Characterization and improvement of the layer uniformity for large-area quantum well device arrays grown in an Intevac/Varian Gen II molecular beam epitaxy system.—74-02934A
Sverchkov, S. E. See Alekseichuk, S. N.
Sverchkov, Yu. E. See Alekseichuk, S. N.
Svetkina, E. Yu. See Franchuk, V. P.
Sviridov, D. T.
Complete level diagram and wave functions of Mn^{2+} ($3d^5$) ions in trigonal $LiKSO_4$ field.—74-07613A
Sviridov, E. V. See Surowiak, Z.
Sviridov, V. V.; Yaroslavtsev, N. P.
Low-frequency electromechanical relaxation in piezoelectric semiconductors.—74-06420A
Svistov, A. E. See Volkov, B. A.
Svistunova, G. P. See Amelin, V. G.
Svob, Ludvik See Dumont, Herve
Svoboda, J.; Riedel, H.; Zipse, H.
Equilibrium pore surfaces, sintering stresses, and constitutive equations for the intermediate and late stages of sintering: I, Computation of equilibrium surfaces.—74-04621A; II, Diffusional densification and creep.—74-04622A
Svoboda, J.; Riedel, H.
Pore boundary interactions and evolution equations for the porosity and the grain size during sintering.—74-10536A
Svoboda, Karel See Hartman, Miloslav
Svoronos, D. R. See Charreire, Y.
Swaanen, P. See Terpstra, R. A.
Swab, Jeffrey J.; Quinn, George D.
Fractography of advanced structural ceramics: results from Topic No. 2 of the VAMAS round robin exercise.—74-11000A
Swab, Jeffrey J.
Failure mechanisms in advanced structural ceramics.—74-10994A
Swain, M. See Martin, P. J.
Swain, Michael V. See Gogotsi, G. A.; Liu, Tian-Shun; Mukhopadhyay, Anoop K.
Swaminathan, V. See Asom, M. T.
Swamy, R.
Fly ash and slag: standards and specifications—help or hindrance.—74-00058A
Swan, A.; Marynowski, M.; Franzen, W.; El-Batanouny, M.; Martini, K. M.
Spin ordering on NiO(100) surface measured by metastable $He^2\,3s$ [He*] scattering.—74-04426A
Swan, Robert B. See Zurecki, Zbigniew
Swank, W. D. See Fincke, J. R.
Swank, W. D.; Fincke, J. R.; Haggard, D. C.
HVOF gas flow field characteristics.—74-10391A; HVOF particle flow field characteristics.—74-10392A
Swanston, D. M.; McLean, A. B.; McIlroy, D. N.; Heskett, D.; Ludeke, R.; Munekata, H.
Electronic structure of MBE grown InAs(110).—74-00610A
Swaroop, Latha I. See Sempolinski, Daniel R.
Swaroop, Srinivas H. See Beauseigneur, Patricia A.
Swart, Pieter L. See Bulkin, Pavel V.
Swartzlander, A.; Niles, D. W.; Hasoon, F.
Compositional analysis of CdS/SnO_2 films after heat treatments and $CdCl_2$ pretreatments.—74-07614A
Sweeney, C. G. See Sussmann, R. S.; Wort, C. J. H.
Sweeney, J. W. See Becker, J. F.
Sweeney, Sean M. See Balachandran, U.
Sweet, E.; Sinha, Shome N.
Synthesis of Al_2O_3-Al composites with varied compositions via a submicron precursor.—74-10675A
Sweetland, James E.
Glass gob drop guide funnel assembly.—74-09526P
Swider, Karen E. See Reidy, Richard F.
Swider, Karen E.; Worrell, Wayne L.
Electron paramagnetic resonance of titanium impurities in reduced yttria-stabilized zirconia.—74-05010A
Swider, M. See Olborska, A.
Swift, Charles D.; Bergum, John W.; Neville Connell, George A.; Fenner, David B.; Boyce, James B.; Fork, David K.
Lead magnesium niobate actuator for micropositioning.—74-03360P
Swinehart, Philip R.; Courts, S. Scott; Holmes, D. Scott
Metal oxynitride resistance films and methods of making the same.—74-03269P
Swiokla, Joyce L. See Mehrotra, Pankaj K.
Swirbel, Thomas J. See Arledge, John K.
Switzer, Jay A. See Zhou, Yan-Chun
Syamaprasad, U. See Bhattacharjee, S.
Syammach, Mustafa A. See Renlund, Gary M.
Syassen, K. See Ernst, S.
Sycheva, L. I.
Sintering of stock mixtures based on gypsum-containing wastes.—74-02736A
Sydow, J. P. See Popova, K.
Syed, K. S.; Green, R. P. M.; Crofts, G. J.
Transient modeling of pulsed phase conjugation experiments in a saturable Nd:YAG amplifier.—74-09072A
Syhre, Claudia See Boccaccini, Aldo R.
Sykes, J. M.
Composition, microstructure, and stress corrosion cracking.—74-02106A
Syms, R. R. A. See Green, Mino
Syn, C. K.; Stoner, S.; Lesuer, D. R.
Influence of volume fraction of component materials and interlayer bond strength on fracture toughness of multilayer Al 6090-25 vol% SiC_p and Al 5182 laminates.—74-11030A
Synder, Robert L. See Bayya, Shyam S.
Synowicki, R. A. See Woollam, John A.
Syoki, T. See Arakawa, T.
Syono, Y. See Mizoguchi, Y.; Uzawa, M.
Syrek, Halina; Nowak, Edmund
Ecologically pure combustion in cement plants as alternative method of waste product utilization: I.—74-01146A; II.—74-01147A
Syrkin, A. L. See Andreev, A. N.; Anikin, M. M.
Syrnicov, P. P. See Rutkin, O. G.
Syrykh, C. See Dumas, P.
Syskakis, Emmanuel See Stochniol, Guido
Syskakis, Emmanuel; Stochniol, Guido; Naoumidis, Aristides
Improved cathode materials for the solid oxide fuel cell.—74-09786A
Sysoyev, B. I.; Linnik, V. D.; Titov, S. A.
Electrical properties of InP-In_2S_3 heterostructures.—74-06071A
Sytnikov, V. E.; Mitrokhin, V. A.; Dolgosheev, P. I.
Experimental study of the transport properties of a flexible high-T_c superconducting cable.—74-06541A
Syverud, Tor; Thomassen, Arnulf; Hautestad, Tor
Utilization of chipped car tires for reducing NO_x emissions in a precalciner kiln.—74-09726A
Syverud, Tor; Thomassen, Arnulf; Hoidalen, O.
NO_x reduction in the Brevik Cement Works, Norway—trials with stepped fuel supply to the calciner.—74-08079A
Sywe, B. S.; Yu, Z. J.; Burckhard, S.
Epitaxial growth of SiC on sapphire substrates with an AlN buffer layer.—74-06084A
Szabo, Andras; Engel, Thomas
Etching of Si surfaces with hot chlorine beams: translational and vibrational excitation of the incident chlorine particles.—74-03004A
Szabo, Istvan
Utilization of glassy secondary materials.—74-05801A
Szalkowski, F. J. See Lee, H. P.
Szegvari, Arno
Fine grinding of ceramics with attritors.—74-06700A; 74-09463A
Szekely, Julian See Deering, Scott E.
Szewczyk, Slawomir See Hejwowski, Tadeusz
Szimcak, G. See Chabanenko, V. V.
Szlagowski, Andrzej
Energy consumption by limestone loading with E-302 excavator.—74-00923A
Szmidt, J. See Brozek, T.; Mitura, E.; Olszyna, A.
Szmidt, J.; Beck, R. B.; Mitura, S.; Sokolowska, A.
Application of diamondlike layers as gate dielectric in metal/insulator/semiconductor transistor.—74-02913A
Szmidt, J.
Diamondlike layers as passivation coatings for power bipolar transistors.—74-04277A; Selective etching of c-BN layers.—74-04021A
Szorenyi, T. See Toth, Z.
Szorenyi, T.; Gonzalez, P.; Garcia, E.; Pou, J.; Fernandez, D.; Serra, J.
Tailoring silicon oxide film properties by tuning the laser beam-to-substrate distance in ArF laser-induced chemical vapor deposition.—74-04952A
Szweda, Andy See Lara-Curzio, Edgar
Szwedowska-Kotlinska, J. See Pajewski, W.
Szymanowski, H. See Tyczkowski, J.
Szymczak, R. See Gnatchenko, S. L.
Tabachenko, V. V. See D'yanchenko, O. G.
Tabacniks, M. See Comedi, D.
Tabat, Martin See Greer, James A.
Tabata, A.; Benyattou, T.; Guillot, G.; Gendry, M.; Hollinger, G.; Viktorovitch, P.
Optical properties of InAs/InP surface layers formed during the arsenic stabilization process.—74-03137A
Tabata, Hitoshi; Murata, Osamu; Fujioka, Junzo; Minakata, Shunichi; Kawai, Tomoji; Kawai, Shichio
Pyroelectric ir sensor using an oxide superconductor upper electrode.—74-03660P
Tabata, Katushiro
Latest trends for continuous casting refractories in Japan.—74-00389A
Tabata, Shiro See Ohgushi, Hajime
Taber, Robert C. See Sheats, James R.
Tabory, Charles N.; Young, Paul G.; Smith, Edwyn D.; Alterovitz, Samuel A.
Plasma-deposited SiO_2 for planar self-aligned gate metal-insulator-semiconductor field effect transistors on semiinsulating InP.—74-00684A
Tachibana, T.; Glass, J. T.
Correlation of interface chemistry to electrical properties of metal contacts on diamond.—74-08150A
Tackels, Guy
Depollution of glass furnaces: a new appeal for French glassmakers.—74-01139A
Tada, Hiroaki
Light-controlling window glass using inorganic fine particles.—74-08435A
Tada, Kakuzo
Recent trends in chemical analysis of ceramic raw materials.—74-09750A; Standardization of chemical analysis methods for ceramics raw materials and preparation of reference raw materials.—74-09620A
Tada, Masakazu See Kikkawa, Shinichi
Tadanaga, Kiyoharu See Iwami, Tomoaki
Tadanaga, O. See Ijichi, H.
Taft, Robert C.; Noell, Matthew S.
Device structure characterization using the comparative capacitance-voltage technique.—74-00475A
Tagar, M. S. See Ozkan, O. T.
Tagawa, Hiroaki See Mizusaki, Junichiro
Tagawa, Hiroaki; Mizusaki, Junichiro; Hamano, Hideto; Shimada, Masaharu
Corrosion of stabilized zirconia with alkali metal carbonates.—74-02073A
Tagawa, M. See Stark, A. K.
Tagliaferro, A. See De Martino, C.; Demichelis, F.; Morosanu, C. O.
Tagnit, Hamon Arezki; Aitcin, Pierre-Claude
Cement and superplasticizer compatability.—74-02312A
Tago, Akio See Sugimoto, Iwao
Taguchi, Yasusi See Morimoto, Shigeki
Taguchi, Yutaka See Eda, Kazuo
Tai, Lone-Wen F.; Anderson, Harlan U.
Liquid-mix synthesis of oxide powders and thin films using a starch-based polymer.—74-10435A
Tai, Weon-Pil; Kim, Song-Hee
Dielectric and remnant mechanical properties due to cyclic stress in PZT ceramics.—74-08740A
Tai, Yu-Chong See McGrath, William R.
Tairov, Yu. M. See Bakin, A. S.
Taitai, A. See Lacout, J. L.
Tajima, Ichiro See Ishii, Masahiko
Tajima, S. See Misochko, A. V.
Tajima, Satoru See Kaneko, Yuji
Takacs, J. M. See Eckhardt, C. J.
Takada, Tomoyuki See Nakano, Takashi
Takada, Toshio; Terashima, Takahito; Bando, Yoshichika
Method for producing single crystal superconducting $LnA_2Cu_3O_{7-x}$ films.—74-03641P
Takada, Toshio; Terashima, Takahito; Iijima, Kenji; Yamamoto, Kazunuki; Hirata, Kazuto; Bando, Yoshichika
Single crystal ferroelectric barium titanate films.—74-00772P
Takado, N.; Kohmoto, S.; Sugimoto, Y.; Ozaki, M.; Sugimoto, M.; Asakawa, K.
New in situ electron beam patterning process for GaAs using an electron cyclotron resonance plasma-oxidized mask and Cl_2 gas etching.—74-06220A
Takadoum, J.; Zsiga, Z.; Roques-Carmes, C.
Wear mechanisms of silicon carbide—new observations.—74-11128A
Takadown, J.
Tribological behavior of alumina sliding on several kinds of materials.—74-11120A
Takagi, H. See Hwang, H. Y.; Suga, T.; Tamasaku, K.
Takagi, Hidenoir See Tanaka, Shoji
Takagi, Hiroyoshi See Katsuki, Hiroaki
Takagi, Hiroyoshi; Awano, Masanobu; Hoshi, Yuzi
Sintered body of alumina and partially stabilized zirconia, a process for making the same and a method of preparing a powder for sintering.—74-01271P

Takagik, Shozo See Chow, Laurence C.
Takahara, Wataru See Ohtani, Osamu
Takahashi, Akira See Hiroki, Nobuyoshi; Miyamato, Yoshinari
Takahashi, H. See Yasui, K.
Takahashi, Hideaki; Hashida, Toshiyuki
Science and technology of composite materials—thermal stress and thermal shock resistance.—74-11086A
Takahashi, Hideo See Uematsu, Keizo
Takahashi, Hideo; Shinohara, Nobuhiro; Okumiya, Masataro; Uematsu, Keizo; Tsubaki, Junichiro; Iwamoto, Yuji
Influence of slurry flocculation of the character and compaction of spray-dried silicon nitride granules.—74-04704A
Takahashi, Hiroshi; Umezaki, Hiroshi; Teshima, Yasushi
Translucent polycrystalline alumina and process for producing the same.—74-09844P
Takahashi, Hisakazu; Ezaki, Kenichi; Baba, Yoko; Shibata, Kenichi
Microwave dielectric ceramic composition.—74-08808P
Takahashi, Ichiro See Yoshioka, Takakazu
Takahashi, Ichiro; Yoshioka, Takakazu
Dynamic strength evaluation of ceramic rotating disk containing small flaws.—74-06761A
Takahashi, Katsuo See Dai, Yi-Sheng; Iwaki, Masaya; Watanabe, Hiroshi
Takahashi, Kazuo; Kumata, Fumio; Nozaki, Hitoshi; Inoue, Shinichi; Makabe, Toshiji
Process for producing spherical zeolite catalyst and apparatus for producing the same.—74-03774P
Takahashi, Ken
Magnetic heads and tapes for audio and video systems.—74-09204A
Takahashi, Koji See Kuwabara, Mitsuo; Sato, Teiji
Takahashi, Koji; Nishino, Shigehiro; Saraie, Junji
Low-temperature growth of 3C-SiC on Si substrate by chemical vapor deposition using hexamethyldisilane as a source material.—74-01785A
Takahashi, Kouichi See Ueda, Sadao
Takahashi, Makoto; Katou, Yoshirou; Nagata, Katsunori; Furuta, Shinsaku
Composition and conductivity of electrodeposited Bi-Te alloy films.—74-04266A
Takahashi, N.; Shiojiri, M.
Stacking faults in hexgonal and rhombohedral MoS_2 crystals produced by mechanical operation in relation to lubrication.—74-02046A
Takahashi, Osamu; Arai, Hiroaki; Yamasaki, Seiji
Metal oxide film having minutely roughed surface and method of forming same on glass substrate.—74-08485P
Takahashi, S.; Ohashi, M.; Fukatsu, S.
Sub-100 nm pattern formation using a novel lithography with SiN_x resist by focused ion beam exposure and dry etching development.—74-01896A
Takahashi, T. See Karayama-Yoshida, H.; Kato, Y.
Takahashi, Tadayoshi See Mineshige, Atsushi
Takahashi, Tomonori; Isomura, Manabu
Composite ceramics and their production process.—74-04039P
Takahashi, Toshiya See Tanabe, Keiichiro
Takahashi, Y. See Fukatsu, S.; Suga, T.
Takai, Hiroshi See Okuda, Kouji; Yanagida, Hiroaki
Takai, Masamichi See Ayuzawa, Nobuo
Takai, Yasuyoshi; Takei, Tetsuya; Otoshi, Hirokazu; Okamura, Ryuji
Microwave plasma CVD apparatus provided with a microwave transmissive window made of specific ceramics for the formation of a functional deposited film.—74-03761P
Takaichi, Hiroshi See Murakami, Masato
Takaku, A. See Shioya, M.
Takame, Kenji See Kobayashi, Tetsuhiko
Takami, N.; Koura, N.
Electrochemical behavior of FeS_2 cathodes for aluminum secondary cells around 100°C.—74-01985A
Takamuku, Kenshi; Gu, Genda; Koshizuka, Naoki
Process for producing Bi-based oxide superconductor single crystals.—74-03657P
Takano, H. See Miyakuni, S.
Takano, Mikio See Azuma, Masaki
Takano, Satoshi See Hayashi, Noriki; Yoshida, Noriyuki
Takano, Yoichi; Ismail, M. G. M. U.
Mullite raw powder.—74-10485A
Takao, Yuji See Lin, Feng-Cang
Takao, Yuji; Miyazaki, K.; Shimizu, Yasuhiro
High ammonia sensitive semiconductor gas sensors with double-layer structure and interface electrodes.—74-05939A
Takaoka, K. See Yoshimura, M.
Takaoka, S.; Oto, K.; Karimoto, H.
Magnetocapacitance and the edge state of a 2-D electron system in the quantum Hall regime.—74-03098A
Takarada, T.; Takezawa, H.; Nakagawa, N.; Kato, K.
Diamond synthesis on substrates treated by collision with particles.—74-01680A
Takase, Akira See Nonaka, Kazuhiro
Takashige, Masaaki See Tsukioka, Masayuki
Takashina, Hiroyuki See Yashima, Masatomo
Takasu, S.
Present problems in (silicon) crystal growth.—74-10576A
Takasuka, Yutaka See Nomura, Koichi
Takata, Masasuke
Relationship between crystal orientation and gas sensing property of sputtered SnO_2 films.—74-09023A
Takata, Nobuhiro
Application of ceramics and composites for sporting goods.—74-09759A
Takata, S. See Sato, H.
Takata, Tsutomu See Murakami, Masato
Takatsu, Manabu See Nishikawa, Tadahiro
Takayanagi, Takeshi
Core for casting titanium and titanium alloy.—74-08647P
Takebe, Hiromichi See Fujino, Shigeru; Morinaga, Kenji
Takebe, Hiromichi; Nageno, Yoshikazu; Morinaga, Kenji
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses.—74-02441A; Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses[—correction].—74-05671A
Takeda, Jun See Nishikawa, Takashi
Takeda, Jun; Nishikawa, Takashi; Sato, Masatoshi
Anomalous behavior of Hall coefficient and thermoelectric power of $YBa_2Cu_3O_{6+\delta}$ and $La_{2-x}Sr_xCuO_4$ above room temperature.—74-00784A
Takeda, M.; Sakamoto, J.; Saeki, A.; Imai, Y.; Ichikawa, Hiroshi
High-performance silicon carbide fiber, Hi-Nicalon, for ceramic matrix composites.—74-10811A
Takeda, Mamoru See Matsuoka, Tomizo
Takeda, Masami
Changes in the methods of refractories contract trading in Japan. The advantages of Japanese refractories manufacturers in the domestic market.—74-05845A
Takeda, Teruhiko See Ayuzawa, Nobuo
Takeda, Tetsuya See Zushi, Toshihiro
Takeda, Yasuo See Azuma, Masaki; Mori, M.; Yamamoto, Osamu
Takeda, Yasuo
Synthesis of high-T_c superconductors under high pressure (a review).—74-09351A
Takeda, Yoshihumi; Ishihara, Toshinobu; Ohsaki, Hiromi
Silazane-based, heat resistant, dielectric coating compositions.—74-08812P
Takehara, Shigeru; Nobuhara, Keiichi; Nishihara, Ken; Togawa, Kazumi
Incinerator—a review.—74-01159A
Takehara, Zenichiro See Ogumi, Zempachi
Takehata, Yoshimi See Sato, Mitsukuni
Takei, Hiromi See Torii, Yasuko
Takei, Makoto; Kinugawa, Isao; Tamura, Mamoru; Tashiro, Seiichi
Carbon composite material reinforced with carbon fiber and inorganic fiber.—74-04033P
Takei, Tetsuya See Takai, Yasuyoshi
Takeichi, Yoshikuni See Yogo, Toshinobu
Takemoto, Mitsuteru See Sugiyama, Hiroshi
Takemura, Yasuhiko
Method of forming superconducting oxide ceramic materials having high critical densities of superconducting current.—74-00872P; Superconducting device.—74-03663P
Takenaka, Tadashi; Tomonari, Hajime; Taniguchi, Toru
Pb(Zr*Ti)O_3 thin films prepared by MOCVD.—74-03329A
Takenobu, Kouichi See Nanjo, Fusayuki
Takeshima, K. See Hirata, Y.
Takeshita, Takuo See Kimura, Toshio
Takeuchi, Katsunobu See Kawamura, Mitsunori
Takeuchi, Kenji See Endo, Morinobu
Takeuchi, Nobuyuki See Ishikawa, Makoto
Takeuchi, S.; Kobayashi, T.
Highly efficient Ti:sapphire regenerative amplifier.—74-08934A
Takeuchi, Tetsuya See Hori, Hidenobu
Takeuchi, Tetsuya; Amano, Hiroshi; Akasaki, Isamu; Watanabe, Atsushi; Manabe, Katsuhide
Method of fabricating a gallium nitride based semiconductor device with an aluminum and nitrogen containing intermediate layer.—74-09092P
Takeuchi, Yoshiaki See Sugimoto, Shoji
Takeuchi, Yoshiaki; Kameda, Isao
Alumina raw powders for new ceramics.—74-09735A
Takezawa, H. See Takarada, T.
Takigawa, M.; Mitzi, D. B.
NMR studies of spin excitations in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals.—74-06596A
Takiguchi, T. See Uesugi, K.
Takita, Masatoshi; Hayami, Hiroyuki; Suzuki, Koichi
Ultraviolet resistant silica glass fiber.—74-00353P
Takita, Yusaku See Ishihara, Tatsumi; Mizuhara, Yukako
Takita, Yusaku; Ishihara, Tatsumi; Mizuhara, Yukako; Noguchi, Masao
Method of manufacturing silicon nitride whiskers.—74-01324P
Takkouk, Z. See Sahli, S.
Takyanagi, K. See Shibata, A.
Talaat, H.; Elissa, L.; Negm, S.; Burstein, E.; Yeganeh, M. S.; Yodh, A. G.
Light scattering studies of ZnSe/GaAs heterostructures.—74-06174A
Talandier, J.; Sudre, O.; Dorvaux, J.-M.
Oxidation behavior of a partially protected C/C composite in a hypersonic flow.—74-10922A
Talanker, Vladimir See Chaim, Rachman
Talbot, Jan B.; Fritts, Sharon D.
Report of the electrolytic industries for the year 1991.—74-02270A
Talbott, Roblee L. See Dziedzic, Chester J.
Talen, Wim See Van Bommel, Mark J.
Talhi, C.; Bui, A.; Loubiere, A.
Degradation study of ZnO-based varistors under electrical combined stresses.—74-02959A
Talin, A. Alec; Williams, R. Stanley; Morgan, Brent A.; Ring, Ken M.; Kavanagh, Karen L.
Lateral variation in the Schottky barrier height of Au/PtSi/(100)Si diodes.—74-06173A
Tall, P. D. See Rabier, J.
Tallarida, G. See Pecora, A.; Quinn, M.
Tallon, Jeffery L.; Pooke, Donald M.
Flux pinning in superconducting cuprates.—74-00865P
Talmud, N. I.
Determination of composition and phase amounts in ternary and quaternary systems.—74-04124A
Talmy, I. G. See Martin, C. A.
Talpallikar, M. See Oberkampf, W. L.
Tamaayan, R. A. See Klokova, N. E.
Tamada, Hitoshi See Yamada, Atsuo
Tamagawa, T.; Shintani, T.; Nakawaga, K.
Structural characteristics of Si/Ge superlattices grown on an Si(100) surface by molecular beam epitaxy.—74-01465A
Tamai, Hisashi; Yasuda, Hajime
Pore size control of porous carbon.—74-10537A
Tamai, Susumu See Ohgushi, Hajime
Tamaki, Akira See Nakamura, Shintaro
Tamaki, Makoto See Manabe, Katsuhide
Tamaki, Makoto; Kozawa, T.
Gallium nitride-based compound semiconductor light-emitting device and method for making the same.—74-03268P
Tamari, Nobuyuki See Kondou, Isao
Tamas, Ferenc See Gardos, Gyorgy
Tamas, Ferenc; Patkai-Horvath, Marta; Tritthart, Josef
Encapsulation of hazardous wastes in a cement matrix.—74-05518A
Tamasaku, K.; Ito, T.; Takagi, H.
Interplane charge dynamics in $La_{1-x}Sr_xCuO_4$.—74-03503A
Tamatani, M. See Oguchi, T.
Tamaura, Yutaka See Kodama, Tatsuya
Tamazyan, R. A. See Bolotina, N. B.; Makarova, I. P.; Sorokina, N. I.
Tamazyan, R. A.
Accounting for secondary extinction in highly anisotropic single crystal.—74-07034A
Tambo, T. See Fujita, K.
Tamborenea, P. I.; Das Sarma, S.
Collective excitations in asymmetric parabolic quantum wells.—74-04263A
Tambouris, D. See Nassiopoulos, A. G.
Tamhane, A. S.; Nagarajan, R.; Pinto, R.; Gupta, L. C.; Vijayaraghavan, R.; Badri, V.
Superconductivity in the system $Lu_{1-x}Pr_xCu_3O_{7-\delta}$.—74-06640A
Tamiaki, Minoru See Ikeda, Kiyohiko
Tamor, M. A. See Everson, M. P.; Gangopadhyay, A. K.; Zhu, W.
Tampieri, A.; Celotti, G. C.; Malpezzi, M. C.
Study on densification processes of Bi-based high-T_c superconductor.—74-03584A
Tamura, Hideki; Ogura, Takahiko; Nagahama, Mutsuhisa
Spraying of the brittle ceramic zirconium diobirde by a wire explosion technique.—74-10652A
Tamura, Hiroshi See Michiura, Nobuhiko
Tamura, Hitoshi; Okuno, Yasuo; Kato, Hiroyuki
Chemical etching of ZnSe crystals.—74-02938A
Tamura, M. See Morishita, Yoshitaka; Sato, H.
Tamura, Mamoru See Takei, Makoto
Tamura, Satoshi See Eguchi, Koichi
Tamura, Syuzo
Pressure effects on the Curie temperature of spinel-type $NiMn_2O_4$ and $CuCr_2O_4$.—74-10140A
Tamura, Takao See Hirasawa, Satomi
Tamura, Y. See Sato, H.
Tan, B.-H. See Zhu, W.
Tan, Benj J. See Xiao, You-Ming
Tan, F.-H. See Ahn, J.
Tan, H.-S. See Ahn, J.; Hui, P.; Zhu, W.
Tan, I-Hsing; Chang, Ying-Lan; Shi, Song; Mirin, R.; Hu, Evelyn L.; Bowers, J.
Evaluation of the etch depth dependence of three-dimensional confinement in strain-induced quantum well dot structures.—74-06088A
Tan, Jia-Qi See Wang, Shu-Qiang
Tan, Jian See Chen, Jun
Tan, K. L. See Lin, J.
Tan, K. See Kwok, R. W. M.
Tan, M. R. T. See Houng, Y. M.
Tan, Qi-Guang; Mao, Hong-Wei; Hou, Jian-Guo
Dislocation in BBO crystals.—74-10728A
Tan, Shao-Qiu; Yu, Run-Zhou
Fabrication and phase transformation of alumina and its application.—74-01718A
Tan, Shou-Hong See Huang, Zheng-Ren; Jiang, Dong-Liang; Pan, Y. B.; She, Ji-Hong; Zhou, Y.
Tan, T. C. See Li, N.; Tan, Y.
Tan, Y.; Tan, T. C.
Characteristics and modeling of a solid-state hydrogen sensor.—74-05922A
Tanabe, H. See Itoh, H.
Tanabe, Hiroyuki See Sugimoto, Makoto
Tanabe, K.; Kubo, S.; Hosseini, F.
Effects of photoinduced hole doping on normal-state and superconducting transport in oxygen-deficient $YBa_2Cu_3O_y$.—74-04290A
Tanabe, Keiichiro; Imai, Takahiro; Fujimori, Naoji
Process for synthesizing diamond in a vapor phase.—74-09955P
Tanabe, Keiichiro; Takahashi, Toshiya; Ikegaya, Akihiko; Fujimori, Naoji
Bonding tool having diamond head and method of manufacturing the same.—74-04030P
Tanabe, N.; Iwaki, M.
Influence of sputtering target material on the formation of cubic BN thin films by ion-beam-enhanced deposition.—74-10419A
Tanabe, Setsuhisa See Hanada, Teiichi
Tanabe, Setsuhisa; Hanada, Teiichi; Watanabe, Masayuki; Hayashi, Tetsusuke; Soga, Naohiro
Optical properties of dysprosium-doped low-phonon-energy glasses for a potential 1.3 μm optical amplifier.—74-08343A
Tanahashi, Toshiyuki See Kondo, Makoto
Tanaka, A.
Structures and features of ancient kilns for ceramic wares.—74-09714A
Tanaka, Akinori; Onari, Seinosuke; Arai, Toshihiro
One-phonon Raman scattering of CdS microcrystals embedded in a germanium dioxide glass matrix.—74-06234A

Tanaka, Arata See Harasaki, Akiko

Tanaka, Arata; Jo, Takeo
Resonances in 3-D electron photoemissiion predicted at Ni 2*p* threshold for $NiCl_2$ and NiO.—74-07110A

Tanaka, G. See Hashimoto, Y.

Tanaka, H. See Kadono, K.

Tanaka, Hidehiko See Shin, Dong-Woo

Tanaka, Hidehiko; Iyi, Nobuo
Polytypes, grain growth, and fracture toughness of metal boride particulate SiC composites.—74-05223A

Tanaka, Hiroshi; Fukai, Seiki; Uchida, Nozomu; Uematsu, Keizo; Sakamoto, Akira; Nagao, Yoshihiko
Effect of moisture on the structure and fracture strength of ceramic green bodies.—74-04581A

Tanaka, Hiroshi; Yazawa, Tetsuo
Alteration of characteristics of porous high-silica glass during acid treatment.—74-05750A

Tanaka, Ichiro See Ohkouchi, Shunsuke

Tanaka, Isao; Igashira, Kenichiro; Okamoto, Tairo; Niihara, Koichi; Cannon, Rowland M.
High-temperature fracture mechanism of low-Ca-doped silicon nitride.—74-05364A

Tanaka, Isao; Nakayama, Masaaki; Nishimura, Hitoshi
Electric-field dependence of oscillator strengths of Stark ladder transitions in a GaAs/AlAs superlattice.—74-08881A

Tanaka, J. See Taniguchi, T.

Tanaka, Junzo
Elementary distribution at grain boundaries—approach by electron spectroscopy and nonequilibrium thermodynamics.—74-09991A

Tanaka, K. See Miyamoto, Y.

Tanaka, Katsuhisa See Ishihara, Tsuguo

Tanaka, Katsuhisa; Ohyagi, Tomohito; Hirao, Kazuyuki; Soga, Naohiro; Mori, Hirotaro
Microstructure and magnetic character of terbium borate glass.—74-00268A

Tanaka, Kenichiro See Terakado, Shingo

Tanaka, Kumi See Hikata, Hajime

Tanaka, M.; Harbison, J. P.; Sands, T.; Cheeks, T. L.; Keramides, V. G.; Rothberg, G. M.
Molecular beam epitaxy of MnAs thin films on GaAs.—74-04367A

Tanaka, Masaaki See Nagai, Haruhiko

Tanaka, Nobuyuki See Osaka, Fukunobu

Tanaka, Nobuyuki; Ishikawa, Tomonori
Energy dependence and depth distribution of electron beam induced damage in GaAs/AlGaAs heterostructures.—74-02999A

Tanaka, S. See Sugimoto, K.

Tanaka, Saburo See Fujita, Nobuhiko; Itozaki, Hideo

Tanaka, Saburo; Matsuura, Takashi; Itozaki, Hideo
Josephson junction device formed of oxide superconductor and process for preparing the same.—74-09372P

Tanaka, Satoshi; Machinaga, Osamu; Aoyama, Yoshio
Characterization of C_4FH_3 crystal belonging to AFm by electron microdiffraction and SEM-EDX.—74-05476A

Tanaka, Shoji See Maeda, Toshihiko

Tanaka, Shoji; Kitazawa, Koichi; Uchida, Shinichi; Takagi, Hidenuir
Superconductive material.—74-03666P

Tanaka, So; Iiyama, Michitomo
Method for manufacturing an artificial grain boundary type Josephson junction device.—74-03636P

Tanaka, T. See Kuwabata, S.; Wong, Joe

Tanaka, Takahiro See Kondou, Isao

Tanaka, Y. See Fukutomi, Masao

Tanaka, Yasuzo See Kikuchi, Hiroyuki

Tanaka, Yukio See Naito, Yasuyuki

Tanasescu, Speranta; Keul, Mariane; Leahu, Viorica
Ceramic ionic conductors based on stabilized zirconia.—74-08727A

Tanatar, M. A. See Litovchenko, V. G.

Tandon, G. P.; Pagano, N. J.
Influence of interfacial debonding on the behavior of a laminated system.—74-11028A

Tandon, R. See Belhadjhamida, A.

Tanei, Hirayoshi See Fujita, Tsuyoshi

Tanei, Hirayoshi; Iwanaga, Shoichi
Ceramic composition and ceramic circuit board.—74-00541P

Tang, C. See Ingram, D. C.

Tang, H.; Berger, H.; Schmid, P. E.
Optical properties of anatase (TiO_2).—74-08987A

Tang, H.; Joachim, C.; Devillers, J.
Interpretation of atomic force microscopy images: the mica(001) surface with a diamond tip apex.—74-07670A

Tang, H.; Prasad, K.; Sanjines, R.
Electrical and optical properties of TiO_2 anatase thin films.—74-10090A

Tang, Hai; Zhong, Zi-Fang
Simplified production processes for naturally cured light aggregate of fly ash.—74-06725A

Tang, Ming-Shu See Deng, Min; Shen, Yang

Tang, Ming-Shu; Deng, Min; Lan, Xiang-Hui
Alkali-carbonate reaction.—74-02061A

Tang, Qing-Feng See Zhao, Yang

Tang, S.-H. See Li, Q.; Shen, Z.-X.

Tang, W.; Cameron, D. C.
Aluminum-doped zinc oxide transparent conductors deposited by the sol-gel process.—74-00453A

Tang, Xiao-Yong See Chen, Jia-Gen

Tang, Xiao-Ming See Wang, Min-Quan

Tang, Y. S. See Jin, G. G.

Tang, Ying; Wong, Wen-Jian; Lu, Jian-Ping
Study of hydroxyapatite bioceramics by hot-press sintering.—74-09803A

Tang, You-Qui See Chen, Zu-Yao

Tangerman, F. See He, B.

Tanguy, B. See Michau, D.

Tani, Benjamin S. See Luo, Jian-Shu

Tani, Hiroji See Nakamura, Kazutaka

Tani, Hiroji; Honma, Kanehito
Conductive copper paste.—74-00546P

Tani, Makoto See Seike, Shoji

Tani, Toshihiko See Li, Jie-Fang

Tani, Toshihiko; Lakeman, Charles D. E.; Li, Jie-Fang; Xu, Zheng-Kui; Payne, David A.
Crystallization behavior and improved properties for sol-gel-derived PZT and PLZT thin layers processed with a lead oxide cover coating.—74-09115A

Tanigaki, T. See Arlinghaus, H. F.

Tanigawa, Hideo See Matsubara, Ichiro

Tanigawa, S. See Uedono, A.

Tanigawa, Yoshinobu See Ikeda, Kiyohiko

Taniguchi, Akihiro; Tatsumisago, Masahiro; Minami, Tsutomu
Crystallization kinetics of α-AgI in AgI-based silver orthoborate glasses.—74-02827A

Taniguchi, Hitofumi
Aluminum nitride raw powder.—74-09736A

Taniguchi, Masakazu See Morimoto, Shigeki

Taniguchi, Masashi See Harako, Hisayuki

Taniguchi, Masato See Ito, Masaya

Taniguchi, Ryozire; Yamaguchi, Takao; Saito, Osamu
Method for preparing pottery products containing shirasu balloons.—74-00449P

Taniguchi, T.; Tanaka, J.; Mishima, O.
Nonlinear current voltage characteristics of Be-doped cubic-BN polycrystals synthesized at high pressure.—74-03129A

Taniguchi, Tadao See Yamamoto, Kenji

Taniguchi, Toru See Takenaka, Tadashi

Taniguchi, Toshifumi See Kawarazaki, Shuzo

Tanihata, Kimiaki See Miyamato, Yoshinari

Tanikawa, Eiki See Shiosaki, Tadashi

Tanikella, B. V.; Scattergood, Ronald O.
Acoustic emission during indentation fracture.—74-06735A

Tanimoto, Masafumi See Hirono, S.

Tanimoto, Masafumi; Arai, Kunihiro
Potential distribution measurement of thin InGaAs resistors using scanning tunneling potentiometry.—74-06270A

Tanimoto, S.; Shibata, N.; Kuroiwa, K.
Synchronously excited discrete chemical vapor deposition of Ta_2O_5.—74-07504A

Tanino, Kichiya See Akune, Yasuhiro

Tanioka, Tetsuya See Komiyama, Yoshizo; Maki, Iwao

Tank, Klaus See Damm, Oliver F. R. A.

Tanner, B. K. See Bowen, D. K.

Tanner, B. K.; Bowen, D. K.
Synchrotron X-radiation topography.—74-06824A

Tanner, C. W.; Jue, Jan-Fong; Virkar, Anil V.
Temperature dependence of the kinetics of electrochemical vapor deposition of CeO_2.—74-01917A

Tanner, C. W.; Virkar, Anil V.
Dependence of the kinetics of electrochemical vapor deposition of CeO_2 on oxygen partial pressure.—74-07248A

Tanno, Kazuo See Kumagai, Naoaki

Tanoue, T. See Mochizuki, K.

Tanryverdiev, V. S.; Aliev, O. M.; Aliev, I. I.
Interactions in the systems Pr_2O_3-As_2S_3 and Nd_2O_3-As_2S_3.—74-04153A

Tansley, T. L. See Li, X.

Tao, Hong-Jie See Gao, Fan

Tao, Hong-Jie; Yin, Bo; Yang, Qian-Sheng
Low-temperature (LT) STM investigation of Bi-O planes of single-crystal $Bi_2Sr_2CaCu_2O$.—74-06572A

Tao, W. See Zhang, Hong

Tao, W.; Qian, C.-T.; Ye, C.-Q.
In situ growth of high-T_c $YBa_2Cu_3O_{7-x}$ films at high deposition rate by low-pressure CVD.—74-06559A

Tao, Xin-Xia; Liang, Zhi-Lin; Chen, Lu-Bin
Fabrication of low-cement corundum castable and dry vibration castable and their applications in core induction furnace.—74-09661A

Tao, Y.; Landheer, D.; Baribeau, J.-M.
Effect of power on the properties of SiO_2 films produced by plasma-enhanced chemical vapor deposition.—74-10292A

Tao, Y.; Lu, Z.-H.; Graham, Michael J.; Tay, Sing-Pin
X-ray photoelectron spectroscopy and X-ray absorption near-edge spectroscopy study of SiO_2/Si(100).—74-07791A

Tao, Zeng-Yi See Zhu, Bei-Di

Tao, Zheng-Wu See Luo, Xin-Wu

Tapfer, L. See Giannini, C.

Tarakanov, S. See Rekhson, S. M.

Tarascon, J. M. See Colson, S.; Garcia-Alvarado, F.; Guyomard, D.

Tarasevich, Yu. T. See Tvardovskii, A. V.

Tarasevichs, B. P.
Choosing the ceramic brick production technology.—74-00901A

Tarasik, M. I. See Chen, Chao

Tarasov, I. S. See Pikhtin, N. A.

Tarasov, V. F.; Shakurov, G. S.
EPR of $SrWO_4$-Er^{3+} at hyper-frequency range.—74-03804A

Tarasova, T. N. See Kuz'micheva, G. M.

Tarik, Baykara See Gul, Avci Gamze

Taroev, V. K. See Nadyozhina, T. N.

Tarsa, E. J.; McCormick, K. L.; Speck, J. S.
Common themes in the epitaxial growth of oxides on semiconductors.—74-08841A

Tartaj, J.; Fernandez, J. F.; Duran, P.
Preparation and characterization of superconductiing $YBa_2Cu_3O_7$ thick films obtained by screen printing.—74-03560A

Tartaj, J.; Moure, C.; Fernandez, J. F.
Chemical processing of superconducting ceramic powders based on the BiSrCaCuO system.—74-03426A

Tartaj, Pedro; Serna, Carlos J.; Ocana, Manuel
Preparation of blue vanadium-zircon pigments by aerosol hydrolysis.—74-04824A

Tasaka, Akimasa See Mineshige, Atsushi

Tasca, Abilio See Snyder, William J.

Tasch, A. F. See Chikarmane, Vinay; Yang, Shyh-Horng

Tasch, A. F.; Yang, Shyh-Horng; Morris, Steven J.; Lim, David L.
Experimental observations and modeling of ultrashallow BH_2 and As implants in single-crystal silicon.—74-01517A

Tashiro, H. See Aoyama, T.

Tashiro, Seiichi See Takei, Makoto

Tasserie, M.; Bideau, D.; Verdier, P.; Laurent, Y.
New expanded material based on recycled glass: II, Role and influence of the expansion additive on material characteristics.—74-08379A

Tassin, J. See Baudequin, F.

Tatarenko, S.; Saminadayar, K.; Etgens, V. H.
Surface reconstructions of (001)CdTe and their role in the dynamics of evaporation and molecular beam epitaxy growth.—74-01899A

Tateishi, Daisaku; Esumi, Kunio; Honda, Hidemasa
Characterization of carbonaceous gel and gel beads.—74-10766A

Tatekawa, Tsutomu See Michiura, Nobuhiko

Tatishi, Tetsuya; Hyodo, Koji; Kondo, Kazuo; Miura, Kazunori
Simulator test of artificial joints.—74-03869A

Tatsumisago, Masahiro See Iwami, Tomoaki; Taniguchi, Akihiro

Tatsumisago, Masahiro; Kowada, Yoshiyuki; Minami, Tsutomu
Raman spectra of rapidly quenched glasses and melts containing large amounts of Li_2O.—74-08348A; Structural change of rapidly quenched binary tellurite glasses with composition and temperature.—74-05697A

Tatsumisago, Masahiro; Minami, Tsutomo
Preparation of mesoscopic superionic (AgI) conductors by rapid quenching.—74-08765A; Superionic conducting glass.—74-08396A

Tatsumoto, H. See Hitomi, M.

Tatsuyama, C. See Fujita, K.

Tauber, Arthur; Tidrow, Steven C.
High critical temperature superconductor (HTSC) including a rare earth alkali metal titanate as an oxygen diffusion barrier in the device.—74-00866P

Tavaszi, Miklos
Modernization of process control technology at the Hejocsaba Cement and Lime Works [Hungary].—74-00080A

Tavi, M. See Forsen, O.

Tavolazzi, Valentino; Samori, Lorenzo
In search of global quality.—74-02242A

Tawil, H. See Courtois, C.

Taxil, P. See LaFage, B.

Tay, J.; Show, K.
Innovative civil engineering material from sewage sludge: biocement and its use as blended cement material.—74-00069A

Tay, Sing-Pin See Tao, Y.

Tay, Sing-Pin; Ellul, Joseph P.
Thin gate and analog capacitor dielectrics for submicron device fabrication.—74-05967A

Taya, Minoru See Li, Zhi-Guang

Taya, Noriko See Kikkawa, Shinichi

Taylor, Curtis L.
Development of an advanced, low-emissions, multifuel oxygen burner.—74-09650A

Taylor, Dale M.; Joshi, Ashok V.
Ceramic solid electrolyte-based electrochemical oxygen concentrator cell.—74-08781P

Taylor, H. F. W. See Scrivener, K. L.

Taylor, Jenifer A. T.; Reczek, Steven T.; Rosen, A.
Soft ferrite processing.—74-06475A

Taylor, Jenifer A. T.
Microphase detection using XRD.—74-06791A

Taylor, Marina G.; Simkiss, Kenneth
Computer modeling of phosphate biomaterials—transfer of parameters for interatomic potentials for different polymorphs of divalent metal diphosphates.—74-05102A

Taylor, Mark P. See Beall, George H.

Taylor, Patrick R.; Pirzada, Shahid A.
Plasma production of ultra-fine ceramic carbides.—74-04074P

Taylor, R. See Luo, J.

Taylor, Raymond L. See Kim, Yong-Il

Taylor, S. M. O.; Sale, F. R.; Dawson, W. M.
Effects of SiO_2/$CaCO_3$ additions on the production of soft ferrites for yoke rings.—74-03376A

Tazawa, T. See Rumaner, L. E.

Tcheliebou, F.; Boyer, A.; Martin, L.
Studies on MgO-stabilized zirconia thin films in the uv-visible region.—74-07190A

Tchonka, A. See Shvinka, V.

Tebano, A. See Pinter, I.

Tebbe, Frederick N. See Noky, Werner

Tebbji, H. See Xu, X. Z.

Teertstra, David K.; Dyer, A.
Informal discreditation of doranite as the magnesium analog of analcime.—74-08055A

Teeter, Frederick; Biernat, Stanley, Jr.
Preparing tools for PVD coating.—74-03726A

Tefft, Phillip; Moore, J. J.; Readey, D. W.
Formation of Al_2O_3-TiB_2 composites using a high temperature synthesis reaction.—74-10360A

Tegenfeldt, J. O. See Montelius, L.

Teghil, R.; Giardini-Guidoni, A.; Mele, A.; Piccirillo, S.; Pizzella, G.; Marotta, V.
Laser-induced ablation and epitaxial growth of SnSe.—74-04727A

TeGrotenhuis, Ward E.; Radke, Clayton J.; Denn, Morton M.
Brownian dynamics of sterically stabilized colloidal suspensions.—74-04489A

Teichmann, Jiří
Fluctuational crosstalk in Ti:$LiNbO_3$ directional coupler switches.—74-06412A

Tejedor, P.; Cagigal, M.; Vicent, J. L.; Briones, F.
Deposition by plasma-assisted laser ablation and maskless patterning of $YBa_2Cu_3O_{7-x}$ superconducting thin films.—74-03439A
Tejedor-Tejedor, M. I. See Chu, L.
Tejwani, M. See Agnello, P. D.; Ronsheim, P. A.
Tekcan, O. F. See Groenen, P. A. C.
Tekhanovich, N. P.; Sheleg, A. O.; Kurilovich, N. F.
Effect of γ-irradiation on structural transformations of K_2ZnCl_4 at low temperatures from specific heat data.—74-07073A
Telle, R.; Fendler, E.; Pettsov, G.
Quasi-ternary TiB_2-W_2B_5-CrB_2 system and its possibilities in evolution of ceramic hard materials.—74-01446A
Telle, Rainer See Predel, Felicitas
Telschow, K. L. See Koo, L. S.
Tembhurkar, Y. D.; Hirde, J. P.
Structural, optical, and electrical properties of pyrolytically deposited thin films of $CuInSe_2$.—74-09052A
Temkin, H. See Hamm, R. A.
Templeton, I. M.; Fallahi, M.; Allard, L. B.
Focused-ion-beam damage etch patterning for isolation of quantum structures in AlGaAs/GaAs.—74-00621A
Templier, F.; Vallier, L.; Madar, R.; Oberlin, J.-C.; Devine, R. A. B.
Millitorr range PECVD of a-SiO_2 films using TEOS and oxygen.—74-04755A
Templin, Alan S.
Cermet etch technique for integrated circuits.—74-03266P
Tempus, M.; Lucty, W.; Weber, H. P.
2.79 μm YSGG:Cr:Er laser pumped at 790 nm.—74-08820A
Tena, M. A. See Cordoncillo, E.
Tena, M. A.; Monros, G.; Carda, J.
Pigment properties of solid solutions in TiO_2CrNbO_4 system.—74-05222A
Tenaglia, A.
Ceramic tiles nearing the year 2000—a global approach to quality.—74-08507A; Reuse of wastes [in manufacture of whiteware].—74-01203A
Tench, D. M. See Kendig, M. W.
Tench, D. M.; Kendig, M. W.; Jeanjaquet, S.
Electrodeposition of copper oxide from the eutectic sodium-potassium nitrate melt.—74-06074A
Tench, R. J.; Chow, R.; Kozlowski, M. R.
Characterization of defect geometries in multilayer optical coatings.—74-07557A
Tendys, J. See Samandi, M.
Teng, Da
Thermal insulation properties of hollow masonry envelope of calcium silicate brick.—74-02741A
Teng, E. See Jia, C. L.
Teng, Li-Dong See Zhou, Shi-Gui
Teng, Y. H.; Boyd, J. D.
Investigation of particulate/matrix interface bonding in Al matrix composites.—74-08225A
Tenhover, Michael A. See Spearing, S. M.
Tenhover, Michael A.; Lukco, Dorothy B.
Coated SiC reinforcements and composites containing same.—74-04038P
Tennakone, K.; Kumarasinghe, A. R.; Sirimanne, P. M.
Photocurrent enhancement in a cadmium sulfide anode coated with Prussian blue.—74-00518A
Tennant, D. M. See Early, K.
Tenne, R. See Salitra, G.
Tennery, Victor J. See Breder, Kristin; Jenkins, M. G.
Tennis, Paul D. See Jennings, Hamlin M.
Tenoutasse, N.; Ghodsi, M.
Influence of alkalis on the reaction kinetics of C_3A and the thermal stability of sulfoaluminates.—74-08050A
Tenzler, Thomas; Altakh, Oleg; Zaitzev, Oleg
Influence of antimony oxide on the properties of $YBa_2Cu_3O_{7-x}$ superconductors prepared by melt quenching.—74-06561A
Teodorescu, V. S. See Mihailescu, I. N.
Teodorescu, V. See Belu-Marian, A.
Teoreanu, I.; Fruth, V.; Zaharescu, Maria
Influence of dopants on the formation mechanism of the superconducting phases in the Bi-Sr-Ca-Cu-O system.—74-03493A
Teoreanu, Ion; Andronescu, Ecaterina; Dumitrescu, Lucia F. S.
Factors affecting the synthesis of SiAlON.—74-07312A
Teoreanu, Ion; Andronescu, Ecaterina; Ianculescu, Adelina
$BaTi_{1-x}(Sn,Zr)_xO_3$ dielectric ceramics.—74-02822A
Teowee, G.; Baertlein, C. D.; Kneer, E. A.; Boulton, Jonathan M.; Uhlmann, D. R.
Effect of top metallization on the dielectric and ferroelectric properties of sol-gel-derived PZT thin films.—74-09126A
Teowee, G.; Baertlein, C. D.; Schlegel, S. A.
Effects of rare-earth incorporation on the ferroelectric and dielectric properties of sol-gel-derived $PbTiO_3$ films.—74-09128A
Teowee, G.; Boulton, Jonathan M.; Uhlmann, D. R.
Sol-gel-derived lead oxide containing ceramics.—74-09192P
Teowee, G.; Uhlmann, D. R.
Modeling of the metal-ferroelectric-metal capacitor: I, Theoretical considerations.—74-09156A; II, Experimental verifications.—74-08759A
Tepe, Thomas; Tullius, Michael; Lathrop, David
Chemical bond distribution and short-range order in nonoxide chalcogenide glasses—results from NMR spectroscopy.—74-08326A
Tepermeister, I. See Blayo, N.; Gibson, G. W., Jr.
Tepermeister, I.; Blayo, N.; Klemens, F. P.; Ibbotson, D. E.; Gottscho, R. A.; Lee, J. T. C.
Comparison of advanced plasma sources for etching applications: I, Etching rate, uniformity, and profile control in a helicon and a multiple electron cyclotron resonance source.—74-04520A
Tepermeister, I.; Ibbotson, D. E.; Lee, J. T. C.; Sawin, Herbert H.
Comparison of advanced plasma sources for etching applications: II, Langmuir probe studies of a helicon and a multipole electron cyclotron resonance source.—74-03789A
Ter Beek, Arno P. M.; Thole, Eric J. M. C.
Chloride emission from glass-melting furnaces.—74-01138A
Ter Maat, J. H. H.; Ebenhoch, J.
Feedstocks for ceramic injection molding using the catalytic debinding process.—74-04635A
Terai, Kenji See Nishida, Akio
Terakado, Shingo; Ogura, Masayoshi; Suzuki, Shigeo; Tanaka, Kenichiro
Synchrotron radiation excited etching of SiC film using reactive species generated by a microwave discharge.—74-02093A
Terao, Koichi; Ama, Ichiro Uchiyama; Hamano, Akihiro
Fabrication of cofired AlN multilayer substrates at low-temperature sintering.—74-10345A
Terao, Masaru; Tsukamoto, Noboru; Yoshimura, Yuji; Imai, Nobuhiko
High-performance Al_2O_3/C plate bricks.—74-00387A
Terasaki, Ichiro See Kuroe, Haruhiko
Terasaki, M. See Katsuki, Hiroaki
Terashima, Kentaro; Kim, Sae-Hoon; Yoko, Toshinobu
Nonlinear optical properties of B_2O_3 glasses: M_2O-B72O73 (M=Li, Na, K, Rb, Cs, and Ag) binary borate glasses.—74-05735A
Terashima, Taichi; Kojima, Norimichi
Electrical transport properties of incommensurate layer compounds $(RES)_xNbS_2$ (RE=rare-earth metals; x=1.2, 0.6).—74-04305A
Terashima, Takahito See Daitoh, Yoshihiro; Shimura, Kenichi; Takada, Toshio
Terent'ev, A. I. See Matveev, O. M.
Terent'eva, L. E. See Rastsvetaeva, R. K.
Terentev, A. A. See Grabchak, V. P.
Tereo, Edoardo See Carlomagno, Giovanni
Teresiak, A.; Mattern, N.; Kubsch, H.; Kieback, B. F.
Structure and stability of nanocrystalline TiC powders obtained by reactive high energy milling.—74-07758A
Terlikovskii, E. V. See Tretinnik, V. Yu.
Terman, V. B. See Pankova, N. A.
Terman, V. B.
Causes of errors in a float-type level gage for molten glass.—74-02603A
Terminello, L. J. See Chaiken, A.
Terminello, L. J.; Chaiken, A.; Lapiano-Smith, D. A.; Doll, Gary L.; Sato, T.
Morphology and bonding measured from boron nitride powders and films using near-edge X-ray absorption fine structure.—74-04168A
Terpstra, R. A. See Denissen, J. A. M.; Gorter, H.; Sopicka-Lizer, M.; Van Rutten, J. W. T.; Zhang, X.
Terpstra, R. A.; Van der Heijde, J. C. T.; Swaanen, P.
Slip casting of hydroxyapatite ceramics.—74-06998A
Terpstra, R. A.; Van der Heijde, J. C. T.; Van Rutten, J. W. T.
Synthesis and processing by slip casting of carbothermal ß-SiAlON on a semiindustrial scale.—74-04936A
Terpstra, R. A.; Van Eijk, J. P. G. M.; Feenstra, F. K.
Preparation and some properties of hollow fiber ceramic membranes.—74-04822A
Terrance, A. L. E. See Raju, S.
Terranova, M. L.; Rossi, M.; Sessa, V.; Vitali, G.
Growth methodologies and characterization of different polycrystalline diamond films on Ta substrates.—74-04665A
Terranova, M. L.; Sessa, V.; Rigato, V.; Caccavale, F.
Analysis using high-energy beam techniques of the surface carbonaceous layers of silicon and tantalum substrates used in the chemical vapor deposition synthesis of diamond.—74-10195A
Terrasi, A.; Ravesi, S.; Grimaldi, M. G.; Spinella, C.
Ion-beam-assisted growth of beta-$FeSi_2$.—74-00645A
Terrasi, A.; Ravesi, S.; Spinella, C.; Grimaldi, M. G.; La Mantia, A.
Morphological and structural studies of ß-$FeSi_2$ films grown by ion-beam-assisted deposition.—74-03712A
Terrier, C. See Chatelon, J. P.
Terrones, H.; Mackay, A. L.
Hypothetical curved graphite.—74-01997A
Terry, J.; Cao, R.; Wigren, C.; Pianetta, P.
Photoemission study of Au, Ge, and O_2 deposition on NH_4F-etched Si(111).—74-03162A
Terry, Lewis E. See Lesk, Israel A.
Tersenova, L. A. See Goncharov, Yu. I
Terskan, Herbert See Faber, Friedrich
Terui, Akira See Fujisawa, Akira
Terukov, E. I. See Danishevskii, A. M.; Konkov, O. I.; Kudoyarova, V. Kh.
Teruuchi, Kiyohiro; Ueda, Fumihiro; Odani, Niro
Wear resistant titanium carbonitride-based cermet cutting insert.—74-02427P
Terwilliger, Chrysanthe D.; Chiang, Yet-Ming
Effect of calcium segregation on grain growth in nanocrystalline TiO_2.—74-07634A; Measurements of excess enthalpy in ultrafine-grained titanium dioxide.—74-07089A
Teshima, Akitomo See Kawarada, Motonobu
Teshima, Yasushi See Takahashi, Hiroshi
Teterkin, V. V. See Gavaleshko, N. N.
Teti, Guido See Jones, Mark L.
Tetot, R.; Nacer, B.; Boureau, G.
Statistical thermodynamics and defect structure of $Co_{1-\delta}O$ under usual oxygen partial pressures: a Monte Carlo study.—74-10746A
Teuschler, Thomas; Hundhausen, Martin; Eckstein, Ralf; Ley, Lothar
Cross-sectional scanning tunneling and scanning force microscopy of amorphous hydrogenated silicon *pn*-doping superlattices in nitrogen and in air.—74-07621A
Teverovsky, ALexander See Goela, Jitendra S.
Tewari, S. N. See Asthana, R.
Tewinkel, Stefan See Schubert, Ulrich
Teyssandier, F. See Poirier, L.
Tezel, F. H. See Khulbe, K. C.
Tezuka, Yasuhisa; Shin, Shik; Ishii, Takehiko; Ejima, Takeo; Suzuki, Shoji; Sato, Shigeru
Photoemission and Bremsstrahlung isochromat spectroscopy studies of TiO_2 (rutile) and $SrTiO_3$.—74-03333A
Thackeray, M. M. See Gummow, R. J.
Thadhani, Naresh N. See Lee, Jong-Heon
Thakoor, Sarita; Maserjian, J.
Photoresponse probe of the space charge distribution in ferroelectric lead zirconate titanate thin film memory capacitors.—74-00762A
Thakoor, Sarita
Enhanced fatigue and retention in ferroelectric thin film memory capacitors by post-top electrode anneal treatment.—74-03356P; Optically addressable, ferroelectric memory with NDRO (nondestructive readout).—74-00759A
Thakur, Randhir P. S. See Sandhu, Gurtej S.
Thang, Do-Quang See Goetze, Jens
Thanigaimani, V.; Angadi, M. A.
Optical properties of MnSe thin films.—74-04385A
Thaulow, Nils See Johansen, Vagn
Theby, Edward A. See Lawton, Stanley A.
Theis, Jurgen See Bruck, Martin
Theisen, J. See Blumenstock, K.
Theisen, Kirsten
Estimation of cement clinker grindability.—74-03807A
Thelen, Otto
Unshaped refractory materials—from ramming bodies to high-service products.—74-00404A
Thenegal, D. See Sabri, A.
Theobald, J. G. See Bohnke, O.
Therasse, J. See Collino, R.
Theunissen, G. S. A. M. See Bachmann, P. K.
Theurich, Michael
Kiln rotational speed—a neglected control parameter.—74-03915A; Monitoring kiln shell temperature—a must in today's cement plants.—74-03839A
Thevanot, F. See Abreal, A.; Granon, A.; Steil, M. C.
Thevenot, F.; Esperance, E.; Goeuriot, D.
Three-phase ceramics composites—Al_2O_3-AlON-SiC.—74-07931A
Theye, M. L. See Bounouh, Y.
Thi, B. V. See Bernard, M. C.
Thiagarajan, P. See Woods, L. M.
Thiart, J. J. See Viljoen, H. J.
Thibaudau, F. See Roge, T. P.
Thibeault, B. J. See Mui, D. S. L.
Thiehle, W. R. See Frisch, B.
Thiel, F. A. See Hong, M.
Thiele, J.-U.; Rubarth, B.; Hammer, P.; Helmbold, A.; Kessler, B.; Rohwer, K.
Ambiguous doping effects in amorphous hydrogenated carbon films prepared by PACVD.—74-04475A
Thiemeier, T.; Ott, V.; Rosenfelder, O.
Reliability analysis for ceramic components: numerical evaluation of stresses or testing of components.—74-02191A
Thierry, B. See Daltin, A. L.; Descamps, Michel; Judas, D.; Lemoine, L.
Thimon, F.; Marest, G.; Moncoffre, N.
Mossbauer study of Fe-Al-O layers obtained by ion-beam deposition and ion implantation.—74-01810A
Thio, Tineke; Aharony, Amnon
Weak ferromagnetism and tricriticality in pure La_2CuO_4.—74-06665A
Thole, Eric J. M. C. See Ter Beek, Arno P. M.
Thole, V.
Determination of hydration termination of gypsum plasters by temperature vs time curves at room temperature.—74-08010A
Tholen, A. R. See Sethi, S. A.; Song, S. P.
Tholence, J. L. See Laborde, O.
Thoma, H.-J. See Linder, H. A.
Thomann, A. L.; Hermann, J.; Boulmer-Leborgne, C.
TiN layer synthesis by laser plasma.—74-04967A
Thomart, F.
AIRFEEL diaphragm.—74-09427A
Thomas, Alan; Otto, Rick
System integration solutions for the glass industry featuring the Inex Information Interface system.—74-00320A
Thomas, G. See Goto, Yasuhiro; Kuo-Ching, Liu; McFayden, A. A.
Thomas, G.
Electron microscopy of nanostructured materials.—74-01986A
Thomas, J. K. See Koshy, Jacob
Thomas, J. R. See Vogt, Gerald J.
Thomas, J. R.; Katz, Joel D.; Blake, Rodger D.
Temperature distribution in microwave sintering of alumina cylinders.—74-10693A
Thomas, J. R.; Unruh, Wesley P.; Vogt, Gerald J.
Mathematical model of thermal spikes in microwave heating of oxide ceramic fibers.—74-10442A
Thomas, J. R., Jr. See Donaldson, Kimberly Y.
Thomas, J. See Schumann, J.
Thomas, Jeffrey D.
Wetlands: what? why? how.—74-07963A
Thomas, John O. See Sakuma, Takashi
Thomas, L.; Cinelli, M. J.; Jauberteau, J. L.; Aubreton, J.; Catherinot, A.
Study of an Ar-CH_4-H_2 microwave postdischarge under diamond deposition conditions—correlations between analysis performed in the gas phase and in carbon thin films.—74-05279A
Thomas, M. D. See Hampton, J. Holly D.
Thomas, M. D.; Matthews, J. D.
Carbonation of fly ash concrete.—74-00038A; Performance of fly ash concrete in UK structures.—74-02344A
Thomas, O. P. See Hudner, J.

Thomas, O. P; Weiss, F.; Hudner, J.
Precursor delivery for the deposition of superconducting oxides—a comparison between solid sources and aerosol.—74-06614A

Thomas, O. See Nava, F.

Thomas, P. See Baranovskii, S. D.; Gouby, I.

Thomas, P.; Gouby, D.; Mercurio, D.
Cordierite-type ceramics—dilatometric and dielectric properties.—74-04270A

Thomas, R. M. See May, P. W.

Thomas, S. See Irby, J.

Thomas, S., III; Pang, S. W.
Dependence of contact resistivity and Schottky diode characteristics on dry etching induced damage of GaInAs.—74-06029A

Thomassen, Arnulf See Syverud, Tor

Thomasson, Ronnie See Stahl, Kenny

Thometzek, Peter
High-gloss ceramic frits.—74-01209P

Thompson, A. Mark; Chan, Helen M.; Harmer, Martin P.; Cook, Robert F.
Crack healing and stress relaxation in Al_2O_3-SiC nanocomposites.—74-05329A

Thompson, D. A. See Boudreau, Marcel; Johnston, J. C.; Melville, D. L.; Pang, Zheng-Da

Thompson, D. G. See Maynard, L.

Thompson, D. J. See Mandal, H.; Shafai, C.

Thompson, D. M. See Kowalik, R. W.

Thompson, D. P. See Mandal, H.

Thompson, J. G. See Finnie, K. S.

Thompson, J. H. See Jones, G. A. C.

Thompson, Jeffrey Y.; Anusavice, Kenneth J.; Balasubramaniam, Balamurali; Mecholsky, John J., Jr.
Effect of microcracking on the fracture toughness and fracture surface fractal dimension of lithia-based glass-ceramics.—74-08368A

Thompson, Jesse B. See Carey, Paul G.

Thompson, P. A. See Robbins, M. O.

Thompson, R. W. See Gonthier, Sylvie

Thompson, S. W. See Drennan, John

Thompson, W. T. See Kowalik, R. W.

Thompson, Wade R.; Pemberton, Jeanne E.
Raman spectroscopy of covalently bonded alkylsilane layers on thin silica films immobilized on silver substrates.—74-06807A

Thoms, Brian D.; Pehrsson, Pehr E.; Butler, James E.
Vibrational study of the adsorption and desorption of hydrogen on polycrystalline diamond.—74-10178A

Thoms, S. See Jin, G. G.

Thomsen, E. V.; Hansen, O.; Harrekilde-Petersen, K.; Hansen, J. L.; Shiryaev, S. Y.; Larsen, A. Nylandsted
Thermal stability of highly Sb-doped molecular beam epitaxy silicon grown at low temperatures—structural and electrical characterization.—74-06356A

Thomsen, Niels B.; Karihaloo, Bhushan L.
Optimum microstructure of transformation-toughened ceramics for enhanced wear performance.—74-02182A

Thomson, D. J. See Said, R. A.

Thomson, M. G. R. See Rosenfield, M. G.

Thony, Silvia Schwyn
Epitaxial waveguiding $KNbO_3$ thin films grown by rf sputtering deposition.—74-09135A

Thornberry, William C. See Little, Greg

Thornton, J.; Ryan, N.; Stocks, G.
Production of stresses in thermal barrier coating systems by high-temperature oxidation.—74-10936A

Thorpe, Brian
Matching materials to manufacturers' needs.—74-08438A

Thorpe, Merle L.
Thermal spraying makes the grade as a repair process.—74-01000A

Throth, R. C.; Ramos-Garcia, R.; Damzen, M. J.
Greater than unity pulsed phase conjugate reflectivities using self-pumped four-wave mixing in a single $BaTiO_3$ crystal.—74-08925A

Thrower, P. A. See Cordero, T.

Thummler, Fritz See Ding, Zhen-Xiang; Sigl, Lorenz S.

Thun, Gerhard See Fett, Theo

Thundat, Thomas See Schowalter, Leo J.

Thurston, M. E.; Zehnder, A. T.
Experimental determination of silica/copper interfacial toughness.—74-02136A

Tian, Ming-Liang; Mao, Zhi-Qiang; Zhu, Jing-Sheng
Growth of ternary bismuth molybdenum oxide single crystal and its semiconducting properties.—74-08926A

Tibbetts, Gary G.; Bernarde, A. Carlos; Gorkiewicz, Daniel W.
Role of sulfur in the production of carbon fibers in the vapor phase.—74-07472A

Tibbetts, Gary G.; Doll, Gary L.; Gorkiewicz, Daniel W.
Physical properties of vapor-grown carbon fibers.—74-04806A

Tiberio, R. C. See Lercel, M. J.

Tiberio, R. C.; Pugh, G. M.; Sjodin, T.
Diffraction gratings for measuring slow mode surface plasmon polaritons.—74-01682A

Ticha, H. See Tichy, L.

Tichy, L.; Ticha, H.; Blecha, J.
Compositional trend of the blue shift of the gap in Ge_xS_{100-x} thin amorphous films induced by annealing and illumination.—74-00583A

Tichy, L.; Ticha, H.; Nagels, P.
Dc electrical conductivity in glassy $Cu_{15}As_{35}Se_{50}$.—74-06026A

Ticknor, A. See Blumenstock, K.

Tidrow, Steven C. See Tauber, Arthur

Tiedje, T. See Johnson, S. R.

Tiefel, T. H. See Jin, Sung-Ho; McCormack, M.

Tiegs, Terry N. See Kiggans, J. O.; Maria, J.-P.; Sinha, Shome N.

Tiegs, Terry N.; Kiggans, J. O.; Lin, H. T.
Comparison of properties of sintered and sintered reaction bonded silicon nitride fabricated by microwave and conventional heating.—74-10232A

Tiegs, Terry N.; Nunn, S. D.; Beavers, T. M.; Menchhofer, P. A.; Barker, D. L.; Coffey, D. W.
Gas pressure sintering of silicon nitride to optimize fracture toughness.—74-11012A

Tiegs, Terry N.
Pressureless sintering of whiskered-toughened ceramic composites.—74-03767P

Tien, Tseng-Ying See Huang, Zhen-Kun; Peterson, Irene M.

Tierney, J. C.; Giovan, R. J.
Progress update for the pressure controlled atomization process.—74-08257A

Tietz, F.; Uriand, W.
Chemical analysis and structural investigations of sodium and lanthanide ion-exchanged beta-aluminas.—74-01351A

Tietz, H.-D. See Buhling, Lutz; Winterfeld, J.

Tietz, H.-D.; Dietz, Manfred; Buhling, Lutz
Acoustic emission measurements in structural ceramics during mechanical and thermal loading.—74-01036A

Tietz, H.-D.; Dietz, Manfred; Winterfeld, J.
Nondestructive testing of structural ceramics.—74-01089A

Tietz, Lisa A.
Dense barium crown optical glasses.—74-02670P

Tigges, Chris P. See Ginley, David S.

Tiginyanu, I. M. See Kalin, M. V.

Tikalsky, P.; Carrasquillo, R.
Fly ash evaluation and selection for use in sulfate-resistant concrete.—74-03812A

Tikare, Veena; Sanders, William A.; Choi, Sung-R.
Enhanced in situ toughening of silicon nitride by the addition of ß-Si_3N_4 whiskers.—74-10331A; Processing and testing of high toughness silicon nitride ceramics.—74-01858A

Tikhomirov, V. K. See Klebanov, M. L.

Tikhomirov, V. K.; Chervinskii, M. M.
Photoinduced darkening and Faraday effect in glassy semiconductor films.—74-03163A

Tikhomirova, I. N. See Nikonova, N. S.

Tikhomirova, T. I.; Lukyanova, M. V.; Fadeeva, V. I.
Preconcentration of some transition metals of silica modified with iminoacetic groups.—74-00144A

Tillement, O.; Quarton, M.
Theoretical study of ordering effects during electrochemical insertion.—74-01477A

Tillerot, F. See Ramesh, R

Timbrell, P. Y. See Puchert, M. K.

Timken, Hye K. C. See Keville, Kathleen M.

Timmel, P. J. See Billings, G. W.

Timmer, Klaas See Meinema, Harry A.

Timmermann, Klaus See Melzer, Dieter

Timofeev, N. T. See Dmitryuk, A. V.

Timofeeva, I. I. See Bartnitskaya, T. S.; Izhevskii, V. A.

Timofeyev, M. A. See Polushkin, V. M.

Timofeyeva, V. See Iliukha, N.

Ting, D. Z.-Y. See Collins, D. A.; Feenstra, R. M.

Ting, Jyh-Ming See Ingram, D. C.

Ting, Jyh-Ming; Guth, Jason R.; Lake, Max L.
Lightweight, highly thermally conductive composites for space radiators.—74-09876A

Ting, Jyh-Ming; Lake, Max L.; Ingram, D. C.
Diamond-infiltrated carbon-carbon composites.—74-10269A

Ting, Jyh-Ming; Lake, Max L.
Applied technology—polycrystalline diamond fibers for metal matrix composites.—74-05613A; Innovative semiconductor base—diamond/(carbon-carbon) composite.—74-05632A; Method for making a diamond/carbon/carbon composite useful as an integral dielectric heat sink.—74-08803P; Passivation of carbon fiber by diamond deposition.—74-07410A

Ting, Robert Y.; Howarth, Thomas R.; Rittenmyer, Kurt M.
Hydrostatic evaluation of 1-3 piezocomposite plate and ring structures.—74-09148A

Tinkler, S. See Subramanian, Ramesh

Tinkler, S.; Subramanian, Ramesh; Dieckmann, Rudiger
Defects and transport in the solid solution (Co, Fe)$_{1-\delta}$O at 1200°C: II. Cation tracer diffusion and electrical conductivity.—74-05001A

Tipton, G. D.; Blain, M. G.; Westerfield, P. L.; Trutna, L. S.; Maxwell, K. L.
Optimization of an electron cyclotron plasma etch process for n^+ polysilicon: HBr process chemistry.—74-01822A

Tirlet, J. F. See Remiens, D.

Tirlocq, J.; Pasek, W.; Colson, M.; Arias, L.
Comparative study of two magnesium silicates, dunite and olivine, as agents for elimination of potassium in the blast furnace.—74-08612A

Tishchenko, A. A. See Kushkhov, Kh. B.

Tishchenko, B. G. See Goncharov, V. I.

Tite, M. S. See Mason, R. B.

Titov, S. A. See Sysoyev, B. I.

Titov, V. V. See Malov, V. V.

Titus, S. S. K.; Asokan, S.; Mondal, T. K.
Effect of Se on the crystallization behavior of As-Te glasses.—74-02450A

Tiwari, A. N. See Bhaduri, A.

Tiwari, P. See Jagannadham, K.

Tiwari, P.; Zheleva, Tsvetanka; Narayan, J.
Synthesis and characterization of $Pb(Zr_{0.54}Ti_{0.46})O_3$ thin films on (100)Si using textured $YBa_2Cu_3O_{7-\delta}$ and yttria-stabilized zirconia buffer layers by laser physical vapor deposition technique.—74-06441A

Tiwari, S. N. See Pathak, J. P.

Tiwari, T. N. See Shrinhande, B. K.

Tiwari, V. P.; Tyagi, B. S.
Studies of bioactive glass composites.—74-05796A

Tiwari, V. S. See Pandey, D.

Tkach, V. N.
Precision studies of synthetic diamonds using Kossel's method.—74-04399A

Tkachenko, E. A. See Karavaev, G. F.

Tkachenko, N. V. See Koshkin, V. M.

Tkachenko, Yu. G.; Yurchenko, D. Z.; Oleinik, G. S.; Shevchenko, O. A.; Satanin, S. A.
Self-reinforced materials based on aluminum nitride.—74-04022A

Tkacheva, I. I.; Zemlyanskaya, V. M.; Nikonov, Yu. P.
Analysis of the structural defects of hot-pressed ceramics from highly dispersed composite powders.—74-02101A

Tkacheva, I. I.
Certain regulations of phase formation and structure evolution during hot-pressing of ultrafine powders.—74-04497A; Hot-pressed ceramics of ultradisperse composite powders.—74-05157A

Tkacheva, T. M. See Ivanova, L. M.

Tkacova, Klara See Stevulova, Nadezda

Tkacova, Klara; Stevulova, Nadezda
Influence of deferrization on the properties of mechanically activated silica powders.—74-01764A

Tkaczyk, J. E. See Goyal, A.

Tkalcec, Emilija See Nass, Rudiger

Tkhorik, Yu. A.; Vdovin, V. I.; Khazan, L. S.; Konakova, R. V.; Milenin, V. V.
Diffusion mechanism of intrinsic stress relaxation in AuGe-GaAs contacts.—74-01940A

Tlaskal, Jaroslav See Subrt, Jan

Tobe, S.; Misawa, H.; Akita, K.
Deformation and fracture analysis of [Mo- and Cr_2O_3-based] thermal spray coatings by AE method and shear test under SEM observation.—74-10962A; Macro- and microstress in plasma-spray coatings and its stress versus strain behavior.—74-11037A

Tobin, Albert G. See Annamalai, J.; Vaidyanathan, K. Ranji

Tobin, Albert G.; Holmes, John W.; Vaidyanathan, K. Ranji; Cannon, W. Roger; Danforth, Stephen C.
Effects of processing, oxidation, and fiber architecture of thermal and mechanical properties of BN-Nextel 312/Blackglas composites.—74-09867A

Tobin, Philip J.; Okada, Yoshio; Ajuria, Sergio A.
Furnace formation of silicon oxynitride thin dielectrics in nitrous oxide (N_2O): the role of nitric oxide (NO).—74-08751A

Toda, Yoshitome See Hashimoto, Kazuaki

Todd, Richard See Walker, Clive

Todokoro, Yoshihiro See Watanabe, Hisashi

Todoroki, Shinichi; Sakaguchi, Shigeki
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering.—74-08359A

Todorov, M. T. See Pikhtin, A. N.

Todorov, S. S. See Boyd, K. J.

Todorov, S. S.; Marton, D.; Boyd, K. J.; Al-Bayati, A. H.; Rabalais, John W.
Computer simulation of the ion beam deposition of binary thin films—carbon nitride and boron carbide.—74-07236A

Todorovic, M.; Radonjic, L. J.
Dopant effect of ferroelectric properties of ABO_3 glass-ceramics.—74-02613A

Todorovic, M.; Radonjic, L. J.; Dumic, J.
Crystal growth in ferroelectric material of ABO_3 type.—74-06398A

Todt, V. R.; Sengupta, S.; Shi, Dong-Lu; Sahm, P. R.; McGinn, P. J.; Poeppel, Roger B.
Processing of large $YBa_2Cu_3O_x$ domains for levitation applications by an $Nd_{1+x}Ba_{2-x}Cu_3O_y$—seeded melt-growth technique.—74-06619A

Todua, P. A.; Rode, O. V.
Electrical properties of a fluorinated polymer-CdS-metal Langmuir film junction.—74-08884A

Toepfer, Wolfgang
Kangaroo country.—74-02723A

Togawa, Kazumi See Nishihara, Ken; Takehara, Shigeru

Togawa, S. See Okada, F.

Toge, Noboru See Minami, Tsutomu

Toguri, J. M. See Yoshiki-Gravelsins, K. S.

Tohda, Takao See Kado, Hiroyuki

Tohge, Noboru See Iwami, Tomoaki

Tokarev, V. See Marine, W.

Tokarev, V.; Marine, W.; Lunney, J. G.; Sentis, M.
Time-resolved measurements of plume shielding during ArF laser ablation of silicon.—74-03881A

Tokarz, A. See Skoneczny, W.

Tokiai, Takeo; Uesugi, Takashi; Koumoto, Kunihito
Improvement in thermoelectric characteristics of *n*-type iron disilicide by local composition modification.—74-03059A

Tokman, I. D. See Genkin, G. M.

Tokuda, Yu; Hamada, Kunihiko
Conductive paste.—74-02874P

Tokumasu, N. See Fujino, K.

Tokumoto, H. See Nie, H. Y.

Tokunaga, Setsuo See Nanjo, Fusayuki

Tokunaga, Yasuyuki
Lead-free frit glaze.—74-02815P

Tokutomi, Atsuya; Ichikawa, Hiroshi; Ushikoshi, Kenji; Yamauchi, Hiroshi
Silicon carbide fiber and method of manufacturing the same.—74-01336P

Tolbert, Sarah H.; Herhold, Amy B.; Johnson, Christopher S.
Comparison of quantum confinement effects on the electronic spectra of direct and indirect gap semiconductor nanocrystals.—74-08842A

Toledano, Pierre; Dmitriev, Vladimir
New approach to the phenomenological study of reconstructive transitions to crystalline and quasi-crystalline states.—74-10009A

Tolmachev, Y. N. See Fedoseev, D. V.

Tolochko, O. V. See Galenko, P. K.; Gonchukova, N. O.

Tolonen-Kivimaki, O. See Charreire, Y.

Tolstykh, S. V. See Loginov, B. M.

Tom Wu, T. H.; O'Brien, Kari; Hemmes, Diederik G.
Comparison of passivation films: the effect of thermal cycles and comparison of phosphorous doped oxide films.—74-01647A
Tom, Joe G. See Brabston, William N.
Toma, Gubriela; Toma, Nicolae; Neagu, Roberto
Interactions of oxide-oxidic melts.—74-05861A
Toma, Nicolae See Andronescu, Ecaterina; Toma, Gubriela
Tomaciello, R. See Silveira, M.
Tomanec, Rudolf See Marinkovic, Slobodanka
Tomaschko, C. See Brandl, D.
Tomazic, Branko B.
Characterization of mineral phases in cardiovascular calcification.—74-09771A
Tome, C. N. See Lebensohn, R. A.
Tomellini, M. See Polini, Riccardo
Tomikawa, Tadashi See Tsuno, Takashi
Tomikawa, Tadashi; Nishibayashi, Yoshiki; Shikata, Shinichi; Sumiya, H.
p-n junction diode by B-doped diamond heteroepitaxially grown on Si-doped cBN.—74-06250A
Tomil'tsev, E. A. See Kovner, Yu. M.
Tomila, T. V. See Bartnitskaya, T. S.; Vlasova, M. V.
Tominaga, Haruo See Kurosaka, Akihito
Tomino, H. See Moriya, K.
Tomioka, T. See Sato, K.
Tomita, Akira; Konishi, Masahiro
Measuring system for plunger mechanism of bottle forming machine.—74-09485A
Tomita, N. See Wakejima, A.
Tomita, Yosinori; Guo, Lu-Cun; Zhang, Yao; Uchida, Nozomu; Uematsu, Keizo
Effect of temperature on the slurry characteristics and green bodies of alumina.—74-07279A
Tomkiewicz, Micha See Zhu, Zhu
Tomkova, Vaclava; Sahu, S.; Majling, Jan
Alkali activation of granulated blast-furnace slags.—74-05843A
Tomlinson, Robert D. See Jones, Philip A.
Tomlow, J.
Design and construction with bricks—the contribution of Antoni Gaudi (1852-1926).—74-02708A
Tommasi, R. See Lepore, M.
Tomomatu, Kazuhiko See Kurosaka, Akihito
Tomonari, Hajime See Takenaka, Tadashi
Tomono, Kunisaburo See Kajiyoshi, Koji
Tomoyose, Tomozo
Dielectric constants of Ge, Sn, and isoelectronic semiconductors.—74-02829A
Tomozawa, Minoru See Agarwal, Anand; Li, Hong
Tompa, G. S.; Zawadzki, P. A.; McKee, M.
Development and implementation of large-area, economical, rotating disk reactor technology for metallorganic chemical vapor deposition.—74-06694A
Tompkins, Harland G.; Sellers, James A.
Oxidation of TiN in an oxygen plasma asher.—74-04800A
Tomsia, Anthony P. See Dalgleish, Brian J.; Locatelli, M. R.; Loehman, Ronald E.
Tonck, A. See Le Mogne, T.
Tong, Jeng-Gee
Installation of kiln line No. 4 at Tasek Cement Plant, Ipoh, Malaysia.—74-09676A
Tong, Liang; Yang, Nan-Ru
Hydration products of calcium aluminoferrite in the presence of gypsum.—74-04683A
Tong, M.; Ballegeer, D. G.; Ketterson, A.; Roan, E. J.; Cheng, K. Y.; Adesida, I.
Comparative study of wet and dry selective etching processes for GaAs/AlGaAs/InGaAs pseudomorphic MODFETs.—74-06009A
Tong, Paul C. F.
BiCMOS process with low base recombination current bipolar transistors.—74-00736P
Tong, W.; Ravichandran, G.; Christman, T.
Effects of interfacial reaction on the mechanical properties of Ti-SiC particulate-reinforced metal matrix composites.—74-08179A
Tonneau, D.; Cuniot, M.; Laroche, J. M.; Orain, H.; Rommeluere, J. F.; Bouree, Jean- Eric
Electrical characterization of laser-induced deposits of aluminum on gallium arsenide.—74-04298A
Tontsch, P. See Schindler, W.
Tonyan, T. D. See Karam, G. N.
Torada, Shinichiro
Development of glass-melting technology for nuclear waste vitrification.—74-09396A
Torchinskaya, T. V. See Gnatenko, V. I.
Tordoff, Jeremy J. See Sumer, Guner
Torge, Manfred See Mueller, Wolfgang
Torii, Kazuyuki; Kawamura, Mitsunori
Effects of fly ash and silica fume on the resistance of mortar to sulfuric acid and sulfate attack.—74-05508A
Torii, Yasuko; Hasegawa, Katsuya; Takei, Hiromi
Method of preparing Tl-containing oxide superconducting thin film.—74-03650P
Torii, Yasuko
Oxide-type superconducting material.—74-09385P
Toritsyn, L. N.
Condition and hydraulic resistance of a poured blast furnace hot blast stove checkerwork.—74-02706A
Torizuka, Shiro; Sato, Kaoru; Nishio, Hiroaki; Kishi, Teruo
Effect of SiC on interfacial reaction and sintering mechanism of TiB_2.—74-07277A
Tornan, E.; Dagys, R.; Davidiene, D.
Structural and superconducting properties of $Y_{1-x}Tb_xBa_2Cu_3O_{7-\delta}$.—74-06633A
Torquemada, M. C.; De Segovia, J. L.
Ion kinetic energy distribution of electron-stimulated desorption of O^+ from $TiO_2(110)$-SO_2.—74-04340A
Torr, Douglas G. See Kim, Jong-Min
Torralba, J. M.; Cambronero, L. E. G.; Ruiz-Prieto, J. M.
Viability study of using clinker portland as raw material in structural ceramics manufacture.—74-06940A
Torres, C. M. Sotomayer See Ferguson, I. T.
Torres-Delgado, G. See Zuniga-Segundo, A.
Torriani, Iris L. See Hummel, Daniele C.
Torrisi, L.
Structural investigations on laser deposited hydroxyapatite films.—74-00153A
Tortorelli, P. F. See Jones, R. H.
Toshiyuki, Nagao; Masakazu, Hayashi
Utilizing steam and hot water for waste heat recovery.—74-08120A
Toshkhodzhaev, Kh. A. See Belyaev, A. P.
Tossell, D. A. See Costello, M. C.
Tostanovskii, V. I. See Grishaev, V. V.
Tosten, Michael H. See Marra, James C.
Toth, A. See Bertoti, I.
Toth, C. See Clement, T. S.
Toth, Louis E.; Spann, J. Richard
Aligned bismuth, strontium, calcium cuprate coatings on polycrystalline substrates.—74-00861P
Toth, Z.; Szorenyi, T.
Laser-induced compound formation and transfer of stacked elemental layers.—74-03084A
Tougard, S. See Yubero, F.
Tougne, P.; Hommel, H.; Legrand, A. P.; Herlin, Nathalie; Luce, M.; Cauchetier, M.
Evolution of the structure of ultrafine SiC laser-formed powders with synthesis conditions.—74-09993A
Toujyo, Sayuri See Yasue, Tamotsu
Toulouse, J.; Vugmeister, B. E.; Pattnaik, R.
Collective dynamics of off-center ions in $K_{1-x}Li_xTaO_3$—a model of relaxor behavior.—74-10067A
Tourenne, F. See Frayssinet, P.
Touret, Olivier See Bouruetaubertot, Alain
Tournie, E. See Wassermeier, M.
Touvinen, Hemmo See Kamshilin, Alexei A.
Tovey, Louis S.
Industry-university interaction in ceramics.—74-11170A
Towe, Elias See Sun, De-Cai
Towe, Elias; Sun, De-Cai; Bennett, Brian R.
Growth of the (In,Al,Ga)As quaternary alloy system on GaAs at low substrate temperatures by molecular beam epitaxy.—74-03037A
Towner, Frederick J. See Svensson, Stefan P.
Toy, C. See Alkoy, S.; Kuskonmaz, N.; Sesigur, Hakan
Toyama, Takanori See Ogumi, Zempachi
Toyama, Yoshiyasu See Komiyama, Yoshizo
Toyoda, H. See Menningen, K. L.
Toyoda, M.; Payne, David A.
Synthesis and characterization of an acetate-alkoxide precursor for sol-gel-derived $Bi_4Ti_3O_{12}$.—74-07506A
Toyoda, Masaaki See Ochi, Hideo
Tozaki, Kenichi See Saito, Fumihito
Tracy, C. Edwin See Pitts, J. Roland
Tracy, D. M. See Wang, C. A.
Tracy, Dennis M. See Pujari, Vimal K.
Tracz, A.; Wegner, G.; Robe, J. P.
Kinetics of surface roughening via pit growth during the oxidation of the basal plane of graphite: I, Experiments.—74-10832A
Traff, Anders
Hot isostatic pressing.—74-10387A
Trainer, M. N. See Freud, P. J.
Traito, K. B. See Blinov, E. V.
Trakhtenberg, I. Sh. See Arbuzov, V. L.; Gorpinchenko, S. D.; Rubshtein, A. P.
Trakhtenberg, I. Sh.; Plotnikov, S. A.; Vladimirov, A. B.; Liberman, Ya. L.; Kanalina, V. A.; Boborykin, V. A.
Service properties of cutting tools hardened with a diamondlike coating.—74-08271A
Trampert, A.; Ernst, F.; Flynn, C. P.; Fischmeister, H. F.; Ruhle, Manfred
High-resolution transmission electron microscopy studies of the Ag/MgO interface.—74-08205A
Tran, C. A.; Graham, J. T.; Brebner, J. L.; Masut, R. A.
Interfaces of InAsP/InP multiple quantum wells grown by metallorganic vapor phase epitaxy.—74-06163A
Trankle, G. See Klein, W.
Tranquada, J. M.; Buttrey, D. J.; Sachan, V.
Simultaneous ordering of holes and spins in $La_2NiO_{4.125}$.—74-07189A
Trapeznikova, I. N. See Danishevskii, A. M.; Konkov, O. I.; Kudoyarova, V. Kh.; Rogachev, N. A.
Traqueia, L. S. M. See Costa, A. D. S.
Traumbauer, Eric R.; Hellmann, J. R.; Jones, Linda E.
Oriented microchannel membranes via oxidation of carbon-fiber-reinforced glass composites.—74-04795A
Trautmann, C. See Hagen, T.
Trautmann, I.; Knofel, Dietbert
Development of a mortar consisting of slag, gypsum, and portland cement for injection into multiple-leaf masonry: II, Optimizing the mortar.—74-08011A
Traversa, Enrico See Polini, Riccardo
Traversa, Enrico; Bianco, Alessandra; Montesperelli, Giampiero; Gusmano, Gualtiero; Bearzotti, Andrea; Miyayama, Masaru
ZnO/La_2CuO_4 heterocontacts as humidity sensors.—74-09084A
Traversa, Enrico; Miyayama, Masaru; Yanagida, Hiroaki
Evaluation of the gas response of ZnO/La_2CuO_4 heterocontacts with different electrode materials.—74-08900A
Traversa, Enrico
Design of ceramic materials for chemical sensors with novel properties.—74-08855A
Travis, E. O.; Fiordalice, R. W.
Manufacturing aspects of low pressure chemical vapor deposited TiN barrier layers.—74-01790A
Travnickova, Jana See Havrda, Jiri
Treacy, M. M. J. See Rice, S. B.
Tredway, William K. See Schwab, Stuart T.
Treece, Randolph E.; Horwitz, James S.; Chrisey, Douglas B.
Carbon nitride thin films grown by pulsed laser deposition.—74-10210A
Trefilov, V. I. See Kovtum, V. I.
Trebeux, D.; Lourdin, P.; Guipont, V.; Juve, D.
Mechanical behavior of metal-ceramic bonds.—74-07899A
Tremayne, Maryjane See Harris, Kenneth D. M.
Treng, W. See Dagata, John A.
Trenkwalder, J. See Stoiber, W.
Tress, J. E. See Hansen, J. S.
Tressaud, A. See Ruchaud, N.
Tressler, R. E. See Bradt, Richard C.; Hwang, D. K.; Newcomb, S. A.; Rugg, K. L.
Tressler, R. E.
High-temperature stability of nonoxide structural ceramics.—74-02080A
Tresso, E. See Demichelis, F.
Tret'yakov, Yu. D. See Os'kina, T. E.
Tretinnik, V. Yu.; Terlikovskii, E. V.; Skorobogach, L. P.
Potentiometric determination of the silica content in solutions of alkali silicates.—74-02482A
Tretnikova, M. G. See Ust'vantsev, V. M.
Trevelyan, Robert E.; Whitfield, Peter J.
Glass melting furnace with control of the glass flow in the riser.—74-03939P
Trevor, C. G. See May, P. W.
Triano, J. R.; Frantz, G. C.
Durability of MSW fly ash concrete.—74-00049A
Tributsch, H. See Ennaoui, A.; Lichtenberger, D.
Trifonov, K. V. See Vykhodets, V. B.
Trignan-Piot, L.; Berardo, M.; Charia, A.; Gastaldi, J.; Giorgio, S.
Microstructure of plasma-sprayed TaC coatings.—74-05194A
Tringides, M. C.; Seymour, P.; Busta, H. H.
Single micromachined emitter characteristics.—74-01572A
Trinks, Volker See Kraack, Karl Ernst
Tripathy, S. K.; Kumar, J.; Chen, J.
Nonlinear optical polymers derived from organic/inorganic composites.—74-10499A
Triplett, Kelly B.; Burk, Johst H.; Sherif, Fawzy G.; Vreugdenhil, Willem
Nonoxide metal ceramic catalysts comprising metal oxide support and intermediate ceramic passivating layer.—74-01329P
Tripp, C. P.; Hair, M. L.
Measurement of polymer adsorption on colloidal silica by in situ transmission Fourier transform infrared spectroscopy.—74-10007A
Tripp, C. P.; Veregin, R. P. N.; Hair, M. L.
Effect of fluoroalkyl substrates on the reaction of alkylchlorosilanes with silica surfaces.—74-09985A
Trischuk, Ronald W. See Rowse, Robert A.
Triscone, J.-M. See Suzuki, Y.
Tristant, P.; Denoirjean-Deriu, P.; Lefort, P.
Comparison of the synthesis mechanism of AlN, Al_4C_3, and TiC by carbothermic reduction of oxides.—74-07232A
Tritthart, Josef See Tamas, Ferenc
Trnka, Otakar See Hartman, Miloslav
Troccaz, Michel
Materials for ceramic piezoelectric transducers.—74-03321A
Troczynski, T. See Sexsmith, M.
Troczynski, T.; Camire, J.
Resistance to fracture of thermal-sprayed ceramic coatings.—74-11076A
Trodahl, H. J. See Chen, X. K.
Trodorovic, Branislav See Skendzic, Djordje
Trofimenko,, N. E. See Panasyugin,, A. S.
Trofimoff, W. See Tuern, Elvi
Trofimova, V. A. See Yarmoshenko, Yu. M.
Trogolo, J. A. See Shaw, K. G.
Trolier-McKinstry, Susan; Chen, Jia-Yu; Vedam, Kuppuswami; Newnham, R. E.
In situ annealing studies of sol-gel ferroelectric thin films by spectroscopic ellipsometry.—74-06415A
Trolier-McKinstry, Susan; Chindaudom, Pong; Vedam, Kuppuswami; Hiremath, Basavaraj
Characterization of optical thin films by spectroscopic ellipsometry.—74-10065A
Trolier-McKinstry, Susan; Newnham, R. E.
Sensors, actuators, and smart materials.—74-01101A
Trombe, J. C. See Benbertal, D.
Tronc, P. See Descamps, Michel
Tronche, C. See Cameron, N. I.
Tropin, Yu. D.; Mardosevich, G. A.; Berdov, V. Yu.
Solid-phase method of removal of iron impurities from ashes from the Kuibyshev automobile and tractor electrical equipment and carburator plant (KATEK).—74-04905A
Trost, H.-J. See Lee, Bo
Troup, Alan P. See Abreu, Raul A.
Troyanov, S. I.
Crystal structure of low-temperature modification of TiI_4.—74-01361A
Troyon, M. See Lei, H. N.
Trube, Jutta; Yabe, Hideki; Aya, Sunao
Low stress and optically transparent chromium oxide layer for X-ray mask making.—74-02011A
Trubenko, P. A. See Dianov, E. M.
Trubitsyn, M. A. See Bigaev, S. B.
Trubitsyn, M. A.; Nemets, I. I.
Rheological anomalies of fireclay-quartz binding suspensions.—74-03731A
Truchet, Sylvie See Poncelet, Olivier; Vitton, Jean-Pierre
Trujillo, Johann T. See Chakhovskoi, Andrei G.
Trukhin, Anatoly N.
Excitons in SiO_2: a review.—74-08373A
Trumble, Kevin P. See Roeder, Ryan K.

Trumble, Kevin P.
Thermodynamic analysis of aluminate formation at Fe/Al_2O_3 and Cu/Al_2O_3 interfaces.—74-08285A
Truong, V.-V. See Badilescu, S.
Trushin, V. N. See Zholudev, A. A.
Trushin, V. N.; Ryzhkova, T. M.; Chistyakova, E. L.
Features of the diffraction of X-ray radiation in crystals of the KH_2PO_4 group in an electric field.—74-03810A
Truslove, T. See Mannion, M.
Trusova, S. A. See Raevskii, I. P.
Trutna, L. S. See Tipton, G. D.
Trynova, V. V. See Lobanova, L. P.
Trzaskoma, P. P.; Everett, R. K.; Edelstein, A. S.
Electrochemical properties of $NiCl_2$-intercalated and reduced-$NiCl_2$-intercalated graphite.—74-01292A
Tsagaroyannis, J.; Haralambous, K. J.; Loizos, Z.; Spyrellis, N.
Gadolinium-iron ferrites: composition and structure.—74-06458A
Tsai, C. See Li, K.-H.
Tsai, Ching Y. See Hendricks, Warren C.
Tsai, Chung-Hsien; Liu, D. Z.; Heberlein, J.
Interfaces and adhesion mechanisms in reinforced diamond composite coatings.—74-00126A
Tsai, Chung-Hsien; Nelson, John C.; Heberlein, J.
Diamond-metal composite coatings on cemented carbide tools.—74-08163A
Tsai, Chung-Hsien; Nelson, John C.; Heberlein, Joachim; Pfender, E.; Gerberich, William W.
Diamond coated products and method of preparation.—74-01317P
Tsai, J. Y.; Canovai, C.; Osburn, C. M.; Wang, Q. F.; Rose, J.; Cowen, A.
Solid source diffusion from agglomerating silicide sources: I. Measurement and modeling.—74-02045A
Tsai, Jing-Fong; Shetty, Dinesh K.
Cyclic fatigue of Ce-TZP/Al_2O_3 composites: role of the degradation of transformation zone shielding.—74-05319A
Tsai, M.-J.; Cheng, H.-C.
Grain growth of laser-recrystallized polycrystalline and amorphous silicon films.—74-06120A
Tsai, M.-S. See Chen, Y.-I.
Tsai, Ming-Jinn; Wu, Sheng-Feng; Huang, Yao-Tsung; Liu, Ru-Shi
Method to enhance critical temperature of thallium-based superconductors.—74-03651P
Tsai, W. See Nam, C. W.
Tsai, Wen-Ta; Shieh, Cheng-Hung; Lee, Ju-Tung
Surface modification of ferritic stainless steel by laser alloying.—74-04931A
Tsai, Y. L.; Mecholsky, John J., Jr.
Fracture mechanics description of fracture mirror formation in single crystals.—74-07878A
Tsaih, Wen-Chou; Huang, Chin-Kuan; Tseng, Tseung-Yuen
Growth of CeO_2 films on sapphire and MgO by rf magnetron sputtering.—74-07330A
Tsakalakos, L. See Gonczy, S. T.; Khasgiwale, N. R.
Tsakalakos, T. See Joo, G.-C.
Tsambourakis, George
Phase analysis program for magnesia refractories.—74-05868A
Tsang, Chi-Fo; Meen, James K.; Elthon, Don
Phase equilibria of the bismuth oxide-copper oxide system in oxygen at 1 atm.—74-03553A; Phase equilibria of the calcium oxide–copper oxide system in oxygen at 1 atm.—74-07101A
Tsang, W. T.; Wu, M. C.; Chen, Y. K.
Long-wavelength InGaAsP/InP MQW DFB and DBR lasers grown by chemical beam epitaxy.—74-06182A
Tsarenko, G. V. See Reznikov, B. I.
Tsay, Shiow-Fon
Plasmon densities of states in a $YBa_2Cu_3O_y$ system.—74-03556A
Tschersich, K. G.; Clausing, R. E.; Heatherly, L.
Surface-sensitive characterization of diamond by ionization electron energy loss spectroscopy.—74-10898A
Tschope, Andreas; Ying, J. Y.; Amonlirdviman, K.
Surface chemistry of nanocrystalline cerium oxide.—74-07128A
Tschope, Andreas; Ying, J. Y.
Synthesis of nanostructured catalytic materials using a modified magnetron sputtering technique.—74-07517A
Tschositsch, Johann
Uncercut panel anchors for concealed fastening of ceramic cladding panels.—74-08599A
Tschudin, M.; Galdeano, Vicente; Madrigal, S.
On-line control of the blending bed composition at Cementos Apasco in Mexico.—74-09595A
Tsekhomskii, V. A. See Vasil'ev, M. I.
Tseng, Ampere A. See Shih, Wei-Heng
Tseng, Tseung-Yuen See Bai, Shr-Nan; Lu, Y.-Y.; Tsaih, Wen-Chou
Tseng, Wen F.; Dagata, John A.; Silver, Rick M.; Fu, Joseph; Lowney, Jeremiah R.
Junction locations by scanning tunneling microscopy: in-air-ambient investigation of passivated GaAs *pn* junctions.—74-02005A
Tsia, M.-S. See Ko, Hsien-Wen
Tsia, Ming-Shyong; Wang, Li-Hsing; Hon, Min-Hsiung
Formation of calcium lanthanum sulfide by carbonate coprecipitation and CS_2 sulfurization.—74-04645A
Tsidilkovskii, I. M. See Kuleev, I. G.
Tsimas, S. See Tsivilis, S.
Tsimberova, R. Yu. See Bol'shkova, N. V.
Tsimdin'sh, R. A. See Laukmanis, L. A.
Tsionsky, Michael See Gun, Genia
Tsionsky, Michael; Gun, Genia; Glezer, Victor
Sol-gel-derived ceramic-carbon composite electrodes: introduction and scope of applications.—74-04023A
Tsipenyuk, Yu. M. See Kadik, A. A.
Tsiper, E. V. See Luo, J. S.
Tsivilis, S.; Tsimas, S.; Kelemanis, L.
Upgrading of a T.T.P. mill—application to selective clinker grinding.—74-08118A
Tsoi, V. S.
Electron-induced ordering of the surface structure of $Bi_2Sr_2CaCu_2O_x$.—74-09264A
Tsomirova, E. S. See Yamnova, N. A.
Tsourides, Dion
Analysis of ceramic materials using slurry sample presentation.—74-09547A
Tsu, D. V. See Zuniga-Segundo, A.
Tsubaki, Junichiro See Kamiya, Hidehiro; Takahashi, Hideo
Tsubaki, Junichiro
Standardization and reference powder for particle size analysis.—74-09619A
Tsuboi, Hiroshi See Fujimura, Norifumi
Tsuboi, S. See Fujii, K.
Tsubokawa, Masaya See Iio, Satoshi
Tsubota, Susumu See Nakahara, Yoshiko
Tsuchida, Takeshi; Hasegawa, Takeshi; Inagaki, Michio
Self-combustion reactions induced by mechanical activation: formation of aluminum nitride from aluminum-graphite powder mixture.—74-04883A
Tsuchiya, Kazuyoshi See Soeda, Koichi
Tsuchiya, Shinji; Hirata, Kimio; Endo, Shigeo; Itoh, Akira; Orimo, Yoshizo
Method of producing a ceramic shape and that ceramic shape.—74-08652P
Tsuchiya, Toshiaki See Endo, Yasuyuki
Tsuei, C. C. See Newns, D. M.
Tsuei, C. C.; Kirtley, J. R.; Chi, C. C.
Pairing symmetry and flux quantization in a tricrystal superconducting ring of $YBa_2Cu_3O_{7-\delta}$.—74-06608A
Tsugawa, K. See Kawarada, H.
Tsugeki, K.; Yan, S.; Maeda, Hideaki
Silica coating of aluminum nitride particles by radio-frequency plasma chemical vapor deposition.—74-10626A
Tsui, Ophelia K. C. See Harris, J. M.
Tsui, Ophelia K. C.; Ong, N. P.; Matsuda, Y.
Sharp magnetoabsorption resonances in the vortex state of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-06630A
Tsui, Y. C. See Howard, S. J.
Tsui, Y. C.; Gill, S. C.; Clyne, T. W.
Effect of substrate creep on residual stress development during spraying of boron carbide on titanium.—74-10974A
Tsuji, Kenji See Kasuga, Toshihiro
Tsuji, Satoshi; Watanuki, Osaaki
Matteucci effect of an amorphous alloy tip used for high-density magnetic recording with a scanning tunneling microscope.—74-06468A
Tsuji, Tasei
New design of glass-melting furnace composed of multiple pots.—74-09695A
Tsuka, M. See Kawakami, Y.
Tsukada, K. See Kameyama, K.
Tsukada, Masaru See Uchiyama, Toshihiro; Watanabe, Satoshi
Tsukada, Mitsuo; Ohfuji, Shinichi
In situ X-ray photoemission spectroscopic studies of Al/SiO_2 interface formation.—74-01761A
Tsukamoto, K. See Ohno, Y.
Tsukamoto, Noboru See Hiroki, Nobuyoshi; Ichikawa, Kenji; Terao, Masaru
Tsukamoto, Noboru; Kanamaru, Kozou; Iida, Eishi; Yanagawa, Koyo
Prevention of alumina buildup in submerged entry nozzle for continuous casting of steel.—74-00397A
Tsukamoto, Noboru; Kurashina, Yukinobu; Iida, Eishi; Nakamura, Makoto
Silica-free alumina-carbon material for ladle shrouds.—74-00402A
Tsukamoto, Noboru; Kurashina, Yukinobu; Iida, Eishi; Yanagawa, Koyo
Current topic of shrouding nozzles for continuous casting.—74-03681A
Tsukioka, Masayuki; Hamazaki, Shinichi; Takashige, Masaaki; Shimizu, Fuminao; Suzuki, Haruhiko; Sawada, Shozo
Phase diagram of $Ba_2NaNb_{5(1-x)}Ta_{5x}O_{15}$[—note].—74-07099A
Tsuno, Takashi; Tomikawa, Tadashi; Shikata, Shinichi
Diamond homoepitaxial growth on (111) substrate investigated by scanning tunneling microscope.—74-10788A
Tsunoda, Masakiyo; Nakajima, Hiroaki; Koshimura, Masami
Conductive chip-type ceramic element and method of manufacture thereof.—74-00545P
Tsunoda, Tatsuo; Hayakawa, Takashi
Science and technology of composite materials: VIII.3, Highly active catalysts, 2) combination of functions—catalysts and electrolytes.—74-10618A
Tsutomu, Kawai
IHI SPG system for blast furnace slag pregrinding.—74-09472A
Tsutsui, K. See Sotomayor Torres, C. M.
Tsutsuki, Misao See Nakanishi, Masatsugu
Tsutsumi, Kenjiro See Ichikawa, Kouichi
Tsuyuki, Hiroshi
Glass, dielectric composition, multilayer wiring substrate, and multilayer ceramic capacitor.—74-08791P
Tsuyuki, Naomitsu; Ogasawara, Naohito; Kasai, Junichi
Activation effects of $Ca(OH)_2$ on hydration of glassy gehlenite.—74-00032A
Tsuzuki, Yasushi See Awazu, Tomoyuki
Tsuzuki, Yasushi; Awazu, Tomoyuki; Yamakawa, Akira
Method of producing sintered silicon nitrides.—74-09941P
Tsvetanka, Z. See Jagannadham, K.
Tsvetkov, V. A. See Kavetskaya, I. V.
Tsvigunov, A. N. See Zakharov, A. I.
Tsvigunov, A. N.; Belyakov, A. V.; Bachurin, L. V.
New modification of silicon dioxide obtained in shock-wave conditions.—74-03968A
Tsymbal, L. T.; Cherkasova, A. N.; Volkova, L. P.
Paramagnetic susceptibility and magnetic flux creep in $YBa_2Cu_3O_x$: variation with sample thickness.—74-03548A
Tsymbal, L. T.; Izotov, A. I.
H-T phase diagram of $ErCrO_3$: magnetoacoustic measurements.—74-04093A
Tsyrenova, G. D. See Ivanova, M. N.
Tszyan, Yu. N.; Shevchenko, D. G.
Temperature dependence of thermo-emf and isothermal resistance of HTS crystals in the vicinity of T_c.—74-09353A
Tu, C. W. See Fu, S.-L.; Hou, H. Q.; Liang, B. W.
Tu, J. S.; Olinger, D. M.; Hines, A. M.
Computer-aided development of an investment casting process.—74-01650A
Tu, K. N. See Nava, F.; Petkie, Ronald R.
Tu, Quiang; Shan, Xiao-Quan; Jin, Quian
Trace metal redistribution during extraction of model soils by acetic acid/sodium acetate.—74-07539A
Tu, Y. K. See Wu, M. C.
Tu, Zhi-Hua See Zhang, Zhong
Tuan, H. W.; Lin, M. C.
Preparation of alumina/nickel composites by a gas reduction process.—74-07426A
Tuan, L. See Bystrov, S. D.
Tuan, Wei-Hsing; Chen, Wai-Rue
Enhancing the mechanical performance of alumina through the addition of metallic and ceramic inclusions.—74-07871A; Mechanical properties of alumina–zirconia–silver composites.—74-05375A
Tuan, Wei-Hsing
Advanced ceramics in Taiwan.—74-11135A
Tucci, A. See Carani, G.; Esposito, L.
Tucci, A.; Esposito, L.
Melting processes and glazing technologies: surface properties of glazed ceramic tile.—74-08562A
Tucciarone, A. See Messina, G.
Tucker, B. E. See Paschalis, E. P.
Tucker, James; Iskander, Magdy F.; Huang, Zhen-Long
Calculation of heating patterns in microwave sintering using a 3-D finite difference code.—74-10207A
Tucker, Leslie E. J.; Dunderdale, Kevin; Hurran, David K.; Everitt, Robert G.
Ceramic welding.—74-09524P
Tucker, R. J. See Duckers, J. G.
Tucker, Robert C., Jr.; Mendenhall, Melvin D.; Keshavan, Madapusi K.
Carbide or boride coated rotor for a positive displacement motor or pump.—74-08300P
Tuel, A. See Chapus, T.
Tuern, Elvi; Steinberg, Julis; Trofimoff, W.
New opaque white glazes with TiO_2 for ceramic wall tiles.—74-00437A
Tuffe, Stephane; Wilkinson, David S.
$MoSi_2$-based sandwich composite made by tape casting.—74-10482A
Tugarev, V. A. See Polushkin, V. M.
Tulin, Lenard G. See Gerstle, Kurt H.
Tulin, V. A. See Govorkov, S. A.
Tullius, Michael See Tepe, Thomas
Tului, Mario See Fortunati, Stefano
Tulyaganov, D. U.; Ismatov, A. A.; Arkhipova, M. Kh.
Crystallization of glasses in the systems $Ca_5(PO_4)_3F$-$CaAl_2Si_2O_8$ and $Ca_5(PO_4)_3F$-$CaMgSi_2O_6$.—74-01363A; Crystallization of glasses in the systems $Ca_5[PO_4]_3F$-$CaAl_2Si_2O_8$ and $Ca_5[PO_4]_3F$-$CaMgSi_2O_6$.—74-00191A; Low-melting glaze coatings for internal facing tiles.—74-02810A
Tummler, Fritz See Rendtel, A.
Tuncheva, V. See Baleva, M.
Tunega, Daniel; Turi Nagy, Ladislav
Calculation of electron structure of talc by semiempirical methods of quantum chemistry.—74-07599A
Tung, Chiun-Yen; Lin, Hong-Ming; Hsu, Chi-Ming
Catalytic properties of nanocrystalline WO_{3-x}, Pt/WO_{3-x}, and Pb/WO_{3-x} particles.—74-06952A
Tung, Ming S.; Lin, Chan-Jian; Chow, Theresa H.
Effect of ethanol on the solubility of hydroxyapatite in the system $Ca(OH)_2$-H_3PO_4-H_2O at 25°C and 33°C.—74-09778A
Tung, S. C. See Hartfield-Wunsch, S. E.
Tung, Simon C. See Wang, Simon S.
Tunimanova, I. V. See Nikonorov, N. V.; Pan'sheva, E. I.
Tunitskaya, I. V. See Dolginov, L. M.
Tunnicliffe, D. L. See Hao, S.
Turan, Servet; Knowles, Kevin M.
Formation of boron nitride inclusions in hot isostatically pressed silicon nitride-silicon carbide composites.—74-05146A
Turban, G. See Fourches, N.; Vivensang, C.
Turbull, Michael W.
Managing solid and hazardous waste.—74-05427A
Turcarova, Andrea See Danek, Vladimir
Turevskaya, E. P. See Kessler, Vadim G.; Maleto, M. I.; Turova, N. Ya.
Turgoose, S. See Cottis, R. A.
Turi Nagy, Ladislav See Tunega, Daniel
Turkdogan, E. T.
Synchronizing free energy data on reactions in liquid Fe-Mn-O and solid Mn-S-O systems.—74-10040A
Turkot, B. A. See Cockerill, T. M.
Turlej, Bohusław See Rudzinski, Lech
Turley, D. M.; Cumming, G.; Gunner, A.; McDermott, I.
Metallurgical study of erosive wear in a 105 mm tank gun barrel.—74-04162A
Turman, B. N.; Glass, S. J.; Halbleib, J. A.; Helmich, D. R.; Loehman, Ronald E.; Clifford, J. R.
Feasibility of ceramic joining with high-energy electron beams.—74-08191A
Turner, G. W.; Choi, H. K.; Calawa, D. R.; Pantano, J. V.;

Chludzinski, J. W.
Molecular beam epitaxy growth of high-performance mid-infrared diode lasers.—74-03119A
Turner, Kristofer; Speck, James S.; Evans, Anthony G.
Mechanisms of deformation and failure in carbon-matrix composites subject to tensile and shear loading.—74-07903A
Turner, Kristofer See Bourrat, Xavier
Turner, M. R. See De Graef, M.
Turner, Noel H. See Dobisz, E. A.
Turner, Noel H.; Schreifels, John A.
Surface analysis—X-ray photoelectron spectroscopy and Auger electron spectroscopy.—74-06823A
Turnhofer, Jaroslav See Rybarikova, Ludmila
Turova, N. Ya.; Kozlova, N. I.; Turevskaya, E. P.
What are the molecules of which the samples of metal alkoxides do really consist.—74-10720A
Turrillas, X. See Henderson, E.
Turro, Nicholas J. See Garcia-Garibay, Miguel A.
Turtsevich, A. S. See Lesnikova, V. P.
Turtsevich, A. S.; Krasnitsky, V. Y.; Emelyanov, V. A.; Nalivaiko, O. Y.; Kravtsov, S. V.
Effect of production conditions for in situ phosphorus-doped LPCVD polysilicon in monosilane/phosphine system on the deposition process kinetics.—74-04585A
Tustison, R. W. See Bernstein, S. D.
Tuszewski, M.; Scheuer, J. T.; Campbell, I. H.; Laurich, B. K.
Plasma immersion ion implantation for semiconductor thin film growth.—74-03172A
Tuttle, B. A. See Pant, W. Y.
Tvardovskii, A. V.; Fomkin, A. A.; Tarasevich, Yu. T.
Sorption of water vapor on the cation-substituted vermiculite: II. The thermodynamic description of sorptive equilibria.—74-04212A
Twardowski, A.; Liu, X. C.; Heiman, D.
Low energy levels of the Fe^{++} ions in ZnSe by Raman spectroscopy.—74-04160A
Twomey, T. A. M.; Mackay, M.; Kuipers, H. P. C. E.
In situ observation of silicalite nucleation and growth—a light scattering study.—74-10405A
Tyagi, A. K.; Sharma, T. P.
Metallurgical reactions and enhanced magnetic field shielding in YBCO-PbS superconductors.—74-06585A
Tyagi, B. S. See Tiwari, V. P.
Tycko, R. See Barrett, S. E.
Tyczkowski, J.; Kazimierski, P.; Szymanowski, H.
Correlations between process parameters, chemical structure, and electronic properties of amorphous hydrogenated Ge_xC_{1-x} films prepared by plasma-enhanced chemical vapor deposition in a three-electrode reactor.—74-04530A
Tye, L.; Chikyow, T.; El-Masry, N. A.
Epitaxial CeO_2 growth on Si(111) for SOI.—74-08895A
Tylczinski, Z. See Nasyrov, A. N.
Tylor, A.; Cho, H. A.; Reppy, J. D.
Vortex flow in helium-filled Vycor glass.—74-05747A
Tynaev, A. D. See Veremeichik, T. F.
Uang, C.-M. See Yu, Francis T. S.
Ubizskii, S. B. See Dovgii, Ya. O.
Uchibori, Chihiro; Okunishi, Masayuki; Oku, T.; Otsuki, A.; Ono, Naoki; Murakami, Masanori
Formation mechanism of $In_xGa_{1-x}As$ ohmic contacts to *n*-type GaAs prepared by radio frequency sputtering.—74-06110A
Uchida, H. See Watanabe, M.
Uchida, Hironaga See Grey, F.; Huang, De-Huan
Uchida, Nozomu See Tanaka, Hiroshi; Tomita, Yosinori
Uchida, S. See Yoshida, Y.
Uchida, Shigeki See Ichikawa, Kenji
Uchida, Shinichi See Tanaka, Shoji
Uchida, Susumu See Koyama, Takashi
Uchida, Tatsuya See Sugimura, Hiroyuki
Uchida, Toru See Kurakake, Hirohide
Uchida, Yasutaka See Gasser, Werner
Uchihashi, T. See Sugawara, Y.
Uchikawa, Hiroshi
Management strategy in cement technology for the next century: II.—74-08066A; III.—74-08067A
Uchikoshi, T.; Sakka, Yoshio; Yoshitake, M.; Yoshihara, Kazuhiro
Study of the passivating oxide layer on fine nickel particles.—74-03236A
Uchimokura, K. See Shibauchi, T.
Uchimoto, Yoshiharu See Ogumi, Zempachi
Uchimura, Ryojo See Isomura, Keiichiro
Uchino, Kenji; Chu, Sheng-Yuan
Photostriction and its applications.—74-09000A
Uchino, Kenji
Ceramic actuators: principles and applications.—74-01045A
Uchinokura, Kunimitsu See Hamamoto, Terufumi; Kikuchi, Jun
Uchitomi, N. See Kitaura, Y.
Uchiyama, F. See Ohno, Y.
Uchiyama, Toshihiro; Tsukada, Masaru
Theory of scanning tunneling microscopy and spectroscopy on hydrogen-adsorbed Si(100) surface.—74-07780A
Uchizawa, Manabu See Matsuura, Tsukasa
Uda, Satoshi
Growth techniques and physical properties of single-crystal fibers.—74-09147A
Udachkin, A. B.; Shashkov, A. G.
Autoclaveless technology of foam concrete production "Silblock."—74-00893A
Udalova, L. V.; Maltzev, M. V.; Petrik, V. I.
Transparent spinel ceramic.—74-04970A
Udayakumar, K. R. See Brooks, Keith G.
Ueba, H. See Fujita, K.
Ueda, A. See Ohzuku, T.
Ueda, Fumihiro See Teruuchi, Kiyohiro
Ueda, Sadao; Chiku, Kiyoshi; Takahashi, Kouichi; Ohshiba, Kazumoto
Method and apparatus for forming glass containers with reinforced inner surfaces.—74-02681P
Ueda, Y. See Menningen, K. L.
Ueda, Yasukiyo; Komatsu, Kenji; Shimizu, Seiya
Formation and coagulation of vaterite in reaction of $Ca(OH)_2$-CH_3OH-H_2O-CO_2 system.—74-07317A
Ueda, Yoshihisa See Matsunaga, Noboru
Ueda, Yutaka See Itoh, Yutaka; Ohno, Takashi
Uedono, A.; Wei, L.; Tanigawa, S.
SiO_2 films deposited on Si substrate studied by monoenergetic positron beams.—74-03216A
Ueki, Ken See Green, Mino
Ueki, Masanori See Endo, Hidehiro; Ono, Toru; Walls, Philip A.
Uematsu, Keizo See Takahashi, Hideo; Tanaka, Hiroshi; Tomita, Yosinori
Uematsu, Keizo; Ito, Hiroshige; Ohsaka, Shigeru; Takahashi, Hideo; Shinohara, Nobuhiro; Okumiya, Masataro
Characterization of particle packing in an injection-molded green body.—74-10773A
Uemura, Y. J.; Keren, A.; Kojima, K.
Spin fluctuations in frustrated Kgome lattice system $SrCr_8Ga_4O_{19}$ studied by muon spin relaxation.—74-10157A
Ueno, Akifumi
Science and technology in composite materials—design of materials for catalysts.—74-10617A
Ueno, Fumio; Kasori, Mitsuo; Horiguchi, Akihiro; Oh-Ishi, Katsuyoshi
Aluminum nitride sintered body, method for manufacturing the same, and ceramic circuit board.—74-08776P
Ueno, Katsunori
Method of producing silicon carbide MOSFET.—74-09097P
Ueno, Yoshiyasu
Low-loss Bragg reflector lateral-transverse mode confinement in AlGaInP red lasers.—74-08946A
Uenoyama, Takeshi See Kamiyama, Satoshi
Uesu, Yoshiaki; Horiuchi, Noriaki; Strukov, Boris A.
Phase transition of new ferroelectric $LaBGeO_5$.—74-00760A
Uesugi, K.; Takiguchi, T.; Yoshimura, M.; Yao, T.
Scanning tunneling microscopy study of the reaction of $AlCl_3$ with the Si(111) surface.—74-07743A
Uesugi, K.; Yoshimura, M.; Yao, T.; Sato, T.; Sueyoshi, T.; Iwatsuki, M.
Scanning tunneling microscopy study of solid-phase epitaxy processes of argon ion-bombarded silicon surface and recovery of crystallinity by annealing.—74-07742A
Uesugi, Takashi See Tokiai, Takeo
Uffman, Hans-Peter
Synchro-trench—the fully mechanical installation of sewer lines.—74-02278A
Uguz, A. See Misirli, Z.
Uhlig, Stefan; Muller, Lothar
News in XRF analysis of ceramic and glass.—74-06797A
Uhlik, James M.
Decorative utilitarian glass block.—74-00329P
Uhlmann, D. R. See Teowee, G.
Uhrig, Wolfgang See Krieg, Peter
Uhrmacher, M. See Wenzel, T.
Uimanov, E. V. See Karavaev, G. F.
Uji, Shinya See Aoki, Haruyoshi
Ulakhovich, N. A.; Zakiewa, D. Z.; Galiametdinov, Yu. G.
Voltammetric determination of cyanide by use of preconcentration at a carbon paste electrode modified with liquid crystals.—74-01130A
Ullmann, J.; Delan, A.; Schmidt, G.
Ion etching behavior and surface binding energies of hard diamondlike carbon and microwave chemical vapor deposition diamond films.—74-01773A
Ullmann, J.; Weber, A.; Mainz, B.; Stiegler, J.; Schuhrke, T.
Low-energy ion-induced damage of polycrystalline diamond films.—74-04735A
Ullrich, Bernd See Schramm, Udo
Ulmanis, U. See Mironova, N.
Ulrich, Jiri See Chmelar, Josef
Ulrich, R. K. See Goforth, R. C.
Ulvensoen, J. H. See Nord-Varhaug, K.
Ulyashin, A. G.; Gelfand, R. B.; Zaitsev, A. M.
Passivation of boron acceptor in diamond by atomic hydrogen: molecular orbital linear combination of atomic orbitals simulation and experimental data.—74-04802A
Um, Chang-Do See Cho, Seong-Jai
Ume, Charles See Graham, George M.
Umeda, Kazunori; Enomoto, Yuji; Mitsui, Akira
Friction and wear of boride ceramics in air and water.—74-02149A
Umegaki, Takao See Matsuda, Motohide; Yamashita, Kimihiro
Umehara, N. See Childs, T. H. C.
Umehara, Takashi See Ichikawa, Kouichi
Umesaki, Norimasa; Hirosaki, Naoto; Hirao, Kazuyuki
Structural characterization of amorphous silicon nitride by molecular dynamics simulation.—74-04216A
Umetani, Yukihiro See Kado, Hiroyuki
Umezaki, Hiroshi See Sugimoto, Shoji; Takahashi, Hiroshi
Underwood, Brian See Rishub, Subhash
Unger, P.; Boegli, V.; Buchmann, P.
Fabrication of curved mirrors for visible semiconductor lasers using electron-beam lithography and chemically assisted ion-beam etching.—74-00617A
Unnikrishnan, S. See Prakash, A. M.
Uno, Naoki See Kikuchi, Hiroyuki
Uno, Y. See Kobayashi, K.
Unruh, K. M.; Huber, T. E.; Huber, C. A.
Size-dependent melting and freezing behavior of In metal confined in porous glasses.—74-00279A
Unruh, Wesley P. See Thomas, J. R.; Vogt, Gerald J.
Unterwald, F. C. See Fitzgerald, E. A.
Unwin, Patrick R. See Martin, Rachel D.
Uo, Motohiro See Makishima, Akio; Soga, Kohei
Uomoto, Taketo; Misra, Sudhir
Application of nondestructive tests to evaluate concrete structures.—74-09549A
Uosaki, Kohei See Koinuma, Michio; Suzuki, Masaaki
Uozumi, Takayuki; Okada, Kozo; Kotani, Akio
Electronic structures of Ti and V oxides: calculation of valence photoemission and Bremsstrahlung isochromat spectra.—74-01228A
Upadhya, G. See Atmakuri, S.
Upadhya, K.; Hoffman, W. P.
Advanced composite microtubes for microelectromechanical systems.—74-06676A
Upadhya, K.
Plasma-added synthesis of ceramic and ceramic matrix composites.—74-10529A
Upadhyaya, D. D.; Kutty, T. R. G.; Ganguly, C.
Densification behavior and microstructural features of 3Y-TZP with and without additives.—74-01658A
Upadhyaya, Gopal S. See Bhaumik, Subir K.; Sujata, M.
Uphaus, R. A. See Eckhardt, C. J.; Wang, J. Y.
Uplane, M. D. See Bhosale, C. H.
Uppal, P. N. See Svensson, Stefan P.
Uram, K. J.; Shugrue, J. K.; O'Brien, E.
Anisotropic deposition of doped silicate glass.—74-05751A
Urano, Akira See Kyoto, Michihisa
Urbach, J. B. See Moler, K. A.
Urbonas, L. See Ludwig, Udo
Urch, D. S.
Soft X-ray spectroscopy.—74-06817A
Uribe, R. See Rodriguez, R.
Urland, W. See Tietz, F.
Urquhart, Andrew W. See Newkirk, Marc S.; White, Danny R.
Urretavizcaya, G.; Cavlaieri, A. L.; Lopez, J. M.
Pressureless sintering of Al_2O_3-SiCw composites.—74-07442A
Ursu, I. See Barborica, A.
Urusov, V. S. See Belokoneva, E. L.
Urusovskaya, L. N. See Goncharuk, V. K.
Urusovskaya, L. N.; Smirnova, E. V.
Structural changes in fluorophosphate glasses upon use of silicofluorides as components.—74-02490A; Structural changes in fluorophosphate glasses with silicon fluoride components.—74-02491A
Usami, A. See Ichimura, M.
Ushakova, T. G. See Safonova, A. A.
Ushikoshi, Kenji See Tokutomi, Atsuya
Usinov, V. M. See Ledentsov, N. N.
Uskokovic, D. See Brankovic, Z.; Milosovic, O.
Usol'tseva, T. I. See Goncharuk, V. K.
Ussery, Randall E., Jr. See Gantt, George E.
Ust'vantsev, V. M.; Tretnikova, M. G.; Galkin, Yu. M.
Phase formation when brucite is heated.—74-03949A
Ustimenkova, M. B. See Efimova, N. N.
Ustundag, E. See Subramanian, Ramesh
Ustundag, E.; Subramanian, Ramesh; Diekmann, R.; Sass, S. L.
In situ formation of ductile phase-toughened ceramics by partial reduction reactions in the Ni-Al-O system.—74-08211A
Usuda, Satoru See Nishio, Hideaki
Uszerow-Marszek, W. Aleksander; Sopow, P. Wiktor
Microporosity of hardened cement paste.—74-08071A
Utatsu, Takashige See Yano, Mitsuaki
Uth, Paul
Tiler training in Germany.—74-08596A
Uthanna, S. See Aparna, Y.
Utsumi, Ryoji
Test sieves.—74-09625A
Utzinger, Klaus
Modernization of the electrical equipment at HCB's Rekingen plant (Switzerland, on the Rhine).—74-03710A
Uusimaki, Antti See Zhang, Hong-Xue
Uyama, H. See Aoyama, K.; Kotaki, T.
Uzan-Saguy, C. See Avigal, Y.; Lifshitz, Y.
Uzawa, M.; Kagawa, M.; Syono, Y.
Synthesis of barium hexaaluminate by the spray-ICP technique.—74-01905A
Uzawa, Yasuyuki See Itoh, Minoru
Vaa, Michael See Jepsen, Kim S.
Vaahs, Tilo See Bruck, Martin
Vaartstra, Brian A.; Gardiner, R. A.; Gordon, D. C.
Advances in precursor development for CVD of barium-containing materials.—74-05918A
Vadasz, Pavol See Molnar, Ludovit
Vadasz, Pavol; Molnar, Ludovit
Interaction at the periclase-slag melt phase boundary.—74-05860A
Vadeanu, Victoria See Blejouiu, Serban Ion
Vaessen, G. E. S. See Van der Douck, J. C. J.
Vaezzadeh, M. See Majkova, E.
Vagaggini, Emmanuel See Domergue, Jean-Marc
Vagaggini, Emmanuel; Domergue, Jean-Marc; Evans, Anthony G.
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: I, Theory.—74-11070A
Vahala, K. J. See Yacobi, B. G.
Vahlas, Constantin
Thermal degradation mechanisms of Nicalon and Tyranno fibers.—74-11112A
Vaidya, Madhusudan L. See Bhaumik, Subir K.
Vaidya, R. U.; Venkatesh, R.; Chawla, K. K.
Thermal expansion of a PRD-166 fiber-reinforced glass-matrix composite.—74-02592A
Vaidya, U. K. See Mahfuz, H.
Vaidya, U. K.; Mahfuz, H.; Jeelani, S.
Ultrasonic and vibration characterization of hybrid and sandwich carbon-carbon composites.—74-10901A; Vibration and ultrasonic nondestructive characterization of nonwoven and fabric reinforced carbon-carbon composites.—74-01129A
Vaidya, U. Kumar; Raju, P. K.; Kowbel, W.
Material damping studies on carbon-carbon composites.—74-05184A

Vaidya, U. Kumar; Raju, P. K.
Monitoring processing stages of carbon-carbon composites using vibration-based nondestructive evaluation.—74-03840A

Vaidyanathan, K. Ranji See Khasgiwale, N. R.; Tobin, Albert G.

Vaidyanathan, K. Ranji; Cannon, W. Roger; Danforth, Stephen C.; Tobin, Albert G.; Holmes, John W.
Evaluation of oxidation exposure on the mechanical properties of Nextel 312/BN/Blackglas composites.—74-10913A

Vaidyanathan, K. Ranji; Cannon, W. Roger; Danforth, Stephen C.; Tobin, Albert G.
Creep resistance of Nextel 312/BN/Blackglas composites.—74-10957A

Vaidyaraman, Sundar See Lackey, W. Jack

Vainberg, I. A.; Dolgomirov, B. A.; Grabovskii, S. B.
Nondestructive control of the internal structure of fused refractories.—74-03845A

Vainberg, V. V. See Avramenko, S. F.

Vaipolin, A. A. See Bodnar, I. V.

Vaipolin, A. A.
Structure of (Cd, Mg, Mn)Te solid solutions.—74-04219A

Vaisova, M. M. See Chaprasova, L. V.

Vaitkas, Y.; Gaubas, E.
Determination of recombination parameters in silicon structures by light-induced absorption method.—74-06038A

Vaitkus, Y.; Gaubas, E.; Kalevichius, T.
Light-induced diffraction in silicon including interval reflections.—74-06177A

Vajo, John J. See Cirlin, Eun-Hee

Vakhshoori, D. See Hong, M.

Vaksman, Yu. F. See Krasnov, A. N.

Vakula, S. I. See Aksenov, I. I.

Val'kovskii, M. D. See Fedorov, P. P.

Valant, M.; Kolar, D.
Microwave ceramics of high dielectric constant.—74-04754A

Valdes, E.; Malagon, G. Pacheco; Puente, G. Contreras
Study of lead content effects in off-stoichiometric compounds of the $Bi_2Sr_2Ca_2Cu_3O_8$ superconductor.—74-03582A

Valencia, Eliana
Calculation of the adsorption potential energy of water vapor on α-cristobalite.—74-07797A

Valente, T. See Carassiti, F.

Valentine, T. J. See Sussmann, R. S.

Valentine, T. J.; Whitehead, A. J.; Sussmann, R. S.; Wort, C. J. H.; Scarsbrook, G. A.
Mechanical property measurements of bulk polycrystalline CVD diamond.—74-04360A

Valentini, R. See De Gregorio, P.

Valiev, R. Z. See Korznikov, A. V.

Valin, F. See Desmaison-Brut, M.

Valioullova, Z. Kh. See Guseva, M. B.

Valkema, Durk
Developments in the field of melting furnaces and control equipment.—74-01145A

Valladares, Ariel A.; Sansores, L. Enrique
Electronic structure of carbon nitride.—74-10799A

Vallard, Jean-Pierre See Autran, Jean-Luc

Valle, F. J. See Farinas, J. C.

Vallerich, Gerard See Witzke, Sylvain

Vallier, L. See Templier, F.

Valov, P. M. See Maksimov, V. M.

Valov, P. M.; Gracheva, L. V.; Leiman, V. I.
Exciton luminescence of CuCl microcrystals in glass.—74-02540A; 74-02541A; Role of thermal defects in photolysis of microcrystals of CuCl in glass.—74-02577A; 74-02655A

Valvoda, V. See Kuzel, R., Jr.

Van Ackeren, James J. See Minh, Nguyen Q.

Van Ammel, A. See Caymax, M.

Van Beek, J. A. See Heikinheimo, E.

Van Bekkum, H. See Geus, E. E.

Van Blaaderen, A.; Kentgens, A. P. M.
Particle morphology and chemical microstructure of colloidal silica spheres made from alkoxysilanes.—74-10859A

Van Bommel, Mark J.; Bernards, Tom N. M.; Talen, Wim
Wet chemical processing of tin-doped indium oxide layers.—74-08775A

Van Buskirk, P. C. See Gardiner, R. A.

Van Camp, P. E.; Van Doren, V. E.
Structural phase transformation and ground state properties of CdTe.—74-07121A

Van Corbach, H. D.; Haanappel, V. A. C.; Fransen, T.; Gellings, P. J.
Al_2O_3 coatings against high temperature corrosion deposited by metallorganic low-pressure chemical vapor deposition.—74-01613A

Van Daele, P. See Coudenys, G.; Vermeire, G.

Van Dalen, J. J. See Griessen, R.

Van de Merwe, Ronald H. See Cottringer, Thomas E.

Van den Berg, P. H. J.; De With, G.
Influence of grinding and wear on residual stress and strength of zirconia ceramics.—74-02157A

Van den Berg, Rob See Chen, Zhong-Xin

Van den Bergh, V. See Meneve, J.

Van den Bovenkamp, J. G. H.; Butter, J. A. M.; Schultze, J. O.
Development of refractive coatings for incineration furnaces of chemical wastes.—74-09651A

Van den Heuvel, F. C. See Overwijk, M. H. F.

Van der Beek, C. J. See Kwok, W. K.

Van der Biest, O. See Campbell, P. Q.; Dierickx, D.; Vleugels, J.

Van der Douck, J. C. J.; Vaessen, G. E. S.; Stein, H. N.
Adsorption of short-chain tetraalkylammonium bromide on silica.—74-10059A

Van der Drift, E. See Cheung, R.

Van der Eyden, Joost See Chen, Zhong-Xin

Van der Heijde, J. C. T. See Terpstra, R. A.

Van der Heijden, T. See Simonis, F.

Van Der Laan, R. R. See Cordfunke, E. H. P.

Van der Linden, P. J. E. M. See Martinez, J. C.

Van der Pol, Andre See Simon, Simion

Van der Put, P. J. See Bath, A.; Dekker, J. P.

Van der Sluis, P. See Wolf, R. M.

Van der Sluis, P.
High-resolution X-ray diffraction of one- and two-dimensional periodic surface gratings.—74-06135A

Van der Veen, Henri
Batch pelletization—the key to glass quality improvement.—74-00287A

Van der Vleuten, W. See Foxon, C. T.

Van der Voort, P.; Gillis-D'Hamers, I.; Vrancken, K. C.; Vansant, E. F.
Chemical surface coating, a promising route to new ceramic coatings.—74-10223A

Van der Wagt, Jan P. A. See Weckwerth, M. V.

Van der Wagt, Jan P. A.; Harris, James S., Jr.
Reflection high-energy electron diffraction intensity oscillations during molecular beam epitaxy on rotating substrates.—74-03199A

Van der Weg, W. F. See Ouwens, J. Daey

Van Der Wegen, G.; Bijen, J.; Van Selst, R.
Behavior of concrete affected by seawater under pressure.—74-00036A

Van der Weide, J.; Nemanich, R. J.
Angle-resolved photoemission of diamond(111) and (100) surfaces—negative electron affinity and band structure measurements.—74-07592A

Van der Wel, H. See Severin, J. W.

Van der Wielen, M. C. M. M. See Jansen, R.

Van der Woude, G. See He, B.

Van Dieten, V. E. J. See Dekker, J. P.

Van Dieten, V. E. J.; Dekker, J. P.; Van Zomeren, A. A.; Schoonman, J.
Chemical vapor deposition techniques for thin films of solid electrolytes and electrodes.—74-00466A

Van Digen, Frans K.; Ibendahl, R.
Chemical analysis of sinterable SiC powder.—74-01352A

Van Doornum, Anton; Gaylard, Jeremy; Riekert, Jan
Hercules—a garden factory in a city environmental.—74-05419A

Van Doorwerth, Olphen H.
Particle associations in clay suspensions and their rheological implications.—74-08569A

Van Doren, V. E. See Van Camp, P. E.

Van Dover, R. B.; Venzke, S.; Gyorgy, E. M.
Structure and magnetic properties of epitaxial $NiFe_2O_4$ films.—74-09224A

Van Eijk, J. P. G. M. See Denissen, J. A. M.; Terpstra, R. A.

Van Enckevort, W. J. P. See Schermer, J. J.

Van Enckevort, W. J. P.; Janssen, G.; Seal, M.
CVD diamond growth mechanisms as identified by surface topography.—74-10785A

Van Garderen, H. F. See Dokter, W. H.

Van Gemert, D. See Kolakowski, K.

Van Gerven, H. See Erauw, J.-P.

Van Gorkum, A. A. See Van Veen, A.

Van Hasselt, P. See Schindler, W.

Van Heeren, P. See Montelius, L.

Van Herle, J.; McEvoy, A. J.
Oxygen diffusion through silver cathodes for solid oxide fuel cells.—74-05042A

Van Hove, J. M. See Bobel, F. G.

Van Hove, J. M.; Chow, P. P.; Rosamond, M. F.; Carpenter, G. L.
Carbon doping by a compact electron beam source.—74-02928A

Van Kanel, H. See Sirringhaus, H.

Van Kempen, H. See Jansen, R.

Van Kesteren, H. W. See Carcia, P. F.

Van Kranenburg, H.; Lodder, C.
Tailoring growth and local composition by oblique-incidence deposition—a review and new experimental data.—74-07526A

Van Kuren, Judith P. See Zehr, Bradley D.

Van Loo, Frans J. J. See Goldstein, Joseph L.; Heikinheimo, E.

Van Loo, W. See Bronswijk, J. P.

Van Marcke de Lummen, Guy See Mottet, Leon P.

Van Mechelen, Jan See Chen, Zhong-Xin

Van Miltenburg, J. C. See Cordfunke, E. H. P.

Van Oosterum, A. See Vugts, M. J. M.

Van Rutten, J. W. T. See Chen, Ming-Yuan; Terpstra, R. A.

Van Rutten, J. W. T.; Terpstra, R. A.; Metselaar, R.
Carbothermal production and characterization of α′-SiAlONs.—74-04495A

Van Schilfgaarde, Mark; Weber, E. R.; Newman, Nathan
Pressure dependence of III-V Schottky barriers—a critical test of theories for Fermi level pinning.—74-06276A

Van Selst, R. See Van Der Wegen, G.

Van Stajspen, M. See DeBruyn, K.

Van Steel, D. R. See Woodford, D. A.

Van Tendeloo, G. See Martin, C.

Van Tendeloo, Martin G. See Goutenoire, F.; Huve, M.

Van Tilborg, P. J. See Rak, Z. S.; Veringa, H. J.

Van Veen, A. See Andre, Bernard; Greuter, M. J. W.

Van Veen, A.; Reader, A. H.; Gravesteijn, D. J.; Van Gorkum, A. A.
Voids in epitaxial silicon films grown under different thermal conditions—void detection by thermal helium desorption.—74-05060A

Van Veen, G. N. A.
Space-charge effects in Spindt-type field emission cathodes.—74-03221A

Van Weeren, R.; Carrasquillo, G.; Leone, E.; Curran, S.; Danforth, Stephen C.
Laser-synthesized silicon nitride powder: chemical and physical characteristics.—74-01405A

Van Weeren, R.; Danforth, Stephen C.
Effect of grain-boundary phase characteristics on the fracture toughness of silicon nitride.—74-02124A

Van Weert, A. A. M. See Severin, J. W.

Van Zandt, T. R. See Stalder, R. E.

Van Zomeren, A. A. See Van Dieten, V. E. J.

Van'kevich, A. V. See Popkov, Yu. A.

Vancaster, N. See Mootgat, G.

Vance, Eric R. See Begg, Bruce D.

Vandenbulcke, L. See Bou, Pierre; Goujard, S.

Vandeneede, V. See Mootgat, G.

Vanderah, Terrell A.; Lowe-Ma, Charlotte K.; Gagnon, David R.
Synthesis and dielectric properties of substituted lanthanum aluminate.—74-04437A

Vanderbilt, David See Zhong, W.

Vanderhave, John
Australian standards for ceramic tile fixing and their impact on other standards.—74-11140A

Vandervorst, W. See Alay, J. L.; Caymax, M.; Elst, K.; Snauwaert, J.

Vandervorst, W.; Privitera, V.; Raineri, V.; Clarysse, T.; Pawlik, M.
Two-dimensional spreading resistance profiling: recent understandings and applications.—74-01124A

VanDeusen, S. B. See Aselage, T. L.

Vandre, D. See Cuberes, M. T.

Vane, Ronald See Sherman, Robert

Vanecek, M. See Dusek, V.

Vangrunderbeek, J. See Luyten, J.

Vanhellemont, J. See Caymax, M.; Roca, E.

Vanicheva, L. L. See Demidenko, L. M.; Rabinovich, A. S.

Vanickova, M.; Labuda, J.; Hofbauerova, H.
Voltammetric determination of chromium traces in gallium arsenide.—74-06378A

Vanier, P. E. See Barletta, Robert E.

Vankataramani, B.
Characterization of sorption sites on hydrous titanium and thorium oxides by water sorption.—74-09974A

Vanlaere, Benoit
Fluidization techniques by an airslide system.—74-00930A

Vansant, E. F. See Van der Voort, P.

Vantomme, A. See Lie, D. Y. C.

VanVoorst, J. D. W. See Elders, J.

Vanzetti, L. See Nicolini, R.

Varacalle, D. J.; Wilson, G. C.; Crawmer, D. E.
Studies of the air plasma spraying of zirconia powder.—74-10654A

Varacalle, D. J.; Wilson, G. C.; Steeper, T. J.
Optimizing APS ceramic coatings using response surface methods.—74-10508A

Varadachari, Chandnika; Kudrat, Mahammed; Ghosh, Kunal
Evaluation of standard free energies of formation of clay minerals by an improved regression method.—74-08542A

Varadan, V. K. See Ounaies, Z.; Wu, Zhan; Yu, X. D.

Varadan, V. V. See Yu, X. D.

Varadinek, Patrik See Bautsch, Markus

Varanasi, C. See Pavate, Vikram

Varanasi, C.; Black, M. A.; McGinn, P. J.
Comparison of the effects of PtO_2 and $BaSnO_3$ additions on the refinement of Y_2BaCuO_5 and magnetization of textured $YBa_2Cu_3O_{6+x}$.—74-06499A

Varanasi, C.; McGinn, P. J.; Sengupta, S.
Factors affecting Y_2BaCuO_5 precipitate size during melt processing of $YBa_2Cu_3O_{7-x}$.—74-06548A

Varanasi, C.; McGinn, P. J.
Effect of $YBa_2Cu_3O_{7-x}$ grain size on the nucleation of Y_2BaCuO_5 during melt texturing.—74-00799A

Varavin, V. S.; Sidorov, Yu. G.; Remesnik, V. G.
Growth of $Cd_xHg_{1-x}Te$ films by VPE of HgTe on CdTe substrates followed by interdiffusion.—74-03035A

Vardanyan, E. R.; Rezvanov, R. R.; Chukichev, M. V.
Luminescence of $GaAs/Al_xGa_{1-x}As$ multiple quantum wells in structures for ir detectors.—74-03095A

Vardelle, A. See Vardelle, M.

Vardelle, M.; Vardelle, A.; Leger, A. C.
Dynamics of splat formation and solidification in thermal-spraying processes.—74-09563A

Vardoyoulias, M.
Role of hard second phases in the mild oxidational wear mechanism of high-speed steel-based materials.—74-10938A

Varekamp, P. R. See Chakarian, V.

Varela, A. See Nunez, A.

Varela, M. See Sardin, G.

Varesi, E. See Frangi, F.

Varez, A. See Alario-Franco, M. A.

Vargas-Munoz, M.; Gonzalez-Garcia, F.; Gonzalez-Rodriguez, M.
Influence of the mineralogical composition, specific surface area, and strains–crystallite size of alite on the compressive mechanical strength of portland mortars: I, Clinkers of low tricalcium aluminate contents.—74-05537A

Varhue, Walter J. See Rogers, Jim L.

Varichenko, V. S. See Burchard, B.

Varichenko, V. S.; Zaitsev, A. M.; Rusetskii, M. S.; Stelmakh, V. F.; De Weldige, K.; Fries, T.
Scanning tunneling microscopy of diamond irradiated with high-energy ions.—74-05240A

Varjus, S. See Ronkainen, H.

Varkey, A. J.; Fort, A. F.
Transparent conducting cadmium oxide thin films prepared by a solution growth technique.—74-04968A

Varlamov, S. V. See Eremin, M. V.

Varloud, Jean See Rouzies, Dominique

Varma, Chandra M. See Sire, Clement

Varma, Y. B. G. See Kannan, C. Srinivasa

Varnakova, G. S. See Zhukov, E. G.

Varner, James R. See Conzone, Samuel D.

Varriano, J. A. See Wicks, G. W.; Xie, K.

Varriano, J. A.; Koch, M. W.; Johnson, F. G.; Wicks, G. W.
GaInP and AlInP grown by elemental source molecular beam epitaxy.—74-06115A

Varshal, B. G.
Structural model of immiscibility of silicate vitrifying melts.—74-00226A; Structural model of silicate glass-forming melts and glasses.—74-02495A; Structural model of the immiscibility of glass-forming silicate melts.—74-00227A
Varshavskaya, I. G. See Fedoseev, D. V.
Varshney, D. See Singh, R. K.
Varshney, Usha See Churchill, Russell J.
Varshneya, Arun K.
Leaching of lead from lead crystal glasses.—74-02470A
Varst, P. V. D. See Lieftink, G. H.
Vary, Alex See Cios, Krzysztof J.
Vashukov, S. V.; Glebov, L. B.; Gryaznov, V. A.
New thermochemical method of formation of surface waveguides on phosphate glasses.—74-05778A
Vasil'ev, M. A.; Gorodetskii, S. D.; Blashchuk, A. G.
Layer-by-layer analysis of long-range order degree in subsurface region of $FeNi_3$ crystals.—74-05178A
Vasil'ev, M. L; Pshenitsyna, V. V.; Tsekhomskii, V. A.
Spectral properties of microcrystals of CuCl distributed in the glass matrix.—74-02581A
Vasil'ev, V. V. See Aksenov, I. I.
Vasil'ev, Yu. B.; Suchalkin, S. D.
Population inversion of spatial quantization levels in 2-D InAs/AlSb/GaSb systems.—74-00688A
Vasil'eva, O. I. See Min'ko, N. I.
Vasil'kovskii, S.A.; Ivancho, I.
Raman scattering study of the effects of coating by SiO_2 and Si_3N_4 films and low-dose gamma irradiation on the substrate region of GaAs.—74-03194A
Vasilenkov, Yu. M. See Krison, M. E.
Vasilescu, A. See Parlog, C.
Vasiliev, P. I.; Belov, V. V.
Study of the flexural behavior of reinforced concrete cracked beams, by means of a 3-D "Block Model."—74-05596A
Vasilieva, O. A. See Panteleev, V. G.
Vasiliu, F. See Constantinescu, F.
Vasiljev, V. V.; Strel'nitskij, V. E.; Shulaev, V. M.
Diamondlike carbon films for protection and stabilization of selenium-containing photoreceptors in electrophotography.—74-10270A
Vasilos, T. See Park, K.
Vasilyev, L. A. See Dementjev, A. P.; Naumkin, A. V.
Vasina, T. V. See Bragin, O. V.
Vasitskii, V.; Mikushev, V. M.; Nikonorov, N. V.
Nuclear magnetic resonance of fluorine in partly crystalline multichrome glasses.—74-05686A
Vasovic, D. See Karanovic, L.
Vasquez, J. See Quiroga, I.; Wagner, C.
Vasquez, Peter See Buck, Gregory M.
Vasquez, R. P. See Foote, M. C.
Vasquez-Polo, G. See Jimenez-Ceniceros, A.
Vassel, N. P.; Mardirosova, I. V.; Savenkova, M. A.
Fusibility diagrams of $Ga(PO_3)_3$-$M^{II}(PO_3)_2$ (M^{II}=Ca, Sr, Ba).—74-01388A
Vassen, R. See Kaiser, A.
Vast, P. H.
Oxidation protection for carbon materials by oxyfluoride phosphate compounds.—74-10932A
Vast, P. See Deffontaines, B.
Vasudevan, A. K. See Sadananda, K.
Vatel, O.; Andre, E.; Chollet, F.; Dumas, P.; Salvan, F.
Atomic force microscopy studies of polysilicon growth during deposition on silicon.—74-05981A
Vateva, E. See Arsova, D.
Vaudin, Mark D. See Hill, Michael D.; Kaiser, Debra L.
Vaudo, R. P.; Cook, J. W., Jr.; Schetzina, J. F.
Atomic nitrogen production in a molecular beam epitaxy compatible electron cyclotron resonance plasma source.—74-05074A
Vaughey, J. T. See Dabrowski, Bogdan
Vaughn, N. L. See Lowden, Richard A.
Vaures, A. See Li, Z. Z.
Vavilov, V. S. See Chukichev, M. V.
Vavilov, V. S.; Rezvanov, R. R.; Chukichev, M. V.
Cathodoluminescence of CdTe:Fe.—74-05997A
Vavra, I. See Gregusova, D.
Vawter, G. A. See Wendt, J. R.
Vawter, G. A.; Klem, John F.; Leibenguth, Ron E.
Improved epitaxial layer design for real-time monitoring of dry etching in III-V compound heterostructures with depth accuracy of ±8 nm.—74-03057A
Vaz Serra, A.; Andrade, G.; Basto, E.
Introduction of carboniferrous schists in heavy clay products—exigencies of additives and products.—74-08557A
Vazquez, J. See Wagner, C.
Vazquez, L.; Sanchez, O.; Albella, J. M.
Scanning tunneling microscopy morphological study of the first stages of growth of microwave chemical vapor deposition thin diamond films.—74-02042A
Vazquez, L.; Sanchez, O.; Messeguer, F.; Albella, J. M.
STM nanometric study of the initial stages of diamond film growth—quantitative measurement of {111} and {100} surface roughness.—74-05258A
Vazquez-Lopez, C. See Ruiz, F.; Zuniga-Segundo, A.
Vdovin, V. I. See Tkhorik, Yu. A.
Vdovin, V. I.; Khazan, L. S.
New mechanism of edge misfit dislocation formation in epitaxial structure.—74-07579A
Vdovin, V. I.; Kuznetsov, O. A.; Mil'vidskii, M. G.
Defect formation in Si_xGe_{1-x}/Ge(111) heterostructures obtained by hydride epitaxy [0.16≤x≤0.315].—74-07560A
Vecht, A.; Smith, D. W.; Chadha, S. S.; Gibbons, C. S.; Koh, James; Morton, David
New electron-excited light-emitting materials.—74-03127A
Vedam, Kuppuswami See Trolier-McKinstry, Susan
Vedda, A. See Martini, M.
Vedel, J. See Massaccesi, S.
Veerasamy, V. S. See Weiler, M.
Veerasamy, V. S.; Fallon, P. J.; McKenzie, D. R.
Optical and electronic properties of amorphous diamond.—74-10128A
Vega, F. See De Sande, J. C. G.; Gonzalo, J.
Veglio, F. See Cantalini, C.
Vehmas, Jukka H. See Lehto, Esko O.
Veisman, V. L.; Markov, V. N.; Nikolaeva, L. V.
Conductance of zeolite single crystals.—74-05927A
Veitch, Lisa C. See Philipp, Warren H.
Vela, Timothy M.; Atkinson, David H.
Wear resistant die face and method.—74-02426P
Velamakanni, Bhaskar V. See Franks, George V.; Kim, Y. J.
Velasquez, E. L. Z.; Fantini, M. C. A.; Carreno, M. N. P.
Effect of plasma etching, carbon concentration, and buffer layer on the properties of a-Si:H/a-$Si_{1-x}C_x$:H multilayers.—74-04286A
Velez, D.; Arita, A. H.; Garcia-Gorduno, M. V.
Synthesis and characterization of a hydroxyapatite-zinc oxide-polyacrylate acid concrete.—74-07006A
Velez, Mariano; Berlemont, Michel; Strauss, Michael T.
Case for teaching computer design.—74-05887A
Velikhov, Yu. N.; Granova, N. S.
Microbes: effect on growth and quality KH_2PO_4 crystals.—74-05428A
Velikodnyi, Yu. A. See Murashova, E. V.; Zhuravlev, V. D.
Velikokhatnyi, O. I. See Naumov, I. I.
Velikovskii, A. A. See Nikiforov, V. N.
Vellaikal, M. See Singh, Jogender
Vemury, Srinivas See Akhtar, M. K.
Vemury, Srinivas; Pratsinis, Sotiris E.
Dopants in flame synthesis of titania.—74-10275A
Venables, D. See Miles, D. S.
Vender, D. See Bell, F. H.; Haverlag, M.; Oehrlein, G. S.
Vendik, I. B.; Kuznetsov, V. V.
Measurement of the complex conductivity of high-temperature superconductors by perturbations of a volume resonator.—74-03518A
Vengalis, B. See Yukna, A.
Venger, E. F. See Avramenko, S. F.
Venkatachari, K. R. See Sudre, O.
Venkataraman, S. See Moody, Neville R.
Venkatesan, V. See Maynard, L.
Venkatesan, Vasudev See Von Windheim, J. A.
Venkatesh, R. See Vaidya, R. U.
Venkateswara, Rao K. T.; Odette, G. R.; Ritchie, Robert O.
Ductile-reinforcement toughening in gamma-TiAl intermetallic-matrix composites: effects on fracture toughness and fatigue crack propagation resistance.—74-05338A
Venkateswaran, V. See Srinivasan, G. V.
Venkatraman, C.; Liedl, Gerald L.
Orientation texture in $YBa_2Cu_3O_{7-\delta}$ films synthesized from amorphous precursors.—74-06604A
Venkatswaren, Viswanathan See Frechette, Francis J.
Venter, A.; Neethling, J. H.
Effect of filament temperature on the growth of diamond using hot-filament chemical vapor deposition.—74-04572A
Venturi, I. See Dondi, M.
Venturi, Viviano See Fiori, C.
Venturi, Viviano
Italian red firing clays.—74-09747A
Venturin, Dean E.
Product stewardship for refractory ceramic fiber.—74-08628A
Venturini, E. L. See Aselage, T. L.
Ventzek, Peter L. G.; Hoekstra, Robert J.; Kushner, Mark J.
Two-dimensional modeling of high plasma density inductively coupled sources for materials processing.—74-01004A
Venugopal, R.; Rani, V. K. M.; Vijayalakshmi, R. P.
Electrical properties of $(ZnTe)_x(CdSe)_{1-x}$ single crystals.—74-00606A
Venzke, S. See Van Dover, R. B.
Verbeek, Adriaan Cornelis See Hermanns, Jan Matthijis
Verbitskaya, E. M.; Eremin, V. K.; Konnikov, S. G.
Ion-channeling analysis of defects in epitaxial films of $YBa_2Cu_3O_7$.—74-05025A
Verboom, D. W. A.
Technical developments and trends in the porcelain enameling industry at the beginning of the 90's.—74-00156A
Verbrugge, M. W.; Dees, D. W.
Theoretical analysis of a blocking electrode oxygen sensor for combustion gas streams.—74-01117A
Verburg, Kirsten; Baveye, Philippe
Hysteresis in the binary exchange of cations on 2:1 clay minerals: a critical review.—74-02333A
Verdanyan, G. A.; Petrosyan, P. G.; Grigoryan, L. N.
Optical transmission of composite SiO_2/Si films grown by laser deposition.—74-08990A
Verdeja, L. F. See Ayala, J. M.
Verdi, L.; Miotello, A.; Kelly, R.
Oxide growth at an Si surface.—74-05041A
Verdier, P. See Tasserie, M.
Veregin, R. P. N. See Tripp, C. P.
Veremeichik, A. A. See Stepanenko, A. V.
Veremeichik, T. F.; Perekalina, Z. B.; Tynaev, A. D.
Study of circular dichroism in alum doped with Cr^{3+} ions under electric and magnetic fields: I, Studying absorption spectra of Cr^{3+}-doped alum.—74-07496A
Vereschagin, A. L.; Sakovich, G. V.; Komarov, V. F.
Properties of ultrafine diamond clusters from detonation synthesis.—74-04852A
Veretnik, D.; Mombru, A.; Reich, S.
Enhancement of crystallinity in $YBa_2Cu_3O_{7-x}$ ceramic by water or NaOH solution attack.—74-00808A
Veringa, H. J. See Dekker, J. P.
Veringa, H. J.; Van Tilborg, P. J.
Ceramics, a new dimension in energy technology.—74-11149A
Verita, M.; Basso, R.; Wypyski, M. T.
X-ray microanalysis of ancient glasses—a comparative study of wavelength dispersive and energy dispersive techniques.—74-05458A
Verkade, John G. See Han, Yong
Verkhovlyuk, T. V. See Lutsenko, V. G.
Verlinskii, Ya. S. See Shatkovskii, E. V.
Verma, Avinash R. B.; Murthy, V. S. R.; Murty, Gollapudi S.
Microstructure and compressive strength of SiC platelet-reinforced borosilicate composites.—74-08376A
Vermaerke, F. See Coudenys, G.; Vermeire, G.
Vermeire, G. See Coudenys, G.
Vermeire, G.; Moerman, I.; Yu, Z. Q.; Vermaerke, F.; Van Daele, P.; Demeester, P.
Atmospheric and low pressure metallorganic vapor phase epitaxial growth of vertical quantum wells and quantum well wires on submicron gratings.—74-04481A
Vermeiren, J. See Roca, E.
Vermeule, M. I. See Bakker, R. F. M.
Vernidubov, I. G. See Bezentsev, A. I.
Vernon, S. M.; Sanfacon, M. M.; Ahrenkiel, Richard K.
Growth of $(GaAs)_{1-x}(Ge_2)_x$ by metallorganic chemical vapor deposition.—74-04668A
Veroli, M. See Giuriani, E.
Verstak, A. A.; Vityaz, P. A.; Smith, R. W.
Underwater plasma spraying and synthesis of coatings.—74-10711A
Versteeg, Vera A.; Avedisian, C. Thomas; Raj, Rishi
Metallorganic chemical vapor deposition by pulsed liquid injection using an ultrasonic nozzle: titanium dioxide on sapphire from titanium(IV) isopropoxide.—74-10450A
Verstreken, P. See Poorteman, M.
Verven, R.; Priem, T.; Paidassi, S.; Blein, F.; Bianchi, L.
Production and characterization of dc and hf plasma jet diamond films.—74-10591A
Verweij, H. See Burggraaf, A. J.; He, Y. J.
Verwerft, M. See Greuter, M. J. W.
Verwoerd, W. S.
Parallel vs diagonal epitaxy models of diamond and c-BN on Si(001).—74-05217A
Vescan, A. See Ebert, W.
Vesecky, Scott M.; Xu, Xue-Ping; Goodman, D. Wayne
Infrared study of CO on NiO(100).—74-05166A
Veselovskii, I. A. See Pimenov, S. M.
Vesely, V. See Hartman, Miloslav
Vessal, Behnam See Hannon, Alex C.
Vest, Robert W. See Mansour, Said A.
Vetter, Anthony S. See Ojha, Jugnu J.
Vetter, G. See Fryda, H.
Vetter, J. See Hagen, T.
Vetterhoffer, J.; Campargue, A.; Chenevier, M.; Stoeckel, F.
Temperature measurement of atomic hydrogen produced by hot-filament dissociation in a CH_4-H_2 mixture.—74-10694A
Vezikova, R. M. See Gropyanov, V. M.
Vezikova, R. M.; Gropyanov, V. M.
Phase composition of sintered lime refractories with TiO_2 additions.—74-02769A
Via, G. H. See Wong, Joe
Viaicu, S. See Burtan, Nicolae
Vianco, P. R.; Frear, D. R.
Issues in the replacement of lead-bearing solders.—74-01528A
Vianello, L. See Chelazzi, G.
Viano, A. M.; Gibbons, P. C.; Buhro, W. E.
Structural characterization of phosphide and related semiconductor nanoclusters.—74-00718A
Viatella, J. W. See Harkness, S. D.
Viatella, John See Singh, R. K.
Vicek, Pavel
Electric melting of utility glass production.—74-03905A
Vicens, J. See Duval-Riviere, M. L.
Vicent, J. L. See Tejedor, P.
Vicente, J. M. See Jimenez, Basilio
Videau, J. J. See Ducel, J. F.
Vidmer, Kh. See Ostroushko, A. A.
Viehland, Dwight See Dai, Xun-Hu; Li, Jie-Fang; Xu, Zheng-Kui
Viehland, Dwight; Forst, Donald; Xu, Zheng-Kui; Li, Jie-Fang
Incommensurately modulated polar structures in antiferroelectric Sn-modified lead zirconate titanate: the modulated structure and its influences on electrically induced polarizations and strains.—74-06416A
Viehland, Dwight; Kim, Nam; Xu, Zheng-Kui; Payne, David A.
Structural studies of ordering in the $(Pb_{1-x}Ba_x)(Mg_{1/3}Nb_{2/3})O_3$ crystalline solid solution series.—74-09182A
Viehland, Dwight; Li, Jie-Fang
Dependence of the glasslike characteristics of relaxor ferroelectrics on chemical ordering.—74-09117A
Vieira, S. See Perez-Enciso, E.
Viejo, Valerie C. See Winter, Charles H.
Viel, Charles Henri See Stanley, Mike
Vienna, J. D.; Smith, P. A.; Dorn, D. A.; Hrma, Pavel
Role of frit in nuclear waste vitrification.—74-09416A
Viera, J. M. See Silva, R. F.
Vietzke, E. See Franzen, P.
Vieu, C. See Ben Assayag, G.
Viewegh, Josef See Lisy, Antonin
Viggh, O. Erik
Estimation of grindability of portland cement clinker.—74-08022A
Viglin, N. A. See Samokhvalov, A. A.
Viglino, Maurizio
Integrated electronic control for pressware lines.—74-06708A
Vihersalo, J. See Ronkainen, H.
Viirola, H.; Niinisto, L.
Controlled growth of antimony-doped tin dioxide thin films by atomic layer epitaxy.—74-07239A; Controlled growth of tin dioxide thin films by atomic layer epitaxy.—74-07617A
Vijay, D. P. See Bursill, L. A.; Desu, Seshu B.
Vijay, D. P.; Desu, Seshu B.; Pan, Wei
Reactive ion etching of lead zirconate titanate (PZT) thin-film capacitors.—74-00526A

Vijay, D. P.; Desu, Seshu B.
Electrodes for $PbZr_xTi_{1-x}O_3$ (PZT) ferroelectric thin films.—74-00750A
Vijayalakshmi, R. P. See Venugopal, R.
Vijayaraghavan, R. See Tamhane, A. S.
Vijayarajah, W. C. See John, P.
Vikhman, S. I. See Noviov, V. L.
Vikhman, S. V. See Ordan'yan, S. S.
Vikhreva, O. A.; Dubrovina, I. N.; Yankin, A. M.
Possibility of regulating the structure of a ß-solid solution in the system $PbO\text{-}Bi_2O_3$.—74-01442A
Vikhrova, T. N. See Poltavtsev, S. I.
Viktorov, I. A. See Bodnar, I. V.
Viktorovitch, P. See Tabata, A.
Vikulin, V. V. See Itkin, S. M.
Vikulin, V. V.; Romashin, A.; Leshchuk, T.
Si_3N_4-Si composite ceramics and chemically toughened SiC for engine components.—74-11087A
Vila, R.; Ibarra, A.; De Castro, M. Jimenez
Nature of the thermally stimulated depolarization currents in MgO-Li.—74-02853A
Vilela, M. F.; Rossignol, V.; Bensaoula, A.; Medelci, N.; Freundlich, A.
Chemical beam epitaxy of InP-based solar cells and tunnel junctions.—74-02937A
Viljoen, H. J.; Gatica, J. E.; Thiart, J. J.
Thermal stresses in combustion synthesis of inorganic materials.—74-04960A
Viljoen, P. E.; Lambers, E. S.; Holloway, P. H.
Reaction between diamond and titanium for ohmic contact and metallization adhesion layers.—74-06286A
Villagrasa, M. See Vincueria, I.
Villalobos, Cristobal
Environmental management in a porcelain enameling facility in Mexico.—74-02231A
Villalobos, Guillermo R.; Speyer, Robert F.
Effect of process variables on formation of a TaC second phase in a lithium aluminosilicate glass-ceramic.—74-08416A
Villar, M. P.; Geraldia, J. M.; Gago-Duport, L.
Structural disorder and thermal dilatation behavior in Cr-doped mullite.—74-10889A
Villares, P. See Dominguez, M.; Haro, M.; Quiroga, I.; Ramirez-Malo, J. B.; Wagner, C.
Villegas, M.; Jurado, J. R.; Moure, C.
Formation process and dielectric properties of PMN ceramics in the system $Pb(Mg_{1/3}Nb_{2/3})O_3\text{-}PbZrO_3\text{-}PbTiO_3$.—74-03308A
Villeneuve, A. See Yang, C. C.
Villeneuve, A.; Yang, C. C.; Stegeman, G. I.
Nonlinear absorption in a GaAs waveguide just above half the band gap.—74-06224A
Villenueve, G. See Pizzarro-Sanz, J. L.
Vincent, C. See Vincent, H.
Vincent, H.; Scharff, J. P.; Vincent, C.; Bouix, J.
Formation of thin TiC-SiC layers on graphite substrate by reactive chemical vapor deposition.—74-07320A
Vincent, H.; Vincent, C.; Scharff, J. P.; Mourichoux, H.; Bouix, J.
Thermodynamic and experimental conditions for the fabrication of a boron carbide layer on high-modulus carbon fiber surfaces by RCVD [reactive CVD].—74-04962A
Vincenzoni, R.; Leo, G.; Galluzzi, F.
Metal/insulator/metal-type structures based on amorphous carbon-silicon alloys—electronic properties in dark conditions and under illumination.—74-03106A
Vincueria, I.; Villagrasa, M.; Luna, R. G.
Interaction processing solder in thick film and low-temperature cofired ceramic technologies.—74-07355A
Vine, Raymond W.; Anderson, Neal P.
Ceramic material and insulating coating made thereof.—74-01312P
Viney, C.
Processing and microstructural control: lessons from natural materials.—74-01856A
Vinjamuri, Krishna
Effect of aluminum and silicon reactants and HIP soak time on characteristics of glass-ceramic waste forms.—74-09399A; Glass-ceramic waste forms for immobilization of the fluorinel-sodium, alumina, and zirconia calcines stored at the Idaho Chemical Processing Plant.—74-08428A
Vinke, I. C. See Boukamp, B. A.
Vinodgopal, K. See Bedja, Idriss
Vinogradova, G. V. See Dolginov, L. M.
Vinogradova, N. N.; Dmitruk, L. N.; Kotov, M. I.
Crystallization of fluoride glasses in conditions of a temperature gradient.—74-03901A
Virkar, Anil V. See Baek, Hyun-Deok; Gopalan, Srikanth; Hong, Seong-Jae; Jue, Jan-Fong; Tanner, C. W.
Virshup, Gary F. See Bozovic, Ivan
Virt, I. S. See Andrukhiv, M. G.
Visatskas, A. See Ivashka, V.
Visatskas, A.; Ivashka, V.; Meshkauskas, J.
Magnetostatic waves in weakly magnetized ferrite films.—74-06467A
Visco, S. J. See Ma, Y.
Vishnyakova, G. A. See Sharivker, S. Yu.
Vispute, R. D. See Sharma, A. K.
Vispute, R. D.; Rao, R. R.; Gorwadkar, S.; Gangal, S. A.; Ogale, S. B.
Reactive deposition of $Y_1Ba_2Cu_3O_{7-x}$ superconductor films by pulsed laser ablation from an unreacted mixture of Y_2O_3, $BaCO_3$, and CuO.—74-06624A
Visser, Hendrikus H. See De Jong, Remco
Visvesvaraya, H. C. See Bapat, J. D.
Viswanath, Nath A.
Various aspects of glaze preparation and application methods.—74-08716A
Viswanath, R. P.; Seshdri, A. T.
Ferroelectric characteristics in Fe-Ti-O system.—74-09142A
Viswanathan, B. See Murthy, V. R. K.; Raman, N. S.
Viswanathan, K. V. See Schulz, K. J.
Viswanathan, K.; Reddy, C. S.
Power savings by bypassing the dynamic separator in a raw mill with high air speed.—74-02347A
Viswanathan, R.; Seeger, D.; Conway, J.
Fabrication of high performance 512 K static-random access memories in 0.25 µm complementary metal-oxide semiconductor technology using X-ray lithography.—74-00618A
Viswaneth, Amarnath
Various techniques of glaze preparation.—74-08717A
Vitali, G. See Terranova, M. L.
Vitch, Susan See Little, Greg
Vitch, Susan
Silicon carbide and aluminum oxide kiln furniture for the ceramic industry.—74-09712A
Vitebsky, I. M.; Stepanov, A. A.; Chattopadyay, T.
Nature of the unusual properties of Gd_2CuO_4.—74-04372A
Vitello, P. See Stewart, R. A.
Vithayathil, J. P. See MacLaughlin, D. E.
Vitkala, Jorma K. J. See Lehto, Esko O.
Vitkalov, S. A.
Screening properties of inhomogeneous superconducting YBaCuO films in magnetic field.—74-09335A
Vitt, J. E. See He, L.
Vitta, Satish See Anitha, V. P.
Vitton, Jean-Pierre; Garenne, Jean-Jacques; Truchet, Sylvie
High-quality homoepitaxial growth of diamond films.—74-10384A
Vitunac, Edward A.; Zawadzki, Edward A.
Method for recycling glass.—74-01026P
Vityaz, P. A. See Verstak, A. A.
Vivensang, C.; Turban, G.; Anger, E.; Gicquel, A.
Reactive ion etching of diamond and diamondlike carbon films.—74-05316A
Vivente, J. L. See Goni, J.
Vix-Guteri, C.; Lahaye, J.; Ehrburger, P.
Reactivity of silicon carbide and carbon with oxygen in thermostructural composites.—74-04203A
Vizkelethy, G.; Mayer, J. W.; Li, J.
Quantification of oxygen and carbon on high-T_c superconducting films by (α,α) elastic resonance technique.—74-03562A
Vkkulin, V. See Vladimir, V.
Vlach, Kenneth C. See Salas, Olimpia
Vladimir, V.; Vkkulin, V.; Golubev, Alexander A.
Si_3N_4- and SiC-based ceramics for operating temperatures above 1300°C.—74-07825A
Vladimirov, A. B. See Arbuzov, V. L.; Trakhtenberg, I. Sh.
Vlasenko, A. I. See Babentsov, V. N.
Vlasenko, A. I.; Lyubchenko, A. V.
Extraction of minority carriers in photoresistive $Cd_xHg_{1-x}Te$ crystals with various conductivities.—74-06092A
Vlasenko, N. A.; Semoenov, Yu. G.; Belyaev, A. E.
Effect of a magnetic field on the characteristics of a ZnS:Mn-based thin-film electroluminescent structure with an intrinsic memory.—74-04281A
Vlasko-Vlasov, V. K.; Dorosinskii, L. A.; Polyanskii, A. A.
Study of the influence of individual twin boundaries on the magnetic flux penetration in $YBa_2Cu_3O_{7-\delta}$.—74-04434A
Vlasov, A. S.; Karabanova, T. A.
Ceramics and medicine (review).—74-03959A
Vlasov, V. K.
Optimization of the concrete composition by help of dispersive mineral admixtures.—74-00085A
Vlasov, V. V. See Oleinik, V. T.
Vlasova, M. V. See Bartnitskaya, T. S.
Vlasova, M. V.; Domasevich, L. T.; Kakazei, N. G.; Pavlenko, N. P.; Tomila, T. V.; Artyukh, S. Yu.
Effect of the initial condition of synthesis components in the reaction of carbothermal reduction of silica on the structure of silicon carbide particles: I, Aerosil-saccharose.—74-01693A; II, Aerosil-soot system.—74-01694A
Vlasova, M. V.; Zyatkevich, D. P.; Kakazei, N. G.; Oleinik, G. S.; Rogozinskaya, A. A.; Kharlamov, A. I.
Structure of silicon carbide powders produced in interaction of silica with carbon black.—74-05275A
Vlcek, B. L.; Sargent, B. L.; Lauer, J. L.
Wear of the magnetic head carbon-overcoated disk interface. A Raman spectroscopy study.—74-11129A
Vleugels, J.; Van der Biest, O.
Chemical interaction between SiAlON ceramics and steel.—74-07799A; Chemical reactivity of nickel and nickel-based alloys with a SiAlON ceramic.—74-08143A
Vlna, Milan See Majling, Jan
Vlokh, O. G. See Kityk, A. V.
Voeltzke, D.; Langhammer, H.-T.; Abicht, Hans-Peter
Microchemical engineering: the influence of calcium titanium silicate on semiconductive $BaTiO_3$.—74-00656A
Vogel, Didier See Lemaitre, Jacques
Vogel, R. See Ennaoui, A.
Vogel, W. See Burger, H.; Holand, W.
Vogt, Gerald J. See Thomas, J. R.
Vogt, Gerald J.; Unruh, Wesley P.; Thomas, J. R.
Experimental observation of thermal spikes in microwave processing of ceramic oxide fibers.—74-10340A
Vogt, Gerald J.; Unruh, Wesley P.; Plovnick, Ross H.
Microwave sintering of continuous zirconia ceramic fibers.—74-10468A
Vogt, Michael C.
More versatile ceramic/metallic gas sensor.—74-06792A
Vogt, Stefan See Ratzenberger, Hansgeorg
Vohra, Sandeep T. See Mermelstein, Marc D.
Vohra, Yogesh K. See Liu, Jun
Vohra, Yogesh K.; McCauley, Thomas S.
Metastable phases of carbon during fracture of diamond under ultrahigh compressive stresses.—74-05379A
Voigt, Christian See Gross, Ulrich M.
Voigt, Heinz; Fischer, Roland; Schneider, Rudolf
Current limiting choke coil.—74-00863P
Voigt, J. A. See Schwartz, Robert W.
Voigtlander, B.; Zinner, A.
Surfactant-mediated epitaxy of Ge on Si(111): the role of kinetics and characterization of the Ge layers.—74-03244A
Volles, E. Todd See Han, Yong
Volles, E. Todd; Chumbley, L. Scott; Han, Yong; Akinc, Mufit
TEM examination of heat-treated nanocrystalline ZnS.—74-05285A
Voisard, P. See Droillard, C.
Voisin, P. See Andre, J. P.
Voit, H. See Brandl, D.
Voitenko, V. A. See Bairamov, B. Kh.
Volker, T.
Measurement and control systems for the ceramic industry.—74-11179A
Volkov, A. A. See Gorshunov, B. P.
Volkov, A. A.; Gorshunov, B. P.; Kozlov, G. V.
Dynamic conductivity and coherence peak in the submillimeter spectra of superconducting NbN films.—74-10079A
Volkov, B. A.; Svistov, A. E.
Band inversion in A^4B^6 semiconductors due to fluctuations of local stresses or local [non-Gaussian] fluctuations of composition.—74-02920A
Volkov, V. T.; Satunkina, L. F.
Influence of oxygen on the composition and some properties of the films obtained by rf sputtering from an Si_3N_4 target.—74-04701A
Volkova, L. P. See Tsymbal, L. T.
Vollath, Dieter; Sickafus, Kurt E.
Continuous process to produce nanophased ceramic powders.—74-04527A
Vollath, Dieter
Cascaded microwave plasma source of synthesis of ceramic nanocomposite powders.—74-09439A
Volnyanskii, M. D. See Asrarov, Sh. A.; Moiseenko, V. N.
Volodin, A. E.; Smol'skii, I. L.
Method of quantitative evaluation of impurity inhomogeneities in silicon single crystals based on analyzing plane-wave X-ray topograms.—74-06205A
Volodin, V. A. See Bolotov, V. V.
Volokitin, G. G.; Skripnikova, N. K.; Dedyukyan, R. A.
Plasma treatment of the glass-crystal material, sigran.—74-00003A
Voloshin, V. A.; Babenko, V. V.; But'ko, V. G.
Electron density in a $YBa_2Cu_3O_7$ crystal upon displacement of Ba^{2+} by a rare-earth ion (R^{3+}).—74-06532A
Volotskii, S. V. See Anders, A. G.
Volozhin, L. M. See Beicembaeva-Dzhumyshieva, G. B.
Volterra, V. See Gheber, L. A.
Volynets, N. F. See Krylov, A. I.
Volz, M. P. See Sha, Yi-Gao
Von Alvensleben, Ferdinand; Byun, C. W.; Dannat, C.
Absorption measurements of ceramic materials as a function of temperature.—74-01492A
Von Bardeleben, H. J. See Belyaev, A. E.; Delaye, P.
Von Behr, Diedrich See Friederich, Kilian
Von Criegern, R.; Jahnel, F.; Bianco, M.; Lange-Gieseler, R.
Method for the measurement of the lateral dose distribution of dopants at implantation or diffusion mask edges (lateral SIMS).—74-01950A
Von Der Muhll, Regnault See Huang, Sui-Yang; Ohtaka, Osamu
Von Gizycki, U. See Mazanek, J.
Von Hoessle, Wolfgang
Missile optical waveguide.—74-08492P
Von Kanel, H. See Sirringhaus, H.; Weber, A.
Von Keudell, A.; Moller, W.; Hytry, R.
Deposition of dense C:H films at elevated substrate temperature.—74-01664A
Von Minden, V.; Hubner, H.
Creep of platelet-reinforced oxide ceramics.—74-07852A
Von Munch, W.; Wiebach, S.
Production of ß-SiC buffer layers for CVD diamond thin films by ion implantation.—74-04846A
Von Nagy-Felsobuki, E. I. See Ma, Z.
Von Ortenberg, M. See Hansen, K.
Von Sacken, U. See Reimers, J. N.
Von Schweitzer, C. B.; Rawlings, R. D.; Rogers, P. S.
Processing and properties of silceram glass-ceramic matrix composites prepared by the powder route.—74-05786A
Von Vindheim, J. A. See Maynard, L.
Von Wedel, K.
Clinker cooling in grate coolers using the Coanda effect.—74-05478A
Von Windheim, J. A. See McClure, Michael T.
Von Windheim, J. A.; Sivazlian, F. R.; McClure, Michael T.; Glass, J. T.; Prater, John T.
Nucleation and growth of diamond using a computer-controlled oxyacetylene torch.—74-01818A
Von Windheim, J. A.; Venkatesan, Vasudev; Malta, D. M.
Comparison of the electric properties of single-crystal and polycrystalline diamond by Hall effect and capacitance-voltage measurements.—74-10069A
Von Windheim, J. A.; Venkatesan, Vasudev
Diamond-based chemical sensors.—74-03267P
Von Wyss, Marc
Holnam: three years since the merger.—74-05420A
Vorlicek, V. See Dusek, V.
Vorobyov, Kh. I.
Craneless conveyor line "Vibroblock" for the production of cellular concrete wall blocks.—74-00909A
Voronezhtsev, Yu. I.; Bezrukov, S. V.; Pinchuk, L. S.
Ceramic rings for face seals.—74-03957A
Voronina, T. I.; Djurtanov, B. E.; Lagunova, T. S.
Electrical properties of GaAlSb and GaAlSbAs solid solutions.—74-08885A
Voronina, T. I.; Lagunova, T. S.; Moiseev, K. D.
Structure of the conduction band in InAsSbP solid solutions.—74-01584A
Voronkin, M. A. See Novikov, N. V.

Voronkin, M. A.; Dub, S. N.; Lupich, I. N.
Determination of adhesion strength between a carbon film and a polymeric substrate.—74-05334A
Voronko, Yu. K.; Gorbachev, A. V.; Osiko, V. V.
Boron-oxygen units in crystalline and molten barium metaborate by high temperature Raman spectroscopy.—74-01344A
Voronkov, V. V.
Oxygen-intrinsic interstitial atoms system and thermodonor generation in silicon.—74-03146A
Voronkova, V. I.; Yanovskii, V. K.; Sorokina, N. I.
Ferroelectric phase transition and atomic structure of $KGeOPO_4$ crystals.—74-06411A
Voronov, G. V. See Gulamova, D. D.
Voronov, L. N. See Stepanov, A. I.
Voronov, V. N. See Gorev, M. V.
Voronova, M. I. See Morozov, A. N.
Vorontsov, B. S. Kurgan, Russia
MNDO study of the structure of the short-range order and interatomic interaction in P_2O_5 glasses with modifying additives.—74-00204A
Vorontsov, B. S.
Method of modified neglect of differential overlapping (MNDO) used to investigate the structure of next-order and interatomic interactions in glasses based on P_2O_5 with modifying impurities.—74-00201A
Voropaeva, L. See Serebryakov, A.
Voroshilov, Yu. V.; Motrya, S. F.; Semrad, E. E.
Phase equilibria in the systems mercury-tin-sulfur (selenium).—74-01431A
Vorotilov, K. A. See Maleto, M. I.
Vorotilova, L. S.; Kvyatkovskii, O. E.; Levin, A. A.
Nonempirical cluster electric field gradient calculations for ^{27}Al nuclei in $YAlO_3$ and $HoAlO_3$ and refinement of $HoAlO_3$ crystal structure.—74-05204A
Voskoboinikov, I. M. See Dolgoborodov, A. Yu.
Voss, Kenneth E. See Yavuz, Bulent O.
Votava, Miles A.
Materials comparisons—porcelain enamel vs alternative materials.—74-00131A
Vouillemet, M.
Filtration of vitreous sanitary ware slips.—74-00428A; Kaolin in the evolution of production techniques of fine ceramics.—74-08558A
Voutsas, Apostolos T.; Hatalis, Miltiadis K.
Structural characteristics of as-deposited and crystallized mixed-phase silicon films.—74-04915A
Vrancken, K. C. See Van der Voort, P.
Vreeland, T. See Lie, D. Y. C.
Vrel, D.; Lihrmann, J.-M.; Petitet, J.-P.; Clement, J. B.
Synthesis of ceramics by autocombustion.—74-01907A
Vreugdenhil, Willem See Triplett, Kelly B.
Vrublevski, A. R. See Fominski, V. Yu.
Vugmeister, B. E. See Toulouse, J.
Vugts, M. J. M. See Joosten, G. J. P.
Vugts, M. J. M.; Joosten, G. J. P.; Van Oosterum, A.; Senhorst, H. A. J.; Beijerinck, H. C. W.
Spontaneous etching of Si(100) by XeF_2—test case for a new beam surface experiment.—74-06323A
Vuoristo, P. See Makela, A.; Niemi, K.
Vuoristo, P.; Niemi, K.; Makela, A.
Abrasion and erosion wear resistance of Cr_3C_2:NiCr coatings prepared by plasma, detonation, and high-velocity oxy-fuel spraying.—74-08122A
Vurgaftman, Igor; Gingh, Jasprit
Monte Carlo study of electron relaxation in quantum-wire laser structures.—74-08958A
Vyas, J. C. See Kothiyal, G. P.
Vyatkin, A. F. See Abrosimova, V. N.
Vykhodets, V. B. See Arbuzov, V. L.; Rubshtein, A. P.
Vykhodets, V. B.; Kurennykh, T. E.; Trifonov, K. V.
Potential barriers in the migration of tracer oxygen atoms in $YBa_2Cu_3O_{7-\delta}$ lattice.—74-06613A
Vyrelkin, V. P. See Morozov, A. N.
Vyshenskii, S. V. See Krupenin, V. A.
Vyshniauskas, V.
Aging of ceramics under temperature gradient conditions.—74-10187A
Vysochanskii, Yu. M. See Maior, M. M.
Waag, A.; Fischer, F.; Gerschutz, J.
n-type doping of the wide gap ternary alloy (CdMg)Te during molecular beam epitaxy.—74-08959A
Wachsman, Eric D.; Henn, Francois E. G.; Jiang, Nai-Xiong; Leezenberg, Pieter B.; Buchanan, Richard M.; Frank, Curtis W.
Luminescence of anion vacancies and dopant-vacancy associates in stabilized zirconia.—74-01531A
Wachter, Klaus See Goerenz, Edmund
Waclawska, I. See Stoch, L.
Wada, H. See Wang, L.
Wada, M.; Kamiya, K.; Nasu, Hiroyuki; Matsuoka, Jun; Yoko, T.; Fukunaga, T.
Structure analysis of sol-gel-derived SiO_2 gels by neutron diffraction.—74-08351A
Wada, T. See Sasaki, M.
Wada, T.
Limestone as raw material.—74-09748A
Wada, Takahiro See Kohiki, Shigemi
Wada, Toshiaki
Manufacturing technology of thin-film magnetic head.—74-09208A
Wada, Yasuo; Kure, Tokuo; Yoshimura, Toshikyuki; Sudou, Yoshimi; Kobayashi, Takashi; Gotou, Yashushi
Polycrystalline silicon slit nanowire for possible quantum devices.—74-00687A
Wada, Yasuo
Glass-ceramics based on photosensitive glasses.—74-08429A
Wadasako, Mitsushi See Ohashi, Takayuki
Wadley, H. N. G. See Warren, J.
Waechter, D.; Westcott, M. R.; Lin, F.
Properties of cadmium selenide thin films as a function of lateral distance from chromium contacts.—74-00692A
Wager, J. F. See Lim, S.; Ryu, J. H.
Wagg, Erik See Lamilla, Luis Felipe
Wagg, Erik; Lamilla, Luis Felipe; Napier, Norman
Minimizing color adjustments to production glazes.—74-08693A
Waggener, Jack E.
Environmental regulatory overview.—74-02233A; Porcelain enameling—an environmentally friendly process.—74-00141A
Waggett, Richard See Moore, Moreton
Wagh, A. S. See Singh, Dileep
Wagner, A.; Gritzner, G.
Fabrication and properties of thallium-based superconductors from tartrate gel precursors.—74-06544A
Wagner, B. A. See Kriegsmann, Gregory A.
Wagner, C.; Vasquez, J.; Villares, P.
Theoretical method for resolving overlapping peaks in differential scanning calorimetry.—74-06825A; Structural analysis and space model of the glassy alloy $Cu_{0.1}As_{0.45}Te_{0.45}$ by X-ray diffraction.—74-00223A
Wagner, Friedrich; Grau, Walter
Ceramic-plate flow-control valve.—74-01250P
Wagner, J. B., Jr. See Finch, Dudley S.
Wagner, J. See Schmitz, J.
Wagner, Joachim
Fully automatic quality assurance in the roofing tile industry.—74-02720A
Wagner, Joerg See Mueller-Simon, Hayo
Wagner, P. See Little, B.
Wagner, R. S. See Han, S.
Wagner, R. See Kastner, G.; Kerber, A.
Wagner, Richard G.
Bringing new technology to market.—74-07939A
Wagner, Robert J. See Morris, Martin
Wagner, T.; Kirchheim, R.; Ruhle, Manfred
Electrochemically induced reactions at Ni/ZrO_2 interfaces.—74-08180A
Wahi, A. See Konenkamp, R.
Wahl, G. See Boudina, A.; Fitzer, E.
Wahl, Roger
Plastic forming.—74-10533A
Wahl, W.
How to improve wear protection of grinding rollers in roller mills.—74-09471A
Wahlig, Helmut See Bauer, Hans-Jorg
Waibel, Brigitte See Durrwalchter, Eugen
Wajdowicz, Adam A.
Correlation of basic refractory brick development with the evolution of cement kilns.—74-03900A
Wajler, C.; Blazewicz, S.; Staszkow, E.
Mechanical performance of carbon ligament/tendon prosthesis.—74-05729A
Wakabayashi, Hajimu See Mori, Masami
Wakagi, M. See Hong, Byung-You
Wakahara, A. See Lin, X. W.
Wakai, Fumihiro See Hirano, Takeshi; Niihara, Koichi; Rouxel, Tanguy
Wakasugi, Katsuhiro
Article glass stone.—74-00008A
Wakasugi, Katsuhiro; Sakurai, Yoshihito
Refractory kiln furniture for the electronic industry.—74-05875A
Wakasugi, Takashi See Ota, Rikuo
Wakata, Mitsunobu See Hamada, Kazuyuki
Wakatsuki, M. See Hong, Shi-Ming
Wakayama, Shuichi See Hoffmann, M. J.
Wakejima, A. See Hiyamizu, S.
Wakejima, A.; Inoue, A.; Kitada, T.; Tomita, N.; Shimomura, S.; Hiyamizu, S.
Lateral variation of indium content in InGaAs grown on GaAs channeled substrates by molecular beam epitaxy.—74-05177A
Wakiyama, S. See Yasutake, Masatoshi
Walachova, J.; Sroubek, Z.; Zelinka, J.; Kot, M.; Pittroff, W.
From InP/GaInAsP interface study to nanometer range heterostructure detection with probe method.—74-01064A
Walasek, E. See Jonas, S.
Walasek, E.; Jonas, S.; Sadowski, W.
Preparation and properties of thin films on the quartz glass.—74-07424A
Walcher, H. See Wild, C.
Walchhuetter, Ulrich
Evolution in presses.—74-08677A
Walck, S. D. See Merkel, K. G.
Waldo, R. A.; Militello, M. C.; Gaarenstroom, S. W.
Quantitative thin film analysis with an energy-dispersive X-ray detector.—74-05225A
Walia, R. See Kumar, Ravi
Walk, H. See Naefe, H.
Walker, A. C. See Ehrlich, J. E.
Walker, Clive; Borsa, Carlos; Todd, Richard
Nanocomposites.—74-10125A
Walker, David See Schreiber, B. Charlotte
Walker, F. J. See McKee, R. A.
Walker, Francis R. See Janas, Victor F.
Walker, J. A. See Cunningham, J. E.
Walker, J. D. See Zheng, J. F.
Walker, J. R.
Introduction to computer modeling of X-ray powder diffraction patterns of clay minerals—a guided tour of NEWMOD.—74-05816A
Wall, J. F. See Li, M.; Liu, Q
Wallace, Donald G.; McMullin, Hugh; Chu, George
Injectable ceramic compositions and methods for their preparation and use.—74-03989P
Wallace, John L.
Corrosion behavior of sputtered amorphous magnetic thin films, with and without protective overlayers.—74-07801A
Wallenberg, L. R. See Sjostrom, H.
Wallenberger, Frederick T.; Nordine, Paul C.
Inorganic fibers and microstructures by laser-assisted chemical vapor deposition.—74-01769A
Wallenberger, Frederick T.
New process grows high-quality single-crystal fibers at high rates.—74-01298A
Wallin, J. See Landgren, G.
Walls, Philip A.; Ueki, Masarori
Mechanical properties of ß-SiAlON ceramics joined using composite ß-SiAlON-glass adhesives.—74-05374A
Walsh, D. See Benzaquen, M.
Walsh, John See Wei, George C.
Walsh, W. R.; Kim, D. P.; Labrador, D. P.
Mineral organic interfacial bonding—effect of strain rate on the mechanical properties of bone.—74-09791A
Walstedt, R. E.; Shastry, B. S.; Cheong, S.-W.
NMR, neutron scattering, and the one-band-model of $La_{2-x}Sr_xCuO_4$.—74-05203A
Walter, G. See Hoppe, U.
Walter, H. See Hansmann, S.
Walter, John L.; Shelly, David W.; Minnear, William P.
Ion implantation of cobalt-tungsten carbide tools for machining titanium.—74-08226A
Walter, K. C.
Nitrogen plasma source ion implantation of aluminum.—74-04780A
Walters, Thomas E.
Refractory ceramic fibers update.—74-05874A; 74-08632A
Walton, A. J. See Cooke, G. A.
Walz, Frederick W., Jr. See Chandross, Edwin A.
Wampler, W. R.; Barbour, J. C.
Hydrogen uptake into silicon from an elecron cyclotron resonance plasma.—74-03054A
Wan, C.-C. See Chen, J.-H.
Wan, De-Qing See Pan, Yu-Kan
Wan, Hou-Zhi See Sun, Dian-Shuang
Wan, Zuo-Wen See Gong, Ma-Li
Wanaka, S. See Morii, K.
Wandel, K. See Weck, G.
Wang, Bu-Qian; Luer, Kevin
Erosion-oxidation behavior of HVOF Cr_3C_2-NiCr cermet coating.—74-08185A; Relative erosion-corrosion resistance of commercial thermal-sprayed coatings in a simulated circulating fluidized bed combustor environment.—74-10937A
Wang, C. A. See Gladden, D. G.; Lau, S. D.
Wang, C. A.; Tracy, D. M.
Adjusting trimethylgallium injection time to explore atomic layer epitaxy of GaAs between 425 and 500°C by organometallic vapor phase epitaxy.—74-04470A
Wang, C. B. See Zen, J. M.
Wang, C. M. See Atmakuri, S.
Wang, Chang-An See Li, Jing-Wei
Wang, Chen-Li
Use of Cr, Co, and Fe as silicate glass, fritted glazes, and ceramic pigments.—74-00234A
Wang, Cheng-You See Zhang, Yong-Jian
Wang, Chia-Chi See Alexandrou, Sotiris
Wang, Chiang-C. See Rahman, Matiur
Wang, Ching-C.; Akbar, Sheikh A.
Demixing of (Ni, Co)O under an oxygen potential gradient: II.—74-01505A
Wang, Cong See Zhou, Shi-Gui
Wang, Cong-Jun; Shovlin, Joseph; Kordesch, Martin E.; Macaulay, John M.
Real-time, in situ photoelectron emission microscopy observation of CVD diamond oxidation and dissolution on molybdenum.—74-04866A
Wang, D. See Ivey, Douglas G.
Wang, D.-Y.; Song, Y.-H.; Wang, J.-J.; Cheng, R.-Y.
Implementation of large-scale deposition of diamond films by combustion synthesis.—74-01759A
Wang, D.; Jones, F. R.
ToF-SIMS and XPS studies on the interaction of silanes and matrix resins with glass surfaces.—74-05291A
Wang, Da-Wen; Liu, Yan-Qiu; Xu, Guang-Zhi; Bai, Chun-Li
Scanning tunneling microscopy study of ZnS particles generated from a controlled chemical reaction.—74-06302A
Wang, David N. K. See Lee, Peter W.
Wang, De-Hung See Wang, Wei-Li
Wang, De-Qing; Lopez, Hugo F.
Degradation of SiC-reinforced alumina in H_2 at 1300–1500°C.—74-07804A; Interfacial cracking during thermal oxidation in a 30 vol% SiC whisker-reinforced alumina.—74-01230A
Wang, De-Yong See Chen, Hong-Qi
Wang, Dong-Fang; Mao, Zhi-Yuan
Abrasive wear of monolithic silicon nitride and a silicon carbide whisker-reinforced silicon nitride composite.—74-10943A; Microscopic observations of the abrasive wear of zirconia ceramics.—74-02016A; Microscopic observations of wear of heat-resistant ceramics.—74-02017A; Surface damage of SiC(w)/SiC by abrasion and indentation.—74-11103A
Wang, E.; Xing, S. B.; Fu, S. S.; Pegg, I. L.; Buechele, A. C.
Effects of liquid phase immiscibility on the leaching of fluorosilicate waste glasses.—74-08333A
Wang, F. See Copetti, C. A.
Wang, Fang-Wei See Hu, Ji-Fan
Wang, Fu-Quan; Yang, Bin
Development and application of ZrO_2 breaking ring for wire concast.—74-09776A
Wang, G. X.; Dahms, M.
Overview: TiAl-based alloys prepared by elemental powder metallurgy.—74-00137A; Synthesizing gamma-TiAl alloys by reactive powder processing.—74-01913A
Wang, G. See Montgomery, D. G.; Nicholson, Patrick S.
Wang, Ge-Ya; Shi, Tian-Sheng; Fu, Yao-Xian
Microstructure and defects in melt-textured growth $YBa_2Cu_3O_{7-x}$.—74-03524A

Wang, Guang-De See Chour, Kueir-Weei
Wang, Guo-Fu See Huang, Yi-Chuan
Wang, Guo-Mei See Li, Ning-Fang
Wang, Guo-Zheng; Su, Zhong-Xing; Luo, Wen-Ling
Applications of combined built-up and spray welding to worm reamer of extruder.—74-06679A
Wang, H. C. See Chen, J.; DiVenere, A.
Wang, H. F.; Gerberich, William W.; Skowronek, C. J.
Fracture mechanics of Ti/Al_2O_3 interfaces.—74-02147A
Wang, H. See Zhang, Q. M.
Wang, H.-B.; Xu, Wei-Wei; Cheng, Q.-H.
Harmonic mixing at mm waveband in a high temperature superconducting grain boundary Josephson junction.—74-09281A
Wang, H.-L.; He, J.-L.; Hon, Min-Hsiung
Sliding wear resistance of TiCN coatings on tool steel made by plasma-enhanced chemical vapor deposition.—74-02201A
Wang, H.; Petron, S.
Expert system for the plasma spray process.—74-10341A
Wang, Hai-Lin; Shah, Jagdeep; Damen, T. C.
Polarization-dependent coherent nonlinear optical response in GaAs quantum wells—dominant effects of two-photon coherence between ground and biexciton states.—74-06267A
Wang, Han-Qing See Wei, Jian-Jun
Wang, Hao; Sun, W.-Y.; Zhuang, H.-R.; Wang, P.-L.; Yen, T.-S.
α′-ß′-SiAlON ceramics through microstructure tailoring.—74-10752A
Wang, Hao; Sun, W.-Y.; Zhuang, H.
Microstructural observations of ß-SiAlON-12H multiphase ceramics by HREM.—74-00658A
Wang, He See Zhan, Yu-Shu
Wang, He-Ming See Chen, Quan-Qing
Wang, He-Ping
Study of strengthened porcelain fired fast at low temperature.—74-08278A
Wang, Hong See Lin, Xuan-Ying; Yang, Xin; Zhu, Xing-Wen
Wang, Hong-Wen
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$—{comment}.—74-04130A
Wang, Hong-Ying See Wang, Yun-Zhi
Wang, Hong-Yu See Singh, Raj N.
Wang, Hong-Yu; Singh, Raj N.; Beecher, Stephen C.; Dinwiddie, Ralph B.
Thermal shock behavior of fiber-reinforced composites.—74-11114A
Wang, Hong-Yu; Singh, Raj N.; Goela, Jitendra S.
Effects of postdeposition treatments on the mechanical properties of a chemical vapor deposited silicon carbide.—74-10313A
Wang, Hong-Yu; Singh, Raj N.
Piezoelectric ceramics and ceramic composites for intelligent mechanical behaviors.—74-09163A
Wang, Hsin-Fu
Evaluation of surface properties of ceramic fibers on a microscale.—74-10802A
Wang, Hu-Miao
Firing copper red glaze in oil-fired tunnel kiln.—74-05894A
Wang, Hua-Bing; Zhang, Hui; Sun, Zhi-Jian
High-T_c thin film edge weak link junctions.—74-03482A
Wang, Hua-Fu See Lin, Yuan-Kun
Wang, Hui-Juan See Wang, Xiao-Guang
Wang, J. H. See Miller, D. J.; Pan, Y. B.
Wang, J. Y.; Uphaus, R. A.; Ameenuddin, S.; Rintoul, D. A.
Formation of nanoscale size cadmium sulfide within a channel protein monolayer.—74-03020A
Wang, J. See Abdulhalim, I.; Bennett, K. D.; Ishida, Y.
Wang, J.-J. See Lu, F.-X.; Wang, D.-Y.
Wang, J.-T. See Cao, C.-B.
Wang, J.-T.; Cao, C.-B.; Zheng, P.-J.
Theoretical aspects for low-pressure diamond synthesis.—74-07527A
Wang, J.; Murray, M. G. S.; Ponton, C. B.
Sintering of agglomerated ceramic powder compacts.—74-04896A
Wang, J.; Mwarania, E. K.; Lincoln, J. R.; Feuchter, T.; Brocklesby, W. S.; Croudace, I. W.
Fluorescent lifetime of Er^{3+} $^4I_{13/2}$ level in BK-7 borosilicate glass.—74-05717A
Wang, James C. See Claar, Terry D.
Wang, James C.; Claar, Terry D.; Roach, Philip J.; Schiroky, Gerhard H.
Joining methods for ceramic composite bodies.—74-08305P
Wang, James G.
Sulfate attack on hardened cement paste.—74-05601A
Wang, Ji-An; Cheng, Ji-Jian
Superconducting films of $Tl_mBa_2Ca_nCu_{n+1}O_y$ prepared by dip coating method.—74-03592A
Wang, Jia-Gong
Sol-gel processing of mullites.—74-10640A
Wang, Jia-Seng See Yu, Jia-Qing
Wang, Jian See Wang, Jin-Shu
Wang, Jian-Bo See Wu, Bing-Qing
Wang, Jih-Wen See Peng, Yu-Min
Wang, Jin-Lu See Gao, Shi-Jian
Wang, Jin-Shu; Li, Wen-Chao; Wang, Jian
Determination of crystalline content in α-cristobalite-strengthened china by X-ray diffraction (XRD).—74-08671A
Wang, Jin-Song See Ma, Kun
Wang, Joseph; Chen, Qiang; Renschler, Clifford L.
Ultrathin porous carbon films as amperometric transducers for biocatalytic sensors.—74-06371A
Wang, Jue; Shen, Jun; Wu, Wei-Dong
Nanostructural investigation of silica aerogels.—74-07704A
Wang, Jun-Min See Li, Rui-Ning
Wang, K. L. See Carns, T. K.; Li, H. S.; Liu, W. S.
Wang, K.-C. See Shah, R.
Wang, Kai-Tai See Du, Xin-Min
Wang, Ke-Ming; Shi, Bo-Rong; Ma, S.; Liu, Xiang-Dong; Zhai, Hong-Ying; Xu, Tian-Bin
Damage behavior of silicon by MeV Ge^+ irradiation under tilted angle.—74-06025A
Wang, Ke-Ming; Shi, Bo-Rong; Zhai, Hong-Ying
Damage and annealing of $KTiOPO_4$ after Er^+ and Yb^+ implantation.—74-10073A
Wang, Keyun See Sacks, Michael D.
Wang, L. G. See Barnes, J. C.
Wang, L. K. See Hsu, C. C.-H.
Wang, L. M.; Cameron, M.; Weber, W. J.
In situ TEM observation of radiation induced amorphization of crystals with apatite structure.—74-10820A
Wang, L.; Wada, H.
Chemical compatibility between Si-based and Ti-based ceramics.—74-01353A
Wang, Li-Hsing See Tsia, Ming-Shyong
Wang, Li-Jun; Wu, Sheng; Salathe, R. P.
GaAs/GaAlAs heterostructure rib waveguide stepped dß coupler.—74-03026A
Wang, Li-Qiong See Baer, D. R.
Wang, Li-Shun See Barnett, Scott A.
Wang, Li-Shun; Barnett, Scott A.
Deposition and properties of yttria-stabilized Bi_2O_3 thin films using reactive direct current magnetron cosputtering.—74-01661A; Lowering the air-electrode interfacial resistance in medium-temperature solid oxide fuel cells.—74-00505A
Wang, Liang
Boride, carbide, nitride, oxynitride, and silicide infiltrated electrochemical ceramic films and coatings and the method of forming such.—74-04031P
Wang, Lily L.; Munir, Z. A.; Holt, J. Birch
Formation of MgO-B_4C composite via a thermite-based combustion reaction.—74-04646A
Wang, Lu-Min See Senzaki, Yoshihide
Wang, M. M. See Benerofe, S. J.
Wang, M. W. See Collins, D. A.; Feenstra, R. M.
Wang, Mei-Sheng See Hou, Bi-Hui
Wang, Min-Quan; Xiong, Guo-Hong; Zhang, Rui-Chao; Tang, Xiao-Ming; Jin, Jian-Feng; Xu, Ye-Hua
Effect of several network formers on the formation and properties of Bi-Sr-Ca-Cu-O system glasses.—74-09258A
Wang, Ming-Hua See Feng, Hao
Wang, P. D. See Murao, S. K.
Wang, P.-L. See Wang, Hao
Wang, Paul W. See Weeks, R. A.; Zhang, Li-Peng
Wang, Peng-Ye See Xie, Ping
Wang, Pu-Sen; Maighan, S. G.; Hsu, S. M.
Oxidation of surface-treated SiC platelets studied by XPS and Bremsstrahlung-excited AES.—74-04173A; X-ray-induced AES study of the effect of chemically bound hydrogen on the oxidation kinetics of an Si_3N_4 powder.—74-07834A
Wang, Q. F. See Tsai, J. Y.
Wang, Q.; Cheng, H. S.; Fine, Morris E.
Frictional behavior of some nitrogen ceramics in conformal contact with tin-coated Al-Si alloy, steel, and MMC.—74-08198A
Wang, Qing-Ling; Min, Guo-Qiang
Applications of kyanite to alumina-silica-magnesia saggars.—74-06840A
Wang, Qing-Wu; Fang, Chang-Shui; Zhuo, Hong-Sheng
Rapid growth of ferroelectric TGS crystals.—74-09175A
Wang, Qu See Deng, Min
Wang, Quan-Yu
Study on black glaze ware of Jizhou.—74-05910A
Wang, R. See Sui, M.-L.; Zhang, X.-K.
Wang, Ren-Zhi See Ke, San-Huang
Wang, Riz-Hi See Xia, Li-Fang
Wang, Rong-Ming See Chen, Chen-Jia
Wang, Ru-Ju See Manghnani, M. H.
Wang, Rui-Lan See Li, Jing-Wei
Wang, Ruo-Peng See Zhang, Bei
Wang, S. J. See Carns, T. K.
Wang, S. Y. See Houng, Y. M.
Wang, S. See Ahmad, Z.
Wang, S.-W. See Kowalik, R. W.; Shih, Wei-Heng
Wang, Sea-Fue See Dougherty, Joseph P.
Wang, Sea-Fue; Dougherty, Joseph P.; Huebner, Wayne; Pepin, John G.
Silver-palladium thick-film conductors.—74-02860A
Wang, Shen-Qi See Zhang, Xin-Yu
Wang, Shi-Guang See Liu, Rang-Jiao
Wang, Shi-Qing See Hoener, Carolyn F.
Wang, Shiho; Kirkbir, Fikret; Raychaudhuri, Satyabrata; Sarkar, Arnab
Apparatus for rapidly drying a wet, porous gel monolith.—74-01185P
Wang, Shou-Ye See Li, Zai-Geng
Wang, Shu-Min See Chen, Wei-Xi
Wang, Shu-Qian
Research on improving properties of aerated concrete.—74-05581A
Wang, Shu-Qiang; Yuan, Qi-Ming; Tan, Jia-Qi; Yang, Zheng-Fang; Chen, Yu-Ru; Wen, Xiao-Jie
Morphology and growth process of α-Al_2O_3 whiskers.—74-10847A
Wang, Shui-Cai See Bai, Jin-Tao
Wang, Simon S.; Tung, Simon C.
New technique to enhance film-coating processes in oil-based media.—74-08245A
Wang, T. J.; Dai, X. L.; Guan, Q. B.
Stability of polycrystalline rutile at high temperature.—74-03224A
Wang, T. W. See Collins, D. A.
Wang, T.-C. See Chen, Chia-Fu
Wang, T.; Zhang, L.; Mo, C.
Study on growth and crystallization behavior of nanostructured amorphous silicon nitride.—74-03238A
Wang, V. S.; Matyi, R. J.
X-ray diffraction observation of surface damage in chemical-mechanical polished gallium arsenide.—74-06385A
Wang, W. I. See Hsu, Y.; Li, L. K.; Wang, Y.
Wang, Wei-Jian See Lin, Ue-Sheng
Wang, Wei-Li; Wang, De-Hung; Zheng, Ying-Jun
Temperature dependence of photorefractive effects in Fe:$KNbO_3$.—74-02590A
Wang, Wen-Can See Li, Ning-Fang
Wang, Wen-Lou; Lin, Feng-Liang
Adsorbed water in the interlayer of Mg and Cu montmorillonites.—74-09967A
Wang, Wen-Qi
Study on sillimanite and cordierite saggar.—74-08589A
Wang, X. H. See Zhu, W.
Wang, X.-S.; Self, K. W.; Weinberg, W. H.
Growth mode of Ge on GaAs(100).—74-03033A
Wang, X.; Liu, X.; Yang, G.
Stress behavior of TiN films formed by reactive ion-beam-assisted deposition.—74-01580A
Wang, X.; Zhuang, D.; Pfender, E.
Effect of atomizing gas pressure on coating properties in wire arc spraying.—74-08169A
Wang, Xi-Hua See Liu, Zhong-Xuan
Wang, Xian-Jin; Hua, Shu-Jun; Fan, Xu
Development and applications of basic high-calcium fly ash cement.—74-00047A
Wang, Xiao-Dong; Jiang, W.; Norton, M. Grant; Hipps, K. W.
Morphology and orientation of nanocrystalline AlN thin films.—74-07701A
Wang, Xiao-Dong; Mazur, Ursula; Hipps, K. W.; Dickson, J. T.
Chemical stability of laminated AlN/AlN:H films.—74-04508A
Wang, Xiao-Guang; Zhou, Ao; Wu, Tie; Wang, Hui-Juan; Zhou, Meng-Pie; Zou, Xiao-Xing
Interfacial structure and reaction of carbon fiber/lithium aluminum silicate glass-ceramic composites.—74-10830A
Wang, Xiao-Jun See Arbuthnot, Diane
Wang, Xiao-Tian See Hao, Hong-Qi
Wang, Xin-Fu; Huang, Zhen-Wu
Formation of SiC whisker and its effects on strength of Al_2O_3-C composites.—74-03963A
Wang, Xiu-Feng; Su, Liang-He
Fabrication of ceramic mosaic tile from tremolite and diposide.—74-08546A
Wang, Xue-Zhong See Chen, Chen-Jia
Wang, Xun-Li See Alexander, Kathleen B.; Sergo, Valter
Wang, Y. B. See Zhang, Yue
Wang, Y. G.; Ashok, S.
Schottky barrier study of ion implantation damage in GaAs.—74-03208A
Wang, Y. H.; Li, X. P.
Phase structure characteristics of rf reactively sputtered zirconia thin film.—74-07102A
Wang, Y. S. See Hsu, S. M.
Wang, Y. See Li, L. K.
Wang, Y.-C. See Stoner, B. R.
Wang, Y.-G. See Zhong, W.-L.
Wang, Y.-L.; Doong, Y.-Y.; Chen, T.-S.; Haung, J.-S.
Oxidation of liquid gallium surfaces: nonequilibrium growth kinetics in 2×1 dimensions.—74-03145A
Wang, Y.-L.; Nair, S. V.
J-integral technique for experimental evaluation of the crack bridging stress-crack opening displacement function for bridged cracks.—74-10942A
Wang, Y.-Y. See Chen, J.-H.
Wang, Y.; Baruch, N.; Wang, W. I.; Cheney, M. E.; Huang, C. I.; Scherer, R. L.
AlGaAs/Ge/GaAs heterostructures grown by molecular beam epitaxy.—74-02907A
Wang, Y.; Worzala, F. J.; Lefko, A. R.
Friction and wear properties of partially stabilized zirconia with solid lubricant.—74-02150A
Wang, Ya-Jun; Bronikowski, Michael J.; Hamers, Robert J.
Direct dimer-by-dimer identification of clean and monohydride dimers on the Si(001) surface by scanning tunneling microscopy.—74-02965A
Wang, Yan-Mou; Su, Mu-Zhen
Third cement series in China.—74-08112A
Wang, Yan-Mou
Chinese cement industry continues to advance.—74-08006A
Wang, Yan-Qi See Huang, Li-Lei
Wang, Yang; Brennan, Kevin F.
Design issues of GaAs and AlGaAs δ-doped *p-i-n* quantum well APD's.—74-06037A
Wang, Yao-Ming
Ceramic separation film and its applications.—74-06959A
Wang, Yao-Zu; Carim, Altaf H.
Ternary phase equilibria in the Zr-Si-C system.—74-04227A
Wang, Yi-Cheng
Slow decay of space-charge-limited current in CdS.—74-03219A
Wang, Yin-Sheng See Liu, Fang-Xin
Wang, Ying See Bi, Xiang-Xin; Herron, Norman
Wang, Ying-Jun; Zhu, Jian-Ye; Zheng, Yu-Hua
Synthesis of hydroxyapatite ceramic powders.—74-07007A
Wang, Yong-Lan See Hao, Hong-Qi
Wang, Yong-Yu See Wu, Han-Yan
Wang, Yu-Shu See Xu, Hockin H. K.
Wang, Yun-Zhi; Wang, Hong-Ying; Chen, Long-Qing; Khachaturyan, Armen G.
Microstructural development of coherent tetragonal precipitates in magnesium-partially stabilized zirconia: a computer simulation.—74-05189A
Wang, Z. C.; Davies, T. J.; Ridley, N.
Processing and superplasticity of alumina-based ceramics.—74-04835A
Wang, Z. L. See Goyal, A.
Wang, Z. Z. See Gicquel, A.
Wang, Z.-H. See Bai, Chun-Li; Zhang, Yue
Wang, Zhan-Min See Li, Zai-Geng
Wang, Zhen-Ping See Li, Yu-Shu
Wang, Zheng-Duo; Zhang, Rong-Qing
Development of low-cost brown-red glaze.—74-02713A
Wang, Zheng-Ping See Li, Zheng-Shu
Wang, Zheng-Yu See Ren, De-He

Wang, Zu-Ning; Shi, Dong-Lu
Transport resistive broadening by avalanche flux motion in HTSC—self-organized criticality in a driven system.—74-06657A
Wangmaneerat, B. See Niemczyk, Thomas M.
Wanner, Alexander
Static and dynamic methods for measurement of elastic properties of structural ceramic materials.—74-01577A
Wara, N. M. See Kim, Y. J.
Ward, Phil
MLCs—present practices and future trends.—74-08758A
Ward-Close, Charles M.; Partridge, Peter G.
Method of making precursors and articles of ceramic-reinforced metal matrix composites.—74-08312P
Wardell, J. L. See Blair, J. A.
Ware, Robert A. See Keville, Kathleen M.
Wark, M.; Lutz, W.; Schulz-Ekloff, G.; Dyer, A.
Quantitative monitoring of side products during high loading of zeolites by heavy metals via pH measurements.—74-09608A
Warner, C. See Bonnell, Dawn A.
Warran, Chris
Particle size analysis—present and future.—74-09598A
Warren, J.; Elzey, D. M.; Wadley, H. N. G.
Fiber damage during the consolidation of Ti_6Al_4V-coated Nextel 610 alumina fibers.—74-10998A
Warren, R. See Li, W. B.
Warren, W. L.; Fleetwood, D. M.; Shaneyfelt, M. R.
Reliability implications of defects in high-temperature-annealed $Si/SiO_2/Si$ structures.—74-09024A
Warrier, A. V. R. See Yadava, R. D. S.
Warrier, Krishna Gopakumar See Mani, T. V.
Warrier, S. G. See Lin, Ray Y.
Warrier, S. G.; Lin, Ray Y.
Carbide formation in infrared-processed Nicalon fiber/aluminum composites.—74-10209A
Warris, J.; Suleman, M.; Mahmood, F.
Kinetics of the formation of cobalt disilicide at high temperature under rapid electron beam heating.—74-10004A
Warta, Wilhelm See Glunz, Stefan W.
Warwick, C. Marcus; Clegg, William J.
Crack deflection at structured interlayers.—74-10953A
Was, G. S. See Angeliu, T. M.; Kalnas, C. E.
Wasa, Kiyotaka
Sputter deposition technology as a materials engineering.—74-10653A
Waseda, Yoshio See Jacot, K. Thomas
Waser, Rainer
Grain boundaries—the functional heart of electronic ceramics.—74-05149A
Washburn, J. See Lin, X. W.
Wasilewski, Z. R.; Liu, H. C.; Buchanan, M.
Studies of Si segregation in GaAs using current-voltage characteristics of quantum well infrared photodetectors.—74-03231A
Wasowski, R. J. See Keswani, S. T.
Wassdahl, N. See Skytt, P.
Wassermeier, M. See Li, Y.-J.
Wassermeier, M.; Yang, H.; Tournie, E.; Daweritz, L.; Ploog, K.
Growth mechanism of GaAs on (110)GaAs studied by high-energy electron diffraction and atomic force microscopy.—74-06126A
Watanabe, Atsuo See Shimizu, Yasutoshi
Watanabe, Atsushi See Takeuchi, Tetsuya
Watanabe, Eiki See Nishikawa, Hiroyuki
Watanabe, H. See Iwase, M.; Kamiyama, S.
Watanabe, H.
Overview of cast multicrystalline silicon solar cells.—74-01823A
Watanabe, Hajime See Koyano, Mikio
Watanabe, Heiji; Matsui, Shinji
Low-damage electron-beam-assisted dry etching of GaAs and AlGaAs using electron cyclotron resonance plasma electron source.–74-00647A
Watanabe, Hiroshi; Awazu, Kaoru; Yoshida, Hiroyuki; Takahashi, Katsuo; Iwaki, Masaya
Effect of ion implantation on ion-plated diamondlike carbon films.—74-04578A
Watanabe, Hisashi; Todokoro, Yoshihiro
Phase-shifting lithography: mask making and its application.—74-00680A
Watanabe, Isao See Furuta, Naoki
Watanabe, K. See Katou, Kiminari
Watanabe, Kenich See Hamuro, Mitsuro
Watanabe, Kiyoshi See Nanjo, Fusayuki
Watanabe, Koichi; Mineshima, Katsuji; Yamamoto, Yasushi
Electrical and magnetic properties of La-Ca-Cu-O system compounds.—74-04293A
Watanabe, M.; Uchida, H.; Shibata, M.
High-performance catalyzed-reaction layer for medium temperature operating solid oxide fuel cells.—74-07337A
Watanabe, Makoto See Kim, D.; Sakurai, Makoto
Watanabe, Mamoru See Fujiki, Yoshinori
Watanabe, Masakazu See Iio, Satoshi
Watanabe, Masanori
Cathode ray tubes for television[—application of ceramics to].—74-09765A
Watanabe, Masayuki See Tanabe, Setsuhisa
Watanabe, Masayuki; Okubo, Tatsuya; Kusakabe, Katsuki; Morooka, S.
Sol-gel-derived nickel/γ-alumina catalyst for a methanol-to-hydrogen converter.—74-05655A
Watanabe, Minoru See Onishi, Masashi
Watanabe, Mitsuo; Iwata, Tadao
Magnetocaloric effects in $YBa_2Cu_3O_{7-\delta}$: evidence for a surface barrier.—74-04354A
Watanabe, Ryuzo See Li, Jing-Feng; Li, Zhi-Guang
Watanabe, Satoshi; Aono, Masakazu; Tsukada, Masaru
Effects of the tip shape on scanning tunneling microscope images: first-principles calculations.—74-06764A
Watanabe, Tadahiko See Nonaka, Kazuhiro
Watanabe, Tadahiko
Titanium carbide/nitride-zirconium oxide-based high-toughness ceramics.—74-09843P
Watanabe, Toshiya
Application of ceramics for plumbing fixtures.—74-11138A
Watanabe, Yoshihisa See Nakamura, Yoshikazu
Watanabe, Yuichi See Hamagami, Junichi
Watanuki, Osaaki See Tsuji, Satoshi
Watarai, H. See Kuroiwa, T.
Waters, Joyce A.
TCLP test: what is it, why you need it.—74-01114A
Waters, R. G. See Baumann, J. A.
Watkins, E. Charles See DeGreve, Stanley C.
Watkins, James
Pots made of memories[—glaze and stoneware recipes].—74-00024A
Watkins, William L. H. See Chattha, Mohinder S.
Watson, I. M.; Atwood, M. P.; Cumberbatch, T. J.
Triaxially oriented growth of CuO on MgO(001)—X-ray diffraction studies of pure CuO films and inclusions in superconducting Y-Ba-Cu-O films prepared by MOCVD.—74-06658A
Watson, S. W.
Electrochemical study of SiC particle occlusion during nickel electrodeposition.—74-01700A
Watt, M. See Sotomayor Torres, C. M.
Wauchope, Corinna J.; Kelly, Patrick M.
High-resolution transmission electron microscopy of transformed magnesia partially-stabilized-zirconia precipitates.—74-10813A
Wautelet, M. See Legrand, P. B.
Wawrzyniak, P. See Mitura, E.
Way, B. M.; Dahn, J. R.
Effect of boron substitution in carbon on the intercalation of lithium in $Li_x(B_yC_{1-y})_6$.—74-07266A
Way, S. J.; Shayan, A.
Synthetically prepared hydrous alkali calcium silicates.—74-05603A
Wayman, Steve See Ruiz, Roberto
Wayne, S. F.; Sampath, S.; Anand, V.
Wear mechanisms in thermally sprayed Mo-based coatings.—74-08294A
Wearver, J. B. See White, G. Norman
Weaver, J. H. See Stepniak, F.
Weaver, Louise See Madsen, Lynette D.
Webb, D. W. See Fannin, L. W.
Webb, J. B. See Beaulieu, Y.
Webb, James E.; Jakus, Karl; Ritter, John E.
Slow crack growth in alumina with *R*-curve at elevated temperatures.—74-11090A
Webb, Mark
Temperature sensitivity of KDP for phase-matched frequency conversion of 1 μm laser light.—74-06350A
Webb, P. R.; Robertson, N. L.
Electrolytic codeposition of Ni-γAl_2O_3 thin films.—74-07293A
Webber, Roy A.
Recycling at Corhart—a 30-year success story.—74-08629A
Weber, A. See Ullmann, J.
Weber, A.; Bringmann, U.; Nikulski, R.; Klages, C.-P.
Growth of cubic boron nitride and boron-carbon-nitrogen coatings using N-trimethylborazine in an electron cyclotron resonance plasma process.—74-01746A
Weber, A.; Nikulski, R.; Klages, C.-P.
Low-temperature deposition of TiN using tetrakis(dimethylamido)-titanium in an electron cyclotron resonance process.—74-07372A
Weber, A.; Sutter, P.; Von Kanel, H.
Amorphous Zn_3P_2 thin films grown by reactive rf sputtering.—74-04477A
Weber, Christian H. See Zok, Frank W.
Weber, E. R. See Lin, X. W.; Van Schilfgaarde, Mark; Zheng, J. F.
Weber, F. See Balnchart, P.; Gaillard, J. M.
Weber, Guy; Simonot-Grange, Marie-Helene
Characterization of the dealumination effect into H faujasites by adsorption: II, The hexane molecule as a pore volume probe.—74-10776A
Weber, H. P. See Ghisler, C.; Tempus, M.
Weber, H. See Bittner, Hans-Georg; Hodgeson, N.
Weber, J. K. Richard; Anderson, Collin D.; Merkely, Dennis R.; Nordine, Paul C.
Solidification behavior of undercooled liquid aluminum oxide.—74-04907A
Weber, J. K. Richard; Krishnan, Shankar; Anderson, Collin D.; Nordine, Paul C.
Spectral absorption coefficient of molten aluminum oxide from 0.385 to 0.78 μm.—74-04424A
Weber, J. K. Richard; Nordine, Paul C.; Krishnan, Shankar
Effects of melt chemistry on the spectral absorption coefficient of molten aluminum oxide.—74-10311A
Weber, Jean-Pierre
Optimization of the carrierinduced effective index change in InGaAsP waveguides—application to tunable Bragg filters.—74-06248A
Weber, Marvin J.; Lecoq, Paul; Ruchti, Randal C.; Woody, Craig; Yen, William M.; Zhu, Ren-Yuan
Materials Research Society Symposium Proceedings, Volume 348: Scintillator and Phosphor Materials.—74-11205B
Weber, R. A. See Shor, Joseph S.
Weber, R. See Pfinstner, C.
Weber, T. See Stiegler, J.
Weber, W. J. See Wang, L. M.; Youngblood, G. E.
Weber, Winfried See Henne, R.
Webjorn, Jonas See Ahlfeldt, Henrik
Webster, E.
How and why of abrasive jet machining.—74-10390A
Webster, Elizabeth T. See Anderson, Marc A.
Weck, G.; Wandel, K.
Diffusion and electrical activity of indium in (Hg,Cd)Te.—74-07561A
Weckhuysen, Bert M.; Schoonheydt, Robert A.
Synthesis and chemistry of chromium in $CrAPO_5$ molecular sieve.—74-10669A
Weckwerth, M. V.; Van der Wagt, Jan P. A.; Harris, James S., Jr.
Observation of quantum mechanical reflections of electrons at an in situ grown GaAs/aluminum Schottky barrier.—74-03134A
Weddigen, A. See Koch, D.
Weddigen, A.; Grathwohl, G.
Fatigue of ceramic materials.—74-02140A
Wee, A. T. S. See Lin, J.
Weeks, R. A.; Magruder, R. H., III; Wang, Paul W.
Effects of 5-eV photons on defects in SiO_2.—74-08370A
Weertman, J. R. See Fougere, G. E.
Wege, Stephan See Bautsch, Markus
Weger, William C.
Ceramic wall hybrid package with washer and solid metal through wall leads.—74-02872P
Wegner, G. See Tracz, A.
Wehling, Carsten See Braue, Wolfgang
Wehrstedt, Alois
Status report on norms in the field of testing methods for high-performance ceramics.—74-01110A
Wei, C. See Lin, W. Y.
Wei, Chun-Long; Qiu, Wen-Fa; Fan, Qi-Kang
BBO crystal optical parametric oscillator with grating.—74-06740A
Wei, George C.; Walsh, John
Continuous process for producing alumina-titanium carbide composites.—74-09818P; Rapid sintering method for producing alumina-titanium carbide composites.—74-01269P
Wei, Guang-Yu See Ding, Yong-Qing
Wei, Guang-Yu; Peng, Rui-Wu
Growth kinetics of GaSb by metallorganic vapor phase epitaxy.—74-04664A
Wei, J. Wen-Cheng; Wu, Tsung-Ming
Oxidation of carbon-carbon composite coated with $SiC(Si/ZrSi_2)$-$ZrSi_2$.—74-07821A
Wei, Jian-Jun; Xue, Qun-Ji; Wang, Han-Qing
Effects of antiwear additives on friction and wear properties of Cr_2O_3 coating.—74-10980A
Wei, Kan-Xian See Snitzer, Elias
Wei, L. See Uedono, A.
Wei, Lan-Hua See Smith, Douglas T.
Wei, Luo-Jian See Xing, Wei-Hong
Wei, Min-Min See Yang, Xin
Wei, Rong-Hua See Cooper, C. V.; Erdemir, A.
Wei, Rong-Hua; Wilbur, Paul J.; Liston, Mary-Jo
Effects of diamondlike hydrocarbon films on rolling contact fatigue of bearing steels.—74-08178A
Wei, W. S. See Wu, X. C.
Wei, William; Kruger, Wolfgang
Method for manufacturing fiber-reinforced components for propulsion plants.—74-08310P
Weiand, W.; Holzgen, M.; Geis, W.; Bast, R.
Pressing and molding oils with a slight content of pollutants.—74-09499A
Weichert, T.; Schmalenbach, B.
Use and further development of magnesia-zircon bricks in the glass industry.—74-08601A
Weichold, Mark H. See Andrews, C. C.; Legg, James D.
Weidner, D. J. See Parise, John B.
Weiershausen, W. See Zengerle, R.
Weigt, Paul; Schrey, Helmut
Protection against heat, radiation, and glare—new developments in automotive glazings.—74-02573A
Weiler, M. See Gerber, J.; Kleber, R.
Weiler, M.; Kleber, R.; Sattel, S.; Jung, K.; Ehrhardt, H.; Jungnickel, G.
Structure of amorphous hydrogenated carbon—experimental and computer simulation.—74-05273A
Weiler, M.; Sattel, S.; Jung, K.; Ehrhardt, H.; Veerasamy, V. S.
Plasma beam deposition of highly tetrahedrally bonded amorphous carbon.—74-04807A
Weill, F. See Schmidt, E.
Weiller, Bruce H.
Low-temperature CVD of TiN from $Ti(NR_2)_4$ and NH_3—FTIR studies of the gas-phase chemical reactions.—74-07371A
Weimer, Alan W. See Dunmead, Stephen D.; Xiong, Yun
Weimer, Alan W.; Moore, William G.; Rafaniello, William; Roach, Raymond P.
Process for preparing silicon carbide by carbothermal reduction.—74-01332P
Weimer, Alan W.; Nilsen, Kevin J.
Carbothermal synthesis precursors.—74-09522P
Weimer, Jeffrey J. See Kim, Jong-Min
Weimer, M. See Lengel, G.
Weimer, W. A. See Reeve, S. W.
Weinberg, M. C. See Goktas, A. A.; Smith, G. L.
Weinberg, W. H. See Chang, Ying-Lan; Pond, K.; Wang, X.-S.
Weiner, Kurt H. See Ishida, Emi
Weinert, K.-H.
Utilization of waste heat from a cement rotary kiln.—74-09728A
Weinhoffer, M. See Roy, P. K.
Weinl, Gerold; Oskarsson, Rolf; Hultman, L.
Titanium-based carbonitride alloy with controlled structure.—74-09963P
Weinland, Dieter See Bloemacher, Martin
Weinzierl, S. R. See Heddleson, J. M.; Le Dudal, Roger; Osse, A. L. M.
Weinzierl, S. R.; Hillard, R. J.; Heddleson, J. M.; Rai-Choudhury, P.; Mazur, R. G.; Osburn, C. M.
Detection of anomalous defect-enhanced diffusion using advanced spreading resistance measurements and analysis.—74-00471A
Weir, D. G. See Lemonias, P. J.

Weirauch, Douglas A., Jr. See Lazaroff, Jerold E.
Weirauch, Douglas A., Jr.; Lazaroff, Jerold E.; Ownby, P. Darrell
Wetting in an electronic packaging ceramic system: II, Wetting of alumina by a silicate glass melt under controlled pO_2 conditions.—74-10719A
Weirauch, Douglas A., Jr.
Mechanical and environmental tests of brazed ceramic multilayer packages.—74-05641A
Weis, O. See Borst, T. H.; Bremensdorfer, R.; Gaissmaier, K.
Weise, G. See Doyle, S. E.
Weisel, M. D. See Axelsson, O.
Weiser, P. S. See Stuart, S.-A.
Weiser, Steven M.
Fine-grind cullet technology: II, Results of plant production trials using fine-grind cullet.—74-08423A
Weiss, Anthony
Zircon.—74-06943A
Weiss, B. Z. See Levit, M.
Weiss, F. See Bernard, C.; Hudner, J.; Thomas, O. P.
Weiss, James R.; Grove, Cindy I.; Hoover, Gordon L.
Rapid measurement of asbestos content of building materials.—74-06808A
Weiss, M. See Kuehne, Arndt
Weissmantel, S. See Reisse, G.
Weissmantel, S.; Reisse, G.; Schulze, S.
Ion- and laser-induced modification of optical and structural properties of *i*-carbon films.—74-10110A
Weitsman, Y. See Yu, N.
Weitz, D. A.; Pine, D. J.
Multiple scattering probes of disordered materials.—74-07703A
Weitzel, Charles E. See Davis, Kenneth L.
Weitzsacker, Cara L.; Bellamy, Michael; Sherwood, Peter M. A.
Studies of the effect of size on carbon fiber surfaces.—74-03871A
Welch, David W. See Scott, Tim
Welch, John J. See Byrne, Christine J.
Welch, W. C. See Sigel, G. A.
Welf, U. See Fabrega, L.
Welker, Christopher H. See Bucher, Gerald L.
Wellborn, William
Modern abrasive recipes.—74-02287A
Weller, H. See Ennaoui, A.
Weller, M.; Schubert, H.; Kountouros, Paris W.
Mechanical and dielectric loss measurements in Y_2O_3-ZrO_2 and TiO_2-Y_2O_3-ZrO_2 ceramics.—74-01949A
Weller, M.
Atomic defects in yttria-stabilized and calcia-stabilized zirconia determined by mechanical loss measurements.—74-01934A
Weller, W. P.
Development and current situation of the European brick and tile industry.—74-05412A
Wellhofer, F. See Fletcher, P. R.
Wells, B. O. See Shen, Z.-X.
Wellstood, F. C.; Kingston, J. J.; Clarke, John
Thin-film multilayer interconnect technology for $YBa_2Cu_3O_{7-x}$.—74-03609A
Welp, U. See Kwok, W. K.
Wen, H. J. See Cuberes, M. T.
Wen, Hai-Hu See Griessen, R.
Wen, J.; Wen, S.
Aerodynamic behavior within the arc gap during arc spraying.—74-10185A
Wen, Li-Shi See Huang, Rong-Fang
Wen, S. L. See Liu, Q.
Wen, S. See Wen, J.
Wen, T. C. See Lin, S. M.
Wen, Wan-Liang
Development of high-temperature once-fired red selenium-cadmium glaze.—74-08527A
Wen, X. Y. See Jin, S.
Wen, Xiao-Jie See Wang, Shu-Qiang
Wendrock, H. See Risse, G.
Wendt, J. R.; Vawter, G. A.; Gourley, P. L.
Nanofabrication of photonic lattice structures in GaAs/AlGaAs.—74-00665A
Weng, B. J.; Chang, S. T.; Ho, R. H.
Prediction of interfacial fracture behavior of an SiC_f-reinforced aluminum composite.—74-11065A
Weng, L.; Huang, D.; Jiang, X. X.
Synthesis of aluminum nitride from aluminum citrate precursor.—74-07511A
Weng, Shi-Xing; Cocivera, Michael
Thin-film cadmium selenide prepared from cadmium oxide by spray pyrolysis.—74-03251A
Weng, Xue-Hua; Peng, Mei-Chun
Research on dispersity of α-Al_2O_3 powder in organic solution.—74-07464A
Wenger, W. L. See Loewenthal, S. H.
Wentzel, W. C. See Becker, J. F.
Wenzel, T.; Uhrmacher, M.; Lieb, Klaus-Peter
Point defects in NiO observed via perturbed angular correlation spectroscopy.—74-10742A
Wenzlaff, J. J. See Li, Y. F.
Weppner, W. See Kop, A.; Liaw, B. Y.
Weppner, W.
Materials and concepts for solid-state electrochemical devices.—74-00506A
Werckmann, J. See Noubeyo, J. C. Yamegni
Werely, N. M.; Zahrah, T. F.; Charron, F. H.
Intelligent control of consolidation and solidification processes.—74-03700A
Wereszczak, A. A. See Raghuraman, S.
Wereszczak, A. A.; Ferber, M. K.; Kirkland, Timothy P.; Lara-Curzio, Edgar; Parthasarathy, V.; Gribb, T. T.
Stress relaxation of silicon nitride at elevated temperatures.—74-11100A
Wereszczak, A. A.; Ferber, M. K.; Kirkland, Timothy P.; More, K. L.; Foley, Michael R.; Yeckley, Russell L.
Evolution of stress failure resulting from high-temperature stress-corrosion cracking in a hot isostatically pressed silicon nitride.—74-07873A
Wereszczak, A. A.; Kirkland, Timothy P.; Ferber, M. K.
Differences in creep performance of a HIPed silicon nitride in ambient air and inert environments.—74-10968A
Werner, H. See Bensch, W.
Werner, M.; Dorsch, O.; Baerwind, H. U.; Ersoy, A.; Obermeier, E.; Johnston, C.
Very low resistivity Al-Si ohmic contacts to boron-doped polycrystalline diamond films.—74-04976A
Werner, M.; Dorsch, O.; Harper, R. E.
Space-charge-limited current flow and trap density in undoped diamond films.—74-10155A
Werner, M.; Hein, S.; Obermeier, E.
Elastic properties of thin polycrystalline diamond films.—74-10087A
Werner, U. See Rzepka, M.
Werners, Gert-Karl See Baumgartl, Siegfried
Weronski, Andrzej See Azewczyj, Slovomir; Hejwowski, Tadeusz
Weronski, Andrzej; Hejwowski, Tadeusz
Investigation of abrasive wear resistance of new construction materials for cement industry.—74-08057A
Wesler, Kit W.
Historical archaeology and prehistory—experimenting with dating formulas for Mississippian period ceramics.—74-05453A
Wessels, Bruce W. See DiMeo, Frank; Gilbert, S. R.
West, Anthony R. See Sinclair, Derek C.
West, D. R. F. See Rehman, F. U.
West, James
Electroactive device fundamentals.—74-08747A
West, Jon K. See Chia, Tai-Pau
West, Jon K.; Hench, Larry L.
Molecular orbital models of silica rings and their vibrational spectra.—74-04167A
West, W. See Roedel, R. J.
Westcott, M. R. See Waechter, D.
Westerfield, P. L. See Tipton, G. D.
Westergaard, N. J. See Christensen, F. E.
Westerheide, R.; Geyer, A.; Oberacker, Rainer
High-temperature silicon nitride with minimized additive content by containerless sinter-HIP.—74-06706A
Westerheim, A. C.; Anderson, Alfredo C.; Oates, D. E.
Relation between electrical properties and microstructure of $YBa_2Cu_3O_{7-x}$ thin films deposited by single-target off-axis sputtering.—74-03567A
Westerwick, E. See Jeon, D. Y.
Westfall, Leonard; Sayir, Ali; Penn, Wayne
System grows single-crystal fibers.—74-07525A
Weston, S. J. See Hagston, W. E.
Westphal, M. J. See Ross, K. A.
Westra, C. D. See Henningsen, A.
Westra, Marlies See De Jong, Remco
Wetzel, Robert C. See Choquette, Kent D.
Wey, Myeong-Yong See Miyazawa, Kunichi
Weyand, Thomas E. See Baum, Wolfgang
Weyl, C.; Lacour, C.; Laher-Lacour, F.
Investigations on nanocrystalline state in $YBa_2Cu_3O_{7-x}$ powder of 0.15 micrometer equivalent in size to λ_L.—74-03506A
Weyten, H.; Heusdains, S.; Cornelis, J.; Lostak, F.; Chaouadi, R.
Plasma-sprayed superconductive layers on metallic substrates.—74-09321A
Whang, Chin-Myung See Choi, Sang-Wook
Whang, Chin-Myung; Eun, Hee-Tai; Kwon, Hyeok-Kee
Fabrication of Y_2O_3-ZrO_2 and CaO-ZrO_2 fibers by sol-gel process and their phase characterization by Raman microprobe.—74-04632A
Whang, Chin-Myung; Jeong, Won-Joong; Choi, Sang-Wook
Synthesis of aluminum nitride powder from aluminum hydroxide by carbothermal reduction-nitridation.—74-10676A
Whang, Ki-Woong; Lee, Seok-Hyun; Doh, Hyun-Ho; Kim, Jae-Seong
Damage and contamination in low-temperature electron cyclotron resonance plasma etching.—74-06023A
Whang, Nong M. See Kang, Suk-Joong L.
Wheat, H. G. See Sun, H.
Wheeler, D. See Heimann, Paula J.
Wheeler, Michael J. See Singh, Dileep
Whichard, G. C.; Stavros, A. J.
Evaluation of the phase content and properties of a detonation gun coating.—74-10803A
Whitaker, Mike See Baylor, Lewis
White, A. J.; Milne, W. I.
Deposition of diamondlike carbon films by photon-enhanced chemical vapor deposition of methane using a windowless hydrogen lamp.—74-01666A; Primary reaction processes in the deposition of diamondlike carbon films by photon-enhanced CVD of methane using a windowless hydrogen lamp.—74-04833A
White, C. T. See Harrison, Judith A.
White, C. W.; McCallum, J. C.; Haglund, R. F.
Colloidal Au and Ag precipitates formed in Al_2O_3 by ion implantation and annealing.—74-01640A
White, Carter T. See Harrison, Judith A.
White, Danny R. See Gesing, Adam J.; Niskanen, Paul W.
White, Danny R.; Aghajanian, Michael K.
Ceramic articles having channels for regulating the passage of fluids.—74-01249P
White, Danny R.; Urquhart, Andrew W.; Aghajanian, Michael K.; Creber, David K.
Metal matrix composites.—74-08307P
White, G. Norman; Dixon, J. B.; Wearver, J. B.
Recrystallization of kaolinite in gray kaolins.—74-06924A
White, G. V. See Brown, I. W. M.
White, J. H.; Sammells, A. F.
Perovskite anode electrocatalysis for direct methanol fuel cells.—74-00517A
White, J. M. See Li, K.-H.; Mackay, R. Scott; Sun, Y.-M.
White, Kenneth W. See Hay, Jack C.
White, R. E. See Dave, B. B.
White, Randall R.
Tuneable high velocity thermal spray gun.—74-09545P
White, Robert L. See Ai, Jiu
Whitehead, A. J. See Sussmann, R. S.; Valentine, T. J.
Whitehead, John
Dust control meets new operating and environmental challenges.—74-00050A
Whiteley, Philip G. See Evans, David T.
Whitelock, K. E.
Towards a "green" porcelain enameling industry.—74-00158A
Whitfield, Peter J. See Trevelyan, Robert E.
Whitman, David W.; Cumbers, Donald I.; Wu, Xian-Liang
Humidity sensitivity of dry-press binders.—74-07165A
Whitman, David W.
Reticulated ceramic products.—74-09839P
Whitmarsh, C. W. See Interrante, Leonard V.
Whittingham, M. Stanley
Intercalation compounds.—74-00496A
Wiberley, S.E. See Bradley, M.J.
Wickardt, Andrea See Kloss, Thomas
Wickenden, D. K. See Giordana, A.
Wickenden, D. K.; Kistenmacher, Thomas J.; Miragliotta, J.
Optical third harmonic investigations of gallium nitride nucleation layers on sapphire.—74-07708A
Wicker, Alain See Bobo, Jean-Claude
Wickramasinghe, H. Kumar See Sarikaya, Mehmet
Wicks, G. G.; Lodding, A. R.; Molecke, M. A.
Aqueous alteration of nuclear waste glasses and metal package components.—74-00181A
Wicks, G. W. See Varriano, J. A.
Wicks, G. W.; Koch, M. W.; Johnson, F. G.; Varriano, J. A.; Kohnke, G. E.; Colombo, P.
Operation of a molecular beam epitaxy machine employing a valved solid phosphorus source.—74-03847A
Widdra, Wolf See Chang, Ying-Lan
Widjaja, Sujanto; Jakus, Karl; Ritter, John E.
Hertzian indentation damage in alumina with *R*-curve behavior.—74-11013A
Wie, C. R. See Xie, K.
Wiebach, S. See Von Munch, W.
Wiechert, D. U. See Bachmann, P. K.
Wiedemeier, Heribert See Ge, Yu-Ru
Wiedemeier, Heribert; Chen, Kuo-Tong
Observation of phase separation in $Hg_{1-x}Cd_xTe$ solid solutions by low incident angle X-ray diffraction.—74-07096A
Wieder, H. H. See Fernandez, Juan M.; Raisanen, A.; Young, A. P.
Wiederhorn, Sheldon M. See French, Jonathan D.; Luecke, William E.
Wiederhorn, Sheldon M.; French, Jonathan D.; Luecke, William E.
Comparison of fracture mechanism maps with the Larson-Miller method of predicting lifetime.—74-10952A
Wiedmann, L. See Storm, W.
Wiegel, M.; Emond, M. H. J.; Stobbe, E. R.
Luminescence of alkali tantalates and niobates.—74-09152A
Wiegmann, D.
Process control for a blast-furnace cement plant.—74-08089A
Wiemers, K. D. See Patello, G. K.; Smith, H. D.
Wierzchowski, W. See Moore, Moreton
Wiese, G.; Buxman, L.; Kabos, P.
Parallel pumping fine structure at 9.4 GHz for in-plane magnetized yttrium iron garnet thin films.—74-03396A
Wiesendanger, R.; Shvets, I. V.; Coey, J. M. D.
Wigner glass on the magnetite (001) surface observed by scanning tunneling microscopy with a ferromagnetic tip.—74-07789A
Wiesendanger, R.
Contributions of scanning probe microscopy and spectroscopy to the investigation and fabrication of nanometer-scale structures.—74-05103A
Wieser, E. See Gunzel, R.
Wieserman, Larry F. See Belitskus, David L.
Wiesner, U. See Krabbes, G.
Wietzel, U.
Significance of temperature effects for the behavior of thin lubricant films in an oscillating contact.—74-01571A
Wigell, Gary See Scanlon, John F.
Wigren, C. See Terry, J.
Wihsmann, F. G.; Gottwald, G.; Forkel, K.
Use of existing data sets on technical glasses for the development of new glass compositions using a modified simplex method of sequential optimization.—74-00323A
Wijewarnasuriya, P. S.; Lange, M. D.; Sivananthan, S.
Carrier recombination in indium-doped HgCdTe(211)B epitaxial layers grown by molecular beam epitaxy.—74-02931A
Wilbertz, C. See Krotz, G.
Wilbur, Paul J. See Cooper, C. V.; Wei, Rong-Hua
Wilcox, David L. See Liu, Guo-Xu
Wild, C. See Dischler, B.; Locher, R.; Samlenski, R.
Wild, C.; Kohl, R.; Herres, N.; Muller-Sebert, W.; Koidl, P.
Oriented CVD diamond films—twin formation, structure, and morphology.—74-04172A
Wild, C.; Koidl, P.; Muller-Sebert, W.; Walcher, H.; Kohl, R.; Herres, N.
Chemical vapor deposition and characterization of smooth (100)-faceted diamond films.—74-01632A
Wild, F.
Big Bag technology at the Lengerich cement plant.—74-09433A

Wildman, W. D. See Khandelwal, P. K.
Wilk, M. P. See Hobrecht, M. E.
Wilke, A.; Hirschheydt, S. V.; Orth, J.
Human bone marrow cell culture—analysis of cell behavior at biocompatibility testing of ceramics.—74-09781A
Wilke, Gary D. See Payne, Stephen A.
Wilkens, B. See Garcia-Alvarado, F.; Ramesh, R
Wilkinson, C. D. W. See Jin, G. G.; Murao, S. K.; Sotomayor Torres, C. M.
Wilkinson, David S. See Ham-Su, R.; Kellett, Bruce J.; Tuffe, Stephane
Wilkosz, Daniel E.; Young, J. Francis
Effect of moisture adsorption on the electrical properties of hardened portland cement compacts.—74-05498A
Wilks, S. P. See Clark, S. A.
Will, G. See Solozhenko, V. L.
Will, Peter; Michel, Bernd; Kuntzsch, Pia
Determination of fracture resistance curves of modern ceramic materials.—74-10965A
Will, Stephan See Schutte, Susanne
Willadsen, Per
Engineering principles of the Niro recuperative tunnel kiln concept.—74-09656A
Willert-Porada, M. See Gerdes, T.
Willert-Porada, M.; Dennhofer, S.; Hachmeiser, D.
Microwave pyrolysis of emulsified ceramic precursor compounds.—74-10467A
Willert-Porada, M.; Gerdes, T.
Metallorganic and microwave processing of eutectic alumina-zirconia ceramics.—74-10449A
Willert-Porada, M.; Liebertz, Helge
Crack resistance behavior of Al_2O_3 ceramics with a bimodal structure.—74-02110A
Willert-Porada, M.
Microwave processing of metallorganics to form powders, compacts, and functional gradient materials.—74-00954A; Novel routes to microwave processing of ceramic materials.—74-10501A
Williams, Bradley E. See Anthony, Thomas R.
Williams, C. C. See Huang, Y.
Williams, C. K.
Kinetics of trapping, detrapping, and trap generation.—74-05029A
Williams, C. M.; Crisey, D. B.; Lubitz, P.
Magnetic and structural properties of pulsed laser deposited epitaxial MnZn ferrite films.—74-09203A
Williams, Dennis M. See Banholzer, William F.
Williams, G. L. See Brooks, J. S.
Williams, G. M. See Cullis, A. G.
Williams, J. S. See Calka, A.; Jiang, H.
Williams, John R. See France, Paul W.
Williams, Keith B. See Stewart, Ogie
Williams, Keith B.; Stewart, Ogie; Reck, Gene P.
Assessment of carbon contamination in titanium nitride films deposited from the reaction of titanium(IV) chloride and amines.—74-10201A
Williams, L. B. See Pavate, Vikram
Williams, Peter G. See Davidson, Gary A.
Williams, R. H. See Cairns, J. W.; Clark, S. A.
Williams, R. Stanley See Feiler, David; Talin, A. Alec
Williams, Roger T. See Legg, James D.
Williams, S. M.; Yang, H. Q.; Ketterson, J. B.
Miniature multitarget sputtering system for the in situ X-ray study of high-T_c multilayer film growth.—74-00956A
Williams, Sarah
Accidents just don't happen.—74-02218A
Williams, Wendell S. See Rybicki, George C.
Williamson, E. C. See May, P. W.; Rego, C. A.
Williamson, Susan
Keeping the design department on the creative edge.—74-07983A
Williford, R. E. See Patello, G. K.; Smith, H. D.
Willis, R. F. See Kim, Jong-Geol
Willkens, Daniel
Organic color coating for glass containers.—74-00023A
Willoughby, Arthur See Peters, Jan
Wilmann, Gerd See Pfaff, H. G.
Wilmann, Gerd
Ceramic implant materials.—74-01219A; Material properties of hydroxyapatite ceramics.—74-01232A
Wilshaw, P. R.; Boswell, E. C.
Field emission from pyramidal cathodes covered in porous silicon.—74-03018A
Wilson, B. A.; Crimp, Melissa J.
Prediction of composite colloidal suspension stability based on the Hogg, Healy, and Fuerstenau interpretation.—74-10543A
Wilson, Barbara See Siegel, Peter H.
Wilson, C. Carl See Appl, F. C.
Wilson, David M. See Budd, Kenton D.
Wilson, David M.; Lieder, S. L.; Lueneburg, D. C.
Microstructure and high-temperature properties of Nextel 720 fibers.—74-11054A
Wilson, G. C. See Varacalle, D. J.
Wilson, G.; Patel, A.
Recent advances in sol-gel processing for improved materials synthesis.—74-01868A
Wilson, I.-H. See Hsu, C.-C.
Wilson, J. I. B. See John, P.; Jubber, M. G.
Wilson, James M.
Barium titanate.—74-06884A
Wilson, June See Hench, Larry L.
Wilson, June; Yli-Urpo, Antti; Happonen, Risot-Pekka
Bioactive glasses—clinical applications.—74-06949A
Wilson, M.; Cabrera, J. G.; Zou, Y.
Process and mechanism of alkali-silica reaction using fused silica as the reactive aggregate.—74-08088A
Wilson, R. G. See Hewett, C. A.; Stevie, F. A.; Ziedler, J. R.
Wilson, Robert C.
Function of feldspar and/or nepheline syenite in a ceramic whiteware body.—74-08680A
Wilson, William L. See Elias, Joseph A.
Wiltshire, Alan D.; Rowen, Terry E.
Abrasive medium.—74-02289P
Wimberger, Franz
Metering, weighing, and mixing plant installed at Schretter cement and lime works.—74-02338A; New plant for producing dry, ready-mixed building materials in Vils, Austria.—74-09491A
Wimmerstedt, R. See Nasman, L.
Winau, D. See Ichinokawa, T.; Itoh, H.
Winau, D.; Itoh, H.; Schmid, A. K.; Ichinokawa, T.
Ag on Si(001)-(2×1) formation on a 2×3 superstructure.—74-07588A
Wind, S. J. See Reeves, C. M.
Wind, S. J.; Reeves, C. M.; Bucchignano, J. J.; Lii, Y. T.;
Newman, T. H.; Klaus, D. P.
Fabrication of compact 100-nm-scale silicon metal-oxide-semiconductor field effect transistors.—74-06098A
Windt, D. L. See Early, K.
Winer, Theresa A. See Friske, Mark S.
Winfree, William P. See Heyman, Joseph S.
Wingfield, Shaun
Unleaded onglaze enamels.—74-08707A
Wingreen, Ned S. See Lee, Mark
Winkler, D.; Zhang, Y. M.; Nillson, P. A.
Electronic properties at the grain-boundary interface of $YBa_2Cu_3O_{7-\delta}$ bicrystal Josephson junction.—74-04308A
Winkler, W. See Haase, I.
Winnick, J. See Kirk, T. J.
Winnubst, A. J. A. See Boutz, Michel M.; Burggraaf, A. J.; He, Y. J.
Winnubst, A. J. A.; He, Y. J.; Bakker, P. M. V.; Olde Scholtenhuis, R. J. M.; Burggraaf, A. J.
Sinter forging as a tool for improving the microstructure and mechanical properties of zirconia-toughened alumina.—74-01882A
Winnubst, Louis See Boutz, Michel M.
Winquist, Fredrik See Hedborg, Eva
Winslow, Douglas N.; Cohen, Menashi D.; Bentz, Dale P.
Percolation and pore structure in mortars and concrete.—74-02343A
Winstanley, Alistair W. See Hall, Anthony H. P.; Rudham, Robert
Winston, Anthony E. See Yam, Benny S.
Winter, Charles H.; Jayaratne, Kumudini C.; Proscia, James W.
Single-source precursors to niobium nitride and tantalum nitride films.—74-10631A
Winter, Charles H.; Viejo, Valerie C.; Proscia, James W.
Single-source precursors to vanadium nitride thin films.—74-09893A
Winter, Ernst; Marwan, Friedrich; Bretschneider, Joachim; Drexler, Hubert
Soda-lime glass containing vanadium.—74-00352P
Winter, K. See Mullot, J.; Seck, O.
Winter, W.; Muller, G.
Osumilite-type glass-ceramics from glass powders.—74-05687A
Winterfeld, J. See Tietz, H.-D.
Winterfeld, J.; Tietz, H.-D.; Dietz, Manfred
Nondestructive testing of surface defects in structural ceramics.—74-01090A
Winterfeld, J.; Tietz, H.-D.; Palm, T.
Nondestructive testing of volume defects in structural ceramics.—74-09594A
Winton, G. H.; Faraone, L.; Lamb, R. N.
Correlation of X-ray photoelectron spectroscopy and Rutherford backscattering spectroscopy depth profiles on $Hg_{1-x}Cd_xTe$ native oxides.—74-01051A
Wintrich, Elisabeth See Kasemann, Reiner
Wipf, H.
Influence of long-range elastic interactions on the tetragonal-to-orthorhombic phase transition in $YBa_2Cu_3O_x$.—74-06564A
Wirtz, G. P. See Pais, T. F.
Wirtz, G. P.; Shiau, Lih-Farn
Electrochemistry vapor deposition of YSZ coatings on graphite.—74-04605A
Wise, M. H. L. See Norfolk, R. D. B.
Wishnick, D. B. See Joshi, M. L.
Wisk, P. W. See Ren, F.
Wisoff, Peter J. See Elias, Joseph A.
Withers, James C. See Guha, Sumit; Leaskey, Lori A.; Lee, C. T.
Withers, R. L. See Finnie, K. S.
Witke, K.; Hubert, T.; Reich, P.
Quantitative Raman investigations of the structure of glasses in the system B_2O_3-PbO.—74-05692A
Witt, Klaus See Beck, Uwe
Wittberg, T. N. See Quinlan, K. P.
Witte, Stefan See Arlt, Gottfried
Wittebrood, Adrianus J. See De Jong, Remco
Wittmaack, K.
Secondary ion mass spectrometry depth profiling of boron and anitomny deltas in silicon: comparison of the resolution functions using oxygen bombardment at different energies and impact angles.—74-02043A
Wittmann, F. See Eisele, I.
Wittstruck, R. See Flemish, J. R.
Witzke, Sylvain; Provost, Gilbert; Vallerich, Gerard; De Lorgeril, Jacques
Ultrasonic inspection of steelmaking refractories.—74-03884A
Wlosinski, W. K.; Olesinska, W.
Influence of titanium on activity and penetration of AgCuTiIn solder components into alumina ceramics.—74-05630A
Woad, P. J. See Collins, A. T.
Wohlfromm, Hans; Moya, Jose S.; Pena, Pilar
Thermal shock behavior of aluminum-titanate-based materials.—74-06446A
Woicik, J. C. See Herrera-Gomez, A.
Wojak, G. J. See Liu, J.
Wojnarovits, Ilona; Rendessy, Endre
Factors influencing mechanical properties of silicate fibers.—74-07648A
Wolany, D. See Storm, W.
Wolcott, Christine C.
Canasite-apatite glass-ceramics.—74-00327P
Wold, E. See Bremer, J.
Wold, E.; Bremer, J.; Hunderi, O.
Enhancement and quenching of Berreman polaritons in SiO_2/TiO_2 and Al_2O_3/Pt superlattices.—74-10100A
Wolf, C.; Hubner, H.; Adler, J.
Mechanical behavior of pressureless sintered SiC at high temperature.—74-07376A
Wolf, C.; Hubner, H.
Creep mechanisms in alumina containing a glassy grain boundary phase.—74-07850A
Wolf, Christopher G. See Credle, Kenneth
Wolf, D. See Merkle, K. L.
Wolf, E. D. See Porkolab, G. A.
Wolf, K.
Engineering ceramics for the mechanical engineering and chemical industries.—74-07298A
Wolf, O. V.; Kalibaeva, G. M.; Stepanyuk, V. S.
Effect of single perturbations on microstructure of amorphous metals.—74-05128A
Wolf, R. M.; De Veirman, A. E. M.; Van der Sluis, P.
MBE growth of CoO and Fe_3O_4 films and CoO/Fe_3O_4 multilayers.—74-10444A
Wolf, S. F. See Ebert, W. L.
Wolf, T. See Karabashev, S.
Wolfe, J. See Belkind, A.
Wolfe, P. See Leatherman, G. L.
Wolfenstine, J.; Gonzalez-Doncel, G.; Sherby, O. D.
Tension versus compression superplastic behavior of an Mg-9 wt% Li-5 wt% B_4C composite.—74-05656A
Wolfenstine, J.; Kim, H. K.; McClelland, R. J.
Dislocation substructure developed during creep of ceramic solid-solution alloys.—74-07632A
Wolff, V. See Ekenhorst, D.
Wolfschaffner, Hubert See Hafner, Hans
Wolke, J. G. C. See Klein, C. P. A. T.
Wolkers, L. See Knotek, O.
Woll, C. See Ajji, Z.
Wolna, M. See Pajewski, W.
Wolny, W. See Millar, C. E.
Wolowiec, R. See Mitura, E.; Olborska, A.
Wolter, F. See Emmerichs, U.
Wolter, Herbert; Storch, Werner; Ott, Heidrun
New inorganic/organic copolymers (ORMOCERs) for dental applications.—74-09792A
Wolter, S. D. See Stoner, B. R.
Wolter, S. D.; Stoner, B. R.; Glass, J. T.
Effect of substrate material on bias-enhanced diamond nucleation.—74-07278A
Woltersdorf, Jorg See Krell, Andreas
Woltersdorf, Jorg; Pippel, Eckhard
Ceramic materials: microstructural and interface analysis as the prerequisite for optimization of microstructures. III, The microstructure of Al_2O_3 ceramics containing ZrO_2.—74-07600A; IV, The microstructure of Al_2O_3 ceramics containing TiC.—74-07601A
Won, C. W. See Kang, B. S.
Won, Dong-Yeon See Kim, Chan-Joong
Won, Jong-Won; Park, Yong-Wan
$^4I_{13/2}$-$^4I_{15/2}$ radiative transitions of Er^{3+} in CaO-Al_2O_3 glasses.—74-08402A; Effect of SiO_2 on the properties of CaO-Al_2O_3 glasses.—74-08369A
Won, Tae-Kyung; Yoon, Soon-Gil; Kim, Ho-Gi
Compositional analysis and capacitance-voltage properties of TiO_2 films by low-pressure metallorganic chemical vapor deposition.—74-02825A
Wong, A. T. C.; Czernuszka, J. T.
Constant-composition study of the precipitation behavior of calcium phosphate in the presence of noncollagenous biochemicals.—74-10236A
Wong, A. See Ma, Q. Y.
Wong, Boon
Fabrication of reliable ceramic preforms for metal matrix composite production.—74-04052P
Wong, G. K. See Chen, J.
Wong, H. See Yang, B.-L.
Wong, J. See Chaiken, A.
Wong, Joe; Tanaka, T.; Via, G. H.
New opportunities in XAFS investigation in the 1-2 keV region.—74-08967A
Wong, Lana L.; Bradt, Richard C.
Lime refractories with limestone and synthetic calcium hydroxide additions.—74-05864A
Wong, Ming-Show See Li, Dong
Wong, P. Z.
Flow in porous media—permeability and displacement patterns.—74-07316A
Wong, Phillip W.; Mackenzie, John D.
Detection of hexavalent chromium by organically doped sol-gels.—74-09450A
Wong, S.-P. See Chan, K. K.; Ma, C.-S.
Wong, S.-P.; Peng, Shao-Qi; Ke, Ning; Li, P.
Effects of fluorine implantation into a-C:H thin films.—74-10084A
Wong, T. K. S. See Hsu, C.-C.
Wong, T. Y. See Bernstein, S. D.
Wong, Vincent; Choi, Woo-Young; Chung, Y.
Ridge-waveguide sidewall-grating distributed feedback structures fabricated by X-ray lithography.—74-00700A
Wong, Wen-Jian See Tang, Ying
Woo, Hyun-Jung; Choi, Doo-Jin; Yang, Doo-Young
Thermal oxidation behavior and electrical characteristics of silicon depending on the crystal orientation.—74-10042A
Woo, Sang-Kuk See Han, In-Sub
Woo, Seong-Ihl See Lee, Won-Gyu; Nam, Chul-Woo

Wood, Colin E. See Srinivas, Vivek
Wood, J. V. See Parker, T. L.; Saidi, A.
Wood, R. M. See Sussmann, R. S.
Wood, Russell K.
Analyzing sanitary ware tunnel kiln operations with traveling thermocouples.—74-08658A; Using ASTM standards as the basis for whiteware process control procedures.—74-08711A
Wood, W. P. See Erickson, Dwight D.
Woodbine, Barry
Dust-free clinker handling.—74-00917A
Woodford, D. A.; Van Steel, D. R.; Brehm, J. A.
Testing the tensile properties of ceramic matrix composites.—74-01592A
Woodford, William H.; McKechnie, Timothy N.; Sander, Lewis D.
Rugged preheaters for vacuum plasma spraying.—74-06722A
Woodhead, J. See David, J. P. R.
Woodilla, D. J. See Bar-On, I.
Woodruff, David W. See Anthony, Thomas R.; Kosky, Philip G.
Woods, G. S. See Collins, A. T.; Sangster, M. J. L.
Woods, L. M.; Silvestre, P.; Thiagarajan, P.; Patrizi, G. A.; Robinson, G. Y.; Jones, K. M.
Photoluminescence and interface abruptness in InGaAsP/InGaAsP quantum wells.—74-06257A
Woods, Mark A. See Mitchell, James T.
Woodthorpe, John
Industrial applications for reaction-bonded silicon carbide.—74-09875A
Woodward, Ted K.; Lentine, A. L.; Chirovsky, Leo M. F.
Experimental sensitivity studies of diode-clamped FET-SEED smart-pixel optical receivers.—74-08902A
Woody, Craig See Weber, Marvin J.
Wooh, Shi-Chang See Luo, Jyi-Jim
Woolf, D. A. See Cairns, J. W.; Clark, S. A.
Woolfrey, Jim L. See Anast, Maree
Woollam, John A.; McGahan, W. A.; Johs, B.
Spectroscopic ellipsometry studies of indium tin oxide and other flat panel display multilayer materials.—74-05250A
Woollam, John A.; Synowicki, R. A.; Hale, Jeffrey S.; Ianno, N. J.; Spady, Blaine L.; Moore, A. W.
Degradation of thin films—comparison between low earth orbit experiments and laboratory simulations of the space environment.—74-03793A
Wootton, C.
Cost-effective air compressor maintenance.—74-06690A
Wormer, O. See Ache, H. J.
Worrell, C. A. See Reece, M. J.
Worrell, Wayne L. See Fergus, Jeffrey W.; Swider, Karen E.
Wort, C. J. H. See Collins, A. T.; Sussmann, R. S.; Valentine, T. J.
Wort, C. J. H.; Sweeney, C. G.; Cooper, M. A.; Scarsbrook, G. A.; Sussmann, R. S.
Thermal properties of bulk polycrystalline CVD diamond.—74-07192A
Worthem, Dennis W.
Improved flat specimens for tensile and fatigue testing of composites.—74-07889A
Wortman, J. J. See Ashburn, S. P.; Lucovsky, G.; Spanos, L.
Worzala, F. J. See Kadyrov, V. H.; Wang, Y.
Wotting, Gerhard; Frassek, Lutz; Leimer, Gerhard
Application-oriented development of high-performance Si_3N_4 materials and components.—74-10199A; Sintered material based on Si_3N_4 and processes for its production.—74-04091P
Wotting, Gerhard; Knoch, Martin; Kramer, Klaus
Process for production of silicon nitride material.—74-09954P
Wowchak, A. See Bobel, F. G.
Woydt, M. See Skopp, A.
Woynarski, Mariusz See Serkowski, Stanislaw
Wray, G. See Ellison, D.
Wright, Adrian C. See Hannon, Alex C.
Wright, Adrian C.; Bachra, Bilber; Brunier, Thierry M.; Sinclair, Roger N.; Glassen, Lynn F.; Portsmouth, Robert L.
Neutron diffraction and MAS-NMR study of the structure of fast neutron-irradiated vitreous silica.—74-02475A
Wright, Gary L. See Yasrebi, Mehrdad
Wright, Jeffrey F. See Harris, Robert B.; Stalder, James D.
Wright, John S.; Francis, L. F.
Sol-gel processing and structure development of lead titanate particles.—74-10639A
Wright, John S.; Schwartz, Joseph M.; Schmidt, Lanny D.; Francis, L. F.
Fugitive diffusion barrier for integration of sol-gel-derived lead titanate with oxidized silicon substrates.—74-09144A
Wright, N. G. See Neimes, R. J.
Wright, Robert J. See Dalzell, William J., Jr.; Spence, Jarrett L.
Wroblewska, Lucyna See Karauda, Wanda
Wroe, F. C. R.
Microwave-assisted firing of ceramics.—74-10473A; Transferring microwave-assisted technology to the ceramic industry.—74-09509A
Wruck, D. A.; Rubin, M.
Structure and electronic properties of electrochromic films.—74-01583A
Wruss, Werner See Horhager, S.; Mevec, Gernot
Wu, A. Y. See Greegor, R. B.
Wu, Bai-Mei See Fang, Jia-Guang
Wu, Bing-Qing; Wang, Jian-Bo; Chai, Wei-Ping
Preparation of BiPbSrCaCuO superconductors with high 2223 phase content by pressing method.—74-09324A
Wu, Bo-Chang See Huang, Yi-Chuan
Wu, C. C. See Liliental-Weber, Z.
Wu, C. L. See Leigh, S. H.; Shieh, H. M.
Wu, Chen-Chen G. See Wu, Long
Wu, Cun-Kai See Zhao, Yang
Wu, Fei-Qin
Application of konilite to strengthening porcelain.—74-00420A
Wu, Feng See Li, Ning-Fang
Wu, Guang-Zhong See Huang, Zhi-Guang
Wu, Han-Yan; Wang, Yong-Yu; Lu, Xiang-Jun
Grinding medium for ceramic production.—74-06703A
Wu, Hong See Zhang, Hong
Wu, Hong; Zeng, Fei; Zhang, Hong
Effect of Na doping on properties of YBCO superconductors.—74-09256A
Wu, Hua-Dong; Jin, Yuan-Sheng; Nicoll, A. R.; Barbezat, G.
Friction and wear of a plasma-sprayed Al_2O_3-40% ZrO_2 cast iron system.—74-04651A
Wu, J. See Clement, T. S.
Wu, J.-D. See Su, Y.-L.
Wu, J.; Jones, F. R.; James, Peter F.
Mullite matrix continuous fiber-reinforced composites by sol-gel processing.—74-10484A
Wu, Jenn-Ming See Yang, Seng-Lu
Wu, Jenn-Ming; Lai, C.-H.
Influence of a PbO compensation atmosphere and surface layers on the electrical properties of (Pb, Nb)-doped TiO_2 varistors.—74-06150A
Wu, Ji-Huai See Lin, Bi-Zhou
Wu, Jia-Gao; Yao, Xi-Xian
Self-field effect of J_c for anisotropic samples of high-T_c superconductor (HTSC).—74-09336A
Wu, Jie-Liang
Technical measures for decreasing temperature difference between upper and lower preheating zones in tunnel kiln.—74-06875A
Wu, Jih-Jen See Hong, Franklin Chau-Nan
Wu, Jin-Hua See Lu, Jian
Wu, K. J. See Kurz, E.A.
Wu, Long See Liou, Yi-Cheng
Wu, Long; Wu, Chen-Chen G.; Chang, Yi-Ben
Electrical behavior of ZrO_2-MgO-Y_2O_3 solid electrolyte.—74-05932A
Wu, Lung-Ming See Friske, Mark S.
Wu, M. C. See Tsang, W. T.
Wu, M. C.; Chiu, C. M.; Tu, Y. K.
Growth and photoluminescence study of low-concentration InP layers grown by liquid phase epitaxy in the presence of erbium.—74-00628A
Wu, M. L. See Hong, M.
Wu, Ma-Shine; Fang, Tsang-Tse
Formation mechanism of MoO_3-doped $YSr_2Cu_3O_y$ using the citrate process.—74-03466A
Wu, Nan-Jian See Hashizume, Tamotsu
Wu, P. K. See Cook, M. J.
Wu, Pei-Heng See Feng, Yi-Jun
Wu, Ping-Jia; Chen, Zhi-Qiang
Development of glazed stoneware wall and floor tile by once low-temperature fast sintering.—74-08526A
Wu, Qi-Hong; Hodgkinson, Ian J.
Anisotropic effects in glass substrates heated in vacuum.—74-00241A
Wu, Qing-Chong See Hu, Hai-Tian
Wu, Quan-Zhong See Zhang, Wen-Jun
Wu, Ren-Jie See Si, Wei-Min
Wu, S. L. See Carns, T. K.
Wu, Sheng See Wang, Li-Jun
Wu, Sheng-Feng See Tsai, Ming-Jinn
Wu, Shy-Hsien
Formable ceramic compositions and method of use therefor.—74-01254P
Wu, Tai-Bor; Shyu, Ming-Jyh; Chung, Chia-Chi; Lee, Hsin-Yi
Phase transition and ferroelectric characteristics of $Pb[(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x]O_3$ ceramics modified with $La(Mg_{2/3}Nb_{1/3})O_3$.—74-06428A
Wu, Tie See Wang, Xiao-Guang
Wu, Tsung-Ming See Wei, J. Wen-Cheng
Wu, Wei-Dong See Wang, Jue
Wu, Wen-Fa; Chiou, Bi-Shiou
Properties of radio-frequency magnetron sputtered ITO films without in situ substrate heating and post-deposition annealing.—74-04402A
Wu, X. C.; Wei, W. S.; Shi, T. S.
Mirror-translatinal (011) twin boundary in modulated $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-00825A
Wu, X. D.; Luo, L.; Muenchausen, R.; Foltyn, S. R.; Dye, R. C.; Nogar, N. S.
New buffer materials for high-T_c superconducting thin films.—74-03536A
Wu, X. L. Kevin; McAnany, William J.
Acrylic binder for green machining.—74-06675A
Wu, Xian-Liang See Whitman, David W.
Wu, Xian-Liang
Process for preparing ceramic products.—74-09537P
Wu, Xiao-Ping; Zhu, Zhu-Hua
Electrooptic measurement and simulation of electric field distribution in GaAs/AlGaAs light emission diode (LED) array.—74-08893A; Phenomenon of filament luminescence for broad contact diode laser (LD) and LD array.—74-06252A
Wu, Xin See Holmes, John W.
Wu, Xin-Di See Arendt, Paul
Wu, Xing-Long; Zhang, Ming-Sheng; Feng, Duan
Raman spectroscopic anomaly of Nd-doped lithium tantalate at backscattering geometries.—74-10870A
Wu, Xu See Ozen, G.
Wu, Xue-Quan See Shen, Xiao-Dong; Zhou, Huan-Hai
Wu, Xue-Zhen; Zhang, Ye; Guo, Li-Zhong
Development of Al_2O_3-C brick for blast furnaces.—74-02709A
Wu, Y. C.; Chen, E.; Lavernia, E. J.
Microstructure and aging response of sprayed-deposited Al-Li/TiCp.—74-08239A
Wu, Y. H. See Hsu, R. T.
Wu, Y. L. See Shen, T. D.
Wu, Y.; Montgomery, J. H.; Refsum, A.; Mitchell, S. J. N.; Armstrong, B. M.; Gamble, H. S.
Large-area shower implanter for thin-film transistors.—74-03081A
Wu, Yi-Hong
Structure-dependent threshold current density for CdZnSe-based II-VI semiconductor lasers.—74-06334A
Wu, You-Lin; Hwu, Jenn-Gwo
Characterization of metal-oxide-semiconductor capacitors with improved gate oxides prepared by repeated rapid thermal annealings in N_2O.—74-02823A
Wu, Yue; Ellis, D. E.; Mason, Thomas O.
Cluster models for point defect structure in $La_2CuO_{4+\delta}$.—74-10781A
Wu, Zeng-Qing
Analysis of typical defects in once-fast-fired ceramic wall and floor tile.—74-08500A
Wu, Zhan; Bao, Xiao-Qi; Varadan, V. K.
Lightweight robot using piezoelectric motor, sensor, and actuator.—74-06418A
Wuensch, B. J. See Haile, S. M.
Wulff, G.
Kiln [rotary] shell temperature and indispensable measured variable.—74-06859A
Wulfhorst, B. See Gries, Thomas
Wunderlich, R. See Hamerich, A.
Wurschum, R.; Soyez, G.; Schaefer, H.-E.
Phase transformation and interface structure of nanocrystalline ZrO_2.—74-01436A
Wurzinger, P. See Griesser, M.; Joksch, M.
Wusirika, Raja R. See Beauseigneur, Patricia A.
Wuttig, M. See Jacobs, J. P.
Wuttiphan, Sataporn See Padture, Nitin P.
Wynn, A. M.
Testing of castable refractories for resistance to molten aluminum alloys.—74-08638A
Wynn, J. D. See Hong, M.
Wypyski, M. T. See Verita, M.
Wzorek, Zbigniew See Ostrowski, Czeslaw
Xanthopoulos, Nicolaos See Gauzzi, Andrea
Xavier, P.; Fournier, T.; Chaussy, J.
Nonperturbative ion etching of YBaCuO thin films.—74-03543A
Xeller, H.
How to measure and process environmentally relevant data.—74-11165A
Xi, X.-X. See Jiang, Wu; Mao, S.-N.
Xi, Yao-Zhong
Autoclave reaction products at 300°C in system K_2O-SiO_2-H_2O.—74-09971A
Xia, Fei See Yu, Jia-Qing
Xia, Hai-Ping See Zhu, Cong-Shan
Xia, Hua; Carlotti, G.; Socino, G.
Rayleigh acoustic mode in a-Si:H/a-SiN_x:H superlattices.—74-04407A
Xia, Jing-Sheng
Production of slag cement from coal spoil.—74-05574A; Study on manufacture of masonry cement from calcium-adding fly ash.—74-05599A
Xia, Li-Fang; Wang, Riz-Hi; Ma, Xin-Xin; Sun, Yue
Structure and wear behavior of nitrogen-implanted aluminum alloys.—74-04432A
Xia, Mong-Hua See Mei, Ting
Xia, Yuan-An See Lin, Hui-Shan
Xia, Z. C.; Carr, R. R.; Hutchinson, John W.
Transverse cracking in fiber-reinforced brittle matrix, cross-ply laminates.—74-02213A
Xia, Z. See Meassick, S.
Xian, H.; Benalloul, P.; Barthou, C.; Benoit, J.
Quantitative analyses and crystallographic studies of ZnS:Mn thin films prepared by rf magnetron reactive sputtering.—74-07106A
Xiang, Wang-Hua; Dai, Jian-Ming; Xing, Qi-Rong
Self-mode-locked Ti:sapphire with low pump power.—74-01570A
Xiang, Yu. N.; Shevchenko, O. G.; Nalbat, Yu. S.
Nonlinear low-temperature conductivity of the junction $Bi_2Sr_2CaCu_2O_x$/Ag.—74-06598A
Xiao, C. M. See Zhang, Yue
Xiao, C.-Z.; Lian, H.-Z.; Liu, X.-L.
Analysis of microstructure of hardened cement paste by finite element method.—74-02306A
Xiao, Han-Ling See Huang, Qi-Zhong
Xiao, Han-Ning See Du, Wei-Fang
Xiao, Han-Ning; Zhang, Song-Ming; Li, Ying-Jun
Application of silica sol to porcelain glazes.—74-02804A
Xiao, Qiu-Guo See Liu, Xiao-Bo
Xiao, Rong-Fu See Hiraoka, Hiroyuki
Xiao, Shu-Yong; Meng, Zhong-Yue
X-ray photoelectron spectroscopy characterization of the reduction and oxidation behavior of Ni-containing HZSM-5 zeolites.—74-07010A
Xiao, Tongsan D. See Gonsalves, Kenneth E.
Xiao, You-Ming See Shen, Lu
Xiao, You-Ming; Tan, Benj J.; Suib, Steven L.; Galasso, Francis S.
Metal nitride powders.—74-09926P
Xiao, Z. See Knight, R.
Xiao, Ze-Qiang See Chen, Kang-Hua
Xiaong, W. See Sobolewski, R.
Xie, C.; Zhang, L.; Mo, C.
Study on internal friction and modulus in nanostructured alumina.—74-03239A
Xie, Chang-De See Li, Rui-Ning
Xie, Dun-Xian D.; Young, Donald R.
Characteristics of slow and fast interface states in fluorinated metal oxide semiconductor devices.—74-00578A
Xie, E. See Zhang, F.
Xie, Hui See Zhuang, Rui-Fang
Xie, Jian-Jun See Sun, Qiang

Xie, K.; Wie, C. R.; Varriano, J. A.
Improvement of GaAs/AlGaAs quantum well laser diodes by rapid thermal annealing.—74-01522A
Xie, Ping See Fu, Yan; Gu, Ping; Shen, Yang
Xie, Ping; Beaudoin, James J.
Mechanism of sulfate expansion: II, Validation of thermodynamic theory.—74-05551A
Xie, Ping; Dai, Jian-Hua; Wang, Peng-Ye
Two-dimensional theory and propagation of beam fanning in photorefractive crystals.—74-10176A
Xie, Ping; Fu, Yan; Gu, Ping
Simple method for determination of the aggregate content in hardened concrete.—74-09615A; Ac impedance phenomena in hydrating cement systems—origin of the high-frequency arc.—74-05460A; Ac impedance phenomena in hydrating cement systems: detectability of the high-frequency arc.—74-02303A
Xie, Q. See Chen, P.
Xie, Si-Shen See Ji, Yang-Yang; Li, Nan
Xie, Yi-Fen See Yang, Xin
Xie, Yi-Yuan; Yuan, Feng-Chi; Cheng, Bin-Ji
Continuous preparation of YBCO/Ag superconducting tape by new MOCVD reactor.—74-06502A
Xin, Hou-Wen; Zhang, Hong-Guang
Renormalization group and fractual study of the relationship between oxygen content and superconducting transition temperature in $YBa_2Cu_3O_{7-\delta}$.—74-03568A
Xin, S. H. See Luo, H.
Xin, S. See Short, S. W.
Xin, Y. See Zhang, Heng-Bin
Xing, G. C.; Ozturk, M. C.
Formation of self-aligned $TiSi_2$ contacts to Si at low temperatures using $TiCl_4$ and SiH_4 with selective in situ predeposition of Si_xGe_{1-x}.—74-00622A
Xing, Qi-Rong See Xiang, Wang-Hua
Xing, S. B. See Wang, E.
Xing, S. B.; Fu, S. S.; Buechele, A. C.; Djordjevic, Z. B.; Pegg, I. L.
Nonlinear effect of glass composition on glass dissolution in both fluorosilicate and borosilicate waste glasses.—74-08341A
Xing, S. B.; Fu, S. S.; Pegg, I. L.
Durability of a fluoride-containing low-level mixed waste glass—effect of pH.—74-08329A
Xing, Wei-Hong; Wei, Luo-Jian
Research on ceramic wall and floor tiles of fly ash and their sintering mechanism.—74-05827A
Xiong, G.-C. See Zhu, Xing
Xiong, Guang-Cheng See Lian, Gui-Jun; Liu, Sang-Tian
Xiong, Guo-Hong See Wang, Min-Quan
Xiong, Ji-Wu See Che, Guang-Can
Xiong, Ke
Once-fired colored luster wall and floor tile production.—74-05899A
Xiong, Yun; Lyons, Shirley W.; Kodas, Toivo T.; Pratsinis, Sotiris E.
Volatile metal oxide evaporation during aerosol decomposition.—74-10718A
Xiong, Yun; Pratsinis, Sotiris E.; Weimer, Alan W.
Modeling the formation of boron carbide particles in an aerosol flow reactor.—74-07392A
Xu, An-Xi See Mei, Ting
Xu, C. See Roger, C.
Xu, Chao-Nan See Miyazaki, Kazuhide
Xu, Chao-Nan; Miyazaki, Kazuhide
Humidity sensing characteristic of the EMD derivatives.—74-00633A
Xu, Cheng-Huang See Lin, Bi-Zhou
Xu, Chong-Quan See Zhang, Hong-Xi
Xu, Cun-Yi See Zuo, Jian
Xu, Guan-Lu; Yao, Guo-Xing; Lin, Ye
Technical factors of copper aventurine glass.—74-08465A
Xu, Guang-Zhi See Wang, Da-Wen
Xu, H. W.; Kamegashira, N.
Estimation of Debye temperature and compressibility from ultrasonic pulse measurements in $ScMnO_3$.—74-06767A
Xu, Hao; Shen, Hong-Yuan
Expressions of thermal refractive index coefficient for $LiNbO_3$ crystal heavily doped with magnesium.—74-03304A
Xu, Hockin H. K. See Padture, Nitin P.
Xu, Hockin H. K.; Braun, Linda M.; Ostertag, Claudia P.; Krause, Ralph F., Jr.; Lloyd, Isabel K.
Failure modes of SiC fiber/Si_3N_4 matrix composites at elevated temperatures.—74-05351A
Xu, Hockin H. K.; Jahanmir, Said; Wang, Yu-Shu
Effect of grain size on scratch interactions and material removal in alumina.—74-05341A
Xu, Hockin H. K.; Jahanmir, Said
Effect of microstructure on abrasive machining of advanced ceramics.—74-10287A; Scratching and grinding of a machinable glass-ceramic with weak interfaces and rising *T*-curve.—74-05388A
Xu, Hockin H. K.; Ostertag, Claudia P.; Fuller, Edwin R., Jr.; Braun, Linda M.; Lloyd, Isabel K.
Fracture resistance of SiC-fiber-reinforced Si_3N_4 composites at ambient and elevated temperatures.—74-05356A
Xu, Hockin H. K.; Ostertag, Claudia P.; Krause, Ralph F., Jr.
Effect of temperature on toughness curves in alumina.—74-02128A
Xu, Hockin H. K.; Padture, Nitin P.; Jahanmir, Said
Effect of microstructure on material removal mechanisms and damage tolerance in abrasive machining of silicon carbide.—74-10793A
Xu, J.-B. See Hsu, C.-C.
Xu, J.-F. See Li, Q.
Xu, J.; Sun, X. K.; He, A. Q.
Stability in air of ultrafine particles of chromium.—74-02092A
Xu, Jian-Hua; Zhang, Wei-Zai; Liu, Zhi-Wu
Generation and compression of 1.3 μm ultrashort pulses from DFB diode laser.—74-03029A
Xu, Jian-Hua
Development of Yijun glaze without kiln sweat and its formation mechanism.—74-01143A
Xu, Jian
Elastic properties of high-T_c superconductors: elastic systematics in $YBa_2Cu_3O_{7-x}$/Ag composites.—74-06531A
Xu, Jie; Shen, Ai-Guo; Qiu, Tai
Effects of heat treatment to boundary phases of AlN ceramics.—74-04137A
Xu, P. C.; Stranart, J. C. E.; Meguid, S. A.
Nondestructive testing of coating using ultrasonic leaky Rayleigh waves.—74-09593A
Xu, Qing; Chen, Wen; Zhou, Hui
Glass-ceramics marble with diopside as crystallization phase.—74-02632A
Xu, Qun-Yin See Anderson, Marc A.
Xu, Ren See Chour, Kueir-Weei
Xu, Shi-Xiang See Zhang, Guo-Xuan
Xu, Shi; Evans, B. L.; Flynn, David L.; En, Cao
Island growth of ion beam sputtered metal films [studied] by digital image processing.—74-02004A
Xu, Shu-Hui; He, Guo-Ping; Huang, Wen-Hai
New Bioglass ceramic for dental crown and veneer.—74-08445A
Xu, Shu; Korb, J.-P.; Jonas, J.
Dynamics of liquids in confined geometries.—74-08330A
Xu, Tian-Bin See Wang, Ke-Ming
Xu, W.; Zukotynski, S.
Failure of Al-SiO-Si metal oxide semiconductor capacitors at high temperatures.—74-00492A
Xu, Wei-Wei See Jin, Biao-Bin; Wang, H.-B.
Xu, Wen-Yuan See Chen, Zhong
Xu, X. Z.; Tebbji, H.; Mairet, V.
Growth mechanism of $Bi_2Sr_2CuO_6$ films deposited on sequentially imposed layer.—74-09278A
Xu, X.-L. See Lucovsky, G.
Xu, Xiao-Jun See Cao, Xiao-Wen
Xu, Xiao-Jun; Fang, Jun; Cao, Xiao-Wen
Angular dependence of J_c for epitaxial $YBa_2Cu_{3}O_{7-\delta}$ thin films.—74-09234A; J_c and pinning mechanism of epitaxial $YBa_2Cu_3O_{7-\delta}$.—74-09231A
Xu, Xiao-Qing See Li, Hui-Ping
Xu, Xue-Ping See Vesecky, Scott M.
Xu, Xue-Ping; Bojkov, Hristo; Goodman, D. Wayne
Electrochemical study of ultrathin silica films supported on a platinum substrate.—74-02838A
Xu, Xue-Ying; Li, Jun-Suo; Liang, Jia-Kang
Development and application of magnesia-alumina (MA) spinel brick for large dry-method cement kiln.—74-06847A
Xu, Ye-Hua See Wang, Min-Quan
Xu, You-Ren See Huang, Chao M.; Zangvil, Avigdor
Xu, You-Ren; Zangvil, Avigdor
Formation of β-SiAlON as an intermediate oxidation product of SiC-AlN ceramics.—74-10359A
Xu, You-Wu See Chiang, Joseph F.
Xu, Yu-Hang See Zhang, Hong-Xi
Xu, Yu-Heng See Zhang, Jing-Jiang
Xu, Yu-Huan See Lou, Yu-Dan
Xu, Z. R. See Chawla, K. K.
Xu, Zheng-Kui See Dai, Xun-Hu
Xu, Zheng-Kui See Desai, Priyadarshi G.; Tani, Toshihiko; Viehland, Dwight
Xu, Zheng-Kui; Dai, Xun-Hu; Viehland, Dwight; Payne, David A.; Li, Zhuang; Jiang, Yen-Dao
Ferroelectric domains and incommensuration in the intermediate phase region of lead zirconate.—74-06410A
Xu, Zhong-Zi See Shen, Yang; Zhou, Huan-Hai
Xuan, Zhen-Wu; Yang, Pei-Chun; Pu, Xin; Liu, E.; Qi, L.; Sun, J.
Plasma diagnosis in dc-biased hot-filament-assisted chemical vapor deposition by double-probe method.—74-10524A
Xue, B. See Schilling, A.
Xue, Guang-Zhi; Shao, Cheng-Dong
Development of vitreous tile with permeated flowers.—74-08530A
Xue, Q. See Coleman, R. V.
Xue, Qiang See Zhou, Fu-Zheng
Xue, Qun-Ji See Wei, Jian-Jun
Xue, S.; Ousi-Benomar, W.; Lessard, R. A.
α-Fe_2O_3 thin films prepared by metallorganic deposition (MOD) from Fe(III) 2-ethylhexanoate.—74-07197A
Xue, Shao-Ling; Yang, Xiang-Chun; Zhu, Xiao-Lei
Mode-locking of Nd-$YAlO_3$ (YAP) laser at 1.08 μm wavelength with single KTiOPO (KTP) crystal.—74-03111A
Xue, Z. See Liu, N.
Yabe, Hideki See Trube, Jutta
Yablonski, G. P.; Rakovich, Yu. P.; Gladyshchuk, A. A.
Self-inversion of emission lines of free excitons in CdS single crystals.—74-06306A
Yabushita, Satoshi See Itoh, Shinichi
Yacobi, B. G.; Lebens, J.; Vahala, K. J.; Badzian, Andrzej; Badzian, Teresa
Preferential incorporation of defects in monocrystalline diamond films.—74-01954A
Yadav, K. L.; Choudhary, R. N. P.
Structural and electrical properties of PZT (La, K) ceramics.—74-00765A; Structural and electrical properties of PZT (La, Na) ceramics.—74-05958A
Yadava, R. D. S.; Gupta, A. K.; Warrier, A. V. R.
Hole scattering mechanisms in $Hg_{1-x}Cd_xTe$.—74-06138A
Yadava, R. D. S.; Sundersheshu, B. S.; Anandan, M.; Bagai, R. K.; Borle, W. N.
Precipitation of CdTe crystals studied through Mie scattering.—74-06271A
Yadava, R. D. S.
Expression for intrinsic carrier concentration in $Hg_{1-x}Cd_xTe$.—74-08905A
Yadava, Yogendra P. See Koshy, Jacob
Yadavalli, S. See Flynn, C. P.; Li, D. X.
Yafyasov, A. M.
Electrical properties of PbTe and (PbSn)Te surfaces.—74-06072A
Yagi, Akira; Miyamoto, Hirofumi
Scanning probe microscope.—74-01132P
Yagi, T. See Yahagi, Y.
Yago, Takehiko See Yusa, Hitoshi
Yaguchi, Hiroyuki See Zhang, Xiong
Yaguchi, Nariyasu See Oohara, Yasuakai
Yahagi, Y.; Yagi, T.; Yamawaki, H.
Ir absorption spectra of the high-pressure phases of cristobalite and their coordination numbers of Si atoms.—74-04156A
Yahata, Hideo See Oshio, Kenichi
Yahikozawa, K. See Kameyama, K.
Yahnke, Mark S.; Shlomo, Golan; Anderson, Marc A.
Battery utilizing ceramic membranes.—74-00540P
Yajima, T. See Iwahara, H.
Yakabe, H. See Kume, A.
Yakhontov, N. P. See Deryabin, V. A.
Yakinci, M. E.; Holland, D.
Superconductor BSCCO thick films and chemical interaction with the polycrystalline substrates.—74-03598A
Yakobchuk, L. M. See Antonov, G. I.
Yakobson, M. Ye. See Sheynin, A. V.
Yakovkin, V. N.
Strength of corundum ceramic under cyclic loading.—74-05391A
Yakovlev, V. A. See Li, M.
Yakovleva, L. M. See Mytsyk, B. G.
Yakubovich, O. V.; Mel'nikov, O. K.
Hydrothermal synthesis and crystal structure of $Cu_{2.5}Mn[PO_4]_2(OH)$.—74-04149A; Libethenite $Cu_2[PO_4](OH)$—synthesis, refinement of crystal structure, comparative crystal chemistry.—74-04159A
Yakubovich, O. V.
Crystal structure of $(NH_4)Fe[HPO_4]_2$.—74-07055A
Yakusheva, N. A. See Samoilov, V. A.
Yakushiji, Makoto See Nakajima, Kunio
Yaluris, G. See Chu, L.
Yam, Benny S.; Winston, Anthony E.
Blast media containing MGO.—74-00005P
Yamada, A. See Alonso, J. C.
Yamada, Atsuo; Tamada, Hitoshi; Saitoh, Masaki
LiNbO3 thin film optical waveguide device and process for producing the same.—74-00768P
Yamada, Atsushi; Chiang, Yet-Ming
Nature of cation vacancies formed to compensate donors during oxidation of barium titanate.—74-05036A
Yamada, Chikashi; Kimura, Takahiro
Simple pulsed-plasma-beam gun for ultrahigh vacuum applications.—74-06814A
Yamada, Eiji See Sato, Hirotoshi
Yamada, Masamichi See Ide, Yuichi
Yamada, Michio See Iida, Masaru
Yamada, Noboru See Ono, Yasuhiro
Yamada, S. See Hirata, Y.
Yamada, Taro See Seki, H.
Yamada, Tetsuo
Synthesis and characterization of sinterable silicon nitride powder.—74-01305A
Yamada, Tomoaki See Kinoshita, Kyoichi
Yamada, Yasusada See Ikeda, Susumu
Yamaga, M.; Yosida, T.; Hara, S.
Optical and electron spin resonance spectroscopy of Ti^{3+} and Ti^{4+} in Al_2O_3.—74-04380A
Yamagata, Hiroshi See Masumoto, Tsuyoshi
Yamagishi, Akio See Hori, Hidenobu
Yamagishi, Hirotoshi See Fusegawa, Izumi
Yamaguchi, A. See Kawarada, H.
Yamaguchi, Akira See Hashimoto, Shinobu
Yamaguchi, Akira; Shibata, Masahiro; Hashinaga, Tatsuya
Transmission electron microscopy specimen preparation technique using focused ion beam fabrication: application to GaAs metal-semiconductor field effect transistors.—74-01122A
Yamaguchi, Akira
Carbon composite refractories.—74-08611A
Yamaguchi, F. See Murakami, Y.
Yamaguchi, Hirotaka; Ito, Tohimitsu; Oka, Kunihiko
Pressure-induced amorphization of Cu GeO_3.—74-02036A
Yamaguchi, Ichiro See Dai, Yi-Sheng
Yamaguchi, K. See Amalnaerkar, D. P.
Yamaguchi, Katsuhiko See Goto, Naoyuki
Yamaguchi, Katsumi; Mizutani, Katsumi
Estimation of maximum depth of crack extension under finished surface in grinding of ceramics.—74-02134A
Yamaguchi, Koji See Murakami, Masato
Yamaguchi, Masaaki; Morigaki, Kazuo
Optical properties of amorphous microcrystalline mixed-phase Si:H films.—74-01552A
Yamaguchi, Osamu See Aoyama, Tatsuji; Hirano, Shingo; Kawabata, Akio
Yamaguchi, R. See Homma, Tetsuya
Yamaguchi, Takao See Taniguchi, Ryozoro
Yamaguchi, Takashi See Nakano, Takashi; Yata, Kunio
Yamaguchi, Takashi; Nakamura, Yuko
Sol-gel processing and conduction mechanism of RuO_2-glass thick-film resistors.—74-02862A
Yamaguchi, Takashi
Abnormal grain growth—enigma of the formation of giant crystal grains.—74-10181A
Yamaguchi, Yohichi See Arakawa, T.; Nagasawa, Hiroyuki
Yamaguchi, Yuzo
Method of making metal-matrix composites and ceramic-matrix composites by Lanxide process.—74-10454A
Yamaishi, K. See Mutoh, Y.
Yamaji, Akihiko; Ishii, Takao; Kanzaki, Masami
Phase relations and conductivity in ZrO_2-Se_2O_3-La_2O_3 system.—74-08764A
Yamaji, Kunihiko; Harigaya, Kikuo; Yanagisawa, Takashi; Shimoi, Yukihiro
Superconducting phase diagram of the two-band model investigated by the exact-diagonalization method.—74-07127A

Yamakawa, Akira See Awazu, Tomoyuki; Matsui, Jin-Joo; Matsunuma, Kenji; Nakahata, Seiji; Nishioka, Takao; Sogabe, Kouichi; Tsuzuki, Yasushi

Yamakawa, Akira; Ogasa, Nobuo
Forming a metallized layer on an AlN substrate by applying and heating a paste of a metal composed of W and Mo.—74-02417P

Yamakawa, Akira; Sogabe, Kouichi
Composite ceramic powder and production process thereof.—74-02414P; Silicon nitride sintered body.—74-09961P

Yamakawa, Seishiro See Komori, Kiyotaka

Yamaki, J. See Hirai, T.

Yamamoto, Aishi; Mishina, Tomobumi; Masumoto, Yasuaki
Coherent oscillation of zone-folded phonon modes in GaAs-AlAs superlattices.—74-06005A

Yamamoto, Akinori; Honmyo, Torayuki; Kiyama, Masao; Shinjo, Teruya
Surface magnetism of α-FeO(OH) and ß-FeO(OH) by Mossbauer spectroscopy.—74-03405A

Yamamoto, D. See Pong, W.

Yamamoto, Hideki; Yoshii, Kenji; Saiki, Koichiro
Improved heteroepitaxial growth of layered $NbSe_2$ on GaAs(111)B.—74-01760A

Yamamoto, Kazuhide See Shimada, Shiro

Yamamoto, Kazuhiko See Yano, Mitsuaki

Yamamoto, Kazuhisa See Mizuuchi, Kiminori

Yamamoto, Kazunuki See Takada, Toshio

Yamamoto, Kazuo See Ando, Toshihiro

Yamamoto, Kenichi; Hasegawa, Masaki
Synchrotron radiation X-ray photoelectron spectroscopy study of hydrogen-terminated Si surfaces and their oxidation mechanism.—74-07773A

Yamamoto, Kenji See Sato, Mitsukuni

Yamamoto, Kenji; Ishii, Koji; Taniguchi, Tadao
Well block cleaning equipment.—74-03938A

Yamamoto, Koichi
Antibacterial ceramics for sandboxes.—74-09737A

Yamamoto, Minoru See Ishii, Masahiko

Yamamoto, Osamu See Mori, M.; Sugiyama, Toshio

Yamamoto, Osamu; Kawahara, Takayuki; Takeda, Yasuo; Imanishi, Nobuyuki; Sakaki, Yoshinori
Zirconia-based oxide ion conductors in solid oxide fuel cells.—74-00539A

Yamamoto, Shigeru See Komori, Kiyotaka

Yamamoto, Shinichi See Kado, Hiroyuki

Yamamoto, Shoji
Quasi-crystals.—74-10024A

Yamamoto, Susumu; Murai, Teruyuki; Kawabe, Nozomu; Awazu, Tomoyuki; Yazu, Shuji; Jodai, Tetsuji
Process for manufacturing a superconducting composite.—74-00877P

Yamamoto, T.
Structure and friction of amorphous carbon films of nanometer thickness.—74-02050A

Yamamoto, Takehisa See Matsunuma, Kenji; Nishioka, Takao

Yamamoto, Toyohisa; Olsson, Mikael; Hogmark, Sture
Three-body abrasive wear of ceramic materials.—74-11116A

Yamamoto, Yasuhiro See Inoue, Tomoyasu

Yamamoto, Yasushi See Watanabe, Koichi

Yamamuor, Takao
A/W glass-ceramic—clinical applications.—74-06945A

Yamamura, K. See Mori, Yusuke

Yamamura, Takashi See Nishio, Hideaki

Yamamura, Takashi; Kaneshige, Toshihiko; Miyawaki, Toshiaki; Nanba, Makoto
Development of self-flow type alumina-spinel castable refractories.—74-02751A

Yamamura, Takashi; Katayama, Muneysoshi; Enoki, Kiyotaka; Matsuo, Tadateru
Development of mixerless casting material for blast-furnace troughs.—74-05851A

Yamamura, Takemi See Ichikawa, Kenji; Suzuya, Kentaro

Yamamuro, Takao See Hata, Kotaro

Yamanaka, Hiroshi See Fu, Jie

Yamanaka, Hiroshi; Yamashita, Masaru; Akai, Tomoko
Preparation of hydrated glass as a model of nuclear waste glass after long-term leaching.—74-09410A

Yamanaka, Shosaku See Doi, Akira

Yamanaka, Stacey See Zink, Jeffrey I.

Yamanaka, Takamitsu See Ohtaka, Osamu

Yamane, Hisanori; Ogawara, Kazuhiro; Omori, Mamoru; Hirai, Toshio
Phase transition of rare-earth aluminates ($RE_4Al_2O_9$) and rare-earth gallates ($RE_4Ga_2O_9$).—74-10017A; Thermal expansion and athermal phase transition of $Y_4Al_2O_9$ ceramics.—74-04446A

Yamanishi, Y. See Sugawara, Y.

Yamaoka, S. See Sei, Harauhiko

Yamaoka, Shinobu See Kanda, Hisao

Yamasaki, Hiroyuki See Sugiura, Chikara

Yamasaki, Seiji See Takahashi, Osamu

Yamashiro, Kazuhide See Nagasawa, Hiroyuki

Yamashita, H. See Kyotani, T.; Muranaka, Y.

Yamashita, Hiroshi See Matsubara, Ichiro

Yamashita, Kimihiro See Matsuda, Motohide

Yamashita, Kimihiro; Kitagaki, Kazuhisa; Umegaki, Takao
Thermal instability and proton condutivity of ceramic hydroxyapatite at high temperatures.—74-04958A

Yamashita, Masaru See Yamanaka, Hiroshi

Yamashita, N.
Coexistence of the Eu^{2+} and Eu^{3+} centers in the CaO:Eu powder phosphor.—74-01501A

Yamashita, Tomohisa See Fukushima, Noburu

Yamashita, Y. See Arakawa, T.

Yamashita, Yohachi See Kanai, Hideyuki; Saitoh, Shiroh

Yamashita, Yoshio See Ohta, Tsuneaki

Yamauchi, H. See Masai, J.; Youdelis, W. V.

Yamauchi, Hiroshi See Tokutomi, Atsuya

Yamauchi, Hisao See Hamada, Kazuyuki; Maeda, Toshihiko

Yamauchi, K. See Mori, Yusuke

Yamauchi, Noriaki See Andoh, Mitsuru

Yamauchi, Ryozo
Er-doped glass fibers for optical amplifiers.—74-08897A

Yamawaki, H. See Yahagi, Y.

Yamazaki, K. See Goto, Y.

Yamazaki, Masakatsu; Narutani, Tetsu; Kobiki, Hideaki
Low power loss Mn-Zn ferrites.—74-03409P

Yamazaki, Shunpei See Miyanaga, Akiharu

Yamazaki, Shunpei; Kadono, Masaya
Industrial diamond coating and method of manufacturing.—74-04056P

Yamazaki, Shunpei
Method of adding a halogen element into oxide superconducting materials by ion injection or thermal diffusion.—74-03643P

Yamazaki, T. See Aoyama, T.

Yamnova, N. A.; Egorov-Tismenko, Yu. K.; Pushcharovskii, D. Yu.
Crystal structure of new natural Na, Ca borate hydroxide. $NaCa_2[B_5O_{14}(OH)_4]\cdot 2H_2O$.—74-07062A

Yamnova, N. A.; Sarp, H.; Egorov-Tismenko, Yu. K.
Crystal structure of jaffeite.—74-07058A

Yamnova, N. A.; Tsomirova, E. S.; Leonyuk, N. I.
Crystal structure of synthetic La-containing fersmite.—74-04118A

Yan, Bei-Ping; Peng, Jun; Chai, Chang-Chun
Gas-sensing properties of α-Fe_2O_3 thin films prepared by plasma-enhanced chemical vapor deposition.—74-02839A

Yan, Cheng-Yue
Influence of lime plaster on properties of fly ash mortar.—74-08053A

Yan, Hong-Shun; Crooker, B. C.; Qi, Bai-Yun
Study on narrow energy band behavior and superconductivity in $La_{1.85}Sr_{0.15}Cu_{1-y}O_{4-y}$.—74-09344A

Yan, J. K.; Readey, D. W.
Aqueous corrosion of nickel oxide–lithium oxide solid solutions.—74-10907A

Yan, Jun-Jue; Li, Zhi-Gang; Bai, Chuan-Yong
Scanning tunneling microscopy investigation of graphite surface damage induced by gold-ion bombardment.—74-10882A

Yan, Li; Lee, Chi-H.
Thermal effects in end-pumped Nd:phosphate glasses.—74-08398A

Yan, Ming-Gao See Jin, Yan

Yan, P. See Odler, I.

Yan, Q.; Djordjevic, Z. B.; Perez-Cardenas, F.; Muller, I.; Macedo, P. B.; Rosario, G. D.
Vitrification of incinerator ashes.—74-09514A

Yan, R. H. See Jeon, D. Y.

Yan, S. See Tsugeki, K.

Yan, S.; Yuan, G.; Zhong, Y.
Growth and spectral characteristics of Ce^{3+}:$YAlO_3$.—74-00629A

Yan, Sheng See Shen, Xiao-Dong

Yan, Sheng-Chun; Maeda, Hideaki; Kusakabe, Katsuki
Hydrogen permselective SiO_2 membrane formed in pores of alumina support tube by chemical vapor deposition with tetraethyl orthosilicate.—74-07341A

Yan, T. S. See Lin, C. H.

Yan, Y. F. See Harris, J. M.

Yan, Yon-Gan; Chaudhuri, S. Ray; Chen, Din-Guo
Microstructural evolution of titania sol-gel thin films.—74-08954A

Yan, Z. See Su, H.

Yanagawa, Hisaharu See Green, Mino

Yanagawa, Koyo See Hiroki, Nobuyoshi; Ichikawa, Kenji; Tsukamoto, Noboru

Yanagida, H. See Bhalla, A. S.

Yanagida, Hiroaki See Hikita, Kazuyasu; Ishida, Atsumi; Isogai, Yuji; Kishimoto, Akira; Muto, Norio; Traversa, Enrico

Yanagida, Hiroaki; Matsui, Akio; Nishi, Tokumitsu; Okuda, Kouji; Takai, Hiroshi; Hoshino, Hisakiyo
Joining agent for joining ceramic with electric joining method.—74-03753P

Yanagisawa, Hiroyuki See Furusawa, Shinichi

Yanagisawa, Keiichi See Sugimoto, Iwao

Yanagisawa, M.
Adsorption and configuration of lubricant molecules on overcoat materials.—74-01493A

Yanagisawa, Takashi See Yamaji, Kunihiko

Yanagisawa, W.
Molecular dynamics of thin lubricant films on sol-gel SiO_2 surfaces for thin-film magnetic disks.—74-10479A

Yanai, Ken See Koyama, Takashi

Yanez, Joesph A. See Luther, Erik P.

Yang, A.-H. See Zheng, Z.-H.

Yang, B. See Zhang, F.

Yang, B.-J. See Lu, Y.-M.

Yang, B.-L.; Wong, H.; Cheng, Y.-C.
Temperature dependence of electronic conduction in thin nitrided oxides.—74-10164A

Yang, B.-X. See Lu, F.-X.

Yang, Bin See Wang, Fu-Quan

Yang, C. C. See Villeneuve, A.

Yang, C. C.; Villeneuve, A.; Stegeman, G. I.
Anisotropic two-photon transitions in GaAs/AlGaAs multiple quantum well waveguides.—74-00568A

Yang, C.-Y. See Interrante, Leonard V.

Yang, Chang-Xi; Zhu, Yong; Hui, Meng-Jun
High-efficiency self-pumped phase conjugation at 633 nm in $BaTiO_3$:Ce.—74-08928A

Yang, Cheng-Cai
Manufacture of clay tile doped with fly ash.—74-08561A

Yang, D. M. See Jiang, Y. Q.

Yang, D. See Ivey, Douglas G.

Yang, Doo-Young See Woo, Hyun-Jung

Yang, E. S. See Ma, Q. Y.

Yang, Fann-Mei; Chen, Mao-Chieh
Phase transformation of Mo and W over Co and its alloy in contact with Si.—74-01437A

Yang, Fu-Ming See Hu, Ji-Fan

Yang, G. See Wang, X.

Yang, Guo-Ping; Liu, Xi-La
Influence of microcracks on macrocracks in concrete process zone.—74-07895A; Interaction and propagation of random microcracks in compression.—74-07896A; Interaction and propagation of random microcracks in tension.—74-05539A

Yang, Gwon-Seung See Park, Jin-Seong

Yang, H. Q. See Williams, S. M.

Yang, H. See Wassermeier, M.

Yang, Hai-Bin See Liu, Jian-Jun

Yang, Hong See Jin, Zong-Zhe

Yang, Hong-Shun; Zeng, Ping; Fan, Zhan-Guo
Oxygen vacancy ordering and specific heat anomaly of $YBa_2Cu_3O_x$.—74-00830A

Yang, Hong-Shun; Zheng, Ping; Gao, Xiao-Hui
Effect of fluorine substitution on superconductivity of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_x$.—74-09252A

Yang, Hui See Ge, Man-Zheng

Yang, J. See Graham, George M.

Yang, Jenn-Ming See Zaldivar, Rafael J.

Yang, Jian-Chu
Application of manganese red stain to underglazed colored rim for stoneware.—74-08501A

Yang, Joon-Hwan See Han, In-Sub

Yang, Kai See Schowalter, Leo J.

Yang, Kai-Yueh See Dilorio, Mark S.

Yang, L.-Chung; Rocketi, A.
Cu-Mo contacts to $CuInSe_2$ for improved adhesion in photovoltaic devices.—74-02952A

Yang, M. H.; Flynn, C. P.
Intrinsic diffusion properties of MgO.—74-07573A

Yang, Ming-Ta See Chan, Yi-Jen

Yang, Nan-Ru See Tong, Liang

Yang, Ning; Chang, Li
Structural inhomogeneity and crystallization behavior of aerosol-reacted $MgAl_2O_4$ powders.—74-07119A

Yang, Pei-Chun See Xuan, Zhen-Wu

Yang, Q. Y.; Schwarz, W. N.; Lasky, P.J.
Highly anisotropic angular dependence of CH_3 fragmentation from electron transfer reactions on CH_3Br/GaAs(110).—74-03049A

Yang, Qian-Sheng See Tao, Hong-Jie

Yang, R. T. See Chen, S. G.

Yang, S.; Gibson, R. F.; Crobie, G. M.; Allor, R. L.
Internal damping of silicon nitride and silicon nitride composites with silicon carbide whiskers to 1100°C.—74-10831A

Yang, Seng-Lu; Wu, Jenn-Ming
Varied atmosphere compensation—exploring the roles of barium and bismuth in (Ba,Bi,Nb)-doped TiO_2 varistors.—74-06376A

Yang, Shu-Rong See Li, Hui-Zhi

Yang, Shu-Zhen; Song, Hang-Tang
XRD study on hydration of cement admixed with carbon.—74-05611A

Yang, Shyh-Horng See Tasch, A. F.

Yang, Shyh-Horng; Morris, Steven J.; Lim, David L.; Tasch, A. F.; Simonton, Robert B.; Kamenitsa, Dennis
Accurate and computationally efficient semiempirical model for arsenic implants into single-crystal (100)silicon.—74-02905A

Yang, Wei; Chen, Long-Qing
Computer simulation of the dynamics of 180° ferroelectric domains.—74-09114A

Yang, X.-M. See Min, G.-W.

Yang, Xiang-Chun See Xue, Shao-Ling

Yang, Xiao-Mei
Development of F0.5 quality insulating brick.—74-05850A

Yang, Xin; Wei, Min-Min; Xie, Yi-Fen; Wang, Hong
Dielectric properties and microstructure of barium-modified PLZT materials.—74-09120A

Yang, Ye-Shi See Lu, Zhang-Ming

Yang, Ye; Du, Yu-Kou; Che, Guang-Can
Effects of quenching and preparing procedures on superconductivity, oxygen content, and microstructure of Bi(Pb)-2223 phase.—74-09260A

Yang, Yeong-Song See Shyu, Jiin-Jyh

Yang, Ying-Yuan See Munz, Dietrich

Yang, Yong-Jin See Zhang, Ji-Song

Yang, Z. J.; Kishio, K.; Kimura, T.
Determination of irreversibility line of an $La_{1.87}Sr_{0.13}CuO_4$ single crystal: a scaling approach.—74-00796A

Yang, Zheng-Fang See Wang, Shu-Qiang

Yang, Zhi-Xiong See Zeng, Shao-Xian

Yang, Zun-De; Du, Hong-Hua; Libera, Matthew
Enhancement of oxidation resistance of silicon carbide by high-dose and multienergy aluminum implantation.—74-10911A

Yanishevskii, V. M.
Characteristics of production of inorganic glasses containing no traditional glass formers.—74-02604A

Yankin, A. M. See Vikhreva, O. A.

Yankin, S. M. See Golikov, Yu. V.

Yano, Kohsaku See Kado, Hiroyuki

Yano, Mitsuaki; Yamamoto, Kazuhiko; Utatsu, Takashige; Inoue, Masataka
Reflection high energy electron diffraction study of the GaSb surface during molecular beam epitaxy.—74-05233A

Yano, Shinsuke See Abe, Masahiro

Yano, T. See Hirai, Hisako

Yano, Toyohiko; Ikari, Masanori; Iseki, Takayoshi; Farnum, Eugene E.; Clinard, Frank W., Jr.; Mitchell, T. E.
Effect of neutron irradiation on Knoop microhardness anisotropy in MgO·Al_2O_3 single crystals.—74-07154A

Yano, Yoshihiko See Shimura, Kenichi

Yanovskaya, M. I. See Maleto, M. I.

Yanovskaya, M. I.; Kotova, N. M.; Obvintseva, I. E.
Preparation of powders and thin films of complex oxides from metal alkoxides.—74-09171A

Yanovskii, V. K. See Voronkova, V. I.

Yanush, O. V. See Zubkova, L. V.

Yao, Da-Ping; Shang, J. K.
Frequency dependence of fatigue crack growth in a TiB_2-SiC composite at elevated temperature.—74-05359A

Yao, De-Liang
Development trend of pressing dies for wall and floor tiles.—74-08532A

Yao, Guo-Xing See Xu, Guan-Lu

Yao, Jian-Quan See Liu, Hang

Yao, Lian-Zeng; Ruan, Yao-Zhong; Mao, Zhi-Qiang
Multiplicity on *c* period of Bi-based 2201 phase crystals.—74-03535A

Yao, T. See Uesugi, K.; Yoshimura, M.

Yao, Wei-Guo See Li, Ke-Bin

Yao, Xi See Que, Wen-Xiu

Yao, Xi-Xian See Wu, Jia-Gao

Yao, Zhong-Guo; Liu, Xing-Yun; Cheng, Pei-Jiang
Influences of efflorescence and hydrothermal effects on mechanical properties of masonry brick.—74-02722A

Yap, C. T.; Hua, You-Nan
Study of Chinese porcelain raw materials for Ding, Xing, Gongxian, and Dehua wares.—74-02301A

Yap, Loo T. See Al-Chalabi, Rifat

Yap, Loo T.
Flat jet oxy-fuel burner for uniform heat transfer.—74-09666A

Yap, Markus See McGrath, William R.

Yaraman, Alev
International Commission on Glass and the glass world.—74-11172A

Yarborough, Michael J.
Raw material specifications.—74-07957A; 74-09749A

Yarbrough, Walter A. See Cottringer, Thomas E.

Yaremenko, N. G. See Karachevtseva, M. V.

Yariv, Amnon See Kewtsch, Anthony S.

Yarlagadda, S. See Lesieutre, G. A.

Yarmarkin, V. K.; Shtel'makh, S. V.; Polyakov, S. M.
Surface layer structure change of $BaTiO_3$ ceramics due to aging, electric polarization, and machining.—74-06440A

Yarmoff, J. A. See Chakarian, V.

Yarmoshenko, Yu. M.; Trofimova, V. A.; Elokhina, L. V.
Possibility of sulfur-oxygen substitution in $YBa_2Cu_{3+x}S_y$ analyzed by means of X-ray emission spectroscopy.—74-00839A

Yarosh, V. V. See Oleinik, G. S.

Yaroslavtsev, N. P. See Sviridov, V. V.

Yasaka, T. See Hirose, M.

Yaschenko, E.; Salahuddin, H.; Muller, I.; Pegg, I. L.; Macedo, P. B.
Mossbuer study of iron redox in West Valley glass.—74-09407A

Yashima, Masatomo See Cho, Woo-Seok

Yashima, Masatomo; Ishizawa, Nobuo; Yoshimura, Masahiro
High-temperature X-ray diffraction study on cubic-tetragonal phase transition in the ZrO_2-$RO_{1.5}$ systems (R=rare earths).—74-01394A

Yashima, Masatomo; Mitsuhashi, Takefumi; Takashina, Hiroyuki; Kakihana, Masato; Ikegami, Takayasu; Yoshimura, Masahiro
Tetragonal-monoclinic phase transition enthalpy and temperature of ZrO_2-CeO_2 solid solutions.—74-07134A

Yashima, Masatomo; Morimoto, Kenji; Ishizawa, Nobuo; Yoshimura, Masahiro
Cubic-tetragonal phase transformations in the ZrO_2-CeO_2 system.—74-01364A

Yashima, Masatomo; Nagatome, Tomoo; Noma, Tatsuo; Ishizawa, Nobuo; Suzuki, Yasuo; Yoshimura, Masahiro
Effect of dopant species on tetragonal (t')-to-monoclinic phase transformation of arc-melted ZrO_2-$RO_{1.5}$ (R=Sm, Y, Er, and Sc) in water at 200°C and 100 MPa pressure.—74-07074A

Yasng, Woo-Seuk See Shim, Chang-Hoon

Yasrebi, Mehrdad; Kemp, William W.; Sturgis, David H.; Nikolas, Douglas G.; Wright, Gary L.; Kelly, Thomas J., III; Springgate, Mark E.; Crego, Ted R.
Yttria-zirconia slurries and mold facecoats for casting reactive metals.—74-08655P

Yasuda, E. See Ogasawara, T.

Yasuda, E.; Sekine, K.; Bao, Q.
Effect of Y_2O_3 particles on the creep behavior of polycrystalline MgO.—74-10979A

Yasuda, H. See Mori, H.

Yasuda, Hajime See Tamai, Hisashi

Yasuda, I.; Hikata, T.
Precise determination of the chemical diffusion coefficient of calcium-doped lanthanum chromites by means of electrical conductivity relaxation.—74-07185A; Electrical conductivity and defect structure of calcium-doped lanthanum chromites.—74-00604A

Yasuda, Nobuaki See Ohkawa, Hideki

Yasuda, T. See Lucovsky, G.

Yasue, Tamotsu See Arai, Yasuo

Yasue, Tamotsu; Kojima, Yoshiyuki; Toujyo, Sayuri
Crystal growth and transition of calcium carbonate by homogeneous precipitating reaction in $CaCl_2$-$(NH_2)_2CO$-urease system.—74-07243A

Yasui, Itaru See Akasaka, Youichi

Yasui, Itaru
Life cycle assessment—the futures of glass and the other materials.—74-11175A

Yasui, K.; Takahashi, H.; Akahane, T.
c-v characteristics of amorphous silicon nitride films prepared by hydrogen radical-assisted plasma chemical vapor deposition.—74-07196A

Yasukawa, Akemi See Ishikawa, Tatsuo

Yasulis, V. See Dapkus, I.

Yasuoka, Hiroshi See Itoh, Yutaka; Kikuchi, Jun; Ohno, Takashi; Shimizu, Tadashi

Yasuoka, Masaki; Hirao, Kiyoshi; Brito, Manuel E.; Kanzaki, Shuzo
High-strength and high-fracture-toughness ceramics in the Al_2O_3/$LaAl_{11}O_{18}$ systems.—74-07885A

Yasutake, K.; Chen, Z.; Pang, S. K.
Modeling and characterization of interface static parameters and surface recombination velocity at plasma enhanced chemical vapor deposited SiO_2-Si interface.—74-10122A

Yasutake, Masatoshi See Hattori, Takeo

Yasutake, Masatoshi; Wakiyama, S.; Kato, Y.
Measurement of Si wafer and SiO_2 layer microroughness by large sample atomic force microscope.—74-06789A

Yasutomi, Yoshiyuki; Nakamura, Kousuke; Kita, Hideki; Sobue, Masahisa
Process for producing ceramic compositions.—74-09952P

Yata, Kunio; Hanyu, Naohiko; Yamaguchi, Takashi
Voltammetric study of silver is a glass melt.—74-02503A

Yates, J. T., Jr. See Colaianni, M. L.; Lucas, S. R.

Yatsuda, Hisao See Goto, Naoyuki

Yau, W. W. See Hitchcock, C. D.

Yaun, M.-Y. See Li, Q.

Yavich, B. S. See Bumai, Yu. A.

Yavuz, Bulent O.; Larkin, Matthew P.; Rice, Gary W.; Voss, Kenneth E.
Thermal shock and creep resistant porous mullite articles prepared from topaz and process for manufacture.—74-00416P

Yazawa, Tetsuo See Tanaka, Hiroshi

Yazu, Shuji See Fujita, Nobuhiko; Harada, Keizo; Itozaki, Hideo; Yamamoto, Susumu

Ye, C.-Q. See Tao, W.

Ye, Fang-Bao See Li, Zai-Geng

Ye, Guo-Tian; You, Yu-Lan
Study on modification of refractory cements.—74-02788A

Ye, H. Q. See Dai, J. Y.

Ye, Hui; He, Di-Jie; Jiang, Zhong-Hong
Preparation and optical properties of Bi_2S_3 microcrystallite doped thin film.—74-09009A

Ye, Jian-Dong; Dominguez-Rodriguez, A.; Medrano, Ricardo E.
Grain size effect on creep behavior of 3Y-TZP.—74-07659A

Ye, Jun See Li, Hua

Ye, Li-Yuang See Li, Yu-Shu

Ye, Tian-Chun See Ozasa, Kazunari

Ye, Tian-Shui See Guo, Heng-Qun

Ye, X. See De Bonte, M.

Ye, Yao-Hong See Zhang, Shu-Ren

Ye, Zhen-Qiu See Li, Yu-Shu

Yeardley, Lawrence C.
Tungsten carbide metal cloth coating abates erosive wear.—74-04024A

Yeckely, Russell L. See Ault, Neil N.; Wereszczak, A. A.

Yeckley, Russell L.; Kwon, Oh-Hun
Silicon nitride for heat engine and bearing components.—74-09892A

Yefanov, V. S. See Litovchenko, V. G.

Yeganeh, M. S. See Talaat, H.

Yeganeh-Haeri, A. See Parise, John B.

Yeh, Byung-Hahn See Suh, Im-Choon

Yeh, Chih-Hung See Chen, Y.-I.

Yeh, Chih-Hung; Hon, Min-Hsiung
Chemical interaction between silicon nitride–titanium carbide powder.—74-09975A

Yeh, M.-Y.; Guo, S.-J.; Huang, H.-D.; Lee, M.-K.
Characterization of Al-doped *n*-type ZnSe prepared under a zinc-rich growth condition by low-pressure organometallic chemical vapor deposition.—74-04501A

Yeh, N.-C. See Jiang, W.

Yeh, Shinn-Horng See Peng, Yu-Min

Yeh, Tzu-Jin See Chan, Yi-Jen

Yeheskel, Jacob; Dariel, Mordecai S.
Codeposition of free silicon during CVD of silicon carbide.—74-01638A

Yehoda, Joseph E. See Cuomo, Jerome J.

Yelisseyev, A. P. See Nadolinny, V.

Yelland, C.; Hong, J.; Padgett, M. J.
Vector approach to the geometrical dependence of polarization rotation in a nonplanar cw Nd:YAG laser.—74-09079A

Yellen, S. L. See Baumann, J. A.

Yellepeddi, R. See Bonvin, D.

Yellepeddi, R.; Bapst, A.; Bonvin, D.
Determination of limestone addition in cement manufacture.—74-02318A

Yelon, W. B. See Malik, Tata I.

Yen, A. See Klein, J. D.

Yen, B. M. See Chen, H.

Yen, Bing K.; Ishihara, Tadashi
Surface morphology and structure of carbon-carbon composites in high-energy sliding contact.—74-09896A

Yen, C. F. See Kibler, J. J.

Yen, Chien-Cheng See Jackson, J. D.

Yen, Shiao-Ping S.
Electrode/dielectric strip for high-energy-density capacitor.—74-05935A

Yen, T.-S. See Wang, Hao

Yen, William M. See Eilers, Hergen; Hommlich, U.; Weber, Marvin J.

Yeom, H.-W. See Seo, J.-M.

Yeom, Han-Cheol; Lee, Hoseong; Jeong, Yu-Cheol; An, Ho-Young; Choi, Juho; Lee, Won-Bo
Apparatus for shearing a gob.—74-01012P

Yi, Huai-Ren See Guo, Li-Ping

Yi, J. See Jia, Q. X.

Yi, Li-Rong See Cai, Xiu-Kai

Yi, Sang I. See Chang, Ying-Lan

Yi, X. J. See Chen, J.; DiVenere, A.

Yih, P. H.; Steckl, A. J.
Effects of hydrogen additive on obtaining residue-free reactive ion etching of ß-SiC in fluorinated plasmas.—74-00918A

Yildirim, S. See Cantile, M.

Yilmaz, V. T. See Sagoe-Crentsil, K. K.

Yilmaz, V. T.; Isidak, O.
Influence of some set accelerating admixtures on the hydration of portland cement containing phosphogypsum.—74-00067A

Yin, A. See Short, S. W.

Yin, Bo See Tao, Hong-Jie

Yin, Hong-Feng
Effects of quartz addition on texture of mullite-corundum products.—74-07284A

Yin, S. See Yu, Francis T. S.

Yin, X. See Arent, D. J.

Yin, Xin; Lu, Meng-Kai
Removing twins and domains of KIO_3 crystal and its physical properties.—74-10151A

Yin, Y. See McKenzie, D. R.

Ying, Hu-Min; Zhai, Fu-Jiang; Niu, Jun-Gao
Development of light-burned vacuum pitch impregnated magnesia-carbon brick.—74-02712A

Ying, J. Y. See Tschope, Andreas

Ying, J. Y.; Chi, L. F.; Fuchs, H.
Surface morphology of nanocrystalline titanium oxide by AFM.—74-02055A

Ying, Li-Shu See Jin, Ma

Ying, T. N. See Hsu, S. M.

Yli-Urpo, Antti See Wilson, June

Yoda, Mitsuo; Yoshikawa, Yoshio; Ono, K.; Ide, M.
Fracture and subcritical crack growth in soda-lime glass under combined modes I and II loading.—74-00261A

Yoder, M. D. See Popov, O. A.

Yoder, Max N.
Diamond in the USA.—74-01290A; Method of making large area single crystalline diamond films.—74-09938P

Yodh, A. G. See Talaat, H.

Yogo, Toshinobu See Hirano, Shinichi

Yogo, Toshinobu; Kikuta, Koichi; Ito, Yasuhiro; Hirano, Shinichi
Synthesis of highly oriented $K(Ta,Nb)O_3$ (Ta:Nb=65:35) film using metal alkoxides.—74-06444A

Yogo, Toshinobu; Takeichi, Yoshikuni; Kikuta, Koichi; Hirano, Shinichi
Ultraviolet patterning of alkoxy-derived lithium niobate film.—74-06449A

Yoko, T. See Wada, M.

Yoko, Toshinobu See Kim, Sae-Hoon; Miyaji, Fumiaki; Terashima, Kentaro

Yokochi, Masao; Katutani, Yikio; Kumazawa, Kohichi; Nomura, Tetuo
Ceramic package for housing a semiconductor device.—74-08780P

Yokogawa, T.; Floyd, P. D.; Hashemi, M. M.; Merz, J. L.
Impurity-induced disordering of MOVPE-grown ZnSe/ZnS strained layer superlattices by germanium diffusion.—74-05020A

Yokogawa, T.; Floyd, P. D.; Merz, J. L.; Luo, H.; Furdyna, J. K.
CdZnSe/ZnSe strained layer superlattices disordered by germanium diffusion.—74-05082A

Yokogawa, T.; Ishikawa, T.; Merz, J. L.
Spectroscopic characterization of band discontivity in free-standing CdZnS/ZnS strained layer superlattices.—74-09046A

Yokogawa, Y.; Yoshimura, M.
Fabrication and phase relationship of new high-temperature defect fluorite phase in the system R_2O_3-Ta_2O_5 (R=La–Yb).—74-09994A

Yokohata, T.; Kato, K.
Mechanism of nanoscale indentation.—74-02015A

Yokoishi, Shouji See Nakanishi, Masatsugu

Yokokawa, Harumi See Horita, Teruhisa; Montross, Charles S.; Sakai, Natsuko

Yokokawa, Harumi; Sakai, Natsuko; Kawada, Tatsuya; Dokiya, Masayuki
Chemical thermodynamic stabilities of the interface.—74-01355A

Yokokawa, Harumi; Sakai, Natsuko; Kawada, Tatsuya; Dokiya, Masayuki
Phase diagram calculations for ZrO_2-based ceramics: thermodynamic regularities in zirconate formation and solubilities of transition metal oxides.—74-01425A

Yokokawa, Harumi; Sakai, Natsuko; Kawada, Tatsuya
Chemical potential diagrams for Fe-Cr-Li-K-C-O system: thermodynamic analysis on reaction profiles between alloys and alkali carbonates.—74-07046A

Yokokawa, Harumi
Science and technology of composite materials: V, Thermodynamic considerations on interfaces in solid oxide fuel cells.—74-10027A

Yokokura, Shuichi
Development of lightweight returnable glass bottles (with SnO_2 coating).—74-08414A; Technology for reducing weight of returnable glass bottles.—74-08466A

Yokoo, Kuniyoshi; Sato, Shinji; Koshita, Gen; Amano, Isato; Murota, Junichi; Ono, Shoichi
Energy distribution of tunneling emission from Si-gate metal-oxide-semiconductor cathode.—74-03000A

Yokoo, Toshinobu; Hashimoto, Tadanori; Ishibashi, Keiji
Preparation and optical properties of lead-complex perovskite films by the sol-gel method.—74-10547A

Yokota, Hiroshi See Ohga, Yuichi

Yokota, O. See Bernard, D.

Yokota, Y. See Kittaka, S.

Yokotani, Yoichiro See Okuyama, Kojiro

Yokoyama, Hiroshi; Inoue, Takahito
Scanning Maxwell stress microscope for nanometer-scale surface electrostatic imaging of thin films.—74-03867A

Yokoyama, Kazuo See Kado, Hiroyuki

Yom, S.-S. See Yoon, Y.-S.

Yoneda, Yasunobu See Kodama, Takashi; Nakamura, Kazutaka

Yoo, H. M. See Kim, G. H.

Yoo, Han-Il; Lee, Sang-Min
Generation and mobility of electronic charge carriers in $Y_1Ba_2Cu_3O_x$.—74-03469A

Yoo, I.-K. See Desu, Seshu B.

Yoo, J.-S. See Choy, Jin-Ho

Yoo, J.; Cima, Michael J.; Sachs, E.; Suresh, S.
Fabrication and microstructural control of advanced ceramic components by three-dimensional printing.—74-10343A

Yoo, K.-H.; Kwon, H. C.; Park, J.-C.
Experiments in scaling and variable range hopping in the integral quantum Hall effect.—74-08904A

Yoo, Kwang-Soo See Cho, Nam-Woong

Yoo, Tae-Kyung See Ahn, Do-Yeol

Yoo, Won-Jong; Steinbruchel, Christoph
Mechanism of particle formation in the sputtering and reactive ion etching of Si and SiO_2.—74-06201A

Yoon, Bok-Gyu See Lee, Hae-Weon

Yoon, Duk Y. See Kang, Suk-Joong L.

Yoon, G. W. See Sinikrishnan, U.

Yoon, Jung-S.; Rhee, Won H.; Koh, Jae H.; Jang, Woo-S.
Mn-Zn-based single crystal ferrite composition.—74-03412P

Yoon, K.-J.; Cho, S. J.; Kim, S.-S.
Wear mechanisms of TiN-coated high-speed steel during sliding.—74-08295A

Yoon, Ki-Hyun See Yoon, Sang-Ok

Yoon, Ki-Hyun; Huh, Jae-Ho; Jang, Jae-Hyuk
Characteristics and microstructure of matrix retaining electrolyte in phosphoric acid fuel cell prepared by tape casting.—74-10763A

Yoon, Ki-Hyun; Kim, Yong-Tae; Kwon, Chul-Han
Characteristics of $Bi_2Sr_2(Ca_{1-x}Yb_x)Cu_2O_{8+\delta}$ superconductors.—74-03421A

Yoon, Ki-Hyun; Park, Jeong-Hwan; Kang, Dong-Heon
Characteristics of lead magnesium niobate thin film prepared by sol-gel processing using a complexing agent.—74-06396A

Yoon, Ki-Hyun; Song, Man-Ho
Characteristics of $YBa_2Cu_3O_x$ thin films prepared by spin coating technique.—74-03422A

Yoon, Man-Soon See Kim, You-Song

Yoon, S. F.; Radhakrishnan, K.; Li, H. M.; Han, Z. Y.
Photoluminescence investigation of the critical thickness in InGaAs-AlGaAs pseudomorphic structures grown by molecular beam epitaxy.—74-05220A

Yoon, S. J. See Kim, W. S.

Yoon, S. J.; Jha, Animesh
Production of boron nitride and carbide by carbothermic reduction of boric oxide.—74-04847A

Yoon, Sang-Ok; Jung, Hyung-Jin; Yoon, Ki-Hyun
Evaluation of electrical characteristics on semiconducting ceramics using complex impedance resonance method.—74-08898A

Yoon, Seong-Ho; Korai, Yozo; Mochida, Isao
Assessment and optimization of the stabilization process of mesophase pitch fibers by thermal analyses.—74-07206A

Yoon, Soon-Gil See Kim, Yong-Bum; Won, Tae-Kyung

Yoon, Y.-J. See Baik, Dong-Soo

Yoon, Y.-S.; Kang, W.-N.; Yom, S.-S.; Kim, T.-W.; Jung, M.; Park, T.-H.
Structural properties of titanium dioxide films grown on *p*-Si by metallorganic chemical vapor deposition at low temperature.—74-00719A

Yoon, Y.-S.; Lee, D.-H.; Kim, Tee-Song; Oh, Myung-Hwan; Yom, S.-S.
Preparation of amorphous $BaTiO_3$ thin films on indium tin oxide-coated soda-lime glass by metallorganic chemical vapor deposition.—74-04823A

Yoon, Yeong J.; Lu, Yi-Cheng; Lalevic, B.; Zeto, Robert J.
Silicon vacuum microdiode with on-chip anode.—74-03215A

Yoshida, A. See Kaburagi, Y.

Yoshida, Akira See Ikejiri, Makoto

Yoshida, Hajime See Adachi, Yoshiya

Yoshida, Hideki See Morinaga, Kenji

Yoshida, Hiroyuki See Watanabe, Hiroshi

Yoshida, Hisayoshi See Nonaka, Kazuhiro

Yoshida, Kunio See Ikesue, Akio

Yoshida, Noriyuki; Takano, Satoshi; Okuda, Shigeru; Hayashi, Noriki; Hara, Tsukushi; Okaniwa, Kiyoshi; Yamamoto, Takahiko
Method of and apparatus for preparing oxide superconducting film.—74-00871P

Yoshida, Noriyuki; Takano, Satoshi; Okuda, Shigeru; Hayashi, Noriki; Hara, Tsukushi; Okaniwa, Kiyoshi
In situ laser ablation method for forming oxide superconducting films.—74-03632P

Yoshida, S. See Itoh, Hisayoshi

Yoshida, Shuji
Characteristics of and differences between underglaze and overglaze.—74-08664A

Yoshida, T. See Nagashima, Satoko

Yoshida, Takoshi See Hosoe, Shigeru

Yoshida, Teruaki See Kuwabara, Mitsuo

Yoshida, Toyonobu See Ichiki, Takanori

Yoshida, Y.; Uchida, S.; Nanjou, F.
Development of the solid oxide fuel cell at MHI [Mitsubishi Heavy Industries].—74-00474A

Yoshida, Yasuhiro; Kubota, Shigeru; Koezuka, Hiroshi
Electron spectroscopy for chemical analysis on surface germylation process.—74-06079A

Yoshihara, Kazuhiro See Fujita, Daisuke; Uchikoshi, T.

Yoshii, Kenji See Yamamoto, Hideki

Yoshikawa, M. See Hirata, A.

Yoshikawa, Masahito See Itoh, Hisayoshi

Yoshikawa, Michinori See Sato, Mitsukuni

Yoshikawa, Yoshio See Yoda, Mitsuo

Yoshiki, H.; Alexandruk, V.; Hashimoto, K.
Electroless copper plating using ZnO thin film coated on a glass substrate.—74-06075A

Yoshiki, Masahiko See Kanai, Hideyuki

Yoshiki-Gravelsins, K. S.; Toguri, J. M.; Choo, R. T. C.
Metals production, energy, and the environment: I, Energy consumption—74-00950A; II, Environmental impact.—74-00951A

Yoshimaru, Masaki See Inoue, Nobuhiko

Yoshimatsu, I. See Hirai, T.

Yoshimoto, M. See Asakawa, T.

Yoshimoto, M.; Maeda, T.; Gonda, S.
Molecular layer epitaxy of perovskite-based oxides by laser MBE.—74-10480A

Yoshimoto, N. See Matsuoka, T.

Yoshimura, Kazuyoshi See Shimizu, Tadashi

Yoshimura, M. See Uesugi, K.; Yokogawa, Y.

Yoshimura, M.; Takaoka, K.; Yao, T.; Sueyoshi, T.; Sato, T.; Iwatsuki, M.
Scanning tunneling microscopy observation of Al-induced reconstruction of the Si(111) surface: growth dynamics.—74-05238A

Yoshimura, Masahiro See Cho, Woo-Seok; Gogotsi, Yu. G.; Kajiyoshi, Koji; Yashima, Masatomo

Yoshimura, Masahiro; Suda, Hiroyuki
Hydrothermal processing of hydroxyapatite—past, present, and future.—74-09783A

Yoshimura, Toshihiko; Ishikawa, Yuichi; Ohkido, Shinobu
Analysis of oxide film on stainless steel via position-sensitive atom probe.—74-05070A

Yoshimura, Toshikyuki See Wada, Yasuo

Yoshimura, Yuji See Terao, Masaru

Yoshinaka, Masaru See Hirano, Shingo; Kawabata, Akio

Yoshino, Hisashi See Fukushima, Noburu

Yoshino, Kenji See Nishimura, Kimihiro

Yoshioka, T. See Kimura, Y.

Yoshioka, Takakazu See Takahashi, Ichiro

Yoshioka, Takakazu; Takahashi, Ichiro
Young's modulus of ceramics at elevated temperature (2nd report).—74-07195A

Yoshioka, Y. See Okabe, N.

Yoshitake, M. See Uchikoshi, T.

Yoshizawa, Hideki See Kawano, Hazuki; Oohara, Yasuakai

Yoshizawa, Y. See Sakuma, T.

Yoshizawa, Y.; Sakuma, T.
Improvement of tensile ductility in high-purity alumina due to magnesia addition.—74-11023A

Yoshizumi, Shozo See DiIorio, Mark S.

Yosida, T. See Yamaga, M.

Yosinaga, Takasi See Noto, Kazuyuki

You, Jae-Keun; Lee, Eung-Sang
Preparation of alumina membranes: II.—74-10555A

You, Young-Hyuk; Zangvil, Avigdor
Mullite phase development in pure and mullite matrix composites.—74-10851A

You, Yu-Lan See Ye, Guo-Tian

Youchison, D. L. See Eddy, C. R. Jr.

Youdelis, W. V.; Li, Yi; Chao, Benjamin; Yamauchi, H.
Variables affecting crystal structure, composition, and orientation of rf-sputtered $Ba_2Si_2TiO_8$ thin films.—74-06375A

Youm, H.-N.; Hwang, I.-S.; Lee, J.-M.
Influence of preheat treatment on raw coke in fabrication of carbon solids.—74-03698A

Young, A. P.; Fernandez, Juan M.; Chen, Jian-Hui; Wieder, H. H.
Double quantum well charge transport in pseudomorphic $Al_{0.3}Ga_{0.7}As/In_{0.15}Ga_{0.85}As/GaAs$ modulation doped heterostructures.—74-02970A

Young, D. B. See Hu, S. Y.; Skidmore, J. A.

Young, Donald R. See Xie, Dun-Xian D.

Young, Eric
Color trends 1994-95—74-11151A

Young, J. Francis See Matkovic, Boris; Sun, G.-K.; Wilkosz, Daniel E.

Young, K. H.; Sun, J. Z.; Eddy, Michael M.; Inam, A.
Microwave performance–property relationships of $YBa_2Cu_3O_{7-\delta}$ thin films grown on $LaAlO_3(001)$ substrate.—74-03532A

Young, M. See Dzioba, Steven

Young, N. D. See Ayres, J. R.

Young, Paul G. See Tabory, Charles N.

Young, Richard; Kitai, Adrian H.
Electrical dependence of ZnS thin films exposed to H_2O.—74-00485A

Young, T. D. See Passaretti, J. D.

Youngblood, G. E.; Bates, J. L.; Kingsley, J. J.; Pederson, L. R.; Rupaal, A. S.; Weber, W. J.
Electrochemical processes at interfaces and mixed conductor development.—74-00486A

Youngdale, E. R.; Meyer, J. R.; Hoffman, C. A.; Bartoli, F. J.; Miles, R. H.; Chow, D. H.
Recombination lifetime in $InAs-Ga_{1-x}In_xSb$ superlattices.—74-05231A

Youngman, Robert A. See Harris, Jonathan H.

Younkman, Lora B. See Azad, Abdul M.

Yount, J. T.; Lenahan, P. M.; Saks, N. S.
Comparing the structure and behavior of point defects in silicon oxynitride gate dielectrics formed by NH_3 nitridation and N_2O growth nitridation.—74-08730A

Youssef, A. M. See Mostafa, M. R.

Yttergren, R.-M. F.; Zeng, K.; Rowcliffe, David J.
Residual stress and crack propagation in laminated composites.—74-11074A

Yu, B. W. See Girshick, S. L.

Yu, Bao-Hui See Huang, Rong-Fang

Yu, C. Charles; Klein, Lisa C.
Characterization of supported alumina membranes formed by an in situ sol-gel method.—74-10775A

Yu, Chang-Feng See Zhu, Xiao-Ping

Yu, Chang-Te See Fett, Theo

Yu, Cheng-Sheng See Hsieh, Huey-Lin

Yu, Chiang-Ku See Zhou, Li-Qin

Yu, Francis T. S.; Yin, S.; Uang, C.-M.
Content-addressable polychromic neutral net using a (Ce:Fe)-doped $LiNbO_3$ photorefractive crystal.—74-03290A

Yu, G.; Lee, C. H.; Mihailovic, D.
Electronic sructure of insulating $YBa_2Cu_3O_{6+x}$: from Mott-Hubbard insulator to Fermi glass via oxygen doping.—74-00805A

Yu, Ga-Er; Finch, Dudley S.; Edirisinghe, Mohan
Thermal decomposition of a copolymer of methylcyclosiloxanes and methylcyclosilazanes to nonoxide ceramics.—74-09897A

Yu, Hong-Chang; Li, Shag-Jie; Hu, En-Liang
Sintering of ultrafine diamond particles under high temperature and high pressure.—74-05246A

Yu, J. E.; Jones, K. S.; Holloway, P. H.; Pathangey, B.; Bretschneider, E.; Anderson, T. J.
Temperature and flow modulation doping of manganese in ZnS electroluminescent films by low pressure metallorganic chemical vapor deposition.—74-04953A

Yu, Jia-Guo See Zhang, Lian-Meng

Yu, Jia-Qing; Zhao, Hang-Wei; Wang, Jia-Seng; Xia, Fei
Effect of Al^{3+} on the formation of $Ba_2Ti_9O_{20}$.—74-01291A

Yu, Jiang-Tsu; Lou, Su-Hao
EPR studies of the defect centers in γ-irradiated KH_2PO_4, $NH_4H_2PO_4$, and $Ba(H_2PO_4)_2$ single crystals: effects of impurities and thermal annealing.—74-01383A

Yu, Jong-Sung See Back, Gern-Ho

Yu, K. S. See Hur, N. H.

Yu, Kang-Tai; Zhang, Shu-Mei; Liu, De-Ming
Study on semifritted opalescent glaze of phosphorus and zircon for sanitary porcelain.—74-02813A

Yu, Kin-Man; Ager, J. W.; Bourret, E. D.
High-dose Cl implantation in ZnSe: impurity incorporation and radiation damage.—74-08927A

Yu, Ling See Du, Xin-Min

Yu, Lu See Zhang, Guang-Ming

Yu, Mao-Li See Zhang, Lian-Meng

Yu, N.; Zhu, H.; Weitsman, Y.
Damage evolution of cross-ply ceramic composites.—74-10961A

Yu, Ning; Kung, Harriet; Natasi, Michael
Incorporation of iron cations into epitaxial sapphire thin films by coevaporation and subsequent thermal annealing.—74-10410A

Yu, P. W.; Stutz, C. E.
Photoluminescence excitations of the As_i-V_{Ga} 0.8 eV emission in GaAs grown by MBE at low temperatures.—74-03164A

Yu, Peter Y. See Choi, In-Hwan

Yu, Run-Zhou See Tan, Shao-Qiu

Yu, Sung-Hun; Riman, Richard E.; Danforth, Stephen C.; Leung, Roger Y.; Gonczy, S. T.
Pyrolysis of poly(siloxane) preceramic polymers: effect of atmosphere on product chemistry.—74-01865A

Yu, Sung-Hun; Riman, Richard E.; Danforth, Stephen C.; Leung, Roger Y.
Pyrolysis of titanium-metal-filled poly(siloxane) preceramic polymers: effect of atmosphere on pyrolysis product chemistry.—74-07454A

Yu, Tao See Li, Yu-Shan

Yu, Tao; Laiho, R.; Heikkila, L.
Investigation of porous silicon by scanning tunneling microscopy and atomic force microscopy.—74-07671A

Yu, W. See Min, G.-W.

Yu, W.-J. See Cao, C.-B.

Yu, Wan-Li See Guo, Q.-H.

Yu, X. D.; Selmi, F.; Varadan, V. V.; Varadan, V. K.
Binder burnout of tape-cast ceramics by microwave energy.—74-07210A

Yu, Yang; Jin, Xin; Cai, Dian-Xian
Study on superconductivity of $Bi_{2.2}Sr_{1.8}Ca_{1.05}Cu_{2.15-x}Na_2O_{8+y}$.—74-03586A

Yu, Yude See Ji, Yang-Yang

Yu, Yun-Lin; Zhou, Zhi-Hao
Physical modeling tests on the effects of burner positions on the aerodynamic characteristics of gas flow in a glass furnace.—74-09702A

Yu, Z. J. See Sywe, B. S.

Yu, Z. M. See Oral, Baybars

Yu, Z. Q. See Vermeire, G.

Yu, Z. See Bowers, K. A.; Ren, J.

Yuan, Bing; Song, Xiao-Hong; Hu, Hong-Zhang
TE-TM mode splitter on $LiNbO_3$ using an asymmetric Y-junction with a gap region.—74-03353A

Yuan, Chang-Du
Reasons of crack formation in semistiff extruded tile and its prevention.—74-08577A

Yuan, D.-W. See Parthasarathi, S.

Yuan, Feng-Chi See Xie, Yi-Yuan

Yuan, G. See Yan, S.

Yuan, Ji-Zu; Cao, Ming-Li; Gong, Wen-Hong
Study of kaolin and china stone dispersion characteristics.—74-05833A

Yuan, M.-Y. See Li, Q.

Yuan, Qi-Ming See Wang, Shu-Qiang

Yuan, R.-Z. See Zhang, Lian-Meng

Yuan, R.-Z.; Fu, Zuhair A.; Munir, Z. A.
Fabrication of dense TiB_2-Al composites by the self-propagating high-temperature synthesis (SHS) method.—74-01722A

Yuan, R.-Z.; Zhang, Lian-Meng; Zhang, Q.-J.
Design and fabrication of an MgO/Ni functionally gradient material.—74-01668A

Yuan, S.; Pal, U.; Chou, K. C.
Deoxidation of molten metals by short-circuiting yttria-stabilized zirconia electrolyte cell.—74-05928A

Yuan, Y. See Lu, F.-X.

Yuan, Yue-Rong; Zhou, Zhong-Shen; Zhao, Yan-Zhao
Development of fly ash glazed tile.—74-08524A

Yuasa, Akira
Water-repellant coating on glass.—74-08292A

Yuasa, Ryokan See Fujiwara, Shuji

Yubero, F.; Tougard, S.; Elizalde, E.
Dielectric loss function of Si and SiO_2 from quantitative analysis of REELS spectra.—74-03796A

Yue, C. F. See Harkness, S. D.
Yue, S.-B. See Zhong, W.-L.
Yue, Xue-Mei See Jin, Zong-Zhe; Zhang, Guo-Jun
Yue, Yuan-Zheng See Bruckner, Rolf
Yugo, Shigemi See Katsumata, Satoshi
Yugo, Shigemi; Kimura, T.; Kanai, T.
Nucleation and mechanisms of diamond in plasma chemical vapor deposition.—74-01819A
Yuh, Soon-Ku; Bescher, Eric P.; Babonneau, Florence
Rare-earth-doped, low-hydroxyl organically modified silicates.—74-10599A
Yuhaku, Satoru See Hakotani, Yasuhiko
Yukna, A.; Vengalis, B.; Shiktorov, N.
Hydrogen-induced oxygen nonstoichiometry of Y_2BaCuO_5.—74-06558A
Yukselici, H. See Stokes, Kevin L.
Yumashev, N. I.; Pronkin, A. A.; Il'in, A. A.
Formation of fluorine-containing anions in glasses of the $MePO_3$-MeF systems (Me=Li, Na).—74-00196A; 74-00197A
Yun, David I. See Roopchand, Brijmohan J.
Yun, H. M.; Goldsby, J. C.; DiCarlo, J. A.
Effects of thermal treatment on tensile creep and stress-rupture behavior of Hi-Nicalon SiC fibers.—74-10982A; Tensile creep and stress-rupture behavior of polymer-derived SiC fibers.—74-11107A
Yun, Jung R. See Kim, Kyung Y.
Yun, Sun-Jin; Lee, Seung-Chang; Kim, Bo-Woo; Kang, Sang-Won
Study of interaction between incident silicon and germanium fluxes and SiO_2 layer using solid-source MBE.—74-03233A
Yung, E. See Manuel, R.
Yurchenko, D. Z. See Oleinik, G. S.; Tkachenko, Yu. G.
Yurchenko, E. N.; Stukan, L. V.; Khramov, B. L.
Ammonia reduction of exhaust nitrogen oxides in the presence of cellular block catalysts under simulated and operating conditions.—74-01216A
Yurchuk, S. Yu. See Kol'tsov, G. I.
Yusa, Hitoshi; Yago, Takehiko; Arashi, Haruo
Pressure dependence of Sm:YAG fluorescence to 50 GPa: a new calibration as a high pressure scale.—74-10139A
Yushchenko, K.; Borisov, Y.; Gol'nik, V.
Thermal-sprayed coatings of structural components and equipment of power stations.—74-10940A
Yusof, K. M. See Mustafa, M. A.
Yusunov, M. S.; Abdurakhmanov, Yu. Yu.; Ob'edkov, E. V.
Electroluminescence quantum yield in GaInAsSb/GaSb and AlGaAsSb/GaInAsSb *p-n* structures.—74-08888A
Yuzuri, Motoyoshi See Adachi, Yoshiya
Zaanen, Jan See Baha, Jan
Zabelina, I. A. See Bodnar, I. V.
Zabicky, J.; Zevin, L.; Ondracek, G.
Modifications of the sol-gel method for the preparation of ultrafine/ultrapure ceramic oxide powders: properties of the powders and microstructure of the derived ceramic bodies.—74-01808A
Zabiegaj, Leszek
Trends in the development of lime industry in the world.—74-08113A
Zabinski, J. S. See Day, Allan E.; McDevitt, N. T.
Zachai, R. See Jiang, X.; Kading, O. W.
Zachata, Leszek
45 years of Design Office, 1949-1994.—74-11133A
Zadokhin, B. S. See Boiko, M. E.
Zadorov, V. E. See Pashchenko, V. P.
Zagari, Dana L.
Polishing parameters and their effect of glass polish performance.—74-08448A
Zagdoun, Georges; Cordier, Bruno
Formation of a layer of aluminum and tin or titanium oxides on a glass substrate.—74-00332P
Zagdoun, Georges
Glass substrate provided with a low emissivity film.—74-00333P
Zagnoyko, V. V.; Bocharov, L. D.; Nazmutdinov, R. Sh.
Results of service of unfired periclase-spinel refractories.—74-02782A
Zaharchuk, Gregory G. See Char, Kookrin
Zaharescu, Maria See Teoreanu, I.
Zaharescu, Maria; Mihaiu, Suzana; Crisan, D.
Structure and properties of ceramics in the SnO_2-Sb_2O_3-CuO system.—74-03974A
Zahneisen, Ralph See Russel, Christian
Zahneisen, Ralph; Russel, Christian
Electrochemically prepared precursor for the formation of tantalum carbide.—74-10321A
Zahrah, T. F. See Werely, N. M.
Zaidi, H. See Le Huu, T.
Zaidi, H.; Le Huu, T.; Paulmier, D.
Influence of hydrogen contained in hard coatings on their tribological behavior.—74-04335A
Zaikina, R. F.; Zimin, S. P.; Sarsembinov, Sh. Sh.
Electrical properties of irradiated PbS films.—74-08886A
Zailer, I. See Simmons, M. Y.
Zaitsev, A. G. See Hollmann, E. K.
Zaitsev, A. M. See Burchard, B.; Ulyashin, A. G.; Varichenko, V. S.
Zaitsev, A.; Klatt, K. H.; Reiche, P.; Meuffels, P. M.
Interaction between $Nd_{0.4}Sr_{0.6}Al_{0.7}Ta_{0.3}O_3$ and $YBa_2Cu_3O_7$ films deposited by sputtering.—74-03496A
Zaitsev, G. P. See Neshpor, V. S.
Zaitseva, G. N.; Ryabuschenko, O. P.
Sorption regularities and complexation mechanism of aminophosphonic acid fastened on silica surface with metal ions.—74-04422A
Zaitseva, T. N.; Kolin, N. G.; Kukhto, O. L.
Rapid thermal annealing of semiinsulating GaAs bombarded with fission neutrons.—74-09020A
Zaitseva, Z. A. See Dudnik, E. V.; Lopato, L. M.
Zaitzev, Oleg See Tenzler, Thomas
Zajic, Jiri
Aging of all-electric cold-top glass-melting furnaces.—74-09636A
Zakhalnov, Yu. A. See Gilmutdinov, A. Kh.
Zakharov, A. I.; Belyakov, A. V.; Tsvigunov, A. N.
Forms of extraction of silicon compounds in rice husks.—74-03690A
Zakharov, N. D. See Artyushenko, V. G.; Efremov, V. A.; Gavrikov, S. I.
Zakharov, V. G. See Neshpor, V. S.
Zakharova, I. B.; Zubkova, T. I.; Nemov, S. A.
Photosensitivity of polycrystalline films of compensated PbTe:Cl:Te_{ex}.—74-08999A
Zaki, Kawthar A. See Piloto, Andrew J.
Zakiewa, D. Z. See Ulakhovich, N. A.
Zakula-Sokol, K. See Bucko, M. M.
Zalac, S. See Kallay, N.
Zaldivar, Rafael J. See Rellick, Gerald S.
Zaldivar, Rafael J.; Rellick, Gerald S.; Yang, Jenn-Ming
Failure modes of unidirectional ultra-high-modulus carbon-fiber/carbon-matrix composite.—74-05352A
Zaleskij, D. Yu. See Aksenov, I. I.
Zalite, I.; Millers, T.; Lodzina, A.
Materials based on fine-grain Si_3N_4 powders.—74-01791A
Zalkind, S. See Pelleg, Joshua
Zalm, P. C. See Stevie, F. A.
Zalutsky, M. V. See D'yachenko, A. I.
Zaluzec, L. V. See McCune, R. C.
Zaluzec, M. J.; McCune, R. C.; Reatherford, L. V.
Thermally sprayed self-lubricating composites from cored wires: II, Mechanical and tribological properties.—74-08284A
Zama, Hideaki; Saga, Jun; Hattori, Takeo
High-quality YBaCuO thin film grown by low-temperature metallorganic chemical vapor deposition using nitrous oxide.—74-06556A
Zandolin, S. See Della Mea, G.
Zangvil, Avigdor See Kim, Yong-Il; Lin, Chien-Cheng; Pompe, W.; Xu, You-Ren; You, Young-Hyuk
Zangvil, Avigdor; Xu, You-Ren; Fu, Gao-Ling
Oxidation mechanisms of mullite/ZrO_2/SiC-platelet composites.—74-10928A
Zank, Gregg A. See Atwell, William H.
Zannini, P.; Moro, G.
Vitrification of ceramic tiles derived from different production processes—technological and analytical considerations.—74-05841A
Zannini, P.
Drying and plastic properties of ceramic materials.—74-06899A; Fast firing of heavy clay products in roller kilns.—74-08549A
Zanoli, Alain See Boussant-Roux, Yves; Duvierre, Gerard
Zanone, Frank C.
Glass Problems Conference draws 550 to 54th Annual Meeting.—74-02464A; Globalization of glass: an act of survival.—74-05417A; Industry leaders see spark turning to possible flame.—74-05424A; U.S. market shift sees demand increase pressuring supply.—74-07962A
Zanoun, Y.; Nicolas, M.; Burger, J. P.
Ac magnetic susceptibility and microwave absorption study of $GdBa_{2-x}La_xCu_3O_7$.—74-09233A
Zapata-Navarro, A.; Zapata-Torres, M.; Sosa, Victor; Bartolo-Perez, P.; Pena, J. L.
CdTe oxide films grown by radio frequency sputtering utilizing argon-nitrous oxide plasma.—74-04496A
Zapata-Torres, M. See Zapata-Navarro, A.
Zaragueta, Juan J. L.
Method of fabricating ceramic tile.—74-02817P
Zareba, Jadwiga; Pawluk, Jenina
Examination of the atmospheric air pollution degree with heavy metals in the cement plant: II.—74-08025A
Zareba, Jadwiga
Examination of the atmospheric air pollution degree with heavy metals in the cement plant: I.—74-08024A
Zaremba, Teresa
$PbZrO_3$-$K_{0.4}Bi_{0.5}TiO_3$.—74-03330A
Zarichnyak, Yu. P. See Dozhdikova, O. L.
Zaulichnyi, Ya. V. See Kovtum, V. I.
Zav'yalov, V. V.; Radantsev, V. F.
Tunnel junctions in narrow-gap $Hg_{1-x}Cd_xTe$ barrier structures in a magnetic field.—74-09075A
Zavala-Enriquez, G.; Ghosh, P. K.
Temperature modulation of the electrooptic effect in $BaTiO_3$ and $LiNbO_3$—a theoretical approach.—74-09184A
Zavetova, M.; Pasternak, J.; Oseald, J.
Spectroscopic study of Si-related defects in nonhomogeneous GaAs:Si.—74-00715A
Zavidonov, A. Yu.
Nuclear magnetic relaxation and Knight shift of ^{63}Cu nuclei in high-T_c superconductors.—74-03545A
Zavislyak, I. V. See Bobkov, V. B.
Zavodnova, S. V. See Levinskii, Yu. V.
Zavorotnev, Yu. D.; Zvada, S. S.; Medvedeva, L. I.
Crystal lattice distortion in iron phosphide.—74-07052A
Zavorotnev, Yu. D.
Magnetic structure in Fe_2P compounds.—74-06463A
Zawada, L. P.; Lee, S. S.
Evaluation of four CMCs for aerospace turbine engine divergent flaps and seals.—74-09868A
Zawadzki, Edward A. See Vitunac, Edward A.
Zawadzki, P. A. See Tompa, G. S.
Zayas, Ma. E.; Rivera, E.; Rincon, J. M.
Glass formation area in a ternary ZnO-CdO-SiO_2 and an Al_2O_3 section of the quaternary ZnO-Cd)-Al_2O_3-SiO_2 system.—74-02462A
Zayats, A. V.; Golonzka, O. V.; Repeyev, Yu. A.
Dispersive subband-resonant nonlinearity in amorphous Si/SiO_2 quantum well structures.—74-08864A
Zayed, H. A.; Abo-Elsoud, A. M.; Ibrahim, A. M.; Kenawy, M. A.
Composition dependence of the optical constants in amorphous Sb_2Se_{1-x} thin films.—74-04267A
Zaytouni, M. See Riviere, J. P.
Zbigien, J. L. See Shaughnessey, Joe
Zdvizhkova, N. I. See Lukin, E. S.
Zehentes, K. A. See Ravanomanjato, S.
Zehnder, A. T. See Thurston, M. E.
Zehnder, T.; Blatter, A.; Bachli, A.
SiC films prepared by pulsed excimer laser deposition.—74-04889A
Zehr, Bradley D.; Van Kuren, Judith P.
Gradient furnace carbon analyzer: I, Carbon profiles of graphite and various carbides.—74-03910A
Zeidler, J. R. See Hewett, C. A.
Zeisig, M. See Plauk, G.
Zeisse, C. R. See Ziedler, J. R.
Zelinka, J. See Walachova, J.
Zelinskii, V. Yu.
Refractory materials from aluminothermal reduction of niobium slag.—74-02780A
Zelyarskii, V. B. See Barnitskaya, T. S.
Zemlyanov, M. G.; Krylov, I. V.; Parshin, P. P.
Partial oscillation spectra of Cu, La, and O atoms in La_2CuO_4.—74-10016A
Zemlyanskaya, V. M. See Tkacheva, I. I.
Zen, J. M.; Wang, C. B.
Oxygen reduction on ruthenium-oxide pyrochlore produced in a proton-exchange membrane.—74-07409A
Zender, H. See Reyre, P.
Zender, Mark D.
Monolithic ceramic/fiber reinforced ceramic composite.—74-09943P
Zeng, D. See Roger, C.
Zeng, D.; Hampden-Smith, Mark J.
Synthesis and characterization of nanophase metal, M, and metal carbide, M_2C, particles of the group 6 elements, Cr, Mo, and W.—74-10668A
Zeng, Fei See Wu, Hong
Zeng, H. C. See Li, N.
Zeng, H. C.
Retention behavior of carbon in sol-gel-derived ZrO_2 studied by Fourier transform infrared spectroscopy.—74-10611A
Zeng, Han-Min See Fu, Ruo-Wen
Zeng, K. See Yttergren, R.-M. F.
Zeng, K.; Breder, Kristin; Rowcliffe, David J.
Hertzian stress field and formation of cone cracks: I, Theoretical approach.—74-11014A; II, Determination of fracture toughness.—74-11015A
Zeng, Ping See Yang, Hong-Shun
Zeng, Shao-Xian; Guo, Jing-Wei; Yang, Zhi-Xiong
Properties and microstructure of synthetic hydroxyapatite.—74-07722A
Zeng, X.
Frequency-domain-continuation intermodulation-balance method for the analysis of nonlinear microwave circuits with multifrequency excitations.—74-08917A
Zeng, Xian-Lin
Refinement of glazes.—74-05905A
Zeng, Xian-Ting; Ling, Zhao-Xing; Huang, Kang-Quan
Correlation of pressure and position during in situ $YBa_2Cu_3O_{7-\delta}$ film preparation by facing target magnetron sputtering (FTMS).—74-06504A
Zeng, Xiang-Hui See Liu, Rang-Jiao
Zeng, Xiao-Yan See Zhu, Bei-Di
Zeng, Zhao-Yang See Shu, Ke-Xing
Zenger, Manfred; Bogs, Martin; Lucke, Ralph; Schulz, Gerd
High-quality ferrite production.—74-06459A
Zengerle, R.; Hubner, B.; Weiershausen, W.
Low-loss beamwidth transformers on InP with reduced requirements on lithographic resolution.—74-00648A
Zenkevich, A. See Chubunova, E. V.
Zerda, T. W. See Shao, Yong
Zerda, T. W.; Shao, Yong
Reorientational motion and phase transitions of cyclohexane in restricted geometries.—74-10026A
Zeto, Robert J. See Yoon, Yeong J.
Zettler, T. See Spanos, L.
Zeuner, S. See Huggard, P. G.
Zevin, L. See Pelleg, Joshua; Zabicky, J.
Zevin, V. See Fulde, P.
Zhabrev, V. A.
Multicomponent diffusion of Na^+, K^+, and Rb^+ ions in silicate glass-forming melts.—74-05035A
Zhad'ko, I. P. See Gasan-Zade, S. G.
Zhai, Fu-Jiang See Ying, Hu-Min
Zhai, Hong-Ying See Wang, Ke-Ming
Zhambaibekov, K. Zh. See Sirota, N. N.
Zhan, Xuan-Y.
Approach on process principle of moisture removal under positive pressure in tunnel drying chambers: I.—74-08503A; II.—74-07204A
Zhan, Yu-Shu; Wang, He; Gao, Zhi-Hui
Theoretical and experimental study of nonlinear distortion in semiconductor lasers.—74-09065A
Zhang, B. See Childs, T. H. C.
Zhang, Bao-Ping; Kano, Satoru; Ito, Ryoichi
Oscillator strength of excitons in InGaAs/GaAs quantum wells.—74-00676A
Zhang, Bao-Ping; Shiraki, Yasuhiro; Ito, Ryoichi
Well width dependence of the exciton phonon interaction in semiconductor quantum wells.—74-03261A
Zhang, Bao-Shan See Zhang, Xin-Yu
Zhang, Bei; Lan, Sheng; Li, Li-Qun
Low-temperature electrical transportation behavior of $In_{0.5}Ga_{0.5}P$ grown in GaAs(100) substrate by LPE.—74-08947A
Zhang, Bei; Wang, Ruo-Peng; Ding, Xiao-Min
Observation of laser oscillation without population inversion in InGaAsP microdisk lasers.—74-06231A
Zhang, Bing-Huai See Liu, Qing-Cai
Zhang, Bojun See Maher, Dennis M.
Zhang, Chang-Jun See He, Lin

Zhang, D. H.; Brodie, D. E.
Crystallite orientation and the related photoresponse of hexagonal ZnO films deposited by rf sputtering.—74-07064A; Effects of annealing ZnO films prepared by ion-beam-assisted reactive deposition.—74-00481A

Zhang, D. See Li, Q.; Milewski, P. D.

Zhang, Ding-Jin; Murakami, Y.; Ishiyama, O.
Dielectric properties of ruthenium-alumina composite particles.—74-08743A

Zhang, F.; Xie, E.; Yang, B.
Synthesis and infrared absorption characteristics of boron-doped semiconducting diamond thin films.—74-07508A

Zhang, Fang-Qing See Zhang, Wen-Jun

Zhang, Gou-Jun
Preparation of BN-AlN-TiB_2 (BAT) electrical ceramic composite by reactive hot-pressing (RHP).—74-07428A

Zhang, Guang-Ming; Yu, Lu
Asymptotic exact solution of local copper oxide model.—74-05072A

Zhang, Guang-Zhi See Liu, Zhong-Xuan

Zhang, Gui-Fen
High-power tunable continuous-wave NaCl:$(F_2^+)_H$ color center lasers.—74-08931A

Zhang, Guo-Jun; Jin, Zong-Zhe; Yue, Xue-Mei
TiN-TiB_2 composites prepared by reactive hot-pressing and effects of Ni addition.—74-10702A

Zhang, Guo-Xuan; Li, Xi-Shain; Xu, Shi-Xiang
Transmission characteristics of fused silica fibers at high-power uv excimer laser wavelength.—74-05800A

Zhang, H.; Ritter, F.; Frieling, I.
Crystalline instability in $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_x$.—74-09247A

Zhang, Heng-Bin See Li, Xi

Zhang, Heng-Bin; Li, Xi; Li, S.; Xin, Y.; Zhao, M.
Conductivity study of ABO_3-type nanostructured materials.—74-04268A

Zhang, Hong See Wu, Hong

Zhang, Hong-Guang See Xin, Hou-Wen

Zhang, Hong-Quan See Li, Ning-Fang

Zhang, Hong-Xi; Qiang, Liang-Sheng; Xu, Chong-Quan; Jia, Xiao-Lin; Xu, Yu-Hang
Thermal dynamic investigation on oxygen vacancy defect in lithium niobate crystal.—74-10748A

Zhang, Hong-Xue; Karjalainen, Pentti; Uusimaki, Antti; Leppavuori, Seppo
Evaluation of PZT thin films on Ag-coated Si substrates.—74-06408A

Zhang, Hong; Tao, W.; Wu, Hong
Angular dependence of J_c of c-axis-oriented MOCVD YBCO film.—74-03415A

Zhang, Hui See Wang, Hua-Bing

Zhang, Hui-Jun
Effects of additives on properties of boron nitride materials.—74-04136A

Zhang, J. See De Espinosa, F. R.

Zhang, Ji-Song; Yang, Yong-Jin; Cao, Li-Hua
Microwave sintering of nanocrystalline ZrO_2 powders.—74-10470A

Zhang, Jian G.; Peiris, Dunstan H.
Removal of binder for producing articles from particulate materials by use of a specific TGA curve.—74-09541P

Zhang, Jian-Zhong See Zhang, Xin-Yu

Zhang, Jin-Cang See Cheng, Guo-Sheng

Zhang, Jin-Long See Guo, Shu-Quan

Zhang, Jing-Jiang; Zhao, Yun-Ying; Xu, Yu-Heng
Investigation on photorefractive crystals used as phase filters.—74-02553A

Zhang, Jing-Wen; Zhao, Hua; Sun, Wan-Jun
Optical associative memory with "Cat" self-pumped phase conjugator.—74-03136A

Zhang, Jing-Wu See Nancollas, George H.

Zhang, K.; Bose, S. S.; Miller, D. L.; Pan, N.
Be-doped GaAs grown by migration-enhanced epitaxy at low substrate temperature.—74-05988A

Zhang, K.; Pashmakov, B.; Mogilevsky, R.
Growth and characterization of epitaxial $PbTiO_3$ thin films on MgO.—74-10375A

Zhang, Kuan; Bonn, D. A.; Kamal, S.
Measurement of the *ab* plane anisotropy of microwave surface impedance of untwinned $YBa_2Cu_3O_{6.95}$ single crystals.—74-09307A

Zhang, L. See Franke, James E.; Wang, T.; Xie, C.

Zhang, Lei; Zou, Yan
Development of nonfired high-strength gypsum brick.—74-00360A; Fabrication of nonfired fly ash hollow brick without cement.—74-05810A; Nonfired high-strength wall and floor tile.—74-08566A

Zhang, Li-Hong See Ito, Yoshitaka

Zhang, Li-Peng; Wang, Paul W.
Effect of chloride on the structure of fluoroaluminate glasses studied by XPS.—74-08331A

Zhang, Li-Yuan See Song, Wei

Zhang, Lian-Meng See Yuan, R.-Z.

Zhang, Lian-Meng; Yu, Mao-Li; Yu, Jia-Guo; Yuan, R.-Z.
Ceramic composites made of nanosized Al_2O_3 and submicron-sized Si_3N_4.—74-10213A

Zhang, Lin; Ivey, Douglas G.
Kinetic plots for predicting silicide formation sequence.—74-04157A

Zhang, M. H. See Berry, E. E.

Zhang, Ming-De See Sun, Xiao-Han

Zhang, Ming-Li See Crimp, Melissa J.

Zhang, Ming-Sheng See Wu, Xing-Long

Zhang, P. X. See Cottam, M. G.

Zhang, P.-C. See Bai, Chun-Li

Zhang, Pei-Qiang See Zhang, Zhong

Zhang, Ping-Xian See Du, She-Jun

Zhang, Q. M.; Wang, H.; Kim, N.
Direct evaluation of domain wall and intrinsic contributions to the dielectric and piezoelectric response and their temperature dependence on lead zirconate titanate ceramics.—74-03295A

Zhang, Q.-J. See Yuan, R.-Z.

Zhang, Qi-Tu; Li, Xu-Ping; Lu, Pei-Wen
Study on improvement of thermal shock resistance of corundum refractory materials.—74-08637A

Zhang, Qing-Zhe See Meng, Ge

Zhang, Quan-Chang
Synthesis and application of zeolite molecular sieves.—74-10664A

Zhang, Rong-Qing See Wang, Zheng-Duo

Zhang, Rui-Chao See Wang, Min-Quan

Zhang, S.-L.; Buchta, R.; Sigurd, D.
Rapid thermal processing with microwave heating.—74-03727A

Zhang, S.; Brodie, D. E.
GaN films prepared by ECR plasma-assisted deposition.—74-00494A

Zhang, Shao-Ying; Shen, Bao-Gen; Liang, Bing
Structure and magnetic properties of $(Sm_{1-x}Nd_x)_2Fe_{14}Ga_3C_2$ (x=0.05) compounds prepared by arc melting.—74-09223A

Zhang, Shi-Wen See Chen, Yue-Feng

Zhang, Shu-Mei See Yu, Kang-Tai

Zhang, Shu-Ren; Zhong, Chao-Wei; Qin, Xiao-Liang; Ye, Yao-Hong
Investigation of low-temperature-fired strontium titanate multilayer grain-boundary layer capacitors.—74-02844A

Zhang, Song-Biao See Niemczyk, Thomas M.

Zhang, Song-Ming See Xiao, Han-Ning

Zhang, Su-Kun; Gonsalves, Kenneth E.
Biomimetic processing of calcium carbonate–chitosan composites.—74-07212A

Zhang, Tao See Sun, Qiang

Zhang, W. See Frisch, A.

Zhang, Wei-Zai See Xu, Jian-Hua

Zhang, Wen-Jie See Sun, Dian-Shuang

Zhang, Wen-Jun; Zhang, Fang-Qing; Wu, Quan-Zhong; Chen, Guang-Hua
Influence of annealing on defects in diamond films with ESR and ir measurements.—74-07350A

Zhang, Wen-Jun; Zhang, Fang-Qing; Zhang, Ya-Fei; Chen, Guang-Hua; Jiang, Xiang-Liu
Effects of hydrogen on the transition layers between diamond films and Zr,Hf substrates.—74-07283A

Zhang, X.-K.; Zhu, J.-Z.; Wang, R.
Diamond films as substrates for glucose sensors.—74-07020A

Zhang, X.; Gubbels, G. H. M.; Terpstra, R. A.
Processing and properties of hydroxyapatite/silver bioceramic composites.—74-07446A

Zhang, X.
Observation of the parity-forbidden optical transition in GaAs/GaAsP strained-layer quantum well.—74-08976A

Zhang, Xiang H. See Lucas, Jacques

Zhang, Xin-Min See Zhang, Xiu-Rong

Zhang, Xin-Yu; Wang, Shen-Qi; Zhang, Jian-Zhong; Zhang, Bao-Shan; Hidalgo, Rafael; Markiewicz, Robert S.
Biaxial alignment of high-T_c superconductor polycrystals: VI, Biaxial alignment of $(Eu_{0.92}Yb_{0.08})Ba_2Cu_3O_x$.—74-06495A

Zhang, Xiong; Shiraki, Yasuhiro; Yaguchi, Hiroyuki; Onabe, Kentaro; Ito, Ryoichi
Temperature dependence of photoluminescence linewidth in GaAs/GaAsP strained-layer quantum well structures.—74-03248A

Zhang, Xiu-Rong See Qi, Chang-Hong

Zhang, Xiu-Rong; Zhang, Xin-Min; Shen, Ya-Fang
Spectral properties of Nd^{3+}:$La_2Be_2O_5$ (Nd^{3+}:BEL) crystals.—74-06321A

Zhang, Xu-Dong; He, Wen; Li, Hao-Wen
Development of glazed tiles using industry waste slags.—74-05890A

Zhang, Xu-Shou See Bai, Ming-Wu; Liu, Hiu-Wen

Zhang, Xun-Gu
Option of various types of brick-firing kilns.—74-06870A

Zhang, Y. H. See Leonard, D.

Zhang, Y. M. See Winkler, D.

Zhang, Y. See Bell, F. H.; Joubert, O.; Oehrlein, G. S.

Zhang, Y.; Shores, D. A.
Cracking and spalling of oxide scales from 304 stainless steel at high temperatures.—74-05849A

Zhang, Ya-Fei See Zhang, Wen-Jun

Zhang, Yao See Tomita, Yosinori

Zhang, Ye See Wu, Xue-Zhen

Zhang, Yi-Tong See Shi, Zhi-Xiang; Shu, Ke-Xing

Zhang, Yong-Bin See Ren, De-He

Zhang, Yong-Jian; Ruan, Ke-Qing; Wang, Cheng-You
Synthesis of Hg-1201 phase superconducting cuprate at ambient pressure.—74-09350A

Zhang, Yu-Feng; Guo, Jing-Kun; Huang, Xiao-Xian; Li, Bao-Shun
Mechanical properties of SiC whisker/Y-TZP (containing alumina) composites.—74-11045A

Zhang, Yu-Heng
Relation of microstructure and superconductivity in bismuth oxide superconductors.—74-09333A

Zhang, Yue-Min; Li, Qing-Hui; Lin, Yu-Lian
Study on corrosion resistance of Al_2O_3-MgO-C brick for ladle linings.—74-02738A

Zhang, Yue; Chu, W. Y.; Wang, Y. B.; Qiao, L.-J.; Xiao, C. M.; Wang, Z.-H.
Scanning tunneling microscope observations of the cleavage fracture surfaces of titanium aluminide.—74-07735A

Zhang, Z. Lisa; MacDonald, Noel C.
Integrated silicon process for microdynamic vacuum field emission cathodes.—74-00941A

Zhang, Z. See Jin, S.

Zhang, Z.-K.; Cui, Z.-L.
Phase structures in n-Y_2O_3.—74-07710A

Zhang, Z.; Kennedy, J. H.
Synthesis, structure, and properties in the disordered and ordered Ag-P-S system.—74-01472A

Zhang, Z.; Long, S.; Flower, H. M.
Light alloy composite production by liquid metal infiltration.—74-04731A

Zhang, Zhi-Fan; Scotto, Cathy S.; Laine, Richard M.
Processing of silicon carbide fiber with controlled stoichiometry, using polymethylsilane, $-(MeSiH)_x-$.—74-10589A

Zhang, Zhi-Guo See Ding, Xue-Zhou

Zhang, Zhi-Ping; Huang, Hui-Huang; Huang, Zhao-Hui
SiAlON-bonded SiC refractories for blast furnaces.—74-00401A

Zhang, Zhong; Jin, Duo; Li, Lai-Feng; Tu, Zhi-Hua; Zhao, Li-Zhong; Zhang, Pei-Qiang
Fracture strength and dynamic elastic modulus of Ce- and Er-TZP at low temperature.—74-11007A

Zhang, Zhu-Hong See Zhu, Jiang-Qiang

Zhang, Zhu-Hong; Fan, Dian-Yuan
Chirp production of picosecond light pulse in GaAs semiconductor.—74-02939A

Zhang, Zong-Tao; Huang, Yong; Jiang, Zuo-Zhao
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media[—reply].—74-10325A

Zhao, Ce-Zhou; Li, Guo-Zheng; Liu, En-Ke
Fabrication of X-type crossing waveguide constructed by large single-mode rib silica-on-insulator (SOI) waveguide.—74-08907A

Zhao, D.; Huber, D. L.; Giebultowicz, T. M.
Analysis of low-temperature spin dynamics in $Zn_{1-x}Mn_xSe$.—74-08824A

Zhao, Da-Chun; Pan, Xiao-Ren
Investigation of optical and electrical properties of ZnO ultrafine particle films prepared by direct current gas discharge activated reactive method.—74-06168A

Zhao, Gui-Wen See Sun, Hong-Mao

Zhao, Guo; Zhu, Ching; Revankar, Vital
Silicon carbide tubes by chemical vapor deposition technology.—74-01881A

Zhao, Hai-Lei; Li, Wen-Chao; Zhong, Xiang-Chong
Effect of corundum-mullite-zirconia addition on microstructure and mechanical properties of BN materials.—74-07635A

Zhao, Hang-Wei See Yu, Jia-Qing

Zhao, Hong See Jin, Zong-Zhe

Zhao, Hong; He, Yu; Jin, Zong-Zhe
Preparation of zirconium boride powder.—74-10575A

Zhao, Hua See Zhang, Jing-Wen

Zhao, L. B.; Feng, K. A.; Lin, Z. D.
Formation of atomic steps in chemical vapor deposition diamond growth.—74-04644A

Zhao, Li-Shang
Development of matte glaze for colored floor tile.—74-08529A

Zhao, Li-Zhong See Zhang, Zhong

Zhao, Lian-Ke
Kneading-crushing-cleaning extruder for making brick.—74-05819A

Zhao, M. See Zhang, Heng-Bin

Zhao, Min-Ru See Huang, Chao-En

Zhao, Mu-Yu See Li, Xi

Zhao, Wei See Chen, Wei

Zhao, X. See Liu, X.

Zhao, Xi-Wen; Hu, Feng-Juan; Liu, Xi-Cheng
Production of composite cement using fly ash and cinder from burned lignite.—74-08092A

Zhao, Y.; Dharani, L. R.
Theoretical model for the analysis of a ceramic thin film sintering on a nonsintering substrate.—74-04955A

Zhao, Yan-Zhao See Yuan, Yue-Rong

Zhao, Yang; Wu, Cun-Kai; Tang, Qing-Feng
High-gain two-wave mixing in a CeSBN photorefractive crystal-large modulation effect and dynamic properties.—74-06137A

Zhao, Yun-Ying See Zhang, Jing-Jiang

Zhao, Zhen-Guo See Ma, Ji-Ming

Zhao, Zhong-Xian See Li, Yang

Zhao, Zong-Yu See Hou, Wen-Ping

Zharikov, E. V. See Kuz'micheva, G. M.

Zhdanov, Yu. I.; Bogdanovich, A. M.; Aleksashin, B. A.
Changes in the electronic spectrum of $YBa_2Cu_3O_{6.9}$ radiative disordering: ^{89}Y and ^{63}Cu NMR data.—74-09242A

Zhdanovich, N. S. See Konorova, L. F.

Zheleva, Tsvetanka See Tiwari, P.

Zheleva, Tsvetanka; Jagannadham, K.; Narayan, J.
Epitaxial growth in large-lattice-mismatch systems.—74-04139A

Zheleznova, A. A. See Mare, G. N.

Zheludev, N. I.; Brummell, M. A.; Harley, R. T.
Giant specular inverse Faraday effect in $Cd_{0.6}Mn_{0.4}Te$.—74-05016A

Zheludev, N. I.; Popov, S. V.; Malinowski, A.
Coherent and incoherent specular inverse Faraday effect in $YBa_2Cu_3O_{7-\delta}$.—74-03428A

Zheludeva, S. I.; Kovalchuk, M. V.; Novikova, N. N.; Sosphenov, A. N.; Malysheva, N. E.; Salashchenko, N. N.
X-ray waveguide structures of thin metal carbon layers.—74-07792A

Zhen, Yong S.; Hrdina, Kenneth E.; Remick, Robert J.
New process for preparing nanosize ceramic powders.—74-06794A

Zhen, Yong S.; Hrdina, Kenneth E.
Process for preparing submicron ceramic powders from precursors within a polymeric foam.—74-01031P

Zheng, An-Zhong; Lu, De-Xing
Low expansion Al_2O_3-ZrO_2 composite synthesized from m-ZrO_2 and Al_2O_3 ultrafines.—74-03945A

Zheng, C.-Q. See Ran, J.-G.

Zheng, Guo-Qing; Odaguchi, Takahiro; Kodama, Yasuharu
Cu^{63} NQR/NMR study of Zn-substituted $YBa_2Cu_4O_8$: effect of impurity on spin-gap-like behavior.—74-00794A

Zheng, H. See Park, S. S.

Zheng, Hui See Li, Jia-Ju

Zheng, J. F.; Liu, X.; Weber, E. R.; Ogletree, D. F.; Salmeron, M. B.
Si donors (Si/Ga) in GaAs observed by scanning tunneling microscopy.—74-06311A

Zheng, J. F.; Ogletree, D. F.; Walker, J. D.; Salmeron, M. B.; Weber, E. R.
Cross-sectional scanning tunneling microscopy of semiconductor vertical-cavity surface-emitting laser structure.—74-07622A
Zheng, J. F.; Walker, J. D.; Salmeron, M. B.
Interface segregation and clusterir.g in strained-layer InGaAs/GaAs heterostructures studied by cross-sectional STM.—74-05170A
Zheng, Jing-Min; Carlson, William B.; Reed, James S.
Dependence of compaction efficiency in dry pressing on the particle size distribution.—74-10256A
Zheng, K. See Steele, B. C. H.
Zheng, P.-J. See Wang, J.-T.
Zheng, Ping See Yang, Hong-Shun
Zheng, Quo-Qing See Ohsugi, Shigeki
Zheng, Rong-He See Zhu, Xiao-Ping
Zheng, Wen-Chen
EPR study of two Cr^{3+} sites in $MgTiO_3$ crystal.—74-10801A; Zero-field splitting for Fe^{3+} in the tetragonal phase of $SrTiO_3$ crystal.—74-04241A
Zheng, X. See Cams, T. K.
Zheng, X.; Rapp, R. A.; Goto, K.
Conductivities and densities of Na_2SO_4-$NaVO_3$ melts.—74-00248A
Zheng, Ying-Jun See Wang, Wei-Li
Zheng, Yu-Hua See Wang, Ying-Jun
Zheng, Z. J.; Zuo, D. L.; Li, D. H.
Two-dimensional ordered Si_3N_4 nanoparticles observed by a scanning tunneling microscope.—74-07786A
Zheng, Z.-H.; Guan, Z.-P.; Yang, A.-H.; Fan, X.-W.; Chen, L.-C.
Excitonic optical bistability in ZnSe/ZnS planar waveguide.—74-06089A
Zherikhina, L. N. See Golovshkhin, A. I.
Zherlitsyn, S. V.; Zvyagina, G. A.; Fil, V. D.
Magnetoelastic effects in $Nd_{2-x}3Ce_xCuO_4$ single crystals at low temperatures.—74-01537A
Zhi, Yu See Chen, Ang
Zhidovainis, R.; Lazutka, A.; Shilenas, A.
Monolithic AlGaAs reflection diode optron.—74-00662A
Zhilin, A. A. See Golubkov, V. V.
Zhilin, A. A.; Ovcharenko, M. G.; Chashchin, S. V.
Crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 with a high concentration of Nb_2O_5.—74-00291A
Zhilin, A. A.; Ovcharenko, M. G.; Chashchin, S. V.
Peculiarities of the crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 with high content of Nb_2O_5.—74-00206A
Zhilin, A. A.; Suleimanov, S. Kh.; Sultanov, Sh. Sh.
Transparent glass-ceramic materials with a refractive index gradient.—74-02595A
Zhilyaev, Yu. V. See Berkeliev, A.; Estropov, V. V.
Zhilyaev, Yu. V.; Melebaev, D.; Nazarov, N.
Photosensitivity and induced photoplechroism of Au-*n*-GaP/*p*-Si two-barrier structures.—74-03170A
Zhilyaev, Yu. V.; Nazarov, N.; Rud, V. Yu.
Polarization photosensitivity of epitaxial GaP structures on Si substrates.—74-00686A
Zhirnov, V. V. See Givargizov, E. I.
Zhitar, V. F.; Mashuga, A. I.; Arama, E. D.
Cathodoluminescence spectra of $ZnIn_2Se_4$ single crystals.—74-08835A
Zhitinskaya, M. K. See Berezin, A. V.
Zhitinskaya, M. K.; Nemov, S. A.; Ravich, Yu. I.
Electrophysical properties on Bi_2Te_3:In.—74-01513A
Zholudev, A. A.; Trushin, V. N.; Chuprunov, E. V.
Features of pulse illumination effect on X-ray diffraction and photorefractive properties of $LiNbO_3$:Cu [crystals].—74-04634A
Zhong, Chao-Wei See Zhang, Shu-Ren
Zhong, G. M. See Sun, L. M.
Zhong, J.; Kitai, Adrian H.; Mascher, P.
Influence of processing conditions on point defects and luminescence centers in ZnO.—74-07572A
Zhong, Q. See Chou, P. C.
Zhong, Q.; Dahn, J. R.; Colbow, K. M.
Dependence of the intercalation of Li in WO_3 on the preparation of WO_3 host.—74-01367A
Zhong, W.-L.; Wang, Y.-G.; Kong, D.-S.
Microstructure and composition analysis of $PbTiO_3$ films.—74-02019A
Zhong, W.-L.; Wang, Y.-G.; Yue, S.-B.
Domain reorientation by poling of PZT ceramics in the morphotropic phase boundary region.—74-03296A
Zhong, W.; King Smith, R. D.; Vanderbilt, David
Giant LO-TO splittings in perovskite ferroelectrics.—74-03310A
Zhong, W.; Vanderbilt, David; Rabe, K. M.
Phase transitions in $BaTiO_3$ from first principles.—74-06429A
Zhong, Xiang-Chong See Zhao, Hai-Lei
Zhong, Y. See Yan, S.
Zhong, Zi-Fang See Tang, Hai
Zhou, Ao See Wang, Xiao-Guang
Zhou, C. See Eberhardt, A. W.
Zhou, D. S. See Reimanis, Ivar E.
Zhou, D. S.; Mitchell, T. E.
Dislocations in as-grown CVD α-silicon nitride.—74-10729A
Zhou, Di-Xun
Computer drawing bank for ceramic technology equipment.—74-11152A
Zhou, F. See Sui, M.-L.
Zhou, F.; Sui, M.-L.; He, K.-Y.; Cheng, L.-Z.; Lai, Z.-H.
Grain growth processes in a nanocrystalline $Fe_{74.5}Si_{13.5}B_9Nb_3$ alloy.—74-07657A
Zhou, Fang-Qiao; Hao, Jin-Hua; Sun, Han-Dong
Ir response of granular YBCO semiconducting films.—74-03078A
Zhou, Fu-Zheng See Shen, Xiao-Hua
Zhou, Fu-Zheng; Xue, Qiang; Hu, Wen-Tao
Self-*Q*-switched $Nb:Bi_4Ge_3O_{12}$ (BGO) laser pumped by laser diode (LD).—74-09032A
Zhou, Gui-En; Zhu, Jing-Sheng; Shi, Lei
Study on high-T_c superconductivity and lattice mismatch.—74-09342A
Zhou, Hong; Singh, Raj N.
Kinetics model for the growth of silicon carbide by the reaction of liquid silicon with carbon.—74-10431A
Zhou, Huan-Hai; Wu, Xue-Quan; Xu, Zhong-Zi
Kinetic study on hydration of alkali-activated slag.—74-00072A
Zhou, Hui See Xu, Qing
Zhou, J. See Lucas, J. P.
Zhou, Jian-Shi
High oxygen pressure treatment and XPS study for $La_{2-x}Sr_xCuO_4$.—74-03481A
Zhou, Jing-En See Zhou, Lin
Zhou, K. See Shao, Hui-Min
Zhou, Li-Min See Liu, Hong-Yuan
Zhou, Li-Qin; Jiang, Zhi-Hua; Yu, Chiang-Ku
Fabrication and properties of multilayer $Sr_{0.7}Ba_{0.3}TiO_2$ ceramic varistors.—74-06095A
Zhou, Lin; Gao, Yi-Min; Zhou, Jing-En; Zhou, Qing-De
Unlubricated sliding wear mechanism of fine ceramics Al_2O_3 and ZrO_2 against high chromium cast iron.—74-02402A
Zhou, M.; Oel, Heribert J.
Causes of dark spots on porcelain surfaces.—74-08663A
Zhou, Meng-Pie See Wang, Xiao-Guang
Zhou, Ning-Sheng See Li, Zai-Geng
Zhou, Qing See Li, Xiao-Ming
Zhou, Qing-De See Zhou, Lin
Zhou, Shi-Gui; Gu, Wen-Jie; Wang, Cong; Hou, Feng-Zhen; Teng, Li-Dong
Effect of F^- and S^{2-} on the crystallization process of CaO-Al_2O_3-SiO_2 system.—74-08332A
Zhou, Si-Hai; Long, Xiang-Yun; Peng, Qiu-Yun
Effect of cold working on properties of Tl-1223/Ag superconducting tape.—74-06517A
Zhou, Song-Qing; Du, Hai-Qing
Randomness of fine cracks on upside of color glazed tile and their statistical analysis.—74-02811A
Zhou, Wen-Jie; Huang, Yu-Zhen; Chao, Xi-Xu
Structural changes and T_c variation of superconductor $(Bi,Pb)_2Sr_5(R,Ce)_2Cu_2O_{10+x}$ intercalated with iodine.—74-03578A
Zhou, Xue-Zhi See Horio, Isayuki
Zhou, Y.; Jiang, D.; Tan, Shou-Hong
Preparation of silicon carbide platelets.—74-01850A
Zhou, Yan-Chun; Phillips, Richard J.; Switzer, Jay A.
Electrochemical synthesis and sintering of nanocrystalline cerium(IV) oxide powders.—74-04604A
Zhou, Yi-Yang; Funkenbusch, Paul D.; Quesnel, David J.; Golini, Donald; Lindquist, Arue
Effect of etching and imaging mode on the measurement of subsurface damage in microground optical glasses.—74-03800A
Zhou, Yue See Liu, Zhong-Wei
Zhou, Z. F.; Fan, Y. D.
Co-Cr films deposited by magnetron sputtering under different nitrogen partial pressures.—74-01356A
Zhou, Z. See Ohmori, A.
Zhou, Z.; Navrostsky, A.; McClure, D. S.
Oxidation states of copper in lead borate glass.—74-02478A
Zhou, Zhi-Hao See Yu, Yun-Lin
Zhou, Zhong-Shen See Yuan, Yue-Rong
Zhrinov, V. V.; Givargizov, E. I.
Chemical vapor deposition and plasma-enhanced chemical vapor deposition carbonization of silicon microtips.—74-04511A
Zhu, B. See Fu, S.-L.
Zhu, Bei-Di; Zeng, Xiao-Yan; Tao, Zeng-Yi
Coarse cemented WC particle aromic-metal composite coatings produced by laser cladding.—74-08145A
Zhu, Bin; Mellander, Bengt-Erik; Stjerna, Bertil
Ir spectra of $RbNO_3$:Al_2O_3 composites.—74-07676A
Zhu, Bing-Xi
Factors affecting naturally cured fly ash silicate products.—74-01192A
Zhu, Ching See Zhao, Guó
Zhu, Cong-Shan; Xia, Hai-Ping
Preparation and spectral properties of SiO_2 and SiO_2-TiO_2 gels doped with fullerenes.—74-10552A
Zhu, D. See Huang, Chao M.
Zhu, Dan-Hong
Application of programmable controllers in frosted glass bottle processing system.—74-09429A
Zhu, H. See Yu, N.
Zhu, J.-Z. See Zhang, X.-K.
Zhu, Jian-Ye See Wang, Ying-Jun
Zhu, Jiang-Qiang; Chen, Shao-He; Zhang, Zhu-Hong
Generation of 4-ps pulses from stable passive mode-locked Nd:YLF (yttrium lithium tetrafluoride) laser.—74-02629A; Negative feedback forced self-mode-locking in Nd:yttrium lithium tetrafluoride (YLF) laser.—74-00666A
Zhu, Jing-Sheng See Tian, Ming-Liang; Zhou, Gui-En
Zhu, Ka-Di; Kobayashi, Takayoshi
Resonant shallow donor magnetopolaron effect in GaAs/AlGaAs quantum dot in high magnetic fields.—74-09026A
Zhu, Li-Ming; Li, Wan-Jun; Ding, Ji-Jian
Development of andalusite-mullite kiln furniture.—74-01141A
Zhu, M.; Chung, D. D. L.
Simultaneous calcination and sintering of $YBa_2Cu_3O_{7-x}$ in high magnetic fields.—74-06631A
Zhu, P.
Microstructure investigation on the feature of glass structure.—74-02471A
Zhu, Pei-Nam; Ma, Li-Tai
Phase separation and crystallization of fluoroaluminosilicate glass [studied] by HR electron microscope.—74-08346A
Zhu, Ren-Yuan See Weber, Marvin J.
Zhu, W. See Stoner, B. R.
Zhu, W.; McCune, R. C.; DeVries, J. E.; Tamor, M. A.; Ng, K. Y. Simon
Characterization of diamond films on binderless W-Mo composite carbide.—74-07223A
Zhu, W.; Tan, B.-H.; Ahn, J.; Tan, H.-S.
Crystal growth and gas ratio effect of diamond films synthesized by oxyactylene flames.—74-10250A
Zhu, W.; Wang, X. H.; Stoner, B. R.; Kong, H. S.; Braun, M. W. H.; Glass, J. T.
Geometric modeling of the diamond–ß-SiC heteroepitaxial interface.—74-09995A
Zhu, Wen-Hua; Lu, Zhao-Qing
Internal electric heater for glass lining reaction vessels.—74-09478A
Zhu, X. See Bukowski, J. M.
Zhu, X.; Li, J.; Bodily, D. M.
Transpassive oxidation of pyrite.—74-02057A
Zhu, Xiao-Lei See Xue, Shao-Ling
Zhu, Xiao-Ping; Yu, Chang-Feng; Zheng, Rong-He
Synthesis of zirconium-vanadium blue pigment using zircon sand.—74-07522A
Zhu, Xing-Wen; Sun, Zhen-He; Wang, Hong
Effect of Ni-Cr doping on the properties of PZT ceramics.—74-08744A
Zhu, Xing; Xiong, G.-C.; Liu, R.; Li, Y.-J.; Lian, G.-J.; Gan, Z.-Z.
Systematic studies on the growth process of superconducting $YBa_2Cu_{3-\delta}$ and $Bi_2Sr_2CuO_y$ thin films by scanning tunneling microscopy.—74-06648A
Zhu, Y.-T. See Manthiram, A.
Zhu, Yi-Mei; Moodenbaugh, A. R.; Cai, Z.-X.
Tetragonal-orthorhombic-structural modulation for low temperature in $La_{2-x}Ba_xCuO_4$.—74-09354A
Zhu, Yong See Yang, Chang-Xi
Zhu, Yong-Hua See Chen, Quan-Qing
Zhu, Zhi-Bin
Measurement and forecast of color of glazes.—74-08690A
Zhu, Zhu-Hua See Wu, Xiao-Ping
Zhu, Zhu; Tomkiewicz, Micha
Morphology of TiO_2 aerogels.—74-10850A
Zhu, Zu-Pei
Developments and prospects of the Chinese cement industry.—74-02320A
Zhuang, D. See Wang, X.
Zhuang, H. See Wang, H.
Zhuang, H.-R. See Wang, Hao
Zhuang, Q. D.; Guo, H.; Heberlein, J.; Pfender, E.
Effect of substrate temperature distribution on thermal plasma jet CVD of diamond.—74-04589A
Zhuang, Rui-Fang; Xie, Hui; Ji, H.-L.
Preparation and properties of $YBa_2Cu_3O_{7-\delta}$ superconductor by citrate pyrolysis.—74-03561A
Zhuchenko, O. V. See Kergaputskaya, L. A.
Zhukov, A. A. See Komarkov, D. A.
Zhukov, A. E. See Egorov, A. Yu.; Maksimov, M. V.
Zhukov, E. G.; Polulyak, E. S.; Varnakova, G. S.
Synthesis and thermal stability of solid solutions of $Cu_{1-x}Zn_xCr_2Se_4$.—74-01470A
Zhuo, Hong-Sheng See Wang, Qing-Wu
Zhuo, Zhuang See Mu, Xiao-Dong
Zhuravlev, K. S.; Prints, V. Ya.; Lubyshev, D. I.
Electronic properties of GaAs buffer layers grown by MBE at 360-640°C.—74-08890A
Zhuravlev, V. A. See Shudegov, V. E.
Zhuravlev, V. D. See Laishevtseva, N. A.; Murashova, E. V.
Zhuravlev, V. D.; Velikodnyi, Yu. A.; Surat, L. L.
X-ray study of the systems $Mn_2V_2O_7$-$M_2V_2O_7$, where M=Ba, Sr, Ca, Co, Zn, Cu, Ni.—74-01490A
Zhuravlev, V. V. See Babamuratov, K. Kh.; Balakirev, V. G.
Zhuravleva, N. V.; Lukin, E. S.
Ceramics based on silicon nitride—a review.—74-03960A
Zhurov, V. V.; Ivanov, S. A.; Ol'khovik, I. V.
X-ray diffraction study of structural phase transition in polycrystalline $BaPbO_3$.—74-07140A
Zi, Xue-Jun
Hydrothermal synthesis of hydroxyapatite (HAp).—74-09784A
Zicherman, D. See Hsu, C. C.-H.
Ziedler, J. R. See Hewett, C. A.
Ziedler, J. R.; Hewett, C. A.; Nguyen, R.; Zeisse, C. R.; Wilson, R. G.
Diamond driver-active load pair fabricated by ion implantation.—74-08858A
Ziegler, G. See Lehmann, J.; Meissner, E.; Schmidt, H.
Zielinski, E. See Schmidt, A.
Zielinski, I. See Mirezejewski, M.
Zijlstra, T. See Cheung, R.
Zilliacus, R. See Gurav, A. S.
Zimin, S. P. See Zaikina, R. F.
Zimmerman, B. J. See Busta, H. H.; Pogemiller, J. E.
Zimmerman, F. See McKechnie, Timothy N.
Zimmermann-Edling, W. See Frauenheim, T.
Zinchenko, E. A. See Gasan-Zade, S. G.
Zindan, A. G. See Gol'dman, E. I.
Zingaro, Ralph A. See Estrada, C. A.; Nair, M. T. S.; Nair, P. K.
Zink, Jeffrey I. See Nishida, Fumito
Zink, Jeffrey I.; Dunn, Bruce; Yamanaka, Stacey
Optical sol-gel materials based on binding and catalysis by biomolecules.—74-09794A
Zinner, A. See Voigtlander, B.
Zinokov, A. V. See Grishin, A. M.
Zinov'ev, O. N. See Kanygina, O. N.
Zinovyev, V. A.; Aleksandrov, L. N.; Dvurechenskii, A. V.; Heinig, K.-H.; Stock, D.
Modeling of layer-by-layer sputtering of Si(111) surfaces under irradiation with low energy ions.—74-05196A

Zins, R.
Electrical engineering in the cement industry—a contribution to cost effectiveness and environmental protection.—74-00057A
Zioło, R. F.; Giannelis, Emmanuel P.; Shull, R. D.
Mmatrix-mediated synthesis and properties of nanostructured materials.—74-01804A
Zippenfenig, Gerd See Konig, Theo
Zipse, H. See Svoboda, J.
Ziq, K. A. See Abdelhadi, M. M.; Hamdan, N. M.
Zivkovic, Alexandre See Mottet, Leon P.
Zivkovic, Alexandre
Ceramic welding method with monitored working distance.—74-09523P
Zlobin, A. Yu. See Ralchenko, V. G.
Zmikic, A.; Krstulovic, R.
Interaction of ionic species in hydrated cement with a superplasticizer admixture.—74-05540A
Znasik, Peter See Majling, Jan
Znasik, Peter; Jamnicky, Miroslav; Hives, Jan
Electrical conductivity of glasses in the system CuCl-Cu_2O-(P_2O_5+MoO_3).—74-05714A
Znidarsic, M.; Limpel, M.; Drofenik, M.
Doping of ferrites for high-frequency switching power supplies.—74-03372A
Zoboli, Maurizio See Di Pasquale, Fabrizio
Zobov, E. M.; Sokolov, V. V.; Sharapudinova, A. Kh.
Nature and characteristics of radiative recombination centers in lanthanum sesquisulfide.—74-04370A
Zok, Frank W. See Bao, G.; Heredia, Fernando E.; Spearing, S. M.
Zok, Frank W.; Chen, X.; Weber, Christian H.
Tensile strength of SiC fibers.—74-07927A
Zok, Frank W.; Spearing, S. M.
Matrix crack spacing in brittle matrix composites.—74-11038A
Zolochevskii, I. V. See Dmitrev, V. M.
Zolotositskaya, E. S.; Potapova, V. G.; Druzenko, T. V.
Determination of alkali metals in bismuth-containing high-temperature superconductors.—74-06511A
Zolotov, Yu. A. See Morosanova, E. I.
Zolotovitskaya, E. S. See Chirkova, G. D.
Zolotukhin, I. V.; Kalinin, Yu. E.; Minabov, Yu. D.
Crossover effect of Young's modulus [YM] in amorphous Fe-P-Si alloys.—74-07150A
Zolotukhina, L. V. See Kraevskii, S. L.
Zolper, J. C. See Sherwin, M. E.
Zorman, C. A.; Shiao, J.; Heidger, S.
Composition and physical properties of thin a-C:H and a-C:N:H films deposited by ion beam techniques.—74-07148A
Zorn, M. See Reinhardt, F.
Zotov, A. V. See Eisele, I.; Lifshits, V. G.
Zotov, V. V. See Gan'shina, E. A.
Zou, Guang-Tian See Liu, Jian-Jun; Meng, Jin-Fang
Zou, Qing; Meng, Zhong-Yan
Microstructure and grain-boundary structure of Na^+-diffused (Sr,Ca)TiO_3 capacitor-varistor ceramics.—74-00510A
Zou, Xiao-Xing See Wang, Xiao-Guang
Zou, Y. See Wilson, M.
Zou, Yan See Zhang, Lei
Zou, Yun; Petric, Anthony
Preparation and properties of yttrium-doped lithium zirconate.—74-01846A; Thermodynamic stability of the lithium zirconates and lithium yttrate.—74-10046A
Zoubov, N. N.
Experience with the Sturtevant high-efficiency classifier for classifying coal.—74-06698A
Zrenner, A. See Butov, L. V.
Zrenner, A.; Butov, L. V.; Hagen, M.
Quantum dots formed by interface fluctuations in AlAs/GaAs coupled quantum well structures.—74-03188A
Zschack, P. See Isaacs, E. D.
Zsiga, Z. See Takadoum, J.
Zu, Guo-Ying See Bai, Ying-Xin
Zubekhin, A. P. See Gorbatenko, V. E.
Zubekhin, A. P.; Manysheva, E. A.; Rat'kova, V. P.
Phase composition and structure of a nichrome coating contact layer.—74-02390A
Zubkov, O. E. See Anders, A. G.
Zubkova, L. V.; Kabanov, V. O.; Pivovarov, M. M.
Raman spectroscopic study of the structure of glasses of the B_2O_3-GeO_2 system.—74-00212A; Structure of glasses of the system B_2O_3-GeO_2 investigated by Raman spectroscopy.—74-00231A
Zubkova, L. V.; Pivovarov, M. M.; Yanush, O. V.
Investigation of glasses of the B_2O_3-Sb_2O_3 system by the method of Raman spectroscopy.—74-02468A
Zubkova, T. I. See Zakharova, I. B.
Zubov, E. E. See Krivoruchko, V. N.
Zubrilov, A. S.
Electrical properties of 3C-SiC/Si heterojunctions.—74-08883A
Zuev, A. V. See Dozhdikova, O. L.
Zuhr, R. A. See Hunn, John D.
Zukal, A. See Rathousky, J.
Zukhvatova, M. B. See Nikonorov, N. V.
Zukic, Muamer See Kim, Jong-Min
Zukoski, C. F. See Look, J.-L.
Zukotynski, S. See Xu, W.
Zukow, P. Wladimir; Mizonow, E. Wadim; Otwinowski, Henryk
Forecasting of grain composition of single comminution products.—74-04642A
Zum Gahr, K. H.
Oxide high-performance ceramics for tribological applications.—74-01237A
Zuniga-Segundo, A.; Ruiz, F.; Vazquez-Lopez, C.; Gonzalez-Hernandez, J.; Torres-Delgado, G.; Tsu, D. V.
Characterization of SiO_2 layers on Si wafers using atomic force microscopy.—74-05089A
Zuo, D. L. See Zheng, Z. J.
Zuo, F.; Kizroev, S.; Jiang, Xiu-Gang
Josephson decoupling in single-crystal $Nd_{1.85}Ce_{0.15}Cu_2O_{4-y}$.—74-04343A
Zuo, Jian; Xu, Cun-Yi; Liu, Xian-Ming
Raman spectrum of nanometer SnO_2.—74-10025A
Zupancic, Joseph J.; Leung, Roger Y.
Silicon carboxide ceramics from spirosiloxanes.—74-04087P
Zur Loye, Hans-Conrad See Bem, David S.; Houmes, Joel D.
Zurecki, Zbigniew; Hayduk, Edward A., Jr.; North, John G.; Swan, Robert B.; Mitchell, David L., Jr.
Graphite/carbon articles for elevated temperature service and method of manufacture.—74-04053P
Zurn, S. See Mei, Q.
Zushi, Toshihiro; Nakahara, Shigeru; Takeda, Tetsuya; Nagae, Nobusada; Morisawa, Masaaki; Kaide, Tamotsu
Method for producing silica glass optical fiber with carbon coating.—74-02685P
Zvada, S. S. See Zavorotnev, Yu. D.
Zvosec, Charles M. See Mottet, Leon P.
Zvyagin, B. B.
Modular aspect of crystal structures.—74-04166A
Zvyagina, G. A. See Zherlitsyn, S. V.
Zwahr, H. See Schramm, Udo
Zwick, A. See Guerri, F.
Zwicker, G. See Jager-Waldau, G.
Zwicker, Harry R. See Newkirk, Marc S.
Zwicker, Shirley L. See Newkirk, Marc S.
Zwigart, John M.
CAD and the high-speed tumbler decorator.—74-00898A
Zyabnev, A. M. See Gorbatova, S. V.
Zyatkevich, D. P. See Vlasova, M. V.
Zych, Teresa See Sliwinski, Jacek
Zysk, K.-H.; Schroer, D.
Possible applications for flue gas desulfurization products in coal mining.—74-05568A
Zywicki, G. See Popovic, Dragan

CERAMIC ABSTRACTS

1995 Subject Index

Compiled by the American Ceramic Society

The abstract number appears at the end of each citation. Abstracts are numbered continuously through an entire volume. Subject entries are not in strict alphabetical order. Entries were computer sorted and numbers and capital letters appear before lower case letters.

ablation,
Ablation dynamics of silicon-based targets in oxygen and nitrogen atmospheres.—74-05063A
Deposition by plasma-assisted laser ablation and maskless patterning of $YBa_2Cu_3O_{7-\delta}$ superconducting thin films.—74-03439A
Deposition of copper oxide films by reactive laser ablation of copper formate in an rf oxygen plasma ambient.—74-01663A
Deposition of hydroxyapatite coatings by laser ablation.—74-10261A
Deposition of thin highly dispersive diamond films by laser ablation.—74-04543A
Deposition of $YBa_2Cu_3O_{7-x}$ thin films by channel-spark pulsed electron beam ablation.—74-03440A
Diamond films by the excimer laser photoablation of polymers.—74-07258A
Emission studies of the plume produced during $YBa_2Cu_3O_7$ film production by laser ablation.—74-03458A
Fluence dependence of excimer laser ablation of AlN.—74-10356A
Formation of $YBa_2Cu_3O_{7-x}$ thin films by pulsed ruby laser ablation.—74-06551A
Gas phase synthesis and processing of silicon nanocrystallites—characterization by photoluminescence emission spectroscopy.—74-04655A
In situ deposition of $YBa_2Cu_3O_{7-x}$ superconducting thin film without high pressure oxygen during film cooling.—74-00817A
In-plane lattice constant relaxation during laser ablation of YBCO and yttria-stabilized zirconia.—74-04695A
Microstructure flux pinning and critical current density in $YBa_2Cu_3O_{7-\delta}$ films grown by laser ablation.—74-03526A
Molecular sieve thin films via laser ablation.—74-07393A
Phase Transformations and Ablation in Laser-Treated Solids.—74-05443B
Preparation and characterization of $LiCoO_2$ thin films by laser ablation deposition.—74-01843A
Properties of carbon films deposited by laser ablation.—74-04850A
Raman analysis of the modifications induced by laser processing and hydrogen implantation in carbon films deposited by the ablation technique.—74-04858A
Real-time emission spectroscopy during laser ablation of BiSrCaCuO targets.—74-03564A
Review of ultrafine particle generation by laser ablation from solid targets in gas flows.—74-07467A
SiC films prepared by pulsed excimer laser deposition.—74-04889A
Synthesis of ultrafine glass particles by laser ablation of microspheres.—74-05798A
Time-resolved measurements of plume shielding during ArF laser ablation of silicon.—74-03881A
abrading apparatus,
Method of abrading with boron suboxide (BxO) and the boron suboxide (BxO) articles and composition used.—74-02291P
abrasion resistance,
Abrasion resistance of concrete as influenced by inclusion of fly ash.—74-05459A
Abrasive wear of alumina fiber-reinforced aluminum.—74-08124A
Breakdown of a-C coatings on ion-implantation-modified metal alloys with a jet of abrasive particles.—74-04488A
Factors influencing the abrasion resistance of thin-film magnetic media.—74-10992A
Improvement of three-body abrasive wear of plain carbon steel by thermochemical treatments.—74-08209A
Investigation into the mechanisms of closed three-body abrasive wear.—74-02285A
Investigation of abrasive wear resistance of new construction materials for cement industry.—74-08057A
Investigation of the role of secondary carbide in martensitic steel during three-body abrasion wear.—74-02286A
Model for the abrasive wear resistance of multiphase materials.—74-11057A
Model of the effect of abrasion on the strength of glass.—74-05731A
Plasma treatment of the glass-crystal material, Sigran.—74-00003A
Wear of Al_2O_3 ceramics by jet blasting.—74-03977A
abrasion,
Abrasive wear and surface roughness of ceramics.—74-05446A
Influence of hydrogen contained in hard coatings on their tribological behavior.—74-04335A
Method of flame abrasion of glass preform—74-00341P
Microscopic observations of the abrasive wear of zirconia ceramics.—74-02016A
Study on the honing of zirconia ceramics by diamond abrasive sticks.—74-06728A
abrasives,
Abrasive and/or refractory products based on melted and solidified oxynitrides and process preparing the same—74-00004P
Abrasive material and method.—74-07976P
Abrasive medium.—74-02289P
Abrasive water jet systems for cutting glass.—74-03672A
Blast media containing MgO—74-00005P
Development of ceramic binders for grinding wheels at lower firing temperatures.—74-00913A
Effect of microstructure on material removal mechanisms and damage tolerance in abrasive machining of silicon carbide.—74-10793A
Effect of the volumetric fraction and particle size on the abrasive mechanism in ceramic glazes.—74-08675A
Finest grind.—74-00928A
Grinding tool and the like made of a ceramic material coated with extremely hard abrasive granules—74-00006P
How and why of abrasive jet machining.—74-10390A
Method for making diamond grit and abrasive media.—74-02290P
Method for production of ultradispersed diamond.—74-04063P
Method of abrading with boron suboxide (BxO) and the boron suboxide (BxO) articles and composition used.—74-02291P
Modern abrasive recipes.—74-02287A
Modified sol-gel alumina abrasive filaments.—74-02292P
Sintered alumina abrasive grain and abrasive products.—74-07977P
Sol-gel alumina abrasive wheel with improved corner holding.—74-07978P
Theta-alumina powder, preparation thereof and magnetic recording medium—74-00782P
Ultra-hard abrasive particles.—74-07979P
absorption/absorbents,
Absorption measurements of ceramic materials as a function of temperature.—74-01492A
Absorption of oxygen by PbS films.—74-05970A
Absorption spectrum of optical glass doped with fullerenes.—74-02509A
Ac magnetic-field-induced microwave absorption in HTSC $Tl_2Ba_2Ca_2Cu_3O_x$.—74-06479A
Anomalous dc field/dependence of nonresonant rf absorption at high rf fields in $YBa_2Cu_3O_{7-x}$.—74-03416A
Collective excitations in asymmetric parabolic quantum wells.—74-04263A
Density of deep states in a-As_2Se_3 films by means of *c-v* characteristics.—74-06028A
Determination of recombination parameters in silicon structures by light-induced absorption method.—74-06038A
Double low-field absorption [DLFA] in high-T_c superconductor single crystals.—74-06515A
Effect of Fe concentration on Urbach edge of optical absorption of $(CdGeAs_2)_{[100-x]}Fe_x$ amorphous films near structural resonance.—74-04282A
Effects of melt chemistry on the spectral absorption coefficient of molten aluminum oxide.—74-10311A
Effects of sorbed moisture on resin-matrix composites.—74-07870A
Estimation of plasma absorption effects during pulsed laser ablation of high-critical-temperature superconductors.—74-03460A
Hysteresis of adsorption in YBCO textured ceramic plate.—74-03488A
Identification method for infrared absorption spectra of semitransparent media by their emission data: application to lime-aluminosilicate glasses at high temperatures.—74-02547A
Investigation of photocurrent loss due to reflectance and absorption in CdTe/CdS heterojunction solar cells.—74-03074A
Microwave-absorbing characteristic improvement by permittivity control of ferrite composite microwave absorber.—74-09211A
Modulated high-frequency and microwave absorption in ceramic high-temperature superconducters.—74-03533A
Modulated reflectance and absorption characterization of single-crystal GaN films.—74-03115A
Near-ir absorption spectra in Co_3O_4.—74-06473A
Nonlinear absorption in a GaAs waveguide just above half the band gap.—74-06224A
Nonstationary structure of atomic and molecular absorbing layers in electrochemical atomic absorption spectroscopy. Visualization of absorbing layers of thallium, germanium, and bismuth atoms.—74-02031A
Optical absorption of high-purity multicomponent cerium glasses and its temperature dependence at 1.17 eV.—74-02569A
Origin of absorption bands observed in the spectra of silver ion-exchanged soda-lime-silica glass.—74-08344A
Photoinduced absorption in sillenites.—74-04394A
Reductive deposition of Pd on porous silicon from aqueous solutions of $PdCl_2$: an X-ray absorption fine structure study.—74-10609A
Removal of hazardous acid gases by passage through slaked lime layers: I, Behavior of pure slaked lime layers during the passage of pollutant-free model gases.—74-05580A
Saturable absorbers based on impurity and defect centers in crystals.—74-09029A
Spectral absorption coefficient of molten aluminum oxide from 0.385 to 0.78 μm.—74-04424A
Study of circular dichroism in alum doped with Cr^{3+} ions under electric and magnetic fields: I, Studying absorption spectra of Cr^{3+}-doped alum.—74-07496A
X-ray absorption study of pulsed laser deposited boron nitride films.—74-10902A
acceptor,
Acceptors in silicon carbide: ODMR [optically detected magnetic resonance] data.—74-07033A
acetates,
New improved synthesis of the 110-K bismuth superconducting phase: freeze drying of acetic solutions.—74-03538A
Synthesis and characterization of an acetate-alkoxide precursor for sol-gel-derived $Bi_4Ti_3O_{12}$.—74-07506A
acid-resistant materials,
Acid resistance of titania-white domestic enamel.—74-08125A
acids,
Acid properties of a ZSM-20-type zeolite.—74-07991A
Alteration of characteristics of porous high-silica glass during acid treatment.—74-05750A

Alternate processing flowsheets for treating NCAW waste slurry with formic acid—split acid addition to reduce H_2 generation rate and total NH_3 production.—74-09394A
Balance model of neutralization of acid waste water from chemical polishing of glass.—74-05663A
Constant-composition study of the precipitation behavior of calcium phosphate in the presence of noncollagenous biochemicals.—74-10236A
Corrosion of hardened cement paste by acetic and nitric acids: I, Calculation of corrosion depth.—74-07803A
Dipolar indicators of site acidity in metal oxides.—74-00594A
Effect of Pd, Rh, and Ru concentration on HCOOH decomposition during the processing of neutralized current acid waste simulant.—74-09400A
Effect of small amounts of hydrochloric acid on the synthesis of translucent sintered cubic BN.—74-10295A
Effects of composition of single-phase alkali borosilicate glasses on their resistance to the action of solutions of nitric acid.—74-00194A
Effects of hydrochloric acid on mortar.—74-05509A
Effects of stearic acid on the injection molding of alumina.—74-10315A
Hydraulic properties of tricalcium phosphate-phosphoric acid-water mixtures.—74-05531A
Organic acid adsorption on lead titanate surfaces.—74-10509A
Relationships between the structure and the surface activity of nanosized alumina in acid catalysis.—74-10875A
Synthesis and thermal property of tetraimidocyclotetraphosphoric acid [$(HPO_2NH)_4$].—74-07510A

acoustic emission,
Acoustic emission during phase transition in barium titanate crystals subjected to step-by-step etching.—74-06392A
Acoustic emission measurements in structural ceramics during mechanical and thermal loading.—74-01036A
Acoustic emission study of failure mechanisms in ceramic matrix composite under longitudinal tensile loading.—74-07836A
Acoustooptic actively mode-locked frequency-doubled continuous-wave Nd:YAG laser.—74-02906A
Acoustooptic modulation using a new chlorotellurite glass.—74-04246A
Angular distribution of sound emission [ADSE] from thin cracks.—74-07837A
Application of nondestructive tests to evaluate concrete structures.—74-09549A
Creep and recovery in graphites at ambient temperature: an acoustic emission study.—74-07847A
Detection of crack growth in engineering ceramics by acoustic emission analysis.—74-01054A
Rayleigh acoustic mode in a-Si:H/a-SiN_x:H superlattices.—74-04407A
Synthetic fiber-reinforced cement composites: a study of fracture process by acoustic emission method.—74-01113A

acoustics,
Active control of $LiNbO_3$ single crystals for classification by the velocities of acoustic ACE waves.—74-10183A
Differences in the resonance behavior between coupled and uncoupled multifrequency piezoceramic composites.—74-03293A
Effect of surface conductivity on acoustic and galvanomagnetic properties of high-resistivity InSb at low temperatures.—74-06056A
Hysteresis behavior of sound [wave] velocity in high-temperature incommensurate superionic phase of $LiKSO_4$ crystals.—74-03820A
Neuronal acoustic classification in the porcelain industry.—74-01085A
Photoacoustic characterization of thermal transport properties in thin films and microstructures.—74-01558A
Scanning apparatus and method for nondestructive materials evaluation and mapping through use of acoustic waves.—74-09631P
Temperature dependence of the cross section for light scattering by charge carriers—observation of an acoustic plasmon (review).—74-06349A
Ultrasonic characterization of two ceramic/ceramic composites.—74-06828A

actinide,
Disposition of actinides released from high-level waste glasses.—74-09398A

activation energy,
Brittle-ductile transition [BDT] and dislocation mobility in sapphire.—74-05322A
Dopant activation energy and hole effective mass in heavily Zn-doped InP.—74-06045A
Electrical properties of ceramic electrolytes for systems of $LiM_xTi_{2-x}(PO_4)_3$+yLi_2O, M=Ge, Sn, Hf, and Zr.—74-01380A

activation,
Activated carbon fiber: fundamentals and application.—74-07011A
Characterization of active carbons by different models.—74-04260A
Influence of mechanical activation of basic refractories and mixtures on sintering.—74-02761A
Kinetic study on hydration of alkali-activated slag.—74-00072A
Mechanical activation of periclase cements.—74-02337A
New principle of the cement activation.—74-00084A
Novel applications for GGBS [ground granulated blast-furnace slag].—74-05867A
Porosity characteristics of activated carbons produced from agricultural byproducts.—74-04817A
Self-combustion reactions induced by mechanical activation: formation of aluminum nitride from aluminum-graphite powder mixture.—74-04883A
Use of the spark discharge for the activation of solutions and concrete mixtures.—74-00100A

actuator,
Ceramic actuators: principles and applications.—74-01045A
Ceramic materials for actuators—composition-related properties.—74-03287A
Electrical and dielectric instability induced by electric field cycling in ferroelectric ceramic actuators.—74-06406A
Electrostrictive behavior in lead magnesium niobate (PMN) actuators: I, Materials perspective.—74-09131A
Photostriction and its applications.—74-09000A
Piezoelectric actuator responsive to environmental humidity.—74-09162A
Piezoelectric ceramic composition for actuator.—74-09188P
Sensors, actuators, and smart materials.—74-01101A

additives,
Additive-coated Si_3N_4 powder prepared by the sol-gel method.—74-10184A
Additives for property modification in ceramic composite bodies.—74-09516P
Aging studies of novel Y-TZPs.—74-07036A
Aluminum nitride thermal conductivity of tape casting substrates.—74-07013A
Cement cake properties in static filtration: on the role of fluid loss control additives on the cake porosity.—74-00039A
Characteristics of $Bi_2Sr_2(Ca_{1-x}Yb_x)Cu_2O_{8+\delta}$ superconductors.—74-03421A
Contribution to the problem of waterproofing of gypsum materials.—74-00043A
Control of mold plaster properties using organic additives.—74-08668A
Control of spray granulate properties using organic additives.—74-09443A
Densification of Ti-Al-V powder compacts prepared through premix or prealloyed routes: II.—74-01659A
Density dependence of high-temperature dielectric properties of debased alumina and the effect of a high loss additive.—74-08736A
Dielectric properties of Z5U capacitor based on $BaTiO_3$ modified by relaxor ceramic compounds.—74-02830A
Early stages of composite formation by oxidation of liquid aluminum alloys.—74-05122A
Effect of addition and the synthesis method on the characteristics of aluminum titanate ceramics.—74-01684A
Effect of additives on the firing and properties of magnesium spinel ceramics.—74-01685A
Effect of aluminum and silicon reactants and HIP soak time on characteristics of glass-ceramic waste forms.—74-09399A
Effect of corundum-mullite-zirconia addition on microstructure and mechanical properties of BN materials.—74-07635A
Effect of glass additions on the indentation-strength behavior of alumina.—74-05340A
Effect of hexagonal boron nitride on aluminum nitride substrate thermal conductivity.—74-07153A
Effect of particulate additions on the rheological properties of polymer-based slurry mixtures and the characteristics of polymer-based slurry-derived preforms.—74-10290A
Effect of PSZ on strength of dental porcelain.—74-06968A
Effect of sintering additives and impurities on the high-temperature oxidation of Si_3N_4.—74-02075A
Effects of additives on properties of unfired Al_2O_3C bricks.—74-08539A
Effects of additives on the microstructure and mechanical properties in porous aluminum titanate ceramics.—74-10302A
Effects of additives on ZnO varistors.—74-02979A
Effects of organotitanate additions on the dispersion of aluminum nitride in nonpolar solvents.—74-04600A
Formation of new compounds in shock-wave sintering of sphaleritic boron nitride with Al_2O_3 and ZrO_2.—74-01738A
High-strength silicon-nitride-based materials.—74-07664A
High-temperature silicon nitride with minimized additive content by containerless sinter-HIP.—74-06706A
Homogeneous distribution of sintering additives in liquid-phase-sintered silicon carbide.—74-07338A
Influence of additives on the formation of the Al_2O_3/metal composite by melt oxidation of Al: I.—74-08213A
Influence of mineral admixtures on expansive cement mortras.—74-05535A
Influence of Te and Ag additions on the synthesis of high-T_c superconductors.—74-03494A
Mechanical properties of colloidally processed alumina with Cr_2O_3 and MnO_2 additives.—74-07377A
Micro-X-ray spectrographic analysis of the impurity and additive distribution in periclase ceramic.—74-05186A
New advances revive interest in cement-based materials.—74-02341A
Oilwell cements and cement additives in the CIS.—74-02342A
Physical and mechanical characteristics of zirconia refractories and their resistance to attack by molten metals.—74-00396A
Preparation of silicon carbide platelets.—74-01850A
Processing and testing of high toughness silicon nitride ceramics.—74-01858A
Processing of Al_2O_3 matrix TiB_2 platelet composites.—74-07447A
Properties and morphology of sodium lead germanate glasses.—74-05737A
Reaction of Bi-based superconductors with various chemical reagents.—74-03563A
Self-reinforced materials based on aluminum nitride.—74-04022A
Use of $A^{2+}B^{4+}O_3$ additives for preparing ferroelectric capacitor ceramics based on lead ferroniobate.—74-02867A

adhesion,
Improvement on adhesion strength of diamond film on cemented carbide by heated intermediate layer.—74-08210A

adhesives/adhesion,
Adhesion measurement of Ti thin films on Si substrate using internal stress in overcoated Ni films.—74-01609A
Adhesion of CVD-deposited alumina on cemented carbides.—74-07586A
Adhesion strength and residual stress in ceramic/metal joints.—74-08126A
Adhesion strength of diamond films on cemented carbide insert.—74-08127A
Bonding of zirconia ceramics and strengthening of adhesion of zirconia coatings by electric field assisted treatment.—74-00108A
Brass-rubber adhesive interphase investigated via depth profiling by using Auger electron spectroscopy.—74-05078A
Characterization of the strength and adhesion of diamond films on metallic substrates using a substrate plastic straining technique.—74-05324A
Coating of carbon fiber-reinforced composites—research, development, and application.—74-01285A
Cu-Mo contacts to $CuInSe_2$ for improved adhesion in photovoltaic devices.—74-02952A
Determination of adhesion strength between a carbon film and a polymeric substrate.—74-05334A
Effect of carbon fiber surface on interfacial adhesive strengths in CFRP.—74-01981A
Improved adhesion of CVD diamond films to steel and WC-Co substrates.—74-05159A
Improving the adhesion of zinc coatings used to metallize concrete.—74-02375A
Influence of substrate chemistry on the adhesion of electrolessly deposited Ni(P) on metal-oxide-coated ceramics.—74-07353A
Influence of thermal treatments on the adhesion of electrolessly deposited Ni(P) layers on alumina ceramic.—74-05629A
Influences of WC-Co hard metal substrate pretreatments with boron and silicon on low-pressure diamond deposition.—74-07354A
Inorganic heat-proof adhesive.—74-01770A
Interface roughness effects of adhesion of Ta_2N films.—74-11033A
Interfaces and adhesion mechanisms in reinforced diamond composite coatings.—74-00126A
Interfacial characteristics of arc-discharge-deposited diamondlike films on 19 different substrate materials.—74-02377A
Investigation of the behavior of shaft-hub connections and screw connections of ceramics and metal with the help of adhesive and braze from components.—74-05635A
Investigation of the CVD diamond-intermediate layer-steel interface.—74-05173A
Measurement of the adhesion of TiN and Al coatings by fracture mechanics tests.—74-02166A
Metal-ceramic adhesion and the Harris functional.—74-05645A
Metal-ceramic cohesion and the image interaction.—74-08234A
Microtribological improvement of carbon film by silicon inclusion and fluorination.—74-02026A
Nanotribology.—74-01083A
Preceramic polysilazane coatings for cold-rolled steels.—74-05652A
Role of an electrolysis reduction in copper-electroplating on transparent semiconductor tin oxide.—74-06294A
Stresses and adhesion of thin polycrystalline 3C-SiC films grown by CVD on silicon substrates.—74-09049A
Tensile adhesion testing of thermal -spray coatings on flat substrates.—74-09624A
Testing adhesion of coatings applied to concrete.—74-05605A
Wetting and adhesion in liquid silicon/ceramic systems.—74-07194A

admixture,
Corrosion of steel reinforcement [in concrete] in the presence of admixtures and inhibitors.—74-05483A
Early-age behavior of portland cement paste.—74-00051A
High-reactivity metakaolin—a new generation mineral admixture.—74-05527A
Influence of some set accelerating admixtures on the hydration of portland cement containing phosphogypsum.—74-00067A
Optimization of the concrete composition by help of dispersive mineral admixtures.—74-00085A
Research on improving properties of aerated concrete.—74-05581A
Use of yttrium, tungsten, and niobium oxide for increasing the electrical conductivity of strontium zirconate ceramics.—74-01601A
What's new in chemical admixtures.—74-02096A

adsorption/adsorbents,
n-nonane preadsorption as a tool to understand the mechanism of CO_2 adsorption in activated carbons.—74-10053A
Activated carbon fiber: fundamentals and application.—74-07011A
Adsorption and coprecipitation of multiple heavy metal ions onto the hydrated oxides of iron and chromium.—74-10055A
Adsorption and coprecipitation of single heavy metal ions onto the hydrated oxides of iron and chromium.—74-10056A
Adsorption behavior of cadmium and zinc ions on oxide/water interfaces.—74-10057A
Adsorption of Bi on Si(001) surface: an atomic view.—74-07587A
Adsorption of short-chain tetraalkylammonium bromide on silica.—74-10059A
Adsorption of sodium laurate from its aqueous solution onto an alumina surface. A dynamic study of the surface-surfactant interaction using attenuated total reflection Fourier transformation infrared spectroscopy.—74-09968A

Adsorption on grain boundaries and superconducting parameters of ceramics.—74-03414A
Adsorption on MCM-41 mesoporous molecular sieves: I, Nitrogen isotherms and parameters of the porous structure.—74-10755A
Adsorption properties of low-silica zeolite ZK-5.—74-07142A
Bronsted acid strength in US-Y: FTIR study on CO adsorption.—74-05080A
Calculation of the adsorption potential energy of water vapor on α-cristobalite.—74-07797A
Characterization and molecular behavior in carbon nanospaces.—74-10764A
Characterization of clinoptilolite by interaction of H_2S, CO, and SO_2 by the ESR technique.—74-10767A
Characterization of the dealumination effect into H faujasites by adsorption: II, The hexane molecule as a pore volume probe.—74-10776A
Chemical properties of Zn on Ru(001): coadsorption with Cs, O, Cu, and Au.—74-04103A
Clay-carbon adsorbent derived from spent bleaching earth: surface characterization and adsorption of chlorophenols from aqueous solution.—74-04105A
Comparative study of MeAPO molecular sieves with AFI structure type.—74-01502A
Competitive adsorption of citric acid and poly(vinyl alcohol) onto alumina and its influence on the binder migration during drying.—74-07234A
Computer simulation of adsorption from binary Ar-Kr solutions in thin slit pores of graphite.—74-10071A
Considerations on the adsorbed water concentration of sulfuric porous aluminum oxide.—74-04269A
Critical fluids in porous media.—74-07242A
Effect of the addition of methylene blue to the reaction mixture for the hydrothermal synthesis of aluminophosphate molecular sieves on their morphology.—74-10300A
Electron-stimulated and thermal desorption study of trimethylsilane from Si(100).—74-02995A
Electronic structure and work function study of a model dispenser cathode surface.—74-07642A
Evaluation of adsorption property of porous carbon materials: II.—74-10102A
Evaluation of adsorption property of porous carbon materials: III, Preparation of charcoals from cryptomeria and chamaecyparis and their properties.—74-10338A
Frequency response analysis by multicomponent diffusion in adsorbents.—74-04650A
Hydrogen profiles in the surface of reduced lead silicate glasses.—74-05682A
Interaction of ionic species in hydrated cement with a superplasticizer admixture.—74-05540A
Modification of granular zeolite strength and adsorption with polymethylphenylsiloxane resin impregnation.—74-01951A
Organic acid adsorption on lead titanate surfaces.—74-10509A
Physical adsorption of neopentane on Sterling FT graphite.—74-10134A
Role of the adsorption interaction between pitch and filler in the process of baking of carbon-carbon composites.—74-07026A
Rotating-disk electrode voltammetry as a probe of adsorption rates on solid particles in liquids: application to Zn^{II} adsorption at the hydroxyapatite/aqueous interface.—74-09613A
Solid-state NMR and EPR studies of intracrystalline vs external surface adsorption of photoreactive ketones in pentasil zeolites.—74-01458A
Specific surfaces and heat of adsorption of some Indian clays by dye-adsorption technique.—74-08584A
Temperature-programmed-desorption of ammonia from dealuminated clinoptilolite.—74-07777A
Titration for basal plane versus edge plane surface on graphitic carbons by adsorption.—74-10174A
Water vapor adsorption of $YBa_2Cu_3O_{7-\delta}$ powder at 298 K.—74-03617A

advanced ceramics,
Advanced ceramic materials and electrochemical processes at interfaces.—74-00452A
Advanced ceramics get tough on costs.—74-07012A
Advanced ceramics in Canada.—74-11134A
Advanced ceramics in Taiwan.—74-11135A
Advanced ceramics take the heat.—74-06838A
Advanced ceramics: combustion synthesis and properties[—review].—74-11136A
Advanced materials resist chemicals.—74-06946A
Ceramic corona treating rollers.—74-06955A
Corrosion of Advanced Ceramics: Measurement and Modeling.—74-11200B
Dilatometer supported process optimization of sinter HIP consolidation of advanced ceramics.—74-00916A
Effect of microstructure on abrasive machining of advanced ceramics.—74-10287A
Fabrication and microstructural control of advanced ceramic components by three-dimensional printing [3DP].—74-10343A
Fractography of advanced structural ceramics. results from Topic No. 2 *of the VAMAS round robin exercise.*—74-11000A
Grinding of advanced ceramics.—74-00934A
Grinding of ceramics—the effect on their strength properties.—74-05447A
High-temperature technology: ceramic materials, integration concepts, applications.—74-03693A
Highly advanced ceramics to usher in the next generaton of efficient gas-fired radiant burners.—74-01157A
Modern day applications of advanced ceramics.—74-01235A
NDE method selection for advanced materials.—74-01084A
Phase Diagrams in Advanced Ceramics.—74-05442B
Possibilities and limits of shaping ceramic powders.—74-00972A
Potential for advanced ceramics in automotive engine applications.—74-02259A
Powder synthesis and shape forming of advanced ceramics.—74-07954A
Resonant ultrasound: a new technique that accurately measures the elastic moduli of advanced materials for nondestructive evaluation and on-line control.—74-01099A
Rotary ultrasonic machining [RUM] of structural ceramics—a review.—74-10615A
Status report on norms in the field of "testing methods for high-performance ceramics."—74-01110A
Surface crack in flexure (SCF) measurements of the fracture toughness of advanced ceramics.—74-11101A
Synthesis of advanced ceramic powders.—74-10674A
U.S. ceramics markets to grow modestly while foreign takeover of U.S. companies continues.—74-02281A
Ultraprecision machining technology for advanced ceramics and its recent trend.—74-11194A

aerogel,
Ceramic aerogel fuel cell.—74-08777P
Composite aerogels of silica and minerals of different morphologies.—74-07235A
High-surface-area alumina aerogel at elevated temperatures.—74-07082A
Influence of synthesis parameters on structure and morphological characteristics of Al_2O_3-aerogel-based materials.—74-04707A
Inorganic-organic hybrid aerogels.—74-10425A
Morphology of TiO_2 aerogels.—74-10850A
Nanostructural investigation of silica aerogels.—74-07704A
New routes to nanocomposite materials.—74-10495A
Pore morphology study of silica aerogels.—74-10862A
Preparation and characterization of TiO_2-SiO_2 aerogels by supercritical drying.—74-10865A
Properties of diamondlike carbon layers deposited onto SiO_2 aerogel.—74-04019A
Structure of mesoporous aerogels.—74-07759A

aerosol,
Aerosol doping of flame-grown diamond films.—74-10186A
Elaboration of ceramics by aerosol way.—74-10318A
Modeling the formation of boron carbide particles in an aerosol flow reactor.—74-07392A
Role of electrolytes during aerosol synthesis of TiO_2.—74-07471A

aerospace,
Ceramic coatings for PBR components.—74-09853A
Metal matrix composite fabrication processes for high-performance aerospace structures.—74-05644A
Trends in aerospace forgings in the 1990's.—74-07961A

agglomerates,
Sintering of agglomerated ceramic powder compacts.—74-04896A

agglomeration/agglomerates,
Regularities of $Mg(OH)_2$ precipitation in $MgCl_2$-$Ca(OH)_2$-H_2O system inside a bath reactor.—74-02039A
Regularities of $Mg(OH)_2$ precipitation in $MgCl_2$-$Ca(OH)_2$-H_2O system inside a continuous reactor.—74-02040A
Why does the state of agglomeration of iron oxide used in the preparation of $(MnZn)Fe_2O_4$ powders affect the electromagnetic properties of soft ferrite ceramics.—74-06478A

aggregates,
Aggregation profiles of silica sols in a sol-gel process.—74-01612A
Attempts to improve the quality of sand concrete.—74-07995A
Evaluation of the validity of the pore solution expression method from hardened cement pastes and mortars.—74-05520A
Instant chilled steel slag aggregate in concrete—fracture-related properties.—74-05538A
Lightweight aggregates based on Al_2O_3 and phosphate binder microsphere.—74-01231A
MSW incinerator ash as aggregate in concrete and masonry.—74-00083A
New method of enhancing cement-aggregate interfaces: II, Mechanical properties and sulfate attack resistances of mortars.—74-05560A
Properties of concrete using crushed clinker brick as coarse aggregate.—74-05826A
Recent developments in aggregation kinetics.—74-07461A
Role of silica fume in mortar: transition zone versus bulk paste modification.—74-02351A
Simple method for determination of the aggregate content in hardened concrete.—74-09615A
Simplified production processes for naturally cured light aggregate of fly ash.—74-06725A
Study on manufacture of lightweight aggregate from bone coal cinder.—74-07499A
Value evaluation of high-alumina aggregates.—74-08641A

aging,
Accelerated aging processes in ceramic-reinforced AA6061 composites.—74-10182A
Aging characteristics of ferroelectric epitaxial $BaTiO_3$/$YBa_2Cu_3O_7$ heterostructures.—74-09107A
Aging of all-electric cold-top glass-melting furnaces.—74-09636A
Aging of ceramics under temperature gradient conditions.—74-10187A
Aging studies of novel Y-TZPs.—74-07036A
At-temperature neutron diffraction investigation of the aging process in magnesia-partially-stabilized zirconia.—74-04095A
Characterization of H_2O-aged TZP by elastic recoil detection analysis (ERDA).—74-01347A
Effect of aging gels obtained from alkoxides on the stability of nanocomposite of tetragonal zirconia in silica matrix.—74-04566A
Effect of aging on the sliding abrasive wear of P/M 2014 and 6061 Al alloy-SiC particle composites.—74-05620A
Surface layer structure change of $BaTiO_3$ ceramics due to aging, electric polarization, and machining.—74-06440A

air pollution,
California—air pollution [and the glass industry].—74-02223A
Dry scrubbing technologies for control of emissions from ceramic kilns.—74-09652A
Environmental problems in the glass industry.—74-02232A
Examination of the atmospheric air pollution degree with heavy metals in the cement plant: I.—74-08024A
How to reduce air pollution caused by brick manufacture.—74-05812A
Low NO_x technologies for natural gas-fired regenerative glass melters.—74-01162A
Oxy-fuel glass melting with the Cleanfire burner.—74-01171A
Rules for estimation of damage in pomiculture caused by the fall-out of dust from cement plant "Wierzbica."—74-08104A

air,
Changes in olivine during heating in air.—74-03941A
Compressed air filtration.—74-06687A
Compressed air systems.—74-06688A
Cost-effective air compressor maintenance.—74-06690A
Inconstancy of the reflection coefficient of optical glasses upon storage in air.—74-02548A
Measurement of hazardous air pollutants: impact of the Clean Air Act on the manufacturing community.—74-11180A
Method and apparatus for drying ceramic ware by use of air jets.—74-09732P
Mystery of air in drying.—74-09693A
Reaction of Bi-based superconductors with various chemical reagents.—74-03563A

albite,
Mechanism of plagioclase albitization.—74-01197A
Study on application of Hengshan albite to glass and ceramics.—74-09753A

alignment,
Aligned Au–Si eutectic bonding of silicon structures.—74-01614A
Belt conveyors for horizontal curves: the key to reducing material handling costs.—74-09432A

alinite,
Effect of chlorides on the formation of belite and alinite phase.—74-02321A
Study of the effect of some factors influencing alinite clinker formation.—74-00097A
Synthesis and reactivity of fluoroalinites and fluoroalinite cements.—74-05602A

alite,
$3CaO{\cdot}SiO_2$ hydration under low temperatures.—74-03892A
Effect of the mineralogical composition of clinker on the properties of gypsum-free portland cement.—74-05502A
Synthesis and reactivity of fluoroalinites and fluoroalinite cements.—74-05602A

alkali metals,
Determination of alkali metals in bismuth-containing high-temperature superconductors.—74-06511A

alkali resistance,
Alkali resistance and crystallization of calcium aluminosilicate glasses.—74-02430A
Development of a composition suitable for the production of alkali-resistant glass fibers with a low fibrizing temperature.—74-05759A
Gaseous alkali corrosion kinetics of silicon carbide.—74-10915A
Polymer gel fiber of alkali-resistant zirconia system for GRC.—74-08386A

alkali-silica reaction,
ASR [alkali-silica reaction] of concrete aggregate quarried from a fault zone: results and petrographic interpretation of accelerated mortar bar tests.—74-05464A
Development of alkali silica reactions in concrete structures with time.—74-02319A
Effectiveness of supplementary cementing materials in suppressing expansion due to ASR [alkali-silica reaction]—another look at the reaction mechanism: II, Pore solution chemistry.—74-05506A
Effectiveness of supplementary cementing materials in suppressing expansion due to ASR [alkali-silica reaction]—another look at the reaction mechanisms: I, Concrete expansion and portlandite depletion.—74-03904A
Mechanisms of expansion of mortars containing reactive aggregate in NaCl solutions.—74-05553A
Morphological, mineralogical, and chemical features of steam-cured concretes containing densified silica fume and various alkali levels.—74-00082A
Process and mechanism of alkali-silica reaction using fused silica as the reactive aggregate.—74-08088A
Study of the alkali-aggregate reaction on concrete prisms.—74-05593A
Thermodynamic and kinetic approach to the alkali-silica reaction: I, Concepts.—74-05607A

alkaline earths,
Crystal structure of high-calcium *p*-veatchite and its location in line of layered borates with $[B_5O_8OH]^{2-}$ radical.—74-04117A
Effects of oxygen on the sublimation of alkaline earths from effusion cells.—74-04138A
New color centers and photostimulated luminescence (PSL) of Eu^{2+}:$Sr_9Ca(PO_4)_6Cl_2$.—74-02566A
Reaction between alkaline-earth-metal-doped lanthanum chromite and yttria-stabilized zirconia.—74-00525A
Silver-doped alkaline earth fluorides—crystal growth and physicochemical processes studied by optical spectroscopy and EPR.—74-10028A
Synthesis of infinite-layered superconductors under high pressure.—74-03602A

alkalis,
Al/Si ordering in alkali-doped cordierites $M_{0.5}Mg_2Al_{4.5}Si_{4.5}O_{18}$ (M=Na,K,Cs).—74-07198A

Alkali activation of granulated blast-furnace slags.—74-05843A
Alkali metal catalysis of carbothermic reduction of ilmenite.—74-09969A
Alkali-carbonate reaction.—74-02061A
Alkaline doped Bi-Pb-(Sb)-Sr-Ca-Cu-O superconducting materials.—74-06480A
Chemical potential diagrams for Fe-Cr-Li-K-C-O system: thermodynamic analysis on reaction profiles between alloys and alkali carbonates.—74-07046A
Comparative investigation of changes in refractive index upon ion-exchange interdiffusion in alkali silicate glasses containing oxides of calcium, strontium, barium, and titanium.—74-00245A
Effect of alkalis on the phase composition and hydraulic activity of belite cements.—74-08016A
Effect of the composition of single-phase alkali borosilicate glasses on their stability in solutions of nitric acid.—74-02451A
Effects of composition of single-phase alkali borosilicate glasses on their resistance to the action of solutions of nitric acid.—74-00194A
Electrical and magnetic properties of $DyBa_{2-x}Sr_xCu_3O_{7-\delta}$ system [x=0.5 and 1].—74-03454A
Electrodeposition of copper oxide from the eutectic sodium-potassium nitrate melt.—74-06074A
Electrodeposition of mixed metal oxides from the eutectic sodium-potassium nitrate melt.—74-07291A
Helium deuterium migration in alkali silicate glasses.—74-02465A
Influence of alkalis on the reaction kinetics of C_3A and the thermal stability of sulfoaluminates.—74-08050A
Kinetic and structural studies of the electrochemical insertion of lithium into hexagonal-type $x(A_2O)$-WO_3 (A=Na^+, K^+, NH_4^+).—74-00503A
Luminescence of alkali tantalates and niobates.—74-09152A
Magnetoplastic effect in CsI and LiF crystals.—74-05030A
Manufacturing process of "Hidasuki (fired tasuki, tasuki=string to gird up sleeves") type decorated wares in Hizen Region, Japan.—74-07985A
Microstructure and humidity sensitivity of sintered $Zr(XPO_4)_2$-nH_2O (X=Li, Na, K, Rb, Cs).—74-05192A
Oxidation of Si-based ceramics in the presence of alkali halide vapors.—74-07823A
Phase *p-T* diagrams of $Rb_2KB^{3+}F_6$ elpasolites (B^{3+}=Ho, Dy, Tb).—74-04175A
Potential expansion of cement mortars in the presence of K_2SO_4 and pozzolana.—74-05569A
Potentiometric determination of the silica content in solutions of alkali silicates.—74-02482A
Reduction of lead leaching from lead crystal glass.—74-05694A
Scanning tunneling microscopy of alkali-induced structures on the Si(111) surface.—74-07739A
Simple treatment to distinguish alkali-silica gel from delayed ettringite formations in concrete.—74-05584A
Structure of alkali silicate glasses according to the method of X-ray small-angle scattering [XSS].—74-00229A
Structure of alkali silicate glasses based on small-angle X-ray scattering data.—74-02052A
Structure of alkali silicate glasses.—74-02499A
Synthetically prepared hydrous alkali calcium silicates.—74-05603A
Systems M_2O-CuO-V_2O_5.—74-01475A
Unified model for ionic transport in alkali disilicates below and above the glass transition.—74-05746A

alkoxide,
Al_2O_3-SiO_2 glassy materials prepared by the alkoxide route.—74-05749A
Alkoxides of molybdenum, tungsten, and vanadium and their hydrolysis products.—74-09755A
Controlling the properties of bulk metal oxides at a molecular level—alkoxides vs carboxylate-alkoxide routes.—74-10245A
Formation, structure, and material properties from the reaction product of $M(OCHMe_2)_4$ (M=Ti, Zr) and HOAc.—74-10364A
Gelation point in borosilicate sols from rheological experiments.—74-10368A
General nonhydrolytic sol-gel route to oxides.—74-10369A
Homogeneity in the polyether alkoxide sol-gel synthesis of $YBa_2Cu_3O_{7-\delta}$.—74-09288A
Influence of the nature of the R group on the hydrolysis and condensation process of trifunctional silicon alkoxides, R-$Si(OR')_3$.—74-10420A
Mobility range in hybrid materials.—74-10843A
New chemical approaches to synthesize titanium disulfide.—74-10492A
SAXS study of the gelation process of silicon and titanium alkoxides.—74-08454A
Spinnability of silica sols—the role of alkoxy group exchange.—74-10649A
Structural evolution of alkoxide-derived compositions within the Pb(Zr, Ti)O_3 solid solution.—74-04916A
What are the molecules of which the samples of metal alkoxides do really consist.—74-10720A

alloys,
Cubic-to-tetragonal transformation in zirconia alloys.—74-01365A
Effect of chromium, carbon, and yttrium on the oxidation of nickel-based alloys in high-temperature water.—74-01982A
Influence of alumina inclusions on the densification of superalloy powder.—74-01762A
Microstructural effects on the sliding wear resistance of a cobalt-based alloy.—74-10836A
Quasi-crystals.—74-10024A
Science and technology of composite materials: VIII.6, Corrosion-resistant materials.—74-08270A

alum,
Microhardness studies on some alum crystals.—74-10120A
Piezooptic effect in alum crystals.—74-03336A
Study of circular dichroism in alum doped with Cr^{3+} ions under electric and magnetic fields: I, Studying absorption spectra of Cr^{3+}-doped alum.—74-07496A

alumina,
^{29}Si and ^{27}Al MAS-NMR study of stratlingite.—74-07032A
^{29}Si MAS NMR study of dicalcium silicate: the structural influence of sulfate and alumina stabilizers.—74-10753A
6.5-J flashlamp-pumped Ti:Al_2O_3 laser.—74-00712A
A/W glass-ceramic—clinical applications.—74-06945A
Abrasive material and method.—74-07976P
Abrasive wear of alumina fiber-reinforced aluminum.—74-08124A
Abrasive wear of structural ceramics.—74-07835A
Absorption measurements of ceramic materials as a function of temperature.—74-01492A
Accelerated aging processes in ceramic-reinforced AA6061 composites.—74-10182A
Additions to improve the oxidation resistance of alumina-boron nitride composites.—74-07795A
Adhesion of CVD-deposited alumina on cemented carbides.—74-07586A
Adhesion of electroless Ni(P) on alumina ceramic using a vacuum-deposited Ti-Pd activator layer.—74-00105A
Adsorption of sodium laurate from its aqueous solution onto an alumina surface. A dynamic study of the surface-surfactant interaction using attenuated total reflection Fourier transformation infrared spectroscopy.—74-09968A
Advanced ceramic magnetic drive pump.—74-09194A
x-Al_2O_3-*y*-TiO_2 powders for plasma sputtering.—74-01605A
Al_2O_3 coatings against high temperature corrosion deposited by metallorganic low-pressure chemical vapor deposition.—74-01613A
Al_2O_3 matrix composites with different fillers by melt oxidation of the Al alloys.—74-01215A
$Al_2O_3(ZrO_2)$ cellular fibers.—74-09754A
Al_2O_3-Fe_2O_3 fibers from bauxite and red mud.—74-10188A
Al_2O_3-SiO_2 glassy materials prepared by the alkoxide route.—74-05749A
Alkali free glass—74-00325P
Alumina for ceramics.—74-09756A
Alumina in unlubricated sliding point, line and plane contacts.—74-10945A
Alumina material useful with thin film heads.—74-03978P
Alumina raw powders for new ceramics.—74-09735A
Alumina surface modification of silicon nitride for colloidal processing.—74-07199A
Alumina-based compositions and catalysts having high specific surface area.—74-09806P
Alumina-chromia-magnesia refractories.—74-05844A
Alumina-zirconia refractory material and articles made therefrom.—74-08643P
Alumina.—74-06879A
Aluminum nitride powder having surface layer containing oxynitride.—74-09901P
Analytical modeling for bridging stress function involving grain size distribution in a polycrystalline alumina.—74-05320A
Anelastic creep recovery in SiC whisker- and particulate-reinforced alumina.—74-10946A
Anelastic creep recovery of alumina reinforced with SiC whiskers or particulates.—74-10947A
Anisotropy in rectangular bars fabricated via three-dimensional printing [3DP].—74-10196A
Annealing effects on electrical properties of reaction-sintered ß+ß˝-alumina ceramics.—74-07202A
Application of fine ceramics to machine tools.—74-01217A
Application of spinel checker brick for glass furnace regenerators.—74-03895A
Aspects of diffusion in ceramics.—74-07555A
Assessment of Au wire bump thermomechanical integrity in GaAs/Al_2O_3 flip chip modules.—74-08826A
Atomic layer controlled deposition of Al_2O_3 films employing trimethylaluminum (TMA) and H_2O vapor.—74-07207A
Attrition milling and reaction sintering of oxide-metal mixed powders: II, Reaction sintering behavior as the milling characteristics of powders.—74-10202A
Barium-containing alumina.—74-09807P
Bend stress relaxation of Al_2O_3-YAG eutectic fibers.—74-10950A
Bending creep and creep fracture of sintered alumina under high temperature.—74-10951A
Benefits of HREM for the study of metal-ceramic interfaces.—74-05614A
Bimodal sintering of Al_2O_3/Al_2O_3 platelet ceramic composites.—74-07209A
Binder removal with supercritical CO_2.—74-04484A
Bioactive-bioinert composite ceramics.—74-07211A
Brown fused alumina for the refractory industry.—74-08609A
C– outgrowths in C+ thin films of $LiNbO_3$ on Al_2O_3-*c*.—74-09109A
Ca segregation to basal surfaces in α-alumina.—74-10761A
Calculation of the flicker noise in metal-insulator composites using a mean-field theory.—74-00462A
Ceramic beads.—74-06953A
Ceramic composites made of nanosized Al_2O_3 and submicron-sized Si_3N_4.—74-10213A
Ceramic composites of monazite and alumina.—74-06954A
Ceramic composites of monazite and alumina[—correction].—74-09766A
Ceramic composition and ceramic circuit board—74-00541P
Ceramic dies for plastic molding.—74-03955A
Ceramic implant materials.—74-01219A
Ceramic material evaluation in roller follower tests.—74-09768A
Ceramic material for use in casting reactive metals.—74-08646P
Ceramic material reinforced by the incorporation of TiC, TiCN and TiN whiskers and processes for production thereof.—74-03981P
Ceramic materials: microstructural and interface analysis as the prerequisite for optimization of microstructures. III, The microstructure of Al_2O_3 ceramics containing ZrO_2.—74-07600A
Ceramic materials: microstructural and interface analysis as the prerequisite for optimization of microstructures: IV, The microstructure of Al_2O_3 ceramics containing TiC.—74-07601A
Ceramic membranes for industrial applications.—74-03956A
Ceramic welding powder mixture.—74-08303P
Ceramic-metal composites with interpenetrating networks.—74-08138A
Ceramics composite material and production thereof—74-00163P
Ceria-TZP with intergranular alumina.—74-01222A
Changes in surface chemistry during the initial stages of electroless Ni(P) deposition on alumina.—74-01627A
Changes in the character of the electrode function upon the application of Al, Si, and Ti oxides to the surface of a glass electrode.—74-02435A
Characteristics of aluminum oxide thin films prepared by ECR-PECVD.—74-10220A
Characteristics of industrial catalyst deactivation during Clauss process.—74-01223A
Characteristics of shrinkage-compensating expansive cement containing a prehydrated high-alumina cement-based expansive additive.—74-05475A
Characterization by Auger spectroscopy of niobium-aluminum oxide-niobium sandwiches for Josephson junctions.—74-05084A
Characterization of ß and ß˝ alumina sensor tubes produced by injection molding.—74-06960A
Characterization of AC8A/Al_2O_3 composites after long exposure at elevated temperatures.—74-10765A
Characterization of commercial alumina ceramic pieces.—74-07602A
Characterization of hydrated aluminas by MAS and DOR 27Al NMR.—74-07604A
Characterization of Nb-Al_2O_3 and Nb-MgO interfaces in MBE-grown Nb-MgO-Nb-Al_2O_3 multilayers.—74-08141A
Characterization of particle packing in an injection-molded green body.—74-10773A
Characterization of supported alumina membranes formed by an in situ sol-gel method.—74-10775A
Characterization of the thermal transformation of hydrous aluminas by XPS and NMR.—74-01349A
Characterization of wear surfaces in dry sliding of steel and alumina on hydrogenated and hydrogen-free carbon films.—74-05615A
Chemical analysis and structural investigations of sodium- and lanthanide ion-exchanged beta-aluminas.—74-01351A
Chemical interaction between SiAlON ceramics and steel.—74-07799A
Chemical vapor deposition of the Al-Fe-O system.—74-04513A
Citrate sol-gel method for the preparation of ß/ß˝-alumina.—74-01635A
CMS/SiO_2/Al_2O_3 catalysts for improved selectivity in the synthesis of amines from methanol and/or dimethyl ether and ammonia.—74-03984P
Coal slag corrosion of silicon-carbide-based ceramics in a combustion environment.—74-02068A
Coated ceramic bodies in composite armor.—74-02412P
Colloidal and rheological behavior of aqueous, Al_2O_3 precursor coated, Si_3N_4 slurries.—74-01639A
Colloidal Au and Ag precipitates formed in Al_2O_3 by ion implantation and annealing.—74-01640A
Colloidal processing for laminated composites of mullite/alumina woven fabrics.—74-01641A
Comparative investigation by laser profilometry, scanning electron microscopy, and atomic force microscopy of wear on solar-beam-irradiated partially oxidized TiN coatings.—74-05326A
Comparative properties study of ytterbia-doped zirconia with its alumina composite.—74-05100A
Comparison of plasma-sprayed alumina and zirconia coatings by rf and dc plasma spraying.—74-10231A
Comparison of various high-alumina aggregates in 90% ultralow-cement castable and blast-furnace trough and runner castable.—74-08613A
Compatibility of oxide ceramic materials as components in biomedical engineering: I.—74-09773A
Competitive adsorption of citric acid and poly(vinyl alcohol) onto alumina and its influence on the binder migration during drying.—74-07234A
Composite alumina/metal powders, cermets made from said powders, and processes of production—74-00166P
Composite ceramic articles—74-00167P
Composite electrolytes with special reference to the copper chloride-alumina system.—74-00468A
Composite materials of oxide-carbide type.—74-05617A
Composite soft magnetic material—74-00780P
Composition of a ceramic mold and its structure.—74-09817P
Compositional and structural analysis of aluminum oxide films prepared by plasma-enhanced chemical vapor deposition.—74-01974A
Considerations on the adsorbed water concentration of sulfuric porous aluminum oxide.—74-04269A
Construction of model-supported metal catalysts for scanning tunneling microscopy examinations: platinum ultrafine particles on silica and on alumina.—74-06749A
Continuous microwave sintering of ceramics.—74-10241A
Continuous process for producing alumina-titanium carbide composites.—74-09818P
Core for casting titanium and titanium alloy.—74-08647P
Correlations between spraying conditions and microstructure for alumina coatings produced by HVOF and VPS.—74-08152A
Crack deflection in ceramic/ceramic laminates with strong interfaces.—74-05328A

Crack healing and stress relaxation in Al_2O_3-SiC "nanocomposites."—74-05329A
Crack resistance behavior of Al_2O_3 ceramics with a bimodal structure.—74-02110A
Crack resistance curves in layered Ce-ZrO_2/Al_2O_3 ceramics.—74-02111A
Creep mechanisms in alumina containing a glassy grain boundary phase.—74-07850A
Creep of platelet-reinforced oxide ceramics.—74-07852A
Critical flaws in sintered compacts of alumina granules.—74-10958A
Cryochemical method for producing powders from the Al_2O_3-ZrO_3-MgO system—74-04531A
Crystallization of a PbO-BaO-TiO_2-Al_2O_3-SiO_2 glass.—74-05672A
Cutting performance and wear mechanism of alumina-based ceramic tools when machining austempered ductile iron.—74-08156A
Cutting tool.—74-09913P
Cyclic fatigue of Ce-TZP/Al_2O_3 composites: role of the degradation of transformation zone shielding.—74-05319A
Cyclic fatigue of coarse-grain alumina.—74-02119A
Decay kinetics of luminescence of autolocalized excitons in Al_2O_3 and $Y_3Al_5O_{12}$.—74-03368A
Deformation bands in ceria-stabilized tetragonal/zirconia/alumina: I, Measurement of internal stress.—74-05332A
Deformation bands in ceria-stabilized tetragonal/zirconia/alumina: II, Stress-induced aging at room temperature.—74-05333A
Deformation of alumina-zirconia-silicon carbide whisker-reinforced composite.—74-07855A
Degradation of SiC-reinforced alumina in H_2 at 1300–1500°C.—74-07804A
Dense barium crown optical glasses.—74-02670P
Densification and grain growth of porous alumina compacts.—74-04535A
Density dependence of high-temperature dielectric properties of debased alumina and the effect of a high loss additive.—74-08736A
Dental ceramic material with a relatively low processing temperature—74-01252P
Dependence of calcination conditions of boehmite on the alumina particulate characteristics and sinterability.—74-07247A
Dependence of compaction efficiency in dry pressing on the particle size distribution.—74-10256A
Deposition of aluminum oxide films with high refractive index.—74-01662A
Depth profiling analysis of aluminum oxidation during film deposition in a conventional high vacuum system.—74-07805A
Determination of bridging stresses in reinforced Al_2O_3.—74-05335A
Determination of the distribution of chromium oxidation states in reduced Cr/Al_2O_3 catalysts from XPS by factor analysis and curve fitting.—74-04125A
Development and application of magnesia-alumina (MA) spinel brick for large dry-method cement kiln.—74-06847A
Development of Al_2O_3-C brick for blast furnaces.—74-02709A
Development of ceramic artificial joints.—74-02367A
Development of ceramic artificial joints.—74-03962A
Development of high-density Y_2O_3-ZrO_2/Al_2O_3 composites as solid electrolyte for SOFC.—74-04546A
Development of nanocomposite microstructures in ZrO_2-Al_2O373 via the solution precursor method.—74-07630A
Development of new slab continuous caster with advanced technology at Kakogawa Works.—74-05852A
Development of self-flow type alumina-spinel castable refractories.—74-02751A
Dielectric properties of ruthenium-alumina composite particles.—74-08743A
Diffraction gratings for measuring slow mode surface plasmon polaritons.—74-01682A
Diffusional creep of alumina-zirconia composites: mechanical behavior and microstructure.—74-07861A
Dimensional crossover in the Nb/Al_2O_3 Josephson-coupled multilayers.—74-00477A
Effect of Al_2O_3 and Fe_2O_3 on tribological properties of reaction-bonded SiC.—74-10277A
Effect of ammonium citrate of the rheology and particle packing of alumina slurries.—74-07265A
Effect of anode bias on the index of refraction of Al_2O_3 thin films deposited by dc S-gun magnetron reactive sputtering.—74-01226A
Effect of chromia on grain growth in alumina.—74-07267A
Effect of elastic anisotropy on the direction and faceting of chemically induced grain-boundary migration in Al_2O_3.—74-02123A
Effect of glass additions on the indentation-strength behavior of alumina.—74-05340A
Effect of grain size on scratch interactions and material removal in alumina.—74-05341A
Effect of grain size on the cyclic crack growth rate in alumina.—74-07863A
Effect of interfacial microstructure on fracture of Al_2O_3/Al-Cu composite.—74-10792A
Effect of microstructure on mechanical properties of Al_2O_3-based composites by particulate-precipitated dispersion.—74-10288A
Effect of moisture on the structure and fracture strength of ceramic green bodies.—74-04581A
Effect of neutron irradiation on Knoop microhardness anisotropy in MgO·Al_2O_3 single crystals.—74-07154A
Effect of oxygen pressure on the orientation of $YBa_2Cu_3O_{7-x}$/$SrTiO_3$ films deposited on (1102)Al_2O_3 substrates.—74-01688A
Effect of particle packing on the filtration and rheology behavior of extended size distribution alumina suspensions.—74-07274A
Effect of particle velocity and substrate temperature on alumina and zirconia splat formation.—74-10289A
Effect of phase and technology history on $AlO_{1.5}$-TiO_2 system evolution.—74-01375A
Effect of powder conditioning on the synthesis of RBAO.—74-10291A
Effect of SiC submicrometer particle size and content on fracture toughness of alumina-SiC "nanocomposites."—74-02126A
Effect of sintering atmosphere and alumina precursors on the sequence of solid-state reactions in the AlN-Y_2O_3-Al_2O_3 system.—74-07075A
Effect of speed and pressure on dry sliding interactions of alumina against steel.—74-05345A
Effect of temperature on the slurry characteristics and green bodies of alumina.—74-07279A
Effect of temperature on toughness curves in alumina.—74-02128A
Effect of tetragonal ZrO_2 addition on the mechanical properties of α-alumina/La-ß-aluminate composite.—74-10976A
Effect of yttrium doping in sintering of fine-grained alumina.—74-04594A
Effective elastic moduli of porous ceramic materials—[comment].—74-07868A
Effective elastic moduli of porous ceramic materials—[reply].—74-07869A
Effects of addition of Si, Al, or Si_3N_4 on properties of Al_2O_3-SiC-C castables.—74-07808A
Effects of additives on properties of boron nitride materials.—74-04136A
Effects of binder composition on paste flow mechanics in alumina paste extrusion.—74-04596A
Effects of melt chemistry on the spectral absorption coefficient of molten aluminum oxide.—74-10311A
Effects of oxide additives on the thermal stability of alumina gas.—74-04601A
Effects of sintering on properties of titanium-carbide-dispersed alumina ceramics and on-line monitoring of the sintering environment.—74-07285A
Effects of stearic acid on the injection molding of alumina.—74-10315A
Effects of the structure of silica-alumina gel on the hydrothermal synthesis of kaolinite.—74-10316A
Elaboration of composite ceramic powders "alumina/whiskers SiC" by the sol-gel method.—74-10319A
Elastic and creep properties of alumina-based single fibers.—74-10984A
Elastic-plastic indentation of hard, brittle materials with spherical indenters.—74-05348A
Electrical and structural properties of gold films and mercury-covered gold films.—74-04295A
Electrical device having a bonded ceramic-copper heat transfer medium.—74-02878P
Electrical properties of Ca-ß″-alumina-based composites.—74-04302A
Electrolytic codeposition of Ni-γAl_2O_3 thin films.—74-07293A
Electron microscopy study of worn ceramic surfaces.—74-10798A
Electronic and crystallographic structure of α-alumina thin films.—74-07641A
Electrostatic stabilization of aqueous alumina suspensions by substituted phenols.—74-04615A
Enhancement of heat exchanger surfaces—interfacial reactions during thermal spraying.—74-08183A
Enhancement of mechanical performance in YSZ solid electrolytes by using fine-dispersed alumina particles.—74-06972A
Enhancing the mechanical performance of alumina through the addition of metallic and ceramic inclusions.—74-07871A
Epitaxial deposition.—74-03626P
Erosion and corrosion characteristics of an aluminum alloy–alumina fiber composite.—74-02077A
Estimation of bridging interactions for natural cracks from bending strength of coarse-grained Al_2O_3.—74-02133A
Evaluation of bridging parameters in aluminas from *R*-curves by use of the fracture mechanical weight function.—74-05349A
Evaluation of coating-substrate interface strength by differential load feed analysis of load-indentation measurements.—74-06768A
Evaluation of surface properties of ceramic fibers on a microscale.—74-10802A
Evaluation of the bridging relation from crack-opening-displacement measurements by use of the weight function.—74-03808A
Experimental and thermodynamic studies in the Si-Al-O-C/C system.—74-07077A
Extruded catalyst based on silica/alumina gel, and process for preparing it—74-01253P
Fabrication and phase transformation of alumina and its application.—74-01718A
Fabrication by colloidal filtration of alumina platelet-reinforced 3Y-TZP—mechanical properties.—74-10991A
Fiber damage during the consolidation of Ti_6Al_4V-coated Nextel 610 alumina fibers.—74-10998A
Fiber insulation boards [for applications] up to 1800°C.—74-08617A
Fine-particle oxide ceramic powders.—74-09821P
Finite element analysis for high-temperature densification processing of alumina powder compacts.—74-10355A
Formation of Al_2O_3-TiB_2 composites using a high temperature synthesis reaction.—74-10360A
Formation of metal-ceramic interfaces—a surface science approach.—74-05625A
Formation of N-phase and phase relationships in MgO-Si_2N_2O-Al_2O_3 system.—74-04144A
Formation of SiC whisker and its effects on strength of Al_2O_3-C composites.—74-03963A
Fracture analysis of the transition zone between unreinforced alloy and composite.—74-02145A
Fracture behavior of 20% Nb particulate-reinforced alumina composite.—74-08194A
Fracture behavior of continuous alumina fiber-reinforced epoxy.—74-11001A
Fracture energy and K_{Ic} [stress intensity factor] of Al_2O_3-SiC-C bricks at high temperature.—74-07877A
Fracture mechanics of Ti/Al_2O_3 interfaces.—74-02147A
Fracture toughness of Al_2O_3-particle-dispersed Y_2O_3-partially stabilized zirconia.—74-05357A
Fracture toughness using a biaxial indentation strength method.—74-07881A
Friction and wear of a plasma-sprayed Al_2O_3-40% ZrO_2 cast iron system.—74-04651A
Gas turbine elements bearing alumina-silica coating to inhibit coking—74-00169P
Glass-ceramic materials in the CaO-MgO-Al_2O_3-SiO_2 system.—74-05765A
Grain boundary diffusion of oxygen in alumina ceramics.—74-10734A
Grain boundary phases and wake zone characterization on monolithic alumina.—74-05150A
Grain growth control during reaction sintering of sodium-ß″-alumina.—74-07327A
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with Al_2O_3 additions.—74-10371A
Grain size dependence of hardness in dense submicrometer alumina.—74-05361A
Grain-boundary behavior in superplastic Mg-doped alumina with yttria codoping.—74-05151A
Growth and microstructure of Al_2O_3-SiC-Si(Al) composites prepared by reactive infiltration of silicon carbide preforms.—74-02373A
Guanidine based vehicle/binders for use with oxides, metals and ceramics.—74-09527P
Heat transfer insulated parts and manufacturing method thereof.—74-02419P
Hertzian indentation damage in alumina with *R*-curve behavior.—74-11013A
High alumina brick with metallic carbide and its preparation.—74-08649P
High alumina refractory shapes—74-00408P
High performance alumina heat transfer solids for high temperature fluidized bed synthesis gas reactions.—74-03987P
High strain rate deformation and damage in ceramic materials.—74-11016A
High strength alumina and process for producing same.—74-03988P
High-alumina cement [HAC]—present state and knowledge.—74-05526A
High-alumina cement/silica fume materials for cesium trapping.—74-06669A
High-alumina ceramic with a wide sintering range.—74-03691A
High-alumina ceramics.—74-06975A
High-hot-strength ceramic fibers.—74-06976A
High-performance Al_2O_3/C plate bricks.—74-00387A
High-performance aluminum/alumina composites.—74-08204A
High-quality ceramics by centrifugal slip casting.—74-04681A
High-strength and high-fracture-toughness ceramics in the Al_2O_3/$LaAl_{11}O_{18}$ systems.—74-07885A
High-surface-area alumina aerogel at elevated temperatures.—74-07082A
High-temperature behavior of indent and creep-nucleated cracks in vitreous-bonded alumina.—74-07886A
High-temperature mechanical behavior of $3Al_2O_3$:$2SiO_2$ mullite-based materials.—74-07887A
Hot-forge sintering of fine alumina powder.—74-00938A
Hydrogen permselective SiO_2 membrane formed in pores of alumina support tube by chemical vapor deposition with tetraethyl orthosilicate.—74-07341A
Impedance spectroscopy analysis of conduction percolation in zirconia.—74-02842A
Improved characterization of steric-stabilized aqueous alumina slurries.—74-04686A
Improvement of plasma-sprayed ceramic coating properties by heat treatment with liquid Mn.—74-10399A
Improvement of tensile ductility in high-purity alumina due to magnesia addition.—74-11023A
Improvements in SiC_w/Al_2O_3 composites through colloidally stabilized suspensions.—74-10400A
Impurity effects on the thermoluminescence of Al_2O_3.—74-04333A
In situ bend fixture for deformation and fracture studies in the environmental scanning electron microscope.—74-05365A
In situ formation of composites of alumina with nickel and with nickel aluminide.—74-07346A
In situ magnetoplumbite growth in sol-gel-derived alumina matrices.—74-10404A
In situ reinforced reaction-bonded aluminum oxide (RBAO).—74-07348A
Increasing the pressing behavior of Seydisehir alumina by spray drying.—74-07349A
Influence of alumina inclusions on the densification of superalloy powder.—74-01762A
Influence of alumina reaction tube impurities on the oxidation of chemically vapor deposited silicon carbide.—74-05310A
Influence of synthesis parameters on structure and morphological characteristics of Al_2O_3-aerogel-based materials.—74-04707A
Influence of the method of production of aluminum oxide–titanium oxide composite powders on structure formation.—74-01768A

Influence of thermal treatments on the adhesion of electrolessly deposited Ni(P) layers on alumina ceramic.—74-05629A

Influence of titanium on activity and penetration of AgCuTiIn solder components into alumina ceramics.—74-05630A

Infrared and ultraviolet ray absorbing glass.—74-02677P

Injection molding of stator models with silicon carbides with additives of alumina.—74-01295A

Injection seeding: II, Ti:Al_2O_3 experiments.—74-00642A

Insulating substrate for mounting semiconductor devices.—74-08797P

Interaction of α-particles with superconductive Nb/AlO_x/Nb structures in a single junction and array configurations.—74-03497A

Interaction of alumina ceramics with copper and copper oxides.—74-07668A

Interaction of alumina fibers with titanium aluminide matrices.—74-08218A

Interaction of the cyclotetraphosphate of copper(II) with aluminum oxide upon heating.—74-01398A

Interface control in metal matrix composite fabrication using infrared processing.—74-10427A

Interfacial bonding, wettability, and reactivity in metal/oxide systems.—74-05634A

Interfacial cracking during thermal oxidation in a 30 vol% SiC whisker-reinforced alumina.—74-01230A

Interfacial degradation and surface modification in zirconia-coated sapphire fibers.—74-10827A

Interfacial properties of alumina/KCl(aq) electrical double layer.—74-08756A

Interfacial reactions of α-2(Ti_3Al) alloys with Al_2O_3.—74-08220A

Internal stresses and the martensite start temperature [M_s] in alumina-zirconia composites: effects of composition and microstructure.—74-05171A

Investigation of particulate/matrix interface bonding in Al matrix composites.—74-08225A

Investigation of the mechanical behavior of magnesium composites.—74-05370A

Investigation of the mechanical behavior of magnesium composites.—74-05371A

Ion scattering and electron spectroscopic study of the surface coverage of V/Al_2O_3 catalysis.—74-05175A

Ir spectra of $RbNO_3$:Al_2O_3 composites.—74-07676A

Joining metal matrix composites using lasers improves joints.—74-00128A

Joining of Al_2O_3 ceramics by glass solder.—74-05637A

Joint endoprosthesis with Al_2O_3 ceramic head and a composite socket and process for making it—74-01256P

Kinetic demixing of solute cations in alumina single crystals during cooling.—74-10430A

Kinetics of slit component transient extraction from aluminate cake porous particles.—74-01777A

Latest trends in continuous casting mold powders.—74-03707A

Lead-free frit glaze.—74-02815P

Light alloy composite production by liquid metal infiltration.—74-04731A

Light-transmissive polycrystalline alumina ceramics.—74-03990P

Lightweight aggregates based on Al_2O_3 and phosphate binder microsphere.—74-01231A

Load dependence of hardness in sintered submicrometer Al_2O_3 and ZrO_2.—74-05373A

Low expansion Al_2O_3-ZrO_2 composite synthesized from *m*-ZrO_2 and Al_2O_3 ultrafines.—74-03945A

Low expansion transparent crystallized glass-ceramic—74-00335P

Marble-like glass ceramic.—74-08484P

Material variables involved in the precision process of surface finishing of ceramic products.—74-10441A

Mechanical behavior of alumina reinforced with carbon-coated silicon carbide whiskers.—74-11042A

Mechanical behavior of strengthened Al_2O_3 and ZrO_2 ceramics with a high content of TiC.—74-02169A

Mechanical properties and microstructure of high-alumina cement-based binders reinforced with natural wollastonite microfibers.—74-05547A

Mechanical properties of alumina–zirconia–silver composites.—74-05375A

Mechanical properties of alumina-metal-zirconia composites.—74-07900A

Mechanical properties of beta-SiC pressureless sintered with Al_2O_3 additions.—74-04357A

Mechanical properties of colloidally processed alumina with Cr_2O_3 and MnO_2 additives.—74-07377A

Mechanical properties of nanocomposite thin films.—74-04359A

Mechanical properties of the system Al_2O_3-ZrO_2-TiN.—74-02171A

Mechanism of destructive changes in oxide-covered surfaces caused by friction.—74-02172A

Mechanism of preventing crystallization in low-firing glass-ceramic composite substrates.—74-05031A

Melt extraction and properties of ZrO_2–Al_2O_3-based fibers.—74-10448A

Membranes on the basis of oxide ultrafine powders and their porous structures.—74-01234A

Metal with ceramic coating and method—74-00170P

Metallorganic and microwave processing of eutectic alumina-zirconia ceramics.—74-10449A

Method for controlling the second metal distribution within the Pd/γ-Al_2O_3 catalyst support.—74-10453A

Method of making thin film transistors—74-00239P

Method of producing a ceramic shape and that ceramic shape.—74-08652P

Method of producing sintered silicon nitrides.—74-09941P

Method of surface strengthening alumina-zirconia composites using MoO_2.—74-01263P

Microanalysis of high-alumina cement [HAC] clinker and hydrated HAC/slag mixtures.—74-05555A

Microcracking of an internally pressurized ceramic ring.—74-02173A

Microcracking of an internally pressurized ceramic ring: II, Experimental observations.—74-02174A

Microstructural stability and strength retention in directionally solidified Al_2O_3-YAG fibers.—74-11053A

Microstructure and high-temperature properties of Nextel 720 fibers.—74-11054A

Microstructure and mechanical properties of hot-pressed and pressureless-sintered WC-Al_2O_3 ceramic composites.—74-10459A

Microstructure and properties of hot isostatically pressed SiC ceramics with an Al_2O_3 addition.—74-07691A

Microstructure and reactions of SiC_w-reinforced alumina with Ag-Cu-In-Ti.—74-02022A

Microstructure of layered zirconia/alumina composites.—74-07693A

Microstructure quantification of a superplastic alumina.—74-07694A

Microstructure/property relations during the initial sintering stage of Al_2O_3.—74-10461A

Microstructures and high-temperature hardness of Al_2O_3/SiC nanocomposites.—74-02025A

Microwave plasma CVD apparatus provided with a microwave transmissive window made of specific ceramics for the formation of a functional deposited film.—74-03761P

Mimicking nature's ceramic/ceramic laminar composites by electrophoretic deposition.—74-10474A

Model of body formation and solidification involving liquid transfer in porous mold.—74-07387A

Model of slip casting.—74-07389A

Modification of α-Al_2O_3 platelet/ZrO_2 matrix interface by epitaxial growth of ß″-Al_2O_3 on the α-Al_2O_3.—74-04760A

Modification of alumina ceramics by sol-gel processing.—74-04761A

Modification of mechanical properties of single-crystal aluminum oxide by ion-beam-induced structural changes.—74-11058A

Modifications of the sol-gel method for the preparation of ultrafine/ultrapure ceramic oxide powders: properties of the powders and microstructure of the derived ceramic bodies.—74-01808A

Modified cordierite precursors.—74-09828P

Modified sol-gel alumina abrasive filaments.—74-02292P

Molten steel pouring nozzle—74-00413P

Monolithic α-alumina through pressure filtration of seeded boehmite gels.—74-04764A

Morphology and growth process of α-Al_2O_3 whiskers.—74-10847A

Morphology and nature of the oxidized layer in the Si_3N_4-based materials.—74-07815A

Mossbauer study of Fe-Al-O layers obtained by ion-beam deposition and ion implantation.—74-01810A

Muller mixed and kneading machine with rotary pan transfer system.—74-02725A

Mullite and alumina/yttria-zirconia composites as solid electrolytes.—74-03966A

Mullite formation at the interface of CaO-Al_2O_3 fiber-reinforced Al-Si alloy composites.—74-10483A

Mullite formation in kaolite-alpha-alumina.—74-03841A

Nanocomposite ceramics—Al_2O_3/SiC and Si_3N_4/SiC.—74-07395A

Nanocrystalline Al_2O_3 powders produced by laser-induced gas-phase reactions.—74-04766A

Nanocrystalline oxide powders prepared by ball milling.—74-04767A

Neutral gray-colored infrared and ultraviolet radiation absorbing glass.—74-02688P

New acoustic method for measuring the filling ratio of mill feed in tube mills.—74-09586A

New opportunities in XAFS investigation in the 1-2 keV region.—74-08967A

Nickel aluminosilicate glass-ceramics.—74-02689P

Nonoxide metal ceramic catalysts comprising metal oxide support and intermediate ceramic passivating layer—74-01329P

Nuclear magnetic resonance of sodium borosilicate glasses containing aluminum oxide.—74-02476A

Nucleation of solid-state reactions between nickel oxide and aluminum oxide.—74-01418A

Numerical simulation of toughening of alumina particulate glass matrix composite by interfacial precipitation.—74-08380A

Obtaining aluminomagnesia spinel powder using a high-frequency induction plasmatron.—74-02646A

Oil dispersion of alumina for tape casting.—74-07404A

Optical crown glass having negative anomalous partial dispersion and high uv transmission—74-00343P

Optical properties of transition-metal and rare-earth ions in beta aluminas.—74-01554A

Optimization of alloy-alumina fiber combination for magnesium-based metal matrix composites.—74-08248A

Optimization of microwave-assisted chemical vapor infiltration.—74-10507A

Optimization of the insulation by using ceramic tissue.—74-09698A

Optimizing APS ceramic coatings using response surface methods.—74-10508A

Oxidation kinetics of Al-doped SiC single crystals.—74-10923A

Oxidation of SiC whisker- and platelet-reinforced Al_2O_3 composites and resultant mechanical properties.—74-10931A

Oxide high-performance ceramics for tribological applications.—74-01237A

Parameters controlling the sand blasting of substrates for plasma spraying.—74-10514A

Parameters determining the measurements of strength under cyclic loading of Al_2O_3 and Si_3N_4 ceramics in the temperature range from 20 to 1200°C.—74-02186A

Particle crowding analysis of slip casting.—74-04801A

Particulate diagnostics in induction plasma spraying.—74-09600A

Phase composition of Ce-TZP/Al_2O_3 composite ceramics.—74-07097A

Phase constitution and service properties of high-alumina refractory cements.—74-05564A

Phase transformation and densification behavior of microwave-sintered α-alumina.—74-10518A

Phenomenological analysis of sintering in the presence of heterogeneities.—74-01830A

Photoacoustic characterization of thermal transport properties in thin films and microstructures.—74-01558A

Piezoelectric sensor.—74-03359P

PIP [polymer infiltration/pyrolysis] processing, microstructure, and properties of Si_3N_4 fiber and Al_2O_3 fiber reinforced silicon nitride.—74-10522A

Platelet.alpha.-Al_2O_3 based ceramic composite.—74-09831P

Pore removal during diffusion bonding of Nb-Al_2O_3 interfaces.—74-08252A

Porosity in plasma-sprayed alumina deposits.—74-10538A

Porous high-alumina refractory materials obtained by hydrothermal processing.—74-05869A

Porous three-dimensional inorganic oxide structure with myriad cavities interconnected by holes.—74-03998P

Potentially strong and tough ZrO_2-based ceramic composites ≥1300°C by electrophoretic deposition.—74-01840A

Preparation and characterization of alumina thin film by sol-gel method: II, Synthesis of alumina sol for coating and preparation of coating films.—74-10544A

Preparation and mechanical properties of laminated alumina/mullite-glass composites.—74-05783A

Preparation and properties of two-phase mixed conductors of beta-alumina and iron oxide.—74-00522A

Preparation of alumina by a combined precipitation and gelation process.—74-07425A

Preparation of alumina ceramics by pressureless powder packing forming method: I, Development of pressureless powder packing forming method and characterization of green body.—74-03724A

Preparation of alumina composite membranes by chemical vapor deposition.—74-10554A

Preparation of alumina membranes: II.—74-10555A

Preparation of alumina/nickel composites by a gas reduction process.—74-07426A

Preparation of monodispersed, spherical Al_2O_3 and Mg-doped Al_2O_3 powder and sintering characterization of these powders.—74-03725A

Preparation of Ni-coated alumina composite powder.—74-08253A

Preparation of Pt/Al_2O_3 catalysts by sol-gel process and its application to uranyl ion reduction.—74-10565A

Preparation of wear-resistant alumina/mullite by silica addition.—74-07907A

Pressureless sintering of Al_2O_3-SiCw composites.—74-07442A

Pressureless sintering of silicon carbide with additives of samarium oxide and alumina.—74-01854A

Pressureless sintering of whisker reinforced composites.—74-09834P

Prevention of alumina buildup in submerged entry nozzle for continuous casting of steel.—74-00397A

Process for cleaning harmful gas.—74-09835P

Process for producing ceramic glass composition.—74-02693P

Process for the production of a composite material protected against oxidation and material obtained by this process.—74-04085P

Processing and properties of Al_2O_3/SiC whisker composites.—74-10584A

Processing and properties of alumina–graphite platelet composites.—74-04834A

Processing and properties of particulate composites from coated powders.—74-01857A

Processing and superplasticity of alumina-based ceramics.—74-04835A

Processing of Al_2O_3 matrix TiB_2 platelet composites.—74-07447A

Processing of nanocomposite silicon nitride-mullite-alumina by reaction sintering.—74-03181A

Processing of silicon carbide–mullite–alumina nanocomposites.—74-04840A

Processing of the alumina-zirconia composite and its mechanical properties.—74-07721A

Production of alumina/zirconia laminated composites by coextrusion.—74-10592A

Production of oxide ceramics with a regular structure.—74-01239A

Production of porous alumina using urea and montmorillonite.—74-00372A

Properties of whisker-reinforced ceramics.—74-10146A

R-curve behavior of Al_2O_3 under transient thermal stresses.—74-02098A

R-curve effect during subcritical crack growth under static load.—74-02099A

Rapid sintering method for producing alumina-titanium carbide composites—74-01269P

Rare earth oxide-alumina-silica sintered body and method of producing the same.—74-09838P

RBAO—used as part of a membrane configuration.—74-04859A

Reaction of TiO_2-Al-C in the combustion synthesis of TiC-Al_2O_3 composite.—74-04202A

Reaction sintering in Al_2O_3-MgO-AlN system.—74-04863A

Reaction-bonded Al_2O_3 (RBAO) and related technology.—74-10603A

Reactions of organostannates with silica, γ-alumina, and silica-alumina.—74-10148A

Reactive ion etching characteristics of aluminum oxide films prepared by PECVD in CCl_4 dry etch plasma.—74-10604A

Reactive ion etching of Nb thin films for Nb/Al-AlO_x/Nb Josephson tunnel junctions.—74-03860A

Recovering metals from red mud generated during alumina production.—74-01241A

Reduction of erosive wear rates of advanced technical ceramics.—74-11188A
Refractories for ash melting furnace of incinerator.—74-02776A
Relations between structure and texture in nanosized aluminas.—74-07187A
Relationship between structure of Al_2O_3-C-TiO_2 and its resistance to high-FeO slag corrosion.—74-05878A
Relationships between the structure and the surface activity of nanosized alumina in acid catalysis.—74-10875A
Reliability predictions for alumina plates with and without cavities or metallization layers using CARES.—74-09610A
Research on dispersity of α-Al_2O_3 powder in organic solution.—74-07464A
Residual stress and crack propagation in laminated composites.—74-11074A
Residual stresses in alumina/ceria-stabilized zirconia composites.—74-07911A
Resistance to crack propagation in an Al_2O_3/ZrO_2 ceramic.—74-02192A
Reticulated ceramic products.—74-09839P
Rheology of sterically stabilized ceramic suspensions.—74-07470A
Role of glassy grain boundary phases in the microwave joining of alumina.—74-08267A
Science and technology of composite materials—high-temperature mechanical properties—deformation and properties.—74-11085A
Self-flowing castables.—74-10154A
Short-range order in cationic sublattice of cubic aluminum oxide.—74-07114A
Shrinkage of large isolated pores during hot isostatic pressing of presintered alumina ceramics.—74-10625A
SiC whisker-reinforced Al_2O_3 matrix composite.—74-09800A
Silica-free alumina-carbon material for ladle shrouds.—74-00402A
Silicon carbide and aluminum oxide kiln furniture for the ceramic industry.—74-09712A
Silicon carbide platelet/silicon carbide composites.—74-01303A
Silicon nitride sintered body.—74-09961P
Simulator test of artificial joints.—74-03869A
Single phase metal-alumina sol-gel process and material.—74-08321P
Sinter forging of zirconia-toughened alumina.—74-07480A
Sintered alumina abrasive grain and abrasive products.—74-07977P
Sintered body of alumina and partially stabilized zirconia, a process for making the same and a method of preparing a powder for sintering—74-01271P
Sintered ceramic body for a spark plug insulator and method of sintering the same.—74-02898P
Sintering and mechanical behavior of mullite prepared from silica and alumina colloids.—74-07482A
Sintering and microstructure of Ce-TZP/Al_2O_3 ceramic composite.—74-10884A
Sintering of Al_2O_3-TiC composite in the presence of liquid phase.—74-01884A
Size sensitivity to thermal shock of plasma-sprayed ceramics and factors affecting the size effect.—74-11088A
Slide gate plate and method.—74-02803P
Sliding wear of oxide ceramics at elevated temperatures.—74-11089A
Slow crack growth in alumina with *R*-curve at elevated temperatures.—74-11090A
Sol-gel alumina abrasive wheel with improved corner holding.—74-07978P
Sol-gel processing of ceramic membrane layers.—74-04902A
Sol-gel-derived nickel/γ-alumina catalyst for a methanol-to-hydrogen converter.—74-05655A
Sol-gel-processed CaO-Al_2O_3—properties, crystallization, and structural evolution.—74-04904A
Solidification behavior of undercooled liquid aluminum oxide.—74-04907A
Spalling mechanism of Al_2O_3 ceramic coating coated WC-Co substrate under sliding contact.—74-05389A
Spectral absorption coefficient of molten aluminum oxide from 0.385 to 0.78 μm.—74-04424A
Spectroscopic study of Pt-Sn/Al_2O_3 sol-gel catalysts.—74-07749A
Stability of α phase in alumina-chromia plasma-sprayed deposits after annealing.—74-08275A
Stable crack extension of an alumina ceramic in three-point bending test.—74-02202A
Stages of surface and pore volume evolution during sintering.—74-04912A
Strength and Young's modulus behavior of a partially sintered porous alumina.—74-02206A
Strength measurements of monolithic SiC and Al_2O_3/SiC composites after exposure to coal slag.—74-11097A
Strength of tape cast and laminated ceramics.—74-07919A
Strong ceramic based on aluminum oxide and zirconium dioxide.—74-03973A
Structural characterization of platinum deposits supported on ordered alumina films.—74-05264A
Structural properties of the system Al_2O_3-Cr_2O_3.—74-01466A
Structurally modified alumina supports, and heat transfer solids for high temperature fluidized bed reactions.—74-09841P
Structure and defects of MBE-grown Nb-Al_2O_3 interfaces.—74-10034A
Structure of Na- and Ca-ß″-Al_2O_3 coatings on α-Al_2O_3 single-crystal platelets.—74-05274A
Study on internal friction and modulus in nanostructured alumina.—74-03239A
Subcritical crack growth and *R*-curve behavior in Al_2O_3-toughened Y-TZP.—74-02209A
Subcritical crack growth in ceramics with *R*-curve behavior.—74-07922A
Submicrometer transparent alumina by sinter forging seeded γ-Al_2O_3 powders.—74-04926A
Supercritical debinding of injection-molded ceramics.—74-07500A
Superduty fireclay refractory brick and methods for its manufacture.—74-08654P
Superplastic deformation of alumina platelet-reinforced Y-TZP.—74-07923A
Superplasticity in Y_2O_3/Al_2O_3/silicon nitride obtained by hot isostatic pressing.—74-07501A
Supported catalysts.—74-04004P
Surface and catalytic properties of copper oxide supported on Al_2O_3 and active carbon.—74-01244A
Surface modification of alumina ceramics with mullite coating.—74-01245A
Surface oxidation and its effect on the observed elastic modulus of SiC whisker/Al_2O_3 composites.—74-01586A
Surface roughness reduction in atomic layer epitaxy growth of titanium dioxide thin films.—74-07503A
Surface treated ceramic powders—74-01212P
Synthesis and properties of $CaAl_2O_4$-coated Al_2O_3 microcomposite powders.—74-10163A
Synthesis of Ag^+ from tobermorite and its antibacterial activity.—74-01904A
Synthesis of Al_2O_3-Al composites with varied compositions via a submicron precursor.—74-10675A
Synthesis of ceramic-ceramic composite powders from natural mineral resources.—74-01906A
Synthesis of TiB_2-Al_2O_3 composite by self-propagating high-temperature synthesis (SHS) and its pressureless sintering.—74-10685A
TEM studies of alumina chopped fiber/partially stabilized zirconia composites.—74-10899A
Temperature distribution in microwave sintering of alumina cylinders.—74-10693A
Temperature-dependent fracture strength of doped single-crystal alumina fibers.—74-11104A
Tensile and shear properties of continuous fiber-reinforced SiC/Al_2O_3 composites processed by melt oxidation.—74-11105A
Tensile creep behavior of alumina/silicon carbide nanocomposite.—74-05392A
Tensile creep failures of Al_2O_3/SiC nanocomposite.—74-11108A
Ternary oxide whisker growth in a reactive atmosphere.—74-10900A
Test specimen for characterizing the fracture energy of interfaces in composites.—74-11111A
Thermal expansion of a PRD-166 fiber-reinforced glass-matrix composite.—74-02592A
Thermal residual strains in carbon fiber-reinforced aluminum laminates.—74-04449A
Thermal stability of ceramic materials in microwave heating.—74-04451A
Thermal stability of single-crystal and polycrystalline alumina fibers and 85% Al_2O_3-15% SiO_2 fibers.—74-11115A
Thermally sprayed alumina coatings with strongly improved wear and corrosion resistance.—74-10698A
Thermodynamic assessment of the CaO-MgO-Al_2O_3 system.—74-01481A
Thermomechanical properties and microstructure of alumina-zirconia.—74-07930A
Theta-alumina powder, preparation thereof and magnetic recording medium—74-00782P
Thin composite solid electrolyte film for lithium batteries.—74-02901P
Three-body abrasive wear of ceramic materials.—74-11116A
Three-phase ceramics composites—Al_2O_3-AlON-SiC.—74-07931A
Three-way catalyst for automotive emission control.—74-04006P
TiC/Al_2O_3 powders obtained by combustion synthesis.—74-04965A
Titania-alumina composites.—74-10704A
Topaz as a refractory raw material.—74-01205A
Towards an in situ alumina laminate.—74-07781A
Transformation, microstructure development, and sintering in nucleated alumina gels.—74-04236A
Transient liquid phase bonding of alumina via microdesigned Ni-based interlayers.—74-08286A
Transition alumina and method for its production—74-01213P
Translucent polycrystalline alumina and process for producing the same.—74-09844P
Transmission electron microscopy and microanalysis of extended defects in ceramics.—74-07783A
Tribological behavior of alumina sliding on several kinds of materials.—74-11120A
Tunneling through an epitaxial oxide film: Al_2O_3 on NiAl(110).—74-07540A
Tyranno fiber addition to alumina-graphite refractories.—74-05883A
Ultrahigh-vacuum diffusion-bonded Nb-Al_2O_3 and Cu-Al_2O_3 joints—the role of welding temperature and sputter cleaning.—74-08289A
Unlubricated sliding wear mechanism of fine ceramics Al_2O_3 and ZrO_2 against high chromium cast iron.—74-02402A
Use of alumina and zirconia in surgical implants.—74-07008A
Use of spodumene in the processing of alumina-matrix ceramics—influence on microstructure and mechanical properties.—74-07544A
Uv light effect in α-Al_2O_3:C gamma dosimeters.—74-01128A
Value evaluation of high-alumina aggregates.—74-08641A
VibraForming and in situ flocculation of consolidated, coagulated, alumina slurries.—74-04977A
Viscous deformation in a potassia borosilicate glass-crystalline alumina system.—74-08400A
Vitreous silica-based plastic refractory—74-00417P
Water-based alumina dispersions for tape casting.—74-04980A
Wear behavior of alumina plasma-sprayed coating on an Al-Cu alloy.—74-07936A
Wear of Al_2O_3 ceramics by jet blasting.—74-03977A
Wet erosive wear of ceramics.—74-07937A
Wetting characteristics and interfacial reaction at Al/Al_2O_3 interface.—74-08296A
Wetting in an electronic packaging ceramic system: II, Wetting of alumina by a silicate glass melt under controlled pO_2 conditions.—74-10719A
X-ray photoelectron diffraction studies of the surface chemistry of nonstoichiometric synthetic spinel.—74-05297A
XPS study of the a-C:H/Al_2O_3 interface.—74-07793A
Yttria-alumina fibers—74-01275P
Zirconia graphite slide gate plates—74-00418P
Zirconia-coated alumina fibers as a reinforcement for alumina.—74-04987A

aluminates,
Ceramic material for use in casting reactive metals.—74-08646P
Characterization of yttrium phosphate and a yttrium phosphate/yttrium aluminate laminate.—74-10778A
Crack face bridging mechanisms in monolithic $MgAl_2O_4$ spinel microstructures.—74-10954A
Crystalline yttrium aluminate and process for making.—74-09819P
Crystallization of epitaxial lanthanum aluminate and spinel thin films derived from nitrate precursors.—74-10251A
Determination of a new titanium site in Ti:$YAlO_3$.—74-09980A
Discontinuous dissolution of iron aluminate spinel in the Al_2O_3-Fe_2O_3 system.—74-07072A
Effect of synthesis techniques on crystallite size and morphology of lithium aluminate.—74-04590A
Effect of tetragonal ZrO_2 addition on the mechanical properties of α-alumina/La-ß-aluminate composite.—74-10976A
Is giant rare earth magnetostriction possible in perovskite structure.—74-03383A
Kinetics of slit component transient extraction from aluminate cake porous particles.—74-01777A
Microstructures and hardness of ultrafine-grained Ni_3Al.—74-02024A
Mode-locking of Nd-$YAlO_3$ (YAP) laser at 1.08 μm wavelength with single KTiOPO (KTP) crystal.—74-03111A
Nonempirical cluster electric field gradient calculations for ^{27}Al nuclei in $YAlO_3$ and $HoAlO_3$ and refinement of $HoAlO_3$ crystal structure.—74-05204A
One-electron donor sites and their strength distribution on some hydrotalcite and MgO surfaces as studied by EPR spectroscopy.—74-05210A
Phase compatibility in the system CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3 referred to sulfaluminate belite cement clinker.—74-01420A
Phase transition of rare-earth aluminates ($RE_4Al_2O_9$) and rare-earth gallates ($RE_4Ga_2O_9$).—74-10017A
Polymorphism of calcium sulfoaluminate ($Ca_4Al_6O_{16}$, SO_3) and its solid solutions.—74-08084A
Relationship between raw mixture and mineralogical composition of sulfoaluminate belite clinkers in the system CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3.—74-01448A
Stress-optic effect in YAP ($YAlO_3$) crystal optical fiber.—74-02659A
Structural, ferroelectric, and pyroelectric properties of nonstoichiometric ceramics based on $BaAl_2O_4$.—74-03350A
Synthesis and dielectric properties of substituted lanthanum aluminate.—74-04437A
Synthesis of barium hexaaluminate by the spray-ICP technique.—74-01905A
Synthesis of cobalt aluminate.—74-01908A
Thermal expansion and athermal phase transition of $Y_4Al_2O_9$ ceramics.—74-04446A
Thermodynamic analysis of aluminate formation at Fe/Al_2O_3 and Cu/Al_2O_3 interfaces.—74-08285A
Thermodynamic investigation of the CaO-Al_2O_3-$CaCO_3$-H_2O closed system at 25°C and the influence of Na_2O.—74-07138A

aluminides,
50 nm GaAs/AlAs wire structures grown on corrugated GaAs.—74-02903A
AlGaAs/Ge/GaAs heterostructures grown by molecular beam epitaxy.—74-02907A
Alkoxide precursors for controlled oxygen incorporation during metallorganic vapor phase epitaxy GaAs and $Al_xGa_{1-x}As$ growth.—74-02908A
Aluminum content dependence of milky transparent conducting ZnO:Al films with textured surface prepared by dc magnetron sputtering.—74-05067A
Arsenic capping and decapping of $In_xAl_{1-x}As$(100) grown by molecular beam epitaxy.—74-02916A
Atmospheric and low pressure shadow masked MOVPE growth of InGaAs(P)/InP and (In)GaAs/(Al)GaAs heterostructures and quantum wells.—74-02917A
Atomically controlled growth of GaAs/NiAl/GaAs structures by molecular beam epitaxy.—74-04483A
Buried heterostructure laser diodes fabricated using in situ processing.—74-02926A
Chromium and reactive element modified aluminide diffusion coatings on superalloys: environmental testing.—74-02067A
Comparative study of cross-sectional scanning tunneling microscopy/spectroscopy of III-V hetero- and homostructures: ultrahigh vacuum-cleaved versus sulfide-passivated.—74-06745A
Comparative study of cross-sectional scanning tunneling microscopy/spectroscopy on III-V hetero- and homostructures: ultrahigh vacuum-cleaved versus sulfide-passivated.—74-06008A
Comparison of surface recombination velocities in InGaP and AlGaAs mesa diodes.—74-00582A

Compositional inhomogeneity at the epitaxial layer and substrate interface of AlGaAs/GaAs heterostructures.—74-02946A
Contrast modulations in InAlAs/InP.—74-07616A
Cross-sectional scanning tunneling microscopy and spectroscopy of passivated III-V heterostructures.—74-02951A
Current-controlled negative differential resistance in $InAs/As_xGa_{1-x}Sb$ tunnel structures.—74-02955A
Design and analysis of InAs/AlSb ballistic constrictions for high temperature operation and low gate leakage.—74-00589A
Double quantum well charge transport in pseudomorphic $Al_{0.3}Ga_{0.7}As/In_{0.15}Ga_{0.85}As/GaAs$ modulation doped heterostructures.—74-02970A
Effect of the proximity of an ex situ patterned interface on the quality of two-dimensional electron gases at GaAs/AlGaAs heterojunctions.—74-02978A
Electrodeposition of Al_3Ti from chloroaluminate electrolytes.—74-07290A
Energy dependence and depth distribution of electron beam induced damage in GaAs/AlGaAs heterostructures.—74-02999A
Fabrication of a noval split-backgate transistor by in situ focused ion-beam lithography and molecular beam epitaxial regrowth.—74-01720A
Fabrication of fiber-reinforced nickel aluminide matrix composites by reactive processing.—74-08189A
Fabrication of self-aligned GaAs/AlGaAs and GaAs/InGaP microwave power heterojunction bipolar transistors.—74-06100A
Focused-ion-beam damage etch patterning for isolation of quantum structures in AlGaAs/GaAs.—74-00621A
Fractional dimensionality of weakly localized electrons in $GaAs-Ga_{0.7}Al_{0.3}$ heterostructures.—74-08916A
Growth and characterization of a GaAs/AlAs superlattice with variable layer thicknesses.—74-03031A
Growth of the (In,Al,Ga)As quaternary alloy system on GaAs at low substrate temperatures by molecular beam epitaxy.—74-03037A
Hardness, internal stress, and fracture toughness of epitaxial $Al_xGa_{1-x}As$ films.—74-06130A
High uniformity of $Al_{0.3}Ga_{0.7}As/In_{0.15}Ga_{0.85}As$ doped channel structures grown by molecular beam epitaxy on 3-in. GaAs substrates.—74-03041A
Improved epitaxial layer design for real-time monitoring of dry etching in III-V compound heterostructures with depth accuracy of ±8 nm.—74-03057A
Improved inverted AlInGa/GaInAs two-dimensional electron gas structures for high-quality pseudomorphic double heterojunction AlInAs/GaInAs high electron mobility transistor devices.—74-06144A
Improvement of GaAs/AlGaAs quantum well laser diodes by rapid thermal annealing.—74-01522A
In situ formation of composites of alumina with nickel and with nickel aluminide.—74-07346A
In situ process for AlGaAs compound semiconductor: materials science and device fabrication.—74-03061A
In situ thickness monitoring and control for highly reproducible growth of distributed Bragg reflectors.—74-03062A
Influence of the AlAs mole fraction on the luminescence efficiency of $GaAs/Al_xGa_{1-x}As$ quantum well structures.—74-04338A
Integrated approach to quantum dot fabrication.—74-00940A
Integration of vertical-cavity surface-emitting devices by molecular beam epitaxy regrowth.—74-06159A
Interaction of alumina fibers with titanium aluminide matrices.—74-08218A
Investigation of DX centers in modulation doped field effect transistor type $Al_{0.3}Ga_{0.7}As/GaAs$ heterostructures using a Fourier transform deep level transient spectroscopy system.—74-06165A
Low-damage electron-beam-assisted dry etching of GaAs and AlGaAs using electron cyclotron resonance plasma electron source.—74-00647A
Low-damage etching of InGaAs/AlGaAs by the electron cyclotron resonance plasma with Cl_2/He mixture for heterojunction bipolar transistors.—74-03088A
Measurement of heterojunction band offsets using ballistic electron emission microscopy.—74-06199A
Measurement of heterojunction band offsets using ballistic electron emission microscopy.—74-06788A
Modification of Al/GaAs(001) Schottky barriers by means of heterovalent interface layers.—74-06212A
Modulation-doped InAlAs/InGaAs quantum well structures for high electron mobility transistors.—74-03116A
Moisture- and hydrogen-induced embrittlement of iron aluminides.—74-07814A
Molecular beam epitaxial growth and properties of Si-doped GaAs/AlGaAs quantum wells.—74-03118A
Molecular beam epitaxial heterostructures in the (311)A orientation.—74-06213A
Molecular beam epitaxial heterostructures in the (311)A orientation.—74-07698A
Molecular beam epitaxy growth of high-performance midinfrared diode lasers.—74-03119A
Molecular dynamics of nanoscale layered structures.—74-02028A
Multilayer resist process for asymmetric gate recess in field effect transistors.—74-00663A
Nanofabrication of photonic lattice structures in GaAs/AlGaAs.—74-00665A
Optimization of contacts and mobilities for (001)-oriented two-dimensional hole gases.—74-06246A
Optimization of contacts and mobilities for (001)-oriented two-dimensional hole gases.—74-06247A
Ordered and randomly disordered AlAs/GaAs short-period superlattices.—74-03143A
Ordered intermetallic alloys: I, Nickel and iron aluminides.—74-02184A
Ordered intermetallic alloys: II, Silicides, trialuminides, and others.—74-02085A
Ordered intermetallic alloys: III, γ-titanium aluminides.—74-05650A
Origin of nonradiative recombination centers in AlGaInP grown by metallorganic vapor phase epitaxy.—74-05214A
Origin of optical anisotropy in strained $In_xGa_{1-x}As/InP$ and $In_xAl_{1-x}As/InP$ heterostructures.—74-05215A
Overview: TiAl-based alloys prepared by elemental powder metallurgy.—74-00137A
Pack cementation aluminide coatings on superalloys: codeposition of Cr and reactive elements.—74-00138A
Photocontrolled double-barrier resonant tunneling diode.—74-03157A
Photoluminescence investigation of the critical thickness in InGaAs-AlGaAs pseudomorphic structures grown by molecular beam epitaxy.—74-05220A
Photoluminescence of molecular beam epitaxial grown $Al_{0.48}In_{0.52}As$.—74-06259A
Process for producing TiB_2 -dispersed TiAl-based composite material.—74-08319P
Processing intermetallic composites by self-propagating, high-temperature synthesis.—74-06278A
Producing titanium aluminide foil from plasma-sprayed preforms.—74-00976A
Pyrometric interferometry for real-time molecular beam epitaxy process monitoring.—74-03855A
Random-period superlattice quantum wells.—74-03195A
Reaction sintering of 0.1% B-doped Ni_3Al.—74-00148A
Reactive ion etching of AlInGaP and GaAs in $SiCl_4/CH_4$/Ar-based plasmas.—74-03196A
Room temperature photoluminescence from modulation doped AlGaAs/InGaAs/GaAs quantum wells.—74-00702A
Scanning tunneling microscope and electron-beam-induced luminescence in quantum wires.—74-07734A
Scanning tunneling microscope and electron-beaminduced luminescence in quantum wires.—74-06297A
Scanning tunneling microscope observations of the cleavage fracture surfaces of titanium aluminide.—74-07735A
Self-aligned dry etching process for waveguide diode ring lasers.—74-06305A
Self-aligned fabrication or arrays of back-to-back external 45 reflectors integrated with ridge-waveguide lasers for surface-emitting high-power semiconductor laser sources in AlGaAs/GaAs.—74-00706A
Strained layer epitaxy—how do capping layers and oppositely strained intermediate layers enhance the critical thickness.—74-06326A
Stretched exponential relaxation of persistent photoconductivity due to the Si-related DX center in $Al_xGa_{1-x}As$.—74-09050A
Study of surface stoichiometry and luminescence efficiency of near-surface quantum wells treated by hydrogen ions and atomic hydrogen.—74-06338A
Study of surface stoichiometry and luminescence efficiency of near-surface quantum wells treated by hydrogen ions and atomic hydrogen.—74-06339A
Transient grating measurements of ambipolar diffusion and carrier recombination in InGaP/InAlP multiple quantum wells and InGaP bulk.—74-05058A
Two electron transitions of the exciton bound at the Si donor confined in $GaAs/Al_xGa_{1-x}As$ quantum wells.—74-03257A
Unintentional As incorporation in molecular beam epitaxially grown InAs/AlSb/GaSb heterostructures.—74-06373A
Well width dependence of the exciton phonon interaction in semiconductor quantum wells.—74-03261A

aluminoferrites,
Hydration of C_3A and $C_2A(AF)$, separated from sulfate-resisant and white portland cement, under conditions of normal hardening and heat treatment.—74-05858A

aluminophosphate,
Aluminum phosphate bonded fiber reinforced composite material containing metal coated fibers.—74-02405P
Coating for ceramic composites—74-01251P
Comparative study of MeAPO molecular sieves with AFI structure type.—74-01502A
Derivation of interatomic potentials for microporous aluminophosphates from the structure and properties of berlinite.—74-10786A
Dielectric aluminum phosphate thin films.—74-10077A
Effect of cation field strength on the mechanical properties of R_2O-Al_2O_3-P_2O_5 glasses.—74-02532A
Effect of the addition of methylene blue to the reaction mixture for the hydrothermal synthesis of aluminophosphate molecular sieves on their morphology.—74-10300A
Mutual phase stabilization of aluminum phosphate and titania in $AlPO_4$-TiO_2 binary system.—74-07094A
Pd^I location and adsorption interaction in PdH-SAPO-34 studied by EPR and electron spin-echo modulation spectroscopies.—74-07709A
Planar optical waveguides based on laser silicoaluminophosphate glass fabricated by ion exchange.—74-02648A
Spectroscopic studies of sodium and aluminum silicophosphate glasses.—74-00219A
Structure refinement of large-pore aluminophosphate molecular sieve, H1, by Rietveld methods.—74-10892A
Synthesis and chemistry of chromium in $CrAPO_5$ molecular sieve.—74-10669A
Synthesis of SAPO-34—high-Si incorporation in the presence of morpholine as template.—74-07519A

aluminosilicate,
Adsorption on MCM-41 mesoporous molecular sieves: I, Nitrogen isotherms and parameters of the porous structure.—74-10755A
Alkali resistance and crystallization of calcium aluminosilicate glasses.—74-02430A
Application of catalysts on high-porous ceramic materials.—74-02064A
Barium aluminosilicate reinforced in situ with silicon nitride.—74-08405A
BAS reinforced in-situ with silicon nitride.—74-03980P
Better ceramic substrates through zeolites.—74-10203A
Characterization of polymeric structure of aluminosilicate complex in sol-gel solution.—74-05087A
Crystal structure of $CaAl(Al,V,M^I)_2(V,M^{II})(Si,Al)_2O_{10}$ disomatic phase with variable composition where M^I=Mg and M^{II}=Al, Fe, Mn, Ti, Mg—polytype modifications and structural homologues of this phase.—74-07056A
Crystal structure of ferrialuminosilicate low sanidine.—74-07057A
Effect of memory in cyclical freezing processes of hydroaluminosilicate structures.—74-04579A
Effect of process variables on formation of a TaC second phase in a lithium aluminosilicate glass-ceramic.—74-08416A
Effect of sound and magnetic fields on sitall formation in lithium aluminosilicate glasses synthesized in radiant heating furnaces.—74-02614A
Formation of zeolite from the system Na_2O-Al_2O_3-SiO_2-H_2O in alkaline medium (pH>10).—74-10363A
Frequency dependence of fatigue life and internal heating of a fiber-reinforced/ceramic-matrix composite.—74-04649A
Gamma activation determination of nitrogen in silicates in degassing studies of the earth's mantle.—74-01995A
Informal discreditation of doranite as the magnesium analog of analcime.—74-08055A
Insulating fibrous material from natural and artificial aluminosilicate raw materials.—74-00388A
Interfacial structure and reaction of carbon fiber/lithium aluminum silicate glass-ceramic composites.—74-10830A
Micromechanism of ambient temperature cyclic fatigue loading in a composite of CAS glass-ceramics reinforced with Nicalon fibers.—74-02563A
Microporous aluminosilicate gels synthesized by sol-gel method.—74-10456A
Monophasic premullite gels prepared by a nonhydrolytic process.—74-10481A
Optical properties of sodium aluminosilicate glass.—74-08383A
Pd^I location and adsorption interaction in PdH-SAPO-34 studied by EPR and electron spin-echo modulation spectroscopies.—74-07709A
Phase analysis and wear mechanisms of aluminosilicate bricks.—74-00395A
Scapolites—crystal structure of marialite (Me_{11}) and meionite (Me_{88}), space group as composition function.—74-04208A
Silicon carbide/calcium aluminosilicate: a notch-insensitive ceramic-matrix composite.—74-02199A
Spectroscopic analysis of an Eu-doped aluminosilicate optical fiber preform.—74-08394A
Spectroscopic investigation of sodium and aluminosilicate phosphate glasses.—74-00217A
Structural features of afghanite and its position among minerals of cancrinite group.—74-03950A
Synthesis of (alumino)silicate materials using organic molecules and self-assembled organic aggregates as structure-directing agents.—74-10672A
Synthesis of glass powder precursors in the BaO-Al_2O_3-SiO_2 and BaO-ZnO-Al_2O_3-SiO_2 systems by the sol-gel route.—74-00319A
Tectoaluminosilicate cement and a process for its manufacture.—74-02360P
Thermodynamics of hot corrosion of SiC/CAS composite.—74-10941A
Wetting in an electronic packaging ceramic system: II, Wetting of alumina by a silicate glass melt under controlled pO_2 conditions.—74-10719A

aluminum nitride,
Abrasive medium.—74-02289P
Adherent metal coating for aluminum nitride surfaces.—74-08298P
Aluminum nitride powder having a reduced ammonia odor and a method for preparing the same.—74-04027P
Aluminum nitride powder having surface layer containing oxynitride.—74-09901P
Aluminum nitride raw powder.—74-09736A
Aluminum nitride sintered body and method of preparing the same.—74-09902P
Aluminum nitride sintered body, method for manufacturing the same, and ceramic circuit board.—74-08776P
Aluminum nitride thermal conductivity of tape casting substrates.—74-07013A
Aluminum nitride—from the powder to the substrate.—74-10190A
Aluminum nitride.—74-06880A
Aluminum-matrix aluminum nitride particle composite as a low-thermal-expansion thermal conductor.—74-10061A
Anomalies in the concentration relationship of thermal conductivity of sintered composites with an ultradispersed component in the TiN-AlN system.—74-04253A
BN-group ceramics having excellent resistance to loss by dissolving.—74-09904P
CeO_2-doped AlN ceramics.—74-01283A
Ceramic composite and method—74-00407P
Ceramic composite of silicon carbide and aluminum nitride.—74-04037P
Ceramic composite.—74-08644P
Chemical stability of laminated AlN/AlN:H films.—74-04508A
Comparison of the reactivity of some surface-treated AlN powders with water.—74-04011A
Comparison of the synthesis mechanism of AlN, Al_4C_3, and TiC by carbothermic reduction of oxides.—74-07232A
Corrosion of AlN, Si_3N_4, and SiC ceramics by alkali metal melts.—74-07802A

Deposition and properties of AlN films prepared by low-pressure CVD with a metallorganic precursor.—74-07249A
Detection of AlN protective layer in aluminized sheet steel using electron beam and Auger electron microarea analytical techniques.—74-08160A
Dielectric properties of AlN films prepared by laser-induced chemical vapor deposition.—74-05929A
Different morphologies of AlN thin films synthesized at low temperature by PECVD.—74-10271A
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron.—74-04127A
Effect of heat treatment on the microstructure and properties of dense AlN sintered with Y_2O_3 additions.—74-10285A
Effect of hexagonal boron nitride on aluminum nitride substrate thermal conductivity.—74-07153A
Effect of silica and calcia on the thermal conductivity of aluminum nitride.—74-07155A
Effect of sintering atmosphere and alumina precursors on the sequence of solid-state reactions in the AlN-Y_2O_3-Al_2O_3 system.—74-07075A
Effect of the substrate bias voltage on the crystallographic orientation of reactively sputtered AlN thin films.—74-07280A
Effects of heat treatment to boundary phases of AlN ceramics.—74-04137A
Effects of organotitanate additions on the dispersion of aluminum nitride in nonpolar solvents.—74-04600A
Electrophoretic deposition of aluminum nitride.—74-04614A
Electrophoretic shaping of aluminum nitride.—74-10326A
Epitaxial growth of SiC on sapphire substrates with an AlN buffer layer.—74-06084A
Fabrication of cofired AlN multilayer substrates at low-temperature sintering.—74-10345A
Fluence dependence of excimer laser ablation of AlN.—74-10356A
Formation of ß-SiAlON as an intermediate oxidation product of SiC-AlN ceramics.—74-10359A
Forming a metallized layer on an AlN substrate by applying and heating a paste of a metal composed of W and Mo.—74-02417P
Furnace design considerations in AlN cofiring.—74-09672A
Hydrolysis of aluminum nitride powder.—74-03819A
Improved utility and economics for aluminum nitride.—74-09874A
Influence of sintering additives on the thermal conductivity of AlN ceramics.—74-10418A
Influence of sintering aids on the thermal conductivity of AlN ceramics.—74-01294A
Interaction between electronic pastes and AlN substrates.—74-05944A
Ir reflection spectra of aluminum nitride sintered at high pressure.—74-01402A
Kinetics and mechanisms for nitridation of floating aluminum powder.—74-01776A
Machinability and strength of AlN-BN ceramics.—74-11036A
Mechanical activation of powders of silicon and aluminum nitrides produced by the method of self-propagating high-temperature synthesis.—74-01792A
Metal matrix composites.—74-08307P
Method for forming light absorbing aluminum nitride films by ion beam deposition.—74-09932P
Method of protecting aluminum nitride circuit substrates during electroless plating using sol-gel oxide films and article made therefrom.—74-02891P
Microstructural characterization of silicon carbide fiber-reinforced aluminum nitride composites.—74-10835A
Microstructure and properties of SiC-AlN multiphase ceramics.—74-10460A
Microstructure of polycrystalline aluminum nitride formed in shock waves.—74-02023A
Morphology and orientation of nanocrystalline AlN thin films.—74-07701A
Multilayer circuit card connector—74-00557P
New technique to generate conductive paths in dielectric materials.—74-08761A
Novel synthesis method of AlN—comparison with classical preparation procedures.—74-04784A
Nucleation and growth of inversion domains in AlN: I, Study of fundamental processes.—74-02032A
O/N-interdiffusion in AlN.—74-06800A
Optical properties of sputter-deposited aluminum nitride films on silicon.—74-07180A
Oxygen-related defect in aluminum nitride ceramics—a thermal conduction limiting defect in technologically important materials.—74-09884A
Phase formation, microstructure, and high-temperature strength of sintered materials based on aluminum nitride SiAlON polytypes.—74-05219A
Plasma-activated sintering of aluminum nitride.—74-04812A
Preparation of a high purity aluminum nitride antenna window by organometallic pyrolysis.—74-04079P
Process for converting water-sensitive ceramic powders into a free-flowing granulated powder.—74-09948P
Process for making a high heat-conductive, thick film multilayered circuit board.—74-02896P
Process for the production of a composite material protected against oxidation and material obtained by this process.—74-04085P
Rapid solid-state precursor synthesis of nonoxide ceramics.—74-10598A
Reaction processing of AlN/SiC composites and solid solutions—74-01335P
Reaction sintering in Al_2O_3-MgO-AlN system.—74-04863A
Reactions of Ti and Zr with AlN and Al_2O_3.—74-08264A
Relation between microstructure and thermal properties of aluminum nitride based ceramics.—74-05234A
Selective plasma deposition.—74-01877A
Self-combustion reactions induced by mechanical activation: formation of aluminum nitride from aluminum-graphite powder mixture.—74-04883A
Self-reinforced materials based on aluminum nitride.—74-04022A
Silica coating of aluminum nitride particles by radio-frequency plasma chemical vapor deposition.—74-10626A
Sintered ceramic body for a spark plug insulator and method of sintering the same.—74-02898P
Sintered product of aluminum nitride, a process for the preparation thereof, and a baking jig using the same.—74-04092P
Structure and properties of boron and silicon carbide-base materials obtained by reaction-activated microwave sintering in contact with aluminum nitride.—74-02051A
Structure evolution in thermoplastic slips based on aluminum nitride.—74-04919A
Study on the heat treatment reinforcement of aluminum nitride-silicon carbide composites.—74-10657A
Synthesis of aluminum nitride from aluminum citrate precursor.—74-07511A
Synthesis of aluminum nitride powder from aluminum hydroxide by carbothermal reduction-nitridation.—74-10676A
Textures in AlN-SiC composite ceramics.—74-10167A
Theoretical study of the band offsets at GaN/AlN interfaces.—74-06351A
Theoretical study of the band offsets at GaN/AlN interfaces.—74-06352A
Thermally conducting polymer matrix composites containing both AlN particles and SiC whiskers.—74-04961A
Thermoset polymeric precursors for aluminum nitride—74-01341P
Transmission electron microscopy and microanalysis of extended defects in ceramics.—74-07783A

aluminum titanate,
Aluminum titanate ceramic and process for producing the same—74-01248P
Corrosive resistance of plaster molds.—74-10908A
Effect of addition and the synthesis method on the characteristics of aluminum titanate ceramics.—74-01684A
Effect of phase and technology history on $AlO_{1.5}$-TiO_2 system evolution.—74-01375A
Effects of additives on the microstructure and mechanical properties in porous aluminum titanate ceramics.—74-10302A
Improved thermal stability of Al titanate solid solutions.—74-10397A
Method of producing self-supporting aluminum titanate composites and products relating thereto—74-01326P
Sol-gel.beta.-aluminum titanate thin film coating.—74-09840P
Synthesis and properties of Al_2TiO_5 ceramics.—74-06442A
Thermal shock behavior of aluminum-titanate-based materials.—74-06446A
Use of polyfactor experimental design for creation of a porous structure of ceramic biomaterial based on Al_2TiO_5.—74-07028A

aluminum zirconium silicate,
Laser ultrasound directivity in CS-3 ceramic.—74-03830A

aluminum,
Abrasive wear of alumina fiber-reinforced aluminum.—74-08124A
Accelerated aging processes in ceramic-reinforced AA6061 composites.—74-10182A
Al-B-C phase development and effects on mechanical properties of B_4C/Al-derived composites.—74-02361A
Al-pillared saponites: I, Ir studies.—74-05065A
Al-pillared saponites: II, NMR studies.—74-05066A
Al-Si-V and Al-Si-V-Pd films as alternatives for Al-Si-Cu interconnect: microstructure and its impact on reliability.—74-04247A
AlGaAs/InGaAs/GaAs optoelectronic structures on (111)B GaAs.—74-00565A
Aluminum carbide (Al_4C_3) in precursors for $YAlO_3$ crystal growth.—74-10189A
Aluminum on Si(100)—growth and structure of the first layer.—74-05973A
Aluminum on Si(100)—growth and structure of the first layer.—74-05974A
Aluminum-doped zinc oxide transparent conductors deposited by the sol-gel process.—74-00453A
Aluminum-matrix aluminum nitride particle composite as a low-thermal-expansion thermal conductor.—74-10061A
Aluminum-silicon carbide composite and process for making the same.—74-08299P
Analysis of GaInP/AlGaInP compressive strained MQW lasers.—74-05975A
Anisotropic two-photon transitions in GaAs/AlGaAs multiple quantum well waveguides.—74-00568A
Application of a dry turbo vacuum pump to semiconductor manufacturing processes.—74-06678A
Behavior of AlGaAs/GaAs photodiodes subject to soft ionizing radiation.—74-02922A
Calculation of photogenerated carrier escape rates from GaAs/Al_xGa_{1-x}As quantum wells.—74-05995A
Carbide formation in infrared-processed Nicalon fiber/aluminum composites.—74-10209A
Carrier-induced energy shift in GaAs/AlGaAs multiple quantum well laser diodes.—74-00574A
Cast composite material with high-silicon aluminum matrix alloy and its applications.—74-08301P
Ceramic-metal composites with interpenetrating networks.—74-08138A
Change of electronic structure caused by local substitution of Al for Cu in $La_{1.85}Sr_{0.15}CuO_4$ metal.—74-00787A
Characteristics of selective reactive ion etching of InGaAs/InAlAs heterostructures using HBr plasma.—74-00577A
Characteristics of the electric current dependence of the efficiency of spontaneous emission from AlGaAs/GaAs laser diodes with a single quantum well.—74-00579A
Charge properties of an Al-SiO_2-*n*-SiC{(0001)Si} MOS structure.—74-08839A
Coexistence of Vannier-Stark transitions and miniband Franz-Keldysh oscillations in strongly coupled GaAs-AlAs superlattices.—74-05098A
Coherent oscillation of zone-folded phonon modes in GaAs-AlAs superlattices.—74-06005A
Collapse of high field magnetophonon resonance in GaAs-GaAlAs heterojunctions.—74-06006A
Collective excitations in asymmetric parabolic quantum wells.—74-04263A
Comparative study of wet and dry selective etching processes for GaAs/AlGaAs/InGaAs pseudomorphic MODFETs.—74-06009A
Composite ceramics and their production process.—74-04039P
Composition, structure, and physicochemical properties of aluminum hydroxide chloride complexes.—74-07048A
Condensation of indirect excitons in coupled AlAs/GaAs quantum wells.—74-06014A
Correlation of microstructure and fracture toughness in P/M processed 2XXX aluminum composites reinforced with SiC whiskers.—74-08151A
Deep centers due to Ge atoms in AlGaAs-based double heterostructures.—74-08849A
Design issues of GaAs and AlGaAs δ-doped *p-i-n* quantum well APD's.—74-06037A
Design of a new anode technology for the aluminum industry.—74-07943A
Determination of AlAs mole fraction in $Al_xGa_{1-x}As$ using Raman spectroscopy and X-ray diffraction.—74-05112A
Dross treatment in a rotary arc furnace with graphite electrodes.—74-06848A
Effect of Al^{3+} on the formation of $Ba_2Ti_9O_{20}$.—74-01291A
Effect of hydrogenation on the photoluminescence of GaAs/AlGaAs quantum well structures.—74-02974A
Effect of interfacial microstructure on fracture of Al_2O_3/Al-Cu composite.—74-10792A
Effect of lateral leakage current on the experimental gain/current-density curve in quantum well ridge-waveguide lasers.—74-08875A
Effect of single perturbations on microstructure of amorphous metals.—74-05128A
Effect of unthermalized electrons on the photoconductivity of GaAs/AlGaAs heterostructures at cyclotron resonance.—74-08877A
Effects of a pseudomorphic InGaAs layer on focused ion-beam modulation-doped GaAs-AlGaAs quantum well structures.—74-06057A
Effects of free electrons on the dynamics of excitons in quantum well structures.—74-00600A
Electric-field dependence of oscillator strengths of Stark ladder transitions in a GaAs/AlAs superlattice.—74-08881A
Electrical and optical properties of heavily *n*-doped GaSb-AlSb multiquantum well structures for infrared photodetector applications.—74-02986A
Electrical characterization of laser-induced deposits of aluminum on gallium arsenide.—74-04298A
Electrical properties of GaAlSb and GaAlSbAs solid solutions.—74-08885A
Electroluminescence measurement of ballistic electron distribution on AlGaAs/GaAs heterojunction by bipolar transistor structures with base width modulation.—74-08887A
Electroluminescence quantum yield in GaInAsSb/GaSb and AlGaAsSb/GaInAsSb *p-n* structures.—74-08888A
Electronic structures of wurtzite compounds GaN, AlN, and strained-layer superlattices $(Ga_2N_2)_n(Al_2)_n(001)$, (*n*=1, 2).—74-05139A
Ellipsometric investigations of anodic oxide on $Ga_{1-x}Al_xAs$ solid solutions.—74-01990A
Enhancement of oxidation resistance of silicon carbide by high-dose and multienergy aluminum implantation.—74-10911A
Enhancement of Schottky barrier height to *n*-GaAs using NiAl, NiAl/Al/Ni, and Ni/Al/Ni layer structures.—74-03001A
Envelope function calculations of linear and nonlinear optical gains in strained-layer quantum-well lasers.—74-01516A
EPR and NMR studies of amorphous aluminium borates.—74-10800A
Evaluation of coating-substrate interface strength by differential load feed analysis of load-indentation measurements.—74-06768A
Experiments in scaling and variable range hopping in the integral quantum Hall effect.—74-08904A
External photoluminescence efficiency and minority carrier lifetime of (Al, Ga)As/ GaAs multi-quantum-well samples grown by molecular beam epitaxy using both As_2 and As_4.—74-03012A
Extremely high uniformity of interfaces in GaAs/AlGaAs quantum wells grown on (411)A GaAs substrates by molecular beam epitaxy.—74-03013A
Fabrication of curved mirrors for visible semiconductor lasers using electron-beam lithography and chemically assisted ion-beam etching.—74-00617A
Fabrication of dense TiB_2-Al composites by the self-propagating high-temperature synthesis (SHS) method.—74-01722A
Fabrication of parallel quantum wires in GaAs/AlGaAs heterostructures using AlAs etch stop layers.—74-01727A
Fatigue testing welded joints for P/m Al matrix composites.—74-05622A
Features of electron scattering in δ-doped multiquantum well structures.—74-06101A
Features of transport phenomena in spaced doped superlattices.—74-06102A
Formation and properties of silane monolayers on iron and aluminum surfaces.—74-07649A
Formation of a layer of aluminum and tin or titanium oxides on a glass substrate—74-00332P

Friction properties of aluminum-based composites containing cluster diamond.—74-04320A
GaAs/GaAlAs heterostructure rib waveguide stepped dß coupler.—74-03026A
GaInP and AlInP grown by elemental source molecular beam epitaxy.—74-06115A
Giant growth axis longitudinal magnetoresistance from in-plane conduction in semiconductor lattices.—74-04322A
Growth of InAlGaAs strained quantum well structures for reliable 0.8 μm lasers.—74-04674A
Growth optimization of molecular beam epitaxy grown InAlAs on InP.—74-04676A
Hall effect in $Al_{1-x}Si_x$ solid solutions [0≤x≤0.12].—74-04324A
Hard wear-resistant film and method for production thereof.—74-02418P
Hard-particle-reinforced aluminum alloys for aircraft applications EWISCO 1993-1994.—74-08202A
HCl, H_2, and Cl_2 radical beam ion beam etching of $Al_xGa_{1-x}As$ substrates with varying Al mole fraction.—74-06131A
Health and safety precautions in the relining of aluminum electrolysis cells.—74-07949A
High-T_c microbridge superconductor device utilizing stepped edge-to-edge SNS junction.—74-03630P
High-performance aluminum/alumina composites.—74-08204A
High-power ps pulse amplification and generation in field effect GaAs-AlGaAs laser diodes with saturable absorption.—74-08930A
High-temperature deformation and fracture mechanisms in a dendritic Ni_3Al alloy.—74-05363A
High-temperature oxidation-resistant thermocouples.—74-06776A
Hole states in GaAs/AlAs heterostructures and the limitations of the Luttinger model.—74-05017A
Hydrogen plasma processing of GaAs and AlGaAs.—74-00634A
Hydrothermal processing of $MgAl_2O_4$ spinel-based ceramics.—74-04685A
Impact of amplified spontaneous emission (ASE) on carrier density for measurement of optical nonlinearities in GaAs/AlGaAs multiple quantum wells.—74-00636A
In situ formation of silicon carbide.—74-10402A
In situ spectral reflectance monitoring of III-V epitaxy.—74-05162A
In situ X-ray photoemission spectroscopic studies of Al/SiO_2 interface formation.—74-01761A
Influence of additives on the formation of the Al_2O_3/metal composite by melt oxidation of Al: I.—74-08213A
Influence of an ultrathin Al overlayer on GaAs plasma oxide growth kinetics.—74-06151A
Influence of discharge parameters on the layer properties of reactive magnetron sputtered ZnO:Al films.—74-03064A
Influence of volume fraction of component materials and interlayer bond strength on fracture toughness of multilayer Al 6090-25 vol% SiC_p and Al 5182 laminates.—74-11030A
Integrated AlGaAs waveguide components for optical phase-difference measurement and correction.—74-06156A
Interaction of Al with oxidized Ge/Si(001): a synchrotron radiation photoelectron spectroscopy study.—74-00943A
Interface analysis of dry-etched and molecular beam epitaxial regrown AlGaAs.—74-05168A
Interface luminescence of GaAs/GaAlAs structure: relationship with heterojunction conditions.—74-06162A
Interfacial reaction wetting in the boron nitride/molten aluminum system.—74-00127A
Interfacial reactions of α-2(Ti_3Al) alloys with Al_2O_3.—74-08220A
Intersubband elementary excitations of quasi-two-dimensional electron systems in quantum well.—74-03072A
Investigation of particulate/matrix interface bonding in Al matrix composites.—74-08225A
Investigation of the growth and structure of aluminum overlayers on TiO_2(100) by scanning tunneling microscopy.—74-05174A
Lateral variation of indium content in InGaAs grown on GaAs channeled substrates by molecular beam epitaxy.—74-05177A
Lattice electromigration in narrow Al alloy thin-film conductors at low temperatures.—74-02008A
Localized corrosion of sputtered Al-1 wt% Si-0.5 wt% Cu alloy thin films.—74-02084A
Low-loss Bragg reflector lateral-transverse mode confinement in AlGaInP red lasers.—74-08946A
Low-voltage current instabilities in long AlGaAs/GaAs samples subjected to pulsed and microwave fields.—74-08949A
Low-voltage, high-reflectance change normally off refractive $GaAs/Al_{0.2}Ga_{0.8}As$ MQW reflection modulator.—74-06187A
LPE on $Al_xGa_{1-x}As$ surfaces passivated by sulfide solutions.—74-03094A
Luminescence effects in gels containing organoaluminum complexes.—74-10114A
Luminescence of $GaAs/Al_xGa_{1-x}As$ multiple quantum wells in structures for ir detectors.—74-03095A
Machining MMC's.—74-00948A
Magnetocapacitance and the edge state of a 2-D electron system in the quantum Hall regime.—74-03098A
Magnetotransport investigation of Si-doped $n^+Al_{0.48}In_{0.52}As$: observation of the DX center.—74-03099A
Measure of the interfacial shear strength between SiC (CVD)/B (CVD) filament-aluminum matrix by fragmentation method.—74-10445A
Measurement of the adhesion of TiN and Al coatings by fracture mechanics tests.—74-02166A
Mechanically alloyed 7010 aluminum alloy-SiC_p composites.—74-05642A
Mechanism of heavy and light hole mixing in GaAs/AlAs superlattices.—74-03103A
Metal matrix composites.—74-08307P
Metal matrix–ceramic reinforcement interaction in long fiber MMCs (Al-SiC) obtained with different preparation technologies.—74-08231A
Metal nitride powders.—74-09926P
Metal substrates aluminum, copper, stainless steel: specifications, pretreatment, frit selection, enameling processes.—74-02383A
Metal-ceramic adhesion and the Harris functional.—74-05645A
Metallorganic chemical vapor deposition of $LaAl_{11}O_{18}$ by a liquid precursor route.—74-10451A
Method and apparatus for the application of thermal spray coatings onto aluminum engine cylinder bores.—74-08237A
Method of preparing boron carbide/aluminum cermets having a controlled microstructure.—74-08313P
Microstructure and aging response of sprayed-deposited Al-Li/TiCp.—74-08239A
Microstructure and mechanical properties of spray-cast SiCp/Al-Fe-V-Si composite.—74-08240A
Mid-ir phase modulation via Stark effect on intersubband transitions in GaAs/GaAlAs quantum wells.—74-00659A
Model for the interaction of electron waves with heterojunctions in GaAs/AlAs(001).—74-08955A
Modification of Al/GaAs(001) Schottky barriers by means of heterovalent interface layers.—74-06211A
Modulated arsenic molecular beam epitaxial growth of $In_{0.48}Al_{0.52}As$.—74-03114A
Molecular beam epitaxy grown AlAsSb/GaAsSb distributed Bragg reflector on InP substrate operating near 1.55 μm.—74-04366A
Molecular-sieve-based chemical sensors.—74-05950A
Monolithic AlGaAs reflection diode optron.—74-00662A
Monte Carlo study of electron relaxation in quantum-wire laser structures.—74-08958A
New phase transition of SiC particulates in cast Al metal matrix composites.—74-05647A
Nitrogen plasma source ion implantation of aluminum.—74-04780A
Observation of quantum mechanical reflections of electrons at an in situ grown GaAs/aluminum Schottky barrier.—74-03134A
Ohmic electrode materials for semiconductor ceramics and semiconductor ceramics elements made thereof.—74-03277P
Optical bistability in the GaAs/AlGaAs bistable FET.—74-00675A
Optical properties of AlGaAs/GaAs *nipi* superlattices and their application in asymmetric cavity spatial light modulators.—74-06239A
Optical properties of $CuAlSe_2$ single crystals and of diode structures made of them.—74-08988A
Optical properties of strained layer (111)B $Al_{0.15}Ga_{0.85}As$-$In_{0.04}Ga_{0.96}As$ quantum well heterostructures.—74-06241A
Optical study of GaAs/AlAs structures with isolated GaAs clusters grown on a surface with high Miller indices.—74-06243A
Oxidation of iron, aluminum, and titanium films in the temperature range 50-200°C.—74-07822A
Penetration of aluminum in TiB_2.—74-07581A
Phase equilibria in the Ti-Al-O system at 945°C and analysis of Ti/Al_2O_3 reactions.—74-04184A
Phonon polariton modes in quantum well wire superlattices.—74-03152A
Photo- and electron-beam lithography sharing common stencil.—74-00970A
Plasma source ion implantation of oxygen and nitrogen in aluminum.—74-04811A
Polarizability of a shallow donor in a quantum well wire: geometric effects.—74-03174A
Population inversion of spatial quantization levels in 2-D InAs/AlSb/GaSb systems.—74-00688A
Postgrowth control of GaAs/AlGaAs quantum well shapes by impurity-free vacancy diffusion.—74-06269A
Prediction of interfacial fracture behavior of an SiC_f-reinforced aluminum composite.—74-11065A
Preparation of corundum whiskers.—74-07429A
Process for the preparation of a silicate-bound material.—74-09837P
Properties of a center associated with an Al impurity in 6H-SiC.—74-06279A
Properties of aluminum carbide powder prepared by the pyrolysis of alkylaluminum.—74-04849A
Pulsed dye amplification and frequency doubling of single longitudinal mode semiconductor lasers.—74-00693A
Quantitative capacitance of a metal-(amorphous chalcogenide semiconductor) (Al-As_2Se_3) contact.—74-03187A
Quantum dots formed by interface fluctuations in AlAs/GaAs coupled quantum well structures.—74-03188A
Quantum-confined Stark shift observed by electroluminescence and circular polarized luminescence excitation spectroscopy in GaAs/AlGaAs coupled quantum wells.—74-04404A
Quasi-crystals.—74-10024A
Reaction mechanism between BN-sprayed graphite and molten Al, in vacuum, and its application to the evaporation source for reactive metals including Al.—74-04020A
Recycling and reclamation of metal matrix composites.—74-00150A
Relationship between void formation and electromigration performance in Al/TiW multilayered interconnections.—74-00698A
Replacement of environmentally hazardous corrosion protection paints on the space shuttle main engine using wire arc sprayed aluminum.—74-08265A
Resonant Raman lineshape of optic phonons in GaAs/AlAs multiple quantum wells.—74-03203A
Resonant shallow donor magnetopolaron effect in GaAs/AlGaAs quantum dot in high magnetic fields.—74-09026A
Role of aluminum migration at the interface in SiC-reinforced glass-ceramic matrix composites.—74-09891A
Role of dynamic processes during low-temperature abrupt deformation of aluminum.—74-07912A
Role of waveguide light emission in planar microcavities.—74-09027A
Scanning tunneling microscopy observation of Al-induced reconstruction of the Si(111) surface—growth dynamics.—74-07738A
Scanning tunneling microscopy observation of Al-induced reconstruction of the Si(111) surface: growth dynamics.—74-05238A
Sharp-line photoluminescence and two-photon absorption of zero-dimensional biexcitons in a GaAs/AlGaAs structure.—74-06309A
Shrinkage-free mullite ceramics from kaolin and Al powder.—74-00995A
Simple method for extraction of multiple quantum well absorption coefficients from reflectance and transmittance measurements.—74-00711A
Single-pulse pump-probe measurement of optical nonlinear properties in GaAs/AlGaAs multiple quantum wells.—74-06317A
Sintering of aluminum oxynitride (AlON).—74-01885A
Solution growth of silicon on Al-Si coated quartz-glass substrates.—74-05793A
Spatial characteristics of GaAs, GaAs-like, and AlAs-like phonons in $GaAs/Al_xGa_{1-x}As$ superlattices: the strong x dependence.—74-06319A
Spin orientation by optical pumping in $In_xGa_{1-x}As/AlAs$ multiple quantum wells.—74-06322A
Stabilization of aerosil suspensions by aluminum hydroxynitrate.—74-04427A
Static characteristics of a selectively doped pseudomorphic FET.—74-06324A
Static structural response of plates with piezoceramic layers.—74-09179A
Structural inhomogeneity and crystallization behavior of aerosol-reacted $MgAl_2O_4$ powders.—74-07119A
Structure and wear behavior of nitrogen-implanted aluminum alloys.—74-04432A
Structure of Al-Al and Al-Si_3N_4 interfaces bonded at room temperature by means of the surface activation method.—74-08277A
Structure of aluminoborosilicate, borosilicophosphate, and aluminoborosilicophosphate vitreous materials simulating vitrified radioactive wastes.—74-02500A
Structure of silicon and aluminum films.—74-10891A
Study and optoelectronic verification of AlGaAs/GaAs heterojunction bipolar transistor large-signal characteristics.—74-00720A
Study of the dynamic conductance of a surface 2-D superlattice on GaAs/AlGaAs by a contactless microwave method in a magnetic field.—74-09055A
Study of upper layers of superlattices by standing X-ray waves technique.—74-03237A
Superplasticity in $MgAl_2O_4$ polycrystals.—74-07924A
Surface analysis of oxidized aluminum: I, Hydration of Al_2O_3 and decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07828A
Surface analysis of oxidized aluminum: II, Oxidation of Al in dry and humid atmosphere studied by ESCA, SEM, SAM, and EDX decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07829A
Surface microtopography of InAlAs/InP heterostructures grown by MBE.—74-09058A
Synthesis process for aluminum nitride.—74-10689A
Synthesizing gamma-TiAl alloys by reactive powder processing.—74-01913A
TEM observations of early nucleation and growth stages in aluminum films on liquid gallium droplets.—74-05286A
Testing of castable refractories for resistance to molten aluminum alloys.—74-08638A
Theoretical study of dynamics of type-II tunnel diodes.—74-09067A
Thermal durability and abradability of plasma sprayed Al-Si polyimide seal coatings.—74-08282A
Thermal residual strains in carbon fiber-reinforced aluminum laminates.—74-04448A
Thermodynamic stability of titanium-aluminum alloys in air.—74-10047A
Ti-Al-B composites performed by combustion synthesis under microgravity environments.—74-07537A
Transient liquid phase ceramic bonding.—74-02425P
Transient-four-wave mixing studies of GaAs microcrystallites.—74-09073A
Turbulent mixing of the HVOF thermal spray and coating oxidation.—74-08288A
Type-I–type-II transition in GaAs/AlAs short-period superlattices studied under pulsed high magnetic fields and high pressures.—74-00727A
Ultrasonically induced transformation of DX centers in AlGaAs:Si.—74-09076A
Wavelength tuning in strained layer InGaAs-GaAs-AlGaAs quantum well lasers byselective-area MOCVD.—74-04981A
Wetting characteristics and interfacial reaction at Al/Al_2O_3 interface.—74-08296A
What are the molecules of which the samples of metal alkoxides do really consist.—74-10720A
X-ray fluorescence analysis of $GaAs-Ga_{1-x}Al_xAs$.—74-09082A
XPS study of aluminum and fluoride ions in the system Al-Cd-Pb-O-F.—74-07141A
ZnSe(100)—the surface and the formation of Schottky barriers with Al and Au.—74-06390A
ZnSe(100)—the surface and the formation of Schottky barriers with Al and Au.—74-06391A

ammonia,
Evaluation of ammonia-treated Nextel 312 fiber–Blackglas matrix composites.—74-10103A

Growth of TiN thin films from $Ti(NMe_2)_4$ and ammonia.—74-01751A
High ammonia sensitive semiconductor gas sensors with double-layer structure and interface electrodes.—74-05939A
Photodesorption dynamics of ammonia from Ni(111) and NiO(111).—74-04393A
Temperature-programmed-desorption of ammonia from dealuminated clinoptilolite.—74-07777A

ammonium,
Crystal structure of $(NH_4)Fe[HPO_4]_2$.—74-07055A
Effect of ammonium citrate of the rheology and particle packing of alumina slurries.—74-07265A
Evaluation of the structural formula and alkylammonium methods of determining layer charge.—74-10804A
Layer charge determination by alkylammonium ions.—74-08560A
Octacalcium phosphate carboxylates: V, Incorporation of excess succinate and ammonium ions in the octacalcium phosphate succinate structure.—74-09793A
Preparation of alumina by a combined precipitation and gelation process.—74-07425A

amorphous solid,
Achievement of amorphous germanium oxide based capacitors by PVD.—74-08721A
Amorphous hydrogenated SiC produced by magnetron sputtering.—74-08822A
Dispersive subband-resonant nonlinearity in amorphous Si/SiO_2 quantum well structures.—74-08864A
Dynamic correlation function for amorphous solids.—74-09562A
Effect of single perturbations on microstructure of amorphous metals.—74-05128A
Effects of oxygen on crystallization of amorphous silicon films and polysilicon TFT characteristics.—74-01379A
Electronic properties of amorphous carbon (a-C:H).—74-10099A
Electronic structure of carbon nitride.—74-10799A
EPR and NMR studies of amorphous aluminium borates.—74-10800A
Formation and properties of amorphous magnesium silicates.—74-07078A
Hydrogen-free amorphous carbon preparation and properties.—74-04684A
Hydrogenated amorphous silicon—hydrogen content, bonding configurations, and morphology in sputter-deposited, in-chamber annealed thin films.—74-06141A
Influence of ion energy and flux composition on the properties of plasma-deposited amorphous carbon and amorphous hydrogenated carbon films.—74-01765A
Irreversible pressure-induced amorphization in $LiTaO_3$.—74-07677A
Low-temperature plasma-assisted chemical vapor deposition of amorphous carbon films for biomedical-polymeric substrates.—74-04740A
Microstructural evolution of nonhydrogenated amorphous carbon under ion assistance.—74-05190A
Nanocrystalline structures from amorphous precursors.—74-01411A
Nature of correlation between the elastic constants and glass transition temperature of amorphous polymers.—74-02565A
Near-ir optical nonlinearities in amorphous chalcogenides.—74-08338A
Optical properties of hydrogenated amorphous carbon film for attenuated phase-shift mask applications.—74-01553A
Phosphorescence and thermally stimulated luminescence of amorphous SiO_2.—74-06255A
Plasma beam deposition of highly tetrahedrally bonded amorphous carbon.—74-04807A
SAXS study of the nanometer-scale hybrid structure of Si-Ti-C-O amorphous fibers.—74-10879A
Structural characterization of amorphous silicon nitride by molecular dynamics simulation.—74-04216A
Structural modifications in a-C:H films doped and implanted with nitrogen.—74-04917A
Structural, optical, and electronic properties of wide band gap amorphous carbon-silicon alloys.—74-10160A
Structure and friction of amorphous carbon films of nanometer thickness.—74-02050A
Structure of amorphous hydrogenated carbon—experimental and computer simulation.—74-05273A

amplifiers,
Er-doped glass fibers for optical amplifiers.—74-08897A
Finite element modeling of silica waveguide amplifiers with high erbium concentration.—74-06106A
Gain saturation in three- and four-level fiber amplifiers.—74-08920A
Highly efficient Ti:sapphire regenerative amplifier.—74-08934A
Optical properties of dysprosium-doped low-phonon-energy glasses for a potential 1.3 μm optical amplifier.—74-08343A
Picosecond optical parametric amplification in β-BaB_2O_4.—74-09002A
Saturation characteristics of $Ga_{0.68}In_{0.32}As/GaInAsP/InP$ tensile-strained quantum well semiconductor laser amplifier with tapered-waveguide structures.—74-09030A
Transient modeling of pulsed phase conjugation experiments in a saturable Nd:YAG amplifier.—74-09072A

analysis/analyzers,
Accuracy of processing of the sedimentation curves.—74-04467A
Analysis and surface chemistry of silicon nitride powders.—74-05068A
Analysis of ceramic materials using slurry sample presentation.—74-09547A
Analysis of chemical vapor deposition diamond grain boundaries using transmission electron microscopy and parallel electron energy loss spectroscopy in a scanning transmission electron microscope.—74-10757A
Analysis of ir spectra of a-SiN_x:H alloys on the basis of the induction model.—74-07590A
Analytical advances at PPC Lime: I, The rapid determination of available lime in commercial lime by a conductometric method.—74-07993A
Analytical advances at PPC Lime: II, Characterization of environmental dusts by X-ray fluorescence spectrometry—a microbead technique.—74-07994A
Analytical model for determining free carbon in fine SiC powders in the presence of free silicon.—74-01037A
Analytical performance of a secondary neutral microprobe with electron-gas postionization and magnetic sector mass spectrometer.—74-03781A
Analyzers for in-line analysis of bulk material stream.—74-01038A
Application of X-ray tensometry to ceramic materials.—74-06738A
Atomic fluorescence analysis of high-temperature superconducting materials based on yttrium, barium, and—74-06491A
Automatic quantitative powder diffraction phase analysis—system RIFRAN 2.0.—74-07597A
Barrier layers for lead zirconate titanate thin films.—74-05921A
Beginnings of Islamic stonepaste technology.—74-02294A
Bottle strength analysis.—74-08361A
Cement analysis enhanced.—74-07998A
Characterization of graphite shape with an image analyzer.—74-10770A
Chemical analysis of Oriental ceramic body compositions: I, Wares from North China.—74-02295A
Comparison of fracture mechanism maps with the Larson-Miller method of predicting lifetime.—74-10952A
Composition of titania coatings deposited by different techniques.—74-04523A
Computer centric rotational depth profiling.—74-03790A
Contribution of toxic elements: hexavalent chromium in materials used in the manufacture of cement.—74-05480A
Coulter LS 130 laser diffraction analyzer for testing and research of building materials.—74-06751A
Determination of limestone addition in cement manufacture.—74-02318A
Determination of silicon in boron.—74-06756A
Determination of ten elements in special $BaTiO_3$ ceramic by inductive coupling plasma atomic emission spectroscopy (ICPAES).—74-06757A
Determination of trace elements: neutron activation analysis in geochemistry and astrochemistry.—74-01055A
Developing a better understanding of glaze defects using X-ray diffraction and scanning electron microscopy.—74-08521A
Elemental composition of superconducting ceramics [investigated] by neutron activation and radiography methods.—74-00807A
Estimation of cement clinker grindability.—74-03807A
Estimation of the bulk composition of fine-grained media from microchemical and backscatter image analysis: application to biscuit wasters from the Bow factory site, London.—74-05452A
EXAFS data analysis for lanthanide sesquioxides.—74-10805A
Express analyzer for determining of the silicate mass activity.—74-01063A
Feldspar: What is it. Where does it come from. What do I need to know about using it.—74-09744A
Fractography of Glass.—74-11203B
Gamma activation determination of nitrogen in silicates in degassing studies of the earth's mantle.—74-01995A
Giant LO-TO splittings in perovskite ferroelectrics.—74-03310A
Gob control improves quality and efficiency.—74-09673A
Graphic representation of multicomponent systems of complex perovskites.—74-01391A
Importance of X-ray phase analysis for the prediction of the shaping, drying, and firing behavior of ceramic clay bodies.—74-03821A
Influence of different time periods on the evolution of the porcelain enameling industry.—74-00123A
Interregional contacts between Tell-en-Nasbeh and littoral Philistine centers in Canaan during Early Iron Age I.—74-05454A
Ionometric determination of perchlorate in slags.—74-01074A
Laser light scattering in particle size analysis.—74-06784A
Linear model for both qualitative and quantitative X-ray analysis.—74-09575A
Low cycle fatigue life prediction of ceramic matrix composites at elevated temperatures.—74-11035A
Market conceptions of porcelain enamel.—74-02249A
Materials comparisons—porcelain enamel vs alternative materials.—74-00131A
Measurement of naturally occurring radioactivity in refractories: analytical methods for the workplace.—74-08622A
Microwave digestion technique for trace element analysis of industrial furnace feedstreams.—74-03921A
Nanocomposites.—74-10125A
Neutron activation analysis and an investigation of the element distribution in thin semiconductor films.—74-00667A
Neutron activation analysis of sixteenth- and seventeenth-century European blue glass trade beads from the eastern Great Lakes area of North America.—74-05456A
New system for the systematic, dynamic, and in situ characterization of microstructures (of ceramics).—74-09588A
Nonlinear Hertzian indentation fracture mechanics.—74-11063A
Particle size analysis—present and future.—74-09598A
Perturbed-angular-correlation study of zirconias produced by the sol-gel method.—74-04174A
Photometric and titrimetric methods of determining the gallium content in glasses.—74-02480A
Photometric determination of Ba in YBCO.—74-09319A
Piezoelectric ceramics.—74-09164A
Polarographic determination of In and Sb in anode films of InSb.—74-09006A
Porcelain bodies by image analysis.—74-00371A
Porcelain enameling: is it a science or is it "black magic."—74-00142A
Precise determination of copper in high-temperature superconductor samples by potentiostatic coulometry.—74-00841A
Quantitative determination of ettringite in cement pastes, mortars, and concretes.—74-05576A
Quantitative structure analysis via image analysis—a suitable tool for quality control of portland cement clinker.—74-09503A
Quantitative thin film analysis with an energy-dispersive X-ray detector.—74-05225A
Quantitative X-ray method for determining phases in the system Bi-Sr-Ca-Cu-O.—74-00848A
Quantometer with induction plasma for the determination of metal impurities in technical iron(III) oxide.—74-03857A
Quasi-periodic features in the atomic structure of long-period grain boundaries.—74-01955A
Quo isti, thermal spraying.—74-02265A
Recent advances improve Auger analysis.—74-03862A
Recent experimental investigations of the optical properties of high-T_c superconductors.—74-06626A
Recycling at Corhart—a 30-year success story.—74-08629A
RGAs are turning up in surprising places.—74-03865A
RQ-mode principal components analysis of ceramic compositional data.—74-02300A
Software system for analyzing stresses in axially symmetrical bottles.—74-09617A
Sol-gel indicators for process and environmental measurements.—74-06818A
Sorption properties of fibrous sorbent PP-Pak and its analytical application.—74-01107A
Speed, ease, and precision in particle size analysis.—74-01108A
Statistical analysis of grain-size composition of ceramic materials.—74-05257A
Surface analysis by photoionization at very high laser intensities.—74-03241A
Surface analysis of float glass by means of X-ray absorption, reflection, and fluorescence analysis.—74-02588A
TDPAC analysis at ^{181}Ta in Ba_2BiO_4.—74-05284A
Thermophysics in development and use of structural ceramic materials.—74-01118A
Use of physicochemical analysis for study of vitreous systems.—74-00235A
Use of physicochemical analysis for studying glassy systems.—74-02502A
Using failure mode and effects analysis [FMEA] in new glaze introduction.—74-08713A
Using FMEA [failure mode and effects analysis] in new glaze introduction.—74-08714A
Wet sieve analysis of fresh concrete: correction procedures.—74-00102A
X-ray microanalysis of ancient glasses—a comparative study of wavelength dispersive and energy dispersive techniques.—74-05458A

anatase,
Competition between $TiCl_4$, hydrolysis, and oxidation, and its effect on product TiO_2 powder.—74-07233A
Electrical and optical properties of TiO_2 anatase thin films.—74-10090A
High mobility *n*-type charge carriers in large single crystals of anatase (TiO_2).—74-03040A
Optical properties of anatase (TiO_2).—74-08987A
Photoresponse of high resistance anatase TiO_2 films prepared by the decomposition of titanium isopropoxide.—74-04395A

andalusite,
Andalusite.—74-06881A
Development of andalusite-mullite kiln furniture.—74-01141A

anhydride,
Determining phosphoric anhydride in the gaseous products in firing phosphate-bonded fireclay bodies.—74-02748A
Problems related to hardening of anhydride binders.—74-00088A

anhydrite,
Influence of chemical composition on properties of nonexplosive demolition agent for low temperature.—74-00065A
Manufacture of nonfired hollow brick using anhydrite.—74-05822A
Properties of anhydrite cement obtained from apatite phosphogypsum.—74-02349A

anions,
Character of interaction of salts in ternary systems.—74-01346A
Formation of fluorine-containing anions in glasses of the $MePO_3$-MeF systems (Me=Li, Na).—74-00196A
Formation of fluorine-containing anions in glasses of the system $MePO_3$-MeF (Me=Li, Na).—74-00197A
Reflection high energy electron diffraction observation of anion exchange reactions on InAs surfaces.—74-03198A

anisotropy,
Accounting for secondary extinction in highly anisotropic single crystal.—74-07034A
Anisotropic deposition of doped silicate glass.—74-05751A
Anisotropic effects in glass substrates heated in vacuum.—74-00241A
Anisotropic nonlinear beam propagation in ruby.—74-08825A
Anisotropy in rectangular bars fabricated via three-dimensional printing [3DP].—74-10196A

Computer simulation and experimental analysis of anisotropic grain growth in ceramics.—74-07615A
Computer simulation of anisotropic grain growth in ceramics.—74-01936A
Effect of elastic anisotropy on the direction and faceting of chemically induced grain-boundary migration in Al_2O_3.—74-02123A
Elastic anisotropy in hot-pressed Si_3N_4 composites—role of in situ β-Si_3N_4 grains and added β-Si_3N_4 whiskers.—74-10085A
Exchange-relativistic double-ion spin anisotropy. Tensor shape, temperature dependence, and numerical value.—74-09200A
Fracture resistance behavior of highly anisotropic silicon nitride.—74-11006A
Hall effect and anisotropy of second type-II superconductors in mixed state.—74-03476A
Hall effect in anisotropic films and single crystals.—74-04325A
Magnetic anisotropy and phase transformation of (100)EuTe/PbTe superlattices and (100)EuTe films.—74-08950A
Magnetostatic waves in ferrite films with trigonal anisotropy.—74-03393A
Measurement of the *ab* plane anisotropy of microwave surface impedance of untwinned $YBa_2Cu_3O_{6.95}$ single crystals.—74-09307A
Observation of *a*-*b* plane gap anisotropy in $Bi_2Sr_2CaCu_2O_8$ with a low-temperature STM.—74-03546A
Piezoelectric coefficients of materials with high anisotropy.—74-03334A
Processing strategy for producing highly anisotropic silicon nitride.—74-07451A
Reflectance anisotropy of reconstructed GaAs(001) surfaces.—74-06290A
Relation between atomic structure and surface-stress anisotropy—calculations for the clean Si(001) surface.—74-06291A
Self-consistent anisotropic approach for the simulation of plastic deformation and texture development of polycrystals: application to zirconium alloys.—74-02198A
Self-field effect of J_c for anisotropic samples of high-T_c superconductor (HTSC).—74-09336A
Textures in AlN-SiC composite ceramics.—74-10167A

annealing,
^1H NMR studies on the effects of annealing on chemical vapor deposited (CVD) diamond.—74-01606A
Al/Si ordering in alkali-doped cordierites $M_{0.5}Mg_2Al_{4.5}Si_{4.5}O_{18}$ (M=Na,K,Cs).—74-07198A
Amorphous nitrogenated carbon films—structural modifications induced by thermal annealing.—74-07200A
Annealing effects on electrical properties of reaction-sintered β+β″-alumina ceramics.—74-07202A
Annealing of radiation damage in De Beers colorless CVD diamond.—74-04988A
Au/Ge/Ni ohmic contacts to *n*-type InP.—74-02919A
Characteristics in proton-exchanged $LiTaO_3$ optical waveguides and annealing.—74-02520A
Characterization of metal-oxide-semiconductor capacitors with improved gate oxides prepared by repeated rapid thermal annealings in N_2O.—74-02823A
Characterization of metal-oxide-semiconductor capacitors with improved gate oxides prepared by repeated rapid thermal annealings in N_2O.—74-05925A
Compositional trend of the blue shift of the gap in Ge_xS_{100-x} thin amorphous films induced by annealing and illumination.—74-00583A
Conversion of chemically deposited photosensitive CdS thin films to *n*-type by air annealing and ion exchange reaction.—74-08844A
Deep levels in single crystal and polycrystalline ZnSe bombarded by electrons.—74-08850A
Effect of annealing on radiation-induced defects in *n*-SiC(6H) bombarded by thermal neutrons.—74-08868A
Effect of annealing on the stoichiometry of $SrTiO_3$(001).—74-04567A
Effect of annealing under vacuum and in nitrogen atmosphere on the structure and strength of porous silicon nitride materials.—74-04568A
Effect of duration of annealing below the vitrification interval on the heat capacity and Curie temperature of metallic glasses.—74-02449A
Effect of high-temperature annealing on magnetic properties of ferrite-garnet films implanted by helium ions.—74-03373A
Effect of hydrogen annealing on hot carrier instability of X-ray-irradiated CMOS devices.—74-02973A
Effect of negative air corona stress on metal oxide semiconductor capacitors.—74-05930A
Effects of annealing on the structural and optical properties of amorphous thin films of Ga-55 mol% S.—74-00599A
Effects of annealing ZnO films prepared by ion-beam-assisted reactive deposition.—74-00481A
Effects of hydrogen annealing on MOS oxides.—74-02982A
Formation of Si-SiO_2 stacked-gate structures by plasma-assisted and rapid thermal processing—improved device performance through process integration.—74-06701A
Glass annealing process in laboratory conditions and its control.—74-05764A
Hydrogenating and annealing effects of GaAs.—74-03055A
Improved barium fluoride process $YBa_2Cu_3O_{7-x}$ films via postanneal monitoring.—74-03489A
Improvement of GaAs/AlGaAs quantum well laser diodes by rapid thermal annealing.—74-01522A
Influence of annealing on defects in diamond films with ESR and ir measurements.—74-07350A
Influence of annealing on the resistance of polycrystalline chemically vapor deposited diamond films—a surface chemical effect.—74-04697A
Influence of post-sintering anneal on Si_3N_4 matrix grain morphology.—74-07666A
Investigation of the 1.2-eV photoluminescence band in rapid thermal annealed InP.—74-03075A
Method and apparatus for manufacturing glass bottles.—74-09528P
Method to enhance critical temperature of thallium-based superconductors.—74-03651P
Microstructural development in nanophase TiO_2 during annealing.—74-04163A
Nickel in diamond: an annealing study.—74-00133A
Nonequilibrium Al-Ga interdiffusion in MOCVD reactor-annealed AlGaAs quantum well heterostructures.—74-06222A
Plasma chemical synthesis of oxides in the Y-Ba-Cu-O system.—74-00837A
Preparation of $Si_{1-x}Ge_x$ thin crystalline films by pulsed excimer laser annealing of heavily Ge-implanted Si.—74-04827A
Preparation of Si-$TiSi_2$ Schottky diodes by rapid thermal annealing.—74-03178A
Preparation of silicon carbide platelets.—74-01850A
Rapid thermal annealing of semiinsulating GaAs bombarded with fission neutrons.—74-09020A
Silicide formation in the Co-Si system by rapid thermal annealing.—74-06313A
Study on WSi_2 thin films, formed by the reaction of tungsten with solid or liquid silicon, by rapid thermal annealing.—74-04925A
Synthesis of Bi-Sr-Ca-Cu-O filament crystals.—74-06646A
Ultrathin tantalum oxide capacitor process using oxygen-plasma annealing.—74-05968A
Vacancy complexes in diamond.—74-01958A
Variation of the dispersion and phase composition of ultradispersed silicon nitride powders in annealing.—74-01929A

anodes,
Anodic oxidation of titanium at low voltages.—74-05920A
Creep resistant, metal-coated $LiFeO_2$ anodes for molten carbonated fuel cells—74-00547P
Enlargement of the diamond deposition area by one-cathode three-anode arc discharge plasma jet chemical vapor deposition.—74-10333A
Formation of anode films of given phase composition on zirconium.—74-00493A
Gas reactivity testing of raw materials and anodes.—74-06771A
Perovskite anode electrocatalysis for direct methanol fuel cells.—74-00517A
Photocurrent enhancement in a cadmium sulfide anode coated with Prussian blue.—74-00518A
Scanning tunneling microscope tip-induced anodization of titanium: characterization of the modified surface and application to the metal resist process for nanolithography.—74-06997A
Thin anodic oxide layers on aluminum and other valve metals: high-field regime.—74-05658A

anorthite,
Ceramic substrate sintered at low temperatures—74-00542P
Crystallization of glasses in the systems $Ca_5[PO_4]_3F$-$CaAl_2Si_2O_8$ and $Ca_5[PO_4]_3F$-$CaMgSi_2O_6$.—74-00191A

antennas,
Preparation of a high purity aluminum nitride antenna window by organometallic pyrolysis.—74-04079P

antiferroelectrics,
Electromechanical properties of ceramics in the (PMW-PT-PZ) system.—74-03302A
Piezoelectric properties of sol-gel-derived ferroelectric and antiferroelectric thin layers.—74-03335A

antiferromagnetism,
Abrupt but continuous antiferromagnetic transition in nearly stoichiometric $La_2CuO_{4+\delta}$.—74-03363A
Complete Fermi mapping of $Bi_2Sr_2CaCu_2O_{8+\delta}$(001): coexistence of short-range antiferromagnetic correlations and metallicity in the same.—74-04265A
Effect of nonlinear polarization of light on magnetization reversal in an antiferromagnetic Ca-Mn-Ge garnet.—74-03374A
Ferron mechanism of charge transport in antiferromagnetic semiconductors and its peculiarities at phase separation.—74-08911A
Fine structure of magnetic frustration field.—74-06549A
Modified spin-wave theory of quasi-two-dimensional Heisenberg antiferromagnet.—74-01408A
New theoretical view for high-temperature superconductivity.—74-00827A
Nonlinear dynamics of the four-sublattice antiferromagnet La_2CuO_4.—74-03395A
Optical investigation of the magnetic excitations in two-dimensional triangular lattice antiferromagnets.—74-01551A
Orthorhombicity, antiferromagnetism, and superconductivity in $YBa_2Cu_3O_{6+x}$.—74-09317A
SHG and magnetic dipole–electric dipole interference in antiferromagnetic Cr_2O_3.—74-09221A
Temperature dependence of uniform susceptibility in high-T_c superconductors.—74-01590A
Theory of antiferromagnetic correlations in high-T_c cuprates.—74-03406A
X-ray powder structure determination and magnetic behavior of $CsNiPdF_5$.—74-02060A

antimonia,
Effect of Sb_2O_3 addition on the microstructure and the PTCR characteristic in $BaTiO_3$.—74-10794A
Investigation of glasses of the B_2O_3-Sb_2O_3 system by the method of Raman spectroscopy.—74-02468A
Polarographic determination of the As and Sb redox ratio in glass.—74-00208A
Preparation and characterization of SiO_2-Sb_2O_3 films obtained by a sol-gel method.—74-02650A

antimonides,
Band structure of deformed orthorhombic CdSb, ZnSb, and In_2Se_3 crystals—modeling of superlattices.—74-05987A
Current-controlled negative differential resistance in InAs/As_xGa_{1-x}Sb tunnel structures.—74-02955A
Design and analysis of InAs/AlSb ballistic constrictions for high temperature operation and low gate leakage.—74-00589A
Electrical and optical properties of heavily *n*-doped GaSb-AlSb multiquantum well structures for infrared photodetector applications.—74-02986A
Electrical and structural studies of $AgSbSe_2$ thin films.—74-01698A
Electrical properties of GaAlSb and GaAlSbAs solid solutions.—74-08885A
Energy band offsets and electroluminescence in *n*-$InAs_{1-x}Sb_x$/*N*-GaSb heterojunctions grown by liquid phase epitaxy.—74-02998A
Growth kinetics of GaSb by metallorganic vapor phase epitaxy.—74-04664A
Growth of high-mobility InSb by metallorganic chemical vapor deposition.—74-04673A
Interface structure between Bi and CdTe in molecular beam epitaxially grown Bi/CdTe and Bi/$Bi_{1-x}Sb_x$ superlattices.—74-07669A
Magnetophonon resonance and ir lattice reflection.—74-00651A
Molecular beam epitaxy growth of high-performance midinfrared diode lasers.—74-03119A
Passivation of GaSb by sulfur treatment.—74-01826A
Preparation and properties of sprayed antimony trisulfide films.—74-06274A
Scanning tunneling microscopy of InAs/GaSb superlattices: subbands, interface roughness, and interface asymmetry.—74-06301A
Scanning tunneling microscopy of InAs/GaSb superlattices: subbands, interface roughness, and interface asymmetry.—74-07740A
Transport properties of delta-doped Si:Sb superlattices.—74-01598A

antimony oxide,
Influence of antimony oxide on the properties of $YBa_2Cu_3O_{7-x}$ superconductors prepared by melt quenching.—74-06561A
Interactions in the system TiO_2-$GaSbO_4$.—74-01400A
Optical properties of Sb and SbO_x films.—74-07179A
Structure and properties of ceramics in the SnO_2-Sb_2O_3-CuO system.—74-03974A

antimony,
Alkaline batch chemical deposition of antimony(III) sulfide thin films.—74-01615A
Anomalous magnetoresistance in $Ce_{1-x}La_xSb$ and $Ce_{1-x}La_xBi$.—74-01495A
Composition dependence of the optical constants in amorphous Sb_xSe_{1-x} thin films.—74-04267A
Controlled growth of antimony-doped tin dioxide thin films by atomic layer epitaxy.—74-07239A
Effect of the isovalent Sb dopant on the formation of electronically active defects in *n*-type GaAs grown by means of LPE from a Bi molten solution.—74-08876A
First-principles calculations of interface phonons of an epitaxial Sb monolayer on GaAs(110) and InP (110).—74-03019A
Influence of dopants on the formation mechanism of the superconducting phases in the Bi-Sr-Ca-Cu-O system.—74-03493A
Molecular beam epitaxy grown AlAsSb/GaAsSb distributed Bragg reflector on InP substrate operating near 1.55 μm.—74-04366A
Recombination lifetime in InAs-$Ga_{1-x}In_xSb$ superlattices.—74-05231A
Reflection high energy electron diffraction observation of exchange reaction dynamics on InAs surfaces.—74-04408A
Reflection high energy electron diffraction study of the GaSb surface during molecular beam epitaxy.—74-05233A
Research of superconductivity in YBa_2MO_6 (M=Bi, Sb).—74-03569A
Secondary ion mass spectrometry depth profiling of boron and antimony deltas in silicon: comparison of the resolution functions using oxygen bombardment at different energies and impact angles.—74-02043A
Study and control of molecule surface interaction at the atomic level: Sb_4 on Si(001).—74-06822A
Thermal stability of highly Sb-doped molecular beam epitaxy silicon grown at low temperatures—structural and electrical characterization.—74-06356A

apatite,
Apatite channels and zeolite-like properties.—74-09757A
Artificial bone materials promote natural growth.—74-01280A
Biological and synthetic apatites.—74-09762A
Calcium phosphate apatites in nature.—74-09763A
Canasite-apatite glass-ceramics—74-00327P
Carbonate-containing europium apatite.—74-10762A
Correlation of physicochemistry of gel-derived silica and its apatite induction.—74-07241A
Dense hydroxyapatite.—74-06965A
Dependence of apatite formation on silica gel on its structure: effect of heat treatment.—74-07246A
Grafting of phosphorylated molecules on apatite surface.—74-09780A
Growth of a bonelike apatite layer on a substrate by a biomimetic process.—74-04669A
In situ TEM observation of radiation induced amorphization of crystals with apatite structure.—74-10820A
Isolation of calcium phosphate crystals of mature bovine bone by reaction with hydrazine at low temperature.—74-09789A
Joint endoprosthesis with Al_2O_3 ceramic head and a composite socket and process for making it—74-01256P
Laser, optical, and thermomechanical properties of Yb-doped fluorapatite.—74-07169A

Maturation of poorly crystalline synthetic and biological apatites.—74-09790A
Morphology and calcium deficiency of electrochemically deposited apatite.—74-01410A
Stable paramagnetic center $Pb^{3+}(^2S_{1/2})$ in natural apatites $Ca_5(PO_4)_3$ (F, Cl, OH).—74-05256A
Synthesis of dahlite—the mineral phase of bone.—74-09804A
XPS study of apatites and related calcium phosphates.—74-10905A

apparatus,
Apparatus for chemical vapor deposition of diamond including graphite substrate holders.—74-09517P
Apparatus for chemical vapor deposition of diamond including thermal spreader.—74-09518P
Apparatus for laminating ceramic green sheets.—74-03742P
Apparatus for production of glass fibers utilizing spinning cup structure.—74-03743P
Apparatus for silicon nitride precursor solids recovery.—74-09520P
Apparatus for the production of hermetically coated optical fiber.—74-03745P
Arc discharge plasma torch for diamond coating deposition.—74-03782A
Ceramic welding method with monitored working distance.—74-09523P
Coating apparatus, method of coating glass, compounds and compositions for coating glasss and coated glass substrates.—74-02668P
Compact metallorganic molecular beam epitaxy growth system.—74-06686A
Electric discharge machining apparatus.—74-09525P
High-temperature testing: special equipment.—74-01067A
Joining method for joining electrically ceramic bodies and a joining apparatus and joining agent for use in the joining method.—74-03754P
Method and apparatus for drying ceramic ware by use of air jets.—74-09732P
Method and apparatus for production of a carbon nitride.—74-09928P
Method and apparatus for sorting bulk material—74-01022P
Method and apparatus for temperature uniformity and repeatable temperature and location specific emission control of kilns.—74-09733P
Method and apparatus for vapor deposition of diamond.—74-09929P
Method of converting a silicon nitride from alpha-phase to beta-phase, apparatus used therefor, and silicon nitride material made therefrom.—74-04066P
Plasma jet CVD apparatus for forming diamond films.—74-09534P
Process and apparatus for producing diamond film—74-01030P
Simple pulsed-plasma-beam gun for ultrahigh vacuum applications.—74-06814A

appliances,
Continuity is the strength of Cersaie.—74-02227A
Cooking appliance having a plate made of a material transparent to thermal radiation and having at least two types of heat sources.—74-08474P
Smart/intelligent sensors.—74-09041A

applications,
Advanced materials resist chemicals.—74-06946A
Alumina.—74-06879A
Aluminum nitride.—74-06880A
Andalusite.—74-06881A
Applicability of ceramics for cryogenic use.—74-09758A
Applications of nanometer-scale structures for current and future X-ray space research.—74-06739A
Ball clay.—74-06882A
Barium carbonate.—74-06883A
Barium titanate.—74-06884A
Bauxite.—74-06885A
Boron carbide.—74-06887A
Boron nitride—a review.—74-09849A
Boron nitride.—74-06888A
Boron.—74-06889A
Ceramic prototypes for medical applications.—74-06958A
Ceramic Transactions, Volume 48: Bioceramics: Materials and Applications.—74-07966B
Ceramics based on silicon nitride—a review.—74-03960A
Ceramics in motorcar.—74-11148A
Chemically active powders for the fabrication of high-performance ceramics.—74-04514A
Chromite.—74-06895A
Commercial applications of silicon nitride based ceramics.—74-01286A
Custom-designed zirconia.—74-09774A
Development and application of ZrO_2 breaking ring for wire concast.—74-09776A
Diamond coatings.—74-09863A
Diamond, industrial.—74-06896A
Diatomite.—74-06897A
Expert systems for the selection of engineering ceramics.—74-11162A
Feldspar.—74-06900A
Fluorspar.—74-06902A
Garnet.—74-06903A
Glass connecting elements and constructive glass applications.—74-02460A
Graphite, natural and synthetic particles.—74-06904A
High-performance ceramic precision roller bearings: design and applications.—74-03692A
High-temperature technology: ceramic materials, integration concepts, applications.—74-03693A
How and why of abrasive jet machining.—74-10390A
Improved utility and economics for aluminum nitride.—74-09874A
Kaolin.—74-06908A
Lithium minerals.—74-06910A
Metal and ceramic composites come down to earth.—74-06982A
Mica.—74-06913A
Mullite.—74-06915A
Nanocomposites.—74-10125A
New organosilicon polymers for ceramic applications.—74-10493A
Novel applications for GGBS [ground granulated blast-furnace slag].—74-05867A
Olivine.—74-06919A
Optimized grinding of ceramics—a systems approach.—74-09495A
Perlite.—74-06920A
Photostriction and its applications.—74-09000A
Preservation and transfer of knowledge and technology.—74-02260A
Processing and applications of foam ceramics.—74-10581A
Progress in structural applications of silicon nitride.—74-01300A
Properties of ceramics during high-temperature applications: I.—74-11066A
Properties of ceramics during high-temperature applications: II.—74-11067A
Prospects for obtaining magnesia products from the Zabaikal'sk group of magnesites.—74-02773A
Pyrophyllite.—74-06921A
Rare earths.—74-06923A
Recent developments in oxide conductors and their applications[—review].—74-06995A
Refractory ceramic fibers update.—74-08632A
Regulation of medical devices.—74-06996A
Scandia.—74-06925A
Selective etching of c-BN layers.—74-04021A
Silica.—74-06926A
Silicon carbide.—74-06928A
Silicon nitride.—74-06929A
Sol-gel lifts electronics market.—74-05790A
Solid-state gas sensors: a review.—74-00714A
Strontium.—74-06931A
Study of high-temperature agate red ceramic stains and their applications.—74-07002A
Summary and future directions.—74-07004A
Talc.—74-06933A
Tape casting technology.—74-10692A
Testing ceramic tile for special applications.—74-00375A
Titanium diboride.—74-06937A
Vermiculite.—74-06939A
Wollastonite—its world presence, effectiveness, and future.—74-10180A
Wollastonite.—74-06941A
Zinc oxide.—74-06942A
Zircon.—74-06943A
Zirconium diboride.—74-06944A

aragonite,
Crystallization of $CaCO_3$ from $Ca(NO_3)_2$ solution: II, Effect of metallic ions on phase and morphology of $CaCO_3$.—74-07067A
Preparation of aragonite whiskers.—74-07427A

archeology,
Beginnings of Islamic stonepaste technology.—74-02294A
Group of Late Helladic IIA pottery from Tsoungiza[, Greece].—74-00020A
Historical archaeology and prehistory—experimenting with dating formulas for Mississippian period ceramics.—74-05453A
Interregional contacts between Tell-en-Nasbeh and littoral Philistine centers in Canaan during Early Iron Age I.—74-05454A
Knidian phallic vase from Corinth[, Greece].—74-00021A
Neutron activation analysis of sixteenth- and seventeenth-century European blue glass trade beads from the eastern Great Lakes area of North America.—74-05456A
Raw material use among nucleated industry potters: the case of Vasanello, Italy.—74-02299A
RQ-mode principal components analysis of ceramic compositional data.—74-02300A
Structures and features of ancient kilns for ceramic wares.—74-09714A

architecture,
Article glass stone.—74-00008A
Construction and architectural design with brick.—74-02707A
Effects and control of moisture in ceramic tile facades.—74-08538A
Float in glass architecture.—74-02625A
Problem of building a brick house in Europe.—74-08573A
Terra-cotta facade of the picture gallery at the Museum of European Art in Berlin.—74-05837A
Uncercut panel anchors for concealed fastening of ceramic cladding panels.—74-08599A

argon,
Comparison of dc plasma jet velocity distributions for different plasma gas mixtures—Ar-H_2, Ar-He, Ar-He-H_2.—74-10230A
Deposition of a-SiC:H using organosilanes in an argon/hydrogen plasma.—74-08854A
Dynamics of ion-assisted etching in the Si(100)/XeF_2/Ar^+ system on a time scale of 100 μs-1000 s.—74-04565A
Effect of ion implantation on ion-plated diamondlike carbon films.—74-04578A
Novel fiber growth on Ar^+-sputtered InP.—74-06225A
Sputtering of neutral and ionic indium clusters.—74-03222A
Structure of the modified surface layer formed by ion bombardment of SiO_2 films.—74-05276A

armor,
Ceramic composite of silicon carbide and aluminum nitride.—74-04037P
Coated ceramic bodies in composite armor.—74-02412P
Mechanical behavior of ceramics and their ballistic properties.—74-02168A
Monolithic, fully dense silicon carbide material, method of manufacturing and end uses.—74-04068P
Monolithic, fully dense silicon carbide material, method of manufacturing and end uses.—74-04069P

arsenate,
Dielectric, thermal, and optical studies of phase transitions in TlH_2AsO_4 single crystal.—74-04126A
SHG and sum-frequency generation on $KTiOAsO_4$.—74-06310A

arsenic oxide,
Phase equilibria in the system As_2O_5-SrO.—74-04180A
Polarographic determination of the As and Sb redox ratio in glass.—74-00208A

arsenic,
Accurate and computationally efficient semiempirical model for arsenic implants into single-crystal (100)silicon.—74-02905A
Arsenic gas-phase doping of polysilicon.—74-07205A
Characterization of structure/dopant behavior by electron microscopy.—74-01967A
Comparison between computer simulation and direct secondary ion mass spectrometry measurement of lateral dopant distributions.—74-01971A
Dc electrical conductivity in glassy $Cu_{15}As_{35}Se_{50}$.—74-06026A
Deep level transient spectroscopy study of rapid thermal annealed arsenic-implanted silicon.—74-06027A
Diffusion-induced precipitation in arsenosilicate glass (AsSG).—74-08366A
Effect of Se on the crystallization behavior of As-Te glasses.—74-02450A
Experimental observations and modeling of ultrashallow BF_2 and As implants in single-crystal silicon.—74-01517A
Influence of neutron irradiation on ir absorption in glassy As_2S_3.—74-00639A
Mobility of Ag ions in Ag-As-S glasses.—74-08377A
Photoinduced anisotropic phenomena in chalcogenide glasses: light scattering and spectral selectivity.—74-02479A
Precise property determinations of arsenosilicate glass thin films using infrared spectroscopy.—74-02570A
Quantitative capacitance of a metal-(amorphous chalcogenide semiconductor) (Al-As_2Se_3) contact.—74-03187A
Structural features of glass-crystalline materials in the AsSe-TlSe system.—74-02494A
Structural peculiarities of glass-crystalline materials of the system AsSe-TlSe.—74-02496A
Thermodynamic analysis of AsH_3 and PH_3 decomposition including subhydrides.—74-02094A
Thermodynamic analysis of the *p-T-x-y* phase diagram of the system Ge-As-P.—74-04230A
Thermoelectric and Hall effect in amorphous alloy $As_{0.2}Se_{0.4}Te_{0.4}$.—74-01596A

arsenide,
Columnar microstructure of amorphous cadmium arsenide thin films.—74-07611A
Effect of Fe concentration on Urbach edge of optical absorption of $(CdGeAs_2)_{100-x}Fe_x$ amorphous films near structural resonance.—74-04282A
Effects of As_4 flux on reflection high energy electron diffraction oscillations during growth of GaAs at low temperatures.—74-02980A
Features of transport phenomena in spaced doped superlattices.—74-06102A
Fine structure in the photosensitivity spectra of *n-p*-$CdSiAs_2$.—74-08913A
Magnetic polaron formation in CeP and CeAs.—74-01534A
Method for the measurement of the lateral dose distribution of dopants at implantation or diffusion mask edges ("lateral SIMS").—74-01950A
Molecular beam epitaxy of MnAs thin films on GaAs.—74-04367A
Optical activity of $CdSnAs_2$ and $CdGeP_2$.—74-08982A
Phase formation in films of the As_2Se_3-Yb system.—74-01432A
Polythermal cross section SiAs-SiP.—74-01441A
Solution growth of As_2S_3 thin films from a thioacetamide bath.—74-07487A
Study of upper layers of superlattices by standing X-ray waves technique.—74-03237A

art/artware,
"Satsuma" wares with characteristic crackle glaze.—74-07980A
Ceamic folklore of Ryumonji-Yaki and Naeshirogawa-Yaki.—74-07981A
Keeping the design department on the creative edge.—74-07983A
Lill Street celebrates 20th year.—74-07984A
Manufacturing process of "Hidasuki (fired tasuki, tasuki=string to gird up sleeves") type decorated wares in Hizen Region, Japan.—74-07985A
Manufacturing process of big raccoon dog statues of Shigaraki wares.—74-07986A
Manufacturing process of flame wares, Banko Yaki wares.—74-07987A
Museum helps promote ceramics.—74-05455A
Paper crane made by ceramic process.—74-07988A

artificial intelligence,
Artificial intelligence and expert systems in the steel industry.—74-02219A
Trial to introduce AI [artificial intelligence] into 49 MN (5000 tf) VOP.—74-01001A

artists,
Lill Street celebrates 20th year.—74-07984A

asbestos,
Comparison of severe hailstorm damage on two types of fiber-reinforced cement roofing sheets.—74-02705A
Influence of inhaling fine particles on human health.—74-11171A
New method of corrugated asbestos cement sheet production in home practice.—74-00964A
Phase-type composition and hydraulic activity of the products of thermally decomposed solid wastes in asestos cement production.—74-00086A
Rapid measurement of asbestos content of building materials.—74-06808A

Utilization of asbestos cement wastes in building material production.—74-00101A

ash,
Brick production using [abatement] fluid bed ash.—74-02703A
Influence of CaO addition on structure and properties of granulated cinder.—74-08051A
MSW incinerator ash as aggregate in concrete and masonry.—74-00083A
Refractories for ash melting furnace by incinerator residue and sludge.—74-05873A
Sodium contamination-free ashing process using O_2+H_2O plasma downstream.—74-04899A
Vitrification of incinerator ashes.—74-09514A
Wood ash in glazes: economical and ecological.—74-00030A

aspect ratio,
Microstructural shape factors: relation of random planar sections to three-dimensional microstructures.—74-07688A

atmosphere,
Influence of atmosphere on the formation behavior of $YBa_2Cu_3O_{7-x}$.—74-06562A
Method of introducing protective atmosphere gases into a glass forming chamber.—74-02686P

atomization,
Effect of atomizing gas pressure on coating properties in wire arc spraying.—74-08169A
Modeling results of the high-temperature pressure-controlled atomization process (PCAP).—74-10477A
Powder from metal and ceramic melts by laminar gas streams at supersonic speeds.—74-00973A
Progress update for the pressure controlled atomization process.—74-08257A

atoms,
Analysis of oxide film on stainless steel via position-sensitive atom probe.—74-05070A
Atomistic view of conduction polarization in ionic glasses.—74-05704A
Electronic structure model for single B, C, or N adatoms upon graphite.—74-09989A
Elementary distribution at grain boundaries—approach by electron spectroscopy and non-equilibrium thermodynamics.—74-09991A
Embedded atom method—a review of theory and applications.—74-07163A
Molecular orbital approach to SiKß energy shifts by second-nearest-neighbor phosphorus atoms.—74-10845A
Photophysical studies of organic molecules included within zeolites.—74-01561A
Studies of mordenite by the Monte Carlo method.—74-05278A

attrition,
Fine grinding of ceramics with attritors.—74-06700A
Fine grinding of ceramics with attritors.—74-09463A

Auger electron spectroscopy,
AES and XPS characterization of SiN_x layers.—74-05064A
Auger depth profiles of TiN/Ti films in submicron contact holes: a comparison of collimate and uncollimated deposition processes.—74-07208A
Auger depth profiling for silicon dioxide on silicon.—74-04096A
Auger in-depth profiling of Mo-Si multilayers.—74-01963A
Characterization by Auger spectroscopy of niobium-aluminum oxide-niobium sandwiches for Josephson junctions.—74-05084A
Lateral homogeneity of $YBa_2Cu_3O_{7-\delta}$ films by Auger electron spectroscopy.—74-06571A
Measurement of complete Auger electron emission angular distributions from beta-SiC films on Si(100).—74-02014A
Nucleation and growth of diamond on a well-defined Si(311) substrate monitored by in vacuo surface analysis.—74-05207A
Quasi-monolayer deposition of silicon dioxide.—74-07455A
Recent advances improve Auger analysis.—74-03862A
Studies of layered Si_3N_4/TiO_2/Si composite by means of surface-sensitive electron spectroscopes.—74-07763A
Surface analysis—X-ray photoelectron spectroscopy and Auger electron spectroscopy.—74-06823A
TEM and AES characterization of thin films of Au, Pt, and Pd deposited on mica.—74-07774A
Thickness determination of thin oxide layers at the bottom of contact holes of semiconductor devices by Auger electron spectroscopy.—74-01119A

automation,
Acquisition and processing of process data [in the cement industry].—74-06837A
Advanced automation in the production of tableware.—74-08657A
Automated baroid filter characterization of casting slip components.—74-11141A
Automated physical testing.—74-03783A
Automated production of fine white porcelain within the scope of a closed production line.—74-00894A
Automatic bag filling systems for cement, lime, and gypsum.—74-00034A
Automatic glazing and decorating technique for tile.—74-00895A
Cement plant instrumentation, automation, and process control.—74-08000A
Cement producer's view of process control and automation.—74-08003A
Dissection of imported automatic glass bottle packing machine and its programmable controller.—74-09452A
Expert systems in the cement industry.—74-08027A
First TDC 3000 System in the Indian cement industry.—74-08030A
Flachglas...500 years of expertise working for tomorrow.—74-05414A
From packing to loading.—74-08033A
Handling ceramics with AGVs [automatic guided vehicles].—74-09467A
Laboratory automation [in the cement industry].—74-06710A
Ladder logic and distributed control systems in cement plants.—74-08062A
Look at Siemens CEMAT system profile.—74-08064A
Modernization of process control technology at the Hejocsaba Cement and Lime Works [Hungary].—74-00080A
On-line control of the blending bed composition at Cementos Apasco in Mexico.—74-09595A
Pressure casting in sanitary ware production—trend setter for structural change.—74-05903A
Problems encountered and lessons learned at KW-1.—74-08087A
Process control and information management [in the cement industry].—74-05573A
Production control during dry pressing operations.—74-00978A
Restructuring tendencies of terra cotta installations.—74-08580A
Robot-assisted laboratory automation.—74-09506A
SCAP optimization of cement production.—74-08105A
Spray-drying operation of ceramic powders on an industrial scale, its control and automation.—74-10651A
Summit control system for Cementos de Chihuahua (Mexico).—74-03738A
Use of the new process control system for the new grinding plant at Dyckerhoff AG's Neubeckum [Germany] plant.—74-01006A

automobiles,
Body-in-white materials systems: a life-cycle cost comparison.—74-02222A
Ceramic valves in automobile construction of tomorrow.—74-06684A
Ceramics for automobiles.—74-09769A
Ceramics in motorcar.—74-11148A
Impact of lead-free enamels on automotive glass fabrication.—74-00302A
Laminated flat glasses (for automobiles).—74-00305A
Marriage of glass and plastic helps foil intruders.—74-08437A
Production plasma spraying in the automotive industry—a European viewpoint.—74-08256A
Protection against heat, radiation, and glare—new developments in automotive glazings.—74-02573A
Safe, low emissions, low cost automobile.—74-04003P
Techno economic issues in the selection of auto materials.—74-02279A
Trends in automotive applications of thermal spray technology in Japan.—74-08287A

bacor,
Fusion cast bacor refractories obtained by radiant heating.—74-02756A

bacteria,
Antibacterial ceramics for sandboxes.—74-09737A
Improvement of the ceramic properties of a kaolin by means of "silicate" bacteria.—74-05813A
Microorganisms improve kaolin properties.—74-06914A
Test methods for microbiologically influenced corrosion in marine environments.—74-07830A

baddeleyite,
Fusion cast bacor refractories obtained by radiant heating.—74-02756A

balances,
Exergy (available energy) analysis of annular kiln for brick and tile.—74-01152A

ball bearing,
Failure modes of precracked ceramic elements under rollling contact.—74-02137A

ball clay,
Analysis of fluorine in ceramic bodies containing clay.—74-08499A
Ball clay basics.—74-09739A
Ball clay selection using experimental design techniques.—74-09740A
Ball clay.—74-06882A
Benefits of Dorset ball clay in traditional whiteware applications.—74-00422A
Ceramic body reformulation procedure with emphasis on ball clay.—74-09741A
Clays and compositions for the rapid processing of sanitary ware.—74-08665A
Dorset ball clay and traditional whitewares.—74-08674A

ball mills,
100 years of tube ball mills—a historical review.—74-06673A
AIRFEEL diaphragm.—74-09427A
Improvement of the technology of ball mills.—74-03695A
Motional and stressing phenomena in ball mills.—74-06711A
Nanocomposite and nanophase materials synthesized with mechanical energy.—74-00961A
Nanocrystalline oxide powders prepared by ball milling.—74-04767A
Parametric study of ball mills.—74-06714A

band gap,
Dependence of optical band gap on the composition of $Se_{1-x}Te_x$ thin films.—74-05108A
Optical properties of band-gap-modulated diamondlike carbon thin films.—74-04383A

band structure,
Band structure of fs-laser-pulse excited GaAs.—74-02921A
Electronic band structure of $LaNiO_3$.—74-00804A
Phase-transition-induced change of band structure in $PbTe_{1-x}S_x$ [x=0.03 and 0.06].—74-04195A
Quasi-particle band structure of NiO—the Mott-Hubbard picture regained.—74-09019A
Structure-sensitive features of valence band in disordered silicon.—74-05053A
Two-photon-excited luminescence in paratellurite crystals.—74-04459A

baria,
Dense barium crown optical glasses.—74-02670P
Dielectric ceramic composition for use in high frequency.—74-08785P
Electronic structure and work function study of a model dispenser cathode surface.—74-07642A
Internal state population and the time-of-flight of ground-state species ejected after the 190 nm excimer laser ablation of CuO, BaO_2, and Y_2O_3.—74-03502A
Microwave characteristics of BaO-TiO_2 ceramics prepared via a citrate route.—74-02850A
Rapid determination of BaO in glassware by potentiometric titration.—74-09609A
Subsolidus phase equilibria of the CaO-B_2O_3-BaO system.—74-04224A
Synthesis of glass powder precursors in the BaO-Al_2O_3-SiO_2 and BaO-ZnO-Al_2O_3-SiO_2 systems by the sol-gel route.—74-00319A
Thermodynamic stabilities of $SrCeO_3$ and $BaCeO_3$ using molten salt method and galvanic cells.—74-01483A

barium carbonate,
Barium carbonate.—74-06883A
High-purity raw materials—a contradiction in terms.—74-09745A

barium oxide,
Thermophysical and thermochemical properties of BaO and SrO from 5 to 1000 K.—74-04963A

barium titanate,
Acoustic emission during phase transition in barium titanate crystals subjected to step-by-step etching.—74-06392A
Advances in precursor development for CVD of barium-containing materials.—74-05918A
Aging characteristics of ferroelectric epitaxial $BaTiO_3$/$YBa_2Cu_3O_7$ heterostructures.—74-09107A
Analysis of grain boundary oxidation in (Ba, Sr)TiO_3-based PTCR ceramics by µ-AES and DV-Xα energy simulation.—74-10906A
Barium titanate raw powder.—74-08723A
Barium titanate.—74-06884A
Barium titanium alkoxides for barium titanates—synthesis, characterization, and applications.—74-06947A
$BaTi_{1-y}(Sn,Zr)_yO_3$ dielectric ceramics.—74-02822A
$BaTiO_3$ thin films prepared by dip-coating process.—74-09108A
Beneficial aspects of the environmental instability of materials.—74-01621A
Ceramic dielectric compositions and capacitors produced therefrom.—74-02871P
Complex impedance analysis of Nb-doped baruium titanate ceramics.—74-08732A
Defect structure and phase relations of highly lanthanum-doped barium titanate.—74-07068A
Determination of ten elements in special $BaTiO_3$ ceramic by inductive coupling plasma atomic emission spectroscopy (ICPAES).—74-06757A
Development and characterization of a high dielectric constant paste based on $BaTiO_3$ for use in thick-film capacitors.—74-08739A
Dielectric properties of perovskite crystals.—74-07151A
Dielectric properties of Z5U capacitor based on $BaTiO_3$ modified by relaxor ceramic compounds.—74-02830A
Dispersion and consolidation of ultrafine $BaTiO_3$ powder in nonaqueous solutions.—74-01683A
Effect of barrier layers on $BaTiO_3$ thin-film capacitors on Si substrates.—74-01508A
Effect of O_2/Ar ratio on the characteristics of rf magnetron sputtered $BaTiO_3$ thin film.—74-08745A
Effect of particle size on the room-temperature crystal structure of barium titanate.—74-04133A
Effect of Sb_2O_3 addition on the microstructure and the PTCR characteristic in $BaTiO_3$.—74-10794A
Effect of the atomic ratio of Ba to Ti on optical properties of gold-dispersed $BaTiO_3$ thin films.—74-10082A
Effect of yttrium doping and sintering temperatures on the PTCR characteristics of high-T_c barium titanate.—74-04593A
Effect of ZnO doping on sintering and dielectric properties of $BaTiO_3$.—74-04595A
Effect of ZrO_2 addition on the synthesis and microwave dielectric properties of $Ba_2Ti_9O_{20}$ fabricated by oxalate method.—74-09127A
Effects of cooling profiles on the microstructure development and electrical properties of PTC $BaTiO_3$ ceramics.—74-04597A
Electrical conductivity of similarly doped $BaTiO_3$ single crystals and ceramic in the rhombohedral phase.—74-04300A
Electrical properties of amorphous barium titanate films prepared by low power rf sputtering.—74-05933A
Electrical properties of doped barium titanate obtained by sol-gel process.—74-07287A
Electrical properties of radio frequency magnetron sputtered (BaSr)TiO_3 thin films on indium-tin-oxide-coated glass substrate.—74-00607A
Epitaxial growth of $Ba_{1-x}Sr_xTiO_3$ thin films on $YBa_2Cu_3O_{7-x}$ electrode by PE-MOCVD.—74-07301A
Evaluation of grain boundary property in oxide ceramics by isothermal capacitance transient spectroscopy (ICTS).—74-08899A
Fabrication and properties of multilayer $Sr_{0.7}Ba_{0.3}TiO_2$ ceramic varistors.—74-06095A
Grain-size effects on diffuse phase transitions of $BaTiO_3$ ceramics obtained by alkoxide precursors.—74-08752A
Grain-size effects on diffuse phase transitions of sol-gel-prepared barium titanate ceramics.—74-03311A
Greater than unity pulsed phase conjugate reflectivities using self-pumped four-wave mixing in a single $BaTiO_3$ crystal.—74-08925A
Growth and applications of barium titanate single crystal.—74-10374A
Growth of $BaTiO_3$ thin films by MOCVD.—74-07663A
High-efficiency self-pumped phase conjugation at 633 nm in $BaTiO_3$:Ce.—74-08928A
High-temperature fired X7R dielectric ceramic composition submicron particle sized barium titanate.—74-02882P
Hydrothermal processing of $BaTiO_3$/polymer films.—74-10394A

Indirect investigation of ferroelectric domains in fine-grain $BaTiO_3$.—74-03313A
Influence of calcium addition on the microstructure and electrical properties at room temperature of $BaTiO_3$ for PTC thermistors.—74-06152A
Influence of stresses on properties of ferroelectric $BaTiO_3$ thin films.—74-00755A
Influence of the microstructure on the electrical properties of ceramics.—74-07667A
Intensity-dependent photorefractive properties in an *n*-type $BaTiO_3$.—74-03068A
Interactions between ferroelectric $BaTiO_3$ and Si.—74-03316A
Interdiffusion and Kirkendall effect in doped barium titanate-strontium titanate diffusion couples.—74-05023A
Investigation of second harmonic generation in MOCVD-grown barium titanate thin films.—74-06417A
Low-temperature-fired positive temperature coefficient resistors.—74-02849A
Manufacturing and properties of thin barium and strontium titanate films.—74-06422A
MBE growth and optical quality of $BaTiO_3$ and $SrTiO_3$ thin films on MgO.—74-10443A
Microchemical engineering: the influence of calcium titanium silicate on semiconductive $BaTiO_3$.—74-00656A
Microstructural examination and dielectric properties of $BaTiO_3$ with addition of CaO.—74-07687A
Microstructure and crystallization behavior of sol-gel-prepared $BaTiO_3$ thin films.—74-10458A
Microstructure and piezoelectric properties of slip-cast barium titanate ceramics.—74-04753A
Microwave synthesis of lead barium titanate.—74-10472A
Molten-salt synthesis of $Ba_{1-x}Pb_xTiO_3$ in the system $BaTiO_3$-$PbCl_2$.—74-09157A
Multilayer ceramic chip capacitor—74-00556P
Nature of cation vacancies formed to compensate donors during oxidation of barium titanate.—74-05036A
Nonlinear conduction mechanism in perovskite-type ceramics.—74-08970A
Nonreducible dielectric ceramic composition.—74-08811P
Nonreducing dielectric ceramic composition.—74-08810P
Nonstationary bandlike spatial patterns of phase conjugate emission generated by a self-pumped $BaTiO_3$ phase conjugator.—74-03325A
Ohmic electrode materials for semiconductor ceramics and semiconductor ceramics elements made thereof.—74-03277P
Optical, electron microscopic, and X-ray topographic studies of ferroic domains in barium titanate crystals grown from high-temperature solution.—74-05212A
Oxygen displacement through the ferroelectric phase transition of barium titanate high-temperature ^{17}O NMR.—74-03327A
Phase relation and microwave dielectric properties of BaO-(Nd, $Sm)_2O_3$-TiO_2 ceramics.—74-08763A
Phase transitions in $BaTiO_3$ from first principles.—74-06429A
Photoactive illumination effect on crack growth in $BaTiO_3$ crystals.—74-03155A
Piezoresistive ceramic sensor based on PTCR barium titanate.—74-09003A
Preferential grain growth and orientation relationships in $BaTiO_3$ and ZnO ceramics.—74-07716A
Preparation of a metallorganic deposition precursor for barium titanate.—74-10553A
Preparation of amorphous $BaTiO_3$ thin films on indium tin oxide-coated soda-lime glass by metallorganic chemical vapor deposition.—74-04823A
Preparation of $Ba_{1-x}Sr_xTiO_3$ thin films by metallorganic chemical vapor deposition and their properties.—74-06431A
Preparation of dense $BaTiO_3$ ceramics from sol-gel-derived monolithic gels.—74-10561A
Preparation of ferroelectric $BaTiO_3$ thin film using sol-gel spin coating process.—74-09168A
Process for forming ceramic pixel array and pixel array formed thereby.—74-09536P
Process for preparing barium titanate single crystals.—74-04000P
Processing and characteristics of spin-cast ferroelectric $Bi_4Ti_3O_{12}$ thin films.—74-09172A
Processing of laminated barium titanate structures for stress-sensing applications.—74-09013A
Raman spectroscopy of barium titanate thin films.—74-10871A
Reaction between $BaTiO_3$ ceramics and oxide setters.—74-10602A
Relationship between electrooptic, vibrational, and dielectric properties in $BaTiO_3$.—74-10150A
Rheology and consolidation of aqueous suspensions with nanometer-sized $BaTi_{1-x}Zr_xO$ powders.—74-07469A
Scanning tunneling topography and spectroscopy of gold particles sputtered on $BaTiO_3$.—74-05242A
Single crystal ferroelectric barium titanate films—74-00772P
Sintering and electrical properties of donor-doped barium titanate obtained by sol-gel process.—74-04895A
Size-driven phase transition in nanocrystalline $BaTiO_3$.—74-06435A
Structural-property relationships in dielectrophoretically assembled $BaTiO_3$ nanocomposites.—74-05959A
Study of the thermal and electrical properties of $BaTiO_3$ PTC thermistors using a theoretical model.—74-06341A
Suppression of acceptor solubilities in $BaTiO_3$ densified in highly reducing atmospheres.—74-04928A
Surface layer structure change of $BaTiO_3$ ceramics due to aging, electric polarization, and machining.—74-06440A
Synthesis of $BaTi_4O_9$, $Ba_2Ti_9O_{20}$, and $BaTi_5O_{11}$ compounds by coprecipitation method and their electrical and thermal properties.—74-10677A
Temperature-dependent cathodoluminescence spectroscopy and microscopy and analytical electron microscopy of $BaTiO_3$-based PTC ceramics.—74-04441A
Theory of the successive phase transition in $BaTiO_3$.—74-07135A
Time-dependent dielectric breakdown in $BaTiO_3$ thin films.—74-00766A
Titanate ceramics from wet chemically prepared powders.—74-10703A
Use of succinic acid to test the stability of PTCR barium titanate ceramics under reducing conditions.—74-00734A
Valence change of Mn ions into $BaTiO_3$-based PTCR materials.—74-09077A
Variables affecting crystal structure, composition, and orientation of rf-sputtered $Ba_2Si_2TiO_8$ thin films.—74-06375A

barium,
Anomalous thermal expansion in $Ba_{1-x}K_xBiO_3$.—74-06487A
Article comprising a superconductor/insulator layer structure, and method of making the article.—74-03623P
Barium aluminosilicate reinforced in situ with silicon nitride.—74-08405A
Barium-containing alumina.—74-09807P
BAS reinforced in-situ with silicon nitride.—74-03980P
BBO crystal optical parametric oscillator with grating.—74-06740A
ß-BaB_2O_4 (CZ method).—74-09965A
Boron-oxygen units in crystalline and molten barium metaborate by high temperature Raman spectroscopy.—74-01344A
Characterization of sputtered barium ferrite thin films on silicon-nitride-coated carbon substrates.—74-09196A
Chemical structure and oxygen dynamics in $Ba_2In_2O_5$.—74-05094A
Columnar defect-induced resistivity minima and Bose glass scaling of linear dissipation in $Tl_2Ba_2Cu_2O_8$ epitaxial films.—74-04994A
Copper oxide superconductor containing carbonate radicals.—74-03625P
Crystal structure of $BaBi_{1-x}Pb_xO_3$ and its effect on chemical state of Bi.—74-09978A
Crystallization behavior of Bi-Ba-Cu-O glasses.—74-00189A
Cu nuclear spin-spin relaxation in $Tl_2Ba_2CuO_{6+\delta}$.—74-04273A
Deposition of barium ferrite thin films by rf off-axis sputtering.—74-04541A
Dielectric behavior as a function of temperature and structure of the complex perovskites, $Ba_xSr_{1-x}(Mg_{0.33}Ta_{0.66})O_3$, and $Ba_xSr_{1-x}(In_{0.5}Nb_{0.5})O_3$.—74-02828A
Dielectric properties and microstructure of barium-modified PLZT materials.—74-09120A
Direct observation of the Fermi surface in $Ba_{1-x}K_xBiO_3$.—74-06513A
Effect of Al^{3+} on the formation of $Ba_2Ti_9O_{20}$.—74-01291A
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$—[comment]—74-04130A
Effect of pressure on the superconductivity in high-T_c Hg ceramics.—74-06523A
Effect of substitution at the barium site in $YBa_2Cu_3O_{7-\delta}$.—74-09259A
Electromechanical and dielectric properties of $(Pb_{0.7}Ba_{0.3})(Zr_{1-x}Ti_x)O_3$ ceramics.—74-03301A
Electromechanical properties of some $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-(Ba,Sr)TiO_3 ceramics: II.—74-06407A
Electron-phonon mechanism for resistivity in $Ba_{1-x}K_xBiO_3$.—74-06533A
Enhanced superconductivity in $Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$ by low oxygen partial pressure annealing.—74-06536A
Epitaxial BaF_2 films on InP(100) deposited by rf magnetron sputtering.—74-03002A
Ferrobismuthates of calcium, barium, and lead.—74-00775A
Ferroelectric domain gratings in $Sr_{0.75}Ba_{0.25}Nb_2O_6$ induced by photorefractive space charge fields.—74-06409A
Formation and properties of a lead-barium-aluminum phosphate glass.—74-02626A
Freezing of the vortex liquid in the high-T_c superconductors.—74-03468A
Granulation of barium ferrite in the fluidized bed.—74-00776A
Group II element chemistry and its role in OMVPE of electronic ceramics.—74-06121A
Growth of (001)-oriented SBN thin films by solid-source MOCVD.—74-07329A
High gain two wave mixing in a CeSBN photorefractive crystal-large modulation effect and dynamic properties.—74-06137A
Influence of isotropic barium ferrite production conditions on their physical properties.—74-00777A
Investigation of interactions in the system NaF-BaF_2-ZrF_4.—74-02551A
Investigation of magnetic properties of HTS ceramics $RBa_2Cu_3O_{7-\delta}$ (R = Y, Gd, Dy, Eu) in constant and varying field.—74-03504A
J_c distribution in TlBaCuO thin-film ring resonator.—74-09232A
Leaching of barium from barium glasses.—74-00200A
London-Silsbee state in magnetically textured $DyBa_2Cu_3O_{7-x}$: filamentary percolation.—74-09296A
Low-temperature synthesis of pure and Ti-, Co-modified barium hexaferrite.—74-06461A
Luminescence properties of tetragonal $Tl_2Ba_2CuO_{6+\delta}$.—74-07170A
Magnetic particles for perpendicular magnetic recording.—74-03410P
Mechanically activated synthesis of particulate hexagonal ferrite $BaFe_{12}O_{19}$.—74-06469A
Mercury-based "1201-0201" intergrowth $HgBa_2La_2Cu_2O_{8+\delta}$: a 53-K superconductor.—74-03520A
Method for preparing barium-ferrite-coated γ-Fe_2O_3 magnetic powder.—74-03411P
Method of reducing the lead and/or barium emission of crystal glass objects containing lead and/or barium on contact with a liquid phase.—74-03758P
Microwave sintering of barium hexaferrite.—74-09210A
Molecular beam epitaxial growth of $SmBa_2Cu_3O_{7-\delta}$ thin films and effect of substrate temperature on the surface roughness.—74-06590A
New perspectives in the BaKBiO system.—74-07705A
No lead, no barium... no crystals.—74-08339A
Noncollinear phase matching in a type I barium borate optical parameter oscillator.—74-08968A
Nonlinear *I-V* characteristics of the granular $PrBa_2Cu_3O_{7-\delta}$ compound.—74-06597A
Nonlinear ac magnetic susceptibility of the high-T_c superconductor $NdBa_2Cu_3O_7$.—74-03541A
Optical evidence of an electronic contribution to the pairing interaction in $Tl_2Ba_2Ca_2Cu_3O_{10}$.—74-09316A
Oxide superconductor and process for producing the same.—74-09382P
Oxide-type superconducting material.—74-09385P
Phase diagram of $Ba_2NaNb_{5(1-x)}Ta_{5x}O_{15}$[—note].—74-07099A
Phase formation and properties of metaplumbate of barium and solid solutions $Ba_{1-x}Sr_xPbO_3$ ($0 \le x \le 0.5$).—74-04185A
Photoassisted generation of ferroelectric domain gratings in SBN.—74-03332A
Photocatalysts with tunnel structures for decomposition of water: I, $BaTi_4O_9$, a pentagonal prism structure and its combination with various promotors.—74-04804A
Photometric determination of Ba in YBCO.—74-09319A
Picosecond optical parametric amplification in ß-BaB_2O_4.—74-09002A
Preparation and properties of yttrium-barium cuprate powder.—74-09322A
Preparation, sintering, and electrical behavior of barium stannate.—74-10138A
Process for preparing superconducting material—74-00878P
Rapid consolidation of $Ba_{0.6}K_{0.4}BiO_3$ into superconducting shapes.—74-06623A
Rare-earth barium stannates: synthesis, characterization, and potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductor.—74-09330A
Second and third harmonic generation in ß-BaB_2O_4 by fs Ti:sapphire laser pulses.—74-09031A
Solid-state electrochemical technique to study barium ferrite thermodynamic stability.—74-04211A
Specific heat of defects in the Haldane system Y_2BaNiO_5.—74-05051A
Structural and magnetic properties of intermediate oxygen stoichiometry $PrBa_2Cu_3O_x$.—74-04429A
Structural studies of ordering in the $(Pb_{1-x}Ba_x)(Mg_{1/3}Nb_{2/3})O_3$ crystalline solid solution series.—74-09182A
Structural, ferroelectric, and pyroelectric properties of nonstoichiometric ceramics based on $BaAl_2O_4$.—74-03350A
Structurally modified alumina supports, and heat transfer solids for high temperature fluidized bed reactions.—74-09841P
Study of superconducting $HgBa_2CuO_{4+x}$ from a one-step low-temperature reaction.—74-03583A
Studying electron states of Cu and Ba atoms in $YBa_2Cu_3O_7$ by high-resolution AES.—74-06636A
Superconducting films of $Tl_nBa_2Ca_nCu_{n+1}O_y$ prepared by dip coating method.—74-03592A
Superconductive material.—74-03666P
Superconductive photoconductive substance of the Ba-Pb-Bi-O group system and a method for producing the same.—74-03667P
Surface topographical studies of prism facets of barium copper oxalate single crystals.—74-10897A
Synthesis and properties of superconducting $HgBa_2CuO_{4+x}$ from a single-step low-temperature solid-state reaction.—74-06643A
Synthesis and XRD analysis of $HgBa_2Ca_2Cu_3O_{8+\delta}$.—74-09348A
Synthesis of barium hexaaluminate by the spray-ICP technique.—74-01905A
Synthesis of $K_{0.4}Ba_{0.6}BiO_{3+y}$.—74-01471A
Synthesis of ultrafine particles and thin films of $BaFe_{12}O_{19}$ by the spray-ICP technique.—74-07520A
Tangentially phase-mismatched efficient difference frequency generation in ß-barium borate crystal.—74-03245A
TDPAC analysis at ^{181}Ta in Ba_2BiO_6.—74-05284A
TEM studies of the relaxor $(Pb_{0.7}Ba_{0.3})(Zr_{1-x}Ti_x)O_3$.—74-05287A
Tetragonal-orthorhombic-structural modulation for low temperature in $La_{2-x}Ba_xCuO_4$.—74-09354A
Thermodynamic constraints for the in situ MOCVD growth of superconducting Tl-Ba-Ca-Cu-O thin films.—74-06653A
Transverse magnetization study of the pairing state of $LaBa_2Cu_3O_{7-\delta}$.—74-04456A
Varied atmosphere compensation—exploring the roles of barium and bismuth in (Ba,Bi,Nb)-doped TiO_2 varistors.—74-06376A
White/clear glazes: mid to high fire.—74-00448A
X-ray diffraction study of structural phase transition in polycrystalline $BaPbO_3$.—74-07140A

barriers,
Assessment of diffusion barriers for Ti-SiC composites.—74-10721A
Elementary mechanisms of dislocation movement in combined relief—Peierls barriers and point defects.—74-07565A
Investigation of scanning tunneling microscopy tunneling barrier signals in air and water.—74-07674A
Low-temperature metallorganic chemical vapor deposition of advanced barrier layers for the microelectronics industry.—74-04738A
Magnetocaloric effects in $YBa_2Cu_3O_{7-\delta}$: evidence for a surface barrier.—74-04354A
Observation of very high peak-to-valley current ratio in amorphous Si/SiC double barrier structure with barrier enhancement layer.—74-08978A

Performance of the plasma deposited tungsten nitride barrier to prevent the interdiffusion of Al and Si.—74-01953A
Potential barriers in the migration of tracer oxygen atoms in $YBa_2Cu_3O_{7-\delta}$ lattice.—74-06613A
Pressure dependence of III-V Schottky barriers—a critical test of theories for Fermi level pinning.—74-06276A
Reactive ion etching of Ta-Si-N diffusion barriers in CF_4+O_2.—74-04865A
Schottky barrier study of ion implantation damage in GaAs.—74-06303A

basalt,
Influence of alkali olivine basalt on the properties of cordierite-based ceramics.—74-06906A

batch,
Batch chargers often overlooked in enhancing furnace performance.—74-03897A
Batch to oxide percentage and oxide percentage to batch calculations for glass processing.—74-05752A
Economics of batch and cullet preheating.—74-09455A
Melting behavior of glass batches with addition of cadmium-containing compounds.—74-05774A
PLM's success with indirect batch and cullet preheating.—74-09704A
Problems on contemporary batch plants for container glass.—74-00313A
Profile of modern batch plant control system.—74-06718A
Quality glass production begins in the batching system.—74-02654A
Various aspects of glaze preparation and application methods.—74-08716A
Working towards a batch optimization program for refining.—74-08357A
Zippe builds batch plant for Rockware.—74-06734A

batteries,
Battery utilizing ceramic membranes—74-00540P
Correlation between the surface chemistry and the performance of Li-carbon intercalation anodes for rechargeable "rocking-chair"-type batteries.—74-07018A
Electrochemical synthesis of composite films of manganese dioxide and polypyrrole and their properties as an active material in lithium secondary batteries.—74-06971A
II-VI compound semiconductors for solar batteries.—74-08935A
Industrial applications of conducting polymers.—74-05941A
Is there a future for lithium batteries as high energy density source in electrical engine vehicles: some recent trends.—74-00502A
Report of the electrolytic industries for the year 1992.—74-02271A
Thin composite solid electrolyte film for lithium batteries.—74-02901P

bauxite,
Bauxite.—74-06885A
Electrically melted corundum from Northern Onega bauxites and refractories based on it.—74-02753A
Study of bauxitic clay minerals with infrared spectrometry.—74-02737A

bearings,
Diamond bearing assembly.—74-04045P
Diamond bearing assembly.—74-04046P
High-performance ceramic precision roller bearings: design and applications.—74-03692A
Room temperature wear characteristics of Al-Si-Cd bearing alloys.—74-08268A
Shaft sleeve made of ceramics—74-01270P
Silicon nitride for heat engine and bearing components.—74-09892A
Structural applications of ceramics.—74-02277A

belite,
Developing strength in belite mortars.—74-05489A
Effect of alkalis on the phase composition and hydraulic activity of belite cements.—74-08016A
Effect of chlorides on the formation of belite and alinite phase.—74-02321A
Phase compatibility in the system $CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3$ referred to sulfaluminate belite cement clinker.—74-01420A
Relationship between raw mixture and mineralogical composition of sulfoaluminate belite clinkers in the system $CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3$.—74-01448A

belt,
Advancement in lehr-belt construction.—74-00888A
Belt conveyors for horizontal curves: the key to reducing material handling costs.—74-09432A
Conveyor belt rip repair fasteners.—74-00908A
Modern conveyor belt technology for the cement industry.—74-00959A

bending,
Apparatus for tensile, tension-compression, and bending tests of ceramic samples at temperatures up to 1600°C.—74-01039A
Bending creep and creep fracture of sintered alumina under high temperature.—74-10951A
Bent glass has gone through a three-stage development.—74-02600A
Characterization of mechanical properties of ceramic material with the account of statistical effects.—74-02103A
Characterization of the behavior of reinforced concrete elements in bending using Moire interferometric method.—74-05477A
Cyclic fatigue of coarse-grain alumina.—74-02119A
Fatigue of ceramic materials.—74-02140A
Fracture behavior of masonry bricks under bending.—74-07875A
Fracture mechanics studies of thermal mismatch using a four-point bending specimen.—74-11005A
Nature of bending of monocrystalline silicon wafers caused by one-sided machining.—74-06219A
Simple creep test for ceramic fibers.—74-04418A
Strength of high-performance ceramic components under multiaxial loading.—74-02207A
Study of the flexural behavior of reinforced concrete cracked beams, by means of a 3-D "Block Model."—74-05596A

beneficiation,
Beneficiation of Canadian graphite ores: a review of processing studies at CANMET.—74-01186A
Comparative examination of clay beneficiation by wet and dry preparation.—74-00356A
Recovering metals from red mud generated during alumina production.—74-01241A
Study of luting sands in respect to new application possibilities.—74-08586A
Synthesizing mullite from beneficiated fly ash.—74-07524A
Technological studies of raw materials for increasing whiteness of pyrophyllite- and kaolinite-containing raw materials.—74-01204A

bentonite,
Effects of storage upon the cementing properties of Class G oilwell cement plus 8% bentonite blends.—74-05511A
Relationship between isomorphic substitutions and the thermal degradation of bentonites.—74-07109A
Swelling of acid-treated bentonites.—74-05834A

beryllia,
Advanced beryllia ceramics.—74-10060A
Spontaneous emission from BeO and fluctuational rearrangement of structure: I, Single crystals.—74-05251A

beryllium,
Be-doped GaAs grown by migration-enhanced epitaxy at low substrate temperature.—74-05988A
Molecular beam deposition of low-resistance polycrystalline GaAs.—74-03117A
Nonlinear current voltage characteristics of Be-doped cubic-BN polycrystals synthesized at high pressure.—74-03129A
Radiation damage effects on bipolar and MOS devices in X-ray lithography.—74-03191A
Redistribution of beryllium in InSb and InAs resulting from ion implantation and subsequent annealing.—74-03197A
Spectral properties of Nd^{3+}:$La_2Be_2O_5$ (Nd^{3+}:BEL) crystals.—74-06321A

binder burnout,
Influence of CuO on bonding behaviors of low-firing substrate and Cu conductor.—74-10414A
Removal of binder for producing articles from particulate materials by use of a specific TGA curve.—74-09541P

binders/binding,
Acidic glass fiber binding composition, method of use and curable glass fiber compositions.—74-02666P
Acrylic binder for green machining.—74-06675A
Adjusting binders of isostatically pressed ware for rapid firing.—74-01133A
Application of compression molding to determination of binder system for low-pressure injection molding.—74-10197A
Binder burnout in ceramics.—74-10723A
Binder burnout of tape-cast ceramics by microwave energy.—74-07210A
Binder system for use in the injection molding of sinterable powders and molding compound containing the binder system.—74-09521P
Binding energies for carbon atoms and clusters deposited on the Si(100) surface.—74-05989A
Binding modes of water in the hemihydrate.—74-07996A
Chemical modification of thermoplastic phenolic resin—etherification of phenolic hydroxyl.—74-02747A
Competitive adsorption of citric acid and poly(vinyl alcohol) onto alumina and its influence on the binder migration during drying.—74-07234A
Effect of silica on the nonoxidative thermal degradation of an acrylic binder.—74-04587A
Effects of binder composition on paste flow mechanics in alumina paste extrusion.—74-04596A
Electron theory as an aid to binder selection for a TiC/TiB_2 composite.—74-04611A
Evaluation of composite Ni matrix coatings with cubic BN interstitials on titanium applied by cathodic arc evaporation.—74-07303A
Feedstocks for ceramic injection molding using the catalytic debinding process.—74-04635A
Guanadine soaps as vehicles for coating ceramic fibers.—74-10379A
Guanidine based vehicle/binders for use with oxides, metals and ceramics.—74-09527P
High-temperature characterization of refractory binders.—74-05856A
High-temperature intermetallic binders for HVOC carbides.—74-08206A
Humidity sensitivity of dry-press binders.—74-07165A
Influence of binder composition on the green strength of powder compacts.—74-04698A
Influence of binder type on anodic dissolution of steel embedded in cement pastes.—74-05534A
Injection molding of ceramic articles using aqueous based thermoplastic resin.—74-03751P
Mechanical properties of high performance cement binders reinforced with wollastonite microfibers.—74-05549A
Method for manufacturing sintered parts.—74-03756P
Modeling of the pyrolysis of an organic binder for shaping of injected ceramic pieces.—74-07391A
Modified agar and process for preparing modified agar for use ceramic composition to add green strength and/or improve other properties of a preform.—74-09533P
Novel processing route for the fabrication of complex shaped advanced ceramic components.—74-04783A
Optical sol-gel materials based on binding and catalysis by biomolecules.—74-09794A
Organic materials used in the production of new ceramics.—74-10510A
Polymeric binders for ceramic processing.—74-03997P
Possibility of utilization of calcium sulfate dihydrate waste from polyaluminum coagulant production process as binding material.—74-00087A
Problems related to hardening of anhydride binders.—74-00088A
Process and binder for the manufacture of ceramic shells for use as molds.—74-08653P
Process for preparing ceramic products.—74-09537P
Progress in the development of binders: II, Economics.—74-02261A
Reaction between the binder and ingredients of gunning mixes and characteristics of gunite coatings.—74-00092A
Removal of binder for producing articles from particulate materials by use of a specific TGA curve.—74-09541P
Roles of carbon in ceramic materials.—74-08633A
Setting control for alkali-activated silicate binders.—74-02359P
Sintering of wurtzitic boron nitride under high pressures and temperatures.—74-10636A
Study of binding mechanism of SiO_2 ultrafines in cement-free castables at low temperature.—74-04921A
Supercritical debinding of injection-molded ceramics.—74-07500A
Theoretical fundamentals of improving the structure of the gypsum stone based on a plasticized binder.—74-01593A
Tungsten carbide metal cloth coating abates erosive wear.—74-04024A

bioceramics,
A/W glass-ceramic—clinical applications.—74-06945A
Amorphous carbon—biomaterial for implant coatings.—74-04010A
Artificial hip joint.—74-03979P
Bioactive glass coatings.—74-06948A
Bioactive glasses—clinical applications.—74-06949A
Bioactive glasses.—74-05665A
Bioactivity of $Na_2O-CaO-SiO_2$ glasses.—74-09760A
Bioceramic composites.—74-06950A
Biochemical processing of materials—a review.—74-09761A
Biocompatibility of low-temperature diamondlike carbon films—a transmission electron microscopy, scanning electron microscopy, and cytotoxicity study.—74-05077A
Bioinspired processing of ceramic matrix components.—74-04485A
Biological activity of glass- and glass-ceramic-based materials (review).—74-02432A
Biomimetic mineralization: processes and prospects.—74-03954A
Biomimetic, hybrid, and in situ composites.—74-04486A
Calcium phosphate deposition in rat kidneys.—74-09764A
Canasite-apatite glass-ceramics—74-00327P
Carbohydrate glass matrix for the sustained release of a therapeutic agent.—74-02507P
Ceramic implant materials.—74-01219A
Ceramic Transactions, Volume 48: Bioceramics: Materials and Applications.—74-07966B
Ceramics and glass-ceramic materials for bone implants.—74-03958A
Ceramics and medicine (review).—74-03959A
Ceravital bioactive glass-ceramics.—74-05667A
Characterization of bioceramics.—74-06961A
Characterization of mineral phases in cardiovascular calcification.—74-09771A
Computer modeling of phosphate biomaterials—transfer of parameters for interatomic potentials for different polymorphs of divalent metal diphosphates.—74-05102A
Crystallization study of bioglass in the $Na_2O-CaO-SiO_2-P_2O_5$.—74-05757A
Dental ceramics—from porcelain to the ceramic-ceramic composites.—74-06966A
Design of bioactive ceramic-polymer composites.—74-06967A
Development of ceramic artificial joints.—74-02367A
Development of ceramic artificial joints.—74-03962A
Diamondlike carbon coatings for biomedical applications.—74-04554A
Electrophoretic deposition and reactive strengthening of a bioglass-ceramic containing fluorapatite onto titanium implants.—74-00117A
Evaluation of the reliability of ceramic component on the example of a conic joint.—74-02135A
Growth of a bonelike apatite layer on a substrate by a biomimetic process.—74-04669A
Human bone marrow cell culture—analysis of cell behavior at biocompatibility testing of ceramics.—74-09781A
Implant material—74-01255P
Industrial ceramics in Japan.—74-02243A
Injectable ceramic compositions and methods for their preparation and use.—74-03989P
Introduction to bioceramics.—74-06980A
Low temperature, pressureless sintering of silicon nitride.—74-04058P
Materials for living hard tissue replacements—74-01258P
Method of making bone implants—74-01262P
Morphology and calcium deficiency of electrochemically deposited apatite.—74-01410A
Optical sol-gel materials based on binding and catalysis by biomolecules.—74-09794A
Regulation of medical devices.—74-06996A
Study of artificial thighbone made of high-density strengthened ceramics.—74-07001A
Summary and future directions.—74-07004A
Synthetic bone mineral analog as a substrate for biological research.—74-03879A
Tissue compatibility of biomaterials: assessment of bioactivity concerning the osteogenic response to the materials.—74-03976A
Ultrasonic machining of complex ceramic components.—74-09510A
Use of alumina and zirconia in surgical implants.—74-07008A

birefringence,
Birefringent and piezooptical properties of $RbHSeO_4$ crystals.—74-06394A
Magnetically induced linear birefringence [MLB] of samarium ferrite garnet.—74-06464A

Study of anomalous dichroism and birefringence in [pure and doped] $SrTiO_3$ crystals.—74-06439A

bismuth oxide,
Ceramic compositions.—74-09811P
Characterization and X-ray photoelectron spectroscopy investigation of PbO-Bi_2O_3-Ga_2O_3 glasses.—74-02436A
Composition of pulsed-laser-deposited Y-Ba-Cu-O and Ba-K-Bi-O thin films.—74-06500A
Coupling of mutually incoherent beams in photorefractive $Bi_{12}TiO_{20}$ fiber.—74-08846A
Deposition and properties of yttria-stabilized Bi_2O_3 thin films using reactive direct current magnetron cosputtering.—74-01661A
Dielectric ceramic for use in microwave device, a microwave dielectric ceramic resonator dielectric ceramics—74-00549P
Effect of Bi_2O_3 addition on the thermophysical properties of Na- and K-niobate perovskites.—74-10080A
Electrical properties of new materials belonging to the Bi_2O_3-CdO-PbF_2 system.—74-07161A
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with Al_2O_3 additions.—74-10371A
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with TiO_2 additions.—74-02840A
Growth of ternary bismuth molybdenum oxide single crystal and its semiconducting properties.—74-08926A
Lowering the air-electrode interfacial resistance in medium-temperature solid oxide fuel cells.—74-00505A
Microstructural studies of ferroelectric $Bi_2VO_{5.5}$ thin films with $LaNiO_3$ electrodes.—74-10837A
Multilayer ZnO varistor.—74-03275P
Nanostructured constituents of ZnO-based varistors prepared by mechanical attrition.—74-03125A
Phase equilibria of the bismuth oxide-copper oxide system in oxygen at 1 atm.—74-03553A
Polarization properties of a photorefractive $Bi_{12}SiO_{12}$ crystal and their application in an optical correlator.—74-06989A
Possibility of regulating the structure of a B-solid solution in the system PbO-Bi_2O_3.—74-01442A
Synthesis of $K_{0.4}Ba_{0.6}BiO_{3+y}$.—74-01471A
Thermal stability of γ-Bi_2O_3.—74-04450A
Thermodynamic investigations of Bi_2O_3-MO (M=Ca, Sr, and Ba) systems using galvanic cells.—74-01482A
Zinc oxide varistor gas sensors: I, Effect of Bi_2O_3 content on the H_2-sensing properties.—74-09083A

bismuth strontium calcium copper oxide (Bi-Sr-Ca-Cu-O),
Adsorption on grain boundaries and superconducting parameters of ceramics.—74-03414A
Alkaline doped Bi-Pb-(Sb)-Sr-Ca-Cu-O superconducting materials.—74-06480A
Angle-resolved photoemission spectra from strong coupling super-conductors.—74-06482A
Anisotropic stress of a (Bi, Pb)$_2Sr_2Ca_2Cu_3O_{10}$ high-T_c superconductor.—74-06483A
Anisotropic thermal expansion and Gruneisen coefficients of the bismuth cuprate 2-2-1-2.—74-06484A
Anomalies in behavior of the trapped magnetic flux and its noise in an HTSC ceramic.—74-04252A
Anomalies in physical and mechanical properties of Bi ceramics below T_c.—74-05321A
Anomalies of elastic properties of $Bi_2Sr_2CaCu_2O_8$.—74-09236A
Bi-rich Bi-Pb-Sr-Ca-Cu-O (2-2-2-3) superconducting tapes.—74-06494A
Cation and oxygen nonstoichiometry of bismuth-containing high-temperature superconductors.—74-00786A
Characteristics of $Bi_2Sr_2(Ca_{1-x}Yb_x)Cu_2O_{8+\delta}$ superconductors.—74-03421A
Characterization of thin BiSrCaCuO superconducting films.—74-03423A
Chemical processing of superconducting ceramic powders based on the BiSrCaCuO system.—74-03426A
Comparative estimation of different methods for the control of stoichiometric composition of bismuth-containing superconductors.—74-06498A
Complete Fermi mapping of $Bi_2Sr_2CaCu_2O_{8+\delta}$(001): coexistence of short-range antiferromagnetic correlations and metallicity in the same.—74-04265A
Composition change of $Bi_2Sr_3CaCu_2O_x$ films prepared by single target dc magnetron sputtering.—74-00789A
Critical current irreversibility of Bi(2223)/Ag tapes in high magnetic field.—74-09245A
Crystalline instability in $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_x$.—74-09247A
Cu NMR study in single crystal $Bi_2Sr_2CaCu_2O_8$: observation of gapless superconductivity.—74-03438A
Dependence of critical current density on microstructure and processing of high-T_c superconductors.—74-06508A
Depositing high-T_c superconductors on normal conductor wires.—74-06509A
Determination of alkali metals in bismuth-containing high-temperature superconductors.—74-06511A
EDTA gel processing and microstructural development of Pb-containing BSCCO superconductors.—74-03445A
Effect of fluorine substitution on superconductivity of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_x$.—74-09252A
Effect of fluorine substitution on superconductivity of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_x$.—74-09253A
Effect of high-temperature, high-oxygen-fugacity annealing on the stability of the (Bi,Pb)$_2Sr_2Ca_2Cu_3O_{10\pm\delta}$-type compound.—74-09254A
Effect of lead loss and sheath structure on phase formation and alignment in (Bi,Pb)$_2Sr_2Ca_2Cu_3O_{10+\delta}$/Ag composite conductors.—74-09255A
Effect of microcracks on linear and nonlinear acoustic properties of bismuth-based high-T_c ceramics.—74-03449A
Effect of pressure on the crystal structure of some bismuth-based superconductors.—74-09257A
Effect of several network formers on the formation and properties of Bi-Sr-Ca-Cu-O system glasses.—74-09258A
Effect of silver additions on properties of (Bi, Pb)$_2Sr_2Ca_2Cu_3O_{10}$/Ag high-temperature superconducting tapes.—74-06524A
Effects of interfacial segregation on wetting of PbBiSrCaCuO ceramic by Ag and Ag-based alloys.—a4-06526A
Effects of neutron irradiation on high-T_c superconductors (HTSC).—74-06528A
Effects of quenching and preparing procedures on superconductivity, oxygen content, and microstructure of Bi(Pb)-2223 phase.—74-09260A
Electron-induced ordering of the surface structure of $Bi_2Sr_2CaCu_2O_x$.—74-09264A
Electron-stimulated processes on [pure and carbon-coated] surface of high-T_c Bi-Sr-Ca-Cu-O single crystal.—74-03456A
Electronic Raman scattering in high-T_c superconductors: a probe of $d_{x^2-y^2}$ pairing.—74-03457A
Equilibrium magnetization of a $Bi_2Sr_2CaCu_2O_x$ single crystal measured up to 20 T.—74-04312A
Estimation of the stoichiometry of bismuth lead high-temperature superconductive ceramics by the technique of theoretical corrections.—74-00810A
Evaporation of trapped fluxons from micron-sized powders of Bi-2223 CuO superconductors.—74-09268A
EXAFS study on grinding noncrystallization of Bi-based superconductor.—74-00811A
Fabrication and characteristics of tapes and test magnets made from Ag-clad Bi-2223 superconductors.—74-06542A
Fabrication of Bi-Sr-Ca-Cu-O superconducting thin films by rf magnetron sputtering.—74-09270A
Fast solution precursor synthesis of the 2223 phase—the role of lead in the reaction pathway.—74-09272A
First-order phase transition at the irreversibility line of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-04318A
Flexural strength and electrical properties of a B-doped BPSCCO superconductor.—74-00812A
Flux pinning in Ag-clad (Bi,Pb)$_2Sr_2Ca_2Cu_3O_{10+y}$.—74-09275A
Formation of superconducting phases of $Bi_2Sr_2Ca_2Cu_3O_x$ thin films prepared by off-axis sputtering.—74-09277A
Growth of BSCCO fibers using the laser-heated pedestal growth process.—74-03474A
High-temperature superconductivity.—74-09287A
Homogeneity ranges of the $Bi_2Sr_2CaCu_2O_x$ and $Bi_{2-x}Sr_{2-x}CuO_x$ high-T_c superconductors.—74-03486A
I-V characteristics of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O$ high-temperature superconductor.—74-00816A
I-V characteristics of a $Bi_2Sr_2Ca_2Cu_3O_{8+\delta}$ ceramic superconductor.—74-03413A
In situ heteroepitaxial $Bi_2Sr_2CaCu_2O_8$ thin films prepared by metallorganic chemical vapor deposition.—74-06560A
Influence of dopants on the formation mechanism of the superconducting phases in the Bi-Sr-Ca-Cu-O system.—74-03493A
Influence of interface resistance of high-T_c superconducting composites on measurement of J_c.—74-00818A
Influence of morphological aspects in the reaction pathway and superconductive properties of Bi2223-Ca_2CuO_3 ceramic composites.—74-09290A
Influence of Te and Ag additions on the synthesis of high-T_c superconductors.—74-03494A
Influences of substrate temperature on characteristic of in situ grown (Bi, Pb)$_2Sr_2CuO_x$ thin films.—74-09292A
Internal friction and shear modulus in bismuth ceramics at $T<T_c$.—74-06568A
Investigation of calcination and sintering of $Pb_{0.3}Bi_{0.7}SrCaCu_{0.8}O_x$ based superconductors.—74-00821A
Investigation of the internal magnetic field in high-temperature superconductors by the NQR method.—74-03505A
Investigations of (Bi/Pb)-Sr-Ca-Cu-O-based superconductors by EDS analysis.—74-06570A
Low-temperature (LT) STM investigation of Bi-O planes of single-crystal $Bi_2Sr_2CaCu_2O$.—74-06572A
Measurement of the complex conductivity of high-temperature superconductors by perturbations of a volume resonator.—74-03518A
Mechanical properties of BiSrCaCuO/Ag superconductors.—74-00824A
Microstructural and electrical investigations before and after crystallization in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10-y}$ glass system.—74-03522A
Microstructural development and critical currents in long-length (Tl, Bi)-(Sr, Ba)-Ca-Cu-O wires.—74-06587A
Microstructure of laser-float-zone grown superconducting ceramics.—74-03527A
Mirror-translational (011) twin boundary in modulated $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-00825A
Modulated high-frequency and microwave absorption in ceramic high-temperature superconducters.—74-03533A
Modulated structure of the superconducting crystal $Bi_2Sr_2CaCu_2O_{8+y}$.—74-03534A
Mossbauer study in Pb-Bi-Sr-Ca-Cu-O superconductor.—74-09310A
New cuprates with (Bi, Cu)-O monolayers: (Bi, Cu)$Sr_2LnCeCu_2O_{8\pm\delta}$.—74-03537A
New improved synthesis of the 110-K bismuth superconducting phase: freeze drying of acetic solutions.—74-03538A
NMR studies of spin excitations in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals.—74-06596A
Nonlinear low-temperature conductivity of the junction $Bi_2Sr_2CaCu_2O_x$/Ag.—74-06598A
Observation of *a-b* plane gap anisotropy in $Bi_2Sr_2CaCu_2O_8$ with a low-temperature STM.—74-03546A
Observation of modulated structure in Bi-2201 single crystal by X-ray diffraction.—74-05209A
Observation of modulation structure in $Bi_{2+x}Sr_{2-y}CuO_y$ crystals by X-ray precession method.—74-09314A
Oxygen nonstoichiometry of Bi-2212 high-T_c superconductor.—74-03547A
Phase evolution and gas-phase particle size distributions during spray pyrolysis of (Bi,Pb)SrCaCuO and Ag(Bi,Pb)SrCaCuO powders.—74-06610A
Phase formation in the system Bi-Pb-Sr-Ca-Cu upon synthesis of (Bi, Pb)$_2Sr_2Ca_2Cu_3O_x$.—74-04186A
Phase regions and kinetics of formation of (Bi,Pb)$_2Sr_2Ca_2Cu_3O_x$ [2223] in Ag-sheathed tape.—74-06611A
Phase structure and superconductivity in $Bi_{1.6}Pb_{0.4}Sr_2Ca_{2-x}(Nd_{0.75}Ce_{0.25})_xCu_3O_y$ system.—74-00833A
Phases of high-pressure high-temperature superconducting cuprates.—74-00834A
Possibility of new high-T_c superconductors by producing metal heterostructure as in the cuprate perovskite.—74-03559A
Powder-in-tube processing and properties of Bi-2223.—74-00840A
Preparation of BiPbSrCaCuO superconductors with high 2223 phase content by pressing method.—74-09323A
Preparation of BiPbSrCaCuO superconductors with high 2223 phase content by pressing method.—74-09324A
Preparation of high-T_c superconducting (Bi,Pb)$_2Sr_2Ca_2Cu_3O_y$ phase via an oxalate route.—74-00842A
Properties of high-T_c wires made by the metallic precursor process.—74-00847A
Quantitative study on chemistry kinetics of F-doped Bi-based superconducting phase.—74-09327A
Quantitative study on chemistry kinetics of F-doped Bi-based superconducting phase.—74-09328A
Quantitative X-ray method for determining phases in the system Bi-Sr-Ca-Cu-O.—74-00848A
Reaction of Bi-based superconductors with various chemical reagents.—74-03563A
Reactive sintering of $Bi_2Sr_2CaCu_2O_x$ superconductors.—74-06625A
Real-time emission spectroscopy during laser ablation of BiSrCaCuO targets.—74-03564A
Recent results from $Bi_2Sr_2CaCu_2O_8$ and $Nd_{2-x}Ce_xCuO_4$.—74-00850A
Relation of microstructure and superconductivity in bismuth oxide superconductors.—74-09332A
Relation of microstructure and superconductivity in bismuth oxide superconductors.—74-09333A
Role of precursors in the sintering improvement of Bi superconductors.—74-03610A
Sharp magnetoabsorption resonances in the vortex state of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-06630A
STM study of anisotropic superconducting gap of $Bi_2Sr_2CaCu_2O_8$.—74-00853A
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8\pm\delta}$ thick films at elevated oxygen pressures and temperatures.—74-09338A
Structural characterization and properties of superconducting thin films produced by pulsed laser deposition.—74-03579A
Structure and pleochroism of $Bi_2Sr_2CaCu_2O_4$ superconducting crystal.—74-09339A
Study of lead content effects in off-stoichiometric compounds of the $Bi_2Sr_2Ca_2Cu_3O_8$ superconductor.—74-03582A
Study on densification processes of Bi-based high T_c superconductor.—74-03584A
Study on superconducting Hg-Ba-Ca-Cu-O (HBCCO) compound system.—74-03585A
Study on superconductivity of $Bi_{2.2}Sr_{1.8}Ca_{1.05}Cu_{2.15-x}Na_xO_{8+y}$—74-03586A
Superconductor BSCCO thick films and chemical interaction with the polycrystalline substrates.—74-03598A
Surface pinning and grain-boundary formation in magnetic flux line lattices of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-05055A
Synthesis of $Bi_2Sr_2CaCu_2O_8$/$Bi_2Sr_2CuO_6$ superlattices with a T_c enhancement effect.—74-06645A
Synthesis of Bi-Sr-Ca-Cu-O filament crystals.—74-06646A
Systematic studies on the growth process of superconducting $YBa_2Cu_{3-\delta}$ and $Bi_2Sr_2CuO_x$ thin films by scanning tunneling microscopy.—74-06648A
Temperature dependence in threshold photoemission from HTSC.—74-06649A
Temperature dependence of thermo-emf and isothermal resistance of HTS crystals in the vicinity of T_c.—74-09353A
Texture development in BPSCCO superconductors.—74-09355A
Thermal expansion of $Bi_2Sr_2CaCu_2O_y$, $Bi_2Sr_2CuO_y$, and $Gd_1Ga_6O_{12}$.—74-06651A
Thermodynamic studies of Bi-based high-T_c oxide superconductors.—74-09357A
Tracer diffusion of Ag in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$.—74-05057A
Transport resistive broadening by avalanche flux motion in HTSC—self-organized criticality in a driven system.—74-06657A
Ultrasonic characterization of density and elastic properties in Bi-2212 powder compacts.—74-06659A
Uniformly layered mixtures of the $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ phases formed in artificially layered films—structural analysis and superconducting properties.—74-09358A
Use of Ga_2O_3 and In_2O_3 in forming superconducting glass-ceramics in the Bi-Sr-Ca-Cu-O system.—74-00859A
Vortex creep in $Bi_2Sr_2CaCu_2O_{8+\delta}$ films.—74-03616A
Xanes studies of Bi-based superconductors.—74-03619A
XPS studies on the superconductor-insulation transition in $Bi_{2-x}Pb_xSr_1Ca_{1-y}Y_yCu_2O_{8+\delta}$ system.—74-03620A

bismuth titanates,
Deposition and dielectric property of ion-beam-assisted bismuth titanate film.—74-08738A
Microstructural control of bismuth-titanate-based ceramics.—74-05188A

bismuth,
Acoustooptic efficiency of bismuth-containing gallate glasses.—74-02511A
Adsorption of Bi on Si(001) surface: an atomic view.—74-07587A
Aligned bismuth, strontium, calcium cuprate coatings on polycrystalline substrates—74-00861P

Analysis of phonon structures in the tunneling conductance of Bi cuprates.—74-01494A
Anomalous magnetoresistance in $Ce_{1-x}La_xSb$ and $Ce_{1-x}La_xBi$.—74-01495A
Article comprising a superconductor/insulator layer structure, and method of making the article.—74-03623P
Atomic structure of Bi on the Si(111) surface.—74-07596A
Bi-Sr-Ca-Cu-O superconducting thin film—74-00862P
BiCMOS process with low base recombination current bipolar transistors—74-00736P
Bismuth system oxide superconductors and preparation thereof.—74-03624P
Bismuth-based oxide conductors—novel structural and electrical features.—74-00460A
Bismuth-containing colorants—74-01207P
Ceramic superconductor and method of preparing the same.—74-09361P
Compatibility relations in the $BiO_{1.5}$-SrO-CaO-CuO system at 800°C.—74-07047A
Composition and conductivity of electrodeposited Bi-Te alloy films.—74-04266A
Conductivity fluctuation in HBCCO superconductor.—74-03431A
Crystal structure of $BaBi_{1-x}Pb_xO_3$ and its effect on chemical state of Bi.—74-09978A
Crystallization behavior of Bi-Ba-Cu-O glasses.—74-00189A
Dense superconducting bodies with preferred orientation.—74-09362P
EELS investigation of Bi_2CuO_4 single crystals.—74-05124A
Effect of bismuth replacement at barium site in Y-Ba-Cu-O system.—74-09251A
Elastooptical properties of bismuth-containing gallate glasses.—74-02536A
Electrophysical properties on Bi_2Te_3:In.—74-01513A
Elongate bismuth system superconductor having aligned 2212 phase.—74-09363P
Epitaxial layers of 2122 BCSCO superconductor thin films having single crystalline structure.—74-09365P
Fixed resistor.—74-02879P
Geometrical structure of the Bi/GaP(110) interface: an X-ray standing wave triangulation study of a nonideal system.—74-03815A
Growth mechanism of $Bi_2Sr_2CuO_6$ films deposited on sequentially imposed layer.—74-09278A
Insulating composition.—74-02883P
Interface structure between Bi and CdTe in molecular beam epitaxially grown Bi/CdTe and $Bi/Bi_{1-x}Sb_x$ superlattices.—74-07669A
Layer-by-layer process for forming B.sub.i -containing oxide superconducting films—74-00869P
Magnon lineshape for light scattering from Bi-doped YIG.—74-09207A
Mixed-metal bismuth-titanium species—chemical routes to $Bi_4Ti_3O_{12}$.—74-10475A
Molecular beam epitaxy growth of Bi epilayers and Bi-CdTe superlattices.—74-05033A
Multiplicity on *c* period of Bi-based 2201 phase crystals.—74-03535A
New perspectives in the BaKBiO system.—74-07705A
New special ceramic materials of $A_{m-1}Bi_2B_mO_{3m+3}$ type.—74-07175A
Nonlinear *I-V* characteristics in copper-doped Bi_2Te_3 single crystals.—74-04374A
Observation of a saddle-point singularity in $Bi_2(Sr_{0.97}Pr_{0.03})_2CuO_{6+\delta}$ and its implications for normal and superconducting state properties.—74-09313A
Oxide superconductor comprising Cu, Bi, Ca and Sr—74-00876P
Phase development in the ternary system Sm-Bi-Se.—74-01424A
Phase diagram of the system Pr_2S_3-Bi_2S_3.—74-01426A
Phase relations in the system Bi_2O_3-BiI$_3$-CuI-Cu_2O at 500°C.—74-04187A
Piezoelectricity and phase transitions of the mixed-layer bismuth titanate niobate $Bi_7Ti_4NbO_{21}$.—74-09165A
Process for molding a high-temperature superconductor.—74-09386P
Process for producing a high-temperature superconductor and also shaped bodies composed thereof.—74-09388P
Process for producing Bi-based oxide superconductor single crystals.—74-03657P
Process for producing tubular molded parts of high-temperature superconductor material.—74-03658P
Properties of surface layer of H^+-implanted $Bi_4Ge_3O_{12}$ crystals.—74-02653A
Research of superconductivity in YBa_2MO_6 (M=Bi, Sb).—74-03569A
Single crystalline fibrous superconductive composition and process for preparing the same.—74-03662P
Soft mode phase transition of $SrBi_2Nb_2O_9$.—74-03575A
Sound velocity and compressibility of bismuth-containing gallate glasses.—74-02579A
Strain relief and ordering of (2×*n*)-Bi structure on Si(100).—74-07752A
Structure and composition of chemically deposited films of bismuth sulfide and copper sulfide: effect on optical and electrical properties.—74-01582A
Subsolidus phase diagram for the Bi_2O_3-SrO-CaO-CuO system.—74-07126A
Superconductive photoconductive substance of the Ba-Pb-Bi-O group system and a method for producing the same.—74-03667P
Synthesis and characterization of an acetate-alkoxide precursor for sol-gel-derived $Bi_4Ti_3O_{12}$.—74-07506A
Synthesis of highly phase pure (Bi, Pb)-Sr-Ca-Cu-O superconductor.—74-03668P
Thermal conductivity of Bi-Pb (2223) superconducting cuprates with vanadium/nickel substitutions and evidence for strong electron-phonon coupling.—74-03605A
Thermodynamic properties of bismuth trifluoride from vapor pressure measurements.—74-10045A
Thermopower and resistivity of La-doped thallium 1201 and bismuth 2201 superconductors.—74-06655A
Ultralow-temperature OMVPE of InAs and InAsB.—74-06370A
Ultrasound attenuation in $Bi_2Sr_2CuO_4$ single crystal.—74-03613A
Varied atmosphere compensation—exploring the roles of barium and bismuth in (Ba,Bi,Nb)-doped TiO_2 varistors.—74-06376A

bismuthates,
Anomalous thermal expansion in $Ba_{1-x}K_xBiO_3$.—74-06487A
Averaged model of incommensurate crystal structure of $(Ca_2Sr_7)(Cu_{23.62}Bi_{0.38})O_{41}$.—74-04097A
Direct observation of the Fermi surface in $Ba_{1-x}K_xBiO_3$.—74-06513A
Electron-phonon mechanism for resistivity in $Ba_{1-x}K_xBiO_3$.—74-06533A
Ferrobismuthates of calcium, barium, and lead.—74-00775A
Kinetics of the reductive dissolution of $NaBiO_3$ by Ce^{III} and Mn^{II} ions.—74-10005A
Parametric study of the in situ growth of BaKBiO thin films by laser ablation.—74-03550A
Rapid consolidation of $Ba_{0.6}K_{0.4}BiO_3$ into superconducting shapes.—74-06623A
TDPAC analysis at ^{181}Ta in Ba_2BiO_4.—74-05284A

bisque,
Glazing an inertized bisque.—74-00932A

blast-furnace slag,
Alkali activation of granulated blast-furnace slags.—74-05843A
Hydration of granulated blast-furnace slag in the presence of sodium silicate.—74-08045A
Investigation into the hydraulic activity of five granulated blast-furnace slags with eight different portland cements.—74-05862A
Novel applications for GGBS [ground granulated blast-furnace slag].—74-05867A
Process control for a blast-furnace cement plant.—74-08089A

blending,
Disposal of bypass dust.—74-08014A
Influence of process technology on the production of market-oriented cements.—74-05536A
On-line control of the blending bed composition at Cementos Apasco in Mexico.—74-09595A

boehmite,
Boehmite coating as a consolidation and forming aid in aqueous silicon nitride processing.—74-04487A
Composite aerogels of silica and minerals of different morphologies.—74-07235A
Dependence of calcination conditions of boehmite on the alumina particulate characteristics and sinterability.—74-07247A
Monolithic α-alumina through pressure filtration of seeded boehmite gels.—74-04764A
Preparation and characterization of transparent γ-AlOOH films.—74-07421A
Shrinkage reduction in silica-based refractory cores infiltrated with boehmite.—74-08634A
Surface strengthening of 3Y-TZP ceramics by boehmite sol infiltration.—74-10663A

bonds/bonding,
Bonded silicon-on-insulator wafers for VLSI and the fabrication process.—74-08724A
Bonding of unfired glaze layers.—74-08506A
Bonding of zirconia ceramics and strengthening of adhesion of zirconia coatings by electric field assisted treatment.—74-00108A
Ceramic bonding method.—74-09910P
Ceramic–ceramic diffusion bonding using nanocrystalline interlayers.—74-01626A
Characterization of a range of alkyl-bonded silica HPLC stationary phases: XPS and ToF-SIMS studies.—74-06742A
Chemical bond distribution and short-range order in nonoxide chalcogenide glasses—results from NMR spectroscopy.—74-08326A
Chemistry and interfacial properties of metal/ceramic interfaces.—74-05616A
Cohesion in titanium carbide.—74-04107A
Deposition mechanism for promoting sp^3 bonding in diamondlike carbon.—74-10259A
Detailed atomic structure of tetrahedral amorphous carbon.—74-05111A
Development of ceramic binders for grinding wheels at lower firing temperatures.—74-00913A
Diffusion bonding reactions between an SiC/SiC composite and two superalloys during joining by hot isostatic pressing.—74-08164A
Dynamic mismatch between bonded dissimilar materials.—74-01507A
Effect of hydrogen dilution on the bonding configuration in a-SiC.—74-08873A
Fiber-matrix bond strength, fiber frictional sliding, and the macroscopic tensile behavior of a 2-D SiC/SiC composite with tailored interfaces.—74-10999A
Force constant of the metal-oxygen bond in oxides.—74-04142A
High-temperature mechanical properties of phosphate-bonded ceramics.—74-11020A
Influence of CuO on bonding behaviors of low-firing substrate and Cu conductor.—74-10414A
Investigations on ettringite cements.—74-08059A
Low-temperature, high-strength, wafer-to-wafer bonding.—74-01789A
Mechanical behavior of metal-ceramic bonds.—74-07899A
Method for bonding glass and metal—74-00171P
Molecular approach to ultrathin multilayered films of titanium dioxide.—74-07697A
Molecular dynamic investigations of amorphous carbon:pi bonding vs electronic defect generation.—74-04368A
Morphology and bonding measured from boron nitride powders and films using near-edge X-ray absorption fine structure.—74-04168A
Nonlinear optical properties of B_2O_3 glasses: M_2O-B72O73 (M=Li, Na, K, Rb, Cs, and Ag) binary borate glasses.—74-05735A
Optical second harmonic generation—a probe of atomic structure and bonding at Si-SiO_2 interfaces, and other chemically modified Si surfaces.—74-07707A
Phase equilibria considerations in the ceramic-metal bonding of silicon-based ceramics.—74-00139A
Pore removal during diffusion bonding of Nb-Al_2O_3 interfaces.—74-08252A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition[—comment].—74-07112A
Steel-concrete bond and concrete splitting for small diameter bars.—74-05590A
Strain rate and coupling agent effects in discontinuous glass fiber-reinforced polypropylene matrix.—74-02582A
Stress relaxation and bonding in Si_3N_4/MA6000 joints by reactive interlayers.—74-08276A
Study of unshared pairs of the Te atom in paratellurite glass. Nonempirical computation of the TeO_2 molecule.—74-04223A
Study on body-glaze bonding and glaze of colored glaze products.—74-08703A
Theoretical approach to interfacial metal-oxide bonding.—74-07779A
Transient liquid phase ceramic bonding.—74-02425P
Wafer bonding technology for silicon-on-insulator applications: a review.—74-02868A
Wetting and bonding of diamond films by high-melting-point metals in the range of diamond thermodynamic stability.—74-05660A

bone china,
Bone china—a high-quality soft porcelain as an enrichment of modern table art.—74-00423A
Effect of techniques of fast neutron irradiation on the infrared spectra of bone China whiteware.—74-05892A
Thermal stability of bone china.—74-05838A

bone replacement,
Artificial bone materials promote natural growth.—74-01280A
Bioactive glasses.—74-05665A
Bioceramic composites.—74-06950A
Ceramics and medicine (review).—74-03959A
Introduction to bioceramics.—74-06980A
Novel ceramics for biomedical applications.—74-06987A
Study of artificial thighbone made of high-density strengthened ceramics.—74-07001A
Summary and future directions.—74-07004A

borates,
BBO crystal optical parametric oscillator with grating.—74-06740A
Boron-oxygen units in crystalline and molten barium metaborate by high temperature Raman spectroscopy.—74-01344A
Compositional dependence of absorption spectra of Ti^{3+} in silicate, borate, and phosphate glasses.—74-02522A
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses.—74-02441A
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses[—correction].—74-05671A
Crystal structure of high-calcium *p*-veatchite and its location in line of layered borates with $[B_3O_8OH]^{2-}$ radical.—74-04117A
Crystal structure of new natural Na, Ca borate hydroxide. $NaCa_2[B_9O_{14}(OH)_4]\cdot 2H_2O$.—74-07062A
Crystallization kinetics of α-AgI in AgI-based silver orthoborate glasses.—74-02827A
Dependence of crystallization behavior of sodium diborate ($Na_2O\cdot 2B_2O_3$) on its glass structure and the characteristics of phase transformation.—74-02444A
Dislocation in BBO crystals.—74-10728A
EPR and NMR studies of amorphous aluminium borates.—74-10800A
Experimental test of surface-nucleated crystal growth model in lithium diborate glass.—74-05762A
Glass formation and structure of tantalum borate system.—74-05679A
High-temperature relaxation spectra of borate glasses.—74-02466A
High-temperature relaxation spectra of borate glasses.—74-02636A
Influence of some factors on ruthenium-lead borate film properties.—74-00264A
Interaction of potassium tetrafluoroborate with boric anhydride at high temperatures.—74-01397A
Interactions in PbO-B_2O_3-RuO_2 system at a temperature as high as 1473 K.—74-00265A
Luminescence of Ce^{3+} in the $In_xSc_{1-x}BO_3$ ($0\le x\le 1$) solid solution.—74-10115A
Measurement of refractive indices (η_o, η_e) and temperature coefficient of self-frequency doubling NYAB crystals.—74-10118A
Microstructure and magnetic character of terbium borate glass.—74-00268A
Network structure of RO-$2B_2O_3$ glasses.—74-02474A
Noncollinear phase matching in a type I barium borate optical parameter oscillator.—74-08968A
Oxidation states of copper in lead borate glass.—74-02478A
Picosecond optical parametric amplification in ß-BaB_2O_4.—74-09002A
Process of making zinc borate and fire-retarding compositions thereof—74-01211P
Raman spectroscopic study of the structure of glasses of the B_2O_3-GeO_2 system.—74-00212A
Reaction of SiC_f/SiC composites with a zinc borate glass.—74-07727A

Second and third harmonic generation in ß-BaB_2O_4 by fs Ti:sapphire laser pulses.—74-09031A
Shaped fibrous materials for fiber-reinforced metals.—74-03776P
Silver ion transport in AgI-Ag_2O-B_2O_3 glasses.—74-05741A
Soluble, cellulated mold and foamable mixture—74-01273P
Structure and heat capacity of Na_2O-$2B_2O_3$ glass: effects of the cooling rate.—74-05698A
Structure of Ag and Li borate glasses of the composition $(Ag_2O\text{-}2B_2O_3)_{1-x}a(AgI)_x$ and—74-02498A
Superconducting borate derivatives of 123 cuprates.—74-03589A
Surface crystallization of lithium diborate on glass induced by ultrasonic treatment.—74-05797A
Tangentially phase-mismatched efficient difference frequency generation in ß-barium borate crystal.—74-03245A
Utilization of infrared spectroscopy to determine the fraction of the four-coordinated borons in borate glasses.—74-05700A
X-ray diffraction study of sodium borate glasses.—74-02505A

boria,
Alkali free glass—74-00325P
Comparative study of the dc conduction in Na_2O-PbO-B_2O_3 and CdO-PbO-B_2O_3 glasses.—74-05707A
Crystallization of glasses of the CaO-Fe_2O_3-B_2O_3 system.—74-02443A
Crystallization of glasses of the system CaO-Fe_2O_3-B_2O_3.—74-00192A
Dense barium crown optical glasses.—74-02670P
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition—74-00548P
Distribution of B_2O_3 and its mineralogical phase in seawater magnesia clinkers.—74-05854A
Flexural strength and electrical properties of a B-doped BPSCCO superconductor.—74-00812A
Influence of B_2O_3 addition on the crystallization and properties of LAS-based glass-ceramics.—74-05772A
Influence of B_2O_3 and P_2O_5 upon the phase separation of CaO-MgO-Al_2O_3-B_2O_3-SiO_2-P_2O_5-F glasses.—74-08335A
Investigation of glasses of the B_2O_3-Sb_2O_3 system by the method of Raman spectroscopy.—74-02468A
Low temperature sealing composition—74-00238P
Method of abrading with boron suboxide (BxO) and the boron suboxide (BxO) articles and composition used.—74-02291P
Minor additions of B_2O_1 to container glass formulations.—74-00203A
Nonlinear optical properties of B_2O_3 glasses: M_2O-B72O73 (M=Li, Na, K, Rb, Cs, and Ag) binary borate glasses.—74-05735A
Optical crown glass having negative anomalous partial dispersion and high uv transmission—74-00343P
Phase decomposition and structure of glasses of the system TiO_2-B_2O_3.—74-00207A
Phase decomposition and structure of glasses of the TiO_2-B_2O_3 system.—74-02033A
Quantitative Raman investigations of the structure of glasses in the system B_2O_3-PbO.—74-05692A
Raman study of B_2O_3-PbO-Gd_2O_3 glasses.—74-02485A
Structure of glasses of the system B_2O_3-GeO_2 investigated by Raman spectroscopy.—74-00231A
Subsolidus phase equilibria of the CaO-B_2O_3-BaO system.—74-04224A
Ternary oxide whisker growth in a reactive atmosphere.—74-10900A
Utilization of borogypsum for cement.—74-05609A
X-ray diffraction study of the structure of B_2O_3-Cs_2O liquids.—74-04239A

borides,
Amorphous W/40 Re/40 B/20 diffusion barriers for <Si>/Al and <Si>/Cu metallizations.—74-01932A
Boride materials for electronic elements and method of preparing the same.—74-02869P
Boride, carbide, nitride, oxynitride, and silicide infiltrated electrochemical ceramic films and coatings and the method of forming such.—74-04031P
Bulk superconductivity at an elevated temperature ($T_c \approx 12$ K) in a nickel-containing alloy system Y-Ni-B-C.—74-03419A
Capability of resonant photoemission with soft X-rays in rare-earth systems.—74-01043A
Carbide or boride coated rotor for a positive displacement motor or pump.—74-08300P
Ceramic articles made of compositions containing borides and nitrides.—74-09908P
Chromium diboride powder as the material for plasma spraying.—74-08144A
Coated SiC reinforcements and composites containing same.—74-04038P
Compatibility of refractory metal boride/oxide composites at ultrahigh temperatures.—74-01973A
Developing of net Ce magnetic moment upon H_2 absorption in $Ce_2Fe_{14}B$—an XCMD investigation.—74-06453A
Effect of pressure on the magnetic susceptibility of CeB_6.—74-04287A
Effects of interparticle interaction in $Sm_2Fe_{17}N_x$ and $Nd_2Fe_{14}B$ isotropic ferromagnets.—74-03375A
Electrical resistivity of titanium diboride and zirconium diboride.—74-04304A
Electrochemical synthesis of tungsten and molybdenum borides in a dispersed condition.—74-01701A
Fine nonoxide ceramic powders.—74-09918P
Friction and wear of boride ceramics in air and water.—74-02149A
Hall mobility and optical conductivity in SmB_6.—74-04327A
Magnetic ordering and frustration in hexagonal UNi_4B.—74-06670A
Magnetic phases in a-$Fe_xRu_yB_{100-x-y}$ ribbons.—74-04351A
Method of producing ceramic composite bodies.—74-02422P
NMR study of $(Y_{1-x}Sm_x)_2Co_{14}B$ compounds.—74-05202A
Polytypes, grain growth, and fracture toughness of metal boride particulate SiC composites.—74-05223A
Preparation of magnetic fine particles by borohydride reduction.—74-01848A
Process and apparatus for producing a filter in the form of a monolithic honeycomb body.—74-03768P
Quadrupole-strain interaction in rare-earth hexaborides.—74-04403A
Rare-earth $N_{4,5}$ emission spectra of some rare-earth hexaborides.—74-02037A
Rules for the reactions in B_4C-$Me^{IV\text{-}VI}B_2$ systems.—74-01451A
Study of the crystallization process of metglass $Fe_{86}B_{14}$ by Mossbauer effect and resistivity measurements.—74-04222A

boron carbide,
Al-B-C phase development and effects on mechanical properties of B_4C/Al-derived composites.—74-02361A
Boron carbide.—74-06887A
Ceramic-bonded abrasive grinding tools.—74-03983P
Ceramography of high-strength ceramics—materials, preparation, microstructure.—74-10218A
Characterization of WC_x/B_4C multilayers sputtered in reactive argon/methane atmospheres.—74-01970A
Composite electrode for electrochemical processing having improved high temperature properties and method for preparation by combustion synthesis.—74-02873P
Composition and method for producing boron carbide/titanium diboride composite ceramic powders using a boron carbide substrate—74-01315P
Computer simulation of the ion beam deposition of binary thin films—carbon nitride and boron carbide.—74-07236A
Effect of an oxide coating on the strength properties of boron and silicon carbide fibers.—74-02122A
Effect of substrate creep on residual stress development during spraying of boron carbide on titanium.—74-10974A
Effects of alumina sintering aids on properties of hot-pressed C-B_4C-SiC composite.—74-10304A
Fabrication of silicon carbide-boron carbide composite by chemical vapor deposition.—74-04630A
Fatigue testing welded joints for P/m Al matrix composites.—74-05622A
Formation of MgO-B_4C composite via a thermite-based combustion reaction.—74-04646A
Fracture toughness of TiB_2 and B_4C using the single-edge precrack beam, indentation strength, chevron notched beam, and indentation strength methods.—74-07880A
Isotopic effect of boron carbide thermal conductivity.—74-04342A
Method of preparing boron carbide/aluminum cermets having a controlled microstructure.—74-08313P
Method of producing ceramic composite bodies.—74-02422P
Microcracking in B_4C-TiB_2 composites.—74-11050A
Microwave sintering of boron carbide composites.—74-07383A
Modeling the formation of boron carbide particles in an aerosol flow reactor.—74-07392A
Process for making silicon carbide ceramic fibers.—74-04081P
Production of boron nitride and carbide by carbothermic reduction of boric oxide.—74-04847A
Properties of plasma-sprayed boron carbide coatings.—74-08259A
SHS-derived composite powders for making particulate composites in the system of Si-C-B.—74-04887A
Sintering and characterization of B_4C/TiB_2.—74-07481A
Sintering behavior of B_4C-SiC composite.—74-10632A
Sound velocities in shock-compressed corundum, boron carbide, and silicon carbide.—74-04423A
Spacecraft ceramic protective shield.—74-09962P
Structure and properties of boron and silicon carbide-base materials obtained by reaction-activated microwave sintering in contact with aluminum nitride.—74-02051A
Tension versus compression superplastic behavior of an Mg-9 wt% Li-5 wt% B_4C composite.—74-05656A
Thermal shock behavior of boron nitride/boron carbide composite ceramics.—74-11113A
Thermodynamic and experimental conditions for the fabrication of a boron carbide layer on high-modulus carbon fiber surfaces by RCVD [reactive CVD].—74-04962A
Tribological and erosion characteristics of silicon carbide and boron carbide structural ceramics.—74-07832A

boron nitride,
Abrasive medium.—74-02289P
Additions to improve the oxidation resistance of alumina-boron nitride composites.—74-07795A
Analysis of cubic boron nitride thin films by neutron depth profiling.—74-05069A
Applicability and formability of a revolutionary boron nitride ceramic.—74-01279A
Blackglas–Nicalon composites with CVD boron nitride fiber interface coatings.—74-09848A
BN-group ceramics having excellent resistance to loss by dissolving.—74-09904P
Boron nitride and silicon boron nitride film and polish characterization.—74-07213A
Boron nitride films prepared by remote plasma-enhanced chemical vapor deposition from borazine ($B_3N_3H_6$).—74-01282A
Boron nitride sinter and process for its production—74-01309P
Boron nitride vaporization vessel.—74-09905P
Boron nitride—a review.—74-09849A
Boron nitride.—74-06888A
Ceramic composite and method—74-00407P
Ceramic composite.—74-08644P
Chemical equilibria in the titanium(II) hydride-boron nitride system.—74-04101A
Chemical vapor deposition of boron nitride.—74-01633A
Composition and application of boron nitride based coatings.—74-01287A
Composition and applications of coatings based on boron nitride.—74-01288A
Compressive stress-induced formation of cubic boron nitride.—74-10783A
Cubic boron nitride sintered compact and method of preparing the compact—74-01316P
Deposition and characterization of boron nitride thin films.—74-04537A
Deposition of cubic BN on diamond interlayers.—74-07253A
Effect of corundum-mullite-zirconia addition on microstructure and mechanical properties of BN materials.—74-07635A
Effect of hexagonal boron nitride on aluminum nitride substrate thermal conductivity.—74-07153A
Effect of small amounts of hydrochloric acid on the synthesis of transluscent sintered cubic BN.—74-10295A
Effects of additives on properties of boron nitride materials.—74-04136A
Effects of processing, oxidation, and fiber architecture of thermal and mechanical properties of BN-Nextel 312/Blackglas composites.—74-09867A
Effects of the substrate bias on the formation of cubic boron nitride by inductively coupled plasma-enhanced chemical vapor deposition.—74-10317A
Electrical behavior and breakdown in plasma-deposited cubic-BN layers.—74-04296A
Energy band structure studies of zinc blende BN and BP.—74-04310A
Evaluation of composite Ni matrix coatings with cubic BN interstitials on titanium applied by cathodic arc evaporation.—74-07303A
Fabrication and properties of ceramic composites with a boron nitride matrix.—74-07307A
Finest grind.—74-00928A
Formation of an ordered boron nitride matrix for fiber-reinforced composites.—74-10361A
Formation of boron nitride inclusions in hot isostatically pressed silicon nitride-silicon carbide composites.—74-05146A
Formation of highly disperse boron nitride in carbothermal reduction in the presence of lithium compounds.—74-01736A
Formation of new compounds in shock-wave sintering of spheleritic boron nitride with Al_2O_3 and ZrO_2.—74-01738A
Growing market for cBN and diamond products.—74-02239A
Growth and characterization of cubic boron nitride thin films.—74-07328A
Growth of cubic boron nitride and boron-carbon-nitrogen coatings using N-trimethylborazine in an electron cyclotron resonance plasma process.—74-01746A
Growth of cubic boron nitride by chemical vapor deposition and high-pressure high-temperature synthesis.—74-01747A
Growth of cubic boron nitride coatings in a magnetic field enhanced rf glow discharge.—74-04671A
Heteroepitaxial growth of diamond on c-BN in a microwave plasma.—74-04677A
High temperature ceramic composite—74-01320P
High-pressure reactions and formation mechanism of cubic BN in the system BN-Mg_3N_2.—74-09998A
Improved fiber coatings for controlling interfacial forces in SiC matrix composites: III. Boron nitride.—74-01293A
Influence of sputtering target material on the formation of cubic BN thin films by ion-beam-enhanced deposition.—74-10419A
Infrared spectroscopic investigations on h-BN and mixed h/c-BN thin films.—74-04152A
Interface state distribution of BN on InP structures.—74-04714A
Interfacial characteristics of mullite fiber/BN coating/mullite matrix composites.—74-10826A
Interfacial reaction wetting in the boron nitride/molten aluminum system.—74-00127A
Isothermal compression of rhombohedral BN up to 14 GPa.—74-05372A
Low-temperature-fired positive temperature coefficient resistors.—74-02849A
Machinability and strength of AlN-BN ceramics.—74-11036A
Mechanical properties of diamond and cubic BN at different temperatures and deformation rates.—74-11044A
Mechanisms in ion-induced c-BN growth.—74-04747A
Microscopic investigations of silicon surfaces pretreated for use in diamond deposition.—74-04751A
Mold for slip casting and method of slip casting.—74-03762P
Morphology and bonding measured from boron nitride powders and films using near-edge X-ray absorption fine structure.—74-04168A
Nd:YAG laser alloying of high-speed steel tools with BN and Ti/BN and the effects on turning performance.—74-08244A
New scope of high-pressure–high-temperature synthesis of cubic boron nitride.—74-10010A
Nonlinear current voltage characteristics of Be-doped cubic-BN polycrystals synthesized at high pressure.—74-03129A
Nonstoichiometry and mechanism of boron nitride oxidation.—74-07817A
Optical properties of boron nitride thin films.—74-04791A
Optical properties of E-BN.—74-04792A
Oxidation of ß-BN and Si_3N_4 ceramics.—74-07820A
Oxidic and nonoxidic fiber coatings by sol-gel processing.—74-07408A

p-n junction diode by B-doped diamond heteroepitaxially grown on Si-doped cBN.—74-06250A
Parallel vs diagonal epitaxy models of diamond and c-BN on Si(001).—74-05217A
Physical properties of the X-ray membrane materials.—74-01563A
Plasma diagnostics in the growth c-BN films.—74-04808A
Plasma-enhanced chemical vapor deposition of boron nitride onto InP.—74-04814A
Preparation of cBN-containing films by reactive rf sputtering.—74-10557A
Processing conditions for boron nitride coatings in fiber bundles via chemical vapor deposition.—74-04836A
Production of boron nitride and carbide by carbothermic reduction of boric oxide.—74-04847A
Properties of SiAlON-BN composites and its applications.—74-00398A
Pulsed laser deposition of BN onto silicon (100) substrates at 600°C.—74-01863A
Pyrolytic boron nitride heating unit—74-01334P
Rapid solid-state precursor synthesis of nonoxide ceramics.—74-10598A
Reaction mechanism between BN-sprayed graphite and molten Al, in vacuum, and its application to the evaporation source for reactive metals including Al.—74-04020A
Reinforced silicon carboxide composite with boron nitride coated ceramic fibers.—74-02697P
Selective etching of c-BN layers.—74-04021A
Setup for testing superhard materials under dynamic loading over a wide temperature range.—74-01102A
Sintering of wurtzitic boron nitride under high pressures and temperatures.—74-10636A
Strain effect on the mechanical properties of diamond and cBN at high temperatures.—74-02203A
Structure features of pyrolytic boron nitride.—74-05272A
Structure-diffraction analysis of nanometer-sized polycrystals.—74-07761A
Synthesis and stabilization of hexagonal boron nitride materials.—74-10671A
Synthesis of cubic boron nitride using Li_3BN_2, $Sr_3B_2N_4$, and $Ca_3B_2N_4$ as solvent-catalysts.—74-04940A
Tensile creep and stress-rupture behavior of polymer-derived SiC fibers.—74-11107A
Thermal shock behavior of boron nitride/boron carbide composite ceramics.—74-11113A
Triple-layered ceramic heater—74-00562P
Turbostatic-hexagonal structure transition in hexagonal BN synthesis.—74-04973A
Ultra-hard abrasive particles.—74-07979P
Valence-band electron structure in polycrystalline cubic boron nitride sintered in shock waves.—74-01485A
Vapor-deposited boron nitride thin films.—74-07029A
X-ray absorption study of pulsed laser deposited boron nitride films.—74-10902A

boron,
Anomalous behavior of shallow BF_3 plasma immersion ion implantation.—74-04478A
Bolzmann-Matano analysis based model for boron diffusion from polysilicon into single-crystal silicon.—74-01622A
Boron δ doping in Si and SiGe and its application toward field effect transistor devices.—74-02925A
Boron diffusion through pure silicon oxide and oxynitride used for metal oxide semiconductor devices.—74-07556A
Boron phosphorus silicate glass composite layer on semiconductor wafer.—74-02870P
Boron.—74-06889A
Carbon/boron nitride composites: an alternative to carbon/carbon.—74-09852A
Cermet alloy and process for its production—74-00164P
Characterization of boron-doped diamond films using (CH_4-CO_2) gas mixtures with $B(OCH_3)_3$ as a dopant source by MPCVD.—74-07221A
Characterization of defects in boron-implanted chemically vapor deposited diamond films by electron paramagnetic resonance and cathodoluminescence.—74-04993A
Comparative Hall mobilities of ion-implanted boron and implanted carbon plus boron in insulating diamond.—74-00467A
Comparison between computer simulation and direct secondary ion mass spectrometry measurement of lateral dopant distributions.—74-01971A
Crystallization of amorphous Co-Si-B alloys—effect of Fe additions.—74-07066A
Determination of silicon in boron.—74-06756A
Effect of boron incorporation on the "quality" of MPCVD [microwave plasma-assisted CVD] diamond films.—74-10278A
Effect of boron substitution in carbon on the intercalation of lithium in $Li_x(B_yC_{1-y})_6$.—74-07266A
Effect of carbon and boron on the high-temperature oxidation of silicon carbide.—74-07806A
Effect of gas ambient on the resistance of BF_2^+ ion-implanted polycrystalline diamond film.—74-07270A
Effect of matrix stopping power on sputter depth profile broadening.—74-01983A
Electrical and structural characterization of boron-doped $Si_{1-y}33Ge_y$ strained layers.—74-00484A
Electron paramagnetic resonance of boron-implanted natural diamonds and epitaxial diamond films.—74-09988A
Electron transport study of nanocrystallization in FeSiB-based alloys.—74-07640A
Electronic structures of newly predicted intercalation compounds "lithium intercalated alpha-boron."—74-01382A
Evaluation of new temperature boron solid planar diffusion sources through *p-n* junction characterization.—74-06087A
Experimental observations and modeling of ultrashallow BF_2 and As implants in single-crystal silicon.—74-01517A
Fluorine-enhanced boron migration into oxide from underlying silicon.—74-07568A
Grain growth processes in a nanocrystalline $Fe_{74.5}Si_{13.5}B_9Nb_3$ alloy.—74-07657A
In situ B-doped Si epitaxial films grown at 456°C by remote plasma-enhanced chemical vapor deposition: physical and electrical characterization.—74-03060A
Indentation fracture toughness and elastic properties of boron-doped silicon carbide.—74-07894A
Investigation on the residual amorphous phase in a nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ soft magnetic alloy.—74-07358A
Joining methods for ceramic composite bodies.—74-08305P
Light emitting diamond device—74-00740P
Luminescence studies of nitrogen- and boron-doped diamond films.—74-04743A
Mechanical properties of carbon fiber/ceramic composites prepared for borosiloxane with high boron content.—74-09879A
Method for forming boron-doped semiconducting diamond films.—74-03271P
Modification of tribological properties of silicon by boron ion implantation.—74-10124A
Multicolor, radiation-resistant SiC light-emitting diodes.—74-03122A
Nanocrystallization of Co-Si-B-Zr amorphous alloy.—74-07396A
Nanostructured composite materials in the system Si-B-N.—74-07399A
New hybrid boron-carbon prepreg developed.—74-01087A
New route for the synthesis of reduced transition metal oxides using borohydrides.—74-10494A
Oxidation tests of carbonaceous composite materials protected by Si-B-C CVD coatings.—74-05314A
Parameters controlling the sand blasting of substrates for plasma spraying.—74-10514A
Phase transition of new ferroelectric $LaBGeO_5$.—74-00760A
Photoluminescence and cathodoluminescence studies of semiconducting diamond.—74-00682A
Piezoresistive effect of boron-doped diamond thin films.—74-10137A
Plasma immersion ion implantation doping experiments for microelectronics.—74-04809A
PMOS integrated circuit fabrication using BF_3 plasma immersion ion implantation.—74-06265A
Properties and texture of B-doped diamond films as thermal sensors.—74-09015A
Reality of doping by boron implantation of CVD polycrystalline diamond from a comparison of Raman and electrical measurements.—74-04867A
Resistometric study of nanocrystallization kinetics in Fe-based metallic glasses.—74-05788A
Role of the diffusivity of Be and C in the performance of GaAs/AlGaAs heterojunction bipolar transistors.—74-06295A
Scanning tunneling microscopy of diamond irradiated with high-energy ions.—74-05240A
Secondary ion mass spectrometry depth profiling of boron and antimony deltas in silicon: comparison of the resolution functions using oxygen bombardment at different energies and impact angles.—74-02043A
Secondary ion mass spectrometry measurements of shallow boron profiles in cobalt, silicon, and cobalt disilicide.—74-01874A
Sputter-initiated resonance ionization spectroscopy: an analytical technique for quantitative and sensitive measurements of impurities and ultrashallow doping profiles in semiconductors.—74-00717A
Studies on SiBN(C) ceramics—oxidation and crystallization behavior lead the way to applications.—74-10161A
Synthesis and infrared absorption characteristics of boron-doped semiconducting diamond thin films.—74-07508A
Thermodynamic and experimental study of the chemical vapor codeposition in the silicon-boron-carbon system at 1400 K.—74-07137A
Ti-Al-B composites performed by combustion synthesis under microgravity environments.—74-07537A
Topology of synthetic, boron-doped diamond by scanning tunneling microscopy.—74-05292A
Two-dimensional doping profiles from experimentally measured one-dimensional secondary ion mass spectroscopy data.—74-02059A
Two-dimensional spreading resistance profiling: recent understandings and applications.—74-01124A
Ultrashallow boxlike profiles fabricated by pulsed ultraviolet-laser doping process.—74-01923A
Valence band photoelectron spectroscopy and structural morphology of nitrogen and boron-containing MPACVD diamond films.—74-05294A
Wear mechanisms in thermally sprayed Mo-based coatings.—74-08294A

borophosphates,
^{31}P MAS and ^{11}B NMR study of sodium-rich borophosphate glasses.—74-05661A
Effect of additional calcium hydroxyapatite on sodium borophosphate glasses—physical and chemical characterizations.—74-05710A
High alumina refractory shapes—74-00408P

borophosphosilicate,
Anisotropic deposition of doped silicate glass.—74-05751A
Kinetics and uniformity of deposition of borophosphosilicate glass from silane and oxygen in a single-wafer reactor.—74-00304A
Low-temperature, high-strength, wafer-to-wafer bonding.—74-01789A
Method of manufacturing a semiconductor device having an insulating layer composed of a BPSG film and a plasma-CVD silicon nitride film—74-00743P
Stability of diborane mixtures used for borophosphosilicate films.—74-00317A
Structure of aluminoborosilicate, borosilicophosphate, and aluminoborosilicophosphate vitreous materials simulating vitrified radioactive wastes.—74-02500A
TEOS and ozone atmospheric pressure CVD of borophosphosilicate glass films using triethylborate and trimethylphosphate.—74-01919A

borosilicate glass,
^{29}Si MAS-NMR study of the short-range order in potassium borosilicate glasses.—74-02429A
Aging of all-electric cold-top glass-melting furnaces.—74-09636A
Behavior of fired colored enamels on borosilicate glass.—74-00009A
Borosilicate glass matrix composites reinforced with short metal fibers.—74-02517A
Ceramic composition and ceramic circuit board—74-00541P
Characterization of the interface in boron-doped, oxidation-resistant Nicalon-reinforced glass-ceramic matrix composites.—74-08142A
Coloring of molybdenum borosilicate glass upon electrical heating.—74-02440A
Constrained-film sintering of a borosilicate glass: in situ measurement of film stresses.—74-02525A
Cristobalite phase formation in glass/ceramic composites.—74-02442A
Development of glass-melting technology for nuclear waste vitrification.—74-09396A
Distribution of refractive indices in laminae of microporous glass of different compositions and thicknesses.—74-02530A
Effect of the composition of single-phase alkali borosilicate glasses on their stability in solutions of nitric acid.—74-02451A
Effects of composition of single-phase alkali borosilicate glasses on their resistance to the action of solutions of nitric acid.—74-00194A
Effects of radiation and hydrogen on the fracture resistance of borosilicate glasses.—74-00256A
Effects of salt solutions on glass dissolution.—74-05677A
Fabrication of glass matrix composites by tape casting.—74-02622A
Fluorescent lifetime of Er^{3+} $^4I_{13/2}$ level in BK-7 borosilicate glass.—74-05717A
Glass solidification of the amorphous powder prepared by spray pyrolysis.—74-08426A
How motion analysis can help ensure consistency.—74-05768A
Investigations into all-electric melting of neutral glass with improved reboil behavior.—74-02639A
Mechanism of preventing crystallization in low-firing glass-ceramic composite substrates.—74-05031A
Microstructure and compressive strength of SiC platelet-reinforced borosilicate composites.—74-08376A
Nuclear magnetic resonance of sodium borosilicate glasses containing aluminum oxide.—74-02476A
Production of samples of macroporous glasses from microporous sheets of thicknesses greater than 2 mm.—74-00314A
Pseudo-3-D reinforcement with stretch-broken carbon fibers in a borosilicate glass matrix.—74-08389A
Refractive index, average dispersion, and density of boric anhydride in borosilicate glasses with sodium and potassium oxides.—74-02575A
SiC- and carbon-fiber-reinforced glass under alternating bending stress loadings.—74-00277A
Spectral properties of microcrystals of CuCl distributed in the glass matrix.—74-02581A
Structure of aluminoborosilicate, borosilicophosphate, and aluminoborosilicophosphate vitreous materials simulating vitrified radioactive wastes.—74-02500A
Use of borosilicate and quartz glasses as structural materials of containers for storing ultrapure germanium tetrachloride.—74-08399A
Viscous deformation in a potassia borosilicate glass-crystalline alumina system.—74-08400A

borosilicates,
Coating for ceramic composites—74-01251P
Crystal structure of La—analog of stillwellite.—74-07059A
Gelation point in borosilicate sols from rheological experiments.—74-10368A

boundary layer,
Effects of heat treatment to boundary phases of AlN ceramics.—74-04137A

brazing,
Apparatus for fabricating a foil.—74-02406P
Ceramic orthodontic bracket with archwire slot liner.—74-03982P
Gyrotron processing of materials.—74-00935A
Investigation of the behavior of shaft-hub connections and screw connections of ceramics and metal with the help of adhesive and braze from components.—74-05635A
Joining of metal to ceramic bodies by brazing.—74-02420P
Large-area diamond deposition and brazing of the diamond films on steel substrates for tribological applications.—74-08227A
Laser brazing for ceramic-to-metal joining.—74-08306P
Method of joining a ceramic component to a metal component.—74-02421P

breakdown,
Constant current stress breakdown in ultrathin SiO_2 films.—74-00584A
Dielectric breakdown strength of SiO_2 using a stepped-field method.—74-00476A
Time-dependent dielectric breakdown in $BaTiO_3$ thin films.—74-00766A

brick industry,
Choosing the ceramic brick production technology.—74-00901A
Development and current situation of the European brick and tile industry.—74-05412A
Energy saving in the brick and tile industry.—74-02717A
Evolution and tendencies on the implantation of terra cotta works.—74-00362A

Highly technical "soft mud" brick unit built at IBSTOCK by CERIC company.—74-08554A
How to reduce air pollution caused by brick manufacture.—74-05812A
Kiln furniture for the tableware and brick industries.—74-09682A
Liquified petroleum gas in the brick and tile industry.—74-05820A
Methodology of estimation of fluorine compounds emissions in burning of terra cotta products.—74-00369A
Multiplicity under one roof—Glen Gary produces extruded and soft mud bricks at Iberia, OH.—74-08564A
New departures in building with bricks: plank bricks in Germany.—74-02727A
Problem of building a brick house in Europe.—74-08573A
Reduction firing of building ceramics: II.—74-08578A
Reduction of fluorine emissions in brickworks.—74-00374A
Reminiscences of an old structural ceramics clay preparation method: I, Washing.—74-00986A
Reminiscences of an old structural ceramics clay preparation method: II, Washing.—74-00987A
Status of MSDS [Material Safety Data Sheets] for brick.—74-05832A
Supply of proven raw materials: the preconditions.—74-03951A
Wienerberger Ziegelindustrie puts environmentally friendly technology into effect at Rietberg.—74-08606A

brick,
5000 tf (49.0MN) VOP system.—74-06674A
Ancient monuments of the brick and tile industry with reference to examples in Thuringia.—74-02293A
Approach on process principle of moisture removal under positive pressure in tunnel drying chambers: I.—74-08503A
Approach to process principle of moisture removal under positive pressure in tunnel drying chamber: II.—74-07204A
Brick and tile industry in Spain.—74-11143A
Brick and tile industry in the Netherlands.—74-11144A
Brick production using [abatement] fluid bed ash.—74-02703A
Combined heating and power systems in brickworks.—74-09646A
Construction and architectural design with brick.—74-02707A
Contraction and expansion—deformation of building materials under the influence of moisture: I.—74-08514A
Design and construction with bricks—the contribution of Antoni Gaudi (1852-1926).—74-02708A
Design planning, plant technology, and ergonomic science.—74-08520A
Development of new slab continuous caster with advanced technology at Kakogawa Works.—74-05852A
Development of nonfired high-strength gypsum brick.—74-00360A
Drying behavior of clay minerals.—74-05808A
Effect of chemical composition on properties of fused magnesia-chrome raw materials.—74-04131A
Effects of additives on properties of unfired Al_2O_3C bricks.—74-08539A
Energy saving through fast firing and the use of special super alloy material.—74-02718A
Evaluation of the frost resistance of bricks in regard to long service life: I.—74-08543A
Evaluation of the frost resistance of bricks in regard to long service life: II.—74-08544A
Fabrication of non-fired fly ash hollow brick without cement.—74-05810A
Fracture behavior of masonry bricks under bending.—74-07875A
Function of admixtures on production of nonfired fly ash brick.—74-00363A
High alumina brick with metallic carbide and its preparation.—74-08649P
High-performance Al_2O_3/C plate bricks.—74-00387A
History of sanitary sewer systems in Berlin [Germany].—74-02240A
Influence of moisture content of sand-lime (hollow) bricks on properties of brickworks.—74-02721A
Influences of efflorescence and hydrothermal effects on mechanical properties of masonry brick.—74-02722A
Keller gets the blues[—a kiln for blue brindle brick].—74-00366A
Kies- und Klinkerwerk Buchwaldchen—an economical symbiosis of modern production plants.—74-03705A
Kiln scheduling for reduction colors.—74-08559A
Korea, Japan, Hong Kong—impressions of European brick and tile makers in Asia[: I].—74-11173A
Korea, Japan, Hong Kong—impressions of European brick and tile makers in Asia[: II].—74-11174A
Liquified petroleum gas in the brick and tile industry.—74-05820A
Manufacture of nonfired hollow brick using anhydrite.—74-05822A
Muller mixed and kneading machine with rotary pan transfer system.—74-02725A
New departures in building with bricks: plank bricks in Germany.—74-02727A
New type of direct-bonded MgO-Cr_2O_3 bricks for cement rotary kiln "DIRCO-08B75."—74-05866A
Predicting brick frost resistance: I.—74-05824A
Predicting brick frost resistance: II.—74-08570A
Press forming of sintered hollow brick with high fly ash content.—74-08572A
Productos Ceramicso Malpesa SA[, Bailen, Spain]: a new generation in ceramic manufacture.—74-08575A
Reuden plant in operation—Ziegelwerke Baalberge now at three locations in Saxony-Anhalt.—74-02732A
Silica bricks manufactured by Luoyang Refractory Factory, Ministry of Metallurgical Industry, People's Republic of China.—74-02785A
Sintered bricks of fluidized bed slag, coal spoil, and clay.—74-02735A
Situation of the brick and tile industry in Morocco.—74-05829A
Solving firing problems—guessing or facts.—74-08583A
Study of press-forming mechanism of calcium silicate brick.—74-08588A
Study on sintered perforated bricks with blind holes.—74-02739A
Superduty fireclay refractory brick and methods for its manufacture.—74-08654P
Terra-cotta facade of the picture gallery at the Museum of European Art in Berlin.—74-05837A
Thermal analysis of brick clays.—74-06936A
Thermal conductivity of brick masonry—simplification of the measurement method for the quality control.—74-08592A
Thermal insulation properties of hollow masonry envelope of calcium silicate brick.—74-02741A
Tonindustrie Heisterholz: 30% more capacity with Works IV.—74-08597A
Traditional brickworks integrates new technology.—74-07959A
Traditional ceramics—evolution in the last decade and future trends.—74-07960A
Where the robot wields the trowel.—74-08605A

brickmaking equipment,
AZ Ziegelei at Tauche[, Germany]: technology safeguards tradition.—74-08505A
Beams and lintels—the Hungaria Wienerberger Works at Koszeg.—74-02702A
F. v. Muller Dachziegelwerke: plain clay roofing tiles are now also being produced at Eisenberg/Palatinate.—74-08545A
From craft trade to industrialization—industrialization of the brickmakers' trade and its social consequences in Northern Germany in the 19th century.—74-08552A
From Hollander to high-tech pan mill.—74-05811A
Industria Laterizi Donati: a new "universal" brickworks in Tuscany.—74-08555A
Keller gets the blues[—a kiln for blue brindle brick].—74-00366A
Kneading-crushing-cleaning extruder for making brick.—74-05819A
Korea, Japan, Hong Kong—impressions of European brick and tile makers in Asia[: I].—74-11173A
Korea, Japan, Hong Kong—impressions of European brick and tile makers in Asia[: II].—74-11174A
Line for brick production with reduction of energy consumption and cycle time.—74-00367A
Megalith Bausteinwerke, Eisenberg/Thruingia: economical and environmentally friendly brick production.—74-02724A
Option of various types of brick-firing kilns.—74-06870A
Recent advance of brick-firing annular kilns in China.—74-06871A
Reuden plant in operation—Ziegelwerke Baalberge now at three locations in Saxony-Anhalt.—74-02732A
Roben produces at Reetz/Brandenburg.—74-02734A
Stahlkombinat Magnitogorsk/Urals operates brickworks with ITO technology.—74-08585A
Staloton in Westerkapeln/Velp—production to market requirements— high-quality split tiles thanks to up-to-date manufacturing techniques.—74-05831A
Tonindustrie Heisterholz: 30% more capacity with Works IV.—74-08597A
Traditional brickworks integrates new technology.—74-07959A
Trouble analysis of blades of double-shaft mixers.—74-05840A
Visit to Kiev[, Ukraine].—74-08603A
Walther Dachziegelin Langenzenn.—74-05842A
Works III at Autenried: high-efficiency production lines for plain roofing tiles.—74-02742A

bridging,
Cyclic fatigue-crack growth in grain bridging ceramics.—74-10959A
Estimation of bridging interactions for natural cracks from bending strength of coarse-grained Al_2O_3.—74-02133A
Evaluation of bridging parameters in aluminas from *R*-curves by use of the fracture mechanical weight function.—74-05349A
Evaluation of the bridging relation from crack-opening-displacement measurements by use of the weight function.—74-03808A
Role of fiber bridging in the delamination resistance of fiber-reinforced composites.—74-07913A

brittle materials,
Acoustic emission and microcracking in sapphire, sintered Al_2O_3, Al/Al_2O_3 composite, and aluminum.—74-10944A
Determination of fracture resistance curves of modern ceramic materials.—74-10965A
Effect of thermal shock and related transient stresses on the stable and unstable extension of Vickers indentation cracks in brittle solids.—74-07866A
Matrix crack spacing in brittle matrix composites.—74-11038A
Proof testing reinforced brittle composites.—74-09606A
Role of interfaces on fracture and creep deformation behavior of brittle matrix composites with ductile discontinuous reinforcements.—74-11079A
Scalings in fracture probabilities for a brittle matrix fiber composite.—74-11083A
Simultaneous loading system to evaluate the structural reliability of brittle materials.—74-06816A
Specimen preparation for transmission electron microscopy (TEM)—reliable method for cross sections and brittle materials.—74-10647A
Spraying of the brittle ceramic zirconium diboride by a wire explosion technique.—74-10652A
Stochastic aspects of matrix cracking in brittle matrix composites.—74-11093A
Strengthening of ductile particle-reinforced brittle matrix composites.—74-02208A
Toughening mechanisms in quasi-brittle materials.—74-11119A
Transverse cracking in fiber-reinforced brittle matrix, cross-ply laminates.—74-02213A
Wear mechanisms in brittle solids.—74-11127A

brittleness,
Overview: TiAl-based alloys prepared by elemental powder metallurgy.—74-00137A
Strain-rate effect on brittle fracture in compression.—74-05390A

bromides,
Adsorption of short-chain tetraalkylammonium bromide on silica.—74-10059A
Cross sections of $CsHgBr_3$-Cs_2ZnBr_4 [1] and $CsHg_2Br_5$-Cs_2ZnBr_4 [2] of the ternary system $ZnBr_2$-$HgBr_2$-CsBr.—74-01359A
Ferroelectric phase transition in hexagonal antiferromagnet $RbFeBr_3$ with linear chains of face-sharing octahedra $(FeBr_6)^{4-}$.—74-04141A
Incommensurate phase transitions in Rb_2ZnBr_4 crystals: I, Acoustic and electroacoustic properties.—74-07083A
Incommensurate phase transitions in Rb_2ZnBr_4 crystals: II, Effects of hydrostatic pressure on temperature dependences of elastic properties and birefringence.—74-07166A
Interactions in the system $ZnBr_2$-$HgBr_2$.—74-01401A
Optimization of an electron cyclotron plasma etch process for n^+ polysilicon: HBr process chemistry.—74-01822A
Phase transitions and structures of phases I, III, and IV of $(NH_4)_2ZnBr_4$.—74-01439A
Scanning tunneling microscopy studies of thin-film AgBr on Au(111).—74-05241A
Spectral properties and zero-phonon transitions of color centers in colored KCl and KBr crystals.—74-10156A
Spontaneous deformation and phase transition in improper Hg_2Br_2 ferroelastic.—74-06436A
Study on refractive indices of $PbBr_2$ crystals.—74-10038A

bronze,
Crystal structure of Na,Ti bronze.—74-07061A
New iron V_2O_5 bronze as electrode material for rechargeable lithium batteries.—74-01297A
Rechargeable Na/Na_xCoO_2 and $Na_{15}Pb_4$/Na_xCoO_2 polymer electrolyte cells.—74-01567A
Synthesis and electrochemical study of new copper vanadium bronzes and of two new V_2O_5 polymorphs: ß′- and ε′-V_2O_5.—74-02863A

bubbles,
Blistering in enamel wares and its solution.—74-08134A
Expert system of bubble sources in the glassmelting furnace.—74-09659A
Gas exchange between bubbles and molten glass.—74-02546A
Localized crater and bubble formation in porcelain glazes.—74-00434A

building materials,
Ancient monuments of the brick and tile industry with reference to examples in Thuringia.—74-02293A
Application of ceramics to materials and components for buildings and dwellings.—74-11139A
Australian standards for ceramic tile fixing and their impact on other standards.—74-11140A
Ceramic resorption of waste, interest- feasibility of limits.—74-11147A
Clay building products in European standardization—an interim balance: I.—74-08511A
Clay building products in European standardization: II, an interim balence.—74-05408A
Coated glass for building purposes.—74-08408A
Comparison of severe hailstorm damage on two types of fiber-reinforced cement roofing sheets.—74-02705A
Construction and architectural design with brick.—74-02707A
Continuity is the strength of Cersaie.—74-02227A
Contraction and expansion—deformation of building materials under the influence of moisture: II.—74-08515A
Corrosion of stressing elements of the IMS skeleton structure reinforcement.—74-05847A
Craneless conveyor line "Vibroblock" for the production of cellular concrete wall blocks.—74-00909A
Design and construction with bricks—the contribution of Antoni Gaudi (1852-1926).—74-02708A
Design and installation of ceramic tiling.—74-08518A
Development of the production and improvement of the technology of cellular concrete products.—74-00914A
Fabrication of hollow clay blocks using lean laterite.—74-08548A
Forecasting of load-bearing characteristics of reinforced concrete structures in aggressive environment.—74-05524A
From craft trade to industrialization—industrialization of the brickmakers' trade and its social consequences in Northern Germany in the 19th century.—74-08552A
Generation and application of foam in plasterboard production.—74-08034A
Investigation methods of heavy metals immobilization in building materials.—74-08056A
Metering, weighing, and mixing plant installed at Schretter cement and lime works.—74-02338A
New departures in building with bricks: plank bricks in Germany.—74-02727A
New plant for producing dry, ready-mixed building materials in Vils, Austria.—74-09491A
Plant for producing dry ready-mixed mortars.—74-05566A
Problem of building a brick house in Europe.—74-08573A
Productos Ceramicso Malpesa SA[, Bailen, Spain]: a new generation in ceramic manufacture.—74-08575A
Recrystallization of incinerator residuals to produce environmentally safe construction materials.—74-09751A
Tile laying on problematic supports. New supports need new technologies.—74-08595A

Tiler training in Germany.—74-08596A
Tools for installing ceramic tile.—74-08598A
Turnkey dry mortar plant commissioned.—74-08115A
Uncercut panel anchors for concealed fastening of ceramic cladding panels.—74-08599A
Use of combustion and incineration wastes for structural clay products.—74-08602A
Utilization of asbestos cement wastes in building material production.—74-00101A

bulbs,
Bulb making in the electronic age.—74-00897A

bulk modulus,
Isothermal compression of rhombohedral BN up to 14 GPa.—74-05372A

burners/burning,
Analytical modeling support of the development of fiber-reinforced ceramic composite materials for reheater burners.—74-09846A
Assessing the burnability of cement raw meal and its behavior in the rotary kiln.—74-06841A
Binder burnout in ceramics.—74-10723A
Burner block sealing.—74-09641A
Burner zone.—74-06842A
Burners and burner control systems: I.—74-09642A
Burning technology and thermal economy [in cement manufacture].—74-06843A
Capacity enhancement at Century Cement (India).—74-03899A
Comparative study of laminar and turbulent oxygen-acetylene flames for diamond deposition.—74-01645A
Controlling Btu input with high-velocity burners.—74-09647A
Development of an advanced, low-emissions, multifuel oxygen burner.—74-09650A
Effect of burner design and operating parameters on flame shape, heat transfer, NO_x and SO_3 cycles.—74-06849A
Emerging technologies for utilizing waste in cement production.—74-02324A
Energy-efficient high-temperature application of ceramics through the Best Practice Program.—74-09655A
Five years of industrial experience with the use of advanced ceramic components in burner systems.—74-09665A
Flat jet oxy-fuel burner for uniform heat transfer.—74-09666A
Flat-flame oxy-fuel burner technology for glass melting.—74-09667A
French crystal producers invest in energy-saving technology.—74-01154A
Heat transfer during burner rig thermal fatigue of ceramic matrix composites.—74-09572A
Kinetics of carbon burning out under ceramic annealing.—74-05818A
Lime burning process—between ecology and economy.—74-06861A
Low NO_x clinker production.—74-03917A
Methodology of estimation of fluorine compounds emissions in burning of terra cotta products.—74-00369A
Microscope—a method and tool to study lime burning and lime quality.—74-08072A
Microstructural characterization of burner rig thermal-fatigued SiC continuous fiber/Si_3N_4 ceramic composites.—74-09686A
Moisture resistant ceramic igniter for a burner.—74-09829P
New Ciments Francais/FCB low-NO_x precalciner: technological progress in the service of the environment.—74-09694A
New rotary kiln burner with only one primary air duct.—74-06865A
Next generation of burners for melting furnaces.—74-01168A
NO_x reduction in the Brevik Cement Works, Norway—trials with stepped fuel supply to the calciner.—74-08079A
NO_x reduction techniques for the ceramic industry.—74-09696A
Oxy-fuel glass melting with the Cleanfire burner.—74-01171A
Physical modeling tests on the effects of burner positions on the aerodynamic characteristics of gas flow in a glass furnace.—74-09702A
Pot furnaces with regenerative burners.—74-09706A
Reaction-bonded silicon carbide components for burners, radiant heating, and heat exchangers.—74-09708A
Reactivity and burnability of the cement raw mix and its influence on refractories specifications for the burning and transition zones of a rotary cement kiln.—74-08098A
Successful operation of the world's only 5000 tpd short rotary kiln.—74-09715A
Throughport burner generates heat transfer improvement.—74-01182A
Trends in the development of lime industry in the world.—74-08113A
Use of paper residues in rotary kilns.—74-09723A
Use of silicon carbide ceramic in high-performance radiant tube burners and low NO_x open flame burners.—74-09724A

bushings,
Bushing designs simplify shaft-mounted drive servicability.—74-02310A

cable,
Experimental study of the transport properties of a flexible high-T_c superconducting cable.—74-06541A

cadmium oxide,
Correlations between the optical and electrical properties of CdO thin films deposited by spray pyrolysis.—74-07149A
Deposition and properties of cadmium oxide films by activated reactive evaporation.—74-04538A
Glass formation area in a ternary ZnO-CdO-SiO_2 and an Al_2O_3 section of the quaternary (ZnO-Cd)-Al_2O_3-SiO_2 system.—74-02462A
Transparent conducting cadmium oxide thin films prepared by a solution growth technique.—74-04968A

cadmium selenide,
Blue/green ZnSe-ZnCdSe light-emitting diodes and photopumped laser structures grown by molecular beam epitaxy on ZnSe substrates.—74-02924A
Bound biexcitons in II-VI semiconductors.—74-08831A
CdSe nanocrystal formation in silica sonogels.—74-10212A
Comparison of quantum confinement effects on the electronic spectra of direct and indirect gap semiconductor nanocrystals.—74-08842A
Dynamic visible-to-infrared image-converting device and system.—74-02531A
Electrical properties of $(ZnTe)_x(CdSe)_{1-x}$ single crystals.—74-00606A
Fs coherent spectroscopy of bulk ZnSe and ZnCdSe/ZnSe quantum wells.—74-08918A
High-resolution photoluminescence studies of acceptor bound excitons in CdS/CdSe heterostructures under magnetic field.—74-03046A
MBE of $Zn_{1-x}Cd_xSe$/ZnSe quantum well structures on GaAs.—74-06197A
Measurement of the size-dependent hole spectrum in CdSe quantum dots.—74-03101A
Method for depositing solid ohmic contacts of CdSe and CdS crystals.—74-03834A
Migration-enhanced epitaxy and optical properties of ZnSe/CdSe digital alloy quantum wells.—74-04364A
Nanocrystalline photoelectrochemical cells: a new concept in photovoltaic cells.—74-00664A
Observation of three electronic transitions in Cd(S, Se) nanocrystals by modulation spectroscopy.—74-08977A
Phase diagram of the ZnSe-CdSe system in the subsolidus region.—74-01427A
Preparation of II-VI semiconductor nanocrystallites in a glass matrix using chalcogenizing agent: application to CdSe.—74-09010A
Properties of cadmium selenide thin films as a function of lateral distance from chromium contacts.—74-00692A
Spectroscopic characterization of band discontivity in free-standing CdZnS/ZnS strained layer superlattices.—74-09046A
Surface phonons and alloying effects in $(CdSe)_x(CdSe)_{1-x}$ nanospheres.—74-03243A
Thin-film cadmium selenide prepared from cadmium oxide by spray pyrolysis.—74-03251A
Transient photoluminescence (PL) in amorphous CdSe.—74-06364A
Transport and optical properties of CdSe-CdTe pseudobinary thin films.—74-04454A
Uhf photoconductivity of CdS and CdSe polycrystals.—74-06367A

cadmium sulfide,
Bound biexcitons in II-VI semiconductors.—74-08831A
Compositional analysis of CdS/SnO_2 films after heat treatments and $CdCl_2$ pretreatments.—74-07614A
Conductivity anisotropy induced by an electric field in CdS crystals.—74-02947A
Conversion of chemically deposited photosensitive CdS thin films to *n*-type by air annealing and ion exchange reaction.—74-08844A
Defect distribution in electron-irradiated CdS materials.—74-01939A
Dose dependence of the intensity of the green luminescence of CdS single crystals bombarded with electrons at E=1.2 MeV.—74-08865A
Dynamic visible-to-infrared image-converting device and system.—74-02531A
Dynamics of hot electrons "accumulated" in the velocity space of CdS with acoustic phonon interactions.—74-01941A
Effect of cadmium-to-sulfur ratio in the photoluminescence of CdS-doped glasses.—74-08367A
Effect of controlled change in intrinsic point defects and oxygen on the optical properties of CdS.—74-08870A
Electrical properties of a fluorinated polymer-CdS-metal Langmuir film junction.—74-08884A
Fabrication of CdS nanoparticles embedded in a polymer film by gas-aerosol reactive electrostatic deposition technique.—74-06097A
Formation of nanoscale size cadmium sulfide within a channel protein monolayer.—74-03020A
Formation of small-sized CdS_xSe_{1-x} crystals in sol-gel-derived SiO_2 glasses.—74-03022A
Growth of CdS nanocrystals in a silicate glass and in thin SiO_2 films in the initial stages of the phase separation of a solid solution.—74-05680A
High-resolution photoluminescence studies of acceptor bound excitons in CdS/CdSe heterostructures under magnetic field.—74-03046A
II-VI compound semiconductors for solar batteries.—74-08935A
Impact of MOCVD growth ambient on carrier transport, defects, and performance of CdTe/CdS heterojunction solar cells.—74-01946A
Improved CdS buffer/window layers for thin-film solar cells.—74-03056A
Investigation of photocurrent loss due to reflectance and absorption in CdTe/CdS heterojunction solar cells.—74-03074A
Method for depositing solid ohmic contacts of CdSe and CdS crystals.—74-03834A
Nanocrystalline photoelectrochemical cells: a new concept in photovoltaic cells.—74-00664A
Nonequilibrium phonon heating of CdS crystal excited by high-power optical pulses.—74-08969A
Observation of three electronic transitions in Cd(S, Se) nanocrystals by modulation spectroscopy.—74-08977A
One-phonon Raman scattering of CdS microcrystals embedded in a germanium dioxide glass matrix.—74-06234A
Photocurrent enhancement in a cadmium sulfide anode coated with Prussian blue.—74-00518A
Photoelectrochemical investigations on particulate films of CdS grown by novel electrochemical method.—74-03161A
Photovoltaic properties of sintered CdS/CdTe solar cells doped with Cu.—74-00683A
Preparation and characterization of MOCVD thin films of cadmium sulfide.—74-04820A
Preparation and processing of monodisperse colloidal silica-cadmium sulfide nanocomposites.—74-10548A
Preparation of CdS-doped glasses from gels containing diethyldithiocarbamatocadmium.—74-05784A
Self-connected CdS nanocrystals as precursors for anisotropic semiconducting films.—74-09033A
Self-inversion of emission lines of free excitons in CdS single crystals.—74-06306A
Slow decay of space-charge-limited current in CdS.—74-03219A
Stepwise growth of size-confined CdS in the 2-D hydrophilic interlayers of Langmuir-Blodgett films by the repeated sulfidation-intercalation technique.—74-04914A
Structural characterization of phosphide and related semiconductor nanoclusters.—74-00718A
Structure-phase diagram of the states of the system ZnS-CdS in the subsolidus region.—74-04220A
Superlattices of the PbS-CdS type formed by laser evaporation in vacuum.—74-02054A
Surface phonons and alloying effects in $(CdSe)_x(CdSe)_{1-x}$ nanospheres.—74-03243A
Uhf photoconductivity of CdS and CdSe polycrystals.—74-06367A
Unified description of Cu-related luminescence processes in II-VI semiconductors.—74-03258A
$Zn_xCd_{1-x}S$ thin films grown by ion-beam deposition.—74-06387A

cadmium telluride,
Carrier recombination in indium-doped HgCdTe(211)B epitaxial layers grown by molecular beam epitaxy.—74-02931A
Cathodoluminescence of CdTe:Fe.—74-05997A
CdTe detectors designed for computer X-ray tomography.—74-00575A
CdTe oxide films grown by radio frequency sputtering utilizing argon-nitrous oxide plasma.—74-04496A
CdTe/GaAs(100) heterojunctions—growth modification by thin silicon interface layers.—74-05998A
CdTe/GaAs(100) heterojunctions—growth modification by thin silicon interface layers.—74-05999A
Characteristic Zeeman patterns in novel graded gap II-VI quantum well structures.—74-05083A
Chemistry and electronic structure of the H_2 plasma passivated surface of CdTe.—74-08840A
Correlation of X-ray photoelectron spectroscopy and Rutherford backscattering spectroscopy depth profiles on $Hg_{1-x}Cd_xTe$ native oxides.—74-01051A
Crystal defects and interdiffusion behavior of $Hg_{1-x}Cd_xTe$/(100)CdTe epitaxial layers grown by chemical vapor transport.—74-06018A
Diffusion and electrical activity of indium in (Hg,Cd)Te.—74-07561A
Effect of band nonparabolicity on the hot electron longitudinal conductivity in *n*-$Hg_{1-x}Cd_xTe$ in the extreme quantum limit magnetic fields at low temperatures.—74-05125A
Electrical properties and compositional distributions of CVT and PVT grown $Hg^{1-x}Cd_xTe$ epilayers.—74-01511A
Exciton dynamics in multiquantum well CdTe-$Cd_{1-x}Mn_xTe$ systems.—74-05014A
Expression for intrinsic carrier concentration in $Hg_{1-x}Cd_xTe$.—74-08905A
Extraction of minority carriers in photoresistive $Cd_xHg_{1-x}Te$ crystals with various conductivities.—74-06092A
Giant Faraday rotation in $Cd_{1-x}Fe_xTe$.—74-08924A
Giant specular inverse Faraday effect in $Cd_{0.6}Mn_{0.4}Te$.—74-05016A
Growth of $Cd_xHg_{1-x}Te$ films by VPE of HgTe on CdTe substrates followed by interdiffusion.—74-03035A
Hole scattering mechanisms in $Hg_{1-x}Cd_xTe$.—74-06138A
II-VI compound semiconductors for solar batteries.—74-08935A
Impact of MOCVD growth ambient on carrier transport, defects, and performance of CdTe/CdS heterojunction solar cells.—74-01946A
Improved substrate temperature control for growth of twin-free cadmium mercury telluride by molecular beam epitaxy.—74-00637A
In situ characterization of rare-earth–CdTe heterostructures by ion beam analysis.—74-06146A
Influence of Ga on the low-temperature photoluminescence of diffusion-doped CdTe.—74-00638A
Influence of structure characteristics of epitaxial $Cd_xHg_{1-x}Te$ films on electrical and photoelectric properties after laser irradiation.—74-01948A
Integrated in situ monitoring of a metallorganic vapor phase epitaxy reactor for II-VI epitaxy.—74-04711A
Interface structure between Bi and CdTe in molecular beam epitaxially grown Bi/CdTe and Bi/$Bi_{1-x}Sb_x$ superlattices.—74-07669A
Inversion of the conduction in a ZnSe layer of an In_2O_3-ZnSe-$(Zn_{1-x}Cd_xTe)_{1-y}$ $(In_2Te_3)_y$-In heterostructure.—74-00643A
Investigation of photocurrent loss due to reflectance and absorption in CdTe/CdS heterojunction solar cells.—74-03074A
Light-controlled electric fields in a high-resistance MSM structure with deep impurity levels: I, Low intensities.—74-03086A
Light-controlled electric fields in a high-resistance MSM structure with deep impurity levels: II, High intensities.—74-06176A
Local modes of substitutional transition metal ions in II-VI semiconductors.—74-06180A

Mechanism of formation of a disturbed layer in *p*-CdTe under the action of ns laser pulses.—74-00654A
Mercury cadmium tellurium photodetectors fabricated by LPE and double B implantation for fiberoptic devices.—74-08952A
Modeling of growth rate uniformity of CdTe epilayer by MOCVD.—74-06210A
Molecular beam epitaxy growth of Bi epilayers and Bi-CdTe superlattices.—74-05033A
Multimode behavior of optical phonons in II-VI ternary and quaternary alloys.—74-03123A
Multistep rapid thermal annealing of boron- and indium-implanted $Hg_{1-x}Cd_xTe$.—74-07394A
n-type doping of the wide gap ternary alloy (CdMg)Te during molecular beam epitaxy.—74-08959A
Novelty optical filter with multilayer coating of ZnO-CdTe.—74-03131A
Observation of a vacancy change state in $Cd_{0.2}Hg_{0.8}Te$ by positron annihilation.—74-03133A
Observation of phase separation in $Hg_{1-x}Cd_xTe$ solid solutions by low incident angle X-ray diffraction.—74-07096A
Optical and magnetooptical phenomena on absorption edge of elastically stressed cadmium telluride.—74-06235A
Optical and photoelectric properties of CdTe:Fe and $Cd_{1-x}Fe_xTe$.—74-01549A
Passivation with SiO_2 on HgCdTe by direct photochemical vapor deposition.—74-01827A
Photorefractive response of CdTe:V under ac electric field from 1 to 1.5 μm.—74-03169A
Photovoltaic properties of sintered CdS/CdTe solar cells doped with Cu.—74-00683A
Precipitation of CdTe crystals studied through Mie scattering.—74-06271A
Processing and characterization of large-grain thin-film CdTe.—74-07445A
Properties of laser-deposited yttria films on CdTe and silicon substrates.—74-09016A
Reaction kinetics control in preparation of CdTe and HgCdTe by hot wall metallorganic vapor phase epitaxy.—74-03859A
Segregation of impurities and defects in $Hg_{0.8}Cd_{0.2}Te$ by laser annealing.—74-05048A
Self-compensation of the intrinsic conduction region of CdTe:Cl under conditions of two-phase equilibrium in a crystal-gas system.—74-01453A
Stabilized α-Sn grown at high temperature by molecular beam epitaxy.—74-05255A
State of dopant Ni in CdTe.—74-03225A
Stimulated emission and optical gain in CdTe/CdMnTe graded index separate confinement heterostructures.—74-03227A
Structural phase transformation and ground state properties of CdTe.—74-07121A
Surface reconstructions of (001)CdTe and their role in the dynamics of evaporation and molecular beam epitaxy growth.—74-01899A
Temperature dependence of the hole thermal emf in gapless HgCdTe and HgMnTe semiconductors.—74-09063A
Transformation of a system of defects near the surfaces of CdTe, $Zn_xCd_{1-x}Te$, and $CdTe_{1-x}Se_x$ crystals etched with argon ions.—74-00724A
Transient processes in n^+-p structures made of $Cd_xHg_{1-x}Te$.—74-00725A
Transport and optical properties of CdSe-CdTe pseudobinary thin films.—74-04454A
Tunnel effect as the cause of the current limited by contact emission in an In_2O_3-ZnSe-$(Zn_{1-x}Cd_xTe)_{1-y}$-$(In_2Te_3)_y$-In heterostructure.—74-00726A
Tunnel junctions in narrow-gap $Hg_{1-x}Cd_xTe$ barrier structures in a magnetic field.—74-09075A

cadmium,
Adsorption behavior of cadmium and zinc ions on oxide/water interfaces.—74-10057A
Band structure of deformed orthorhombic CdSb, ZnSb, and In_2Se_3 crystals—modeling of superlattices.—74-05987A
CdZnSe/ZnSe strained layer superlattices disordered by germanium diffusion.—74-05082A
Columnar microstructure of amorphous cadmium arsenide thin films.—74-07611A
Conditions of evaporation of copper and cadmium compounds from a photochromic glass melt.—74-02607A
Development of high-temperature once-fired red selenium-cadmium glaze.—74-08527A
Electrodes and battery cells.—74-08788P
Elementary excitations in crystals with unidimensional disorder.—74-04309A
Fine structure in the photosensitivity spectra of *n*-*p*-$CdSiAs_2$.—74-08913A
Group 12 thiolates—synthesis, characterization and decomposition pathways.—74-10372A
International perspective on decorating/heavy metals.—74-02244A
Melting behavior of glass batches with addition of cadmium-containing compounds.—74-05774A
Optical activity of $CdSnAs_2$ and $CdGeP_2$.—74-08982A
Optical properties of diluted magnetic semiconductor $Cd_{1-x-y}Mn_xMg_yTe$ [(0.05<x<0.65, 0.05<y<0.5)].—74-07178A
Parameters of the band spectrum, and electrical and magnetic properties of quaternary semimagnetic semiconductors of HgCdMnTe.—74-00677A
Quality control practices for determination of lead and cadmium in ceramic ware leach solutions by inductively coupled plasma-atomic emission spectroscopy [ICP-AES].—74-09607A
Rare earth-doped, stabilized cadmium halide glasses—74-00349P
Structure-dependent threshold current density for CdZnSe-based II-VI semiconductor lasers.—74-06334A
XPS study of aluminum and fluoride ions in the system Al-Cd-Pb-O-F.—74-07141A

calcia,
Atomic defects in yttria-stabilized and calcia-stabilized zirconia determined by mechanical loss measurements.—74-01934A
Ceramic ionic conductors based on stabilized zirconia.—74-08727A
Characterization and preparation of glass-ceramics in the system Fe_2O_3-CaO-SiO_2: I.—74-08406A
Coexistence of the Eu^{2+} and Eu^{3+} centers in the CaO:Eu powder phosphor.—74-01501A
Conductive paste.—74-02874P
Corrosion of stabilized zirconia with alkali metal carbonates.—74-02073A
Crystallization of glasses of the CaO-Fe_2O_3-B_2O_3 system.—74-02443A
Crystallization of glasses of the system CaO-Fe_2O_3-B_2O_3.—74-00192A
Effect of silica and calcia on the thermal conductivity of aluminum nitride.—74-07155A
Epitaxial solid-solution films of immiscible MgO and CaO.—74-10337A
Fabrication of Y_2O_3-ZrO_2 and CaO-ZrO_2 fibers by sol-gel process and their phase characterization by Raman microprobe.—74-04632A
Glass fiber composition with improved biosolubility.—74-08479P
Hydroxylation kinetics in lime clinkers.—74-02758A
Infrared and ultraviolet ray absorbing glass.—74-02677P
Magnetic and charge dynamics in a doped 1-D transition metal oxide.—74-07374A
Marble-like glass ceramic.—74-08484P
Microstructural examination and dielectric properties of $BaTiO_3$ with addition of CaO.—74-07687A
Mullite formation at the interface of CaO-Al_2O_3 fiber-reinforced Al-Si alloy composites.—74-10483A
New Bioglass ceramic for dental crown and veneer.—74-08445A
Phase equilibria of the calcium oxide–copper oxide system in oxygen at 1 atm.—74-07101A
Process for producing ceramic glass composition.—74-02693P
Structural transformation in Ca-based sorbents used for SO_2 emission control.—74-08110A
Subsolidus phase equilibria of the CaO-B_2O_3-BaO system.—74-04224A
Thermodynamic assessment of the CaO-MgO-Al_2O_3 system.—74-01481A
Thermodynamic investigations of Bi_2O_3-MO (M=Ca, Sr, and Ba) systems using galvanic cells.—74-01482A
Zirconia ceramic articles having a tetragonal core and cubic casing.—74-04008P

calciners/calcination,
Burning technology and thermal economy [in cement manufacture].—74-06843A
Calcination of large MFI-type single crystals: I, Evidence for the occurrence of consecutive growth forms and possible diffusion barriers arising thereof.—74-10206A
Capacity enhancement at Century Cement (India).—74-03899A
Dependence of calcination conditions of boehmite on the alumina particulate characteristics and sinterability.—74-07247A
Effect of dry-air calcination on the physicochemical properties of HZSM-5 zeolite.—74-10281A
Furnace for electrical calcination with fluidized bed.—74-01155A
Glass-ceramic waste forms for immobilization of the fluorinel-sodium, alumina, and zirconia calcines stored at the Idaho Chemical Processing Plant.—74-08428A
Hydroxyapatite bioceramics.—74-07344A
Kinetics of calcination in cement raw meal nodules.—74-08060A
Microwave calcination of conventionally and sol-gel-prepared lead zirconium titanate.—74-01799A
New 5000 t/d kiln plant with short rotary kiln and low NO_x calciner at Hualien, Taiwan.—74-06863A
New Montalieu burning line excels.—74-03714A
Organic-silica hybrid materials consisting of the double four-ring silicate structure as a building block.—74-10511A
Plasma hearth process—process residuals characterization.—74-09497A
Simultaneous calcination and sintering of $YBa_2Cu_3O_{7-x}$ in high magnetic fields.—74-06631A
State-of-the-art preheater design.—74-03932A

calcite,
Crystallization of $CaCO_3$ from $Ca(NO_3)_2$ solution: II, Effect of metallic ions on phase and morphology of $CaCO_3$.—74-07067A
Inorganic calcite morphology: roles of fluid chemistry and fluid flow.—74-01196A
Mineralogical stabilization of high magnesium calcite: geochemical evidence for intracrystal recrystallization within holocene porcellaneous foramifera.—74-01198A

calcium aluminate,
Application of magnetic susceptibility to study low iron substitution in tricalcium aluminate.—74-05462A
Calcium aluminate cements.—74-06890A
CaO-Al_2O_3-$CaSO_4$-H_2O system.—74-05469A
Carbonation of hydrothermally treated phosphate-bonded calcium aluminate cements.—74-05470A
Ceramic substrate sintered at low temperatures—74-00542P
Characteristics and structural evolution of low-silica calcium aluminate glasses.—74-08325A
Effect of SiO_2 on the properties of CaO-Al_2O_3 glasses.—74-08369A
Hydration and microstructure of CA_2 in the presence and in the absence of microsilica.—74-05528A
Hydration of C_3A and $C_2A(AF)$, separated from sulfate-resisant and white portland cement, under conditions of normal hardening and heat treatment.—74-05858A
Hydration products of calcium aluminoferrite in the presence of gypsum.—74-04683A
Incorporation and detection of chlorides in concretes attacked by deicing salts.—74-05532A
Influence of alkalis on the reaction kinetics of C_3A and the thermal stability of sulfoaluminates.—74-08050A
Long-term hydration of $CaSiO_4$ with combined additions of silica fume, calcium sulfoaluminate, and gypsum.—74-08063A
Mechanism of thermal surface deterioration of refractories [studied] using X-ray photoelectron spectroscopy.—74-05552A
Microstructure and mechanical behavior of an hibonite interphase in alumina-based composites.—74-10121A
Phase transformations during hydrothermal heating of tricalcium aluminate in liquid water.—74-05565A
Raw material blending and batching in the production of calcium aluminate cements.—74-08097A
Scope of the surface hydroxylation concept in the dissolution process of anhydrous oxides.—74-08106A
Studies on the formation kinetics of calcium sulfoaluminate.—74-05592A
Synthesis and properties of $CaAl_2O_4$-coated Al_2O_3 microcomposite powders.—74-10163A

calcium fluoride,
Calcium fluoride for high-performance optics—problems and solutions.—74-07016A
Comparative study of hypersonic dynamics in CaF_2 and SrF_2 films on Si(111).—74-00110A
Electrical and mechanical properties in CaF_2/SiC-whisker composites.—74-10985A
Molecular beam epitaxial growth of GaAs on CaF_2/Si(111) substrates.—74-04763A
Probing the CaF_2 density of states at Au/CaF_2/*n*-Si(111) interfaces with photoelectron spectroscopy and ballistic electron emission microscopy.—74-07719A
Probing the CaF_2 density of states at Au/CaF_2/Si(111) interfaces with photoelectron spectroscopy and ballistic-electron emission microscopy.—74-06277A
Radiation damage of epitaxial CaF_2 overlayers on Si(111) studied by photon-stimulated desorption: formation of surface F centers.—74-03192A

calcium phosphate,
Calcium phosphate apatites in nature.—74-09763A
Calcium phosphate deposition in rat kidneys.—74-09764A
Carbonation of calcium phosphate cements after long-term exposure to Na_2CO_3-laden water at 250°C.—74-00037A
Characterization and Performance of Calcium Phosphate Coatings for Implants.—74-11199B
Characterization of mineral phases in cardiovascular calcification.—74-09771A
Chemical properties of various hydroxyapatite powders for industrial production.—74-06962A
Compatibility of oxide ceramic materials as components in biomedical engineering: I.—74-09773A
Constant-composition study of the precipitation behavior of calcium phosphate in the presence of noncollagenous biochemicals.—74-10236A
Formation and dissolution mechanisms of calcium phosphates in aqueous systems.—74-10358A
Formation of solid solutions in the system CaO-P_2O_5-SO_3-H_2O.—74-08032A
Hydraulic cement for biological uses.—74-09782A
Implant material—74-01255P
Isolation of calcium phosphate crystals of mature bovine bone by reaction with hydrazine at low temperature.—74-09789A
Octacalcium phosphate carboxylates: V, Incorporation of excess succinate and ammonium ions in the octacalcium phosphate succinate structure.—74-09793A
Phase diagram of wollastonite–tricalcium phosphate.—74-07100A
Preparation of calcium phosphate powders by water extraction variant of sol-gel process.—74-10556A
Preparation of porous ceramics with calcium metaphosphate fiber skeleton for biomedical use.—74-00312A
Stability of calcium phosphate ceramics and plasma-sprayed coating.—74-06999A
Structural investigations on laser deposited hydroxyapatite films.—74-00153A
Submillimeter-wave EPR of Cu^{2+} spins in $Ca(PO_3)_2$ glass.—74-02587A
Synthetic bone mineral analog as a substrate for biological research.—74-03879A
Thermal conduction behavior of $(Ca,X)Zr_4(PO_4)_6$ ceramic (X=Li, Mg, Zr).—74-10169A
XPS study of apatites and related calcium phosphates.—74-10905A

calcium silicate hydrate,
^{29}Si and ^{27}Al MAS-NMR study of stratlingite.—74-07032A
Ac impedance phenomena in hydrating cement systems—origin of the high-frequency arc.—74-05460A
Carbonation of concrete structures and the decomposition of C-S-H.—74-02746A
Chemical conversion of C-S-H in concrete.—74-02314A
Model for the developing microstructure in portland cement pastes.—74-02339A
Synthetically prepared hydrous alkali calcium silicates.—74-05603A

calcium silicate,
^{29}Si MAS NMR study of dicalcium silicate: the structural influence of sulfate and alumina stabilizers.—74-10753A
$3CaO·SiO_2$ hydration under low temperatures.—74-03892A
Calcium silicate carbonation products.—74-09972A
Favorable properties of high-temperature glass fiber insulating material by improved chemistry.—74-00386A
Formation of the anion structure of calcium hydrosilicates in hardening of slag cements.—74-02457A
Heavy metallic ions—removing characteristics of gyrolite.—74-08038A

Interactions between chemical evolution (hydration) and physical evolution (setting) in the case of tricalcium silicate.—74-02335A
MAS/NMR studies of the hydration process of β-C_2S [dicalcium silicate] in the presence of chromium.—74-05546A
Microchemical engineering: the influence of calcium titanium silicate on semiconductive $BaTiO_3$.—74-00656A
Porous silica microcapsule.—74-09796A
Process for the production of calcium hydrosilicate bonded shaped articles—74-00104P
Redox equilibria of iron in Ti-bearing calcium silicate quenched glasses.—74-02487A
Scope of the surface hydroxylation concept in the dissolution process of anhydrous oxides.—74-08106A
Stability of β-Ca_2SiO_4 doped by minor ions.—74-05588A
Study of press-forming mechanism of calcium silicate brick.—74-08588A
Thermal insulation properties of hollow masonry envelope of calcium silicate brick.—74-02741A

calcium titanate,
Microwave dielectric ceramic composition.—74-08807P

calcium,
Activation effects of $Ca(OH)_2$ on hydration of glassy gehlenite.—74-00032A
Alkali resistance and crystallization of calcium aluminosilicate glasses.—74-02430A
Annealing effects on transport and magnetic properties of perovskite-type vanadium oxide $CaVO_3$.—74-04251A
Atomic structure and spectral characteristics of $LiCaAlF_6$:Cr single crystals.—74-07039A
Biomimetic processing of calcium carbonate–chitosan composites.—74-07212A
Ca segregation to basal surfaces in α-alumina.—74-10761A
Chemistry and structure of calcium-containing coatings and modified surfaces for titanium alloy orthopedic prostheses.—74-09772A
Crystal growth and transition of calcium carbonate by homogeneous precipitating reaction in $CaCl_2$-$(NH_2)_2CO$-urease system.—74-07243A
Crystal structure of $CaAl(Al,V,M^I)_2(V,M^{II})(Si,Al)_2O_{10}$ disomatic phase with variable composition where M^I=Mg and M^{II}=Al, Fe, Mn, Ti, Mg—polytype modifications and structural homologues of this phase.—74-07056A
Crystal structure of jaffeite.—74-07058A
Crystal structure of new natural Na, Ca borate hydroxide. $NaCa_2[B_9O_{14}(OH)_4]\cdot 2H_2O$.—74-07062A
Crystal structure of synthetic La-containing fersmite.—74-04118A
Crystal structures of double pyrovanadates $CaMgV_2O_7$ and $CaCoV_2O_7$.—74-04119A
Development and applications of basic high-calcium fly ash cement.—74-00047A
Dielectric ceramic composition and dielectric resonator.—74-02875P
Effect of calcium content on the discharge characteristics of $Ca_xLa_{1-x}CrO_3$ thick-film cathodes for use in dc-type plasma display panels.—74-06050A
Effect of ethanol on the solubility of hydroxyapatite in the system $Ca(OH)_2$-H_3PO_4-H_2O at 25°C and 33°C.—74-09778A
Electrical conductivity and defect structure of calcium-doped lanthanum chromites.—74-00604A
Electrical properties of Ca-β″-alumina-based composites.—74-04302A
Epitaxial layers of 2122 BCSCO superconductor thin films having single crystalline structure.—74-09365P
Evolution of domain size and crystal strain in calcium-modified lead titanate ceramics during poling.—74-03303A
EXAFS studies of rare-earth-doped calcium sulfide thin films.—74-05140A
Faraday effect in a single magnetic sublattice garnet $Ca_3Fe_2Ge_3O_{12}$.—74-03378A
Ferrobismuthates of calcium, barium, and lead.—74-00775A
Formation and coagulation of vaterite in reaction of $Ca(OH)_2$-CH_3OH-H_2O-CO_2 system.—74-07317A
Formation of calcium lanthanum sulfide [CLS] by carbonate coprecipitation and CS_2 sulfurization.—74-04645A
Formation of hydroxyapatite in cement systems.—74-08031A
Formation of infinite-layered $(Ca_{1-x}Sr_x)CuO_2$ and $NaCuO_2$-type $(Ca_{1-x}Na_{1-0.85x})CuO_2$ in tartrate route.—74-03467A
Heterogeneous nucleation of calcium oxalate of native oxide surfaces.—74-10381A
High-temperature fracture mechanism of low-Ca-doped silicon nitride.—74-05364A
High-temperature superconductor step-edge Josephson junctions using Ti-Ca-Ba-Cu-O.—74-03629P
Influence of calcium addition on the microstructure and electrical properties at room temperature of $BaTiO_3$ for PTC thermistors.—74-06152A
Influence of microstructure on piezoelectric behavior of calcium-modified lead titanate ceramics.—74-03314A
Low-temperature internal friction spectrum of Ca-doped $YBa_2Cu_3O_{6+x}$.—74-06573A
Micromechanism of ambient temperature cyclic fatigue loading in a composite of CAS glass-ceramics reinforced with Nicalon fibers.—74-02563A
Morphology and calcium deficiency of electrochemically deposited apatite.—74-01410A
Mossbauer spectrometric study of the perovskite $CaFe(IV)O_3$ by means of a $^{119}Sn(IV)$ dimagnetic probe.—74-06471A
Novel Hg system high-T_c superconductor (HTSC) with Ca.—74-09312A
Oxide superconductor comprising Cu, Bi, Ca and Sr—74-00876P
Pathological crystallization of calcium oxalate and calcium phosphate.—74-09795A
Phase composition and structure of specimens in the ZrO_2-CaO system after aging.—74-04803A
Phase formation when brucite is heated.—74-03949A
Poling fatigue in modified lead titanate ferroelectric ceramics.—74-03337A
Polymorphism of calcium sulfoaluminate ($Ca_4Al_6O_{16}$, SO_3) and its solid solutions.—74-08084A
Precise determination of the chemical diffusion coefficient of calcium-doped lanthanum chromites by means of electrical conductivity relaxation.—74-07185A
Process for preparing superconducting material—74-00878P
Quadratic magnetic rotation of polarization plane of light in antiferromagnetic CaMnGe garnet.—74-03402A
Refined crystal structure of cavansite.—74-04206A
Role of interfacial chemistry in surface nucleation and growth of calcium oxalate monohydrate.—74-09798A
Scapolites—crystal structure of marialite (Me_{11}) and meionite (Me_{88}), space group as composition function.—74-04208A
Silicon carbide/calcium aluminosilicate: a notch-insensitive ceramic-matrix composite.—74-02199A
Simple method for estimation of calcium in minerals by wet chemical analysis.—74-09616A
Sol-gel-processed CaO-Al_2O_3—properties, crystallization, and structural evolution.—74-04904A
Structural refinements of orthorhombic $(La_{1-x}Ca_x)_2CuO_4$ (x=0.05).—74-04217A
Structure of hydrated and dehydrated (250°C) forms of Ca chabazite.—74-07124A
Structure of Na- and Ca-β″-Al_2O_3 coatings on α-Al_2O_3 single-crystal platelets.—74-05274A
Synthesis of $CaZrO_3$, perovskite-type, by sol-gel methods.—74-04938A
Synthesis of the carrier-doped infinite-layer films by rf thermal plasma evaporation.—74-09352A
Tectoaluminosilicate cement and a process for its manufacture.—74-02360P
Thermodynamic assessment of the Ca-Cu-O system.—74-10044A
Thermodynamics of hot corrosion of SiC/CAS composite.—74-10941A

calculations,
Accounting for secondary extinction in highly anisotropic single crystal.—74-07034A
Attractive interactions and phase separation in the Cu_4O_8 cluster with infinite on-site repulsion: a comparison with analytical solution for the CuO_2 plane.—74-02918A
Calculation of heating patterns in microwave sintering using a 3-D finite difference code.—74-10207A
Calculation of the limiting parameters for oxide ceramic particles during HVOF spraying.—74-10208A
Comparison of fracture mechanism maps with the Larson-Miller method of predicting lifetime.—74-10952A
Computer software for chemical and extractive metallurgy calculations.—74-00905A
Effects of the tip shape on scanning tunneling microscope images: first-principles calculations.—74-06764A
First-principles study of the optical properties of SiC.—74-08914A
New criterion of hardness for materials with rocksalt structure.—74-01546A
Phase transitions in $BaTiO_3$ from first principles.—74-06429A
Self-consistent calculations in silicon carbide inversion layers.—74-10153A
Shear vibrations of quartz rods and resonators on their basis.—74-07113A
Simulation of the space-time evolution of nonequilibrium phonons in GaAs by the Monte Carlo method.—74-09038A
Temperature dependence of ac hopping conductivity.—74-07191A
Thermochemical data for CVD modeling from ab initio calculations.—74-07535A

calorimeters/calorimetry,
Anomalies in low-temperature calorimetric properties of Pb chalcogenides.—74-04989A
Precision-controlled cooling of a differential scanning calorimeter (DSC).—74-01093A
Thermodynamic studies on $YBa_2Cu_3O_{7-\delta}$ and Y_2BaCuO_5 by solution calorimetry.—74-03608A

capacitors,
Achievement of amorphous germanium oxide based capacitors by PVD.—74-08721A
Application of a mixed oxide capacitor to the selective carbon dioxide sensor, II: CO_2 sensing characteristics of a CuO-based oxide capacitor.—74-00457A
Ceramic capacitor arrays—a new approach.—74-08725A
Ceramic dielectric compositions and capacitors produced therefrom.—74-02871P
Characterization of metal-oxide-semiconductor capacitors with improved gate oxides prepared by repeated rapid thermal annealings in N_2O.—74-02823A
Development and characterization of a high dielectric constant paste based on $BaTiO_3$ for use in thick-film capacitors.—74-08739A
Developments in ferroelectric ceramics for capacitor applications.—74-06400A
Dielectric materials for high-capacitance, multilayered ceramic condensers.—74-08741A
Effect of barrier layers on $BaTiO_3$ thin-film capacitors on Si substrates.—74-01508A
Effect of negative air corona stress on metal oxide semiconductor capacitors.—74-05930A
Electrode/dielectric strip for high-energy-density capacitor.—74-05935A
Enhanced fatigue and retention in ferroelectric thin film memory capacitors by post-top electrode anneal treatment.—74-03356P
Failure of Al-SiO-Si metal oxide semiconductor capacitors at high temperatures.—74-00492A
High energy density lead magnesium niobate-based dielectric ceramic and process for the preparation thereof—74-00552P
Intercrystalline semiconductive ceramic capacitor.—74-08798P
Investigation of low-temperature-fired strontium titanate multilayer grain-boundary layer capacitors [MBLC's].—74-02844A
Method for forming a ceramic oxide capacitor having barrier layers.—74-08802P
Method for manufacturing a semiconductor device.—74-02888P
Model for electrical conduction in metal-ferroelectric-metal thin-film capacitors.—74-02852A
Modeling of the metal-ferroelectric-metal capacitor: I, Theoretical considerations.—74-09156A
Modeling of the metal-ferroelectric-metal capacitor: II, Experimental verifications.—74-08759A
Monolithic multiple capacitor.—74-02893P
Semiconductor device having a ferroelectric capacitor with a planarized lower electrode.—74-09190P
Stacked capacitor with a thin film ceramic oxide layer.—74-02899P
Storage capacitor with a conducting oxide electrode for metal-oxide dielectrics.—74-08815P
Thermal shock cracking resistant multilayer ceramic capacitor termination compositions.—74-02900P
Thin film capacitor.—74-03362P
Ultrathin tantalum oxide capacitor process using oxygen-plasma annealing.—74-05968A

capillarity,
Analysis of capillary-driven viscous flows during the sintering of ceramic powders.—74-06736A
Compact and inexpensive quartz capillaritron source.—74-00903A
Dual-capillary method for modern-day viscometry.—74-03798A
Mechanochemical capillary reactions in the $CaSO_4$-H_2O-Al_2O_3 system.—74-05554A

carbides,
Abrasion and erosion wear resistance of Cr_3C_2NiCr coatings prepared by plasma, detonation, and high-velocity oxy-fuel spraying.—74-08122A
Adhesion of CVD-deposited alumina on cemented carbides.—74-07586A
Aluminum carbide (Al_4C_3) in precursors for $YAlO_3$ crystal growth.—74-10189A
Atomic defects in transition metal carbides and SiC studied by positron annihilation.—74-10722A
Boride, carbide, nitride, oxynitride, and silicide infiltrated electrochemical ceramic films and coatings and the method of forming such.—74-04031P
Bulk superconductivity at an elevated temperature (T_c≈12 K) in a nickel-containing alloy system Y-Ni-B-C.—74-03419A
Carbide or boride coated rotor for a positive displacement motor or pump.—74-08300P
Cast tools take the plunge.—74-02284A
Characterization of diamond films on binderless W-Mo composite carbide.—74-07223A
Combustion synthesis of superconducting $NbN_{1-x}C_x$.—74-03429A
Comparison of the characteristics of HVOF and plasma thermal spray.—74-10233A
Correlating tool wear, tool life, surface roughness, and tool vibration in finish turning with coated carbide tools.—74-08149A
Correlations between process parameters, chemical structure, and electronic properties of amorphous hydrogenated Ge_xC_{1-x} films prepared by plasma-enhanced chemical vapor deposition in a three-electrode reactor.—74-04530A
Crystal structure of low-temperature ordered modification of Nb_2C carbide.—74-07060A
Development of CVR coatings for PBR fuels.—74-10264A
Fine nonoxide ceramic powders.—74-09918P
Fretting wear of selected ceramics and cermets.—74-08196A
Gradient furnace carbon analyzer: I, Carbon profiles of graphite and various carbides.—74-03910A
Growth and stability of CVD codeposited nanocomposite SiC-TiC-C.—74-05152A
Growth of hollow Cr_3C_2 polycrystals with Cr_2O_3.—74-07333A
High temperature ceramic composite—74-01320P
High-temperature intermetallic binders for HVOC carbides.—74-08206A
Improvement of three-body abrasive wear of plain carbon steel by thermochemical treatments.—74-08209A
In situ high-temperature X-ray diffraction studies of nanocrystalline iron carbides.—74-05021A
Influence of severe plastic deformation on structure and phase composition of carbon steel.—74-03065A
Insulating monolithic refractory material, manufacturing process and article according to the process—74-00410P
Interaction of diamond with molybdenum during ion plasma deposition.—74-04712A
Investigation of cobalt behavior during diamond deposition on cemented carbides.—74-04716A
Investigation of erosion-resistant Cr_4C_3 coatings sprayed with the high pressure HVOF process.—74-10919A
Investigation of the role of secondary carbide in martensitic steel during three-body abrasion wear.—74-02286A
Ion implantation of cobalt-tungsten carbide tools for machining titanium.—74-08226A
Ion plating: optimum surface performance and material conservation.—74-03702A
Keeping cobalt in its place.—74-03704A
Mechanofused metal-carbide-oxide cermet powders for thermal spraying.—74-08230A
Metallic chemical vapor deposition: new deposition technologies.—74-02250A
Metallurgical study of erosive wear in a 105 mm tank gun barrel.—74-04162A
Method for making submicrometer carbides, submicrometer solid solution carbides, and the material resulting therefrom.—74-09933P
Method of producing ceramic composite bodies.—74-02422P
Modeling of tool wear based on cutting forces in turning.—74-02179A

Morphologies and adhesion strength of diamond films deposited on WC-6% Co cemented carbides with different surface characteristics.—74-02029A
New route to stabilized cementite—refinement of the crystal structure.—74-07400A
Nonoxide metal ceramic catalysts comprising metal oxide support and intermediate ceramic passivating layer—74-01329P
Nonstoichiometric transition metal carbides—synthesis, properties, and potential areas of application.—74-09882A
Nucleation and growth of diamond on cemented carbides by hot-filament chemical vapor deposition.—74-01817A
Organometallic chemical vapor deposition of transition metal carbides—the use of homoleptic alkyls.—74-10512A
Parameters controlling the sand blasting of substrates for plasma spraying.—74-10514A
Plasma production of ultrafine ceramic carbides.—74-04074P
Preparing tools for PVD coating.—74-03726A
Process for producing ceramic compositions.—74-09952P
Process for the production of a composite material protected against oxidation and material obtained by this process.—74-04085P
Properties and applications of CDS [continuous detonation spraying] coatings.—74-06719A
Properties of aluminum carbide powder prepared by the pyrolysis of alkylaluminum.—74-04849A
PVD today.—74-04854A
Rapidly solidified high-strength deposits of Fe-C base alloys produced by low pressure plasma spraying.—74-08262A
Reflection high-energy electron diffraction patterns of carbide-contaminated silicon surfaces.—74-02038A
Report on the 19th Annual Meeting of the Society for Biomaterials in conjunction with the 25th International Biomaterials Symposium.—74-02272A
Shock fracture replicas for thin-film microstructure investigation in a transmission electron microscope.—74-05245A
Single point cutting tool.—74-04090P
Sintering of nanograined Fe-(Fe, Mo)$_6$C powder compacts.—74-01887A
Sonochemical synthesis and catalytic properties of nanostructured molybdenum carbide.—74-07488A
Structural and surface characterization of ultrafine iron carbide particles generated by laser pyrolysis: I, High-temperature He treatment.—74-02048A
Structural systematics of cubic binary carbides and nitrides.—74-07122A
Structure and magnetic properties of $(Sm_{1-x}Nd_x)_2Fe_{14}Ga_3C_2$ (x=0.05) compounds prepared by arc melting.—74-09223A
Synthesis and characterization of nanophase metal, M, and metal carbide, M_2C, particles of the group 6 elements, Cr, Mo, and W.—74-10668A
Synthesis and processing of nanograined Fe-(Fe,Mo)6C composite powders.—74-07509A
Synthesis of Fe-C compounds under the influence of laser radiation.—74-04942A
Synthesis of titanium silicon carbide.—74-04948A
Thermodynamic and experimental study of the chemical vapor codeposition in the silicon-boron-carbon system at 1400 K.—74-07137A
Vanadocene used as a precursor for the chemical vapor deposition of vanadium carbide at atmospheric pressure.—74-07549A
X-ray waveguide structures of thin metal-carbon layers.—74-07792A

carbon dioxide,
Adsorption of CO_2 on transition metals and metal oxides.—74-01610A
Binder removal with supercritical CO_2.—74-04484A
Carbon dioxide reduction to alcohols using perovskite-type electrocatalysts.—74-01218A
CO_2-laser-induced gas phase synthesis of micron-sized diamond powders: recent results and future developments.—74-01637A
Cw 20-kW SAGE CO_2 laser for industrial use.—74-01052A
Diamond synthesis by CO_2 laser irradiation.—74-01679A
Fixation mechanism of carbon dioxide on oxide semiconductors by current transients.—74-01733A
Problem of CO_2 emission from clinker manufacturing process.—74-02348A
Reduction of CO_2 on fluorine-doped SnO_2 thin-film electrodes.—74-00528A
Solubilities of CO_2 in candidate glasses for nuclear waste immobilization: I, Systems Cs_2O+SiO_2, Cs_2O+B_2O_3, Rb_2O+SiO_2, and Na_2O+B_2O_3.—74-05696A
Studies on the mechanism of the reaction of activated carbon fibers with oxidants.—74-07826A
Surface cleaning with the carbon dioxide snow jet.—74-04930A

carbon fibers,
Activated carbon fiber: fundamentals and application.—74-07011A
Atomic structure of ultrahigh modulus carbon fibers.—74-05075A
Carbon fibers in nature.—74-06891A
Carbon-fiber-reinforced concrete as an intrinsically smart concrete for damage assessment during dynamic loading.—74-02311A
Characteristics of $KMnO_4$-modified PAN fibers: its influence on the resulting carbon fibers' properties.—74-07220A
Characterization of low thermal conductivity PAN-based carbon fibers.—74-07607A
Chemical vapor deposition of silicon carbide on mesophase pitch-based carbon fibers.—74-04512A
Coating of carbon fibers—the strength of the fibers.—74-02104A
Effect of atomic hydrogen on diamondlike carbon film production.—74-03685A
Effect of atomic oxygen on the mechanical properties of highly graphitized carbon fibers.—74-07862A
Effect of carbon fiber surface on interfacial adhesive strengths in CFRP.—74-01981A
Effect of catalyst seeding on formation of vapor-grown carbon fibers.—74-04569A
Effect of electrolytic oxidation on the surface chemistry of type A carbon fibers: I, X-ray photoelectron spectroscopy.—74-07636A
Effect of fiber length on fracture toughness and notched strength of short carbon fiber/epoxy composites.—74-05339A
Effect of lamination method of plasma-treated carbon fiber on mechanical properties of CFRC.—74-10286A
Evolution of a nonplanar oxidation front in receding carbon fibers.—74-10914A
Fabrication and characterization of three-dimensional carbon-fiber-reinforced silicon carbide and silicon nitride composites.—74-10342A
Highly stable fluorine-intercalated graphite fibers coated with graphite fluoride film.—74-09873A
Interfacial structure and reaction of carbon fiber/lithium aluminum silicate glass-ceramic composites.—74-10830A
Lightweight, highly thermally conductive composites for space radiators.—74-09876A
Mechanical performance of carbon ligament/tendon prosthesis.—74-05729A
Mechanical properties and pore structure of carbon-fiber-reinforced cementitious composites.—74-05548A
Mechanical properties of carbon fiber/ceramic composites prepared for borosiloxane with high boron content.—74-09879A
Nanospace deformation in active carbon by heat treatment.—74-10740A
New method for continuously producing long vapor-grown carbon fibers at high growth rates.—74-04773A
Oriented microchannel membranes via oxidation of carbon-fiber-reinforced glass composites.—74-04795A
Passivation of carbon fiber by diamond deposition.—74-07410A
Physical properties of vapor-grown carbon fibers.—74-04806A
Preparation of silicon carbide fiber from activated carbon fiber [ACF] and gaseous silicon monoxide.—74-10567A
Production and structure of pyrolytic carbon nanotubes (PCNT's).—74-00977A
Pseudo-3-D reinforcement with stretch-broken carbon fibers in a borosilicate glass matrix.—74-08389A
Recent trends of carbon fiber technology from mesophase pitch: I, The new methods for high performance and improved properties.—74-10608A
Role of sulfur in the production of carbon fibers in the vapor phase.—74-07472A
Rotation and extension of crystallites in carbon fibers by tensile stress.—74-07111A
Scanning probe microscopy of carbon fiber surfaces.—74-05237A
SiC- and carbon-fiber-reinforced glass under alternating bending stress loadings.—74-00277A
Strength studies of single carbon fibers in model composite fragmentation tests.—74-04428A
Strengthening of CFRC by plasma treatment with mixed gas of oxygen and CF_4.—74-11099A
Structural changes of carbon fibers in biological environment.—74-07027A
Studies of the effect of size on carbon fiber surfaces.—74-03871A
Studies on the mechanism of the reaction of activated carbon fibers with oxidants.—74-07826A
Thermal residual strains in carbon fiber-reinforced aluminum laminates.—74-04448A
Thermodynamic and experimental conditions for the fabrication of a boron carbide layer on high-modulus carbon fiber surfaces by RCVD [reactive CVD].—74-04962A
Torsional properties of carbon fibers.—74-05394A
Use of polyfactor experimental design for creation of a porous structure of ceramic biomaterial based on Al_2TiO_5.—74-07028A

carbon monoxide,
Behavior of a new ZrO_2-MoO_3 sensor for carbon monoxide detection.—74-00570A
Controlling Btu input with high-velocity burners.—74-09647A
Effects of Na_2CO_3 addition on the gas sensing characteristics of CuO/ZnO heterocontact.—74-06060A
High-temperature carbon monoxide potentiometric sensor.—74-01066A
Infrared study of CO on NiO(100).—74-05166A
Preparation of Co_3O_4 thin films by sputter deposition for the detection of CO in air.—74-06275A
X-ray photoelectron spectroscopy/Fourier transform infrared spectroscopy study of the interaction of $YBa_2Cu_3O_x$ with CO, NO, and H_2+CO.—74-03618A

carbon oxides,
Reinforced silicon carboxide composite with boron nitride coated ceramic fibers.—74-02697P

carbon,
Absorption spectrum of optical glass doped with fullerenes.—74-02509A
Ambiguous doping effects in amorphous hydrogenated carbon films prepared by PACVD.—74-04475A
Amorphous carbon—biomaterial for implant coatings.—74-04010A
Amorphous hydrogenated carbon films elaborated by plasma-assisted chemical vapor deposition— characterization of composition by nuclear methods.—74-04476A
Amorphous semiconductors: deposition chemistry and bonding.—74-02909A
Analytical model for determining free carbon in fine SiC powders in the presence of free silicon.—74-01037A
Artificial magnetic particles in Fe/C medium modulated in composition.—74-03365A
Aspects of diamond synthesis.—74-10200A
Assessment of carbon contamination in titanium nitride films deposited from the reaction of titanium(IV) chloride and amines.—74-10201A
Benefits of automated lubrication confirmed in France.—74-01281A
Binder burnout in ceramics.—74-10723A
Binding energies for carbon atoms and clusters deposited on the Si(100) surface.—74-05989A
Bipolar transistor action from an amorphous carbon/silicon heterojunction emitter.—74-08830A
Breakdown of a-C coatings on ion-implantation-modified metal alloys with a jet of abrasive particles.—74-04488A
Carbon p+ doping of molecular beam epitaxial GaAs films using carbon tetrabromide.—74-02927A
Carbon composite refractories.—74-08611A
Carbon determination in small amounts of ceramic powder by coulombic titration.—74-09556A
Carbon diffusivity in copper selenide.—74-04991A
Carbon doping by a compact electron beam source.—74-02928A
Carbon doping of InGaAs in solid-source molecular beam epitaxy using carbon tetrabromide.—74-02929A
Carbon fiber reinforced silicon nitride based nanocomposite material and method for preparing same.—74-04034P
Carbon fiber-reinforced concrete as an electrical contact material for smart structures.—74-08833A
Carbon fiber-reinforced concrete for smart structures capable of nondestructive flaw detection.—74-09850A
Carbon filament source for p-type doping in molecular beam epitaxy.—74-06741A
Carbon film coated glass.—74-08469P
Carbon from phenolic resins: carbon yield and volatile contents—recent studies.—74-04494A
Carbon-bearing ramming mix for steelmaking furnaces.—74-09643A
Carbon/boron nitride composites: an alternative to carbon/carbon.—74-09852A
Carbonaceous surface layers deposited on TiN coatings by ion implantation.—74-05081A
Ceramic bonding method.—74-09910P
Characteristics of a-C:H:Si films deposited by rf sputtering under various deposition conditions.—74-04499A
Characterization and molecular behavior in carbon nanospaces.—74-10764A
Characterization of active carbons by different models.—74-04260A
Characterization of catalytically synthesized turbostratic carbon films used for improved rates of diamond nucleation.—74-01964A
Characterization of interfaces between hydrogenated amorphous carbon films and steel substrates using high-resolution cross-sectional transmission electron microscopy.—74-08140A
Characterization of sol-gel-derived composite silica carbon electrodes.—74-09857A
Characterization of thin diamondlike carbon films by ultrasonic surface waves.—74-09558A
Characterization of wear surfaces in dry sliding of steel and alumina on hydrogenated and hydrogen-free carbon films.—74-05615A
Clay-carbon adsorbent derived from spent bleaching earth: surface characterization and adsorption of chlorophenols from aqueous solution.—74-04105A
Comparative Hall mobilities of ion-implanted boron and implanted carbon plus boron in insulating diamond.—74-00467A
Comparative investigation of damage in two types of SiC/C/SiC composite materials under uniaxial tensile loading.—74-07842A
Comparison of laser and O_2 plasma etching of diamondlike carbon films.—74-01646A
Composition and performance of hydrogenated carbon overcoats on magnetic storage disks.—74-10070A
Composition and physical properties of thin a-C:H and a-C:N:H films deposited by ion beam techniques.—74-07148A
Correlation between the surface chemistry and the performance of Li-carbon intercalation anodes for rechargeable "rocking-chair"-type batteries.—74-07018A
Correlation of structure and optical properties of an annealed hydrogenated amorphous silicon-carbon alloy film.—74-07618A
Deposition mechanism for promoting sp^3 bonding in diamondlike carbon.—74-10259A
Deposition mechanism of diamondlike a-C and a-C:H.—74-04539A
Deposition of carbon films by a filtered cathodic arc.—74-10260A
Deposition of diamondlike carbon films and other materials processes using a solar furnace.—74-01665A
Determination of adhesion strength between a carbon film and a polymeric substrate.—74-05334A
Development of Al_2O_3-C brick for blast furnaces.—74-02709A
Development of light-burned vacuum pitch impregnated magnesia-carbon brick.—74-02712A
Diamond CVD: a comparison between methane and methanol as carbon sources.—74-04547A
Diamond synthesis by CO_2 laser irradiation.—74-01679A
Diamond- or diamondlike carbon-coated hard materials.—74-09915P
Diamondlike carbon coatings for biomedical applications.—74-04554A
Direct electrochemical conversion of carbon to electrical energy in a high-temperature fuel cell.—74-00478A
DLC film deposition by Laser-Arc and study of properties.—74-03684A
Dynamics of amorphous carbon film growth by pulsed laser deposition—kinetic energy of the incident particles.—74-05121A

Effect of boron substitution in carbon on the intercalation of lithium in $Li_x(B_yC_{1-y})_6$.—74-07266A
Effect of carbon and boron on the high-temperature oxidation of silicon carbide.—74-07806A
Effect of carbon concentration on the properties of the structure network in a-$Si_{1-x}C_x$:H.—74-08869A
Effect of deposition parameters on the compressive stress in a-C:H thin films.—74-10279A
Effect of ion energy on the diamondlike/graphitic (sp^3/sp^2) nature of carbon films deposited by ion beams.—74-04577A
Effect of the space charge sheath on properties of carbon and diamond films in the rf plasma jet.—74-04592A
Effects of addition of Si, Al, or Si_3N_4 on properties of Al_2O_3-SiC-C castables.—74-07808A
Effects of alumina sintering aids on properties of hot-pressed C-B_4C-SiC composite.—74-10304A
Effects of fluorine implantation into a-C:H thin films.—74-10084A
Effects of nitrogen doping on the growth and properties of plasma-enhanced chemical vapor deposited diamondlike carbon films.—74-04599A
Elastic characteristics of diamondlike carbon coatings.—74-10086A
Electrical conduction model for disordered carbons.—74-10986A
Electrical properties of diamondlike C-Si heterojunctions manufactured under ultraclean conditions.—74-10094A
Electrical resistivities of diamondlike carbon.—74-04303A
Electrical resistivity of carbon and steel microfiber-reinforced cements.—74-05516A
Electromigration kinetics of gold on a carbon thin film surface studied by scanning tunneling microscopy and scanning tunneling potentiometry.—74-07639A
Electron energy loss study of diamondlike and amorphous carbon films.—74-10098A
Electron microscopy of nanostructured materials.—74-01986A
Electron microscopy study of irradiation and thermal effects on C:H films.—74-05134A
Electron-stimulated processes on [pure and carbon-coated] surface of high-T_c Bi-Sr-Ca-Cu-O single crystal.—74-03456A
Electronic density of states and deep defects of hydrogenated amorphous carbon (a-C:H).—74-04307A
Electronic properties of amorphous carbon (a-C:H).—74-10099A
Electronic structure of some semiconductor fullerenes.—74-00611A
Emulsion-derived foams—preparation, properties, and application.—74-07644A
Evaluation of adsorption property of porous carbon materials: II.—74-10102A
Evaluation of adsorption property of porous carbon materials: III, Preparation of charcoals from cryptomeria and chamaecyparis and their properties.—74-10338A
Evolutionary process during pyrolytic transformation of poly(N-methylsilazane) from a preceramic polymer into an amorphous silicon nitride/carbon composite.—74-01716A
Fabrication parameters for the electron-beam-induced deposition of contamination tips used for atomic force microscopy.—74-10353A
Factors influencing the abrasion resistance of thin-film magnetic media.—74-10992A
Fine structure in the secondary electron emission spectrum as a spectroscopic tool for carbon surface characterization.—74-05143A
Formation of SiC whisker and its effects on strength of Al_2O_3-C composites.—74-03963A
Fracture energy and K_{Ic} [stress intensity factor] of Al_2O_3-SiC-C bricks at high temperature.—74-07877A
Frontal process zone effect of the R-curve behavior of a 2-D SiC/C/SiC composite material.—74-07884A
Galvanometric properties and microtexture of cellulose carbon film.—74-05147A
Graphite/carbon articles for elevated temperature service and method of manufacture.—74-04053P
Growth of polycrystalline diamond over glassy carbon and graphite electrode materials.—74-01750A
Growth process of hydrogenated amorphous carbon films on silicon.—74-01752A
Hardness and elasticity of diamondlike carbon films prepared by ion-beam-assisted sputter deposition.—74-04328A
Head-disk interaction in gas-lubricated slider bearings.—74-02152A
High-performance Al_2O_3/C plate bricks.—74-00387A
Hydrogen-free amorphous carbon coatings deposited by the arc ion-plating process.—74-01755A
Hydrogen-free amorphous carbon preparation and properties.—74-04684A
Improvement of the oxidation test method of MgO-C bricks and effects of metal additives on oxidation of MgO-C bricks.—74-03822A
In situ growth of SiC whiskers in porous carbon.—74-10403A
In situ monitoring by soft X-ray spectrometry of amorphous carbon plasma deposition.—74-04690A
Indentation-induced contact deformation and damage of glasslike carbon.—74-05368A
Influence of heat treatments on room temperature tensile strength of MgO-C refractories determined by the diametral compression method.—74-05859A
Influence of ion energy and flux composition on the properties of plasma-deposited amorphous carbon and amorphous hydrogenated carbon films.—74-01765A
Influence of preheat treatment on raw coke in fabrication of carbon solids.—74-03698A
Influence of substrate temperature during ion beam deposition on the diamondlike or graphitic nature of carbon films.—74-01766A
Interfacial electrical properties of diamondlike carbon/gallium arsenide heterostructures.—74-03070A
Interrelation of Young's modulus of pyrolytic carbon and pyrolytic graphite with their texture.—74-07167A
Investigation about the incorporation of hydrogen into amorphous carbon.—74-07356A
Ion beam assisted method of producing a diamondlike carbon coating.—74-09923P
Ion- and laser-induced modification of optical and structural properties of *i*-carbon films.—74-10110A
Kinetics model for the growth of silicon carbide by the reaction of liquid silicon with carbon.—74-10431A
Kinetics of carbon burning out under ceramic annealing.—74-05818A
KrF laser photoablation of a graphite target—application to the development of thin films.—74-04724A
Laser-induced physical vapor deposition of diamondlike carbon films.—74-01779A
Layer structure evaluation of multilayer X-ray mirror by combination of focused ion beam etching and transmission electron microscopy.—74-02009A
Linear finite carbon chains (carbynes): their role during dynamic transformation of graphite to diamond, and their geometric and electronic structure.—74-07086A
Liner for submerged entry nozzle.—74-02797P
Localized vibrational modes in diamonds grown from mixed carbon isotopes.—74-01406A
Low-temperature plasma-assisted chemical vapor deposition of amorphous carbon films for biomedical-polymeric substrates.—74-04740A
Materials Research Society Symposium Proceedings, Volume 349: Novel Forms of Carbon II.—74-11206B
Mechanical and thermophysical properties of diamondlike carbon films with different sp^3/sp^2 ratios.—74-11041A
Mechanical and ultrasonic characterization of damage of a 2-D woven C/SiC composite.—74-06790A
Mechanical properties of nanostructured diamondlike carbon films synthesized by low-energy cluster beam deposition.—74-07813A
Mechanisms of deformation and failure in carbon-matrix composites subject to tensile and shear loading.—74-07903A
Melt infiltration process for SiC ceramics and composites.—74-07379A
Metal plasma immersion ion implantation and deposition using vacuum arc plasma sources.—74-03709A
Metal/insulator/metal-type structures based on amorphous carbon-silicon alloys—electronic properties in dark conditions and under illumination.—74-03106A
Metastable phases of carbon during fracture of diamond under ultrahigh compressive stresses.—74-05379A
Method for joining ceramic to ceramic or to carbon.—74-09823P
Method for producing silica glass optical fiber with carbon coating.—74-02685P
Method of forming diamond or diamond containing carbon film.—74-09936P
Method of manufacturing fiber-reinforced composites having a gradient function.—74-04067P
Microstructural evolution of nonhydrogenated amorphous carbon under ion assistance.—74-05190A
Microstructure of inclusions in nanocrystalline carbon films deposited at low temperatures.—74-05193A
Microstructure of silicon carbide/carbon composites and relationships with mechanical properties.—74-10842A
Microstructure study by scanning tunneling microscopy of glassy carbons heat-treated at different temperatures.—74-07695A
Microstructures and mechanical properties of amorphous hydrogenated carbon-nitrogen films.—74-04363A
Microtribological improvement of carbon film by silicon inclusion and fluorination.—74-02026A
Microwave heating of carbon-coated ceramic fibers.—74-10464A
Model of density of states in amorphous Si, C, and SiC from time-of-flight measurement.—74-06209A
Molecular dynamic investigations of amorphous carbon:pi bonding vs electronic defect generation.—74-04368A
Muller mixed and kneading machine with rotary pan transfer system.—74-02725A
n-nonane preadsorption as a tool to understand the mechanism of CO_2 adsorption in activated carbons.—74-10053A
Nanoindentation and tribological studies of ultrahigh-strength carbon nitride thin films.—74-11060A
Nanotribology studies of carbon surfaces by force microscopy.—74-01545A
New hybrid boron-carbon prepreg developed.—74-01087A
Nondiamond carbon phases in plasma-assisted deposition of crystalline diamond films: a Raman study.—74-10011A
Optical properties of hydrogenated amorphous carbon film for attenuated phase-shift mask applications.—74-01553A
Optical spectra of diamondlike carbon films in the energy region between 1 and 13 eV.—74-10130A
Oxidation kinetics of a continuous carbon phase in a nonreactive matrix.—74-05311A
Oxidation kinetics of graphite phase in magnesia-carbon refractories.—74-02768A
Oxidation protection for carbon materials by oxyfluoride phosphate compounds.—74-10932A
p-type doping of GaAs by carbon implantation.—74-02902A
Performance of CVD- and CVR-coated carbon-carbon in high-temperature hydrogen.—74-10516A
Photoelectric measurement and study of diamondlike carbon thin films.—74-07183A
Photoluminescence investigation of a-C:H thin films.—74-10133A
Plasma beam deposition of highly tetrahedrally bonded amorphous carbon.—74-04807A
Plasma deposition of hydrogenated amorphous carbon—growth rates, properties, and structures.—74-03850A
Plasma process in methane discharges during rf plasma-assisted chemical vapor deposition of a-C:H thin films.—74-04810A
Plasma treatment of glass surfaces to remove carbon.—74-02691P
Pore size control of porous carbon.—74-10537A
Porosity characteristics of activated carbons produced from agricultural byproducts.—74-04817A
Practical use of strength and anticorrosion properties of amorphous carbon thin films.—74-04018A
Preparation of diamond films by axial magnetron sputtering of vitreous carbon target.—74-01847A
Primary reaction processes in the deposition of diamondlike carbon films by photon-enhanced CVD of methane using a windowless hydrogen lamp.—74-04833A
Process for forming protective diamondlike carbon coatings on metallic surfaces.—74-08316P
Production of nanocomposite Si/C/N preceramic powders by laser pyrolysis of hexamethyldisilazane.—74-04848A
Properties of carbon films deposited by laser ablation.—74-04850A
Protection against oxidation of C/SiC composites with a multilayer CVD coating ($SiC/TiB_2/Si_3N_4$).—74-07824A
Pulsed laser deposition of carbon films: dependence of film properties on laser wavelength.—74-07452A
Pyrolytic carbon coatings.—74-06994A
Quantification of oxygen and carbon on high-T_c superconducting films by (α,α) elastic resonance technique.—74-03562A
Quasi-equilibria of gaseous species in the C-H system.—74-04198A
Raman analysis of the modifications induced by laser processing and hydrogen implantation in carbon films deposited by the ablation technique.—74-04858A
Raman scattering in high-temperature phase of fullerite C_{60}.—74-04406A
Raman signal vs preparation conditions of C-implanted and excimer laser-annealed Cu thin films.—74-10595A
Raman spectroscopy on nitrogen-incorporated amorphous hydrogenated carbon films.—74-05227A
Reactive ion etching of diamond and diamondlike carbon films.—74-05316A
Recombination-induced randon walk diffusion of interstitial carbon in silicon.—74-05047A
Relations among structural parameters in various carbons.—74-05236A
Relationship between (σ+π)-plasmon energy and density for C_{60} solid samples.—74-04410A
Relationship between structure of Al_2O_3-C-TiO_2 and its resistance to high-FeO slag corrosion.—74-05878A
Removal of nondiamond carbon from the surface of CVD diamond films.—74-07463A
Retention behavior of carbon in sol-gel-derived ZrO_2 studied by Fourier transform infrared spectroscopy.—74-10611A
Review of methods of quantitative optical microscopy for characterizing macropores in carbon materials.—74-03863A
Rf PACVD diamondlike carbon coatings on insulating objects.—74-02858A
Rf plasma jet applied to diamond, glassy carbon, and silicon carbide film synthesis.—74-10612A
Role of microstructure in forming thin carbon film properties.—74-04874A
Role of the diffusivity of Be and C in the performance of GaAs/AlGaAs heterojunction bipolar transistors.—74-06295A
Roles of carbon in ceramic materials.—74-08633A
Scanning tunneling microscopy analysis of a glassy carbon heat-treated at 2500°C.—74-07736A
Silica-free alumina-carbon material for ladle shrouds.—74-00402A
Silicon carbide/carbon composite sheets derived from PCS/coal-tar pitch mixtures.—74-04892A
Simple and sensitive way to determine carbon film thickness.—74-09614A
Single crystal structure of C_{60}.—74-04209A
Small semiconductor clusters and fullerenes: structural and electronic properties from ab initio molecular dynamics.—74-01573A
Sol-gel-derived ceramic-carbon composite electrodes: introduction and scope of applications.—74-04023A
Solar-induced chemical vapor deposition of diamond-type carbon films—74-01339P
Strain dependence of binding energies for carbon adatoms on the Si(100) surface.—74-01578A
Strength and fatigue behavior of 2-D–carbon/carbon composites under shear conditions.—74-11094A
Stress relief behavior of diamondlike carbon films on glasses.—74-01894A
Stresses in diamondlike carbon films.—74-05259A
Structural modifications in a-C:H films doped and implanted with nitrogen.—74-04917A
Structure and chemical bonding in high-density amorphous carbon.—74-05267A
Structure and friction of amorphous carbon films of nanometer thickness.—74-02050A
Structure and properties of amorphous diamondlike carbon films produced by ion-beam-assisted plasma deposition.—74-07757A
Structure of amorphous hydrogenated carbon—experimental and computer simulation.—74-05273A
Study of carbon-smectite composites and carbons obtained by in situ carbonization of polyfurfuryl alcohol.—74-07495A
Surface and catalytic properties of copper oxide supported on Al_2O_3 and active carbon.—74-01244A
Surface precipitation process of epitaxially grown graphite(0001) layers on carbon-doped nickel(111) surface.—74-05283A
Suspended particles and pollen allergy.—74-11193A
Synthesis of nanoscale materials using detonation of solid explosives.—74-01910A
Temperature dependence analysis of the electron paramagnetic resonance signal and electrical conductivity in a-C and a-C:H.—74-04439A

Ternary phase equilibria in the Zr-Si-C system.—74-04227A
Thermal residual strains in carbon fiber-reinforced aluminum laminates.—74-04449A
Thickness-dependent stress in sputtered carbon films.—74-04453A
Threshold size for cyclic fatigue crack propagation in a pyrolytic carbon.—74-02212A
Tribological behavior of diamondlike carbon coatings at high rates of sliding.—74-11121A
Tribological behavior of hard carbon coatings deposited on steel substrates by plasma-assisted chemical vapor deposition.—74-04457A
Tribological properties of diamondlike carbon and related materials.—74-11123A
Tribology of thin-film media in both flying and sliding modes.—74-02216A
Ultrathin porous carbon films as amperometric transducers for biocatalytic sensors.—74-06371A
Use of carbon-containing coatings in hardening devitrified cordierite glass.—74-02664A
Uv photo-assisted crystallization of carbon.—74-01928A
Wear and Raman spectroscopy of ion-bombarded glasslike carbon.—74-04982A
Wear characteristics in thin-film media.—74-02217A
Wear of the magnetic head carbon-overcoated disk interface. A Raman spectroscopy study.—74-11129A
X-ray photoelectron and vibrational spectroscopic studies of Te-C:H films for optical disk memory.—74-01308A
XPS study of the a-C:H/Al_2O_3 interface.—74-07793A
XRD study on hydration of cement admixed with carbon.—74-05611A
Zirconia coating by LPCVD from zirconium tetraacetylacetonate.—74-04985A

carbon-carbon composites,
Carbon composite material reinforced with carbon fiber and inorganic fiber.—74-04033P
Carbon-carbon composite IC engine valve feasibility investigation—a summary.—74-09851A
Coating of carbon fiber-reinforced composites—research, development, and application.—74-01285A
Diamond-infiltrated carbon-carbon composites.—74-10269A
Effect of heat-treatment temperature on the properties of polyfurfuryl alcohol-based carbon-carbon composites.—74-07271A
Effect of heat-treatment temperature upon the properties of matrix-inhibited carbon-carbon composites.—74-05342A
Effect of SiC codeposition on the oxidation behavior of carbon-carbon composites prepared by chemical vapor deposition.—74-05007A
Effect of SiC codeposition on the oxidation behavior of carbon-carbon composites prepared by chemical vapor deposition.—74-07807A
Evaluation of mechanical properties of carbon materials by hardness test.—74-10989A
Failure modes of unidirectional ultra-high-modulus carbon-fiber/carbon-matrix composite.—74-05352A
Fiber-matrix interphase development in carbon-carbon composites.—74-10806A
Friction and wear of PAN/pitch-, PAN/CVI-, and pitch/resin/CVI-based carbon-carbon composites.—74-09870A
Innovative semiconductor base—diamond/(carbon-carbon) composite.—74-05632A
Material damping studies on carbon-carbon composites.—74-05184A
Mechanical properties in compression of low-density carbon-carbon composites.—74-04356A
Metal and ceramic composites come down to earth.—74-06982A
Method for making a diamond/carbon/carbon composite useful as an integral dielectric heat sink.—74-08803P
Modified short-beam shear test.—74-03838A
Monitoring processing stages of carbon-carbon composites using vibration-based nondestructive evaluation.—74-03840A
One-step process for fabrication of carbon-carbon composites.—74-04017A
Oxidation behavior of a partially protected C/C composite in a hypersonic flow.—74-10922A
Oxidation of carbon-carbon composite coated with SiC(Si/$ZrSi_2$)-$ZrSi_2$.—74-07821A
Oxidation protection of carbon-carbon composites by (B+Si)N coatings.—74-10933A
Oxidation resistance of carbon-carbon composites obtained by chemical vapor infiltration of different carbon cloths.—74-05313A
Part made of a carbon-carbon composite with an SiC surface-treated matrix resistant to oxidation and a process for producing it.—74-09945P
Pore structure of carbon-carbon composites studied by small angle X-ray scattering.—74-07713A
Preceramic compositions and ceramic products.—74-03999P
Process for the production of a carbon-containing composite material part protected against oxidation.—74-04084P
Processing parameters of pulse CVI in C/C composites.—74-10590A
Rapid densification of carbon-carbon by thermal-gradient chemical vapor infiltration.—74-10596A
Rapid fabrication of carbon-carbon composites.—74-10597A
Refractory composite materials for rocket vehicles.—74-09890A
Role of the adsorption interaction between pitch and filler in the process of baking of carbon-carbon composites.—74-07026A
Surface morphology and structure of carbon-carbon composites in high-energy sliding contact.—74-09896A
TEM studies of resin-based matrix microstructure in carbon-carbon composites.—74-07775A
Thermomechanical analysis of oxidation-resistant carbon-carbon composites.—74-09899A
Ultrasonic and vibration characterization of hybrid and sandwich carbon-carbon composites.—74-10901A
Vibration and ultrasonic nondestructive characterization of nonwoven and fabric reinforced carbon-carbon composites.—74-01129A

carbonaceous materials,
Characterization of carbonaceous gel and gel beads.—74-10766A
High-quality and highly oriented graphite block from polyimide films.—74-04680A
Introduction of carboniferrous schists in heavy clay products—exigencies of additives and products.—74-08557A

carbonates,
Alkali-carbonate reaction.—74-02061A
Biomimetic processing of calcium carbonate–chitosan composites.—74-07212A
Blast-hole drilling speed with self-propelled rotary drilling rigs SWO-131/60 of Polish constructions.—74-09434A
Carbonate-containing europium apatite.—74-10762A
Cement sequence stratigraphy in carbonates.—74-01187A
Chemical potential diagrams for Fe-Cr-Li-K-C-O system: thermodynamic analysis on reaction profiles between alloys and alkali carbonates.—74-07046A
Corrosion of stabilized zirconia with alkali metal carbonates.—74-02073A
Crystal growth and transition of calcium carbonate by homogeneous precipitating reaction in $CaCl_2$-$(NH_2)_2CO$-urease system.—74-07243A
Effects of SiO_2/$CaCO_3$ additions on the production of soft ferrites for yoke rings.—74-03376A
Formation and coagulation of vaterite in reaction of $Ca(OH)_2$-CH_3OH-H_2O-CO_2 system.—74-07317A
Formation of $Li_xNi_{1-x}O$ solid solution from Ni/Li_2CO_3 mixtures.—74-01386A
Impedance analysis for oxygen reduction in a lithium carbonate melt: effects of partial pressure of carbon dioxide and temperature.—74-01758A
Maturation of poorly crystalline synthetic and biological apatites.—74-09790A
New approach of the reaction between alkalis and dolomite.—74-02726A
One-electron donor sites and their strength distribution on some hydrotalcite and MgO surfaces as studied by EPR spectroscopy.—74-05210A
Process for producing granulated strontium carbonate with a strontium-containing binder—74-01210P
Reactive evaporation of potassium in CO_2 and the formation of bulk intermediates.—74-01867A
Rotating disk studies in molten carbonates: I, Electrode design.—74-06810A
Rotating disk studies in molten carbonates: II, Meniscus and film effects.—74-06811A
Selected problems related to producing carbonate sorbents for exhaust gas desulfurization installations in Silesian lime industry plant "OPOLWAP" SA.—74-08107A
Stability and characterization of oxygen species in alkali molten carbonate: a thermodynamic and electrochemical approach.—74-01460A
Synthesis of dahlite—the mineral phase of bone.—74-09804A
Thermodynamic investigation of the CaO-Al_2O_3-$CaCO_3$-H_2O closed system at 25°C and the influence of Na_2O.—74-07138A

carbonation,
Calcium silicate carbonation products.—74-09972A
Carbonation of calcium phosphate cements after long-term exposure to Na_2CO_3-laden water at 250°C.—74-00037A
Carbonation of concrete structures and the decomposition of C-S-H.—74-02746A
Carbonation of fly ash concrete.—74-00038A
Carbonation of hydrothermally treated phosphate-bonded calcium aluminate cements.—74-05470A
Carbonation-decarbonation of concretes studied by the way of carbon and oxygen stable isotopes.—74-05471A
Chemical conversion of C-S-H in concrete.—74-02314A
Forecasting of load-bearing characteristics of reinforced concrete structures in aggressive environment.—74-05524A
FTIR and DSC analysis of the carbonation of zirconia gels.—74-04653A
Pulverized fuel ash concrete: carbonation-induced reinforcement corrosion rates.—74-05575A

carbonitrides,
Amorphous nitrogenated carbon films—structural modifications induced by thermal annealing.—74-07200A
Carbon nitride thin films grown by pulsed laser deposition.—74-10210A
Computer simulation of the ion beam deposition of binary thin films—carbon nitride and boron carbide.—74-07236A
Doped silicon carbonitride—synthesis, characterization and properties.—74-10276A
Electronic structure of carbon nitride.—74-10799A
Improvement of three-body abrasive wear of plain carbon steel by thermochemical treatments.—74-08209A
Low-pressure chemical vapor deposition of titanium and zirconium carbonitride thin films from $M(NEt_2)_4$ (M=Ti and Zr).—74-01782A
Method and apparatus for production of a carbon nitride.—74-09928P
Production of whisker-free Si_3N_4 particulates by carbonitriding SiO_2.—74-09957P
Reactive magnetron sputter deposition of CN_x films on Si(001) substrates—film growth, microstructure, and mechanical properties.—74-05229A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition[—comment].—74-07112A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition[—reply].—74-07744A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition.—74-04879A
Silicon nitride and silicon carbonitride by the pyrolysis of poly(methylsiladiazane) [PMSDZ].—74-10627A
Synthesis of carbon nitride in plasma arc.—74-07512A
Titanium-based carbonitride alloy with controlled structure.—74-09963P
Wear resistant titanium carbonitride-based cermet cutting insert.—74-02427P

carbothermal reduction,
Alkali metal catalysis of carbothermic reduction of ilmenite.—74-09969A
Carbothermal production and characterization of α′-SiAlONs.—74-04495A
Carbothermal production of beta′-SiAlON from nanosized powders.—74-07214A
Carbothermal synthesis precursors.—74-09522P
Carbothermic reduction of U.S. ferruginous manganese resources.—74-01624A
Comparison of the carbothermic reduction and nitridation of various forms of silica to produce Si_3N_4 powders.—74-04521A
Comparison of the synthesis mechanism of AlN, Al_4C_3, and TiC by carbothermic reduction of oxides.—74-07232A
Effect of the initial condition of synthesis components in the reaction of carbothermal reduction of silica on the structure of silicon carbide particles: I, Aerosil-saccharose.—74-01693A
Effect of the initial condition of synthesis components in the reaction of carbothermal reduction of silica on the structure of silicon carbide particles: II, Aerosil-soot system.—74-01694A
Formation of highly disperse boron nitride in carbothermal reduction in the presence of lithium compounds.—74-01736A
Process for converting water-sensitive ceramic powders into a free-flowing granulated powder.—74-09948P
Process for preparing silicon carbide by carbothermal reduction—74-01332P
Processing of nitrogen ceramics by carbothermal reduction and nitridation of vermiculite-polymer intercalation compounds.—74-04838A
Processing of SiO_2-ZrO_2 composites as precursors of nitrides by carbothermal reduction.—74-04841A
Production of boron nitride and carbide by carbothermic reduction of boric oxide.—74-04847A
Research on process of synthesizing β-SiC from colliery gangue containing SiO_2.—74-06293A
Thermodynamic analysis on the preparation of ceramic nitride powders by carbothermal reduction.—74-07136A

carriers,
Carrier compensation induced by rapid thermal annealing in undoped InP.—74-02930A
Carrier recombination in indium-doped HgCdTe(211)B epitaxial layers grown by molecular beam epitaxy.—74-02931A
Collection of nonequilibrium carriers generated in a-Si-H and a-SiC-H structures by an electron beam.—74-02940A
Expression for intrinsic carrier concentration in $Hg_{1-x}Cd_xTe$.—74-08905A
Extraction of minority carriers in photoresistive $Cd_xHg_{1-x}Te$ crystals with various conductivities.—74-06092A
Hot carrier effects in devices and circuits formed from poly-Si.—74-03050A
Interaction of current carriers with acoustic plasmons is a possible origin of high-temperature superconductivity of cuprate metal oxide compounds: II, T_c and isotope effect.—74-03498A
Low-mobility charge carriers in CuO.—74-10112A
Reservoir effect in the thermal delocalization of carriers near an Si-SiO_2 interface.—74-09025A
Size quantization of carriers in quasi-zero-dimensional structures [QZDS].—74-03218A
Study of the oxidation of *n*-InP with low carrier concentrations in negative potential region.—74-06340A
Sub-ps carrier lifetime in InP.—74-06343A
Temperature dependence of minority hole mobility in n^+-GaAs measured with a new variable temperature technique.—74-03247A
Temperature dependence of the cross section for light scattering by charge carriers—observation of an acoustic plasmon (review).—74-06349A
Time-resolved microwave conductivity: II, Quantum-sized TiO_2 and the effects of adsorbates and light intensity on charge-carrier dynamics.—74-10701A
Transient photoluminescence (PL) in amorphous CdSe.—74-06364A

cast iron,
Application of rare-earth microalloy cast iron for glass mold.—74-09430A
Comparison of wear behavior of silicon nitride and cast iron lubricated conditions.—74-07843A
Evaluation of high-temperature lubricants in ceramic/metal and metal/metal contacts.—74-08187A
Friction and wear of a plasma-sprayed Al_2O_3-40% ZrO_2 cast iron system.—74-04651A

castables,
Comparison of various high-alumina aggregates in 90% ultralow-cement castable and blast-furnace trough and runner castable.—74-08613A
Development of mullite-based castables with high strength.—74-02750A
Fabrication of low-cement corundum castable and dry vibration castable and their applications in core induction furnace.—74-09661A
Refractory castable composition and process for its manufacture.—74-02800P
Self-flowing castables.—74-10154A
Study of binding mechanism of SiO_2 ultrafines in cement-free castables at low temperature.—74-04921A

casting,
Casting process for making glass fiber preforms.—74-08470P
Ceramic core for investment casting and method for preparation of the same.—74-08645P
Ceramic foil production by continuous casting.—74-00899A
Computer-aided development of an investment casting process.—74-01650A
Development and application of annular step submerged entry nozzle.—74-00381A
Development of mixerless casting material for blast-furnace troughs.—74-05851A
Development of new slab continuous caster with advanced technology at Kakogawa Works.—74-05852A
Latest trends for continuous casting refractories in Japan.—74-00389A
Latest trends in continuous casting mold powders.—74-03707A
Light alloy composite production by liquid metal infiltration.—74-04731A
New SV [slide valve] Al equipment adapted to automation under hot condition.—74-00393A
Overview of cast multicrystalline silicon solar cells.—74-01823A
Pollution-free salt kiln.—74-01173A
Pressure casting in sanitary ware production—trend setter for structural change.—74-05903A
Pressure casting in silicate ceramics.—74-09500A
Pressure casting in the ceramic industry.—74-09501A
Pressure casting of silicon nitride.—74-04831A
Pressure casting—the influence of raw material and slip characteristics.—74-10577A
Prevention of alumina buildup in submerged entry nozzle for continuous casting of steel.—74-00397A
Rheological parameters and pressure casting of slips containing single or mixed oxide powders.—74-04869A
Sandcasting ceramics.—74-01179A
Sheet steel with superior porcelain enameling properties processed by continuous casting and continuous annealing.—74-00152A
Thin slab casting mold powder selection.—74-02790A
catalyst supports,
Construction of model-supported metal catalysts for scanning tunneling microscopy examinations: platinum ultrafine particles on silica and on alumina.—74-06749A
Method for controlling the second metal distribution within the Pd/γ-Al_2O_3 catalyst support.—74-10453A
Thin-film ceramic catalyst support materials.—74-01247A
catalysts/catalysis,
Alumina-based compositions and catalysts having high specific surface area.—74-09806P
Catalysis with inorganic membranes.—74-06951A
Catalytic interaction of Fe, Ni, and Pt with diamond films—patterning applications.—74-08136A
Catalytic microporous zirconia particulates.—74-09808P
Characteristics of industrial catalyst deactivation during Clauss process.—74-01223A
Characteristics of $KMnO_4$-modified PAN fibers: its influence on the resulting carbon fibers' properties.—74-07220A
Characterization of the extrusion properties and the shaping of ceramic catalysts.—74-04505A
CMS/SiO_2/Al_2O_3 catalysts for improved selectivity in the synthesis of amines from methanol and/or dimethyl ether and ammonia.—74-03984P
Comparison of particle size of cracking catalyst determined by laser light scattering and dry sieve methods.—74-07231A
Determination of the distribution of molybdenum oxidation states in reduced Mo/TiO_2 catalysts by factor analysis and curve fitting.—74-03961A
Double rotation and magic-angle spinning NMR study of an ultrastable Y zeolite.—74-05119A
Effect of catalyst seeding on formation of vapor-grown carbon fibers.—74-04569A
Effects of γ-irradiation and lithium oxide doping on surface and catalytic properties of manganese oxides supported on α-alumina.—74-06970A
Exfoliation of MoS_2 catalysts—structural and catalytic changes.—74-06973A
Extruded catalyst based on silica/alumina gel, and process for preparing it—74-01253P
High performance alumina heat transfer solids for high temperature fluidized bed synthesis gas reactions.—74-03987P
Master behavior for gelation in fluoride-catalyzed gels.—74-07375A
Method for preparing catalysts comprising zeolites.—74-09824P
Modified elementosilicates (Fe, B): catalytic properties and ir spectra.—74-04365A
Nature of vanadium species in SnO_2-V_2O_5-based catalysts—chemical preparation, characterization, thermal stability, and reactivity in ethane oxidative degradation over V-Sc mixed oxides.—74-10490A
New nonmetallic catalysts for the synthesis of high-pressure, high-temperature diamond.—74-01813A
Novel Pt-Sn/Al_2O_3 sol-gel catalyst—synthesis and thermal characterization.—74-06988A
Optical sol-gel materials based on binding and catalysis by biomolecules.—74-09794A
Optimized composition of Cu-Zn-Al-oxide catalyst for methanol synthesis.—74-01236A
Particulate solids for catalyst supports and heat transfer materials.—74-09946P
Pore impregnated catalyst device—74-01265P
Preparation and characterization of catalytic zirconia with temperature-resistant surface area.—74-07420A
Preparation of Pt/Al_2O_3 catalysts by sol-gel process and its application to uranyl ion reduction.—74-10565A
Process for producing spherical zeolite catalyst and apparatus for producing the same.—74-03774P
Scanning tunneling microscopy study of model catalysts obtained by cluster beam deposition of palladium onto highly oriented pyrolitic graphite.—74-07741A
Science and technology in composite materials—design of materials for catalysts.—74-10617A
Science and technology of composite materials: VIII.3, Highly active catalysts, 2) combination of functions—catalysts and electrolytes.—74-10618A
Science and technology of composites: VIII.2, Catalysts with high functional ability, 1) control of surface structure—modification of catalysts by chemical vapor deposition of silica.—74-10619A
Sol-gel-derived nickel/γ-alumina catalyst for a methanol-to-hydrogen converter.—74-05655A
Spectroscopic study of Pt-Sn/Al_2O_3 sol-gel catalysts.—74-07749A
Structural and textural properties of SnO_2-Cr_2O_3 catalysts.—74-07000A
Structural characterization of platinum deposits supported on ordered alumina films.—74-05264A
Supported catalysts.—74-04004P
Synthesis of nanostructured catalytic materials using a modified magnetron sputtering technique.—74-07517A
Three-way catalyst for automotive emission control.—74-04006P
Zeolite catalysts suitable for hydrocarbon conversion—74-01276P
Zeolite ZSM-45—74-01277P
cathode-ray tubes,
Cathode ray tubes for television[—application of ceramics to].—74-09765A
Pigment-attached blue-emmitting phosphor and color cathode-ray tube.—74-03279P
cathodes,
Cathode materials for SOFCs.—74-07215A
Effects of Co for Mn substitution in (La, Sr)MnO_3 cathode materials.—74-02981A
Energy distribution of tunneling emission from Si-gate metal-oxide-semiconductor cathode.—74-03000A
Enlargement of the diamond deposition area by one-cathode three-anode arc discharge plasma jet chemical vapor deposition.—74-10333A
Field emission from pyramidal cathodes covered in porous silicon.—74-03018A
Improved cathode materials for the solid oxide fuel cell.—74-09786A
Integrated silicon process for microdynamic vacuum field emission cathodes.—74-00941A
Integration of microstructures onto negative electron affinity cathodes: fabrication and operation of an addressable negative electron affinity cathode.—74-00942A
Investigation of spinel-related and orthorhombic $LiMnO_2$ cathodes for rechargeable lithium batteries.—74-05945A
Optimization of screen-printed cathode layers.—74-03142A
Rechargeability of a chemically modified MnO_2/Zn battery system at practically favorable power levels.—74-01240A
Secondary emission cathode having supeconductive oxide material—74-00879P
Space-charge effects in Spindt-type field emission cathodes.—74-03221A
cathodoluminescence,
Cathodoluminescence and electroluminescence in ion-implanted type II diamonds.—74-02932A
Cathodoluminescence of CdTe:Fe.—74-05997A
Cathodoluminescence of epitaxial diamond films.—74-10211A
Cathodoluminescence spectra of $ZnIn_2Se_4$ single crystals.—74-08835A
Cathodoluminescence spectroscopy of diamond films and ceramics.—74-04259A
Cathodoluminescence studies of oriented diamond films.—74-04992A
Diamond luminescence—resolved donor-acceptor pair recombination lines.—74-05115A
Excitonic recombination radiation as characterization of diamonds using cathodoluminescence.—74-01385A
Influence of oxygen, in gas mixtures and various substrate positions, on the broad cathodoluminescence bands of MPCVD [microwave plasma-assisted CVD] diamond films.—74-10416A
Luminescence decay time studies and time-resolved cathodoluminescence spectroscopy of CVD diamond.—74-04346A
Periodic pulse cathodoluminescence of minerals.—74-03849A
Photon spectroscopy, mapping, and topography of 85% porous silicon.—74-07712A
Temperature-dependent cathodoluminescence spectroscopy and microscopy and analytical electron microscopy of $BaTiO_3$-based PTC ceramics.—74-04441A
cation exchange,
Cation exchange capacity: a contribution to the standardization of methods for the evaluation of clay suitability as the base layer in waste disposal sites.—74-01044A
Hysteresis in the binary exchange of cations on 2:1 clay minerals: a critical review.—74-02333A
Monte Carlo simulation of cation transport via vacancies in spinel solid solutions: one type of cation exchange prevails.—74-05034A
Quantitative monitoring of side products during high loading of zeolites by heavy metals via pH measurements.—74-09608A
Thermal stable porous crystals from montmorillonite: II, Preparation and the properties of Cr-pillared montmorillonites.—74-07534A
Thermodynamics of cation exchange in natural heulandite.—74-04234A
cations,
Cation and oxygen nonstoichiometry of bismuth-containing high-temperature superconductors.—74-00786A
Character of interaction of salts in ternary systems.—74-01346A
Coloring transition polyvalent cations in Li_2O-Al_2O_3-SiO_2 glass-ceramics.—74-05753A
Electrical properties of copper and nickel manganite spinels in relation with cationic distribution and thermal histories.—74-07160A
EXAFS: determination of cation distribution in spinels.—74-09199A
Influence of the Pb cation on the structural and ferroelectric properties of the aurivillius oxide $Bi_2SrNb_2O_9$.—74-03315A
Kinetic demixing of solute cations in alumina single crystals during cooling.—74-10430A
Mixed conduction in zirconia-based solid solutions.—74-02851A
Network structure of RO-$2B_2O_3$ glasses.—74-02474A
Photophysical studies of organic molecules included within zeolites.—74-01561A
Preparation of multication α-SiAlON containing strontium.—74-04826A
cavitation,
Cavitation contributes substantially to tensile creep in silicon nitride.—74-07840A
cellulose,
Galvanometric properties and microtexture of cellulose carbon film.—74-05147A
Removing hydroxypropyl methylcellulose sizing from sapphire fibers by ultraviolet/ozone cleaning.—74-10610A
celsian,
Crystallization and seeding effect in $BaAl_2Si_2O_8$ gels.—74-09979A
Crystallization of celsian ($BaAl_2Si_2O_8$) glass.—74-05673A
Effect of isostatic pressing on phase formation in $BaO{\cdot}Al_2O_3{\cdot}2SiO_2$ glass.—74-08415A
Microstructural development on crystallization of a sol-gel-derived celsian glass.—74-05775A
Near-net-shape forming of celsian ceramics from ion-exchanged zeolite precursors.—74-08444A
cement industry,
1947-1987. Forty years of the cement market in Central America. Historical evolution and perspectives.—74-07989A
ACC's in-house research.—74-07990A
Advanced control methods ensure cost-effective clinker production.—74-07992A
Analyzers for in-line analysis of bulk material stream.—74-01038A
Arab cement review.—74-05402A
Ash Grove's new 2200-tpd Seattle plant comes on line.—74-03896A
Automated physical testing.—74-03783A
Bucket wheel excavator in a limestone quarry.—74-07997A
Bucket wheel excavators for semihard rocks as an alternative to blasting.—74-06681A
Bushing designs simplify shaft-mounted drive servicability.—74-02310A
Cement analysis enhanced.—74-07998A
Cement industry develops in Vietnam.—74-11145A
Cement industry in Malaysia—1993 performance and 1994 forecast.—74-05404A
Cement industry solutions at your fingertips.—74-07999A
Cement plant engineering using computer-aided design: an update.—74-02313A
Cement plant instrumentation, automation, and process control.—74-08000A
Cement plant of the future.—74-08001A
Cement plant upgrade and optimization.—74-08002A
Cement producer's view of process control and automation.—74-08003A
Cement standards in European Standardization System.—74-08004A
Determination of limestone addition in cement manufacture.—74-02318A
Developments and prospects of the Chinese cement industry.—74-02320A
Developments in the Malaysian cement industry.—74-05413A
Dust control meets new operating and environmental challenges.—74-00050A
Ecologically pure combustion in cement plants as alternative method of waste product utilization: I.—74-01146A
Ecologically pure combustion in cement plants as alternative method of waste product utilization: II.—74-01147A
Electrical engineering in the cement industry—a contribution to cost effectiveness and environmental protection.—74-00057A
Energy performance and conservation efforts in Indian cement industry.—74-08019A
Epicyclic gears—a reliable and proven gear concept.—74-08020A
Erosion resistance tests of constructional steels applied in cement industry.—74-08021A
European cement industry's approach to the use of secondary raw materials and fuels.—74-08023A
Examination of the atmospheric air pollution degree with heavy metals in the cement plant: I.—74-08024A
Examination of the atmospheric air pollution degree with heavy metals in the cement plant: II.—74-08025A
Expansion of Conceca's San Sebastian plant [Venezuala]—74-03687A
Expert systems in the cement industry.—74-08027A
First TDC 3000 System in the Indian cement industry.—74-08030A
Generating electrical power from the exhaust gases of [cement] rotary kilns.—74-00062A
Green Island's response to demand changes in Hong Kong and China.—74-05418A
Hazardous waste disposal/waste derived fuels utilization in Eastern Europe.—74-03669A
Hercules—a garden factory in a city environmental.—74-05419A
High-efficiency separators and grinding circuit design.—74-08041A

Holnam: three years since the merger.—74-05420A
How to measure and process environmentally relevant data.—74-11165A
Indian cement industry—an overview.—74-08049A
Intelligent alarm handling at Cemij plant in the Netherlands.—74-06783A
Laboratory automation [in the cement industry].—74-06710A
Ladder logic and distributed control systems in cement plants.—74-08062A
Lafarge in major project to cut CKD [cement kiln dust].—74-03944A
Look at Siemens CEMAT system profile.—74-08064A
Management strategy in cement technology for the next century.—74-08065A
Management strategy in cement technology for the next century: III.—74-08067A
Manpower problems [in the cement industry].—74-11177A
Measures [in cement industry] to protect the environment.—74-11181A
Microwave digestion technique for trace element analysis of industrial furnace feedstreams.—74-03921A
Modern conveyor belt technology for the cement industry.—74-00959A
Modernization of Kalyanpur Cement's Banjari plant (India).—74-02340A
Modernization of the cement grinding plant at the Kirchbichl works of Perlmooser Zement AG, by installing an MFL pregrinding system.—74-09486A
Modifications at the St. Mary's Cement Detroit plant.—74-00081A
Monitoring kiln shell temperature—a must in today's cement plants.—74-03839A
New developments by Krupp Polysius for the cement industry.—74-05558A
New floating bulk cement terminal now commissioned.—74-00963A
New Linescanner.—74-01088A
New rotary kiln concept.—74-06866A
Next generation of control systems: the FLS-Summit Series.—74-03716A
North American cement industry: a foreign investor's perspective.—74-05429A
On-line control of the blending bed composition at Cementos Apasco in Mexico.—74-09595A
Outlook for trade and shipping 1994-2005.—74-02254A
Performance and progress of the cement industry in India.—74-05430A
Planned maintenance [in the cement industry].—74-08082A
Plant engineering [in the cement industry].—74-08083A
Polish cement industry.—74-02345A
Pollution control idea whose time has come.—74-02346A
Problems encountered and lessons learned at KW-1.—74-08087A
Process control and information management [in the cement industry].—74-05573A
Process monitoring and control in the cement industry.—74-03853A
Quality control analysis using XRF spectrometers.—74-08096A
Quantitative structure analysis via image analysis—a suitable tool for quality control of portland cement clinker.—74-09503A
Reducing specific power usage in cement plants.—74-03730A
Repol-RS time-proven and innovative features.—74-00988A
Robot-assisted laboratory automation.—74-09506A
ROMCIM and French cements in Romania.—74-08102A
SCAP optimization of cement production.—74-08105A
Significance of output signals to adjust the process of milling.—74-08108A
Simulation calculus for tube mill cement grinding with upstream roller grinding.—74-05585A
Solid Cement Corporation's expansion successfully completed at Antipolo, Rizal (Phillipines).—74-05431A
Start-up and operation of Cementos Apasco's Ramos Arizpe plant (Mexico).—74-03736A
State of the Hungarian cement industry.—74-08109A
Streamlining Hi Cement's Norzagaray plant (Phillipines).—74-03933A
Successful utilization of heat recovery and desulfurization plant at Aalborg Portland (Denmark).—74-01181A
Summit control system for Cementos de Chihuahua (Mexico).—74-03738A
U.S. cement industry: demand and price considerations of profit.—74-05433A
UK plants decrease kiln operating costs using proven preventive maintenance techniques.—74-01184A
Utilization of dusts from electrofilters in cement plants "Wierzbica" and "Wiek" as major component of mixes W-1 and W-2 for the manufacturing of structural elements and mining facings.—74-08119A

cemented carbide,
Adhesion strength of diamond films on cemented carbide insert.—74-08127A
Articles of ultrafine grained cemented carbide and process for making [the] same.—74-04028P
Diamond-metal composite coatings on cemented carbide tools.—74-08163A
Improvement on adhesion strength of diamond film on cemented carbide by heated intermediate layer.—74-08210A
Mechanism of interaction between Cl-containing gaseous phase and cemented carbides in the chemical vapor deposition process.—74-07378A
Method of making a cemented carbide body for tools and wear parts—74-00173P
Polycrystalline diamond cutting tool and method of manufacturing the same.—74-04076P
Process for making non-magnetic nickel tungsten carbide cemented carbide compositions and articles—74-00179P
SEM study of the fracture behavior of WC-TiN-Co and WC-TiN-Mo_2C-Co(Ni) cemented carbides.—74-05654A

cements,
Ac impedance phenomena in hydrating cement systems—origin of the high-frequency arc.—74-05460A
Ac impedance phenomena in hydrating cement systems: detectability of the high-frequency arc.—74-02303A
Ac impedance phenomena in hydrating cement systems: frequency dispersion angle and pore size distribution.—74-02304A
Ac impedance phenomena in hydrating cement systems: the drying-rewetting process.—74-02305A
Aggressive action of sulfates on loaded concrete.—74-00033A
Analysis of microstructure of hardened cement paste by finite element method.—74-02306A
Application of NMR Spectroscopy to Cement Science.—74-11197B
Arab cement industry.—74-02308A
Atmospheric chloride penetration into concrete in semitropical marine environment.—74-05465A
Automatic bag filling systems for cement, lime, and gypsum.—74-00034A
Baking stone and method of manufacture thereof—74-00103P
Behavior of a low-energy cement in Na_2SO_4 and seawater media.—74-05466A
Building from ash.—74-02745A
Calcium aluminate cements.—74-06890A
Carbonation of calcium phosphate cements after long-term exposure to Na_2CO_3-laden water at 250°C.—74-00037A
Cement and superplasticizer comptability.—74-02312A
Cement hydration equation.—74-05473A
Cement quality control with a new XRF spectrometer.—74-03784A
Cement sequence stratigraphy in carbonates.—74-01187A
Cements Research Progress 1993.—74-07965B
Characteristics of shrinkage-compensating expansive cement containing a prehydrated high-alumina cement-based expansive additive.—74-05475A
Characterization of C_4FH_x crystal belonging to AFm by electron microdiffraction and SEM-EDX.—74-05476A
Characterization of surface corrosion of reinforcing steel in cement paste by low-frequency impedance spectroscopy.—74-07798A
Chemical activation of blended cements made with lime and natural pozzolans.—74-00040A
Chemical microscopy.—74-07940A
Chinese cement industry continues to advance.—74-08006A
Comparison of severe hailstorm damage on two types of fiber-reinforced cement roofing sheets.—74-02705A
Comparison of various high-alumina aggregates in 90% ultralow-cement castable and blast-furnace trough and runner castable.—74-08613A
Compositional effects of CaO-SiO_2-P_2O_5 bioactive cement on hardening and hydroxyapatite formation.—74-08007A
Continuing upgrading program at South Ferriby (UK).—74-03678A
Contribution of toxic elements: hexavalent chromium in materials used in the manufacture of cement.—74-05480A
Corrosion of hardened cement paste by acetic and nitric acids: I, Calculation of corrosion depth.—74-07803A
Corrosion rates of steel embedded in cement pastes.—74-00044A
Coulter LS 130 laser diffraction analyzer for testing and research of building materials.—74-06751A
CPAG installations in operation.—74-02317A
Current situation and development of cement and concrete in China.—74-05486A
Detection of failures around main cracks and their relation to the fracture toughness of cement pastes.—74-05488A
Development and applications of basic high-calcium fly ash cement.—74-00047A
Development of blast-furnace slag cement with low clinker content.—74-08013A
Development of mixerless casting material for blast-furnace troughs.—74-05851A
Disposal possibilities of enamel wastes in the cement industry.—74-05491A
Early heat of hydration during the solidification of a metal plating sludge.—74-05493A
EC guidelines reduce packing weight.—74-02228A
Effect of alkalis on the phase composition and hydraulic activity of belite cements.—74-08016A
Effect of Fe_2O_3 on magnesia pleochroite formation and properties.—74-01373A
Effect of fiber-fiber interactions on the strength properties of short-fiber-reinforced cements.—74-02322A
Effect of initial water curing on the hydration of cements containing natural pozzolan.—74-05497A
Effect of moisture on fractal dimension and specific surface of hardened cement paste by small-angle X-ray scattering.—74-05499A
Effect of stone dust content in sand.—74-05500A
Effect of superplasticizers on the hydration of cement.—74-05501A
Effect of temperature on pore solution composition in plain cements.—74-00054A
Effect of various admixtures on the particle size distribution of cement determined with the aid of laser particle analysis.—74-05503A
Effect of various superplasticizers on rheological properties of cement paste and mortars.—74-05504A
Effect of wollastonite microfiber aspect ratio on reinforcement of portland cement-based binders.—74-00055A
Effectiveness of fine grinding of cements.—74-00056A
Effectiveness of supplementary cementing materials in suppressing expansion due to ASR [alkali-silica reaction]—another look at the reaction mechanism: II, Pore solution chemistry.—74-05506A
Effectiveness of supplementary cementing materials in suppressing expansion due to ASR [alkali-silica reaction]—another look at the reaction mechanisms: I, Concrete expansion and portlandite depletion.—74-03904A
Effects of size in bundled fibers on the interfacial zone between the fibers and the cement paste matrix.—74-05510A
Efficient gas-fired infrared burner utilizes heat-resistant cement in its manufacture.—74-05513A
Electrical double layer, ion transport, and reactions on hardened cement paste.—74-05515A
Electrical resistivity of carbon and steel microfiber-reinforced cements.—74-05516A
Emerging technologies for utilizing waste in cement production.—74-02324A
Encapsulation of hazardous wastes in a cement matrix.—74-05518A
Estimation of grindability of portland cement clinker.—74-08022A
Evaluation of the Katz-Thompson model for estimating the water permeability of cement-based materials from mercury intrusion porosimetry data.—74-05519A
Evaluation of the validity of the pore solution expression method from hardened cement pastes and mortars.—74-05520A
Expansion reactions in mortar and concrete.—74-08026A
Factors affecting naturally cured fly ash silicate products.—74-01192A
Fluoride ion-leachable glasses and dental cement compositions containing them.—74-02672P
Fly ash, a raw material for cement production.—74-00059A
Formation of the anion structure of calcium hydrosilicates in hardening of slag cements.—74-02457A
Fractal morphology of cement foams.—74-00061A
Frequency inverters for hot gas fans save energy.—74-02327A
Grindability of cement components and power consumption of cement-grinding mills.—74-09571A
Grinding energy and plant throughput improvement.—74-08035A
Grinding technology and quality problems of composite cements.—74-06705A
Heat measurement with the Thermal Activity Monitor.—74-02331A
High-alumina cement [HAC]—present state and knowledge.—74-05526A
High-alumina cement/silica fume materials for cesium trapping.—74-06669A
Hydration in high-volume fly ash concrete binders.—74-05529A
Hydration of silica fume containing cement pastes of low water-to-solid ratio.—74-08046A
Hydration of type K expansive cement paste and the effect of silica fume: I, Expansion and solid phase analysis.—74-05530A
Hydration products at the blast-furnace slag aggregate: cement paste interface.—74-06857A
Hydration reactions in autoclaved DSP cements.—74-00064A
Hydraulic cement for biological uses.—74-09782A
In the beginning there was... Beton Agglomere.—74-01072A
Incorporation and detection of chlorides in concretes attacked by deicing salts.—74-05532A
Influence of binder type on anodic dissolution of steel embedded in cement pastes.—74-05534A
Influence of mineral admixtures on expansive cement mortras.—74-05535A
Influence of process technology on the production of market-oriented cements.—74-05536A
Influence of sulfates on chloride binding in cements.—74-02334A
Influence of the mineralogical composition on the clinker activity and the intensity of the cement hardening at the thermal-humid elaboration.—74-00068A
Influence of the mineralogical composition, specific surface area, and strains–crystallite size of alite on the compressive mechanical strength of portland mortars: I, Clinkers of low tricalcium aluminate contents.—74-05537A
Innovative civil engineering material from sewage sludge: biocement and its use as blended cement material.—74-00069A
Interaction of ionic species in hydrated cement with a superplasticizer admixture.—74-05540A
Interactions between chemical evolution (hydration) and physical evolution (setting) in the case of tricalcium silicate.—74-02335A
Investigation of the retarding effect of superplasticizers on cement hydration by impedance spectroscopy and other methods.—74-05542A
Investigations of cement pastes by small-angle X-ray scattering and BET—the relevance of fractal geometry.—74-08058A
Investigations on ettringite cements.—74-08059A
Kinetic study on hydration of alkali-activated slag.—74-00072A
Kinetics of calcination in cement raw meal nodules.—74-08060A
Leaching behavior of ^{60}Co and ^{137}Cs from spent ion exchange resins in cement matrix.—74-05543A
Loesche mill for the comminution of cement clinker and interground additives in practical operation.—74-09480A
Low-shrinkage cement-based building components.—74-05821A
Magnesium sodium sulfate attack in plain and blended cements.—74-00074A
Management strategy in cement technology for the next century: II.—74-08066A
Materials Science of Concrete IV.—74-07974B
Mechanical activation of periclase cements.—74-02337A
Mechanical properties and microstructure of high-alumina cement-based binders reinforced with natural wollastonite microfibers.—74-05547A

Mechanical properties and pore structure of carbon-fiber-reinforced cementitious composites.—74-05548A
Mechanical properties of cement mortar with fibers.—74-08069A
Mechanical properties of high performance cement binders reinforced with wollastonite microfibers.—74-05549A
Mechanism of dedolomitization and expansion of dolomitic rocks.—74-00075A
Mechanism of hardening and hydration of white portland cement admixed with salicylaldehyde.—74-05550A
Mechanism of sulfate expansion: II, Validation of thermodynamic theory.—74-05551A
Mechanisms of expansion of mortars containing reactive aggregate in NaCl solutions.—74-05553A
Method for evaluating the corrosion potential of a cement slurry to reinforcing steel.—74-02765A
Microanalysis of high-alumina cement [HAC] clinker and hydrated HAC/slag mixtures.—74-05555A
Microporosity of hardened cement paste.—74-08071A
Microscopic examination of the interface in the polyester and epoxide resins—hardened cement paste systems.—74-08073A
Microstructure and permeability of cement stone and concretes.—74-00077A
Microstructure of highly expansive cement pastes.—74-00078A
Modeling relationships between permeability and cement paste pore microstructures.—74-00079A
Modern cement terminals: concept and examples.—74-00958A
Modernization of the electrical equipment at HCB's Rekingen plant (Switzerland, on the Rhine).—74-03710A
Morphological, mineralogical, and chemical features of steam-cured concretes containing densified silica fume and various alkali levels.—74-00082A
Neutron radiography—an excellent method of measuring water penetration and moisture distribution in cementitious materials.—74-08077A
New acoustic method for measuring the filling ratio of mill feed in tube mills.—74-09586A
New advances revive interest in cement-based materials.—74-02341A
New approach in evaluation of filler effect in cement: I, Effect on strength and workability of mortar and concrete.—74-05557A
New floating bulk cement terminal now commissioned.—74-00963A
New method for studying bleeding of cement paste.—74-05559A
New method of corrugated asbestos cement sheet production in home practice.—74-00964A
New method of enhancing cement-aggregate interfaces: II, Mechanical properties and sulfate attack resistances of mortars.—74-05560A
New principle of the cement activation.—74-00084A
New supply and storage system for Dutch cement plant.—74-03715A
Origin of zeolite cements in the miocene sandstones, North Tejon Oil Fields, California.—74-01199A
Partly refined chemical byproduct gypsums as cement additives.—74-05562A
Phase equilibria in the $CaO-Al_2O_3-SiO_2-H_2O$ system at 5°C, 20°C, and 38°C.—74-08081A
Phase transformations during hydrothermal heating of tricalcium aluminate in liquid water.—74-05565A
Phase-type composition and hydraulic activity of the products of thermally decomposed solid wastes in asestos cement production.—74-00086A
Principles of macro-defect-free (MDF) cement production.—74-05572A
Process and mechanism of alkali-silica reaction using fused silica as the reactive aggregate.—74-08088A
Process for the production of calcium hydrosilicate bonded shaped articles—74-00104P
Product ecobalance—a method for complete assessment, exemplified by cement-based structural materials.—74-11186A
Production of composite cement using fly ash and cinder from burned lignite.—74-08092A
Production of slag cement from coal spoil.—74-05574A
Properties of anhydrite cement obtained from apatite phosphogypsum.—74-02349A
Quality assurance—European developments.—74-07956A
Quantitative determination of ettringite in cement pastes, mortars, and concretes.—74-05576A
Railton plant upgrade.—74-03928A
Raw material blending and batching in the production of calcium aluminate cements.—74-08097A
Reactivity and burnability of the cement raw mix and its influence on refractories specifications for the burning and transition zones of a rotary cement kiln.—74-08098A
Rheology of fresh cement paste containing polysaccharide gums.—74-05582A
Road mobile bagging and palletizing.—74-00990A
Sample mass and dimension effects on mercury intrusion porosimetry results.—74-05583A
Small-angle neutron scattering of hardened cement paste and various substances for hydration.—74-07748A
Solidification of hazardous wastes containing cyanide.—74-05586A
SPCC expands production facilities.—74-03735A
Structure formation in silicate systems used industrially.—74-02356A
Studies on the formation kinetics of calcium sulfoaluminate.—74-05592A
Study of cement pastes for injection under hot climate.—74-00096A
Study of the alkali-aggregate reaction on concrete prisms.—74-05593A
Study on manufacture of masonry cement from calcium-adding fly ash.—74-05599A
Study on modification of refractory cements.—74-02788A
Study on wall materials of diatomite.—74-05600A
Sulfate attack on hardened cement paste.—74-05601A
Superior quality fuses related to special electrical resistant cement used in bonding its components.—74-00098A
Synthesis and reactivity of fluoroalinites and fluoroalinite cements.—74-05602A
Synthetic fiber-reinforced cement composites: a study of fracture process by acoustic emission method.—74-01113A
Temperature rise inside pastes during hydration in hot climates.—74-05604A
Thermodynamic investigation of the $CaO-Al_2O_3-CaCO_3-H_2O$ closed system at 25°C and the influence of Na_2O.—74-07138A
Third cement series in China.—74-08112A
Through solution model for volume changes of cement hydration.—74-05608A
Using creep and recovery to study flow behavior of fresh cement paste.—74-01925A
Utilization of asbestos cement wastes in building material production.—74-00101A
Utilization of borogypsum for cement.—74-05609A
Ways of obtaining self-organizing structures in hardening of cements.—74-02358A
Why cements solidify.—74-08121A
XRD study on hydration of cement admixed with carbon.—74-05611A

centers,
Nature and characteristics of radiative recombination centers in lanthanum sesquisulfide.—74-04370A
New metastable center in electron-bombarded GaAs.—74-06221A
Properties of a center associated with an Al impurity in 6H-SiC.—74-06279A
Recovery process of photochromism of *H2* and *H3* centers in diamond.—74-10149A

centrifuges,
Accuracy of processing of the sedimentation curves.—74-04467A
Air vibroinsulation suspension of the centrifugal machine.—74-00890A
Centrifugal SPLITT fractionation: new techniques for separation of colloidal particles.—74-03785A

ceramic industry,
Amelioration of the thermal exchange in regenerators.—74-06839A
Automatic warehouse.—74-02221A
Bringing new technology to market.—74-07939A
Ceramics in motorcar.—74-11148A
CERLABS—the worldwide laboratory.—74-05407A
Charles Fergus Binns: missionary to the American ceramic industry.—74-11150A
Competition in the U.S. market.—74-02226A
Database technology to empower ceramic professionals.—74-11153A
Engineering ceramics for the mechanical engineering and chemical industries.—74-07298A
European normalization in advanced ceramic techniques.—74-11160A
Importance of feldspar as a flux in the ceramic industry.—74-06905A
Important fair in America.—74-02241A
Indian ceramic industry—perspectives and prospects.—74-11168A
Industry-university interaction in ceramics.—74-11170A
Italy's leadership position.—74-05425A
Laufen: a Swiss multinational.—74-02248A
Museum helps promote ceramics.—74-05455A
New concept to promote ceramics.—74-07953A
Purchases in the ceramic sector.—74-02262A
Quartz-porphyry from Dobritz: a raw material for the ceramics and glass industries.—74-01200A
Radiometric measurement techniques for the ceramic industry.—74-01095A
Return of the railway.—74-02274A
Spotlight on Acimac.—74-02276A
Thailand—the doors to the Far East.—74-02814A

ceramic matrix composites,
Acoustic emission study of failure mechanisms in ceramic matrix composite under longitudinal tensile loading.—74-07836A
Bioinspired processing of ceramic matrix components.—74-04485A
Ceramic composite turbine engine component evaluation.—74-09855A
Ceramic Transactions, Volume 46: Advances in Ceramic Matrix Composites: II.—74-05438B
Chemical vapor infiltration of nonoxide ceramic matrix composites.—74-09858A
Chemically bonded ceramics as an alternative to high-temperature composite processing.—74-10224A
Composite golf club head—74-00168P
CVD processing of fiber coatings for CMCs.—74-10253A
Damage evolution in hybrid ceramic matrix composites.—74-10960A
Design and development of a CMC interturbine seal.—74-09446A
Effect of fracture and interfacial debonding of reinforcing phase on the effective thermal conductivity of ceramic matrix composites.—74-10971A
Effect of nonuniform fiber distribution on the properties of a unidirectional CFCMC [ceramic fiber, ceramic matrix composite]: mechanical and physical properties.—74-10081A
Electron microscopy and thermogravimetry studies of Nicalon fiber-reinforced Blackglas matrix composites.—74-10797A
Engineering analysis for CMC material design considerations using Carborundum's sintered SiC fiber and slurry cast/melt infiltration process.—74-10329A
Enhancements to the Georgia Tech chemical vapor infiltration process model for ceramic matrix composites.—74-10332A
Environmental effects on fiber-reinforced ceramic matrix composites based on Blackglas.—74-10101A
Evaluation of ammonia-treated Nextel 312 fiber–Blackglas matrix composites.—74-10103A
Evaluation of four CMCs for aerospace turbine engine divergent flaps and seals.—74-09868A
Experimental study of the fracture toughness of a ceramic/ceramic matrix composite sandwich structure.—74-07874A
Fasteners made of composite material of a ceramic matrix reinforced with refractory fibers.—74-09820P
Fiber architecture design for CMC engine seal.—74-09462A
Freeze gelation—a modified sol-gel method for the fabrication of ceramic matrix composites.—74-10365A
High Temperature Mechanical Behavior of Ceramic Composites.—74-11204B
High-temperature behavior of silicon carbide fibers in an Si-Al-Ca-O-N ceramic matrix.—74-09872A
High-temperature tensile fatigue behavior of a polymer-derived ceramic matrix composite.—74-11022A
In-plane mechanical properties of several ceramic matrix composites.—74-07892A
Influence of frictional heating on interfacial shear and residual stresses in fiber-reinforced ceramic matrix composites.—74-11026A
Initial failure maps for fibrous CMC laminates.—74-02158A
Low cycle fatigue life prediction of ceramic matrix composites at elevated temperatures.—74-11035A
Low-cost ceramic matrix composites.—74-10111A
Matrix crack spacing in brittle matrix composites.—74-11038A
Mechanisms of deformation and failure in carbon-matrix composites subject to tensile and shear loading.—74-07903A
Mechanisms of thermal shock damage in fiber-reinforced ceramic matrix composites.—74-11048A
Metal and ceramic composites come down to earth.—74-06982A
Method of making metal-matrix composites and ceramic-matrix composites by Lanxide process.—74-10454A
Micromechanics approach to characterize interfaces in metal matrix and ceramic matrix composites.—74-09581A
Multilayer fiber-matrix ceramic composite material and process for its production—74-01264P
Multiple cracking of unidirectional and cross-ply ceramic matrix composites.—74-05381A
Notch sensitivity and stress redistribution in three ceramic matrix composites.—74-07905A
Oxidation embrittlement probe for ceramic matrix composites.—74-06801A
Oxidation of SiC matrix multiphase ceramics at high temperature and its effect on strength.—74-10930A
Plasma-added synthesis of ceramic and ceramic matrix composites.—74-10529A
Porous, oxidation-resistant fiber coating for CMC interphase.—74-09886A
Pressureless sintering of a ceramic matrix with multiple rigid inclusions: finite element model.—74-07441A
Properties and performance of ceramic composite components.—74-01860A
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: I, Theory.—74-11070A
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: II, Experimental studies on unidirectional materials.—74-11071A
Tensile properties of ceramic matrix fiber composites.—74-11110A
Testing the tensile properties of ceramic matrix composites.—74-01592A
Ultrasonic characterization of two ceramic/ceramic composites.—74-06828A
Ultrasonic evaluation of initiation and development of oxidation damage in ceramic matrix composites.—74-06829A
Ultrasonic evaluation of time/temperature effect of oxidation damage in ceramic matrix composites.—74-09628A
Ultrasound as a tool for the development of aerospace structural titanium and ceramic matrix composites.—74-09629A
Uniaxial and multiaxial fatigue of ceramic composite tubes.—74-11125A

ceramic-metal systems,
Adhesion strength and residual stress in ceramic/metal joints.—74-08126A
Apparatus for fabricating a foil.—74-02406P
Atomic structure of heterophase interfaces.—74-08130A
Ceramic and metal roll assembly.—74-02408P
Ceramic plate (substrate) which is coated with metal at least on one side.—74-08302P
Ceramic-metal composite joint body.—74-02410P
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic, and refractory surfaces—74-00165P
Combustion synthesis of high performance ceramic-metal composites.—74-08147A
Composite automotive exhaust pipe.—74-08304P
Composite ceramic powder and production process thereof.—74-02414P
Description of the different wear mechanisms for the tribological couple chromium steel/TiN-coated HSS.—74-08158A
Designing structural defects to relieve thermal stress.—74-08159A
Direct measurement of local properties of interfaces with scanning tunneling microscopy.—74-10789A
Dislocation nucleation in metal-ceramic interfaces.—74-08165A

Effect of dopants on the in situ formation of metal-ceramic microstructures by partial reduction reactions.—74-08171A
Effect of metal content on the erosion resistance of metal/ceramic Co-sprayed composite coatings produced by VPS.—74-08172A
Fracture resistance of metal-ceramic interfaces.—74-08195A
Friction behavior of TiN, CrN, and (TiAl)N coatings.—74-08197A
Geometric aspects of low-energy metal-ceramic interphase boundaries.—74-08200A
Growth of metal-ceramic interfaces by molecular beam epitaxy.—74-08201A
In situ formation of ductile phase-toughened ceramics by partial reduction reactions in the Ni-Al-O system.—74-08211A
Innovative approach to joining metals to ceramics.—74-08216A
Interfaces between alumina and platinum: structure, bonding, and fracture resistance.—74-08219A
Joining of metal to ceramic bodies by brazing.—74-02420P
Metal-ceramic cohesion and the image interaction.—74-08234A
Method for soldering a ceramic body of an electrical component into a metal housing—74-00172P
Method of fabricating a sintered ceramic composite.—74-08311P
Method of joining a ceramic component to a metal component.—74-02421P
Method of producing oxide ceramic layers on barrier layer-forming metals and articles produced by the method.—74-08315P
Method of production of a metallic composite material incorporating metal carbide particles dispersed therein—74-00177P
Models for the thermomechanical behavior of metal/ceramic laminates.—74-08243A
Plasma processing of ceramic and metallic raw materials: the ceramet project.—74-10525A
Properties of combustion-synthesized dense ceramic metal composites.—74-08258A
Single phase metal-alumina sol-gel process and material.—74-08321P
Strain-tolerant ceramic coated seal.—74-02424P
Structurally networked matrix ceramic composite material.—74-09842P

ceramics,
Ceramic analysis at the end of the 20th century.—74-11146A
Ceramic articles having channels for regulating the passage of fluids—74-01249P
Ceramic cutting tool with chip control—74-01310P
Ceramic prototypes for medical applications.—74-06958A
Ceramic welding.—74-09524P
Ceramic-plate flow-control valve—74-01250P
Ceramics, glass, enamel. Release of harmful substances from common food storage articles. Limits, testing, and analysis methods: I.—74-02225A
Ceramics, glass, enamel. Release of harmful substances from common food storage articles. Limits, testing, and analysis methods: II.—74-02224A
Education and the equivalence of academic degrees in the field of ceramics.—74-11157A
Expert systems for the selection of engineering ceramics.—74-11162A
Formable ceramic compositions and method of use therefor—74-01254P
Innovations—how to protect them and how to use them.—74-10424A
Mechanical behavior of ceramics and their ballistic properties.—74-02168A
News in XRF analysis of ceramic and glass.—74-06797A
Optimization of the composition of coarse-grained ceramics.—74-02477A
QFD in ceramics.—74-07955A
Safe, low emissions, low cost automobile.—74-04003P
Study on application of Hengshan albite to glass and ceramics.—74-09753A
Turbomolecular pump having vanes with ceramic and metallic surfaces—74-01274P

ceria,
CeO_2-doped AlN ceramics.—74-01283A
Ceramic material and insulating coating made thereof—74-01312P
Ceria-TZP with intergranular alumina.—74-01222A
Coating of ultrafine ceria-stabilized zirconia.—74-04517A
Colored glass-ceramic articles.—74-08472P
Crack resistance curves in layered Ce-ZrO_2/Al_2O_3 ceramics.—74-02111A
Cubic-tetragonal phase transformations in the ZrO_2-CeO_2 system.—74-01364A
Cyclic fatigue crack propagation behavior of 9 [mol%] Ce-TZP ceramics with different grain size.—74-02118A
Deformation bands in ceria-stabilized tetragonal/zirconia/alumina: I, Measurement of internal stress.—74-05332A
Deformation bands in ceria-stabilized tetragonal/zirconia/alumina: II, Stress-induced aging at room temperature.—74-05333A
Dependence of the kinetics of electrochemical vapor deposition of CeO_2 on oxygen partial pressure.—74-07248A
Deposition of cerium dioxide thin films on silicon substrates by atomic layer epitaxy.—74-07251A
Early-state oxidation of CeO_2 sol-coated nickel.—74-02074A
Effects of anode material and fuel on anodic reaction of solid oxide fuel cells.—74-00482A
Effects of microstructure and composition on microhardness of CeO_2-doped Si_3N_4 materials.—74-07637A
Electrochemical synthesis and sintering of nanocrystalline cerium(IV) oxide powders.—74-04604A
Electrochemical vapor deposition of CeO_2: kinetics of deposition of a composite, two-layer electrolyte.—74-00487A
Electroconductive ceramics based on cerium and indium oxides and their behavior in various gaseous media.—74-02990A
Electrophoretic ceria coating effect on high-temperature corrosion of the F17T stainless steel.—74-08181A
Epitaxial CeO_2 growth on Si(111) for SOI.—74-08895A
Formation of $LnCeO_x$ (Ln=Nd, Pr, Sm, Eu) solid solutions.—74-06550A
Formation of zirconia-ceria layers on silicon wafers using laser ablation.—74-01740A
Growth of CeO_2 films on sapphire and MgO by rf magnetron sputtering.—74-07330A
Growth of thin CeO_2-$YBa_2Cu_3O_7$ superlattices.—74-00813A
High-performance catalyzed-reaction layer for medium temperature operating solid oxide fuel cells.—74-07337A
Hydrogen sulfide solid-oxide fuel cell using ceria-based electrolytes.—74-05940A
Ir study of cerium dioxide—influence of impurities and defects.—74-05176A
J_R-Δa curves of 9 mol% Ce-TZP ceramics with different grain size and specimen geometry.—74-02159A
Lattice parameters and densitive of rare-earth oxide doped ceria electrolytes.—74-02846A
Martensitic transformation in deoxidized ceria-zirconia ceramics.—74-01407A
Mechanical properties of ZrO_2+12% CeO_2 ceramics with additives of CaO, Y_2O_3, and Nb_2O_5.—74-05378A
Microwave sintering of ZrO_2-12 mol% CeO_2.—74-01801A
Morphology of Y_2BaCuO_5 and segregation of second phase particles in melt-textured Y-Ba-Cu oxides with/without $BaCeO_3$ addition.—74-06593A
Performance of solid oxide fuel cell using proton and oxide ionic mixed conductors based on $BaCe_{1-x}Sm_xO_{3-\alpha}$.—74-00679A
Preparation and characteristics of Y_2O_3-doped CeO_2 film by rf magnetron sputtering.—74-07718A
Preparation of CeO_2 films on $LiNbO_3$ substrates by dc reactive sputtering.—74-10559A
Processing, sintering behavior, and microstructural characterization of some ceria-gadolinia solid electrolytes.—74-04844A
Production and characterization of novel ceria-stabilized zirconia ceramics.—74-04845A
Repeated point contact loading on Ce-TZP.—74-11073A
Residual stresses in alumina/ceria-stabilized zirconia composites.—74-07911A
Scratch experiments on ceria-stabilized tetragonal zirconia.—74-02197A
Sintering of ZrO_2-CeO_2 spherical powders prepared by a water extraction variant of the sol-gel process.—74-01889A
Solid state fuel cell and process for the production thereof—74-00560P
Study on epitaxial growth of CeO_2(110)/Si(100) in conjunction with substrate off-orientation.—74-09057A
Surface chemistry of nanocrystalline cerium oxide.—74-07128A
Temperature dependence of the kinetics of electrochemical vapor deposition of CeO_2.—74-01917A
Tetragonal-monoclinic phase transition enthalpy and temperature of ZrO_2-CeO_2 solid solutions.—74-07134A
Thermodynamic stabilities of $SrCeO_3$ and $BaCeO_3$ using molten salt method and galvanic cells.—74-01483A
Ultraviolet absorbing green tinted glass.—74-08497P
UV absorbing lamp glass—74-00354P
XPS study of the reaction of cerium dioxide.—74-04240A

cerium,
Anomalous magnetoresistance in $Ce_{1-x}La_xSb$ and $Ce_{1-x}La_xBi$.—74-01495A
Anomalous transport properties in superconducting $Nd_{1.85}Ce_{0.15}CuO_{4+\delta}$.—74-06488A
Capability of resonant photoemission with soft X-rays in rare-earth systems.—74-01043A
Content-addressable polychromic neutral net using a (Ce:Fe)-doped $LiNbO_3$ photorefractive crystal.—74-03290A
Crystallization and optical properties of gallium cerium lanthanum sulfide glass.—74-04121A
Cyclic fatigue of Ce-TZP/Al_2O_3 composites: role of the degradation of transformation zone shielding.—74-05319A
Determination of the cerium oxidation state in cerium vanadate.—74-05305A
Developing of net Ce magnetic moment upon H_2 absorption in $Ce_2Fe_{14}B$—an XCMD investigation.—74-06453A
dHvA effect study of metamagnetic transition in $CeRu_2Si_2$.—74-01506A
Effect of pressure on the magnetic susceptibility of CeB_6.—74-04287A
Electrical and magnetic properties of new ternary compound $CeRuSi_2$.—74-04294A
Electron transfer under radiation and protective action of cerium in radiation-resistant glasses.—74-00195A
Electronic structure of $Ce(Pd_{1-x}Cu_x)O_3$ ($0 \le x \le 0.133$) studied by photoemission and bremsstrahlung isochromat spectroscopy.—74-01988A
Field-induced diamagnetic fluctuations at low temperature in $Pr_{1.85}Ce_{0.15}CuO_{4-y}$ superconductor.—74-09273A
Formation and characterization of Ce_2ZrO_8 prepared by the hydrazine method.—74-04643A
Growth and spectral characteristics of Ce^{3+}:$YAlO_3$.—74-00629A
High-efficiency self-pumped phase conjugation at 633 nm in $BaTiO_3$:Ce.—74-08928A
Josephson decoupling in single-crystal $Nd_{1.85}Ce_{0.15}Cu_2O_{4-y}$.—74-04343A
Low-energy excitations in superconducting doped cuprates.—74-09297A
Low-temperature sinter forging of nanostructured Y-TZP and YCe-TZP.—74-01787A
Luminescence of Ce^{3+} in the $In_xSc_{1-x}BO_3$ ($0 \le x \le 1$) solid solution.—74-10115A
Magnetic orders in CeP.—74-01532A
Magnetic polaron formation in CeP and CeAs.—74-01534A
Magnetic susceptibility of YAG:Ce^{3+} crystals.—74-03392A
Magnetoelastic effects in $Nd_{2-x}3Ce_xCuO_4$ single crystals at low temperatures.—74-01537A
Microstructure, flaw tolerance, and reliability of Ce-TZP and Y-TZP ceramics.—74-11056A
Optical absorption of high-purity multicomponent cerium glasses and its temperature dependence at 1.17 eV.—74-02569A
Phase composition of Ce-TZP/Al_2O_3 composite ceramics.—74-07097A
Phase diagrams and sinter aids (Cs_2O) for SiO_2-sinterglass.—74-08345A
Radiation-induced electron transfer and the protective effect of cerium in radiation-resistant glasses.—74-00211A
Synthesis and characterization of $(CeO_2)_{0.8}(SmO_{1.5})_{0.2}$ thin films from polymer precursors.—74-07505A
Time and composition dependence of the spectral shape of the X-ray Ce L_{III} absorption in the $R_{2-x}Ce_xCuO_{4-y}$ superconductors.—74-00858A

cermets,
Cermet blade member.—74-02411P
Cermet etch technique for integrated circuits.—74-03266P
Composite alumina/metal powders, cermets made from said powders, and processes of production—74-00166P
Erosion-oxidation behavior of HVOF Cr_3C_2-NiCr cermet coating.—74-08185A
Fracture toughness of two-phase WC-Co cermets.—74-05358A
Fretting wear of selected ceramics and cermets.—74-08196A
Function of cermet elements in heat-treating furnaces.—74-06853A
High-temperature intermetallic binders for HVOC carbides.—74-08206A
Mechanical behavior of metal-ceramic bonds.—74-07899A
Mechanofused metal-carbide-oxide cermet powders for thermal spraying.—74-08230A
Method of preparing boron carbide/aluminum cermets having a controlled microstructure.—74-08313P
Novel method for preparing nickel/YSZ cermet by a vapor-phase process.—74-02389A
Process for densification of powdered ceramics and cermets at temperatures above 1400°C.—74-03770P

cesium oxide,
Optical functioning glass and method of manufacturing same, optical fiber, waveguide device, and laser device—74-00344P
X-ray diffraction study of the structure of B_2O_3-Cs_2O liquids.—74-04239A

cesium,
Cesium selectivity of (Al+Na)-substituted tobermorite.—74-05474A
Cross luminescence and intraband luminescence of CsI crystals.—74-06016A
Cross sections of $CsHgBr_3$-Cs_2ZnBr_4 [1] and $CsHg_2Br_5$-Cs_2ZnBr_4 [2] of the ternary system $ZnBr_2$-$HgBr_2$-CsBr.—74-01359A
Cs-induced highest E_F jump above InAs(110) conduction band minimum.—74-06019A
Cs-induced highest E/F jump above InAs(110) conduction-band minimum.—74-06020A
Electron-stimulated desorption of cesium atoms from oxidized tungsten surface at 77 K.—74-05136A
Extrusion of silver and cesium halogenide fibers at various temperatures.—74-04627A
Improved quantification in secondary ion mass spectrometry detecting MCs^+ molecular ions.—74-01070A
Magnetic structure and properties of the quasi-2-D Ising magnet $CsEr(MoO_4)_2$.—74-09206A
Magnetooptical analysis of a $CsDy_{0.93}Eu_{0.07}(MoO_4)_2$ crystal.—74-01538A
Novel core effects in Cs/GaAs(110) overlayers—adsorption-induced buckling enhancement.—74-08972A
Optical and X-ray studies in ferroelastic $Cs_3H(SeO_4)_2$.—74-04170A
Refinement of $Cs_3D(SeO_4)_2$ low-temperature phase by high-resolution powder neutron diffractometry.—74-04207A
Symmetry of high-pressure phases in $CsHSO_4$.—74-07129A
Use of silicotitanates for removing cesium and strontium from defense waste.—74-07009A

chalcogenides,
Amorphous thin films for (rewritable) optical memory disks based on phase change mode.—74-08324A
Anomalies in low-temperature calorimetric properties of Pb chalcogenides.—74-04989A
Band inversion in A^4B^6 semiconductors due to fluctuations of local stresses or local [non-Gaussian] fluctuations of composition.—74-02920A
Chalcogenide glass in the systems Ga_2S_3-GeS_2-MeF_n.—74-00182A
Chalcogenide glasses in Ga_2S_3-GeS_2-MeF_n systems.—74-00183A
Chemical bath deposition of ZnSe and CuSe thin films using N, N-dimethylselenourea.—74-06003A
Chemical bond distribution and short-range order in nonoxide chalcogenide glasses—results from NMR spectroscopy.—74-08326A
Chemistry of copper chalcogenides in waste glasses.—74-09395A
Dc electrical properties of some metal-chalcogenide glassy alloys of the Cu-As-Se system.—74-05709A
Doping impurity effect on ferroelectric phase transitions in $PbTe_{1-x}S_x$ and $Pb_{1-x}Ge_xTe$.—74-03297A
Effects of crystallization on the optical and electrical properties of amorphous Sb-S-Ge thin films.—74-06059A
Electrical conductivity and Seebeck coefficient of germanium sulfide and selenide under pressure of 20-50 GPa.—74-06068A
Elementary excitations in crystals with unidimensional disorder.—74-04309A

Features of elastic properties of $Ge_xAs_xSe_{1-x-y}$ chalcogenide glasses near topological phase transition.—74-02455A
Free volume parameters for tellurium chalogenide glasses.—74-02459A
Infrared evanescent absorption spectroscopy of toxic chemicals using chalcogenide glass fibers.—74-06782A
Ion mobility in chalcogenide semiconductors: room temperature creation of bipolar junction transistor.—74-00644A
Magnetic susceptibility of copper and silver chalcogenides near the crystal-melt phase transition.—74-04352A
Magnetoresistance of mercury chalcogenides under high pressure up to 30 GPa.—74-02560A
MOCVD of group III chalcogenide compound semiconductors.—74-06208A
Near-ir optical nonlinearities in amorphous chalcogenides.—74-08338A
Optical fiber amplifier and a glass therefor.—74-08495P
Phase-transition-induced change of band structure in $PbTe_{1-x}S_x$ [x=0.03 and 0.06].—74-04195A
Photoinduced darkening and Faraday effect in glassy semiconductor films.—74-03163A
Refractive index dispersion and optical absorption edge of physically vapor deposited films of the $As_{35}S_{65}$ chalcogenide glass.—74-00276A
Scanning probe microscopy study of layered dichalcogenide ReS_2.—74-10880A
Semiconductor-to-metal transitions in $Hg_{1-x}Mg_xTe$ and $HgSe_{1-x}S_x$ under extremely high pressure.—74-04416A
Structural analysis and space model of the glassy alloy $Cu_{0.1}As_{0.45}Te_{0.374}$ by X-ray diffraction.—74-00223A
Structural characteristics of chalcogenide glasses.—74-00224A
Structural peculiarities of chalcogenide glasses.—74-00228A
Superionic conducting glass.—74-08396A
Theoretical method for resolving overlapping peaks in differential scanning calorimetry.—74-06825A

chalcopyrite,
Effect of the sulfur pressure on the growth of $CuInS_2$ single crystals by the gradient freeze technique.—74-00597A
Structural, optical, and electrical properties of pyrolytically deposited thin films of $CuInSe_2$.—74-09052A
Synthesis of polycrystalline chalcopyrite semiconductors by microwave irradiation.—74-09062A

chamotte,
Dosification of a cement-talc-chamotte refractory mortar subjected to thermal shock.—74-05492A
Investigation of sintering in a chamotte refractory.—74-05863A

characterization,
Advanced ceramics: combustion synthesis and properties[—review].—74-11136A
Barium titanium alkoxides for barium titanates—synthesis, characterization, and applications.—74-06947A
Ceramic body based on diopside.—74-02704A
Characteristic and application of silicon nitride ceramics.—74-09856A
Characterization and dielectric properties of almandine-pyrope garnet.—74-07147A
Characterization of bioceramics.—74-06961A
Characterization of commercial alumina ceramic pieces.—74-07602A
Characterization of mineral phases in cardiovascular calcification.—74-09771A
Characterization of polymeric structure of aluminosilicate complex in sol-gel solution.—74-05087A
Characterization of porous solids.—74-07608A
Characterization of thin BiSrCaCuO superconducting films.—74-03423A
Electrostrictive behavior in lead magnesium niobate (PMN) actuators: I, Materials perspective.—74-09131A
Fabrication and properties of ceramic composites with a boron nitride matrix.—74-07307A
Flame deposition and characterization of large type IIa diamond single crystals.—74-04638A
Group of Late Helladic IIA pottery from Tsoungiza[, Greece].—74-00020A
High-temperature superconducting thin films—correlation between properties and deposited parameters.—74-09286A
Lifetime prediction—importance of the testing method.—74-06785A
Low-temperature growth and characterization of GaAs epitaxial layer on (111)B GaAs substrates.—74-05181A
Microwave performance–property relationships of $YBa_2Cu_3O_{7-\delta}$ thin films grown on $LaAlO_3$(001) substrate.—74-03532A
Multilayer ceramic capacitors.—74-08760A
Papers from the 13th North American Conference on Molecular Beam Epitaxy.—74-03148A
Plasma characterization of high-pressure dc sputtering system used for the "in situ" preparation of high-T_c superconductor thin films.—74-03555A
Possible technique for the characterization of diamond films using an ultrasonic resonance technique.—74-09602A
Preparation and characterization of MOCVD thin films of cadmium sulfide.—74-04820A
Preparation and characterization of single-phase ß-SiAlON.—74-04821A
Processing and characteristics of spin-cast ferroelectric $Bi_4Ti_3O_{12}$ thin films.—74-09172A
Scanning tunneling microscope and surface characterization.—74-10881A
Synthesis and characterization of semiconductor nanoparticulates.—74-09060A
Why graphite.—74-08642A
Wollastonite—its world presence, effectiveness, and future.—74-10180A

charge density wave,
Atomic force microscope and scanning tunneling microscope studies of superlattices and density waves in Fe-doped $NbSe_2$, $TaSe_2$, TaS_2 and in $NbSe_3$ doped with Fe, Co, Cr, and V.—74-07593A
CDW paraconductivity in $K_{0.3}MoO_3$.—74-07146A

charge,
Batch chargers often overlooked in enhancing furnace performance.—74-03897A
Charge fluctuation influence on the axial oxygen position in YBCO.—74-04262A
Charge-transfer processes at *n*-TiO_2 by using a short laser pulse.—74-01500A
Evaluation of the structural formula and alkylammonium methods of determining layer charge.—74-10804A
Generation and mobility of electronic charge carriers in $Y_1Ba_2Cu_3O_x$.—74-03469A
High mobility *n*-type charge carriers in large single crystals of anatase (TiO_2).—74-03040A
Layer charge determination by alkylammonium ions.—74-08560A
Low-mobility charge carriers in CuO.—74-10112A
Movement of neutral particles in charged media.—74-10739A
Nucleation on charged substrate.—74-04788A
Photoinduced displacement of the space-charge region in GaAs *p-i-n* structures.—74-08996A
Problems associated with layer charge characterization of 2:1 phyllosilicates.—74-10867A
Role of layer charge in organic contaminant sorption of organoclays.—74-08582A
Size quantization of carriers in quasi-zero-dimensional structures [QZDS].—74-03218A
Uniphase operation of a GaAs resistive gate charge-coupled device.—74-00731A

checker brick,
Basic chimney checkers for glass tank furnace regenerators.—74-08608A
Condition and hydraulic resistance of a poured blast furnace hot blast stove checkerwork.—74-02706A
Latest developments in the measurement of regenerator thermal performance.—74-09574A

chemical analysis,
Automated dissolution of minerals and multielement analysis of major, minor, and trace constituents using inductively coupled plasma source atomic emission spectrometry (ICP-AES): application to glasses.—74-09553A
Ceramic analysis at the end of the 20th century.—74-11146A
Ceramic body reformulation procedure with emphasis on ball clay.—74-09741A
Ceramic interest weald clays from Castellon.—74-06893A
Characterization of different Mexican natural pozzolanas.—74-07043A
Characterization of pozzolanas of the Spanish Canary Islands.—74-06894A
Chemical analysis of sinterable SiC powder.—74-01352A
Comparative study of ICP and XRF for chemical analysis of clays.—74-07612A
Geology, occurrence, and genesis of Eskisehir sepiolites, Turkey.—74-03943A
Recent trends in chemical analysis of ceramic raw materials.—74-09750A
Simple method for estimation of calcium in minerals by wet chemical analysis.—74-09616A
Standardization of chemical analysis methods for ceramics raw materials and preparation of reference raw materials.—74-09620A
State-of-the-art raw material analysis in ceramic laboratories.—74-01109A
Using your PC for reformulation.—74-11195A

chemical industry,
Engineering ceramics for the mechanical engineering and chemical industries.—74-07298A
Implementing Responsible Care.—74-11166A

chemical properties,
Effect of dry-air calcination on the physicochemical properties of HZSM-5 zeolite.—74-10281A
Laser-synthesized silicon nitride powder: chemical and physical characteristics.—74-01405A
Making of chemical beakers.—74-08337A
Possible applications for flue gas desulfurization products in coal mining.—74-05568A

chemical reaction,
Chemical interaction between SiAlON ceramics and steel.—74-07799A
Chemical interaction between silicon nitride–titanium carbide powder.—74-09975A
Chemical reactional kinetics during preparation of high-T_c superconductors.—74-03427A
Chemical reactivity of nickel and nickel-based alloys with a SiAlON ceramic.—74-08143A
Chemical surface coating, a promising route to new ceramic coatings.—74-10223A
Continuous process to produce nanophased ceramic powders.—74-04527A
Cross-condensation reactions in an organically modified silica sol-gel.—74-10249A
Formation of atomic steps in chemical vapor deposition diamond growth.—74-04644A
Glass/substrate interaction in model RuO_2–glass double-layer thick films.—74-05938A
Interaction between electronic pastes and AlN substrates.—74-05944A
Manufacturing of covalent ceramics by exothermic reactions.—74-10440A
Scanning tunneling microscopy study of ZnS particles generated from a controlled chemical reaction.—74-06302A
Spectroscopic studies of chemical reactions and dynamics in sol-gel matrices.—74-08395A

chemical resistance,
Advanced materials resist chemicals.—74-06946A
Applicability and formability of a revolutionary boron nitride ceramic.—74-01279A
Application of catalysts on high-porous ceramic materials.—74-02064A
Behavior of a low-energy cement in Na_2SO_4 and seawater media.—74-05466A
Chemical stability of laminated AlN/AlN:H films.—74-04508A

chemical vapor deposition (CVD),
Ab initio energetics of CVD growth reactions on the three low-index surfaces of diamond.—74-04464A
Advances in precursor development for CVD of barium-containing materials.—74-05918A
Al_2O_3 coatings against high temperature corrosion deposited by metallorganic low-pressure chemical vapor deposition.—74-01613A
Angular dependence of J_c of *c*-axis-oriented MOCVD YBCO film.—74-03415A
Anisotropic deposition of doped silicate glass.—74-05751A
Apparatus for chemical vapor deposition of diamond including graphite substrate holders.—74-09517P
Apparatus for chemical vapor deposition of diamond including thermal spreader.—74-09518P
Apparatus for diamond deposition by microwave plasma-assisted CVPD.—74-03741P
Applications of CVD-coated multifilament fibers.—74-07014A
Atomic force microscopy studies of polysilicon growth during deposition on silicon.—74-05981A
Atomic force microscopy study of surface morphology of GaAs grown by atomic layer epitaxy using trimethylgallium and arsine.—74-05982A
Boron nitride and silicon boron nitride film and polish characterization.—74-07213A
C49/C54 phase transformation during chemical vapor deposition of $TiSi_2$.—74-01345A
Carbon and hydrogen incorporation in ZnTe layers grown by metallorganic chemical vapor deposition.—74-04492A
Characterization of Al-doped *n*-type ZnSe prepared under a zinc-rich growth condition by low-pressure organometallic chemical vapor deposition.—74-04501A
Characterization of low pressure chemically vapor deposited tungsten nitride films.—74-01499A
Characterization of undoped and boron-doped polycrystalline diamond films synthesized by hot-filament chemical vapor deposition using methanol.—74-04506A
Chemical vapor deposited diamond fibers: manufacture and potential properties.—74-04510A
Chemical vapor deposition of boron nitride.—74-01633A
Chemical vapor deposition of hafnium carbide and characterization of the deposited layers by secondary-neutral mass spectrometry.—74-04104A
Chemical vapor deposition of silicon carbide on mesophase pitch-based carbon fibers.—74-04512A
Chemical vapor deposition of the Al-Fe-O system.—74-04513A
Chemical vapor deposition of vanadium oxide thin films.—74-06004A
Chemical vapor deposition techniques for thin films of solid electrolytes and electrodes.—74-00466A
CO_2 laser chemical vapor deposition of silica films in a parallel configuration: a study of gas phase phenomena.—74-01636A
Coating composition for glass.—74-08471P
Codeposition of free silicon during CVD of silicon carbide.—74-01638A
Comparative study of large grains and high-performance TFT's in low-temperature crystallized LPCVD and APCVD amorphous silicon films.—74-01357A
Comparison of film quality and step coverage for silicon dioxide dielectrics formed by RTCVD using tetraethoxysilane and silanes.—74-08731A
Comparison of TMGa and TEGa for low-temperature metallorganic chemical vapor deposition growth of CCl_4-doped InGaAs.—74-04522A
Considerations of MOCVD for the preparation of high-T_c thin films.—74-06501A
Constant heating rate sintering of chemically vapor deposited silicon nitride.—74-07237A
Constant indium delivery from trimethyl indium/hexadecane slurry.—74-03792A
Continuous atmospheric pressure CVD coating of fibers.—74-10240A
Continuous fabrication of silicon fiber tows by chemical vapor deposition.—74-07238A
CVD deposition of diamond on nitrides and oxides as substrates.—74-01655A
CVD diamond: its fabrication and growing utilization.—74-01656A
CVD processing of fiber coatings for CMCs.—74-10253A
Defects in chemically vapor deposited diamond films studied by electron spin resonance and Raman spectroscopy.—74-10727A
Depositing high-T_c superconductors on normal conductor wires.—74-06509A
Deposition of cubic BN on diamond interlayers.—74-07253A
Deposition of diamondlike carbon films by photon-enhanced chemical vapor deposition of methane using a windowless hydrogen lamp.—74-01666A
Deposition of $Pb(Zr,Ti)O_3$ thin films by metallorganic chemical vapor deposition using ß-diketonate precursors at low temperatures.—74-04542A
Deposition of Si-B-C materials from the vapor phase for applications in ceramic matrix composites.—74-10262A
Deposition of titanium oxide films from metallorganic precursor by electron cyclotron resonance plasma-assisted chemical vapor deposition.—74-06035A
Determination of diamond film quality during growth using in situ Raman spectroscopy.—74-04544A
Development and implementation of large-area, economical, rotating disk reactor technology for metallorganic chemical vapor deposition.—74-06694A
Diamond chemical vapor deposition using tantalum filaments in H_2-CH_4-O_2 gas mixtures.—74-01671A
Diamond deposition by hollow cathode arc discharge.—74-07257A

Diamond films as substrates for glucose sensors.—74-07020A
Diamond films grown on *p*-type microcrystalline, SiC:H/crystalline-Si subsubstrates.—74-04550A
Diamond growth by hot-filament chemical vapor deposited state of the art.—74-10267A
Diamond homoepitaxy by hot-filament chemical vapor deposition.—74-10268A
Diamond nucleation on steel substrates.—74-00113A
Diamond wire die.—74-04048P
Dislocations in as-grown CVD α-silicon nitride.—74-10729A
Effect of deposition orientation on the structure and magnetic properties of chemical-vapor-deposited iron oxide thin films.—74-04571A
Effect of filament temperature on the growth of diamond using hot-filament chemical vapor deposition.—74-04572A
Effect of power on the properties of SiO_2 films produced by plasma-enhanced chemical vapor deposition.—74-10292A
Effect of production conditions for in situ phosphorus-doped LPCVD polysilicon in monosilane/phosphine system on the deposition process kinetics.—74-04585A
Effect of SiC codeposition on the oxidation behavior of carbon-carbon composites prepared by chemical vapor deposition.—74-05007A
Effects of postdeposition treatments on the mechanical properties of a chemical vapor deposited silicon carbide.—74-10313A
Effects of processing on electrical properties of $YBa_2Cu_3O_7$ films: II, In situ deposition processes.—74-00801A
Electrochemistry vapor deposition of YSZ coatings on graphite.—74-04605A
Electrochromic properties of tungsten trioxide thin films prepared by chemical vapor deposition.—74-07288A
Electrooptic materials by solid-source MOCVD.—74-07296A
Ellipsometric examination of structure and growth rate of metallorganic chemical-vapor-deposited Ta_2O_5 films on Si(100).—74-07643A
Energetics of hydrogenic reactions at diamond surfaces calculated by a local spin density functional theoretical method.—74-07645A
Equilibrium predictions of the role of organosilicon compounds in the chemical vapor deposition of silicon carbide.—74-01713A
Fabrication of full-scale fiber-reinforced hot gas filters by chemical vapor deposition.—74-01726A
Fabrication of silicon carbide-boron carbide composite by chemical vapor deposition.—74-04630A
Formation of atomic steps in chemical vapor deposition diamond growth.—74-04644A
Fracture behavior of a CVD crystalline Si_3N_4/amorphous Si_3N_4 composite.—74-02146A
Gas flow effects in synthesis of diamond by hot-filament chemical vapor deposition.—74-01744A
Growth and properties of PZT thin films on a 6-8 inch wafer by MOCVD.—74-09145A
Growth of $(GaAs)_{1-x}(Ge_2)_x$ by metallorganic chemical vapor deposition.—74-04668A
Growth of $BaTiO_3$ thin films by MOCVD.—74-07663A
Growth of cubic boron nitride by chemical vapor deposition and high-pressure high-temperature synthesis.—74-01747A
Growth of cubic boron nitride coatings in a magnetic field enhanced rf glow discharge.—74-04671A
Growth of epitaxial ß-SiC films on porous Si(100) substrates from MTS in a hot-wall LPCVD reactor.—74-06128A
Growth of high-mobility InSb by metallorganic chemical vapor deposition.—74-04673A
Growth of TiN thin films from $Ti(NMe_2)_4$ and ammonia.—74-01751A
High-order twin boundaries in CVD diamond films.—74-01945A
High-performance InP JFETs grown by MOCVD using tertiarybutylphosphine.—74-04679A
High-quality YBaCuO thin film growth by low-temperature metallorganic chemical vapor deposition using nitrous oxide.—74-06556A
High-temperature deposition of SiN films using low-pressure chemical vapor deposition system for X-ray mask application.—74-03047A
Highly polishable, highly thermally conductive silicon carbide.—74-04055P
Hot-filament chemical vapor deposition of diamond on SiAlON at pressures up to 500 torr.—74-10388A
Hot-filament-assisted CVD of titanium nitride films.—74-10389A
Impact of MOCVD growth ambient on carrier transport, defects, and performance of CdTe/CdS heterojunction solar cells.—74-01946A
Improvement in ir properties of chemically vapor deposited diamond films by smoothening with KrF excimer radiation.—74-10398A
In situ Fourier transform ir emission spectroscopy of diamond chemical vapor deposition.—74-09999A
In situ growth of high-T_c $YBa_2Cu_3O_{7-x}$ films at high deposition rate by low-pressure CVD.—74-06559A
In situ heteroepitaxial $Bi_2Sr_2CaCu_2O_8$ thin films prepared by metallorganic chemical vapor deposition.—74-06560A
In situ mass sampling during supersonic arcjet synthesis of diamond.—74-05160A
In situ phosphorus-doped VLPCVD polysilicon layers for polysilicon thin film transistors.—74-04693A
Influence of glass-ceramic substrate on nucleation density of diamond particle.—74-04699A
Influence of substrate on structural properties of TiO_2 thin films obtained via MOCVD.—74-04705A
Influence of surface treatment on the electronic structure of CVD diamond films.—74-04706A
Influence of the gas composition on the electrical resistivity of diamond thin films synthesized by the tantalum hot filament method.—74-04708A
Infrared absorption spectroscopy for monitoring condensible gases in chemical vapor deposition applications.—74-03823A
Infrared sensor for CVD deposition of dielectric films.—74-08755A
Interfacial layer effects in the growth of CVD diamond.—74-04715A
Internal stresses in CVD diamond layers.—74-04339A
Investigation of nucleation centers in diamond chemical vapor deposition with spatially resolved X-ray photoelectron spectroscopy.—74-05172A
Investigation of second harmonic generation in MOCVD-grown barium titanate thin films.—74-06417A
Investigation of the CVD diamond-intermediate layer-steel interface.—74-05173A
Investigation of the microstructure, chemical composition, and lateral growth kinetics of TiN films deposited by laser-induced chemical vapor deposition.—74-04718A
Ion beam mixing characteristics of MOCVD grown InGaAs/GaAs superlattices.—74-03077A
Ion etching behavior and surface binding energies of hard diamondlike carbon and microwave chemical vapor deposition diamond films.—74-01773A
Ion-beam-induced chemical vapor deposition for the preparation of thin-film oxides.—74-03703A
Ion-beam-induced chemical vapor deposition procedure for the preparation of oxide thin films: I, Preparation and characterization of TiO_2 thin films.—74-07361A
Kinetic study of titanium nitride chemical vapor deposition using nitrogen, hydrogen, and titanium tetrachloride.—74-07364A
Kinetics and conformality of TiN films from TDEAT and ammonia.—74-01775A
Laser damage testing of CVD-grown diamond windows.—74-07366A
Laser-based chemical vapor deposition of titanium nitride coatings.—74-04726A
Lateral thermal diffusivity of epitaxial diamond films.—74-04730A
Lead titanate thin films prepared by metallorganic chemical vapor deposition (MOCVD) on sapphire, Pt, and RuO_x substrates.—74-07368A
Liquid delivery of low-vapor-pressure MOCVD precursors.—74-07369A
Local equilibrium phase diagrams for SiC deposition in a hot-wall LPCVD reactor.—74-07087A
Loss of selectivity during W chemical vapor deposition on Si using the WF_6/SiH_4 process.—74-04733A
Low-pressure chemical vapor deposition of silicon carbide from diethylsilane.—74-01780A
Low-pressure chemical vapor deposition of silicon carbide from ditertiarybutylsilane.—74-01781A
Low-pressure chemical vapor deposition process for depositing high-density, highly-conformal titanium nitride films of low bulk resistivity.—74-09925P
Low-pressure MOCVD growth of buried heterostructure laser wafers using high-quality semiinsulating InP.—74-06184A
Low-temperature CVD of TiN from $Ti(NR_2)_4$ and NH_3—FTIR studies of the gas-phase chemical reactions.—74-07371A
Low-temperature deposition of glass membranes for gas sensors.—74-02641A
Low-temperature epitaxial growth of undoped and *n*-doped silicon by photochemical vapor deposition using $SiH_4/SiH_2Cl_2/H_2/PH_3$ mixtures.—74-01784A
Low-temperature luminescent properties of degenerate *p*-type GaAs grown by low-pressure metallorganic chemical vapor deposition.—74-08948A
Low-temperature metallorganic chemical vapor deposition of advanced barrier layers for the microelectronics industry.—74-04738A
Low-temperature MOCVD of oriented $PbTiO_3$ films on Si(100).—74-06421A
Low-temperature polysilicon thin-film transistors.—74-03090A
Low-temperature selective growth of epitaxial Si and $Si_{1-x}Ge_x$ layers from SiH_4 and GeH_4 in an ultrahigh vacuum, very low pressure chemical vapor deposition reactor—kinetics and possibilities.—74-04741A
Low-temperature thinning of thick chemically vapor deposited diamond films with a molten Ce-Ni alloy.—74-04742A
Manufacturing aspects of low pressure chemical vapor deposited TiN barrier layers.—74-01790A
Measure of the interfacial shear strength between SiC (CVD)/B (CVD) filament-aluminum matrix by fragmentation method.—74-10445A
Mechanism of incipient oxidation of bulk chemical vapor deposited Si_3N_4.—74-01793A
Metallic chemical vapor deposition: new deposition technologies.—74-02250A
Metallorganic chemical vapor deposition by pulsed liquid injection using an ultrasonic nozzle: titanium dioxide on sapphire from titanium(IV) isopropoxide.—74-10450A
Metallorganic chemical vapor deposition of epitaxial $Tl_2Ba_2Ca_3Cu_3O_{10-x}$ thin films.—74-06584A
Metallorganic chemical vapor deposition of $LaAl_{11}O_{18}$ by a liquid precursor route.—74-10451A
Method and apparatus for vapor deposition of diamond.—74-09929P
Method for chemical vapor deposition of titanium nitride films at low temperatures.—74-09930P
Method for deposition of a refractory metal nitride and method for formation of a conductive film containing a refractory metal nitride.—74-08801P
Method for determining thickness of chemical vapor deposited layers.—74-03891P
Method for making diamond grit and abrasive media.—74-02290P
Method of controlling the deposition of thin CVD layers.—74-07380A
Method of forming diamond or diamond containing carbon film.—74-09936P
Method of manufacturing a semiconductor device having an insulating layer composed of a BPSG film and a plasma-CVD silicon nitride film—74-00743P
Method of nucleating tungsten on titanium nitride by CVD without silane—74-00175P
Microcrystalline silicon carbon alloy film prepared by photochemical vapor deposition.—74-04749A
Microwave plasma CVD apparatus provided with a microwave transmissive window made of specific ceramics for the formation of a functional deposited film.—74-03761P
MOCVD growth of epitaxial $SrTiO_3$ thin films on $YBa_2Cu_3O_{7-\delta}$/$LaAlO_3$.—74-07385A
MOCVD of group III chalcogenide compound semiconductors.—74-06208A
MOCVD of magnetooptical ceramics.—74-06470A
Model for chemical vapor deposition of nanostructured ceramics inside tubes under high-temperature laminar flow conditions.—74-07386A
Model studies of chemical vapor deposition.—74-01805A
Modeling and characterization of interface static parameters and surface recombination velocity at plasma enhanced chemical vapor deposited SiO_2-Si interface.—74-10122A
Morphological structure of silicon carbide grown by chemical vapor deposition on titanium carbide using silane and ethylene.—74-07700A
Multiple grained diamond wire die.—74-04071P
Nanosize silicon whiskers produced by chemical vapor deposition.—74-07397A
New method of diamond CVD with a closed gas circuit.—74-04775A
Numerical analysis of an impinging jet reactor for the CVD and gas-phase nucleation of titania.—74-07403A
On the relation between low-temperature epitaxial growth conditions and the surface morphology of epitaxial Si and $Si_{1-x}Ge_x$ layers, grown in an ultrahigh vacuum, very low pressure chemical vapor deposition reactor.—74-04789A
Optical and crystallographic properties of high perfection InP grown on Si(111).—74-04169A
Optimization of J_c for photoassisted MOCVD-prepared YBCO thin films by robust design.—74-06601A
Optimization of buffer layers for AlGaAs/InGaAs/GaAs pseudomorphic high electron mobility transistors by atmospheric pressure metallorganic chemical vapor deposition.—74-06245A
Organometallic chemical vapor deposition of transition metal carbides—the use of homoleptic alkyls.—74-10512A
$Pb(Zr^*Ti)O_3$ thin films prepared by MOCVD.—74-03329A
Photodissociation dynamics of DMZn at 193 nm—implications for the growth of ZnSe films by laser-assisted metallorganic chemical vapor deposition.—74-05043A
Plasma CVD apparatus and method therefor.—74-03765P
Plasma CVD of silicon nitride thin films on large area glass substrates at high deposition rates.—74-09947P
Plasma diagnosis in dc-biased hot-filament-assisted chemical vapor deposition by double-probe method.—74-10524A
Plasma diagnostics of a direct current arcjet diamond reactor: I, Electrostatic probe analysis.—74-06803A
Plasma enhanced chemical vapor deposition of oxide film stack.—74-03766P
Plasma jet CVD apparatus for forming diamond films.—74-09534P
Plasma-enhanced metallorganic chemical vapor deposition of germanium nitride thin films.—74-07415A
Plasma-enhanced MOCVD of superconducting oxides.—74-06612A
Positron lifetime investigations of diamond films.—74-04818A
Preparation and characterization of MOCVD thin films of cadmium sulfide.—74-04820A
Preparation of homogeneous polycrystalline $CuInSe_2$ thin films by a two-step chemical-vapor-transport process.—74-07433A
Preparation of yttria-stablized zirconia films by the electrochemical vapor deposition.—74-10573A
Preparation of zinc titanate thin films by low-pressure metalorganic chemical vapor deposition.—74-10574A
Presynthesized interfaces for ceramic matrix composites via fiber coating.—74-01855A
Primary reaction processes in the deposition of diamondlike carbon films by photon-enhanced CVD of methane using a windowless hydrogen lamp.—74-04833A
Process for formation of silicon carbide film.—74-09949P
Process for synthesizing diamond in a vapor phase.—74-09955P
Processing conditions for boron nitride coatings in fiber bundles via chemical vapor deposition.—74-04836A
Processing of YSZ layers by electrochemical vapor deposition.—74-04842A
Production of ß-SiC buffer layers for CVD diamond thin films by ion implantation.—74-04846A
Properties of chemical vapor deposited titanium nitride.—74-01861A
Properties of stoichiometric and silicon-rich polycrystalline silicon carbide films deposited by chemical vapor deposition on various substrates.—74-10145A
Raman spectra of MOCVD-grown ferroelectric $PbTiO_3$ thin films.—74-07726A
Reaction of Si_2H_6 in the presence of C_2H_2 in synthesis of SiC films by LPCVD using a macro/microcavity method.—74-01866A
Recent advances in the CVD of metal nitrides and oxides.—74-07460A
Recrystallization of LPCVD amorphous Si films using F^+ implantation.—74-05232A
Relationship between the process parameters and film properties of low-temperature low-pressure chemical vapor deposition titanium nitride films.—74-00530A

Role of accelerated electrons in diamond formation processes during electron-assisted chemical vapor deposition.—74-04872A
Scanning laser microscopy as a tool for the in situ investigation of diamond growth.—74-03866A
Scanning tunneling microscopy morphological study of the first stages of growth of microwave chemical vapor deposition thin diamond films.—74-02042A
Selective and blanket copper chemical vapor deposition for ultra-large-scale integration.—74-01875A
SF_6-sensitized CO_2-laser chemical vapor deposition of a-Ge:H.—74-04885A
Si_3N_4/Si/Ge/GaAs metal-insulator-semiconductor structures grown by in situ chemical vapor deposition.—74-09036A
SiC deposition by hot-wall LPCVD using tetramethylsilane.—74-07476A
Silica coating of aluminum nitride particles by radio-frequency plasma chemical vapor deposition.—74-10626A
Silicon carbide tubes by chemical vapor deposition technology.—74-01881A
Silicon oxide thin films grown by Xe_{2*} excimer lamp chemical vapor deposition—the role of the substrate temperature and the window-substrate distance.—74-03734A
Soft X-ray emission study of HFCVD diamond films.—74-05248A
Solar-induced chemical vapor deposition of diamond-type carbon films—74-01339P
Stabilization of diamond relative to different substrate-carbon carbon interfaces: a nucleation model for CVD diamond growth based on a charge transfer consideration.—74-05254A
Strain distribution in InP grown on patterned Si—direct visualization by cathodoluminescence wavelength imaging.—74-03228A
Structural characteristics of as-deposited and crystallized mixed-phase silicon films.—74-04915A
Structural properties of titanium dioxide films grown on *p*-Si by metallorganic chemical vapor deposition at low temperature.—74-00719A
Structure and kinetics study of MOCVD lead oxide (PbO) from lead bis-tetramethylheptadionate (Pb(thd)-2).—74-07756A
Structure of oxygen-doped silicon grown by chemical vapor deposition at low temperature.—74-07494A
Study of the oxidation of CVD ß-SiC—influence of crystallization.—74-07827A
Study on growth and crystallization behavior of nanostructured amorphous silicon nitride.—74-03238A
Synchronously excited discrete chemical vapor deposition of Ta_2O_5.—74-07504A
Synthesis of Pd-doped SnO_2 films on silicon and interaction with ethanol and CO.—74-04946A
Synthetic strategies for MOCVD precursors for HTS thin films.—74-06647A
TaC coatings prepared by hot filament chemical vapor deposition—characterization and properties.—74-04951A
Tailoring silicon oxide film properties by tuning the laser beam-to-substrate distance in ArF laser-induced chemical vapor deposition.—74-04952A
Tantalum oxide thin films for dielectric applications by low-pressure chemical vapor deposition.—74-01916A
Tertiarybutylarsine and tertiarybutylphosphine for the MOCVD growth of low threshold 1.55 μm $In_xGa_{1-x}As/InP$ quantum well lasers.—74-04954A
Theoretical modeling of chemical vapor deposition of silicon carbide in a hot-wall reactor.—74-07528A
Thermochemical data for CVD modeling from ab initio calculations.—74-07535A
Thermodynamic analysis of CVD mullite coatings.—74-10043A
Thermodynamic approach to the C-H-O deposition diagram in the diamond chemical vapor deposition process.—74-04231A
Thermodynamic simulation of MOCVD $YBa_2Cu_3O_{7-x}$ thin film deposition.—74-06654A
Three 3-D simulation of an isolation trench refill process.—74-01597A
Time-dependent perturbed angular distribution studies of chemical vapor deposited diamond.—74-04966A
Tin dioxide thin films prepared by photochemical vapor deposition from tin(II) acetate.—74-07538A
Trends and market perspectives for CVD diamond.—74-05432A
Triangular deposition chamber for a vapor deposition system.—74-03778P
Type IIb diamond thin films deposited onto near-colorless natural gem diamonds.—74-01307A
Ultrathin tantalum oxide capacitor dielectric layers fabricated using rapid thermal nitridation prior to low pressure chemical vapor deposition.—74-00537A
Vanadocene used as a precursor for the chemical vapor deposition of vanadium carbide at atmospheric pressure.—74-07549A
Vapor-deposited boron nitride thin films.—74-07029A
Volatile mixed metal Y-Ba and Ba-Cu precursors for MOCVD of high-T_c superconductors: a way to improve the transport of barium.—74-09359A
XAS and XRD structural studies of titanium oxide thin films prepared by ion-beam-induced CVD.—74-05300A
Zirconia coating by LPCVD from zirconium tetraacetylacetonate.—74-04985A

chemical vapor infiltration,
Chemical vapor infiltration of nonoxide ceramic matrix composites.—74-09858A
Determination of fracture toughness of 2-D woven SiC matrix composites made by chemical vapor infiltration.—74-05337A
Enhancements to the Georgia Tech chemical vapor infiltration process model for ceramic matrix composites.—74-10332A
Fabrication of fiber-reinforced composites by chemical vapor infiltration.—74-01723A
Microwave-assisted chemical vapor infiltration.—74-01802A
Minimizing densification times during the final stage of isothermal chemical vapor infiltration.—74-01803A
Modeling of chemical vapor infiltration for fabrication of tubes.—74-01806A
Optimization of microwave-assisted chemical vapor infiltration.—74-10507A
Oxidation resistance of carbon-carbon composites obtained by chemical vapor infiltration of different carbon cloths.—74-05313A
Processing parameters of pulse CVI in C/C composites.—74-10590A
Rapid densification of carbon-carbon by thermal-gradient chemical vapor infiltration.—74-10596A
Rapid fabrication of carbon-carbon composites.—74-10597A
Technique for monitoring densification during chemical vapor infiltration.—74-03889AL

chemicals,
Diamond-based chemical sensors.—74-03267P
New routes in the development of chemical sensors: surface devices.—74-00670A
Safe handling of concentrated cleaning and conditioning agents.—74-00151A

chemisorption,
Chemisorption of hydrogen on diamond surfaces studied by high-resolution electron energy-loss spectroscopy.—74-05095A
Impurity effect on chemisorption properties of composite catalysts.—74-06978A

chemistry,
Atomic scale structure and chemistry of interfaces by Z-contrast imaging and electron energy loss spectroscopy in the stem.—74-10758A
Chemistry and interfacial properties of metal/ceramic interfaces.—74-05616A
Defect chemistry, phase stability, and properties of zirconia polycrystals.—74-01938A
Early history of the physics and chemistry of semiconductors: from doubts to fact in 100 years.—74-08867A
Four decades of research in solid-state chemistry[—review].—74-11163A
Intercalation compounds.—74-00496A
Kaolins, kaolins, and kaolins.—74-06909A
Materials Science Monographs, 81: Science of Ceramic Interfaces II.—74-11207B
Materials Science of Concrete IV.—74-07974B
Oil well cements for slim hole wells.—74-08080A
Probe yields 3-D atomic view of the chemistry of solids.—74-03851A
Processable, chemical routes to binary metal sulfides.—74-10580A
Processing of better ferroelectric films through chemistry.—74-03341A
Surface chemistry of commercial glasses.—74-08353A
Surface chemistry of diethylsilane and diethylgermane on Si(100): an atomic layer epitaxy approach.—74-04929A
Surface chemistry of nanocrystalline cerium oxide.—74-07128A

chinaware,
Design and creation [using computers for dinnerware decoration].—74-00013A
Developing a decorating department in a new fine china plant.—74-00016A
Vitreous china, method for preparing the vitreous china, sanitaryware produced therefrom and glaze therefor.—74-02819P

chlorides,
Acoustic studies of low-temperature phase transition in K_2ZnCl_4 crystals.—74-03780A
Anodic dissolution of uranium mononitride in lithium chloride–potassium chloride eutectic melt.—74-06668A
Aqueous phase equilibria in the system $CaO-Al_2O_3-CaCl_2-H_2O$: the significance and stability of Friedel's Salt.—74-04094A
Atmospheric chloride penetration into concrete in semitropical marine environment.—74-05465A
Chloride emission from glass-melting furnaces.—74-01138A
Chloride ingress in concrete as measured by field exposure tests in the atmospheric, tidal, and submerged zones of a tropical marine environment.—74-02065A
Comparative investigation of corrosion sensitivity of [concrete] reinforcing steel bars.—74-05846A
Composite electrolytes with special reference to the copper chloride-alumina system.—74-00468A
Composition, structure, and physicochemical properties of aluminum hydroxide chloride complexes.—74-07048A
Corrosion of stressing elements of the IMS skeleton structure reinforcement.—74-05847A
Corrosion rates of steel embedded in cement pastes.—74-00044A
Cross luminescence and intraband luminescence of CsI crystals.—74-06016A
Crystal structures of the hydrates of bis(quinidium) molybdate and quinidium chloride; to the question on the stable conformation of quinidine.—74-04120A
Drying of plasterboard—some quality aspects.—74-06760A
Effect of γ-irradiation on structural transformations of K_2ZnCl_4 at low temperatures from specific heat data.—74-07073A
Effect of chloride on the structure of fluoroaluminate glasses studied by XPS.—74-08331A
Effect of chlorides on the formation of belite and alinite phase.—74-02321A
Effect of glass composition on precipitation of crystallites in CuCl-doped glasses.—74-05676A
Effect of temperature on pore solution composition in plain cements.—74-00054A
Effects of hydrochloric acid on mortar.—74-05509A
Electrodeposition of Al_3Ti from chloroaluminate electrolytes.—74-07290A
Exciton luminescence of CuCl microcrystals in glass.—74-02540A
Exciton luminescence of microcrystals of CuCl in glass.—74-02541A
Formation and properties of tin(II) chlorophosphate glasses.—74-05678A
In situ pulsed laser-induced thermal desorption studies of the silicon chloride surface layer during silicon etching in high-density plasmas of Cl_2 and Cl_2/O_2 mixtures.—74-07347A
Incorporation and detection of chlorides in concretes attacked by deicing salts.—74-05532A
Influence of sulfates on chloride binding in cements.—74-02334A
Localized corrosion—mechanisms and methods.—74-05544A
Macrocell corrosion of steel in chloride-containing concrete.—74-05545A
Mechanism of interaction between Cl-containing gaseous phase and cemented carbides in the chemical vapor deposition process.—74-07378A
New color centers and photostimulated luminescence (PSL) of $Eu^{2+}:Sr_9Ca(PO_4)_6Cl_2$.—74-02566A
Optical properties and new functionalities of semiconductor nanocrystals embedded in host crystals and glasses.—74-08986A
Photoluminescence properties of Ho^{3+}-doped $(NaPO_3)_4-BaCl_2-ZnCl_2-RCl$ glasses.—74-05736A
Possibility of utilization of calcium sulfate dihydrate waste from polyaluminum coagulant production process as binding material.—74-00087A
Preparation of monodisperse ZrO_2 by the microwave heating of zirconyl chloride solutions.—74-04825A
Preparation of transition metal oxides by a nonhydrolytic sol-gel process.—74-10572A
Reaction ion etching of GaAs through wafer via holes using Cl_2 and $SiCl_4$ gases—a comprehensive statistical approach.—74-06287A
Reaction mechanism and kinetics of $SrTiO_3$ crystal grown in molten alkali metal chloride medium.—74-07457A
Role of thermal defects in photolysis of microcrystals of CuCl in glass.—74-02577A
Scanning tunneling microscopy study of the reaction of $AlCl_3$ with the Si(111) surface.—74-07743A
Solubility of anhydrous chloride lanthanides in phosphorus oxychloride and phosphorus oxychloride–zinc chloride matrix composition.—74-00215A
Sorption of chloride complexes of platinum group metals and gold on silica-based anion exchangers.—74-01106A
Spectral properties and zero-phonon transitions of color centers in colored KCl and KBr crystals.—74-10156A
Study of the effect of some factors influencing alinite clinker formation.—74-00097A
Synthesis and exfoliation behavior of ternary molybdenum chloride chloroform graphite intercalation compound.—74-10670A
Treatment halts corrosion in concrete.—74-04971A
X-ray photoelectron spectroscopy of $ZnCl_2$-based glasses.—74-05703A

chlorination,
Upgrading ilmenite into a high-grade synthetic rutile.—74-07543A

chlorine,
Chlorine-enhanced F-atom etching of silicon.—74-04515A
Effects of Cl incorporation during Si oxidation.—74-06058A
Etching of Si surfaces with hot chlorine beams: translational and vibrational excitation of the incident chlorine particles.—74-03004A
High-dose Cl implantation in ZnSe: impurity incorporation and radiation damage.—74-08927A
Investigation of chemically assisted ion beam etching for the fabrication of vertical, ultrahigh-quality facets in GaAs.—74-03073A
Ion-assisted etching of Si with Cl_2: the effect of flux ratio.—74-07360A
Low-temperature deposition of diamond using chloromethane in a hot-filament chemical vapor deposition reactor.—74-01783A
Photosensitivity of polycrystalline films of compensated PbTe:Cl:Te_{ex}.—74-08999A
Scanning tunneling microscopy of Cl_2-gas-etched GaAs(001) surfaces using an ultrahigh vacuum sample transfer system.—74-06300A
Self-compensation of the intrinsic conduction region of CdTe:Cl under conditions of two-phase equilibrium in a crystal-gas system.—74-01453A
Site-dependent study of the optical properties of Eu^{3+} in pure and chlorine-doped fluorozirconate glasses.—74-00278A
Spectral properties of microcrystals of CuCl distributed in the glass matrix.—74-02581A
Study of interactions in the systems Li^+, Te^{4+}/Cl^-, F^-, and Na^+, Te^{4+}/Cl^-, F^-.—74-04221A

chlorites,
Acoustooptic modulation using a new chlorotellurite glass.—74-04246A
Suspended particles and pollen allergy.—74-11193A
X-ray diffraction and chemical characterization of the plastic colloid fraction of chinastone.—74-01487A

chromates,
Electronic conductivity in the $La(Cr,Ni)O_3$ perovskite system.—74-05937A
Magnetic behavior of $Ga_{0.3}Fe_{0.7}CuCrO_4$.—74-04348A
Magnetic phase transition in $AgCrO_2$.—74-03387A
Optical evidence of octahedral iron(III) in mixed spinels $NiGa_{1-x}Fe_xCrO_4$.—74-05211A
Pressure effects on the Curie temperature of spinel-type $NiMn_2O_4$ and $CuCr_2O_4$.—74-10140A
Utilization of ferrochromium slag by hydrothermal treatment.—74-07546A

chromatography,
Separation of tungsten from rare-earth elements by ion-exchange chromatography.—74-01879A

chrome,
Adherent metal coating for aluminum nitride surfaces.—74-08298P
Microstructure and thermal stability of coated Si_3N_4 and SiC.—74-08241A
Peculiarities in coloring of multichrome glasses under the action of laser irradiation.—74-00273A
Phase composition and structure of a nichrome coating contact layer.—74-02390A
Precipiation of a microcrystalline phase in multichrome glass.—74-02483A
Science and technology of composite materials: VIII.6, Corrosion-resistant materials.—74-08270A

chromia,
Alumina-chromia-magnesia refractories.—74-05844A
Aspects of diffusion in ceramics.—74-07555A
Chromia scale growth in alloy oxidation and the reactive element effect.—74-02066A
Chromic oxide coatings by thermal decomposition of chromic acid anhydride (CrO_3).—74-09912P
Corrosion resistance of artificial passivation films of Fe_2O_3-Cr_2O_3-NiO formed by metallorganic chemical vapor deposition.—74-00111A
Cr_2O_3 particulate reinforced Y-TZP ceramics with high fracture toughness and strength.—74-02108A
Deformation and fracture analysis of [Mo- and Cr_2O_3-based] thermal spray coatings by AE method and shear test under SEM observation.—74-10962A
Effect of chemical composition on properties of fused magnesia-chrome raw materials.—74-04131A
Effect of chromia on grain growth in alumina.—74-07267A
Effects of antiwear additives on friction and wear properties of Cr_2O_3 coating.—74-10980A
Electrochemical chromium(III) oxide coatings on nonoxide ceramic substrates.—74-02837A
Exchange-relativistic double-ion spin anisotropy. Tensor shape, temperature dependence, and numerical value.—74-09200A
Location of different phases in oxidized ultrafine Fe-Cr (70:30) alloy particles.—74-05180A
Low stress and optically transparent chromium oxide layer for X-ray mask making.—74-02011A
New type of direct-bonded MgO-Cr_2O_3 bricks for cement rotary kiln "DIRCO-08B75."—74-05866A
Plasma-sprayed coatings treated with lasers: tribological behavior of Cr_2O_3.—74-02188A
Powder preparation and sintering of grain growth controlled Cr_2O_3-ZrO_2 composites.—74-10541A
Refractories for dc electric arc furnaces.—74-02777A
Simulation of small magnetic particles of Cr_2O_3 and α-Fe_2O_3.—74-04420A
Sintering of corundum ceramics in metal oxide eutectic presence.—74-04897A
Solubilities of Cr_2O_3 and SiO_2 in Na_2SO_4-K_2SO_4-$Fe_2(SO_4)_3$ at 963 K.—74-01459A
Stability in air of ultrafine particles of chromium.—74-02092A
Stability of α phase in alumina-chromia plasma-sprayed deposits after annealing.—74-08275A
Structural and textural properties of SnO_2-Cr_2O_3 catalysts.—74-07000A
Structural properties of the system Al_2O_3-Cr_2O_3.—74-01466A
Study of interactions at the slag-basic refractory boundary.—74-05881A
Study of the dynamic properties of surface- and bulk-located dopant ions on Cr_2O_3 by Mossbauer spectroscopy with a diamagnetic ^{119}Sn probe.—74-06477A

chromites,
H-T phase diagram of $ErCrO_3$: magnetoacoustic measurements.—74-04093A
Advanced ceramic materials and electrochemical processes at interfaces.—74-00452A
Chromite.—74-06895A
Combustion synthesis of perovskite $LnCrO_3$ powders using ammonium dichromate.—74-07230A
Development of usage rates of periclase-chromite refractories for open-hearth and twin-bath furnace roof repairs.—74-03903A
Direct bond in magnesia chromite and magnesia spinel refractories.—74-05853A
Effect of calcium content on the discharge characteristics of $Ca_xLa_{1-x}CrO_3$ thick-film cathodes for use in dc-type plasma display panels.—74-06050A
Effect of rare-earth chromites on sintering of magnesia.—74-04586A
Electrical conductivity and defect structure of calcium-doped lanthanum chromites.—74-00604A
Magnetooptical properties of orthochromites.—74-04355A
Mechanical properties of magnesia-doped lanthanum chromite versus temperature.—74-07901A
Monolithic fuel cell having improved interconnect layer.—74-02892P
Oxidation of Cr_3C_2 composites with Fe scale.—74-10929A
Phase formation during sintering of chromium ore concentrate with titanium-containing addition and during firing of the periclase-spinellide products.—74-01829A
Precise determination of the chemical diffusion coefficient of calcium-doped lanthanum chromites by means of electrical conductivity relaxation.—74-07185A
Reaction between calcium-doped lanthanum chromite and silica.—74-07107A
Science and technology of composite materials: V, Thermodynamic considerations on interfaces in solid oxide fuel cells.—74-10027A
Sol-gel elaboration of lanthanum chromite heating element.—74-09801A

chromium oxide,
Adsorption and coprecipitation of multiple heavy metal ions onto the hydrated oxides of iron and chromium.—74-10055A
Adsorption and coprecipitation of single heavy metal ions onto the hydrated oxides of iron and chromium.—74-10056A
Growth of hollow Cr_3C_2 polycrystals with Cr_2O_3.—74-07333A
Hot isostatic pressing and characterization of sol-gel-derived chromium(III) oxide.—74-05857A
Optical investigation of the magnetic excitations in two-dimensional triangular lattice antiferromagnets.—74-01551A
Phase relations in the system Na_2O-FeO-Fe_2O_3-Cr_2O_3.—74-01434A
Radiation emitting ceramic materials and devices containing same—74-01268P

chromium,
Abrasion and erosion wear resistance of Cr_3C_2NiCr coatings prepared by plasma, detonation, and high-velocity oxy-fuel spraying.—74-08122A
Chromium coatings by HVOF thermal spraying—simulation and practical results.—74-10225A
Chromium diboride powder as the material for plasma spraying.—74-08144A
Co-Cr films deposited by magnetron sputtering under different nitrogen partial pressures.—74-01356A
Contribution of toxic elements: hexavalent chromium in materials used in the manufacture of cement.—74-05480A
$CrSi_2$/Si(111)—growth of monotype domains by solid phase epitaxy on a vicinal surface.—74-07623A
Detection of hexavalent chromium by organically doped sol-gels.—74-09450A
Determination of chromium(VI) and vanadium(V) using an on-line anodic stripping voltammetry flow cell with detection by inductively coupled plasma mass spectrometry.—74-03794A
Determination of the distribution of chromium oxidation states in reduced Cr/Al_2O_3 catalysts from XPS by factor analysis and curve fitting.—74-04125A
Determination of the piezospectroscopic coefficients for chromium-doped sapphire.—74-04276A
Diamond deposition on chromium, cobalt, and nickel substrates by microwave plasma chemical vapor deposition.—74-04548A
Effect of ion bombardment on Cr-Si-O layers—an X-ray photoelectron spectroscopic study.—74-05127A
Effect of Ni-Cr doping on the properties of PZT ceramics.—74-08744A
Effect of postdeposition heat-treatment on reactively sputtered CrN_x and Cr(N, O) coatings.—74-01690A
Effects of uniaxial stress on the metastable level in Cr^{4+}-Y_2SiO_5.—74-03300A
Electronic structure of CrO_2 ferromagnetic phase—LAPW calculation.—74-07162A
EPR study of two Cr^{3+} sites in $MgTiO_3$ crystal.—74-10801A
Estimation of microbrittleness of two- and three-component nitride ion-plasma coatings.—74-08186A
Gated chromium volcano emitters.—74-03027A
Hexavalent chromium in refractories.—74-02332A
Improved Cr_3C_2-Nichrome powder.—74-08208A
Influence of charge transport effects on behavior of impurity centers in cubic magnetics with mixed-valence ions.—74-07571A
Kinetics of oxidation SHS of titanium carbide and titanium and chromium double carbide powders in air.—74-02007A
Magnetic phase transition of Cr_2Se_3.—74-03388A
Magnetostatic wave spectrum and attenuation in ferromagnetic semiconductor $HgCr_2Se_4$ under electric-field-induced heating of magnons.—74-06193A
MAS/NMR studies of the hydration process of β-C_2S [dicalcium silicate] in the presence of chromium.—74-05546A
Metal seated ball valves with carbide coatings.—74-08233A
Molded ceramic articles and production method thereof.—74-03763P
Nanodispersed Cr_xSi_{1-x} thin films—transport properties and thermoelectric application.—74-04369A
Oxidation of thin CrN and Cr_2N films analyzed via nuclear reaction analysis and Rutherford backscattering spectrometry.—74-05312A
Pack cementation aluminide coatings on superalloys: codeposition of Cr and reactive elements.—74-00138A
Performance of a Cr:YAG laser.—74-00678A
Phase transformations in $Cr_{1-x}Fe_xS$ ($x \approx 0.5$).—74-07103A
Photo-emf anomalies in ferromagnetic ordering region in $HgCr_2Se_4$.—74-04392A
Photocatalytic reduction and immobilization of hexavalent chromium at titanium dioxide in aqueous basic media.—74-01831A
Piezooptic effect in alum crystals.—74-03336A
Pigment properties of solid solutions in TiO_2CrNbO_4 system.—74-05222A
Progress update for the pressure controlled atomization process.—74-08257A
Properties of cadmium selenide thin films as a function of lateral distance from chromium contacts.—74-00692A
Quasi-ternary TiB_2-W_2B_5-CrB_2 system and its possibilities in evolution of ceramic hard materials.—74-01446A
Ruthenium dioxide as cathode material for hydrogen evolution in hydroxide and chlorate solutions.—74-01243A
Scaling resistance in binary titanium and chromium carbides made by SHS.—74-05318A
Selective laser oxidation of thin metal film as an effect of different thermal regimes.—74-02090A
Single-phase mullite gels doped with chromium.—74-10029A
Spin fluctuations in frustrated Kgome lattice system $SrCr_3Ga_4O_{19}$ studied by muon spin relaxation.—74-10157A
Stability in air of ultrafine particles of chromium.—74-02092A
Structural disorder and thermal dilatation behavior in Cr-doped mullite.—74-10889A
Study of circular dichroism in alum doped with Cr^{3+} ions under electric and magnetic fields: I, Studying absorption spectra of Cr^{3+}-doped alum.—74-07496A
Synthesis and characterization of $(V_{1-x}Cr_x)_2O_3$ ceramic thermistors with PTCs.—74-06345A
Synthesis and characterization of chromium silicalite: I.—74-10666A
Synthesis and characterization of nanophase metal, M, and metal carbide, M_2C, particles of the group 6 elements, Cr, Mo, and W.—74-10668A
Synthesis and chemistry of chromium in $CrAPO_5$ molecular sieve.—74-10669A
Thermal stable porous crystals from montmorillonite: II, Preparation and the properties of Cr-pillared montmorillonites.—74-07534A
Tribological potential of TiN, CrN, and TiN+CrN physical vapor deposited coatings in machine element applications.—74-11122A
Voltammetric determination of chromium traces in gallium arsenide.—74-06378A

circuit board,
Aluminum nitride sintered body, method for manufacturing the same, and ceramic circuit board.—74-08776P
Bonded ceramic-metal composite substrate, circuit board constructed therewith and methods for production thereof.—74-02407P
Ceramic composition and ceramic circuit board—74-00541P
Glass fiber forming composition, glass fibers obtained from the composition and substrate for circuit board including the glass fibers as reinforcing material.—74-08480P
Method for forming a ceramic circuit board.—74-02886P
Method of protecting aluminum nitride circuit substrates during electroless plating using sol-gel oxide films and article made therefrom.—74-02891P
Process for making a high heat-conductive, thick film multilayered circuit board.—74-02896P
Substrate for circuit board including the glass fibers as reinforcing material—74-00561P
Thin film ceramic multilayer wiring hybrid board.—74-08816P

circuits,
Ceramic via composition, multilayer ceramic circuit containing same, and process for using same—74-00544P
Design and operation of poly-Si analogue circuits.—74-02961A
Design and performance of digital polysilicon thin-film transistor circuits on glass.—74-02962A
Development of a multichip module (MCM) tool box.—74-00472A
Experimental implementation of high-T_c-based RSFQ set-reset trigger at 4.2 K.—74-06539A
Frequency-domain-continuation intermodulation-balance method for the analysis of nonlinear microwave circuits with multifrequency excitations.—74-08917A
Gate technology for 0.1-μm Si complementary metal-oxide-semiconductor using g-line exposure and deep ultraviolet hardening.—74-06118A
High efficiency separators in coal grinding circuits.—74-08040A
NMOS and CMOS polysilicon drive circuits for liquid crystal displays.—74-03128A

cladding,
Coarse cemented WC particle atomic-metal composite coatings produced by laser cladding.—74-08145A
Processing and evaluation of clad metals.—74-00975A

classifiers/classification,
Active control of $LiNbO_3$ single crystals for classification by the velocities of acoustic ACE waves.—74-10183A
Automatic checking and classification of tiles.—74-00421A
Classifiers for roller grinding mills—a review and the current state of development.—74-06685A
Effect of mechanical vibration on particle populations.—74-06763A
Experience with the Sturtevant high-efficiency classifier for classifying coal.—74-06698A
Fuzzy logic in color quality control.—74-11164A
Method and apparatus for sorting bulk material—74-01022P
Operating experience with new classifiers.—74-06712A
Particle classification effects during plasma spraying.—74-10515A
Waste disposal options for refractory tearout.—74-05885A

clays,
Amazing paperclay[—sculpture material].—74-00007A
Cation exchange capacity: a contribution to the standardization of methods for the evaluation of clay suitability as the base layer in waste disposal sites.—74-01044A
Ceramic clays of the lower Cretaceous in east Spain.—74-06892A
Ceramic interest weald clays from Castellon.—74-06893A
Ceramic raw materials in western Turkey: occurrence and uses.—74-01188A
Characteristics and mechanisms of clay creep and creep rupture.—74-08509A
Characterization and quality control of clay raw materials and ceramic batches from the raw material suppliers' point of view.—74-09743A
Characterization of clay slurries using polarization resistance measurements.—74-08510A
Clay building products in European standardization: II, an interim balence.—74-05408A
Clay storage systems to increase product quality.—74-01190A
Clay storage systems to increase product quality.—74-05804A
Clay-carbon adsorbent derived from spent bleaching earth: surface characterization and adsorption of chlorophenols from aqueous solution.—74-04105A
Clay-polymer nanocomposites—polyether and polyimide systems.—74-08512A

Comparative examination of clay beneficiation by wet and dry preparation.—74-00356A
Comparative examination of the upgrading of clays by means of wet and dry preparation.—74-00357A
Comparative study of ICP and XRF for chemical analysis of clays.—74-07612A
Comparisons of four elemental mass balance methods for clay mineral quantification.—74-08513A
Cost reductions by clay drying.—74-09444A
Cracking behavior of floor tile clays.—74-08516A
Determination of major and minor elements in ceramic raw materials by ICP-AES with direct introduction of slurries.—74-07628A
Drying and plastic properties of ceramic materials.—74-06899A
Drying behavior of clay minerals.—74-05808A
Evaluation of standard free energies of formation of clay minerals by an improved regression method.—74-08542A
Fabrication of hollow clay blocks using lean laterite.—74-08548A
First occurrence of dickite in varicolored clays in the northern Apennines, Italy.—74-06901A
Forming in the RAM mode.—74-09465A
High-strength triaxial porcelain by an improved glassy phase.—74-05896A
Importance of X-ray phase analysis for the prediction of the shaping, drying, and firing behavior of ceramic clay bodies.—74-03821A
Influence of dry fine grinding of clays on structure and process technology[—literature review].—74-09475A
Influence of the forming pressures on some physical properties of clay body before and after sintering.—74-05814A
Innovative process for the preparation of powders for red and white ceramic tile bodies.—74-09477A
Interparticle forces in clay suspensions: flocculation, viscous flow, and swelling.—74-08556A
Introduction to computer modeling of X-ray powder diffraction patterns of clay minerals—a guided tour of NEWMOD.—74-05816A
Inverting the NEWMOD X-ray diffraction forward model for clay minerals using genetic algorithms.—74-05817A
Italian red firing clays.—74-09747A
Layer charge determination by alkylammonium ions.—74-08560A
Manufacture of clay tile doped with fly ash.—74-08561A
Molecular aspects of clay-water interactions.—74-08563A
Nature, detection, occurrence, and origin of kaolinite/smectite.—74-06916A
New raw materials for production of wall and floor tiles.—74-08565A
North German clay mineral materials—basis for the manufacture of modern structural ceramic products.—74-06918A
Particle associations in clay suspensions and their rheological implications.—74-08569A
Pillared smectite clay coatings for ceramic matrix composites.—74-07414A
Possibilities of thermal analysis for the characterization of raw materials and clay bodies for structural ceramic products.—74-05823A
Preliminary report on the pore size distribution of Italian heavy clay products.—74-07717A
Process for the preparation of a silicate-bound material.—74-09837P
Production and properties of silicaceous expanded clay concretes.—74-00090A
Reasons of crack formation in semistiff extruded tile and its prevention.—74-08577A
Red firing to the third power.—74-02730A
Relocation of protected plant species and communities in the Westerwald [Germany]—new methods of modern nature conservation.—74-02268A
Reminiscences of an old structural ceramics clay preparation method: I, Washing.—74-00986A
Reminiscences of an old structural ceramics clay preparation method: II, Washing.—74-00987A
Removal of ^{60}Co by zeolites and clays.—74-03971A
Role of layer charge in organic contaminant sorption of organoclays.—74-08582A
Scanning Probe Microscopy of Clay Minerals (CMS Workshop Lectures, Vol. 7).—74-05445B
Selective separation of finely divided minerals by addition of selective collector reagent and centrifugation.—74-03775P
Self-flowing castables.—74-10154A
Sintered bricks of fluidized bed slag, coal spoil, and clay.—74-02735A
Specific surfaces and heat of adsorption of some Indian clays by dye-adsorption technique.—74-08584A
Studies of clays and clay minerals using X-ray powder diffraction and the Rietveld method.—74-07762A
Study of luting sands in respect to new application possibilities.—74-08586A
Swelling of acid-treated bentonites.—74-05834A
Synthesis of ß′-SiAlON powder from clay.—74-05835A
Synthesis of ß-wollastonite at low temperature from low cost raw materials.—74-06932A
Thermal analysis of an Ecuadorian clay and its correlation with mechanical properties.—74-06935A
Thermal analysis of brick clays.—74-06936A
Three-dimensional X-ray powder diffraction from disordered illite—simulation and interpretation of the diffraction patterns.—74-05839A
Variability of the material in a quarry of clay for "cottoforte" tile production.—74-06938A
Water protection in open pit clay mining.—74-08604A
Weighed and found good: weighing and proportioning of bulk material.—74-09515A
Westerwald [Germany] clays—too expensive for waste site construction.—74-01206A
Woody Hughes at Peters Valley.—74-01010A
Zero shrinkage clay and other sculpture bodies.—74-00031A

cleaners/cleaning,
Adsorption and catalytic flue gas cleaning of exhaust gases from cement kilns: II, Pilot trials in two clinker burning systems.—74-01135A
Benefits from recycling cleaners for porcelain enameling.—74-00896A
Ceramic tiling as a hygienic surface in food preparation areas.—74-08508A
Chemistry of silicon surfaces after wet chemical preparation: a thermodesorption spectroscopy study.—74-01634A
Cleaning of silicon surfaces by hydrogen multipolar microwave plasma excited by distributed electron cyclotron resonance.—74-05096A
Cooling lubricants on metal surfaces.—74-10247A
Direct dimer-by-dimer identification of clean and monohydride dimers on the Si(001) surface by scanning tunneling microscopy.—74-02965A
Optimal surface cleaning of GaAs(001) with atomic hydrogen.—74-03140A
Role of Ga_2O in the removal of GaAs surface oxides induced by atomic hydrogen.—74-03204A
Silicon surface cleaning using photoexcited fluorine gas diluted with hydrogen—74-00710A
Silicon surface electrical properties after low-temperature in situ cleaning using an electron cyclotron resonance plasma.—74-06315A
Study of the NF_3 plasma cleaning of reactors for amorphous silicon deposition.—74-04923A
Surface cleaning with the carbon dioxide snow jet.—74-04930A

clinkers,
Acquisition and processing of process data [in the cement industry].—74-06837A
Advanced control methods ensure cost-effective clinker production.—74-07992A
Assessing the burnability of cement raw meal and its behavior in the rotary kiln.—74-06841A
Clinker cooling in grate coolers using the Coanda effect.—74-05478A
Conversion of St. Mary's conventional grate cooler at the Boumanville plant.—74-00907A
Development of blast-furnace slag cement with low clinker content.—74-08013A
Development of particle size distribution during intergrinding a mixture of clinker and limestone.—74-00048A
Distribution of B_2O_3 and its mineralogical phase in seawater magnesia clinkers.—74-05854A
Dome silo for 43 000 tons of clinker.—74-06696A
Dust-free clinker handling.—74-00917A
Effectiveness of fine grinding of cements.—74-00056A
Estimation of cement clinker grindability.—74-03807A
Estimation of grindability of portland cement clinker.—74-08022A
Examination of clinkers with light-colored cores.—74-05141A
Expansion of Conceca's San Sebastian plant [Venezuala]—74-03687A
Grasim Industries embarks on major expansion of cement production in India.—74-02329A
HADES: thermal surveillance of clinker coolers.—74-02330A
Indarung plant boosted to 3.24 million tpy.—74-03696A
Influence of chemical composition on properties of nonexplosive demolition agent for low temperature.—74-00065A
Influence of the mineralogical composition, specific surface area, and strains–crystallite size of alite on the compressive mechanical strength of portland mortars: I, Clinkers of low tricalcium aluminate contents.—74-05537A
Installation of the No. 6 kiln line at Taiwan Cement Corporation's Suao Plant (north-eastern Taiwan).—74-03699A
Loesche mill for the comminution of cement clinker and interground additives in practical operation.—74-09480A
Low NO_x clinker production.—74-03917A
Microanalysis of high-alumina cement [HAC] clinker and hydrated HAC/slag mixtures.—74-05555A
Microstructural characteristics of adherent layers formed in the sintering zone of clinker burning rotary kilns.—74-06862A
Modernization of the Karsdorf Works to improve production of the furnaces and reduce thermal and electric energy consumption.—74-08076A
Modernization of UNICEM's Augusta plant.—74-03711A
New 5000 t/d kiln plant with short rotary kiln and low NO_x calciner at Hualien, Taiwan.—74-06863A
Optimization of clinker cooler operation.—74-06868A
Performance of the Adelaide Brighton Cement IKN cooler.—74-03925A
Portland cement clinker grindability and work index.—74-05567A
Problem of CO_2 emission from clinker manufacturing process.—74-02348A
Problems encountered and lessons learned at KW-1.—74-08087A
Producing black meal clinkers using rice husk as a fuel.—74-00089A
Properties of concrete using crushed clinker brick as coarse aggregate.—74-05826A
Quantitative structure analysis via image analysis—a suitable tool for quality control of portland cement clinker.—74-09503A
Rapid techniques for determination of free lime and free magnesia in cement clinker and portlandite in hydrates.—74-05577A
Refractory material and product thereof containing low-silica electrofused magnesia clinker.—74-02801P
Reinforced suspension preheater conversion in Pakistan.—74-09710A
Small-angle neutron scattering of hardened cement paste and various substances for hydration.—74-07748A
Successful operation of the world's only 5000 tpd short rotary kiln.—74-09715A
Upgrading of a T.T.P. mill—application to selective clinker grinding.—74-08118A
Use of paper residues in rotary kilns.—74-09723A
Utilization of spent tires in rotary kilns for cement clinker burning.—74-09727A

clusters,
Attractive interactions and phase separation in the Cu_4O_8 cluster with infinite on-site repulsion: a comparison with analytical solution for the CuO_2 plane.—74-02918A
Cluster model and the model of fluctuation free volume of polymeric glasses.—74-02439A
Cluster model of the structure in shaped powdered materials.—74-04516A
Contribution of X-ray photoelectron and X-ray excited Auger spectroscopies in the characterization of zeolites and of metal clusters entrapped in zeolites.—74-10784A
Effect of pressure on the optical gap of high-temperature superconductors.—74-06522A
Effect of single perturbations on microstructure of amorphous metals.—74-05128A
Electronic structure of one-dimensional (1-D), 2-D, and 3-D silicon clusters.—74-01989A
Formation of nanoscale size cadmium sulfide within a channel protein monolayer.—74-03020A
Manipulation of rectangular arrangment of Se ring-type molecules on graphite (highly oriented pyrolytic graphite) surfaces.—74-07678A
Optical study of GaAs/AlAs structures with isolated GaAs clusters grown on a surface with high Miller indices.—74-06243A
Pairing correlations with *s** and *d* symmetry—exact results for the Cu_4O_8 clusters.—74-10858A
Recent developments in aggregation kinetics.—74-07461A
Study on the kinetics and mechanism of silver-cluster formation in zeolite Ag-X by diffuse reflectance spectroscopy.—74-05280A

coagulation,
Flocculation and coagulation behavior of a kaolin—a comparative study.—74-07315A

coal,
Combined pulverized coal grinding and loading plant (Lausitz).—74-00902A
Corrosion resistance of high chrome refractories exposed to molten acidic coal ash.—74-00380A
Experience with the Sturtevant high-efficiency classifier for classifying coal.—74-06698A
High efficiency separators in coal grinding circuits.—74-08040A
High-temperature properties of HPSN under load in simulated coal gasification environments.—74-10108A
New semiwet process using coal shales in Warta II cement plant (Poland).—74-03948A
Practical experience with coal-fired Maerz kilns.—74-03926A
Production of slag cement from coal spoil.—74-05574A
Study on manufacture of lightweight aggregate from bone coal cinder.—74-07499A
Use of air-cushioned explosion doors for coal dust silos.—74-02792A

coarsening,
Concrete mixtures from coarse and porosive fillers.—74-00042A
High-rigid fine-grain concretes with the superplasificator C-3 in railway buildings.—74-00063A
Relaxation in aqueous foams.—74-07462A

coatings,
Abrasion-wear resistance of arc sprayed stainless steel and composite stainless steel coatings.—74-08123A
Adherent metal coating for aluminum nitride surfaces.—74-08298P
Advances in the coating of tools.—74-00106A
Al_2O_3 coatings against high temperature corrosion deposited by metallorganic low-pressure chemical vapor deposition.—74-01613A
Amorphous carbon—biomaterial for implant coatings.—74-04010A
Amorphous SiC PVD coatings.—74-10191A
Apparatus for the production of hermetically coated optical fiber.—74-03745P
Applications of CVD-coated multifilament fibers.—74-07014A
Appropriate usage of different tool materials.—74-07015A
Automated thermal spray system (ATSS) for infrastructure rehabilitation and maintenance.—74-08131A
$BaTiO_3$ thin films prepared by dip-coating process.—74-09108A
Beta-silicon carbide protective coating and method for fabricating [the] same.—74-04029P
Bioactive glass coatings.—74-06948A
Carbide or boride coated rotor for a positive displacement motor or pump.—74-08300P
Carbon film coated glass.—74-08469P
Cavity model of the indentation hardness of a coated substrate.—74-05323A
Ceramic coating material.—74-07017A
Ceramic coatings for PBR components.—74-09853A
Ceramic coatings for protecting titanium alloys in high-temperature hydrogen environment.—74-09854A
Ceramic plate (substrate) which is coated with metal at least on one side.—74-08302P
Ceramic surface engineering.—74-10217A
Ceramics in the textile industry: applications and requirements.—74-09770A
Characteristics of coatings applied by the Demeton detonation gun process.—74-09440A
Characterization of a new aerospace thermal barrier coating.—74-08139A

Characterization of thin ceramic coatings by measuring microhardness.—74-03788A
Chemical surface coating, a promising route to new ceramic coatings.—74-10223A
Chromic oxide coatings by thermal decomposition of chromic acid anhydride (CrO_3).—74-09912P
Chromium and reactive element modified aluminide diffusion coatings on superalloys: environmental testing.—74-02067A
Chromium coatings by HVOF thermal spraying—simulation and practical results.—74-10225A
Coated glass for building purposes.—74-08408A
Coating apparatus, method of coating glass, compounds and compositions for coating glasss and coated glass substrates.—74-02668P
Coating composition for glass containers—74-00328P
Coating method for innovative graphitic components with high corrosion resistance.—74-08146A
Coating of carbon fiber-reinforced composites—research, development, and application.—74-01285A
Coating of carbon fibers—the strength of the fibers.—74-02104A
Coating of ceramic fibers with yttria films.—74-10226A
Coating of ultrafine ceria-stabilized zirconia.—74-04517A
Coating process for depositing extremely hard films on substrates.—74-03747P
Coating solutions for forming transparent conductive ceramic coatings, substrates coated with transparent conductive ceramic coatings and process for preparing same, and uses of substrates coated with transparent conductive ceramic coatings.—74-08783P
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic, and refractory surfaces—74-00165P
Composition and application of boron nitride based coatings.—74-01287A
Composition and applications of coatings based on boron nitride.—74-01288A
Composition and performance of hydrogenated carbon overcoats on magnetic storage disks.—74-10070A
Continuous atmospheric pressure CVD coating of fibers.—74-10240A
Cooling lubricants on metal surfaces.—74-10247A
Copper-ceramic composite coatings for steel strip casting.—74-08148A
Corrosion properties of stainless steel coatings made by different methods of thermal spraying.—74-08153A
Corrosion resistance of HfO_2-coated stainless steel in Br_2-O_2 atmosphere.—74-05618A
Cracks in concrete and their effect on coatings and linings.—74-02365A
Cross-section X-scanning force microscopy analysis of different hard coatings and thin films.—74-07620A
CVD processing of fiber coatings for CMCs.—74-10253A
Cycloaliphatic epoxide based sol-gel-derived materials.—74-08410A
Dark gray, infrared absorbing glass composition and coated glass for privacy glazing.—74-08475P
Decorating your way out of recession.—74-02611A
Decorative utilitarian glass block—74-00329P
Deformation and fracture analysis of [Mo- and Cr_2O_3-based] thermal spray coatings by AE method and shear test under SEM observation.—74-10962A
Dehumidification equipment reduces moisture in concrete during coating application.—74-02366A
Deposition of diamond coatings on particles in a microwave plasma-enhanced fluidized bed reactor.—74-07254A
Deposition of hydroxyapatite coatings by laser ablation.—74-10261A
Deposition of Si-B-C materials from the vapor phase for applications in ceramic matrix composites.—74-10262A
Development of ASTM standards for metallographic preparation practices of thermally sprayed coatings.—74-11155A
Diamond coated products and method of preparation—74-01317P
Diamond coatings.—74-09863A
Diamond- or diamondlike carbon-coated hard materials.—74-09915P
Diamond-coated bodies and process for preparation thereof—74-01318P
Diamond-metal composite coatings on cemented carbide tools.—74-08163A
Dip coating of titanium ethoxide solutions.—74-07262A
Dip coating preparation of thin films of piezoelectric materials.—74-03294A
DLC film deposition by Laser-Arc and study of properties.—74-03684A
Dual constant composition kinetics studies of ceramic hydroxyapatite and hydroxyapatite plasma-coated implants.—74-09777A
Effect of atomizing gas pressure on coating properties in wire arc spraying.—74-08169A
Effect of bond coat oxidation on the failure of thermal barrier coatings.—74-08170A
Effect of metal content on the erosion resistance of metal/ceramic Co-sprayed composite coatings produced by VPS.—74-08172A
Effect of metallic-coated properties on the tribology of coated and oil-lubricated ceramics.—74-08173A
Effect of nozzle design on plasma jet behavior, particle motion, and coating properties.—74-09456A
Effect of post-treatments on the corrosion resistance of plasma-sprayed duplex stainless steel coating in salt water.—74-08175A
Effect of postdeposition heat-treatment on reactively sputtered CrN_x and Cr(N, O) coatings.—74-01690A
Effect of powder feedstock on thermal-sprayed hydroxyapatite coatings.—74-09779A
Effect of residual stresses on the debonding of coatings under an applied load.—74-10973A
Effects of antiwear additives on friction and wear properties of Cr_2O_3 coating.—74-10980A
Effects of coating thickness and residual stresses on bond strength of C633-79 thermal spray coating test specimens.—74-10305A
Effects of diamondlike hydrocarbon films on rolling contact fatigue of bearing steels.—74-08178A
Effects of sealing treatment and microstructural grading upon corrosion characteristics of plasma-sprayed ceramic coating.—74-10910A
Effects of temperature and reagent concentration on the morphology of chemically vapor deposited β-Ta_2O_5.—74-05132A
Electrochemical behavior of steel coated with plasma-sprayed coatings.—74-05621A
Electrochemical cell component or other material having oxidation preventive coating.—74-02416P
Electrodeposited hydroxyapatite coatings on metal implants.—74-07289A
Electrophoretic ceria coating effect on high-temperature corrosion of the F17T stainless steel.—74-08181A
Energy distribution and computer-modeled nozzle design in high-pressure water jet coating removal.—74-10328A
Engineering applications for diamondlike carbon.—74-04014A
Enhancement of heat exchanger surfaces—interfacial reactions during thermal spraying.—74-08183A
Evaluation of the phase content and properties of a detonation gun coating.—74-10803A
Expert system for the plasma spray process.—74-10341A
Formation of brilliant finishes on enamel coatings.—74-02371A
Formation of inorganic coatings on polymer films by sol-gel method.—74-10362A
Formation of tin oxide films on glass substrates.—74-08476P
Friction behavior of TiN, CrN, and (TiAl)N coatings.—74-08197A
Future of refillables.—74-08425A
Gas turbine elements bearing alumina-silica coating to inhibit coking—74-00169P
Glass for making biostable products.—74-02461A
Growth of cubic boron nitride and boron-carbon-nitrogen coatings using N-trimethylborazine in an electron cyclotron resonance plasma process.—74-01746A
Guanadine soaps as vehicles for coating ceramic fibers.—74-10379A
High-deposition rate coating of aluminum cylinder bores.—74-08203A
High-performance wear coatings: the quest continues.—74-00121A
High-temperature superconductor and its use.—74-09371P
Hot stamping glass.—74-08483P
Hot wear resistance of TiN-coated mold and tool materials.—74-05628A
Hydrogen-free amorphous carbon coatings deposited by the arc ion-plating process.—74-01755A
Hydroxyapatite coatings.—74-06977A
Improved Cr_3C_2-Nichrome powder.—74-08208A
Improved fiber coatings for controlling interfacial forces in SiC matrix composites: III, Boron nitride.—74-01293A
Industrial diamond coating and method of manufacturing.—74-04056P
Influence of substrate chemistry on the adhesion of electrolessly deposited Ni(P) on metal-oxide-coated ceramics.—74-07353A
Influence of the crystallinity of plasma-sprayed HA coatings on their osseointegration.—74-09787A
Influence of the substrate roughness on the adherence of plasma-sprayed ceramic coatings.—74-11029A
Influences of WC-Co hard metal substrate pretreatments with boron and silicon on low-pressure diamond deposition.—74-07354A
Interaction of $YBa_2Cu_3O_{7-\delta}$ coatings with metallic substrates.—74-00819A
Interphase study by XPS of sol-gel ZrO_2 coatings on stainless steel.—74-08222A
Investigation of combustion-sprayed HAp/polymer composite coatings.—74-09788A
Investigation of debris of plasma-sprayed coatings for understanding wear phenomena.—74-08224A
Investigation of erosion-resistant Cr_xC_3 coatings sprayed with the high pressure HVOF process.—74-10919A
Ion beam assisted method of producing a diamondlike carbon coating.—74-09923P
Iron-containing enamel coatings.—74-02379A
Laser post-treatment of thermally sprayed HAp coatings.—74-10434A
Laser-based chemical vapor deposition of titanium nitride coatings.—74-04726A
Light scattering investigations of cover coat porcelain enamels using reflection spectroscopy.—74-00130A
Lightweight TiC/Ti alloy wear-resistant coatings for lightweight materials in aerospace applications.—74-08228A
Long-duration exposure facility: preliminary observations on the effects of low earth orbit on MgF_2, ThF_4, and SiO_2 optical materials.—74-03831A
Low amplitude oscillating sliding wear on chemically vapor deposited diamond coatings.—74-08229A
Low-melting glaze coatings for internal facing tiles.—74-02810A
Low-temperature process for the formation of ceramic coatings—74-01257P
Low-voltage and high-speed operating electrostatic wafer chuck using sputtered tantalum oxide membrane.—74-06981A
Luster pigments based on multiply coated plateletlike metallic substrates.—74-02816P
Macro- and microstress in plasma-spray coatings and its stress versus strain behavior.—74-11037A
Manufacturing of $YBa_2Cu_3O_7$ coatings by low-pressure and atmospheric plasma spraying for magnetic shielding applications.—74-09305A
Metal seated ball valves with carbide coatings.—74-08233A
Metal with ceramic coating and method—74-00170P
Metallic oxides—74-01260P
Metastable phase in yttrium oxide plasma-spray deposits and their effect on coating properties.—74-10008A
Method and apparatus for the application of thermal spray coatings onto aluminum engine cylinder bores.—74-08237A
Method for coating asymmetric glass envelope for lamp by electrostatic coating.—74-02682P
Method for forming light absorbing aluminum nitride films by ion beam deposition.—74-09932P
Method for making metal oxide varistors coated with passivating coating.—74-09091P
Method for producing silica glass optical fiber with carbon coating.—74-02685P
Method of manufacture of a ceramic membrane for microfiltration.—74-09827P
Method of producing oxide ceramic layers on barrier layer-forming metals and articles produced by the method.—74-08315P
Microstructure development in particulate ceramic coatings.—74-10839A
Microwave heating of carbon-coated ceramic fibers.—74-10464A
Mill-applied solid film lubricant and protective coating for enameling steels.—74-00132A
Model of formation of a powdered glass coating on heating.—74-04757A
Modeling and testing of thermal barrier coating in diesel engines.—74-09582A
Moisture resistant ceramic igniter for a burner.—74-09829P
Multilayer coating for improvement of anti-wear property of graphite.—74-11059A
Neutral, low emissivity coated glass articles and method for making.—74-08494P
New route for the deposition of SiO_2 sol-gel coatings.—74-01814A
Nondestructive evaluation of the mechanical characteristics of plasma-sprayed ceramic coatings.—74-09592A
Nondestructive testing of coating using ultrasonic leaky Rayleigh waves.—74-09593A
Novel banding and coating techniques.—74-09493A
Optical properties of diamondlike coatings prepared by laser arc.—74-10129A
Optimization of fiber-insulating material up to 1800°C by coatings.—74-00394A
Optimizing APS ceramic coatings using response surface methods.—74-10508A
Osmotic blistering of coating and linings applied to concrete surfaces.—74-04798A
Oxidation-resistant interfacial coatings for continuous fiber ceramic composites [CFCCs].—74-10935A
Oxygen evolution on Ir-Ru-Sn ternary oxide-coated electrodes in H_2SO_4 solution.—74-01824A
Pack cementation aluminide coatings on superalloys: codeposition of Cr and reactive elements.—74-00138A
Passivating coating for metal oxide varistors.—74-03278P
Performance of CVD- and CVR-coated carbon-carbon in high-temperature hydrogen.—74-10516A
Performance of CVR coatings for PBR fuels.—74-10517A
Phase composition and structure of a nichrome coating contact layer.—74-02390A
Pillared smectite clay coatings for ceramic matrix composites.—74-07414A
Plasma sprayed mullite coatings on silicon-base ceramics.—74-09830P
Plasma-sprayed superconductive layers on metallic substrates.—74-09321A
Polymer-coated refillable glass containers.—74-05782A
Porous, oxidation-resistant fiber coating for CMC interphase.—74-09886A
Preceramic compositions and ceramic products.—74-03999P
Preceramic polymers for use as fiber coatings.—74-09887A
Preceramic polysilazane coatings for cold-rolled steels.—74-05652A
Preparation and characterization of sol-gel-derived zirconia coatings.—74-01844A
Preparation of Ni-coated alumina composite powder.—74-08253A
Preparation of sol-gel coatings by electrophoretic deposition.—74-10569A
Presynthesized interfaces for ceramic matrix composites via fiber coating.—74-01855A
Process for applying ceramic coatings using a plasma jet carrying a free form nonmetallic element.—74-03769P
Process for forming particles having a uniform size distribution.—74-03771P
Process for forming protective diamondlike carbon coatings on metallic surfaces.—74-08316P
Processing conditions for boron nitride coatings in fiber bundles via chemical vapor deposition.—74-04836A
Production of large-scale glass with a thermally reflecting coating.—74-02652A
Production of stresses in thermal barrier coating systems by high-temperature oxidation.—74-10936A
Production plasma spraying in the automotive industry—a European viewpoint.—74-08256A
Properties and applications of CDS [continuous detonation spraying] coatings.—74-06719A
Properties of conducting coatings.—74-02857A
Properties of TiCN coatings prepared by magnetron sputtering.—74-02393A
Pulsed laser deposition of MoS_x films in a buffer gas atmosphere.—74-07453A
Pyrolytic carbon coatings.—74-06994A
Pyrolytic porcelain enamel.—74-08260A
Quantitative analysis of thermally sprayed coatings using backscattered electron imaging.—74-10868A
Reactive plasma spray forming for advanced materials synthesis.—74-00149A

Relationship between the microstructure and thermal diffusivity of plasma-sprayed tungsten coatings.—74-10874A
Relative erosion-corrosion resistance of commercial thermal-sprayed coatings in a simulated circulating fluidized bed combustor environment.—74-10937A
Repair of soft X-ray optical elements by stripping and redeposition of Mo/Si reflective coatings.—74-01869A
Replacement of environmentally hazardous corrosion protection paints on the space shuttle main engine using wire arc sprayed aluminum.—74-08265A
Report on damage analysis of TiN-coated parts and tools.—74-08266A
Residual stress evaluations of thermal-spray coatings by a modified layer removal method.—74-11075A
Resistance to fracture of thermal-sprayed ceramic coatings.—74-11076A
Reverse direction pyrolysis processing.—74-09542P
Rolling contact fatigue testing of thermally sprayed coatings.—74-09612A
Rolling-contact fatigue and wear of CVD-SiC with residual surface compression.—74-11080A
Room-temperature deposition of diamondlike carbon films by the microwave plasma jet method.—74-04877A
Sealing of plasma-sprayed ceramic coatings by sol-gel process.—74-10620A
Silazane-based, heat resistant, dielectric coating compositions.—74-08812P
Simulation of hardness testing on plasma-sprayed coatings.—74-02395A
Sol-gel.beta.-aluminum titanate thin film coating.—74-09840P
Sol-gel optical coatings for lasers: I.—74-08459A
Spraying of coating by supersonic metallization.—74-08274A
Stability of calcium phosphate ceramics and plasma-sprayed coating.—74-06999A
Strain-tolerant ceramic coated seal.—74-02424P
Surface modification of ferritic stainless steel by laser alloying.—74-04931A
Surface treated ceramic powders—74-01212P
Synthesis of hybrid inorganic-organic sol-gel coatings for optics.—74-10679A
Synthetic diamond coated electrodes and filaments—74-01340P
Technology for reducing weight of returnable glass bottles.—74-08466A
Tensile adhesion testing of thermal -spray coatings on flat substrates.—74-09624A
Testing adhesion of coatings applied to concrete.—74-05605A
Thermal barrier coatings for gas turbines, automotive engines, and diesel equipment.—74-05657A
Thermal spray coating impregnation—vacuum vs high-pressure/vacuum technique.—74-10697A
Thermal spray coatings for protection of polymeric composite aircraft components.—74-08283A
Thermal-sprayed coatings of structural components and equipment of power stations.—74-10940A
Thermally sprayed self-lubricating composites from cored wires: II, Mechanical and tribological properties.—74-08284A
Thermodynamic analysis of CVD mullite coatings.—74-10043A
Thin ceramic layers deposited by plasma-enhanced CVD.—74-10700A
TiN_x magnetron sputter coating controlled by an in situ eddy current sensor.—74-03882A
Titanium nitride diffusion barrier for platinum-coated fiberglass spinner bores.—74-08322P
Towards manufacturing high-quality thermal-spray coatings.—74-10706A
Trends in automotive applications of thermal spray technology in Japan.—74-08287A
Underwater plasma spraying and synthesis of coatings.—74-10711A
Underwater plasma spraying of components located in greater water depths.—74-10712A
Uniform diamond coatings in 4-in. Si wafers.—74-10713A
Unique porcelain enamel for every part—product-specific porcelain enameling processing in a single plant.—74-00160A
Variations in coating properties across a spray pattern.—74-08290A
Velvet glove, iron fist.—74-04025A
VPS mullite-coatings for oxidation protection of structural components operated at high temperatures in air atmosphere.—74-08291A
Water-repellant coating on glass.—74-08292A
Wear of the magnetic head carbon-overcoated disk interface. A Raman spectroscopy study.—74-11129A
Zirconia-coated alumina fibers as a reinforcement for alumina.—74-04987A

cobalt oxide,
Co segregation in the $LiNi_{1-y}Co_yO_3$ solid solutions. A preliminary ^7Li NMR study.—74-05097A
Colored glass compositions and glazings produced therewith.—74-02669P
CoO(100) Fuchs-Kliewer phonon spectrum by high-resolution electron energy loss spectroscopy.—74-08845A
Demixing of (Ni, Co)O under an oxygen potential gradient(II).—74-01505A
Effects of impurities on the electrochemical properties of $LiCoO_2$.—74-01378A
Electrical and magnetic properties of La-Ca-Cu-O system compounds.—74-04293A
Epitaxial growth of CoO(001) and Co_3O_4(001) films on MgO(001) by pulsed laser deposition.—74-10335A
High-temperature fired X7R dielectric ceramic composition submicron particle sized barium titanate.—74-02882P
MBE growth of CoO and Fe_3O_4 films and CoO/Fe_3O_4 multilayers.—74-10444A
Near-ir absorption spectra in Co_3O_4.—74-06473A
Preparation and characterization of $LiCoO_2$ thin films by laser ablation deposition.—74-01843A
Preparation of Co_3O_4 thin films by sputter deposition for the detection of CO in air.—74-06275A
Statistical thermodynamics and defect structure of $Co_{1-\delta}O$ under usual oxygen partial pressures: a monte Carlo study.—74-10746A
Thermodynamics of the oxide solid solution $(Co_xFe_{1-x})_{1-\delta}O$ at 1200°C.—74-04235A

cobalt,
Behavior of Co binder phase during diamond deposition on WC-Co substrate.—74-08132A
Cast tools take the plunge.—74-02284A
Ceramic pigments on the base of cobaltous silicate obtained by sol-gel method.—74-10216A
Cermet blade member.—74-02411P
Characterization of cobalt annealed on silicon-germanium epilayers.—74-07222A
Chemical processing and properties of nanostructured WC-Co materials.—74-00900A
Co-Cr films deposited by magnetron sputtering under different nitrogen partial pressures.—74-01356A
Cobalt-silica gel system as oxygen chemisorbent.—74-04106A
Crystallization of amorphous Co-Si-B alloys—effect of Fe additions.—74-07066A
Defects and transport in the solid solution (Co, Fe)$_{1-\delta}$O at 1200°C: I, Nonstoichiometry.—74-05000A
Defects and transport in the solid solution (Co, Fe)$_{1-\delta}$O at 1200°C: II, Cation tracer diffusion and electrical conductivity.—74-05001A
Deposition of cobalt disilicide thin films by laser ablation of cast targets.—74-07252A
Diamond deposition on chromium, cobalt, and nickel substrates by microwave plasma chemical vapor deposition.—74-04548A
Disappearance of ferromagnetism at low temperatures in $CoNb_2O_6$.—74-07152A
EPR study of dilute magnetic semiconductors $Hg_{1-x}Co_xSe$ (x=0.0045 and 0.0087).—74-03805A
Failure of tungsten carbide–cobalt alloy tools in machining of carbon materials.—74-01518A
Formation of titanium and cobalt germanides on Si(100) using rapid thermal processing.—74-06113A
Fracture toughness of two-phase WC-Co cermets.—74-05358A
How metallographic preparation affects the microstructure of WC/Co thermal spray coatings.—74-08207A
In situ study of epitaxial $CoSi_2$/Si(111) by ballistic electron emission microscopy.—74-06149A
In situ study of epitaxial $CoSi_2$/Si(111) by ballistic electron emission microscopy.—74-07665A
Influence of vitreous coating on the magnetic properties of iron-cobalt alloys.—74-04709A
Interactions between Si/Co films and GaAs(001) substrates.—74-06160A
Investigation of cobalt behavior during diamond deposition on cemented carbides.—74-04716A
Ion implantation of cobalt-tungsten carbide tools for machining titanium.—74-08226A
Keeping cobalt in its place.—74-03704A
Kinetics of the formation of cobalt disilicide at high temperature under rapid electron beam heating.—74-10004A
Mechanism of codeposition of silicon carbide with electrolytic cobalt.—74-01233A
Metal-oxide composite $(Fe_{0.2}Co_{0.8})$-0.8$(Fe_{2.38}Co_{0.62}O_4$: HRTEM and EDX characterization.—74-09209A
Microstructural effects on the sliding wear resistance of a cobalt-based alloy.—74-10836A
Nanocrystallization of Co-Si-B-Zr amorphous alloy.—74-07396A
NMR study of $(Y_{1-x}Sm_x)_2Co_{14}B$ compounds.—74-05202A
Nondestructive thickness determination of thin cobalt and cobalt disilicide layers on silicon substrates.—74-03717A
Oxidation and reduction of TiC/Co in O_2 and H_2.—74-02086A
Preparation of magnetic fine particles by borohydride reduction.—74-01848A
Reflectance and Raman spectra of metallic oxides, LaSrCoO and CaSrRuO—resemblance to superconducting cuprates.—74-06628A
Removal of ^{60}Co by zeolites and clays.—74-03971A
Secondary ion mass spectrometry measurements of shallow boron profiles in cobalt, silicon, and cobalt disilicide.—74-01874A
Semiconducting ceramics from nickel-cobalt manganite spinels.—74-03210A
Silicide formation in the Co-Si system by rapid thermal annealing.—74-06313A
Silicides for integrated circuits—$TiSi_2$ and $CoSi_2$.—74-06314A
Sintering kinetics [studied] with the help of random sets models.—74-10635A
Solid source diffusion from agglomerating silicide sources: I, Measurement and modeling.—74-02045A
Spalling mechanism of Al_2O_3 ceramic coating coated WC-Co substrate under sliding contact.—74-05389A
Surface magnetic structure of $^{57}Fe^{2+}$ coated 8g-$^{56}Fe_2O_3$ particles with and without adsorbed cobalt.—74-05282A
Synthesis of Co_2SiO_4 by sol-gel.—74-04939A
Synthesis of cobalt aluminate.—74-01908A
Synthesis of WC-Co nanocomposites using polymer as carbon source.—74-08281A
Wear resistant die face and method.—74-02426P
X-ray photoelectron spectroscopy study of sodium germanate glass containing cobalt oxide.—74-02506A

coercivity,
H_K distributions and H_c calculations for magnetic recording particles.—74-09193A

cofiring,
Ceramic wall hybrid package with washer and solid metal through wall leads.—74-02872P
Furnace design considerations in AlN cofiring.—74-09672A
Interaction processing solder in thick film and low-temperature cofired ceramic technologies.—74-07355A
Multilayer circuit card connector—74-00557P

coke,
Design of a new anode technology for the aluminum industry.—74-07943A
Gas reactivity testing of raw materials and anodes.—74-06771A
Influence of preheat treatment on raw coke in fabrication of carbon solids.—74-03698A
Microstructure and thermal expansion of petroleum coke.—74-04361A

collectors,
Troubleshooting a dust collector.—74-08114A

colloid chemistry,
New generation of refractory concretes: colloid-chemical aspect of their technology.—74-02767A
Prediction of composite colloidal suspension stability based on the Hogg, Healy, and Fuerstenau interpretation.—74-10543A

colloids,
Brownian dynamics of sterically stabilized colloidal suspensions.—74-04489A
Centrifugal SPLITT fractionation: new techniques for separation of colloidal particles.—74-03785A
Colloid formation during the corrosion of SRL 200 glass.—74-08327A
Colloidal processing for preparation of laminated composites of mullite/woven fabrics of Si-Ti-C-O fibers.—74-01224A
Colloidal processing of SiC whisker composites.—74-07229A
Colloidal stability and titania precipitate morphology: influence of short-range repulsions.—74-01643A
Colloidal zeolite suspensions.—74-10227A
Effects of particle classification on colloidal processing of mullite.—74-01696A
Importance of implantation sequence in the formation of nanometer size colloid particles—embedded amorphous SiO_2—formation of composite colloids with a Cu core and a Cu_2O shell by coimplantation of Cu and F.—74-10395A
Measurement of polymer adsorption on colloidal silica by in situ transmission Fourier transform infrared spectroscopy.—74-10007A
Particle morphology and chemical microstructure of colloidal silica spheres made from alkoxysilanes.—74-10859A
Photocatalytic activity and selectivity of titania colloids and particles prepared by the sol-gel technique: photooxidation of phenol and strazine.—74-10132A
Photoelectric properties of colloidal semiconductor films.—74-04805A
Polycrystalline yttrium aluminum garnet fibers from colloidal sols.—74-07416A
Recent developments in aggregation kinetics.—74-07461A
Sedimentation of monodisperse and bidisperse hard-sphere colloidal suspensions.—74-07473A
X-ray diffraction and chemical characterization of the plastic colloid fraction of chinastone.—74-01487A

color centers,
Effect of an electric field and heat treatment on formation of radiation color centers in quartz glass.—74-02448A
Effect of uv and γ-radiation on polychromatic glass.—74-02452A
Experimental study of broad NaCl(OH^-):$(^*_2F)_H$ color center laser at low temperature.—74-02621A
Formation and destruction of color centers in tellurite phosphate glasses.—74-02456A
High-power tunable continuous-wave NaCl:$(F_2^+)_H$ color center lasers.—74-08931A
Luminescence of polycrystalline cubic and tetragonal yttria-stabilized zirconia.—74-10116A
Nature of impurity and intrinsic color centers in leucosapphire single crystals.—74-05037A
Peculiarities in coloring of multichrome glasses under the action of laser irradiation.—74-00273A
Spectral properties and zero-phonon transitions of color centers in colored KCl and KBr crystals.—74-10156A
Spectroscopic parameters of color centers in $Gd_3Ga_5O_{12}$ single crystals.—74-05052A
Structure of ir color centers in white sapphire.—74-04433A
Surface color centers on MgO generated by Mg and alkali-metal doping.—74-10660A

color/coloring,
Behavior of fired colored enamels on borosilicate glass.—74-00009A
Bismuth-containing colorants—74-01207P
Characteristics of coloration of multichromatic glasses induced by laser radiation.—74-00243A
Color trends 1994-95—74-11151A
Color variation on prehistoric Cypriot Red Polished pottery.—74-02296A
Color-Fast decorator defect detector.—74-01050A
Colorants and decolorizers in flat and hollow glass production.—74-02605A
Coloration dynamics of spin-coated MoO_3·nH_2O electrochromic films fabricated from peroxo-polymolybdate solution.—74-05706A
Coloration of glass.—74-08362A
Coloring of molybdenum borosilicate glass upon electrical heating.—74-02440A
Coloring transition polyvalent cations in Li_2O-Al_2O_3-SiO_2 glass-ceramics.—74-05753A
Correlation, effect of various conditions on lead release.—74-00426A
Decolorizing crystal glass.—74-05758A
Decorative utilitarian glass block—74-00329P

Development of matte glaze for colored floor tile.—74-08529A
Enhancing the whiteness of porcelain ware.—74-02807A
Formation and color of the spinel solid solution in ZnO-Fe_2O_3-TiO_2-SnO_2 system.—74-10357A
Fuzzy logic in color quality control.—74-11164A
Glass colors: the organic alternative.—74-00019A
Improving glaze whiteness by statistical experimental design.—74-08684A
Influence of anatase-rutile transformation on the color stability of melt-colored enamels.—74-02376A
Influence of fast firing on the color of red unglazed stoneware tiles.—74-00365A
Kiln scheduling for reduction colors.—74-08559A
Lill Street celebrates 20th year.—74-07984A
Liquid precious metals application.—74-00022A
Measurement and evaluation of color of ceramic pigment.—74-09578A
Measurement and forecast of color of glazes.—74-08690A
Method for color adjustment in colored opaque glazes: I.—74-08691A
Minimizing color adjustments to production glazes.—74-08693A
Optimization of multicolor tampon printing for porcelain decorating technology.—74-00968A
Organic color coating for glass containers.—74-00023A
Rare-earth oxides as ceramic glaze components.—74-05904A
Raw materials for the production of colored glazes and ceramic colorants.—74-01202A
Red stoneware of "Shudei (Red mad)" wares of Tokoname.—74-08700A
Role of visualization in process simulation.—74-00992A
Silicomanganese slag as colorant for silicate glasses based on sulfate and soda-sulfate mixtures with cullet.—74-02656A
Spectral absorption of coloring agents in lead phosphate glass.—74-02580A
Study and application of rabbit hair colored glaze.—74-05909A
Study on body-glaze bonding and glaze of colored glaze products.—74-08703A
Synthesis of Cr_2O_3(CoO)-BaO-Al_2O_3-SiO_2 ceramic pigment and its applications.—74-07513A
Synthesis of zirconium-vanadium blue pigment using zircon sand.—74-07522A
Triaxial new editions.—74-08706A
Unique porcelain enamel for every part—product-specific porcelain enameling processing in a single plant.—74-00160A
Use of silicomanganese slag in the melting of colored glasses.—74-03936A

combustion synthesis,
Advanced ceramics: combustion synthesis and properties[—review].—74-11136A
Combustion for the synthesis of ß-SiC and diamond/SiC composite.—74-10228A
Combustion synthesis of $MoSi_2$-SiC composites.—74-04518A
Consolidation of combustion-synthesized titanium diboride-based materials.—74-04525A
Effect of pressure on the combustion synthesis of a functionally graded material TiB_2-Al_2O_3-Al ceramic metal composite system.—74-04584A
Formation of MgO-B_4C composite via a thermite-based combustion reaction.—74-04646A
Implementation of large-scale deposition of diamond films by combustion synthesis.—74-01759A
Properties of combustion-synthesized dense ceramic metal composites.—74-08258A
Reaction of TiO_2-Al-C in the combustion synthesis of TiC-Al_2O_3 composite.—74-04202A
Thermal stresses in combustion synthesis of inorganic materials.—74-04960A
Thermite reaction in a short-time microgravity environment.—74-01595A
TiC/Al_2O_3 powders obtained by combustion synthesis.—74-04965A

combustion,
Can partial conversion to oxy-fuel combustion be a solution to furnace problems.—74-06844A
Ceramics for automobiles.—74-09769A
Combustion synthesis of high performance ceramic-metal composites.—74-08147A
Controlled deposition of diamond from an acetylene-oxygen combustion flame.—74-10244A
Corrosion of silicon carbides by ash and vapor in a coal combustion environment.—74-02072A
Dosing probe of O_2 in situ for better utilization of combustibles.—74-09453A
Efficient gas-fired infrared burner utilizes heat-resistant cement in its manufacture.—74-05513A
HVOF gas flow field characteristics.—74-10391A
Manufacturing of covalent ceramics by exothermic reactions.—74-10440A
Minimizing NO_x emissions through improved oxy-fuel.—74-03922A
Molten glass corrosion resistance of immersed combustion-heating tube materials in E-glass.—74-05865A
New design of glass-melting furnace composed of multiple pots.—74-09695A
Process improvement through oxy-fuel combustion—the full conversion of a television glass melter.—74-09707A
Synthesis of SiAlON precursors.—74-10683A
Utilization of alternative combustibles in the tile and brick industry.—74-09725A

comminution,
Comprehensive comminution theory.—74-09442A
Crack initiation mechanism on the glass beads used as grinding media in an agitation bead mill.—74-05708A
Forecasting of grain composition of single comminution products.—74-04642A
High-pressure particle bed comminution of ores and minerals.—74-00936A
Influence of rheological parameters on the process of interparticulate comminution in twin roll presses.—74-00066A
State of the art in high-compression comminution.—74-05589A

compacts/compaction,
Critical flaws in sintered compacts of alumina granules.—74-10958A
Cryogenic compaction of nanosize silicon nitride powders.—74-01654A
Cubic boron nitride sintered compact and method of preparing the compact—74-01316P
Dependence of compaction efficiency in dry pressing on the particle size distribution.—74-10256A
Die compaction.—74-01058A
Effect of compaction pressure on the sinterability of submicron powders of tetragonal zirconium dioxide.—74-04570A
Electronics: tape casting, roll compaction.—74-10323A
Granular boraxhydrate preparation by compaction of powders.—74-04657A
Method for making a ceramic mold.—74-02798P
Nondestructive control of green and sintered compacts of silicon carbide.—74-06798A
Powder processing for the fabrication of Si_3N_4 ceramics: I, Influence of spray-dried granule strength on pore size distribution in green compacts.—74-01842A
Preparation and properties of 15R-SiAlON by SHS.—74-10549A
Processing, characterization, and compaction of Y-doped zirconia powders.—74-04843A
Shaped self-supporting ceramic composite bodies comprising silicon nitrides.—74-04086P
Shock wave equation of state of powder material.—74-04886A
Silicon nitride composite sintered body and process for producing the same.—74-09960P
Tape casting and roll compaction.—74-10691A

composites,
Additives for property modification in ceramic composite bodies.—74-09516P
Aluminum-silicon carbide composite and process for making the same.—74-08299P
Assessment of the fracture resistance for fiber-reinforced ceramics—combined micro- and macromechanical approach.—74-10948A
Bioceramic composites.—74-06950A
Biomimetic, hybrid, and in situ composites.—74-04486A
Boron nitride sinter and process for its production—74-01309P
Borosilicate glass matrix composites reinforced with short metal fibers.—74-02517A
Can tooling components.—74-09906P
Cast composite material with high-silicon aluminum matrix alloy and its applications.—74-08301P
Ceramic composite body, process for producing a ceramic composite.—74-04035P
Ceramic composite containing coated fibrous material.—74-08779P
Ceramic composite material mechanical behavior simulation.—74-04036P
Ceramic-ceramic composite prepregs and methods for their use and preparation.—74-09815P
Ceramic-metal composite joint body.—74-02410P
Ceramics composite material and production thereof—74-00163P
Chemical stability of the fiber coating/matrix interface in silicon-based ceramic matrix composites.—74-05093A
Coated ceramic bodies in composite armor.—74-02412P
Coated SiC reinforcements and composites containing same.—74-04038P
Composite alumina/metal powders, cermets made from said powders, and processes of production—74-00166P
Composite automotive exhaust pipe.—74-08304P
Composite ceramic articles—74-00167P
Composite ceramic powder and production process thereof.—74-02414P
Composite golf club head—74-00168P
Composite material with a glass-ceramic or ceramic matrix obtained by the sol-gel process and reinforced by fibers based on silicon carbide, its manufacture and its applications.—74-08473P
Composite materials based on titanium diboride.—74-04041P
Composite multilayer ceramic structure.—74-08784P
Composite piezoelectrics utilizing a negative Poisson ratio polymer—74-00767P
Composites industry: a look at its past and future.—74-05409A
Continuous process for producing alumina-titanium carbide composites.—74-09818P
Copper-ceramic composite coatings for steel strip casting.—74-08148A
Creep of intermetallics and their composites.—74-08155A
Creep resistance of Nextel 312/BN/Blackglas composites.—74-10957A
Damage evolution of cross-ply ceramic composites.—74-10961A
Design charts for the thermal conductivity of particulate composites.—74-06754A
Design of ferrite composite microwave absorber.—74-03369A
Development of a flow model based simulation for RTM [resin transfer molding] of Blackglas ceramic composites.—74-09451A
Dielectric ceramic composite material.—74-08786P
Effect of aging on the sliding abrasive wear of P/M 2014 and 6061 Al alloy-SiC particle composites.—74-05620A
Effect of fiber length on fracture toughness and notched strength of short carbon fiber/epoxy composites.—74-05339A
Effect of test parameters on tensile mechanical behavior of a continuous fiber ceramic composite (CFCC).—74-10975A
Effect of volume fraction and morphology of reinforcing phases in composites.—74-05346A
Effective elastic modulus of two-phase composites.—74-04288A
Effects of processing on mechanical properties and microstructure of a ceramic composite.—74-05131A
Evaluation of oxidation exposure on the mechanical properties of Nextel 312/BN/Blackglas composites.—74-10913A
Fabrication of reliable ceramic preforms for metal matrix composite production.—74-04052P
Fasteners made of composite material of a ceramic matrix reinforced with refractory fibers.—74-09820P
Fatigue crack growth in ceramics and composites.—74-10996A
Fiber reinforced glass matrix and glass-ceramic matrix composite articles.—74-02671P
Fiber twist test: a new single fiber test method to measure composite interface properties.—74-09569A
Glass-plastic composite.—74-02676P
Green ceramic composite and method for making such composite.—74-09822P
Gripping system for mechanical testing of composites.—74-06772A
Hydrostatic evaluation of 1-3 piezocomposite plate and ring structures.—74-09148A
Infrared attenuated total reflection cure monitor for control of the liquid composite molding process.—74-09476A
Innovative infrared processing of metal matrix composites.—74-08217A
Installation and method for heat treating parts made of a composite material having a ceramic matrix by using microwave energy.—74-03752P
Interfacial and capillary phenomena in solidification processing of metal matrix composites.—74-05633A
Interfacial phenomena in metal matrix composites.—74-02378A
Interfacial stabilities of high-temperature composite materials.—74-08221A
Lightweight thrust vectoring panel.—74-03991P
Lightweight, highly thermally conductive composites for space radiators.—74-09876A
Manufacture and modeling of fiber metal matrix composites.—74-05640A
Materials testing with monolithic and composite ceramics.—74-09576A
Materials.—74-03965A
Mechanical testing of matrix slurry pressure-infiltrated composites.—74-11046A
Metal matrix composite fabrication processes for high-performance aerospace structures.—74-05644A
Metal matrix composites.—74-08307P
Metal-oxide composite ($Fe_{0.2}Co_{0.8}$)-0.8($Fe_{2.38}Co_{0.62}O_4$: HRTEM and EDX characterization.—74-09209A
Method for manufacturing fiber-reinforced components for propulsion plants.—74-08310P
Method for producing a composite glass body with drawing of concentric melts.—74-02683P
Method of fabricating a sintered ceramic composite.—74-08311P
Method of making a fiber reinforced ceramic glass composites having tailored coefficient of thermal expansion.—74-08488P
Method of making ceramic composite articles and articles made thereby.—74-09826P
Method of making shaped ceramic composites with the use of a barrier and articles produced thereby—74-01029P
Method of manufacturing a hollow silicon carbide fiber reinforced silicon carbide matrix component.—74-09939P
Method of manufacturing fiber-reinforced composites having a gradient function.—74-04067P
Method of preparing silicon carbide particles dispersed in an electrolytic bath for composite electroplating of metals—74-00176P
Method of producing self-supporting aluminum titanate composites and products relating thereto—74-01326P
Methods of making shaped ceramic composites.—74-03996P
Microlaminated composites and method—74-00178P
Micromechanical modeling of process-induced residual stresses in Ti-24A1-11Nb/SCS-6 composite.—74-05380A
Monolithic ceramic/fiber reinforced ceramic composite.—74-09943P
Morphology and structure development in the densification of 3-D Blackglas Nextel 312 composites.—74-10849A
Near-net shape forming of ceramic refractory composite high-temperature cartridges by VPS.—74-08623A
New developments in ceramic material research.—74-11182A
New process for the low-cost production of ceramic, metal, and carbon matrix composites.—74-00965A
New testing tool for composite interface.—74-09590A
Oxidation kinetics of enhanced SiC/SiC.—74-10925A
Plasma spraying forming metals, intermetallics, and composites.—74-01834A
Platelet.alpha.-Al_2O_3 based ceramic composite.—74-09831P
Polymer/ceramic composite with application to dye host.—74-09885A
Porous load bearing materials.—74-09833P
Potential for diamond fibers and diamond fiber composites.—74-09498A
Prediction of composite colloidal suspension stability based on the Hogg, Healy, and Fuerstenau interpretation.—74-10543A
Process for manufacturing a superconducting composite—74-00877P
Process for producing composite raw material for ceramics and composite raw material for ceramics produced by said process.—74-09538P
Process for producing TiB_2 -dispersed TiAl-based composite material.—74-08319P

Race of new inorganic materials towards neolithic age.—74-09797A
Reaction processing of AlN/SiC composites and solid solutions—74-01335P
Redistribution of internal stresses in composite materials during creep.—74-11068A
Refractory metal reinforced $MoSi_2$/SiC composite with matched thermal coefficients of expansion—74-00180P
Residual stresses in SCS-6/Ti-24Al-11Nb composite: II, Finite element modeling.—74-05386A
Role of crack wake toughening on elevated temperature crack growth in a fiber-reinforced ceramic composite.—74-11078A
Role of fiber stitching in eliminating transverse fracture in cross-ply ceramic composites.—74-02195A
Science and technology of composite materials: I, Thermal conductivity measurement of composites.—74-10152A
Self-propagating high-temperature synthesis as a joining process.—74-10621A
Silicon nitride composite sintered body and process for producing same.—74-04088P
Sintered inorganic composites comprising cosintered tape reinforcement—74-01272P
Strength studies of single carbon fibers in model composite fragmentation tests.—74-04428A
Structurally networked matrix ceramic composite material.—74-09842P
Thermal spraying—a review of 1993.—74-06731A
Thin ceramic composition layers for joining SiC high-performance ceramics.—74-03740A
Tissue compatibility of biomaterials: assessment of bioactivity concerning the osteogenic response to the materials.—74-03976A
Whisker-reinforced ceramic roller guides.—74-09845P

composition,
Application of the digital alloy composition grading technique to strained InGaAs/GaAs/AlGaAs diode laser active regions.—74-02914A
Application-oriented development of high-performance Si_3N_4 materials and components.—74-10199A
Applications of zircon raw glazes.—74-05886A
Bioactivity of Na_2O-CaO-SiO_2 glasses.—74-09760A
Ceramic body based on diopside.—74-02704A
Ceramic rings for face seals.—74-03957A
Characteristics of $Bi_2Sr_2(Ca_{1-x}Yb_x)Cu_2O_{8+\delta}$ superconductors.—74-03421A
Characteristics of dickite and its applications to household fine porcelain.—74-01189A
Chemical composition of magnesium phosphates prepared by a wet chemical method using $Mg(NO_3)_2$-KOH-H_3PO_4-H_2O system.—74-05668A
Composition and application of boron nitride based coatings.—74-01287A
Composition and applications of coatings based on boron nitride.—74-01288A
Composition and physical properties of thin a-C:H and a-C:N:H films deposited by ion beam techniques.—74-07148A
Composition change of $Bi_2Sr_2CaCu_2O_4$ films prepared by single target dc magnetron sputtering.—74-00789A
Composition of nuclei.—74-04109A
Composition, structure, and properties of glasses for ion exchange in a salt melt.—74-00186A
Compositional analysis and capacitance-voltage properties of TiO_2 films by low-pressure metallorganic chemical vapor deposition.—74-02825A
Compositional analysis of CdS/SnO_2 films after heat treatments and $CdCl_2$ pretreatments.—74-07614A
Determination of composition and phase amounts in ternary and quaternary systems.—74-04124A
Development of a composition suitable for the production of alkali-resistant glass fibers with a low fibrizing temperature.—74-05759A
Development of low-cost brown-red glaze.—74-02713A
Dilution effect of noble gases on structure and composition of chemically vapor deposited diamond films.—74-10272A
Effect of composition and microstructure on the broadening of XRD profiles in modified lead titanate ceramics.—74-05126A
Effects of thermal and chemical treatments on the composition and structure of electrodeposited $CuInSe_2$ thin films.—74-06063A
Factors influencing the quantitative compositional analysis of powders in sputtered neutral mass spectrometry.—74-05142A
Hot-pressed ceramics of ultradisperse composite powders.—74-05157A
Influence of the mineralogical composition on the clinker activity and the intensity of the cement hardening at the thermal-humid elaboration.—74-00068A
Laser irradiation of human tooth dentin.—74-07168A
Linear model for both qualitative and quantitative X-ray analysis.—74-09575A
Local interface composition and band discontinuities at heterovalent heterostructures.—74-03087A
Materials design and expert system on glass.—74-00267A
Microhardness and fracture toughness of bioactive glasses in the system CaO-RO-SiO_2-P_2O_5-CaF_2 (R=Sr, Ca, and Mg).—74-05730A
Modern abrasive recipes.—74-02287A
Optimization of the composition of coarse-grained ceramics.—74-02477A
Optimization of the concrete composition by help of dispersive mineral admixtures.—74-00085A
Oxidation behavior of different types of SiC materials.—74-07819A
Oxidation of Cr_3C_2 composites with Fe scale.—74-10929A
Phase composition and mechanical properties of zirconium dioxide-based ceramic obtained by high-temperature sintering in a vacuum.—74-02187A
Physicochemical principles of synthesis of heterogeneous photochromic glasses.—74-02481A
Predicting liquid immiscibility in multicomponent nuclear waste glasses.—74-09409A
Prognosis of composition and critical temperature phase transition in piezoelectric compounds.—74-03343A
Quantification of SIMS data for multicomponent glasses.—74-05691A
Quantification of the composition of alloy and oxide surfaces using low-energy ion scattering.—74-05224A
Refractive index, main dispersion, and density of aluminum, antimony, and arsenic oxides in silicate glasses.—74-02488A
Refractory concretes of a new generation: relationship between their composition, structure, and properties.—74-02778A
Relationship between chemical composition and crystal phase structure of Na_2O-K_2O-MgO-CaO-Al_2O_3-SiO_2 (NKMCAS) pyroxene-type white glaze.—74-05906A
Remediation and production of low-sludge high-level waste glasses.—74-09415A
SiO_2-Si_3N_4 interface: I, Nature of the interphase.—74-05247A
Static SIMS study of coated TiO_2 pigments.—74-04913A
Statistical analysis of grain-size composition of ceramic materials.—74-05257A
Study of cement pastes for injection under hot climate.—74-00096A
Study on black glaze ware of Jizhou.—74-05910A
Study on new ceramic material for heat exchanger.—74-07003A
Synthesis of fibrous crystals of $(K,Ba)_2Ti_6O_{13}$ and $(K,Sr)_2Ti_6O_{13}$ by composition-structural changes from Ba- and Sr-doped $K_2Ti_4O_9$.—74-01909A
XPS, EPMA, and XRD analysis of hot-end coated glass containers.—74-00237A

compounds,
Reactive plasma spray forming for advanced materials synthesis.—74-00149A
Structural characterization of incommensurate misfit layer compound $(LaS)_xVS_2$ (x=1.18).—74-10887A

compressors/compression,
Compressed air filtration.—74-06687A
Compressed air systems.—74-06688A
Compressive stress-induced formation of cubic boron nitride.—74-10783A
Cost-effective air compressor maintenance.—74-06690A
Determination of the rheological properties of high-viscous glass melts by the cylinder compression method.—74-08364A
Effect of pressure on the magnetic susceptibility of CeB_6.—74-04287A
Generation and compression of 1.3 μm ultrashort pulses from DFB diode laser.—74-03029A
Hydraulically driven grips for hot tensile specimens.—74-03818A
Hydrodynamic compressibility of silicon carbide through shock compression of metal-ceramic mixtures.—74-02374A
Isothermal compression of rhombohedral BN up to 14 GPa.—74-05372A
Mechanical properties in compression of low-density carbon-carbon composites.—74-04356A
Nature of the T_c shift under uniaxial compression of $YBa_2Cu_3O_{7-\delta}$.—74-00826A
New modification of silicon dioxide obtained in shock-wave conditions.—74-03968A
Sound velocity and compressibility of bismuth-containing gallate glasses.—74-02579A
Strain-rate effect on brittle fracture in compression.—74-05390A
Tensile and compressive plastic deformation at high temperatures of 4 mol% Y_2O_3-stabilized ZrO_2 polycrystals.—74-07925A
X-ray diffraction determination of the compressibility of YBCO as a function of oxygen content.—74-00860A

computers,
Advances in rheology instrumentation.—74-03673A
Application of microcomputer tomography for optimizing the manufacture of fiber ceramics.—74-01040A
Application of programmable controllers in frosted glass bottle processing system.—74-09429A
Applying expert systems to glass furnace design.—74-09639A
Approach to computer aided design (CAD) of pattern of glazed tile.—74-02701A
Artificial intelligence and expert systems in the steel industry.—74-02219A
Ash Grove's new 2200-tpd Seattle plant comes on line.—74-03896A
Automatic quantitative powder diffraction phase analysis—system RIFRAN 2.0.—74-07597A
Basic concept of process control in cement plants.—74-02309A
CAD and the high-speed tumbler decorator.—74-00898A
Case for teaching computer design.—74-05887A
Cement plant engineering using computer-aided design: an update.—74-02313A
Ceramics in the personal computer.—74-08729A
Clear visualization of quarry development.—74-03677A
Computed tomography: II, Practical use of a single source and detector.—74-06747A
Computer centric rotational depth profiling.—74-03790A
Computer control of technological processes in Vetropack Moravia Glass AS, Kyjov.—74-00290A
Computer drawing bank for ceramic technology equipment.—74-11152A
Computer simulation and experimental analysis of anisotropic grain growth in ceramics.—74-07615A
Computer simulation of adsorption from binary Ar-Kr solutions in thin slit pores of graphite.—74-10071A
Computer simulation of the dynamics of 180° ferroelectric domains.—74-09114A
Computer software for chemical and extractive metallurgy calculations.—74-00905A
Computer-aided design and surface pattern decoration in whiteware.—74-08666A
Computer-aided development of an investment casting process.—74-01650A
Computer-aided drying and firing.—74-06845A
Computer-aided simulation and experimental study of dusted plasma jets emitting into limited space.—74-10234A
Cost-effective clinker production with the PYROEXPERT optimization system (a synthesis of expert knowledge and advanced methods of control).—74-05848A
Designing the future [using CAD/CAM systems for dinnerware].—74-00015A
Development of a new hot-pressing equation in powder metallurgy.—74-01670A
Electronic controller for a glassware forming machine—74-01016P
Expert systems in the cement industry.—74-08027A
Insulation of glass tank furnace [studied] with computer.—74-09677A
Introducing new information technologies based on personal computers into glass production.—74-03701A
Introducing TMS online: an interactive electronic gateway to information dissemination.—74-02246A
Introduction to computer modeling of X-ray powder diffraction patterns of clay minerals—a guided tour of NEWMOD.—74-05816A
Inverting the NEWMOD X-ray diffraction forward model for clay minerals using genetic algorithms.—74-05817A
Linear programming as a method for optimization of ceramic processes.—74-11176A
Measurement and control systems for the ceramic industry.—74-11179A
Microstructural development of coherent tetragonal precipitates in magnesium-partially stabilized zirconia: a computer simulation.—74-05189A
Next generation of control systems: the FLS-Summit Series.—74-03716A
Optical computing and the role of photorefractive crystals.—74-06426A
Prediction of composite colloidal suspension stability based on the Hogg, Healy, and Fuerstenau interpretation.—74-10543A
QCS/On Stream control application.—74-02350A
Role of visualization in process simulation.—74-00992A
Semiconductor research.—74-03211A
Spray drying—understanding the influence of process parameters better through computer modeling and adequate instrumentation.—74-04911A
System integration solutions for the glass industry featuring the Inex Information Interface system.—74-00320A
Thermal instrument research brings new materials insights.—74-06730A
Traveling thermocouples solve firing problems.—74-09719A
Use of a CAD/CAM system for engineering and household ceramics design.—74-01005A
Using visualization to interpret solidification simulations.—74-01926A
Visualization and animation in manufacturing and materials.—74-01007A

concretes,
Abrasion resistance of concrete as influenced by inclusion of fly ash.—74-05459A
Accidents just don't happen.—74-02218A
Alkali-carbonate reaction.—74-02061A
Apparent strength retrogression of silica-fume concrete.—74-02744A
Application of nondestructive tests to evaluate concrete structures.—74-09549A
Applications of fly ash in hollow concrete blocks.—74-05463A
Applications of quantitative NDE to basic fracture research of concrete.—74-09550A
Assessment and evaluation of fractal dimension of concrete fracture surface digitized images.—74-07838A
Attempts to improve the quality of sand concrete.—74-07995A
Autoclaveless technology of foam concrete production "Silblock."—74-00893A
Behavior of concrete affected by seawater under pressure.—74-00036A
Carbon-fiber-reinforced concrete as an intrinsically smart concrete for damage assessment during dynamic loading.—74-02311A
Carbonation of concrete structures and the decomposition of C-S-H.—74-02746A
Carbonation of fly ash concrete.—74-00038A
Carbonation-decarbonation of concretes studied by the way of carbon and oxygen stable isotopes.—74-05471A
Cement and the elastic constants of concrete.—74-05472A
Characterization of the behavior of reinforced concrete elements in bending using Moire interferometric method.—74-05477A
Chloride ingress in concrete as measured by field exposure tests in the atmospheric, tidal, and submerged zones of a tropical marine environment.—74-02065A
Combined effect of water and temperature on the strength of sulfur concrete.—74-02315A
Comparative investigation of corrosion sensitivity of [concrete] reinforcing steel bars.—74-05846A
Concrete research at the University of Colorado.—74-05479A
Controlled low strength materials (CLSM)—ACI 229R-94 report.—74-02316A
Corrosion inhibitors for mild steel: stannous tin (SnII) in ordinary portland cement.—74-05482A
Corrosion of steel reinforcement [in concrete] in the presence of admixtures and inhibitors.—74-05483A
Corrosion state evaluation of steel in concrete by resistivity and polarization measurement.—74-05484A

Crack angle in unified theory of reinforced concrete.—74-05485A
Cracks in concrete and their effect on coatings and linings.—74-02365A
Craneless conveyor line "Vibroblock" for the production of cellular concrete wall blocks.—74-00909A
Current situation and development of cement and concrete in China.—74-05486A
Cyclic tests on concrete confined by spiral reinforcements.—74-07854A
Dehumidification equipment reduces moisture in concrete during coating application.—74-02366A
Design of intelligent materials with self-diagnosing function for preventing fatal fracture.—74-05487A
Designing reinforced thermoset linings for concrete structures.—74-03902A
Development of alkali silica reactions in concrete structures with time.—74-02319A
Development of the production and improvement of the technology of cellular concrete products.—74-00914A
Durability of MSW fly ash concrete.—74-00049A
Early strength behavior of fly ash concretes.—74-05494A
Effect of core diameter on concrete core strengths.—74-05495A
Effect of early overloading of concrete on strength at later ages.—74-05496A
Effect of limestone dusts on the durability of concrete under sulfate attack.—74-08017A
Effect of superplasticizers on the plastic shrinkage of concrete.—74-00053A
Effectiveness of PFA in reducing the risk of cracking due to ASR in concretes containing cristobalite.—74-05505A
Effects of the viscoelastic nature of concretes on ultrasonic nondestructive evaluation.—74-09565A
Efficiency of PAN fibers in reducing shrinkage-induced cracking in fresh concretes and mortars.—74-05512A
Electrode potential measurements of concrete reinforcement for corrosion evaluation.—74-05517A
Experimental and simulation studies of the interfacial zone in concrete.—74-05521A
External prestressing in bridges—a state of art.—74-05522A
Factors that determine the durability of fiber cement composites.—74-08029A
Fly ash evaluation and selection for use in sulfate-resistant concrete.—74-03812A
Forecasting of load-bearing characteristics of reinforced concrete structures in aggressive environment.—74-05524A
Fracture Mechanics & Structural Concrete (Concrete Design & Construction Series).—74-05441B
High-reactivity metakaolin—a new generation mineral admixture.—74-05527A
Hydration behavior of simulated high-performance concrete pastes using synchrotron energy-dispersive diffraction.—74-08043A
Hydrothermal reaction characteristics on the ALC of pitchstone-lime system: II, Effect of the various gelling and curing conditions.—74-08047A
Improving the adhesion of zinc coatings used to metallize concrete.—74-02375A
In the beginning there was... Beton Agglomere.—74-01072A
Influence of microcracks on macrocracks in concrete process zone.—74-07895A
Influence of silica fume on the fracture properties of paste and microconcrete.—74-08054A
Instant chilled steel slag aggregate in concrete—fracture-related properties.—74-05538A
Interaction and propagation of random microcracks in compression.—74-07896A
Interaction and propagation of random microcracks in tension.—74-05539A
Macrocell corrosion of steel in chloride-containing concrete.—74-05545A
Mechanical properties of concrete incorporating high volumes of fly ash from sources in the U.S.—74-02763A
MSW incinerator ash as aggregate in concrete and masonry.—74-00083A
Optimization of the concrete composition by help of dispersive mineral admixtures.—74-00085A
Osmotic blistering of coating and linings applied to concrete surfaces.—74-04798A
Performance of fly ash concrete in UK structures.—74-02344A
Prediction of long-term corrosion resistance of plain and blended cement concretes.—74-05315A
Preliminary testing of Na_2PO_3F as a curative corrosion inhibitor for steel reinforcements in concrete.—74-05571A
Product ecobalance—a method for complete assessment, exemplified by cement-based structural materials.—74-11186A
Production and properties of silicaceous expanded clay concretes.—74-00090A
Pulverized fuel ash concrete: carbonation-induced reinforcement corrosion rates.—74-05575A
Pulverized fuel-ash concrete: intrinsic permeability.—74-02774A
Quantifying chloride-induced corrosion from half-cell potential.—74-00091A
Reaction of various types of hydrates and sulfuric acid and acid resistance of expansive concrete.—74-05578A
Relationships between anodic polarization and corrosion of steel in concrete.—74-00093A
Remarks on rebound of shotcrete.—74-08101A
Research on improving properties of aerated concrete.—74-05581A
Simple method for determination of the aggregate content in hardened concrete.—74-09615A
Special concretes for carrying out of pit shaft linings in copper ore mines.—74-02354A
Speckle photography method in the determination of plane displacement fields in reinforced concrete elements.—74-05587A
Steel-concrete bond and concrete splitting for small diameter bars.—74-05590A
Study of the alkali-aggregate reaction on concrete prisms.—74-05593A
Study of the distortion in box-girder bridges by means of the scaler and vector potentials of the displacement.—74-05594A
Study of the flexural behavior of reinforced concrete cracked beams, by means of a 3-D "Block Model."—74-05596A
Testing adhesion of coatings applied to concrete.—74-05605A
Thermoelastic stress analysis—application to concrete altered by fire.—74-02789A
Thermophysical properties of concrete as a material for solar energy storage.—74-08111A
Treatment halts corrosion in concrete.—74-04971A
Use of the spark discharge for the activation of solutions and concrete mixtures.—74-00100A
Water permeability and microstructure of three old concretes.—74-05610A
Wet sieve analysis of fresh concrete: correction procedures.—74-00102A
What's new in chemical admixtures.—74-02096A

condensers/condensation,
Characterization of nanoscale particles produced by laser vaporization/condensation in a diffusion cloud chamber.—74-07224A
Chemical vapor synthesis of nanostructured ceramics.—74-07227A
Shape of polymers resulting from condensation in the mixed $Si(OC_2H_5)_4$ and $Zr(O\text{-}nC_3H_7)_4$ solutions.—74-10624A

conductance,
Conductance statistics in small GaAs:Si wires at low temperatures: I, Theoretical analysis: truncated quantum fluctuations in insulating wires.—74-08733A
Conductance statistics in small insulating GaAs:Si wires at low temperatures: II, Experimental study.—74-08734A
Conduction mechanism of $SrTiO_3$ thin films by rf sputtering.—74-08735A
Low-frequency, high-temperature conductance and capacitance measurements on metal-oxide-silicon carbide capacitors.—74-02847A
Properties of conducting coatings.—74-02857A
Self-compensation of the intrinsic conduction region of CdTe:Cl under conditions of two-phase equilibrium in a crystal-gas system.—74-01453A

conductivity,
Ambiguous doping effects in amorphous hydrogenated carbon films prepared by PACVD.—74-04475A
Apparatus for the thermal characterization of high-conductivity substrates and materials for microelectronics.—74-09548A
Conducting glass materials.—74-02524A
Conductivity anisotropy induced by an electric field in CdS crystals.—74-02947A
Conductivity study of ABO_3-type nanostructured materials.—74-04268A
Current fluctuation and conductivity in semiconducting VO_2.—74-00586A
Dependence of the intrinsic conductivity minimum of $SrTiO_3$ ceramics on the sintering atmosphere.—74-08737A
Effect of band nonparabolicity on the hot electron longitudinal conductivity in n-$Hg_{1-x}Cd_xTe$ in the extreme quantum limit magnetic fields at low temperatures.—74-05125A
FET based on 6H-SiC—temperature dependence of the conductivity of the n-type channel.—74-08912A
Fluctuation conductivity in superconducting cuprates is compatible with strong-correlation approach.—74-09274A
Formation and properties of lead chlorosilicate glasses.—74-02543A
High-field conductivity of polycrystalline diamond films.—74-02841A
High-temperature anomalies in the kinetic coefficient of ZnSe:Cu.—74-08933A
Low-frequency anomalies in conductivity of superconducting metal oxides in the normal state.—74-03510A
Measurement of the complex conductivity of high-temperature superconductors by perturbations of a volume resonator.—74-03518A
Mixed conduction in an active porous electrode.—74-00512A
New routes in the development of chemical sensors: surface devices.—74-00670A
Observation of a nonlocal conductivity in the mixed state of $YBa_2Cu_3O_{7-\delta}$: experimental evidence for the vortex line liquid.—74-05040A
Observation of nonohmic component of spontaneous conductivity fluctuations in $YBa_2Cu_3O_{7-x}$ thin films.—74-09315A
Proton conductivity and synthesis on solid electrolytes.—74-00524A
Sol-gel processing and conduction mechanism of RuO_2-glass thick-film resistors [TFRs].—74-02862A
Temporally resolved response of a natural type IIA diamond detector to single particle excitation.—74-10166A
Thermal instability and proton conductivity of ceramic hydroxyapatite at high temperatures.—74-04958A
Thin-film deposition of conductive tin oxide from tetramethyltin in a low pressure glow discharge diode reactor.—74-04964A
Time-resolved microwave conductivity: I, TiO_2 photoreactivity and size quantization.—74-09069A
Time-resolved microwave conductivity: II, Quantum-sized TiO_2 and the effects of adsorbates and light intensity on charge-carrier dynamics.—74-10701A
Zirconia-based oxide ion conductors in solid oxide fuel cells.—74-00539A

conductors,
Inhomogeneous laminar conductor model for dielectric relaxation in oxide glasses.—74-02549A

conferences,
International Commission on Glass and the glass world.—74-11172A

consolidation,
Boehmite coating as a consolidation and forming aid in aqueous silicon nitride processing.—74-04487A
Ceramic Processing and Sintering.—74-11198B
Consolidation mechanism of nanocrystalline Si_3N_4 ceramics and transition mechanism of #81-to-ß phase under shock compaction.—74-09976A
Consolidation of combustion-synthesized titanium diboride-based materials.—74-04525A
Consolidation of diamond and SiC particulate preforms by the forced flow–thermal gradient diamond CVD process.—74-10235A
Consolidation of ultradisperse TiN under high pressure.—74-04526A
Dispersion and consolidation of ultrafine $BaTiO_3$ powder in nonaqueous solutions.—74-01683A
Intelligent control of consolidation and solidification processes.—74-03700A
Preventing segregation during centrifugal consolidation of particulate suspensions: particle drafting.—74-10578A
Two-stage consolidation of silicon nitride under static gas pressure.—74-04974A

contacts,
Application of ion-assisted electron beam metallization to diamond electronics.—74-00459A
Carbon fiber-reinforced concrete as an electrical contact material for smart structures.—74-08833A
Characterization of hydrogen-terminated CVD diamond surfaces and their contact properties.—74-02935A
Correlation of interface chemistry to electrical properties of metal contacts on diamond.—74-08150A
Difference between static and dynamic friction forces.—74-04278A
In situ nonalloyed ohmic contacts to p-GaAs.—74-04692A
Integration of materials and processes for reliable silicon interconnections.—74-06158A
Magnetostatic surface waves in ferrite-superconductor contacts.—74-09304A
Method for depositing solid ohmic contacts of CdSe and CdS crystals.—74-03834A
Ohmic contacts to p- and n-type GaAs made with Al-Sn-Ni.—74-00673A
Ohmic contacts to epitaxial and natural diamond.—74-08979A
Ohmic metal/III-V semiconductor contacts—fabrication methods and properties (review).—74-08980A
Properties of cadmium selenide thin films as a function of lateral distance from chromium contacts.—74-00692A
Pt/Ti/Ge/Pd ohmic contacts to GaAs: a structural, chemical, and electrical investigation.—74-03185A
Towards a physical understanding of spreading resistance probe technique profiling.—74-01121A
Very low resistivity Al-Si ohmic contacts to boron-doped polycrystalline diamond films.—74-04976A

containers,
Achieving high performance goals in container production.—74-02597A
Air tube structure in a glass container forming machine.—74-02667P
Bottling up energy losses.—74-09436A
Cylinder-port block arrangement for glass container forming apparatus—74-01014P
Developments in container inspection technology.—74-00293A
Future of refillables.—74-08425A
How the Thermos flask is made.—74-02637A
Inspection and measurement priorities in the container section.—74-00199A
New feeder bowl: from concept through appraisal to finished product.—74-09488A
PET-returnables—technical and economical aspects.—74-00309A

controls,
3R—recent developments in deNO_x control.—74-09634A
ACC's in-house research.—74-07990A
Adaptive and predictive systems for energy management.—74-09635A
Advanced control methods ensure cost-effective clinker production.—74-07992A
AIRFEEL diaphragm.—74-09427A
Application of programmable controllers in frosted glass bottle processing system.—74-09429A
Ash Grove's new 2200-tpd Seattle plant comes on line.—74-03896A
Basic concept of process control in cement plants.—74-02309A
Burners and burner control systems: I.—74-09642A
Cement industry solutions at your fingertips.—74-07999A
Cement plant engineering using computer-aided design: an update.—74-02313A
Cement producer's view of process control and automation.—74-08003A
Ceramic slip control and fast casting technology.—74-05888A
Computer centric rotational depth profiling.—74-03790A
Computer control of technological processes in Vetropack Moravia Glass AS, Kyjov.—74-00290A
Control modeling and regulation of plasma spraying process.—74-10242A
Control of thin-film processing behavior through precursor structural modifications.—74-10243A
Controlling the gloss of leadless glazes.—74-08669A
Cost-effective clinker production with the PYROEXPERT optimization system (a synthesis of expert knowledge and advanced methods of control).—74-05848A

DCS's (distributed control systems) up product consistency, quality, output.—74-07942A
Decorating lehrs: the decorator's final signature.—74-02297A
Developments in the field of melting furnaces and control equipment.—74-01145A
Dust control meets new operating and environmental challenges.—74-00050A
Edmeston emission control system for glass furnace emission.—74-01149A
Electronic controller for a glassware forming machine—74-01016P
Environmental control technology in the heavy clay industry.—74-09459A
Feedback control of temperature profiles during microwave joining of ceramics.—74-08192A
First TDC 3000 System in the Indian cement industry.—74-08030A
Forehearth temperature control strategies.—74-09670A
Glass annealing process in laboratory conditions and its control.—74-05764A
Glazing defects and their control.—74-08682A
Gob control improves quality and efficiency.—74-09673A
How to control cracking of tape-cast sheets.—74-07340A
Improving control of thermal processes with new system enhances equipment performance and work quality.—74-06780A
Increasing the intelligence of forehearth control systems.—74-05771A
Integrated electronic control for pressware lines.—74-06708A
Kiln rotational speed—a neglected control parameter.—74-03915A
Knowledge-based process control of grinding plants.—74-08061A
Ladder logic and distributed control systems in cement plants.—74-08062A
Look at Siemens CEMAT system profile.—74-08064A
Measurement and control systems for the ceramic industry.—74-11179A
Method of controlling the deposition of thin CVD layers.—74-07380A
Microstructure development in particulate ceramic coatings.—74-10839A
Modifications at the St. Mary's Cement Detroit plant.—74-00081A
Next generation of control systems: the FLS-Summit Series.—74-03716A
On-line control of the plasma spraying process by monitoring the temperature, velocity, and trajectory of in-flight particles.—74-09596A
Optimizing the porcelain enameling process to achieve ideal processing conditions.—74-00136A
Pore size control of porous carbon.—74-10537A
Postgrowth control of GaAs/AlGaAs quantum well shapes by impurity-free vacancy diffusion.—74-06269A
Problems and controls of particulates in semiconductor manufacturing.—74-09011A
Process control for a blast-furnace cement plant.—74-08089A
Process control in the production of molten metals.—74-08766A
Process monitoring and control in the cement industry.—74-03853A
Production control during dry pressing operations.—74-00978A
Profile of modern batch plant control system.—74-06718A
Quality assurance by integrated statistical process control: the path from failure detection to failure prevention.—74-00982A
Recent trends in HIP equipment and related systems.—74-09505A
SCAP optimization of cement production.—74-08105A
Significance of output signals to adjust the process of milling.—74-08108A
Spray-drying operation of ceramic powders on an industrial scale, its control and automation.—74-10651A
Summit control system for Cementos de Chihuahua (Mexico).—74-03738A
Temperature measurement and control in the cement industry.—74-03934A
Trend of kiln instrumentation for ceramics.—74-09720A
Use of moisture control devices during preparation and forming.—74-00444A
Use of the new process control system for the new grinding plant at Dyckerhoff AG's Neubeckum [Germany] plant.—74-01006A
What's hot in temperature measurement and control.—74-06833A

conversion,
Conversion of St. Mary's conventional grate cooler at the Boumanville plant.—74-00907A
Methane to syngas via ceramic membranes.—74-06983A
Polycarbosilane-to-Si_xC_{1-x} conversion studied by inelastic neutron scattering and infrared absorption.—74-10861A

conveyors,
Armored chain conveyors for metered hopper extraction.—74-06680A
Autoclaveless technology of foam concrete production "Silblock."—74-00893A
Belt conveyors for horizontal curves: the key to reducing material handling costs.—74-09432A
Conveyor belt rip repair fasteners.—74-00908A
Conveyor options for material transport.—74-03679A
Craneless conveyor line "Vibroblock" for the production of cellular concrete wall blocks.—74-00909A
Dust-free clinker handling.—74-00917A
Fluidization techniques by an airslide system.—74-00930A
Introducing bulk materials into pneumatic conveying lines by screw feeders.—74-06709A
Modern conveyor belt technology for the cement industry.—74-00959A
New floating bulk cement terminal now commissioned.—74-00963A
Pneumatic conveying—a review.—74-06715A
Ship loading systems in partnership with gravity.—74-00994A
Terrain conforming long distance transport by roller belt conveyors.—74-06729A
Vital link in the hot-end chain.—74-09512A
Wear resistant ceramic fiber conveyor rolls.—74-04007P

coolers/cooling,
AES study of syntactic coalescence/overgrowth of α-SiC (15R) on α-SiC (6H).—74-01960A
Clinker cooling in grate coolers using the Coanda effect.—74-05478A
Continuing upgrading program at South Ferriby (UK).—74-03678A
Conversion of St. Mary's conventional grate cooler at the Boumanville plant.—74-00907A
Cooling of optical fibers during the drawing process.—74-05754A
Devitrification behavior of infrared-transmitting AlF_3-[MgF_3-CaF_2-SrF_2-BaF_2]-YF_3 glasses: I, During melt cooling.—74-05761A
Effect of the cooling method on phase composition, crystal structure, and morphology of spinels of the system Cu-Mn-O in air.—74-04135A
Examination of the factors causing the avalanche cracking of grate cooler clamping elements.—74-09657A
HADES: thermal surveillance of clinker coolers.—74-02330A
In situ deposition of $YBa_2Cu_3O_{7-x}$ superconducting thin film without high pressure oxygen during film cooling.—74-00817A
Investigation of abrasive wear resistance of new construction materials for cement industry.—74-08057A
Kinetic demixing of solute cations in alumina single crystals during cooling.—74-10430A
Liquid nitrogen provides shear cooling solution.—74-00946A
Operating experience with grate coolers for clinker capacities of 10 000 t/d in Thailand and South Korea.—74-06867A
Optimization of clinker cooler operation.—74-06868A
Optimizing a planetary cooler on a 3 000 tpd kiln.—74-03923A
Performance of the Adelaide Brighton Cement IKN cooler.—74-03925A
Reinforced suspension preheater conversion in Pakistan.—74-09710A
Repol-RS time-proven and innovative features.—74-00988A
Solidification behavior of undercooled liquid aluminum oxide.—74-04907A
Super cooling solution...taking it from the bottom.—74-09717A
Thermal rating for enclosed speed reducers.—74-03935A

copper oxides,
Ac conductivity of $LaCuO_4$.—74-02820A
Aligned bismuth, strontium, calcium cuprate coatings on polycrystalline substrates—74-00861P
Anisotropic superconducting properties of a Tl-2223 single crystal studied by transport measurements.—74-06485A
Application of a mixed oxide capacitor to the selective carbon dioxide sensor, II: CO_2 sensing characteristics of a CuO-based oxide capacitor.—74-00457A
Asymptotic exact solution of local copper oxide model.—74-05072A
Attractive interactions and phase separation in the Cu_4O_8 cluster with infinite on-site repulsion: a comparison with analytical solution for the CuO_2 plane.—74-02918A
Bi-Sr-Ca-Cu-O superconducting thin film—74-00862P
Biaxial alignment of high-T_c superconductor polycrystals: VI, Biaxial alignment of $(Eu_{0.92}Yb_{0.08})Ba_2Cu_3O_x$.—74-06495A
Bismuth system oxide superconductors and preparation thereof.—74-03624P
Ceramic superconductor and method of preparing the same.—74-09361P
Compatibility relations in the $BiO_{1.5}$-SrO-CaO-CuO system at 800°C.—74-07047A
Copper oxide superconductor containing carbonate radicals.—74-03625P
Crystallization behavior of Bi-Ba-Cu-O glasses.—74-00189A
Cu nuclear spin-spin relaxation in $Tl_2Ba_2CuO_{6+\delta}$.—74-04273A
Dense superconducting bodies with preferred orientation.—74-09362P
Deposition of copper oxide films by reactive laser ablation of copper formate in an rf oxygen plasma ambient.—74-01663A
Determination of free copper oxide in high-temperature superconducting ceramics based on $Y_1Ba_2Cu_3O_{7-\delta}$.—74-06512A
Determination of irreversibility line of an $La_{1.87}Sr_{0.13}CuO_4$ single crystal: a scaling approach.—74-00796A
Distribution of holes between CuO_2 and CuO_δ planes in the $YBa_2Cu_3O_{6+\delta}$ compound.—74-04129A
Effect of pressure on the optical gap of high-temperature superconductors.—74-06522A
Effects of excess CuO on the grain growth kinetics, sintering, and microstructure of the $YBa_2Cu_3O_{7-\delta}$ superconductor.—74-06525A
Effects of Na_2CO_3 addition on the gas sensing characteristics of CuO/ZnO heterocontact.—74-06060A
Electrochemical synthesis and characterization of $NaCuO_2$.—74-08748A
Electrodeposition of copper oxide from the eutectic sodium-potassium nitrate melt.—74-06074A
Electroless chemical deposition technique for Cu_2O thin films.—74-07292A
Electron spectroscopy for chemical analysis studies on electron-beam-evaporated CuO_x thin films.—74-07295A
Elongate bismuth system superconductor having aligned 2212 phase.—74-09363P
Enhanced superconductivity in $Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$ by low oxygen partial pressure annealing.—74-06536A
Epitaxial layers of 2122 BCSCO superconductor thin films having single crystalline structure.—74-09365P
Epitaxial thin superconducting thallium-based copper oxide layers.—74-03627P
Evaluation of the gas response of ZnO/La_2CuO_4 heterocontacts with different electrode materials.—74-08900A
Evaluation of thermal interdiffusivity at (Nd-Cu-O)/(Ca-Cu-O) multilayered film interface by X-ray diffractometry.—74-10731A
Fabrication and characterization of Tl-Ba-Ca-Cu-O superconducting films on $LaAlO_3$ substrates.—74-03462A
Fabrication of high T.sub.C superconducting helical resonator coils—74-00864P
Formation mechanism of MoO_3-doped $YSr_2Cu_3O_y$ using the citrate process.—74-03466A
Formation of infinite-layered $(Ca_{1-x}Sr_x)CuO_2$ and $NaCuO_2$-type $(Ca_{1-y}Na_y)_{0.85}CuO_2$ in tartrate route.—74-03467A
Gas sensing by ac impedance under dc bias of CuO/ZnO *pn* heterocontact.—74-08921A
Gibbs energy of formation of $CuGd_2O_4$ and phase relations in the Cu-Gd-O system.—74-07080A
Heat capacity in an inorganic spin-Peierls system $CuGeO_3$.—74-04329A
Heat capacity of the spin-Peierls compound $CuGeO_3$.—74-09282A
High-resolution electron energy loss of $GdBa_2Cu_3O_{7-\delta}$ thin films.—74-03483A
High-temperature Josephson junction and method.—74-09370P
High-temperature superconductor step-edge Josephson junctions using Ti-Ca-Ba-Cu-O.—74-03629P
Influence of CuO on bonding behaviors of low-firing substrate and Cu conductor.—74-10414A
Interaction of alumina ceramics with copper and copper oxides.—74-07668A
Internal state population and the time-of-flight of ground-state species ejected after the 190 nm excimer laser ablation of CuO, BaO_2, and Y_2O_3.—74-03502A
Lattice instabilities and high-temperature superconductivity in the parent structure $(Sr,M)CuO_{2+x}$.—74-00822A
Layer-by-layer process for forming B.sub.i -containing oxide superconducting films—74-00869P
Low-mobility charge carriers in CuO.—74-10112A
Luminescence spectra of fluorophosphate glasses containing CuO and SnO_2.—74-02559A
Magnetic measurements of $CuGeO_3$ by means of high magnetic field.—74-04350A
Mechanism of La_2CuO_4 solid-state powder reaction by quantitative XRD and impedance spectroscopy.—74-03519A
Metal-ceramic interfaces in internally reduced (Mg,Cu)O.—74-08235A
Method for producing single crystal superconducting $LnA_2Cu_3O_{7-x}$ films.—74-03641P
Method of making a superconductive fiber.—74-03647P
Method of manufacturing an oxide superconductor.—74-09376P
Method of preparing oxide superconducting wire.—74-03649P
Method of preparing Tl-containing oxide superconducting thin film.—74-03650P
Modulations in the CuO chain layer of $YBa_2Cu_3O_{7-\delta}$—charge waves.—74-06589A
Molecular beam epitaxial growth of $SmBa_2Cu_3O_{7-\delta}$ thin films and effect of substrate temperature on the surface roughness.—74-06590A
New approach to selective semiconductor gas sensors using a dc-biased *pn* heterocontact.—74-03126A
New theoretical view for high-temperature superconductivity.—74-00827A
Nonlinear ac magnetic susceptibility of the high-T_c superconductor $NdBa_2Cu_3O_7$.—74-03541A
Orthogonal holes and hybridized electron spectrum of CuO_2 planes.—74-05216A
Orthorhombic distortion effect on X-ray and X-ray photoelectron spectra of copper oxides.—74-04388A
Oxide magnetic material—74-00781P
Oxide superconductor and process for producing the same.—74-09382P
Oxide superconductor comprising Cu, Bi, Ca and Sr—74-00876P
Oxide superconductor.—74-03654P
Oxide superconductors, and devices and systems comprising such a superconductor.—74-09384P
Oxide-type superconducting material.—74-09385P
Pairing and depairing effects of antiferromagnetic spin fluctuations in high-T_c superconductivity.—74-01556A
Pairing correlations with s^* and d symmetry—exact results for the Cu_4O_8 clusters.—74-10858A
Phase equilibria of the bismuth oxide-copper oxide system in oxygen at 1 atm.—74-03553A
Phase equilibria of the calcium oxide–copper oxide system in oxygen at 1 atm.—74-07101A
Phase relations in the system Bi_2O_3-BiI_3-CuI-Cu_2O at 500°C.—74-04187A
Phase relations in the system SrO-CuO-Nb_2O_5 in the region with large content of strontium oxide.—74-04189A
Phase separation and superconductivity in La_2CuO_4: effects of oxygen diffusion.—74-00832A
Precise determination of copper in high-temperature superconductor samples by potentiostatic coulometry.—74-00841A
Preparation and composition of superconducting copper oxides based on Ga-O layers.—74-03655P
Preparation of an $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ superconductor via the hydroxide coprecipitation method.—74-06618A
Pressure-induced amorphization of $CuGeO_3$.—74-02036A
Problems in the fluorination of copper oxide high-temperature superconductors.—74-00844A
Process for molding a high-temperature superconductor.—74-09386P

Process for preparing superconducting material—74-00878P
Process for producing a high-temperature superconductor and also shaped bodies composed thereof.—74-09388P
Process for producing Bi-based oxide superconductor single crystals.—74-03657P
Process for producing tubular molded parts of high-temperature superconductor material.—74-03658P
Processing of large $YBa_2Cu_3O_x$ domains for levitation applications by an $Nd_{1+y}Ba_{2-y}Cu_3O_z$—seeded melt-growth technique.—74-06619A
Properties of the SnO_2-based ceramics.—74-02392A
Relation of microstructure and superconductivity in bismuth oxide superconductors.—74-09332A
Relation of microstructure and superconductivity in bismuth oxide superconductors.—74-09333A
Secondary emission cathode having superconductive oxide material—74-00879P
Semiconductor substrate having a superconducting thin film.—74-09390P
Single crystalline fibrous superconductive composition and process for preparing the same.—74-03662P
Sintering of simple metal oxides with variable valence.—74-05049A
Soliton propagation of excitonic packets and superfluidity in Cu_2O.—74-09044A
Strong correlations, frozen phonons, and double-well potential in the Cu-O chains of $YBa_2Cu_3O_{7-\delta}$: an exact diagonalization approach.—74-03577A
Structural characterization of a CuO/MgO artificially supersaturated film by the γ-ray diffraction method.—74-10031A
Structure and properties of ceramics in the SnO_2-Sb_2O_3-CuO system.—74-03974A
Subsolidus phase diagram for the Bi_2O_3-SrO-CaO-CuO system.—74-07126A
Superconducting Tl-Pb-Sr-Ca-Cu-O thin film—74-00884P
Superconductivity in the system $Lu_{1-x}Pr_xCu_3O_{7-\delta}$.—74-06640A
Superconductivity of weakly correlated electrons in 2-D Hubbard lattice.—74-03597A
Surface and catalytic properties of copper oxide supported on Al_2O_3 and active carbon.—74-01244A
Synthesis of high-T_c superconductors under high pressure (a review).—74-09351A
Synthesis of highly phase pure (Bi, Pb)-Sr-Ca-Cu-O superconductor.—74-03668P
Synthesis of infinite-layered superconductors under high pressure.—74-03602A
Technical factors of copper aventurine glass.—74-08465A
Theory of marginal-Fermi-liquid spectrum and pairing in a local copper oxide model.—74-05288A
Thermodynamic assessment of the Ca-Cu-O system.—74-10044A
Time and composition dependence of the spectral shape of the X-ray Ce L_{III} absorption in the $R_{2-x}Ce_xCuO_{4-y}$ superconductors.—74-00858A
Triaxially oriented growth of CuO on MgO(001)—X-ray diffraction studies of pure CuO films and inclusions in superconducting Y-Ba-Cu-O films prepared by MOCVD.—74-06658A
Two-magnon Raman scattering in $CuGeO_3$ which undergoes spin-Peierls transition.—74-01600A
Two-zone equilibria of Tl-Ca-Ba-Cu-O superconductors.—74-03612A
Update on copper oxide superconductors.—74-06662A
Variations in the density of states during hole doping of CuO_2.—74-10177A
Vuv-photoemission study of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals and their surface degradation.—74-01486A
Zn and Cu oxides sorption leaching process.—74-01959A
ZnO/La_2CuO_4 heterocontacts as humidity sensors.—74-09084A

copper,
Adsorbed water in the interlayer of Mg and Cu montmorillonites.—74-09967A
Advanced scientific semiconductor processing based on high-precision controlled low-energy ion bombardment.—74-04472A
Bonded ceramic-metal composite substrate, circuit board constructed therewith and methods for production thereof.—74-02407P
Carbon diffusivity in copper selenide.—74-04991A
Cathodic deposition of copper selenide films on tin oxide in sulfate solutions.—74-01625A
Ceramic substrate.—74-03265P
Ceramic wall hybrid package with washer and solid metal through wall leads.—74-02872P
Characterization of the transition xerogel-glass of materials prepared with modified TEOS: the case of Cu^{2+}.—74-01350A
Charge transfer phase transition in $Cu_xV_4O_{11}$.—74-07045A
Chemistry of copper chalcogenides in waste glasses.—74-09395A
Composition effects in "flash" evaporated $CuIn(Se_xTe_{1-x})_2$ films.—74-06013A
Computer experiments on amorphization of the superstructure of Cu_3Au by disclinations.—74-01358A
Conditions of evaporation of copper and cadmium compounds from a photochromic glass melt.—74-02607A
Conduction mechanism in Sn^{4+}-substituted copper ferrite.—74-09197A
Conductive copper paste—74-00546P
Copper ion transport in CuI-based molybdate-tungstate glasses.—74-00188A
Copper-ceramic composite coatings for steel strip casting.—74-08148A
Copper-containing ceramic precursor synthesis—solid-state transformations and materials technology.—74-10248A
Corrosion behavior of copper-based metal matrix composites.—74-02070A
Cu nuclear quadrupole resonance study of $CuGeO_3$.—74-04272A
Cu-Mo contacts to $CuInSe_2$ for improved adhesion in photovoltaic devices.—74-02952A
$CuInS_2$ with lamellar morphology: I, Efficient photoanodes in acidic polyiodide medium.—74-06021A
$CuInS_2$ with lamellar morphology: II, Photoelectrochemical behavior of heterogeneous material.—74-06022A
Dc electrical conductivity in glassy $Cu_{15}As_{35}Se_{50}$.—74-06026A
Deoxidation of molten metals by short-circuiting yttria-stabilized zirconia electrolyte cell.—74-05928A
Diffuse scattering of superionic phase of Cu_2Se.—74-01979A
Dimerization of $CuGeO_3$ in the spin-Peierls state.—74-07071A
Dislocation structures at Cu-MgO and Pd-MgO interfaces.—74-08166A
Early stages of Cu growth on boron-segregated Si-(111) surfaces: a scanning tunneling microscopy study.—74-07633A
Effect of glass composition on precipitation of crystallites in CuCl-doped glasses.—74-05676A
Effect of hydrogen in the selenizing atmosphere on the properties of $CuInSe_2$ thin films.—74-04576A
Effect of interfacial microstructure on fracture of Al_2O_3/Al-Cu composite.—74-10792A
Effect of substrate material on bias-enhanced diamond nucleation.—74-07278A
Elastic anomalies in the quasi-1-D compound $CuGeO_3$.—74-08880A
Electrical conductivity of glasses in the system CuCl-Cu_2O-$(P_2O_5$+$MoO_3)$.—74-05714A
Electrical device having a bonded ceramic-copper heat transfer medium.—74-02878P
Electrodeposition of $CuInSe_2$ thin films from aqueous citric solutions: I, Influence of potential and mass transfer rate on composition and structure of films.—74-01705A
Electrodeposition of $CuInSe_2$ thin films from aqueous citric solutions: II, Investigation of macrokinetics of electrodeposition by means of rotating disk electrode.—74-01706A
Electroless copper plating using ZnO thin film coated on a glass substrate.—74-06075A
Electroless deposition of orthorhombic copper(I) selenide and its room temperature phase transformation to cubic structure.—74-01381A
Electronic structure of $Ce(Pd_{1-x}Cu_x)O_3$ ($0 \le x \le 0.133$) studied by photoemission and bremsstrahlung isochromat spectroscopy.—74-01988A
Epitaxial Cu contacts on semiconducting diamond.—74-04617A
Evaluation of amorphous (Mo, Ta, W)-Si-N diffusion barriers for <Si>Cu metallizations.—74-01942A
Exciton luminescence of CuCl microcrystals in glass.—74-02540A
Exciton luminescence of microcrystals of CuCl in glass.—74-02541A
Experimental determination of silica/copper interfacial toughness.—74-02136A
Features of pulse illumination effect on X-ray diffraction and photorefractive properties of $LiNbO_3$:Cu [crystals].—74-04634A
Firing copper red glaze in oil-fired tunnel kiln.—74-05894A
Glycine-nitrate synthesis of a ceramic-metal composite.—74-05626A
Growth and structure of ZnO_x overlayers on Cu(100).—74-10377A
Growth modes of epitaxial copper films on *c*-sapphire.—74-07661A
Hardening and softening of nanocrystalline materials.—74-01392A
Heat transfer insulated parts and manufacturing method thereof.—74-02419P
Heat treatment of vacuum- and hydrogen-treated Ni and Cu montmorillonite mineral: ir study.—74-09996A
High-temperature anomalies in the kinetic coefficient of ZnSe:Cu.—74-08933A
Hydrothermal synthesis and crystal structure of $Cu_{2.5}Mn[PO_4]_2(OH)$.—74-04149A
Improved phosphosilicate glass passivation against Cu contamination using the rapid thermal annealing process.—74-05770A
Induction of bidimensionality in Cu-Ti perovskites.—74-10411A
Influence of oxygen partial pressure on the wetting behavior of titanium carbide by molten copper and other metals.—74-00125A
Interaction of alumina ceramics with copper and copper oxides.—74-07668A
Interaction of the cyclotetraphosphate of copper(II) with aluminum oxide upon heating.—74-01398A
Island growth of ion beam sputtered metal films [studied] by digital image processing.—74-02004A
Libethenite $Cu_2[PO_4](OH)$—synthesis, refinement of crystal structure, comparative crystal chemistry.—74-04159A
Local structure of intercalants in layered compound $Cu_{0.15}Ti_{1.08}S_2$.—74-02010A
Localized corrosion of sputtered Al-1 wt% Si-0.5 wt% Cu alloy thin films.—74-02084A
Magnetic susceptibility of copper and silver chalcogenides near the crystal-melt phase transition.—74-04352A
Melt infiltration of copper-coated silicon carbide with an aluminum alloy.—74-05643A
Metal substrates aluminum, copper, stainless steel: specifications, pretreatment, frit selection, enameling processes.—74-02383A
Metal-ceramic joint.—74-08308P
Method of making copper-titanium nitride alloy—74-00174P
Method of producing a carburized ceramic-steel joined body.—74-08314P
Model for the growth and reactivity of metal films on oxide surfaces: Cu on ZnO(0001)-O.—74-04756A
Modification of chemically deposited ZnSe thin films by ion exchange reaction with copper ions in solution.—74-04762A
Molded ceramic articles and production method thereof.—74-03763P
Natural photopleochroism in $CuInSe_2$ diode structures.—74-08961A
New electrochemical method for selenization of stacked CuIn layers and preparation of $CuInSe_2$ by thermal annealing.—74-04772A
Ni-Cu-P and Ni-Co-P as a diffusion barrier between an Al pad and a solder bump.—74-01415A
Nonlinear *I-V* characteristics in copper-doped Bi_2Te_3 single crystals.—74-04374A
Optical and structural properties of $CuGaSe_2$ polycrystalline thin films.—74-06236A
Optical properties of $CuAlSe_2$ single crystals and of diode structures made of them.—74-08988A
Optical transitions in laser-evaporated thin $CuInSe_2$ films.—74-04387A
Oxidation states of copper in lead borate glass.—74-02478A
Phase diagram of spin-Peierls cuprate $CuGeO_3$ based on ac susceptibility in high magnetic fields.—74-04391A
Phase equilibria in the system Cu_2S-Dy_2S_3.—74-01428A
Phase transitions in copper(II) orthovanadate.—74-10018A
Photoemission study of evaporated $CuInS_2$ thin films: I, Surface stoichiometry and phase segregation.—74-01559A
Photoemission study of evaporated $CuInS_2$ thin films: II, Electronic surface structure.—74-00520A
Photovoltaic properties of sintered CdS/CdTe solar cells doped with Cu.—74-00683A
Plasma-enhanced chemical vapor deposition of $CuInSe_2$.—74-00685A
Precise determination of copper in high-temperature superconductor samples by potentiostatic coulometry.—74-00841A
Preparation and properties of $CuInSe_2$ thin films produced by selenization of cosputtered Cu-In films.—74-06273A
Preparation of EuO and EuO/Cu multilayered films and their magnetic properties.—74-03398A
Preparation of homogeneous polycrystalline $CuInSe_2$ thin films by a two-step chemical-vapor-transport process.—74-07433A
Processing of $CuInSe_2$ films for photovoltaics.—74-09012A
Raman signal vs preparation conditions of C-implanted and excimer laser-annealed Cu thin films.—74-10595A
Recovery of recyclable metals from waste glass melts.—74-09414A
Refractory metal nitride encapsulation for copper wiring.—74-00697A
Role of an electrolysis reduction in copper-electroplating on transparent semiconductor tin oxide.—74-06294A
Role of thermal defects in photolysis of microcrystals of CuCl in glass.—74-02577A
Role of thermal defects in the photolysis of CuCl microcrystals in glass.—74-02655A
Selective and blanket copper chemical vapor deposition for ultra-large-scale integration.—74-01875A
Self-supporting diamond filaments.—74-02423P
Spectral properties of microcrystals of CuCl distributed in the glass matrix.—74-02581A
Spectroscopic studies of surface copper spinels. Influence of pretreatments on chemical states of copper.—74-04213A
Structural and optoelectronic properties of chemically deposited Cu_xS thin film and the precipitate.—74-01581A
Structure and chemistry of $CuInSe_2$ for solar cell technology: current understanding and recommendations.—74-02049A
Structure and composition of chemically deposited films of bismuth sulfide and copper sulfide: effect on optical and electrical properties.—74-01582A
Studying electron states of Cu and Ba atoms in $YBa_2Cu_3O_7$ by high-resolution AES.—74-06636A
Submillimeter-wave EPR of Cu^{2+} spins in $Ca(PO_3)_2$ glass.—74-02587A
Surface and bulk interactions in M-SiC systems (M=Au, Cu, Ni).—74-08279A
Surface topographical studies of prism facets of barium copper oxalate single crystals.—74-10897A
Synthesis and electrochemical study of new copper vanadium bronzes and of two new V_2O_5 polymorphs: ß′- and ε′-V_2O_5.—74-02863A
Synthesis and thermal stability of solid solutions of $Cu_{1-x}Zn_xCr_2Se_4$.—74-01470A
Synthesis of the carrier-doped infinite-layer films by rf thermal plasma evaporation.—74-09352A
System Cu_2S-Er_2S_3.—74-01473A
Systems M_2O-CuO-V_2O_5.—74-01475A
Thermodynamic analysis of aluminate formation at Fe/Al_2O_3 and Cu/Al_2O_3 interfaces.—74-08285A
Thermodynamical study of the preparation of $CuInSe_2$ thin films in vertical closed tube systems.—74-01920A
Trace metal redistribution during extraction of model soils by acetic acid/sodium acetate.—74-07539A
Transport properties and band structure of nonstoichiometric $Cu_{2-x}Te$.—74-04455A
Ultrahigh-vacuum diffusion-bonded Nb-Al_2O_3 and Cu-Al_2O_3 joints—the role of welding temperature and sputter cleaning.—74-08289A
Use of superlattice reactants in the synthesis of ternary Cu-Nb-Se compounds.—74-10714A
Variation of trap state density and barrier height with Cu/In ratio in $CuInSe_2$ films.—74-04461A
X-ray spectra and electronic structures of CuS and Cu_2S.—74-05298A
XPS study on electrofloat glass.—74-08358A

coprecipitation,
Fabrication of highly pure and small-particle-size $YBa_2Cu_3O_7$ superconducting powder by oxalate coprecipitation.—74-06546A
Obtaining pigments by the coprecipitation method.—74-03969A

Preparation and properties of $YBa_2Cu_3O_7$-Ag composites via 8-hydroxyquinoline coprecipitation.—74-06616A
Preparation of $YBa_2Cu_3O_{7-x}$ superconductor by coprecipitation of nanosize oxalate precursor powder in microemulsions.—74-00843A
PZT powder synthesis through coprecipitation route.—74-04855A
Synthesis of $BaTi_4O_9$, $Ba_2Ti_9O_{20}$, and $BaTi_5O_{11}$ compounds by coprecipitation method and their electrical and thermal properties.—74-10677A
Synthesis of hydroxyapatite ceramic powders.—74-07007A
Synthesis of ZrO_2+12 mol% CeO_2 powders by coprecipitation technique and their sintering behaviors.—74-10688A

cordierite,
Al/Si ordering in alkali-doped cordierites $M_{0.5}Mg_2Al_4{}_5Si_4{}_5O_{18}$ (M=Na,K,Cs).—74-07198A
Better ceramic substrates through zeolites.—74-10203A
Cordierite ceramics.—74-01225A
Cordierite honeycomb ceramic for exhaust purifier application.—74-06964A
Cordierite-type ceramics—dilatometric and dielectric properties.—74-04270A
Effects of MnO_2 additives on the characteristics of infrared radiator of cordierite system.—74-10312A
Influence of alkali olivine basalt on the properties of cordierite-based ceramics.—74-06906A
Microstructure and mechanical properties of SiC platelet/cordierite glass-ceramic composites.—74-02175A
Modified cordierite precursors.—74-09828P
Process for producing catalyst coated thermal shock resistant ceramic honeycomb structures of cordierite, mullite and corundum.—74-04082P
Proper selection of kiln furniture.—74-05871A
Sol-gel method in the synthesis of cordierite.—74-04901A
Study on sillimanite and cordierite saggar.—74-08589A
Surface precipitation route for the development of cordierite-zirconia composites.—74-04932A
Synthesis and characterization of cordierite glass-ceramics for low firing temperature substrate: IV, Metallizing by using Cu powder coated by sol-gel method.—74-08464A
Use of carbon-containing coatings in hardening devitrified cordierite glass.—74-02664A

cores,
Effect of core diameter on concrete core strengths.—74-05495A
Method of making a holder of ceramic material.—74-09532P
Novel core effects in Cs/GaAs(110) overlayers—adsorption-induced buckling enhancement.—74-08972A

corrosion resistance,
Application of catalysts on high-porous ceramic materials.—74-02064A
Ceramics and PTOF (pulse time of flight) microwave push level measurement reliability.—74-01047A
Coating method for innovative graphitic components with high corrosion resistance.—74-08146A
Corrosion resistance of HfO_2-coated stainless steel in Br_2-O_2 atmosphere.—74-05618A
Corrosion resistance of high chrome refractories exposed to molten acidic coal ash.—74-00380A
Corrosion resistant composition for wear products.—74-04044P
Corrosive resistance of plaster molds.—74-10908A
Effect of post-treatments on the corrosion resistance of plasma-sprayed duplex stainless steel coating in salt water.—74-08175A
Effect of pulsed laser annealing on wear and corrosion properties of electroless Ni-P plating.—74-08176A
Effects of additives on properties of unfired Al_2O_3C bricks.—74-08539A
Enhanced pitting corrosion resistance of 304L stainless steel by plasma ion implantation.—74-05306A
Environmental stability of high-T_c superconducting ceramics.—74-00809A
High-temperature corrosion of ceramics in some gaseous environments.—74-05307A
Improvement of oxidation and corrosion resistance of stainless steel by sol-gel ceramic coating: I, Synthesis of zirconia sol and fabrication of its thin film.—74-10918A
Molten glass corrosion resistance of immersed combustion-heating tube materials in E-glass.—74-05865A
Prediction of long-term corrosion resistance of plain and blended cement concretes.—74-05315A
Preliminary testing of Na_2PO_3F as a curative corrosion inhibitor for steel reinforcements in concrete.—74-05571A
Role of structural factors in improving the corrosion resistance of refractories.—74-02783A
Science and technology of composite materials: VIII.6, Corrosion-resistant materials.—74-08270A
Study on corrosion resistance of Al_2O_3-MgO-C brick for ladle linings.—74-02738A
Thermally sprayed alumina coatings with strongly improved wear and corrosion resistance.—74-10698A
Treatment halts corrosion in concrete.—74-04971A

corrosion,
Abrasion-wear resistance of arc sprayed stainless steel and composite stainless steel coatings.—74-08123A
Accidents just don't happen.—74-02218A
Aqueous alteration of nuclear waste glasses and metal package components.—74-00181A
Aqueous corrosion of ceramics.—74-07796A
Aqueous corrosion of nickel oxide–lithium oxide solid solutions.—74-10907A
Characterization of surface corrosion of reinforcing steel in cement paste by low-frequency impedance spectroscopy.—74-07798A
Chemical potential diagrams for Fe-Cr-Li-K-C-O system: thermodynamic analysis on reaction profiles between alloys and alkali carbonates.—74-07046A
Chloride ingress in concrete as measured by field exposure tests in the atmospheric, tidal, and submerged zones of a tropical marine environment.—74-02065A
Chromium and reactive element modified aluminide diffusion coatings on superalloys: environmental testing.—74-02067A
Coal slag corrosion and strength degradation of siliconized silicon carbide.—74-09859A
Coal slag corrosion of silicon-carbide-based ceramics in a combustion environment.—74-02068A
Colloid formation during the corrosion of SRL 200 glass.—74-08327A
Comparative investigation of corrosion sensitivity of [concrete] reinforcing steel bars.—74-05846A
Composition, microstructure, and stress corrosion cracking.—74-02106A
Corrosion behavior of ceramics for gas turbine application.—74-02069A
Corrosion behavior of copper-based metal matrix composites.—74-02070A
Corrosion behavior of sputtered amorphous magnetic thin films, with and without protective overlayers.—74-07801A
Corrosion inhibition of steel in concrete by carboxylic acids.—74-02071A
Corrosion inhibitors for mild steel: stannous tin (SnII) in ordinary portland cement.—74-05482A
Corrosion kinetics of silicon nitride in dry air containing sodium nitrate vapors.—74-05303A
Corrosion of Advanced Ceramics: Measurement and Modeling.—74-11200B
Corrosion of Ceramics.—74-11201B
Corrosion of hardened cement paste by acetic and nitric acids: I, Calculation of corrosion depth.—74-07803A
Corrosion of silicon carbides by ash and vapor in a coal combustion environment.—74-02072A
Corrosion of steel reinforcement [in concrete] in the presence of admixtures and inhibitors.—74-05483A
Corrosion of stressing elements of the IMS skeleton structure reinforcement.—74-05847A
Corrosion properties of stainless steel coatings made by different methods of thermal spraying.—74-08153A
Corrosion rates of steel embedded in cement pastes.—74-00044A
Corrosion state evaluation of steel in concrete by resistivity and polarization measurement.—74-05484A
Definitive thin-film hot-corrosion studies: testing and evaluation of a new machined glass-ceramic crucible.—74-02528A
Development of less corrosive mold powder.—74-00382A
Durability of a fluoride-containing low-level mixed waste glass—effect of pH.—74-08329A
Effects of S/V on secondary phase formation on waste glasses.—74-09402A
Effects of sealing treatment and microstructural grading upon corrosion characteristics of plasma-sprayed ceramic coating.—74-10910A
Electrode potential measurements of concrete reinforcement for corrosion evaluation.—74-05517A
Erosion and corrosion characteristics of an aluminum alloy–alumina fiber composite.—74-02077A
Estimation of corrosion rate from ac impedance measurements.—74-07810A
Gaseous alkali corrosion kinetics of silicon carbide.—74-10915A
Hydroxyapatite coatings.—74-06977A
Implications of amalgam and ceramic degradation in the oral environment.—74-02081A
Improved Cr_3C_2-Nichrome powder.—74-08208A
Influence of admixtures on corrosive strength of building mortars in technogene media.—74-05533A
Localized corrosion—mechanisms and methods.—74-05544A
Low-temperature oxidation, hydrothermal corrosion, and their effects on properties of SiC (Tyranno) fibers.—74-07812A
Macrocell corrosion of steel in chloride-containing concrete.—74-05545A
Magnesium sodium sulfate attack in plain and blended cements.—74-00074A
Method for evaluating the corrosion potential of a cement slurry to reinforcing steel.—74-02765A
Na_2SO_4-induced corrosion of Si_3N_4 coated with chemically vapor deposited Ta_2O_5.—74-07816A
Novel millimeter wave corrosion detection method.—74-01091A
Quantifying chloride-induced corrosion from half-cell potential.—74-00091A
Relationship between structure of Al_2O_3-C-TiO_2 and its resistance to high-FeO slag corrosion.—74-05878A
Relationships between anodic polarization and corrosion of steel in concrete.—74-00093A
Relative erosion-corrosion resistance of commercial thermal-sprayed coatings in a simulated circulating fluidized bed combustor environment.—74-10937A
Replacement of environmentally hazardous corrosion protection paints on the space shuttle main engine using wire arc sprayed aluminum.—74-08265A
Test methods for microbiologically influenced corrosion in marine environments.—74-07830A
Thermal-sprayed coatings of structural components and equipment of power stations.—74-10940A
Unique performance of ceramic tiles shown in Japan.—74-08600A
Water corrosion behavior of fluoroaluminate glass.—74-00236A
Water-induced corrosion of materials used for semiconductor passivation.—74-07833A

corundum,
Effect of growth condition on luminescence of corundum crystals.—74-04132A
Effects of quartz addition on texture of mullite-corundum products.—74-07284A
Electrically melted corundum from Northern Onega bauxites and refractories based on it.—74-02753A
Fabrication of low-cement corundum castable and dry vibration castable and their applications in core induction furnace.—74-09661A
Fusion cast bacor refractories obtained by radiant heating.—74-02756A
Influence of hydrostatic treatment of greenware and sintering schedules on the properties of ceramics in the tialite-mullite-corundum system.—74-04700A
Preparation of corundum whiskers.—74-07429A
Process for producing catalyst coated thermal shock resistant ceramic honeycomb structures of cordierite, mullite and corundum.—74-04082P
Sintering of corundum ceramics in metal oxide eutectic presence.—74-04897A
Solid-phase sintering of simple oxides, such as corundum.—74-04906A
Sound velocities in shock-compressed corundum, boron carbide, and silicon carbide.—74-04423A
Strength of corundum ceramic under cyclic loading.—74-05391A
Structural dynamics and densification during sintering of corundum ceramics with Nb_2O_5 additions.—74-07493A
Study on improvement of thermal shock resistance of corundum refractory materials.—74-08637A
Thermal stability, strength, and structure of corundum ceramic.—74-05393A

cost reduction,
Advanced ceramics get tough on costs.—74-07012A
Cement plant upgrade and optimization.—74-08002A
Ceramic materials for intermediate temperature solid oxide fuel cells.—74-10214A
Cost reductions by clay drying.—74-09444A
Energy performance and conservation efforts in Indian cement industry.—74-08019A
Evolution and tendencies on the implantation of terra cotta works.—74-00362A
Fourteen month payback for cruciform regenerator packing project.—74-06852A
Getting an energy management system (EMS) up and running.—74-07946A
Kiln maintenance: unnecessary expense or profit generator.—74-03914A
Reconstruction of the "RIBBON" furnace in 50 days.—74-06872A
Variable speed drives in cement plant.—74-03937A

cost,
Enameling steels 1974–1994—maximizing your enameling steel dollar.—74-00118A
Experiences with a VORTEX hammer crusher in a quarry.—74-06699A
How to control Worker's Comp costs.—74-05422A
Low-cost ceramic matrix composites.—74-10111A
MLCs—present practices and future trends.—74-08758A
Planned maintenance [in the cement industry].—74-08082A

couplers/coupling,
Angle-resolved photoemission spectra from strong coupling super-conductors.—74-06482A
Effects of strong electron-phonon coupling in thallium high-temperature superconductors.—74-00802A
Interdiffusion and Kirkendall effect in doped barium titanate-strontium titanate diffusion couples.—74-05023A
Study of GaAs asymmetric X-junction waveguide hybrid coupler.—74-03232A

crack bridging,
Concepts for bridged cracks in fatigue and fracture.—74-05327A
Crack face bridging mechanisms in monolithic $MgAl_2O_4$ spinel microstructures.—74-10954A
Critical stresses for extension of filament-bridged matrix cracks in ceramic matrix composites: an assessment with a model composite with tailored interfaces.—74-05330A
Determination of bridging stresses in reinforced Al_2O_3.—74-05335A
Frictional wear mechanism for fatigue crack growth in grain-bridging ceramics.—74-02151A
Interaction of fiber and transformation toughening.—74-07897A
J-integral technique for experimental evaluation of the crack bridging stress-crack opening displacement function for bridged cracks.—74-10942A
Toughening by crack bridging in heterogeneous ceramics.—74-05395A

crack growth resistance,
Crack resistance behavior of Al_2O_3 ceramics with a bimodal structure.—74-02110A
Evaluation of fracture toughness of ceramics at high temperature—comparison with metallic materials.—74-10988A
Si_3N_4-Si composite ceramics and chemically toughened SiC for engine components.—74-11087A

crack growth,
Characterization of crack propagation in Y-TZP.—74-07841A
Computer-aided, single-specimen controlled bending test for fracture-kinetics measurement in ceramics.—74-03791A
Concentration of the state of stress in notched beams.—74-07844A
Crack propagation behavior of Y-TZP ceramics.—74-07846A
Crack resistance and fatigue limits of structural ceramics.—74-02109A
Current Japanese Materials Research, Volume 14: Cyclic Fatigue in Ceramics.—74-11202B
Cyclic fatigue-crack growth in grain bridging ceramics.—74-10959A
Determination of subcritical crack growth parameters by in situ observation of indentation cracks.—74-07859A
Effect of grain size on the cyclic crack growth rate in alumina.—74-07863A
Effect of thermal shock and related transient stresses on the stable and unstable extension of Vickers indentation cracks in brittle solids.—74-07866A

Efficiency of PAN fibers in reducing shrinkage-induced cracking in fresh concretes and mortars.—74-05512A
Fatigue crack growth behavior of silicon nitride under cyclic loading.—74-10995A
Fatigue crack growth in ceramics and composites.—74-10996A
Fracture and subcritical crack growth in soda-lime glass under combined modes I and II loading.—74-00261A
Fracture mechanical testing of laminated SiSiC: II.—74-11004A
High-temperature slow crack growth of Si_3N_4 specimens subjected to uniaxial and biaxial dynamic fatigue loading conditions.—74-11021A
In situ testing of ceramic materials.—74-01071A
Indentation crack-shape evolution during subcritical crack growth.—74-05367A
Influence of microcracks on macrocracks in concrete process zone.—74-07895A
Interaction and propagation of random microcracks in compression.—74-07896A
Interaction and propagation of random microcracks in tension.—74-05539A
Lifetime diagram of structural ceramic materials. DKG/DGM joint experiment.—74-02161A
Lifetime prediction—importance of the testing method.—74-06785A
Measurement of indentation residual stresses in materials susceptible to slow crack growth.—74-02165A
Photoactive illumination effect on crack growth in $BaTiO_3$ crystals.—74-03155A
Piezoelectric ceramics and ceramic composites for intelligent mechanical behaviors.—74-09163A
R-curve behavior and stable crack growth at elevated temperature (1500–1650°C) in an Si_3N_4/SiC nanocomposite.—74-05385A
R-curve effect during subcritical crack growth under static load.—74-02099A
Role of composite interface in fatigue crack growth.—74-11077A
Role of crack wake toughening on elevated temperature crack growth in a fiber-reinforced ceramic composite.—74-11078A
Slow crack growth in alumina with *R*-curve at elevated temperatures.—74-11090A
Stable crack extension of an alumina ceramic in three-point bending test.—74-02202A
Stable crack growth in ceramics at ambient and elevated temperatures.—74-11091A
Stable growth of indentation cracks in yttria-stabilized zirconia.—74-07917A
Statistics of cack initiation and propagation.—74-11092A
Study of the flexural behavior of reinforced concrete cracked beams, by means of a 3-D "Block Model."—74-05596A
Threshold size for cyclic fatigue crack propagation in a pyrolytic carbon.—74-02212A
Time-dependent high-temperature mechanical behavior of polycrystalline α-SiC fibers.—74-11117A
Toughening by crack bridging in heterogeneous ceramics.—74-05395A

crack tip,
Measurement of the crack tip fracture toughness.—74-02167A

cracks/cracking,
Angular distribution of sound emission [ADSE] from thin cracks.—74-07837A
Behavior of cyclic fatigue cracks in monolithic silicon nitride.—74-10949A
Behavior of indentation cracks under monotonic loads in 3Y-TZP.—74-07839A
Composition, microstructure, and stress corrosion cracking.—74-02106A
Crack deflection at structured interlayers.—74-10953A
Crack deflection in ceramic/ceramic laminates with strong interfaces.—74-05328A
Crack front stability and hackle formation in high velocity glass formation.—74-02527A
Crack initiation mechanism on the glass beads used as grinding media in an agitation bead mill.—74-05708A
Cracking and damage mechanisms in ceramics/metal multilayers.—74-02112A
Cracking and debonding of in-plane strained plasma-sprayed coatings and enamel coatings on metals.—74-08154A
Cracking and spalling of oxide scales from 304 stainless steel at high temperatures.—74-05849A
Cracking behavior of floor tile clays.—74-08516A
Cracking during pyrolysis of oxide thin films—phenomenology, mechanisms, and mechanics.—74-10956A
Cracks in concrete and their effect on coatings and linings.—74-02365A
Critical stresses for extension of filament-bridged matrix cracks in ceramic matrix composites: an assessment with a model composite with tailored interfaces.—74-05330A
Damage evolution of cross-ply ceramic composites.—74-10961A
Detection of failures around main cracks and their relation to the fracture toughness of cement pastes.—74-05488A
Determination of crack velocity as a function of stress intensity from static fatigue data[—correction].—74-07858A
Determination of subcritical crack growth parameters by in situ observation of indentation cracks.—74-07859A
Effect of microcracks on linear and nonlinear acoustic properties of bismuth-based high-T_c ceramics.—74-03449A
Effect of stress on trapped cracks in Y-TZP.—74-02127A
Effects of grain size and artificial crack length on bending strength of MgO sintered body.—74-02131A
Elastic response and effect of transverse cracking in woven fabric brittle matrix composites.—74-05347A
Electroelastic analysis of piezoelectric ceramics with defects.—74-00751A
Eliminating cracks in fast-firing sanitary ware.—74-05893A
Eliminating preheat and cooling cracks in fast-firing sanitary ware.—74-08676A
Estimation of bridging interactions for natural cracks from bending strength of coarse-grained Al_2O_3.—74-02133A
Estimation of maximum depth of crack extension under finished surface in grinding of ceramics.—74-02134A
Evolution of stress failure resulting from high-temperature stress-corrosion cracking in a hot isostatically pressed silicon nitride.—74-07873A
Examination of the factors causing the avalanche cracking of grate cooler clamping elements.—74-09657A
Expansion reactions in mortar and concrete.—74-08026A
Fatigue crack growth from small surface cracks in transformation-toughened ceramics.—74-05353A
Hertzian stress field and formation of cone cracks: I, Theoretical approach.—74-11014A
Hertzian stress field and formation of cone cracks: II, Determination of fracture toughness.—74-11015A
High-speed crack-off lines for domestic glassware.—74-09470A
High-temperature behavior of indent and creep-nucleated cracks in vitreous-bonded alumina.—74-07886A
How to control cracking of tape-cast sheets.—74-07340A
Impedance spectroscopy of microstructure defects and crack characterization.—74-01998A
In situ formation of ductile phase-toughened ceramics by partial reduction reactions in the Ni-Al-O system.—74-08211A
Interfacial cracking during thermal oxidation in a 30 vol% SiC whisker-reinforced alumina.—74-01230A
Lattice trapping and surface reconstruction for silicon cleavage on (111). Ab initio quantum molecular dynamics calculations.—74-02160A
Manufacture and properties of infiltrated SiSiC-SiC platelet composites.—74-02163A
Matrix crack spacing in brittle matrix composites.—74-11038A
Mechanical properties of single-crystal α-Si_3N_4.—74-02170A
Multiple cracking of unidirectional and cross-ply ceramic matrix composites.—74-05381A
Nonlinear compliance testing applied to indentation cracking in ceramics.—74-11062A
Novel method to determine the fracture toughness of ceramics by the controlled propagation of indentation cracks.—74-06799A
Randomness of fine cracks on upside of color glazed tile and their statistical analysis.—74-02811A
Residual stress and crack propagation in laminated composites.—74-11074A
Review of the mechanics and mechanisms of cyclic fatigue-crack propagation in transformation-toughened zirconia ceramics.—74-02193A
Role of fiber stitching in eliminating transverse fracture in cross-ply ceramic composites.—74-02195A
"Satsuma" wares with characteristic crackle glaze.—74-07980A
Steel-concrete bond and concrete splitting for small diameter bars.—74-05590A
Stochastic aspects of matrix cracking in brittle matrix composites.—74-11093A
Strain rate and coupling agent effects in discontinuous glass fiber-reinforced polypropylene matrix.—74-02582A
Strengthening and toughening in 1-D-SiC/RBSN composites.—74-11098A
Subcritical growth of indentation median cracks in soda-lime-silica glass.—74-02586A
Surface cracking in layers under biaxial, residual compressive stress.—74-11102A
Three-phase ceramics composites—Al_2O_3-AlON-SiC.—74-07931A
Transverse cracking in fiber-reinforced brittle matrix, cross-ply laminates.—74-02213A
Why do glasses break.—74-08401A

creep,
Anelastic creep recovery in SiC whisker- and particulate-reinforced alumina.—74-10946A
Anelastic creep recovery of alumina reinforced with SiC whiskers or particulates.—74-10947A
Bending creep and creep fracture of sintered alumina under high temperature.—74-10951A
Cavitation contributes substantially to tensile creep in silicon nitride.—74-07840A
Characteristics and mechanisms of clay creep and creep rupture.—74-08509A
Corrosion of Advanced Ceramics: Measurement and Modeling.—74-11200B
Creep and oxidation of Si_3N_4/TiN composite ceramics.—74-02113A
Creep and recovery in graphites at ambient temperature: an acoustic emission study.—74-07847A
Creep behavior and microstructure evolution of hot-pressed α-silicon carbide deformed at high temperature.—74-07848A
Creep behavior of reaction-bonded ceramics at 1200°C under air.—74-07849A
Creep behavior of silicon nitride evaluated by deformation curvature and neutral axis shift determinations.—74-02114A
Creep mechanisms in alumina containing a glassy grain boundary phase.—74-07850A
Creep of 1-D and 2-D SiC-F-MLAS composites.—74-07851A
Creep of intermetallics and their composites.—74-02115A
Creep of intermetallics and their composites.—74-08155A
Creep resistance of Nextel 312/BN/Blackglas composites.—74-10957A
Differences in creep performance of a HIPed silicon nitride in ambient air and inert environments.—74-10968A
Dislocation substructure developed during creep of ceramic solid-solution alloys.—74-07632A
Effect of Y_2O_3 particles on the creep behavior of polycrystalline MgO.—74-10979A
Effects of thermal treatment on tensile creep and stress-rupture behavior of Hi-Nicalon SiC fibers.—74-10982A
Elastic and creep properties of alumina-based single fibers.—74-10984A
Elevated-temperature macroflaw fracture and tensile creep/creep rupture behavior of a self-reinforced silicon nitride.—74-02132A
Equilibrium pore surfaces, sintering stresses, and constitutive equations for the intermediate and late stages of sintering: II, Diffusional densification and creep.—74-04622A
Evaluation of creep and fatigue strength of ceramics.—74-10987A
Fast temperature changes during high-temperature creep of stabilized ZrO_2.—74-07567A
Flexural creep of coated SiC-fiber-reinforced glass-ceramic composites.—74-05354A
Grain size effect on creep behavior of 3Y-TZP.—74-07659A
Gripping system for mechanical testing of composites.—74-06772A
High-temperature behavior of indent and creep-nucleated cracks in vitreous-bonded alumina.—74-07886A
High-temperature characterization of refractory binders.—74-05856A
High-temperature creep and the interfacial mechanical response of a ceramic matrix composite.—74-02153A
High-temperature creep behavior of Si_3N_4/SiC nanocomposites.—74-10814A
High-temperature creep/deformation of Si_3N_4/SiC nanocomposites.—74-02154A
High-temperature superplastic creep and internal friction of yttria-doped zirconia polycrystals.—74-02156A
Improvements in the creep resistance of hot-pressed silicon nitride (HPSN).—74-07891A
Impurities in silicon carbide ceramics and their role during high-temperature creep.—74-11024A
Low-temperature creep in piezoelectric ceramics.—74-03318A
Model for nanoindentation creep.—74-02177A
$MoSi_2$-based high-temperature structural silicides.—74-02180A
Observations of transitions in creep behavior of a superplastic yttria-stabilized zirconia.—74-02181A
Paramagnetic susceptibility and magnetic flux creep in $YBa_2Cu_3O_x$: variation with sample thickness.—74-03548A
Redistribution of internal stresses in composite materials during creep.—74-11068A
Reliability methodology for ceramic components subjected to creep.—74-01098A
Role of interfaces on fracture and creep deformation behavior of brittle matrix composites with ductile discontinuous reinforcements.—74-11079A
Simple creep test for ceramic fibers.—74-04418A
Tensile creep and creep rupture of SiC-reinforced $MoSi_2$.—74-11106A
Tensile creep and stress-rupture behavior of polymer-derived SiC fibers.—74-11107A
Tensile creep behavior of alumina/silicon carbide nanocomposite.—74-05392A
Tensile creep failures of Al_2O_3/SiC nanocomposite.—74-11108A
Time-dependent high-temperature mechanical behavior of polycrystalline α-SiC fibers.—74-11117A
Using creep and recovery to study flow behavior of fresh cement paste.—74-01925A
Vortex creep in $Bi_2Sr_2CaCu_2O_{8+\delta}$ films.—74-03616A

cristobalite,
Calculation of the adsorption potential energy of water vapor on α-cristobalite.—74-07797A
Cristobalite phase formation in glass/ceramic composites.—74-02442A
Cristobalite reinforcement of quartz glass.—74-08648P
Determination of crystalline content in α-cristobalite-strengthened china by X-ray diffraction (XRD).—74-08671A
Effectiveness of PFA in reducing the risk of cracking due to ASR in concretes containing cristobalite.—74-05505A
Ir absorption spectra of the high-pressure phases of cristobalite and their coordination numbers of Si atoms.—74-04156A
Phase transitions in cristobalite and related structures studied by variable temperature infrared emission spectroscopy.—74-04194A
Pressure-induced phase transition and pressure dependence of crystal structure in low (α) and Ca/Al-doped cristobalite.—74-10021A
Sourcing silica for successful ceramics.—74-06930A

critical current density,
Angular dependence of J_c of *c*-axis-oriented MOCVD YBCO film.—74-03415A
Angular dependence of J_c for epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films.—74-09234A
Bi-rich Bi-Pb-Sr-Ca-Cu-O (2-2-2-3) superconducting tapes.—74-06494A
Critical current in electrophoretically deposited thick films of YBCO superconductor.—74-00792A
Effect of cold working on properties of Tl-1223/Ag superconducting tape.—74-06517A
Effect of silver additions on properties of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag high-temperature superconducting tapes.—74-06524A
Growth of $YBa_2Cu_3O_{7-\delta}$ thin films by MOCVD.—74-03475A
High field magnetization study of $YBa_2Cu_4O_8$.—74-03480A
I-V characteristics of a $Bi_2Sr_2Ca_2Cu_3O_{6+\delta}$ ceramic superconductor.—74-03413A
J_c and pinning mechanism of epitaxial $YBa_2Cu_3O_{7-\delta}$.—74-09231A
Measurements of critical currents as a function of temperature in $YBa_2Cu_3O_{7-z}$ thin films: a comparative study.—74-06581A

Metallurgical reactions and enhanced magnetic field shielding in YBCO-PbS superconductors.—74-06585A
Optimization of J_c for photoassisted MOCVD-prepared YBCO thin films by robust design.—74-06601A
Powder-in-tube processing and properties of Bi-2223.—74-00840A
Resistivity and critical currents in $YBa_2Cu_3O_7$ ceramics under magnetic field.—74-03570A
Self-field effect of J_c for anisotropic samples of high-T_c superconductor (HTSC).—74-09337A
Spatial distribution of J_c in TlBaCaCuO thin film.—74-03576A

critical fields,
Fluctuation effects in lattice model of superconductor near upper critical field.—74-03463A

crucibles,
Improved compositions of refractory putties for working surfaces of graphite-containing crucibles.—74-02760A
Non-graphite crucible for high temperature applications—74-00414P
Preformed induction furnace crucibles.—74-08625A

crushing,
Crushing of limestone in hammer mills.—74-03680A
Crushing properties of silicon and titanium carbides in a vertical vibratory mill.—74-01653A
Experiences with a VORTEX hammer crusher in a quarry.—74-06699A
How cullet can be used effectively as a raw material.—74-07339A
Kneading-crushing-cleaning extruder for making brick.—74-05819A
Method for recycling glass—74-01026P
Method of crushing a bottle and a glass crushing apparatus—74-01027P
Modernization of the cement grinding plant at the Kirchbichl works of Perlmooser Zement AG, by installing an MFL pregrinding system.—74-09486A
Westsachsische Steinwerke Ltd.'s new [rock] processing plants at Hartmannsdorf, near Chemnitz, Germany.—74-06733A

cryogenics,
Applicability of ceramics for cryogenic use.—74-09758A

crystal chemistry,
Certain approach of predicting new compounds with structure of indium-antimonite-type.—74-07042A
Crystal chemistry and prediction of new $ABCX_6$ compounds.—74-07050A
Crystal chemistry and thermal behavior in the La(Cr,Ni) perovskite system.—74-01360A
Crystal structure of ferrialuminosilicate low sanidine.—74-07057A
Electron crystal chemistry of metals and intermetallic compounds.—74-07076A
Is L. Pauling right.—74-07085A
Modular aspect of crystal structures.—74-04166A
Natrolite group zeolites: correlations of optical properties and crystal chemistry.—74-01413A
Superconducting and nonsuperconducting (up to 4.2 K) phases $MA'A''_2Cu_2O_x$ with perovskite-like structure.—74-04225A

crystal growth,
ß-BaB_2O_4 (CZ method).—74-09965A
Calcination of large MFI-type single crystals: I, Evidence for the occurrence of consecutive growth forms and possible diffusion barriers arising thereof.—74-10206A
Crystal engineering in two dimensions: control of planar packing by design of new amphiphiles.—74-05104A
Crystal growth and gas ratio effect of diamond films synthesized by oxyactylene flames.—74-10250A
Crystal growth and transition of calcium carbonate by homogeneous precipitating reaction in $CaCl_2$-$(NH_2)_2CO$-urease system.—74-07243A
Crystal growth in ferroelectric material of ABO_3 type.—74-06398A
Crystal growth of $LiTaO_3$ and the effect of crucible type and atmosphere.—74-04112A
Crystallographic evolution of microstructure in thin film processing: II, Grain boundary structure.—74-07624A
Dynamic observation of silicon homoepitaxial growth by high-temperature scanning tunneling microscopy.—74-06048A
Effect of growth condition on luminescence of corundum crystals.—74-04132A
Effects of gas flow variables on the crystal growth of diamond in hot filament-assisted CVD.—74-04598A
Experimental test of surface-nucleated crystal growth model in lithium diborate glass.—74-05762A
Growth and applications of barium titanate single crystal.—74-10374A
Growth techniques and physical properties of single-crystal fibers.—74-09147A
Modification of α-Al_2O_3 platelet/ZrO_2 matrix interface by epitaxial growth of ß''-Al_2O_3 on the α-Al_2O_3.—74-04760A
Polytype patterning in epitaxial layers on the basis of nonequilibrium phase transitions.—74-04815A
Present problems in (silicon) crystal growth.—74-10576A
Reaction mechanism and kinetics of $SrTiO_3$ crystal grown in molten alkali metal chloride medium.—74-07457A
Recent progress in SiC single-crystal growth.—74-10606A
Simple methods of crystal growth of emerald.—74-10630A
Structural features of superconducting $YBa_2Cu_{2.91}O_{6.58}$ single crystals.—74-06634A
Two-zone Bridgman furnace with sharp thermal gradient.—74-01183A

crystal structure,
Averaged model of incommensurate crystal structure of $(Ca_7Sr_7)(Cu_{23.62}Bi_{0.38})O_{41}$.—74-04097A
Calcium phosphate apatites in nature.—74-09763A
Chemical form of vanadium(IV) in kaolinite.—74-01354A
Cohesion in titanium carbide.—74-04107A
Control of Y_2O_3-stabilized ZrO_2 thin film orientation by modified bias sputtering.—74-00791A
Critical temperatures, T_c, of ionic-crystal model for infinite layer compounds.—74-06506A
Crystal lattice topology of polymorphous modifications of AO_2 oxides [A=Si, Ti, Mn, Pb].—74-04113A
Crystal structure and equation of state of cotunnite-type zirconia.—74-04114A
Crystal structure and phase transitions of intermediate phase of $PbZrO_3$.—74-07054A
Crystal structure determination from powder diffraction data by Monte Carlo methods.—74-04115A
Crystal structure of ferrialuminosilicate low sanidine.—74-07057A
Crystal structure of high-calcium *p*-veatchite and its location in line of layered borates with $[B_5O_8OH]^{2-}$ radical.—74-04117A
Crystal structure of jaffeite.—74-07058A
Crystal structure of La—analog of stillwellite.—74-07059A
Crystal structure of low-temperature modification of TiI_4.—74-01361A
Crystal structure of low-temperature ordered modification of Nb_2C carbide.—74-07060A
Crystal structure of technogenic magnesioferrite.—74-03367A
Crystal structure of ZnTe III at 16 GPa.—74-07063A
Effect of particle size on the room-temperature crystal structure of barium titanate.—74-04133A
Effect of pressure on the crystal structure of some bismuth-based superconductors.—74-09257A
Effect of the cooling method on phase composition, crystal structure, and morphology of spinels of the system Cu-Mn-O in air.—74-04135A
Electrical properties of new materials belonging to the Bi_2O_3-CdO-PbF_2 system.—74-07161A
Electron crystal chemistry of metals and intermetallic compounds.—74-07076A
Electronic and crystallographic structure of α-alumina thin films.—74-07641A
EPR of Mn^{2+} in high-pressure phase of $MgSiF_6{\cdot}6H_2O$.—74-04140A
Evolution of domain size and crystal strain in calcium-modified lead titanate ceramics during poling.—74-03303A
Excitonic recombination radiation as characterization of diamonds using cathodoluminescence.—74-01385A
Growth modes of epitaxial copper films on *c*-sapphire.—74-07661A
Influence of crystalline structure and amorphous materials in depth resolution of sputter etching.—74-05164A
Libethenite $Cu_2[PO_4](OH)$—synthesis, refinement of crystal structure, comparative crystal chemistry.—74-04159A
Magnetic properties and crystal structure of $La_xCa_{1-x}CoO_{3-y}$.—74-06462A
Management strategy in cement technology for the next century: II.—74-08066A
Measurement of electrophysical properties of silicon carbide epitaxial films.—74-06198A
Mechanisms of formation and phase transitions in crystals of ß-K_2SO_4 and K_2MgF_4 types.—74-07090A
Modification of piezoelectric characteristics of the Pb(Mg,Nb)O_3-$PbZrO_3$-$PbTiO_3$ ternary system by aliovalent additives.—74-00756A
Modular aspect of crystal structures.—74-04166A
Morphology and bonding measured from boron nitride powders and films using near-edge X-ray absorption fine structure.—74-04168A
Natural and synthetic tavorite minerals—crystal chemistry and magnetic properties.—74-07173A
New criterion of hardness for materials with rocksalt structure.—74-01546A
Ordered superstructure of InSb-IV.—74-08992A
Oriented nucleation of gypsum ($CaSO_4{\cdot}2H_2O$) under compressed Langmuir monolayers.—74-04796A
Photoelectrochemical properties of anatase and rutile films prepared by the sol-gel method.—74-07413A
Poling's law and superconductivity.—74-00838A
Pressure-induced phase transition and pressure dependence of crystal structure in low (α) and Ca/Al-doped cristobalite.—74-10021A
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: I, X-ray diffractometry and X-ray topography studies.—74-04204A
Recent progress in new high-T_c superconductors.—74-09331A
Refined crystal structure of cavansite.—74-04206A
Refining atomic structure of Nd_2CuO_4 single crystals.—74-07108A
Resonant pinning, supercell structure, and superconductivity (T_c> 140 K) in Hg-Ba-Ca-Cu-O systems.—74-06629A
Rietveld refinement of the kaolinite structure at 1.5 K.—74-01449A
Role of electronic polarizability in oxide superconductors.—74-03572A
Sol-gel synthesis of crystalline ZrO_2 with partial replacement of zirconium by Al, Nb, Si, and Ta.—74-07115A
Spin ordering on NiO(100) surface measured by metastable He^2 3*s* [He*] scattering.—74-04426A
Stacking faults in hexgonal and rhombohedral MoS_2 crystals produced by mechanical operation in relation to lubrication.—74-02046A
Structural analysis of orthorhombic hafnia by neutron powder diffraction.—74-01464A
Structural and optical investigation of PbO films grown by laser-assisted deposition.—74-10159A
Structural aspects of ferroelectric phase transitions.—74-09181A
Structural features of afghanite and its position among minerals of cancrinite group.—74-03950A
Structural features of superconducting $YBa_2Cu_{2.91}O_{6.58}$ single crystals.—74-06634A
Structural mechanisms of Si(Ge)I→III phase transformations: II, Germanium.—74-07120A
Structure of hydrated and dehydrated (250°C) forms of Ca chabazite.—74-07124A
Subsolidus phase equilibria of the CaO-B_2O_3-BaO system.—74-04224A
Variables affecting crystal structure, composition, and orientation of rf-sputtered $Ba_2Si_2TiO_8$ thin films.—74-06375A
Wigner glass on the magnetite (001) surface observed by scanning tunneling microscopy with a ferromagnetic tip.—74-07789A
X-ray diffraction study of paraelectric phase of $Na_4TiP_2O_9$ crystals at 743 K.—74-07139A

crystalline materials,
Applications of nonlinear optical thin films.—74-08360A
Corrosion of Ceramics.—74-11201B
Crystallite size of mullite in the range 975-1150°C.—74-05105A
Crystallization of epitaxial lanthanum aluminate and spinel thin films derived from nitrate precursors.—74-10251A
Effect of impurities on the ideal tensile strength of covalent crystals—ab initio quantum molecular dynamics calculations.—74-08874A
First occurrence of dickite in varicolored clays in the northern Apennines, Italy.—74-06901A
Growth of single-crystal mullite fibers by the laser-heated float zone process.—74-04675A
Hydrothermal processing of hydroxyapatite—past, present, and future.—74-09783A
Hydrothermal synthesis of kaolinite up to 350°C.—74-07343A
Illite crystallite thickness by X-ray diffraction.—74-06778A
In situ TEM observation of radiation induced amorphization of crystals with apatite structure.—74-10820A
Influence of the crystallinity of plasma-sprayed HA coatings on their osseointegration.—74-09787A
Interactions between crystalline Si_3N_4 and preceramic polymers at high temperature.—74-10824A
Investigations on nanocrystalline state in $YBa_2Cu_3O_{7-x}$ powder of 0.15 micrometer equivalent in size to λ_L.—74-03506A
Isolation of calcium phosphate crystals of mature bovine bone by reaction with hydrazine at low temperature.—74-09789A
Liquid crystal templating effects on silica gels synthesized using quaternary ammonium surfactants.—74-10833A
Luminescence of YSZ crystals.—74-06189A
Maturation of poorly crystalline synthetic and biological apatites.—74-09790A
MBE growth of CoO and Fe_3O_4 films and CoO/Fe_3O_4 multilayers.—74-10444A
Nanocrystalline structures from amorphous precursors.—74-01411A
Nature, detection, occurrence, and origin of kaolinite/smectite.—74-06916A
New approach to the phenomenological study of reconstructive transitions to crystalline and quasi-crystalline states.—74-10009A
New route to stabilized cementite—refinement of the crystal structure.—74-07400A
Preparation of centimeter-sized zeolite crystals by hydrothermal seeded growth.—74-10558A
Quantitative X-ray diffraction analysis of crystalline phases in glass-ceramics.—74-05693A
Superconductor BSCCO thick films and chemical interaction with the polycrystalline substrates.—74-03598A
Temperature modulation of the electrooptic effect in $BaTiO_3$ and $LiNbO_3$—a theoretical approach.—74-09184A

crystallinity,
Calcium silicate carbonation products.—74-09972A
Determination of crystalline content in α-cristobalite-strengthened china by X-ray diffraction (XRD).—74-08671A
Development of crystallinity and morphology in hafnium dioxide thin films grown by atomic layer epitaxy.—74-07629A
Effects of crystallinity in depth resolution in sputter depth profiles.—74-05130A
Hot-pressed ceramics of ultradisperse composite powders.—74-05157A
Optical and crystallographic properties of high perfection InP grown on Si(111).—74-04169A
Scanning tunneling microscopy study of solid-phase epitaxy processes of argon ion-bombarded silicon surface and recovery of crystallinity by annealing.—74-07742A

crystallites,
Early stages of crystallite growth of ZnO obtained from an oxalate precursor.—74-05123A
Rotation and extension of crystallites in carbon fibers by tensile stress.—74-07111A
X-ray diffraction analysis of spherical crystallite distribution in polydispersional systems.—74-05295A
X-ray photoelectron spectroscopy study of the surface layers between diamond crystallites and silicon substrate deposited by microwave plasma-assisted chemical vapor deposition.—74-10051A

crystallization,
Aspects of the crystallization of SiC from the vapor phase on a substrate by the sublimation method.—74-09970A
Boron-oxygen units in crystalline and molten barium metaborate by high temperature Raman spectroscopy.—74-01344A
Buried reconstruction inhibition of solid phase epitaxy of Ge on Si(111).—74-05994A
Characteristics of production of inorganic glasses containing no traditional glass formers.—74-02604A
Coalescence and crystallization in powdered glasses.—74-05670A
Component distribution features in $La_{1-x}Sr_xF_{3-x}$ solid solution crystals due to development of cellular structure (vertical oriented crystallization).—74-04108A
Controlled crystallization in self-reinforced silicon nitride with Y_2O_3, SrO, and CaO: crystallization behavior.—74-09977A

Crystallization and phase development of nanometric amorphous Si-N-C powders.—74-07065A
Crystallization and seeding effect in $BaAl_2Si_2O_8$ gels.—74-09979A
Crystallization behavior and improved properties for sol-gel-derived PZT and PLZT thin layers processed with a lead oxide cover coating.—74-09115A
Crystallization behavior of TiO_2 gel prepared by the sol-gel method.—74-04122A
Crystallization of a lithium silicate glass-ceramic under pressure.—74-02610A
Crystallization of celsian ($BaAl_2Si_2O_8$) glass.—74-05673A
Crystallization of fluoride glasses in conditions of a temperature gradient.—74-03901A
Crystallization of gallium analog of zeolite Nu-23/ferrierite.—74-01362A
Crystallization of glasses based on usovite.—74-00190A
Crystallization of lithia-calcia-magnesia aluminosilicate glasses.—74-05755A
Crystallization of NaO-MgO-Al_2O_3-SiO_2 glasses during the formation of vitroceramics.—74-05756A
Crystallization of usovite-based glasses.—74-00193A
Crystallization study of bioglass in the Na_2O-CaO-SiO_2-P_2O_5.—74-05757A
Dendritic growth of $YBa_2Cu_3O_x$.—74-09249A
Development of crystallizable glass for low-temperature cofired ceramic substrates with high performance.—74-08413A
Direct hydrothermal crystallization of high-silica large-port mordenite.—74-10273A
Dynamics of dendritic crystallization of an amorphous structure in the nickel-zirconium system.—74-01371A
Effect of several network formers on the formation and properties of Bi-Sr-Ca-Cu-O system glasses.—74-09258A
Effects of crystallization on the optical and electrical properties of amorphous Sb-S-Ge thin films.—74-06059A
Effects of silica source on the crystallization of zeolite NaX.—74-10314A
Enhancement of crystallinity in $YBa_2Cu_3O_{7-\delta}$ ceramic by water or NaOH solution attack.—74-00808A
EXAFS study on grinding noncrystallization of Bi-based superconductor.—74-00811A
Fabrication and characterization of nanocrystalline oxides by crystallization of amorphous precursors.—74-07306A
Glass-ceramic marble with diopside as crystallization phase.—74-02632A
Glass-ceramics based on photosensitive glasses.—74-08429A
Influence of B_2O_3 addition on the crystallization and properties of LAS-based glass-ceramics.—74-05772A
Influence of internal stresses on crystallization of intergranular phases in ceramics.—74-10000A
Influence of microgravity on zeolite crystallization.—74-10415A
Influence of sodium concentration upon the ZnO crystallite size in the Cu-Zn-Al oxidic catalysts for CO shift conversion.—74-10001A
Investigation of mortar and stone deterioration in the Victoria Memorial, Calcutta[, India].—74-05541A
Laser-induced chemical vapor deposition of titanium diboride.—74-04728A
Mechanism of overgrowth of steel-teeming nozzles.—74-02764A
Mechanism of preventing crystallization in low-firing glass-ceramic composite substrates.—74-05031A
Microstructural development on crystallization of a sol-gel-derived celsian glass.—74-05775A
Microstructure and magnetic character of terbium borate glass.—74-00268A
Modification of the crystallization process on bioglass by proteins in vitro.—74-05777A
Nature's algorithms.—74-07174A
Nucleation and crystallization kinetics on float glass surfaces.—74-00307A
Osumilite-type glass-ceramics from glass powders.—74-05687A
Presolidus texturing of silicate melts.—74-05690A
Recrystallization of incinerator residuals to produce environmentally safe construction materials.—74-09751A
Relationship between chemical composition and crystal phase structure of Na_2O-K_2O-MgO-CaO-Al_2O_3-SiO_2 (NKMCAS) pyroxene-type white glaze.—74-05906A
Seeding effects on crystallization of $KAlSi_3O_8$, $RbAlSi_3O_8$, and $CsAlSi_3O_8$ gels and glasses.—74-02489A
Sintering, crystallization, and properties of B_2O_3/P_2O_5-doped Li_2O-Al_2O_3-$4SiO_2$ glass-ceramics.—74-05789A
Strengthening of mica glass-ceramics.—74-05795A
Studies on the crystallization of a novel, large-pore, high-SiO_2 molecular sieve, NCL-1.—74-10037A
Study of the crystallization process of metglass $Fe_{86}B_{14}$ by Mossbauer effect and resistivity measurements.—74-04222A
Study on growth and crystallization behavior of nanostructured amorphous silicon nitride.—74-03238A
Surface crystallization of lithium diborate on glass induced by ultrasonic treatment.—74-05797A
Theoretical method for resolving overlapping peaks in differential scanning calorimetry.—74-06825A
Uv photo-assisted crystallization of carbon.—74-01928A
Zeolite crystallization in portland cement concrete due to alkali-aggregate reaction.—74-00406A

crystallography,
Calculation of unit cell parameters.—74-04099A
Chemical properties of various hydroxyapatite powders for industrial production.—74-06962A
Effect of the substrate bias voltage on the crystallographic orientation of reactively sputtered AlN thin films.—74-07280A
Kinetics and crystallography of the monoclinic (B) to cubic (C) transformation in dysprosia (Dy_2O_3).—74-01404A
Magnetic relaxation of ^{57}Fe nuclei in magnetoplumbite.—74-09205A
Materials Science Monographs 80: Structure and Properties of Ceramics.—74-07973B
Observation of grain boundary crystallographic structure—electron microscopy and molecular dynamics.—74-10014A
Quasi-crystals.—74-10024A
Theoretical analysis of main parameters ruling the sensitivity of quartz crystal accelerators.—74-05965A
Variation of the Raman diamond lineshape with crystallographic orientation of isolated chemical vapor deposited diamond crystals.—74-10050A

crystals,
Anomalous mobility of particles in crystals with point defects.—74-07554A
Computer experiments on amorphization of crystals in conditions of pulsed external loads and large plastic deformations.—74-02107A
Computer experiments on amorphization of crystals under conditions of impulsive external laoding and large plastic deformations.—74-00187A
Crystal defects in natural diamond.—74-10725A
Deformation strengthening of crystals. Size, orientational, and surface effects.—74-07856A
Equation of dislocation density evolution and first stage of deformation strengthening of crystals.—74-07872A
High-power tunable continuous-wave NaCl:$(F_2^+)_H$ color center lasers.—74-08931A
Interaction between ultrasound and rotating electric field in crystals of various symmetry classes.—74-07084A
Is L. Pauling right.—74-07085A
Materials Research Society Symposium Proceedings, Volume 348: Scintillator and Phosphor Materials.—74-11205B
Microhardness studies on some alum crystals.—74-10120A
Nature of negative linear expansion of graphite crystals.—74-05382A
No lead, no barium... no crystals.—74-08339A
Saturable absorbers based on impurity and defect centers in crystals.—74-09029A
Two-dimensional theory and propagation of beam fanning in photorefractive crystals.—74-10176A

cullet,
Apparatus for cullet preheating and polluting emission reduction in the glass manufacturing process—74-01011P
Cullet—a modern raw material—handling and production problems.—74-01191A
Economics of batch and cullet preheating.—74-09455A
Experience with cullet preheating at Vetropack plant in Saint-Prex (Switzerland).—74-09658A
Fine-grind cullet technology: I, Application of differential grinding for fine cullet production and contaminant removal.—74-08422A
Fine-grind cullet technology: II, Results of plant production trials using fine-grind cullet.—74-08423A
Glass cullet separator and method of using same—74-01018P
How cullet can be used effectively as a raw material.—74-07339A
Method for recycling glass—74-01026P
Method of crushing a bottle and a glass crushing apparatus—74-01027P
PLM's success with indirect batch and cullet preheating.—74-09704A
Recycling of cullet and filter dust and its influence on the melting of glass.—74-08452A
Sampling and testing protocol for characterizing glass cullet obtained from postconsumer sources[—reply].—74-09508A
[Sampling and testing protocol] for characterizing glass cullet obtained from postconsumer sources[—comment].—74-09425A
[Sampling and testing] protocol for characterizing glass cullet obtained from postconsumer sources.—74-09426A

cuprates,
Abrupt but continuous antiferromagnetic transition in nearly stoichiometric $La_2CuO_{4+\delta}$.—74-03363A
Ac magnetic susceptibility and microwave absorption study of $GdBa_{2-x}La_xCu_3O_7$.—74-09233A
Ac magnetic-field-induced microwave absorption in HTSC $Tl_2Ba_2Ca_2Cu_3O_x$.—74-06479A
Ac resistance of HTSC single crystals in the normal state.—74-04245A
Analysis of low-temperature properties of $La_{2-x}M_xCuO_{4-\delta}$ [M=Sr, Ca, Ba] in the multiwell potential centers.—74-04248A
Analysis of phonon structures in the tunneling conductance of Bi cuprates.—74-01494A
Anisotropic penetration depth in $La_{2-x}Sr_xCuO_4$.—74-04250A
Anomalies of the electrical resistivity and the thermoelectric power around 600 K in a small x region of $La_{2-x}Sr_xCuO_4$.—74-09237A
Anomalous temperature dependence of the Hall coefficient in $La_{2-x}Sr_xCuO_4$ above room temperature.—74-01496A
Anomalous transport properties in superconducting $Nd_{1.85}Ce_{0.15}CuO_{4+\delta}$.—74-06488A
Antiferromagnetic long-range order and spin waves in the spin-fermion model on the CuO_2 lattice.—74-06489A
Antiferromagnetic resonance in Gd_2CuO_4 in strong magnetic fields.—74-01961A
Atomic layer-by-layer epitaxy of cuprate superconductors.—74-03417A
Averaged model of incommensurate crystal structure of $(Ca_2Sr_7)(Cu_{23.62}Bi_{0.38})O_{41}$.—74-04097A
Change of electronic structure caused by local substitution of Al for Cu in $La_{1.85}Sr_{0.15}CuO_4$ material.—74-00787A
Cluster models for point defect structure in $La_2CuO_{4+\delta}$.—74-10781A
Columnar defect-induced resistivity minima and Bose glass scaling of linear dissipation in $Tl_2Ba_2Cu_2O_8$ epitaxial films.—74-04994A
Conductivity fluctuation in HBCCO superconductor.—74-03431A
Conductivity of semiconductor phase of $YBa_2Cu_3O_{6+x}$ ($0.26<x<0.38$) in the 2–300 K temperature range.—74-03432A
Correlation between T_N and T_c in high-T_c cuprates with 2-D conductivity in CuO_2 planes.—74-03433A
Critical buckling for the disappearance of superconductivity in $La_{2-x}Sr_xCuO_4$.—74-06505A
Critical temperatures, T_c, of ionic-crystal model for infinite layer compounds.—74-06506A
Cu NMR and NQR studies of high-T_c superconductor $La_{2-x}Sr_xCuO_4$.—74-03437A
Design and Q measurements of high-T_c superconducting ring resonator in microwave band.—74-03441A
Diffuse X-ray scattering from $La_{2-x}Sr_xNiO_4$ and $La_{2-x}Sr_xCuO_4$.—74-04279A
EELS investigation of Bi_2CuO_4 single crystals.—74-05124A
Effect of cold working on properties of Tl-1223/Ag superconducting tape.—74-06517A
Effect of precursors on the size of 2-1-1 in melt-processed $ErBa_2Cu_3O_{7-x}$.—74-06521A
Effect of pressure on the superconductivity in high-T_c Hg ceramics.—74-06523A
Effect of pulsed microwave irradiation on the electrical and magnetic properties of $ErBa_2Cu_3O_x$.—74-03450A
Electrical and magnetic properties of $DyBa_{2-x}Sr_xCu_3O_{7-\delta}$ system [x=0.5 and 1].—74-03454A
Electronic structure of La_2CuO_4.—74-00806A
Enhanced flux pinning via chemical substitution in bulk superconducting Tl-2212.—74-06535A
Exchange mechanism of Raman scattering in impurity La_2CuO_4.—74-03461A
Fabrication and properties of thallium-based superconductors from tartrate gel precursors.—74-06544A
Fabrication of TBCCO films via sequential electrodeposition and coelectrodepostion of thallium-free precursors.—74-06547A
Field-induced diamagnetic fluctuations at low temperature in $Pr_{1.85}Ce_{0.15}CuO_{4-y}$ superconductor.—74-09273A
Fluctuation conductivity in superconducting cuprates is compatible with strong-correlation approach.—74-09274A
Fluctuation-induced discontinuous phase transition in the magnetic subsystem in La_2CuO_4.—74-03379A
Flux pinning in superconducting cuprates—74-00865P
Freezing of the vortex liquid in the high-T_c superconductors.—74-03468A
Growth mechanism of $Bi_2Sr_2CuO_6$ films deposited on sequentially imposed layer.—74-09278A
Growth morphologies of (001)-, (100)-, and (010)-oriented $Er_1Ba_2Cu_{12}O_x$ high-temperature superconductor thin films on various substrates.—74-03473A
Growth of highly oriented $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films on Ag substrates using a dip-coated barium calcium copper oxide sol-gel precursor.—74-09279A
Hall resistivity of hole- and electron-doped high-T_c cuprates.—74-09280A
Harmonic mixer in 3-mm band at liquid nitrogen temperature.—74-03478A
Hg-based cuprate with the "2212" structure: $Hg_{2-x}(Cu,Pr)_xBa_2PrCu_2O_{8-\delta}$.—74-09283A
High field magnetic fluctuations in LaSrCuO.—74-04331A
High oxygen pressure treatment and XPS study for $La_{2-x}Sr_xCuO_4$.—74-03481A
High-temperature superconductivity of new oxide superconductors Tl-Sr-V-Cu-O.—74-03484A
Interaction of current carriers with acoustic plasmons is a possible origin of high-temperature superconductivity of cuprate metal oxide compounds: II, T_c and isotope effect.—74-03498A
Interaction of current carriers with acoustic plasmons is possible origin of high-temperature superconductivity in cuprate metal oxide compounds: I, Electron-plasmon and coulomb interactions in layered metals.—74-03499A
Interplane charge dynamics in $La_{1-x}Sr_xCuO_4$.—74-03503A
Investigation of magnetic properties of HTS ceramics $RBa_2Cu_3O_{7-\delta}$ (R = Y, Gd, Dy, Eu) in constant and varying field.—74-03504A
Investigation of the superconducting gap in $La_{2-x}Sr_xCuO_4$ by Raman spectroscopy.—74-09293A
Is spin-gap behavior near T_c in cuprates evidence for d_{xy} pairing. A role of superconducting fluctuations.—74-03507A
J_c distribution in TlBaCuO thin-film ring resonator.—74-09232A
Josephson decoupling in single-crystal $Nd_{1.85}Ce_{0.15}Cu_2O_{4-y}$.—74-04343A
London-Silsbee state in magnetically textured $DyBa_2Cu_3O_{7-x}$: filamentary percolation.—74-09296A
Low-energy excitations in superconducting doped cuprates.—74-09297A
Luminescence properties of tetragonal $Tl_2Ba_2CuO_{6+\delta}$.—74-07170A
Magnetic anisotropy under structural phase transition in $DyBa_2Cu_3O_{6.2}$ single crystals.—74-03512A
Magnetic behavior of $Ga_{0.3}Fe_{0.7}CuCrO_4$.—74-04348A
Magnetic dipole excitations and ground state of the rare-earth ions in Sm_2CuO_4.—74-04349A
Magnetic structure, phase transitions, and propagation of electromagnetic waves in La_2CuO_4.—74-03391A
Magnetization and pinning potential of magnetic flux for $Tl_2Ba_2Ca_2Cu_3O_x$ bulk superconductor.—74-09302A
Magnetoelastic effects in $Nd_{2-x}Ce_xCuO_4$ single crystals at low temperatures.—74-01537A
Magnetoelastic interactions in $RECuO_4$ system.—74-03516A
Magnetoresistance of $HgBa_2Ca_2Cu_3O_8$ and $HgBa_2Ca_3Cu_4O_{12}$.—74-03517A
Magnon contribution to the heat capacity of multisublattice antiferromagnets $LaCuO_4$ and $CuCl_2{\cdot}H_2O$.—74-06579A
Mass transfer in an $ErBa_2Cu_3O_7$ pellet partially melted in a thermal gradient.—74-06580A

Mercury-based "1201-0201" intergrowth $HgBa_2La_2Cu_2O_{8+\delta}$: a 53-K superconductor.—74-03520A
Metallorganic chemical vapor deposition of epitaxial $Tl_2Ba_2Ca_3Cu_3O_{10-x}$ thin films.—74-06584A
Microwave absorption in non- and hydrogenated $La_{1.85}Sr_{0.15}CuO_4$.—74-03531A
Modified spin-wave theory of quasi-two-dimensional Heisenberg antiferromagnet.—74-01408A
Multiplicity on *c* period of Bi-based 2201 phase crystals.—74-03535A
Nature of the unusual properties of Gd_2CuO_4.—74-04372A
NMR, neutron scattering, and the one-band-model of $La_{2-x}Sr_xCuO_4$.—74-05203A
Nonlinear *I-V* characteristics of the granular $PrBa_2Cu_3O_{7-\delta}$ compound.—74-06597A
Nonlinear dynamics of the four-sublattice antiferromagnet La_2CuO_4.—74-03395A
Novel Hg system high-T_c superconductor (HTSC) with Ca.—74-09312A
Observation of a saddle-point singularity in $Bi_2(Sr_{0.97}Pr_{0.03})_2CuO_{6+\delta}$ and its implications for normal and superconducting state properties.—74-09313A
Observation of a spin gap in $SrCu_2O_3$ comprising spin-1/2-quasi-1-D two-leg ladders.—74-10127A
Optical evidence of an electronic contribution to the pairing interaction in $Tl_2Ba_2Ca_2Cu_3O_{10}$.—74-09316A
Order-disorder phenomena in high-T_c superconductive cuprates.—74-06603A
Parameters of electric field gradient tensor at copper sites of $La_{2-x}CuO_4$ lattice.—74-03549A
Partial oscillation spectra of Cu, La, and O atoms in La_2CuO_4.—74-10016A
Polarization and intensity of *dd* transitions in superconducting copper oxides.—74-03558A
Possibility of new high-T_c superconductors by producing metal heterostructure as in the cuprate perovskite.—74-03559A
Preparation and properties of yttrium-barium cuprate powder.—74-09322A
Quasi-classical transport at a van Hove singularity in cuprate semiconductors.—74-06282A
Refining atomic structure of Nd_2CuO_4 single crystals.—74-07108A
Reflectance and Raman spectra of metallic oxides, LaSrCoO and CaSrRuO—resemblance to superconducting cuprates.—74-06628A
Resonant pinning, supercell structure, and superconductivity (T_c> 140 K) in Hg-Ba-Ca-Cu-O systems.—74-06629A
Role of electronic polarizability in oxide superconductors.—74-03572A
Scaling of the temperature-dependent Hall effect in $La_{2-x}Sr_xCuO_4$.—74-04415A
Spatial distribution of J_c in TlBaCaCuO thin film.—74-03576A
Structural and magnetic properties of intermediate oxygen stoichiometry $PrBa_2Cu_3O_x$.—74-04429A
Structural changes and T_c variation of superconductor $(Bi,Pb)Sr_2(R,Ce)_2Cu_2O_{10+x}$ intercalated with iodine.—74-03578A
Structural refinements of orthorhombic $(La_{1-x}Ca_x)_2CuO_4$ (x=0.05).—74-04217A
Studies of the low temperature electronic states of $La_{2-x}Sr_xCuO_4$ measured by means of the Cu site substitution effects in the specific heat.—74-09341A
Study of superconducting $HgBa_2CuO_{4+x}$ from a one-step low-temperature reaction.—74-03583A
Study on narrow energy band behavior and superconductivity in $La_{1.85}Sr_{0.15}Cu_{1-x}Fe_xO_{4-y}$.—74-09343AStudy on narrow energy band behavior and superconductivity in $La_{1.85}Sr_{0.15}Cu_{1-x}O_{4-y}$.—74-09344A
Study on preparation technology and thermal stability of Tl-2223 superconductors.—74-09345A
Substitution of Hg for Tl in the 2223 cuprate. The 130-K superconductor $Tl_{1.6}Hg_{0.4}Ba_2Ca_3O_{10-\delta}$.—74-03588A
Superconducting and structural properties of $Nd_{2-x}33Ce_xCuO_{4-y}$ thin films on perovskite and fluorite substrates.—74-09346A
Superconducting borate derivatives of 123 cuprates.—74-03589A
Superconducting films of $Tl_mBa_2Ca_nCu_{n+1}O_y$ prepared by dip coating method.—74-03592A
Superconductive material.—74-03666P
Superconductivity in the Hubbard model.—74-06639A
Susceptibility and NQR investigations on $NaCuO_2$.—74-09347A
Synthesis and properties of solid solutions of $La_{1.9}Sr_{1.1-x}Ba_xCu_2O_{4.95+\delta}$ [0≤x≤0.1].—74-00856A
Synthesis and properties of superconducting $HgBa_2CuO_{4+x}$ from a single-step low-temperature solid-state reaction.—74-06643A
Synthesis and XRD analysis of $HgBa_2Ca_2Cu_3O_{8+\delta}$.—74-09348A
Synthesis of Hg-1201 phase superconducting cuprate at ambient pressure.—74-09349A
Synthesis of Hg-1201 phase superconducting cuprate at ambient pressure.—74-09350A
T_{c-x} phase diagrams and infrared spectra due to axial charge-transfer modes in $La_{2-x}Sr_xCuO_4$: a composite-boson model.—74-01342A
Temperature dependence of uniform susceptibility in high-T_c superconductors.—74-01590A
Tetragonal-orthorhombic-structural modulation for low temperature in $La_{2-x}Ba_xCuO_4$.—74-09354A
Theory of antiferromagnetic correlations in high-T_c cuprates.—74-03406A
Thermal conductivity of Bi-Pb (2223) superconducting cuprates with vanadium/nickel substitutions and evidence for strong electron-phonon coupling.—74-03605A
Thermal conductivity of superconducting $La_{2-x}Sr_xCuO_4$ and semiconducting $Gd_{2-x}Sr_xCuO_4$ at high temperature.—74-09356A
Thermodynamic constraints for the in situ MOCVD growth of superconducting Tl-Ba-Ca-Cu-O thin films.—74-06653A
Thermopower and resistivity of La-doped thallium 1201 and bismuth 2201 superconductors.—74-06655A
Transformation of $Y_2Cu_2O_5$ into $YCuO_2$.—74-06656A
Transition to 3-D magnetic structure near substitutional impurity in La_2CuO_4.—74-03611A
Transverse magnetization study of the pairing state of $LaBa_2Cu_3O_{7-\delta}$.—74-04456A
Ultrasound attenuation in $Bi_2Sr_2CuO_4$ single crystal.—74-03613A
Very low field flux penetration in halogenated cuprates.—74-03615A
Weak ferromagnetism and tricriticality in pure La_2CuO_4.—74-06665A

curing,
Effect of plasma cure temperature on spin-on glass.—74-01689A
Ion-implanted photoresist and damage-free stripping.—74-07362A

currents,
Characteristics of the electric current dependence of the efficiency of spontaneous emission from AlGaAs/GaAs laser diodes with a single quantum well.—74-00579A
Constant current stress breakdown in ultrathin SiO_2 films.—74-00584A
Dc current-dependent faceting of vicinal Si(111).—74-08848A
Deep-center current spectroscopy in *p-n* structures based on 6H-SiC with an internal field.—74-02957A
Emitted current instability from silicon field emission emitters due to sputtering by residual gas ions.—74-02997A
I-V characteristics of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O$ high-temperature superconductor.—74-00816A
I-V characteristics of electron-cyclotron-resonance plasma-enhanced chemical-vapor-deposition silicon nitride thin films.—74-04242A
Low-voltage current instabilities in long AlGaAs/GaAs samples subjected to pulsed and microwave fields.—74-08949A
Pair-breaking effects of high current densities on the superconducting transition in $YBa_2Cu_3O_{7-\delta}$.—74-04389A
Photocurrents in poly-Si TFTs.—74-03158A
Space-charge-limited current flow and trap density in undoped diamond films.—74-10155A
Studies of edge current densities in regular and superconducting microstrip lines of finite thickness.—74-09340A

cutting tools,
Appropriate usage of different tool materials.—74-07015A
Cast tools take the plunge.—74-02284A
Ceramic cutting tool with chip control—74-01310P
Ceramic cutting tools for medicine—transformation on the surface of steam-treated TSZ ceramics.—74-06956A
Ceramic cutting tools.—74-08137A
Cut crystal glass is automatically decorated.—74-00292A
Cutting performance and wear mechanism of alumina-based ceramic tools when machining austempered ductile iron.—74-08156A
Cutting tool.—74-09913P
High Z SiAlON and cutting tools made therefrom and method of using.—74-04054P
Infrared temperature measurements on diamond-coated tools during machining.—74-03825A
Measurement of forces, temperatures, and wear of PDC cutters in rock cutting.—74-01081A
Method of making a cemented carbide body for tools and wear parts—74-00173P
Modeling of tool wear based on cutting forces in turning.—74-02179A
Polycrystalline diamond cutting element.—74-04075P
Polycrystalline diamond cutting tool and method of manufacturing the same.—74-04076P
Preparing tools for PVD coating.—74-03726A
Rapid sintering method for producing alumina-titanium carbide composites—74-01269P
Service properties of cutting tools hardened with a diamondlike coating.—74-08271A
Silicon nitride ceramic and cutting tool made thereof.—74-09959P
Single point cutting tool.—74-04090P

cutting,
Abrasive water jet systems for cutting glass.—74-03672A
Cut edge expansion during forming.—74-00112A
Energy dissipation and tool-workpiece contact in ultraprecision machining.—74-09458A
Ultraprecision machining technology for advanced ceramics and its recent trend.—74-11194A

cyanides,
Solidification of hazardous wastes containing cyanide.—74-05586A
Voltammetric determination of cyanide by use of preconcentration at a carbon paste electrode modified with liquid crystals.—74-01130A

cyclic fatigue,
Behavior of cyclic fatigue cracks in monolithic silicon nitride.—74-10949A
Crack-tip degradation processes observed during in situ cyclic fatigue of partially stabilized zirconia.—74-10955A
Current Japanese Materials Research, Volume 14: Cyclic Fatigue in Ceramics.—74-11202B
Cyclic effect on fatigue of SiC-whisker/Si_3N_4 composite.—74-02117A
Cyclic fatigue crack propagation behavior of 9 [mol%] Ce-TZP ceramics with different grain size.—74-02118A
Cyclic fatigue of coarse-grain alumina.—74-02119A
Cyclic fatigue-crack growth in grain bridging ceramics.—74-10959A
Fatigue and failure behavior of a HIPed silicon nitride under static, dynamic, and cyclic tensile loading at elevated temperatures.—74-02138A
Fatigue in structural ceramics.—74-10997A
Fully-reversed cyclic fatigue response of ceramic matrix composites at elevated temperature.—74-11011A
Low cycle fatigue life prediction of ceramic matrix composites at elevated temperatures.—74-11035A
Strength of corundum ceramic under cyclic loading.—74-05391A

cyclones,
Preheater modification concepts.—74-03927A

cylinders,
Flows through model microstructures of aligned cylinders and spheres.—74-05145A
State of stress in a semiinfinite cylinder upon ion exchange.—74-02658A

damage,
Comparative investigation of damage in two types of SiC/C/SiC composite materials under uniaxial tensile loading.—74-07842A
Continuum damage mechanics in piezoceramics.—74-00747A
Cracking and damage mechanisms in ceramics/metal multilayers.—74-02112A
Damage and contamination in low-temperature electron cyclotron resonance plasma etching.—74-06023A
Damage and strain in pseudomorphic vs relaxed Ge_xSi_{1-x} layers on Si(100) generated by Si ion irradiation.—74-02956A
Damage behavior of silicon by MeV Ge^+ irradiation under tilted angle.—74-06024A
Damage behavior of silicon by MeV Ge^+ irradiation under tilted angle.—74-06025A
Damage by laser impulse of the surface of glasses intended for ion exchange.—74-00249A
Damage evolution of cross-ply ceramic composites.—74-10961A
Damage to Si substrates during SiO_2 etching—a comparison of reactive ion etching and magnetron-enhanced reactive ion etching.—74-05106A
Dependence of contact resistivity and Schottky diode characteristics on dry etching induced damage of GaInAs.—74-06029A
Direct observation of channel structures in zeolite Y and A with a slow-scan, charge-coupled-device [CCD] camera.—74-05116A
Effect of etching and imaging mode on the measurement of subsurface damage [SSD] in microground optical glasses.—74-03800A
Effect of grain size on scratch interactions and material removal in alumina.—74-05341A
Effects of damage on thermal shock behavior of ceramics.—74-07156A
Electron beam effects on $(CH_2)_{17}$ self-assembled monolayer SiO_2/Si specimens.—74-04608A
Environmental deterioration and damage of ceramic matrix composites.—74-09567A
Evaluation of damaged glaze layers using the Vickers indentation technique.—74-08541A
Fast neutron radiation damage effets on high-resistivity silicon junction detectors.—74-03017A
Fracture mechanical characterization of thermal damage of ceramics by means of laser irradiation.—74-11003A
Framework for understanding fast neutron-induced defects in SiO_2 MOS structures.—74-03024A
Gate oxide damage in a high-density inductively coupled plasma.—74-00625A
Hertzian contact damage in magnesia-partially stabilized zirconia.—74-05362A
Hertzian indentation damage in alumina with *R*-curve behavior.—74-11013A
High strain rate deformation and damage in ceramic materials.—74-11016A
Indentation-induced contact deformation and damage of glasslike carbon.—74-05368A
Investigation of mortar and stone deterioration in the Victoria Memorial, Calcutta[, India].—74-05541A
Laser damage testing of CVD-grown diamond windows.—74-02555A
Laser damage testing of CVD-grown diamond windows.—74-07366A
Longitudinal and lateral distribution of implantation-induced damage in GaAs/InGaAs heterostructures.—74-00646A
Mechanisms of thermal shock damage in fiber-reinforced ceramic matrix composites.—74-11048A
Nanofeatures in irradiated materials.—74-07578A
New characterization method of ion current-density profile based on damage distribution of Ga^+ focused ion beam implantation in GaAs.—74-00668A
Radiation damage of epitaxial CaF_2 overlayers on Si(111) studied by photon-stimulated desorption: formation of surface F centers.—74-03192A
Report on damage analysis of TiN-coated parts and tools.—74-08266A
Scanning acoustic microscopy of indentation damage in Y_2O_3-stabilized tetragonal zirconia.—74-11084A
Scanning tunneling microscopy investigation of graphite surface damage induced by gold-ion bombardment.—74-10882A
Schottky barrier study of ion implantation damage in GaAs.—74-03208A
Spall damage modeling and dynamic fracture specificities of ceramics.—74-07916A
Surface damage of SiC(w)/SiC by abrasion and indentation.—74-11103A
Thermal shock.—74-08639A
Thermoelastic stress analysis—application to concrete altered by fire.—74-02789A
Transmission characteristics of fused silica fibers at high-power uv excimer laser wavelength.—74-05800A
Uniaxial and multiaxial fatigue of ceramic composite tubes.—74-11125A
Wear behavior of thin film heads for VCR in sliding with metal evaporated tapes.—74-08293A
X-ray diffraction observation of surface damage in chemical-mechanical polished gallium arsenide.—74-06385A

damping,
Internal damping of silicon nitride and silicon nitride composites with silicon carbide whiskers to 1100°C.—74-10831A
Material damping studies on carbon-carbon composites.—74-05184A
Passively damped structural composite materials using resistively shunted piezoceramic fibers.—74-06427A
databases,
Concept of a "virtual production line" produced by integrating databases and models of materials.—74-00906A
Database of information from Langmuir films: design and use.—74-05411A
Database technology to empower ceramic professionals.—74-11153A
Introducing TMS online: an interactive electronic gateway to information dissemination.—74-02246A
Materials design and expert system on glass.—74-00267A
What MSDS should present about NORM radioactivity: technical and regulatory issues.—74-11196A
dating,
Historical archaeology and prehistory—experimenting with dating formulas for Mississippian period ceramics.—74-05453A
debonding,
Effect of residual stresses on the debonding of coatings under an applied load.—74-10973A
Influence of interfacial debonding on the behavior of a laminated system.—74-11028A
decal,
Thermography: use of heat release decal system.—74-00028A
decay,
Decay kinetics of the 4.4 eV photoluminescence associated with the two states of oxygen-deficient-type defect in amorphous SiO_2.—74-04996A
Effects of operating conditions on the fast decay component of the retained polarization in lead zirconate titanate thin films.—74-04289A
Slow decay of space-charge-limited current in CdS.—74-03219A
Thermalization effect on radiative decay of excitons in quantum wires.—74-03249A
decolorization,
Colorants and decolorizers in flat and hollow glass production.—74-02605A
decomposition,
Computer technique for rapid decomposition of X-ray diffraction instrumental aberrations from mineral line profiles.—74-06748A
Decomposition of NO_2 on metal surfaces: oxidation of Ag, Zn, and Cu films.—74-04534A
Decomposition rate of hydrogen peroxide to oxygen on illuminated semiconductor electrodes.—74-00588A
Electrochemical atomic absorption determination of selenium in geochemical and plant materials after autoclave decomposition and sorption preconcentration.—74-01060A
Formation of silicon nitride film by plasma decomposition of methylsilazane.—74-04648A
Growth of monoclinic ZrO_2 thin, flaky crystals by hydrothermal decomposition of zirconium oxide sulfate [ZOS] crystals.—74-07334A
Possibility of spinodal decomposition in ZrO_2-Y_2O_3 alloys: a theoretical investigation.—74-07105A
Surface analysis of oxidized aluminum: I, Hydration of Al_2O_3 and decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07828A
Synthesis and decomposition of a novel carboxylate precursor to indium oxide.—74-07507A
Synthesis of vanadium oxide powders by evaporative decomposition of solutions.—74-01912A
Thermal decomposition of a copolymer of methylcyclosiloxanes and methylcyclosilazanes to nonoxide ceramics.—74-09897A
Volatile metal oxide evaporation during aerosol decomposition.—74-10718A
decoration,
CAD and the high-speed tumbler decorator.—74-00898A
Characteristics of and differences between underglaze and overglaze.—74-08664A
Computer-aided design and surface pattern decoration in whiteware.—74-08666A
Decorating lehrs: the decorator's final signature.—74-02297A
Decorating techniques for single-fire, fast-fire tile.—74-08670A
Decorating your way out of recession.—74-02611A
Decorator's final signature.—74-01977A
Design and creation [using computers for dinnerware decoration].—74-00013A
Developing a decorating department in a new fine china plant.—74-00016A
Enamel for use on glass and a method of using the same—74-00330P
Environmental cure for glass decorators' ills.—74-00296A
Fast-firing technology in ceramic decoration.—74-09664A
Hot stamping glass.—74-08483P
Keeping the design department on the creative edge.—74-07983A
Knidian phallic vase from Corinth[, Greece].—74-00021A
Liquid dyes for decoration of unglazed tiles.—74-08688A
Precision screen printing fabrics.—74-00025A
Process for the manufacture of decorated sheets of laminated safety glass.—74-02695P
Tableware decoration: product development.—74-00027A
Trends in the decoration of flat glass.—74-02662A
Water-miscible mediums: comparison to solvent-based systems.—74-00029A
Zinc-containing, lead- and cadmium-free glass frits, method of their production and their use—74-01214P
dedusting,
New applications for the Jet-Bag filter systems.—74-08078A
defects,
Analysis and removal of impurities and defects in reactive ion-etched silicon using a novel depth-profiling technique.—74-02910A
Analysis of highly ordered pyrolytic graphite step defects: via scanning tunneling microscope.—74-01933A
Analysis of the structural defects of hot-pressed ceramics from highly dispersed composite powders.—74-02101A
Analysis of typical defects in once-fast-fired ceramic wall and floor tile.—74-08500A
Anomalous mobility of particles in crystals with point defects.—74-07554A
Atomic defects in yttria-stabilized and calcia-stabilized zirconia determined by mechanical loss measurements.—74-01934A
Atomic hydrogen reactions with P_b centers at the (100)Si/SiO_2 interface.—74-04990A
Band inversion in $A^IB^{\bar{0}}$ semiconductors due to fluctuations of local stresses or local [non-Gaussian] fluctuations of composition.—74-02920A
Blistering and pinholes in raw glazes for sanitary ceramics: III, Results and discussion.—74-08661A
Blistering in enamel wares and its solution.—74-08134A
Calorimetric absorption spectroscopy and photoluminescence study of defects in diamond.—74-10724A
Cathodoluminescence studies of oriented diamond films.—74-04992A
Causes of dark spots on porcelain surfaces.—74-08663A
Characterization of defect geometries in multilayer optical coatings.—74-07557A
Characterization of defects in boron-implanted chemically vapor deposited diamond films by electron paramagnetic resonance and cathodoluminescence.—74-04993A
Characterization of diamond films by slow positrons.—74-07558A
Characterization of structure and defects in textured diamond films by ion channelling.—74-05090A
Charge pumping study of radiation-induced defects at $SiSiO_2$ interface.—74-06002A
Chemical mapping and its application to interfaces, point defects, and materials processing.—74-01049A
Chemical potentials of compounds and their equilibrium concentrations at surfaces of macrodefects in solid.—74-04102A
Color-Fast decorator defect detector.—74-01050A
Comparing the structure and behavior of point defects in silicon oxynitride gate dielectrics formed by NH_3 nitridation and N_2O growth nitridation.—74-08730A
Computer simulation studies of strontium titanate.—74-04995A
Conversion of intrinsic and extrinsic defects by laser light in PbSe and its solid solutions.—74-02949A
Crystal defects and interdiffusion behavior of $Hg_{1-x}Cd_xTe$/(100)CdTe epitaxial layers grown by chemical vapor transport.—74-06018A
Crystal defects in natural diamond.—74-10725A
Decrease of defects of sol-gel-derived $PbTiO_3$ thin film and its grain size effect on ferroelectric properties.—74-09116A
Deep level defects in proton-irradiated Zn-and Cd-doped InP.—74-10726A
Deep levels in single crystal and polycrystalline ZnSe bombarded by electrons.—74-08850A
Defect analysis in substrate materials for high-T_c superconducting thin films.—74-09248A
Defect distribution in electron-irradiated CdS materials.—74-01939A
Defect formation during plastic deformation of Y_2O_3 partially stabilized ZrO_2 single crystals.—74-04997A
Defect formation in Si_xGe_{1-x}/Ge(111) heterostructures obtained by hydride epitaxy [0.16≤x≤0.315].—74-07560A
Defect formation of ZnSe bombarded by α particles.—74-04998A
Defect structure and phase relations of highly lanthanum-doped barium titanate.—74-07068A
Defect structure of GaAs(111)B(2×2) surface observed by scanning tunneling microscopy.—74-04999A
Defect study of plastically deformed $YBa_2Cu_3O_{7-\delta}$ ceramics.—74-06507A
Defects and transport in the solid solution (Co, $Fe)_{1-\delta}O$ at 1200°C: I, Nonstoichiometry.—74-05000A
Defects and transport in the solid solution (Co, $Fe)_{1-\delta}O$ at 1200°C: II, Cation tracer diffusion and electrical conductivity.—74-05001A
Defects in amorphous and solid phase epitaxial silicon.—74-05002A
Defects in chemically vapor deposited diamond films studied by electron spin resonance and Raman spectroscopy.—74-10727A
Defects in molecular beam epitaxial GaAs grown at low temperatures.—74-02958A
Dependence of the a-Si:H defect density of states on the magnetic field profile of an electron cyclotron resonance microwave plasma.—74-04536A
Designing structural defects to relieve thermal stress.—74-08159A
Developing a better understanding of glaze defects using X-ray diffraction and scanning electron microscopy.—74-08521A
Drawing a fine line through tiny defects.—74-09561A
Effect of annealing on radiation-induced defects in *n*-SiC(6H) bombarded by thermal neutrons.—74-08868A
Effect of controlled change in intrinsic point defects and oxygen on the optical properties of CdS.—74-08870A
Effect of the isovalent Sb dopant on the formation of electronically active defects in *n*-type GaAs grown by means of LPE from a Bi molten solution.—74-08876A
Effects of 5-eV photons on defects in SiO_2.—74-08370A
Effects of shock-induced defect density on flux pinning in melt-textured $YBa_2Cu_3O_{7-\delta}$.—74-06530A
Efficiency of defect generation due to irradiation in silica.—74-07564A
Electrical characterization of defects created in the Si-SiO_2 system by ionizing radiation.—74-05008A
Electroelastic analysis of piezoelectric ceramics with defects.—74-00751A
Electron beam induced current investigations of active electrical defects in silicon due to reactive ion etching and reactive ion beam etching processes.—74-05009A
Electron paramagnetic resonance of defects in ß-iron disilicide ceramics.—74-10730A
Electron spin resonance study of defects in CVD-grown 3C-SiC irradiated with 2-MeV protons.—74-05011A
Electronic density of states and deep defects of hydrogenated amorphous carbon (a-C:H).—74-04307A
Electronic structure of surface defects in $K_{0.3}MoO_3$.—74-04613A
Elementary mechanisms of dislocation movement in combined relief—Peierls barriers and point defects.—74-07565A
Elimination and prevention of fishscale of sheet steel enamel.—74-08182A
Energy dependence and depth distribution of electron beam induced damage in GaAs/AlGaAs heterostructures.—74-02999A
EPR study of structural defects in ion-implanted multicomponent silicate glasses.—74-02539A
Evaluation of repair phase and size tolerance for a phase-shift mask.—74-01715A
Evidence for bistable defects in 6H-SiC.—74-05012A
Evidence of a Bose glass transition in superconducting $YBa_2Cu_3O_7$ single crystals with columnar defects.—74-04314A
Extended structural defects in $LiNbO_3$ crystals.—74-07566A
Factors influencing hydrogen-related defects in porcelain enamel coatings.—74-00119A
Flux pinning effect of small size defects in $YBa_2Cu_3O_{7-\delta}$.—74-03465A
Framework for understanding fast neutron-induced defects in SiO_2 MOS structures.—74-03024A
Generation aspects of the delocalized intrinsic EX defect in thermal SiO_2.—74-05015A
Glaze defects in sanitary ware plants.—74-08681A
Glazing defects and their control.—74-08682A
Hydrogen model for radiation-induced interface states in SiO_2-on-Si structures: a review of the evidence.—74-03053A
Hydrogen-induced defects and defect passivation in silicon solar cells.—74-07569A
Imaging extrinsic defects at the $NiSi_2$/Si(111) metal-semiconductor interface.—74-05158A
Impedance spectroscopy of microstructure defects and crack characterization.—74-01998A
Impurity-defect reactions in ion-implanted diamond.—74-07570A
Influence of annealing on defects in diamond films with ESR and ir measurements.—74-07350A
Influence of point defects on the thermal conductivity of diamond single crystals: state of the art.—74-05022A
Influence of stoichiometry on high-temperature intrinsic defects in fused silica.—74-08336A
Ion-channeling analysis of defects in epitaxial films of $YBa_2Cu_3O_7$.—74-05025A
Ir study of cerium dioxide—influence of impurities and defects.—74-05176A
Isothermal capacitance transient spectroscopy study of defect states in polycrystalline diamond films.—74-10736A
Kinetics of trapping, detrapping, and trap generation.—74-05029A
Localized modes due to single nitrogen defects in mixed host isotope synthetic diamond.—74-10738A
Metastability of arsenic antisite-related defects created by electron irradiation in GaAs.—74-08953A
Microcharacterization of CVD diamond films by scanning electron microscopy—morphology, structure, and microdefects.—74-07684A
Microstructural and crystal defects in $YBa_2Cu_3O_{7-x}$ ceramics.—74-03521A
Microstructure and defects in melt-textured growth $YBa_2Cu_3O_{7-x}$.—74-03524A
Molecular dynamic investigations of amorphous carbon:pi bonding vs electronic defect generation.—74-04368A
New paramagnetic centers containing nickel ions in diamond.—74-05039A
Nondestructive testing of surface defects in structural ceramics.—74-01090A
Nondestructive testing of volume defects in structural ceramics.—74-09594A
Oxygen partial pressure dependence of defects in Czochralski-grown lithium niobate.—74-07580A
Oxygen-related defect in aluminum nitride ceramics—a thermal conduction limiting defect in technologically important materials.—74-09884A
Point defects in electron-irradiated oxide single crystals.—74-05044A
Point defects in high-purity silica induced by high-dose gamma irradiation.—74-10741A
Point defects in NiO observed via perturbed angular correlation spectroscopy.—74-10742A
Positive identification of the obligations triangular defect on the (110) faces of vapor-grown diamond.—74-05045A
Preferential incorporation of defects in monocrystalline diamond films.—74-01954A
Principles of macro-defect-free (MDF) cement production.—74-05572A
Problem of the glazing defect "peeling."—74-01094A
Process for detecting voids in ceramic bodies.—74-09630P
Properties of Group III Nitrides.—74-11209B
Radiation-induced defects in silicon solar cells showing improved radiation resistance.—74-07582A
Radiograph and ultrasound detect defects early.—74-06806A
Reliability implications of defects in high-temperature-annealed Si/SiO_2/Si structures.—74-09024A

Removing twins and domains of KIO_3 crystal and its physical properties.—74-10151A
Role of defects in the ferroelectric relaxor lead scandium tantalate.—74-06433A
Role of microdefects in PZT thin films for microelectromechanical systems.—74-08770A
Role of thermal defects in photolysis of microcrystals of CuCl in glass.—74-02577A
Role of thermal defects in the photolysis of CuCl microcrystals in glass.—74-02655A
Saturable absorbers based on impurity and defect centers in crystals.—74-09029A
Segregation of impurities and defects in $Hg_{0.8}Cd_{0.2}Te$ by laser annealing.—74-05048A
Semiempirical calculations of point defects in silica; oxygen vacancy and twofold-coordinated silicon atom.—74-10743A
Shear faults in lovelock ferrierite—an X-ray and electron diffraction analysis.—74-10744A
Solid-state NMR study supporting the lithium vacancy defect model in congruent lithium niobate.—74-10745A
Spectroscopic features of intrinsic defects in silica glasses fused from different raw materials.—74-08350A
Spectroscopic study of Si-related defects in nonhomogeneous GaAs:Si.—74-00715A
Statistical thermodynamics and defect structure of $Co_{1-\delta}O$ under usual oxygen partial pressures: a monte Carlo study.—74-10746A
Statistical thermodynamics of point defects and interactions between point defects in ceramics.—74-07584A
Steps toward the solution of the tin bath block peeling problem in float glass lines.—74-08462A
Structure and defects of lanthanum pentatantalate.—74-05268A
Structure and defects of MBE-grown Nb-Al_2O_3 interfaces.—74-10034A
Studies of defect states in the interface between SiO_2 and a-Si:H films.—74-06335A
Surface and subsurface defect detection in Si_3N_4 components by laser scattering.—74-10747A
Topographic methods for studying defects in diamonds.—74-01957A
Tracer diffusion of Mn in α-MnS.—74-10750A
Ultrasonic testing checks ceramic parts.—74-01125A

deformation,
Behavior of molten droplets impinging on flat surfaces.—74-10759A
Carbon-fiber-reinforced concrete as an intrinsically smart concrete for damage assessment during dynamic loading.—74-02311A
Computer experiments on amorphization of crystals under conditions of impulsive external laoding and large plastic deformations.—74-00187A
Contraction and expansion—deformation of building materials under the influence of moisture: I.—74-08514A
Contraction and expansion—deformation of building materials under the influence of moisture: II.—74-08515A
Defect study of plastically deformed $YBa_2Cu_3O_{7-\delta}$ ceramics.—74-06507A
Deformation and fracture analysis of [Mo- and Cr_2O_3-based] thermal spray coatings by AE method and shear test under SEM observation.—74-10962A
Deformation and relaxation behavior of silicon nitride ceramics with different microstructures.—74-10963A
Deformation and solidification of molten particles on a substrate in thermal plasma spraying.—74-10964A
Deformation behavior of polyacrylic acid–metal oxide composites in water.—74-02120A
Deformation of metallic glasses $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{61}Co_{20}Si_5B_{14}$ for small stresses.—74-00250A
Deformation strengthening of crystals. Size, orientational, and surface effects.—74-07856A
Determination of the mechanical behavior of thin films on substrate systems from micromechanical experiments.—74-10966A
Development of a high-temperature deformation and life prediction model for an advanced silicon nitride ceramic.—74-10967A
Dislocation-dynamical diffusion [DDD] in crystalline solids.—74-05006A
Effect of microstructure on the plastic deformation of Mg-PSZ.—74-01509A
Elastic-plastic indentation of hard, brittle materials with spherical indenters.—74-05348A
Filtration combustion with self-deformation.—74-04637A
High strain rate deformation and damage in ceramic materials.—74-11016A
High-temperature deformation and fracture mechanisms in a dendritic Ni_3Al alloy.—74-05363A
High-temperature localization of plastic deformation in $NaNO_2$ ferroelectric crystals.—74-06414A
In-plane mechanical properties of several ceramic matrix composites.—74-07892A
Indentation-induced contact deformation and damage of glasslike carbon.—74-05368A
Influence of severe plastic deformation on structure and phase composition of carbon steel.—74-03065A
Internal friction and acoustoplastic effect during deforming zinc single crystals.—74-05369A
Mechanical and microstructural aspects of the high-temperature plastic deformation of yttria-stabilized zirconia polycrystals.—74-11040A
Microplastic deformation under cyclic bending of yttrium-based HTS ceramic plates.—74-01541A
Nanospace deformation in active carbon by heat treatment.—74-10740A
Nonthermal vacancy-drift mechanism of plastic deformation of grains in ceramics during microwave sintering.—74-11064A
Observations of transitions in creep behavior of a superplastic yttria-stabilized zirconia.—74-02181A
Role of dynamic processes during low-temperature abrupt deformation of aluminum.—74-07912A
Simulation of nanometer-scale deformation of metallic and ceramic surfaces.—74-02200A
Structural vibration monitoring using the deflection of a hollow core optical fiber.—74-06821A
Superplastic deformation of alumina platelet-reinforced Y-TZP.—74-07923A
Tensile and compressive plastic deformation at high temperatures of 4 mol% Y_2O_3-stabilized ZrO_2 polycrystals.—74-07925A
Tensile deformations of electrical porcelain samples by firing.—74-11109A
Triclinic deformation of pseudomorphous layers on substrates with disoriented slice.—74-05293A
Use of short-range photogrammetry in the measurement of surface deformations of brick masonry.—74-03886A
Viscous deformation in a potassia borosilicate glass-crystalline alumina system.—74-08400A

degradation,
Accelerated life testing of electronic devices by atmospheric particles: why and how.—74-01034A
Accidents just don't happen.—74-02218A
Change in the physical-chemical properties of high-temperature superconductors on passage of a direct current.—74-03420A
Coal slag corrosion and strength degradation of siliconized silicon carbide.—74-09859A
Crack-tip degradation processes observed during in situ cyclic fatigue of partially stabilized zirconia.—74-10955A
Degradation mechanisms of passivated and unpassivated diamond thermistors.—74-08851A
Degradation of Y-TZP in moist environments.—74-01366A
Degradation phenomena due to impulse-current in zinc oxide varistors.—74-08852A
Degradation study of ZnO-based varistors under electrical combined stresses.—74-02959A
Effect of low-temperature aqueous environments on magnesia partially stabilized zirconia (Mg-PSZ).—74-01374A
Effect of silica on the nonoxidative thermal degradation of an acrylic binder.—74-04587A
Effects of in situ fiber strength characteristics on mechanical properties of SiC(f)/SiC composites.—74-10981A
Environmental stability of high-T_c superconducting ceramics.—74-00809A
Experimental survey of dopant ions in ZnO—nonlinearity and degradation.—74-06091A
Hot isostatic pressing.—74-10387A
Implications of amalgam and ceramic degradation in the oral environment.—74-02081A
In vitro degradation of tricalcium phosphate and hydroxyapatite in human pool sera.—74-06979A
Inhibition of low-temperature degradation of tetragonal zirconia ceramics—a review.—74-11031A
Mortar deterioration of the walls in historic buildings. A case history: Vanvitelli's role in Ancona.—74-05556A
Relationship between isomorphic substitutions and the thermal degradation of bentonites.—74-07109A
Reliability improvement of thin oxide by double deposition of silicon.—74-04868A
Studies of $YBa_2Cu_3O_{7-x}$ formation in coevaporated Y-BaF_2-Cu-O thin films on sapphire substrates.—74-03580A
Thermal degradation mechanisms of Nicalon and Tyranno fibers.—74-11112A

dehydration,
Dehydration and crystallization kinetics of zirconia-yttria gels.—74-04123A
Dehydration and rehydration processes in the natural zeolite mesolite studied by conventional and synchrotron X-ray powder diffraction.—74-05107A
Kinetic studies of the dehydration process for polyacrylic acid metal oxide compounds.—74-07363A
Study on high-strength hemihydrate gypsum for molding.—74-05598A
Thermal dehydration of magnesium hydroxide and sintering of nascent magnesium oxide.—74-04957A

dehydrogenation,
Atomic release of hydrogen from pure and boronized graphites.—74-04482A

demixing,
Demixing of (Ni, Co)O under an oxygen potential gradient(II).—74-01505A
Influence of coherency stress on kinetic demixing.—74-10413A

densification,
Application of sol-gel coating process in pressureless sintering of Si_3N_4 and their properties.—74-04479A
Densification and grain growth of porous alumina compacts.—74-04535A
Densification behavior and microstructural features of 3Y-TZP with and without additives.—74-01658A
Densification of Ti-Al-V powder compacts prepared through premix or prealloyed routes: II.—74-01659A
Effect of forming of densification of zirconia.—74-04574A
Effect of seeding on phase development, densification behavior, and microstructure evolution in mullite fabricated from microcomposite particles.—74-10293A
Fabrication of LAS system ceramics for thermal shock resistance from silicate minerals: II, Preparation of spodumene powders with sillimanite, kaolin, and pyrophyllite group minerals.—74-10348A
Finite element analysis for high-temperature densification processing of alumina powder compacts.—74-10355A
High-quality ceramics by centrifugal slip casting.—74-04681A
Influence of alumina inclusions on the densification of superalloy powder.—74-01762A
Influence of ZrO_2 on microstructure and mechanical strength of sintered magnesia.—74-10423A
Ion-beam-induced densification of sol-gel ceramic thin films.—74-04720A
Microstructure and densification of sintered (B+C)-doped ß-silicon carbide.—74-10838A
Microstructures and densification behaviors of Al_2O_3-ZrO_2 (ZTA) composites fabricated by a surface-induced coating.—74-04362A
Minimizing densification times during the final stage of isothermal chemical vapor infiltration.—74-01803A
Morphology and structure development in the densification of 3-D Blackglas Nextel 312 composites.—74-10849A
Phase transformation and densification behavior of microwave-sintered α-alumina.—74-10518A
Plasma-activated sintering of aluminum nitride.—74-04812A
Powder properties influencing the densification kinetics of hot-pressed Si_3N_4.—74-10542A
Preparation and densification of $BaNd_2Ti_5O_{14}$ dielectric ceramics.—74-00521A
Process for densification of powdered ceramics and cermets at temperatures above 1400°C.—74-03770P
Rapid densification of carbon-carbon by thermal-gradient chemical vapor infiltration.—74-10596A
Reaction densification of α′-SiAlON: I, Wetting behavior and acid-base reactions.—74-04200A
Reaction densification of α′-SiAlON: II, Densification behavior.—74-04860A
Relation between microstructure and thermal properties of aluminum nitride based ceramics.—74-05234A
Sintering behavior of B_4C-SiC composite.—74-10632A
Stages of surface and pore volume evolution during sintering.—74-04912A
Study on densification processes of Bi-based high T_c superconductor.—74-03584A
Synthesis of mullite composites from powder mixtures of alumina, silica and zirconia.—74-10681A
Technique for monitoring densification during chemical vapor infiltration.—74-03889A

density,
Absolute radical density measurements in a CH_4-H_2 dc discharge.—74-04465A
Calculation-graphic method for determining the bulk density of milled materials.—74-04490A
Characteristics and structural evolution of low-silica calcium aluminate glasses.—74-08325A
Colloidal processing of silicon carbide.—74-01642A
Controlled low strength materials (CLSM)—ACI 229R-94 report.—74-02316A
Dense and porous nanostructured ceramics and composites.—74-07625A
Dense hydroxyapatite.—74-06965A
Density dependence of high-temperature dielectric properties of debased alumina and the effect of a high loss additive.—74-08736A
Development of high density and strength blocks for float glass bath bottom and their applications.—74-02711A
Impact of amplified spontaneous emission (ASE) on carrier density for measurement of optical nonlinearities in GaAs/AlGaAs multiple quantum wells.—74-00636A
Molecular model of solid for the investigation of the electron density distribution in tetrahedral systems.—74-01409A
Pair-breaking effects of high current densities on the superconducting transition in $YBa_2Cu_3O_{7-\delta}$.—74-04389A
Plasmon densities of states in a $YBa_2Cu_3O_x$ system.—74-03556A
Preparation of dense $BaTiO_3$ ceramics from sol-gel-derived monolithic gels.—74-10561A
Properties of low-density bulk silica gel—lyosil.—74-07723A
Quantifying local microcrack density in ceramics: a comparison of instrumented indentation and thermal wave techniques.—74-03856A
Reduction in particle density of laser-deposited $YBa_2Cu_3O_7$ thin films by low-energy ultraviolet radiation.—74-03566A
Relationship between (σ+π)-plasmon energy and density for C_{60} solid samples.—74-04410A
Shift of the electroluminescence peak in 6H-SiC-based diodes with the forward current density.—74-03212A
Sintering of large TZP components.—74-01886A
Studies of edge current densities in regular and superconducting microstrip lines of finite thickness.—74-09340A
Ultrasonic characterization of density and elastic properties in Bi-2212 powder compacts.—74-06659A
Ultrasonic characterization of density changes in presintered ceramics.—74-09627A

dental ceramics,
Ceramic orthodontic bracket with archwire slot liner.—74-03982P
Ceramic prototypes for medical applications.—74-06958A
Ceramics and medicine (review).—74-03959A
Dental ceramic material with a relatively low processing temperature—74-01252P
Dental ceramics—from porcelain to the ceramic-ceramic composites.—74-06966A
Fluoride ion-leachable glasses and dental cement compositions containing them.—74-02672P
Implications of amalgam and ceramic degradation in the oral environment.—74-02081A
Laser irradiation of human tooth dentin.—74-07168A
Preparation of very fine glass powder of high purity—74-00346P
Process for making ceramic dental crowns—74-01266P
Urea formaldehyde as a precursor for sol-gel processing of ceramic powders.—74-04975A

depolarization,
Nature of the thermally stimulated depolarization currents in MgO-Li.—74-02853A

deposition,
Advanced composite microtubes for microelectromechanical systems.—74-06676A
Alkaline batch chemical deposition of antimony(III) sulfide thin films.—74-01615A
Apparatus for forming a diamondlike thin film.—74-09519P

Atomic layer controlled deposition of Al_2O_3 films employing trimethylaluminum (TMA) and H_2O vapor.—74-07207A
Bonding tool having diamond head and method of manufacturing the same.—74-04030P
Calcium phosphate deposition in rat kidneys.—74-09764A
Carbon nitride thin films grown by pulsed laser deposition.—74-10210A
Cathodic deposition of copper selenide films on tin oxide in sulfate solutions.—74-01625A
Cement sequence stratigraphy in carbonates.—74-01187A
Changes in surface chemistry during the initial stages of electroless Ni(P) deposition on alumina.—74-01627A
Characterization of ion-beam-deposited diamondlike carbon films.—74-10771A
Characterization of reactively sputtered silicon nitride.—74-04504A
Characterization of $YBa_2Cu_3O_{7-x}$ thin films deposited by high pressure oxygen sputtering.—74-03424A
Chemical bath deposition of ZnSe and CuSe thin films using N, N-dimethylselenourea.—74-06003A
Coating process for depositing extremely hard films on substrates.—74-03747P
Composition of pulsed-laser-deposited Y-Ba-Cu-O and Ba-K-Bi-O thin films.—74-06500A
Computer simulation of the ion beam deposition of binary thin films—carbon nitride and boron carbide.—74-07236A
Degenerate four-wave mixing diagnostics of atmospheric pressure diamond deposition.—74-10254A
Dependence of the kinetics of electrochemical vapor deposition of CeO_2 on oxygen partial pressure.—74-07248A
Deposition and properties of cadmium oxide films by activated reactive evaporation.—74-04538A
Deposition and properties of polycluster diamond films.—74-10258A
Deposition and subsequent removal of single Si atoms on the Si(111)-7×7 surface by a scanning tunneling microscope.—74-05109A
Deposition of carbon films by a filtered cathodic arc.—74-10260A
Deposition of cerium dioxide thin films on silicon substrates by atomic layer epitaxy.—74-07251A
Deposition of dense C:H films at elevated substrate temperature.—74-01664A
Deposition of dielectric thin films by irradiation of condensed reactant mixtures.—74-07255A
Deposition of thin indium oxide film and its application to selective epitaxy for in situ processing.—74-02960A
Diamond deposition by atmospheric pressure induction plasma—effects of impinging jet fluid mechanics on film formation.—74-10265A
Diamond deposition from an Ar-CCl_4-H_2 plasma jet at 13.3 kPa.—74-01672A
Diamond film deposition with a microwave plasma.—74-04047P
Direct observation of silicide growth at Fe-Si interface during pulsed laser deposition.—74-04558A
Effect of deposition conditions on the formation of (In,Ga)As quantum clusters in a GaAs matrix.—74-08871A
Effect of deposition parameters on the compressive stress in a-C:H thin films.—74-10279A
Effect of deposition parameters on the microstructure of ion-beam-assisted deposition TiN films.—74-07268A
Effect of deposition parameters on the properties of In_2O_3/InP junctions.—74-10280A
Effect of substrate pretreatment on diamond deposition.—74-10297A
Effects of annealing ZnO films prepared by ion-beam-assisted reactive deposition.—74-00481A
Effects of deposition parameters on MgO thin films on Si(100) substrates by reactive rf magnetron sputtering.—74-10306A
Electroless chemical deposition technique for Cu_2O thin films.—74-07292A
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media[—comment].—74-10324A
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media[—reply].—74-10325A
Enhancement of the reactive deposition rate of TiN films at low nitrogen content.—74-07299A
Epitaxial growth of CoO(001) and Co_3O_4(001) films on MgO(001) by pulsed laser deposition.—74-10335A
Epitaxy of erbium-doped $LiNbO_3$ films produced by pulsed laser deposition.—74-09136A
Fabrication parameters for the electron-beam-induced deposition of contamination tips used for atomic force microscopy.—74-10353A
Flame deposition and characterization of large type IIa diamond single crystals.—74-04638A
Hardness and elasticity of diamondlike carbon films prepared by ion-beam-assisted sputter deposition.—74-04328A
High growth rate plasma diamond deposition process and method of controlling same.—74-09919P
High-deposition rate coating of aluminum cylinder bores.—74-08203A
High-temperature superconducting thin films—correlation between properties and deposited parameters.—74-09286A
Implementation of large-scale deposition of diamond films by combustion synthesis.—74-01759A
In situ deposition of Au on plasma-prepared GaAs substrates.—74-06147A
Incorporation of nitrogen into diamondlike carbon films.—74-04696A
Influence of processing parameters on the development of biaxially aligned zirconia thin films deposited by ion-beam-assisted deposition.—74-09291A
Influence of sputtering target material on the formation of cubic BN thin films by ion-beam-enhanced deposition.—74-10419A
Interfacial characteristics of arc-discharge-deposited diamondlike films on 19 different substrate materials.—74-02377A
Ion-beam-assisted growth of beta-$FeSi_2$.—74-00645A
Kinetics and uniformity of deposition of borophosphosilicate glass from silane and oxygen in a single-wafer reactor.—74-00304A
Large area pulsed laser deposition [PLD] of YBCO thin films and buffer layers on 3-inch wafers.—74-09294A
Laser-assisted deposition of PbO films.—74-08943A
Lithographic process in deposited silicon dioxide.—74-06179A
Making diamondlike films more transparent.—74-09878A
Manufacture of conical pore ceramics by electrophoretic deposition—74-01021P
Mechanical properties of ion-beam-deposited diamondlike carbon on polymers.—74-04358A
Mechanical properties of Si diamondlike carbon films formed by ion-beam-assisted deposition.—74-02382A
Mechanisms in ion-induced c-BN growth.—74-04747A
Method for the deposition of diamond on a substrate.—74-04064P
Method of determining conditions for plasma silicon nitride film growth and method of manufacturing semiconductor device—74-00741P
Method of fabricating of diamond moth-eye surface—74-01028P
Microstructure of inclusions in nanocrystalline carbon films deposited at low temperatures.—74-05193A
Morphological and structural studies of ß-$FeSi_2$ films grown by ion-beam-assisted deposition.—74-03712A
Morphology of very thin layers made by electrochemical vapor deposition at low temperatures.—74-01809A
Nature's algorithms.—74-07174A
Non-CVD methods of diamond growth at low pressures.—74-10498A
Novel integration of a group IV electron beam deposition capability with a III-V molecular beam epitaxy.—74-05205A
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: II, Effects of deposition conditions.—74-08247A
Optical properties of ion-assisted deposited SiO thin films.—74-04384A
Post-depositional diamond etching.—74-10540A
Precursor delivery for the deposition of superconducting oxides—a comparison between solid sources and aerosol.—74-06614A
Process and film characterization of chemical-bath-deposited ZnS thin films.—74-07444A
Process for the deposition of diamond films using low energy, mass-selected ion beam deposition.—74-04083P
Properties and applications of CDS [continuous detonation spraying] coatings.—74-06719A
Properties of iron oxide films grown by pulsed laser deposition.—74-10142A
Properties of laser-deposited yttria films on CdTe and silicon substrates.—74-09016A
Properties of polysilicon films deposited on amorphous substrates using reactive plasma beam deposition technique.—74-01862A
Properties of thin films of tantalum oxide deposited by ion-assisted deposition.—74-04851A
Pulsed laser deposition of epitaxial $Ba_xSr_{1-x}TiO_3/Ba_2Cu_3O_7$ bilayers on $LaAlO_3$ substrates.—74-06622A
Reactive deposition of $Y_1Ba_2Cu_3O_{7-x}$ superconductor films by pulsed laser ablation from an unreacted mixture of Y_2O_3, $BaCO_3$, and CuO.—74-06624A
Recent results on the deposition of diamond thin films by arcjet plasmas and diagnostic measurements of the plasma-surface region.—74-10607A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition.—74-04879A
SiO_2 films deposited on Si substrate studied by monoenergetic positron beams.—74-03216A
Sputter deposition technology as a materials engineering.—74-10653A
Stress behavior of TiN films formed by reactive ion-beam-assisted deposition.—74-01580A
Structural investigation of low-energy ion-beam-assisted diamondlike films.—74-10032A
Structural investigations on laser deposited hydroxyapatite films.—74-00153A
Structure features of pyrolytic boron nitride.—74-05272A
Surface preparation for diamond deposition on molybdenum substrates by secondary ion mass spectroscopy.—74-08280A
Tailoring growth and local composition by oblique-incidence deposition—a review and new experimental data.—74-07526A
Wear behavior of various diamond-coated cutting tools under different deposition conditions.—74-11126A

deposits,
Ceramic clays of the lower Cretaceous in east Spain.—74-06892A
Nephelinitic syenite from North Cap—deposit, production, properties.—74-06917A
Rudersdorf Lime Works and Industrial[—Germany].—74-08103A

design,
AIRFEEL diaphragm.—74-09427A
Alpha—a new generation of roller mills: success by system analysis.—74-03674A
Applying expert systems to glass furnace design.—74-09639A
Automatic transformation of two-dimensional works of art into three dimensional reliefs for the decoration of ceramics.—74-09431A
Bushing designs simplify shaft-mounted drive servicability.—74-02310A
Case for teaching computer design.—74-05887A
Catalysis with inorganic membranes.—74-06951A
Ceramic actuators: principles and applications.—74-01045A
Ceramic Transactions, Volume 43: Ferroic Materials: Design, Preparation, and Characteristics.—74-05435B
Ceramic Transactions, Volume 46: Advances in Ceramic Matrix Composites: II.—74-05438B
Ceramic Transactions, Volume 53: Materials and Processes for Wireless Communications.—74-07970B
Computer drawing bank for ceramic technology equipment.—74-11152A
Custom-designed zirconia.—74-09774A
Design and Q measurements of high-T_c superconducting ring resonator in microwave band.—74-03441A
Design and characterization of compact 100-nm-scale silicon metal-oxide-semiconductor field effect transistors.—74-06036A
Design and construction of pressing machine tooling for the tableware industry.—74-00910A
Design and manufacture of large vertical roller mills.—74-00911A
Design and modification of an imported glass tank furnace.—74-09649A
Design charts for the thermal conductivity of continuous fiber-reinforced composites.—74-06753A
Design management in the ceramic sector.—74-08519A
Design of ceramic materials for chemical sensors with novel properties.—74-08855A
Design planning, plant technology, and ergonomic science.—74-08520A
Designing a handling system for high-speed lines.—74-09448A
Designing an extruder with allowance for the properties of ceramic extrusion compounds: VB.—74-09449A
Designing ceramic components for structural applications.—74-05806A
Designing the future [using CAD/CAM systems for dinnerware].—74-00015A
Enameling furnaces integrated into enameling lines: economic and development trends.—74-02370A
Engineering analysis for CMC material design considerations using Carborundum's sintered SiC fiber and slurry cast/melt infiltration process.—74-10329A
Establishing regulatory compliance in a new plant.—74-11159A
Furnace design and glass quality.—74-09671A
Good gob for the job.—74-09674A
High-performance ceramic precision roller bearings: design and applications.—74-03692A
Keeping the design department on the creative edge.—74-07983A
Kiln builder's view of the refractories industry.—74-09679A
Large end-fired furnaces with a melting area of 100 m^2 and more.—74-03916A
Lightweight robot using piezoelectric motor, sensor, and actuator.—74-06418A
Modeling, design, and performance of solid oxide fuel cells [SOFC's].—74-00513A
Modified preheater/kiln system design.—74-09690A
Problem solving using experimental design techniques.—74-11185A
Problems and concerns of a refractory contractor.—74-08627A
Progress in the design of new lead-free solder alloys.—74-02087A
Reconstruction of the "RIBBON" furnace in 50 days.—74-06872A
Rotating disk studies in molten carbonates: I, Electrode design.—74-06810A
Science and technology in composite materials—design of materials for catalysts.—74-10617A
Selecting optimum parameters for slip casting.—74-02784A
State-of-the-art preheater design.—74-03932A
Techno economic issues in the selection of auto materials.—74-02279A
Uncercut panel anchors for concealed fastening of ceramic cladding panels.—74-08599A
Use of a CAD/CAM system for engineering and household ceramics design.—74-01005A
Using fuzzy sets in the prediction of flexural strength and density of silicon nitride ceramics.—74-04460A

desorption,
Acid properties of a ZSM-20-type zeolite.—74-07991A
Electron-stimulated desorption of cesium atoms from oxidized tungsten surface at 77 K.—74-05136A
Interaction of hydrogen with chemical vapor deposition diamond surfaces—a thermal desorption study.—74-07811A
Ion kinetic energy distribution of electron-stimulated desorption of O^+ from TiO_2(110)-SO_2.—74-04340A
Photodesorption dynamics of ammonia from Ni(111) and NiO(111).—74-04393A
Study of temperature-programmed desorption of silicon nitride and SiAlON by means of mass spectrometry.—74-03874A

desulfurization,
Conversion rates of industrial limestone and quicklime reactions—indirect influence of molar volumes of the solid phases.—74-05481A
Dakota Coal Company builds state-of-the art lime plant to meet flue gas desulfurization needs.—74-03682A
Foamed gypsum from flue gas desulfurization.—74-00060A
Possible applications for flue gas desulfurization products in coal mining.—74-05568A
Structural transformation in Ca-based sorbents used for SO_2 emission control.—74-08110A
Successful utilization of heat recovery and desulfurization plant at Aalborg Portland (Denmark).—74-01181A

detectors,
CdTe detectors designed for computer X-ray tomography.—74-00575A
Color-Fast decorator defect detector.—74-01050A

Computed tomography: II, Practical use of a single source and detector.—74-06747A
Determination of alkali metals in bismuth-containing high-temperature superconductors.—74-06511A
Determination of free copper oxide in high-temperature superconducting ceramics based on $Y_1Ba_2Cu_3O_{7-\delta}$.—74-06512A
Diamond metal-semiconductor-metal ultraviolet photodetectors.—74-08859A
Diamond radiation detectors.—74-09865A
Infrared detector utilizing diamond film.—74-09087P
Mercury cadmium tellurium photodetectors fabricated by LPE and double B implantation for fiberoptic devices.—74-08952A
Microphase detection using XRD.—74-06791A
New generation sensors proving advantageous in monitoring continuous casting lines.—74-01086A
Normal-state $YBa_2Cu_3O_x$ films: a new fast thermal detector for infrared laser radiation with a uniform wavelength response.—74-03544A
Phonon-mediated particle detectors: physics and materials.—74-01092A
Preparation of Co_3O_4 thin films by sputter deposition for the detection of CO in air.—74-06275A
Process for detecting voids in ceramic bodies.—74-09630P
Si MOS photodetectors as detectors of hydrogen.—74-03214A
Synthetic diamond-based detector of ionized radiation.—74-04950A
Temporally resolved response of a natural type IIA diamond detector to single particle excitation.—74-10166A

detergent,
Effect of composition of today's laundry detergents on porcelain enamel surfaces.—74-00114A

deuterium,
Refinement of $Cs_3D(SeO_4)_2$ low-temperature phase by high-resolution powder neutron diffractometry.—74-04207A
Temperature sensitivity of KDP for phase-matched frequency conversion of 1 μm laser light.—74-06350A

device,
ADEQUAT project for development and transfer of 0.25 μm logic complementary metal-oxide-semiconductor modules.—74-05972A
Alternating-current thin-film electroluminescent devices with multiple dielectric layers.—74-04474A
Arrays of gated field-emitter cones having 0.32 μm tip-to-tip spacing.—74-02915A
CVD diamond growth on germanium for ir window applications.—74-04532A
Deposition of single phase, homogeneous silicon oxynitride by remote plasma-enhanced chemical vapor deposition, and electrical evaluation in metal-insulator-semiconductor devices.—74-06033A
Deposition of single-phase, homogeneous silicon oxynitride by remote plasma-enhanced chemical vapor deposition, and electrical evaluation in metal-insulator-semiconductor devices.—74-06034A
Design issues of GaAs and AlGaAs δ-doped *p-i-n* quantum well APD's.—74-06037A
Device properties of homoepitaxially grown diamond.—74-10075A
Diamond and II-VI heterojunction semiconductor light emitting device.—74-09085P
Electroactive device fundamentals.—74-08747A
End-point detection using absorbed current, secondary electron, and secondary ion signals during milling of multilayer structures by focused ion beam.—74-01062A
Evaluation of contamination from plasma immersion ion implantation on silicon device characteristics.—74-03005A
Fabrication of high performance 512 K static-random access memories in 0.25 μm complementary metal-oxide semiconductor technology using X-ray lithography.—74-00618A
Light emitting diamond device—74-00740P
Materials and concepts for solid-state electrochemical devices.—74-00506A
Method of fabricating a silicon carbide vertical MOSFET and device.—74-09093P
Method of synthesizing high quality, doped diamond and diamonds and devices obtained therefrom.—74-09942P
Nonmonocrystalline silicon carbide semiconductor, process of production thereof, and semiconductor device employing the same.—74-03276P
Preparation of devices that include a thin ceramic layer.—74-02895P
Quantum microstructure devices.—74-06281A
Schottky barrier study of ion implantation damage in GaAs.—74-06303A
Secondary ion mass spectrometry analysis of a three-level metal structure using sample rotation.—74-05243A
Simple method of tensile tests in engineering ceramics.—74-01103A
Superconducting device.—74-03663P
Superconductive device for helping shield magnetic field.—74-03665P
Various aspects of nonreciprocal devices using magnetized semiconductors.—74-09078A

devitrification,
Devitrification behavior of infrared-transmitting AlF_3-[MgF_2-CaF_2-SrF_2-BaF_2]-YF_3 glasses: I, During melt cooling.—74-05761A
Devitrification of glassy phase in silicon nitride ceramics and related properties.—74-07256A
Influence of alkali olivine basalt on the properties of cordierite-based ceramics.—74-06906A
Utilization of two Indian plastic fireclays.—74-05884A

diamagnetism,
Study of the dynamic properties of surface- and bulk-located dopant ions on Cr_2O_3 by Mossbauer spectroscopy with a diamagnetic ^{119}Sn probe.—74-06477A
Superconducting diamagnetic fluctuations for *H*||*ab* planes in $YBa_2Cu_3O_{7-\delta}$ for fields up to 5 T.—74-03591A

diamonds,
Ab initio energetics of CVD growth reactions on the three low-index surfaces of diamond.—74-04464A
Absolute radical density measurements in a CH_4-H_2 dc discharge.—74-04465A
Adhesion strength of diamond films on cemented carbide insert.—74-08127A
Aerosol doping of flame-grown diamond films.—74-10186A
Analysis and modeling of diamond heterogeneous nucleation kinetics.—74-10756A
Analysis of chemical vapor deposition diamond grain boundaries using transmission electron microscopy and parallel electron energy loss spectroscopy in a scanning transmission electron microscope.—74-10757A
Analysis using high-energy beam techniques of the surface carbonaceous layers of silicon and tantalum substrates used in the chemical vapor deposition synthesis of diamond.—74-10195A
Angle-resolved photoemission of diamond(111) and (100) surfaces—negative electron affinity and band structure measurements.—74-07591A
Angle-resolved photoemission of diamond(111) and (100) surfaces—negative electron affinity and band structure measurements.—74-07592A
Annealing of radiation damage in De Beers colorless CVD diamond.—74-04988A
Apparatus for chemical vapor deposition of diamond including graphite substrate holders.—74-09517P
Apparatus for chemical vapor deposition of diamond including thermal spreader.—74-09518P
Apparatus for diamond deposition by microwave plasma-assisted CVPD.—74-03741P
Apparatus for forming a diamondlike thin film.—74-09519P
Application of diamond substrates for advanced high-density packaging.—74-08722A
Application of diamondlike layers as gate dielectric in metal/insulator/semiconductor transistor.—74-02913A
Application of ion-assisted electron beam metallization to diamond electronics.—74-00459A
Applied technology—polycrystalline diamond fibers for metal matrix composites.—74-05613A
Arc discharge plasma torch for diamond coating deposition.—74-03782A
Aspects of diamond synthesis.—74-10200A
Atomistic simulations of friction at sliding diamond interfaces.—74-01497A
Au-Sn/W and Au-Sn/Cr metallized chemical vapor deposited diamond heat sinks for InP laser device applications.—74-02363A
Au/Ti and Au/Ni-Cr metallization of CVD diamond substrates for multichip module applications.—74-08827A
Batch process for thinning and shaping diamond films.—74-01620A
Behavior of Co binder phase during diamond deposition on WC-Co substrate.—74-08132A
Behavior of diamond crystal surfaces during heating in fluorine gas and fluorocarbon-fluorine gas mixtures.—74-04098A
Biocompatibility of low-temperature diamondlike carbon films—a transmission electron microscopy, scanning electron microscopy, and cytotoxicity study.—74-05077A
Bonding tool having diamond head and method of manufacturing the same.—74-04030P
Buckyball microwave plasmas: fragmentation and diamond film growth.—74-10205A
Calorimetric absorption spectroscopy and photoluminescence study of defects in diamond.—74-10724A
Capacitively coupled rf plasma sources: a viable approach for CVD diamond growth.—74-04491A
Carbon films deposited by the physical vapor deposition focused-arc evaporation technique.—74-04493A
Catalytic interaction of Fe, Ni, and Pt with diamond films—patterning applications.—74-08136A
Cathodoluminescence and electroluminescence in ion-implanted type II diamonds.—74-02932A
Cathodoluminescence of epitaxial diamond films.—74-10211A
Cathodoluminescence spectroscopy of diamond films and ceramics.—74-04259A
Cathodoluminescence studies of oriented diamond films.—74-04992A
Ceramic bonding method.—74-09910P
Characterization by uv-visible and ir spectroscopy of thin diamondlike carbon films prepared by Laser-Arc.—74-04500A
Characterization of boron-doped diamond films using (CH_4-CO_2) gas mixtures with $B(OCH_3)_3$ as a dopant source by MPCVD.—74-07221A
Characterization of catalytically synthesized turbostratic carbon films used for improved rates of diamond nucleation.—74-01964A
Characterization of defects in boron-implanted chemically vapor deposited diamond films by electron paramagnetic resonance and cathodoluminescence.—74-04993A
Characterization of diamond coatings with transmission electron microscopy.—74-05085A
Characterization of diamond films by slow positrons.—74-07558A
Characterization of diamond films deposited using $C_3H_6O_x$-H_2 gas mixtures.—74-10768A
Characterization of diamond films for optical coatings.—74-10221A
Characterization of diamond films on binderless W-Mo composite carbide.—74-07223A
Characterization of hydrogen-terminated CVD diamond surfaces and their contact properties.—74-02935A
Characterization of ion-beam-deposited diamondlike carbon films.—74-10771A
Characterization of laser-irradiated surfaces of a polycrystalline diamond film with an atomic force microscopy.—74-10772A
Characterization of structure and defects in textured diamond films by ion channelling.—74-05090A
Characterization of tantalum impurities in hot-filament diamond layers.—74-03787A
Characterization of the strength and adhesion of diamond films on metallic substrates using a substrate plastic straining technique.—74-05324A
Characterization of thin diamondlike carbon films by ultrasonic surface waves.—74-09558A
Characterization of undoped and boron-doped polycrystalline diamond films synthesized by hot-filament chemical vapor deposition using methanol.—74-04506A
Characterization of undoped and doped homoepitaxial diamond layers produced by microwave plasma CVD.—74-04261A
Chemical basis of the C-H-O phase diagram in diamond plasma depositions.—74-04100A
Chemical vapor deposited diamond fibers: manufacture and potential properties.—74-04510A
Chemical vapor deposition and characterization of smooth (100)-faceted diamond films.—74-01632A
Chemisorption of hydrogen on diamond surfaces studied by high-resolution electron energy-loss spectroscopy.—74-05095A
CO_2-laser-induced gas phase synthesis of micron-sized diamond powders: recent results and future developments.—74-01637A
CO_2-laser-induced vapor phase synthesis of HNdiamond nanoparticles at 0.6-2 bar.—74-07228A
Combustion for the synthesis of β-SiC and diamond/SiC composite.—74-10228A
Comparative Hall mobilities of ion-implanted boron and implanted carbon plus boron in insulating diamond.—74-00467A
Comparative investigation of the sliding wear mechanism in lubricated steel-on-steel and diamond-on-steel friction pairs.—74-05099A
Comparative study of laminar and turbulent oxygen-acetylene flames for diamond deposition.—74-01645A
Comparative study of the adsorption of hot-filament-activated hydrocarbons on silicon, gallium arsenide, and CVD diamond.—74-02941A
Comparison of (CH_4-O_2)-H_2 and CO-H_2 plasmas for low-temperature diamond film deposition by electron cyclotron resonance plasma-assisted chemical vapor deposition.—74-04519A
Comparison of laser and O_2 plasma etching of diamondlike carbon films.—74-01646A
Comparison of the electric properties of single-crystal and polycrystalline diamond by Hall effect and capacitance-voltage measurements.—74-10069A
Comparison of two models of thin diamond film microhardness data to predict the hardness of CVD diamond.—74-04264A
Composite fibers having a diamond surface.—74-04040P
Conduction in ion-implanted single-crystal diamond.—74-08843A
Consolidation of diamond and SiC particulate preforms by the forced flow–thermal gradient diamond CVD process.—74-10235A
Controlled deposition of diamond from an acetylene-oxygen combustion flame.—74-10244A
Conversion of fullerenes to diamond.—74-04043P
Correlation between breakdown voltage and structural properties of polycrystalline and heteroepitaxial CVD diamond films.—74-02950A
Correlation of interface chemistry to electrical properties of metal contacts on diamond.—74-08150A
Crystal defects in natural diamond.—74-10725A
Crystal growth and gas ratio effect of diamond films synthesized by oxyactylene flames.—74-10250A
Crystallization of CVD carbon films on Si substrates.—74-07244A
CVD deposition of diamond on nitrides and oxides as substrates.—74-01655A
CVD diamond growth on germanium for ir window applications.—74-04532A
CVD diamond wires and tubes.—74-05410A
CVD diamond: its fabrication and growing utilization.—74-01656A
Defects in chemically vapor deposited diamond films studied by electron spin resonance and Raman spectroscopy.—74-10727A
Degenerate four-wave mixing diagnostics of atmospheric pressure diamond deposition.—74-10254A
Degradation mechanisms of passivated and unpassivated diamond thermistors.—74-08851A
Dependence of diamond transition on microtexture in graphite starting materials under shock compression.—74-07626A
Deposition and characterization of β-SiC and diamond/β-SiC composite films.—74-10257A
Deposition and properties of polycluster diamond films.—74-10258A
Deposition mechanism for promoting sp^3 bonding in diamondlike carbon.—74-10259A
Deposition mechanism of diamondlike a-C and a-C:H.—74-04539A
Deposition of carbonaceous films onto internal walls of tubes.—74-07250A
Deposition of cubic BN on diamond interlayers.—74-07253A
Deposition of diamond coatings on particles in a microwave plasma-enhanced fluidized bed reactor.—74-07254A
Deposition of diamond films on sapphire—studies of interfacial properties and patterning techniques.—74-07627A
Deposition of diamondlike carbon films by photon-enhanced chemical vapor deposition of methane using a windowless hydrogen lamp.—74-01666A

Deposition of thin highly dispersive diamond films by laser ablation.—74-04543A
Detailed atomic structure of tetrahedral amorphous carbon.—74-05111A
Determination of diamond film quality during growth using in situ Raman spectroscopy.—74-04544A
Determination of fracture toughness and bridging tractions from crack-opening displacement measurements in particulate composites of diamond in zinc sulfite.—74-05336A
Determination of the "overall" nucleation density on tungsten—a new treatment of the data.—74-10787A
Determination of the optical constants of fine-grained diamond layers on silicon substrates using curve-fitting procedures.—74-10074A
Device properties of homoepitaxially grown diamond.—74-10075A
Diamond and II-VI heterojunction semiconductor light emitting device.—74-09085P
Diamond as the ultimate ceramic.—74-09862A
Diamond bearing assembly.—74-04045P
Diamond bearing assembly.—74-04046P
Diamond C(111) (2×1) surface exposed to hydrogen and hydrocarbon species using second harmonic generation and sum frequency generation.—74-09982A
Diamond chemical vapor deposition using tantalum filaments in H_2-CH_4-O_2 gas mixtures.—74-01671A
Diamond coated products and method of preparation—74-01317P
Diamond coated wear resistant tools.—74-02415P
Diamond coatings.—74-09863A
Diamond CVD: a comparison between methane and methanol as carbon sources.—74-04547A
Diamond deposition by atmospheric pressure induction plasma—effects of impinging jet fluid mechanics on film formation.—74-10265A
Diamond deposition by hollow cathode arc discharge.—74-07257A
Diamond deposition from an Ar-CCl_4-H_2 plasma jet at 13.3 kPa.—74-01672A
Diamond deposition in a bell-jar reactor: influence of the plasma and substrate parameters on the microstructure and growth rate.—74-01673A
Diamond deposition on chromium, cobalt, and nickel substrates by microwave plasma chemical vapor deposition.—74-04548A
Diamond deposition on porous silicon by plasma-assisted CVD.—74-06039A
Diamond deposition with Ar-CO_2-H_2 plasma jets.—74-01674A
Diamond device delineation via excimer laser patterning.—74-10266A
Diamond driver-active load pair fabricated by ion implantation.—74-08858A
Diamond film deposition by downstream dc glow discharge plasma chemical vapor deposition.—74-04549A
Diamond film deposition with a microwave plasma.—74-04047P
Diamond films as substrates for glucose sensors.—74-07020A
Diamond films as thermal conductors and electrical insulators applied to semiconductor power modules.—74-04012A
Diamond films by the excimer laser photoablation of polymers.—74-07258A
Diamond films grown on *p*-type microcrystalline, SiC:H/crystalline-Si subsubstrates.—74-04550A
Diamond formation from a system of SiC and a metal.—74-08161A
Diamond formation in the carbon-hydrogen-oxygen system.—74-04551A
Diamond growth by hot-filament chemical vapor deposited state of the art.—74-10267A
Diamond growth by methane injection into hydrogen-oxygen flames.—74-01675A
Diamond growth by microwave generated plasma flame—74-00737P
Diamond growth from a mixture of fluorocarbon and hydrogen in a microwave plasma.—74-04552A
Diamond homoepitaxial growth on (111) substrate investigated by scanning tunneling microscope.—74-10788A
Diamond homoepitaxy by chemical vapor deposition.—74-01676A
Diamond homoepitaxy by hot-filament chemical vapor deposition.—74-10268A
Diamond in the USA.—74-01290A
Diamond luminescence—resolved donor-acceptor pair recombination lines.—74-05115A
Diamond membranes with controlled stress for submicron lithography.—74-09864A
Diamond metal-semiconductor-metal ultraviolet photodetectors.—74-08859A
Diamond nucleation at the organic liquid-metal interface by laser-induced reactive quenching.—74-01677A
Diamond nucleation on pretreated substrates.—74-01678A
Diamond nucleation on steel substrates.—74-00113A
Diamond power transistor performance.—74-06040A
Diamond protective coatings for optical components.—74-04553A
Diamond radiation detectors.—74-09865A
Diamond synthesis at low temperatures.—74-07259A
Diamond synthesis by CO_2 laser irradiation.—74-01679A
Diamond synthesis on a metal substrate.—74-08162A
Diamond synthesis on substrates treated by collision with particles.—74-01680A
Diamond thin-film growth on ferrous surfaces.—74-01681A
Diamond tubes and fibers.—74-02369A
Diamond windows for ir applications in adverse environments.—74-09866A
Diamond wire die with positioned opening.—74-09914P
Diamond wire die.—74-04048P
Diamond, industrial.—74-06896A
Diamond- or diamondlike carbon-coated hard materials.—74-09915P
Diamond-based chemical sensors.—74-03267P
Diamond-based light-emitting structures.—74-02964A
Diamond-coated bodies and process for preparation thereof—74-01318P
Diamond-coated hard material and a process for the production thereof.—74-04049P
Diamond-coated tips and their applications.—74-07260A
Diamond-infiltrated carbon-carbon composites.—74-10269A
Diamond-metal composite coatings on cemented carbide tools.—74-08163A
Diamond/organic LED—74-00738P
Diamond/phosphor polycrystalline LED and display—74-00739P
Diamondlike carbon coatings for biomedical applications.—74-04554A
Diamondlike carbon film deposition on plasma-nitrided steel substrates.—74-04555A
Diamondlike carbon films for protection and stabilization of selenium-containing photoreceptors in electrophotography.—74-10270A
Diamondlike layers as passivation coatings for power bipolar transistors.—74-04277A
Diamondlike nanocomposite [DLN] films—some characteristics and applications.—74-10076A
Dilution effect of noble gases on structure and composition of chemically vapor deposited diamond films.—74-10272A
Direct electrical control of diamondlike carbon growth by plasma-enhanced CVD.—74-06695A
DLC films by plasma-assisted chemical vapor deposition near room temperature.—74-04561A
Doping and growth of diamondlike carbon films by ion beam deposition.—74-04563A
Doping of diamond.—74-02968A
Effect of atomic hydrogen on diamondlike carbon film production.—74-03685A
Effect of atomic-scale surface roughness on friction: a molecular dynamics study of diamond surfaces.—74-01980A
Effect of boron incorporation on the "quality" of MPCVD [microwave plasma-assisted CVD] diamond films.—74-10278A
Effect of filament temperature on the growth of diamond using hot-filament chemical vapor deposition.—74-04572A
Effect of gas ambient on the resistance of BF_2^+ ion-implanted polycrystalline diamond film.—74-07270A
Effect of gas phase composition on the surface morphology of polycrystalline diamond films.—74-04575A
Effect of high supersaturation at the initial stage on diamond nucleation phenomena.—74-01687A
Effect of ion energy on the diamondlike/graphitic (sp^3/sp^2) nature of carbon films deposited by ion beams.—74-04577A
Effect of ion implantation on ion-plated diamondlike carbon films.—74-04578A
Effect of native SiO_2 layer on the nucleation of diamond using a combustion flame.—74-04582A
Effect of substrate bias voltage on the nucleation of diamond crystals in a microwave plasma-assisted chemical vapor process.—74-01691A
Effect of substrate material on bias-enhanced diamond nucleation.—74-04588A
Effect of substrate material on bias-enhanced diamond nucleation.—74-07278A
Effect of substrate pretreatment on diamond deposition.—74-10297A
Effect of substrate temperature distribution on thermal plasma jet CVD of diamond.—74-04589A
Effect of surface preparation on the nucleation of diamond on silicon.—74-01692A
Effect of the buoyancy force on diamond formation during synthesis under a high pressure.—74-10301A
Effect of the space charge sheath on properties of carbon and diamond films in the rf plasma jet.—74-04592A
Effective free path length of phonons in diamond.—74-09986A
Effects of gas flow variables on the crystal growth of diamond in hot filament-assisted CVD.—74-04598A
Effects of hydrogen on the transition layers between diamond films and Zr,Hf substrates.—74-07283A
Elastic characteristics of diamondlike carbon coatings.—74-10086A
Elastic properties of thin polycrystalline diamond films.—74-10087A
Elastic scattering of light and reflectivity development during low-pressure diamond film growth.—74-10320A
Electrical characteristic frequency dispersion of diamond polycrystalline films.—74-10091A
Electrical conduction mechanisms in polycrystalline chemically vapor deposited diamond films.—74-10092A
Electrical properties of diamondlike C-Si heterojunctions manufactured under ultraclean conditions.—74-10094A
Electrical properties of high-quality diamond films.—74-10095A
Electrical properties of undoped large-grain and small-grain diamond films.—74-10097A
Electrical resistivities of diamondlike carbon.—74-04303A
Electron energy loss study of diamondlike and amorphous carbon films.—74-10098A
Electron paramagnetic resonance of boron-implanted natural diamonds and epitaxial diamond films.—74-09988A
Electronic characterization of diamond films prepared by electron cyclotron resonance microwave plasma.—74-04612A
Energetics of hydrogenic reactions at diamond surfaces calculated by a local spin density functional theoretical method.—74-07645A
Energy dissipation and tool-workpiece contact in ultraprecision machining.—74-09458A
Engineering applications for diamondlike carbon.—74-04014A
Enlargement of the diamond deposition area by one-cathode three-anode arc discharge plasma jet chemical vapor deposition.—74-10333A
Epitaxial Cu contacts on semiconducting diamond.—74-04617A
Epitaxial nucleation of diamond on ß-SiC via bias-enhanced microwave plasma chemical vapor deposition.—74-01711A
Epitaxial nucleation, growth, and characterization of highly oriented, (100)-textured diamond films on silicon.—74-04619A
Evaluation of dc plasma jet chemical vapor deposition for diamond coatings on tungsten carbide based cutting plates.—74-04623A
Excitonic recombination radiation as characterization of diamonds using cathodoluminescence.—74-01385A
Extensive diamond film deposition by dc plasma jet chemical vapor deposition.—74-04626A
Fabrication of diamond thin film thermistors for high-temperature applications.—74-08906A
Fabrication of diamond tips by the microwave plasma chemical vapor deposition technique.—74-07308A
Fabrication process development and characterization of polycrystalline diamond film resistors.—74-08749A
Fine structure in the secondary electron emission spectrum as a spectroscopic tool for carbon surface characterization.—74-05143A
Finest grind.—74-00928A
Flame deposition and characterization of large type IIa diamond single crystals.—74-04638A
Flattened diamond crystals synthesized by microwave plasma chemical vapor deposition in a CO-H_2 system.—74-04639A
Fluorinated diamondlike carbon films deposited from radio-frequency discharge in a triode reactor.—74-01992A
Formation of atomic steps in chemical vapor deposition diamond growth.—74-04644A
Formation of ohmic contacts on semiconducting diamond grown by chemical vapor deposition.—74-03021A
Free standing diamond sheet and method and apparatus for making same—74-01319P
Free-standing white diamond for thermal and optical applications.—74-10105A
Friction and wear behavior of diamond films against steel and ceramics.—74-00002A
Friction and wear performance of ion-beam-deposited diamondlike carbon films on steel substrates.—74-05360A
Friction behavior and wear resistance of diamondlike carbon films under cryogenic temperatures.—74-07882A
Friction properties of aluminum-based composites containing cluster diamond.—74-04320A
Fullerenes and diamond.—74-10366A
Fundamental limits to growth rates in a methane-hydrogen microwave plasma.—74-04654A
Gas flow effects in synthesis of diamond by hot-filament chemical vapor deposition.—74-01744A
General diamond Schottky-barrier diode model from locus diagram analysis.—74-03028A
Geology of diamond: time and depth profiles from inclusions.—74-01193A
Geometric modeling of the diamond–ß-SiC heteroepitaxial interface.—74-09995A
Grain boundary barrier height in polycrystal diamond films produced by dc plasma deposition of CO_2 and hydrogen.—74-07653A
Graphitization of synthetic diamond by 193 nm laser light: comparison of ^{12}C-enriched diamonds with those of natural isotopic composition.—74-04659A
Growing market for cBN and diamond products.—74-02239A
Growth and application of cubic SiC.—74-10373A
Growth and characterization of phosphorus-doped diamond films.—74-04661A
Growth kinetic analysis of diamond films by in situ elastic scattering of light and reflectivity.—74-04663A
Growth methodologies and characterization of different polycrystalline diamond films on Ta substrates.—74-04665A
Growth of (100)-oriented diamond films.—74-04667A
Growth of diamond in a pulsed microwave discharge.—74-04672A
Growth of diamond particles on sharpened silicon tips.—74-07331A
Growth of diamond thin films by ECR plasma-assisted CVD at low pressures and temperatures.—74-10378A
Growth of diamond using halogenated methane.—74-01748A
Growth of polycrystalline diamond over glassy carbon and graphite electrode materials.—74-01750A
^1H NMR studies on the effects of annealing on chemical vapor deposited (CVD) diamond.—74-01606A
Hardness and elasticity of diamondlike carbon films prepared by ion-beam-assisted sputter deposition.—74-04328A
Heteroepitaxial diamond growth on (100)silicon.—74-10380A
Heteroepitaxial growth of diamond on c-BN in a microwave plasma.—74-04677A
High deposition rate synthesis of diamond films "DIA-JET" process.—74-10382A
High gap sputtered DLC layers.—74-04678A
High growth rate plasma diamond deposition process and method of controlling same.—74-09919P
High-field conductivity of polycrystalline diamond films.—74-02841A
High-frequency bandpass filter using polycrystalline diamond.—74-09871A
High-order twin boundaries in CVD diamond films.—74-01945A
High-pressure diamond synthesis by Mossbauer spectroscopy.—74-10383A

High-quality homoepitaxial growth of diamond films.—74-10384A
Highly oriented textured diamond film on Si substrate.—74-10815A
Hot-filament chemical vapor deposition of diamond on SiAlON at pressures up to 500 torr.—74-10388A
Implementation of large-scale deposition of diamond films by combustion synthesis.—74-01759A
Improved adhesion of CVD diamond films to steel and WC-Co substrates.—74-05159A
Improved electronic properties of diamondlike carbon films by high-pressure post-deposition treatment.—74-04687A
Improvement in ir properties of chemically vapor deposited diamond films by smoothening with KrF excimer radiation.—74-10398A
Improvement on adhesion strength of diamond film on cemented carbide by heated intermediate layer.—74-08210A
Impurity-defect reactions in ion-implanted diamond.—74-07570A
In situ Fourier transform ir emission spectroscopy of diamond chemical vapor deposition.—74-09999A
In situ mass sampling during supersonic arcjet synthesis of diamond.—74-05160A
In situ monochromatic and spectroscopic optical investigations of diamond thin-film growth.—74-04691A
In situ Raman investigation of diamond films during growth and etching processes.—74-04694A
Incorporation of nitrogen into diamondlike carbon films.—74-04696A
Increased precision in strain measurement of diamond by micro-Raman spectroscopy.—74-06781A
Industrial diamond coating and method of manufacturing.—74-04056P
Influence of π-bonded clusters on the electronic properties of diamondlike carbon films.—74-01524A
Influence of annealing on defects in diamond films with ESR and ir measurements.—74-07350A
Influence of annealing on the resistance of polycrystalline chemically vapor deposited diamond films—a surface chemical effect.—74-04697A
Influence of atomic hydrogen gradients on the growth rate and nucleation of diamond produced by microwave plasma assisted deposition.—74-01763A
Influence of glass-ceramic substrate on nucleation density of diamond particle.—74-04699A
Influence of hydrogen contained in hard coatings on their tribological behavior.—74-04335A
Influence of oxygen, in gas mixtures and various substrate positions, on the broad cathodoluminescence bands of MPCVD [microwave plasma-assisted CVD] diamond films.—74-10416A
Influence of point defects on the thermal conductivity of diamond single crystals: state of the art.—74-05022A
Influence of substrate temperature during ion beam deposition on the diamondlike or graphitic nature of carbon films.—74-01766A
Influence of surface treatment on the electronic structure of CVD diamond films.—74-04706A
Influence of the electron cyclotron resonance [ECR] microwave plasma on growth and properties of diamondlike carbon [DLC] films deposited onto rf biased substrates.—74-01767A
Influence of the gas composition on the electrical resistivity of diamond thin films synthesized by the tantalum hot filament method.—74-04708A
Influences of WC-Co hard metal substrate pretreatments with boron and silicon on low-pressure diamond deposition.—74-07354A
Infrared detector utilizing diamond film.—74-09087P
Infrared temperature measurements on diamond-coated tools during machining.—74-03825A
Inhomogeneous distribution of nitrogen impurities in {111} growth sectors of high-pressure synthetic diamond.—74-10002A
Initial stages in the growth of polycrystalline diamond on silicon.—74-05167A
Innovative semiconductor base—diamond/(carbon-carbon) composite.—74-05632A
Insulator films on diamonds—74-00553P
Interaction of diamond with molybdenum during ion plasma deposition.—74-04712A
Interaction of hydrogen with chemical vapor deposition diamond surfaces—a thermal desorption study.—74-07811A
Interfaces and adhesion mechanisms in reinforced diamond composite coatings.—74-00126A
Interfacial characteristics of arc-discharge-deposited diamondlike films on 19 different substrate materials.—74-02377A
Interfacial electrical properties of diamondlike carbon/gallium arsenide heterostructures.—74-03070A
Interfacial layer effects in the growth of CVD diamond.—74-04715A
Internal stresses in CVD diamond layers.—74-04339A
Interpretation of atomic force microscopy images: the mica(001) surface with a diamond tip apex.—74-07670A
Investigation into the mechanisms of closed three-body abrasive wear.—74-02285A
Investigation of cobalt behavior during diamond deposition on cemented carbides.—74-04716A
Investigation of nucleation centers in diamond chemical vapor deposition with spatially resolved X-ray photoelectron spectroscopy.—74-05172A
Investigation of the bias nucleation process in microwave plasma-enhanced chemical vapor deposition of diamond.—74-04717A
Investigation of the CVD diamond-intermediate layer-steel interface.—74-05173A
Investigations of diamond nucleation on a-C films generated by dc bias and microwave plasma.—74-04719A
Ion beam assisted method of producing a diamondlike carbon coating.—74-09923P
Ion beam modification of diamond.—74-10429A
Ion energy distributions from electron cyclotron resonance [ECR] methane plasmas.—74-01772A
Ion etching behavior and surface binding energies of hard diamondlike carbon and microwave chemical vapor deposition diamond films.—74-01773A
Ion-beam-assisted polishing of diamond.—74-01774A
Ir-attenuated total reflectance studies of dc-biased growth of diamond films.—74-04721A
Isothermal capacitance transient spectroscopy study of defect states in polycrystalline diamond films.—74-10736A
Isotopically pure single crystal epitaxial diamond films and their preparation.—74-04057P
Kinetics of diamond growth on Si(100) substrate monitored by electron spectroscopy.—74-10432A
Large-area diamond deposition and brazing of the diamond films on steel substrates for tribological applications.—74-08227A
Large-area diamond film growth in a low-pressure flame.—74-07365A
Laser damage testing of CVD-grown diamond windows.—74-02555A
Laser damage testing of CVD-grown diamond windows.—74-07366A
Laser materials based on diamond with *GR* 1 centers.—74-03083A
Laser-induced physical vapor deposition of diamondlike carbon films.—74-01779A
Lateral thermal diffusivity of epitaxial diamond films.—74-04730A
Lateral thermal diffusivity of epitaxial diamond films.—74-07574A
Light emitting diamond device—74-00740P
Linear finite carbon chains (carbynes): their role during dynamic transformation of graphite to diamond, and their geometric and electronic structure.—74-04732A
Linear finite carbon chains (carbynes): their role during dynamic transformation of graphite to diamond, and their geometric and electronic structure.—74-07086A
Liquid and solid erosion properties of diamond.—74-11034A
Localized modes due to single nitrogen defects in mixed host isotope synthetic diamond.—74-10738A
Localized vibrational modes in diamonds grown from mixed carbon isotopes.—74-01406A
Low amplitude oscillating sliding wear on chemically vapor deposited diamond coatings.—74-08229A
Low-energy ion-induced damage of polycrystalline diamond films.—74-04735A
Low-temperature deposition of diamond using chloromethane in a hot-filament chemical vapor deposition reactor.—74-01783A
Low-temperature growth of diamond films by microwave plasma chemical vapor deposition using CH_4+CO_2 gas mixtures.—74-04737A
Low-temperature thinning of thick chemically vapor deposited diamond films with a molten Ce-Ni alloy.—74-04742A
Luminescence decay time studies and time-resolved cathodoluminescence spectroscopy of CVD diamond.—74-04346A
Luminescence studies of nitrogen- and boron-doped diamond films.—74-04743A
Luminescent characterization of radiation damage and impurities in ion-implanted natural diamond.—74-10006A
Making diamondlike films more transparent.—74-09878A
Materials on the edge turn tough.—74-04745A
Materials Research Society Symposium Proceedings, Volume 339: Diamond, SiC, and Nitride Wide Bandgap Semiconductors.—74-07972B
Materials Research Society Symposium Proceedings, Volume 349: Novel Forms of Carbon II.—74-11206B
Measurement of atomic hydrogen in a hot filament reactor by two-photon laser-induced fluorescence.—74-04746A
Measurement of forces, temperatures, and wear of PDC cutters in rock cutting.—74-01081A
Mechanical and thermophysical properties of diamondlike carbon films with different sp^3/sp^2 ratios.—74-11041A
Mechanical properties of diamond and cubic BN at different temperatures and deformation rates.—74-11044A
Mechanical properties of ion-beam-deposited diamondlike carbon on polymers.—74-04358A
Mechanical properties of nanostructured diamondlike carbon films synthesized by low-energy cluster beam deposition.—74-07813A
Mechanical properties of natural diamonds at 1200°C.—74-05377A
Mechanical properties of Si diamondlike carbon films formed by ion-beam-assisted deposition.—74-02382A
Mechanical property measurements of bulk polycrystalline CVD diamond.—74-04360A
Mechanical property measurements of bulk polycrystalline CVD diamond.—74-07902A
Mechanism of nanoscale indentation.—74-02015A
Metastable diamond formation from solutions at atmospheric pressure.—74-10452A
Metastable phases of carbon during fracture of diamond under ultrahigh compressive stresses.—74-05379A
Method and apparatus for growing diamond films.—74-04059P
Method and apparatus for vapor deposition of diamond.—74-09929P
Method for arc discharge plasma vapor deposition of diamond.—74-04060P
Method for etching diamond—74-01023P
Method for forming boron-doped semiconducting diamond films.—74-03271P
Method for forming diamond and apparatus for forming the same.—74-03272P
Method for forming diamond films by vapor phase synthesis.—74-04061P
Method for forming diamondlike nanocomposite or doped diamondlike nanocomposite films.—74-04062P
Method for making a diamond/carbon/carbon composite useful as an integral dielectric heat sink.—74-08803P
Method for making diamond grit and abrasive media.—74-02290P
Method for producing single crystal diamond film.—74-08804P
Method for producing single crystal diamond film.—74-09935P
Method for production of ultradispersed diamond.—74-04063P
Method for the deposition of diamond on a substrate.—74-04064P
Method of fabricating of diamond moth-eye surface—74-01028P
Method of forming diamond or diamond containing carbon film.—74-09936P
Method of making large area single crystalline diamond films.—74-09938P
Method of synthesizing high quality, doped diamond and diamonds and devices obtained therefrom.—74-09942P
Microcharacterization of CVD diamond films by scanning electron microscopy—morphology, structure, and microdefects.—74-07684A
Microcrystalline diamond phase by laser ablation of graphite.—74-01797A
Micromechanical properties of diamond films deposited by microwave-plasma-enhanced chemical vapor deposition.—74-11051A
Microscopic investigations of silicon surfaces pretreated for use in diamond deposition.—74-04751A
Microwave plasma chemical vapor deposition of high-purity diamond films.—74-01800A
Model for the topography of diamond grinding wheels.—74-00957A
Morphologies and adhesion strength of diamond films deposited on WC-6% Co cemented carbides with different surface characteristics.—74-02029A
Morphometric analysis of diamond crystals elaborated by microwave plasma-assisted chemical vapor deposition: application to textured films.—74-05198A
Multiple grained diamond wire die.—74-04071P
Nanolayered gradient structure as an intermediate layer for diamond coatings.—74-02387A
New method for selective growth of diamonds by microwave plasma chemical vapor deposition.—74-04774A
New method of diamond CVD with a closed gas circuit.—74-04775A
New nonmetallic catalysts for the synthesis of high-pressure, high-temperature diamond.—74-01813A
New paramagnetic centers containing nickel ions in diamond.—74-05039A
Nickel chemical vapor deposited diamond interface studied by electron energy loss spectroscopy.—74-08246A
Nickel in diamond: an annealing study.—74-00133A
Non-CVD methods of diamond growth at low pressures.—74-10498A
Nondiamond carbon phases in plasma-assisted deposition of crystalline diamond films: a Raman study.—74-10011A
Nucleation and growth observations of diamond grown on cast tungsten carbide (W_2C+WC) particles by low-pressure CVD.—74-01816A
Nucleation and growth of CVD diamond on magnesium oxide(100) and titanium nitride-magnesium oxide(100) surfaces.—74-04786A
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: effects of substrate pretreatments—correction.—74-04787A
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: II, Effects of deposition conditions.—74-08247A
Nucleation and growth of diamond on a well-defined Si(311) substrate monitored by in vacuo surface analysis.—74-05207A
Nucleation and growth of diamond on cemented carbides by hot-filament chemical vapor deposition.—74-01817A
Nucleation and growth of diamond using a computer-controlled oxyacetylene torch.—74-01818A
Nucleation and mechanisms of diamond in plasma chemical vapor deposition.—74-01819A
Nucleation of diamond on graphitic carbon.—74-05208A
Nucleation of diamond on vapor deposited graphite.—74-00134A
OBIC [optical beam induced current] measurements on planar high voltage *p*+–*n* junctions with diamondlike carbon films as passivation layer.—74-10126A
OES study of plasma processes in dc discharge during diamond film deposition.—74-07176A
Ohmic contacts to epitaxial and natural diamond.—74-08979A
Open-circuit mode drift mobility measurements in DLC films.—74-04377A
Optical and electronic properties of amorphous diamond.—74-10128A
Optical characterization of textured microwave CVD diamond.—74-04381A
Optical emission from a hydrogen-hydrocarbon rf plasma jet stream during diamond film deposition.—74-01821A
Optical emission spectroscopy during growth of diamondlike carbon from a methane plasma.—74-04790A
Optical properties of band-gap-modulated diamondlike carbon thin films.—74-04383A
Optical properties of diamondlike coatings prepared by laser arc.—74-10129A
Optical properties of diamondlike transitional films produced by dc plasma deposition of acetylene.—74-07405A
Optical reflection and angle-resolved light scattering from textured polycrystalline diamond films.—74-10856A

Optical spectra of diamondlike carbon films in the energy region between 1 and 13 eV.—74-10130A
Oriented CVD diamond films—twin formation, structure, and morphology.—74-04172A
Origins of the ductile regime in single-point diamond turning of semiconductors.—74-07407A
p-n junction diode by B-doped diamond heteroepitaxially grown on Si-doped cBN.—74-06250A
Parallel vs diagonal epitaxy models of diamond and c-BN on Si(001).—74-05217A
Passivation of boron acceptor in diamond by atomic hydrogen: molecular orbital linear combination of atomic orbitals simulation and experimental data.—74-04802A
Passivation of carbon fiber by diamond deposition.—74-07410A
Patterned electrical conductance and electrode formation in ion-implanted diamond films.—74-07411A
Patterning of CVD diamond films by seeding and their field emission properties.—74-07412A
Photo-ionization threshold yields for the pulsed laser irradiation of diamond films at 266 nm.—74-10519A
Photoelectric measurement and study of diamondlike carbon thin films.—74-07183A
Photoelectron diffraction analysis of diamond and metal-diamond interfaces.—74-10019A
Photoelectron spectroscopy of CVD diamond.—74-07711A
Photoluminescence and cathodoluminescence studies of semiconducting diamond.—74-00682A
Photothermal examination of the heat diffusion inhomogeneity in diamond films of submicron thickness.—74-04396A
Physical properties of diamondlike nanocomposite films.—74-07184A
Physical properties of the X-ray membrane materials.—74-01563A
Piezoresistive effect of boron-doped diamond thin films.—74-10137A
Plasma CVD apparatus and method therefor.—74-03765P
Plasma diagnosis in dc-biased hot-filament-assisted chemical vapor deposition by double-probe method.—74-10524A
Plasma diagnostics of a direct current arcjet diamond reactor: I, Electrostatic probe analysis.—74-06803A
Plasma jet CVD apparatus for forming diamond films.—74-09534P
Plasma-assisted CVD of diamond films by hollow cathode arc discharge.—74-01835A
Polycrystalline diamond cutting element.—74-04075P
Polycrystalline diamond cutting tool and method of manufacturing the same.—74-04076P
Positive identification of the obligations triangular defect on the (110) faces of vapor-grown diamond.—74-05045A
Positron lifetime investigations of diamond films.—74-04818A
Possible hard materials based on interpenetrating diamondlike networks.—74-07419A
Possible technique for the characterization of diamond films using an ultrasonic resonance technique.—74-09602A
Post-depositional diamond etching.—74-10540A
Potential for diamond fibers and diamond fiber composites.—74-09498A
Precision studies of synthetic diamonds using Kossel's method.—74-04399A
Precursor gas effect on the structure and properties of diamondlike carbon films.—74-07715A
Preferential incorporation of defects in monocrystalline diamond films.—74-01954A
Preparation of diamond films by axial magnetron sputtering of vitreous carbon target.—74-01847A
Preparation of smooth and nanocrystalline diamond films.—74-10568A
Primary reaction processes in the deposition of diamondlike carbon films by photon-enhanced CVD of methane using a windowless hydrogen lamp.—74-04833A
Process and apparatus for producing diamond film—74-01030P
Process and apparatus for production of diamondlike films.—74-04080P
Process for forming protective diamondlike carbon coatings on metallic surfaces.—74-08316P
Process for selectively etching diamond—74-01032P
Process for synthesizing diamond in a vapor phase.—74-09955P
Process for the deposition of diamond films using low energy, mass-selected ion beam deposition.—74-04083P
Production and characterization of dc and hf plasma jet diamond films.—74-10591A
Production of B-SiC buffer layers for CVD diamond thin films by ion implantation.—74-04846A
Properties and stability of diamondlike carbon films related to bonded and unbonded hydrogen.—74-10023A
Properties and texture of B-doped diamond films as thermal sensors.—74-09015A
Properties of bulk polycrystalline CVD diamond.—74-04400A
Properties of diamond films prepared from methane by arc-discharge plasma jet CVD.—74-04401A
Properties of diamondlike carbon layers deposited onto SiO_2 aerogel.—74-04019A
Properties of ultrafine diamond clusters from detonation synthesis.—74-04852A
Quasi-equilibria of gaseous species in the C-H system.—74-04198A
Radiation damage and electrical properties of ion-implanted chemically vapor deposited diamond.—74-10147A
Raman analysis of the modifications induced by laser processing and hydrogen implantation in carbon films deposited by the ablation technique.—74-04858A
Raman and X-ray studies of polycrystalline CVD diamond films.—74-07725A
Raman modes of 6H polytype of SiC of ultrahigh pressures—a comparison with Si and diamond.—74-06284A
Reaction between diamond and titanium for ohmic contact and metallization adhesion layers.—74-06286A
Reactive ion etching of diamond and diamondlike carbon films.—74-05316A
Real-time spectroscopic ellipsometry studies of diamond film growth by microwave plasma-enhanced chemical vapor deposition.—74-03861A
Real-time, in situ photoelectron emission microscopy observation of CVD diamond oxidation and dissolution on molybdenum.—74-04866A
Reality of doping by boron implantation of CVD polycrystalline diamond from a comparison of Raman and electrical measurements.—74-04867A
Recent results on the deposition of diamond thin films by arcjet plasmas and diagnostic measurements of the plasma-surface region.—74-10607A
Recovery process of photochromism of *H2* and *H3* centers in diamond.—74-10149A
Rectifying diodes with a metal/intrinsic semiconductor/semiconductor structure using polycrystalline diamond films.—74-08768A
Reflection electron microscope and scanning tunneling microscope observations of CVD diamond (001) surfaces.—74-10873A
Removal of nondiamond carbon from the surface of CVD diamond films.—74-07463A
Research and development in the field of diamond films in Russia.—74-01302A
Review of the tribology of diamondlike carbon [DLC].—74-02194A
Rf PACVD diamondlike carbon coatings on insulating objects.—74-02858A
Rf plasma jet applied to diamond, glassy carbon, and silicon carbide film synthesis.—74-10612A
Rf plasma-assisted chemical vapor deposition of diamondlike carbon films on complex geometries.—74-01870A
Role of accelerated electrons in diamond formation processes during electron-assisted chemical vapor deposition.—74-04872A
Role of nucleation step in the growth rate of diamond films.—74-04875A
Room-temperature deposition of diamondlike carbon films by the microwave plasma jet method.—74-04877A
Rotating dc discharge for diamond deposition.—74-01873A
Scanning laser microscopy as a tool for the in situ investigation of diamond growth.—74-03866A
Scanning tunneling microscopy morphological study of the first stages of growth of microwave chemical vapor deposition thin diamond films.—74-02042A
Scanning tunneling microscopy of diamond irradiated with high-energy ions.—74-05240A
Search for diffusion of Li implants in natural and polycrystalline CVD diamond.—74-04880A
Selective growth of diamond using an iron catalyst.—74-04881A
Self-propagating high-temperature synthesis: a new method for the production of diamond containing materials.—74-01878A
Self-supporting diamond filaments.—74-02423P
Service properties of cutting tools hardened with a diamondlike coating.—74-08271A
Setup for testing superhard materials under dynamic loading over a wide temperature range.—74-01102A
Shift of the frequency and Stokes-antiStokes ratio of Raman spectra from diamond powders.—74-07746A
Simulation of electron-scattering properties of diamond membranes in X-ray mask fabrication.—74-04419A
Sintering of ultrafine diamond particles under high temperature and high pressure.—74-05246A
Soft X-ray emission study of HFCVD diamond films.—74-05248A
Solar-induced chemical vapor deposition of diamond-type carbon films—74-01339P
Solid state ionic polishing of diamond.—74-09544P
Solubility and wettability of diamonds by metal melting in the range of their thermodynamic stability.—74-03870A
Space-charge-limited current flow and trap density in undoped diamond films.—74-10155A
Spectral hole burning study of a neutron-irradiated type IaB natural diamond.—74-05249A
Spectral response of the photoconductivity of polycrystalline chemically vapor deposited diamond films.—74-04425A
Spectroscopic analysis and chemical kinetics modeling of a diamond deposition plasma reactor.—74-04908A
Spectroscopic and selected mechanical properties of diamondlike carbon films synthesized by broad-beam ion deposition from methane.—74-04909A
Spectroscopic ellipsometry measurements of the diamond-crystalline Si interface in chemically vapor deposited polycrystalline diamond films.—74-10030A
Stability and reconstruction of diamond {100) and {111) surfaces.—74-05253A
Stabilization of diamond relative to different substrate-carbon carbon interfaces: a nucleation model for CVD diamond growth based on a charge transfer consideration.—74-05254A
STM nanometric study of the initial stages of diamond film growth—quantitative measurement of {111} and {100} surface roughness.—74-05258A
Strain effect on the mechanical properties of diamond and cBN at high temperatures.—74-02203A
Stress relief behavior of diamondlike carbon films on glasses.—74-01894A
Stresses in diamondlike carbon films.—74-05259A
Structural characterization and properties enhancement of diamondlike carbon films synthesized under low-energy Ne^+ bombardment.—74-07754A
Structural characterization of diamond films grown epitaxially on silicon.—74-05262A
Structural investigation of low-energy ion-beam-assisted diamondlike films.—74-10032A
Structure and creation conditions of complex nitrogen-nickel defects in synthetic diamonds.—74-04918A
Structure and creation conditions of complex nitrogen-nickel defects in synthetic diamonds.—74-07585A
Structure origins of diffraction pattern features of diamondlike films.—74-10036A
Study of an Ar-CH_4-H_2 microwave postdischarge under diamond deposition conditions—correlations between analysis performed in the gas phase and in carbon thin films.—74-05279A
Study of the plasma discharges in diamond deposition with different O_2 concentrations.—74-04924A
Study of the plasma discharges in diamond deposition with different O_2 concentrations.—74-07497A
Superconducting critical fields of diamondlike films containing tungsten.—74-03590A
Superconducting films on diamond by pulsed laser deposition.—74-03593A
Superheating around diamonds in the directly heated high-pressure–high-temperature diamond growth cell.—74-04927A
Superpolishing of diamond.—74-10658A
Supersonic dc-arcjet synthesis of diamond.—74-10659A
Suppression of graphite formation during laser etching of diamond—74-01033P
Surface preparation for diamond deposition on molybdenum substrates by secondary ion mass spectroscopy.—74-08280A
Surface-sensitive characterization of diamond by ionization electron energy loss spectroscopy.—74-10898A
Synchrotron spike topography of natural type Ia diamond.—74-01468A
Synthesis and infrared absorption characteristics of boron-doped semiconducting diamond thin films.—74-07508A
Synthesis of diamond using iron catalyst by rf plasma chemical vapor deposition.—74-10678A
Synthesis of nanoscale materials using detonation of solid explosives.—74-01910A
Synthetic diamond coated electrodes and filaments—74-01340P
Synthetic diamond-based detector of ionized radiation.—74-04950A
Systematic investigation of plasma emission spectra during microwave diamond deposition from CH_4-CO_2 and C_2H_2-CO_2 gas mixtures.—74-01915A
Temperature distributions in a heat dissipation system using a cylindrical diamond heat spreader on a copper heat sink.—74-02399A
Temperature measurement of atomic hydrogen produced by hot-filament dissociation in a CH_4-H_2 mixture.—74-10694A
Temporally resolved response of a natural type IIA diamond detector to single particle excitation.—74-10166A
Theoretical aspects for low-pressure diamond synthesis.—74-07527A
Thermal conductivity and the microstructure of state-of-the-art chemical vapor deposition diamond.—74-09626A
Thermal diffusivities of thin diamond films on silicon.—74-10170A
Thermal diffusivity of diamond films synthesized from methane by arc discharge plasma jet CVD.—74-10171A
Thermal expansion of synthetic diamond single crystals at low temperatures.—74-10172A
Thermal properties of bulk polycrystalline CVD diamond.—74-04447A
Thermal properties of bulk polycrystalline CVD diamond.—74-07192A
Thermochemical computation of the diamond deposition domain.—74-04229A
Thermodynamic approach to the C-H-O deposition diagram in the diamond chemical vapor deposition process.—74-04231A
Thin hydrogenated alpha-C:H films in semiconductor/diamondlike film single-crystal heterostructures.—74-05289A
Thinning and patterning of CVD diamond films by diffusional reaction.—74-10749A
Time-dependent perturbed angular distribution studies of chemical vapor deposited diamond.—74-04966A
Topographic methods for studying defects in diamonds.—74-01957A
Topology of synthetic, boron-doped diamond by scanning tunneling microscopy.—74-05292A
Trap distribution in thin diamondlike carbon films.—74-05059A
Trap states elucidated by ac conductance measurement in polycrystalline chemically vapor deposited diamond films.—74-10175A
Trapping of hydrogen in diamond.—74-10709A
Trends and market perspectives for CVD diamond.—74-05432A
Tribological behavior of diamondlike carbon coatings at high rates of sliding.—74-11121A
Tribological properties of diamondlike carbon and related materials.—74-11123A
Triboscopy: a new quantitative tool for microtribology.—74-01002A
Trimethylboron doping of CVD diamond thin films.—74-04972A
Type IIb diamond thin films deposited onto near-colorless natural gem diamonds.—74-01307A
Ultra-hard abrasive particles.—74-07979P
Uniform diamond coatings in 4-in. Si wafers.—74-10713A
Uv laser processing of diamond films: effects of irradiation conditions on the properties of laser-treated diamond film surfaces.—74-01927A
Vacancy complexes in diamond.—74-01958A
Valence band photoelectron spectroscopy and structural morphology of nitrogen and boron-containing MPACVD diamond films.—74-05294A

Variation of the Raman diamond lineshape with crystallographic orientation of isolated chemical vapor deposited diamond crystals.—74-10050A
Very low resistivity Al-Si ohmic contacts to boron-doped polycrystalline diamond films.—74-04976A
Vibrational study of the adsorption and desorption of hydrogen on polycrystalline diamond.—74-10178A
Wear behavior of various diamond-coated cutting tools under different deposition conditions.—74-11126A
Wear testing of CVD diamond films.—74-05399A
Wetting and bonding of diamond films by high-melting-point metals in the range of diamond thermodynamic stability.—74-05660A
Worldwide status of low-temperature growth of diamond.—74-04983A
X-ray diffraction imaging of manmade and natural diamond.—74-01488A
X-ray photoelectron spectroscopy study of the surface layers between diamond crystallites and silicon substrate deposited by microwave plasma-assisted chemical vapor deposition.—74-10051A
X-ray study of the interface layer between low-temperature-deposited diamond film and the silicon substrate.—74-10052A
Young's modulus and Poisson's ratio of CVD diamond.—74-11132A

diaphragm,
Ceramics and PTOF (pulse time of flight) microwave push level measurement reliability.—74-01047A

diatomaceous earth,
Synthesis of zeolite A from calcined diatomaceous earth—optimization studies.—74-07521A

diatomite,
Diatomite.—74-06897A
Hydrothermal reaction in diatomite-lime mixtures at ambient temperature to 200°C.—74-07342A
Study on wall materials of diatomite.—74-05600A
X-ray diffraction analysis of the Ni-NiO-diatomite system.—74-10903A

dielectric materials/dielectrics,
Apparatus for drying ceramic structures using dielectric energy.—74-09730P
Application of diamondlike layers as gate dielectric in metal/insulator/semiconductor transistor.—74-02913A
Ceramic dielectric compositions and capacitors produced therefrom.—74-02871P
Ceramics for mobile telecommunication.—74-08728A
Cordierite-type ceramics—dilatometric and dielectric properties.—74-04270A
Deposition of dielectric thin films by irradiation of condensed reactant mixtures.—74-07255A
Dielectric aluminum phosphate thin films.—74-10077A
Dielectric ceramic composite material.—74-08786P
Dielectric ceramic composition and dielectric resonator.—74-02875P
Dielectric ceramic compositions and dielectric resonator.—74-02876P
Dielectric ceramic for microwaves.—74-02877P
Dielectric loss function of Si and SiO_2 from quantitative analysis of REELS spectra.—74-03796A
Dielectric materials.—74-08787P
Glass fiber forming composition, glass fibers obtained from the composition and substrate for circuit board including the glass fibers as reinforcing material.—74-08480P
Hafnium nitride dielectric phase films fabricated by ion-beam sputtering.—74-08753A
High dielectric constant coatings.—74-08794P
High frequency ceramic multilayer substrate.—74-08795P
Infrared sensor for CVD deposition of dielectric films.—74-08755A
Integration of materials and processes for reliable silicon interconnections.—74-06157A
Manufacturing dielectric powders.—74-05949A
Mechanical stress of CVD-dielectrics.—74-00508A
Metallization compositions for Bi and Pb-containing ceramic dielectrics.—74-08309P
Method of preparing a dielectric ceramic composition for producing a dielectric resonator or filter for microwave applications.—74-08806P
Microwave ceramics of high dielectric constant.—74-04754A
Microwave dielectric ceramic composition.—74-08808P
New technique to generate conductive paths in dielectric materials.—74-08761A
Nonreducible dielectric ceramic composition.—74-08811P
Nonreducing dielectric ceramic composition.—74-08810P
Phonon-mediated particle detectors: physics and materials.—74-01092A
Preparation and densification of $BaNd_2Ti_5O_{14}$ dielectric ceramics.—74-00521A
Properties of liquid-phase-deposited SiO_2 films for interlayer dielectrics in ultralarge-scale integrated circuit multilevel interconnections.—74-05952A
Properties of multilayer glass-ceramic dielectrics.—74-08767A
Properties of Na ions in NaZSM-5 zeolite.—74-10143A
Pyrolytic boron nitride heating unit—74-01334P
Quantitative XPS analysis of leached layers on optical glasses.—74-02484A
Silazane-based, heat resistant, dielectric coating compositions.—74-08812P
Storage capacitor with a conducting oxide electrode for metal-oxide dielectrics.—74-08815P
Structural and dielectric properties of perovskite-like rare-earth titanates.—74-04215A
Synthesis and properties of dielectric ceramics from metallorganic precursors through the solid-state reaction of mixed gels.—74-05964A
Synthesis of $BaTi_5O_7$ in molten salts.—74-06443A
Tantalum oxide thin films for dielectric applications by low-pressure chemical vapor deposition.—74-01916A
Thin gate and analog capacitor dielectrics for submicron device fabrication.—74-05967A
Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material.—74-08774A
Waveguide filters having a layered dielectric structure.—74-08818P

dielectric properties,
Ac conductivity of $LaCuO_4$.—74-02820A
Characteristics of lead magnesium niobate thin film prepared by sol-gel processing using a complexing agent.—74-06396A
Characterization and dielectric properties of almandine-pyrope garnet.—74-07147A
Complex impedance analysis of Nb-doped baruium titanate ceramics.—74-08732A
Correlation between breakdown voltage and structural properties of polycrystalline and heteroepitaxial CVD diamond films.—74-02950A
Deposition and dielectric property of ion-beam-assisted bismuth titanate film.—74-08738A
Development and characterization of a high dielectric constant paste based on $BaTiO_3$ for use in thick-film capacitors.—74-08739A
Dielectric and remnant mechanical properties due to cyclic stress in PZT ceramics.—74-08740A
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition—74-00548P
Dielectric ceramic for use in microwave device, a microwave dielectric ceramic resonator dielectric ceramics—74-00549P
Dielectric dispersion of ferroelectric ceramics and single crystals by sound generation in piezoelectric domains.—74-03292A
Dielectric filter—74-00550P
Dielectric materials for high-capacitance, multilayered ceramic condensers.—74-08741A
Dielectric properties and microstructure of barium-modified PLZT materials.—74-09120A
Dielectric properties of $(Ba,Sr)TiO_3$ films by rf sputtering.—74-08742A
Dielectric properties of AlN films prepared by laser-induced chemical vapor deposition.—74-05929A
Dielectric properties of lead perovskites as a function of processing and precursors.—74-04556A
Dielectric properties of perovskite crystals.—74-07151A
Dielectric properties of ruthenium-alumina composite particles.—74-08743A
Dielectric properties of Z5U capacitor based on $BaTiO_3$ modified by relaxor ceramic compounds.—74-02830A
Dielectric, thermal, and optical studies of phase transitions in TlH_2AsO_4 single crystal.—74-04126A
Direct evaluation of domain wall and intrinsic contributions to the dielectric and piezoelectric response and their temperature dependence on lead zirconate titanate ceramics.—74-03295A
Effect of heating rate on the dielectric properties of the [0.9]PMN–[0.1]PT relaxor ceramics.—74-03298A
Effect of high-voltage screening on strength distribution for titanium dioxide ceramics.—74-07864A
Effect of O_2/Ar ratio on the characteristics of rf magnetron sputtered $BaTiO_3$ thin film.—74-08745A
Effect of top metallization on the dielectric and ferroelectric properties of sol-gel-derived PZT thin films.—74-09126A
Effect of ZnO doping on sintering and dielectric properties of $BaTiO_3$.—74-04595A
Effect of ZrO_2 addition on the synthesis and microwave dielectric properties of $Ba_2Ti_9O_{20}$ fabricated by oxalate method.—74-09127A
Effects of La_2O_3/ZrO_2 additives on microstructure and microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ ceramics.—74-02832A
Effects of rare-earth incorporation on the ferroelectric and dielectric properties of sol-gel derived $PbTiO_3$ films.—74-09128A
Effects of silver doping on the reliability of $(Pb_{0.875}Ba_{0.125})$-$[(Mg_{1/3}Nb_{2/3})_{0.5}$-$(Zn_{1/3}Nb_{2/3})_{0.3}Ti_{0.2}]O_3$ relaxor dielectric ceramics.—74-02833A
Electrical and dielectric characteristics of $SrTiO_3$ thin films grown by PE-MOCVD technique.—74-06405A
Electrical and dielectric instability induced by electric field cycling in ferroelectric ceramic actuators.—74-06406A
Electrical dependence of ZnS thin films exposed to H_2O.—74-00485A
Electrode/dielectric strip for high-energy-density capacitor.—74-05935A
Electronic package using closed pore composites—74-00551P
Excitation of surface plasmons on titanium nitride films: determination of the dielectric function.—74-00491A
FDTD simulation of an open-ended metallized ceramic probe for broadband high-temperature dielectric properties measurements.—74-08750A
Formation process and dielectric properties of PMN ceramics in the system $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbZrO_3$-$PbTiO_3$.—74-03308A
High-frequency dielectric relaxation in oxyfluoride perovskite ceramics.—74-04332A
High-temperature dielectric property measurements—an insight into microwave loss mechanisms in engineering ceramics.—74-08754A
Influence of stresses on properties of ferroelectric $BaTiO_3$ thin films.—74-00755A
Interactions between ferroelectric $BaTiO_3$ and Si.—74-03316A
Lattice dynamics and dielectric properties of SiO_2 shistovite.—74-02845A
Light pumping effect on dielectric properties of $Y_3Al_5O_{12}$:Nd crystals.—74-03384A
Low-dielectric-constant polyimide/glass composites.—74-02640A
Mechanism of formation of perovskite phase and dielectric properties of $Pb(Zn,Mg)_{1/3}Nb_{2/3}O_3$ [PZMN] ceramics prepared by columbite precursor routes.—74-03322A
Membrane dielectric isolation IC fabrication.—74-02885P
Microstructural control of bismuth-titanate-based ceramics.—74-05188A
Microstructural developments and dielectric properties of rapid thermally processed PZT thin films derived by metallorganic decomposition.—74-06424A
Microwave characteristics of BaO-TiO_2 ceramics prepared via a citrate route.—74-02850A
Microwave dielectric ceramic composition—74-00744P
Microwave sintering of metal-ceramic and ceramic-ceramic composites.—74-10469A
MLCs—present practices and future trends.—74-08758A
New special ceramic materials of $A_{m-1}Bi_2B_mO_{3m+3}$ type.—74-07175A
Phase relation and microwave dielectric properties of BaO-$(Nd, Sm)_2O_3$-TiO_2 ceramics.—74-08763A
Plasma-enhanced chemical vapor deposition of a-SiC:H films from organosilicon precursors.—74-01837A
Preparation of (Pb,La)TiO_3 thin films by multiple cathode sputtering.—74-09167A
Preparation of ferroelectric $BaTiO_3$ thin film using sol-gel spin coating process.—74-09168A
Preparation of $PbTiO_3$ thin films using metal alkoxide and diethanolamine complexing agent.—74-09170A
Quantum paraelectricity in a perovskite $La_{1/2}Na_{1/2}TiO_3$.—74-05954A
Reexamination of temperature dependence of dielectric constants under high pressure in lead orthovanadate $Pb_3(VO_4)_2$ crystal.—74-00529A
Relation between high-frequency relaxation, ferroelectric properties, and microstructure in ceramics with composition $Ba(Ti_{0.975}Li_{0.025})O_{2.925}F_{0.075}$.—74-03347A
Relationship between electrooptic, vibrational, and dielectric properties in $BaTiO_3$.—74-10150A
Relationships between the material properties of silicon oxide films deposited by electron cyclotron resonance chemical vapor deposition and their use as an indicator of the dielectric constant.—74-00699A
Sintering behavior, dielectric and pyroelectric properties of (Pb, La)TiO_3 ceramics.—74-09176A
Structural and electrical characteristics of ferroelectric PLZT thin film prepared on Pt substrate by sol-gel route.—74-09180A
Structural-property relationships in dielectrophoretically assembled $BaTiO_3$ nanocomposites.—74-05959A
Structure and electric properties of PZT ceramics substituted by La and Nd.—74-08773A
Study of electric properties of heterogeneous copper-containing photochromic glasses.—74-02585A
Synthesis and dielectric properties of a cubic perovskite: $La(Mg_{1/3}Ti_{2/3})O_3$.—74-05962A
Synthesis and dielectric properties of substituted lanthanum aluminate.—74-04437A
Synthesis of PLZT powders via a molecularly modified precursor route.—74-07518A
Time-dependent dielectric breakdown in $BaTiO_3$ thin films.—74-00766A
$YBa_2HfO_{5.5}$: a new perovskite potentially suitable as a substrate for YBCO films.—74-06667A

dies,
Ceramic dies for plastic molding.—74-03955A
Development trend of pressing dies for wall and floor tiles.—74-08532A
Diamond wire die with positioned opening.—74-09914P
Diamond wire die.—74-04048P
Die compaction.—74-01058A
Forming in the RAM mode.—74-09465A
Hydraulic press with 10-axis CNC and multiplaten system.—74-01068A
Multiplaten systems for mechanical presses—hydraulic and pneumatic concepts.—74-00960A
Multiple grained diamond wire die.—74-04071P
Process for densification of powdered ceramics and cermets at temperatures above 1400°C.—74-03770P
Surface engineering advances boost tool and die performance.—74-10661A
Wear resistant die face and method.—74-02426P

differential scanning calorimetry,
DSC and FTIR study of the interaction of γ-MPS with slates.—74-07264A
Effect of calcium segregation on grain growth in nanocrystalline TiO_2.—74-07634A
Precision-controlled cooling of a differential scanning calorimeter (DSC).—74-01093A
Theoretical method for resolving overlapping peaks in differential scanning calorimetry.—74-06825A

differential thermal analysis,
Diopside glass-ceramic by DTA.—74-05675A
Effects of dry grinding on talc and isostructural 2:1 layer silicates.—74-05809A
Tetragonal-monoclinic transformations of zirconia studied by small angle neutron scattering and differential thermal analysis.—74-01476A
TGA and DTA studies of solvent-exchanged gels.—74-10695A

diffraction,
Crystal structure determination from powder diffraction data by Monte Carlo methods.—74-04115A
Diffraction coupled high-power Nd:YAG lasers.—74-08861A
Diffraction grating.—74-04050P
Light-induced diffraction in silicon including interval reflections.—74-06177A
Photoelectron diffraction analysis of diamond and metal-diamond interfaces.—74-10019A
Structure origins of diffraction pattern features of diamondlike films.—74-10036A

diffusion,
Anomalous low-temperature dopant diffusion from in situ doped polycrystalline and epitaxial Si layers into the monocrystalline Si substrate.—74-01616A
Aspects of diffusion in ceramics.—74-07555A
Bolzmann-Matano analysis based model for boron diffusion from polysilicon into single-crystal silicon.—74-01622A
Characterization of clinoptilolite by interaction of H_2S, CO, and SO_2 by the ESR technique.—74-10767A
Conductive diffusion barrier of titanium nitride in ohmic contact with a plurality of doped layers therefor.—74-04042P
Delta-doping in diffusion studies.—74-08853A
Detection of anomalous defect-enhanced diffusion using advanced spreading resistance measurements and analysis.—74-00471A
Determination of the activation energy for oxygen diffusion in PbS films.—74-08856A
Determining the diffusion coefficient of the liquid in the pouring of ceramic slips.—74-06693A
Diffusion and dynamical randomness of the flux flow in high-temperature superconductors.—74-03442A
Diffusion bonding reactions between an SiC/SiC composite and two superalloys during joining by hot isostatic pressing.—74-08164A
Diffusion of lithium in *p*-type ZnSe.—74-00593A
Diffusion processes in solid-phase sintering of simple oxides.—74-04557A
Dislocation-dynamical diffusion [DDD] in crystalline solids.—74-05006A
Effect of grain microstructure of P diffusion in polycrystalline-on-single crystal silicon systems.—74-07562A
Effects of S, Si, or Fe dopants on the diffusion of Zn in InP during MOCVD.—74-06061A
Evaluation of amorphous (Mo, Ta, W)-Si-N diffusion barriers for <Si>Cu metallizations.—74-01942A
Evaluation of the kinetic parameters of the sodium insertion in sodium molybdates by impedance spectroscopy.—74-00490A
Experimental studies on diffusion of liquids in porous glass.—74-10732A
Fast thermal diffusion of Zn into a GaAs/$Al_xGa_{1-x}As$/As heterostructure.—74-08909A
Frequency response analysis by multicomponent diffusion in adsorbents.—74-04650A
Fugitive diffusion barrier for integration of sol-gel-derived lead titanate with oxidized silicon substrates.—74-09144A
Grain boundary diffusion of oxygen in alumina ceramics.—74-10734A
Interface reactions and diffusion in ZnO-$YBa_2Cu_3O_{7-x}$ and Fe_2O_3-$YBa_2Cu_3O_{7-x}$ systems.—74-03501A
Intrinsic diffusion properties of MgO.—74-07573A
Laser-induced chemical vapor deposition of titanium diboride.—74-04728A
Low-temperature limit of bipolar coefficient in superionic conductors with mixed electronic and ionic conduction.—74-02848A
Membrane gas separation principles.—74-07682A
Molecular dynamics studies of yttria-stabilized zirconia: II. Microscopic mechanism of oxygen diffusion.—74-07577A
Morphological instability of a planar oxide-alloy interface for inward oxide growth.—74-02386A
Multicomponent diffusion of Na^+, K^+, and Rb^+ ions in silicate glass-forming melts.—74-05035A
Nitrogen profiles of high-dose, high-temperature plasma source ion-implantation-treated austenitic stainless steel.—74-04781A
Nitrogen redistribution in SiO_2 under ion bombardment.—74-02030A
Nonequilibrium Al-Ga interdiffusion in MOCVD reactor-annealed AlGaAs quantum well heterostructures.—74-06222A
Oxygen diffusion paths and microcrack formation in the textured 1-2-3 regions of partial-melted Y-Ba-Cu-O oxide.—74-06605A
Pb diffusion barrier layers for $PbTiO_3$ thin films deposited on Si substrates by metallorganic chemical vapor deposition.—74-03328A
Penetration of aluminum in TiB_2.—74-07581A
Phase formation and sintering in the process of preparing metal-oxide ceramic $YBa_2Cu_3O_{7-x}$.—74-00831A
Radiation-stimulated diffusion of phosphorus in silicon.—74-03670A
Recombination-induced randon walk diffusion of interstitial carbon in silicon.—74-05047A
Self-diffusion coefficients of sol-gel intermediates.—74-07474A
Short-circuit diffusion of Ba, Sr, and O during ATiO72 (A=Ba, Sr) thin-film growth by the hydrothermal–electrochemical method.—74-07475A
SIMS RBS depth profiling of silver-diffused glass system.—74-06815A
Testing of the high-temperature intermetallic $MoSi_2$.—74-07831A
Thinning and patterning of CVD diamond films by diffusional reaction.—74-10749A
Tracer diffusion of Ag in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$.—74-05057A
Water resistance and ion diffusion in glass materials simulating vitrified radioactive waste.—74-02504A

diffusivity,
Diffusive interaction in the system ZrO_2-Y_2O_3-BaO-CuO.—74-07070A
Electrical conductivity method for measuring the effects of additives on effective diffusivities in portland cement pastes.—74-05514A
Evaluation of thermal interdiffusivity at (Nd-Cu-O)/(Ca-Cu-O) multilayered film interface by X-ray diffractometry.—74-10731A
Surface diffusivity under high-pressure gas.—74-07502A

dilatometers/dilatometry,
Cordierite-type ceramics—dilatometric and dielectric properties.—74-04270A
Dilatometer supported process optimization of sinter HIP consolidation of advanced ceramics.—74-00916A

dinnerware,
Ceramic utensil for microwave cooking.—74-08718P
Cooking appliance having a plate made of a material transparent to thermal radiation and having at least two types of heat sources.—74-08474P

diodes,
Buried heterostructure laser diodes fabricated using in situ processing.—74-02926A
Defect formation of ZnSe bombarded by α particles.—74-04998A
Detailed analysis of coherence collapse in semiconductor lasers.—74-00590A
Diamond-based light-emitting structures.—74-02964A
Diamond/organic LED—74-00738P
Electrooptic measurement and simulation of electric field distribution in GaAs/AlGaAs light emission diode (LED) array.—74-08893A
Fabrication and characterization of silicon field emission diodes and triodes.—74-03014A
Fermi level pinning by various metal Schottky contacts on (100) OMVPE-grown *n*-GaAs.—74-06104A
General diamond Schottky-barrier diode model from locus diagram analysis.—74-03028A
Improved monolithic vacuum field emission diodes.—74-03058A
Monolithic AlGaAs reflection diode optron.—74-00662A
Multicolor, radiation-resistant SiC light-emitting diodes.—74-03122A
Nonlinear gain and the spectral output of short external cavity 1.3 μm InGaAsP semiconductor diode lasers.—74-08971A
p-n junction diode by B-doped diamond heteroepitaxially grown on Si-doped cBN.—74-06250A
Rectifying diodes with a metal/intrinsic semiconductor/semiconductor structure using polycrystalline diamond films.—74-08768A
Silicon vacuum microdiode with on-chip anode.—74-03215A
Spontaneous lifetime and quantum efficiency in light-emitting diodes affected by a close metal mirror.—74-00716A
Submillimeter wave generation and noise in InP diodes.—74-03240A
Theoretical study of dynamics of type-II tunnel diodes.—74-09067A

diopside,
Ceramic body based on diopside.—74-02704A
Crystallization of glasses in the systems $Ca_5[PO_4]_3F$-$CaAl_2Si_2O_8$ and $Ca_5[PO_4]_3F$-$CaMgSi_2O_6$.—74-00191A
Diopside glass-ceramic by DTA.—74-05675A
Diopside glazed tiles fired at low temperature.—74-08535A
Fabrication of ceramic mosaic tile from tremolite and diposide.—74-08546A
Glass-ceramic marble with diopside as crystallization phase.—74-02632A

dipoles,
SHG and magnetic dipole–electric dipole interference in antiferromagnetic Cr_2O_3.—74-09221A

discharge,
Rotating dc discharge for diamond deposition.—74-01873A

disks,
Surface characterization of flexible magnetic disk with scanning probe microscopy.—74-07769A
Valve.—74-09964P
Wear of the magnetic head carbon-overcoated disk interface. A Raman spectroscopy study.—74-11129A

dislocations,
Brittle-ductile transition [BDT] and dislocation mobility in sapphire.—74-05322A
Defect characterization of KTP single crystals.—74-07559A
Dislocation generation mechanisms of $In_xGa_{1-x}As$ ($0 \le x \le 1$) epilayers grown on (100)InP substrates by molecular beam epitaxy.—74-08863A
Dislocation in BBO crystals.—74-10728A
Dislocation nucleation in metal-ceramic interfaces.—74-08165A
Dislocation substructure developed during creep of ceramic solid-solution alloys.—74-07632A
Dislocation-dynamical diffusion [DDD] in crystalline solids.—74-05006A
Dislocation-induced deep level states in $In_{0.08}Ga_{0.92}As$/GaAs heterostructures.—74-06042A
Dislocations and flux pinning in $YBa_2Cu_3O_7$.—74-06514A
Dislocations in as-grown CVD α-silicon nitride.—74-10729A
Dislocations in strained layers—Ge-Si system.—74-06043A
Elementary mechanisms of dislocation movement in combined relief—Peierls barriers and point defects.—74-07565A
Equation of dislocation density evolution and first stage of deformation strengthening of crystals.—74-07872A
Equilibrium position of misfit dislocations at planar interfaces.—74-08184A
Imperfections in $LiTaO_3$ crystal.—74-10735A
Interaction between dislocations and $NiFe_2O_4$ precipitates in an NiO matrix.—74-10823A
Magnetoplastic effect in CsI and LiF crystals.—74-05030A
Mechanisms of strain hardening caused by composition ensembles of forest dislocations and point obstacles.—74-07575A
New mechanism of edge misfit dislocation formation in epitaxial structure.—74-07579A
Role of dynamic processes during low-temperature abrupt deformation of aluminum.—74-07912A
Slip systems in $MoSi_2$.—74-10885A
Spiral growth of GaAs by metallorganic vapor phase epitaxy.—74-07489A
Study of dislocations in ZnSe and ZnS by scanning force microscopy.—74-06336A
Study of dislocations in ZnSe and ZnS by scanning force microscopy.—74-07765A
X-ray studies of misfit dislocations in the interfaces of epitaxial Nb films on sapphire.—74-08297A

disorder,
Changes in the electronic spectrum of $YBa_2Cu_3O_{6.9}$ radiative disordering: ^{89}Y and ^{63}Cu NMR data.—74-09242A
Electrical conduction model for disordered carbons.—74-10986A
Multiple scattering probes of disordered materials.—74-07703A
Structural disorder and thermal dilatation behavior in Cr-doped mullite.—74-10889A
Structure-sensitive features of valence band in disordered silicon.—74-05053A

dispersants/dispersion,
Athermal glasses with special dispersion behavior.—74-02515A
Characterization of dispersing behavior of anatase (TiO_2) aqueous suspensions.—74-04502A
Dielectric dispersion of ferroelectric ceramics and single crystals by sound generation in piezoelectric domains.—74-03292A
Dispersion and consolidation of ultrafine $BaTiO_3$ powder in nonaqueous solutions.—74-01683A
Dispersion and distribution of titanium species bound to silica from $TiCl_4$.—74-09983A
Dispersion of fused silica in an aqueous solvent.—74-04560A
Dispersion of thermooptic coefficients of soda-lime-silica glasses.—74-00254A
Evolution of [highly] dispersed particle ensembles on surface of solids—mechanisms of initial stages of forming thin multicomponent films: I, Conservative systems.—74-07646A
Evolution of [highly] dispersed particle ensembles on surface of solids—mechanisms of initial stages of forming thin multicomponent films: II, Open systems.—74-07305A
Investigation of dispersion processes of sprayed particles by means of torch modulation.—74-09573A
Ion scattering and electron spectroscopic study of the surface coverage of V/Al_2O_3 catalysis.—74-05175A
Joining ODS materials for high-temperature applications.—74-05636A
Lead metaphosphate-based athermal flint glasses with anomalous partial dispersions.—74-02556A
Measurements of refractive indexes and factors affecting dispersion in oxide glasses.—74-02561A
Nanosized metal particles by control of the metal dispersion during sol-gel processing.—74-07398A
Optimized laser particle sizing.—74-09597A
Plasmons in low-dimensional systems.—74-03557A
Polymeric dispersants for ceramic materials.—74-09535P
Redispersion characteristics of water-based magnetic fluids using oleic acid and saturated fatty acid (C_8-C_{11}) system—preparation and redispersion characteristics of water-based magnetic fluid with synthesized magnetite.—74-09219A
Refractive index, average dispersion, and density of boric anhydride in borosilicate glasses with sodium and potassium oxides.—74-02575A
Research on dispersity of α-Al_2O_3 powder in organic solution.—74-07464A
Rheological properties of hydrodispersions of silica with limiting concentration of R_2O-containing electrolytes.—74-02733A
Stability of dispersions of $PbTiO_3$ powders in aqueous and nonaqueous liquids.—74-07490A
Study of kaolin and china stone dispersion characteristics.—74-05833A
Surface study of DWA [dispersing and wetting agent] wetted TiO_2 pigments.—74-03975A
Variation of the dispersion and phase composition of ultradispersed silicon nitride powders in annealing.—74-01929A
Water-based alumina dispersions for tape casting.—74-04980A
Zhang-Rice localization, quasi-particle dispersions and the photoemission of NiO.—74-03263A

display devices,
Plasma-enhanced chemical vapor deposition of amorphous silicon nitride for thin-film diode active matrix liquid crystal displays.—74-04813A
Spectroscopic ellipsometry studies of indium tin oxide and other flat panel display multilayer materials.—74-05250A

disposal,
Disposal of acid resins, investigation of disposal products and their utilization in the cement industry.—74-05490A
Recycling/disposal issues of refractories.—74-08631A

dissolution,
Automated dissolution of minerals and multielement analysis of major, minor, and trace constituents using inductively coupled plasma source atomic emission spectrometry (ICP-AES): application to glasses.—74-09553A
Dissolution of $NiFe_2O_4$ particles in an NiO matrix.—74-10790A
Dissolution of synthetic HAp in the presence of La ions.—74-10274A
Dissolving of baddeleyite-corundum refractories in optical glass melts.—74-03683A
Effects of salt solutions on glass dissolution.—74-05677A
Electrochemical investigation of the dissolution of magnetite in acidic electrolytes.—74-00774A
Formation and dissolution mechanisms of calcium phosphates in aqueous systems.—74-10358A
In situ observation of anodic dissolution process of *n*-GaAs in HCl solution by electrochemical atomic force microscope.—74-06148A
Interactions of oxide-oxidic melts.—74-05861A
Kinetics of the reductive dissolution of $NaBiO_3$ by Ce^{III} and Mn^{II} ions.—74-10005A
Kinetics of zeolite dissolution: IV, Influence of the concentration of silicon in the liquid phase on the kinetics of ZSM-5 dissolution.—74-10433A

Parameters affecting the workability of container glass: II, Influence of dissolved gases and other parameters.—74-05781A
Refining and sand dissolution in the glass-melting process.—74-05787A
Scope of the surface hydroxylation concept in the dissolution process of anhydrous oxides.—74-08106A
Solubility of anhydrous chloride lanthanides in phosphorus oxychloride and phosphorus oxychloride–zinc chloride matrix composition.—74-00215A

distortions,
Observation of a triclinic lattice distortion of $In_xGa_{1-x}As$(100)-oriented epitaxial layers by high-resolution double-crystal XRD.—74-06230A
Ordering of heterovalent solid solution with fluorite structure in $NaF-BaF_2-GdF_3$ system.—74-04171A
Theoretical and experimental study of nonlinear distortion in semiconductor lasers.—74-09065A

distribution,
Angular distribution of sound emission [ADSE] from thin cracks.—74-07837A
Approach to temperature distribution of longitudinal section of annular kiln.—74-01136A

dolomite,
Ceramica Dolomite: Italian and multinational.—74-05406A
Chemical reaction in dolomite-KOH solution systems autoclaved at high temperatures.—74-08005A
Effects of adding rare-earth oxides on the sintering and hydration resistance of dolomite.—74-05507A
Enhancing the whiteness of porcelain ware.—74-02807A
Low-flux hydration-resistant refractory dolomite grains from Egyptian raw materials.—74-00390A
Mechanism of dedolomitization and expansion of dolomitic rocks.—74-00075A
New approach of the reaction between alkalis and dolomite.—74-02726A
Reaction mechanism during firing of glazed tile based on silica-containing dolomite.—74-08576A

domains,
Computer simulation of the dynamics of 180° ferroelectric domains.—74-09114A
Direct evaluation of domain wall and intrinsic contributions to the dielectric and piezoelectric response and their temperature dependence on lead zirconate titanate ceramics.—74-03295A
Domain epitaxial growth on TiN/Si(001), TiN/GaAs(001), Si/TiN/Si(001) heterostructures by laser physical vapor deposition: theory and experiment.—74-07263A
Domain structure in ferroelastic plate with oblique cut.—74-06401A
Extended structural defects in $LiNbO_3$ crystals.—74-07566A
Ferroelectric domains and incommensuration in the intermediate phase region of lead zirconate.—74-06410A
Indirect investigation of ferroelectric domains in fine-grain $BaTiO_3$.—74-03313A
Molecular beam epitaxial growth of single domain ZnSe on Ge.—74-08956A
Nucleation and growth of inversion domains in AlN: I, Study of fundamental processes.—74-02032A
Optical, electron microscopic, and X-ray topographic studies of ferroic domains in barium titanate crystals grown from high-temperature solution.—74-05212A

donors,
Formation of thermal donors in SIMOX method.—74-03023A
Oxygen-intrinsic interstitial atoms system and thermodonor generation in silicon.—74-03146A
Passive films [studied] by capacitance measurements.—74-05951A

dopants/doping,
Accurate determination of shallow doping profiles and interface states for metal-oxide-semiconductor structures from measured capacitance-voltage data.—74-00450A
Aerosol doping of flame-grown diamond films.—74-10186A
Alkaline doped Bi-Pb-(Sb)-Sr-Ca-Cu-O superconducting materials.—74-06480A
Analysis and surface chemistry of silicon nitride powders.—74-05068A
Application of pyrosol deposition process for large-area deposition of fluorine-doped tin dioxide thin films.—74-00569A
Arsenic gas-phase doping of polysilicon.—74-07205A
Characteristics of a plasma doping system for semiconductor device fabrication.—74-03675A
Characterization of Al-doped *n*-type ZnSe prepared under a zinc-rich growth condition by low-pressure organometallic chemical vapor deposition.—74-04501A
Characterization of boron-doped diamond films using (CH_4-CO_2) gas mixtures with $B(OCH_3)_3$ as a dopant source by MPCVD.—74-07221A
Characterization of structure/dopant behavior by electron microscopy.—74-01967A
Characterization of undoped and doped homoepitaxial diamond layers produced by microwave plasma CVD.—74-04261A
Compositional modifications of 10% Pb-doped $Bi_{0.5}Na_{0.5}TiO_3$ for high-temperature dielectrics.—74-05926A
Conversion of intrinsic and extrinsic defects by laser light in PbSe and its solid solutions.—74-02949A
Deep level defects in proton-irradiated Zn-and Cd-doped InP.—74-10726A
Device structure characterization using the comparative capacitance-voltage technique.—74-00475A
Dopant effect of ferroelectric properties of ABO_3 glass-ceramics.—74-02613A
Dopants in flame synthesis of titania.—74-10275A
Doped silicon carbonitride—synthesis, characterization and properties.—74-10276A
Doping and growth of diamondlike carbon films by ion beam deposition.—74-04563A
Doping impurity effect on ferroelectric phase transitions in $PbTe_{1-x}S_x$ and $Pb_{1-x}Ge_xTe$.—74-03297A
Doping of diamond.—74-02968A
Doping of ferrites for high-frequency switching power supplies.—74-03372A
Doping profiles characterization in GaAs semiinsulating substrates using capacitance-voltage, conductance-voltage, and current-voltage measurements.—74-00479A
Effect of dopants on the in situ formation of metal-ceramic microstructures by partial reduction reactions.—74-08171A
Effect of impurities on the ideal tensile strength of covalent crystals—ab initio quantum molecular dynamics calculations.—74-08874A
Electron spin resonance (ESR) study of VO^{2+}-doped germanium dioxide synthesized via the sol-gel process.—74-10322A
Enhanced electrical conductivity of zinc oxide thin films by ion implantation of gallium, aluminum, and boron atoms.—74-08894A
Experimental survey of dopant ions in ZnO—nonlinearity and degradation.—74-06091A
Fabrication and performance of GaAs metal-semiconductor field effect transistors with step-graded striped focused ion beam doping in the channel regions.—74-00615A
Fluorescence line narrowing studies of Eu^{3+}-doped silica gel glasses.—74-08424A
Gallium-containing fluorozirconate glasses.—74-02628A
Grain-boundary behavior in superplastic Mg-doped alumina with yttria codoping.—74-05151A
Improved cathode materials for the solid oxide fuel cell.—74-09786A
Improved gain characteristics in high concentration Er^{3+}/Yb^{3+} codoped glass waveguide amplifiers.—74-08433A
Influences of delta-doping time and spacer thickness on the mobility and two-dimensional electron gas concentration in delta-doped GaAs/InGaAs/GaAs pseudomorphic heterostructures.—74-00641A
Infrared to blue upconversion fluorescence in heavy metal fluoride glass codoped with Tm^{3+} and Yb^{3+} ions.—74-08434A
Injection-level-dependent recombination velocities at the Si-SiO_2 interface for various dopant concentrations.—74-10109A
Ionic conductivity of tetragonal- and cubic-ZrO_2 doped with In_2O_3.—74-01527A
I-V characteristics of structures with GaAs vicinal faces δ-doped with tin.—74-08819A
Measurement of the sheet resistance of doped layers in semiconductors by microwave reflection.—74-00653A
Nitrogen doping in ZnSe by photoassisted metallorganic vapor phase epitaxy.—74-04778A
Observation of an electron gap at E=0.41 eV in InP:Fe by a method of thermally stimulated currents.—74-08973A
Optical and electron spin resonance spectroscopy of Ti^{3+} and Ti^{4+} in Al_2O_3.—74-04380A
Optical properties of CdS- and (Cd, Zn)S-doped sol-gel titania films.—74-07177A
Optical spectroscopy of superconductors—changes of electron structure and electron processes in $YBa_2Cu_3O_{7-\delta}$ when crossing over from underdoping to overdoping.—74-06600A
p-type doping of GaAs by carbon implantation.—74-02902A
Photoinduced doping of thin amorphous WO_3 films.—74-00681A
Preparation and optical properties of Bi_2S_3 microcrystallite doped thin film.—74-09009A
Raman study of ortho-II phase of the $YBa_2Cu_3O_{7-\delta}$ single crystal—role of local oxygen ordering in the doping.—74-09329A
Reality of doping by boron implantation of CVD polycrystalline diamond from a comparison of Raman and electrical measurements.—74-04867A
Recent developments in organically doped sol-gel sensors—a micron-scale probe, successful trapping of purified polyclonal antibodies, solutions to the dopant-leaching problem.—74-09504A
Saturation of ZnS:Ag,Al under cathode-ray excitation.—74-03206A
Silicide growth and oxygen effects in annealed Si thin-film/Ni single-crystal structures.—74-01455A
Silver-doped alkaline earth fluorides—crystal growth and physicochemical processes studied by optical spectroscopy and EPR.—74-10028A
Similarity and dissimilarity of doped fullerenes and oxide superconductors from the viewpoint of electronic structure.—74-00851A
Sintering of doped ZnO powders: relationship between grain growth and sintering stress.—74-07483A
Sintering, crystallization, and properties of B_2O_3/P_2O_5-doped Li_2O-Al_2O_3-$4SiO_2$ glass-ceramics.—74-05789A
Solid source diffusion from agglomerating silicide sources: I, Measurement and modeling.—74-02045A
State of dopant Ni in CdTe.—74-03225A
Structure, morphology, and resistivity of in situ phosphorus-doped polysilicon films.—74-05277A
Study of anomalous dichroism and birefringence in [pure and doped] $SrTiO_3$ crystals.—74-06439A
Study of the dynamic properties of surface- and bulk-located dopant ions on Cr_2O_3 by Mossbauer spectroscopy with a diamagnetic ^{119}Sn probe.—74-06477A
Surface color centers on MgO generated by Mg and alkali-metal doping.—74-10660A
Trimethylboron doping of CVD diamond thin films.—74-04972A
Two-dimensional delineation of semiconductor doping by scanning resistance microscopy.—74-02058A
Two-dimensional doping profiles from experimentally measured one-dimensional secondary ion mass spectroscopy data.—74-02059A
Ultrashallow boxlike profiles fabricated by pulsed ultraviolet-laser doping process.—74-01923A
Ultrashallow-doped film requirements for future technologies.—74-00729A
Variations in the density of states during hole doping of CuO_2.—74-10177A
X-ray structure investigation of monocrystals of gadolinium- and yttrium-scandium-gallium garnets doped with chromium and neodymium ions.—74-03408A
YBCO superconducting ceramics with SnO_2 dopant.—74-03621A

dosimetry,
Uv light effect in α-Al_2O_3:C gamma dosimeters.—74-01128A

drawing,
Cooling of optical fibers during the drawing process.—74-05754A
Method of making thin sheet glass by fusion process.—74-08440A

drilling,
Blast-hole drilling speed with self-propelled rotary drilling rigs SWO-131/60 of Polish constructions.—74-09434A

dry pressing,
Characterization of ceramic dry pressed bodies—measurement techniques and evaluation.—74-09557A
Dependence of compaction efficiency in dry pressing on the particle size distribution.—74-10256A
Friction measurements during dry pressing of ceramics.—74-04652A
Production control during dry pressing operations.—74-00978A

dry processing,
Comparative examination of the upgrading of clays by means of wet and dry preparation.—74-00357A
Indarung plant boosted to 3.24 million tpy.—74-03696A
Influence of dry fine grinding of clays on structure and process technology[—literature review].—74-09475A
Innovative process for the preparation of powders for red and white ceramic tile bodies.—74-09477A
Modernization of Kalyanpur Cement's Banjari plant (India).—74-02340A
Redispersion characteristics of water-based magnetic fluids using oleic acid and saturated fatty acid (C_9-C_{11}) system—preparation and redispersion characteristics of water-based magnetic fluid with synthesized magnetite.—74-09219A

dryers/drying,
Apparatus for drying ceramic structures using dielectric energy.—74-09730P
Apparatus for rapidly drying a wet, porous gel monolith—74-01185P
Approach on process principle of moisture removal under positive pressure in tunnel drying chambers: I.—74-08503A
Approach to process principle of moisture removal under positive pressure in tunnel drying chamber: II.—74-07204A
Computer-aided drying and firing.—74-06845A
Contact angle measurement and its application to sol-gel processing.—74-10239A
Controlled-temperature dryouts of refractory linings.—74-08614A
Cost reductions by clay drying.—74-09444A
Drying and firing: kiln furniture.—74-09653A
Drying and plastic properties of ceramic materials.—74-06899A
Drying behavior of clay minerals.—74-05808A
Drying evolution of wet silica gels.—74-04564A
Drying of plasterboard—some quality aspects.—74-06760A
Fast drying and fast firing of heavy clay products in the "bar dryer and bar kiln."—74-09662A
Fresh options in drying.—74-06702A
From rapid drying by selective infrared radiation of vessel to that of tubes made from technical ceramics.—74-07323A
How to produce tiles: XV, Drying (Pt. V.)—74-00431A
IHI SPG system for blast furnace slag pregrinding.—74-09472A
Improvements in standard oven drying technology.—74-03913A
ITO technology—an alternative to conventional plant construction.—74-09678A
Kinetic model for drying of solids in batch fluidized beds.—74-04722A
Method and apparatus for drying ceramic ware by use of air jets.—74-09732P
Microwave and high-frequency drying and tempering of precast refractory components.—74-00391A
Microwave drying of ceramic tiles and tapes.—74-01163A
Microwave drying of ceramics.—74-10462A
Mystery of air in drying.—74-09693A
Optimized technologies in drying and fast firing of wall tiles.—74-08568A
Successfully drying sanitary ware.—74-05912A
Successfully drying sanitary ware: important considerations.—74-08704A

ductility,
Acoustic emission and microcracking in sapphire, sintered Al_2O_3, Al/Al_2O_3 composite, and aluminum.—74-10944A
Ductile-reinforcement toughening in gamma-TiAl intermetallic-matrix composites: effects on fracture toughness and fatigue crack propagation resistance.—74-05338A
Improvement of tensile ductility in high-purity alumina due to magnesia addition.—74-11023A
Origins of the ductile regime in single-point diamond turning of semiconductors.—74-07407A
Random fractal percolation analysis of ductile fracture.—74-02189A
Strengthening of ductile particle-reinforced brittle matrix composites.—74-02208A

dunite,
Comparative study of two magnesium silicates, dunite and olivine, as agents for elimination of potassium in the blast furnace.—74-08612A

durability,
Advancement in lehr-belt construction.—74-00888A
Durability of hydrated cements containing various Greek pozzolans in aggressive media.—74-08015A
Durability of MSW fly ash concrete.—74-00049A
Effect of limestone dusts on the durability of concrete under sulfate attack.—74-08017A
Factors that determine the durability of fiber cement composites.—74-08029A
Organic color coating for glass containers.—74-00023A
Strength modification of silicophosphatic pellets and spectrum analysis of their phase compositions.—74-01462A
Tableware decoration: product development.—74-00027A
dust,
Advances in the design and evaluation of filter plants.—74-06677A
Analytical advances at PPC Lime: II, Characterization of environmental dusts by X-ray fluorescence spectrometry—a microbead technique.—74-07994A
Disposal of bypass dust.—74-08014A
Dust control meets new operating and environmental challenges.—74-00050A
Dust-free clinker handling.—74-00917A
Effect of stone dust content in sand.—74-05500A
Electrostatic precipitator dust—waste product or useful batch material.—74-03942A
Explosion venting: a practical approach.—74-02235A
Lafarge in major project to cut CKD [cement kiln dust].—74-03944A
Modifications at the St. Mary's Cement Detroit plant.—74-00081A
Problems and controls of particulates in semiconductor manufacturing.—74-09011A
Recycling of cullet and filter dust and its influence on the melting of glass.—74-08452A
Results with a Hurriclon centrifugal separator for dedusting a roller grinding mill.—74-06720A
Rules for estimation of damage in pomiculture caused by the fall-out of dust from cement plant "Wierzbica."—74-08104A
Texture and grindability of the dust component in portland cement clinker.—74-05606A
Troubleshooting a dust collector.—74-08114A
Use of air-cushioned explosion doors for coal dust silos.—74-02792A
Utilization of dusts from electrofilters in cement plants "Wierzbica" and "Wiek" as major component of mixes W-1 and W-2 for the manufacturing of structural elements and mining facings.—74-08119A
dye,
Incorporation and thermal stability of organic dyes in dialkylsiloxane-oxide matrices.—74-10409A
Liquid dyes for decoration of unglazed tiles.—74-08688A
Sol-gel-derived silica films with tailored microstructures for applications requiring organic dyes.—74-10645A
Specific surfaces and heat of adsorption of some Indian clays by dye-adsorption technique.—74-08584A
dynamics,
Dynamics of the photochromic effect in WO_3.—74-02971A
dysprosium,
Ac resistance of HTSC single crystals in the normal state.—74-04245A
Dy_2BaCuO_5 distribution size in melt-textured $DyBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method.—74-06516A
Electrical and magnetic properties of $DyBa_{2-x}Sr_xCu_3O_{7-\delta}$ system [x=0.5 and 1].—74-03454A
Is giant rare earth magnetostriction possible in perovskite structure.—74-03383A
Kinetics and crystallography of the monoclinic (B) to cubic (C) transformation in dysprosia (Dy_2O_3).—74-01404A
London-Silsbee state in magnetically textured $DyBa_2Cu_3O_{7-x}$: filamentary percolation.—74-09296A
Magnetic anisotropy under structural phase transition in $DyBa_2Cu_3O_{6.2}$ single crystals.—74-03512A
Magnetic phase diagram of $DyNi_2Si_2$ with two-dimensionally modulated spin structures.—74-01533A
Magnetic-field-induced spatial spin reorientation of $DyFeO_3$.—74-04353A
Magnetooptical analysis of a $CsDy_{0.93}Eu_{0.07}(MoO_4)_2$ crystal.—74-01538A
Optical properties of dysprosium-doped low-phonon-energy glasses for a potential 1.3 μm optical amplifier.—74-08343A
Phase equilibria in the system Cu_2S-Dy_2S_3.—74-01428A
Raman diffusion and luminescence in pure and Dy-doped silica aerogels.—74-03858A
Spin-orientational phase transitions and magnetic structure of low-2-D noncollinear Ising magnet, $KDy(MoO_4)_2$.—74-09222A
earthenware,
Design and creation [using computers for dinnerware decoration].—74-00013A
Influence of raw material composition and technological conditions on properties of earthenware tiles.—74-08685A
Use of talc in white earthenware "Monoporosaa" tiles.—74-00445A
economics,
Body-in-white materials systems: a life-cycle cost comparison.—74-02222A
Development and current situation of the European brick and tile industry.—74-05412A
Economical and technical competition of imported ceramic raw powders with domestic powders in Japan.—74-11156A
Engineering applications for diamondlike carbon.—74-04014A
Events and trends in metal and mineral commodities.—74-07944A
Getting an energy management system (EMS) up and running.—74-07946A
Globalization of glass: an act of survival.—74-05417A
How the industry fared in 1993.—74-05421A
Improved utility and economics for aluminum nitride.—74-09874A
Large end-fired furnaces with a melting area of 100 m^2 and more.—74-03916A
Modernization of the cement grinding plant at the Kirchbichl works of Perlmooser Zement AG, by installing an MFL pregrinding system.—74-09486A
New departures in building with bricks: plank bricks in Germany.—74-02727A
Quality improvement movement: an overview.—74-11187A
Recycling spent refractory materials at the U.S. Bureau of Mines.—74-08630A
Relation between economy, ecology, and quality assurance in the firing technology for whiteware.—74-05457A
Relationship between economy, ecology, and quality control in whiteware firing technology.—74-00440A
Report of the electrolytic industries for the year 1991.—74-02270A
ROMCIM and French cements in Romania.—74-08102A
Silicon valley, what next.—74-02275A
State of the Hungarian cement industry.—74-08109A
Towards a "green" porcelain enameling industry.—74-00158A
U.S. cement industry: demand and price considerations of profit.—74-05433A
Visit to Kiev[, Ukraine].—74-08603A
education,
Education and the equivalence of academic degrees in the field of ceramics.—74-11157A
efficiency,
Energy-efficient high-temperature application of ceramics through the Best Practice Program.—74-09655A
High-speed crack-off lines for domestic glassware.—74-09470A
Improving line efficiency via hot-end inspection.—74-06707A
Lo-Mass kiln cars for the ceramic industry.—74-09683A
Low-mass kiln cars.—74-09685A
Modeling of the aging of glass furnace regenerators.—74-01164A
Photovoltaic challenge.—74-02257A
efflorescence,
Influences of efflorescence and hydrothermal effects on mechanical properties of masonry brick.—74-02722A
Reducing efflorescence potential.—74-00373A
elastic constants,
Anisotropic thermal expansion and Gruneisen coefficients of the bismuth cuprate 2-2-1-2.—74-06484A
Cement and the elastic constants of concrete.—74-05472A
Elastic constants and Debye temperature of $Y_1Ba_2Cu_3O_x$: effect of oxygen content.—74-00803A
Elastic properties of minerals.—74-07158A
Elastic Young's modulus of plasma-sprayed materials.—74-09566A
Nature of correlation between the elastic constants and glass transition temperature of amorphous polymers.—74-02565A
Nature of the correlation between elastic moduli and temperature of vitrification of amorphous polymers.—74-04770A
elastic properties,
Aeroservoelastic DAP [directionally attached piezoelectric] missile fin development.—74-09106A
Anomalies of elastic properties of $Bi_2Sr_2CaCu_2O_8$.—74-09236A
Dynamic mismatch between bonded dissimilar materials.—74-01507A
Effective elastic modulus of two-phase composites.—74-04288A
Elastic and creep properties of alumina-based single fibers.—74-10984A
Elastic anisotropy in hot-pressed Si_3N_4 composites—role of in situ β-Si_3N_4 grains and added β-Si_3N_4 whiskers.—74-10085A
Elastic characteristics of diamondlike carbon coatings.—74-10086A
Elastic properties of breakaway glass and liquid by Brillouin scattering up to 170°C.—74-02535A
Elastic properties of fractals and dynamics of brittle fracture of solids.—74-04291A
Elastic properties of high-T_c superconductors: elastic systematics in $YBa_2Cu_3O_{7-\delta}$/Ag composites.—74-06531A
Elastic properties of minerals.—74-07158A
Elastic properties of thin polycrystalline diamond films.—74-10087A
Elastic response and effect of transverse cracking in woven fabric brittle matrix composites.—74-05347A
Elastooptical properties of bismuth-containing gallate glasses.—74-02536A
Features of elastic properties of $Ge_xAs_ySe_{1-x-y}$ chalcogenide glasses near topological phase transition.—74-02455A
Fracture strength and dynamic elastic modulus of Ce- and Er-TZP at low temperature.—74-11007A
Indentation fracture toughness and elastic properties of boron-doped silicon carbide.—74-07894A
Interaction between ultrasound and rotating electric field in crystals of various symmetry classes.—74-07084A
Kinetics of interlayer growth and changes in residual elastic strain during annealing of Mo/Si multilayers.—74-02006A
Materials in mechanical design.—74-00949A
Preparation and elastic properties of rf-sputtered amorphous films in the system SiO_2-Y_2O_3.—74-05383A
Quadrupole-strain interaction in rare-earth hexaborides.—74-04403A
Relation between atomic structure and surface-stress anisotropy—calculations for the clean Si(001) surface.—74-06292A
Science and technology in composite materials: VI, 3. Joining of ceramics.—74-08269A
Static and dynamic methods for measurement of elastic properties of structural ceramic materials.—74-01577A
Thermoelastic evolution of contact area and mound temperatures in carbon graphite electrical brushes.—74-09898A
Thermoelastic stress analysis—application to concrete altered by fire.—74-02789A
Ultrasonic characterization of density and elastic properties in Bi-2212 powder compacts.—74-06659A
Ultrasonic study of the temperature and pressure dependence of the elastic properties of fully oxygenated $YBa_2Cu_3O_{6.94}$.—74-06660A
elasticity,
Elastic anomalies in the quasi-1-D compound $CuGeO_3$.—74-08880A
Influence of long-range elastic interactions on the tetragonal-to-orthorhombic phase transition in $YBa_2Cu_3O_x$.—74-06564A
Why covalent ceramics are hard.—74-11131A
electric field,
Analysis of the electric field gradients and the Knight shifts at all Cu and O nuclei in $YBa_2Cu_3O_7$.—74-00783A
Calculation of the electric field in a glassmaking furnace with plane electrodes.—74-03898A
Chaotic current oscillations in the Gunn-effect device under the dc and the rf bias voltages.—74-00464A
Conductivity anisotropy induced by an electric field in CdS crystals.—74-02947A
Effect of an electric field and heat treatment on formation of radiation color centers in quartz glass.—74-02448A
Electric-field dependence of oscillator strengths of Stark ladder transitions in a GaAs/AlAs superlattice.—74-08881A
High-temperature superconducting thin films in strong electric fields.—74-00815A
Influence of an internal electric field in a sample on the secondary electron emission phenomenon.—74-01073A
Light-controlled electric fields in a high-resistance MSM structure with deep impurity levels: I, Low intensities.—74-03086A
Long-wave ir emission in *n*-InSb in strong electric fields.—74-08945A
Numerical analyses of silicon-on-insulator short-channel effects in a radiation environment.—74-03132A
Parameters of electric field gradient tensor at copper sites of $La_{2-x}CuO_4$ lattice.—74-03549A
Phenomenon of filament luminescence for broad contact diode laser (LD) and LD array.—74-06252A
Photoconductivity in ZnSe under high electric fields.—74-06255A
electrical components,
Boron nitride sinter and process for its production—74-01309P
Composite multilayer ceramic structure.—74-08784P
Design of silicon carbide heating elements to provide broad applicability.—74-07019A
Effect of temperature on wear rate of homopolar pulse consolidated electrical brushes.—74-00480A
Glasses for substrates intended for electronics and resultant products.—74-08793P
Industrial ceramics in Japan.—74-02243A
Method for producing ceramic-based electronic components—74-00411P
Method for soldering a ceramic body of an electrical component into a metal housing—74-00172P
Modernization of the electrical equipment at HCB's Rekingen plant (Switzerland, on the Rhine).—74-03710A
Mullite-titanium nitride ceramic composites for electrical discharge machining applications.—74-06985A
Surface mount ceramic filter duplexer having reduced input/output coupling and adjustable high side.—74-09103P
electrical conductance,
Computer simulations aimed at the analysis of the state and evolution of multicomponent systems: II, Binary mechanical mixtures analyzed with conductivity.—74-02826A
Conductance of zeolite single crystals.—74-05927A
Conduction in ion-implanted single-crystal diamond.—74-08843A
Electrical conduction model for disordered carbons.—74-10986A
Model for electrical conduction in metal-ferroelectric-metal thin-film capacitors.—74-02852A
Trap states elucidated by ac conductance measurement in polycrystalline chemically vapor deposited diamond films.—74-10175A
electrical conductivity,
Aluminum nitride—from the powder to the substrate.—74-10190A
Atomic force microscopy studies of contact-electrified charges on silicon oxide film.—74-05980A
Composition and conductivity of electrodeposited Bi-Te alloy films.—74-04266A
Conductivities and densities of Na_2SO_4-$NaVO_3$ melts.—74-00248A
Conductivity of semiconductor phase of $YBa_2Cu_3O_{6+x}$ ($0.26<x<0.38$) in the 2–300 K temperature range.—74-03432A
Contact electrification phenomena and powder surface treatments.—74-01652A
Correlation between T_N and T_c in high-T_c cuprates with 2-D conductivity in CuO_2 planes.—74-03433A
Coulomb blockage in small quantum dots.—74-00470A
Current transport in fluorine-implanted GaAs.—74-01937A
Dc electrical properties of some metal-chalcogenide glassy alloys of the Cu-As-Se system.—74-05709A
Dielectric properties of AlN films prepared by laser-induced chemical vapor deposition.—74-05929A

Effects of temperature on conduction and polarization in portland cement mortar.—74-02323A
Electrical conduction mechanisms in polycrystalline chemically vapor deposited diamond films.—74-10092A
Electrical conduction through anodic oxides on sulfur-passivated InP.—74-06067A
Electrical conductivity and defect structure of calcium-doped lanthanum chromites.—74-00604A
Electrical conductivity and Seebeck coefficient of germanium sulfide and selenide under pressure of 20-50 GPa.—74-06068A
Electrical conductivity and thermopower of gallium phosphide at pressure up to 50 GPa.—74-04299A
Electrical conductivity data of some iron-containing glass-ceramics.—74-05713A
Electrical conductivity method for measuring the effects of additives on effective diffusivities in portland cement pastes.—74-05514A
Electrical conductivity of glasses in the system $CuCl-Cu_2O-(P_2O_5+MoO_3)$.—74-05714A
Electrical conductivity of similarly doped $BaTiO_3$ single crystals and ceramic in the rhombohedral phase.—74-04300A
Electrical properties of new materials belonging to the $Bi_2O_3-CdO-PbF_2$ system.—74-07161A
Electronic characterization of diamond films prepared by electron cyclotron resonance microwave plasma.—74-04612A
Enhanced electrical conductivity of zinc oxide thin films by ion implantation of gallium, aluminum, and boron atoms.—74-08894A
Gamma-irradiation effect on mechanism of low-temperature electrical conductivity in layered InSe crystals.—74-04321A
Heterophase mechanism of emergence of low-temperature peak in real part of high-T_c superconductor conductivity.—74-03479A
Hopping conduction in molecular beam epitaxial GaAs grown at very low temperatures.—74-06139A
In situ detection of electrical conductivity variation of an a-WO_3 thin film during electrochemical reduction and oxidation in $LiClO_4$(M)-PC electrolyte.—74-04334A
In situ, real-time analysis of the growth of ferroelectric and conductive oxide heterostructures by a new time-of-flight pulsed ion beam surface analysis technique.—74-10821A
Industrial applications of conducting polymers.—74-05941A
Lattice electromigration in narrow Al alloy thin-film conductors at low temperatures.—74-02008A
Local temperature distribution and primary melt formation in a melting batch pile.—74-08436A
Measuring the electrical conductivity of high-T_c superconducting oxide ceramics.—74-06582A
Mixed conduction and oxygen permeation of $ZrO_2-Tb_2O_{3.5}-Y_2O_3$ solid solutions.—74-00511A
Mixed conduction in zirconia-based solid solutions.—74-02851A
New technique to generate conductive paths in dielectric materials.—74-08761A
Optimization of electrical conductivity and fracture toughness in Y_2O_3-stabilized ZrO_2 through microstructural designs.—74-10857A
Patterned electrical conductance and electrode formation in ion-implanted diamond films.—74-07411A
Silicides for integrated circuits—$TiSi_2$ and $CoSi_2$.—74-06314A
Study of electrical conductivity [and magnetic properties] of some manganites with perovskite structure.—74-06476A
Study of the *I-V* characteristics of planar-doped-barrier electron emitters.—74-03235A
Temperature dependence analysis of the electron paramagnetic resonance signal and electrical conductivity in a-C and a-C:H.—74-04439A
Temperature dependence of ac hopping conductivity.—74-07191A

electrical conductors,
Coating solutions for forming transparent conductive ceramic coatings, substrates coated with transparent conductive ceramic coatings and process for preparing same, and uses of substrates coated with transparent conductive ceramic coatings.—74-08783P
Conductive chip-type ceramic element and method of manufacture thereof—74-00545P
Conductive copper paste—74-00546P
Conductive paste.—74-02874P
Formation of ruthenium oxide for integrated circuits.—74-02880P
Lead-free thick film paste composition.—74-08799P
Method for deposition of a refractory metal nitride and method for formation of a conductive film containing a refractory metal nitride.—74-08801P
Nonlinear electrical transport in K-TCNQ [potassium tetracyanoquinodimethane] at low temperatures.—74-08762A
Transparent conductors comprising gallium-indium-oxide.—74-08817P

electrical insulation/electrical insulators,
Ceramic-titanium nitride electrostatic chuck.—74-08782P
Computation of thermal stresses in high-voltage insulators by FEA.—74-00469A
Insulating composition.—74-02883P
Insulating substrate for mounting semiconductor devices.—74-08797P
Insulator films on diamonds—74-00553P
Manufacturing method for protective silicon oxynitride film.—74-02884P
Material properties and behavior of electrical porcelain in the temperature range to –80°C.—74-02164A
Modern kiln construction for ceramic high tension insulators: highest efficiency with ecological consideration and quality assurance.—74-01165A
Process for obtaining insulating ceramic inserts by multilayer stacking—74-00558P

electrical properties,
Accurate profiling of ultrashallow implants with mercury gate metal-oxide-semiconductor capacitance-voltage.—74-00451A
Annealing effects on electrical properties of reaction-sintered β+β″-alumina ceramics.—74-07202A
Annealing of lead zirconate titanate (65/35) thin films for ultra-large-scale integration storage dielectric applications: phase transformation and electrical characteristics.—74-02821A
Annealing of low-pressure chemical vapor deposited phosphorus glass films: effect on electrical properties and concentrations of hydrogen-containing species.—74-00455A
Application of ion-assisted electron beam metallization to diamond electronics.—74-00459A
Au/Ge/Ni ohmic contacts to *n*-type InP.—74-02919A
Bismuth-based oxide conductors—novel structural and electrical features.—74-00460A
Ceramic composites based on lanthanum zirconium.—74-02364A
Characterization of a thickness-shear mode quartz resonator with multiple nonpiezoelectric layers.—74-09112A
Comparison of the electric properties of single-crystal and polycrystalline diamond by Hall effect and capacitance-voltage measurements.—74-10069A
Conversion of intrinsic and extrinsic defects by laser light in PbSe and its solid solutions.—74-02949A
Correlation of interface chemistry to electrical properties of metal contacts on diamond.—74-08150A
Correlations between the optical and electrical properties of CdO thin films deposited by spray pyrolysis.—74-07149A
Dc and ac properties of zinc-stabilized NTC materials.—74-04274A
Degradation study of ZnO-based varistors under electrical combined stresses.—74-02959A
Deposition of single phase, homogeneous silicon oxynitride by remote plasma-enhanced chemical vapor deposition, and electrical evaluation in metal-insulator-semiconductor devices.—74-06033A
Device structure characterization using the comparative capacitance-voltage technique.—74-00475A
Diamond films as thermal conductors and electrical insulators applied to semiconductor power modules.—74-04012A
Diamond power transistor performance.—74-06040A
Diamondlike layers as passivation coatings for power bipolar transistors.—74-04277A
Diamondlike nanocomposite [DLN] films—some characteristics and applications.—74-10076A
Dielectric aluminum phosphate thin films.—74-10077A
Dielectric, structural, and microstructural characteristics of tetragonal-structured PLZT relaxors.—74-09122A
Direct electrical control of diamondlike carbon growth by plasma-enhanced CVD.—74-06695A
Doping of diamond.—74-02968A
Doping profiles characterization in GaAs semiinsulating substrates using capacitance-voltage, conductance-voltage, and current-voltage measurements.—74-00479A
Effect of excess and deficiency of PbO on the sintering and electrical properties of PZT.—74-10283A
Effect of moisture adsorption on the electrical properties of hardened portland cement compacts.—74-05498A
Effect of pulsed microwave irradiation on the electrical and magnetic properties of $ErBa_2Cu_2O_x$.—74-03450A
Effect of pyrochlore phase on electric properties for PNN-PT-PZ piezoelectric ceramics.—74-09125A
Effect of silver concentration on electric and magnetic properties of HTS composites $YBa_2Cu_3O_x$-Ag.—74-03452A
Effect of thermal and electrical properties on the addition of Ga_2O_3 to glasses of the $Ag_2O-P_2O_5$-AgI system.—74-05711A
Effects of additives on ZnO varistors.—74-02979A
Effects of cooling profiles on the microstructure development and electrical properties of PTC $BaTiO_3$ ceramics.—74-04597A
Effects of La_2O_3 on sintering and transport properties of $SrZrO_3$-based photonic conductors.—74-02831A
Effects of oxygen on the electrical and electrochemical properties of ion-plated titanium nitride.—74-07157A
Effects of processing on electrical properties of $YBa_2Cu_3O_7$ films: II, In situ deposition processes.—74-00801A
Electric and kinetic properties of screen-printed strontium titanate films at high temperatures.—74-07159A
Electrical and dielectric characteristics of $SrTiO_3$ thin films grown by PE-MOCVD technique.—74-06405A
Electrical and ir characterization of the semiconducting phases of $YBa_2Cu_3O_{6-x}$.—74-09263A
Electrical and mechanical properties in CaF_2/SiC-whisker composites.—74-10985A
Electrical and optical properties of in situ "hydrogen-reduced" titanium dioxide thin films deposited by pulsed excimer laser ablation.—74-07286A
Electrical and optical properties of molybdenum trioxide thin films.—74-10089A
Electrical and optical properties of silicide single crystals and thin films.—74-00483A
Electrical and optical properties of TiO_2 anatase thin films.—74-10090A
Electrical and photoelectrical properties of porous silicon diode structures.—74-00602A
Electrical and structural characterization of GaAs vertical sidewall epilayers grown by atomic layer epitaxy.—74-06064A
Electrical and structural properties of GeMoW ohmic contact to an $In_{0.5}Ga_{0.5}As$ cap layer on *n*-type GaAs.—74-06065A
Electrical and structural properties of thin gold films on glass substrates.—74-01984A
Electrical behavior and breakdown in plasma-deposited cubic-BN layers.—74-04296A
Electrical characteristic frequency dispersion of diamond polycrystalline films.—74-10091A
Electrical characteristics of InP grown by molecular beam epitaxy using a valved phosphorus cracking cell.—74-04297A
Electrical characteristics of zinc sulfide thin films deposited by various methods.—74-06066A
Electrical characterization of defects created in the Si-SiO_2 system by ionizing radiation.—74-05008A
Electrical characterization of laser-induced deposits of aluminum on gallium arsenide.—74-04298A
Electrical properties and compositional distributions of CVT and PVT grown $Hg^1_{-x}Cd_xTe$ epilayers.—74-01511A
Electrical properties of α-hematite humidity sensor investigated by fractional factorial design.—74-04301A
Electrical properties of 3C-SiC/Si heterojunctions.—74-08883A
Electrical properties of a fluorinated polymer-CdS-metal Langmuir film junction.—74-08884A
Electrical properties of amorphous barium titanate films prepared by low power rf sputtering.—74-05933A
Electrical properties of blue/green diode lasers.—74-06069A
Electrical properties of Ca-ß″-alumina-based composites.—74-04302A
Electrical properties of doped barium titanate obtained by sol-gel process.—74-07287A
Electrical properties of He^+ ion-implanted GaInP.—74-02987A
Electrical properties of high-quality diamond films.—74-10095A
Electrical properties of InP-In_2S_3 heterostructures.—74-06071A
Electrical properties of irradiated PbS films.—74-08886A
Electrical properties of manganese-doped titanium dioxide.—74-02835A
Electrical properties of sulfur-passivated and rapidly thermal annealed GaAs metal-oxide-semiconductor structures with the oxide layer grown anodically.—74-06073A
Electrical properties of tape-cast zirconia thin plates with mixing ratios of 3Y-ZrO_2 and 8Y-ZrO_2 powders.—74-10096A
Electrical properties of undoped large-grain and small-grain diamond films.—74-10097A
Electrical properties of ZrO_2-12 mol% Y_2O_3 single crystals.—74-02836A
Electrical transport in *n*-type ZnMgSSe grown by molecular beam epitaxy on GaAs.—74-02989A
Electrical transport properties in garnet solid solutions $(A_3B_2C_3O_{12})$ synthesized by sol-gel methods.—74-03377A
Electrooptic materials by solid-source MOCVD.—74-07296A
Epitaxial aluminum-doped zinc oxide thin films on sapphire: II, Defect equilibria and electrical properties.—74-06083A
Epitaxial CeO_2 growth on Si(111) for SOI.—74-08895A
Epitaxial relationships and electrical properties of $SrTiO_3$ films on various thin fluoride/Si structures.—74-10336A
Evaluation of electrical characteristics on semiconducting ceramics using complex impedance resonance method.—74-08898A
Evaluation of new temperature boron solid planar diffusion sources through *p-n* junction characterization.—74-06087A
Formation of ohmic contacts on semiconducting diamond grown by chemical vapor deposition.—74-03021A
Glow discharge processing to enhance field-emitter array performance.—74-07326A
He/N_2 reactive gas composition and the structural and electrical properties of InN thin films grown on AlN-nucleated (001)sapphire by planar magnetron sputtering.—74-05155A
High-temperature immittance response in anatase-based sensor materials.—74-03048A
Hydrostatic evaluation of 1-3 piezocomposite plate and ring structures.—74-09148A
Impedance spectroscopy analysis of conduction percolation in zirconia.—74-02842A
Improvements on electrical properties of ultrathin silicon oxides grown by microwave afterglow oxygen plasma.—74-10401A
Influence of annealing on the resistance of polycrystalline chemically vapor deposited diamond films—a surface chemical effect.—74-04697A
Influence of calcium addition on the microstructure and electrical properties at room temperature of $BaTiO_3$ for PTC thermistors.—74-06152A
Influence of the microstructure on elevated stability of NTC [negative temp. coeff.] thermistors.—74-08939A
Influence of the microstructure on the electrical properties of ceramics.—74-07667A
Investigation of optical and electrical properties of ZnO ultrafine particle films prepared by direct current gas discharge activated reactive method.—74-06168A
Investigation of the electrical properties of heterogeneous copper-containing photochromic glasses.—74-02552A
Ionic conducting glasses—properties and applications[—review].—74-05724A
Low-temperature electrical transportation behavior of $In_{0.5}Ga_{0.5}P$ grown in GaAs(100) substrate by LPE.—74-08947A
Magnetic and electrical properties of single-crystal FeV_2O_4 films near Curie temperature.—74-03386A
Magnetocapacitance and the edge state of a 2-D electron system in the quantum Hall regime.—74-03098A
Method for producing single crystal diamond film.—74-08804P
Microstructural and electrical investigations before and after crystallization in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10-y}$ glass system.—74-03522A
Microstructural and electrical properties of PZT thin films by sol-gel process.—74-06423A
Microstructure effects in multidipped tin oxide films.—74-10840A

Modification of Al/GaAs(001) Schottky barriers by means of heterovalent interface layers.—74-06211A
Nature of features of electrical properties and optical absorption edge in rare earth and 3*d* transition metal compounds.—74-04371A
Nature of semiconductor-to-metal transition and volume properties of bulk tetrahedral amorphous GaSb and GaSb-Ge semiconductors under high pressure.—74-08962A
NMR study on compensated Si:P.—74-00671A
Nonlinear *I-V* characteristics of the granular $PrBa_2Cu_3O_{7-\delta}$ compound.—74-06597A
Nonlinear current voltage characteristics of Be-doped cubic-BN polycrystals synthesized at high pressure.—74-03129A
Ohmic contacts to *n*-type $In_{0.5}Ga_{0.5}P$.—74-06233A
Open-circuit mode drift mobility measurements in DLC films.—74-04377A
Optical and electric properties of an $Si_{1-x}C_x$:H layers in connection with promising electrophotographic applications.—74-08983A
Optical and electrical properties of $Sc_{0.2}Yb_{0.8}As$ and $Sc_{0.7}Er_{0.8}As$ semimetallic compounds lattice matched to GaAs.—74-00674A
Optical and electrical properties of V_2O_5 thin films.—74-04379A
Optoelectronic and structural properties of polysilicon produced by excimer laser and furnace crystallization of hydrogenated amorphous silicon (a-Si:H).—74-05213A
Phase transitions and ionic conductivity in $TlSbOGeO_4$ ferroelectric [single] crystals.—74-04192A
Photoinduced doping of thin amorphous WO_3 films.—74-00681A
Pinning energies in M.T.G. textured YBaCuO ceramics.—74-03554A
Polarity propagation in InSb/a-Sn-/InSb heterostructure.—74-03173A
Preparation and electrical characteristics of sol-gel ceramics in the PMN-PT system.—74-03338A
Preparation and properties of amorphous TiO_2 thin films by plasma-enhanced chemical vapor deposition.—74-01845A
Preparation and properties of $CuInSe_2$ thin films produced by selenization of cosputtered Cu-In films.—74-06273A
Preparation of ZnO films by reactive evaporation.—74-01853A
Properties and applications of high-temperature superconductors (HTS).—74-00846A
Properties of carbon films deposited by laser ablation.—74-04850A
Properties of iron oxide films grown by pulsed laser deposition.—74-10142A
Properties of radio-frequency magnetron sputtered ITO films without in situ substrate heating and post-deposition annealing.—74-04402A
Properties of the SnO_2-based ceramics.—74-02392A
Pt/Ti/Ge/Pd ohmic contacts to GaAs: a structural, chemical, and electrical investigation.—74-03185A
Pyrolytic powder processing for varistor materials.—74-03186A
Radiation damage and electrical properties of ion-implanted chemically vapor deposited diamond.—74-10147A
Reaction between diamond and titanium for ohmic contact and metallization adhesion layers.—74-06286A
Relation between electrical properties and microstructure of $YBa_2Cu_3O_{7-x}$ thin films deposited by single-target off-axis sputtering.—74-03567A
Schottky barrier study of ion implantation damage in GaAs.—74-06303A
Sensors, actuators, and smart materials.—74-01101A
Shallow trench isolation for ultralarge-scale integrated devices.—74-00708A
Silicate glass films deposited by reactive rf magnetron sputtering: electrical characterization.—74-04891A
Silicon surface electrical properties after low-temperature in situ cleaning using an electron cyclotron resonance plasma.—74-06315A
Sintering and electrical properties of donor-doped barium titanate obtained by sol-gel process.—74-04895A
Size effects and nonlinear phenomena in ferroic ceramics.—74-03348A
Stability of polycrystalline rutile at high temperature.—74-03224A
Structural transitions and proton conduction in nonstoichiometric $A_3B'B_2''O_9$ perovskite-type oxides.—74-10033A
Structural, optical, and electrical properties of pyrolytically deposited thin films of $CuInSe_2$.—74-09052A
Structure and electronic properties of electrochromic films.—74-01583A
Structure of oxygen-doped silicon grown by chemical vapor deposition at low temperature.—74-06333A
Study of the thermal and electrical properties of $BaTiO_3$ PTC thermistors using a theoretical model.—74-06341A
Suppression of acceptor solubilities in $BaTiO_3$ densified in highly reducing atmospheres.—74-04928A
Surface capacitance of a semiconductor with a deep dopant (in the example of *p*-6H-SiC(B)).—74-03242A
Synthesis of $BaTi_4O_9$, $Ba_2Ti_9O_{20}$, and $BaTi_5O_{11}$ compounds by coprecipitation method and their electrical and thermal properties.—74-10677A
Synthetic diamond-based detector of ionized radiation.—74-04950A
TE-TM mode splitter on $LiNbO_3$ using an asymmetric Y-junction with a gap region.—74-03353A
Thermal modeling of zinc oxide varistors; simulation and measurements.—74-06355A
Thermal oxidation behavior and electrical characteristics of silicon depending on the crystal orientation.—74-10042A
Thermal stability of highly Sb-doped molecular beam epitaxy silicon grown at low temperatures—structural and electrical characterization.—74-06356A
Thickness scaling of sputtered PZT films in the 200 nm range for memory applications.—74-06447A
Transfer function analysis to FIT impedance spectra: application to zirconia solid electrolytes.—74-02865A
Transparent conducting ZnO thin films prepared on low-temperature substrates by chemical vapor deposition using $Zn(C_5H_7O_2)_2$.—74-04969A
Trap distribution in thin diamondlike carbon films.—74-05059A

electrical resistance,
Effect of Mo oxide layer on electromigration resistance of Al-Si-Cu/Mo bilayered interconnections.—74-00115A
Electric resistance of graphite heater at high temperatures.—74-10088A
Manufacture and evaluation of highly porous ceramics with adjustable electrical resistance.—74-10438A
Measurement of contact resistance and of the components of the electrical conductivity of anisotropic crystals and films.—74-03833A
Superior quality fuses related to special electrical resistant cement used in bonding its components.—74-00098A
Use of yttrium, tungsten, and niobium oxide for increasing the electrical conductivity of strontium zirconate ceramics.—74-01601A

electrical resistivity,
Carbon fiber-reinforced concrete as an electrical contact material for smart structures.—74-08833A
Deposition of cobalt disilicide thin films by laser ablation of cast targets.—74-07252A
Electrical dependence of ZnS thin films exposed to H_2O.—74-00485A
Electrical resistivities of diamondlike carbon.—74-04303A
Electrical resistivity as a way for the control of glass manufacturing process: II.—74-00295A
Electrical resistivity of carbon and steel microfiber-reinforced cements.—74-05516A
Low resistivity and high mobility tin-doped indium oxide films.—74-06183A
Microstructure and electrical characteristics of sputtered indium tin oxide films.—74-01542A
Microstructure and electrical resistivity of TiN films deposited on heated and negatively biased silicon substrates.—74-00509A
Origin of the inhomogeneity of electrical resistivity in magnetron sputtered indium tin oxide thin films.—74-02854A
Relationship between the process parameters and film properties of low-temperature low-pressure chemical vapor deposition titanium nitride films.—74-00530A
Solid-state gas sensors: a review.—74-00714A
Solution growth of As_2S_3 thin films from a thioacetamide bath.—74-07487A
Studies on the preparation and characterization of chemically deposited Ag_2S films from an acidic bath.—74-04920A
Thin-film cadmium selenide prepared from cadmium oxide by spray pyrolysis.—74-03251A
Transmission electron microscopic study of titanium silicides fabricated by implantation of titanium into silicon and thermal annealing.—74-07782A

electrical resistors,
Electrical device having a bonded ceramic-copper heat transfer medium.—74-02878P
Metal oxynitride resistance films and methods of making the same.—74-03269P

electricity,
All-electric melting furnace for the melting of technical glasses.—74-03893A
Applications of electric boost.—74-09637A
Current progress in electric heating elements for high-temperature use and its effective use.—74-09445A
Effects arising from disturbance in the electric power supply, in production processes in the ceramic sector. Search for solutions.—74-09457A
Electric melting of utility glass production.—74-03905A
Electrical engineering in the cement industry—a contribution to cost effectiveness and environmental protection.—74-00057A
Generating electrical power from the exhaust gases of [cement] rotary kilns.—74-00062A
Influence of divided electric boosting on the distribution of temperatures and on flow of glass in the melting furnace.—74-03697A
Studies of the Society "Electricite de France" on the domain of ceramics.—74-06874A
Ten years of the melting of lead glasses with low-frequency current.—74-02661A

electrocatalysis,
Perovskite anode electrocatalysis for direct methanol fuel cells.—74-00517A

electrochemistry,
Application of high temperature electrochemical techniques to $YBa_2Cu_3O_{7-y}$.—74-00785A
Beneficial aspects of the environmental instability of materials.—74-01621A
Ceramic aerogel fuel cell.—74-08777P
Characterization of LT-$Li_xCo_{1-y}Ni_yO_2$ electrodes for rechargeable lithium cells.—74-05924A
Electrochemical and optical response of dip-coated SnO_2 films.—74-04603A
Electrochemical behavior of FeS_2 cathodes for aluminum secondary cells around 100°C.—74-01985A
Electrochemical behavior of surface zirconium oxides in the presence of some electroactive species.—74-05934A
Electrochemical fabrication of alkoxy-derived nanocrystalline zirconia coatings at room temperature.—74-01699A
Electrochemical processes at interfaces and mixed conductor development.—74-00486A
Electrochemical properties of $NiCl_2$-intercalated and reduced-$NiCl_2$-intercalated graphite.—74-01292A
Electrochemical study of ultrathin silica films supported on a platinum substrate.—74-02838A
Electrochemical synthesis and characterization of $NaCuO_2$.—74-08748A
Electrochemical synthesis and sintering of nanocrystalline cerium(IV) oxide powders.—74-04604A
Electrochemical synthesis of composite films of manganese dioxide and polypyrrole and their properties as an active material in lithium secondary batteries.—74-06971A
Electrochemically prepared precursor for the formation of tantalum carbide.—74-10321A
Electrochemically prepared precursors for the formation of nonoxides.—74-01702A
Electrochemistry and structural chemistry of $LiNiO_2$ ($R\bar{3}m$) for 4-volt secondary lithium cells.—74-01703A
Electroreduction of Fe^{3+}, O_2, and $Fe(CN)_6^{3-}$ at the *n*-pyrite (FeS_2) surface.—74-01514A
High-temperature oxygen transport and electrochemical behavior of $YBa_2Cu_3O_x$.—74-00814A
Localized corrosion—mechanisms and methods.—74-05544A
Materials and concepts for solid-state electrochemical devices.—74-00506A
New electrochemical selenization technique for preparation of metal selenide semiconductor thin films.—74-00669A
Oxynitride glasses in the system Mg-Al-Si-O-N prepared with the aid of an electrochemically derived polymeric precursor.—74-08447A
Photoelectrochemical etching of 6H-SiC.—74-06256A
Photoelectrochemical investigations on particulate films of CdS grown by novel electrochemical method.—74-03161A
Preparation and characterization of $YBa_2Cu_3O_{7-\delta}$ polypyrrole bilayer structures.—74-06615A
Progress in electrometallurgy research and applications.—74-00980A
Stability and characterization of oxygen species in alkali molten carbonate: a thermodynamic and electrochemical approach.—74-01460A
Surface analysis and electrochemistry of MoS_2 thin films prepared by intercalation-exfoliation techniques.—74-07768A
Theoretical study of ordering effects during electrochemical insertion.—74-01477A

electrochromic materials,
Coloration dynamics of spin-coated $MoO_3{\cdot}nH_2O$ electrochromic films fabricated from peroxo-polymolybdate solution.—74-05706A
Electrochromic and photoelectrochemical behavior of thin WO_3 films prepared from quantized colloidal particles.—74-04306A
Electrochromic reactions in manganese oxides: I, Raman analysis.—74-01704A
Laminated electrochromic windows based on nickel oxide, tungsten oxide, and gel electrolytes.—74-05726A
Novel synthetic route to Nb_2O_5 thin films for electrochromic devices.—74-05779A
Structure and electronic properties of electrochromic films.—74-01583A
Transmission spectra of an electrochromic window based on polyaniline, prussian blue and tungsten oxide.—74-05745A

electrochromic properties,
Electrochromic properties of tungsten trioxide thin films prepared by chemical vapor deposition.—74-07288A
Electrochromism of iron oxide films prepared via the sol-gel route by the dip-coating technique.—74-04606A
Nonideal lithium insertion into sputtered thin films of tungsten oxide.—74-01815A
Preparation and characterization of a dip-coated SnO_2 film for transparent electrodes for transmissive electrochromic devices.—74-00311A

electrodeposition,
Effects of thermal and chemical treatments on the composition and structure of electrodeposited $CuInSe_2$ thin films.—74-06063A
Electrochemical study of SiC particle occlusion during nickel electrodeposition.—74-01700A
Electrochemical vapor deposition of CeO_2: kinetics of deposition of a composite, two-layer electrolyte.—74-00487A
Electrodeposited hydroxyapatite coatings on metal implants.—74-07289A
Electrodeposition and characterization of GaAs polycrystalline thin films.—74-02991A
Electrodeposition of $CuInSe_2$ thin films from aqueous citric solutions: I, Influence of potential and mass transfer rate on composition and structure of films.—74-01705A
Electrodeposition of $CuInSe_2$ thin films from aqueous citric solutions: II, Investigation of macrokinetics of electrodeposition by means of rotating disk electrode.—74-01706A
Electrodeposition of NiP amorphous alloys—a multilayer structure.—74-04607A
Electrodeposition of zinc selenide.—74-00116A
Electrolytic codeposition of Ni-γAl_2O_3 thin films.—74-07293A
Fabrication of pure hydroxyapatite and fluoridated-hydroxyapatite coatings by electrocrystallization.—74-07309A
Fabrication of TBCCO films via sequential electrodeposition and coelectrodepostion of thallium-free precursors.—74-06547A
Mechanism of codeposition of silicon carbide with electrolytic cobalt.—74-01233A
New electrochemical method for selenization of stacked CuIn layers and preparation of $CuInSe_2$ by thermal annealing.—74-04772A

electrodes,
Calculation of the electric field in a glassmaking furnace with plane electrodes.—74-03898A
Characterization of sol-gel-derived composite silica carbon electrodes.—74-09857A
Chemical vapor deposition techniques for thin films of solid electrolytes and electrodes.—74-00466A

Composite cathodes for solid oxide fuel cells.—74-02945A
Conductive chip-type ceramic element and method of manufacture thereof—74-00545P
Electrode potential measurements of concrete reinforcement for corrosion evaluation.—74-05517A
Electrodes and battery cells.—74-08788P
Electrodes for $PbZr_xTi_{1-x}O_3$ (PZT) ferroelectric thin films.—74-00750A
Interaction of current carriers with acoustic plasmons is possible origin of high-temperature superconductivity in cuprate metal oxide compounds: I, Electron-plasmon and coulomb interactions in layered metals.—74-03499A
Method for forming an electrode.—74-02887P
Microstructure of epitaxial ferroelectric/metal oxide electrode thin-film heterostructures on $LaAlO_3$ and silicon.—74-09155A
Mixed conduction in an active porous electrode.—74-00512A
Oxygen evolution on Ir-Ru-Sn ternary oxide-coated electrodes in H_2SO_4 solution.—74-01824A
Rotating disk studies in molten carbonates: I, Electrode design.—74-06810A
Science and technology of composite materials: VIII.4, Surface reactions at electrodes in solid oxide fuel cells.—74-08771A
Storage capacitor with a conducting oxide electrode for metal-oxide dielectrics.—74-08815P
Studies of platinum and molybdenum electrodes in molten silicates, borates, and phosphates.—74-05742A

electrodischarge machining,
Eliminating EDM electrolysis electrically.—74-03802A

electroluminescence,
Alternating-current thin-film electroluminescent devices with multiple dielectric layers.—74-04474A
Diamond-based light-emitting structures.—74-02964A
Electroluminescence measurement of ballistic electron distribution on AlGaAs/GaAs heterojunction by bipolar transistor structures with base width modulation.—74-08887A
Electroluminescence of Ho^{3+} ions in a ZnO varistor-type structure.—74-02992A
Extended X-ray absorption fine structure studies of luminescent centers in II-VI thin films.—74-01991A
Measurement of electrophysical properties of silicon carbide epitaxial films.—74-06198A
Progress toward crystalline silicon-based light-emitting diodes.—74-00691A
Quantum-confined Stark shift observed by electroluminescence and circular polarized luminescence excitation spectroscopy in GaAs/AlGaAs coupled quantum wells.—74-04404A
Recombination near an N-*n*-GaSb/GaInAsSb heterojunction.—74-06289A
Shift of the electroluminescence peak in 6H-SiC-based diodes with the forward current density.—74-03212A
Solid- and gas-source "hybrid" Si molecular beam epitaxy for a $Si_{1-x}Ge_x$/Si quantum well electroluminescent device.—74-01892A
Spectral analysis of electroluminescence from SiO_2 under Fowler-Nordheim tunneling conditions.—74-01576A
Temperature and current dependence of the intensity of the edge injection electroluminescence of SiC *p-n* structures.—74-03246A

electroluminescent materials,
Ac electroluminescence of ZnS:Tm.—74-05971A
Temperature and flow modulation doping of manganese in ZnS electroluminescent films by low pressure metallorganic chemical vapor deposition.—74-04953A

electrolysis,
Ceramic-titanium nitride electrostatic chuck.—74-08782P
Composite electrode for electrochemical processing having improved high temperature properties and method for preparation by combustion synthesis.—74-02873P
Developments in physical chemistry and basic principles.—74-07069A
Eliminating EDM electrolysis electrically.—74-03802A
Health and safety precautions in the relining of aluminum electrolysis cells.—74-07949A
Multilayer ceramic capacitor manufacturing process—74-00555P
Synthetic diamond coated electrodes and filaments—74-01340P

electrolytes,
Background electrolyte correction for electrokinetic sonic amplitude measurements.—74-10062A
Ceramic ionic conductors based on stabilized zirconia.—74-08727A
Chemical vapor deposition techniques for thin films of solid electrolytes and electrodes.—74-00466A
Composite electrolytes with special reference to the copper chloride-alumina system.—74-00468A
Electrochemical investigation of the dissolution of magnetite in acidic electrolytes.—74-00774A
Influence of electrolyte on lithium cycling efficiency with pressurized electrode stack.—74-05942A
Ionic injection in solid electrolyte films [SEFs].—74-05947A
Lattice parameters and densitive of rare-earth oxide doped ceria electrolytes.—74-02846A
Material for the metal components of high-temperature fuel cell systems.—74-08800P
New brownmillerite solid electrolytes.—74-00514A
Peculiarities in the low-temperature ion and electron conductivity of solid oxide electrolytes.—74-00516A
Preparation of Li_2O-ZrO_2-P_2O_5-SiO_2 based glassy solid electrolytes by sol-gel process and their ionic conduction.—74-10562A
Processing, sintering behavior, and microstructural characterization of some ceria-gadolinia solid electrolytes.—74-04844A
Proton conductivity and synthesis on solid electrolytes.—74-00524A
Rechargeable $Li_{1+x}Mn_2O_4$/carbon cells with a new electrolyte composition.—74-01301A
Rechargeable Na/Na_xCoO_2 and $Na_{15}Pb_4/Na_xCoO_2$ polymer electrolyte cells.—74-01567A
Report of the electrolytic industries for the year 1991.—74-02270A
Rheological properties of hydrodispersions of silica with limiting concentration of R_2O-containing electrolytes.—74-02733A
Sensitivity of second harmonic generation to space charge effects at Si(111)/electrolyte and Si(111)/SiO_2/electrolyte interfaces.—74-06307A
SOFC [solid oxide fuel cell] design requirements for planar zirconia electrolyte components.—74-00533A
Thin composite solid electrolyte film for lithium batteries.—74-02901P
Transfer function analysis to FIT impedance spectra: application to zirconia solid electrolytes.—74-02865A
What are the major contributions of solid-state ionics to technology in the past and future.—74-00538A

electromagnetic properties,
Apparatus for drying ceramic structures using dielectric energy.—74-09730P
Calculation of the electromagnetic critical state response of high-T_c superconductor tape.—74-09239A
Detection and investigation of the properties of circular vortex rings in current-carrying type II superconductors $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$.—74-06510A
Electromagnetic properties and structure of the $YBa_2Cu_{3-x}Sc_xO_y$ ceramic near $T>T_c$.—74-03455A
Magnetic structure, phase transitions, and propagation of electromagnetic waves in La_2CuO_4.—74-03391A
Nonequilibrium processes induced by microwave field and by supercritical direct current in $YBa_2Cu_3O_{7-x}$.—74-03540A
Nonreciprocal electromagnetic properties of composite chiral-ferrite media.—74-09212A
Numerical models for the sintering of ceramics in a multimode cavity.—74-10503A
Why does the state of agglomeration of iron oxide used in the preparation of (MnZn)Fe_2O_4 powders affect the electromagnetic properties of soft ferrite ceramics.—74-06478A

electromechanical properties,
Anomalous electromechanical behavior of portland cement: electroosmotically induced shape changes.—74-02307A
Electromechanical and dielectric properties of $(Pb_{0.7}Ba_{0.3})(Zr_{1-x}Ti_x)O_3$ ceramics.—74-03301A
Electromechanical properties of ceramics in the (PMW-PT-PZ) system.—74-03302A
Low-frequency electromechanical relaxation in piezoelectric semiconductors.—74-06420A
Low-voltage heatable highly porous ceramic filters.—74-06186A

electromotive force,
Thermo-emf of $YBa_2Cu_4O_8$ under hydrostatic pressure up to 10 kbar.—74-03607A

electron beam,
50 nm GaAs/AlAs wire structures grown on corrugated GaAs.—74-02903A
Carbon doping by a compact electron beam source.—74-02928A
Effect of beam condition in variable-shaped electron-beam direct writing for 0.25 μm and below.—74-01686A
EL-4 column and control.—74-00919A
EL-4, a new generation electron-beam lithography system.—74-00920A
Electron beam lithography for advanced device prototyping: process tool metrology.—74-00921A
Electron spectroscopy for chemical analysis studies on electron-beam-evaporated CuO_x thin films.—74-07295A
Fabrication of ultrafine anisotropic SiO_2 mask by the combination of electron beam lithography and SF_6 reactive ion beam etching using aluminum lift-off technique.—74-07310A
Fabrication parameters for the electron-beam-induced deposition of contamination tips used for atomic force microscopy.—74-10353A
Feasibility of ceramic joining with high-energy electron beams.—74-08191A
Growth and characterization of cubic boron nitride thin films.—74-07328A
Periodic pulse cathodoluminescence of minerals.—74-03849A
Self-assembled monolayer electron beam resists on GaAs and SiO_2.—74-00707A
Study of the Lorentz-Lorentz law and the energy loss of ^4He ions in titanium oxide films.—74-04435A

electron diffraction,
Low-temperature RHEED: a study of $SrTiO_3$ surface (100).—74-03319A

electron energy loss spectroscopy,
Chemisorption of hydrogen on diamond surfaces studied by high-resolution electron energy-loss spectroscopy.—74-05095A

electron microscopy,
Electron microscopy of nanostructured materials.—74-01986A
Measurement of heterojunction band offsets using ballistic electron emission microscopy.—74-06788A
Microstructure investigation on the feature of glass structure.—74-02471A
Reflection electron microscope and scanning tunneling microscope observations of CVD diamond (001) surfaces.—74-10873A

electron paramagnetic resonance,
142 GHz range EPR of transmutation-produced phosphorus impurity in 6HSiC [single crystals].—74-05062A
Electron paramagnetic resonance of silicon carbide technological coatings.—74-04013A
Electron paramagnetic resonance of titanium impurities in reduced yttria-stabilized zirconia.—74-05010A
Electron spin-spin interactions between paramagnetic centers in ceramics as studied by EPR spectroscopy.—74-06765A
EPR of $SrWO_4$-Er^{3+} at hyper-frequency range.—74-03804A

electron probes,
Application of Monte Carlo method to quantitative electron probe microanalysis of silicate glass.—74-05662A

electron spectroscopy,
EELS investigation of Bi_2CuO_4 single crystals.—74-05124A
Electron energy loss study of diamondlike and amorphous carbon films.—74-10098A
Estimation of the bulk composition of fine-grained media from microchemical and backscatter image analysis: application to biscuit wasters from the Bow factory site, London.—74-05452A
Investigation of multilayer SOI structures by electroreflectance spectroscopy.—74-06167A

electron spin resonance,
Electron spin resonance characterization of self-trapped holes in amorphous silicon dioxide.—74-08334A
Electron spin resonance study of defects in CVD-grown 3C-SiC irradiated with 2-MeV protons.—74-05011A
High-T_c superconductor $Y_1Ba_2Cu_3O_{7-\delta}(F_x)$: magnetism and ESR measurements.—74-09284A
High-T_c superconductor $YBa_2Cu_3O_{7-\delta}$—magnetism and ESR measurements.—74-09285A
Influence of vanadium concentration on the ESR linewidth of V^{+4} in rutile.—74-05165A
New ESR spectrum in the Y-Ca-Ba-La-Cu-O high-T_c superconductor system.—74-06594A

electronic conduction,
Electrochemical processes at interfaces and mixed conductor development.—74-00486A
Low-temperature limit of bipolar coefficient in superionic conductors with mixed electronic and ionic conduction.—74-02848A
Temperature dependence of electronic conduction in thin nitrided oxides.—74-10164A

electronic equipment,
Ceramic block filter having nonsymmetrical input and output impedances and combined radio communication apparatus.—74-08778P
Characterization of PECVD $Si_xO_yN_z$:H films and its correlation to device performance and reliability.—74-08838A
Integrated electronic control for pressware lines.—74-06708A
Productivity increases through electronic communication.—74-00315A
ZnO piezoelectric thin films for electronic applications.—74-03355A

electronic packaging,
Ceramic package for housing a semiconductor device.—74-08780P
Ceramic substrates with highly conductive metal vias—74-00543P
Ceramic wall hybrid package with washer and solid metal through wall leads.—74-02872P
Development of a multichip module (MCM) tool box.—74-00472A
Glass-ceramic composite.—74-08792P
Hermetically sealed semiconductor ceramic package.—74-09086P
Mechanical and environmental tests of brazed ceramic multilayer packages.—74-05641A
Method of manufacturing multilayer ceramic electronic component.—74-08805P
Modern day applications of advanced ceramics.—74-01235A

electronic properties,
Comparison between SiO_2 films and nitrided oxides in N_2O ambient in terms of bulk/interface trapping properties.—74-10068A
Electromigration in AlSiCu/TiN/Ti interconnects with Ti and TiN additional layers.—74-06076A
Electronic instability at high fluxflow velocities in HTSC films.—74-06534A
Electronic properties of amorphous carbon (a-C:H).—74-10099A
Electronic properties of an SiC surface of the 15R rhombohedral modification.—74-06080A
Electronic properties of GaAs buffer layers grown by MBE at 360-640°C.—74-08890A
Generation and mobility of electronic charge carriers in $Y_1Ba_2Cu_3O_x$.—74-03469A
Grain boundaries—the functional heart of electronic ceramics.—74-05149A
Group II element chemistry and its role in OMVPE of electronic ceramics.—74-06121A
Growth of $GaAs_{1-x}P_x$/GaAs and $InAs_xP_{1-x}$/InP strained quantum wells for optoelectronic devices by gas-source molecular beam epitaxy.—74-06129A
Impact of various in situ preoxidation process perturbations on gate oxide quality.—74-10917A
Improved electronic properties of diamondlike carbon films by high-pressure post-deposition treatment.—74-04687A
Influence of π-bonded clusters on the electronic properties of diamondlike carbon films.—74-01524A
Low-frequency, high-temperature conductance and capacitance measurements on metal-oxide-silicon carbide capacitors.—74-02847A
Macroscopic electronic behavior and atomic arrangements of GaAs surfaces immersed in HCl solution.—74-06191A
Model of density of states in amorphous Si, C, and SiC from time-of-flight measurement.—74-06209A
Molecular model of solid for the investigation of the electron density distribution in tetrahedral systems.—74-01409A
Optical and electronic properties of amorphous diamond.—74-10128A
Refractory kiln furniture for the electronic industry.—74-05875A
Roles of several E' variants in thermal gate oxide reliability.—74-09028A

Small semiconductor clusters and fullerenes: structural and electronic properties from ab initio molecular dynamics.—74-01573A
Structural and electronic properties of an organic/inorganic semiconductor interface—PTCDA/GaAs(100).—74-07753A
Structural and electronic properties of an organic/inorganic semiconductor interface—PTCDA/GaAs(110).—74-06330A
Structural, optical, and electronic properties of wide band gap amorphous carbon-silicon alloys.—74-10160A

electronic structure,
Ab initio calculations of the multiplet terms of $(TmP_4)^{3+}$ cluster.—74-00563A
Aluminum on Si(100)—growth and structure of the first layer.—74-05973A
Aluminum on Si(100)—growth and structure of the first layer.—74-05974A
Analysis of the electric field gradients and the Knight shifts at all Cu and O nuclei in $YBa_2Cu_3O_7$.—74-00783A
Angle-resolved photoemission of diamond(111) and (100) surfaces—negative electron affinity and band structure measurements.—74-07591A
Angle-resolved photoemission of diamond(111) and (100) surfaces—negative electron affinity and band structure measurements.—74-07592A
Characterization of electronic interfacial states at grain boundaries—transient capacity response method and molecular orbital calculation.—74-10769A
Chemistry and electronic structure of the H_2 plasma passivated surface of CdTe.—74-08840A
Combined scanning tunneling microscopy/spectroscopy study on the surface electronic structure of GaAs(100) with spatially resolved scanning tunneling spectroscopy spectra.—74-06744A
Comparison of quantum confinement effects on the electronic spectra of direct and indirect gap semiconductor nanocrystals.—74-08842A
Effect of impurity substitution on the electron energy spectra of cubic silicon carbide.—74-02975A
Electronic and crystallographic structure of α-alumina thin films.—74-07641A
Electronic structural changes in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ single crystals due to Pr *4f* states.—74-05137A
Electronic structure and work function study of a model dispenser cathode surface.—74-07642A
Electronic structure model for single B, C, or N adatoms upon graphite.—74-09989A
Electronic structure of carbon nitride.—74-10799A
Electronic structure of CrO_2 ferromagnetic phase—LAPW calculation.—74-07162A
Electronic structure of insulating $YBa_2Cu_3O_{6+x}$: from Mott-Hubbard insulator to Fermi glass via oxygen doping.—74-00805A
Electronic structure of La_2CuO_4.—74-00806A
Electronic structure of MBE grown InAs(110).—74-00610A
Electronic structure of NiAs-type MnTe studied by photoemission and inverse-photoemission spectroscopies.—74-08891A
Electronic structure of one-dimensional (1-D), 2-D, and 3-D silicon clusters.—74-01989A
Electronic structure of SiC-TiC interfaces.—74-09990A
Electronic structures of Ti and V oxides: calculation of valence photoemission and bremsstrahlung isochromat spectra.—74-01228A
Elementary distribution at grain boundaries—approach by electron spectroscopy and non-equilibrium thermodynamics.—74-09991A
Geometric aspects of low-energy metal-ceramic interphase boundaries.—74-08200A
Influence of surface treatment on the electronic structure of CVD diamond films.—74-04706A
Investigation about the incorporation of hydrogen into amorphous carbon.—74-07356A
Linear finite carbon chains (carbynes): their role during dynamic transformation of graphite to diamond, and their geometric and electronic structure.—74-04732A
Optical spectroscopy of superconductors—changes of electron structure and electron processes in $YBa_2Cu_3O_{7-\delta}$ when crossing over from underdoping to overdoping.—74-06600A
Parallel pumping fine structure at 9.4 GHz for in-plane magnetized yttrium iron garnet thin films.—74-03396A
Photoelectron spectroscopy of CVD diamond.—74-07711A
Poling's law and superconductivity.—74-00838A
Possible hard materials based on interpenetrating diamondlike networks.—74-07419A
Surface composition and electronic structure of zeolites using X-ray photoelectron spectroscopy.—74-10039A
Vortex lattice symmetry and electronic structure in $YBa_2Cu_3O_7$.—74-09360A
X-ray spectra and electronic structures of CuS and Cu_2S.—74-05298A

electronics,
Accelerated life testing of electronic devices by atmospheric particles: why and how.—74-01034A
Advanced ceramics take the heat.—74-06838A
Applications of ferroelectric ceramics in optics and electronics.—74-03285A
Bulb making in the electronic age.—74-00897A
High-power electronics.—74-00631A
Kiln furniture for sintering electronic ceramics.—74-09680A
Kiln furniture for the sanitary ware, electrical porcelain, and electronic industries.—74-09681A
Powers/LumenX agreement leads to product innovations.—74-06716A
Smart/intelligent sensors.—74-09041A
Sol-gel lifts electronics market.—74-05790A
Sol-gel processing of materials for electronic and related applications.—74-06726A

electrons,
Calculation of electron structure of talc by semiempirical methods of quantum chemistry.—74-07599A
Collapse of the Hartree term of the coulomb interaction of a very dilute 2-D electron gas.—74-06007A
Dose dependence of the intensity of the green luminescence of CdS single crystals bombarded with electrons at E=1.2 MeV.—74-08865A
Effect of electron irradiation on the peak effect in $YBa_2Cu_3O_x$ single crystals.—74-03447A
Effect of phonon drag of electrons on thermoelectric and thermomagnetic effects in HgSe:Fe.—74-06054A
Electron crystal chemistry of metals and intermetallic compounds.—74-07076A
Electron density in a $YBa_2Cu_3O_7$ crystal upon displacement of Ba^{2+} by a rare-earth ion (R^{3+}).—74-06532A
Inelastic electron scattering in HgSe:Fe crystals.—74-08937A
Metastable transition of E12 in GaAs—the electron-phonon coupling channel.—74-03107A
Model for the interaction of electron waves with heterojunctions in GaAs/AlAs(001).—74-08955A
Nanometer metal oxide semiconductor field effect transistor structures for studying electron transport.—74-06218A
New metastable center in electron-bombarded GaAs.—74-06221A
Possibility of using radiation at [electron] channeling in study of multicomponent crystals.—74-04197A
Profile of the E3 electron trap in GaAs.—74-03183A
Roles of several E' variants in thermal gate oxide reliability.—74-09028A
Scanning probe microscopy study of layered dichalcogenide ReS_2.—74-10880A
Space-time observation of an electron gas in SiO_2.—74-06820A
Superconductivity of weakly correlated electrons in 2-D Hubbard lattice.—74-03597A
Ultrafast coherent generation of hot electrons studied via band-to-acceptor luminescence in GaAs.—74-06368A
Unoccupied electron states and determination of the electron affinity of PbS(100) by inverse photoemission spectroscopy.—74-00732A
Unsteady nonuniform states of nonequilibrium electrons and magnons in ferromagnetic semiconductors.—74-03259A

electrooptic properties,
Electrooptic measurement and simulation of electric field distribution in GaAs/AlGaAs light emission diode (LED) array.—74-08893A
Intensity-dependent photorefractive properties in an *n*-type $BaTiO_3$.—74-03068A
$LiNbO_3$—a paradigm for photorefractive materials.—74-06419A
Preparation and properties of calcined PLZT powders.—74-03723A
Relationship between electrooptic, vibrational, and dielectric properties in $BaTiO_3$.—74-10150A
Temperature modulation of the electrooptic effect in $BaTiO_3$ and $LiNbO_3$—a theoretical approach.—74-09184A

electrophoresis,
Background electrolyte correction for electrokinetic sonic amplitude measurements.—74-10062A
Critical current in electrophoretically deposited thick films of YBCO superconductor.—74-00792A
Electrophoresis process for preparation of ceramic fibers—74-01017P
Electrophoretic ceria coating effect on high-temperature corrosion of the F17T stainless steel.—74-08181A
Electrophoretic deposition and reactive strengthening of a bioglass-ceramic containing fluorapatite onto titanium implants.—74-00117A
Electrophoretic deposition of aluminum nitride.—74-04614A
Electrophoretic shaping of aluminum nitride.—74-10326A
Manufacture of woven fiber ceramic matrix composites using electrophoretic deposition.—74-02381A
Preparation of sol-gel coatings by electrophoretic deposition.—74-10569A

electrophysical properties,
Effect of nanosecond laser heating on the phase composition and electrophysical characteristics of Ti-Si thin-film systems.—74-04284A
Electroconductive ceramics based on cerium and indium oxides and their behavior in various gaseous media.—74-02990A
Electromigration kinetics of gold on a carbon thin film surface studied by scanning tunneling microscopy and scanning tunneling potentiometry.—74-07639A
Electrophysical properties of a porous silicon carbide ceramic.—74-01512A
Low-temperature creep in piezoelectric ceramics.—74-03318A
Structure and electrophysical properties of hot-pressed ceramic materials from the Si_3N_4-SiC system: III, Influence of electromagnetic and thermal fields on the electrophysical properties.—74-04431A
Structure and electrophysical properties of hot-pressed ceramic materials in the Si_3N_4-SiC system: I, Structure formation and phase composition.—74-04218A
Theoretical study of electronic structure and electrophysical properties of samarium monosulfide.—74-04443A

electrostatic processes,
Electrostatic stabilization of aqueous alumina suspensions by substituted phenols.—74-04615A
Micromachined array of electrostatic energy analyzers for charged particles.—74-03836A
Particle size effect on the properties of electrostatic powders.—74-00969A

electrostatic separation,
Electrostatic precipitator dust—waste product or useful batch material.—74-03942A
Electrostatic precipitator performance improvement through numerical simulation.—74-02754A
Plant tour 2—Holnam Seattle plant.—74-03721A
Pollution control idea whose time has come.—74-02346A

electrostatic spraying,
Introduction to enameling technology (electrostatic powder coating) by powdery raw materials.—74-08223A

ellipsometry,
Determination of molecular beam epitaxial growth parameters by ellipsometry.—74-03795A
Ellipsometric monitoring and control of the rapid thermal oxidation of silicon.—74-01061A
High-speed spectral ellipsometry for in situ diagnostics and process control.—74-06774A
High-speed spectral ellipsometry for in situ diagnostics and process control.—74-06775A
In situ annealing studies of sol-gel ferroelectric thin films by spectroscopic ellipsometry.—74-06415A
In situ ellipsometric control of $Si_{1-x}Ge_x/Si$ heterostructures grown by chemical beam epitaxy.—74-04689A
In situ spectroscopic ellipsometry studies of interfaces of thin films deposited by PECVD.—74-05163A
Intelligent model-based control system employing in situ ellipsometry.—74-03827A
Measurement of GaAs temperature-dependent optical constants by spectroscopic ellipsometry.—74-03100A
Real-time spectroscopic ellipsometry studies of diamond film growth by microwave plasma-enhanced chemical vapor deposition.—74-03861A
Si/SiO_2 interface studies by spectroscopic immersion ellipsometry and atomic force microscopy.—74-06312A

embrittlement,
Oxidation embrittlement probe for ceramic matrix composites.—74-06801A

emission,
Atmosphere protection of the glass industry and its relation to the new legislation.—74-02220A
Atom probe analysis and field emission studies of silicon.—74-05073A
Development of an advanced, low-emissions, multifuel oxygen burner.—74-09650A
Dry scrubbing technologies for control of emissions from ceramic kilns.—74-09652A
Edmeston emission control system for glass furnace emission.—74-01149A
Electrostatic precipitator performance improvement through numerical simulation.—74-02754A
Emission issues relative to the development of environmental compliance regulations for glass furnaces.—74-11158A
Emission measurement in the ceramic industry.—74-03907A
Emission studies of the plume produced during $YBa_2Cu_3O_7$ film production by laser ablation.—74-03458A
Energy distribution of tunneling emission from Si-gate metal-oxide-semiconductor cathode.—74-03000A
Evaluation of fluoride emissions methods for use at ceramic tile kilns.—74-11161A
Fluoride emission of ceramic products.—74-06851A
Glassmakers face new emissions concerns.—74-05767A
Hercules—a garden factory in a city environmental.—74-05419A
How to control emissions on a container melter through oxy-fuel firing.—74-06856A
How to measure and process environmentally relevant data.—74-11165A
How to reduce air pollution caused by brick manufacture.—74-05812A
$^4I_{13/2}$-$^4I_{15/2}$ radiative transitions of Er^{3+} in $CaO\text{-}Al_2O_3$ glasses.—74-08402A
Influence of an internal electric field in a sample on the secondary electron emission phenomenon.—74-01073A
Lime burning process—between ecology and economy.—74-06861A
Measures [in cement industry] to protect the environment.—74-11181A
Measuring hazardous air pollutants.—74-07952A
Method and apparatus for temperature uniformity and repeatable temperature and location specific emission control of kilns.—74-09733P
Method of reducing the lead and/or barium emission of crystal glass objects containing lead and/or barium on contact with a liquid phase.—74-03758P
Minimizing NO_x emissions through improved oxy-fuel.—74-03922A
NO_x reduction in the Brevik Cement Works, Norway—trials with stepped fuel supply to the calciner.—74-08079A
Nonstationary bandlike spatial patterns of phase conjugate emission generated by a self-pumped $BaTiO_3$ phase conjugator.—74-03325A
Optical emission from a hydrogen-hydrocarbon rf plasma jet stream during diamond film deposition.—74-01821A
Oxy-fuel: Niche solution or trend: II.—74-03924A
Photoluminescence excitations of the As_i-V_{Ga} 0.8 eV emission in GaAs grown by MBE at low temperatures.—74-03164A
Positive ion emission from excimer laser-excited MgO surfaces.—74-09007A
Possibility of utilization of calcium sulfate dihydrate waste from polyaluminum coagulant production process as binding material.—74-00087A
Reduction of fluorine emissions in brickworks.—74-00374A
Regenerative glass melting furnace with reduced NO_x emission.—74-09734P
Role of waveguide light emission in planar microcavities.—74-09027A
Rules for estimation of damage in pomiculture caused by the fall-out of dust from cement plant "Wierzbica."—74-08104A
Safe, low emissions, low cost automobile.—74-04003P
Self-inversion of emission lines of free excitons in CdS single crystals.—74-06306A
Sequential emission of optical phonons by ballistic electrons in single barrier heterostructures.—74-09035A
SiO_2-induced silicon emitter emission instability.—74-03217A
Spontaneous emission from BeO and fluctuational rearrangement of structure: I, Single crystals.—74-05251A

Study rates HF measurement methods.—74-05911A
Time-dependent, self-consistent simulations of field emission from silicon using the Wigner distribution function.—74-03253A
Utilization of chipped car tires for reducing NO_x emissions in a precalciner kiln.—74-09726A
What role does batch sulfate play in the production of float glass.—74-06878A

emissivity,
Neutral, low emissivity coated glass articles and method for making.—74-08494P

emittors/emittance,
Arrays of gated field-emitter cones having 0.32 μm tip-to-tip spacing.—74-02915A
Bright-field analysis of field-emission cones using high-resolution transmission electron microscopy and the effect of structural properties on current stability.—74-05079A
Characterization of silicon field emission microtriodes.—74-02936A
Emitted current instability from silicon field emission emitters due to sputtering by residual gas ions.—74-02997A
Fabrication and characterization of silicon field emission diodes and triodes.—74-03014A
Gated chromium volcano emitters.—74-03027A
Glow discharge processing to enhance field-emitter array performance.—74-07326A
Improved monolithic vacuum field emission diodes.—74-03058A
Investigation of the operating modes of gated vacuum field emitter arrays to reduce failure rates.—74-03076A
Knife-edge thin-film field emission cathodes on (110) silicon wafers.—74-03080A
Modification of Si field emitter surfaces by chemical conversion to SiC.—74-03112A
Oxidized amorphous silicon as gate insulator for silicon tips.—74-02855A
Scaling of emission currents and of current fluctuations of gated silicon emitter ensembles.—74-03207A
Single micromachined emittor characteristics.—74-01572A
Space-charge effects in Spindt-type field emission cathodes.—74-03221A
Study of the *I-V* characteristics of planar-doped-barrier electron emitters.—74-03235A
Transition metal carbides for use as field emission cathodes.—74-03256A

emulsion,
Emulsion-derived foams—preparation, properties, and application.—74-07644A
Microwave pyrolysis of emulsified ceramic precursor compounds.—74-10467A
Overview of hydrothermal and emulsion processing of multiphase ceramic precursor sols.—74-04799A
Zirconia powders produced by emulsion techniques.—74-04986A

enamels/enameling,
Acid resistance of titania-white domestic enamel.—74-08125A
Anticorrosion properties of glass enamel coatings in media containing hydrogen sulfide.—74-02362A
Behavior of fired colored enamels on borosilicate glass.—74-00009A
Blistering in enamel wares and its solution.—74-08134A
Ceramics, glass, enamel. Release of harmful substances from common food storage articles. Limits, testing, and analysis methods: I.—74-02225A
Ceramics, glass, enamel. Release of harmful substances from common food storage articles. Limits, testing, and analysis methods: II.—74-02224A
Cracking and debonding of in-plane strained plasma-sprayed coatings and enamel coatings on metals.—74-08154A
Developments in direct-on enameling of degreased steel.—74-02368A
Disposal possibilities of enamel wastes in the cement industry.—74-05491A
Elimination and prevention of fishscale of sheet steel enamel.—74-08182A
Enamel for use on glass and a method of using the same—74-00330P
Enameling furnaces integrated into enameling lines: economic and development trends.—74-02370A
Enameling of chemical equipment.—74-04616A
Enameling steels 1974–1994—maximizing your enameling steel dollar.—74-00118A
Firing temperature profiles: measurement methods and the effect of temperature differences on enamel surfaces.—74-00120A
Formation of brilliant finishes on enamel coatings.—74-02371A
Glass frits, a process for their production and their use in enamel barrier layers for stopping the migration of silver—74-01208P
Influence of anatase-rutile transformation on the color stability of melt-colored enamels.—74-02376A
Introduction to enameling technology (electrostatic powder coating) by powdery raw materials.—74-08223A
Iron-containing enamel coatings.—74-02379A
Methods of producing durable lustrous coating on vitreous objects.—74-02818P
Mill-applied solid film lubricant and protective coating for enameling steels.—74-00132A
Modeling of technological properties of enamel slips.—74-02385A
Structural analysis of the human tooth enamel by transmission electron microscopy.—74-09802A
Unleaded onglaze enamels.—74-08707A
Use of iron-containing glass enamels for protecting petroleum-grade water lines.—74-02403A

encapsulation,
Edge effects in molybdenum-encapsulated molten silicate shock wave targets.—74-08168A
Encapsulation of hazardous wastes in a cement matrix.—74-05518A
Silica microencapsulation of iron oxide powder and its properties.—74-07477A

energy conservation,
Ecological and economic improvement of compacted powder production.—74-02715A
Energy conservation in the comminution of industrial minerals.—74-00922A
Energy performance and conservation efforts in Indian cement industry.—74-08019A
Energy saving in the brick and tile industry.—74-02717A
Energy saving through fast firing and the use of special super alloy material.—74-02718A
Frequency inverters for hot gas fans save energy.—74-02327A
Getting an energy management system (EMS) up and running.—74-07946A
Modernization of the Karsdorf Works to improve production of the furnaces and reduce thermal and electric energy consumption.—74-08076A
Power savings by bypassing the dynamic separator in a raw mill with high air speed.—74-02347A
Reducing specific power usage in cement plants.—74-03730A

energy gap,
Recent results from $Bi_2Sr_2CaCu_2O_8$ and $Nd_{2-x}Ce_xCuO_4$.—74-00850A

energy,
Adaptive and predictive systems for energy management.—74-09635A
Bottling up energy losses.—74-09436A
Calculation of the energy levels in InAs/GaAs quantum dots.—74-08832A
Carrier-induced energy shift in GaAs/AlGaAs multiple quantum well laser diodes.—74-00574A
Ceramics, a new dimension in energy technology.—74-11149A
Determination of the ionization energy of a deep acceptor level in the p^0 of a GaAs-based *p-i-n* structure.—74-02963A
Embedded atom method—a review of theory and applications.—74-07163A
Energy band structure studies of zinc blende BN and BP.—74-04310A
Energy consumption by limestone loading with E-302 excavator.—74-00923A
Energy transfer of Er^{3+} and Cr^{3+} to Tm^{3+} ions in YAG crystals.—74-06457A
Energy-efficient high-temperature application of ceramics through the Best Practice Program.—74-09655A
Exergy (available energy) analysis of annular kiln for brick and tile.—74-01152A
French crystal producers invest in energy-saving technology.—74-01154A
Glass Problems Conference draws 550 to 54th Annual Meeting.—74-02464A
Green light for a green industry.—74-03911A
Line for brick production with reduction of energy consumption and cycle time.—74-00367A
Metals production, energy, and the environment: I, Energy consumption.—74-00950A
Metals production, energy, and the environment: II, Environmental impact.—74-00951A
Micromachined array of electrostatic energy analyzers for charged particles.—74-03836A
Monitoring and ways for energy economy of annular kilns.—74-09692A
New method for the oxide lattice energy computation.—74-09587A
Relationship between (σ+π)-plasmon energy and density for C_{60} solid samples.—74-04410A
Spectra of the surface photo-emf of *n*-GaAs(100).—74-09045A
Standard Gibbs energy of formation of β-silicon nitride.—74-04214A
Utilization of waste heat from a cement rotary kiln.—74-09728A
Variable speed drives in cement plant.—74-03937A

engineers/engineering,
Clear visualization of quarry development.—74-03677A
Expert systems for the selection of engineering ceramics.—74-11162A
Plant engineering [in the cement industry].—74-08083A
Quantum engineering of II-IV semiconductor structures[—review].—74-06280A

engines,
Adjusting shim.—74-04026P
Carbon-carbon composite IC engine valve feasibility investigation—a summary.—74-09851A
Cast-in-place ceramic manifold and method of manufacturing same.—74-09907P
Ceramic blade attachment system.—74-02409P
Ceramic blade attachment system.—74-09809P
Ceramic blade attachment system.—74-09810P
Ceramic blade attachment system.—74-09909P
Ceramic composite turbine engine component evaluation.—74-09855A
Ceramic parts in engines, requirements and properties.—74-01284A
Ceramic tile expansion engine housing.—74-09814P
Ceramic tip and compliant attachment interface for a gas turbine fuel nozzle—74-01313P
Ceramic valves in automobile construction of tomorrow.—74-06684A
Ceramics for automobiles.—74-09769A
Fiber architecture design for CMC engine seal.—74-09462A
Fuel injector heater.—74-03986P
Is there a future for lithium batteries as high energy density source in electrical engine vehicles: some recent trends.—74-00502A
Modeling and testing of thermal barrier coating in diesel engines.—74-09582A
Oscillating torques when using frequency-controlled motors in the cement industry.—74-06713A
Potential for advanced ceramics in automotive engine applications.—74-02259A
Structural applications of ceramics.—74-02277A

engobes,
Engobes for glazed floor tiles.—74-08540A

enthalpy,
Enthalpies of reactions at the metal oxide/aqueous interface.—74-09992A
Measurements of excess enthalpy in ultrafine-grained titanium dioxide.—74-07089A
Standard enthalpy of formation of lanthanum zirconate.—74-07117A

environment,
All in the environment: the lead ban and other acts of Congress.—74-05401A
Ceramic raw materials and minerals—some environmental considerations.—74-09742A
Ceramic resorption of waste, interest- feasibility of limits.—74-11147A
Ceramic Transactions, Volume 45: Environment and Waste Management Issues in the Ceramic Industry: II.—74-05437B
Environment challenges to the flat glass industry.—74-02619A
Environment: EC aspects and controls.—74-02620A
Environmental control technology in the heavy clay industry.—74-09459A
Environmental cure for glass decorators' ills.—74-00296A
Environmental management in a porcelain enameling facility in Mexico.—74-02231A
Environmental regulatory overview.—74-02233A
Environmental stability of materials: issues and opportunities.—74-02076A
Green light for a green industry.—74-03911A
Hercules—a garden factory in a city environmental.—74-05419A
How to better understand NO_x requirements.—74-05769A
How to measure and process environmentally relevant data.—74-11165A
Life cycle assessment—the futures of glass and the other materials.—74-11175A
Measures [in cement industry] to protect the environment.—74-11181A
Megalith Bausteinwerke, Eisenberg/Thruingia: economical and environmentally friendly brick production.—74-02724A
New CF/FCB low-NO_x precalciner—a decisive advance in environmental protection.—74-06864A
Noncatalytic removal of nitrogen in a recuperative container glass furnace.—74-02288A
Not entailing excessive cost [while adhering to EPA].—74-02253A
Porcelain enameling—an environmentally friendly process.—74-00141A
Product ecobalance—a method for complete assessment, exemplified by cement-based structural materials.—74-11186A
Putting total quality safety and environmental management to work—the strategic plan.—74-02263A
Rapid measurement of asbestos content of building materials.—74-06808A
Relation between economy, ecology, and quality assurance in the firing technology for whiteware.—74-05457A
Sol-gel indicators for process and environmental measurements.—74-06818A
Space environment and materials.—74-11190A
Stormwater management system.—74-11191A
Towards a "green" porcelain enameling industry.—74-00158A
Wetlands: what? why? how.—74-07963A
Wienerberger Ziegelindustrie puts environmentally friendly technology into effect at Rietberg.—74-08606A

epitaxy,
Angular dependence of J_c for epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films.—74-09234A
Atomic layer epitaxy deposition processes.—74-01619A
Atomic layer-by-layer epitaxy of cuprate superconductors.—74-03417A
Biepitaxial weak links based on $YBa_2Cu_3O_{7-\delta}$ on $NdGaO_3$.—74-06496A
Cathodoluminescence of epitaxial diamond films.—74-10211A
Chemical beam epitaxy of strain balanced GaP/GaAs/InP/GaAs superlattices.—74-05092A
Deposition of epitaxial films of multicomponent compounds by magnetron sputtering, with $YBa_2Cu_3O_{7-\delta}$ as an example.—74-04275A
Diamond homoepitaxial growth on (111) substrate investigated by scanning tunneling microscope.—74-10788A
Diamond homoepitaxy by hot-filament chemical vapor deposition.—74-10268A
Dynistor based on epitaxial SiC-6H layers grown by sublimation in an open growth system.—74-08866A
Epitaxial Ge layers on Si via $Ge_xSi_{1-x}O_2$ reduction. The roles of the hydrogen partial pressure and the Ge content.—74-03003A
Epitaxial growth in large-lattice-mismatch systems.—74-04139A
Epitaxial growth of CoO(001) and Co_3O_4(001) films on MgO(001) by pulsed laser deposition.—74-10335A
Epitaxial magnetic garnet thin films and heterostructures by pulsed laser deposition.—74-09198A
Epitaxial oxide films.—74-08896A
Epitaxial relationships and electrical properties of $SrTiO_3$ films on various thin fluoride/Si structures.—74-10336A
Epitaxial solid-solution films of immiscible MgO and CaO.—74-10337A
Epitaxial thin films and heterostructures of various isotropic metallic oxides for device applications.—74-09134A

Epitaxial $YBa_2Cu_3O_{7-\delta}$ films on (110)$YAlO_3$.—74-03459A
Examination of particles and outgrowths on the surface of epitaxial $YBa_2Cu_3O_7$ thin films.—74-09269A
Experimental investigations of superconductivity in quasi-two-dimensional epitaxial copper oxide superlattices and trilayers.—74-06540A
Growth and characterization of epitaxial $PbTiO_3$ thin films on MgO.—74-10375A
Growth of epitaxial ß-SiC films on porous Si(100) substrates from MTS in a hot-wall LPCVD reactor.—74-06128A
Heteroepitaxial diamond growth on (100)silicon.—74-10380A
Heteroepitaxial Si-ZrO_2-Si by MOCVD.—74-07336A
High-quality homoepitaxial growth of diamond films.—74-10384A
Lateral thermal diffusivity of epitaxial diamond films.—74-07574A
Microscopic theory of epitaxial growth: I, Nucleation of heteroepitaxial films on vicinal surfaces.—74-07381A
Microscopic theory of epitaxial growth: II, Nonlinear waves and formation of continuous structures.—74-07685A
Migration-enhanced epitaxy and optical properties of ZnSe/CdSe digital alloy quantum wells.—74-04364A
Modeling of silicon epitaxy at low pressure.—74-04758A
Molecular layer epitaxy of perovskite-based oxides by laser MBE.—74-10480A
New mechanism of edge misfit dislocation formation in epitaxial structure.—74-07579A
"Oriented film growth," not "epitaxy" in HTSC film growth.—74-00828A
Outlook for the development of sublimation epitaxy of SiC.—74-06249A
Parallel vs diagonal epitaxy models of diamond and c-BN on Si(001).—74-05217A
Spatial variation of the edge luminescence in epitaxial SiC-6H films.—74-06320A
Surfactant-mediated epitaxy of Ge on Si(111): the role of kinetics and characterization of the Ge layers.—74-03244A
Triclinic deformation of pseudomorphous layers on substrates with disoriented slice.—74-05293A
Tunneling through an epitaxial oxide film: Al_2O_3 on NiAl(110).—74-07540A
Understanding and electrochemical control of $YBa_2Cu_3O_{7-x}$ thin-film epitaxy on yttrium-stabilized zirconia.—74-03614A

equations,
Cement hydration equation.—74-05473A
Effect of flux stochasticity on coalescence [of new phase precipitations].—74-04573A

equilibrium,
Equilibrium magnetization of a $Bi_2Sr_2CaCu_2O_x$ single crystal measured up to 20 T.—74-04312A
Equilibrium position of misfit dislocations at planar interfaces.—74-08184A
Intrinsic equilibrium constants of ß-silicon carbide obtained from surface charge data.—74-10003A
Sorption of water vapor on the cation-substituted vermiculite: II, The thermodynamic description of sorptive equilibria.—74-04212A

equipment,
Cement plant instrumentation, automation, and process control.—74-08000A
Chemical vapor deposition in high-density low-pressure plasmas—reactor scale-up and performance.—74-03676A
Clay tile plant planned for flexibility.—74-05805A
Computer drawing bank for ceramic technology equipment.—74-11152A
Control valve industry comes alive.—74-06689A
Epicyclic gears—a reliable and proven gear concept.—74-08020A
Importance of powder equipment maintenance.—74-00939A
Modernization of the electrical equipment at HCB's Rekingen plant (Switzerland, on the Rhine).—74-03710A
Multiplicity under one roof—Glen Gary produces extruded and soft mud bricks at Iberia, OH.—74-08564A
New plasma spray apparatus.—74-09492A
Recent trends in HIP equipment and related systems.—74-09505A
Second Souselas kiln goes on stream.—74-02352A
Wienerberger Ziegelindustrie puts environmentally friendly technology into effect at Rietberg.—74-08606A

erbium,
Ac resistance of HTSC single crystals in the normal state.—74-04245A
Cooperative Jahn-Teller effect induced in ferroelastic $KEr(MoO_4)_2$ by an external magnetic field.—74-01503A
Dipole-dipole interaction and magnetic ordering in $KEr(MoO_4)_2$: I, Model of dipole magnets for $KEr(MoO_4)_2$.—74-03370A
Dipole-dipole interaction and magnetic ordering in $KEr(MoO_4)_2$: II, Phase transition in $KEr(MoO_4)_2$ induced by an external magnetic field.—74-03371A
Effect of Er211 additions on the microstructure and magnetic properties of zone melt-textured Y123.—74-06518A
Effect of precursors on the size of 2-1-1 in melt-processed $ErBa_2Cu_3O_{7-x}$.—74-06521A
Effect of pulsed microwave irradiation on the electrical and magnetic properties of $ErBa_2Cu_3O_x$.—74-03450A
Electron cyclotron resonance plasma deposition of SiN_x for optical applications.—74-04609A
Epitaxy of erbium-doped $LiNbO_3$ films produced by pulsed laser deposition.—74-09136A
EPR and estimation of the dipole-dipole interaction energy in $KEr(MO_4)_2$.—74-03803A
Er-doped glass fibers for optical amplifiers.—74-08897A
Er-doped single- and double-pass Ti:$LiNbO_3$ waveguide amplifiers.—74-09137A
Erbium-doped indium oxide films prepared by radio frequency sputtering.—74-07302A
Finite element modeling of silica waveguide amplifiers with high erbium concentration.—74-06106A
Fluorescence of Er^{3+} ions in TiO_2 planar waveguides prepared by a sol-gel process.—74-06109A
Fluorescent lifetime of Er^{3+} $^4I_{13/2}$ level in BK-7 borosilicate glass.—74-05717A
Gain saturation in three- and four-level fiber amplifiers.—74-08920A
Generation of intense green light through amplified spontaneous emission in Er^{3+}-doped germanosilicate single-mode optical fiber pumped at 1.319 µm.—74-08922A
Growth and photoluminescence study of low-concentration InP layers grown by liquid phase epitaxy in the presence of erbium.—74-00628A
Growth morphologies of (001)-, (100)-, and (010)-oriented $Er_xBa_7Cu_{12}O_y$ high-temperature superconductor thin films on various substrates.—74-03473A
Growth of Er-doped Si films by electron cyclotron resonance plasma-enhanced chemical vapor deposition.—74-07332A
H-T phase diagram of $ErCrO_3$: magnetoacoustic measurements.—74-04093A
Intracavity 1.549-µm pumped 1.634-µm Er:YAG lasers at 300 K.—74-06164A
Ir/Si/$ErSi_2$ tunable infrared photoemission sensor.—74-03079A
Magnetic properties of low-dimensional Ising magnet $KEr(MO_4)_2$.—74-01536A
Magnetic structure and properties of the quasi-2-D Ising magnet $CsEr(MoO_4)_2$.—74-09206A
Magnetooptical studies of $KEr(MoO_4)_2$ in long-wave ir region.—74-05183A
Mass transfer in an $ErBa_2Cu_3O_7$ pellet partially melted in a thermal gradient.—74-06580A
Metallorganic chemical vapor deposition growth of GaAs:Er using $Er(C_4H_9C_5H_4)_3$.—74-06203A
Nature of energy gaps in spin-wave spectra formed during induced transitions in $ErFeO_3$.—74-05199A
Site symmetry of Er^{3+} in $In_{0.5}Ga_{0.5}P$.—74-09040A
System Cu_2S-Er_2S_3.—74-01473A
Theoretical modeling of optical amplification in Er-doped Ti:$LiNbO_3$ waveguides.—74-06445A

erosion,
Erosion and corrosion characteristics of an aluminum alloy–alumina fiber composite.—74-02077A
Erosion resistance tests of constructional steels applied in cement industry.—74-08021A
Erosion-oxidation behavior of HVOF Cr_3C_2-NiCr cermet coating.—74-08185A
Investigation of erosion-resistant Cr_4C_3 coatings sprayed with the high pressure HVOF process.—74-10919A
Liquid and solid erosion properties of diamond.—74-11034A
Metallurgical study of erosive wear in a 105 mm tank gun barrel.—74-04162A
Reduction of erosive wear rates of advanced technical ceramics.—74-11188A
Tungsten carbide metal cloth coating abates erosive wear.—74-04024A
Unique performance of ceramic tiles shown in Japan.—74-08600A
Wet erosive wear of ceramics.—74-07937A

etchants/etching,
300 KHz pulse plasma etching of GaAs using a mixture of $ClCH_3$ and H_2.—74-01922A
Advanced electron cyclotron resonance plasma etching technology for precise ultra-large-scale integration patterning.—74-00564A
Analytic models for plasma-assisted etching of semiconductor trenches.—74-02911A
Analytic models for plasma-assisted etching of semiconductor trenches.—74-07201A
Broad-area photoelectrochemical eching of *n*-type beta-SiC.—74-00572A
Cermet etch technique for integrated circuits.—74-03266P
$CH_4/H_2/Ar/Cl_2$ electron cyclotron resonance plasma etching of via holes for InP-based microwave devices.—74-06000A
Characteristics of in situ Cl_2 etched/regrown GaAs/GaAs interfaces.—74-01498A
Characteristics of ion beam assisted etching of GaAs: surface stoichiometry.—74-00576A
Chemical etching of ZnSe crystals.—74-02938A
Comparative reactive ion etching of III-V compounds in $Cl_2/BCl_3/Ar$ and $CCl_2F_2/BCl_3/Ar$ discharges.—74-01644A
Comparison of advanced plasma sources for etching applications: I, Etching rate, uniformity, and profile control in a helicon and a multiple electron cyclotron resonance source.—74-04520A
Comparison of advanced plasma sources for etching applications: II, Langmuir probe studies of a helicon and a multipole electron cyclotron resonance source.—74-03789A
Comparison of advanced plasma sources for etching applications: III, Ion energy distribution functions for a helicon and a multipole electron cyclotron resonance source.—74-02942A
Comparison of advanced plasma sources for etching applications: IV, Plasma-induced damage in a helicon and a multiple electron cyclotron resonance source.—74-06011A
Comparison of laser and O_2 plasma etching of diamondlike carbon films.—74-01646A
Comparison of multipolar and magnetic mirror electron cyclotron resonance sources for CH_4/H_2 dry etching of III-V semiconductors.—74-06012A
Controllable layer-by-layer etching of III-V compound semiconductors with an electron cyclotron resonance source.—74-00585A
Damage and contamination in low-temperature electron cyclotron resonance plasma etching.—74-06023A
Damage to Si substrates during SiO_2 etching—a comparison of reactive ion etching and magnetron-enhanced reactive ion etching.—74-05106A
Effect of beam condition in variable-shaped electron-beam direct writing for 0.25 µm and below.—74-01686A
Effect of etching and imaging mode on the measurement of subsurface damage [SSD] in microground optical glasses.—74-03800A
Effects of hydrogen additive on obtaining residue-free reactive ion etching of ß-SiC in fluorinated plasmas.—74-00918A
Effects of substrate temperature and bias potential on hydrogen plasma etching of silicon.—74-04602A
Effects of substrate temperature and bias potential on hydrogen plasma etching of silicon.—74-06062A
EL-4 column and control.—74-00919A
Electron beam induced current investigations of active electrical defects in silicon due to reactive ion etching and reactive ion beam etching processes.—74-05009A
Electron beam sublimation deposited and lifted-off carbon mask for InP reactive ion etching.—74-06077A
Electron cyclotron resonance plasma etching using downstream magnetic confinement.—74-06078A
Electron spectroscopy for chemical analysis on surface germylation process.—74-06079A
Epitaxial Si-Ge etch stop layers with ethylene diamine pyrocatechol for bonded and etchback silicon-on-insulator.—74-04620A
Etch rate characterization of irradiated SiO_2 and its application in the fabrication of a *T*-gate structure.—74-06086A
Etching of Si surfaces with hot chlorine beams: translational and vibrational excitation of the incident chlorine particles.—74-03004A
Etching on silicon membranes for sub-0.25-µm X-ray mask manufacturing.—74-00925A
Evaluation and control of device damage in high-density plasma etching.—74-00613A
Evaluation of the etch depth dependence of three-dimensional confinement in strain-induced quantum well dot structures.—74-06088A
Fabrication of micromachined silicon tip transducer for tactile sensing.—74-00619A
Fabrication of ultrafine anisotropic SiO_2 mask by the combination of electron beam lithography and SF_6 reactive ion etching using aluminum lift-off technique.—74-04631A
First-wafer effect in remote plasma processing—the stripping of photoresist, silicon nitride, and polysilicon.—74-07313A
First-wafer effect in remote plasma processing—the stripping of photoresist, silicon nitride, and polysilicon.—74-07314A
Fluorocarbon high density plasma: V, Influence of aspect ratio on the etch rate of silicon dioxide in an electron cyclotron resonance plasma.—74-04640A
Fluorocarbon high density plasma: VI, Reactive ion etching lag model for contact hole silicon dioxide etching in an electron cyclotron resonance plasma.—74-04641A
Fluorocarbon high-density plasma: I, Fluorocarbon film deposition and etching using CF_4 and CHF_3.—74-01734A
Fluorocarbon high-density plasmas: II, Silicon dioxide and silicon etching using CF_4 and CHF_3.—74-02078A
Focused ion beam XeF_2 etching of materials for phase-shift masks.—74-01735A
Focused-ion-beam damage etch patterning for isolation of quantum structures in AlGaAs/GaAs.—74-00621A
Gas phase etching of Si(111)-(7×7) surfaces by oxygen observed by scanning tunneling microscopy.—74-01996A
Gate technology for 0.1-µm Si complementary metal-oxide-semiconductor using *g*-line exposure and deep ultraviolet hardening.—74-06117A
Hafnium dioxide etch-stop layer for phase-shifting masks.—74-01229A
HCl, H_2, and Cl_2 radical beam ion beam etching of $Al_xGa_{1-x}As$ substrates with varying Al mole fraction.—74-06131A
High-frequency reactive ion etching of silylated photoresist.—74-06773A
High-resolution reactive ion etching and damage effects in the Si/Ga_xSi_{1-x} system.—74-00632A
Highly selective reactive ion etch [RIE] process for InP-based device fabrication using methane/hydrogen/argon.—74-00937A
Hydrogen fluoride vapor etching for pre-epi silicon surface preparation.—74-06140A
Identification of volatile products in low-pressure hydrocarbon electron cyclotron resonance reactive ion etching [RIE] of InP and GaAs.—74-00635A
Improved epitaxial layer design for real-time monitoring of dry etching in III-V compound heterostructures with depth accuracy of ±8 nm.—74-03057A
In situ process for AlGaAs compound semiconductor: materials science and device fabrication.—74-03061A
In situ pulsed laser-induced thermal desorption studies of the silicon chloride surface layer during silicon etching in high-density plasmas of Cl_2 and Cl_2/O_2 mixtures.—74-07347A
Influence of plasma etching on trap levels in InP.—74-06153A
Influence of crystalline structure and amorphous materials in depth resolution of sputter etching.—74-05164A
Influence of reactant transport on fluorine reactive ion etching of deep trenches in silicon.—74-01947A
Investigation of chemically assisted ion beam etching for the fabrication of vertical, ultrahigh-quality facets in GaAs.—74-03073A

Ion etching behavior and surface binding energies of hard diamondlike carbon and microwave chemical vapor deposition diamond films.—74-01773A
Ion-assisted etching of Si with Cl_2: the effect of flux ratio.—74-07360A
Low-damage electron-beam-assisted dry etching of GaAs and AlGaAs using electron cyclotron resonance plasma electron source.—74-00647A
Low-energy, ion-enhanced etching of III-V's for nanodevice applications.—74-03089A
Magnetron reactive ion etching of GaAs in a BCl_3 discharge.—74-00652A
Mechanism of particle formation in the sputtering and reactive ion etching of Si and SiO_2.—74-06201A
Metal-oxide-semiconductor characterization of silicon surfaces thermally oxidized after reactive ion etching and magnetically enhanced reactive ion etching.—74-00655A
Method for etching diamond—74-01023P
Mica etch pits as a height calibration source for atomic force microscopy.—74-07683A
Microloading effect in reactive ion etching.—74-03108A
Micromachining in III-V semiconductors using wet photoelectrochemical etching.—74-00657A
New in situ electron beam patterning process for GaAs using an electron cyclotron resonance plasma-oxidized mask and Cl_2 gas etching.—74-06220A
Nonperturbative ion etching of YBaCuO thin films.—74-03543A
Novel in situ electrochemical technology for formation of oxide- and defect-free Schottky contact to GaAs and related low-dimensional structures.—74-06227A
Optimization of an electron cyclotron plasma etch process for n^+ polysilicon: HBr process chemistry.—74-01822A
Patterning of CVD diamond films by seeding and their field emission properties.—74-07412A
Photoelectrochemical etching of 6H-SiC.—74-06256A
Photoemission study of Au, Ge, and O_2 deposition on NH_4F-etched Si(111).—74-03162A
Photolithographic patterning of porous silicon.—74-01299A
Plasma etching of electronic materials.—74-06264A
Polycrystalline silicon "slit nanowire" for possible quantum devices.—74-00687A
Post-depositional diamond etching.—74-10540A
Process for selectively etching diamond—74-01032P
Reaction ion etching of GaAs through wafer via holes using Cl_2 and $SiCl_4$ gases—a comprehensive statistical approach.—74-06287A
Reactive ion etching characteristics of aluminum oxide films prepared by PECVD in CCl_4 dry etch plasma.—74-10604A
Reactive ion etching lag investigation of oxide etching in fluorocarbon electron cyclotron resonance plasmas.—74-04864A
Reactive ion etching of diamond and diamondlike carbon films.—74-05316A
Reactive ion etching of InP via holes.—74-06288A
Reactive ion etching of lead zirconate titanate (PZT) thin-film capacitors.—74-00526A
Reactive ion etching of lead zirconate titanate and ruthenium oxide thin films using $CHClFCF_3$ or $CHCl_2CF_3$ as an etch gas.—74-09540P
Reactive ion etching of Ta-Si-N diffusion barriers in CF_4+O_2.—74-04865A
Reactive ion etching of Ta-Si-N diffusion barriers in CF_4+O_2.—74-07459A
Real-time monitoring and analysis of chemical wet etching of III-V compound semiconductors.—74-00694A
Redeposition kinetics in fluorocarbon plasma etching.—74-02088A
Resonant excitation of vibrational modes on GaAs microrelief surface.—74-03202A
Scanning tunneling microscopy of Cl_2-gas-etched GaAs(001) surfaces using an ultrahigh vacuum sample transfer system.—74-06300A
Selective dry etching in a high-density plasma for 0.5 μm complementary metal-oxide-semiconductor technology.—74-01876A
Selective etching of c-BN layers.—74-04021A
Selectivity variations of electron beam patterned silicon dioxide films.—74-04882A
Self-aligned dry etching process for waveguide diode ring lasers.—74-06305A
Sensor integration into plasma etch reactors of a development pilot line.—74-06308A
Sensor integration into plasma etch reactors of a development pilot line.—74-06812A
Sidewall passivation during the etching of poly-Si in an electron cyclotron resonance plasma of HBr.—74-00709A
Spontaneous etching of Si(100) by XeF_2—test case for a new beam surface experiment.—74-06323A
Study of silicon etching in CF_4/O_2 plasmas to establish surface reemission as the dominant transport mechanism.—74-06337A
Sub-$_{100}$ nm pattern formation using a novel lithography with SiN_x resist by focused ion beam exposure and dry etching development.—74-01896A
Suppression of graphite formation during laser etching of diamond—74-01033P
Synchrotron radiation excited etching of SiC film using reactive species generated by a microwave discharge.—74-02093A
Use of sharp silicon tips as photocathodes and electron sources for X-ray generation.—74-00733A
Uv laser processing of diamond films: effects of irradiation conditions on the properties of laser-treated diamond film surfaces.—74-01927A
Very low damage etching of GaAs.—74-01930A
Wafer scale processing of InGaAsP/InP lasers.—74-06379A

ethoxide,
Dip coating of titanium ethoxide solutions.—74-07262A
ettringite,
Delayed ettringite formation: a microstructural and microanalytical study.—74-00046A
Formation and expansion of ettringite crystals.—74-02326A
Investigations on ettringite cements.—74-08059A
Quantitative determination of ettringite in cement pastes, mortars, and concretes.—74-05576A
Simple treatment to distinguish alkali-silica gel from delayed ettringite formations in concrete.—74-05584A
eucryptite,
Fabrication of LAS system ceramics for thermal shock resistance from silicate minerals: I, Preparation of eucryptite powders with silimanite group, kaolin group minerals.—74-10347A
europium oxide,
Preparation of EuO and EuO/Cu multilayered films and their magnetic properties.—74-03398A
europium,
Biaxial alignment of high-T_c superconductor polycrystals: VI, Biaxial alignment of $(Eu_{0.92}Yb_{0.08})Ba_2Cu_3O_x$.—74-06495A
Carbonate-containing europium apatite.—74-10762A
Coexistence of the Eu^{2+} and Eu^{3+} centers in the CaO:Eu powder phosphor.—74-01501A
Electron phototransfer spectroscopy in europium-doped phosphate glasses.—74-02537A
Ferron mechanism of charge transport in antiferromagnetic semiconductors and its peculiarities at phase separation.—74-08911A
Fluorescence line narrowing studies of Eu^{3+}-doped silica gel glasses.—74-08424A
Luminescence of titanium- and europium-doped yttrium gallate garnet.—74-03385A
Luminescence study of $EuVO_4$ at high pressure.—74-04347A
Observation of the integral quantum Hall effect in $PbTe/Pb_{1-x}Eu_xTe$ quantum well structures.—74-04376A
Spectroscopic analysis of an Eu-doped aluminosilicate optical fiber preform.—74-08394A
Theoretical approach to the interpretation of single-ion spectroscopy of rare-earth-doped inorganic glasses.—74-08355A
eutectics,
Ceramics based on eutectics in zirconia-containing systems.—74-07041A
Effects of eutectic liquid under reducing conditions in the alumina–tin dioxide–tin composite system.—74-01377A
Electrodeposition of mixed metal oxides from the eutectic sodium-potassium nitrate melt.—74-07291A
Further observations of an orthorhombic zirconia in magnesia-partially stabilized zirconia.—74-01387A
evaporation,
Characterization of reactively evaporated TiN layers for diffusion barrier applications.—74-10066A
Epitaxial growth of beta-SiC on TiC_x by reactive evaporation.—74-01710A
Incorporation of iron cations into epitaxial sapphire thin films by coevaporation and subsequent thermal annealing.—74-10410A
Peculiarities of laser melting and evaporation of superconducting ceramics.—74-03551A
Preparation of tungsten disilicide thin films by laser evaporation.—74-04829A
Preparation of ZnO films by reactive evaporation.—74-01853A
Properties of yttrium oxide thin films on silicon(100) prepared by evaporation of yttrium in atomic oxygen.—74-09017A
Reactive evaporation of potassium in CO_2 and the formation of bulk intermediates.—74-01867A
Tailoring growth and local composition by oblique-incidence deposition—a review and new experimental data.—74-07526A
Volatile metal oxide evaporation during aerosol decomposition.—74-10718A
excitons,
Bound biexcitons in II-VI semiconductors.—74-08831A
Bound exciton-induced photoluminescence linewidth broadening in GaAs quantum wells.—74-04256A
Effects of free electrons on the dynamics of excitons in quantum well structures.—74-00600A
Exciton dynamics in multiquantum well $CdTe-Cd_{1-x}Mn_xTe$ systems.—74-05014A
Exciton line broadening by compositional disorder in $ZnSe_xTe_{1-x}$ quantum wells.—74-04315A
Exciton nature of laser photoluminescence in oxygen-octahedral crystals: theory.—74-03007A
Exciton-photon interaction in semiconductor microcrystals.—74-03008A
Exciton-polaron modifications in the phtoluminescence spectrum of GaAs MQW.—74-03009A
Excitons in SiO_2: a review.—74-08373A
Magnetically stabilized exciton impurity complexes in InSb.—74-06192A
Oscillator strength of excitons in InGaAs/GaAs quantum wells.—74-00676A
Pump-probe investigations of biexcitons in GaAs quantum wells.—74-09018A
Self-inversion of emission lines of free excitons in CdS single crystals.—74-06306A
Soliton propagation of excitonic packets and superfluidity in Cu_2O.—74-09044A
Thermalization effect on radiative decay of excitons in quantum wires.—74-03249A
exhaust gases,
Adsorption and catalytic flue gas cleaning of exhaust gases from cement kilns: II, Pilot trials in two clinker burning systems.—74-01135A
Cast-in-place ceramic manifold and method of manufacturing same.—74-09907P
Composite automotive exhaust pipe.—74-08304P
Generating electrical power from the exhaust gases of [cement] rotary kilns.—74-00062A
Pore impregnated catalyst device—74-01265P
Reactive exhaust gas treatment is catching on at fabs.—74-03728A
Supported catalysts.—74-04004P
Utilizing steam and hot water for waste heat recovery.—74-08120A
expansion,
ACC's expansion projects at Gagal (India).—74-00887A
Characteristics of shrinkage-compensating expansive cement containing a prehydrated high-alumina cement-based expansive additive.—74-05475A
Expansion reactions in mortar and concrete.—74-08026A
Formation and expansion of ettringite crystals.—74-02326A
Hydration of type K expansive cement paste and the effect of silica fume: I, Expansion and solid phase analysis.—74-05530A
Influence of mineral admixtures on expansive cement mortras.—74-05535A
Mechanism of dedolomitization and expansion of dolomitic rocks.—74-00075A
Mechanism of sulfate expansion: II, Validation of thermodynamic theory.—74-05551A
Mechanisms of expansion of mortars containing reactive aggregate in NaCl solutions.—74-05553A
Microstructure of highly expansive cement pastes.—74-00078A
Properties of expansive stress of nonexplosive demolition agent in long period of time.—74-08095A
explosive processing,
Characteristics of coatings applied by the Demeton detonation gun process.—74-09440A
Evaluation of the phase content and properties of a detonation gun coating.—74-10803A
Explosion venting: a practical approach.—74-02235A
Microstructure of polycrystalline aluminum nitride formed in shock waves.—74-02023A
Properties of ultrafine diamond clusters from detonation synthesis.—74-04852A
Synthesis of nanoscale materials using detonation of solid explosives.—74-01910A
extraction,
Binder removal with supercritical CO_2.—74-04484A
Forms of extraction of silicon compounds in rice husks.—74-03690A
Hollow mullite ceramic microspheres by water extraction of emulsified aqueous droplets.—74-10386A
Investigation methods of heavy metals immobilization in building materials.—74-08056A
Kinetics of slit component transient extraction from aluminate cake porous particles.—74-01777A
Rapid extraction and X-ray fluorescence determination of gold in the rock.—74-01201A
Supply of proven raw materials: the preconditions.—74-03951A
Trace metal redistribution during extraction of model soils by acetic acid/sodium acetate.—74-07539A
extruders/extrusion,
Applications of combined built-up and spray welding to worm reamer of extruder.—74-06679A
Characterization of the extrusion properties and the shaping of ceramic catalysts.—74-04505A
Designing an extruder with allowance for the properties of ceramic extrusion compounds: IVa.—74-00912A
Designing an extruder with allowance for the properties of ceramic extrusion compounds: VB.—74-09449A
Extruded ceramic honeycomb and method.—74-09917P
Extruded magnesium alloy-SiC particulate MMC.—74-08188A
Forming and extrusion of porcelain bodies.—74-08679A
Forming of glass melts by continuous pull extrusion.—74-03689A
Kneading-crushing-cleaning extruder for making brick.—74-05819A
Lamination of extruders.—74-00945A
Possibilities and limits of shaping ceramic powders.—74-00972A
Production of alumina/zirconia laminated composites by coextrusion.—74-10592A
Production of slender helical hardware of $YBa_2Cu_3O_{7-\delta}$ high-temperature superconductor by extrusion.—74-00845A
Reasons of crack formation in semistiff extruded tile and its prevention.—74-08577A
fabrication,
Ceramic rings for face seals.—74-03957A
Coating of ceramic fibers with yttria films.—74-10226A
Crystallization of celsian ($BaAl_2Si_2O_8$) glass.—74-05673A
Development and application of ZrO_2 breaking ring for wire concast.—74-09776A
Development of F0.5 quality insulating brick.—74-05850A
Development of glazed tiles using industry waste slags.—74-05890A
Development of silicon nitride composites with continuous reinforcement.—74-01289A
Development of the Mitsubishi planar reversible cell.—74-00473A
Development of the solid oxide fuel cell at MHI [Mitsubishi Heavy Industries].—74-00474A
Development of Yijun glaze without kiln sweat and its formation mechanism.—74-01143A
Diamond-coated tips and their applications.—74-07260A
Domain inversion in $LiTaO_3$ using proton exchange followed by heat treatment.—74-09984A

Development of the Mitsubishi planar reversible cell.—74-00473A
Development of the solid oxide fuel cell at MHI [Mitsubishi Heavy Industries].—74-00474A
Development of Yijun glaze without kiln sweat and its formation mechanism.—74-01143A
Diamond-coated tips and their applications.—74-07260A
Domain inversion in $LiTaO_3$ using proton exchange followed by heat treatment.—74-09984A
Fabrication and characterization of nanocrystalline oxides by crystallization of amorphous precursors.—74-07306A
Fabrication and characterization of nonrandom $YBa_2Cu_3O_7$-Ag composites.—74-06543A
Fabrication and microstructural control of advanced ceramic components by three-dimensional printing [3DP].—74-10343A
Fabrication and phase transformation of alumina and its application.—74-01718A
Fabrication and physics of lateral superlattices with 40-nm pitch on high-mobility GaAs/GaAlAs heterostructures.—74-06094A
Fabrication and properties of ceramic composites with a boron nitride matrix.—74-07307A
Fabrication and properties of multilayer $Sr_{0.7}Ba_{0.3}TiO_2$ ceramic varistors.—74-06095A
Fabrication and properties of Si_3N_4-TiN composites.—74-10344A
Fabrication of CdS nanoparticles embedded in a polymer film by gas-aerosol reactive electrostatic deposition technique.—74-06097A
Fabrication of compact 100-nm-scale silicon metal-oxide-semiconductor field effect transistors.—74-06098A
Fabrication of diamond thin film thermistors for high-temperature applications.—74-08906A
Fabrication of diamond tips by the microwave plasma chemical vapor deposition technique.—74-07308A
Fabrication of full-scale fiber-reinforced hot gas filters by chemical vapor deposition.—74-01726A
Fabrication of high performance 512 K static-random access memories in 0.25 μm complementary metal-oxide semiconductor technology using X-ray lithography.—74-00618A
Fabrication of lateral superlattices using multilayer resist techniques.—74-06099A
Fabrication of parallel quantum wires in GaAs/AlGaAs heterostructures using AlAs etch stop layers.—74-01727A
Fabrication of porous ceramics and multilayered ceramics containing porous layers: I, Pore structure.—74-10350A
Fabrication of submicron apertures in thin membranes of silicon nitride.—74-01729A
Fabrication of X-type crossing waveguide constructed by large single-mode rib silica-on-insulator (SOI) waveguide.—74-08907A
Fabrication of Y-gate, submicron gate length GaAs metal-semiconductor field effect transistors.—74-00927A
Fabrication process development and characterization of polycrystalline diamond film resistors.—74-08749A
Formation of an ordered boron nitride matrix for fiber-reinforced composites.—74-10361A
High-temperature carbon monoxide potentiometric sensor.—74-01066A
Influence of structure, shape, and thermal treatments on the magnetic properties of superconducting ceramics.—74-06566A
Interfacial evaluation of solid oxide fuel cell [SOFC] components fabricated by the acetylene spraying processes.—74-00497A
Knife-edge thin-film field emission cathodes on (110) silicon wafers.—74-03080A
Low-cost ceramic matrix composites.—74-10111A
Making ceramic components for advanced aircraft engines.—74-07021A
Making gas sensors.—74-10437A
Manufacture of nonfired hollow brick using anhydrite.—74-05822A
Metal matrix composite fabrication processes for high-performance aerospace structures.—74-05644A
Method of fabricating ceramic tile.—74-02817P
Mimicking nature's ceramic/ceramic laminar composites by electrophoretic deposition.—74-10474A
Monolithic YBCO structures fabricated using the laser writing patterning technique.—74-06591A
Nanofabrication and characterization using a scanning tunneling microscope.—74-08960A
Nanofabrication techniques for a 100-nm-scale tungsten polycide gate structure.—74-01811A
Novel processing route for the fabrication of complex shaped advanced ceramic components.—74-04783A
Novel vertical silicon membrane structure and its application to Josephson devices.—74-06228A
Ohmic metal/III-V semiconductor contacts—fabrication methods and properties (review).—74-08980A
One-step process for fabrication of carbon-carbon composites.—74-04017A
Optimal motion planning for solid free-form fabrication by thermal spraying.—74-10506A
Oxidized amorphous silicon as gate insulator for silicon tips.—74-02855A
Passively damped structural composite materials using resistively shunted piezoceramic fibers.—74-06427A
Phosphate-bonded ceramics as candidate final-waste-form materials.—74-09496A
Physical properties of vapor-grown carbon fibers.—74-04806A
Porous metals.—74-07418A
Principle of functionally gradient material (FGM) and its possibility applied to refractories.—74-05870A
Processing and applications of foam ceramics.—74-10581A
Processing parameters of pulse CVI in C/C composites.—74-10590A
Rapid fabrication of carbon-carbon composites.—74-10597A
Reactive exhaust gas treatment is catching on at fabs.—74-03728A
Research and development of planar solid oxide fuel cells at Tokyo Gas.—74-00531A
Selection, fabrication, and properties of electrodes used in high-temperature solid oxide fuel cells.—74-00532A
Selectively dry gate recessed GaAs metal-semiconductor field effect transistors, high electron mobility transistors, and monolithic microwave integrated circuits.—74-00705A
Silicon carbide/carbon composite sheets derived from PCS/coal-tar pitch mixtures.—74-04892A
Single wafer process integration for submicron structures.—74-06316A
Study and application of rabbit hair colored glaze.—74-05909A
Study on new ceramic material for heat exchanger.—74-07003A
Superconducting multiturn coils of YBCO-$SrTiO_3$-YBCO films.—74-03594A
Ten 10-nm pillars fabricated using electron-beam lithography, reactive ion etching, and HF etching.—74-01918A
Thermally sprayed self-lubricating composites from cored wires: I, Fabrication and chemistry.—74-10699A
Transient liquid phase bonding of silicon ceramics via microdesigned Ni-based interlayers.—74-10707A
Ultrahigh vacuum in situ fabrication of three-dimensional semiconductor structures using a combination of particle beams.—74-06369A

failure,
Acoustic emission study of failure mechanisms in ceramic matrix composite under longitudinal tensile loading.—74-07836A
Continuum damage mechanics in piezoceramics.—74-00747A
Detection of failures around main cracks and their relation to the fracture toughness of cement pastes.—74-05488A
Enameling of chemical equipment.—74-04616A
Evaluation of the reliability of ceramic component on the example of a conic joint.—74-02135A
Fabrication and failure of laminar ceramic composites.—74-10990A
Failure criteria for high-temperature fatigue of ceramic materials.—74-10993A
Failure mechanisms in advanced structural ceramics.—74-10994A
Failure mechanisms of a zirconia-8wt% yttria thermal barrier coating.—74-04317A
Failure modes of precracked ceramic elements under rollling contact.—74-02137A
Failure modes of SiC fiber/Si_3N_4 matrix composites at elevated temperatures.—74-05351A
Failure modes of unidirectional ultra-high-modulus carbon-fiber/carbon-matrix composite.—74-05352A
Failure of Al-SiO-Si metal oxide semiconductor capacitors at high temperatures.—74-00492A
Flexural failure mechanisms in unidirectional glass fiber-reinforced thermoplastics.—74-05624A
Initial failure maps for fibrous CMC laminates.—74-02158A
Interfacial properties of SiC (SCS-6) fiber-reinforced reaction-formed SiC matrix composites.—74-10828A
Investigation of the operating modes of gated vacuum field emitter arrays to reduce failure rates.—74-03076A
Materials and failure analysis methods and systems used in the development and manufacture of silicon integrated circuits.—74-06787A
Mechanics of failure of silicon carbide fiber-reinforced glass matrix composites.—74-11047A
Mechanisms of deformation and failure in carbon-matrix composites subject to tensile and shear loading.—74-07903A
Microscopic failure mechanisms in SiC fiber-reinforced glass-ceramic composites.—74-08238A
Parametric study of ball mills.—74-06714A
Properties of ceramics during high-temperature applications: I.—74-11066A
Properties of ceramics during high-temperature applications: II.—74-11067A
Reasons for transverse failure of main axis of vacuum pumps.—74-03729A
Strength and lifetime distributions of ceramic parts under multiaxial loading.—74-02205A
Thermal barrier coatings for gas turbines, automotive engines, and diesel equipment.—74-05657A
Transition in flexural microbuckling mechanisms in unidirectional glass fiber-reinforced thermoplastics.—74-05397A
Tribology of thin-film media in both flying and sliding modes.—74-02216A
Using failure mode and effects analysis [FMEA] in new glaze introduction.—74-08713A
Using FMEA [failure mode and effects analysis] in new glaze introduction.—74-08714A
Water-induced corrosion of materials used for semiconductor passivation.—74-07833A

Faraday effect,
Coherent and incoherent specular inverse Faraday effect in $YBa_2Cu_3O_{7-\delta}$.—74-03428A
Giant Faraday rotation in $Cd_{1-x}Fe_xTe$.—74-08924A
Giant specular inverse Faraday effect in $Cd_{0.6}Mn_{0.4}Te$.—74-05016A
Optical Faraday effect due to spin-sensitivity fluctuations of electrons in *n*-type semiconductors.—74-06237A
Photoinduced darkening and Faraday effect in glassy semiconductor films.—74-03163A

fatigue,
Bending and thermal stresses in a fatigue experiment of HAp-coated Ti rods.—74-08133A
Comparative study of test methodologies for thermal shock and thermal fatigue testing of ceramics in high-temperature energy applications.—74-09559A
Concepts for bridged cracks in fatigue and fracture.—74-05327A
Contact fatigue of a silicon carbide with a heterogeneous grain structure.—74-07845A
Cyclic fatigue in ceramics: a balance between crack shielding accumulation and degradation.—74-05331A
Cyclic fatigue properties of isotropic graphite at elevated temperatures.—74-07853A
Dynamic strength evaluation of ceramic rotating disk containing small flaws.—74-06761A
Effect of a plasma-sprayed hydroxyapatite coating on the fatigue properties of Ti-6Al-4V.—74-02121A
Effect of fictive temperature on dynamic fatigue behavior of silica and soda-lime glasses.—74-02533A
Effect of preloading on fatigue strength in dynamic fatigue testing of ceramic materials at elevated temperatures.—74-10972A
Effects of diamondlike hydrocarbon films on rolling contact fatigue of bearing steels.—74-08178A
Evaluation of creep and fatigue strength of ceramics.—74-10987A
Failure criteria for high-temperature fatigue of ceramic materials.—74-10993A
Fatigue and failure behavior of a HIPed silicon nitride under static, dynamic, and cyclic tensile loading at elevated temperatures.—74-02138A
Fatigue behavior of glass-ceramics under multiaxial stress states: an examination by diametral compression.—74-02139A
Fatigue crack growth behavior of silicon nitride under cyclic loading.—74-10995A
Fatigue crack growth from small surface cracks in transformation-toughened ceramics.—74-05353A
Fatigue crack growth in ceramics and composites.—74-10996A
Fatigue in structural ceramics.—74-10997A
Fatigue of ceramic materials.—74-02140A
Fatigue strength of optical fiber.—74-05716A
Fatigue testing welded joints for P/m Al matrix composites.—74-05622A
Fatigue, creep, and corrosion behavior of high-performance ceramics.—74-02141A
Frequency dependence of fatigue crack growth in a TiB_2-SiC composite at elevated temperature.—74-05359A
Frequency dependence of fatigue life and internal heating of a fiber-reinforced/ceramic-matrix composite.—74-04649A
Heat transfer during burner rig thermal fatigue of ceramic matrix composites.—74-09572A
High-temperature slow crack growth of Si_3N_4 specimens subjected to uniaxial and biaxial dynamic fatigue loading conditions.—74-11021A
High-temperature tensile fatigue behavior of a polymer-derived ceramic matrix composite.—74-11022A
Improved flat specimens for tensile and fatigue testing of composites.—74-07889A
Lifetime diagram of structural ceramic materials. DKG/DGM joint experiment.—74-02161A
Master fatigue curve for optical fibers.—74-05728A
Microstructure-crack resistance-fatigue correlations in eutectoid-aged Mg-PSZ.—74-02176A
Nonlinear piezoelectric metrology—coefficients and fatigue under impact.—74-09159A
Poling fatigue in modified lead titanate ferroelectric ceramics.—74-03337A
Reliability predictions for alumina plates with and without cavities or metallization layers using CARES.—74-09610A
Repeated point contact loading on Ce-TZP.—74-11073A
Review of the mechanics and mechanisms of cyclic fatigue-crack propagation in transformation-toughened zirconia ceramics.—74-02193A
Role of composite interface in fatigue crack growth.—74-11077A
Rolling contact fatigue testing of thermally sprayed coatings.—74-09612A
Rolling-contact fatigue and wear of CVD-SiC with residual surface compression.—74-11080A
Room- and high-temperature fatigue damage evaluation of SiC_f/Si_3N_4 composites.—74-11081A
Rotating beam fatigue test of two HPSN [hot-pressed Si_3N_4] ceramics.—74-11082A
Strength and fatigue behavior of 2-D-carbon/carbon composites under shear conditions.—74-11094A
Strength evaluation in development and application engineering of ceramics.—74-11096A
Thermal cycling performance of ceramics for gas-fired furnaces.—74-09718A
Thermal fatigue and subcritical crack growth in Si_3N_4.—74-02211A
Uniaxial and multiaxial fatigue of ceramic composite tubes.—74-11125A

faujasite,
Influences of ligand and of zeolite topology on the structure of Co^{II} Schiff base chelates in faujasite-type zeolite.—74-04151A

fayalite,
Kinetics of formation of fayalite under defined thermodynamic and microstructural conditions.—74-10737A

feeding apparatus,
Capitalizing on the use of platinum.—74-09438A
Feeder Cascade bowl design ensures gob consistency using improved symmetry.—74-09460A
Industry trials confirm low-speed feeder claim.—74-09474A
Introducing bulk materials into pneumatic conveying lines by screw feeders.—74-06709A
Low-flow-rate dry-powder feeder.—74-02012A
Meeting the need for slow-speed gob feed.—74-02644A
Optimized process control of rotary kilns with rotor weigh feeders.—74-01170A

feldspar,
Epitaxy in the crystallization of feldspar gels and glasses.—74-08418A

Feldspar.—74-06900A
Feldspar: What is it. Where does it come from. What do I need to know about using it.—74-09744A
Function of feldspar and/or nepheline syenite in a ceramic whiteware body.—74-08680A
Importance of feldspar as a flux in the ceramic industry.—74-06905A
Theories of origin for the Georgia kaolins—a review.—74-06934A
Uljin pottery stones.—74-03952A

Fermi surface,
Complete Fermi mapping of $Bi_2Sr_2CaCu_2O_{8+\delta}(001)$: coexistence of short-range antiferromagnetic correlations and metallicity in the same.—74-04265A
Cs-induced highest E_F jump above InAs(110) conduction band minimum.—74-06019A
Cs-induced highest E/F jump above InAs(110) conduction-band minimum.—74-06020A
Fermi level pinning by various metal Schottky contacts on (100) OMVPE-grown *n*-GaAs.—74-06104A
Theory of marginal-Fermi-liquid spectrum and pairing in a local copper oxide model.—74-05288A

ferrimagnetic materials,
Hall effect and transition into noncollinear state in ferrimagnetic amorphous Dy-Co films under strong magnetic fields.—74-03381A
Probing exotic magnetic phases in ferrites with neutrons.—74-09218A

ferrites,
Characteristics of materials for microwave devices.—74-06451A
Characterization of sputtered barium ferrite thin films on silicon-nitride-coated carbon substrates.—74-09196A
Chemical resistance of colored glass frit colored with ferrite waste.—74-02438A
Composite soft magnetic material—74-00780P
Conduction mechanism in Sn^{4+}-substituted copper ferrite.—74-09197A
Crystal structure of technogenic magnesioferrite.—74-03367A
Current trends in applications of magnetic ceramic materials.—74-06452A
Deposition of barium ferrite thin films by rf off-axis sputtering.—74-04541A
Design of ferrite composite microwave absorber.—74-03369A
Doping of ferrites for high-frequency switching power supplies.—74-03372A
Effect of Fe on magnetic and mechanical properties in MgZn ferrites.—74-04283A
Effect of high-temperature annealing on magnetic properties of ferrite-garnet films implanted by helium ions.—74-03373A
Effect of solid loading and lamination process on the properties of Ni-Zn ferrite made by tape casting method.—74-10296A
Effects of sintering conditions of sintered Ni-Zn ferrites on properties of electromagnetic wave absorber.—74-06455A
Effects of $SiO_2/CaCO_3$ additions on the production of soft ferrites for yoke rings.—74-03376A
Elastic properties of rare-earth ferrite garnets.—74-04292A
Electrical conductivity and thermopower studies of titanium-substituted lithium-magnesium ferrites.—74-00773A
Electrical resistivity and thermoelectric power of $Cd_{0.5}Ni_{0.5-x}Ti_xFe_{2-2x}O_4$.—74-06456A
Electron-nuclear interactions and spin reorientation in $HoFeO_3$.—74-05135A
Energy gaps in the spin-wave spectrum of rare-earth orthoferrites in a magnetic field.—74-04311A
Enhanced dispersion frequency of hot-pressed Z-type magnetoplumbite ferrite with the composition $2CoO{\cdot}3Ba_{0.5}Sr_{0.5}O{\cdot}10.8Fe_2O_3$.—74-09132A
EXAFS: determination of cation distribution in spinels.—74-09199A
Gadolinium-iron ferrites: composition and structure.—74-06458A
Granulation of barium ferrite in the fluidized bed.—74-00776A
High-quality ferrite production.—74-06459A
Hydration products of calcium aluminoferrite in the presence of gypsum.—74-04683A
Hydrothermal synthesis of manganese zinc ferrites.—74-09201A
Influence of isotropic barium ferrite production conditions on their physical properties.—74-00777A
Low power loss Mn-Zn ferrites.—74-03409P
Low-temperature synthesis of pure and Ti-, Co-modified barium hexaferrite.—74-06461A
Magnetic and structural properties of pulsed laser deposited epitaxial MnZn ferrite films.—74-09203A
Magnetic and thermal properties at the initial stage of formation of spin-glass-type states in $Li_{0.5}Fe_{2.5-x_{Ga}}x_{Ga}4$ (n=0.9, 1).—74-07171A
Magnetic heads and tapes for audio and video systems.—74-09204A
Magnetic particles for perpendicular magnetic recording.—74-03410P
Magnetic powder for magnetic recording and magnetic recording medium containing the same.—74-09228P
Magnetic properties of high-density Mn-Zn ferrites[—erratum].—74-03389A
Magnetic-field-induced spatial spin reorientation of $DyFeO_3$.—74-04353A
Magnetically induced linear birefringence [MLB] of samarium ferrite garnet.—74-06464A
Magnetooptical dark-field study of domain boundaries in $[(BiLu)_3(FeGa)_5O_{12}]$ ferrite-garnet films of (210) type.—74-06466A
Magnetostatic surface waves in ferrite-superconductor contacts.—74-09304A
Magnetostatic waves in ferrite films with trigonal anisotropy.—74-03393A
Magnetostatic waves in weakly magnetized ferrite films.—74-06467A
Magnetostrictive materials.—74-00778A
Mechanically activated synthesis of particulate hexagonal ferrite $BaFe_{12}O_{19}$.—74-06469A
Method for preparing barium-ferrite-coated γ-Fe_2O_3 magnetic powder.—74-03411P
Microstructure and physicochemical studies of pure and zinc-substituted lithium ferrites sintered above 1000°C.—74-03394A
Microwave sintering of barium hexaferrite.—74-09210A
Microwave-absorbing characteristic improvement by permittivity control of ferrite composite microwave absorber.—74-09211A
Mn-Zn-based single crystal ferrite composition.—74-03412P
Mossbauer spectrometric study of the perovskite $CaFe(IV)O_3$ by means of a $^{119}Sn(IV)$ dimagnetic probe.—74-06471A
Mossbauer study of potassium ferrites.—74-06472A
Nature of energy gaps in spin-wave spectra formed during induced transitions in $ErFeO_3$.—74-05199A
NMR of ^{57}Fe, $^{69/71}Ga$ nuclei in Ga-substituted $TmFeO_3$.—74-06474A
Nonreciprocal electromagnetic properties of composite chiral-ferrite media.—74-09212A
Nonstoichiometry and its effect on the magnetic properties of a manganese-zinc ferrite.—74-09213A
Novel technique for the preparation of fine ceramic oxides.—74-07402A
Permanent magnet (ferrite magnet).—74-09216A
Preparation of high permeability Mn-Zn ferrites by the wet method.—74-03399A
Preparation of strontium ferrite particles by spray pyrolysis.—74-09217A
Probing exotic magnetic phases in ferrites with neutrons.—74-09218A
Process of making hexagonal magnetic ferrite pigment for high density magnetic recording applications.—74-09229P
Process of producing calcined materials for ferrite magnet.—74-09230P
Processing and properties of extruded hydrothermally derived maganese zinc ferrites.—74-03401A
Reaction condition for the synthesis of ultrafine particles of the high-vacancy-content Zn(II)-bearing ferrites from iron(III) tartrate solution.—74-03403A
S-block structure in hexagonal ferrites.—74-03404A
Sintered ceramic components and method for making same.—74-08813P
Soft ferrite processing.—74-06475A
Solid-state electrochemical technique to study barium ferrite thermodynamic stability.—74-04211A
Synthesis of doped MnZn ferrites by chemical methods.—74-04941A
Why does the state of agglomeration of iron oxide used in the preparation of $(MnZn)Fe_2O_4$ powders affect the electromagnetic properties of soft ferrite ceramics.—74-06478A

ferroelastic materials,
Microstructures of sol-gel-prepared ferroelectric thin films.—74-03324A
Optical and X-ray studies in ferroelastic $Cs_3H(SeO_4)_2$.—74-04170A

ferroelectric materials/ferroelectrics,
Applications of ferroelectric ceramics in optics and electronics.—74-03285A
Ceramic materials for actuators—composition-related properties.—74-03287A
Ceramic Transactions, Volume 43: Ferroic Materials: Design, Preparation, and Characteristics.—74-05435B
Computer simulation of the dynamics of 180° ferroelectric domains.—74-09114A
Crystal growth in ferroelectric material of ABO_3 type.—74-06398A
Development of ferroelectric relaxor ceramics.—74-09119A
Developments in ferroelectric ceramics for capacitor applications.—74-06400A
Dielectric ceramic composite material.—74-08786P
Dielectric dispersion of ferroelectric ceramics and single crystals by sound generation in piezoelectric domains.—74-03292A
Dopant effect of ferroelectric properties of ABO_3 glass-ceramics.—74-02613A
Effect of top metallization on the dielectric and ferroelectric properties of sol-gel-derived PZT thin films.—74-09126A
Effects of rare-earth incorporation on the ferroelectric and dielectric properties of sol-gel derived $PbTiO_3$ films.—74-09128A
Electrical and dielectric instability induced by electric field cycling in ferroelectric ceramic actuators.—74-06406A
Electromechanical properties of ceramics in the (PMW-PT-PZ) system.—74-03302A
Enhanced fatigue and retention in ferroelectric thin film memory capacitors by post-top electrode anneal treatment.—74-03356P
Exciton nature of laser photoluminescence in oxygen-octahedral crystals: theory.—74-03007A
Ferroelectric thin films in the system PZT.—74-03305A
Giant LO-TO splittings in perovskite ferroelectrics.—74-03310A
In situ, real-time analysis of the growth of ferroelectric and conductive oxide heterostructures by a new time-of-flight pulsed ion beam surface analysis technique.—74-10821A
Indirect investigation of ferroelectric domains in fine-grain $BaTiO_3$.—74-03313A
Influence of a ferromagnetic tip on the Abrikosov vortex lattice in $NbSe_2$ studied by low-temperature scanning tunneling microscopy.—74-06460A
Microstructural analysis of ferroelectric glass-ceramics.—74-05187A
Microstructure of epitaxial ferroelectric/metal oxide electrode thin-film heterostructures on $LaAlO_3$ and silicon.—74-09155A
Model for electrical conduction in metal-ferroelectric-metal thin-film capacitors.—74-02852A
Modeling of the metal-ferroelectric-metal capacitor: I, Theoretical considerations.—74-09156A
Modeling of the metal-ferroelectric-metal capacitor: II, Experimental verifications.—74-08759A
Optically addressable, ferroelectric memory with NDRO (nondestructive readout).—74-00759A
$Pb(Zr*Ti)O_3$ thin films prepared by MOCVD.—74-03329A
Phase transitions in $BaTiO_3$ from first principles.—74-06429A
Piezoelectric properties of sol-gel-derived ferroelectric and antiferroelectric thin layers.—74-03335A
Preparation and electrical characteristics of sol-gel ceramics in the PMN-PT system.—74-03338A
Preparation and evaluation of ferroelectric thin films.—74-09166A
Preparation of ferroelectric PZT thin film by sol-gel processing: I, Synthesis of stable PZT sol using chelating agent and preparation of its thin film.—74-09169A
Processing of better ferroelectric films through chemistry.—74-03341A
Rapid growth of ferroelectric TGS crystals.—74-09175A
Semiconductor device having a ferroelectric capacitor with a planarized lower electrode.—74-09190P
Single crystal ferroelectric barium titanate films—74-00772P
Size effects and nonlinear phenomena in ferroic ceramics.—74-03348A
Sol-gel technology for ferroelectric thin films.—74-09177A
Structural aspects of ferroelectric phase transitions.—74-09181A
Structurally matched ferroelectric device.—74-03361P
Temperature-dependent cathodoluminescence spectroscopy and microscopy and analytical electron microscopy of $BaTiO_3$-based PTC ceramics.—74-04441A
Thin film capacitor.—74-03362P
Thin inorganic layers with ferroelectric and ferromagnetic properties prepared by the sol-gel method.—74-06732A

ferroelectricity,
Domain structure in ferroelastic plate with oblique cut.—74-06401A
Ferroelectric characteristics in Fe-Ti-O system.—74-09142A
Ferroelectricity of magnetite (Fe_3O_4) observed by means of magnetoelectric effect.—74-03306A
Peculiarities of the switching process in polycrystalline thin ferroelectric films of PZT type.—74-03331A
Structural, ferroelectric, and pyroelectric properties of nonstoichiometric ceramics based on $BaAl_2O_4$.—74-03350A

ferromagnetic materials/ferromagnets,
Effect of transverse relaxation time inhomogeneity on nuclear spin echo signals in ferromagnets.—74-06454A
Magnetization of ferromagnet-superconductor structures.—74-03514A
Observation of mesoscopic effect in ferromagnetic multilayer films.—74-09214A
Observation on mesoscopic effect in ferromagnetic multilayer films.—74-09215A
Pressure dependence of the magnetic transition temperature for ferromagnetic $SrRuO_3$.—74-03400A
Thin inorganic layers with ferroelectric and ferromagnetic properties prepared by the sol-gel method.—74-06732A
Unsteady nonuniform states of nonequilibrium electrons and magnons in ferromagnetic semiconductors.—74-03259A

ferromagnetism,
Disappearance of ferromagnetism at low temperatures in $CoNb_2O_6$.—74-07152A
Weak ferromagnetism and tricriticality in pure La_2CuO_4.—74-06665A

ferrous compounds,
Diamond thin-film growth on ferrous surfaces.—74-01681A
Ion-beam-assisted growth of beta-$FeSi_2$.—74-00645A
Utilization of ferrochromium slag by hydrothermal treatment.—74-07546A

fiber reinforcement,
Analytical modeling support of the development of fiber-reinforced ceramic composite materials for reheater burners.—74-09846A
Assessment of the fracture resistance for fiber-reinforced ceramics—combined micro- and macromechanical approach.—74-10948A
Borosilicate glass matrix composites reinforced with short metal fibers.—74-02517A
Carbon fiber reinforced silicon nitride based nanocomposite material and method for preparing same.—74-04034P
Carbon fiber-reinforced concrete as an electrical contact material for smart structures.—74-08833A
Carbon fiber-reinforced concrete for smart structures capable of nondestructive flaw detection.—74-09850A
Ceramic composite material mechanical behavior simulation.—74-04036P
Ceramic composites with ceramic fibers.—74-09911P
Composite material with a glass-ceramic or ceramic matrix obtained by the sol-gel process and reinforced by fibers based on silicon carbide, its manufacture and its applications.—74-08473P
Design charts for the thermal conductivity of continuous fiber-reinforced composites.—74-06753A
Design of intelligent materials with self-diagnosing function for preventing fatal fracture.—74-05487A
Effects of size in bundled fibers on the interfacial zone between the fibers and the cement paste matrix.—74-05510A
Factors that determine the durability of fiber cement composites.—74-08029A
Fasteners made of composite material of a ceramic matrix reinforced with refractory fibers.—74-09820P
Fiber-reinforced composites—74-00331P

Flexural creep of coated SiC-fiber-reinforced glass-ceramic composites.—74-05354A
Glass-ceramic composite materials with uniform continuous reinforcing fiber distribution and a unit for their production.—74-01745A
Glass-ceramic matrix composites.—74-02372A
Glasses and glass-ceramics reinforced with polycrystalline fibers.—74-02633A
High temperature ceramic composite—74-01320P
Mechanics of failure of silicon carbide fiber-reinforced glass matrix composites.—74-11047A
Method for manufacturing fiber-reinforced components for propulsion plants.—74-08310P
Method for manufacturing fiber-reinforced structures with a glass matrix.—74-08486P
Method of fabrication of composites—74-01322P
Method of making a fiber reinforced ceramic glass composites having tailored coefficient of thermal expansion.—74-08488P
Method of making precursors and articles of ceramic-reinforced metal matrix composites.—74-08312P
Method of manufacturing a hollow silicon carbide fiber reinforced silicon carbide matrix component.—74-09939P
Method of manufacturing fiber-reinforced composites having a gradient function.—74-04067P
Method of manufacturing parts made of ceramic matrix composite material—74-01323P
Method of producing a silicon carbide fiber reinforced strontium aluminosilicate glass-ceramic matrix composite.—74-08490P
Monolithic ceramic/fiber reinforced ceramic composite.—74-09943P
New advances revive interest in cement-based materials.—74-02341A
Optimization of coating layers in the design of ceramic fiber reinforced metal matrix composites.—74-00135A
Porous load bearing materials.—74-09833P
Preparation of fiber-reinforced hydroxyapatite.—74-07431A
Properties and application of polypropylene fiber-reinforced cement composites.—74-08093A
Refractory fibers—a reinforcing component of metal matrix composites: a review.—74-02394A
Role of fiber bridging in the delamination resistance of fiber-reinforced composites.—74-07913A
Scalings in fracture probabilities for a brittle matrix fiber composite.—74-11083A
Stochastic aspects of matrix cracking in brittle matrix composites.—74-11093A
Tensile fracture behavior of fiber-reinforced ceramic matrix composite with hole.—74-02400A
Thermal expansion of a PRD-166 fiber-reinforced glass-matrix composite.—74-02593A
Thermal shock behavior of fiber-reinforced composites.—74-11114A
Use of existing data sets on technical glasses for the development of new glass compositions using a modified simplex method of sequential optimization.—74-00323A

fiberglass,
Global outlook for reinforced glass composites is strong.—74-07947A
Production of glass fibers from scrap glass fibers.—74-02696P
Techno economic issues in the selection of auto materials.—74-02279A
Zero shrinkage clay and other sculpture bodies.—74-00031A

fibers,
$Al_2O_3(ZrO_2)$ cellular fibers.—74-09754A
Analytical model for rare-earth-doped fiber amplifiers and lasers.—74-05977A
Application of silicon carbide fibers for increasing the service parameters of abrasive cutting wheels.—74-00001A
Applications of CVD-coated multifilament fibers.—74-07014A
Applied technology—polycrystalline diamond fibers for metal matrix composites.—74-05613A
Assessment and optimization of the stabilization process of mesophase pitch fibers by thermal analyses.—74-07206A
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers—correction.—74-04258A
Carbon composite material reinforced with carbon fiber and inorganic fiber.—74-04033P
Ceramic fiber product and structure for high temperature severe application environments and method of making same.—74-02795P
Ceramic fibers.—74-10063A
Characterization of SiC-fiber/Ti_6Al_4V-matrix composites by macroindentation tests.—74-06743A
Classification of the length of ceramic fibers by settling process.—74-10780A
Composite fibers having a diamond surface.—74-04040P
Continuous atmospheric pressure CVD coating of fibers.—74-10240A
Continuous fabrication of silicon fiber tows by chemical vapor deposition.—74-07238A
Crystalline yttrium aluminate and process for making.—74-09819P
Diamond tubes and fibers.—74-02369A
Effect of fiber-fiber interactions on the strength properties of short-fiber-reinforced cements.—74-02322A
Effect of interface roughness on fiber pushout stress.—74-05343A
Effect of interfacial roughness parameters on the fiber pushout behavior of a model composite.—74-05344A
Effect of test parameters on tensile mechanical behavior of a continuous fiber ceramic composite (CFCC).—74-10975A
Efficiency of PAN fibers in reducing shrinkage-induced cracking in fresh concretes and mortars.—74-05512A
Electrophoresis process for preparation of ceramic fibers—74-01017P
Electrophoresis process for preparation of ceramic fibers.—74-03749P
Evaluation of surface properties of ceramic fibers on a microscale.—74-10802A
Evolution of ceramic fiber and lining method provides energy savings and efficiency for reheat furnaces.—74-06850A
Experiences with ceramic fiber linings in industrial kiln construction.—74-00385A
Fiber, whisker, and particulate reinforced new glass-ceramic matrix for innovative composites.—74-02142A
Finite element modeling of the fiber twist test.—74-09570A
Fracture behavior of continuous alumina fiber-reinforced epoxy.—74-11001A
Growth and luminescence properties of some single-crystal fibers of laser host materials.—74-10106A
Growth and stabilization of hot spots in microwave-heated ceramic fibers.—74-10376A
Growth of BSCCO fibers using the laser-heated pedestal growth process.—74-03474A
Guanadine soaps as vehicles for coating ceramic fibers.—74-10379A
High temperature resistant material.—74-08650P
High-hot-strength ceramic fibers.—74-06976A
Improved interface coatings for SiC fibers in ceramic composites.—74-10396A
Inorganic fibers and microstructures by laser-assisted chemical vapor deposition.—74-01769A
Insulating fibrous material from natural and artificial aluminosilicate raw materials.—74-00388A
Interaction of fiber and transformation toughening.—74-07897A
Manufacture of woven fiber ceramic matrix composites using electrophoretic deposition.—74-02381A
Measurements of total and spectral emissivities of some ceramic fiber insulation materials.—74-09580A
Method of making a superconductive fiber.—74-03647P
Microscopic tube material and its method of manufacture.—74-03760P
Microwave sintering of continuous zirconia ceramic fibers.—74-10468A
Minimizing densification times during the final stage of isothermal chemical vapor infiltration.—74-01803A
Multilayer fiber-matrix ceramic composite material and process for its production—74-01264P
New hybrid boron-carbon prepreg developed.—74-01087A
New process grows high-quality single-crystal fibers at high rates.—74-01298A
Optimization of fiber-insulating material up to 1800°C by coatings.—74-00394A
Oxidation-resistant interfacial coatings for continuous fiber ceramic composites [CFCCs].—74-10935A
Polycrystalline silicon carbide fibers.—74-04077P
Potassium hexatitanate fibers having tunnel structure, process for producing the same, and composite material—74-01330P
Potential for diamond fibers and diamond fiber composites.—74-09498A
Process for making a chemically-resistant porcelain enamel.—74-08317P
Process for making silicon carbide ceramic fibers.—74-04081P
Process for preparing ceramic fibers from polysiloxanes.—74-04001P
Process for the production of a carbon-containing composite material part protected against oxidation.—74-04084P
Process of production of a glass intended to be transformed into continuous or stable fibers—74-00348P
Processing of fine-diameter continuous mullite fibers.—74-10587A
Product stewardship for refractory ceramic fiber [RCF].—74-08628A
Reaction mechanisms of silicon fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: II, Free radical reaction.—74-07458A
Refractory ceramic fibers update.—74-05874A
Refractory ceramic fibers update.—74-08632A
Refractory-ceramic-fiber furnace linings.—74-05877A
SAXS study of the nanometer-scale hybrid structure of Si-Ti-C-O amorphous fibers.—74-10879A
Shaped fibrous materials for fiber-reinforced metals.—74-03776P
Silicon carbide fiber and method of manufacturing the same—74-01336P
Silicon nitride and silicon carbide fibrous monolithic ceramics.—74-01304A
Simple creep test for ceramic fibers.—74-04418A
Staple fibers made of andesite porphyrite and used for heat insulating purposes.—74-00403A
Structure and properties of polymer-derived stoichiometric SiC fiber.—74-10890A
Study on furnace linings of ceramic fibers.—74-02787A
System grows single-crystal fibers.—74-07525A
Tensile properties of ceramic matrix fiber composites.—74-11110A
Thermal degradation mechanisms of Nicalon and Tyranno fibers.—74-11112A
Wear resistant ceramic fiber conveyor rolls.—74-04007P
Yttria-alumina fibers—74-01275P

fibrous materials,
Al_2O_3-Fe_2O_3 fibers from bauxite and red mud. —74-10188A
Application of microcomputer tomography for optimizing the manufacture of fiber ceramics.—74-01040A
Ceramic composite containing coated fibrous material.—74-08779P
Commercial development of fibrous monolithic ceramics.—74-09860A
Growth techniques and physical properties of single-crystal fibers.—74-09147A
Influence of inhaling fine particles on human health.—74-11171A
Sorption properties of fibrous sorbent PP-Pak and its analytical application.—74-01107A

field effect transistor,
Application of diamondlike layers as gate dielectric in metal/insulator/semiconductor transistor.—74-02913A
BiCMOS process with low base recombination current bipolar transistors—74-00736P
Current status and future prospects of poly-Si devices.—74-02953A
Design and characterization of compact 100-nm-scale silicon metal-oxide-semiconductor field effect transistors.—74-06036A
Diamond driver-active load pair fabricated by ion implantation.—74-08858A
Diamond power transistor performance.—74-06040A
Experimental sensitivity studies of diode-clamped FET-SEED smart-pixel optical receivers.—74-08902A
Fabrication of *n*-metal-oxide semiconductor field effect transistor with Ta_2O_5 gate oxide prepared by plasma-enhanced metallorganic chemical vapor deposition.—74-06096A
Fabrication of a nanoscale, in-plane gated quantum wire by low energy ion exposure.—74-01719A
Fabrication of compact 100-nm-scale silicon metal-oxide-semiconductor field effect transistors.—74-06098A
Fabrication of silicon carbide integrated circuits.—74-08789P
FET based on 6H-SiC—temperature dependence of the conductivity of the *n*-type channel.—74-08912A
High-field effects in polysilicon thin-film transistors.—74-03042A
High-performance InP JFETs grown by MOCVD using tertiarybutylphosphine.—74-04679A
Method of fabricating a silicon carbide vertical MOSFET and device.—74-09093P
Method of fabricating a silicon carbide vertical MOSFET.—74-09094P
Method of making a silicon carbide junction field effect transistor device for high temperature applications.—74-09096P
Method of producing silicon carbide MOSFET.—74-09097P
Nanometer metal oxide semiconductor field effect transistor structures for studying electron transport.—74-06218A
Plasma-deposited SiO_2 for planar self-aligned gate metal-insulator-semiconductor field effect transistors on semiinsulating InP.—74-00684A
Selectively dry gate recessed GaAs metal-semiconductor field effect transistors, high electron mobility transistors, and monolithic microwave integrated circuits.—74-00705A
SiC power MOSFET device structure.—74-09099P
Silicon carbide field effect transistor—74-00745P
Silicon carbide switching device with rectifying gate.—74-09101P
Silicon carbide wafer bonded to a silicon wafer—74-00746P
Superconducting field-effect transistors with inverted MISFET structure.—74-09393P
Titanium silicide/germanide formation on submicron features for high mobility SiGe channel field effect transistors.—74-03255A
Transmission electron microscopy specimen preparation technique using focused ion beam fabrication: application to GaAs metal-semiconductor field effect transistors.—74-01122A

filaments,
Carbon filament source for *p*-type doping in molecular beam epitaxy.—74-06741A
Effects of gas flow variables on the crystal growth of diamond in hot filament-assisted CVD.—74-04598A
Preparation of ultrafine graphite flakes with ordered size and microstructure from vapor-grown ribbonlike filaments.—74-04830A
Production of ceramic filaments.—74-09539P
Self-supporting diamond filaments.—74-02423P
Synthesis of Bi-Sr-Ca-Cu-O filament crystals.—74-06646A

fillers,
Concrete mixtures from coarse and porosive fillers.—74-00042A
Filler pigments designed for recyclability.—74-06974A
Joining of zirconia ceramic to stainless steel and to itself using $Ag_{57}Cu_{38}Ti_5$ filler metal.—74-05639A
Manufacture of foamed glass granules.—74-05773A
Method for the determination of the filler humidity and water-containing guiniting concrete mixtures.—74-00076A
Method of making ceramic composite articles and articles made thereby.—74-09826P
New approach in evaluation of filler effect in cement: I, Effect on strength and workability of mortar and concrete.—74-05557A
Preparation of ceramic composites by active-filler-controlled polymer pyrolysis.—74-10560A
Role of the adsorption interaction between pitch and filler in the process of baking of carbon-carbon composites.—74-07026A

films,
Amorphous oxide film and article having such film thereon.—74-09903P
Apparatus and method for making aligned high-T_c tape superconductors.—74-03622P
Atomic layer controlled deposition of Al_2O_3 films employing trimethylaluminum (TMA) and H_2O vapor.—74-07207A
Beta-silicon carbide protective coating and method for fabricating [the] same.—74-04029P
Ceramic separation film and its applications.—74-06959A
Characterization of ion-beam-deposited diamondlike carbon films.—74-10771A
Conversion of fullerenes to diamond.—74-04043P
Deposition and properties of polycluster diamond films.—74-10258A
Diamond growth by microwave generated plasma flame—74-00737P
Dielectrics applied for VLSI planarized multilevel metallization.—74-08860A
Effects of the substrate bias on the formation of cubic boron nitride by inductively coupled plasma-enhanced chemical vapor deposition.—74-10317A

Evaluation of thermal interdiffusivity at (Nd-Cu-O)/(Ca-Cu-O) multilayered film interface by X-ray diffractometry.—74-10731A
Evolution of [highly] dispersed particle ensembles on surface of solids—mechanisms of initial stages of forming thin multicomponent films: I, Conservative systems.—74-07646A
Glass substrate provided with a low emissivity film—74-00333P
Growth frustration of YBaCuO films at the transition from *a*- to *c*-axis orientation.—74-03472A
Hall effect in anisotropic films and single crystals.—74-04325A
Heat-screening glass—74-00284P
Hot-filament-assisted CVD of titanium nitride films.—74-10389A
Hybrid circuits and a method of manufacture.—74-08796P
In situ laser ablation method for forming oxide superconducting films.—74-03632P
Infrared sensor for CVD deposition of dielectric films.—74-08755A
Ir response of granular YBCO semiconducting films.—74-03078A
Isotopically pure single crystal epitaxial diamond films and their preparation.—74-04057P
Lead-free thick film paste composition.—74-08799P
Low-pressure chemical vapor deposition process for depositing high-density, highly-conformal titanium nitride films of low bulk resistivity.—74-09925P
Magnetostatic waves in weakly magnetized ferrite films.—74-06467A
Method and apparatus for growing diamond films.—74-04059P
Method for arc discharge plasma vapor deposition of diamond.—74-04060P
Method for chemical vapor deposition of titanium nitride films at low temperatures.—74-09930P
Method for forming a field oxide film in a semiconductor device.—74-09089P
Method for forming diamond films by vapor phase synthesis.—74-04061P
Method for forming diamondlike nanocomposite or doped diamondlike nanocomposite films.—74-04062P
Method for forming light absorbing aluminum nitride films by ion beam deposition.—74-09932P
Method for manufacturing a semiconductor device.—74-02888P
Method for producing single crystal diamond film.—74-08804P
Method for producing single crystal diamond film.—74-09935P
Method for the formation of a silicon oxide film.—74-03993P
Method for the formation of a silicon oxide film.—74-04065P
Method for the formation of silicon oxide films.—74-03994P
Method of and apparatus for preparing oxide superconducting film—74-00871P
Method of making large area single crystalline diamond films.—74-09938P
Method of manufacturing an oxide superconductor film—74-00873P
Method of synthesizing high quality, doped diamond and diamonds and devices obtained therefrom.—74-09942P
Methods for the formation of a silicon oxide film.—74-08491P
Microscopic theory of epitaxial growth: I, Nucleation of heteroepitaxial films on vicinal surfaces.—74-07381A
Negative photoconductivity in *n*-InSb films.—74-08966A
Oxynitride fuse protective/passivation film for integrated circuit having resistors.—74-04073P
Passive films [studied] by capacitance measurements.—74-05951A
Photoelectrochemical investigations on particulate films of CdS grown by novel electrochemical method.—74-03161A
Plasma CVD apparatus and method therefor.—74-03765P
Plasma enhanced chemical vapor deposition of oxide film stack.—74-03766P
Process and apparatus for production of diamondlike films.—74-04080P
Process for formation of silicon carbide film.—74-09949P
Process for the controlled growth of single-crystal films of silicon carbide polytypes on silicon carbide wafers.—74-03280P
Silver additives for ceramic superconductors—74-00880P
Stepwise growth of size-confined CdS in the 2-D hydrophilic interlayers of Langmuir-Blodgett films by the repeated sulfidation-intercalation technique.—74-04914A

filters/filtration,
Advances in the design and evaluation of filter plants.—74-06677A
Automated baroid filter characterization of casting slip components.—74-11141A
Cement cake properties in static filtration: on the role of fluid loss control additives on the cake porosity.—74-00039A
Ceramic block filter having nonsymmetrical input and output impedances and combined radio communication apparatus.—74-08778P
Ceramic capacitor arrays—a new approach.—74-08725A
Ceramic filter and manufacturing method therefor.—74-09812P
Ceramic filtering membranes.—74-09767A
Ceramic membrane.—74-06957A
Compressed air filtration.—74-06687A
Criteria presentation and analysis of quadratic-linear hydraulic resistance of porous medium.—74-01975A
Deposition of carbon films by a filtered cathodic arc.—74-10260A
Dielectric filter—74-00550P
Effectiveness of hydroxyapatite for water filtration.—74-06969A
Fabrication of full-scale fiber-reinforced hot gas filters by chemical vapor deposition.—74-01726A
Filtration combustion with self-deformation.—74-04637A
Filtration of vitreous sanitary ware slips.—74-00428A
High-frequency bandpass filter using polycrystalline diamond.—74-09871A
High-T_c superconducting high power filters.—74-09368P
Investigation on photorefractive crystals used as phase filters.—74-02553A
Low-voltage heatable highly porous ceramic filters.—74-06186A
Manufacture of conical pore ceramics by electrophoretic deposition—74-01021P
Method of making a porous ceramic filter.—74-09937P
Method of manufacture of a ceramic membrane for microfiltration.—74-09827P
Molten metal filter medium and method for making same.—74-02799P
Monolithic α-alumina through pressure filtration of seeded boehmite gels.—74-04764A
New applications for the Jet-Bag filter systems.—74-08078A
Oxidation behavior of CM-SiC filters.—74-07818A
Piezoelectric lead zirconium titanate device and method for forming same—74-00770P
Process for metallizing monolithic microwave ceramic filters.—74-08318P
Strength testing of tubular ceramic gas filters by internal hydraulic pressure test.—74-09621A
Surface mount ceramic filter duplexer having reduced input/output coupling and adjustable high side.—74-09103P
Troubleshooting a dust collector.—74-08114A
Waveguide filters having a layered dielectric structure.—74-08818P

fine ceramics,
Ceramic Transactions, Volume 44: Materials Processing and Design: Grain-Boundary-Controlled Properties of Fine Ceramics: II.—74-05436B
Friction, wear, and rolling contact fatigue of fine ceramics.—74-07883A
Influence of plastic raw materials on the pressure casting forming process for fine ceramics.—74-10417A
Novel technique for the preparation of fine ceramic oxides.—74-07402A

fineness,
Cosmetics and fine particles.—74-10072A
Raman spectroscopic studies on the formation mechanism of hydrous-zirconia fine particles.—74-01447A
Ultrafine particles: advantages and drawbacks.—74-10710A

fining,
Intensification of fining of glass melt with centrifugal forces.—74-02638A
Investigations into all-electric melting of neutral glass with improved reboil behavior.—74-02639A

finite element analysis,
Analysis of capillary-driven viscous flows during the sintering of ceramic powders.—74-06736A
Analysis of microstructure of hardened cement paste by finite element method.—74-02306A
Computation of thermal stresses in high-voltage insulators by FEA.—74-00469A
Effective elastic modulus of two-phase composites.—74-04288A
FEM in the ceramics industry.—74-06769A
Finite element analysis for high-temperature densification processing of alumina powder compacts.—74-10355A
Intelligent control of consolidation and solidification processes.—74-03700A
Reliability analysis for ceramic components: numerical evaluation of stresses or testing of components.—74-02191A
Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material.—74-08774A
Using visualization to interpret solidification simulations.—74-01926A

fire-retardant,
Process of making zinc borate and fire-retarding compositions thereof—74-01211P

fireclay,
Determining phosphoric anhydride in the gaseous products in firing phosphate-bonded fireclay bodies.—74-02748A
Development of special low-porosity fireclay brick.—74-02714A
Rheological anomalies of fireclay-quartz binding suspensions.—74-03731A
Superduty fireclay refractory brick and methods for its manufacture.—74-08654P
Utilization of two Indian plastic fireclays.—74-05884A

firing,
Adjusting binders of isostatically pressed ware for rapid firing.—74-01133A
Application of oxy-fuel firing to an E-glass furnace.—74-03894A
Bodies, glazes, and frits for single-fired tiles.—74-08662A
Bone china—a high-quality soft porcelain as an enrichment of modern table art.—74-00423A
Burners and burner control systems: I.—74-09642A
Can the refractories industry cope with the steadily increasing demand for ceramic fast-firing technology.—74-00379A
Ceramic rollers for rapid firing kilns.—74-09644A
Crystalline glazes: a precise method.—74-00012A
Decorating techniques for single-fire, fast-fire tile production.—74-08517A
Decorating techniques for single-fire, fast-fire tile.—74-08670A
Decorating your way out of recession.—74-02611A
Developmental tendencies and technological advances of ceramic tiles.—74-02806A
Drying and firing: kiln furniture.—74-09653A
Effects of firing period and temperature on properties and structure of wall and floor tiles.—74-02716A
Effects of some technological factors on the properties of current-carrying films.—74-02834A
Eliminating cracks in fast-firing sanitary ware.—74-05893A
Eliminating preheat and cooling cracks in fast-firing sanitary ware.—74-08676A
Energy saving through fast firing and the use of special super alloy material.—74-02718A
Fast drying and fast firing of heavy clay products in the "bar dryer and bar kiln."—74-09662A
Fast firing of heavy clay products in roller kilns.—74-08549A
Fast-fire technology: thermal potential control.—74-09663A
Fast-firing of porcelain in roller kilns—knowledge and developments.—74-00427A
Fast-firing technology in ceramic decoration.—74-09664A
FEM in the ceramics industry.—74-06769A
Firing copper red glaze in oil-fired tunnel kiln.—74-05894A
Firing heavy clay products more efficiently.—74-08550A
Firing of porcelain—oxidation and reduction.—74-07982A
Firing of sanitary ware.—74-02808A
Firing technology for sanitary ware.—74-00430A
Firing technology in the heavy clay industry.—74-08551A
Firing temperature profiles: measurement methods and the effect of temperature differences on enamel surfaces.—74-00120A
Firing wet pots.—74-00018A
Formation of kaolin refractories heated in different gas atmospheres.—74-03909A
Furnaces for firing of high-tension ceramic insulators.—74-06854A
Increased production and quality achieved by improved firing consistency.—74-09675A
Inertizing in ceramic production.—74-00432A
Influence of fast firing on the color of red unglazed stoneware tiles.—74-00365A
Kiln development for fast decorating firing.—74-01161A
Lo-Mass kiln cars for the ceramic industry.—74-09683A
Manufacturing process of big raccoon dog statues of Shigaraki wares.—74-07986A
Method of firing ceramic moldings containing a diffusible metallic oxide—74-00742P
Microwave firing.—74-10463A
Modern high-temperature tunnel kilns—high-tech firing aggregates.—74-09689A
Monocottura and monoporosa tile reformulation principles and practices.—74-08694A
New directions in porcelain technology.—74-08696A
New manufacturing method of porcelain vessel.—74-00436A
New orientation of the porcelain industry.—74-08697A
NO_x reduction techniques.—74-09697A
Once-fired colored luster wall and floor tile production.—74-05899A
Optimized technologies in drying and fast firing of wall tiles.—74-08568A
Option of various types of brick-firing kilns.—74-06870A
Paper crane made by ceramic process.—74-07988A
Practical experience with coal-fired Maerz kilns.—74-03926A
Railton plant upgrade.—74-03928A
Recent progress in gas-fired sintering kilns for ceramics.—74-09709A
Red firing to the third power.—74-02730A
Reduction firing of building ceramics: I.—74-02731A
Reduction firing of building ceramics: II.—74-08578A
Relationship between economy, ecology, and quality control in whiteware firing technology.—74-00440A
Research on once fast firing of glazed tile at low temperature.—74-05907A
Several factors are fueling the movement in oxygen firing conversion.—74-03929A
Single firing for firing for the manufacture of wall tile: II.—74-00441A
Single firing for the manufacture of wall tile: I.—74-00442A
Single firing of ceramic tiles for interior wall facing.—74-02812A
Solving firing problems—guessing or facts.—74-08583A
Split tiles and how they're fired.—74-05830A
Standard materials for refractoriness and firing: Seger cone (,Orton cone, referthermo, and Schmelz probe).—74-09618A
Study of strengthened porcelain fired fast at low temperature.—74-08278A
Technical measures for decreasing temperature difference between upper and lower preheating zones in tunnel kiln.—74-06875A
Tensile deformations of electrical porcelain samples by firing.—74-11109A
Traveling thermocouples solve firing problems.—74-09719A
Utilization of alternative combustibles in the tile and brick industry.—74-09725A
Vitrified heavy-duty floor tiles from Egyptian raw materials.—74-00376A

flame spraying,
Apparatus for the flame preparation of ceramic powders.—74-03744P
Investigation of coating porosity formation during high-velocity oxyfuel (HVOF) spraying.—74-07357A
Thermal spraying—processes, preparation, coatings, and application.—74-07533A

flames,
Comparative study of laminar and turbulent oxygen-acetylene flames for diamond deposition.—74-01645A
Controlled deposition of diamond from an acetylene-oxygen combustion flame.—74-10244A
Effect of burner design and operating parameters on flame shape, heat transfer, NO_x and SO_3 cycles.—74-06849A
Large-area diamond film growth in a low-pressure flame.—74-07365A
Method of flame abrasion of glass preform—74-00341P
New rotary kiln burner with only one primary air duct.—74-06865A

flat glass,
Environment challenges to the flat glass industry.—74-02619A

Flat glass shipments to be up in 1994.—74-05415A
Industry leaders see spark turning to possible flame.—74-05424A
Laminated flat glasses (for automobiles).—74-00305A
flaws,
Carbon fiber-reinforced concrete for smart structures capable of nondestructive flaw detection.—74-09850A
Critical flaws in sintered compacts of alumina granules.—74-10958A
Development of nondestructive evaluation methods and prediction of effects of flaws on the fracture behavior of structural ceramics.—74-01057A
Reliability evaluation and prooftesting of ceramics.—74-11072A
Ultrasonic testing method for balls.—74-09632P
flexural strength,
Effects of in situ fiber strength characteristics on mechanical properties of SiC(f)/SiC composites.—74-10981A
High-temperature flexural strength and creep behavior of reaction-formed silicon carbide ceramics.—74-11018A
Relation between flexural strength and phase transformation in ground tetragonal zirconia.—74-02190A
Strengthening and toughening in 1-D-SiC/RBSN composites.—74-11098A
Tensile tests: technical state and perspectives.—74-01116A
Using fuzzy sets in the prediction of flexural strength and density of silicon nitride ceramics.—74-04460A
flexure,
Flexural failure mechanisms in unidirectional glass fiber-reinforced thermoplastics.—74-05624A
Transition in flexural microbuckling mechanisms in unidirectional glass fiber-reinforced thermoplastics.—74-05397A
float glass,
Float in glass architecture.—74-02625A
Nucleation and crystallization kinetics on float glass surfaces.—74-00307A
Steps toward the solution of the tin bath block peeling problem in float glass lines.—74-08462A
Surface analysis of float glass by means of X-ray absorption, reflection, and fluorescence analysis.—74-02588A
Surface chemistry of commercial glasses.—74-08353A
What role does batch sulfate play in the production of float glass.—74-06878A
flocculants/flocculation,
Flocculation and coagulation behavior of a kaolin—a comparative study.—74-07315A
Flocculation by VDW [van der Waals] energy/particle size distribution.—74-05895A
Interparticle forces in clay suspensions: flocculation, viscous flow, and swelling.—74-08556A
Method for forming ceramic powders by temperature induced flocculation—74-01024P
Use of gel curves and filtration curves in controlling the flocculation of slurry-based casting slips.—74-08708A
floor tile,
Analysis of typical defects in once-fast-fired ceramic wall and floor tile.—74-08500A
Ceramic tile.—74-00355A
Ceramic tiling as a hygienic surface in food preparation areas.—74-08508A
Cracking behavior of floor tile clays.—74-08516A
Design management in the ceramic sector.—74-08519A
Development of glazed stoneware wall and floor tile by once low-temperature fast sintering.—74-08526A
Development of matte glaze for colored floor tile.—74-08529A
Development trend of pressing dies for wall and floor tiles.—74-08532A
Effects of firing period and temperature on properties and structure of wall and floor tiles.—74-02716A
Engobes for glazed floor tiles.—74-08540A
Interaction between soluble salts and ceramic wall and floor tiles.—74-05815A
Low-shrinkage cement-based building components.—74-05821A
Monocottura and monoporosa tile reformulation principles and practices.—74-08694A
New raw materials for production of wall and floor tiles.—74-08565A
Nonfired high-strength wall and floor tile.—74-08566A
Once-fired colored luster wall and floor tile production.—74-05899A
Production technology of vitrified tile and its quality.—74-08574A
Research on ceramic wall and floor tiles of fly ash and their sintering mechanism.—74-05827A
Slipperiness of floors.—74-01104A
Using a multipurpose tile body.—74-08709A
Using ASTM slip test methods in ceramic tile plants.—74-08710A
Using ASTM slip test methods.—74-05914A
flotation,
New floating bulk cement terminal now commissioned.—74-00963A
Phase composition and morphology of filament crystals of silicon carbide obtained from flotation froth.—74-01421A
flow,
Aerodynamic behavior within the arc gap during arc spraying.—74-10185A
Anisotropic optical properties and flow behavior of mechanically deformed single-phase glass melts.—74-02512A
Ceramic-plate flow-control valve—74-01250P
Development of a flow model based simulation for RTM [resin transfer molding] of Blackglas ceramic composites.—74-09451A
Experimental study of viscous flows in a forehearth model.—74-02542A
Flow conditions in rotary impeller packers.—74-09464A
Flow in porous media—permeability and displacement patterns.—74-07316A
Flows through model microstructures of aligned cylinders and spheres.—74-05145A
Free surface measurements and numerical simulations of ceramic tape casting.—74-01741A
Generalized fluid flow model for ceramic tape casting.—74-10370A
Getting the most from turbine flow meters.—74-03816A
Prediction of multichannel paste flow.—74-04819A
flue gas,
Chloride emission from glass-melting furnaces.—74-01138A
Dakota Coal Company builds state-of-the art lime plant to meet flue gas desulfurization needs.—74-03682A
Possible applications for flue gas desulfurization products in coal mining.—74-05568A
Pot furnaces with regenerative burners.—74-09706A
fluidization,
Fluidization techniques by an airslide system.—74-00930A
fluidized bed,
Deposition of diamond coatings on particles in a microwave plasma-enhanced fluidized bed reactor.—74-07254A
Electric fluidized bed lime furnace.—74-09654A
Furnace for electrical calcination with fluidized bed.—74-01155A
Granulation of barium ferrite in the fluidized bed.—74-00776A
Kinetic model for drying of solids in batch fluidized beds.—74-04722A
Manufacture of fluidized bed granulates from a dry mixed porcelain body.—74-00435A
fluids,
Aerodynamic behavior within the arc gap during arc spraying.—74-10185A
Analysis of a high velocity oxygen-fuel (HVOF) thermal spray torch: I, Numerical formulation.—74-10193A
Analysis of a high velocity oxygen-fuel (HVOF) thermal spray torch: II, Computational results.—74-10192A
Ceramic articles having channels for regulating the passage of fluids—74-01249P
Finding order in chaotic mixing.—74-01731A
Generalized fluid flow model for ceramic tape casting.—74-10370A
HVOF gas flow field characteristics.—74-10391A
HVOF particle flow field characteristics.—74-10392A
Two-dimensional fluid model of high-density inductively coupled plasma sources.—74-01003A
fluorapatite,
Crystallization of glasses in the systems $Ca_5[PO_4]_3F$-$CaAl_2Si_2O_8$ and $Ca_5[PO_4]_3F$-$CaMgSi_2O_6$.—74-00191A
fluorescence,
Atomic fluorescence analysis of high-temperature superconducting materials based on yttrium, barium, and—74-06491A
Fluorescence of Er^{3+} ions in TiO_2 planar waveguides prepared by a sol-gel process.—74-06109A
Fluorescent lifetime of Er^{3+} $^4I_{13/2}$ level in BK-7 borosilicate glass.—74-05717A
Growth and spectral characteristics of Ce^{3+}:$YAlO_3$.—74-00629A
In situ fluorescence probing of the chemical changes during sol-gel thin film formation.—74-07345A
Infrared to blue upconversion fluorescence in heavy metal fluoride glass codoped with Tm^{3+} and Yb^{3+} ions.—74-08434A
Luminous inorganic materials (phosphors).—74-10436A
Measurement of atomic hydrogen in a hot filament reactor by two-photon laser-induced fluorescence.—74-04746A
Pressure dependence of Sm:YAG fluorescence to 50 GPa: a new calibration as a high pressure scale.—74-10139A
fluorides,
1.3 micrometer-band amplifying optical fiber preform—74-00324P
Anomalous behavior of shallow BF_3 plasma immersion ion implantation.—74-04478A
Atomic adsorption determination of fluorides by using selective dissolution of lead zirconate titanate.—74-01041A
Atomic structure and spectral characteristics of $LiCaAl_6$:Cr single crystals.—74-07039A
Component distribution features in $La_{1-x}Sr_xF_{3-x}$ solid solution crystals due to development of cellular structure (vertical oriented crystallization).—74-04108A
Crystallization of glasses based on usovite.—74-00190A
Crystallization of glasses in the systems $Ca_5(PO_4)_3F$-$CaAl_2Si_2O_8$ and $Ca_5(PO_4)_3F$-$CaMgSi_2O_6$.—74-01363A
Crystallization of silicalite-1 in the presence of fluoride ions.—74-10252A
Determination of ion transport percolation threshold in $Sr_{1-x}La_xF_{2+x}$.—74-05003A
Durability of a fluoride-containing low-level mixed waste glass—effect of pH.—74-08329A
Dynamics of ion-assisted etching in the Si(100)/XeF_2/Ar^+ system on a time scale of 100 μs-1000 s.—74-04565A
Epitaxial BaF_2 films on InP(100) deposited by rf magnetron sputtering.—74-03002A
EPR of Sm^{3+} ion in $KMgF_3$ crystal.—74-02538A
Evaluation of fluoride emissions methods for use at ceramic tile kilns.—74-11161A
Fluoride ion-leachable glasses and dental cement compositions containing them.—74-02672P
Formation of fluorine-containing anions in glasses of the $MePO_3$-MeF systems (Me=Li, Na).—74-00196A
H_2O and HF evolution from ZBLAN glasses.—74-05681A
Hydrothermal reaction of kaolinite in presence of fluoride ions at pH<10.—74-10816A
Improved barium fluoride process $YBa_2Cu_3O_{7-x}$ films via postanneal monitoring.—74-03489A
Improved method to determine fluorides in glasses and glass raw materials.—74-01069A
Influence of electrolyte on lithium cycling efficiency with pressurized electrode stack.—74-05942A
Influence of the presence of NaF on the crystallization of zeolite A(LTA)—first evidence for the existence of fluorosodalite, the missing end-member of the halosodalite series.—74-10421A
Infrared to blue upconversion fluorescence in heavy metal fluoride glass codoped with Tm^{3+} and Yb^{3+} ions.—74-08434A
Interactions of $YBa_2Cu_3O_{7-\delta}$ with fluorides of Ba, Sr, and Ca.—74-00820A
Investigation of interactions in the system NaF-BaF_2-ZrF_4.—74-02551A
Long-duration exposure facility: preliminary observations on the effects of low earth orbit on MgF_2, ThF_4, and SiO_2 optical materials.—74-03831A
Magnetoelastic anomalies of thermal expansion of $LiRF_4$ crystals, R=Ho, Tm, Lu.—74-07088A
Master behavior for gelation in fluoride-catalyzed gels.—74-07375A
Method of making a preform for an optical fiber.—74-02687P
Negative feedback forced self-mode-locking in Nd:yttrium lithium tetrafluoride (YLF) laser.—74-00666A
Nuclear magnetic resonance of fluorine in partly crystalline multichrome glasses.—74-05686A
Ordering of heterovalent solid solution with fluorite structure in NaF-BaF_2-GdF_3 system.—74-04171A
Phase *p-T* diagrams of $Rb_2KB^{3+}F_6$ elpasolites (B^{3+}=Ho, Dy, Tb).—74-04175A
Photoemission study of the growth of the LaF_3/Si(111) interface.—74-01560A
PMOS integrated circuit fabrication using BF_3 plasma immersion ion implantation.—74-06265A
Preparation of powders for zirconia ceramics from aqueous solutions of fluorides.—74-07435A
Process for the synthesis of fluoride glass by the sol-gel method and optical fiber produced from the fluoride glass obtained according to this process—74-00347P
Recent developments in the treatment of spent potlining.—74-02266A
Solid-state ultraviolet tunable laser: a Ce^{3+}-doped $LiYF_4$ crystal.—74-03220A
Spectral properties of Ho^{3+} in fluorozirconate (ZBLAN) glass.—74-08349A
Spectroscopic investigation of the structure of glasses and crystals in the system ZrF_4-SrF_2-MF_3.—74-00218A
Spontaneous etching of Si(100) by XeF_2—test case for a new beam surface experiment.—74-06323A
Structure and stability of PF_n compounds (n=1–5) and their anions within density functional method.—74-07123A
Study of luminescence, absorption from excited state, and amplification in 1.3 μm range in nonstoichiometric neodymium-doped crystals with fluorite structure.—74-07125A
Study rates HF measurement methods.—74-05911A
Synthesis and particle growth mechanism of bright green phosphor YAG:Tb.—74-06346A
Synthesis and physicochemical characterization of hexafluorogermanates with mixed alkaline cations.—74-07130A
Synthesis and physicochemical characterization of $LiMTiF_6$.—74-07131A
Synthesis of the compounds $LiKRF_5$ (R=Gd–Lu).—74-01911A
Thermodynamic properties of bismuth trifluoride from vapor pressure measurements.—74-10045A
Ultraviolet Faraday rotator glass.—74-02699P
Vibrational spectra and structure of glasses based on ZnF_2-CdF_2.—74-05702A
X-ray powder structure determination and magnetic behavior of $CsNiPdF_5$.—74-02060A
XPS study of aluminum and fluoride ions in the system Al-Cd-Pb-O-F.—74-07141A
fluorine,
Analysis of fluorine in ceramic bodies containing clay.—74-08499A
Application of pyrosol deposition process for large-area deposition of fluorine-doped tin dioxide thin films.—74-00569A
Behavior of diamond crystal surfaces during heating in fluorine gas and fluorocarbon-fluorine gas mixtures.—74-04098A
Characteristics of slow and fast interface states in fluorinated metal oxide semiconductor devices.—74-00578A
Chlorine-enhanced F-atom etching of silicon.—74-04515A
Creep of 1-D and 2-D SiC-F-MLAS composites.—74-07851A
Current transport in fluorine-implanted GaAs.—74-01937A
Effect of F^- and S^{--} on the crystallization process of CaO-Al_2O_3-SiO_2 system.—74-08332A
Effect of fluorine substitution on superconductivity of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_y$.—74-09252A
Effect of fluorine substitution on superconductivity of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_y$.—74-09253A
Effects of fluorine implantation into a-C:H thin films.—74-10084A
Fixation mechanism of carbon dioxide on oxide semiconductors by current transients.—74-01733A
Fluoride emission of ceramic products.—74-06851A
Fluoride ion conduction of fluorine-intercalated graphite C_xF.—74-10104A
Fluorine-containing lead- and cadmium-free glazes.—74-08719P
Fluorine-enhanced boron migration into oxide from underlying silicon.—74-07568A
Formation of fluorine-containing anions in glasses of the system $MePO_3$-MeF (Me=Li, Na).—74-00197A
Highly stable fluorine-intercalated graphite fibers coated with graphite fluoride film.—74-09873A
Influence of reactant transport on fluorine reactive ion etching of deep trenches in silicon.—74-01947A
Influence of single atomic height steps on F_2 reactions with Si(100)-2×1.—74-03066A

Interaction of potassium tetrafluoroborate with boric anhydride at high temperatures.—74-01397A
Laser, optical, and thermomechanical properties of Yb-doped fluorapatite.—74-07169A
Methodology of estimation of fluorine compounds emissions in burning of terra cotta products.—74-00369A
Non-linear effect of glass composition on glass dissolution in both fluorosilicate and borosilicate waste glasses.—74-08341A
Plasma fluorination of graphite.—74-01833A
Problems in the fluorination of copper oxide high-temperature superconductors.—74-00844A
PTFE/steel, porcelain enamel/steel: two composite materials for the chemical industry.—74-00147A
Quantitative study on chemistry kinetics of F-doped Bi-based superconducting phase.—74-09327A
Quantitative study on chemistry kinetics of F-doped Bi-based superconducting phase.—74-09328A
Recrystallization of LPCVD amorphous Si films using F^+ implantation.—74-05232A
Reduction of fluorine emissions in brickworks.—74-00374A
Silica glass doped with fluorine.—74-08455A
Silicon surface cleaning using photoexcited fluorine gas diluted with hydrogen—74-00710A
Superconducting device having superconducting weak coupling—74-00883P
Thermal decomposition of potassium fluorotitanates.—74-01478A
Ultraviolet resistant silica glass fiber—74-00353P
Vapor-phase deposition of fluorine glass.—74-02700P

fluorite,
Fabrication and phase relationship of new high-temperature defect fluorite phase in the system R_2O_3-Ta_2O_5 (R=La–Yb).—74-09994A
Formation of $LnCeO_y$ (Ln=Nd, Pr, Sm, Eu) solid solutions.—74-06550A
Ionic conductivity of natural fluorite—application to the fabrication of fluorine and oxygen sensors working at low temperature.—74-05946A

fluoroaluminates,
Crystallization of usovite-based glasses.—74-00193A
Effect of chloride on the structure of fluoroaluminate glasses studied by XPS.—74-08331A
Luminescence spectra of fluorophosphate glasses containing CuO and SnO_2.—74-02559A
Phase separation and crystallization of fluoroaluminosilicate glass [studied] by HR electron microscope.—74-08346A
Study of the effect of $C_{11}A_7CaF_2$ on the properties of portland cement.—74-05595A
Water corrosion behavior of fluoroaluminate glass.—74-00236A

fluorocarbon,
Diamond growth from a mixture of fluorocarbon and hydrogen in a microwave plasma.—74-04552A
Effect of fluoroalkyl substrates on the reaction of alkylchlorosilanes with silica surfaces.—74-09985A
Fluorinated diamondlike carbon films deposited from radio-frequency discharge in a triode reactor.—74-01992A
Fluorocarbon high density plasma: V, Influence of aspect ratio on the etch rate of silicon dioxide in an electron cyclotron resonance plasma.—74-04640A
Fluorocarbon high density plasma: VI, Reactive ion etching lag model for contact hole silicon dioxide etching in an electron cyclotron resonance plasma.—74-04641A
Fluorocarbon high-density plasmas: I, Fluorocarbon film deposition and etching using CF_4 and CHF_3.—74-01734A
Fluorocarbon high-density plasmas: II, Silicon dioxide and silicon etching using CF_4 and CHF_3.—74-02078A
Investigation of selective SiO_2-to-Si etching in an inductively coupled high-density plasma using fluorocarbon gases.—74-06169A
Reactive ion etching lag investigation of oxide etching in fluorocarbon electron cyclotron resonance plasmas.—74-04864A
Redeposition kinetics in fluorocarbon plasma etching.—74-02088A

fluorophosphates,
Luminescence spectra of fluorophosphate glasses containing CuO and SnO_2.—74-02558A
Nuclear gamma resonance spectra and spectral-luminescent characteristics of zirconium-containing fluorophosphate glasses with iron and neodymium oxide additives.—74-02568A
Optical properties and upconverted emissions of Tm^{3+} in Yb^{3+}-doped fluorophosphate glasses.—74-00272A
Preliminary testing of Na_2PO_3F as a curative corrosion inhibitor for steel reinforcements in concrete.—74-05571A
State of impurity iron and tin ions in zirconium-containing fluorophosphate glasses according to Mossbauer spectroscopic data.—74-00221A
State of mixed atoms of iron and tin in zirconia-containing fluorophosphate glasses according to data from Mossbauer spectroscopy.—74-00222A
Structural changes in fluorophosphate glasses upon use of silicofluorides as components.—74-02490A
Structural changes in fluorophosphate glasses with silicon fluoride components.—74-02491A
Ultraviolet Faraday rotator glass.—74-02699P

fluorosilicates,
Effect of uniform compression on EPR of manganese ions in zinc fluorosilicate. "Switching-off" of phonon contribution.—74-05129A
EPR of Mn^{2+} in high-pressure phase of $MgSiF_6{\cdot}6H_2O$.—74-04140A
Structural changes in fluorophosphate glasses upon use of silicofluorides as components.—74-02490A
Structural changes in fluorophosphate glasses with silicon fluoride components.—74-02491A
Synthesis and the physicochemical study of hexafluorosilicates with mixed alkali metal cations.—74-04438A

fluorozirconate,
Crystallization of fluoride glasses in conditions of a temperature gradient.—74-03901A
Effect of Yb^{3+} on red to blue conversion fluorescence of Tm^{3+} in fluorozirconate glass.—74-05712A
Gallium-containing fluorozirconate glasses.—74-02628A
Site-dependent study of the optical properties of Eu^{3+} in pure and chlorine-doped fluorozirconate glasses.—74-00278A
Sol-gel synthesis of fluorozirconate glasses.—74-05792A
Spectroscopic study of the structure of ZrF_4-SrF_2-MF_3 glasses and crystals.—74-00220A

fluorspar,
Fluorspar.—74-06902A

flux pinning,
Enhanced flux pinning via chemical substitution in bulk superconducting Tl-2212.—74-06535A
Flux lattice melting, flux pinning, and superfluid density tensor in $YBa_2Cu_3O_{7-\delta}$.—74-03464A

fluxes,
Behavior of the flux flow resistance in $YBCO/(Ag_2O)_x$.—74-06493A
Diffusion and dynamical randomness of the flux flow in high-temperature superconductors.—74-03442A
Effects of As_4 flux on reflection high energy electron diffraction oscillations during growth of GaAs at low temperatures.—74-02980A
Fabrication issues in optimizing $YBa_2Cu_3O_{7-\delta}$ flux transformers for low 1/f noise.—74-06545A
Fine fluxes in the masses for vitrified sanitary.—74-00429A
Flux line matching effects in $YBa_2Cu_3O_{7-\delta}$ thin films.—74-04319A
Hall effect in $YBa_2Cu_3O_{7-\delta}$ in the limit of free flux flow.—74-04326A
Importance of feldspar as a flux in the ceramic industry.—74-06905A
Pairing symmetry and flux quantization in a tricrystal superconducting ring of $YBa_2Cu_3O_{7-\delta}$.—74-06608A
Preparation of alumina membranes: II.—74-10555A
Study of interaction between incident silicon and germanium fluxes and SiO_2 layer using solid-source MBE.—74-03233A
Study of the influence of individual twin boundaries on the magnetic flux penetration in $YBa_2Cu_3O_{7-\delta}$.—74-04434A

fly ash,
Abrasion resistance of concrete as influenced by inclusion of fly ash.—74-05459A
Applications of fly ash in hollow concrete blocks.—74-05463A
Building from ash.—74-02745A
Carbonation of fly ash concrete.—74-00038A
Curing requirement of silica fume and fly ash mortars.—74-00045A
Development and applications of basic high-calcium fly ash cement.—74-00047A
Development of fly ash glazed tile.—74-08524A
Durability of MSW fly ash concrete.—74-00049A
Early strength behavior of fly ash concretes.—74-05494A
Effectiveness of PFA in reducing the risk of cracking due to ASR in concretes containing cristobalite.—74-05505A
Effects of fly ash and silica fume on the resistance of mortar to sulfuric acid and sulfate attack.—74-05508A
Fabrication of fly ash mortar mixture.—74-00926A
Fabrication of non-fired fly ash hollow brick without cement.—74-05810A
Factors affecting naturally cured fly ash silicate products.—74-01192A
Fly ash and slag: standards and specifications—help or hindrance.—74-00058A
Fly ash evaluation and selection for use in sulfate-resistant concrete.—74-03812A
Fly ash, a raw material for cement production.—74-00059A
Function of admixtures on production of nonfired fly ash brick.—74-00363A
Grinding technology and quality problems of composite cements.—74-06705A
Hydration in high-volume fly ash concrete binders.—74-05529A
Influence of lime plaster on properties of fly ash mortar.—74-08053A
Interaction of inorganic leachate with compacted pozzolanic fly ash.—7m-00070A
Manufacture of clay tile doped with fly ash.—74-08561A
Mechanical properties of concrete incorporating high volumes of fly ash from sources in the U.S.—74-02763A
Performance of fly ash concrete in UK structures.—74-02344A
Preliminary study of fly ash granulometric influence on mortar strength.—74-05570A
Press forming of sintered hollow brick with high fly ash content.—74-08572A
Production of composite cement using fly ash and cinder from burned lignite.—74-08092A
Pulverized fuel ash concrete: carbonation-induced reinforcement corrosion rates.—74-05575A
Pulverized fuel-ash concrete: intrinsic permeability.—74-02774A
Research on ceramic wall and floor tiles of fly ash and their sintering mechanism.—74-05827A
Research on improving properties of aerated concrete.—74-05581A
Simplified production processes for naturally cured light aggregate of fly ash.—74-06725A
Study on manufacture of masonry cement from calcium-adding fly ash.—74-05599A
Surface and bulk studies of leached and unleached fly ash using XPS, SEM, EDS, and FTIR techniques.—74-05281A
Synthesizing mullite from beneficiated fly ash.—74-07524A
Use of combustion and incineration wastes for structural clay products.—74-08602A

foam,
Emulsion-derived foams—preparation, properties, and application.—74-07644A
Foamed gypsum from flue gas desulfurization.—74-00060A
Fractal morphology of cement foams.—74-00061A
Mechanical model for two-dimensional coarsening foams.—74-07679A
Plasma-spray metal coating on foam.—74-05651A
Processing and applications of foam ceramics.—74-10581A
Relaxation in aqueous foams.—74-07462A

foamed ceramics,
Autoclaveless technology of foam concrete production "Silblock."—74-00893A
Process for preparing submicron ceramic powders from precursors within a polymeric foam—74-01031P

foaming agents,
Generation and application of foam in plasterboard production.—74-08034A
Relaxation in aqueous foams.—74-07462A

foils,
Apparatus for fabricating a foil.—74-02406P
Ceramic foil production by continuous casting.—74-00899A
Microlaminated composites and method—74-00178P

forecasts,
Cement industry in Malaysia—1993 performance and 1994 forecast.—74-05404A
Composites industry: a look at its past and future.—74-05409A
Government views on U.S. competitiveness technology and productivity.—74-07948A
Management strategy in cement technology for the next century.—74-08065A
Measurement and forecast of color of glazes.—74-08690A
Porcelain enameling industry: where we have been, where we are, and where we are going.—74-02258A

forehearth,
Forehearth temperature control strategies.—74-09670A
Forehearth temperature control system.—74-02673P
Glass forehearth.—74-09731P
Good gob for the job.—74-09674A
How a mass heat extractor can increase the pull rate of a forehearth.—74-06855A
Temperature homogeneity of the gob of glass—where does it arise or become extinct. Electric heating of forehearth.—74-02660A

forging,
Hot-forge sintering of fine alumina powder.—74-00938A
Low-temperature sinter forging of nanostructured Y-TZP and YCe-TZP.—74-01787A
Trends in aerospace forgings in the 1990's.—74-07961A

formation,
Ball clay basics.—74-09739A
Calculation of the temperature for formation of competing intermetallic compounds in Ni/Ti multilayers.—74-01623A
Characteristics of production of inorganic glasses containing no traditional glass formers.—74-02604A
Consideration on the (numerical) analysis of blow-forming process in glass bottle manufacturing.—74-08409A
Diamond formation from a system of SiC and a metal.—74-08161A
Dielectric materials for high-capacitance, multilayered ceramic condensers.—74-08741A
Effects of the substrate bias on the formation of cubic boron nitride by inductively coupled plasma-enhanced chemical vapor deposition.—74-10317A
Electrochemically prepared precursor for the formation of tantalum carbide.—74-10321A
Formation and characterization of Ce_2ZrO_8 prepared by the hydrazine method.—74-04643A
Formation and coagulation of vaterite in reaction of $Ca(OH)_2$-CH_3OH-H_2O-CO_2 system.—74-07317A
Formation and color of the spinel solid solution in ZnO-Fe_2O_3-TiO_2-SnO_2 system.—74-10357A
Formation and expansion of ettringite crystals.—74-02326A
Formation and properties of rare-earth galliogermanate and aluminogermanate glasses.—74-05718A
Formation mechanisms and kinetics of α- and ß-silicon nitride phases.—74-10733A
Formation of anode films of given phase composition on zirconium.—74-00493A
Formation of crystals of α-SiO_2 with admixtures of Fe^{3+}.—74-01994A
Formation of inorganic coatings on polymer films by sol-gel method.—74-10362A
Formation of interface layers in $Ga_xIn_{1-x}As/InP$ heterostructures: a reevaluation using ultrathin quantum wells as a probe.—74-08915A
Formation of nonoxide-based composites from liquid precursors.—74-04647A
Formation of reaction-bonded silicon nitride from silane-derived silicon powders: nucleation and growth mechanisms.—74-07318A
Formation of zeolite from the system Na_2O-Al_2O_3-SiO_2-H_2O in alkaline medium (pH>10).—74-10363A
Forming and extrusion of porcelain bodies.—74-08679A
Forming of glass melts by continuous pull extrusion.—74-03689A
Glassware forming machine with spring-biased plenum.—74-03750P
Heat transfer effects in glass processing.—74-08431A
High-pressure reactions and formation mechanism of cubic BN in the system BN-Mg_3N_2.—74-09998A
In situ fluorescence probing of the chemical changes during sol-gel thin film formation.—74-07345A
Influence of atmosphere on the formation behavior of $YBa_2Cu_3O_{7-x}$.—74-06562A
Kinetics of the formation of cobalt disilicide at high temperature under rapid electron beam heating.—74-10004A
Making of chemical beakers.—74-08337A
Mechanisms of formation and phase transitions in crystals of ß-K_2SO_4 and K_2MgF_4 types.—74-07090A

Metastable diamond formation from solutions at atmospheric pressure.—74-10452A
Method for forming a ceramic circuit board.—74-02886P
Method for forming ceramic powders by temperature induced flocculation—74-01024P
Model of formation of a powdered glass coating on heating.—74-04757A
Nanophase materials in solid free-form fabrication.—74-01812A
Organic materials used in the production of new ceramics.—74-10510A
Oxygen order, structure, and superconductivity in $YBa_2Cu_3O_{7-\delta}$ films during in situ formation.—74-06607A
Parison forming and plungers for use therein.—74-03764P
Phase regions and kinetics of formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ [2223] in Ag-sheathed tape.—74-06611A
Plasma spray forming of Astroloy.—74 10526A
Plastic forming.—74-10533A
Si_3N_4 and SiC formation from rice husk.—74-04888A
Simultaneous formation of titanium nitride and titanium silicide in a one-step process in heterogeneous phase during multipulse laser treatment of an Si wafer with a thin Ti coating in superatmospheric N_2.—74-07479A
Solid free-body forming of ceramics from polymerizable slurry.—74-10646A
Spinel powders by modified coprecipitation.—74-04910A
Spinning innovation makes quality claim.—74-06727A
Standard Gibbs energy of formation of ß-silicon nitride.—74-04214A
VibraForming and in situ flocculation of consolidated, coagulated, alumina slurries.—74-04977A
Workability characteristics of glasses.—74-00283A

forsterite,
Magnesium silicate granules from natural raw materials.—74-03946A
Performance of a continuous-wave forsterite laser with krypton ion, Ti:sapphire, and Nd:YAG pump lasers.—74-01557A

Fourier analysis,
Investigation of DX centers in modulation doped field effect transistor type $Al_{0.3}Ga_{0.7}As/GaAs$ heterostructures using a Fourier transform deep level transient spectroscopy system.—74-06165A

Fourier transform infrared spectroscopy (FTIR),
Adsorption of sodium laurate from its aqueous solution onto an alumina surface. A dynamic study of the surface-surfactant interaction using attenuated total reflection Fourier transformation infrared spectroscopy.—74-09968A
Atomic layer controlled deposition of Al_2O_3 films employing trimethylaluminum (TMA) and H_2O vapor.—74-07207A
DSC and FTIR study of the interaction of γ-MPS with slates.—74-07264A
FTIR characterization and ab initio study of the surface species of a nanosized SiC powder.—74-07652A
FTIR reflectance vs EPR studies of structural iron in kaolinite.—74-08553A
FTIR spectra of a heat-treated SiO_2-ZrO_2 glass.—74-05763A
In situ Fourier transform ir emission spectroscopy of diamond chemical vapor deposition.—74-09999A
Laser-induced thermal desorption (LITD) from zeolites: apparatus and technique for rapid, in vacuo sample desorption for FTIR analysis.—74-03706A
Research on Fourier transform infrared photoacoustic spectroscopy (FTIR-PAS) spectra of nanocrystal ZrO_2.—74-10877A
Study of molecular precursors of group IV metal oxides by TGA-FTIR coupling.—74-10893A
Temperature profiling of glass by FTIR emission spectroscopy.—74-02591A
Use of Fourier transform in grazing X-ray reflectometry.—74-06831A

fractal,
Application of fractals and kinetic equation in modeling cluster and ultrafine particle size distributions.—74-07145A
Effect of moisture on fractal dimension and specific surface of hardened cement paste by small-angle X-ray scattering.—74-05499A
Fractal aspects of the ferroelectric domain structures in KH_2PO_4 crystal.—74-00753A
Fractal morphology of cement foams.—74-00061A
Investigation of roughened silicon surfaces using fractal analysis: I, Two-dimensional variation method.—74-07672A

fractography,
Fractography of advanced structural ceramics: results from Topic No. 2 of the VAMAS round robin exercise.—74-11000A
Fractography of Glass.—74-11203B

fracture mechanics,
Comparison of fracture mechanism maps with the Larson-Miller method of predicting lifetime.—74-10952A
Current Japanese Materials Research, Volume 14: Cyclic Fatigue in Ceramics.—74-11202B
Determination of bridging stresses in reinforced Al_2O_3.—74-05335A
Fracture analysis of the transition zone between unreinforced alloy and composite.—74-02145A
Fracture Mechanics & Structural Concrete (Concrete Design & Construction Series).—74-05441B
Fracture mechanics of Ti/Al_2O_3 interfaces.—74-02147A
Fracture mechanics studies of thermal mismatch using a four-point bending specimen.—74-11005A
Fragmentation of long thin glass rods.—74-05720A
In situ bend fixture for deformation and fracture studies in the environmental scanning electron microscope.—74-05365A
Nonlinear compliance testing applied to indentation cracking in ceramics.—74-11062A
Nonlinear Hertzian indentation fracture mechanics.—74-11063A

fracture toughness,
Ceramic-metal composites with interpenetrating networks.—74-08138A
Comparison of strength and fracture toughness of single and polycrystalline zirconia.—74-02105A
Crack resistance and fatigue limits of structural ceramics.—74-02109A
Determination of fracture toughness and bridging tractions from crack-opening displacement measurements in particulate composites of diamond in zinc sulfite.—74-05336A
Determination of fracture toughness of 2-D woven SiC matrix composites made by chemical vapor infiltration.—74-05337A
Determination of the glass fracture toughness by microindentation.—74-00252A
Effect of fiber length on fracture toughness and notched strength of short carbon fiber/epoxy composites.—74-05339A
Effect of grain-boundary phase characteristics on the fracture toughness of silicon nitride.—74-02124A
Effect of microcracking on the fracture toughness and fracture surface fractal dimension of lithia-based glass-ceramics.—74-08368A
Effect of SiC submicrometer particle size and content on fracture toughness of alumina-SiC "nanocomposites."—74-02126A
Effect of the grain boundary thermal expansion coefficient on the fracture toughness in silicon nitride.—74-10978A
Evaluation of fracture toughness of ceramics at high temperature—comparison with metallic materials.—74-10988A
Experimental study of the fracture toughness of a ceramic/ceramic matrix composite sandwich structure.—74-07874A
Fracture toughness of Al_2O_3-particle-dispersed Y_2O_3-partially stabilized zirconia.—74-05357A
Fracture toughness of oxide fiber-reinforced silicon carbide composites.—74-11010A
Fracture toughness of TiB_2 and B_4C using the single-edge precrack beam, indentation strength, chevron notched beam, and indentation strength methods.—74-07880A
Gas pressure sintering [GPS] of silicon nitride to optimize fracture toughness.—74-11012A
Grain growth and fracture toughness of fine-grained silicon carbide ceramics.—74-10810A
Hertzian stress field and formation of cone cracks: I, Theoretical approach.—74-11014A
Hertzian stress field and formation of cone cracks: II, Determination of fracture toughness.—74-11015A
High-temperature fracture toughness in silicon nitride and SiAlON.—74-11019A
Influence of volume fraction of component materials and interlayer bond strength on fracture toughness of multilayer Al 6090-25 vol% SiC_p and Al 5182 laminates.—74-11030A
Investigation of the mechanical behavior of magnesium composites.—74-05370A
Measurement of the crack tip fracture toughness.—74-02167A
Mechanical properties of mica glass-ceramics.—74-05376A
Microstructure and fracture toughness of hot-pressed silicon carbide reinforced with silicon carbide whisker.—74-05191A
$MoSi_2$-based high-temperature structural silicides.—74-02180A
Novel method to determine the fracture toughness of ceramics by the controlled propagation of indentation cracks.—74-06799A
Optimization of electrical conductivity and fracture toughness in Y_2O_3-stabilized ZrO_2 through microstructural designs.—74-10857A
Porosity dependence of the fracture strength of ceramics.—74-07714A
Relationship between microstructure, toughening mechanisms, and fracture toughness of reinforced silicon nitride ceramics.—74-11069A
ß-SiAlON-TiN particle composite ceramics.—74-02100A
Silicon carbide platelet/silicon carbide composites.—74-01303A
Strength and fracture toughness of hot-pressed SiC materials.—74-11095A
Surface crack in flexure (SCF) measurements of the fracture toughness of advanced ceramics.—74-11101A
Threshold size for cyclic fatigue crack propagation in a pyrolytic carbon.—74-02212A
Toughening $MoSi_2$ with niobium metal—effects of size and orientation of ductile laminae.—74-05396A
Use of ZrO_2 phase transformation in increasing fracture toughness of ceramics[—review].—74-07934A
VAMAS round robin on fracture toughness of silicon nitride.—74-07935A

fracture,
Acoustic emission during indentation fracture.—74-06735A
Applications of quantitative NDE to basic fracture research of concrete.—74-09550A
Assessment and evaluation of fractal dimension of concrete fracture surface digitized images.—74-07838A
Assessment of the fracture resistance for fiber-reinforced ceramics—combined micro- and macromechanical approach.—74-10948A
Comparison of three techniques for measuring strain at fracture of thin-film materials.—74-06746A
Computer-aided, single-specimen controlled bending test for fracture-kinetics measurement in ceramics.—74-03791A
Concepts for bridged cracks in fatigue and fracture.—74-05327A
Crack front stability and hackle formation in high velocity glass formation.—74-02527A
Design of intelligent materials with self-diagnosing function for preventing fatal fracture.—74-05487A
Determination of fracture resistance curves of modern ceramic materials.—74-10965A
Development of nondestructive evaluation methods and prediction of effects of flaws on the fracture behavior of structural ceramics.—74-01057A
Effect of fracture and interfacial debonding of reinforcing phase on the effective thermal conductivity of ceramic matrix composites.—74-10971A
Effect of moisture on the structure and fracture strength of ceramic green bodies.—74-04581A
Effects of annealing on the microstructure and mechanical properties of hot-pressed $BaAl_2Si_2O_8$ (BAS) and $SrAl_2Si_2O_8$ (SAS) glass-ceramics.—74-08371A
Effects of radiation and hydrogen on the fracture resistance of borosilicate glasses.—74-00256A
Elastic properties of fractals and dynamics of brittle fracture of solids.—74-04291A
Elevated-temperature macroflaw fracture and tensile creep/creep rupture behavior of a self-reinforced silicon nitride.—74-02132A
Evaluation of laminated stacking sequence under compressive load.—74-05715A
Evaluation of tensile strength and fracture toughness of yttria-stabilized zirconia polycrystals with fracture surface analysis.—74-05350A
Fiber damage during the consolidation of Ti_6Al_4V-coated Nextel 610 alumina fibers.—74-10998A
Fracture behavior of 20% Nb particulate-reinforced alumina composite.—74-08194A
Fracture behavior of a CVD crystalline Si_3N_4/amorphous Si_3N_4 composite.—74-02146A
Fracture behavior of continuous alumina fiber-reinforced epoxy.—74-11001A
Fracture behavior of masonry bricks under bending.—74-07875A
Fracture behavior of $MoSi_2/Si_3N_4$ composite.—74-11002A
Fracture characteristics of Czochralski-grown $Y_3Al_5O_{12}$.—74-07876A
Fracture criteria for piezoelectric ceramics.—74-06413A
Fracture mechanical characterization of thermal damage of ceramics by means of laser irradiation.—74-11003A
Fracture mechanical testing of laminated SiSiC: II.—74-11004A
Fracture mechanics description of fracture mirror formation in single crystals.—74-07878A
Fracture resistance behavior of highly anisotropic silicon nitride.—74-11006A
Fracture resistance of metal-ceramic interfaces.—74-08195A
Fracture resistance of SiC-fiber-reinforced Si_3N_4 composites at ambient and elevated temperatures.—74-05356A
Fracture strength and dynamic elastic modulus of Ce- and Er-TZP at low temperature.—74-11007A
Fracture surface morphology and composition of sintered distaloy steels.—74-07879A
High-temperature fracture mechanism of low-Ca-doped silicon nitride.—74-05364A
Indentation deformation and fracture of HT superconducting crystals—$YBa_2Cu_3O_{7-\delta}$.—74-03490A
Indentation fracture of glazed ceramic tiles—stress fields and their interaction.—74-07893A
Influence of microcracks on macrocracks in concrete process zone.—74-07895A
Measurement of rising *R*-curve behavior in toughened silicon nitride by stable crack propagation in bending.—74-11039A
New techniques for measuring strain at fracture of thin-film materials.—74-09589A
Practical strength of glass containers: I, Influence of the type of defect.—74-08387A
Prediction of interfacial fracture behavior of an SiC_f-reinforced aluminum composite.—74-11065A
Processing and characterization of SiC platelet/SiC composites.—74-10582A
Random fractal percolation analysis of ductile fracture.—74-02189A
Reliability evaluation and prooftesting of ceramics.—74-11072A
Resistance to fracture of thermal-sprayed ceramic coatings.—74-11076A
Role of fiber stitching in eliminating transverse fracture in cross-ply ceramic composites.—74-02195A
Role of interfaces on fracture and creep deformation behavior of brittle matrix composites with ductile discontinuous reinforcements.—74-11079A
Scalings in fracture probabilities for a brittle matrix fiber composite.—74-11083A
Shock fracture replicas for thin-film microstructure investigation in a transmission electron microscope.—74-05245A
Spall damage modeling and dynamic fracture specificities of ceramics.—74-07916A
Statistics of cack initiation and propagation.—74-11092A
Strength loss in low-cement refractory structures.—74-08635A
Studies on the behavior of the roughness of the fracture surface of silica glass.—74-00280A
Synthetic fiber-reinforced cement composites: a study of fracture process by acoustic emission method.—74-01113A
Temperature-dependent fracture strength of doped single-crystal alumina fibers.—74-11104A
Tensile fracture behavior of fiber-reinforced ceramic matrix composite with hole.—74-02400A
Test specimen for characterizing the fracture energy of interfaces in composites.—74-11111A
Testing method for thermal shock fracture of ceramics.—74-07928A
Time-dependent strength degradation of a siliconized silicon carbide determined by dynamic fatigue.—74-11118A

Toughening mechanisms in quasi-brittle materials.—74-11119A

free energy,
Evaluation of standard free energies of formation of clay minerals by an improved regression method.—74-08542A

freeze drying,
Granulation of spray-freeze drying.—74-04658A
New improved synthesis of the 110-K bismuth superconducting phase: freeze drying of acetic solutions.—74-03538A

freezing and thawing,
Effect of memory in cyclical freezing processes of hydroaluminosilicate structures.—74-04579A
Relationship between microstructure and freezing-thawing resistance of polymer-cement mortars.—74-08100A

frequency,
Anomalous dc field/dependence of nonresonant rf absorption at high rf fields in $YBa_2Cu_3O_{7-x}$.—74-03416A
Calculation of the spectra of natural frequencies in a stochastic model of quartz glass.—74-02434A
Low-frequency anomalies in conductivity of superconducting metal oxides in the normal state.—74-03510A
Nd:YAG microchip laser pumped by diode laser (LD).—74-08964A
Nonlinear polarization of fused silica and its measurement.—74-00757A
Tangentially phase-mismatched efficient difference frequency generation in ß-barium borate crystal.—74-03245A

friction,
Atomistic simulations of friction at sliding diamond interfaces.—74-01497A
Difference between static and dynamic friction forces.—74-04278A
Discrete contact between solid bodies under normal load.—74-05005A
Effect of a magnetic field on the amplitude dependence of interface friction and shear modulus of yttrium ceramics at 4.2–300 K.—74-04280A
Effect of atomic-scale surface roughness on friction: a molecular dynamics study of diamond surfaces.—74-01980A
Effect of speed and pressure on dry sliding interactions of alumina against steel.—74-05345A
Effect of surface conformity on friction.—74-01227A
Evaluation method of slipperiness based on human perception.—74-09568A
Flux line matching effects in $YBa_2Cu_3O_{7-\delta}$ thin films.—74-04319A
Friction and wear behavior of C- and SiC-fiber-reinforced glass composites against ceramic materials.—74-02148A
Friction and wear behavior of diamond films against steel and ceramics.—74-00002A
Friction and wear of boride ceramics in air and water.—74-02149A
Friction and wear of PAN/pitch-, PAN/CVI-, and pitch/resin/CVI-based carbon-carbon composites.—74-09870A
Friction and wear performance of ion-beam-deposited diamondlike carbon films on steel substrates.—74-05360A
Friction behavior and wear resistance of diamondlike carbon films under cryogenic temperatures.—74-07882A
Friction behavior of TiN, CrN, and (TiAl)N coatings.—74-08197A
Friction force microscopy of heavy-ion-irradiated mica.—74-07651A
Friction measurements during dry pressing of ceramics.—74-04652A
Friction properties of aluminum-based composites containing cluster diamond.—74-04320A
Friction, wear, and rolling contact fatigue of fine ceramics.—74-07883A
Frictional behavior of some nitrogen ceramics in conformal contact with tin-coated Al-Si alloy, steel, and MMC.—74-08198A
Influence of atomic oxygen on space tribology in a low earth orbit.—74-02082A
Influence of speed on the tribochemical reaction products and the associated transitions for the dry sliding of silicon nitride against steel.—74-08215A
Interfacial bonding and friction in SiC fiber/ß´ SiAlON.—74-10825A
Internal friction and acoustoplastic effect during deforming zinc single crystals.—74-05369A
Internal friction and shear modulus in bismuth ceramics at $T<T_c$.—74-06568A
Low-temperature internal friction spectrum of Ca-doped $YBa_2Cu_3O_{6+x}$.—74-06573A
Mathematical and chemical description of friction of diffusive phosphorized iron.—74-10117A
Mechanism of destructive changes in oxide-covered surfaces caused by friction.—74-02172A
Microtribology: Proceedings of the First International Workshop, October 12-13, 1992, Morioka, Japan.—74-02251A
Nanotribology.—74-01083A
Review of the tribology of diamondlike carbon [DLC].—74-02194A
Simulator test of artificial joints.—74-03869A
Slipperiness of floors.—74-01104A
Structure and friction of amorphous carbon films of nanometer thickness.—74-02050A
Superlubricity and frictional anisotropy.—74-02210A
Tribological behavior of alumina sliding on several kinds of materials.—74-11120A
Tribological behavior of ceramic/ceramic and metal/ceramic couples.—74-05659A
Tribological investigations using friction force microscopy.—74-01123A
Triboscopy: a new quantitative tool for microtribology.—74-01002A

frits/fritting,
Chemical resistance of colored glass frit colored with ferrite waste.—74-02438A
Frit and enameling technology.—74-08199A
Glass frits, a process for their production and their use in enamel barrier layers for stopping the migration of silver—74-01208P
High-gloss ceramic frits—74-01209P
Rare-earth-containing alkali silicate frits and their use for the preparation of porcelain enamel coatings with improved cleanability.—74-08320P
Role of frit in nuclear waste vitrification.—74-09416A
Utilization of glassy secondary materials.—74-05801A
Variables influencing glass in glazes obtained from frit and tungstic oxide mixes.—74-08715A

frost resistance,
Evaluation of the frost resistance of bricks in regard to long service life: I.—74-08543A
Evaluation of the frost resistance of bricks in regard to long service life: II.—74-08544A
Influence of the granulometric composition on the frost resistance of heavy clay ceramics.—74-01526A
Predicting brick frost resistance: I.—74-05824A
Predicting brick frost resistance: II.—74-08570A

fuel cells,
Ceramic aerogel fuel cell.—74-08777P
Characteristics and microstructure of matrix retaining electrolyte in phosphoric acid fuel cell prepared by tape casting.—74-10763A
Composite cathodes for solid oxide fuel cells.—74-02945A
Material for the metal components of high-temperature fuel cell systems.—74-08800P
Report of the electrolytic industries for the year 1992.—74-02271A

fuels,
Application of oxy-fuel firing to an E-glass furnace.—74-03894A
Benefits and limitations when using secondary materials.—74-06886A
Burner zone.—74-06842A
Can partial conversion to oxy-fuel combustion be a solution to furnace problems.—74-06844A
Design considerations for conversion of glass tanks to oxy-fuel combustion.—74-01140A
Ecologically pure combustion in cement plants as alternative method of waste product utilization: I.—74-01146A
Ecologically pure combustion in cement plants as alternative method of waste product utilization: II.—74-01147A
Engineering principles of the Niro recuperative tunnel kiln concept.—74-09656A
European cement industry's approach to the use of secondary raw materials and fuels.—74-08023A
Experience with cullet preheating at Vetropack plant in Saint-Prex (Switzerland).—74-09658A
Flat-flame oxy-fuel burner technology for glass melting.—74-09667A
How to control emissions on a container melter through oxy-fuel firing.—74-06856A
Kiln builder's view of the refractories industry.—74-09679A
LoNOx, an alternative to oxy-fuel or an enhancement.—74-09684A
Oxy-fuel furnace design considerations.—74-09700A
Oxy-fuel technology applied to art glass.—74-09701A
Oxy-fuel: Niche solution or trend: II.—74-03924A
Paddy husk as raw material and fuel for making portland cement.—74-05561A
Performance and progress of the cement industry in India.—74-05430A
Performance of CVR coatings for PBR fuels.—74-10517A
Plant tour 2—Holnam Seattle plant.—74-03721A
Process gases for high-velocity oxy-fuel thermal spraying.—74-10579A
Process improvement through oxy-fuel combustion—the full conversion of a television glass melter.—74-09707A
Producing black meal clinkers using rice husk as a fuel.—74-00089A
Sol-gel microsphere palletization: a powder-free process for fabrication of ceramic nuclear fuel pallets.—74-09417A
Technical developments for cost-effective oxy-fuel glass melting.—74-00999A
Utilization of alternative combustibles in the tile and brick industry.—74-09725A
Utilization of chipped car tires for reducing NO_x emissions in a precalciner kiln.—74-09726A

fullerenes,
Fullerenes and diamond.—74-10366A
Materials Research Society Symposium Proceedings, Volume 349: Novel Forms of Carbon II.—74-11206B
Preparation and spectral properties of SiO_2 and SiO_2-TiO_2 gels doped with fullerenes.—74-10552A
Raman scattering in high-temperature phase of fullerite C_{60}.—74-04406A
Similarity and dissimilarity of doped fullerenes and oxide superconductors from the viewpoint of electronic structure.—74-00851A
Single crystal structure of C_{60}.—74-04209A

functionally gradient materials,
Design and fabrication of an MgO/Ni functionally gradient material.—74-01668A
Effect of pressure on the combustion synthesis of a functionally graded material TiB_2-Al_2O_3-Al ceramic metal composite system.—74-04584A
Functionally gradient ceramics by sequential slip casting.—74-07324A
Principle of functionally gradient material (FGM) and its possibility applied to refractories.—74-05870A

furnaces,
All-electric melting furnace for the melting of technical glasses.—74-03893A
Basic chimney checkers for glass tank furnace regenerators.—74-08608A
Batch chargers often overlooked in enhancing furnace performance.—74-03897A
Calculation of the amount of substances participating in silicate-forming reactions in the glass-melting process.—74-02433A
Can partial conversion to oxy-fuel combustion be a solution to furnace problems.—74-06844A
Carbon-bearing ramming mix for steelmaking furnaces.—74-09643A
Condition and hydraulic resistance of a poured blast furnace hot blast stove checkerwork.—74-02706A
Contamination determination for silicon carbide cantilever forks in diffusion furnaces.—74-06846A
Depollution of glass furnaces: a new appeal for French glassmakers.—74-01139A
Development of mixerless casting material for blast-furnace troughs.—74-05851A
Development of multipurpose cylindrical laboratory furnace.—74-01142A
Development of refractive coatings for incineration furnaces of chemical wastes.—74-09651A
Dross treatment in a rotary arc furnace with graphite electrodes.—74-06848A
Electric fluidized bed lime furnace.—74-09654A
Electricity may replace fire in battle against organic waste.—74-03906A
Enameling furnaces integrated into enameling lines: economic and development trends.—74-02370A
Evolution of a furnace.—74-01151A
Evolution of ceramic fiber and lining method provides energy savings and efficiency for reheat furnaces.—74-06850A
Fabrication of low-cement corundum castable and dry vibration castable and their applications in core induction furnace.—74-09661A
Fosbel view of furnace maintenance.—74-01153A
Furnace design considerations in AlN cofiring.—74-09672A
Furnace for electrical calcination with fluidized bed.—74-01155A
Furnace formation of silicon oxynitride thin dielectrics in nitrous oxide (N_2O): the role of nitric oxide (NO).—74-08751A
Furnaces for firing of high-tension ceramic insulators.—74-06854A
Gradient furnace carbon analyzer: I, Carbon profiles of graphite and various carbides.—74-03910A
Horizontal toughening design features convective heating.—74-01158A
Incinerator—a review.—74-01159A
Mathematical simulation of electrothermal fields in flame-electric glass-melting furnaces.—74-03919A
Method and apparatus for manufacturing glass bottles.—74-09528P
Method for heating a flat glass sheet—74-01025P
Microwave sintering furnace.—74-09687A
Modernization of the Karsdorf Works to improve production of the furnaces and reduce thermal and electric energy consumption.—74-08076A
New design of glass-melting furnace composed of multiple pots.—74-09695A
New gas-fired radiant tube furnace highly efficient in hot water enameling process.—74-01166A
Nordic pot furnace project—a new approach to gas heating.—74-01169A
Oxy-fuel furnace design considerations.—74-09700A
Pot furnaces with regenerative burners.—74-09706A
Preformed induction furnace crucibles.—74-08625A
Processes of washing out the steel tapping channel in submerged tapping of molten steel from arc steelmelting furnaces.—74-02772A
Reaction of refractory materials with metallic heaters in electric furnaces.—74-02775A
Refractories for ash melting furnace by incinerator residue and sludge.—74-05873A
Refractories for dc electric arc furnaces.—74-02777A
Results of service of unfired periclase-spinel refractories.—74-02782A
Several factors are fueling the movement in oxygen firing conversion.—74-03929A
Silica bricks manufactured by Luoyang Refractory Factory, Ministry of Metallurgical Industry, People's Republic of China.—74-02785A
Structures and features of ancient kilns for ceramic wares.—74-09714A
Studies of the Society "Electricite de France" on the domain of ceramics.—74-06874A
Study on furnace linings of ceramic fibers.—74-02787A
Thermal Analysis of Materials.—74-11210B
Thermal cycling performance of ceramics for gas-fired furnaces.—74-09718A
Two years of operation of a double exchanger of the emissions from a semiwet route cement furnace.—74-09721A
Two-zone Bridgman furnace with sharp thermal gradient.—74-01183A
Use of a permeable ceramic for radiation enhancement in a gas-fired furnace.—74-09722A
Use of ceramic welding to extend the life of a furnace.—74-06877A

fused cast,
High zirconia fused cast refractory—74-00409P

fused silica,
Ceramic and metal roll assembly.—74-02408P
Dispersion of fused silica in an aqueous solvent.—74-04560A
Indentation behavior of soda-lime silica glass, fused silica, and single-crystal quartz at liquid nitrogen temperature.—74-05366A
Influence of stoichiometry on high-temperature intrinsic defects in fused silica.—74-08336A
Insulating monolithic refractory material, manufacturing process and article according to the process—74-00410P
Method for producing fused silica with low sodium ion contamination level.—74-08487P

Mixture of grains and particles of vitreous silica, and new material made of sintered vitreous silica.—74-08493P
Solution growth of silicon on Al-Si coated quartz-glass substrates.—74-05793A

fusion,
Fusibility diagrams of $Ga(PO_3)_3$-$M^{II}(PO_3)_2$ (M^{II}=Ca, Sr, Ba).—74-01388A
Spectroscopic features of intrinsic defects in silica glasses fused from different raw materials.—74-08350A
Study of quartz ceramics using fused quartz.—74-02786A

gadolinium oxide,
Gibbs energy of formation of $CuGd_2O_4$ and phase relations in the Cu-Gd-O system.—74-07080A
Processing, sintering behavior, and microstructural characterization of some ceria-gadolinia solid electrolytes.—74-04844A
Raman study of B_2O_3-PbO-Gd_2O_3 glasses.—74-02485A

gadolinium,
8.2 J phase-conjugate solid-state laser coherently with combined eight parallel amplifiers.—74-08821A
Ac magnetic susceptibility and microwave absorption study of $GdBa_{2-x}La_xCu_3O_7$.—74-09233A
Antiferromagnetic resonance in Gd_2CuO_4 in strong magnetic fields.—74-01961A
Effect of Gd doping on carrier concentration in InGaAsSb layers grown by liquid phase epitaxy.—74-06052A
Gadolinium-iron ferrites: composition and structure.—74-06458A
High-resolution electron energy loss of $GdBa_2Cu_3O_{7-\delta}$ thin films.—74-03483A
Influence of Gd, Zn, Fe, and Al substitutions on the tunneling characteristics of the Y-Ba-Cu-O system.—74-09289A
Investigation of the field-induced antiferromagnetic phase transition in the frustrated magnet: gadolinium gallium garnet.—74-09202A
Nature of the unusual properties of Gd_2CuO_4.—74-04372A
Oxygen plasma treatment effect on optical properties of $GdBa_2Cu_3O_{7-x}$ high-T_c superconducting films.—74-00829A
Quantum chemical approach to formation of defect states in gadolinium-gallium garnets.—74-05046A
Spectroscopic parameters of color centers in $Gd_3Ga_5O_{12}$ single crystals.—74-05052A
Thermal beam distortions in end-pumped Nd:YAG, Nd:GSGG, and Nd:YLF rods.—74-06354A
Thermal conductivity of superconducting $La_{2-x}Sr_xCuO_4$ and semiconducting $Gd_{2-x}Sr_xCuO_4$ at high temperature.—74-09356A
Thermal expansion of $Bi_2Sr_2CaCu_2O_y$, $Bi_2Sr_2CuO_y$, and $Gd_3Ga_5O_{12}$.—74-06651A

gages/gaging,
Causes of errors in a float-type level gage for molten glass.—74-02603A
Pressure profile in the compression zone of the high-pressure roller mill.—74-09604A

gallates,
Acoustooptic efficiency of bismuth-containing gallate glasses.—74-02511A
Elastooptical properties of bismuth-containing gallate glasses.—74-02536A
Infrared reflectance of barium gallogermanate glasses.—74-00198A
New brownmillerite solid electrolytes.—74-00514A
Phase transition of rare-earth aluminates ($RE_4Al_2O_9$) and rare-earth gallates ($RE_4Ga_2O_9$).—74-10017A
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: I, X-ray diffractometry and X-ray topography studies.—74-04204A
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: II, Refinement of crystal syngony by precision measurements of unit cell parameters by Bond method.—74-04205A
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: III, High-temperature studies.—74-02486A
Sound velocity and compressibility of bismuth-containing gallate glasses.—74-02579A
Spectroscopic parameters of color centers in $Gd_3Ga_5O_{12}$ single crystals.—74-05052A

gallium antimonide,
Nature of semiconductor-to-metal transition and volume properties of bulk tetrahedral amorphous GaSb and GaSb-Ge semiconductors under high pressure.—74-08962A
Population inversion of spatial quantization levels in 2-D InAs/AlSb/GaSb systems.—74-00688A

gallium arsenide,
2-D simulation of constricted-mesa InGaAsP/InP buried heterostructure lasers.—74-05969A
300 KHz pulse plasma etching of GaAs using a mixture of $ClCH_3$ and H_2.—74-01922A
50 nm GaAs/AlAs wire structures grown on corrugated GaAs.—74-02903A
Ab initio study of positron trapping at a vacancy in GaAs.—74-02904A
Adjusting trimethylgallium injection time to explore atomic layer epitaxy of GaAs between 425 and 500°C by organometallic vapor phase epitaxy.—74-04470A
AlGaAs/Ge/GaAs heterostructures grown by molecular beam epitaxy.—74-02907A
AlGaAs/InGaAs/GaAs optoelectronic structures on (111)B GaAs.—74-00565A
Alkoxide precursors for controlled oxygen incorporation during metallorganic vapor phase epitaxy GaAs and $Al_xGa_{1-x}As$ growth.—74-02908A
All-optical switch employing the cascade second-order nonlinear effect.—74-00566A
Analysis of an InGaAsP/InP twin-overlayed-waveguide switch.—74-08823A
Analysis of stoichiometry and oxide growth of HF-treated GaAs(100) by X-ray photoelectron spectroscopy and time-of-flight secondary ion mass spectrometry.—74-02062A
Angle of incidence effects of an oxygen ion beam on the surface chemistry of GaAs.—74-02063A
Anisotropic two-photon transitions in GaAs/AlGaAs multiple quantum well waveguides.—74-00568A
Application of the digital alloy composition grading technique to strained InGaAs/GaAs/AlGaAs diode laser active regions.—74-02914A
Assessment of Au wire bump thermomechanical integrity in GaAs/Al_2O_3 flip chip modules.—74-08826A
Atmospheric and low pressure metallorganic vapor phase epitaxial growth of vertical quantum wells and quantum well wires on submicron gratings.—74-04481A
Atmospheric and low pressure shadow masked MOVPE growth of InGaAs(P)/InP and (In)GaAs/(Al)GaAs heterostructures and quantum wells.—74-02917A
Atomic force microscopy study of surface morphology of GaAs grown by atomic layer epitaxy using trimethylgallium and arsine.—74-05982A
Atomic step organization in homoepitaxial growth on GaAs(111) B substrates.—74-05983A
Atomic step organization in homoepitaxial growth on GaAs(111)B substrates.—74-05984A
Atomically controlled growth of GaAs/NiAl/GaAs structures by molecular beam epitaxy.—74-04483A
Band gap and defect engineering for semiconductor holographic materials.—74-05986A
Band renormalization and dynamic screening in near-band-gap fs optical probing of InGaAs.—74-08829A
Band structure of fs-laser-pulse excited GaAs.—74-02921A
Be-doped GaAs grown by migration-enhanced epitaxy at low substrate temperature.—74-05988A
Behavior of AlGaAs/GaAs photodiodes subject to soft ionizing radiation.—74-02922A
Bonding and migration of ^{111}In atoms of GaAs surfaces studied by perturbed angular correlation spectroscopy.—74-04254A
Bound exciton-induced photoluminescence linewidth broadening in GaAs quantum wells.—74-04256A
Bright visible photoluminescence of spark-processed Ge, GaAs, and Si.—74-05992A
Bulk photorefractive semiconductors.—74-05993A
Buried heterostructure laser diodes fabricated using in situ processing.—74-02926A
Calculation of photogenerated carrier escape rates from GaAs/$Al_xGa_{1-x}As$ quantum wells.—74-05995A
Calculation of the energy levels in InAs/GaAs quantum dots.—74-08832A
Capacitance-voltage characteristics of metal-insulator-semiconductor diodes with S passivation and Si interface control layers on GaAs and InP.—74-05996A
Carbon *p*+ doping of molecular beam epitaxial GaAs films using carbon tetrabromide.—74-02927A
Carbon doping by a compact electron beam source.—74-02928A
Carbon doping of InGaAs in solid-source molecular beam epitaxy using carbon tetrabromide.—74-02929A
Carrier capture and relaxation in narrow quantum wells.—74-08834A
Carrier compensation induced by rapid thermal annealing in undoped InP.—74-02930A
Carrier-dependent nonlinearities and modulation in an InGaAs SQW waveguide.—74-00573A
Carrier-induced energy shift in GaAs/AlGaAs multiple quantum well laser diodes.—74-00574A
CdTe/GaAs(100) heterojunctions—growth modification by thin silicon interface layers.—74-05998A
CdTe/GaAs(100) heterojunctions—growth modification by thin silicon interface layers.—74-05999A
Chaotic current oscillations in the Gunn-effect device under the dc and the rf bias voltages.—74-00464A
Characteristics of in situ Cl_2 etched/regrown GaAs/GaAs interfaces.—74-01498A
Characteristics of ion beam assisted etching of GaAs: surface stoichiometry.—74-00576A
Characteristics of selective reactive ion etching of InGaAs/InAlAs heterostructures using HBr plasma.—74-00577A
Characteristics of the electric current dependence of the efficiency of spontaneous emission from AlGaAs/GaAs laser diodes with a single quantum well.—74-00579A
Characterization and improvement of the layer uniformity for large-area quantum well device arrays grown in an Intevac/Varian Gen II molecular beam epitaxy system.—74-02934A
Characterization of high-quality GaIn/GaAs superlattices grown on GaAs and Si substrates by gas source molecular beam epitaxy.—74-05086A
Chemical beam epitaxy of InP-based solar cells and tunnel junctions.—74-02937A
Chemical beam epitaxy of strain balanced GaP/GaAs/InP/GaAs superlattices.—74-05092A
Chirp production of picosecond light pulse in GaAs semiconductor.—74-02939A
Coexistence of Vannier-Stark transitions and miniband Franz-Keldysh oscillations in strongly coupled GaAs-AlAs superlattices.—74-05098A
Coherent oscillation of zone-folded phonon modes in GaAs-AlAs superlattices.—74-06005A
Collapse of high field magnetophonon resonance in GaAs-GaAlAs heterojunctions.—74-06006A
Collapse of the Hartree term of the coulomb interaction of a very dilute 2-D electron gas.—74-06007A
Collective excitations in asymmetric parabolic quantum wells.—74-04263A
Combined scanning tunneling microscopy/spectroscopy study on the surface electronic structure of GaAs(100) with spatially resolved scanning tunneling spectroscopy spectra.—74-06744A
Comparative mobility degradation in modulation-doped GaAs devices after e-beam and X-ray irradiation.—74-06010A
Comparative reactive ion etching of III-V compounds in Cl_2/BCl_3/Ar and CCl_2F_2/BCl_3/Ar discharges.—74-01644A
Comparative study of cross-sectional scanning tunneling microscopy/spectroscopy of III-V hetero- and homostructures: ultrahigh vacuum-cleaved versus sulfide-passivated.—74-06745A
Comparative study of cross-sectional scanning tunneling microscopy/spectroscopy on III-V hetero- and homostructures: ultrahigh vacuum-cleaved versus sulfide-passivated.—74-06008A
Comparative study of the adsorption of hot-filament-activated hydrocarbons on silicon, gallium arsenide, and CVD diamond.—74-02941A
Comparative study of wet and dry selective etching processes for GaAs/AlGaAs/InGaAs pseudomorphic MODFETs.—74-06009A
Comparison of Mg and Zn gate implants for GaAs *n*-channel junction field effect transistors.—74-02943A
Comparison of multipolar and magnetic mirror electron cyclotron resonance sources for CH_4/H_2 dry etching of III-V semiconductors.—74-06012A
Comparison of surface recombination velocities in InGaP and AlGaAs mesa diodes.—74-00582A
Comparison of TMGa and TEGa for low-temperature metallorganic chemical vapor deposition growth of CCl_4-doped InGaAs.—74-04522A
Compensation in GaAs:Si in correlation to As pressure during crystal growth.—74-02944A
Compositional inhomogeneity at the epitaxial layer and substrate interface of AlGaAs/GaAs heterostructures.—74-02946A
Condensation of indirect excitons in coupled AlAs/GaAs quantum wells.—74-06014A
Conductance statistics in small GaAs:Si wires at low temperatures: I, Theoretical analysis: truncated quantum fluctuations in insulating wires.—74-08733A
Conductance statistics in small insulating GaAs:Si wires at low temperatures: II, Experimental study.—74-08734A
Control of the Fermi level position on the GaAs(001) surface: Se passivation.—74-02948A
Controllable layer-by-layer etching of III-V compound semiconductors with an electron cyclotron resonance source.—74-00585A
Coulomb blockage in small quantum dots.—74-00470A
Cross-sectional scanning tunneling microscopy and spectroscopy of passivated III-V heterostructures.—74-02951A
Cross-sectional scanning tunneling microscopy on heterostructures: atomic resolution, composition fluctuations, and doping.—74-01976A
Current transport in fluorine-implanted GaAs.—74-01937A
Decomposition of gallium oxide and indium oxide on GaAs for in situ process use by alternating supply of TEGa, TMIn, and H_2O_2 as surge pulses.—74-01657A
Deep centers due to Ge atoms in AlGaAs-based double heterostructures.—74-08849A
Defect structure of GaAs(111)B(2×2) surface observed by scanning tunneling microscopy.—74-04999A
Defects in molecular beam epitaxial GaAs grown at low temperatures.—74-02958A
Delta-doping in diffusion studies.—74-08853A
Dependence of contact resistivity and Schottky diode characteristics on dry etching induced damage of GaInAs.—74-06029A
Deposition of thin indium oxide film and its application to selective epitaxy for in situ processing.—74-02960A
Design issues of GaAs and AlGaAs δ-doped *p-i-n* quantum well APD's.—74-06037A
Detailed analysis of coherence collapse in semiconductor lasers.—74-00590A
Determination of AlAs mole fraction in $Al_xGa_{1-x}As$ using Raman spectroscopy and X-ray diffraction.—74-05112A
Determination of molecular beam epitaxial growth parameters by ellipsometry.—74-03795A
Determination of the ionization energy of a deep acceptor level in the p^0 of a GaAs-based *p-i-n* structure.—74-02963A
Development and study of the optical properties of InGaAs/GaAs quantum wires.—74-08857A
Dielectric constants of Ge, Sn, and isoelectronic semiconductors.—74-02829A
Diffusion mechanism of intrinsic stress relaxation in AuGe-GaAs contacts.—74-01940A
Directly detected NMR of optically pumped GaAs quantum wells.—74-02966A
Dislocation generation mechanisms of $In_xGa_{1-x}As$ ($0 \le x \le 1$) epilayers grown on (100)InP substrates by molecular beam epitaxy.—74-08863A
Dislocation nucleation mechanism and doping effect in *p*-type ZnSe/GaAs.—74-05117A
Dislocation-induced deep level states in $In_{0.08}Ga_{0.92}As$/GaAs heterostructures.—74-06042A
Doping profiles characterization in GaAs semiinsulating substrates using capacitance-voltage, conductance-voltage, and current-voltage measurements.—74-00479A
Double quantum well charge transport in pseudomorphic $Al_{0.3}Ga_{0.7}As/In_{0.15}Ga_{0.85}As$/GaAs modulation doped heterostructures.—74-02970A
Double-crystal X-ray diffraction and transmission electron microscopy investigations of strained $Ga_{1-x}In_xAs$/GaAs superlattices.—74-00595A
Effect of deposition conditions on the formation of (In,Ga)As quantum clusters in a GaAs matrix.—74-08871A
Effect of electron-plasmon scattering on the transport characteristics of hot electrons in degenerate GaAs.—74-08872A
Effect of Gd doping on carrier concentration in InGaAsSb layers grown by liquid phase epitaxy.—74-06052A
Effect of hydrogenation on the photoluminescence of GaAs/AlGaAs quantum well structures.—74-02974A
Effect of ion implantation processes on the characteristics of thermal wave signals from semiconductor materials in the "mirage-effect" geometry.—74-03801A

Effect of lateral leakage current on the experimental gain/current-density curve in quantum well ridge-waveguide lasers.—74-08875A

Effect of strain on CHSH Auger recombination in strained $In_{0.53+\delta}Ga_{0.47-\delta}As$ on InP.—74-00596A

Effect of the isovalent Sb dopant on the formation of electronically active defects in *n*-type GaAs grown by means of LPE from a Bi molten solution.—74-08876A

Effect of the proximity of an ex situ patterned interface on the quality of two-dimensional electron gases at GaAs/AlGaAs heterojunctions.—74-02978A

Effect of unthermalized electrons on the photoconductivity of GaAs/AlGaAs heterostructures at cyclotron resonance.—74-08877A

Effects of a pseudomorphic InGaAs layer on focused ion-beam modulation-doped GaAs-AlGaAs quantum well structures.—74-06057A

Effects of As_4 flux on reflection high energy electron diffraction oscillations during growth of GaAs at low temperatures.—74-02980A

Effects of free electrons on the dynamics of excitons in quantum well structures.—74-00600A

Effects of low energy ion exposure on modulation-doped GaAs heterostructures.—74-00601A

Effects of metastable states in shaping the steady-state photoluminescence spectra of *n*-GaAs.—74-02983A

Effects of substrate temperature and angular position on the properties of ion beam sputter deposited Fe films on (100)GaAs substrates.—74-02985A

EL2 deep donor state in semiinsulating GaAs revealed by frequency-dependent positron mobility measurements.—74-08879A

Electric-field dependence of oscillator strengths of Stark ladder transitions in a GaAs/AlAs superlattice.—74-08881A

Electrical and optical properties of heavily *n*-doped GaSb-AlSb multiquantum well structures for infrared photodetector applications.—74-02986A

Electrical and structural characterization of GaAs vertical sidewall epilayers grown by atomic layer epitaxy.—74-06064A

Electrical and structural properties of GeMoW ohmic contact to an $In_{0.5}Ga_{0.5}As$ cap layer on *n*-type GaAs.—74-06065A

Electrical characterization of laser-induced deposits of aluminum on gallium arsenide.—74-04298A

Electrical characterization of rf sputtered TiN thin films on III-V semiconductors.—74-00603A

Electrical properties of GaAlSb and GaAlSbAs solid solutions.—74-08885A

Electrical properties of sulfur-passivated and rapidly thermal annealed GaAs metal-oxide-semiconductor structures with the oxide layer grown anodically.—74-06073A

Electrical transport in *n*-type ZnMgSSe grown by molecular beam epitaxy on GaAs.—74-02989A

Electrodeposition and characterization of GaAs polycrystalline thin films.—74-02991A

Electroluminescence measurement of ballistic electron distribution on AlGaAs/GaAs heterojunction by bipolar transistor structures with base width modulation.—74-08887A

Electroluminescence quantum yield in GaInAsSb/GaSb and AlGaAsSb/GaInAsSb *p-n* structures.—74-08888A

Electron cyclotron resonance plasma etching using downstream magnetic confinement.—74-06078A

Electron draft velocity model for simulation of InGaAs SFET's.—74-08889A

Electronic properties of GaAs buffer layers grown by MBE at 360-640°C.—74-08890A

Electrooptic measurement and simulation of electric field distribution in GaAs/AlGaAs light emission diode (LED) array.—74-08893A

Ellipsometric investigations of anodic oxide on $Ga_{1-x}Al_xAs$ solid solutions.—74-01990A

Energy dependence and depth distribution of electron beam induced damage in GaAs/AlGaAs heterostructures.—74-02999A

Enhancement of Schottky barrier height to *n*-GaAs using NiAl, NiAl/Al/Ni, and Ni/Al/Ni layer structures.—74-03001A

Envelope function calculations of linear and nonlinear optical gains in strained-layer quantum-well lasers.—74-01516A

Evaluation of the etch depth dependence of three-dimensional confinement in strain-induced quantum well dot structures.—74-06088A

Evolution of the microstructure of Au(Zn) metallization during formation of an ohmic contact to *p*-type GaAs.—74-03006A

Exciton-polaron modifications in the phtoluminescence spectrum of GaAs MQW.—74-03009A

Experimental sensitivity studies of diode-clamped FET-SEED smart-pixel optical receivers.—74-08902A

Experiments in scaling and variable range hopping in the integral quantum Hall effect.—74-08904A

External photoluminescence efficiency and minority carrier lifetime of (A1, Ga)As/ GaAs multi-quantum-well samples grown by molecular beam epitaxy using both As_2 and As_4.—74-03012A

Extremely high uniformity of interfaces in GaAs/AlGaAs quantum wells grown on (411)A GaAs substrates by molecular beam epitaxy.—74-03013A

Fabrication and optical properties of InGaAs/InP quantum wires and dots with strong lateral quantization effects.—74-00614A

Fabrication and performance of GaAs metal-semiconductor field effect transistors with step-graded striped focused ion beam doping in the channel regions.—74-00615A

Fabrication and physics of lateral superlattices with 40-nm pitch on high-mobility GaAs/GaAlAs heterostructures.—74-06094A

Fabrication of a nanoscale, in-plane gated quantum wire by low energy ion exposure.—74-01719A

Fabrication of a noval split-backgate transistor by in situ focused ion-beam lithography and molecular beam epitaxial regrowth.—74-01720A

Fabrication of independent contacts to two closely spaced two-dimensional electron gases using molecular beam epitaxy regrowth and in situ focused ion beam lithography.—74-03015A

Fabrication of lateral superlattices using multilayer resist techniques.—74-06099A

Fabrication of parallel quantum wires in GaAs/AlGaAs heterostructures using AlAs etch stop layers.—74-01727A

Fabrication of self-aligned GaAs/AlGaAs and GaAs/InGaP microwave power heterojunction bipolar transistors.—74-06100A

Fabrication of Y-gate, submicron gate length GaAs metal-semiconductor field effect transistors.—74-00927A

Factors affecting the temperature uniformity of semiconductor substrates in molecular beam epitaxy.—74-03016A

Fast thermal diffusion of Zn into a $GaAs/Al_xGa_{1-x}As/As$ heterostructure.—74-08909A

Features of electron scattering in δ-doped multiquantum well structures.—74-06101A

Features of the specific characteristics of high-power injection heterostructure lasers based on InGaAsP quaternary solutions.—74-08910A

Fermi level pinning by various metal Schottky contacts on (100) OMVPE-grown *n*-GaAs.—74-06104A

Fine structure of the GaAs(001) surface.—74-06105A

First-principles calculations of interface phonons of an epitaxial Sb monolayer on GaAs(110) and InP (110).—74-03019A

Focused ion beam interaction with a shallow two-dimensional electron gas.—74-00620A

Focused-ion-beam damage etch patterning for isolation of quantum structures in AlGaAs/GaAs.—74-00621A

Formation mechanism of $In_xGa_{1-x}As$ ohmic contacts to *n*-type GaAs prepared by radio frequency sputtering.—74-06110A

Formation of arrays of facets on vicinal surfaces of GaAs(100) during MBE.—74-04143A

Formation of interface layers in $Ga_xIn_{1-x}As/InP$ heterostructures: a reevaluation using ultrathin quantum wells as a probe.—74-08915A

Formation of ohmic contacts to *n*-GaAs using $(HN_4)_2S$ surface passivation.—74-06111A

Fractional dimensionality of weakly localized electrons in $GaAs\text{-}Ga_{0.7}Al_{0.3}$ heterostructures.—74-08916A

Frequency and intensity modulation characteristics of GaAs lasers in an external cavity.—74-00623A

Frequency-domain-continuation intermodulation-balance method for the analysis of nonlinear microwave circuits with multifrequency excitations.—74-08917A

From InP/GaInAsP interface study to nanometer range heterostructure detection with probe method.—74-01064A

GaAs/GaAlAs heterostructure rib waveguide stepped dß coupler.—74-03026A

Galvanomagnetic properties of two-dimensional electron gases in strain-relaxed $In_xGa_{1-x}As$ ($x<0.4$) heterostructures grown by molecular beam epitaxy on GaAs substrates.—74-06116A

Generation of 4-ps pulses from stable passive mode-locked Nd:YLF (yttrium lithium tetrafluoride) laser.—74-02629A

Generation of sub-ps electrical pulses by nonuniform illumination of GaAs transmission line gaps.—74-06119A

Giant growth axis longitudinal magnetoresistance from in-plane conduction in semiconductor lattices.—74-04322A

Group V composition control for InGaAsP grown by gas source molecular beam epitaxy.—74-06122A

Growth and characterization of (111)B InGaAs/GaAs multiquantum well *pin* diode structures.—74-06124A

Growth and characterization of a GaAs/AlAs superlattice with variable layer thicknesses.—74-03031A

Growth mechanism of GaAs on (110)GaAs studied by high-energy electron diffraction and atomic force microscopy.—74-06126A

Growth mechanism of GaAs on (110)GaAs studied by high-energy electron diffraction and atomic force microscopy.—74-06127A

Growth mode of Ge on GaAs(100).—74-03033A

Growth of $(GaAs)_{1-x}(Ge_2)_x$ by metallorganic chemical vapor deposition.—74-04668A

Growth of (In,Ga)As/GaAs quantum well heterostructures through the deposition of "submonolayer" strained InAs layers.—74-03034A

Growth of GaAs light modulators on Si by gas source molecular beam epitaxy for 850 nm optical interconnects.—74-03036A

Growth of $GaAs_{1-y}P_y/GaAs$ and $InAs_yP_{1-y}/InP$ strained quantum wells for optoelectronic devices by gas-source molecular beam epitaxy.—74-06129A

Growth of GaSe layered compound on a GaAs(001) surface.—74-03380A

Growth of InAlGaAs strained quantum well structures for reliable 0.8 μm lasers.—74-04674A

Growth of the (In,Al,Ga)As quaternary alloy system on GaAs at low substrate temperatures by molecular beam epitaxy.—74-03037A

Growth studies on $In_{0.5}Ga_{0.5}As/AlGaAs$ quantum wells grown on GaAs with a linearly graded InGaAs buffer.—74-03039A

Hardness, internal stress, and fracture toughness of epitaxial $Al_xGa_{1-x}As$ films.—74-06130A

HCl, H_2, and Cl_2 radical beam ion beam etching of $Al_xGa_{1-x}As$ substrates with varying Al mole fraction.—74-06131A

Heteroepitaxial passivation of the surface of GaS.—74-00630A

High electron mobility in $(InAs)_n(GaAs)_m$ short period superlattices grown by MOVPE for high-electron mobility transistor structure.—74-04330A

High uniformity of $Al_{0.3}Ga_{0.7}As/In_{0.15}Ga_{0.85}As$ doped channel structures grown by molecular beam epitaxy on 3-in. GaAs substrates.—74-03041A

High-power ps pulse amplification and generation in field effect GaAs-AlGaAs laser diodes with saturable absorption.—74-08930A

High-quality compressively strained InP-based GaInAs(P)/GaInAsP multiquantum well laser structures grown by metallorganic vapor phase epitaxy.—74-03044A

High-quality strained quantum wires grown by molecular beam epitaxy on (100)GaAs substrate.—74-03045A

High-quantum-efficiency InGaAs/InP and InGaAs/GaAs quantum dots.—74-06134A

High-resolution X-ray diffraction of one- and two-dimensional periodic surface gratings.—74-06135A

Highly anisotropic angular dependence of CH_3 fragmentation from electron transfer reactions on $CH_3Br/GaAs(110)$.—74-03049A

Highly selective reactive ion etch [RIE] process for InP-based device fabrication using methane/hydrogen/argon.—74-00937A

Hole states in GaAs/AlAs heterostructures and the limitations of the Luttinger model.—74-05017A

Hopping conduction in molecular beam epitaxial GaAs grown at very low temperatures.—74-06139A

Hydrogen plasma processing of GaAs and AlGaAs.—74-00634A

Hydrogenating and annealing effects of GaAs.—74-03055A

Identification of ordered and disordered $Ga_{0.51}In_{0.49}P$ domains by spatially resolved luminescence and Raman spectroscopy.—74-06143A

Identification of volatile products in low-pressure hydrocarbon electron cyclotron resonance reactive ion etching [RIE] of InP and GaAs.—74-00635A

Impact of amplified spontaneous emission (ASE) on carrier density for measurement of optical nonlinearities in GaAs/AlGaAs multiple quantum wells.—74-00636A

Improved epitaxial layer design for real-time monitoring of dry etching in III-V compound heterostructures with depth accuracy of ±8 nm.—74-03057A

Improved heteroepitaxial growth of layered $NbSe_2$ on GaAs(111)B.—74-01760A

Improved inverted AlInGa/GaInAs two-dimensional electron gas structures for high-quality pseudomorphic double heterojunction AlInAs/GaInAs high electron mobility transistor devices.—74-06144A

Improvement of GaAs/AlGaAs quantum well laser diodes by rapid thermal annealing.—74-01522A

Improvement of the quality of InGaAs/InP quantum wires due to epitaxial growth.—74-06145A

In situ deposition of Au on plasma-prepared GaAs substrates.—74-06147A

In situ nonalloyed ohmic contacts to *p*-GaAs.—74-04692A

In situ observation of anodic dissolution process of *n*-GaAs in HCl solution by electrochemical atomic force microscope.—74-06148A

In situ process for AlGaAs compound semiconductor: materials science and device fabrication.—74-03061A

In situ spectral reflectance monitoring of III-V epitaxy.—74-05162A

In situ thickness monitoring and control for highly reproducible growth of distributed Bragg reflectors.—74-03062A

Influence of an ultrathin Al overlayer on GaAs plasma oxide growth kinetics.—74-06151A

Influence of reflectivity on fs transmission spectroscopy of thin GaAs films.—74-08938A

Influence of spatio-temporal refractive index changes in a GaAs etalon on the generation of ultrashort pulses in an Nd phosphate glass laser.—74-03067A

Influence of the AlAs mole fraction on the luminescence efficiency of $GaAs/Al_xGa_{1-x}As$ quantum well structures.—74-04338A

Influences of delta-doping time and spacer thickness on the mobility and two-dimensional electron gas concentration in delta-doped GaAs/InGaAs/GaAs pseudomorphic heterostructures.—74-00641A

Integrated AlGaAs waveguide components for optical phase difference measurement and correction.—74-06156A

Integrated approach to quantum dot fabrication.—74-00940A

Integration of microstructures onto negative electron affinity cathodes: fabrication and operation of an addressable negative electron affinity cathode.—74-00942A

Integration of vertical-cavity surface-emitting devices by molecular beam epitaxy regrowth.—74-06159A

Interactions between Si/Co films and GaAs(001) substrates.—74-06160A

Interchain vacancy migration on GaAs(110).—74-03069A

Interdiffusion and relaxation in metallorganic vapor phase epitaxy grown InGaAs/GaAs strained layer quantum wells.—74-05024A

Interface abruptness in CBE-grown InGaAs/InP QW structures.—74-06161A

Interface analysis of dry-etched and molecular beam epitaxial regrown AlGaAs.—74-05168A

Interface luminescence of GaAs/GaAlAs structure: relationship with heterojunction conditions.—74-06162A

Interface roughness and asymmetry in InAs/GaAs superlattices studied by STM.—74-05169A

Interface segregation and clustering in strained-layer InGaAs/GaAs heterostructures studied by cross-sectional STM.—74-05170A

Interfacial electrical properties of diamondlike carbon/gallium arsenide heterostructures.—74-03070A

Intersubband elementary excitations of quasi-two-dimensional electron systems in quantum well.—74-03072A

Investigation of chemically assisted ion beam etching for the fabrication of vertical, ultrahigh-quality facets in GaAs.—74-03073A

Investigation of DX centers in modulation doped field effect transistor type $Al_{0.3}Ga_{0.7}As$/GaAs heterostructures using a Fourier transform deep level transient spectroscopy system.—74-06165A

Investigation of high-quality GaAs:In layers grown by liquid phase epitaxy.—74-06166A

Ion beam mixing characteristics of MOCVD grown InGaAs/GaAs superlattices.—74-03077A

I-V characteristics of structures with GaAs vicinal faces δ-doped with tin.—74-08819A

Junction locations by scanning tunneling microscopy: in-air-ambient investigation of passivated GaAs *pn* junctions.—74-02005A

Kinetics of bulk vacancy creation in MBE growth of GaAs.—74-05027A

Lateral growth of GaAs on patterned {111}B substrates for the fabrication of nanowires using metalorganic molecular beam epitaxy.—74-04729A

Lateral thickness modulation of InGaAs/InP quantum wells grown by metallorganic molecular beam epitaxy.—74-03085A

Lateral variation of indium content in InGaAs grown on GaAs channeled substrates by molecular beam epitaxy.—74-05177A

Light scattering studies of ZnSe/GaAs heterostructures.—74-06174A

Light scattering studies of ZnSe/GaAs heterostructures.—74-06175A

Limiting factors for secondary ion mass spectrometry profiling.—74-01076A

Liquid phase epitaxy of highly lattice-mismatched $In_xGa_{1-x}As$ layers on (001)GaAs substrates.—74-06178A

Local interface composition and band discontinuities at heterovalent heterostructures.—74-03087A

Localized thinning of GaAs/GaAlAs nanostructures by a combined scanning electron micrograph/focus ion beam system for high-quality cross-sectional transmission electron microscopy samples.—74-01077A

Long-term reliability of Pt and Mo diffusion barriers in Ti-Pt-Au and Ti-Mo-Au metallization systems for GaAs digital integrated circuits.—74-06181A

Long-wavelength InGaAsP/InP MQW DFB and DBR lasers grown by chemical beam epitaxy.—74-06182A

Longitudinal and lateral distribution of implantation-induced damage in GaAs/InGaAs heterostructures.—74-00646A

Low-damage electron-beam-assisted dry etching of GaAs and AlGaAs using electron cyclotron resonance plasma electron source.—74-00647A

Low-damage etching of InGaAs/AlGaAs by the electron cyclotron resonance plasma with Cl_2/He mixture for heterojunction bipolar transistors.—74-03088A

Low-energy, ion-enhanced etching of III-V's for nanodevice applications.—74-03089A

Low-temperature electrical transportation behavior of $In_{0.5}Ga_{0.5}P$ grown in GaAs(100) substrate by LPE.—74-08947A

Low-temperature growth and characterization of GaAs epitaxial layer on (111)B GaAs substrates.—74-05181A

Low-temperature growth of ZnTe by synchrotron radiation using metallorganic sources.—74-00649A

Low-temperature luminescent properties of degenerate *p*-type GaAs grown by low-pressure metallorganic chemical vapor deposition.—74-08948A

Low-voltage current instabilities in long AlGaAs/GaAs samples subjected to pulsed and microwave fields.—74-08949A

Low-voltage, high-reflectance change normally off refractive GaAs/$Al_{0.2}Ga_{0.8}As$ MQW reflection modulator.—74-06187A

LPCVD of InN on GaAs(110) using HN_3 and TMIn—comparison with Si(100) results.—74-06188A

LPE on $Al_xGa_{1-x}As$ surfaces passivated by sulfide solutions.—74-03094A

Luminescence of GaAs/$Al_xGa_{1-x}As$ multiple quantum wells in structures for ir detectors.—74-03095A

Macroscopic electronic behavior and atomic arrangements of GaAs surfaces immersed in HCl solution.—74-06190A

Macroscopic electronic behavior and atomic arrangements of GaAs surfaces immersed in HCl solution.—74-06191A

Magnetocapacitance and the edge state of a 2-D electron system in the quantum Hall regime.—74-03098A

Magnetron reactive ion etching of GaAs in a BCl_3 discharge.—74-00652A

MBE growth and characteristics of periodic index separate confinement heterostructure InGaAs quantum well lasers.—74-06196A

Measurement of GaAs temperature-dependent optical constants by spectroscopic ellipsometry.—74-03100A

Measurement of heterojunction band offsets using ballistic electron emission microscopy.—74-06199A

Measurement of heterojunction band offsets using ballistic electron emission microscopy.—74-06788A

Mechanism of heavy and light hole mixing in GaAs/AlAs superlattices.—74-03103A

Mechanisms of strained island formation in molecular beam epitaxy of InAs on GaAs(100).—74-06202A

Mechanisms of strained island formation in molecular beam epitaxy of InAs on GaAs(100).—74-07576A

Metallorganic chemical vapor deposition growth of GaAs:Er using $Er(C_4H_9C_5H_4)_3$.—74-06203A

Metallorganic vapor phase epitaxial growth and structural characterization of GaAs/InP heterostructures.—74-04748A

Metastability of arsenic antisite-related defects created by electron irradiation in GaAs.—74-08953A

Metastable transition of E12 in GaAs—the electron-phonon coupling channel.—74-03107A

Micromachining in III-V semiconductors using wet photoelectrochemical etching.—74-00657A

Microwave GaAs integrated circuits on quartz substrates.—74-03109A

Mid-ir phase modulation via Stark effect on intersubband transitions in GaAs/GaAlAs quantum wells.—74-00659A

Model for the interaction of electron waves with heterojunctions in GaAs/AlAs(001).—74-08955A

Modeling the excitonic electrorefraction in InGaAsP multiple quantum wells.—74-00660A

Modification of Al/GaAs(001) Schottky barriers by means of heterovalent interface layers.—74-06211A

Modification of Al/GaAs(001) Schottky barriers by means of heterovalent interface layers.—74-06212A

Modulation-doped InAlAs/InGaAs quantum well structures for high electron mobility transistors.—74-03116A

Molecular beam deposition of low-resistance polycrystalline GaAs.—74-03117A

Molecular beam epitaxial growth and properties of Si-doped GaAs/AlGaAs quantum wells.—74-03118A

Molecular beam epitaxial growth of GaAs on CaF_2/Si(111) substrates.—74-04763A

Molecular beam epitaxial heterostructures in the (311)A orientation.—74-06213A

Molecular beam epitaxial heterostructures in the (311)A orientation.—74-07698A

Molecular beam epitaxy grown AlAsSb/GaAsSb distributed Bragg reflector on InP substrate operating near 1.55 μm.—74-04366A

Molecular beam epitaxy growth of high-performance midinfrared diode lasers.—74-03119A

Molecular beam epitaxy growth of pseudomorphic II-VI multilayered structures for blue/green laser diodes and light-emitting diodes.—74-03120A

Molecular beam epitaxy growth of quantum dots from strained coherent uniform islands of InGaAs on GaAs.—74-05197A

Molecular beam epitaxy of InAs and its interaction with a GaAs overlayer on vicinal GaAs(001) substrates.—74-06214A

Molecular beam epitaxy of InAs and its interaction with a GaAs overlayer on vicinal GaAs(001) substrates.—74-06215A

Molecular beam epitaxy of MnAs thin films on GaAs.—74-04367A

Momentum relaxation processes during electron collisions in 2-D conducting systems.—74-03121A

Monolayer growth oscillations and surface structure of GaAs(001) during metallorganic vapor phase epitaxy growth.—74-06216A

Monolayer growth oscillations and surface structures of GaAs(001) during metallorganic vapor phase epitaxy growth.—74-06217A

Monolithic AlGaAs reflection diode optron.—74-00662A

Monte Carlo simulation of gain compression effects in GRINSCH quantum well laser structures.—74-08957A

Monte Carlo study of electron relaxation in quantum-wire laser structures.—74-08958A

Multilayer resist process for asymmetric gate recess in field effect transistors.—74-00663A

Nanofabrication and characterization using a scanning tunneling microscope.—74-08960A

Nanofabrication of photonic lattice structures in GaAs/AlGaAs.—74-00665A

Nanometer fabrication techniques for wide-gap II-VI semiconductors and their optical characterization.—74-03124A

Negative feedback forced self-mode-locking in Nd:yttrium lithium tetrafluoride (YLF) laser.—74-00666A

New characterization method of ion current-density profile based on damage distribution of Ga^+ focused ion beam implantation in GaAs.—74-00668A

New in situ electron beam patterning process for GaAs using an electron cyclotron resonance plasma-oxidized mask and Cl_2 gas etching.—74-06220A

New metastable center in electron-bombarded GaAs.—74-06221A

Nonequilibrium Al-Ga interdiffusion in MOCVD reactor-annealed AlGaAs quantum well heterostructures.—74-06222A

Noninvasive infrared-based measurement of the temperature of GaAs semiconductor crystals.—74-06223A

Nonlinear absorption in a GaAs waveguide just above half the band gap.—74-06224A

Nonlinear gain and the spectral output of short external cavity 1.3 μm InGaAsP semiconductor diode lasers.—74-08971A

Nonthermally driven surface chemistry of phosphine on GaAs(100).—74-03130A

Novel core effects in Cs/GaAs(110) overlayers—adsorption-induced buckling enhancement.—74-08972A

Novel in situ electrochemical technology for formation of oxide- and defect-free Schottky contact to GaAs and related low-dimensional structures.—74-06226A

Novel in situ electrochemical technology for formation of oxide- and defect-free Schottky contact to GaAs and related low-dimensional structures.—74-06227A

Novel integration of a group IV electron beam deposition capability with a III-V molecular beam epitaxy.—74-05205A

Observation of a triclinic lattice distortion of $In_xGa_{1-x}As_{(100)}$-oriented epitaxial layers by high-resolution double-crystal XRD.—74-06230A

Observation of laser oscillation without population inversion in InGaAsP microdisk lasers.—74-06231A

Observation of quantum mechanical reflections of electrons at an in situ grown GaAs/aluminum Schottky barrier.—74-03134A

Observation of the negative and positive persistent photoconductivity phenomena in Si planar-doped GaAs.—74-08975A

Observation of the parity-forbidded optical transition in GaAs/GaAsP strained-layer quantum well.—74-08976A

Ohmic contacts to *p*- and *n*-type GaAs made with Al-Sn-Ni.—74-00673A

One-dimensional wire formed by molecular beam epitaxial regrowth on a patterned *pnpnp* GaAs substrate.—74-03135A

Optical analysis of quantum confined Stark effect in overgrown InGaAs/InP quantum wires.—74-01547A

Optical and electrical properties of $Sc_{0.2}Yb_{0.8}As$ and $Sc_{0.2}Er_{0.8}As$ semimetallic compounds lattice matched to GaAs.—74-00674A

Optical bistability in the GaAs/AlGaAs bistable FET.—74-00675A

Optical phonons and ordering of the crystal lattice of $In_xGa_{1-x}As$ solid solutions.—74-08985A

Optical properties of a strained GaAs/Si heterostructure after rapid thermal annealing.—74-06238A

Optical properties of AlGaAs/GaAs *nipi* superlattices and their application in asymmetric cavity spatial light modulators.—74-06239A

Optical properties of heterostructures with InGaAs-GaAs quantum clusters.—74-08989A

Optical properties of strained layer (111)B $Al_{0.15}Ga_{0.85}As$-$In_{0.04}Ga_{0.96}As$ quantum well heterostructures.—74-06241A

Optical study of GaAs/AlAs structures with isolated GaAs clusters grown on a surface with high Miller indices.—74-06243A

Optimal growth interrupts for very high quality InGaAs(P)/InP superlattices grown by MOVPE.—74-06244A

Optimal surface cleaning of GaAs(001) with atomic hydrogen.—74-03140A

Optimization of buffer layers for AlGaAs/InGaAs/GaAs pseudomorphic high electron mobility transistors by atmospheric pressure metallorganic chemical vapor deposition.—74-06245A

Optimization of contacts and mobilities for (001)-oriented two-dimensional hole gases.—74-06246A

Optimization of contacts and mobilities for (001)-oriented two-dimensional hole gases.—74-06247A

Optimization of high mobility two-dimensional hole gases.—74-03141A

Optimization of selective area growth of GaAs by low pressure organometallic vapor phase epitaxy for monolithic integrated circuits.—74-04794A

Optimization of the carrier induced effective index change in InGaAsP waveguides—application to tunable Bragg filters.—74-06248A

Ordered and randomly disordered AlAs/GaAs short-period superlattices.—74-03143A

Origin of optical anisotropy in strained $In_xGa_{1-x}As$/InP and $In_xAl_{1-x}As$/InP heterostructures.—74-05215A

Oscillator strength of excitons in InGaAs/GaAs quantum wells.—74-00676A

p-type doping of GaAs by carbon implantation.—74-02902A

Pd-Ge contact to *n*-GaAs with the TiW diffusion barrier.—74-03150A

Performance of $(InAs)_l/(GaAs)_l$ short period superlattice strained single quantum well laser on GaAs substrate.—74-06251A

Perpendicular transport properties of a *p*-GaAs/δ-doped superlattice/n^+-GaAs structure.—74-08994A

Phase-shifting lithography: mask making and its application.—74-00680A

Phonon polariton modes in quantum well wire superlattices.—74-03152A

Photoassisted metallorganic vapor phase epitaxy of ZnTe on GaAs.—74-03156A

Photocontrolled double-barrier resonant tunneling diode.—74-03157A

Photodiodes with Schottky barriers based on GaP, GaP_xAs_{1-x}, and GaAs for the uv and visible range.—74-03159A

Photoinduced displacement of the space-charge region in GaAs *p-i-n* structures.—74-08996A

Photoluminescence and interface abruptness in InGaAsP/InGaAsP quantum wells.—74-06257A

Photoluminescence evaluation of pseudomorphic high electron mobility transistor device wafers.—74-06258A

Photoluminescence excitations of the As_i-V_{Ga} 0.8 eV emission in GaAs grown by MBE at low temperatures.—74-03164A

Photoluminescence investigation of the critical thickness in InGaAs-AlGaAs pseudomorphic structures grown by molecular beam epitaxy.—74-05220A

Photoluminescence of single InAs quantum dots obtained by self-organized growth on GaAs.—74-06260A

Photoluminescence of undoped semiinsulating GaAs heat-treated at an excess As vapor pressure.—74-03165A

Photoluminescence study of GaAs films on Si(100) grown by atomic hydrogen-assisted molecular beam epitaxy.—74-03166A

Photomagnetoelectric effect in epitaxial GaAs films accompanied by electron heating by intense laser light.—74-03167A

Photoreflectance of semiinsulating GaAs at $\hbar\omega \simeq E_{1g}$.—74-06263A

Photovoltaic effect in In/*p*-AgGaAs structures.—74-09001A

Polarizability of a shallow donor in a quantum well wire: geometric effects.—74-03174A

Polarization dependence of linewidth enhancement factor in InGaAs/InGaAsP MQW material.—74-06266A

Polarization-dependent coherent nonlinear optical response in GaAs quantum wells—dominant effects of two-photon coherence between ground and biexciton states.—74-06267A

Postgrowth control of GaAs/AlGaAs quantum well shapes by impurity-free vacancy diffusion.—74-06269A

Potential distribution measurement of thin InGaAs resistors using scanning tunneling potentiometry.—74-06270A

Pressure dependence of III-V Schottky barriers—a critical test of theories for Fermi level pinning.—74-06276A

Probing the mechanisms of growth of gallium arsenide by metallorganic vapor phase epitaxy using experimental and theoretical studies of designed precursors.—74-03852A

Profile of the E3 electron trap in GaAs.—74-03183A

Progress toward spin-sensitive scanning tunneling microscopy using optical orientation in GaAs.—74-06804A

Pt/Ti/Ge/Pd ohmic contacts to GaAs: a structural, chemical, and electrical investigation.—74-03185A

Pulsed dye amplification and frequency doubling of single longitudinal mode semiconductor lasers.—74-00693A

Pump-probe investigations of biexcitons in GaAs quantum wells.—74-09018A

Pyrometric interferometry for real-time molecular beam epitaxy process monitoring.—74-03855A

Quantum dots formed by interface fluctuations in AlAs/GaAs coupled quantum well structures.—74-03188A

Quantum wires with controllable conducting channel width based $In_{0.53}Ca_{0.47}As/InP$ heterostructures.—74-03189A

Quantum-confined Stark shift observed by electroluminescence and circular polarized luminescence excitation spectroscopy in GaAs/AlGaAs coupled quantum wells.—74-04404A

Radiative recombination in heterostructures LEDs based on limiting-composition GaInAsSb.—74-06283A

Raman scattering in GaAs/GaP strained heterostructures grown by MOVPE.—74-06285A

Raman scattering of strained GaAs layers grown by MOVPE on InP(III) A and B.—74-03193A

Raman scattering study of the effects of coating by SiO_2 and Si_3N_4 films and low-dose gamma irradiation on the substrate region of GaAs.—74-03194A

Random-period superlattice quantum wells.—74-03195A

Rapid thermal annealing of semiinsulating GaAs bombarded with fission neutrons.—74-09020A

Reaction ion etching of GaAs through wafer via holes using Cl_2 and $SiCl_4$ gases—a comprehensive statistical approach.—74-06287A

Reactive ion etching of AlInGaP and GaAs in $SiCl_4/CH_4$/Ar-based plasmas.—74-03196A

Real-time monitoring and analysis of chemical wet etching of III-V compound semiconductors.—74-00694A

Real-time scanning microprobe reflection high-energy electron diffraction observations of InGaAs surfaces during molecular beam epitaxy on InP substrates.—74-07728A

Real-time scanning microprobe reflection high-energy electron diffraction observations of InGaAs surfaces during molecular beam epitaxy on InP substrates.—74-07729A

Realization of three-dimensionally confined structures via one-step in situ molecular beam epitaxy on appropriately patterned GaAs(111)B and GaAs(001).—74-05230A

Recombination lifetime in $InAs-Ga_{1-x}In_xSb$ superlattices.—74-05231A

Recombination near an N-*n*-GaSb/GaInAsSb heterojunction.—74-06289A

Reduction and elimination of proximity effects.—74-01568A

Reduction of noise figure in semiconductor laser amplifiers with $Ga_{1-x}In_xAs/GaInAsP$ strained quantum well structures.—74-00696A

Reflectance anisotropy of reconstructed GaAs(001) surfaces.—74-06290A

Reflectance anisotropy of reconstructed GaAs(001) surfaces.—74-07731A

Reflection high-energy electron diffraction intensity oscillations during molecular beam epitaxy on rotating substrates.—74-03199A

Relationship between growth conditions and heterojunction quality in $InP/In_{1-x}Ga_xAs$ selectively doped heterostructures grown by LPE.—74-03200A

Relationship between the anomalous photovoltage of GaAs films and their structure.—74-03201A

Resonant excitation of vibrational modes on GaAs microrelief surface.—74-03202A

Resonant Raman lineshape of optic phonons in GaAs/AlAs multiple quantum wells.—74-03203A

Resonant shallow donor magnetopolaron effect in GaAs/AlGaAs quantum dot in high magnetic fields.—74-09026A

Role of Ga_2O in the removal of GaAs surface oxides induced by atomic hydrogen.—74-03204A

Role of the diffusivity of Be and C in the performance of GaAs/AlGaAs heterojunction bipolar transistors.—74-06295A

Role of waveguide light emission in planar microcavities.—74-09027A

Roles of Si insertion layer at GaAs/AlAs heterointerface determined by X-ray photoemission spectroscopy.—74-02041A

Room temperature photoluminescence from modulation doped AlGaAs/InGaAs/GaAs quantum wells.—74-00702A

Saturation characteristics of $Ga_{0.68}In_{0.32}As/GaInAsP/InP$ tensile-strained quantum well semiconductor laser amplifier with tapered-waveguide structures.—74-09030A

Scanning tunneling microscope and electron-beam-induced luminescence in quantum wires.—74-07734A

Scanning tunneling microscope and electron-beaminduced luminescence in quantum wires.—74-06297A

Scanning tunneling microscopy of argon ion-bombarded GaAs(001) surfaces.—74-06299A

Scanning tunneling microscopy of Cl_2-gas-etched GaAs(001) surfaces using an ultrahigh vacuum sample transfer system.—74-06300A

Scanning tunneling microscopy study of deoxygenated and deionized water rinsed GaAs(111)-B surfaces.—74-00703A

Schottky barrier study of ion implantation damage in GaAs.—74-03208A

Schottky barrier study of ion implantation damage in GaAs.—74-06303A

Selective regrowth of InP and GaAs by organometallic vapor phase epitaxy and metallorganic molecular beam epitaxy around dry etched features.—74-00704A

Selectively dry gate recessed GaAs metal-semiconductor field effect transistors, high electron mobility transistors, and monolithic microwave integrated circuits.—74-00705A

Self-aligned dry etching process for waveguide diode ring lasers.—74-06305A

Self-aligned fabrication or arrays of back-to-back external 45 reflectors integrated with ridge-waveguide lasers for surface-emitting high-power semiconductor laser sources in AlGaAs/GaAs.—74-00706A

Self-assembled monolayer electron beam resists on GaAs and SiO_2.—74-00707A

Semiempirical line shape model of GaAs MQW structures.—74-09034A

Sequential emission of optical phonons by ballistic electrons in single barrier heterostructures.—74-09035A

Sharp-line photoluminescence and two-photon absorption of zero-dimensional biexcitons in a GaAs/AlGaAs structure.—74-06309A

Shubnikov-de Haas oscillations in a nonuniform 2-D electron gas.—74-03213A

Si donors (Si/Ga) in GaAs observed by scanning tunneling microscopy.—74-06311A

Simple method for extraction of multiple quantum well absorption coefficients from reflectance and transmittance measurements.—74-00711A

Simple pulsed-plasma-beam gun for ultrahigh vacuum applications.—74-06814A

Simulation of the space-time evolution of nonequilibrium phonons in GaAs by the Monte Carlo method.—74-09038A

Single crystal titanium nitride epitaxial on silicon.—74-09102P

Single-pulse pump-probe measurement of optical nonlinear properties in GaAs/AlGaAs multiple quantum wells.—74-06317A

Spatial characteristics of GaAs, GaAs-like, and AlAs-like phonons in $GaAs/Al_xGa_{1-x}As$ superlattices: the strong x dependence.—74-06319A

Spectra of the surface photo-emf of *n*-GaAs(100).—74-09045A

Spectroscopic study of Si-related defects in nonhomogeneous GaAs:Si.—74-00715A

Spectroscopy of quantum levels in charge-tunable InGaAs quantum wells.—74-09047A

Spin orientation by optical pumping in $In_xGa_{1-x}As/AlAs$ multiple quantum wells.—74-06322A

Spiral growth of GaAs by metallorganic vapor phase epitaxy.—74-07489A

Spontaneous lifetime and quantum efficiency in light-emitting diodes affected by a close metal mirror.—74-00716A

Stability of a single δ layer in GaAs.—74-03223A

Static and dynamic properties of InGaAsP-InP DFB lasers—a detailed comparison between experiment and theory.—74-09048A

Static characteristics of a selectively doped pseudomorphic FET.—74-06324A

Steady-state distribution of the field and space charge in the interior of the *i* layer in a GaAs *p-i-n* structure.—74-03226A

Step bunching and step equalization of vicinal GaAs(001) surfaces.—74-07750A

Step bunching and step equalization on vicinal GaAs(001) surfaces.—74-07751A

STM studies of structure of gold chemically deposited on GaAs(100) surface.—74-06325A

Strained layer epitaxy—how do capping layers and oppositely strained intermediate layers enhance the critical thickness.—74-06326A

Stretched exponential relaxation of persistent photoconductivity due to the Si-related DX center in $Al_xGa_{1-x}As$.—74-09050A

Structural and electronic properties of an organic/inorganic semiconductor interface—PTCDA/GaAs(100).—74-07753A

Structural and electronic properties of an organic/inorganic semiconductor interface—PTCDA/GaAs(110).—74-06330A

Structural and optical properties of self-assembled InGaAs quantum dots.—74-06331A

Structural and optical properties of self-assembled InGaAs quantum dots.—74-06332A

Structural properties of highly mismatched InGaAs-based devices grown by molecular beam epitaxy on GaAs substrates.—74-03230A

Structural properties of liquid and amorphous GaAs by tight-bending molecular dynamics.—74-09051A

Studies of Si segregation in GaAs using current-voltage characteristics of quantum well infrared photodetectors.—74-03231A

Study and optoelectronic verification of AlGaAs/GaAs heterojunction bipolar transistor large-signal characteristics.—74-07720A

Study of an InGaAs/GaAs(100) heterostructure by high-resolution XRD.—74-09053A

Study of GaAs asymmetric X-junction waveguide hybrid coupler.—74-03232A

Study of laser emission wavelength variations in 1.5 μm InGaAsP/InP BRS laser diodes—theoretical model and experiment.—74-09054A

Study of lattice-mismatched (In,Ga)As/GaAs heterostructures on the unconventional (110)GaAs surface.—74-03234A

Study of surface stoichiometry and luminescence efficiency of near-surface quantum wells treated by hydrogen ions and atomic hydrogen.—74-06338A

Study of surface stoichiometry and luminescence efficiency of near-surface quantum wells treated by hydrogen ions and atomic hydrogen.—74-06339A

Study of the *I-V* characteristics of planar-doped-barrier electron emitters.—74-03235A

Study of the dynamic conductance of a surface 2-D superlattice on GaAs/AlGaAs by a contactless microwave method in a magnetic field.—74-09055A

Study of wavelength shift in InGaAs/InAlGaAs QW DFB lasers based on laser parameters from a comparison of experiment and theory.—74-09056A

Studying ion-doped GaAs layers with {100} and {211} orientations by double-crystal X-ray crystallography.—74-06342A

Subband structure of quantum wires in magnetic fields.—74-01585A

Synthesis and optical properties of GaAs nanoclusters sequestered in amorphous matrices.—74-04935A

TEM study of the effect of growth interruption in MBE of InGaP/GaAs superlattices.—74-06347A

Temperature dependence of minority hole mobility in *n*$^+$-GaAs measured with a new variable temperature technique.—74-03247A

Temperature dependence of photoluminescence linewidth in GaAs/GaAsP strained-layer quantum well structures.—74-03248A

Temperature dependence of photoluminescence linewidth in GaAs/GaAsP strained-layer quantum well structures.—74-06348A

Temperature dependence of the photoluminescence of $In_xGa_{1-x}As/GaAs$ quantum well structures.—74-09064A

Tertiarybutylarsine and tertiarybutylphosphine for the MOCVD growth of low threshold 1.55 μm $In_xGa_{1-x}As/InP$ quantum well lasers.—74-04954A

Theoretical and experimental study of nonlinear distortion in semiconductor lasers.—74-09065A

Theory of the line shape and the anisotropy of the linear polarization of hot photoluminescence in *p*-GaAs.—74-06353A

Thermal strain in indium thin films deposited on GaAs substrates.—74-07193A

Thermalization effect on radiative decay of excitons in quantum wires.—74-03249A

Thin layer diffraction.—74-06359A

Thin-film-induced stress in GaAs ridge-waveguide structures integrated with sputter-deposited ZnO films.—74-06360A

TM_{0M} modes in transversely magnetized semiconductor-filled coaxial waveguide and parallel plates.—74-09071A

Transient-four-wave mixing studies of GaAs microcrystallites.—74-09073A

Transmission electron microscopy specimen preparation technique using focused ion beam fabrication: application to GaAs metal-semiconductor field effect transistors.—74-01122A

Transmission through abrupt heterojunction potential barriers.—74-09074A

Tunneling-recombination currents in nonideal InGaAsP/InP heterostructures.—74-06366A

Two electron transitions of the exciton bound at the Si donor confined in $GaAs/Al_xGa_{1-x}As$ quantum wells.—74-03257A

Type-I–type-II transition in GaAs/AlAs short-period superlattices studied under pulsed high magnetic fields and high pressures.—74-00727A

Ultrafast coherent generation of hot electrons studied via band-to-acceptor luminescence in GaAs.—74-06368A

Ultrahigh vacuum atomic force microscope with sample cleaving mechanism.—74-06827A

Ultrashallow depth profiling with time-of-flight secondary ion mass spectrometry.—74-00728A

Ultrasonically induced transformation of DX centers in AlGaAs:Si.—74-09076A

Ultraviolet-ozone oxidation of GaAs(100) and InP(100).—74-00730A

Uniphase operation of a GaAs resistive gate charge-coupled device.—74-00731A

Very low damage etching of GaAs.—74-01930A

Voltammetric determination of chromium traces in gallium arsenide.—74-06378A

Wafer scale processing of InGaAsP/InP lasers.—74-06379A

Wafer-scale processing of InGaAsP/InP lasers.—74-06380A

Wavelength tuning in strained layer InGaAs-GaAs-AlGaAs quantum well lasers byselective-area MOCVD.—74-04981A

Well width dependence of the exciton phonon interaction in semiconductor quantum wells.—74-03261A

Width of exciton line in the low-temperature photoluminescence of $In_xGa_{1-x}As/GaAs$ structures with a single quantum well.—74-03262A

X-ray absorption spectroscopy study of the K/GaAs(110) interface.—74-09081A

X-ray diffraction observation of surface damage in chemical-mechanical polished gallium arsenide.—74-06385A

X-ray fluorescence analysis of $GaAs-Ga_{1-x}Al_xAs$.—74-09082A

ZnSe nucleation on the GaAs(001): Se-(2×1) surface observed by scanning tunneling microscopy.—74-06388A

ZnSe nucleation on the GaAs(001):Se-(2×1) surface observed by scanning tunneling microscopy.—74-06389A

gallium oxide,

Characterization and X-ray photoelectron spectroscopy investigation of $PbO-Bi_2O_3-Ga_2O_3$ glasses.—74-02436A

Decomposition of gallium oxide and indium oxide on GaAs for in situ process use by alternating supply of TEGa, TMIn, and H_2O_2 as surge pulses.—74-01657A

Effect of thermal and electrical properties on the addition of Ga_2O_3 to glasses of the $Ag_2O-P_2O_5-AgI$ system.—74-05711A

Spin fluctuations in frustrated Kgome lattice system $SrCr_8Ga_4O_{19}$ studied by muon spin relaxation.—74-10157A

Transparent conductors comprising gallium-indium-oxide.—74-08817P

Use of Ga_2O_3 and In_2O_3 in forming superconducting glass-ceramics in the Bi-Sr-Ca-Cu-O system.—74-00859A

gallium sulfide,

Effects of annealing on the structural and optical properties of amorphous thin films of Ga-55 mol% S.—74-00599A

gallium,

Analysis of GaInP/AlGaInP compressive strained MQW lasers.—74-05975A

Control of ordering in GaInP and effect on band gap energy.—74-04528A
Crystal chemistry and solid lubricating properties of the monochalcogenides gallium selenide and tin selenide.—74-08847A
Crystallization and optical properties of gallium cerium lanthanum sulfide glass.—74-04121A
Crystallization of gallium analog of zeolite Nu-23/ferrierite.—74-01362A
Current transport mechanism in *n*-GaP diode structures with vacuum-deposited palladium.—74-02954A
Doped $LaGaO_3$ perovskite-type oxide as a new oxide ionic conductor.—74-04562A
Electrical and photoelectric properties of PbTe(Ga) bombarded by electrons.—74-08882A
Electrical conductivity and thermopower of gallium phosphide at pressure up to 50 GPa.—74-04299A
Electrical properties of He^+ ion-implanted GaInP.—74-02987A
Electron-hole liquid and light amplification in layered InSe and GaSe crystals.—74-02994A
Electronic structures of wurtzite compounds GaN, AlN, and strained-layer superlattices $(Ga_2N_2)_n(Al_2)_n(001)$, $(n=1, 2)$.—74-05139A
Energy band offsets and electroluminescence in *n*-$InAs_{1-x}Sb_x$/N-GaSb heterojunctions grown by liquid phase epitaxy.—74-02998A
Enhancement of the induced photopleochroism in *p*-*n*-GaP/*p*-Si structures.—74-00612A
Estimation of indium-to-germanium and gallium-to-germanium sputtering yield ratios using cosputtering deposition.—74-06085A
Excitonic resonance Raman scattering from optic phonons in $AgGaS_2$.—74-03809A
Experimental study of the nature of deep-level centers in ion-implanted GaP.—74-08903A
Fabrication of curved mirrors for visible semiconductor lasers using electron-beam lithography and chemically assisted ion-beam etching.—74-00617A
Features of transport phenomena in spaced doped superlattices.—74-06102A
Fusibility diagrams of $Ga(PO_3)_3$-$M^{II}(PO_3)_2$ (M^{II}=Ca, Sr, Ba).—74-01388A
Ga-CH_3 bond scission by atomic H—the depletion of surface carbon from a gallium alkyl film on silicon dioxide.—74-06114A
Gain measurements on one, two, and three strained GaInP quantum well laser diodes.—74-08919A
GaInP and AlInP grown by elemental source molecular beam epitaxy.—74-06115A
Gallium nitride-based compound semiconductor light-emitting device and method for making the same.—74-03268P
Gallium-containing fluorozirconate glass.—74-02545A
GaN films prepared by ECR plasma-assisted deposition.—74-00494A
Geometrical structure of the Bi/GaP(110) interface: an X-ray standing wave triangulation study of a nonideal system.—74-03815A
Glass compositions having low energy phonon spectra and light sources fabricated therefrom.—74-08478P
Growing GaN by plasma-assisted molecular beam epitaxy.—74-06123A
Growth kinetics of GaSb by metallorganic vapor phase epitaxy.—74-04664A
Growth of GaSe layered compound on a GaAs(001) surface.—74-03380A
Growth of group III nitrides on Si(111) by plasma-assisted molecular beam epitaxy.—74-05154A
Identification of ordered and disordered $Ga_{0.51}In_{0.49}P$ domains by spatially resolved luminescence and Raman spectroscopy.—74-06142A
Identification of ordered and disordered $Ga_{0.51}In_{0.49}P$ domains by spatially resolved luminescence and Raman spectroscopy.—74-06143A
Improved thermal stability of Al titanate solid solutions.—74-10397A
Induced polarization photosensitivity in *n*-GaP/*p*-Si heterojunction.—74-03063A
Influence of Ga on the low-temperature photoluminescence of diffusion-doped CdTe.—74-00638A
Interactions in the system TiO_2-$GaSbO_4$.—74-01400A
Investigation of spontaneous ordering in GaInP using reflectance difference spectroscopy.—74-06170A
Investigation of spontaneous ordering in GaInP using reflectance difference spectroscopy.—74-07675A
Investigation of the field-induced antiferromagnetic phase transition in the frustrated magnet: gadolinium gallium garnet.—74-09202A
Lattice dynamics of a simple GaSe-InSe superlattice.—74-08944A
Light-emitting device of gallium nitride compound semiconductor.—74-09088P
Low-loss Bragg reflector lateral-transverse mode confinement in AlGaInP red lasers.—74-08946A
Magnetic and thermal properties at the initial stage of formation of spin-glass-type states in $Li_{0.5}Fe_{2.5-x}Ga_xO_4$ $(x=0.9, 1)$.—74-07171A
Magnetic behavior of $Ga_{0.3}Fe_{0.7}CuCrO_4$.—74-04348A
Making vitreous specimens for X-ray fluorescence analysis of langasite.—74-04744A
Method of fabricating a gallium nitride based semiconductor device with an aluminum and nitrogen containing intermediate layer.—74-09092P
Mobility enhancement in a highly strained δ-doped $In_{0.9}Ga_{0.1}In_{0.75}Ga_{0.25}As$/ $In_{0.53}Ga_{0.47}As$/InP heterostructure.—74-03110A
MOCVD of group III chalcogenide compound semiconductors.—74-06208A
Modulated reflectance and absorption characterization of single-crystal GaN films.—74-03115A
NMR of ^{57}Fe, $^{69/71}Ga$ nuclei in Ga-substituted $TmFeO_3$.—74-06474A
Novel scheme for the preparation of transmission electron microscopy specimens with a focused ion beam.—74-00966A
Ohmic contacts to *n*-type $In_{0.5}Ga_{0.5}P$.—74-06233A
Optical and structural properties of $CuGaSe_2$ polycrystalline thin films.—74-06236A
Optical evidence of octahedral iron(III) in mixed spinels $NiGa_{4-x}Fe_xCrO_4$.—74-05211A
Optical investigation of the influence of substrate orientation on spontaneous ordering in $Ga_{0.5}In_{0.5}P$ alloy.—74-04382A
Optical third harmonic investigations of gallium nitride nucleation layers on sapphire.—74-07708A
Ordering and disordering of doped $Ga_{0.5}In_{0.5}P$.—74-03144A
Origin of nonradiative recombination centers in AlGaInP grown by metallorganic vapor phase epitaxy.—74-05214A
Oxidation of liquid gallium surfaces: nonequilibrium growth kinetics in 2×1 dimensions.—74-03145A
Passivation of GaSb by sulfur treatment.—74-01826A
Pd-*p*-GaP diode structures—electrical and photoelectric characteristics and effect of hydrogen on them.—74-08993A
Phase equilibria in the system Sm-Ga-S.—74-04181A
Photodiodes with Schottky barriers based on GaP, GaP_xAs_{1-x}, and GaAs for the uv and visible range.—74-03159A
Photoelectric properties of a surface barrier: Au-*n*-GaP structures on Si substrates.—74-03160A
Photoelectric properties of In/*p*-$CuGaS_2$ surface barrier structures.—74-08995A
Photoluminescence studies of heat-treated GaP:S samples.—74-06261A
Photometric and titrimetric methods of determining the gallium content in glasses.—74-02480A
Photosensitivity and induced photoplechroism of Au-*n*-GaP/*p*-Si two-barrier structures.—74-03170A
Physical effects in thin films of amorphous GaP excited by light or by high-energy electron beams.—74-03171A
Polarization photosensitivity of epitaxial GaP structures on Si substrates.—74-00686A
Preparation and composition of superconducting copper oxides based on Ga-O layers.—74-03655P
Pressure dependence of Raman scattering in $AgGaSe_2$.—74-03179A
Quantum chemical approach to formation of defect states in gadolinium-gallium garnets.—74-05046A
Raman scattering from LO phonon-plasmon coupled modes in gallium nitride.—74-04405A
Reflection high energy electron diffraction study of the GaSb surface during molecular beam epitaxy.—74-05233A
Refractive index of $(Al_xGa_{1-x})_{0.5}In_{0.5}P$ quaternary alloys.—74-04409A
Scanning tunneling microscopy of InAs/GaSb superlattices: subbands, interface roughness, and interface asymmetry.—74-06301A
Scanning tunneling microscopy of InAs/GaSb superlattices: subbands, interface roughness, and interface asymmetry.—74-07740A
Selective order-disorder transition in GaInP/AlGaInP: a new approach for the definition of buried quantum wires.—74-06304A
Site symmetry of Er^{3+} in $In_{0.5}Ga_{0.5}P$.—74-09040A
Solid-source molecular beam epitaxy growth of GaInP and GaInP-containing quantum wells.—74-09043A
Study of upper layers of superlattices by standing X-ray waves technique.—74-03237A
TEM observations of early nucleation and growth stages in aluminum films on liquid gallium droplets.—74-05286A
Temperature dependence of the photorefractive effect in GaP.—74-01588A
Theoretical study of the band offsets at GaN/AlN interfaces.—74-06351A
Theoretical study of the band offsets at GaN/AlN interfaces.—74-06352A
Thermal expansion of $Bi_2Sr_2CaCu_2O_y$, $Bi_2Sr_2CuO_y$, and $Gd_3Ga_5O_{12}$.—74-06651A
Transient grating measurements of ambipolar diffusion and carrier recombination in InGaP/InAlP multiple quantum wells and InGaP bulk.—74-05058A
Transparent and conductive impurity-doped GaN thin films prepared by an electron cyclotron resonance plasma metallorganic chemical vapor deposition method.—74-10708A
Unintentional As incorporation in molecular beam epitaxially grown InAs/AlSb/GaSb heterostructures.—74-06373A
Wide-gap semiconductor InGaN and InGaAlN grown by MOVPE.—74-06382A
Zinc sulfide/gallium phosphide composites by chemical vapor transport.—74-07552A

galvanomagnetic properties,
Effect of surface conductivity on acoustic and galvanomagnetic properties of high-resistivity InSb at low temperatures.—74-06056A
Fractional dimensionality of weakly localized electrons in GaAs-$Ga_{0.7}Al_{0.3}$ heterostructures.—74-08916A
Galvanomagnetic properties of two-dimensional electron gases in strain-relaxed $In_xGa_{1-x}As$ ($x<0.4$) heterostructures grown by molecular beam epitaxy on GaAs substrates.—74-06116A
Thermodynamic investigations of Bi_2O_3-MO (M=Ca, Sr, and Ba) systems using galvanic cells.—74-01482A

garnets,
2.79 μm YSGG:Cr:Er laser pumped at 790 nm.—74-08820A
8.2 J phase-conjugate solid-state laser coherently with combined eight parallel amplifiers.—74-08821A
Characteristics of materials for microwave devices.—74-06451A
Characterization and dielectric properties of almandine-pyrope garnet.—74-07147A
Effect of nonlinear polarization of light on magnetization reversal in an antiferromagnetic Ca-Mn-Ge garnet.—74-03374A
Elastic properties of rare-earth ferrite garnets.—74-04292A
Electrical transport properties in garnet solid solutions $(A_3B_2C_3O_{12})$ synthesized by sol-gel methods.—74-03377A
Epitaxial magnetic garnet thin films and heterostructures by pulsed laser deposition.—74-09198A
Garnet.—74-06903A
High-T_c films on GGG substrates.—74-06555A
Investigation of the field-induced antiferromagnetic phase transition in the frustrated magnet: gadolinium gallium garnet.—74-09202A
Luminescence of titanium- and europium-doped yttrium gallate garnet.—74-03385A
Magnetooptical dark-field study of domain boundaries in $[(BiLu)_3(FeGa)_5O_{12}]$ ferrite-garnet films of (210) type.—74-06466A
MOCVD of magnetooptical ceramics.—74-06470A
Neutronographic investigation of the structure of yttrium-scandium-aluminum garnets.—74-01414A
Optical spectra, energy levels, and emission intensity calculations of trivalent thulium ions in gadolinium scandium gallium garnet.—74-04386A
Photoinduction and relaxation of linear birefringence in Mn-Ge garnets.—74-03397A
Quadratic magnetic rotation of polarization plane of light in antiferromagnetic CaMnGe garnet.—74-03402A
Quantum chemical approach to formation of defect states in gadolinium-gallium garnets.—74-05046A
Study of Y and Lu iron garnets using Bethe-Peierls-Weiss method.—74-09225A
Temperature dependence of spectral linewidths and lineshifts of Nd^{3+} ions in $CaY_2Mg_2Ge_3O_{12}$ laser crystal.—74-10165A
X-ray structure investigation of monocrystals of gadolinium- and yttrium-scandium-gallium garnets doped with chromium and neodymium ions.—74-03408A
Yttrium-scandium-gallium garnet: crystal structure.—74-01491A

gases,
Ceramics for toxic gas sensors.—74-02933A
Characterization of diamond films deposited using $C_3H_6O_x$-H_2 gas mixtures.—74-10768A
Collapse of the Hartree term of the coulomb interaction of a very dilute 2-D electron gas.—74-06007A
Dynamic gas/oxy superstructure refractory testing.—74-08615A
Fabrication of full-scale fiber-reinforced hot gas filters by chemical vapor deposition.—74-01726A
Gas sensing by ac impedance under dc bias of CuO/ZnO *pn* heterocontact.—74-08921A
Gas sensitivities of silicon MIS capacitors incorporated with catalyst and adsorptive oxide layers.—74-00624A
Liquified petroleum gas in the brick and tile industry.—74-05820A
Making gas sensors.—74-10437A
Membrane gas separation principles.—74-07682A
Method of introducing protective atmosphere gases into a glass forming chamber.—74-02686P
More versatile ceramic/metallic gas sensor.—74-06792A
Nordic pot furnace project—a new approach to gas heating.—74-01169A
Parameters affecting the workability of container glass: II, Influence of dissolved gases and other parameters.—74-05781A
Process for cleaning harmful gas.—74-09835P
RGAs are turning up in surprising places.—74-03865A
Solid-state gas sensors: a review.—74-00714A
Space-time observation of an electron gas in SiO_2.—74-06820A

gehlenite,
Activation effects of $Ca(OH)_2$ on hydration of glassy gehlenite.—74-00032A
Phase equilibria in the CaO-Al_2O_3-SiO_2-H_2O system at 5°C, 20°C, and 38°C.—74-08081A

gelation,
Hydrothermal reaction characteristics on the ALC of pitchstone-lime system: II, Effect of the various gelling and curing conditions.—74-08047A
Master behavior for gelation in fluoride-catalyzed gels.—74-07375A
Structure of mesoporous aerogels.—74-07759A

gels,
Abrasive material and method.—74-07976P
Apparatus for rapidly drying a wet, porous gel monolith—74-01185P
CdSe nanocrystal formation in silica sonogels.—74-10212A
Characterization of carbonaceous gel and gel beads.—74-10766A
Cobalt-silica gel system as oxygen chemisorbent.—74-04106A
Dependence of apatite formation on silica gel on its structure: effect of heat treatment.—74-07246A
Drying evolution of wet silica gels.—74-04564A
Epitaxy in the crystallization of feldspar gels and glasses.—74-08418A
Formation of titania gels from titanium alkoxide and orthoboric acid in pyridine.—74-07321A
FTIR and DSC analysis of the carbonation of zirconia gels.—74-04653A
Glasses from gels.—74-00300A
Liquid crystal templating effects on silica gels synthesized using quaternary ammonium surfactants.—74-10833A
Mechanochemical synthesis of $ZrTiO_4$ precursor from inhomogeneous mixed gels.—74-10447A
Method for producing a honeycomb shaped ceramic.—74-09529P
Method for producing ceramic oxide compounds.—74-09825P
Method of molding silicon nitride ceramics.—74-09940P
Molecular orbital model of gel-silica ir spectra.—74-10846A
Monophasic premullite gels prepared by a nonhydrolytic process.—74-10481A

Novel synthetic route for supporting ruthenium complexes on functionalized silica gel.—74-10502A
Possibility of noncovalent immobilization of silicagel.—74-01839A
Properties of low-density bulk silica gel—lyosil.—74-07723A
Synthesis and properties of dielectric ceramics from metallorganic precursors through the solid-state reaction of mixed gels.—74-05964A
TGA and DTA studies of solvent-exchanged gels.—74-10695A
Transformation, microstructure development, and sintering in nucleated alumina gels.—74-04236A

gems,
Diamond homoepitaxy by chemical vapor deposition.—74-01676A
Simple methods of crystal growth of emerald.—74-10630A
Type IIb diamond thin films deposited onto near-colorless natural gem diamonds.—74-01307A

geology,
Ball clay basics.—74-09739A
Claylit 2000—a firm presents itself.—74-09645A
Geology of diamond: time and depth profiles from inclusions.—74-01193A
Geology, occurrence, and genesis of Eskisehir sepiolites, Turkey.—74-03943A

geometry,
Rf plasma-assisted chemical vapor deposition of diamondlike carbon films on complex geometries.—74-01870A

germanates,
Crystal structure of a new ring germanate $K_{1.9}Nb_8(Ge_2O_8)O_{11.4}$.—74-04116A
Dimerization of $CuGeO_3$ in the spin-Peierls state.—74-07071A
Elastic anomalies in the quasi-1-D compound $CuGeO_3$.—74-08880A
Electrodes and battery cells.—74-08788P
Faraday effect in a single magnetic sublattice garnet $Ca_3Fe_2Ge_3O_{12}$.—74-03378A
Ferroelectric phase transition and atomic structure of $KGeOPO_4$ crystals.—74-06411A
Formation and properties of rare-earth galliogermanate and aluminogermanate glasses.—74-05718A
Heat capacity of the spin-Peierls compound $CuGeO_3$.—74-09282A
High-temperature acoustic properties of $Li_2Ge_7O_{15}$ and $Li_{1.96}Na_{0.04}Ge_7O_{15}$ crystals.—74-03817A
Hyper-Raleigh light scattering in weakly polar $Li_2Ge_7O_{15}$ ferroelectric.—74-03312A
Infrared reflectance of barium gallogermanate glasses.—74-00198A
One-phonon Raman scattering of CdS microcrystals embedded in a germanium dioxide glass matrix.—74-06234A
Phase transitions and ionic conductivity in $TlSbOGeO_4$ ferroelectric [single] crystals.—74-04192A
Properties and morphology of sodium lead germanate glasses.—74-05737A
Properties of surface layer of H^+-implanted $Bi_4Ge_3O_{12}$ crystals.—74-02653A
Raman spectroscopic study of the structure of glasses of the B_2O_3-GeO_2 system.—74-00212A
Self-*Q*-switched Nd:$Bi_4Ge_3O_{12}$ (BGO) laser pumped by laser diode (LD).—74-09032A
Solid- and gas-source "hybrid" Si molecular beam epitaxy for a $Si_{1-x}Ge_x$/Si quantum well electroluminescent device.—74-01892A
Structure of glasses of the system B_2O_3-GeO_2 investigated by Raman spectroscopy.—74-00231A
Synthesis and physicochemical characterization of hexafluorogermanates with mixed alkaline cations.—74-07130A
X-ray photoelectron spectroscopy study of sodium germanate glass containing cobalt oxide.—74-02506A

germania,
Achievement of amorphous germanium oxide based capacitors by PVD.—74-08721A
Cu nuclear quadrupole resonance study of $CuGeO_3$.—74-04272A
Electron spin resonance (ESR) study of VO^{2+}-doped germanium dioxide synthesized via the sol-gel process.—74-10322A
Epitaxial Ge layers on Si via $Ge_xSi_{1-x}O_2$ reduction. The roles of the hydrogen partial pressure and the Ge content.—74-03003A
Heat capacity in an inorganic spin-Peierls system $CuGeO_3$.—74-04329A
Magnetic measurements of $CuGeO_3$ by means of high magnetic field.—74-04350A
Phase diagram of spin-Peierls cuprate $CuGeO_3$ based on ac susceptibility in high magnetic fields.—74-04391A
Phase transition of new ferroelectric $LaBGeO_5$.—74-00760A
Pressure-induced amorphization of $CuGeO_3$.—74-02036A
TEM characteristics of structural changes in glass associated in Bragg grating inscription in a germanosilicate optical fiber preform.—74-08354A
Two-magnon Raman scattering in $CuGeO_3$ which undergoes spin-Peierls transition.—74-01600A

germanium,
AlGaAs/Ge/GaAs heterostructures grown by molecular beam epitaxy.—74-02907A
Amorphous semiconductors: deposition chemistry and bonding.—74-02909A
Analysis of Si/Si_xGe_{1-x}/Si microstructures by spectroscopic ellipsometry.—74-05976A
Applications of rapid thermal chemical vapor deposition technology to ULSI material processing and device fabrication.—74-04480A
Biperiodic character of interference spectra of layered GeS [single] crystals.—74-02923A
Boron δ doping in Si and SiGe and its application toward field effect transistor devices.—74-02925A
Bright visible photoluminescence of spark-processed Ge, GaAs, and Si.—74-05992A
Buried reconstruction inhibition of solid phase epitaxy of Ge on Si(111).—74-05994A
CdZnSe/ZnSe strained layer superlattices disordered by germanium diffusion.—74-05082A
Characterization of cobalt annealed on silicon-germanium epilayers.—74-07222A
Characterization of engineering surfaces by grazing-incidence X-ray reflectivity.—74-08837A
Charge carrier transport mechanisms in amorphous layers of the composition $Pb_xGe_{42-x}Se_{58}$.—74-01935A
Chemical interaction in glasses of GeS_2-Tl_2S and $GeSe_2$-Tl_2Se according to data of X-ray emission spectra.—74-00184A
Chemical reaction in GeS_2-Tl_2S and $CeSe_2$-Tl_2Se glasses according to the data in the X-ray emission spectra.—74-00185A
Comparison between the Raman modes of the tetrahedral network in amorphous and layered crystalline $GeSe_2$.—74-08328A
Compositional trend of the blue shift of the gap in Ge_xS_{100-x} thin amorphous films induced by annealing and illumination.—74-00583A
Correlations between process parameters, chemical structure, and electronic properties of amorphous hydrogenated Ge_xC_{1-x} films prepared by plasma-enhanced chemical vapor deposition in a three-electrode reactor.—74-04530A
CVD diamond growth on germanium for ir window applications.—74-04532A
Damage and strain in pseudomorphic vs relaxed Ge_xSi_{1-x} layers on Si(100) generated by Si ion irradiation.—74-02956A
Damage behavior of silicon by MeV Ge^+ irradiation under tilted angle.—74-06025A
Deep centers due to Ge atoms in AlGaAs-based double heterostructures.—74-08849A
Defect formation in Si_xGe_{1-x}/Ge(111) heterostructures obtained by hydride epitaxy [$0.16 \le x \le 0.315$].—74-07560A
Detection of anomalous defect-enhanced diffusion using advanced spreading resistance measurements and analysis.—74-00471A
Dielectric constants of Ge, Sn, and isoelectronic semiconductors.—74-02829A
Diffusion mechanism of intrinsic stress relaxation in AuGe-GaAs contacts.—74-01940A
Dislocations in strained layers—Ge-Si system.—74-06043A
Effect of ion bombardment on some properties of a-$Si_{0.8}Ge_{0.2}$:H alloys prepared by ion-beam-assisted reactive evaporation.—74-06053A
Effect of matrix stopping power on sputter depth profile broadening.—74-01983A
Electrical and structural characterization of boron-doped $Si_{1-x}3Ge_x$ strained layers.—74-00484A
Electrical conductivity and Seebeck coefficient of germanium sulfide and selenide under pressure of 20-50 GPa.—74-06068A
Electrical properties of $(Sn_{0.8}Ge_{0.2})_{1-x}In_xTe$ films formed by a laser-evaporation method.—74-00605A
Electron spectroscopic study of the growth, composition, and stability of GeS_x films prepared in ultrahigh vacuum.—74-01987A
Electron spectroscopy for chemical analysis on surface germylation process.—74-06079A
Electronic structure of some semiconductor fullerenes.—74-00611A
Epitaxial Si-Ge etch stop layers with ethylene diamine pyrocatechol for bonded and etchback silicon-on-insulator.—74-04620A
Estimation of indium-to-germanium and gallium-to-germanium sputtering yield ratios using cosputtering deposition.—74-06085A
Formation of self-aligned $TiSi_2$ contacts to Si at low temperatures using $TiCl_4$ and SiH_4 with selective in situ predeposition of Si_xGe_{1-x}.—74-00622A
Formation of titanium and cobalt germanides on Si(100) using rapid thermal processing.—74-06113A
Fragmentations of $Ge_{1-x}Sn_xSe_2$ glasses.—74-02458A
Generation of intense green light through amplified spontaneous emission in Er^{3+}-doped germanosilicate single-mode optical fiber pumped at 1.319 μm.—74-08922A
Glass compositions having low energy phonon spectra and light sources fabricated therefrom.—74-08478P
Growth and characterization of strain-compensated $Si_{1-x-y}Ge_xC_y$ epitaxial layers.—74-06125A
Growth and ellipsometric studies of periodic and Cantor aperiodic amorphous Ge/Si superlattices.—74-03032A
Growth and in situ ellipsometric analysis of $Si_{1-x}Ge_x$ alloys deposited by chemical beam epitaxy.—74-04662A
Growth mode of Ge films on Si(100) substrate deposited by ion beam sputtering.—74-04666A
Growth mode of Ge on GaAs(100).—74-03033A
Growth of $(GaAs)_{1-x}(Ge_2)_x$ by metallorganic chemical vapor deposition.—74-04668A
Growth ripples upon strained SiGe epitaxial layers on Si and misfit dislocations interactions.—74-03038A
High-resolution reactive ion etching and damage effects in the Si/Ga_xSi_{1-x} system.—74-00632A
High-temperature stability of heteroepitaxial Ir silicide/SiGe layers codeposited on Si(100) under ultrahigh vacuum.—74-01521A
Improved thermal stability of Al titanate solid solutions.—74-10397A
Impurity-induced disordering of MOVPE-grown ZnSe/ZnS strained layer superlattices by germanium diffusion.—74-05020A
Interaction of Al with oxidized Ge/Si(001): a synchrotron radiation photoelectron spectroscopy study.—74-00943A
Laser-induced compound formation and transfer of stacked elemental layers.—74-03084A
Low-temperature passivation of $Si_{1-x}Ge_x$ alloys by dry high pressure oxidation.—74-06185A
Low-temperature photoluminescence of SiGe/Si disordered multiple quantum wells and quantum well wires.—74-03092A
Low-temperature selective growth of epitaxial Si and $Si_{1-x}Ge_x$ layers from SiH_4 and GeH_4 in an ultrahigh vacuum, very low pressure chemical vapor deposition reactor—kinetics and possibilities.—74-04741A
Low-temperature switching in PbTe:Ga under pressure.—74-03093A
Memory switching in amorphous Ge-Se-Tl chalcogenide semiconductor films.—74-03105A
Nature of semiconductor-to-metal transition and volume properties of bulk tetrahedral amorphous GaSb and GaSb-Ge semiconductors under high pressure.—74-08962A
Nonstationary structure of atomic and molecular absorbing layers in electrochemical atomic absorption spectroscopy. Visualization of absorbing layers of thallium, germanium, and bismuth atoms.—74-02031A
On the relation between low-temperature epitaxial growth conditions and the surface morphology of epitaxial Si and $Si_{1-x}Ge_x$ layers, grown in an ultrahigh vacuum, very low pressure chemical vapor deposition reactor.—74-04789A
Optoelectronic phenomena in $ZnGeP_2$ (review).—74-08991A
Phase transitions in Ge and Si under shear deformation at pressure up to 12 GPa conditions and *p*-*T*-γ [shear] diagrams of these elements.—74-07104A
Photo- and electron-beam lithography sharing common stencil.—74-00970A
Photoinduction and relaxation of linear birefringence in Mn-Ge garnets.—74-03397A
Plasma-enhanced metallorganic chemical vapor deposition of germanium nitride thin films.—74-07415A
Preparation of $Si_{1-x}Ge_x$ thin crystalline films by pulsed excimer laser annealing of heavily Ge-implanted Si.—74-04827A
Role of Ge in SiGe epitaxial growth using silane/germane gas-source molecular beam epitaxy.—74-04873A
Role of the valence band density of states in the piezoresistance of *p*-type semiconductors Si and Ge.—74-00701A
Room temperature photoluminescence in strained $Si_{1-x}Ge_x$/Si quantum wells.—74-04414A
SF_6-sensitized CO_2-laser chemical vapor deposition of a-Ge:H.—74-04885A
Strict thermal nitridation selectivity between Si and Ge used as a chemical probe of the outermost layer of $Si_{1-x}Ge_x$ alloys and Ge/Si(001) or Si/Ge(001) heterostructures.—74-06328A
Strict thermal nitridation selectivity between Si and Ge used as a chemical probe of the outermost layer of $Si_{1-x}Ge_x$ alloys and Ge/Si(001) or Si/Ge(001) heterostructures.—74-06329A
Structural characteristics of Si/Ge superlattices grown on an Si(100) surface by molecular beam epitaxy.—74-01465A
Structural mechanisms of Si(Ge)I→III phase transformations: II, Germanium.—74-07120A
Study of interaction between incident silicon and germanium fluxes and SiO_2 layer using solid-source MBE.—74-03233A
Study of ion mixing during Auger electron spectroscopy depth profiling of Ge-Si multilayer system.—74-03873A
Superconducting properties of $[(Sn_{1-x}Ge_x)_{0.95}In_{0.05}Te; x \le 0.4]$ solid solutions.—74-03595A
Surfactant-mediated epitaxy of Ge on Si(111): the role of kinetics and characterization of the Ge layers.—74-03244A
Thermal decomposition of diethylgermane on Si(100)-(2×1).—74-04956A
Thermal stability of Si/Ge_x/Si heterostructures by photoreflectance.—74-06357A
Thermodynamic analysis of the *p*-*T*-*x*-*y* phase diagram of the system Ge-As-P.—74-04230A
Time-of-flight measurement of carrier transport and carrier collection in strained $Si_{1-x}Ge_x$/Si quantum wells.—74-05056A
Titanium silicide/germanide formation on submicron features for high mobility SiGe channel field effect transistors.—74-03255A
X-ray study of generalized Cantor superlattices.—74-05299A

gibbsite,
Mechanochemical capillary reactions in the $CaSO_4$-H_2O-Al_2O_3 system.—74-05554A

glass fibers,
Acidic glass fiber binding composition, method of use and curable glass fiber compositions.—74-02666P
Apparatus for production of glass fibers utilizing spinning cup structure.—74-03743P
Applications of highly nonlinear chalcogenide glass fibers in ultrafast all-optical switches.—74-00286A
Baking stone and method of manufacture thereof—74-00103P
Casting process for making glass fiber preforms.—74-08470P
Development of a composition suitable for the production of alkali-resistant glass fibers with a low fibrizing temperature.—74-05759A
Favorable properties of high-temperature glass fiber insulating material by improved chemistry.—74-00386A
Flexural failure mechanisms in unidirectional glass fiber-reinforced thermoplastics.—74-05624A
Glass fiber composition with improved biosolubility.—74-08479P
Glass fiber forming composition, glass fibers obtained from the composition and substrate for circuit board including the glass fibers as reinforcing material.—74-08480P
Infrared evanescent absorption spectroscopy of toxic chemicals using chalcogenide glass fibers.—74-06782A
Low-dielectric-constant polyimide/glass composites.—74-02640A
Missile optical waveguide.—74-08492P
Preparation of silicon oxycarbide glass fibers by the sol-gel method.—74-08451A

Strain rate and coupling agent effects in discontinuous glass fiber-reinforced polypropylene matrix.—74-02582A
Substrate for circuit board including the glass fibers as reinforcing material—74-00561P
Transition in flexural microbuckling mechanisms in unidirectional glass fiber-reinforced thermoplastics.—74-05397A
Ultraviolet resistant silica glass fiber—74-00353P

glass industry,
100th anniversary of the Olovi Glassworks.—74-09633A
1800—glass production history.—74-02229A
1800—last decade—an unsettled time for the glassworks [in Sweden]—74-02230A
Atmosphere protection of the glass industry and its relation to the new legislation.—74-02220A
Computer control of technological processes in Vetropack Moravia Glass AS, Kyjov.—74-00290A
Decorator's final signature.—74-01977A
Depollution of glass furnaces: a new appeal for French glassmakers.—74-01139A
Developments in container inspection technology.—74-00293A
Dosing probe of O_2 in situ for better utilization of combustibles.—74-09453A
Electric melting of utility glass production.—74-03905A
Environment: EC aspects and controls.—74-02620A
Environmental problems in the glass industry.—74-02232A
Finnish glass industry.—74-02624A
Flat glass shipments to be up in 1994.—74-05415A
From handicraft to industry: Notsjo Glasbruk after 1950.—74-02236A
German glass industry after reunification.—74-05416A
Glassmaking in Argentina.—74-00263A
Glassworks [in Sweden].—74-02238A
Global outlook for reinforced glass composites is strong.—74-07947A
Globalization of glass: an act of survival.—74-05417A
Great lead debate.—74-02634A
Green light for a green industry.—74-03911A
Horizontal toughening design features convective heating.—74-01158A
How the industry fared in 1993.—74-05421A
How to control Worker's Comp costs.—74-05422A
Industry leaders see spark turning to possible flame.—74-05424A
Industry-university cooperative research on glass technology in Germany.—74-11169A
Inspection and measurement priorities in the container section.—74-00199A
International Commission on Glass and the glass world.—74-11172A
Interwar period—the beginning of diversification.—74-02245A
Managing solid and hazardous waste.—74-05427A
Manufacture of foamed glass granules.—74-05773A
Measuring system for plunger mechanism of bottle forming machine.—74-09485A
New design of glass-melting furnace composed of multiple pots.—74-09695A
New feeder bowl: from concept through appraisal to finished product.—74-09488A
New York State: birthplace and cradle of high-technology ceramics and glasses.—74-11183A
Optimized annealing temperature monitoring in Waterford.—74-09494A
Platinum feeders gaining greater industry acceptance.—74-02649A
Productivity increases through electronic communication.—74-00315A
Quality glass production begins in the batching system.—74-02654A
Quartz-porphyry from Dobritz: a raw material for the ceramics and glass industries.—74-01200A
Ten years of the melting of lead glasses with low-frequency current.—74-02661A
U.S. market shift sees demand increase pressuring supply.—74-07962A
Update: SGCD [Society of Glass and Ceramic Decorators] action in legislative/regulatory issues.—74-02282A

glass melts,
Anisotropic optical properties and flow behavior of mechanically deformed single-phase glass melts.—74-02512A
Boussinesq approximation to compute the temperature and velocity distributions in glass melts.—74-00288A
Causes of errors in a float-type level gage for molten glass.—74-02603A
Conditions of evaporation of copper and cadmium compounds from a photochromic glass melt.—74-02607A
Control of the exchanging-component boundary concentration in the fabrication of graded-index optical elements.—74-02608A
Determination of the rheological properties of high-viscous glass melts by the cylinder compression method.—74-08364A
Effect of the kinetics of ion exchange on the glass-salt melt interface in formation of a gradient layer in glass.—74-02616A
Expert system of bubble sources in the glassmelting furnace.—74-09659A
Influence of impurities in raw materials for glass manufacturing.—74-01195A
Intensification of fining of glass melt with centrifugal forces.—74-02638A
Local temperature distribution and primary melt formation in a melting batch pile.—74-08436A
Modeling of the glass-melting process and glass-melting furnaces.—74-09688A
Molten glass corrosion resistance of immersed combustion-heating tube materials in E-glass.—74-05865A
Polymorphic structural transformations in melts.—74-04196A
Properties and behavior of glass melts with fine seeds.—74-00275A
Reduction of nickel sulfide stones in a glass melting operation.—74-08496P
Refining and sand dissolution in the glass-melting process.—74-05787A
Simplified energy-consumption model of melting process and its technological application.—74-09713A
Technical developments for cost-effective oxy-fuel glass melting.—74-00999A
Temperature homogeneity of the gob of glass—where does it arise or become extinct. Electric heating of forehearth.—74-02660A
Viscosity and surface tension of oxynitride glass melts.—74-02596A
Voltammetric study of silver is a glass melt.—74-02503A
Zircon cords in the glass Simax.—74-09729A

glass,
A/W glass-ceramic—clinical applications.—74-06945A
Ability of glass to gain a gradient in refractive index upon action of radially nonuniform heat treatment.—74-02508A
Accurate interpolation and extrapolation of the refractive index of glass in the transparency region.—74-02510A
Air tube structure in a glass container forming machine.—74-02667P
Analysis of short-range order and structural model in the glassy semiconductor $Ge_{0.2}Sb_{0.2}Se_{0.6}$ by X-ray diffraction.—74-00240A
Analytical determination of impurities in glassmaking sands containing at least 95% SiO_2.—74-02598A
Anisotropic effects in glass substrates heated in vacuum.—74-00241A
Antimicrobial glass "ion pure."—74-08403A
Apparatus for shearing a gob—74-01012P
Apparatus for the production of hermetically coated optical fiber.—74-03745P
Application of Monte Carlo method to quantitative electron probe microanalysis of silicate glass.—74-05662A
Application of the free volume theory to sulfate-phosphate glasses and their melts.—74-02513A
Applying oxygen firing to industrial glass melters.—74-09640A
Aqueous alteration of nuclear waste glasses and metal package components.—74-00181A
Article glass stone.—74-00008A
Athermal glasses with special dispersion behavior.—74-02515A
Atomistic view of conduction polarization in ionic glasses.—74-05704A
Auger upconversion losses in Nd-doped laser glass.—74-08404A
Automotive window glass—74-00326P
Balance model of neutralization of acid waste water from chemical polishing of glass.—74-05663A
Behavior of the glass/zircon interface.—74-10760A
Bioactive glass coatings.—74-06948A
Bioactive glasses—clinical applications.—74-06949A
Bioactive glasses.—74-05665A
Bioactivity of Na_2O-CaO-SiO_2 glasses.—74-09760A
Biological activity of glass- and glass-ceramic-based materials (review).—74-02432A
Boron phosphorus silicate glass composite layer on semiconductor wafer.—74-02870P
Bose glass melting in YBaCuO crystal with correlated disorder.—74-04255A
Bottle strength analysis.—74-08361A
Bronze-colored infrared and ultraviolet radiation absorbing glass.—74-08468P
Calculation of the amount of substances participating in silicate-forming reactions in the glass-melting process.—74-02433A
Calculation of the constants of the relaxation model of vitrification.—74-00242A
Calculation of the distribution of the refractive index in glass after ion exchange.—74-02518A
Calculation of the viscosity of glasses and melts based on rocks and industrial waste products.—74-02519A
Calibration of Littleton measuring instruments using test specimens of reference glass.—74-01042A
Carbohydrate glass matrix for the sustained release of a therapeutic agent.—74-02507P
Carbon film coated glass.—74-08469P
Cathode ray tubes for television[—application of ceramics to].—74-09765A
Ceramic package for housing a semiconductor device.—74-08780P
Ceramic substrate.—74-03265P
Ceramics, glass, enamel. Release of harmful substances from common food storage articles. Limits, testing, and analysis methods: I.—74-02225A
Ceramics, glass, enamel. Release of harmful substances from common food storage articles. Limits, testing, and analysis methods: II.—74-02224A
Ceravital bioactive glass-ceramics.—74-05667A
Chalcogenide glass in the systems Ga_2S_3-GeS_2-MeF_n.—74-00182A
Chalcogenide glasses in Ga_2S_3-GeS_2-MeF_n systems.—74-00183A
Chaotic flow in glasses—steady-state dynamic behavior of a simple model.—74-05705A
Characteristics of coloration of multichromatic glasses induced by laser radiation.—74-00243A
Characteristics of production of inorganic glasses containing no traditional glass formers.—74-02604A
Characterization of silicon dioxide and phosphosilicate glass deposited films.—74-00244A
Chemical resistance of colored glass frit colored with ferrite waste.—74-02438A
Chromophore dynamics in sol-gel glasses and xerogel clad fiberoptic sensors.—74-08407A
Cluster model and the model of fluctuation free volume of polymeric glasses.—74-02439A
Coalescence and crystallization in powdered glasses.—74-05670A
Coated glass for building purposes.—74-08408A
Coating composition for glass containers—74-00328P
Coating composition for glass.—74-08471P
Colloid formation during the corrosion of SRL 200 glass.—74-08327A
Colorants and decolorizers in flat and hollow glass production.—74-02605A
Coloration of glass.—74-08362A
Comparative study of the change in the refractive index in ion-exchange interdiffusion in alkali silicate glasses containing calcium, strontium, barium, and titanium oxide.—74-02521A
Composition, structure, and properties of glasses for ion exchange in a salt melt.—74-00186A
Composition, structure, and properties of glasses for ion exchange in a salt solution.—74-00246A
Computation of thermal and ion-exchange processes in composite cylindrical samples intended for making flat gradient microlenses.—74-02523A
Conducting glass materials.—74-02524A
Consideration on the (numerical) analysis of blow-forming process in glass bottle manufacturing.—74-08409A
Correlation between the static and dynamic strengths of quenched glass.—74-02526A
Corrosion of Ceramics.—74-11201B
Crack front stability and hackle formation in high velocity glass formation.—74-02527A
Crack initiation mechanism on the glass beads used as grinding media in an agitation bead mill.—74-05708A
Crystallization of glasses based on usovite.—74-00190A
Crystallization of lithia-calcia-magnesia aluminosilicate glasses.—74-05755A
Crystallization of NaO-MgO-Al_2O_3-SiO_2 glasses during the formation of vitroceramics.—74-05756A
Crystallization of usovite-based glasses.—74-00193A
Crystallization study of bioglass in the Na_2O-CaO-SiO_2-P_2O_5.—74-05757A
Cycloaliphatic epoxide based sol-gel-derived materials.—74-08410A
Damage by laser impulse of the surface of glasses intended for ion exchange.—74-00249A
Decolorizing crystal glass.—74-05758A
Decorative utilitarian glass block—74-00329P
Deformation aspects of the phase transformations for sintering of the glass and glass-ceramic composites.—74-05674A
Deformation of metallic glasses $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{61}Co_{20}Si_5B_{14}$ for small stresses.—74-00250A
Deformation of the metallic glasses $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{67}Co_{20}Si_5B_{14}$ with small stresses.—74-00251A
Demonstration of vitrification of surrogate F006 wastewater treatment sludges.—74-08411A
Deposition of gradient index glass films by sol-gel method.—74-08412A
Determination of fictive temperature of soda-lime-silicate glass.—74-02529A
Determination of selenium in glass by graphite furnace atomic absorption spectroscopy after extraction with dithizone: a comparison with X-ray fluorescence and vapor generation atomic absorption spectroscopy.—74-02445A
Determination of structural characteristics of porous glasses by the method of Mossbauer spectroscopy.—74-05113A
Determination of the glass fracture toughness by microindentation.—74-00252A
Development of crystallizable glass for low-temperature cofired ceramic substrates with high performance.—74-08413A
Development of high-strength devitrified machinable ceramics.—74-08365A
Development of high-waste loaded high-level nuclear waste glasses for high-temperature melter.—74-09397A
Development of lightweight returnable glass bottles (with SnO_2 coating).—74-08414A
Development of low-temperature phosphate sealing glass.—74-05760A
Development of Yijun glaze without kiln sweat and its formation mechanism.—74-01143A
Devitrification behavior of infrared-transmitting AlF_3-[MgF_2-CaF_2-SrF_2-BaF_2]-YF_3 glasses: I, During melt cooling.—74-05761A
Dielectrics applied for VLSI planarized multilevel metallization.—74-08860A
Drawing a fine line through tiny defects.—74-09561A
Durability of a fluoride-containing low-level mixed waste glass—effect of pH.—74-08329A
Dynamics of liquids in confined geometries.—74-08330A
Effect of cadmium-to-sulfur ratio in the photoluminescence of CdS-doped glasses.—74-08367A
Effect of cation field strength on the mechanical properties of R_2O-Al_2O_3-P_2O_5 glasses.—74-02532A
Effect of duration of annealing below the vitrification interval on the heat capacity and Curie temperature of metallic glasses.—74-02449A
Effect of etching and imaging mode on the measurement of subsurface damage [SSD] in microground optical glasses.—74-03800A
Effect of glass additions on the indentation-strength behavior of alumina.—74-05340A
Effect of O_2 concentration in firing atmosphere on resistance of RuO_2-glass thick-film resistors.—74-05931A
Effect of several network formers on the formation and properties of Bi-Sr-Ca-Cu-O system glasses.—74-09258A
Effect of SiO_2 on the properties of CaO-Al_2O_3 glasses.—74-08369A
Effect of technological production conditions on the surface quality of sheet glass.—74-02615A

Effect of the conditions of preliminary surface treatment on the distribution of Ag^+ ions in the surface layers of glasses during ion exchange with nitrate melts.—74-00255A

Effect of the conditions of preliminary treatment of the surface on distribution of Ag^+ ions in the surface layers of glasses in ion exchange with nitrate melts.—74-00294A

Effect of uv and γ-radiation on polychromatic glass.—74-02452A

Effects of annealing on the microstructure and mechanical properties of hot-pressed $BaAl_2Si_2O_8$ (BAS) and $SrAl_2Si_2O_8$ (SAS) glass-ceramics.—74-08371A

Effects of S/V on secondary phase formation on waste glasses.—74-09402A

Elastic properties of breakaway glass and liquid by Brillouin scattering up to 170°C.—74-02535A

Electrical and structural properties of thin gold films on glass substrates.—74-01984A

Electrical conductivity of glasses in the system $CuCl-Cu_2O-(P_2O_5+MoO_3)$.—74-05714A

Electromelted quartz glass tubes doped with Ce-Ti for making nonozone lights.—74-08417A

Electron transfer under radiation and protective action of cerium in radiation-resistant glasses.—74-00195A

Electronic package using closed pore composites—74-00551P

Enamel for use on glass and a method of using the same—74-00330P

Engineering method of calculation of temperature field in founding and heat treatment of glassware.—74-02755A

Epitaxy in the crystallization of feldspar gels and glasses.—74-08418A

Estimation of the redox potentials of glass batches.—74-02453A

Evidence of hexacoordination CcP immobilized in sol-gel glass.—74-08419A

Evidence of modifications of micellar interface in sol-gel glass.—74-08420A

Experimental evidence for anion-selective behavior of ion-beam-sputtered film of alkali metal-free phosphate glass deposited on MOS diode.—74-00258A

Experimental studies on diffusion of liquids in porous glass.—74-10732A

Experimental study of viscous flows in a forehearth model.—74-02542A

Factors affecting the suitability of glass jars for heating in microwave ovens. Comparison with plastic jars and paper board tubs.—74-03688A

Fade and wear characteristics of a glass fiber-reinforced phenolic friction material.—74-08190A

Features of elastic properties of $Ge_xAs_ySe_{1-x-y}$ chalcogenide glasses near topological phase transition.—74-02455A

Fiber reinforced glass matrix and glass-ceramic matrix composite articles.—74-02671P

Fifty years of safer windshields.—74-02623A

Flachglas...500 years of expertise working for tomorrow.—74-05414A

Flat glass for space uses.—74-08374A

Fluorescence line narrowing studies of Eu^{3+}-doped silica gel glasses.—74-08424A

Formation and properties of Ln-Si-O-N glasses (Ln=lanthanides or Y)—[correction].—74-02544A

Formation behavior of new amorphous and composite materials in detonation gun and plasma spraying.—74-10807A

Formation of a layer of aluminum and tin or titanium oxides on a glass substrate—74-00332P

Formation of an optical property gradient in monolithic porous xerogels and the glasses based on them.—74-02627A

Formation of tin oxide films on glass substrates.—74-08476P

Forming of glass melts by continuous pull extrusion.—74-03689A

Fractography of Glass.—74-11203B

Fragmentation of long thin glass rods.—74-05720A

Free volume parameters for tellurium chalogenide glasses.—74-02459A

Future of refillables.—74-08425A

Ga- and/or In-containing AsGe sulfide glasses.—74-08477P

Gage glass ordering in two dimensions.—74-00262A

Gallium-containing fluorozirconate glass.—74-02545A

Gallium-containing fluorozirconate glasses.—74-02628A

Gas exchange between bubbles and molten glass.—74-02546A

Glass annealing process in laboratory conditions and its control.—74-05764A

Glass colors: the organic alternative.—74-00019A

Glass connecting elements and constructive glass applications.—74-02460A

Glass container forming machine including neck ring mold cooling.—74-02674P

Glass cullet separator and method of using same—74-01018P

Glass for making biostable products.—74-02461A

Glass forehearth.—74-09731P

Glass formation, properties, and structure of glasses in the TeO_2-ZnO system.—74-02463A

Glass frits, a process for their production and their use in enamel barrier layers for stopping the migration of silver—74-01208P

Glass gob drop guide funnel assembly.—74-09526P

Glass having refractive index distribution.—74-08481P

Glass microbeads, applications, properties, and technology (review).—74-02630A

Glass substrate provided with a low emissivity film—74-00333P

Glass substrates for hard disk or photomask and the process technology.—74-08427A

Glass with super thermal insulation properties—an important element in the fight to reduce heat consumption in buildings.—74-02631A

Glass, dielectric composition, multilayer wiring substrate, and multilayer ceramic capacitor.—74-08791P

Glass-plastic composite.—74-02676P

Glass/substrate interaction in model RuO_2–glass double-layer thick films.—74-05938A

Glasses for substrates intended for electronics and resultant products.—74-08793P

Glassware forming machine with spring-biased plenum.—74-03750P

Group II tris(glycolato)silicates as precursors to silicate glasses and ceramics.—74-04660A

Heat transfer effects in glass processing.—74-08431A

Heat-screening glass—74-00284P

High shear mixer and glass melting method.—74-03940P

High-temperature relaxation spectra of borate glasses.—74-02636A

Hot stamping glass.—74-08483P

How the Thermos flask is made.—74-02637A

$^4I_{13/2}$–$^4I_{15/2}$ radiative transitions of Er^{3+} in $CaO-Al_2O_3$ glasses.—74-08402A

Identification method for infrared absorption spectra of semitransparent media by their emission data: application to lime-aluminosilicate glasses at high temperatures.—74-02547A

Impact of lead-free enamels on automotive glass fabrication.—74-00302A

Improved gain characteristics in high concentration Er^{3+}/Yb^{3+} codoped glass waveguide amplifiers.—74-08433A

Improved method to determine fluorides in glasses and glass raw materials.—74-01069A

Inconstancy of the reflection coefficient of optical glasses upon storage in air.—74-02548A

Increasing chemical stability of annealed hollow glassware.—74-02467A

Indentation microhardness of γ-irradiated glasses and glass-ceramics.—74-05722A

Influence of an internal electric field in a sample on the secondary electron emission phenomenon.—74-01073A

Influence of divided electric boosting on the distribution of temperatures and on flow of glass in the melting furnace.—74-03697A

Influence of initial glass powder size on the final microstructure and on the variation of toughness with porosity.—74-05723A

Interlaboratory comparison of solar range transmittance and reflectance of coated and uncoated glass.—74-02550A

Interlayer dielectric technology by using TEOS-based CVD.—74-08757A

Internal electric heater for glass lining reaction vessels.—74-09478A

Interpretation of the ^{57}Fe Mossbauer spectra of some phosphate glasses.—74-05684A

Introducing new information technologies based on personal computers into glass production.—74-03701A

Investigation of the electrical properties of heterogeneous copper-containing photochromic glasses.—74-02552A

Ionic conducting glasses—properties and applications[—review].—74-05724A

Ionic conduction in glasses.—74-00500A

Laboratory studies for estimation of melting rate in nuclear waste glass melters.—74-09404A

Laser damage of the surface of glass undergoing ion exchange.—74-00266A

Leaching of barium from barium glasses.—74-00200A

Leaching of lead from lead crystal glasses.—74-02470A

Lead metaphosphate-based athermal flint glasses with anomalous partial dispersions.—74-02556A

Life cycle assessment—the futures of glass and the other materials.—74-11175A

Light-controlling window glass using inorganic fine particles.—74-08435A

Low-temperature synthesis of amorphous and glass-ceramic silicate materials (review).—74-02642A

Luster pigments based on multiply coated plateletlike metallic substrates.—74-02816P

Machine for squeeze testing glass containers.—74-03890P

Magnesium cluster-beam deposition on glass and Si(111).—74-00650A

Making glass sheet with defect-free surfaces and alkali metal-free soluble glasses therefor—74-00337P

Making glass tubes for fluorescent lamps.—74-09481A

Making of chemical beakers.—74-08337A

Manufacture of high proof-test optical fiber using sol-gel—74-00338P

Marriage of glass and plastic helps foil intruders.—74-08437A

Matching materials to manufacturers' needs.—74-08438A

Material with a future.—74-07951A

Materials design and expert system on glass.—74-00267A

Mathematical model of optimization of glass quenching.—74-03918A

Mathematical simulation of electrothermal fields in flame-electric glass-melting furnaces.—74-03919A

Maximization of waste loading for a vitrified Hanford high-activity simulated waste.—74-09405A

Mechanical finishing of glass.—74-00306A

Mechanical polishing makes a comeback.—74-02643A

Meeting the need for slow-speed gob feed.—74-02644A

Melting behavior of glass batches with addition of cadmium-containing compounds.—74-05774A

Melting of lead crystal glass in all-electric furnaces in joint-stock company Sklo Bohemia in Svetla and Sazavou (Czech Republic).—74-03920A

Metal oxide film having minutely roughed surface and method of forming same on glass substrate.—74-08485P

Method and apparatus for equalizing the temperature profile of glass sheets in a roller-equipped furnace included in a horizontal tempering plant.—74-03755P

Method and apparatus for forming glass containers with reinforced inner surfaces.—74-02681P

Method and apparatus for sorting bulk material—74-01022P

Method for bonding glass and metal—74-00171P

Method for calculating refractive indices of glasses in the uv spectral range.—74-02562A

Method for coating asymmetric glass envelope for lamp by electrostatic coating.—74-02682P

Method for forming an electrode.—74-02887P

Method for forming silicon on a glass substrate.—74-09090P

Method for heating a flat glass sheet—74-01025P

Method for manufacturing fiber-reinforced structures with a glass matrix.—74-08486P

Method for molding optical glass elements—74-00339P

Method for producing a composite glass body with drawing of concentric melts.—74-02683P

Method for producing glass preform for optical fiber.—74-02684P

Method for recycling glass—74-01026P

Method for the preparation of halide glass articles—74-00340P

Method of crushing a bottle and a glass crushing apparatus—74-01027P

Method of flame abrasion of glass preform—74-00341P

Method of making thin sheet glass by fusion process.—74-08440A

Method of modified neglect of differential overlapping (MNDO) used to investigate the structure of next-order and interatomic interactions in glasses based on P_2O_5 with modifying impurities.—74-00201A

Methods to obtain strong glasses.—74-08441A

Microhardness and fracture toughness of bioactive glasses in the system $CaO-RO-SiO_2-P_2O_5-CaF_2$ (R=Sr, Ca, and Mg).—74-05730A

Microstructure investigation on the feature of glass structure.—74-02471A

Minor additions of B_2O_1 to container glass formulations.—74-00203A

MNDO study of the structure of the short-range order and interatomic interaction in P_2O_5 glasses with modifying additives.—74-00204A

Model of formation of a powdered glass coating on heating.—74-04757A

Model of the effect of abrasion on the strength of glass.—74-05731A

Modeling for a new feeder bowl.—74-05776A

Modeling of the conduction mechanism in RuO_2/glass resistive compounds.—74-05733A

Modeling of the structure of laser oxide glasses by the Monte Carlo method.—74-02472A

Models for liquidus temperature of nuclear waste glasses.—74-09406A

Modern photoelasticity for stress measurement in glass containers.—74-00269A

Modification of sol-gel thin films by ion implantation.—74-08443A

Modification of the crystallization process on bioglass by proteins in vitro.—74-05777A

Modified Judd-Ofelt technique and application to optical transitions in Pr^{3+}-doped glass.—74-02564A

Mold restoration and protection.—74-06984A

Molecular dynamics [MD] simulations of structural transformation and dynamical correlations in silica glass at high pressures.—74-08378A

Monte Carlo modeling of the structure of quartz glass.—74-02473A

Neutral gray absorbing glass comprising manganese oxide for selenium retention during processing—74-00342P

Neutral, low emissivity coated glass articles and method for making.—74-08494P

Neutron activation analysis of sixteenth- and seventeenth-century European blue glass trade beads from the eastern Great Lakes area of North America.—74-05456A

New expanded material based on recycled glass: II, Role and influence of the expansion additive on material characteristics.—74-08379A

New glass for hosting organic compounds with optical, electronic, and biological applications.—74-05734A

New thermochemical method of formation of surface waveguides on phosphate glasses.—74-05778A

News in XRF analysis of ceramic and glass.—74-06797A

Non-linear effect of glass composition on glass dissolution in both fluorosilicate and borosilicate waste glasses.—74-08341A

Noncontact wall thickness gage development.—74-03844A

Nuclear gamma resonance spectra and spectral-luminescent characteristics of zirconium-containing fluorophosphate glasses with iron and neodymium oxide additives.—74-02568A

Nuclear magnetic resonance of fluorine in partly crystalline multichrome glasses.—74-05686A

Nucleation mechanism of $5K_2O-43CaO-12Al_2O_3-40SiO_2$ glass catalyzed by Ni_2O_3.—74-08342A

Observation and analysis technique of edge stress of thermally tempered plate glass.—74-08381A

Optical absorption of high-purity multicomponent cerium glasses and its temperature dependence at 1.17 eV.—74-02569A

Optical constants of inorganic glasses.—74-11208B

Optical member of synthetic quartz glass for excimer lasers and method for producing same.—74-02690P

Optical properties of dysprosium-doped low-phonon-energy glasses for a potential 1.3 μm optical amplifier.—74-08343A

Optimization of glass conditioning.—74-05780A

Organic color coating for glass containers.—74-00023A

Oriented microchannel membranes via oxidation of carbon-fiber-reinforced glass composites.—74-04795A

Oxidation states of metal ions in glass melts.—74-05688A

Parameters affecting the workability of container glass: II, Influence of dissolved gases and other parameters.—74-05781A

Parison forming and plungers for use therein.—74-03764P

Peculiarities in coloring of multichrome glasses under the action of laser irradiation.—74-00273A

PET-returnables—technical and economical aspects.—74-00309A
Phase decomposition and structure of glasses of the system TiO_2-B_2O_3.—74-00207A
Phosphate glass useful in lasers—74-00345P
Phosphosilicate glass passivation for VLSI Cu metallization.—74-03154A
Photochemistry channels of merocyanine encapsulated in sol-gel glasses.—74-08384A
Photometric and titrimetric methods of determining the gallium content in glasses.—74-02480A
Physicochemical principles of synthesis of heterogeneous photochromic glasses.—74-02481A
Planar optical waveguides based on laser silicoaluminophosphate glass fabricated by ion exchange.—74-02648A
Planarization technology of spin-on-glass films on LSI devices.—74-09004A
Plasma CVD of silicon nitride thin films on large area glass substrates at high deposition rates.—74-09947P
Plasma treatment of glass surfaces to remove carbon.—74-02691P
Point defects in high-purity silica induced by high-dose gamma irradiation.—74-10741A
Polarographic determination of the As and Sb redox ratio in glass.—74-00208A
Polishing parameters and their effect of glass polish performance.—74-08448A
Polymer-coated refillable glass containers.—74-05782A
Possibility of determining the viscosity of destruction of glass by microindentation.—74-00274A
Practical strength of glass containers: I, Influence of the type of defect.—74-08387A
Predicting liquid immiscibility in multicomponent nuclear waste glasses.—74-09409A
Prediction and reduction of residual stresses in glass: I, Analysis of residual stress in glass by instant freezing method.—74-08388A
Preparation and characterization of ZBLAN group glasses.—74-08449A
Preparation of glass-silver microcomposites by sol-gel route.—74-05785A
Preparation of hydrated glass as a model of nuclear waste glass after long-term leaching.—74-09410A
Preparation of II-VI semiconductor nanocrystallites in a glass matrix using chalcogenizing agent: application to CdSe.—74-09010A
Preparation of samples of macroporous glasses more than 2 mm thick from microporous sheets.—74-02651A
Preparation of very fine glass powder of high purity—74-00346P
Problem of modeling the structure of quartz glass by the Monte Carlo method.—74-00209A
Problems on contemporary batch plants for container glass.—74-00313A
Process for photoinitiated control of inorganic network formation in the sol-gel process.—74-03772P
Process for producing granulated strontium carbonate with a strontium-containing binder—74-01210P
Process for producing thin glass film by sol-gel method.—74-02694P
Process for the manufacture of decorated sheets of laminated safety glass.—74-02695P
Process for the synthesis of fluoride glass by the sol-gel method and optical fiber produced from the fluoride glass obtained according to this process—74-00347P
Process of production of a glass intended to be transformed into continuous or stable fibers—74-00348P
Production of large-scale glass with a thermally reflecting coating.—74-02652A
Pump down of evacuated glazing.—74-00981A
Quantification of SIMS data for multicomponent glasses.—74-05691A
Quantitative XPS analysis of leached layers on optical glasses.—74-02484A
Quasi-equilibrium in silicate glasses.—74-08347A
Radiation-induced electron transfer and the protective effect of cerium in radiation-resistant glasses.—74-00211A
Radiative properties of glass and cast silicates. Modeling of heat transfer: I, Glass and infrared radiation.—74-08390A
Radiative properties of glass and cast silicates. Modeling of heat transfer: II, Heat transfer in a semitransparent medium. Importance of complex spectral index n_λ.—74-08391A
Radiotherapy glasses.—74-05740A
Raman spectroscopic study of the structure of glasses of the B_2O_3-GeO_2 system.—74-00212A
Rapid determination of BaO in glassware by potentiometric titration.—74-09609A
Rare earth-doped, stabilized cadmium halide glasses—74-00349P
Ratio of CaO/K_2O >2 as evidence of a special Rhenish type of medieval stained glass.—74-02298A
Refractive index distribution in microporous glass plates differing in initial composition and thickness.—74-02574A
Reinforced silicon carboxide composite with boron nitride coated ceramic fibers.—74-02697P
Relaxations in ionic motion and the glass transition in ionic glasses.—74-05695A
Remediation and production of low-sludge high-level waste glasses.—74-09415A
Reticular glass surface—74-00350P
Revolution in bottle stacking technology.—74-11189A
Sampling and testing protocol for characterizing glass cullet obtained from postconsumer sources[—reply].—74-09508A
[Sampling and testing protocol] for characterizing glass cullet obtained from postconsumer sources[—comment].—74-09425A
[Sampling and testing] protocol for characterizing glass cullet obtained from postconsumer sources.—74-09426A
Servo controlled glass gob distributor.—74-09543P
Silica glass doped with fluorine.—74-08455A
Silicon oxycarbide reaction with glass matrix compositions.—74-08272A
^{29}Si NMR and XPS investigation of the structure of silicon oxycarbide glasses derived from polysiloxane precursors.—74-08323A
SiO_2 films formed by ECR plasma CVD method.—74-09039A
Size-dependent melting and freezing behavior of In metal confined in porous glasses.—74-00279A
Slide-table press forming of glass.—74-08457A
Software system for analyzing stresses in axially symmetrical bottles.—74-09617A
Sol-gel glasses as new waveguides for optical immunosensors.—74-08458A
Sol-gel preparation of silica glass.—74-05791A
Sol-gel processing: a versatile concept for special glasses and ceramics[—review].—74-10642A
Sol-gel synthesis of fluorozirconate glasses.—74-05792A
Sound amplification by stimulated emission of radiation in an amorphous compound.—74-08393A
Specialty glass and glass-to-ceramic seals.—74-00316A
State of mixed atoms of iron and tin in zirconia-containing fluorophosphate glasses according to data from Mossbauer spectroscopy.—74-00222A
Statistics of the time-temperature-transformation diagram for oxidized and reduced West Valley Reference 6 glass.—74-09418A
Strength tests of flat glass by means of four point bending.—74-02583A
Structural analysis and space model of the glassy alloy $Cu_{0.1}As_{0.45}Te_{0.374}$ by X-ray diffraction.—74-00223A
Structural characteristics of chalcogenide glasses.—74-00224A
Structural characteristics of porous glasses—determination by Mossbauer spectroscopy.—74-02492A
Structural model of silicate glass-forming melts and glasses.—74-02495A
Structural peculiarities of chalcogenide glasses.—74-00228A
Structure and properties of Bi_2O_3-BaO-CuO glasses.—74-02497A
Structure and some physical properties of SiO_2-Al_2O_3-CaO-ZnO glass.—74-02584A
Structure of a glass polymer composite based on a matrix of high-silicon porous glass.—74-00318A
Structure of alkali silicate glasses according to the method of X-ray small-angle scattering [XSS].—74-00229A
Structure of glass-polymer composites based on matrices made of high-silica porous glass.—74-00230A
Studies of bioactive glass composites.—74-05796A
Study of electric properties of heterogeneous copper-containing photochromic glasses.—74-02585A
Study of surface chemical processes accompanying the grinding of glass.—74-02501A
Study on application of Hengshan albite to glass and ceramics.—74-09753A
Subcritical growth of indentation median cracks in soda-lime-silica glass.—74-02586A
Synthesis of ultrafine glass particles by laser ablation of microspheres.—74-05798A
Synthesis via sol-gel of glasses, glass-ceramics, and ceramics from the ZnS-CdS-SiO_2 system.—74-05799A
Technical factors of copper aventurine glass.—74-08465A
Technology for reducing weight of returnable glass bottles.—74-08466A
Temperature and composition dependence of container glass viscosity.—74-05743A
Temperature profiling of glass by FTIR emission spectroscopy.—74-02591A
Temperature-viscosity characteristics of glasses(— the methods of measurement).—74-08397A
Thermal expansion of a PRD-166 fiber-reinforced glass-matrix composite.—74-02592A
Thermal gradients in glass container during transfer from IS machine to lehr.—74-00321A
Thermochromic characteristics of heterogeneous glasses.—74-00281A
Thermochromic characteristics of heterogeneous systems.—74-00232A
Titration of molten soda-lime-silicate glasses by square wave voltammetry.—74-00233A
Topological threshold in $Ge_xAs_{40-x}Se_{60}$ glasses and thin films.—74-03671A
Towards optimization of nuclear waste glass—constraints, property models, and waste loading.—74-09420A
Transmission electron microscopy of simulated DWPF high-level nuclear waste glasses following gamma irradiation.—74-09421A
Transparent conducting cadmium oxide thin films prepared by a solution growth technique.—74-04968A
Trends in the decoration of flat glass.—74-02662A
Turning waste into glass.—74-02663A
Use of carbon-containing coatings in hardening devitrified cordierite glass.—74-02664A
Use of Cr, Co, and Fe as silicate glass, fritted glazes, and ceramic pigments.—74-00234A
Use of existing data sets on technical glasses for the development of new glass compositions using a modified simplex method of sequential optimization.—74-00323A
Use of iron-containing glass enamels for protecting petroleum-grade water lines.—74-02403A
Use of physicochemical analysis for studying glassy systems.—74-02502A
Using molybdenum in electric melting of glass.—74-08467A
Utilization of glassy secondary materials.—74-05801A
Utilization of infrared spectroscopy to determine the fraction of the four-coordinated borons in borate glasses.—74-05700A
Vapor-phase deposition of fluorine glass.—74-02700P
Variable temperature ^{57}Fe Mossbauer studies of some phosphate glasses.—74-05701A
Vibrational spectra and structure of glasses based on ZnF_2-CdF_2.—74-05702A
Vitreous silica product manufactured via a sol-gel process using a polymer additive.—74-08498P
Vitrification in the presence of molten salts.—74-09422A
Vitrification of simulated intermediate level waste from nuclear power plants: II, Chemical stability of vitrified products in acidic solutions.—74-06672A
Vortex flow in helium-filled Vycor glass.—74-05747A
Water resistance and ion diffusion in glass materials simulating vitrified radioactive waste.—74-02504A
Water-repellant coating on glass.—74-08292A
Why do glasses break.—74-08401A
Wetting in an electronic packaging ceramic system: I, Wetting of tungsten by glass in controlled oxygen partial pressure atmospheres.—74-02404A
Workability characteristics of glasses.—74-00283A
Working towards a batch optimization program for refining.—74-08357A
X-ray microanalysis of ancient glasses—a comparative study of wavelength dispersive and energy dispersive techniques.—74-05458A
XPS study on electrofloat glass.—74-08358A
XRF in waste glass analysis and vitrification process control: I, Sample preparation and measurement precision.—74-09424A

glass-ceramics,
A/W glass-ceramic—processing and properties.—74-05748A
Canasite-apatite glass-ceramics—74-00327P
Ceramics and glass-ceramic materials for bone implants.—74-03958A
Chemical stability of some manganese glass-ceramics.—74-05669A
Colored glass-ceramic articles.—74-08472P
Cooking appliance having a plate made of a material transparent to thermal radiation and having at least two types of heat sources.—74-08474P
Cristobalite reinforcement of quartz glass.—74-08648P
Definitive thin-film hot-corrosion studies: testing and evaluation of a new machined glass-ceramic crucible.—74-02528A
Deformation aspects of the phase transformations for sintering of the glass and glass-ceramic composites.—74-05674A
Diopside glass-ceramic by DTA.—74-05675A
Dopant effect of ferroelectric properties of ABO_3 glass-ceramics.—74-02613A
Effect of aluminum and silicon reactants and HIP soak time on characteristics of glass-ceramic waste forms.—74-09399A
Electrical conductivity data of some iron-containing glass-ceramics.—74-05713A
Fatigue behavior of glass-ceramics under multiaxial stress states: an examination by diametral compression.—74-02139A
Fiber reinforced glass matrix and glass-ceramic matrix composite articles.—74-02671P
Fiber, whisker, and particulate reinforced new glass-ceramic matrix for innovative composites.—74-02142A
Formable ceramic compositions and method of use therefor—74-01254P
Glass-ceramic composite materials with uniform continuous reinforcing fiber distribution and a unit for their production.—74-01745A
Glass-ceramic composite.—74-02675P
Glass-ceramic composite.—74-08792P
Glass-ceramic for magnetic disks and method for manufacturing the same.—74-08482P
Glass-ceramic marble with diopside as crystallization phase.—74-02632A
Glass-ceramic matrix composites.—74-02372A
Glass-ceramic waste forms for immobilization of the fluorinel-sodium, alumina, and zirconia calcines stored at the Idaho Chemical Processing Plant.—74-08428A
Glass-ceramics based on photosensitive glasses.—74-08429A
Glasses and glass-ceramics reinforced with polycrystalline fibers.—74-02633A
Hermetic sealing with glass-ceramics.—74-09468A
Indentation microhardness of γ-irradiated glasses and glass-ceramics.—74-05722A
Low expansion transparent crystallized glass-ceramic—74-00335P
Machinable and phosphate glass-ceramics.—74-05727A
Method for producing multilayered ceramic substrate.—74-02889P
Method of making a fiber reinforced ceramic glass composites having tailored coefficient of thermal expansion.—74-08488P
Method of producing a silicon carbide fiber reinforced strontium aluminosilicate glass-ceramic matrix composite.—74-08490P
Microscopic failure mechanisms in SiC fiber-reinforced glass-ceramic composites.—74-08238A
Microstructural analysis of ferroelectric glass-ceramics.—74-05187A
Microstructure and optical absorption spectra of transparent glass-ceramics containing $ZnAl_2O_4$:Cr^{3+}.—74-00202A
Nickel aluminosilicate glass-ceramics.—74-02689P
Novel banding and coating techniques.—74-09493A
Novel ceramics for biomedical applications.—74-06987A
Osumilite-type glass-ceramics from glass powders.—74-05687A
Plasma treatment of the glass-crystal material, Sigran.—74-00003A
Processing and properties of silceram glass-ceramic matrix composites prepared by the powder route.—74-05786A

Properties of multilayer glass-ceramic dielectrics.—74-08767A
Quantitative X-ray diffraction analysis of crystalline phases in glass-ceramics.—74-05693A
Refractive index, main dispersion, and density of aluminum, antimony, and arsenic oxides in silicate glasses.—74-02488A
Role of nucleating agents during manufacture of high-strength porcelain.—74-02196A
Synthesis via sol-gel of glasses, glass-ceramics, and ceramics from the ZnS-CdS-SiO_2 system.—74-05799A

glassmaking equipment,
Achieving high performance goals in container production.—74-02597A
Air tube structure in a glass container forming machine.—74-02667P
Apparatus for cullet preheating and polluting emission reduction in the glass manufacturing process—74-01011P
Apparatus for shearing a gob—74-01012P
Apparatus for the manufacture of sheets of glass having a complex shape—74-01013P
Application of programmable controllers in frosted glass bottle processing system.—74-09429A
Batch pelletization—the key to glass quality improvement.—74-00287A
Bottling up energy losses.—74-09436A
Bulb making in the electronic age.—74-00897A
California—air pollution [and the glass industry].—74-02223A
Capitalizing on the use of platinum.—74-09438A
Coating apparatus, method of coating glass, compounds and compositions for coating glasss and coated glass substrates.—74-02668P
Cullet—a modern raw material—handling and production problems.—74-01191A
Cut crystal glass is automatically decorated.—74-00292A
Cylinder-port block arrangement for glass container forming apparatus—74-01014P
Designing a handling system for high-speed lines.—74-09448A
Dissection of imported automatic glass bottle packing machine and its programmable controller.—74-09452A
Electronic controller for a glassware forming machine—74-01016P
Environmental problems in the glass industry.—74-02232A
Feeder Cascade bowl design ensures gob consistency using improved symmetry.—74-09460A
Forehearth temperature control system.—74-02673P
Glass container forming machine including neck ring mold cooling.—74-02674P
Glass cullet separator and method of using same—74-01018P
Glass gob drop guide funnel assembly.—74-09526P
Glass manufacturer cuts thermal losses and utility costs.—74-00299A
Glassware forming machine with spring-biased plenum.—74-03750P
High-speed crack-off lines for domestic glassware.—74-09470A
How motion analysis can help ensure consistency.—74-05768A
Improving line efficiency via hot-end inspection. —74-06707A
Industry trials confirm low-speed feeder claim.—74-09474A
Integrated electronic control for pressware lines.—74-06708A
Low NO_x technologies for natural gas-fired regenerative glass melters.—74-01162A
Machine for inspecting the bottom of glass containers—74-01019P
Measuring system for plunger mechanism of bottle forming machine.—74-09485A
Method and apparatus for equalizing the temperature profile of glass sheets in a roller-equipped furnace included in a horizontal tempering plant.—74-03755P
Method and apparatus for forming glass containers with reinforced inner surfaces.—74-02681P
Method and apparatus for manufacturing glass bottles.—74-09528P
Method for treating glass sheets on a gas hearth.—74-09530P
Method of introducing protective atmosphere gases into a glass forming chamber.—74-02686P
Operating principles of the bottom impact tester (BIT).—74-00967A
Parison forming and plungers for use therein.—74-03764P
Powers/LumenX agreement leads to product innovations.—74-06716A
Production of glass fibers from scrap glass fibers.—74-02696P
Profile of modern batch plant control system.—74-06718A
Quality and quantity—striking a balance for float glass.—74-06805A
Servo controlled glass gob distributor.—74-09543P
System integration solutions for the glass industry featuring the Inex Information Interface system.—74-00320A
Vital link in the hot-end chain.—74-09512A
Zippe builds batch plant for Rockware.—74-06734A

glassmaking furnaces,
3R—recent developments in deNO_x control.—74-09634A
Aging of all-electric cold-top glass-melting furnaces.—74-09636A
Application of oxy-fuel firing to an E-glass furnace.—74-03894A
Applications of electric boost.—74-09637A
Applying expert systems to glass furnace design.—74-09639A
Burner block sealing.—74-09641A
Calculation of the electric field in a glassmaking furnace with plane electrodes.—74-03898A
Calculation of thickness of insulating layers of glass tank furnace.—74-09554A
Cost-effective NO_x reduction using oxygen-enriched air staging on regenerative glass furnaces.—74-09648A
Design and modification of an imported glass tank furnace.—74-09649A
Design considerations for conversion of glass tanks to oxy-fuel combustion.—74-01140A
Development of glass-melting technology for nuclear waste vitrification.—74-09396A
Developments in electric furnace technology.—74-01144A
Developments in the field of melting furnaces and control equipment.—74-01145A
Edmeston emission control system for glass furnace emission.—74-01149A
Emission issues relative to the development of environmental compliance regulations for glass furnaces.—74-11158A
Expert system of bubble sources in the glassmelting furnace.—74-09659A
FLEX melter—a new melting furnace for the glass industry.—74-09668A
French crystal producers invest in energy-saving technology.—74-01154A
Furnace design and glass quality.—74-09671A
Fused cast AZS adapted for superstructure applications in today's glass furnaces.—74-08619A
Glass forehearth.—74-09731P
Glass furnace is the heart of the glassworks.—74-01156A
Glass melting furnace with control of the glass flow in the riser.—74-03939P
Glass Problems Conference draws 550 to 54th Annual Meeting.—74-02464A
Glassmakers face new emissions concerns.—74-05767A
Gob control improves quality and efficiency.—74-09673A
Good gob for the job.—74-09674A
High shear mixer and glass melting method.—74-03940P
Hydraulic operation of a glass furnace and its role in production.—74-03912A
Industrial experience of fused cast blocks with very high zirconia content in an electric furnace for lead glass.—74-01160A
Insulation of glass tank furnace [studied] with computer.—74-09677A
Investigations into all-electric melting of neutral glass with improved reboil behavior.—74-02639A
Large end-fired furnaces with a melting area of 100 m^2 and more.—74-03916A
Modeling of the glass-melting process and glass-melting furnaces.—74-09688A
New application of Kanthal Super—Superthal flat panel.—74-00392A
Next generation of burners for melting furnaces.—74-01168A
Noncatalytic removal of nitrogen in a recuperative container glass furnace.—74-02288A
Nondestructive control of the internal structure of fused refractories.—74-03845A
Oxy-fuel glass melting with the Cleanfire burner.—74-01171A
Oxy-fuel technology applied to art glass.—74-09701A
Physical modeling tests on the effects of burner positions on the aerodynamic characteristics of gas flow in a glass furnace.—74-09702A
Practical experience with raw material preheating on glass-melting furnaces.—74-00310A
Reconstruction of the "RIBBON" furnace in 50 days.—74-06872A
Refurbishment option.—74-01177A
Regenerative glass melting furnace with reduced NO_x emission.—74-09734P
Simplified energy-consumption model of melting process and its technological application.—74-09713A
Super cooling solution...taking it from the bottom.—74-09717A
Throughport burner generates heat transfer improvement.—74-01182A
Zircon cords in the glass Simax.—74-09729A
Zirconium silicate brick and method for its production.—74-08656P

glazes/glazing,
Adjusting technology [of tile manufacturing].—74-00419A
Application of silica sol to porcelain glazes.—74-02804A
Applications of low-temperature once-fired wollastonite raw material glaze to red stoneware.—74-02805A
Applications of zircon raw glazes.—74-05886A
Approach to computer aided design (CAD) of pattern of glazed tile.—74-02701A
Automatic glazing and decorating technique for tile.—74-00895A
Blistering and pinholes in raw glazes for sanitary ceramics: III, Results and discussion.—74-08661A
Bodies, glazes, and frits for single-fired tiles.—74-08662A
Bonding of unfired glaze layers.—74-08506A
Ceramic utensil for microwave cooking.—74-08718P
Characteristics of and differences between underglaze and overglaze.—74-08664A
Chemical composition at the glaze/support interface of different tiles with colored porous body.—74-07610A
Cone 06-04 clear and white glazes.—74-00425A
Controlling the gloss of leadless glazes.—74-08669A
Crystalline glazes: a precise method.—74-00012A
Decorating techniques for single-fire, fast-fire tile production.—74-08517A
Designing a matt red raku glaze.—74-00014A
Determination of the optimum pigment content in glazes for sanitary ceramic.—74-05889A
Developing a better understanding of glaze defects using X-ray diffraction and scanning electron microscopy.—74-08521A
Development of fly ash glazed tile.—74-08524A
Development of glazed tile with relief patterns by underglaze printing.—74-02710A
Development of glazed tiles using industry waste slags.—74-05890A
Development of high-temperature once-fired red selenium-cadmium glaze.—74-08527A
Development of low-cost brown-red glaze.—74-02713A
Development of matte glaze for colored floor tile.—74-08529A
Development of metal glaze for hot spraying.—74-08673A
Development of vitreous tile with permeated flowers.—74-08530A
Development of Yijun glaze without kiln sweat and its formation mechanism.—74-01143A
Diopside glazed tiles fired at low temperature.—74-08535A
Effect of talc on thermal stability of porcelain glaze.—74-05891A
Effect of the volumetric fraction and particle size on the abrasive mechanism in ceramic glazes.—74-08675A
Emotional metaphors [a sculptor's technique].—74-00017A
Engobes for glazed floor tiles.—74-08540A
Environmentally safe spray booth.—74-00924A
Evaluation of damaged glaze layers using the Vickers indentation technique.—74-08541A
Fast-firing of porcelain in roller kilns—knowledge and developments.—74-00427A
Fine grinding of ceramic glazes in agitator bead mills.—74-08678A
Firing copper red glaze in oil-fired tunnel kiln.—74-05894A
Fluorine-containing lead- and cadmium-free glazes.—74-08719P
Get the lead out.—74-00931A
Glass with super thermal insulation properties—an important element in the fight to reduce heat consumption in buildings.—74-02631A
Glaze defects in sanitary ware plants.—74-08681A
Glazing an inertized bisque.—74-00932A
Glazing defects and their control.—74-08682A
Glazing today.—74-00933A
Glazing without air.—74-02809A
Heat-resistant self-glazed porcelain.—74-05627A
High-gloss ceramic frits—74-01209P
Improving glaze whiteness by statistical experimental design.—74-08684A
Indentation fracture of glazed ceramic tiles—stress fields and their interaction.—74-07893A
Lead-free frit glaze.—74-02815P
Localized crater and bubble formation in porcelain glazes.—74-00434A
Low-melting glaze coatings for internal facing tiles.—74-02810A
Measurement and forecast of color of glazes.—74-08690A
Melting processes and glazing technologies: surface properties of glazed ceramic tile.—74-08562A
Method for color adjustment in colored opaque glazes: I.—74-08691A
Methods of producing durable lustrous coating on vitreous objects.—74-02818P
Minimizing color adjustments to production glazes.—74-08693A
New developments in the transporting and robotic spray glazing of sanitary ware.—74-08695A
New opaque white glazes with TiO_2 for ceramic wall tiles.—74-00437A
New orientation of the porcelain industry.—74-08697A
New topographical evaluation process for glazes and ceramic surfaces.—74-09591A
Nonfritted matt glazes using plating sludges.—74-02388A
Obtaining pigments by the coprecipitation method.—74-03969A
Opacification in zirconium ceramic glazes used in single-fired wall tile manufacture.—74-08567A
Paper crane made by ceramic process.—74-07988A
Pots made of memories[—glaze and stoneware recipes].—74-00024A
Problem of the glazing defect "peeling."—74-01094A
Processing of porcelain glazes in an annular gap mill.—74-08699A
Protection against heat, radiation, and glare—new developments in automotive glazings.—74-02573A
Pump down of evacuated glazing.—74-00981A
Randomness of fine cracks on upside of color glazed tile and their statistical analysis.—74-02811A
Raw materials for the production of colored glazes and ceramic colorants.—74-01202A
Refinement of glazes.—74-05905A
Relationship between chemical composition and crystal phase structure of Na_2O-K_2O-MgO-CaO-Al_2O_3-SiO_2 (NKMCAS) pyroxene-type white glaze.—74-05906A
Research on once fast firing of glazed tile at low temperature.—74-05907A
Richard Fairbanks.—74-00026A
"Satsuma" wares with characteristic crackle glaze.—74-07980A
Stolen, adapted, and original recipes.—74-00997A
Study and application of rabbit hair colored glaze.—74-05909A
Study on black glaze ware of Jizhou.—74-05910A
Study on body-glaze bonding and glaze of colored glaze products.—74-08703A
Study on semifritted opalescent glaze of phosphorus and zircon for sanitary porcelain.—74-02813A
Technological base of reproduction of phase-separating glazes in successive dynasties in China.—74-02302A
Triaxial new editions.—74-08706A
Unleaded onglaze enamels.—74-08707A
Use of Cr, Co, and Fe as silicate glass, fritted glazes, and ceramic pigments.—74-00234A
Using failure mode and effects analysis [FMEA] in new glaze introduction.—74-08713A
Using FMEA [failure mode and effects analysis] in new glaze introduction.—74-08714A
Variables influencing glass in glazes obtained from frit and tungstic oxide mixes.—74-08715A
Various aspects of glaze preparation and application methods.—74-08716A
Various techniques of glaze preparation.—74-08717A
Vickers hardness of ceramic glazes and glazed ceramic tiles and their correlation.—74-05916A

Vitreous china, method for preparing the vitreous china, sanitaryware produced therefrom and glaze therefor.—74-02819P
Wear properties of glazed ceramic tableware.—74-05917A
White/clear glazes: low fire.—74-00447A
White/clear glazes: mid to high fire.—74-00448A
Wood ash in glazes: economical and ecological.—74-00030A
Woody Hughes at Peters Valley.—74-01010A

gloss,
Controlling the gloss of leadless glazes.—74-08669A

goethite,
Properties of glass-ceramics obtained from recycling goethite industrial waste.—74-05738A
Solid phase transformation goethite-hematite.—74-01457A

gold,
Aligned Au–Si eutectic bonding of silicon structures.—74-01614A
Assessment of Au wire bump thermomechanical integrity in GaAs/Al_2O_3 flip chip modules.—74-08826A
Au on the Si(001) surface: room-temperature growth.—74-05985A
Au/Ti and Au/Ni-Cr metallization of CVD diamond substrates for multichip module applications.—74-08827A
Ballistic electron emission microscopy of the Au-Si(100) interface.—74-08828A
Ballistic electron emission microscopy on the Au/*n*-Si(111) 7×7 interface.—74-05076A
Ballistic-electron emission microscopy on the Au/*n*-Si(111) 7×7 interface.—74-07598A
Colloidal Au and Ag precipitates formed in Al_2O_3 by ion implantation and annealing.—74-01640A
Compliance and new precious metals techniques.—74-00011A
Computer experiments on amorphization of the superstructure of Cu_3Au by disclinations.—74-01358A
Diffusion mechanism of intrinsic stress relaxation in AuGe-GaAs contacts.—74-01940A
Effect of MeV electron irradiation on gold atom implantation into silicon carbide and silicon nitride.—74-04580A
Effect of MeV electron irradiation on gold atom implantation into silicon carbide and silicon nitride.—74-07273A
Effect of the atomic ratio of Ba to Ti on optical properties of gold-dispersed $BaTiO_3$ thin films.—74-10082A
Electrical and structural properties of gold films and mercury-covered gold films.—74-04295A
Electrical and structural properties of thin gold films on glass substrates.—74-01984A
Electromigration kinetics of gold on a carbon thin film surface studied by scanning tunneling microscopy and scanning tunneling potentiometry.—74-07639A
Evolution of the microstructure of Au(Zn) metallization during formation of an ohmic contact to *p*-type GaAs.—74-03006A
Experimental studies of metal/InP interfaces formed at room temperature and 77 K.—74-06090A
Formation of ohmic contacts to *n*-GaAs using $(HN_4)_2S$ surface passivation.—74-06111A
General diamond Schottky-barrier diode model from locus diagram analysis.—74-03028A
In situ deposition of Au on plasma-prepared GaAs substrates.—74-06147A
Island growth of ion beam sputtered metal films [studied] by digital image processing.—74-02004A
Lateral variation in the Schottky barrier height of Au/PtSi/(100)Si diodes.—74-06172A
Lateral variation in the Schottky barrier height of Au/PtSi/(100)Si diodes.—74-06173A
Light-controlled electric fields in a high-resistance MSM structure with deep impurity levels: I, Low intensities.—74-03086A
Light-controlled electric fields in a high-resistance MSM structure with deep impurity levels: II, High intensities.—74-06176A
Mechanism of nanoscale indentation.—74-02015A
Photoelectric properties of a surface barrier: Au-*n*-GaP structures on Si substrates.—74-03160A
Photosensitivity and induced photoplechroism of Au-*n*-GaP/*p*-Si two-barrier structures.—74-03170A
Probing the CaF_2 density of states at Au/CaF_2/*n*-Si(111) interfaces with photoelectron spectroscopy and ballistic electron emission microscopy.—74-07719A
Probing the CaF_2 density of states at Au/CaF_2/Si(111) interfaces with photoelectron spectroscopy and ballistic-electron emission microscopy.—74-06277A
Rapid extraction and X-ray fluorescence determination of gold in the rock.—74-01201A
Scanning tunneling topography and spectroscopy of gold particles sputtered on $BaTiO_3$.—74-05242A
STM studies of structure of gold chemically deposited on GaAs(100) surface.—74-06325A
Submicron gold islands on silicon by STM.—74-00722A
Surface and bulk interactions in M-SiC systems (M=Au, Cu, Ni).—74-08279A
Thin gold film strain gauges.—74-03250A
Wettability and interfacial bonding in Au-Si/SiC system.—74-00162A
X-ray characterization of semiconductor surfaces and interfaces.—74-06384A
ZnSe(100)—the surface and the formation of Schottky barriers with Al and Au.—74-06390A
ZnSe(100)—the surface and the formation of Schottky barriers with Al and Au.—74-06391A

government,
Government views on U.S. competitiveness technology and productivity.—74-07948A

gradient index,
Deposition of gradient index glass films by sol-gel method.—74-08412A
Formation of the gradient of optical properties in monolithic porous xerogels and glasses based on them.—74-00297A

grain boundaries,
Abnormal grain growth—enigma of the formation of giant crystal grains.—74-10181A
Analysis of chemical vapor deposition diamond grain boundaries using transmission electron microscopy and parallel electron energy loss spectroscopy in a scanning transmission electron microscope.—74-10757A
Ceramic Transactions, Volume 44: Materials Processing and Design: Grain-Boundary-Controlled Properties of Fine Ceramics: II.—74-05436B
Characterization of electronic interfacial states at grain boundaries—transient capacity response method and molecular orbital calculation.—74-10769A
Creep mechanisms in alumina containing a glassy grain boundary phase.—74-07850A
Crystallographic evolution of microstructure in thin film processing: II, Grain boundary structure.—74-07624A
Effect of elastic anisotropy on the direction and faceting of chemically induced grain-boundary migration in Al_2O_3.—74-02123A
Effect of grain-boundary phase characteristics on the fracture toughness of silicon nitride.—74-02124A
Electronic properties at the grain-boundary interface of $YBa_2Cu_3O_{7-\delta}$ bicrystal Josephson junction.—74-04308A
Elementary distribution at grain boundaries—approach by electron spectroscopy and non-equilibrium thermodynamics.—74-09991A
Epitaxial nucleation, growth, and characterization of highly oriented, (100)-textured diamond films on silicon.—74-04619A
Evaluation of grain boundary property in oxide ceramics by isothermal capacitance transient spectroscopy (ICTS).—74-08899A
Experimental implementation of high-T_c-based RSFQ set-reset trigger at 4.2 K.—74-06539A
Grain boundaries—the functional heart of electronic ceramics.—74-05149A
Grain boundary phase analysis of silicon nitride by a newly developed 300 kV field-emission electron microscope.—74-10809A
Grain boundary phases and wake zone characterization on monolithic alumina.—74-05150A
Grain-boundary behavior in superplastic Mg-doped alumina with yttria codoping.—74-05151A
Grain-boundary effect in polycrystalline ZnTe films.—74-01519A
Grain-boundary effects on the thermoelectric power of semiconducting films.—74-00626A
Grain-boundary scattering in ruthenium dioxide thin films.—74-01390A
Investigation of low-temperature-fired strontium titanate multilayer grain-boundary layer capacitors [MBLC's].—74-02844A
Magnetic-field-effect three-terminal device based on $YBa_2Cu_3O_{7-\delta}$ grain boundary junctions.—74-09300A
Method of forming grain-boundary junctions in high-temperature superconductor films.—74-03644P
Microstructure and grain-boundary structure of Na^+-diffused (Sr,Ca)TiO_3 capacitor-varistor ceramics.—74-00510A
Nanofeatures in irradiated materials.—74-07578A
Observation of grain boundary crystallographic structure—electron microscopy and molecular dynamics.—74-10014A
Quasi-periodic features in the atomic structure of long-period grain boundaries.—74-01955A
Reliability improvement of thin oxide by double deposition of silicon.—74-04868A
Surface and interface segregation phenomena in oxide ceramics.—74-06344A
Surface pinning and grain-boundary formation in magnetic flux line lattices of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-05055A
Three-dimensional simulation of impurity diffusion in thin-film diffusion barriers.—74-06361A

grain growth,
Abnormal grain growth—enigma of the formation of giant crystal grains.—74-10181A
Alpha-beta transformation and anisotropic growth of beta grains during sintering of Si_3N_4.—74-07589A
Characterization of the texturing of $YBa_2Cu_3O_{7-\delta}$ in the presence of liquid phase additives.—74-06497A
Computer simulation and experimental analysis of anisotropic grain growth in ceramics.—74-07615A
Computer simulation of anisotropic grain growth in ceramics.—74-01936A
Critical issues in thin film microstructure development.—74-07619A
Densification and grain growth of porous alumina compacts.—74-04535A
Effect of calcium segregation on grain growth in nanocrystalline TiO_2.—74-07634A
Effect of chromia on grain growth in alumina.—74-07267A
Effect of crystallization and a phase transformation on the grain growth of nanocrystalline titania.—74-01372A
Effect of forming of densification of zirconia.—74-04574A
Effects of excess CuO on the grain growth kinetics, sintering, and microstructure of the $YBa_2Cu_3O_{7-\delta}$ superconductor.—74-06525A
Grain growth and fracture toughness of fine-grained silicon carbide ceramics.—74-10810A
Grain growth and phase changes during sintering of nanocrystalline zirconia.—74-07655A
Grain growth control during reaction sintering of sodium-ß″-alumina.—74-07327A
Grain growth in yttria-doped tetragonal zirconia polycrystals (Y-TZP).—74-07656A
Grain growth inhibition by porosity.—74-01943A
Grain growth kinetics of Si_3N_4 during alpha/beta transformation.—74-01944A
Grain growth of laser-recrystallized polycrystalline and amorphous silicon films.—74-06120A
Grain growth of zirconia during annealing in the cubic/tetragonal two-phase region.—74-07081A
Grain growth, microstructure, and superconducting properties of pure and Y_2BaCuO_5-doped $YBa_2Cu_3O_{7-x}$ ceramics.—74-06552A
Grain growth, segregation, and diffusion in ceramic systems [investigated] by using heterogeneous structures.—74-07658A
Heat treatment of ultrafine SiC powders to reduce oxidation sensitivity and grain growth.—74-06132A
Hot isostatic pressing.—74-10387A
Influence of processing conditions on point defects and luminescence centers in ZnO.—74-07572A
Influence of sintering conditions on grain growth of $YBa_2Cu_3O_{7-x}$ ceramics.—74-06565A
Influence of the deposition rate on the ratio *a*/*c*-axis-oriented grains in sputtered YBaCuO films.—74-03495A
Orientation texture in $YBa_2Cu_3O_{7-\delta}$ films synthesized from amorphous precursors.—74-06604A
Polytypes, grain growth, and fracture toughness of metal boride particulate SiC composites.—74-05223A
Preferential grain growth and orientation relationships in $BaTiO_3$ and ZnO ceramics.—74-07716A
Sintering of doped ZnO powders: relationship between grain growth and sintering stress.—74-07483A
Stochastic models of grain growth.—74-07491A

grain size,
Characterization of crack propagation in Y-TZP.—74-07841A
Characterization of undoped and boron-doped polycrystalline diamond films synthesized by hot-filament chemical vapor deposition using methanol.—74-04506A
Constitutive models for the sintering of ceramic components: I, Material models.—74-10237A
Effect of grain size on scratch interactions and material removal in alumina.—74-05341A
Effect of grain size on the cyclic crack growth rate in alumina.—74-07863A
Effect of purification on properties of high fine grain graphite.—74-07865A
Effect of $YBa_2Cu_3O_{7-x}$ grain size on the nucleation of Y_2BaCuO_5 during melt texturing.—74-00799A
Electrical properties of undoped large-grain and small-grain diamond films.—74-10097A
Fine-grained silicon nitride ceramics prepared from ß-powder.—74-01732A
Forecasting of grain composition of single comminution products.—74-04642A
Further optimization of pregrinding.—74-02328A
Grain size dependence of hardness in dense submicrometer alumina.—74-05361A
Grain size effect on creep behavior of 3Y-TZP.—74-07659A
Grain-size effects on diffuse phase transitions of $BaTiO_3$ ceramics obtained by alkoxide precursors.—74-08752A
Influence of grain size on the soft mode and the phase transition in the nanocrystalline $PbTi_{1-x}Zr_xO_3$ system.—74-04150A
Influence of grain size on the toughness of monolithic ceramics.—74-11027A
Measurements of excess enthalpy in ultrafine-grained titanium dioxide.—74-07089A
Mullite phase development in pure and mullite matrix composites.—74-10851A
Optimization of the composition of coarse-grained ceramics.—74-02477A
Pore boundary interactions and evolution equations for the porosity and the grain size during sintering.—74-10536A
Processing and characterization of large-grain thin-film CdTe.—74-07445A
Properties of oxide structural ceramics made from mechanically milled powders.—74-02729A
Relation between strength, microstructure, and grain-bridging characteristics in in situ reinforced silicon nitride.—74-05235A
Statistical analysis of grain-size composition of ceramic materials.—74-05257A
Surface morphology of nanocrystalline titanium oxide by AFM.—74-02055A
Variation of grain sizes in sintered $YBa_2Cu_3O_{7-\delta}$ by different sintering conditions.—74-06663A

grains,
Grain orientation of the $YBa_2Cu_3O_x$ superconducting thin films prepared by the low-pressure plasma flash evaporation technique and its dependence on the starting composition.—74-06553A
Low-flux hydration-resistant refractory dolomite grains from Egyptian raw materials.—74-00390A
Mixture of grains and particles of vitreous silica, and new material made of sintered vitreous silica.—74-08493P
Preparation and properties of mullite grain.—74-08626A

granite,
Quarry case study—the Foster Yeoman experience.—74-08261A
Vitrified heavy-duty floor tiles from Egyptian raw materials.—74-00376A

granular materials,
Characterization of ceramic dry pressed bodies—measurement techniques and evaluation.—74-09557A
Effects of helium gas adsorption on the phonon drag of granular $YBa_2Cu_3O_{7-\delta}$.—74-03453A
Granular boraxhydrate preparation by compaction of powders.—74-04657A
Influence of slurry flocculation of the character and compaction of spray-dried silicon nitride granules.—74-04704A
Microwave interaction in granulated YBaCuO superconductor.—74-09308A
Moisture measurement in granulated solids.—74-09583A
Nonlinear irreversible rf impedance of granular YBaCuO films.—74-03542A
Optimization of spray-dried granulates for isostatic pressing of tableware.—74-00439A

Strength of granulates.—74-01111A
What is shaking in the sandbox.—74-07788A
granulation,
Control of spray granulate properties using organic additives.—74-09443A
Energy-saving production method for producing ceramic floor tiles.—74-00361A
Freeze granulation of liquid-phase-sintered silicon carbide.—74-01742A
Granulation of spray-freeze drying.—74-04658A
Manufacture of fluidized bed granulates from a dry mixed porcelain body.—74-00435A
granulometry,
Influence of the granulometric composition on the frost resistance of heavy clay ceramics.—74-01526A
Regularities of $Mg(OH)_2$ precipitation in $MgCl_2$-$Ca(OH)_2$-H_2O system inside a bath reactor.—74-02039A
Regularities of $Mg(OH)_2$ precipitation in $MgCl_2$-$Ca(OH)_2$-H_2O system inside a continuous reactor.—74-02040A
graphite,
Analysis of highly ordered pyrolytic graphite step defects: via scanning tunneling microscope.—74-01933A
Antiwear/extreme pressure performance of graphite and molybdenum disulfide combinations in lubricating greases.—74-09847A
Atomic force microscopy study of Pd clusters on graphite and mica.—74-07594A
Atomic release of hydrogen from pure and boronized graphites.—74-04482A
Beneficiation of Canadian graphite ores: a review of processing studies at CANMET.—74-01186A
Carbon composite refractories.—74-08611A
Characteristics of hot-pressed TiC-C composites.—74-07219A
Characterization of graphite shape with an image analyzer.—74-10770A
Characterization of graphite surfaces based on ir detection of thermal waves.—74-03786A
Coating method for innovative graphitic components with high corrosion resistance.—74-08146A
Composite fibers having a diamond surface.—74-04040P
Computer simulation of adsorption from binary Ar-Kr solutions in thin slit pores of graphite.—74-10071A
Creep and recovery in graphites at ambient temperature: an acoustic emission study.—74-07847A
Current topic of shrouding nozzles for continuous casting.—74-03681A
Cyclic fatigue properties of isotropic graphite at elevated temperatures.—74-07853A
Dependence of diamond transition on microtexture in graphite starting materials under shock compression.—74-07626A
Development of CVR coatings for PBR fuels.—74-10264A
Diffuse scattering of X-rays by imperfect single crystals of graphite.—74-07631A
Dross treatment in a rotary arc furnace with graphite electrodes.—74-06848A
Effect of ion energy on the diamondlike/graphitic (sp^3/sp^2) nature of carbon films deposited by ion beams.—74-04577A
Effect of purification on properties of high fine grain graphite.—74-07865A
Effects of sorbed moisture on resin-matrix composites.—74-07870A
Electric resistance of graphite heater at high temperatures.—74-10088A
Electrochemical properties of $NiCl_2$-intercalated and reduced-$NiCl_2$-intercalated graphite.—74-01292A
Electrochemistry vapor deposition of YSZ coatings on graphite.—74-04605A
Electronic structure model for single B, C, or N adatoms upon graphite.—74-09989A
Evaluation of mechanical properties of carbon materials by hardness test.—74-10989A
Experimental and thermodynamic studies in the Si-Al-O-C/C system.—74-07077A
Fabrication and failure of laminar ceramic composites.—74-10990A
Fiber-reinforced composites—74-00331P
Fine structure in the secondary electron emission spectrum as a spectroscopic tool for carbon surface characterization.—74-05143A
Fluoride ion conduction of fluorine-intercalated graphite C_xF.—74-10104A
Formation of carbon-metal composites for metal ion-exchange graphite oxide.—74-08193A
Formation of lithium-graphite intercalation compounds in nonaqueous electrolytes and their applications as a negative electrode for a lithium ion (shuttlecock) cell.—74-01737A
Formation of thin TiC-SiC layers on graphite substrate by reactive chemical vapor deposition.—74-07320A
Glass gob drop guide funnel assembly.—74-09526P
Gradient furnace carbon analyzer: I, Carbon profiles of graphite and various carbides.—74-03910A
Graphite, natural and synthetic particles.—74-06904A
Graphite/carbon articles for elevated temperature service and method of manufacture.—74-04053P
Graphitization of synthetic diamond by 193 nm laser light: comparison of ^{12}C-enriched diamonds with those of natural isotopic composition.—74-04659A
Growth of polycrystalline diamond over glassy carbon and graphite electrode materials.—74-01750A
High-quality and highly oriented graphite block from polyimide films.—74-04680A
Hot-pressing of TiC-graphite composite materials.—74-04148A
Hypothetical curved graphite.—74-01997A
Improved compositions of refractory putties for working surfaces of graphite-containing crucibles.—74-02760A
Influence of neutron irradiation on the properties of reactor graphite.—74-04337A
Influence of substrate temperature during ion beam deposition on the diamondlike or graphitic nature of carbon films.—74-01766A
Intercalation of $MgCl_2$ in graphite.—74-04713A
Kinetics of surface roughening via pit growth during the oxidation of the basal plane of graphite: I, Experiments.—74-10832A
KrF laser photoablation of a graphite target—application to the development of thin films.—74-04724A
Lattice parameters of metastable phases of graphite.—74-04158A
Linear finite carbon chains (carbynes): their role during dynamic transformation of graphite to diamond, and their geometric and electronic structure.—74-04732A
Magnesia-graphite refractories for basic oxygen converters.—74-02762A
Magnetic properties of carbon nanotubes.—74-01535A
Manipulation of rectangular arraugment of Se ring-type molecules on graphite (highly oriented pyrolytic graphite) surfaces.—74-07678A
Microcrystalline diamond phase by laser ablation of graphite.—74-01797A
Microstructure of SiC thin films produced on graphite excimer-laser chemical vapor deposition.—74-10841A
Molten steel pouring nozzle—74-00413P
Multilayer coating for improvement of anti-wear property of graphite.—74-11059A
Nature of negative linear expansion of graphite crystals.—74-05382A
New nonmetallic catalysts for the synthesis of high-pressure, high-temperature diamond.—74-01813A
Nucleation of diamond on graphitic carbon.—74-05208A
Nucleation of diamond on vapor deposited graphite.—74-00134A
Phase composition and morphology of filament crystals of silicon carbide obtained from flotation froth.—74-01421A
Photoelastic visualization of contact phenomena between real tribological surfaces, with and without sliding.—74-08250A
Physical adsorption of neopentane on Sterling FT graphite.—74-10134A
Plasma fluorination of graphite.—74-01833A
Potassium promoter function in the oxidation of graphite: an experimental and theoretical study.—74-10863A
Preparation of ultrafine graphite flakes with ordered size and microstructure from vapor-grown ribbonlike filaments.—74-04830A
Processing and properties of alumina–graphite platelet composites.—74-04834A
Pyrolytic boron nitride heating unit—74-01334P
Reaction mechanism between BN-sprayed graphite and molten Al, in vacuum, and its application to the evaporation source for reactive metals including Al.—74-04020A
Role of additive in the physicochemistry of graphite-based transfer films.—74-00991A
Scanning tunneling microscope and atomic force microscope study of epitaxially grown palladium crystallites on graphite.—74-07733A
Scanning tunneling microscope investigation of semiconductor nanometer particles.—74-06298A
Scanning tunneling microscopy investigation of graphite surface damage induced by gold-ion bombardment.—74-10882A
Scanning tunneling microscopy study of model catalysts obtained by cluster beam deposition of palladium onto highly oriented pyrolitic graphite.—74-07741A
Self-combustion reactions induced by mechanical activation: formation of aluminum nitride from aluminum-graphite powder mixture.—74-04883A
Suppression of graphite formation during laser etching of diamond—74-01033P
Surface precipitation process of epitaxially grown graphite(0001) layers on carbon-doped nickel(111) surface.—74-05283A
Synthesis and exfoliation behavior of ternary molybdenum chloride chloroform graphite intercalation compound.—74-10670A
Thermoelastic evolution of contact area and mound temperatures in carbon graphite electrical brushes.—74-09898A
Titration for basal plane versus edge plane surface on graphitic carbons by adsorption.—74-10174A
Tribological behavior of hard carbon coatings deposited on steel substrates by plasma-assisted chemical vapor deposition.—74-04457A
Tyranno fiber addition to alumina-graphite refractories.—74-05883A
Ultrahigh vacuum atomic force microscope with sample cleaving mechanism.—74-06827A
Why graphite.—74-08642A
Zirconia graphite slide gate plates—74-00418P
gravity,
Influence of microgravity on zeolite crystallization.—74-10415A
Materials synthesis under short-time microgravity.—74-09484A
Ship loading systems in partnership with gravity.—74-00994A
Space environment and materials.—74-11190A
Thermite reaction in a short-time microgravity environment.—74-01595A
Vapor phase epitaxy of InP with halide transport on earth and under microgravity.—74-03260A
green body,
Approach on process principle of moisture removal under positive pressure in tunnel drying chambers: I.—74-08503A
Characterization of particle packing in an injection-molded green body.—74-10773A
Effect of temperature on the slurry characteristics and green bodies of alumina.—74-07279A
Effect of the green body processing history on the properties of very porous ceramics.—74-04591A
Green ceramic composite and method for making such composite.—74-09822P
Modified agar and process for preparing modified agar for use ceramic composition to add green strength and/or improve other properties of a preform.—74-09533P
Process for preparing ceramic products.—74-09537P
green density,
Influence of binder composition on the green strength of powder compacts.—74-04698A
grindability,
Estimation of grindability of portland cement clinker.—74-08022A
Grindability of cement components and power consumption of cement-grinding mills.—74-09571A
Portland cement clinker grindability and work index.—74-05567A
Texture and grindability of the dust component in portland cement clinker.—74-05606A
grinding apparatus,
100 years of tube ball mills—a historical review.—74-06673A
Alternative means of protecting the working surfaces of high-pressure grinding rolls against wear.—74-09428A
Angle of compression and throughput of twin-roll presses.—74-00891A
Design and manufacture of large vertical roller mills.—74-00911A
Fine grinding of ceramic glazes in agitator bead mills.—74-08678A
Fine grinding of ceramics with attritors.—74-09463A
High-pressure grinding rolls.—74-08042A
How to improve wear protection of grinding rollers in roller mills.—74-09471A
Influence of rheological parameters on the process of interparticulate comminution in twin roll presses.—74-00066A
Magnetic fluid grinding machines.—74-03708A
Motional and stressing phenomena in ball mills.—74-06711A
New grinding machine.—74-09489A
Operating experience with new classifiers.—74-06712A
Roller grinding mill—current technical position and potential for development.—74-06721A
Simulation calculus for tube mill cement grinding with upstream roller grinding.—74-05585A
State of the art in high-compression comminution.—74-05589A
Vibratory mills for technical ceramics.—74-09511A
grinding,
Application of high-energy grinding for the activation of sintering of silicon nitride powder.—74-01617A
Attrition mill grinding of refractories.—74-08607A
Bonded silicon-on-insulator wafers for VLSI and the fabrication process.—74-08724A
Changes in surface of dry activated quartz and magnesite powders during dynamic and static contacts with liquid environments of various polarities.—74-07218A
Combined pulverized coal grinding and loading plant (Lausitz).—74-00902A
Comprehensive comminution theory.—74-09442A
Continuous grinding—an applicable method for tile production.—74-08667A
Effect of fine grinding on the structure and properties of zirconia.—74-02972A
Effectiveness of fine grinding of cements.—74-00056A
Effects of dry grinding on talc and isostructural 2:1 layer silicates.—74-05809A
Energy conservation in the comminution of industrial minerals.—74-00922A
Estimation of cement clinker grindability.—74-03807A
Estimation of maximum depth of crack extension under finished surface in grinding of ceramics.—74-02134A
EXAFS study on grinding noncrystallization of Bi-based superconductor.—74-00811A
Expansion of Conceca's San Sebastian plant [Venezuala]—74-03687A
Fine grinding of ceramics with attritors.—74-06700A
Fine-grind cullet technology: I, Application of differential grinding for fine cullet production and contaminant removal.—74-08422A
Fine-grind cullet technology: II, Results of plant production trials using fine-grind cullet.—74-08423A
Finish grinding of slag.—74-02325A
Grasim Industries embarks on major expansion of cement production in India.—74-02329A
Grinding energy and plant throughput improvement.—74-08035A
Grinding medium for ceramic production.—74-06703A
Grinding of advanced ceramics.—74-00934A
Grinding of ceramics—the effect on their strength properties.—74-05447A
Grinding of transformation toughening ceria-stabilized tetragonal zirconia polycrystals.—74-06704A
Grinding tool and the like made of a ceramic material coated with extremely hard abrasive granules—74-00006P
High efficiency separators in coal grinding circuits.—74-08040A
High-efficiency separators and grinding circuit design.—74-08041A
IHI SPG system for blast furnace slag pregrinding.—74-09472A
Influence of dry fine grinding of clays on structure and process technology[—literature review].—74-09475A
Influence of grinding and wear on residual stress and strength of zirconia ceramics.—74-02157A
Innovative process for the preparation of powders for red and white ceramic tile bodies.—74-09477A
Installation of kiln line No. 4 at Tasek Cement Plant, Ipoh, Malaysia.—74-09676A
Investigation on some Turkish ceramic raw materials for sanitary ware production.—74-06907A

Knowledge-based process control of grinding plants.—74-08061A
Material variables involved in the precision process of surface finishing of ceramic products.—74-10441A
Mechanical finishing of glass.—74-00306A
New acoustic method for measuring the filling ratio of mill feed in tube mills.—74-09586A
New method for sizing grinders.—74-09490A
Optimized grinding of ceramics—a systems approach.—74-09495A
Plasma treatment of the glass-crystal material, Sigran.—74-00003A
Preparation of ceramic bodies and the applicable grinding systems and processes.—74-00974A
Preparation of ceramics in agitator mills—homogenization, comminution.—74-06717A
Problems with high-efficiency separators.—74-09502A
Process control for a blast-furnace cement plant.—74-08089A
Return of the dry grinding process.—74-00989A
Scratching and grinding of a machinable glass-ceramic with weak interfaces and rising *T*-curve.—74-05388A
SPCC expands production facilities.—74-03735A
Start-up and operation of Cementos Apasco's Ramos Arizpe plant (Mexico).—74-03736A
Study of surface chemical processes accompanying the grinding of glass.—74-02501A
Upgrading of a T.T.P. mill—application to selective clinker grinding.—74-08118A
Use of the new process control system for the new grinding plant at Dyckerhoff AG's Neubeckum [Germany] plant.—74-01006A

grout/grouting,
Effect of microstructure on the properties of high-strength grouts.—74-08018A
Material resistance against segregation of cement mortar in water.—74-08068A
Permeability and microstructure of plain and polypropylene fiber-reinforced grouts.—74-05563A

growth,
Accurate measurements of transients and intentional rates of change in molecular beam epitaxy growth rate calibrations.—74-03779A
AES study of syntactic coalescence/overgrowth of α-SiC (15R) on α-SiC (6H).—74-01960A
Atomic step organization in homoepitaxial growth on GaAs(111)B substrates.—74-05984A
Chromia scale growth in alloy oxidation and the reactive element effect.—74-02066A
Controlled growth of antimony-doped tin dioxide thin films by atomic layer epitaxy.—74-07239A
CVD diamond growth mechanisms as identified by surface topography.—74-10785A
Dendritic growth of $YBa_2Cu_3O_x$.—74-09249A
Development of composition inhomogeneities in layer-by-layer growth of an epitaxial film of a solid solution of III-V semiconductors.—74-00591A
Device properties of homoepitaxially grown diamond.—74-10075A
Diamond deposition in a bell-jar reactor: influence of the plasma and substrate parameters on the microstructure and growth rate.—74-01673A
Diamond growth by hot-filament chemical vapor deposited state of the art.—74-10267A
Diamond growth by methane injection into hydrogen-oxygen flames.—74-01675A
Diamond homoepitaxial growth on (111) substrate investigated by scanning tunneling microscope.—74-10788A
DLC films by plasma-assisted chemical vapor deposition near room temperature.—74-04561A
Domain epitaxial growth on TiN/Si(001), TiN/GaAs(001), Si/TiN/Si(001) heterostructures by laser physical vapor deposition: theory and experiment.—74-07263A
Electron spectroscopic study of the growth, composition, and stability of GeS_x films prepared in ultrahigh vacuum.—74-01987A
Empirical model for the nucleation and growth of zeolites.—74-10327A
Epitaxial growth in large-lattice-mismatch systems.—74-04139A
Fracture characteristics of Czochralski-grown $Y_3Al_5O_{12}$.—74-07876A
Growth and application of cubic SiC.—74-10373A
Growth and characterization of phosphorus-doped diamond films.—74-04661A
Growth and luminescence properties of some single-crystal fibers of laser host materials.—74-10106A
Growth and properties of $YBa_2Cu_3O_{7-x}$/($SrTiO_3$/$PrGaO_3$)/$YBa_2Cu_3O_{7-x}$ trilayers: optimization of the insulation.—74-03471A
Growth frustration of YBaCuO films at the transition from *a*- to *c*-axis orientation.—74-03472A
Growth kinetic analysis of diamond films by in situ elastic scattering of light and reflectivity.—74-04663A
Growth mechanism of GaAs on (110)GaAs studied by high-energy electron diffraction and atomic force microscopy.—74-06126A
Growth mechanisms of silica glasses using the liquid phase deposition.—74-02635A
Growth mode and surface structures of the Pb/Si(001) system observed by scanning tunneling microscopy.—74-07660A
Growth mode of Ge on GaAs(100).—74-03033A
Growth morphologies of (001)-, (100)-, and (010)-oriented $Er_2Ba_2Cu_{12}O_x$ high-temperature superconductor thin films on various substrates.—74-03473A
Growth of (In,Ga)As/GaAs quantum well heterostructures through the deposition of "submonolayer" strained InAs layers.—74-03034A
Growth of a bonelike apatite layer on a substrate by a biomimetic process.—74-04669A
Growth of CeO_2 films on sapphire and MgO by rf magnetron sputtering.—74-07330A
Growth of cubic boron nitride and boron-carbon-nitrogen coatings using N-trimethylborazine in an electron cyclotron resonance plasma process.—74-01746A
Growth of electrochemical vapor deposited YSZ films.—74-01749A
Growth of epitaxial $KNbO_3$ thin films.—74-09146A
Growth of highly oriented $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films on Ag substrates using a dip-coated barium calcium copper oxide sol-gel precursor.—74-09279A
Growth of hollow Cr_3C_2 polycrystals with Cr_2O_3.—74-07333A
Growth of ternary bismuth molybdenum oxide single crystal and its semiconducting properties.—74-08926A
Growth process of hydrogenated amorphous carbon films on silicon.—74-01752A
Growth ripples upon strained SiGe epitaxial layers on Si and misfit dislocations interactions.—74-03038A
High-quality homoepitaxial growth of diamond films.—74-10384A
In situ growth of high-T_c $YBa_2Cu_3O_{7-x}$ films at high deposition rate by low-pressure CVD.—74-06559A
In situ observation of silicalite nucleation and growth—a light scattering study.—74-10405A
Indian cement industry—an overview.—74-08049A
Influence of an ultrathin Al overlayer on GaAs plasma oxide growth kinetics.—74-06151A
Initial stages in the growth of polycrystalline diamond on silicon.—74-05167A
Interface stability and the growth of optical quality perovskites on MgO.—74-03317A
Investigation of the growth and structure of aluminum overlayers on TiO_2(100) by scanning tunneling microscopy.—74-05174A
Kinetics of diamond growth on Si(100) substrate monitored by electron spectroscopy.—74-10432A
Kinetics of diffusive coalescence of solid solutions and of temperature-induced coalescence of single-component melts under layer-by-layer growth of nuclei of the new phase.—74-05028A
Kinetics of oxide growth during reoxidation of lightly nitrided oxides.—74-02083A
Lateral variation of indium content in InGaAs grown on GaAs channeled substrates by molecular beam epitaxy.—74-05177A
Long-wavelength InGaAsP/InP MQW DFB and DBR lasers grown by chemical beam epitaxy.—74-06182A
Low-temperature growth and characterization of GaAs epitaxial layer on (111)B GaAs substrates.—74-05181A
Microscopic theory of epitaxial growth: I, Nucleation of heteroepitaxial films on vicinal surfaces.—74-07381A
Microscopic theory of epitaxial growth: II, Nonlinear waves and formation of continuous structures.—74-07685A
Model for the growth and reactivity of metal films on oxide surfaces: Cu on ZnO(0001)-O.—74-04756A
Modeling of growth rate uniformity of CdTe epilayer by MOCVD.—74-06210A
New method for selective growth of diamonds by microwave plasma chemical vapor deposition.—74-04774A
Non-CVD methods of diamond growth at low pressures.—74-10498A
Nucleation and growth of diamond using a computer-controlled oxyacetylene torch.—74-01818A
Optimal growth interrupts for very high quality InGaAs(P)/InP superlattices grown by MOVPE.—74-06244A
Oriented $SrTiO_3$ film growth under HF magnetron sputtering.—74-04797A
Overview of cast multicrystalline silicon solar cells.—74-01823A
Oxidation of liquid gallium surfaces: nonequilibrium growth kinetics in 2×1 dimensions.—74-03145A
Papers from the 13th North American Conference on Molecular Beam Epitaxy.—74-03148A
Parametric study of the in situ growth of BaKBiO thin films by laser ablation.—74-03550A
Plasma immersion ion implantation for semiconductor thin film growth.—74-03172A
Plasma-assisted CVD of diamond films by hollow cathode arc discharge.—74-01835A
Production and structure of pyrolytic carbon nanotubes (PCNT's).—74-00977A
Pulsed laser deposition of carbon films: dependence of film properties on laser wavelength.—74-07452A
Rapid growth of ferroelectric TGS crystals.—74-09175A
Realization of three-dimensionally confined structures via one-step in situ molecular beam epitaxy on appropriately patterned GaAs(111)B and GaAs(001).—74-05230A
Selective regrowth of InP and GaAs by organometallic vapor phase epitaxy and metallorganic molecular beam epitaxy around dry etched features.—74-00704A
Short-circuit diffusion of Ba, Sr, and O during ATiO72 (A=Ba, Sr) thin-film growth by the hydrothermal–electrochemical method.—74-07475A
Silicide growth and oxygen effects in annealed Si thin-film/Ni single-crystal structures.—74-01455A
Spiral growth of GaAs by metallorganic vapor phase epitaxy.—74-07489A
Superheating around diamonds in the directly heated high-pressure–high-temperature diamond growth cell.—74-04927A
Synchronously excited discrete chemical vapor deposition of Ta_2O_5.—74-07504A
Tailoring growth and local composition by oblique-incidence deposition—a review and new experimental data.—74-07526A
TEM study of the effect of growth interruption in MBE of InGaP/GaAs superlattices.—74-06347A
Worldwide status of low-temperature growth of diamond.—74-04983A

gunite,
Method for the determination of the filler humidity and water-containing guiniting concrete mixtures.—74-00076A
Reaction between the binder and ingredients of gunning mixes and characteristics of gunite coatings.—74-00092A

gunning,
Plastic refractory compositions having improved flowability—74-00415P
Plastic refractory gunning technique for rotary animal feed dryer sharply reduces downtime increasing productivity.—74-01172A
Refractory gunning of BOF vessels in North America.—74-02779A
Study of the flow parameters in mortar-air mixtures during guncrete application.—74-03875A

gypsum,
Application of X-ray phase analysis to the determination of components in $CaSO_4{\cdot}2H_2O$–$CaSO_4{\cdot}0.5H_2O$–$CaSO_4$.—74-07038A
Automatic bag filling systems for cement, lime, and gypsum.—74-00034A
Contribution to the problem of waterproofing of gypsum materials.—74-00043A
Determination of hydration termination of gypsum plasters by temperature vs time curves at room temperature.—74-08010A
Development of a mortar consisting of slag, gypsum, and portland cement for injection into multiple-leaf masonry: II, Optimizing the mortar.—74-08011A
Development of nonfired high-strength gypsum brick.—74-00360A
Drying of plasterboard—some quality aspects.—74-06760A
Effect of melamine-formaldehyde resin on selected properties of porous gypsum materials.—74-00052A
Effect of the mineralogical composition of clinker on the properties of gypsum-free portland cement.—74-05502A
Flat storage versus silo storage for FGD gypsum.—74-00929A
Foamed gypsum from flue gas desulfurization.—74-00060A
Formation of solid solutions in the system CaO-P_2O_5-SO_3-H_2O.—74-08032A
Forward-looking logistics in the new gypsum works at Barrow upon Soar, in Great Britain.—74-05525A
Gypsum of improved performance using blends with portland cement and silica fume.—74-08036A
Halite pseudomorphs after gypsum: a suggested mechanism.—74-01194A
Hydration products of calcium aluminoferrite in the presence of gypsum.—74-04683A
Influence of alkalis on the reaction kinetics of C_3A and the thermal stability of sulfoaluminates.—74-08050A
Latest gypsum and plasterboard plant news.—74-02336A
Long-term hydration of $CaSiO_4$ with combined additions of silica fume, calcium sulfoaluminate, and gypsum.—74-08063A
Mechanochemical capillary reactions in the $CaSO_4$-H_2O-Al_2O_3 system.—74-05554A
Oriented nucleation of gypsum ($CaSO_4{\cdot}2H_2O$) under compressed Langmuir monolayers.—74-04796A
Partly refined chemical byproduct gypsums as cement additives.—74-05562A
Structural ceramic materials from FGD gypsum.—74-05591A
Study on high-strength hemihydrate gypsum for molding.—74-05598A
Theoretical fundamentals of improving the structure of the gypsum stone based on a plasticized binder.—74-01593A

hafnia,
Characterization of defect geometries in multilayer optical coatings.—74-07557A
Corrosion resistance of HfO_2-coated stainless steel in Br_2-O_2 atmosphere.—74-05618A
Development of crystallinity and morphology in hafnium dioxide thin films grown by atomic layer epitaxy.—74-07629A
Hafnium dioxide etch-stop layer for phase-shifting masks.—74-01229A
Phase equilibria in the system ZrO_2-HfO_2.—74-01430A
Phase relations in the systems $ZrO_2(HfO_2)$-Nb_2O_5 [at 900–1350°C].—74-01435A
Properties of laser pulse deposited oxide films.—74-03970A
Structural analysis of orthorhombic hafnia by neutron powder diffraction.—74-01464A
$YBa_2HfO_{5.5}$: a new perovskite potentially suitable as a substrate for YBCO films.—74-06667A

hafnium carbide,
Chemical vapor deposition of hafnium carbide and characterization of the deposited layers by secondary-neutral mass spectrometry.—74-04104A
Production of metal carbide articles.—74-09956P
Transition metal carbides for use as field emission cathodes.—74-03256A

hafnium,
Boride materials for electronic elements and method of preparing the same.—74-02869P
Compatibility of refractory metal boride/oxide composites at ultrahigh temperatures.—74-01973A
Effects of hydrogen on the transition layers between diamond films and Zr,Hf substrates.—74-07283A
Hafnium nitride dielectric phase films fabricated by ion-beam sputtering.—74-08753A
Interaction in SiC-HfB_2 system.—74-01396A
Synthesis of the fluorohafnates of the rare earths RHf_2F_{11} (R=La–Nd).—74-04947A

halides,
Halite pseudomorphs after gypsum: a suggested mechanism.—74-01194A
Method for the preparation of halide glass articles—74-00340P
Oxidation of Si-based ceramics in the presence of alkali halide vapors.—74-07823A
Preparation of mesoscopic superionic (AgI) conductors by rapid quenching.—74-08765A
Rare earth-doped, stabilized cadmium halide glasses—74-00349P

Reactive ion etching of InP via holes.—74-06288A
Role of electrolytes during aerosol synthesis of TiO_2.—74-07471A
Role of thermal defects in the photolysis of CuCl microcrystals in glass.—74-02655A
Tellurium and selenium halide-based glasses, their preparation and use.—74-02698P

Hall effect,
Anomalies in free-flux Hall effect.—74-07143A
Comparison of the electric properties of single-crystal and polycrystalline diamond by Hall effect and capacitance-voltage measurements.—74-10069A
Evidence for delocalization in high purity *n*-type InP.—74-05013A
Experiments in scaling and variable range hopping in the integral quantum Hall effect.—74-08904A
Hall angle evidence for the superclean regime in 60 K $YBa_2Cu_3O_{6+y}$.—74-06554A
Hall effect and anisotropy of second type-II superconductors in mixed state.—74-03476A
Hall effect and transition into noncollinear state in ferrimagnetic amorphous Dy-Co films under strong magnetic fields.—74-03381A
Hall effect in $Al_{1-x}Si_x$ solid solutions [$0 \le x \le 0.12$].—74-04324A
Hall effect in anisotropic films and single crystals.—74-04325A
Hall effect in $YBa_2Cu_3O_{7-\delta}$ in the limit of free flux flow.—74-04326A
Hall resistivity of hole- and electron-doped high-T_c cuprates.—74-09280A
Observation of the integral quantum Hall effect in $PbTe/Pb_{1-x}Eu_xTe$ quantum well structures.—74-04376A
Observation of the quasi-particle Hall effect in superconducting $YBa_2Cu_3O_{7-\delta}$.—74-06599A
Scaling of the temperature-dependent Hall effect in $La_{2-x}Sr_xCuO_4$.—74-04415A

halloysite,
Ceramic raw materials in western Turkey: occurrence and uses.—74-01188A

halogenides,
Crystal chemistry and prediction of new $ABCX_6$ compounds.—74-07050A
Electron microscopic study of fiber lightguides made from silver halogenides.—74-05133A
Extrusion of silver and cesium halogenide fibers at various temperatures.—74-04627A
Growth of diamond using halogenated methane.—74-01748A
Hydrostatic pressure effect on phase transitions in perovskite-like ferroelastics.—74-06450A
Magnetoplastic effect in CsI and LiF crystals.—74-05030A
Method of adding a halogen element into oxide superconducting materials by ion injection or thermal diffusion.—74-03643P
Studying structure of silver halogenide fiber lightguides using various techniques.—74-03876A
Thermal properties of heat-accumulating materials.—74-01479A

hardening,
Ceramics from powders produced by rapid hardening of materials fused in a solar furnace.—74-01137A
Compositional effects of $CaO\text{-}SiO_2\text{-}P_2O_5$ bioactive cement on hardening and hydroxyapatite formation.—74-08007A
Cross-section X-scanning force microscopy analysis of different hard coatings and thin films.—74-07620A
Development of a high-temperature deformation and life prediction model for an advanced silicon nitride ceramic.—74-10967A
Electrical double layer, ion transport, and reactions on hardened cement paste.—74-05515A
Extra-rapid hardening and ultra-strength cement mortars.—74-08028A
Hardening and softening of nanocrystalline materials.—74-01392A
High-rigid fine-grain concretes with the superplasificator C-3 in railway buildings.—74-00063A
High-temperature precipitation hardening of Y_2O_3 partially stabilized ZrO_2 (Y-PSZ) single crystals: II, A quantitative model for the hardening.—74-02155A
Influence of the mineralogical composition on the clinker activity and the intensity of the cement hardening at the thermal-humid elaboration.—74-00068A
Ion-exchange hardening of phosphate laser glasses.—74-00303A
Mechanisms of strain hardening caused by composition ensembles of forest dislocations and point obstacles.—74-07575A
Microporosity of hardened cement paste.—74-08071A
Problems related to hardening of anhydride binders.—74-00088A
Simple method for determination of the aggregate content in hardened concrete.—74-09615A
Ways of obtaining self-organizing structures in hardening of cements.—74-02358A

hardness,
Cavity model of the indentation hardness of a coated substrate.—74-05323A
Characterization of powders for dry processing.—74-10222A
Electrochemical fabrication of alkoxy-derived nanocrystalline zirconia coatings at room temperature.—74-01699A
Fracture toughness and hardness-dependent polishing wear of silicon nitride ceramics.—74-11009A
Grain size dependence of hardness in dense submicrometer alumina.—74-05361A
Hardness, internal stress, and fracture toughness of epitaxial $Al_xGa_{1-x}As$ films.—74-06130A
Influence of severe plastic deformation on structure and phase composition of carbon steel.—74-03065A
Load dependence of hardness in sintered submicrometer Al_2O_3 and ZrO_2.—74-05373A
Microhardness and spectroscopy studies of surface modification of titanium alloys by melted metaphosphates.—74-04750A
Microstructures and high-temperature hardness of Al_2O_3/SiC nanocomposites.—74-02025A
Nd:YAG laser alloying of high-speed steel tools with BN and Ti/BN and the effects on turning performance.—74-08244A
New criterion of hardness for materials with rocksalt structure.—74-01546A
New principle of the cement activation.—74-00084A
Ormosils of high hardness.—74-10131A
Possible hard materials based on interpenetrating diamondlike networks.—74-07419A
Simulation of hardness testing on plasma-sprayed coatings.—74-02395A
Strain effect on the mechanical properties of diamond and cBN at high temperatures.—74-02203A
Structural characterization and properties enhancement of diamondlike carbon films synthesized under low-energy Ne^+ bombardment.—74-07754A
Vickers determines tile surface hardness.—74-05915A
Vickers hardness of ceramic glazes and glazed ceramic tiles and their correlation.—74-05916A
Why covalent ceramics are hard.—74-11131A

hazardous wastes,
Demonstration of vitrification of surrogate F006 wastewater treatment sludges.—74-08411A
Disposal of acid resins, investigation of disposal products and their utilization in the cement industry.—74-05490A
Emerging technologies for utilizing waste in cement production.—74-02324A
Glass-ceramic waste forms for immobilization of the fluorinel-sodium, alumina, and zirconia calcines stored at the Idaho Chemical Processing Plant.—74-08428A
Hazardous waste disposal/waste derived fuels utilization in Eastern Europe.—74-03669A
Hexavalent chromium in refractories.—74-02332A
Immobilization chemistry in portland-cement-stabilized paint blast media waste.—74-08048A
Managing solid and hazardous waste.—74-05427A
Not entailing excessive cost [while adhering to EPA].—74-02253A
Phosphate-bonded ceramics as candidate final-waste-form materials.—74-09496A
Recent developments in the treatment of spent potlining.—74-02266A
Recovery of recyclable metals from waste glass melts.—74-09414A
Recrystallization of incinerator residuals to produce environmentally safe construction materials.—74-09751A
Solidification of hazardous wastes containing cyanide.—74-05586A
Stabilizing hazardous waste.—74-02355A
Used refractory materials: I, Analyses.—74-08640A
Vitrification of hazardous and radioactive wastes.—74-09423A

head,
Manufacturing technology of thin-film magnetic head.—74-09208A

health,
Great lead debate.—74-02634A
Not entailing excessive cost [while adhering to EPA].—74-02253A

heat capacity,
Effect of duration of annealing below the vitrification interval on the heat capacity and Curie temperature of metallic glasses.—74-02449A
Estimating temperature by use of graphics.—74-01150A
Heat capacity in an inorganic spin-Peierls system $CuGeO_3$.—74-04329A
Heat capacity of the spin-Peierls compound $CuGeO_3$.—74-09282A
Magnon contribution to the heat capacity of multisublattice antiferromagnets $LaCuO_4$ and $CuCl_2{\cdot}H_2O$.—74-06579A
Structure and heat capacity of $Na_2O\text{-}2B_2O_3$ glass: effects of the cooling rate.—74-05698A
Thermodynamic studies of Bi-based high-T_c oxide superconductors.—74-09357A

heat engine ceramics,
Reliable ceramics for advanced heat engines.—74-07025A
Silicon nitride for heat engine and bearing components.—74-09892A

heat exchangers,
Amelioration of the thermal exchange in regenerators.—74-06839A
Effects of bed particle properties on wear in fluidized bed combustors.—74-02130A
Five years of industrial experience with the use of advanced ceramic components in burner systems.—74-09665A
Long-term behavior of SiSiC heat exchanger tubes under the specific conditions of a solar power plant.—74-09877A
Problems on laying water-heating pipes under annular kilns.—74-01175A
Rotationally symmetrical ceramic heat exchanger with direct axial flow for use in high-temperature processes.—74-01178A
Study on new ceramic material for heat exchanger.—74-07003A
Successful utilization of heat recovery and desulfurization plant at Aalborg Portland (Denmark).—74-01181A
Utilizing steam and hot water for waste heat recovery.—74-08120A

heat resistance,
Applicability and formability of a revolutionary boron nitride ceramic.—74-01279A
Heat-resistant self-glazed porcelain.—74-05627A
Inorganic heat-proof adhesive.—74-01770A
Preparation of Fe-C-B powders by mechanical alloying and heat-resistant hardness of their hot-pressed products.—74-07906A

heat sink,
Au-Sn/W and Au-Sn/Cr metallized chemical vapor deposited diamond heat sinks for InP laser device applications.—74-02363A
Method for making a diamond/carbon/carbon composite useful as an integral dielectric heat sink.—74-08803P
Temperature distributions in a heat dissipation system using a cylindrical diamond heat spreader on a copper heat sink.—74-02399A

heat transfer,
Behavior of powder slag film and influence of powder slag film on mold heat transfer rate.—74-00378A
Calculation of heat-transfer and ion-exchange processes in composite cylindrical samples for the fabrication of flat graded-index microlenses.—74-02602A
Estimating temperature by use of graphics.—74-01150A
Flat jet oxy-fuel burner for uniform heat transfer.—74-09666A
Harmonic heat flow in isotropic layered systems and its use for thin film thermal conductivity measurements.—74-10107A
Heat transfer during burner rig thermal fatigue of ceramic matrix composites.—74-09572A
Heat transfer effects in glass processing.—74-08431A
Heat transmission on the thermal shock test of ceramics.—74-01520A
Measurements of total and spectral emissivities of some ceramic fiber insulation materials.—74-09580A
Temperature distributions in a heat dissipation system using a cylindrical diamond heat spreader on a copper heat sink.—74-02399A
Throughport burner generates heat transfer improvement.—74-01182A
Utilizing steam and hot water for waste heat recovery.—74-08120A

heat treatment,
Ability of glass to gain a gradient in refractive index upon action of radially nonuniform heat treatment.—74-02508A
Changes in olivine during heating in air.—74-03941A
Correlation of physicochemistry of gel-derived silica and its apatite induction.—74-07241A
Effect of heat treatment on the microstructure and properties of dense AlN sintered with Y_2O_3 additions.—74-10285A
Effect of heat-treatment temperature on the properties of polyfurfuryl alcohol-based carbon-carbon composites.—74-07271A
Effect of heat-treatment temperature upon the properties of matrix-inhibited carbon-carbon composites.—74-05342A
Effects of heat treatment in a wet hydrogen atmosphere on the reliability of sintered α-silicon carbide.—74-07282A
Engineering method of calculation of temperature field in founding and heat treatment of glassware.—74-02755A
Installation and method for heat treating parts made of a composite material having a ceramic matrix by using microwave energy.—74-03752P
Method of preparing oxide high-temperature.—74-09378P
Microstructure study by scanning tunneling microscopy of glassy carbons heat-treated at different temperatures.—74-07695A
Nanospace deformation in active carbon by heat treatment.—74-10740A
NiS: is there a problem.—74-00205A
Optimization of SiAlON ceramics by heat treatment.—74-07406A
Photoluminescence of undoped semiinsulating GaAs heat-treated at an excess As vapor pressure.—74-03165A
Scanning tunneling microscopy analysis of a glassy carbon heat-treated at 2500°C.—74-07736A
Study on the heat treatment reinforcement of aluminum nitride-silicon carbide composites.—74-10657A
TEM examination of heat-treated nanocrystalline ZnS.—74-05285A
Utilization of manganese dioxide for the treatment of organic materials in ceramic pieces.—74-07547A
Y_2BaCuO_5 excesses and quenching influences on melt-textured YBCO.—74-06666A

heat,
Heat measurement with the Thermal Activity Monitor.—74-02331A
Rapid thermal processing with microwave heating.—74-03727A
Temperature rise inside pastes during hydration in hot climates.—74-05604A
Thermography: use of heat release decal system.—74-00028A
Utilization of waste heat from a cement rotary kiln.—74-09728A

heaters/heating,
Analytical modeling support of the development of fiber-reinforced ceramic composite materials for reheater burners.—74-09846A
Application of ceramics for plumbing fixtures.—74-11138A
Application of microwave heating to ceramic processing.—74-07203A
Applications of electric boost.—74-09637A
Better ceramics through microwaves.—74-10204A
Calculation of heating patterns in microwave sintering using a 3-D finite difference code.—74-10207A
Ceramic heater roller with thermal regulating layer.—74-09813P
Combined heating and power systems in brickworks.—74-09646A
Current progress in electric heating elements for high-temperature use and its effective use.—74-09445A
Design of silicon carbide heating elements to provide broad applicability.—74-07019A
Effects of the homogeneity of noncrystalline Pb-Ti-O gels on the complex thermal processes leading to $PbTiO_3$.—74-02618A
Efficient gas-fired infrared burner utilizes heat-resistant cement in its manufacture.—74-05513A

Electric resistance of graphite heater at high temperatures.—74-10088A
Factors affecting the suitability of glass jars for heating in microwave ovens. Comparison with plastic jars and paper board tubs.—74-03688A
Flat ceramic heater having discrete heating zones.—74-08790P
Fuel injector heater.—74-03986P
Function of cermet elements in heat-treating furnaces.—74-06853A
Growth and stabilization of hot spots in microwave-heated ceramic fibers.—74-10376A
Highly advanced ceramics to usher in the next generaton of efficient gas-fired radiant burners.—74-01157A
Improving control of thermal processes with new system enhances equipment performance and work quality.—74-06780A
Internal electric heater for glass lining reaction vessels.—74-09478A
Joining method for joining electrically ceramic bodies and a joining apparatus and joining agent for use in the joining method.—74-03754P
Mathematical model of thermal spikes in microwave heating of oxide ceramic fibers.—74-10442A
Microwave and high-frequency drying and tempering of precast refractory components.—74-00391A
Microwave drying of ceramics.—74-10462A
Microwave-assisted firing of ceramics.—74-10473A
Nonequilibrium phonon heating of CdS crystal excited by high-power optical pulses.—74-08969A
Nordic pot furnace project—a new approach to gas heating.—74-01169A
Photomagnetoelectric effect in epitaxial GaAs films accompanied by electron heating by intense laser light.—74-03167A
Preparation of monodisperse ZrO_2 by the microwave heating of zirconyl chloride solutions.—74-04825A
Reaction of refractory materials with metallic heaters in electric furnaces.—74-02775A
Thermal stability of ceramic materials in microwave heating.—74-04451A
Triple-layered ceramic heater—74-00562P
Use of silicon carbide ceramic in high-performance radiant tube burners and low NO_x open flame burners.—74-09724A

heating elements,
Development of multipurpose cylindrical laboratory furnace.—74-01142A
Flat ceramic heater having discrete heating zones.—74-08790P
Glow plug with dual, dissimilar resistive heating elements in ceramic heater.—74-02881P
New application of Kanthal Super—Superthal flat panel.—74-00392A
Two-zone Bridgman furnace with sharp thermal gradient.—74-01183A

heavy clay products,
Clay building products in European standardization—an interim balance: I.—74-08511A
Drive units for heavy clay processing.—74-05807A
Environmental control technology in the heavy clay industry.—74-09459A
Fast drying and fast firing of heavy clay products in the "bar dryer and bar kiln."—74-09662A
Fast firing of heavy clay products in roller kilns.—74-08549A
Firing heavy clay products more efficiently.—74-08550A
Firing technology in the heavy clay industry.—74-08551A
Influence of the granulometric composition on the frost resistance of heavy clay ceramics.—74-01526A
Preparation line for Malaysian pipes plant.—74-05825A
Traditional brickworks integrates new technology.—74-07959A

heavy metals,
Examination of the atmospheric air pollution degree with heavy metals in the cement plant: I.—74-08024A
Examination of the atmospheric air pollution degree with heavy metals in the cement plant: II.—74-08025A
Investigation methods of heavy metals immobilization in building materials.—74-08056A
Lead and heavy metals: where does the U.S. stand.—74-05426A
Properties of heavy metal oxide glasses.—74-05739A

helium,
Effects of helium gas adsorption on the phonon drag of granular $YBa_2Cu_3O_{7-\delta}$.—74-03453A
Helium deuterium migration in alkali silicate glasses.—74-02465A
Multiphonon scattering of thermal energy He atoms from the LiF(001) surface.—74-02766A
Spin ordering on NiO(100) surface measured by metastable He^2 3s [He*] scattering.—74-04426A
Vortex flow in helium-filled Vycor glass.—74-05747A

hematite,
Effects of hydrothermal conditions on the morphology of hematite particles.—74-10309A
Electrical properties of α-hematite humidity sensor investigated by fractional factorial design.—74-04301A
Solid phase transformation goethite-hematite.—74-01457A

heterogeneity,
Plasma hearth process—process residuals characterization.—74-09497A
Thermal analysis of the system K_2MoO_4-KF-KBO_2.—74-04228A
Thermal shock resistance of heterogeneous ceramics and refractories.—74-07929A
Thermochromic characteristics of heterogeneous glasses.—74-00281A
Thermochromic characteristics of heterogeneous systems.—74-00232A

heterostructures,
Epitaxial thin films and heterostructures of various isotropic metallic oxides for device applications.—74-09134A
Fabrication of a nanoscale, in-plane gated quantum wire by low energy ion exposure.—74-01719A
Fractional dimensionality of weakly localized electrons in GaAs-$Ga_{0.7}Al_{0.3}$ heterostructures.—74-08916A
Measurement of heterojunction band offsets using ballistic electron emission microscopy.—74-06199A
Possibility of new high-T_c superconductors by producing metal heterostructure as in the cuprate perovskite.—74-03559A
Study of an InGaAs/GaAs(100) heterostructure by high-resolution XRD.—74-09053A
Template approaches to growth of oriented oxide heterostructures on SiO_2/Si.—74-01591A
Thin hydrogenated alpha-C_2:H films in semiconductor/diamondlike film single-crystal heterostructures.—74-05289A
Tunneling-recombination currents in nonideal InGaAsP/InP heterostructures.—74-06366A

high temperature,
Chemically bonded ceramics as an alternative to high-temperature composite processing.—74-10224A
Contrasting mechanisms of oxidation of a silicon nitride in the temperature range 1200–1300°C.—74-07800A
Failure criteria for high-temperature fatigue of ceramic materials.—74-10993A
FDTD simulation of an open-ended metallized ceramic probe for broadband high-temperature dielectric properties measurements.—74-08750A
Five years of industrial experience with the use of advanced ceramic components in burner systems.—74-09665A
Flicker noise in rf SQUIDs based on high-temperature superconductors.—74-03811A
High Temperature Mechanical Behavior of Ceramic Composites.—74-11204B
High temperature resistant material.—74-08650P
High-temperature oxidation of metals.—74-10916A
High-temperature superconductivity of oxides as a periodic redox reaction.—74-03485A
Lightweight thrust vectoring panel.—74-03991P
Near-net shape forming of ceramic refractory composite high-temperature cartridges by VPS.—74-08623A
Order parameter of high-T_c superconductors—experimental probes[—review].—74-06602A
Properties of ceramics during high-temperature applications: I.—74-11066A
Properties of ceramics during high-temperature applications: II.—74-11067A
Study of high-temperature agate red ceramic stains and their applications.—74-07002A
Synthesis and investigation of Ca- and Eu-substituted high-temperature superconducting compounds of the type 124 based on yttrium.—74-03601A
Toughness in Y-PSZ ceramics at high temperature.—74-06826A
Young's modulus of ceramics at elevated temperature (2nd report).—74-07195A

history,
100 years of tube ball mills—a historical review.—74-06673A
100th anniversary of the Olovi Glassworks.—74-09633A
1800—glass production history.—74-02229A
1800—last decade—an unsettled time for the glassworks [in Sweden]—74-02230A
1947-1987. Forty years of the cement market in Central America. Historical evolution and perspectives.—74-07989A
40 years of Humboldt preheaters.—74-06836A
Ancient monuments of the brick and tile industry with reference to examples in Thuringia.—74-02293A
Balgres, the glory of Venezuela.—74-05403A
Ceamic folklore of Ryumonji-Yaki and Naeshirogawa-Yaki.—74-07981A
Celtiberian pottery production in the Spanish Late Iron Age—a case study in the Central Meseta (Soria, Spain).—74-05450A
Charles Fergus Binns: missionary to the American ceramic industry.—74-11150A
Design and construction with bricks—the contribution of Antoni Gaudi (1852-1926).—74-02708A
Diamond in the USA.—74-01290A
Early history of lampwork—some facts, findings, and theories: II, Fire or flame? Lampworking techniques in antiquity.—74-05451A
From handicraft to industry: Notsjo Glasbruk after 1950.—74-02236A
Glass furnace is the heart of the glassworks.—74-01156A
Glassworks [in Sweden].—74-02238A
Group of Late Helladic IIA pottery from Tsoungiza[, Greece].—74-00020A
Historical archaeology and prehistory—experimenting with dating formulas for Mississippian period ceramics.—74-05453A
History of lime production at Rudersdorf near Berlin—an open-air museum project of the building materials industry.—74-07950A
History of sanitary sewer systems in Berlin [Germany].—74-02240A
Influence of different time periods on the evolution of the porcelain enameling industry.—74-00123A
Interwar period—the beginning of diversification.—74-02245A
Knidian phallic vase from Corinth[, Greece].—74-00021A
Laufen: a Swiss multinational.—74-02248A
Museum helps promote ceramics.—74-05455A
New York State: birthplace and cradle of high-technology ceramics and glasses.—74-11183A
Problem solving using experimental design techniques.—74-11185A
Ratio of CaO/K_2O >2 as evidence of a special Rhenish type of medieval stained glass.—74-02298A
Technology and ceramic plants—the past, the present, the future: I, The tile.—74-05836A
What will the material of the future for tableware ceramics look like.—74-00446A

holes,
Distribution of holes between CuO_2 and CuO_b planes in the $YBa_2Cu_3O_{6+\delta}$ compound.—74-04129A
Electron spin resonance characterization of self-trapped holes in amorphous silicon dioxide.—74-08334A
Hole scattering mechanisms in $Hg_{1-x}Cd_xTe$.—74-06138A
Hole states in GaAs/AlAs heterostructures and the limitations of the Luttinger model.—74-05017A
Measurement of the size-dependent hole spectrum in CdSe quantum dots.—74-03101A
Observation of the bottom surfaces of contact holes by hopping atomic force microscopy with a ZnO whisker tip.—74-07706A
Orthogonal holes and hybridized electron spectrum of CuO_2 planes.—74-05216A
Spectral hole burning study of a neutron-irradiated type IaB natural diamond.—74-05249A
Study on sintered perforated bricks with blind holes.—74-02739A
Variations in the density of states during hole doping of CuO_2.—74-10177A

holmium,
Electroluminescence of Ho^{3+} ions in a ZnO varistor-type structure.—74-02992A
Electron-nuclear interactions and spin reorientation in $HoFeO_3$.—74-05135A
Nonempirical cluster electric field gradient calculations for ^{27}Al nuclei in $YAlO_3$ and $HoAlO_3$ and refinement of $HoAlO_3$ crystal structure.—74-05204A
Phase formation in the system Ho-In-Te and a projection of the liquidus surface.—74-01433A
Photoluminescence properties of Ho^{3+}-doped $(NaPO_3)_4$-$BaCl_2$-$ZnCl_2$-RCl glasses.—74-05736A
Spectral properties of Ho^{3+} in fluorozirconate (ZBLAN) glass.—74-08349A
Temperature dependence of thermo-emf and isothermal resistance of HTS crystals in the vicinity of T_c.—74-09353A
Tm^{3+}-sensitized Ho^{3+} silica fiber laser at 2.04 μm pumped at 809 μm.—74-09070A

holograms/holography,
Band gap and defect engineering for semiconductor holographic materials.—74-05986A
Optical computing and the role of photorefractive crystals.—74-06426A
Photorefractive materials.—74-06430A

homogeneity,
Characterization of refractive index profiles in silver-sodium ion-exchanged glass waveguides for homogeneous refracting waveguide structures.—74-00289A
Clay storage systems to increase product quality.—74-05804A
Effect of the sulfur pressure on the growth of $CuInS_2$ single crystals by the gradient freeze technique.—74-00597A
Effects of the homogeneity of noncrystalline Pb-Ti-O gels on the complex thermal processes leading to $PbTiO_3$.—74-02618A
Evaluation of homogeneity for sintered hydroxyapatite by CT values.—74-07304A
Feeder Cascade bowl design ensures gob consistency using improved symmetry.—74-09460A
Homogeneity ranges of the $Bi_2Sr_2CaCu_2O_x$ and $Bi_{2-y}Sr_{2-z}CuO_x$ high-T_c superconductors.—74-03486A
Lateral homogeneity of $YBa_2Cu_3O_{7-\delta}$ films by Auger electron spectroscopy.—74-06571A
Portal bridge scaper reclaimer for multipurpose blending bed stores.—74-00971A
Preparation of ceramics in agitator mills—homogenization, comminution.—74-06717A

honeycomb,
Cordierite honeycomb ceramic for exhaust purifier application.—74-06964A
Extruded ceramic honeycomb and method.—74-09917P
Method for producing a honeycomb shaped ceramic.—74-09529P
Process and apparatus for producing a filter in the form of a monolithic honeycomb body.—74-03768P
Thermal shock and creep resistant porous mullite articles prepared from topaz and process for manufacture—74-00416P

hot isostatic pressing,
Differences in creep performance of a HIPed silicon nitride in ambient air and inert environments.—74-10968A
Dilatometer supported process optimization of sinter HIP consolidation of advanced ceramics.—74-00916A
High-temperature silicon nitride with minimized additive content by containerless sinter-HIP.—74-06706A
Hot isostatic pressing and characterization of sol-gel-derived chromium(III) oxide.—74-05857A
Hot isostatic pressing.—74-10387A
Influence of processing conditions on the microstructure and mechanical properties of sintered yttrium oxides.—74-04703A
Modeling of HIP: a test by analyzing HIP runs on silicon carbide and nitride.—74-10476A
Recent trends in HIP equipment and related systems.—74-09505A

hot-pressing,
Analysis of the structural defects of hot-pressed ceramics from highly dispersed composite powders.—74-02101A
Certain regulations of phase formation and structure evolution during hot-pressing of ultrafine powders.—74-04497A
Characteristics of hot-pressed TiC-C composites.—74-07219A
Development of a new hot-pressing equation in powder metallurgy.—74-01670A
Fabrication of Si_3N_4-SiC nanocomposites by hot-pressing.—74-10351A

High strength alumina and process for producing same.—74-03988P
High-temperature properties of HPSN under load in simulated coal gasification environments.—74-10108A
Hot-pressed $MoSi_2$-particulate-reinforced α-SiAlON composites.—74-04015A
Hot-pressing of TiC-graphite composite materials.—74-04148A
Monolithic, fully dense silicon carbide material, method of manufacturing and end uses.—74-04068P
Monolithic, fully dense silicon carbide material, method of manufacturing and end uses.—74-04069P
Monolithic, fully dense silicon carbide mirror and method of manufacturing.—74-04070P
One-step process for fabrication of carbon-carbon composites.—74-04017A
Powder preparation and sintering of grain growth controlled Cr_2O_3-ZrO_2 composites.—74-10541A
Powder properties influencing the densification kinetics of hot-pressed Si_3N_4.—74-10542A
Reaction densification of α′-SiAlON: II, Densification behavior.—74-04860A
Rotating beam fatigue test of two HPSN [hot-pressed Si_3N_4] ceramics.—74-11082A
Study of hydroxyapatite bioceramics by hot-press sintering.—74-09803A
Transparent spinel ceramic.—74-04970A

humidity,
Considerations on the adsorbed water concentration of sulfuric porous aluminum oxide.—74-04269A
Design of ceramic materials for chemical sensors with novel properties.—74-08855A
Humidity sensing characteristic of the EMD derivatives.—74-00633A
Humidity sensitivity of dry-press binders.—74-07165A
Investigation on humidity sensors of Ta_2O_5 planar waveguides.—74-08942A
Method for the determination of the filler humidity and water-containing guiniting concrete mixtures.—74-00076A
New potential-type humidity sensor using EMD-based manganese oxides as a solid electrolyte.—74-06986A
Piezoelectric actuator responsive to environmental humidity.—74-09162A
Processing of spinel thick films for humidity sensors.—74-03182A
Successfully drying sanitary ware.—74-05912A
Surface analysis of oxidized aluminum: II, Oxidation of Al in dry and humid atmosphere studied by ESCA, SEM, SAM, and EDX decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07829A
Water-induced corrosion of materials used for semiconductor passivation.—74-07833A

hydrates,
Advanced method for α-hemihydrate production.—74-04471A
Binding modes of water in the hemihydrate.—74-07996A
Characterization of C_4FH_y crystal belonging to AFm by electron microdiffraction and SEM-EDX.—74-05476A
Characterization of hydrated aluminas by MAS and DOR 27Al NMR.—74-07604A
Crystal structures of the hydrates of bis(quinidium) molybdate and quinidium chloride; to the question on the stable conformation of quinidine.—74-04120A
Electron microscope study of revolving crystal growth of beta-type vanadium oxide hydrate under hydrothermal conditions.—74-10796A
Formation of the anion structure of calcium hydrosilicates in hardening of slag cements.—74-02457A
Granular boraxhydrate preparation by compaction of powders.—74-04657A
Heavy metallic ions—removing characteristics of gyrolite.—74-08038A
New route for the synthesis of reduced transition metal oxides using borohydrides.—74-10494A
Photochemical formation of V^{4+} in a layered vanadium pentoxide hydrate.—74-10520A
Preparation of hydrated glass as a model of nuclear waste glass after long-term leaching.—74-09410A
Reaction of various types of hydrates and sulfuric acid and acid resistance of expansive concrete.—74-05578A
Structural transformation in Ca-based sorbents used for SO_2 emission control.—74-08110A
Why cements solidify.—74-08121A

hydration,
$3CaO·SiO_2$ hydration under low temperatures.—74-03892A
Ac impedance phenomena in hydrating cement systems—origin of the high-frequency arc.—74-05460A
Ac impedance phenomena in hydrating cement systems: detectability of the high-frequency arc.—74-02303A
Ac impedance phenomena in hydrating cement systems: the drying-rewetting process.—74-02305A
Ac impedance spectroscopy: I, A new equivalent circuit model for hydrated portland cement paste.—74-05461A
Cement hydration equation.—74-05473A
Computer simulation impedance behavior in hydrating portland cement systems.—74-00041A
Determination of hydration termination of gypsum plasters by temperature vs time curves at room temperature.—74-08010A
Durability of hydrated cements containing various Greek pozzolans in aggressive media.—74-08015A
Early heat of hydration during the solidification of a metal plating sludge.—74-05493A
Effect of initial water curing on the hydration of cements containing natural pozzolan.—74-05497A
Effect of superplasticizers on the hydration of cement.—74-05501A
Heat measurement with the Thermal Activity Monitor.—74-02331A
Hydration and microstructure of CA_2 in the presence and in the absence of microsilica.—74-05528A
Hydration behavior of simulated high-performance concrete pastes using synchrotron energy-dispersive diffraction.—74-08043A
Hydration characteristics of some pozzolanic cements.—74-08044A
Hydration in high-volume fly ash concrete binders.—74-05529A
Hydration of C_3A and $C_2A(AF)$, separated from sulfate-resisant and white portland cement, under conditions of normal hardening and heat treatment.—74-05858A
Hydration of granulated blast-furnace slag in the presence of sodium silicate.—74-08045A
Hydration of silica fume containing cement pastes of low water-to-solid ratio.—74-08046A
Hydration reactions in autoclaved DSP cements.—74-00064A
Hydroxylation kinetics in lime clinkers.—74-02758A
Influence of CaO addition on structure and properties of granulated cinder.—74-08051A
Interactions between chemical evolution (hydration) and physical evolution (setting) in the case of tricalcium silicate.—74-02335A
Investigation of the retarding effect of superplasticizers on cement hydration by impedance spectroscopy and other methods.—74-05542A
Low heat portland cements.—74-00073A
MAS/NMR studies of the hydration process of ß-C_2S [dicalcium silicate] in the presence of chromium.—74-05546A
Mechanism of hardening and hydration of white portland cement admixed with salicylaldehyde.—74-05550A
Pozzolanic activity of amorphous silica.—74-08085A
Properties of expansive stress of nonexplosive demolition agent in long period of time.—74-08095A
Spray drying of hydrated zirconia slurries: a laboratory study.—74-10650A
Study of the hydration and setting behavior of OPC [ordinary portland cement]–HAC [high-alumina cement] pastes.—74-05597A
Surface analysis of oxidized aluminum: I, Hydration of Al_2O_3 and decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07828A
Temperature rise inside pastes during hydration in hot climates.—74-05604A
Through solution model for volume changes of cement hydration.—74-05608A
XRD study on hydration of cement admixed with carbon.—74-05611A

hydraulics,
5000 tf (49.0MN) VOP system.—74-06674A
Criteria presentation and analysis of quadratic-linear hydraulic resistance of porous medium.—74-01975A
Evolution in presses.—74-08677A
Hydraulic operation of a glass furnace and its role in production.—74-03912A
Hydraulic press with 10-axis CNC and multiplaten system.—74-01068A
Investigation into the hydraulic activity of five granulated blast-furnace slags with eight different portland cements.—74-05862A
Multiplaten systems for mechanical presses—hydraulic and pneumatic concepts.—74-00960A

hydrides,
Chemical equilibria in the titanium(II) hydride-boron nitride system.—74-04101A
Direct dimer-by-dimer identification of clean and monohydride dimers on the Si(001) surface by scanning tunneling microscopy.—74-02965A
Investigating the recycling of nickel hydride battery scrap.—74-01771A
SF_6-sensitized CO_2-laser chemical vapor deposition of a-Ge:H.—74-04885A
Thermodynamic analysis of AsH_3 and PH_3 decomposition including subhydrides.—74-02094A
Unique hydride chemistry on silicon-PH_3 interaction with Si(100)-(2×1).—74-06374A

hydrocarbons,
Deposition of dense C:H films at elevated substrate temperature.—74-01664A
Diamond C(111) (2×1) surface exposed to hydrogen and hydrocarbon species using second harmonic generation and sum frequency generation.—74-09982A
Effects of diamondlike hydrocarbon films on rolling contact fatigue of bearing steels.—74-08178A
Engineering of porosity in amorphous materials—plasma oxidation of hydrocarbon templates in polysilsesquioxanes.—74-10330A
Optical emission from a hydrogen-hydrocarbon rf plasma jet stream during diamond film deposition.—74-01821A
Use of a quartz ultrafine-fibered material for the preconcentration of polychlorinated dibenze-*p*-dioxines, dibenzofurans, and diphenyl from atmosphere.—74-01924A

hydrodynamics,
Hydrodynamic compressibility of silicon carbide through shock compression of metal-ceramic mixtures.—74-02374A

hydrofluoric acid,
Analysis of stoichiometry and oxide growth of HF-treated GaAs(100) by X-ray photoelectron spectroscopy and time-of-flight secondary ion mass spectrometry.—74-02062A
H_2O and HF evolution from ZBLAN glasses.—74-05681A

hydrogel,
Novel inorganic hydrogels based on the polymerization of cyanometalate transition metal complexes with $(PdCl_4)^{2-}$ a new approach to ceramic and alloy precursors.—74-10500A

hydrogen,
Alternate processing flowsheets for treating NCAW waste slurry with formic acid—split acid addition to reduce H_2 generation rate and total NH_3 production.—74-09394A
Amorphous hydrogenated carbon films elaborated by plasma-assisted chemical vapor deposition— characterization of composition by nuclear methods.—74-04476A
Amorphous hydrogenated SiC produced by magnetron sputtering.—74-08822A
Annealing of low-pressure chemical vapor deposited phosphorus glass films: effect on electrical properties and concentrations of hydrogen-containing species.—74-00455A
Anticorrosion properties of glass enamel coatings in media containing hydrogen sulfide.—74-02362A
Atomic hydrogen reactions with P_b centers at the (100)Si/SiO_2 interface.—74-04990A
Atomic release of hydrogen from pure and boronized graphites.—74-04482A
Ceramic membranes for high-temperature hydrogen separation.—74-01220A
Characteristics and modeling of a solid-state hydrogen sensor.—74-05922A
Chemisorption of hydrogen on diamond surfaces studied by high-resolution electron energy-loss spectroscopy.—74-05095A
Comparison of dc plasma jet velocity distributions for different plasma gas mixtures—Ar-H_2, Ar-He, Ar-He-H_2.—74-10230A
c-v characteristics of amorphous silicon nitride films prepared by hydrogen radical-assisted plasma chemical vapor deposition.—74-07196A
Degradation of SiC-reinforced alumina in H_2 at 1300–1500°C.—74-07804A
Deposition mechanism of diamondlike a-C and a-C:H.—74-04539A
Effect of atomic hydrogen on diamondlike carbon film production.—74-03685A
Effect of carbon concentration on the properties of the structure network in a-$Si_{1-x}C_x$:H.—74-08869A
Effect of H_2 reduction on methanol decomposition over various titanium oxides.—74-10284A
Effect of hydrogen dilution on the bonding configuration in a-SiC.—74-08873A
Effect of hydrogen in the selenizing atmosphere on the properties of $CuInSe_2$ thin films.—74-04576A
Effect of Pd, Rh, and Ru concentration on HCOOH decomposition during the processing of neutralized current acid waste simulant.—74-09400A
Effects of active hydrogen on the stress relaxation of amorphous SiN_x:H films.—74-09987A
Effects of fluorine implantation into a-C:H thin films.—74-10084A
Effects of heat treatment in a wet hydrogen atmosphere on the reliability of sintered α-silicon carbide.—74-07282A
Effects of hydrogen additive on obtaining residue-free reactive ion etching of ß-SiC in fluorinated plasmas.—74-00918A
Effects of hydrogen annealing on MOS oxides.—74-02982A
Effects of radiation and hydrogen on the fracture resistance of borosilicate glasses.—74-00256A
Effects of substrate temperature and bias potential on hydrogen plasma etching of silicon.—74-04602A
Electron nuclear double resonance evidence for bifurcated hydrogen bonds in KH_2PO_4—possible role in the ferroelectric transition.—74-09130A
Evidence for bistable defects in 6H-SiC.—74-05012A
Factors influencing hydrogen-related defects in porcelain enamel coatings.—74-00119A
Fundamental limits to growth rates in a methane-hydrogen microwave plasma.—74-04654A
Ga-CH_3 bond scission by atomic H—the depletion of surface carbon from a gallium alkyl film on silicon dioxide.—74-06114A
Growth morphology of vicinal hillocks on the [101] face of KH_2PO_4—from step-flow to layer-to-layer growth.—74-07662A
^1H NMR studies on the effects of annealing on chemical vapor deposited (CVD) diamond.—74-01606A
Hydrogen transport in submicron SiO_2 films on Si.—74-05019A
Hydrogen uptake into silicon from an elecron cyclotron resonance plasma.—74-03054A
Hydrogen-induced oxygen nonstoichiometry of Y_2BaCuO_5.—74-06558A
Inelastic neutron scattering study of hydrogen in superconducting ceramics.—74-03491A
Influence of atomic hydrogen gradients on the growth rate and nucleation of diamond produced by microwave plasma assisted deposition.—74-01763A
Influence of hydrogen contained in hard coatings on their tribological behavior.—74-04335A
Interaction of hydrogen with chemical vapor deposition diamond surfaces—a thermal desorption study.—74-07811A
Investigation about the incorporation of hydrogen into amorphous carbon.—74-07356A
Measurement of atomic hydrogen in a hot filament reactor by two-photon laser-induced fluorescence.—74-04746A
Microbes: effect on growth and quality KH_2PO_4 crystals.—74-05428A
Moisture- and hydrogen-induced embrittlement of iron aluminides.—74-07814A
Optical and electric properties of an $Si_{1-x}C_x$:H layers in connection with promising electrophotographic applications.—74-08983A
Optical and electrical properties of electron cyclotron resonance CVD SiN_x:H films.—74-01548A
Optical hydrogen sensor using Pd/MoO_x films.—74-08984A
Optimal surface cleaning of GaAs(001) with atomic hydrogen.—74-03140A
Optimization of a-$Si_{1-x}C_x$:H films prepared by ultrahigh vacuum plasma-enhanced chemical vapor deposition for electroluminescent devices.—74-04793A

Passivation of crystalline SiC in H plasma.—74-03149A
Pd-*p*-GaP diode structures—electrical and photoelectric characteristics and effect of hydrogen on them.—74-08993A
Performance of CVD- and CVR-coated carbon-carbon in high-temperature hydrogen.—74-10516A
Photoluminescence investigation of a-C:H thin films.—74-10133A
Plasma-enhanced chemical vapor deposition of a-SiC:H films from organosilicon precursors.—74-01837A
Porcelain enameling steels and perfect quality porcelain enameled products.—74-00140A
Properties and stability of diamondlike carbon films related to bonded and unbonded hydrogen.—74-10023A
Quasi-equilibria of gaseous species in the C-H system.—74-04198A
Ruthenium dioxide as cathode material for hydrogen evolution in hydroxide and chlorate solutions.—74-01243A
Safety devices required for the use of hydrogen in plasma spraying.—74-09507A
Si MOS photodetectors as detectors of hydrogen.—74-03214A
Temperature measurement of atomic hydrogen produced by hot-filament dissociation in a CH_4-H_2 mixture.—74-10694A
Theory of scanning tunneling microscopy and spectroscopy on hydrogen-adsorbed Si(100) surface.—74-07780A
Thermal behavior and physicochemical characterization of synthetic and natural iron hydroxyphosphates.—74-10168A
Trapping of hydrogen in diamond.—74-10709A
Two-photon laser-induced fluorescence measurements of absolute atomic hydrogen densities and powder formation in a silane discharge.—74-03883A
Vibrational study of the adsorption and desorption of hydrogen on polycrystalline diamond.—74-10178A
X-ray-induced AES study of the effect of chemically bound hydrogen on the oxidation kinetics of an Si_3N_4 powder.—74-07834A
Zinc oxide varistor gas sensors: I, Effect of Bi_2O_3 content on the H_2-sensing properties.—74-09083A

hydrogenation,
Ambiguous doping effects in amorphous hydrogenated carbon films prepared by PACVD.—74-04475A
Dependence of the a-Si:H defect density of states on the magnetic field profile of an electron cyclotron resonance microwave plasma.—74-04536A
Deposition of amorphous hydrogenated silicon carbide films using organosilanes in an argon/hydrogen plasma.—74-04540A
Electronic density of states and deep defects of hydrogenated amorphous carbon (a-C:H).—74-04307A
Hydrogenated amorphous silicon—hydrogen content, bonding configurations, and morphology in sputter-deposited, in-chamber annealed thin films.—74-06141A
Hydrogenating and annealing effects of GaAs.—74-03055A
Hydrogenation mechanism of transient metal and intermetallic compound mixture.—74-01756A
Improved electronic properties of diamondlike carbon films by high-pressure post-deposition treatment.—74-04687A
Microstructures and mechanical properties of amorphous hydrogenated carbon-nitrogen films.—74-04363A
Microstructures of nanosize hydrogenated crystalline silicon studied by scanning tunneling microscopy.—74-07696A
Plasma beam deposition of highly tetrahedrally bonded amorphous carbon.—74-04807A
Plasma deposition of hydrogenated amorphous carbon—growth rates, properties, and structures.—74-03850A
Study of surface stoichiometry and luminescence efficiency of near-surface quantum wells treated by hydrogen ions and atomic hydrogen.—74-06338A
Synchrotron radiation X-ray photoelectron spectroscopy study of hydrogen-terminated Si surfaces and their oxidation mechanism.—74-07772A
Temperature dependence analysis of the electron paramagnetic resonance signal and electrical conductivity in a-C and a-C:H.—74-04439A
XPS study of the a-C:H/Al_2O_3 interface.—74-07793A

hydrolysis,
Hydrocarbon-bridged polysiloxane and polysilsesquioxane network materials.—74-10393A
Hydrolysis of aluminum nitride powder.—74-03819A
Influence of the nature of the R group on the hydrolysis and condensation process of trifunctional silicon alkoxides, R-$Si(OR')_3$.—74-10420A
Inorganic-organic hybrid aerogels.—74-10425A
Microporous silica gels from alkylsilicate-water two-phase hydrolysis.—74-10457A
Novel synthesis of mullite powder.—74-04785A
Shape of polymers resulting from condensation in the mixed $Si(OC_2H_5)_4$ and $Zr(O\text{-}nC_3H_7)_4$ solutions.—74-10624A

hydrophobing,
Hydrophobic portland cement: II.—74-02757A

hydrothermal process,
Advanced method for α-hemihydrate production.—74-04471A
Crystal shape and size controls of xonotlite.—74-08009A
Effects of hydrothermal conditions on the morphology of hematite particles.—74-10309A
Electron microscope study of revolving crystal growth of beta-type vanadium oxide hydrate under hydrothermal conditions.—74-10796A
Evolution of mullite from hydrothermally processed mullite precursor sols.—74-04624A
Further comments on the role of autocatalytic nucleation in hydrothermal zeolite syntheses.—74-01743A
Hydrothermal precipitation of lead zirconate titanate solid solutions: thermodynamic modeling and experimental synthesis.—74-09149A
Hydrothermal processing of $BaTiO_3$/polymer films.—74-10394A
Hydrothermal processing of hydroxyapatite—past, present, and future.—74-09783A
Hydrothermal reaction characteristics on the ALC of pitchstone-lime system: II, Effect of the various gelling and curing conditions.—74-08047A
Hydrothermal reaction in diatomite-lime mixtures at ambient temperature to 200°C.—74-07342A
Hydrothermal synthesis and properties of yttria fully stabilized zirconia powders.—74-01757A
Hydrothermal synthesis of hydroxyapatite (HAp).—74-09784A
Hydrothermal synthesis of kaolinite up to 350°C.—74-07343A
Hydroxyapatite ceramics from hydrothermally prepared powders.—74-09785A
Libethenite $Cu_2[PO_4](OH)$—synthesis, refinement of crystal structure, comparative crystal chemistry.—74-04159A
Microwave hydrothermal synthesis of ceramic powders.—74-10465A
Natural and synthetic tavorite minerals—crystal chemistry and magnetic properties.—74-07173A
Phase transformations during hydrothermal heating of tricalcium aluminate in liquid water.—74-05565A
Porous high-alumina refractory materials obtained by hydrothermal processing.—74-05869A
Preparation of centimeter-sized zeolite crystals by hydrothermal seeded growth.—74-10558A
Preparation of Fe_3O_4 fine particles through a solvothermal process.—74-07430A
Soft hydrothermal synthesis of new microporous materials based on phosphatelike species.—74-10638A
Study of quartz ceramic strengthening by hydrothermal treatment.—74-07921A
Synthesis of advanced ceramic powders.—74-10674A
Synthesis of kaolinitic clay mineral from amorphous aluminosilicate by hydrothermal process.—74-08590A
Ultrafine iron oxide powders gcnerated using a flow-through hydrothermal process.—74-07541A

hydroxides,
Activation effects of $Ca(OH)_2$ on hydration of glassy gehlenite.—74-00032A
Chemical reaction in dolomite-KOH solution systems autoclaved at high temperatures.—74-08005A
Composition, structure, and physicochemical properties of aluminum hydroxide chloride complexes.—74-07048A
Lime refractories with limestone and synthetic calcium hydroxide additions.—74-05864A
New approach of the reaction between alkalis and dolomite.—74-02726A
Pillaring of layered double hydroxides with cagelike polysilicates—a possible new class of base catalysts or catalyst precursors.—74-10521A
Preparation of an $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ superconductor via the hydroxide coprecipitation method.—74-06618A
Quantitative monitoring of side products during high loading of zeolites by heavy metals via pH measurements.—74-09608A
Short-range order structural investigation of amorphous europium, gadolinium, and terbium hydrous oxides.—74-01454A
Textures of tetradecahedron δ-FeOOH particles and their thermal decomposition products.—74-07778A
Thermal dehydration of magnesium hydroxide and sintering of nascent magnesium oxide.—74-04957A

hydroxyapatite,
Artificial bone materials promote natural growth.—74-01280A
Bending and thermal stresses in a fatigue experiment of HAp-coated Ti rods.—74-08133A
Bioactive glass-ceramics in medicine.—74-05664A
Bioactive-bioinert composite ceramics.—74-07211A
Biological and synthetic apatites.—74-09762A
Characterization and Performance of Calcium Phosphate Coatings for Implants.—74-11199B
Chemical properties of various hydroxyapatite powders for industrial production.—74-06962A
Chemistry and structure of calcium-containing coatings and modified surfaces for titanium alloy orthopedic prostheses.—74-09772A
Clinical radiographic evaluation of HAp in the healing of periapical lesions.—74-06963A
Compositional effects of $CaO\text{-}SiO_2\text{-}P_2O_5$ bioactive cement on hardening and hydroxyapatite formation.—74-08007A
Dense hydroxyapatite.—74-06965A
Deposition of hydroxyapatite coatings by laser ablation.—74-10261A
Dissolution of synthetic HAp in the presence of La ions.—74-10274A
Dual constant composition kinetics studies of ceramic hydroxyapatite and hydroxyapatite plasma-coated implants.—74-09777A
Effect of a plasma-sprayed hydroxyapatite coating on the fatigue properties of Ti-6Al-4V.—74-02121A
Effect of additional calcium hydroxyapatite on sodium borophosphate glasses—physical and chemical characterizations.—74-05710A
Effect of ethanol on the solubility of hydroxyapatite in the system $Ca(OH)_2\text{-}H_3PO_4\text{-}H_2O$ at 25°C and 33°C.—74-09778A
Effect of powder feedstock on thermal-sprayed hydroxyapatite coatings.—74-09779A
Effect of texture of the rate of hydroxyapatite formation on gel-silica surfaces.—74-10299A
Effectiveness of hydroxyapatite for water filtration.—74-06969A
Electrodeposited hydroxyapatite coatings on metal implants.—74-07289A
Evaluation of homogeneity for sintered hydroxyapatite by CT values.—74-07304A
Fabrication of microstructured ceramic layers by tape casting and subsequent stamping.—74-04628A
Fabrication of pure hydroxyapatite and fluoridated-hydroxyapatite coatings by electrocrystallization.—74-07309A
Formation of hydroxyapatite in cement systems.—74-08031A
Hydraulic cement for biological uses.—74-09782A
Hydrothermal processing of hydroxyapatite—past, present, and future.—74-09783A
Hydrothermal synthesis of hydroxyapatite (HAp).—74-09784A
Hydroxyapatite bioceramics.—74-07344A
Hydroxyapatite ceramics from hydrothermally prepared powders.—74-09785A
Hydroxyapatite coatings.—74-06977A
In vitro degradation of tricalcium phosphate and hydroxyapatite in human pool sera.—74-06979A
Influence of the crystallinity of plasma-sprayed HA coatings on their osseointegration.—74-09787A
Investigation of combustion-sprayed HAp/polymer composite coatings.—74-09788A
Laser post-treatment of thermally sprayed HAp coatings.—74-10434A
Material properties of hydroxyapatite ceramics.—74-01232A
Mineral organic interfacial bonding—effect of strain rate on the mechanical properties of bone.—74-09791A
Porous hydroxyapatite.—74-06990A
Preparation of fiber-reinforced hydroxyapatite.—74-07431A
Processing and properties of hydroxyapatite/silver bioceramic composites.—74-07446A
Processing of hydroxyapatite by injection molding.—74-07448A
Properties and microstructure of synthetic hydroxyapatite.—74-07722A
Properties of HAp-coated prostheses and implants.—74-06993A
Race of new inorganic materials towards neolithic age.—74-09797A
Rotating-disk electrode voltammetry as a probe of adsorption rates on solid particles in liquids: application to Zn^{II} adsorption at the hydroxyapatite/aqueous interface.—74-09613A
Sintering of agglomerated ceramic powder compacts.—74-04896A
Slip casting of hydroxyapatite ceramics.—74-06998A
Structural investigations on laser deposited hydroxyapatite films.—74-00153A
Study of hydroxyapatite bioceramics by hot-press sintering.—74-09803A
Synthesis and characterization of a hydroxyapatite-zinc oxide-polyacrylate acid concrete.—74-07006A
Synthesis of HAp powder for periapical plugs.—74-07514A
Synthesis of hydroxyapatite ceramic powders.—74-07007A
Synthetic bone mineral analog as a substrate for biological research.—74-03879A
Thermal instability and proton condutivity of ceramic hydroxyapatite at high temperatures.—74-04958A
Thermal stability of synthetic hydroxyapatite.—74-09805A
Tissue compatibility of biomaterials: assessment of bioactivity concerning the osteogenic response to the materials.—74-03976A

hydroxyl,
Hydroxy groups in ferrisilicates studied by ir spectroscopy.—74-05683A
Hydroxyl-free clear silica glass by sol-gel processing.—74-00301A

hysteresis,
Effect of structural relaxation on the hysteresis of magnetically soft amorphous melts.—74-02534A
Hysteresis in the binary exchange of cations on 2:1 clay minerals: a critical review.—74-02333A
Hysteresis of adsorption in YBCO textured ceramic plate.—74-03488A
Memory effect [and hysteresis phenomena] in incommensurate phase of semiconductors.—74-03104A
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: I, Theory.—74-11070A
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: II, Experimental studies on unidirectional materials.—74-11071A
Temperature hysteresis of ultrasonic wave velocity in $YBa_2Cu_3O_{7-\delta}$.—74-00857A

illite,
Comparisons of four elemental mass balance methods for clay mineral quantification.—74-08513A
Illite crystallite thickness by X-ray diffraction.—74-06778A

ilmenite,
Alkali metal catalysis of carbothermic reduction of ilmenite.—74-09969A
Fe-TiC ceramic-metal composites.—74-05623A
Upgrading ilmenite into a high-grade synthetic rutile.—74-07543A

imaging,
Characterization of graphite shape with an image analyzer.—74-10770A
Cross-sectional scanning tunneling microscopy of semiconductor vertical-cavity surface-emitting laser structure.—74-07622A
Direct observation of the atomic force microscopy tip using inverse atomic force microscopy imaging.—74-06759A
Dynamic visible-to-infrared image-converting device and system.—74-02531A
Imaging microanalysis of ceramic materials with a scanning ion microprobe.—74-06779A
Measurement and manipulation of van der Waals forces in atomic force microscopy.—74-07172A
Metal-ceramic cohesion and the image interaction.—74-08234A

Newly developed low-temperature scanning tunneling microscope and its application to the study of superconducting materials.—74-06796A
Optical associative memory with "Cat" self-pumped phase conjugator.—74-03136A
Porcelain bodies by image analysis.—74-00371A
Portable thermometers and thermal imagers.—74-09705A
Real-time video imaging for high-luminosity processes.—74-00983A
Use of video in microscopic and ultrasonic inspection.—74-06832A

immiscibility,
Effects of liquid phase immiscibility on the leaching of fluorosilicate waste glasses.—74-08333A
Structural model of immiscibility of silicate vitrifying melts.—74-00226A
Structural model of the immiscibility of glass-forming silicate melts.—74-00227A

immobilization,
Immobilization chemistry in portland-cement-stabilized paint blast media waste.—74-08048A
Possibility of noncovalent immobilization of silicagel.—74-01839A
Solubilities of CO_2 in candidate glasses for nuclear waste immobilization: I, Systems Cs_2O+SiO_2, Cs_2O+B_2O_3, Rb_2O+SiO_2, and Na_2O+B_2O_3.—74-05696A

impact,
Investigation of the effects of droplet impact angle in thermal spray deposition.—74-10428A
Operating principles of the bottom impact tester (BIT).—74-00967A
Sintered silicon nitride bodies suitable for use as high impact materials—74-01338P

impedance,
Complex impedance analysis of Nb-doped barium titanate ceramics.—74-08732A
Estimation of corrosion rate from ac impedance measurements.—74-07810A
Measurement of the *ab* plane anisotropy of microwave surface impedance of untwinned $YBa_2Cu_3O_{6.95}$ single crystals.—74-09307A
Nonlinear irreversible rf impedance of granular YBaCuO films.—74-03542A
Surface impedance of YBaCuO single crystals in the mixed state.—74-06641A
Temperature correlation of peculiarities of the impedance of a $YBa_2Cu_3O_x$ film and an $SrTiO_3$ substrate.—74-03604A

implantation,
Accurate and computationally efficient semiempirical model for arsenic implants into single-crystal (100)silicon.—74-02905A
Electron paramagnetic resonance of boron-implanted natural diamonds and epitaxial diamond films.—74-09988A
Fabrication and characterization of an array of gated avalanche p^+-n^{++} junction as a micro-vacuum triode.—74-06093A
Focused ion beam interaction with a shallow two-dimensional electron gas.—74-00620A
Importance of implantation sequence in the formation of nanometer size colloid particles—embedded amorphous SiO_2—formation of composite colloids with a Cu core and a Cu_2O shell by coimplantation of Cu and F.—74-10395A
Improved tribological properties of sputtered MoS_2 films through N+ implantation.—74-04688A
Metal plasma immersion ion implantation and deposition using vacuum arc plasma sources.—74-03709A
New characterization method of ion current-density profile based on damage distribution of Ga+ focused ion beam implantation in GaAs.—74-00668A
Passivation of boron acceptor in diamond by atomic hydrogen: molecular orbital linear combination of atomic orbitals simulation and experimental data.—74-04802A
Raman signal vs preparation conditions of C-implanted and excimer laser-annealed Cu thin films.—74-10595A
Raman spectroscopy on nitrogen-incorporated amorphous hydrogenated carbon films.—74-05227A

implants,
Ceramics and glass-ceramic materials for bone implants.—74-03958A
Characterization and Performance of Calcium Phosphate Coatings for Implants.—74-11199B
Compatibility of oxide ceramic materials as components in biomedical engineering: I.—74-09773A
Injectable ceramic compositions and methods for their preparation and use.—74-03989P
Material properties of hydroxyapatite ceramics.—74-01232A
Materials for living hard tissue replacements—74-01258P
Method of making bone implants—74-01262P
Properties of HAp-coated prostheses and implants.—74-06993A

impregnation,
Modification of granular zeolite strength and adsorption with polymethylphenylsiloxane resin impregnation.—74-01951A
Silica porous glasses with silicon impregnation.—74-08456A

impurities,
Analysis and removal of impurities and defects in reactive ion-etched silicon using a novel depth-profiling technique.—74-02910A
Analytical determination of impurities in glassmaking sands containing at least 95% SiO_2.—74-02598A
Causes of anomalous solid formation in the exhaust systems of low-pressure chemical vapor deposition and plasma-enhanced chemical vapor deposition semiconductor processes.—74-06682A
Causes of anomalous solid formation in the exhaust systems of low-pressure chemical vapor deposition and plasma-enhanced chemical vapor deposition semiconductor processes.—74-07216A
Characterization of tantalum impurities in hot-filament diamond layers.—74-03787A
Chemical analysis of sinterable SiC powder.—74-01352A
Contributions to the high-temperature behavior of $YBa_2Cu_3O_{7-y}$.—74-00790A
Cooperative ordering of impurity dipoles in $KNbO_3$ single crystals.—74-06397A
Crystallization of fluoride glasses in conditions of a temperature gradient.—74-03901A
Defect distribution in electron-irradiated CdS materials.—74-01939A
Effect of impurity substitution on the electron energy spectra of cubic silicon carbide.—74-02975A
Effects of impurities on the electrochemical properties of $LiCoO_2$.—74-01378A
FT Raman and FTIR studies of titanias and metatitanate powders.—74-10808A
Impurities in silicon carbide ceramics and their role during high-temperature creep.—74-11024A
Impurity effects on the thermoluminescence of Al_2O_3.—74-04333A
Impurity-defect reactions in ion-implanted diamond.—74-07570A
Influence of impurities in raw materials for glass manufacturing.—74-01195A
Influence of interface impurities on the fracture energy of uhv-bonded niobium-sapphire bicrystals.—74-08214A
Inhomogeneous distribution of nitrogen impurities in {111} growth sectors of high-pressure synthetic diamond.—74-10002A
Ir study of cerium dioxide—influence of impurities and defects.—74-05176A
Light-controlled electric fields in a high-resistance MSM structure with deep impurity levels: II, High intensities.—74-06176A
Magnetically stabilized exciton impurity complexes in InSb.—74-06192A
Matrix modification for the determination of trace impurities in complex samples by electrothermal atomic absorption spectrometry.—74-01080A
Method of modified neglect of differential overlapping (MNDO) used to investigate the structure of next-order and interatomic interactions in glasses based on P_2O_5 with modifying impurities.—74-00201A
Micro-X-ray spectrographic analysis of the impurity and additive distribution in periclase ceramic.—74-05186A
Quantometer with induction plasma for the determination of metal impurities in technical iron(III) oxide.—74-03857A
Role of additional extremum in onset of superconductivity in $A^{IV}B^{VI}$ semiconductors with resonant impurity states.—74-03571A
Solid-phase method of removal of iron impurities from ashes from the Kuibyshev automobile and tractor electrical equipment and carburator plant (KATEK).—74-04905A
Synchrotron spike topography of natural type Ia diamond.—74-01468A
Theoretical description of praseodymium-doped zircon—analysis of the impurity centers Pr^{+3}:$ZrSiO_4$.—74-04442A
Three-dimensional simulation of impurity diffusion in thin-film diffusion barriers.—74-06361A
Transition to 3-D magnetic structure near substitutional impurity in La_2CuO_4.—74-03611A

inclusions,
Enhancing the mechanical performance of alumina through the addition of metallic and ceramic inclusions.—74-07871A
Evaluation of ZrO_2-toughened high-soda duplex-calcined Al_2O_3 sintered bodies.—74-10339A
Geology of diamond: time and depth profiles from inclusions.—74-01193A
Pressureless sintering of a ceramic matrix with multiple rigid inclusions: finite element model.—74-07441A

indentation,
Acoustic emission during indentation fracture.—74-06735A
Assessing the plasticity of ceramic masses by determining indentation force.—74-09552A
Behavior of indentation cracks under monotonic loads in 3Y-TZP.—74-07839A
Determination of subcritical crack growth parameters by in situ observation of indentation cracks.—74-07859A
Determination of the *R*-curve from the strength–indentation load relation.—74-07860A
Determination of the glass fracture toughness by microindentation.—74-00252A
Effect of thermal shock and related transient stresses on the stable and unstable extension of Vickers indentation cracks in brittle solids.—74-07866A
Hertzian indentation damage in alumina with *R*-curve behavior.—74-11013A
High-temperature behavior of indent and creep-nucleated cracks in vitreous-bonded alumina.—74-07886A
Indentation deformation and fracture of HT superconducting crystals—$YBa_2Cu_3O_{7-\delta}$.—74-03490A
Mechanism of nanoscale indentation.—74-02015A
Model for nanoindentation creep.—74-02177A
Nanoindentation and tribological studies of ultrahigh-strength carbon nitride thin films.—74-11060A
Nonlinear compliance testing applied to indentation cracking in ceramics.—74-11062A
Nonlinear Hertzian indentation fracture mechanics.—74-11063A
Novel method to determine the fracture toughness of ceramics by the controlled propagation of indentation cracks.—74-06799A
Photoactive illumination effect on crack growth in $BaTiO_3$ crystals.—74-03155A
Possibility of determining the viscosity of destruction of glass by microindentation.—74-00274A
Properties of TiN and ZrN thin films on silicon studied by low load indentation.—74-07909A
Room temperature mechanical properties of polycrystalline silicon nitride with different α/ß ratios.—74-07914A
Scanning acoustic microscopy of indentation damage in Y_2O_3-stabilized tetragonal zirconia.—74-11084A
Stable growth of indentation cracks in yttria-stabilized zirconia.—74-07917A

indium antimonide,
Effect of Gd doping on carrier concentration in InGaAsSb layers grown by liquid phase epitaxy.—74-06052A
Effect of surface conductivity on acoustic and galvanomagnetic properties of high-resistivity InSb at low temperatures.—74-06056A
Electroluminescence quantum yield in GaInAsSb/GaSb and AlGaAsSb/GaInAsSb *p-n* structures.—74-08888A
Long-wave ir emission in *n*-InSb in strong electric fields.—74-08945A
Magnetically stabilized exciton impurity complexes in InSb.—74-06192A
Negative photoconductivity in *n*-InSb films.—74-08966A
Optical Faraday effect due to spin-sensitivity fluctuations of electrons in *n*-type semiconductors.—74-06237A
Ordered superstructure of InSb-IV.—74-08992A
Photoreflectance of InSb at the E_1 and E_1+Δ transitions.—74-03168A
Photoresponse of InSb-based *p-n* structures during illumination by a CO_2 laser.—74-08997A
Polarity propagation in InSb/a-Sn-/InSb heterostructure.—74-03173A
Polarographic determination of In and Sb in anode films of InSb.—74-09006A
Propagation characteristics of a slow surface wave in a 70 GHz solid-plasma waveguide containing an *n*-InSb slab carrying an applied current.—74-09014A
Radiative recombination in heterostructures LEDs based on limiting-composition GaInAsSb.—74-06283A
Redistribution of beryllium in InSb and InAs resulting from ion implantation and subsequent annealing.—74-03197A
Reduction and elimination of proximity effects.—74-01568A
Stabilized α-Sn grown at high temperature by molecular beam epitaxy.—74-05255A
Structure of the conduction band in InAsSbP solid solutions.—74-01584A
TM_{OM} modes in transversely magnetized semiconductor-filled coaxial waveguide and parallel plates.—74-09071A

indium arsenide,
AlGaAs/InGaAs/GaAs optoelectronic structures on (111)B GaAs.—74-00565A
Application of the digital alloy composition grading technique to strained InGaAs/GaAs/AlGaAs diode laser active regions.—74-02914A
Arsenic capping and decapping of $In_xAl_{1-x}As$(100) grown by molecular beam epitaxy.—74-02916A
Band renormalization and dynamic screening in near-band-gap fs optical probing of InGaAs.—74-08829A
Calculation of the energy levels in InAs/GaAs quantum dots.—74-08832A
Carbon doping of InGaAs in solid-source molecular beam epitaxy using carbon tetrabromide.—74-02929A
Carrier capture and relaxation in narrow quantum wells.—74-08834A
Carrier-dependent nonlinearities and modulation in an InGaAs SQW waveguide.—74-00573A
Characteristics of selective reactive ion etching of InGaAs/InAlAs heterostructures using HBr plasma.—74-00577A
Characterization and improvement of the layer uniformity for large-area quantum well device arrays grown in an Intevac/Varian Gen II molecular beam epitaxy system.—74-02934A
Comparison of TMGa and TEGa for low-temperature metallorganic chemical vapor deposition growth of CCl_4-doped InGaAs.—74-04522A
Contrast modulations in InAlAs/InP.—74-07616A
Controllable layer-by-layer etching of III-V compound semiconductors with an electron cyclotron resonance source.—74-00585A
Cs-induced highest E_F jump above InAs(110) conduction band minimum.—74-06019A
Cs-induced highest E/F jump above InAs(110) conduction-band minimum.—74-06020A
Current-controlled negative differential resistance in $InAs/As_xGa_{1-x}Sb$ tunnel structures.—74-02955A
Dependence of contact resistivity and Schottky diode characteristics on dry etching induced damage of GaInAs.—74-06029A
Design and analysis of InAs/AlSb ballistic constrictions for high temperature operation and low gate leakage.—74-00589A
Development and study of the optical properties of InGaAs/GaAs quantum wires.—74-08857A
Dislocation-induced deep level states in $In_{0.08}Ga_{0.92}As$/GaAs heterostructures.—74-06042A
Double quantum well charge transport in pseudomorphic $Al_{0.3}Ga_{0.7}As/In_{0.15}Ga_{0.85}As$/GaAs modulation doped heterostructures.—74-02970A
Effect of deposition conditions on the formation of (In,Ga)As quantum clusters in a GaAs matrix.—74-08871A
Effect of lateral leakage current on the experimental gain/current-density curve in quantum well ridge-waveguide lasers.—74-08875A
Electrical and structural properties of GeMoW ohmic contact to an $In_{0.5}Ga_{0.5}As$ cap layer on *n*-type GaAs.—74-06065A
Electron draft velocity model for simulation of InGaAs SFET's.—74-08889A
Electronic structure of MBE grown InAs(110).—74-00610A
Energy band offsets and electroluminescence in *n*-$InAs_{1-x}Sb_x$/N-GaSb heterojunctions grown by liquid phase epitaxy.—74-02998A
Envelope function calculations of linear and nonlinear optical gains in strained-layer quantum-well lasers.—74-01516A
Fabrication and optical properties of InGaAs/InP quantum wires and dots with strong lateral quantization effects.—74-00614A

Formation mechanism of $In_xGa_{1-x}As$ ohmic contacts to *n*-type GaAs prepared by radio frequency sputtering.—74-06110A

Galvanomagnetic properties of two-dimensional electron gases in strain-relaxed $In_xGa_{1-x}As$ ($x<0.4$) heterostructures grown by molecular beam epitaxy on GaAs substrates.—74-06116A

Growth and characterization of (111)B InGaAs/GaAs multiquantum well *pin* diode structures.—74-06124A

Growth of (In,Ga)As/GaAs quantum well heterostructures through the deposition of "submonolayer" strained InAs layers.—74-03034A

Growth of InAlGaAs strained quantum well structures for reliable 0.8 μm lasers.—74-04674A

Growth optimization of molecular beam epitaxy grown InAlAs on InP.—74-04676A

Growth studies on $In_{0.5}Ga_{0.5}As$/AlGaAs quantum wells grown on GaAs with a linearly graded InGaAs buffer.—74-03039A

High electron mobility in $(InAs)_n(GaAs)_n$ short period superlattices grown by MOVPE for high-electron mobility transistor structure.—74-04330A

High uniformity of $Al_{0.3}Ga_{0.7}As/In_{0.15}Ga_{0.85}As$ doped channel structures grown by molecular beam epitaxy on 3-in. GaAs substrates.—74-03041A

High-quality compressively strained InP-based GaInAs(P)/GaInAsP multiquantum well laser structures grown by metallorganic vapor phase epitaxy.—74-03044A

High-quality strained quantum wires grown by molecular beam epitaxy on (100)GaAs substrate.—74-03045A

Improved inverted AlInGa/GaInAs two-dimensional electron gas structures for high-quality pseudomorphic double heterojunction AlInAs/GaInAs high electron mobility transistor devices.—74-06144A

Influences of delta-doping time and spacer thickness on the mobility and two-dimensional electron gas concentration in delta-doped GaAs/InGaAs/GaAs pseudomorphic heterostructures.—74-00641A

Interdiffusion and relaxation in metallorganic vapor phase epitaxy grown InGaAs/GaAs strained layer quantum wells.—74-05024A

Interface roughness and asymmetry in InAs/GaAs superlattices studied by STM.—74-05169A

Interface segregation and clustering in strained-layer InGaAs/GaAs heterostructures studied by cross-sectional STM.—74-05170A

Interfaces of InAsP/InP multiple quantum wells grown by metallorganic vapor phase epitaxy.—74-06163A

Ion beam mixing characteristics of MOCVD grown InGaAs/GaAs superlattices.—74-03077A

Lateral thickness modulation of InGaAs/InP quantum wells grown by metallorganic molecular beam epitaxy.—74-03085A

Longitudinal and lateral distribution of implantation-induced damage in GaAs/InGaAs heterostructures.—74-00646A

Low-damage etching of InGaAs/AlGaAs by the electron cyclotron resonance plasma with Cl_2/He mixture for heterojunction bipolar transistors.—74-03088A

Magnetotransport investigation of Si-doped $n^+Al_{0.48}In_{0.52}As$: observation of the DX center.—74-03099A

Mechanisms of strained island formation in molecular beam epitaxy of InAs on GaAs(100).—74-06202A

Mechanisms of strained island formation in molecular beam epitaxy of InAs on GaAs(100).—74-07576A

Mobility enhancement in a highly strained δ-doped $In_{0.9}Ga_{0.1}In_{0.75}Ga_{0.25}As/\ In_{0.53}Ga_{0.47}As/InP$ heterostructure.—74-03110A

Modulated arsenic molecular beam epitaxial growth of $In_{0.48}Al_{0.52}As$.—74-03114A

Modulation-doped InAlAs/InGaAs quantum well structures for high electron mobility transistors.—74-03116A

Molecular beam epitaxy growth of quantum dots from strained coherent uniform islands of InGaAs on GaAs.—74-05197A

Molecular beam epitaxy of InAs and its interaction with a GaAs overlayer on vicinal GaAs(001) substrates.—74-06214A

Molecular beam epitaxy of InAs and its interaction with a GaAs overlayer on vicinal GaAs(001) substrates.—74-06215A

Monte Carlo simulation of gain compression effects in GRINSCH quantum well laser structures.—74-08957A

Multilayer resist process for asymmetric gate recess in field effect transistors.—74-00663A

Observation of a triclinic lattice distortion of $In_xGa_{1-x}As(100)$-oriented epitaxial layers by high-resolution double-crystal XRD.—74-06230A

Optical Faraday effect due to spin-sensitivity fluctuations of electrons in *n*-type semiconductors.—74-06237A

Optical phonons and ordering of the crystal lattice of $In_xGa_{1-x}As$ solid solutions.—74-08985A

Optical properties of heterostructures with InGaAs-GaAs quantum clusters.—74-08989A

Optical properties of InAs/InP surface layers formed during the arsenic stabilization process.—74-03137A

Optical properties of InAs/InP surface layers formed during the arsenic stabilization process.—74-06240A

Optimization of the carrier induced effective index change in InGaAsP waveguides—application to tunable Bragg filters.—74-06248A

Oscillator strength of excitons in InGaAs/GaAs quantum wells.—74-00676A

Performance of $(InAs)_1/(GaAs)_1$ short period superlattice strained single quantum well laser on GaAs substrate.—74-06251A

Photocontrolled double-barrier resonant tunneling diode.—74-03157A

Photoluminescence evaluation of pseudomorphic high electron mobility transistor device wafers.—74-06258A

Photoluminescence investigation of the critical thickness in InGaAs-AlGaAs pseudomorphic structures grown by molecular beam epitaxy.—74-05220A

Photoluminescence of molecular beam epitaxial grown $Al_{0.48}In_{0.52}As$.—74-06259A

Photoluminescence of single InAs quantum dots obtained by self-organized growth on GaAs.—74-06260A

Population inversion of spatial quantization levels in 2-D InAs/AlSb/GaSb systems.—74-00688A

Potential distribution measurement of thin InGaAs resistors using scanning tunneling potentiometry.—74-06270A

Quantum wires with controllable conducting channel width based $In_{0.53}Ca_{0.47}As$/InP heterostructures.—74-03189A

Radiative recombination in heterostructures LEDs based on limiting-composition GaInAsSb.—74-06283A

Real-time scanning microprobe reflection high-energy electron diffraction observations of InGaAs surfaces during molecular beam epitaxy on InP substrates.—74-07728A

Real-time scanning microprobe reflection high-energy electron diffraction observations of InGaAs surfaces during molecular beam epitaxy on InP substrates.—74-07729A

Recombination lifetime in InAs-$Ga_{1-x}In_xSb$ superlattices.—74-05231A

Recombination near an N-*n*-GaSb/GaInAsSb heterojunction.—74-06289A

Redistribution of beryllium in InSb and InAs resulting from ion implantation and subsequent annealing.—74-03197A

Reflection high energy electron diffraction observation of anion exchange reactions on InAs surfaces.—74-03198A

Reflection high energy electron diffraction observation of exchange reaction dynamics on InAs surfaces.—74-04408A

Relationship between growth conditions and heterojunction quality in $InP/In_{1-x}Ga_xAs$ selectively doped heterostructures grown by LPE.—74-03200A

Room temperature photoluminescence from modulation doped AlGaAs/InGaAs/GaAs quantum wells.—74-00702A

Scanning tunneling microscopy of InAs/GaSb superlattices: subbands, interface roughness, and interface asymmetry.—74-06301A

Scanning tunneling microscopy of InAs/GaSb superlattices: subbands, interface roughness, and interface asymmetry.—74-07740A

Shubnikov-de Haas oscillations in a nonuniform 2-D electron gas.—74-03213A

Spectroscopy of quantum levels in charge-tunable InGaAs quantum wells.—74-09047A

Spin orientation by optical pumping in $In_xGa_{1-x}As$/AlAs multiple quantum wells.—74-06322A

Spontaneous lifetime and quantum efficiency in light-emitting diodes affected by a close metal mirror.—74-00716A

Strained layer epitaxy—how do capping layers and oppositely strained intermediate layers enhance the critical thickness.—74-06326A

Structural and optical characterization of InAsP/InP strained multiple quantum wells grown on InP(111)B substrates.—74-05261A

Structural and optical properties of self-assembled InGaAs quantum dots.—74-06331A

Structural and optical properties of self-assembled InGaAs quantum dots.—74-06332A

Structural properties of highly mismatched InGaAs-based devices grown by molecular beam epitaxy on GaAs substrates.—74-03230A

Structure of the conduction band in InAsSbP solid solutions.—74-01584A

Study of an InGaAs/GaAs(100) heterostructure by high-resolution XRD.—74-09053A

Study of wavelength shift in InGaAs/InAlGaAs QW DFB lasers based on laser parameters from a comparison of experiment and theory.—74-09056A

Surface microtopography of InAlAs/InP heterostructures grown by MBE.—74-09058A

Surface structures of InP and InAs thermally cleaned in an arsenic flux.—74-07771A

Temperature dependence of the photoluminescence of $In_xGa_{1-x}As/GaAs$ quantum well structures.—74-09064A

Theoretical study of dynamics of type-II tunnel diodes.—74-09067A

Thermodynamic computation of the departure from stoichiometry in solid solutions $InAs_{1-x}P_x$.—74-04232A

Ultralow-temperature OMVPE of InAs and InAsB.—74-06370A

Unintentional As incorporation in molecular beam epitaxially grown InAs/AlSb/GaSb heterostructures.—74-06373A

Wavelength tuning in strained layer InGaAs-GaAs-AlGaAs quantum well lasers byselective-area MOCVD.—74-04981A

Well width dependence of the exciton phonon interaction in semiconductor quantum wells.—74-03261A

Width of exciton line in the low-temperature photoluminescence of $In_xGa_{1-x}As/GaAs$ structures with a single quantum well.—74-03262A

indium oxide,

Decomposition of gallium oxide and indium oxide on GaAs for in situ process use by alternating supply of TEGa, TMIn, and H_2O_2 as surge pulses.—74-01657A

Deposition of thin indium oxide film and its application to selective epitaxy for in situ processing.—74-02960A

Effect of deposition parameters on the properties of In_2O_3/InP junctions.—74-10280A

Electroconductive ceramics based on cerium and indium oxides and their behavior in various gaseous media.—74-02990A

Erbium-doped indium oxide films prepared by radio frequency sputtering.—74-07302A

High ammonia sensitive semiconductor gas sensors with double-layer structure and interface electrodes.—74-05939A

Inversion of the conduction in a ZnSe layer of an In_2O_3-ZnSe-$(Zn_{1-x}Cd_xTe)_{1-y}$ $(In_2Te_3)_y$-In heterostructure.—74-00643A

Ionic conductivity of tetragonal- and cubic-ZrO_2 doped with In_2O_3.—74-01527A

Low resistivity and high mobility tin-doped indium oxide films.—74-06183A

Photosensitive native-oxide *p*-In_4Se_3 heterostructures.—74-08998A

Synthesis and decomposition of a novel carboxylate precursor to indium oxide.—74-07507A

Synthesis of In_2O_3-SnO_2 composite powders by a homogeneous precipitation technique and their sintering behavior.—74-07515A

Transparent conductors comprising gallium-indium-oxide.—74-08817P

Tunnel effect as the cause of the current limited by contact emission in an In_2O_3-ZnSe-$(Zn_{1-x}Cd_xTe)_{1-y}$- $(In_2Te_3)_y$-In heterostructure.—74-00726A

Use of Ga_2O_3 and In_2O_3 in forming superconducting glass-ceramics in the Bi-Sr-Ca-Cu-O system.—74-00859A

Wet chemical processing of tin-doped indium oxide layers.—74-08775A

indium phosphide,

2-D simulation of constricted-mesa InGaAsP/InP buried heterostructure lasers.—74-05969A

Analysis of an InGaAsP/InP twin-overlayed-waveguide switch.—74-08823A

Analysis of GaInP/AlGaInP compressive strained MQW lasers.—74-05975A

Au-Sn/W and Au-Sn/Cr metallized chemical vapor deposited diamond heat sinks for InP laser device applications.—74-02363A

Au/Ge/Ni ohmic contacts to *n*-type InP.—74-02919A

Capacitance-voltage characteristics of metal-insulator-semiconductor diodes with S passivation and Si interface control layers on GaAs and InP.—74-05996A

Carrier compensation induced by rapid thermal annealing in undoped InP.—74-02930A

$CH_4/H_2/Ar/Cl_2$ electron cyclotron resonance plasma etching of via holes for InP-based microwave devices.—74-06000A

Characterization of high-quality GaIn/GaAs superlattices grown on GaAs and Si substrates by gas source molecular beam epitaxy.—74-05086A

Chemical beam epitaxy of InP-based solar cells and tunnel junctions.—74-02937A

Chemical beam epitaxy of strain balanced GaP/GaAs/InP/GaAs superlattices.—74-05092A

Compact metallorganic molecular beam epitaxy growth system.—74-06686A

Comparative reactive ion etching of III-V compounds in $Cl_2/BCl_3/Ar$ and $CCl_2F_2/BCl_3/Ar$ discharges.—74-01644A

Comparison of multipolar and magnetic mirror electron cyclotron resonance sources for CH_4/H_2 dry etching of III-V semiconductors.—74-06012A

Comparison of surface recombination velocities in InGaP and AlGaAs mesa diodes.—74-00582A

Contrast modulations in InAlAs/InP.—74-07616A

Control of ordering in GaInP and effect on band gap energy.—74-04528A

Deep level defects in proton-irradiated Zn-and Cd-doped InP.—74-10726A

Dielectric thin-film deposition by electron cyclotron resonance plasma chemical vapor deposition for optoelectronics.—74-00592A

Dopant activation energy and hole effective mass in heavily Zn-doped InP.—74-06045A

Effect of deposition parameters on the properties of In_2O_3/InP junctions.—74-10280A

Effect of ion implantation processes on the characteristics of thermal wave signals from semiconductor materials in the "mirage-effect" geometry.—74-03801A

Effect of strain on CHSH Auger recombination in strained $In_{0.53+x}Ga_{0.47-x}As$ on InP.—74-00596A

Effects of S, Si, or Fe dopants on the diffusion of Zn in InP during MOCVD.—74-06061A

Electrical characteristics of InP grown by molecular beam epitaxy using a valved phosphorus cracking cell.—74-04297A

Electrical characterization of rf sputtered TiN thin films on III-V semiconductors.—74-00603A

Electrical conduction through anodic oxides on sulfur-passivated InP.—74-06067A

Electrical properties of He^+ ion-implanted GaInP.—74-02987A

Electrical properties of InP-In_2S_3 heterostructures.—74-06071A

Electron beam sublimation deposited and lifted-off carbon mask for InP reactive ion etching.—74-06077A

Electron cyclotron resonance plasma oxidation studies of InP.—74-02993A

End-point detection by sputtered neutral mass spectrometry in ion milling of prepatterned semiconductor and high-T_c superconductor films.—74-06766A

Epitaxial BaF_2 films on InP(100) deposited by rf magnetron sputtering.—74-03002A

Evidence for delocalization in high purity *n*-type InP.—74-05013A

Experimental studies of metal/InP interfaces formed at room temperature and 77 K.—74-06090A

Fabrication and optical properties of InGaAs/InP quantum wires and dots with strong lateral quantization effects.—74-00614A

Fabrication of curved mirrors for visible semiconductor lasers using electron-beam lithography and chemically assisted ion-beam etching.—74-00617A

Fabrication of self-aligned GaAs/AlGaAs and GaAs/InGaP microwave power heterojunction bipolar transistors.—74-06100A

Features of the specific characteristics of high-power injection heterostructure lasers based on InGaAsP quaternary solutions.—74-08910A

FeP precipitates in hydride vapor phase epitaxially grown InP:Fe.—74-04636A

FeP precipitates in hydride-vapor phase epitaxially grown InP:Fe.—74-06103A

First-principles calculations of interface phonons of an epitaxial Sb monolayer on GaAs(110) and InP (110).—74-03019A

Formation of interface layers in $Ga_xIn_{1-x}As$/InP heterostructures: a reevaluation using ultrathin quantum wells as a probe.—74-08915A

From InP/GaInAsP interface study to nanometer range heterostructure detection with probe method.—74-01064A

Gain measurements on one, two, and three strained GaInP quantum well laser diodes.—74-08919A

GaInP and AlInP grown by elemental source molecular beam epitaxy.—74-06115A

Group V composition control for InGaAsP grown by gas source molecular beam epitaxy.—74-06122A

Growth and photoluminescence study of low-concentration InP layers grown by liquid phase epitaxy in the presence of erbium.—74-00628A

Growth of $GaAs_{1-x}P_x$/GaAs and $InAs_yP_{1-y}$/InP strained quantum wells for optoelectronic devices by gas-source molecular beam epitaxy.—74-06129A

Growth optimization of molecular beam epitaxy grown InAlAs on InP.—74-04676A

High-performance InP JFETs grown by MOCVD using tertiarybutylphosphine.—74-04679A

High-quality compressively strained InP-based GaInAs(P)/GaInAsP multiquantum well laser structures grown by metallorganic vapor phase epitaxy.—74-03044A

High-quantum-efficiency InGaAs/InP and InGaAs/GaAs quantum dots.—74-06134A

High-resolution X-ray diffraction of one- and two-dimensional periodic surface gratings.—74-06135A

Highly selective reactive ion etch [RIE] process for InP-based device fabrication using methane/hydrogen/argon.—74-00937A

Identification of ordered and disordered $Ga_{0.51}In_{0.49}P$ domains by spatially resolved luminescence and Raman spectroscopy.—74-06142A

Identification of ordered and disordered $Ga_{0.51}In_{0.49}P$ domains by spatially resolved luminescence and Raman spectroscopy.—74-06143A

Identification of volatile products in low-pressure hydrocarbon electron cyclotron resonance reactive ion etching [RIE] of InP and GaAs.—74-00635A

Improvement of the quality of InGaAs/InP quantum wires due to epitaxial growth.—74-06145A

In situ observation of surface morphology of InP grown on singular and vicinal (001) substrates.—74-05161A

Influence of plasma etching on trap levels in InP.—74-06153A

Interface abruptness in CBE-grown InGaAs/InP QW structures.—74-06161A

Interface state distribution of BN on InP structures.—74-04714A

Interfaces of InAsP/InP multiple quantum wells grown by metallorganic vapor phase epitaxy.—74-06163A

Investigation of spontaneous ordering in GaInP using reflectance difference spectroscopy.—74-06170A

Investigation of spontaneous ordering in GaInP using reflectance difference spectroscopy.—74-07675A

Investigation of the 1.2-eV photoluminescence band in rapid thermal annealed InP.—74-03075A

Lateral thickness modulation of InGaAs/InP quantum wells grown by metallorganic molecular beam epitaxy.—74-03085A

Long-wavelength InGaAsP/InP MQW DFB and DBR lasers grown by chemical beam epitaxy.—74-06182A

Low-energy, ion-enhanced etching of III-V's for nanodevice applications.—74-03089A

Low-loss beamwidth transformers on InP with reduced requirements on lithographic resolution.—74-00648A

Low-loss Bragg reflector lateral-transverse mode confinement in AlGaInP red lasers.—74-08946A

Low-pressure MOCVD growth of buried heterostructure laser wafers using high-quality semiinsulating InP.—74-06184A

Low-temperature electrical transportation behavior of $In_{0.5}Ga_{0.5}P$ grown in GaAs(100) substrate by LPE.—74-08947A

Metallorganic vapor phase epitaxial growth and structural characterization of GaAs/InP heterostructures.—74-04748A

Micromachining in III-V semiconductors using wet photoelectrochemical etching.—74-00657A

Mobility enhancement in a highly strained δ-doped $In_{0.9}Ga_{0.1}In_{0.75}Ga_{0.25}As$/ $In_{0.53}Ga_{0.47}As$/InP heterostructure.—74-03110A

Modeling the excitonic electrorefraction in InGaAsP multiple quantum wells.—74-00660A

Nonlinear gain and the spectral output of short external cavity 1.3 μm InGaAsP semiconductor diode lasers.—74-08971A

Novel fiber growth on Ar^+-sputtered InP.—74-06225A

Observation of an electron gap at E=0.41 eV in InP:Fe by a method of thermally stimulated currents.—74-08973A

Observation of laser oscillation without population inversion in InGaAsP microdisk lasers.—74-06231A

Ohmic contact formation in palladium-based metallizations in *n*-type InP.—74-06232A

Ohmic contacts to *n*-type $In_{0.5}Ga_{0.5}P$.—74-06233A

Optical analysis of quantum confined Stark effect in overgrown InGaAs/InP quantum wires.—74-01547A

Optical and crystallographic properties of high perfection InP grown on Si(111).—74-04169A

Optical investigation of the influence of substrate orientation on spontaneous ordering in $Ga_{0.5}In_{0.5}P$ alloy.—74-04382A

Optical properties of InAs/InP surface layers formed during the arsenic stabilization process.—74-03137A

Optical properties of InAs/InP surface layers formed during the arsenic stabilization process.—74-06240A

Optimal growth interrupts for very high quality InGaAs(P)/InP superlattices grown by MOVPE.—74-06244A

Optimization of the carrier induced effective index change in InGaAsP waveguides—application to tunable Bragg filters.—74-06248A

Ordering and disordering of doped $Ga_{0.5}In_{0.5}P$.—74-03144A

Origin of nonradiative recombination centers in AlGaInP grown by metallorganic vapor phase epitaxy.—74-05214A

Origin of optical anisotropy in strained $In_xGa_{1-x}As$/InP and $In_yAl_{1-y}As$/InP heterostructures.—74-05215A

Pairing of Mn acceptors and Te donors in InP and related alloys.—74-03147A

Perturbance analysis of higher-order photorefractive gratings in InP:Fe.—74-03151A

Photoluminescence and interface abruptness in InGaAsP/InGaAsP quantum wells.—74-06257A

Photoluminescence studies of interstitial Zn in InP due to rapid thermal annealing.—74-06262A

Plasma-deposited SiO_2 for planar self-aligned gate metal-insulator-semiconductor field effect transistors on semiinsulating InP.—74-00684A

Plasma-enhanced chemical vapor deposition of boron nitride onto InP.—74-04814A

Polarization dependence of linewidth enhancement factor in InGaAs/InGaAsP MQW material.—74-06266A

Quantum wires with controllable conducting channel width based $In_{0.53}Ca_{0.47}As$/InP heterostructures.—74-03189A

Quasi-ballistic instability in InP structures.—74-03190A

Raman scattering of strained GaAs layers grown by MOVPE on InP(III) A and B.—74-03193A

Reactive ion etching of AlInGaP and GaAs in $SiCl_4/CH_4$/Ar-based plasmas.—74-03196A

Reactive ion etching of InP via holes.—74-06288A

Real-time monitoring and analysis of chemical wet etching of III-V compound semiconductors.—74-00694A

Real-time scanning microprobe reflection high-energy electron diffraction observations of InGaAs surfaces during molecular beam epitaxy on InP substrates.—74-07729A

Reduction of noise figure in semiconductor laser amplifiers with $Ga_{1-x}In_xAs$/GaInAsP strained quantum well structures.—74-00696A

Refractive index of $(Al_xGa_{1-x})_{0.5}In_{0.5}P$ quaternary alloys.—74-04409A

Relationship between growth conditions and heterojunction quality in InP/$In_{1-x}Ga_xAs$ selectively doped heterostructures grown by LPE.—74-03200A

Saturation characteristics of $Ga_{0.68}In_{0.32}As$/GaInAsP/InP tensile-strained quantum well semiconductor laser amplifier with tapered-waveguide structures.—74-09030A

Selective order-disorder transition in GaInP/AlGaInP: a new approach for the definition of buried quantum wires.—74-06304A

Selective regrowth of InP and GaAs by organometallic vapor phase epitaxy and metallorganic molecular beam epitaxy around dry etched features.—74-00704A

Shubnikov-de Haas oscillations in a nonuniform 2-D electron gas.—74-03213A

Site symmetry of Er^{3+} in $In_{0.5}Ga_{0.5}P$.—74-09040A

Solid-source molecular beam epitaxy growth of GaInP and GaInP-containing quantum wells.—74-09043A

Static and dynamic properties of InGaAsP-InP DFB lasers—a detailed comparison between experiment and theory.—74-09048A

Strain distribution in InP grown on patterned Si—direct visualization by cathodoluminescence wavelength imaging.—74-03228A

Structural and optical characterization of InAsP/InP strained multiple quantum wells grown on InP(111)B substrates.—74-05261A

Structural characterization of phosphide and related semiconductor nanoclusters.—74-00718A

Structure of the conduction band in InAsSbP solid solutions.—74-01584A

Study of laser emission wavelength variations in 1.5 μm InGaAsP/InP BRS laser diodes—theoretical model and experiment.—74-09054A

Study of the oxidation of *n*-InP with low carrier concentrations in negative potential region.—74-06340A

Sub-ps carrier lifetime in InP.—74-06343A

Submillimeter wave generation and noise in InP diodes.—74-03240A

Surface microtopography of InAlAs/InP heterostructures grown by MBE.—74-09058A

Surface structures of InP and InAs thermally cleaned in an arsenic flux.—74-07771A

TEM study of the effect of growth interruption in MBE of InGaP/GaAs superlattices.—74-06347A

Tertiarybutylarsine and tertiarybutylphosphine for the MOCVD growth of low threshold 1.55 μm $In_xGa_{1-x}As$/InP quantum well lasers.—74-04954A

Thermodynamic computation of the departure from stoichiometry in solid solutions $InAs_{1-y}P_y$.—74-04232A

Transient grating measurements of ambipolar diffusion and carrier recombination in InGaP/InAlP multiple quantum wells and InGaP bulk.—74-05058A

Transmission through abrupt heterojunction potential barriers.—74-09074A

Tunneling-recombination currents in nonideal InGaAsP/InP heterostructures.—74-06366A

Ultraviolet laser-assisted surface treatment of InP with phosphine gas.—74-06372A

Ultraviolet-ozone oxidation of GaAs(100) and InP(100).—74-00730A

Vapor phase epitaxy of InP with halide transport on earth and under microgravity.—74-03260A

Wafer scale processing of InGaAsP/InP lasers.—74-06379A

Wafer-scale processing of InGaAsP/InP lasers.—74-06380A

X-ray absorption near-edge structures of sulfur on gas-phase polysulfide-treated InP surfaces and at SiN_x/InP interfaces.—74-06383A

indium selenide,

Band structure of deformed orthorhombic CdSb, ZnSb, and In_2Se_3 crystals—modeling of superlattices.—74-05987A

Cathodoluminescence spectra of $ZnIn_2Se_4$ single crystals.—74-08835A

Certain features of generation-recombination processes occurring as a result of irradiation of $TlInSe_2$.—74-08836A

Composition effects in "flash" evaporated $CuIn(Se_xTe_{1-x})_2$ films.—74-06013A

Cu-Mo contacts to $CuInSe_2$ for improved adhesion in photovoltaic devices.—74-02952A

Effect of hydrogen in the selenizing atmosphere on the properties of $CuInSe_2$ thin films.—74-04576A

Electrical properties of $(Sn_{0.8}Ge_{0.2})_{1-x}In_xTe$ films formed by a laser-evaporation method.—74-00605A

Electrodeposition of $CuInSe_2$ thin films from aqueous citric solutions: I, Influence of potential and mass transfer rate on composition and structure of films.—74-01705A

Electrodeposition of $CuInSe_2$ thin films from aqueous citric solutions: II, Investigation of macrokinetics of electrodeposition by means of rotating disk electrode.—74-01706A

Gamma-irradiation effect on mechanism of low-temperature electrical conductivity in layered InSe crystals.—74-04321A

Lattice dynamics of a simple GaSe-InSe superlattice.—74-08944A

Natural photopleochroism in $CuInSe_2$ diode structures.—74-08961A

New electrochemical method for selenization of stacked CuIn layers and preparation of $CuInSe_2$ by thermal annealing.—74-04772A

Optical transitions in laser-evaporated thin $CuInSe_2$ films.—74-04387A

Phase development in the system Yb-In-Se.—74-01423A

Phase equilibria in the system SmS-In_2S_3, SmSe-In_2Se_3, and SmTe-In_2Te_3.—74-01429A

Photosensitive native-oxide *p*-In_4Se_3 heterostructures.—74-08998A

Preparation and properties of $CuInSe_2$ thin films produced by selenization of cosputtered Cu-In films.—74-06273A

Preparation of homogeneous polycrystalline $CuInSe_2$ thin films by a two-step chemical-vapor-transport process.—74-07433A

Processing of $CuInSe_2$ films for photovoltaics.—74-09012A

Structure and chemistry of $CuInSe_2$ for solar cell technology: current understanding and recommendations.—74-02049A

Thermodynamical study of the preparation of $CuInSe_2$ thin films in vertical closed tube systems.—74-01920A

Variation of trap state density and barrier height with Cu/In ratio in $CuInSe_2$ films.—74-04461A

X-ray reflection high electron energy diffraction and X-ray photoelectron spectroscopy studies of InSe and γ-In_2Se_3 thin films grown by molecular beam epitaxy.—74-01489A

indium telluride,

Composition effects in "flash" evaporated $CuIn(Se_xTe_{1-x})_2$ films.—74-06013A

Phase equilibria in the system SmS-In_2S_3, SmSe-In_2Se_3, and SmTe-In_2Te_3.—74-01429A

Phase formation in the system Ho-In-Te and a projection of the liquidus surface.—74-01433A

Superconducting properties of $[(Sn_{1-x}Ge_x)_{0.95}In_{0.05}Te;\ x \leq 0.4]$ solid solutions.—74-03595A

indium tin oxide,

Application of dynamic in situ ellipsometry to the deposition of tin-doped indium oxide by reactive direct current magnetron sputtering.—74-00458A

Characterization of silicon field emission microtriodes.—74-02936A

Degradation of thin films—comparison between low earth [LEO] orbit experiments and laboratory simulations of the space environment.—74-03793A

Dependence of photovoltages of spray-deposited indium tin oxide/silicon oxide/silicon junction solar cells on spray solvents.—74-06030A

Electrical properties of radio frequency magnetron sputtered $(BaSr)TiO_3$ thin films on indium-tin-oxide-coated glass substrate.—74-00607A

Microstructural study of low-resistivity tin-doped indium oxide prepared by dc magnetron sputtering.—74-02018A

Microstructure and electrical characteristics of sputtered indium tin oxide films.—74-01542A

Novel synthetic route to Nb_2O_5 thin films for electrochromic devices.—74-05779A

Origin of the inhomogeneity of electrical resistivity in magnetron sputtered indium tin oxide thin films.—74-02854A

Preparation of amorphous $BaTiO_3$ thin films on indium tin oxide-coated soda-lime glass by metallorganic chemical vapor deposition.—74-04823A

Properties of radio-frequency magnetron sputtered ITO films without in situ substrate heating and post-deposition annealing.—74-04402A

Spectroscopic ellipsometry studies of indium tin oxide and other flat panel display multilayer materials.—74-05250A

indium,

Bonding and migration of ^{111}In atoms of GaAs surfaces studied by perturbed angular correlation spectroscopy.—74-04254A

Brillouin scattering study of transverse elastic constant anomaly of $TlInS_2$ during phase transition.—74-04257A
Certain approach of predicting new compounds with structure of indium-antimonite-type.—74-07042A
Chemical structure and oxygen dynamics in $Ba_2In_2O_5$.—74-05094A
Comparative study of wet and dry selective etching processes for GaAs/AlGaAs/InGaAs pseudomorphic MODFETs.—74-06009A
Constant indium delivery from trimethyl indium/hexadecane slurry.—74-03792A
Crystal growth and luminescence properties of In_6WO_{12}.—74-07051A
$CuInS_2$ with lamellar morphology: I, Efficient photoanodes in acidic polyiodide medium.—74-06021A
$CuInS_2$ with lamellar morphology: II, Photoelectrochemical behavior of heterogeneous material.—74-06022A
Diffusion and electrical activity of indium in (Hg,Cd)Te.—74-07561A
Dislocation generation mechanisms of $In_xGa_{1-x}As$ ($0 \le x \le 1$) epilayers grown on (100)InP substrates by molecular beam epitaxy.—74-08863A
Double-crystal X-ray diffraction and transmission electron microscopy investigations of strained $Ga_{1-x}In_xAs/GaAs$ superlattices.—74-00595A
Effect of electron bombardment on the electrical properties of $Pb_{1-x}Sn_xTe(In)$ alloys.—74-06051A
Electron-hole liquid and light amplification in layered InSe and GaSe crystals.—74-02994A
Electrophysical properties on Bi_2Te_3:In.—74-01513A
Estimation of indium-to-germanium and gallium-to-germanium sputtering yield ratios using cosputtering deposition.—74-06085A
Growth of high-mobility InSb by metallorganic chemical vapor deposition.—74-04673A
Growth of the (In,Al,Ga)As quaternary alloy system on GaAs at low substrate temperatures by molecular beam epitaxy.—74-03037A
He/N_2 reactive gas composition and the structural and electrical properties of InN thin films grown on AlN-nucleated (001)sapphire by planar magnetron sputtering.—74-05155A
Investigation of high-quality GaAs:In layers grown by liquid phase epitaxy.—74-06166A
Liquid phase epitaxy of highly lattice-mismatched $In_xGa_{1-x}As$ layers on (001)GaAs substrates.—74-06178A
LPCVD of InN on GaAs(110) using HN_3 and TMIn—comparison with Si(100) results.—74-06188A
Luminescence of Ce^{3+} in the $In_xSc_{1-x}BO_3$ ($0 \le x \le 1$) solid solution.—74-10115A
MBE growth and characteristics of periodic index separate confinement heterostructure InGaAs quantum well lasers.—74-06196A
Model of structural phase transition sequence in layered $TlInS_2$ crystal.—74-04165A
Multistep rapid thermal annealing of boron- and indium-implanted $Hg_{1-x}Cd_xTe$.—74-07394A
Optical absorption in $MnIn_2S_4$ single crystals.—74-08981A
Optical properties of strained layer (111)B $Al_{0.15}Ga_{0.85}As$-$In_{0.04}Ga_{0.96}As$ quantum well heterostructures.—74-06241A
Photoelectric properties of In/*p*-$CuGaS_2$ surface barrier structures.—74-08995A
Photoemission study of evaporated $CuInS_2$ thin films: I, Surface stoichiometry and phase segregation.—74-01559A
Photoemission study of evaporated $CuInS_2$ thin films: II, Electronic surface structure.—74-00520A
Photovoltaic effect in In/*p*-AgGaAs structures.—74-09001A
Room-temperature synthesis of $CuInQ_2$ (Q=S or Se) in nonaqueous solution using an organoindium reagent.—74-10614A
Size-dependent melting and freezing behavior of In metal confined in porous glasses.—74-00279A
Sputtering of neutral and ionic indium clusters.—74-03222A
Static characteristics of a selectively doped pseudomorphic FET.—74-06324A
Structure of resistive superconducting transition in regular array of indium nanoparticles [RAINs].—74-06635A
Study of lattice-mismatched (In,Ga)As/GaAs heterostructures on the unconventional (110)GaAs surface.—74-03234A
Superconductivity and component distribution thin indium-doped $Pb_xSn_{1-x}Te$ layers.—74-03596A
Thermal strain in indium thin films deposited on GaAs substrates.—74-07193A
What are the molecules of which the samples of metal alkoxides do really consist.—74-10720A
Wide-gap semiconductor InGaN and InGaAlN grown by MOVPE.—74-06382A

induction,
Preformed induction furnace crucibles.—74-08625A

infiltration,
Applied technology—infrared infiltration and joining of advanced materials.—74-05612A
Diamond-infiltrated carbon-carbon composites.—74-10269A
Infiltration of preforms with particle-filled preceramic polymers.—74-10412A
Joining methods for ceramic composite bodies.—74-08305P
Manufacture and properties of infiltrated SiSiC-SiC platelet composites.—74-02163A
Melt infiltration of copper-coated silicon carbide with an aluminum alloy.—74-05643A
Melt infiltration process for SiC ceramics and composites.—74-07379A

infrared techniques,
From rapid drying by selective infrared radiation of vessel to that of tubes made from technical ceramics.—74-07323A
Identification method for infrared absorption spectra of semitransparent media by their emission data: application to lime-aluminosilicate glasses at high temperatures.—74-02547A
Infrared absorption spectroscopy for monitoring condensible gases in chemical vapor deposition applications.—74-03823A
Infrared study of CO on NiO(100).—74-05166A
Innovative infrared processing of metal matrix composites.—74-08217A
Installation and networking of a multiplant kiln shell scanning system.—74-03826A
Near-infrared solution to moisture measurement in ceramics.—74-09585A
Phase transitions in cristobalite and related structures studied by variable temperature infrared emission spectroscopy.—74-04194A
Precise property determinations of arsenosilicate glass thin films using infrared spectroscopy.—74-02570A
Preparation and characterization of ZBLAN group glasses.—74-08449A
Quantitative analysis of infrared reflection spectra from phosphosilicate glass films.—74-00210A

infrared,
Analysis of ir spectra of a-SiN_x:H alloys on the basis of the induction model.—74-07590A
Applied technology—infrared infiltration and joining of advanced materials.—74-05612A
Bronze-colored infrared and ultraviolet radiation absorbing glass.—74-08468P
Dark gray, infrared absorbing glass composition and coated glass for privacy glazing.—74-08475P
Diamond windows for ir applications in adverse environments.—74-09866A
Effects of MnO_2 additives on the characteristics of infrared radiator of cordierite system.—74-10312A
Electrical and ir characterization of the semiconducting phases of $YBa_2Cu_3O_{6-x}$.—74-09263A
How accurate is that infrared thermometer.—74-06777A
Infrared detector utilizing diamond film.—74-09087P
Infrared spectroscopic investigations on h-BN and mixed h/c-BN thin films.—74-04152A
Ir response of granular YBCO semiconducting films.—74-03078A
Ir-attenuated total reflectance studies of dc-biased growth of diamond films.—74-04721A
Long-wave ir emission in *n*-InSb in strong electric fields.—74-08945A
Normal-state $YBa_2Cu_3O_x$ films: a new fast thermal detector for infrared laser radiation with a uniform wavelength response.—74-03544A
Polarcor/glass polarizers for near-infrared.—74-08385A
Study of bauxitic clay minerals with infrared spectrometry.—74-02737A
Study of surface chemical processes accompanying the grinding of glass.—74-02501A
Superconducting $YBa_2Cu_3O_{7-x}$ thin-film molometer for infrared radiation.—74-06637A
What's hot in temperature measurement and control.—74-06833A

inhomogeneity,
Constitutive models for the sintering of ceramic components: II, Sintering of inhomogeneous bodies.—74-10238A
Development of composition inhomogeneities in layer-by-layer growth of an epitaxial film of a solid solution of III-V semiconductors.—74-00591A
Diffuse scattering of X-rays by imperfect single crystals of graphite.—74-07631A
Effect of transverse relaxation time inhomogeneity on nuclear spin echo signals in ferromagnets.—74-06454A
Magnetic field distribution above a superconducting Y-Ba-Cu-O sample as an indication of sample inhomogeneities.—74-06575A
Method of quantitative evaluation of impurity inhomogeneities in silicon single crystals based on analyzing plane-wave X-ray topograms.—74-06205A
Quasi-equilibrium in silicate glasses.—74-08347A
Screening properties of inhomogeneous superconducting YBaCuO films in magnetic field.—74-09335A
Structural inhomogeneity and crystallization behavior of aerosol-reacted $MgAl_2O_4$ powders.—74-07119A

injection molding,
Binder system for use in the injection molding of sinterable powders and molding compound containing the binder system.—74-09521P
Characterization of ß and ß″ alumina sensor tubes produced by injection molding.—74-06960A
Characterization of particle packing in an injection-molded green body.—74-10773A
Effects of stearic acid on the injection molding of alumina.—74-10315A
Feedstocks for ceramic injection molding using the catalytic debinding process.—74-04635A
Injection molding of ceramic articles using aqueous based thermoplastic resin.—74-03751P
Injection molding of RBSN-based ceramics.—74-04710A
Injection molding of stator models with silicon carbides with additives of alumina.—74-01295A
Potential for advanced ceramics in automotive engine applications.—74-02259A
Processing of hydroxyapatite by injection molding.—74-07448A
Progress in the development of binders: II, Economics.—74-02261A
Radial flow of ceramic injection molding mixes.—74-04856A
Reaction injection molding of silicon nitride ceramics having crystallized grain boundary phases.—74-09958P
Removal of binder for producing articles from particulate materials by use of a specific TGA curve.—74-09541P
Supercritical debinding of injection-molded ceramics.—74-07500A

inks,
Ink jet printer ink for printing on ceramics or glass.—74-08651P

inorganic materials,
Ceramic membrane.—74-06957A
Factors affecting synthesis of monosulfate in aqueous solution under atmospheric pressure.—74-07311A
Formation of inorganic coatings on polymer films by sol-gel method.—74-10362A
Inorganic fibers and microstructures by laser-assisted chemical vapor deposition.—74-01769A
Inorganic heat-proof adhesive.—74-01770A
New routes to silicic-acid-containing inorganic-organic hybrid precursors and polymers.—74-10496A
New type of a sol-gel-derived inorganic-organic nanocomposite.—74-10497A
Nonlinear optical polymers derived from organic/inorganic composites.—74-10499A
Optical constants of inorganic glasses.—74-11208B
Race of new inorganic materials towards neolithic age.—74-09797A
Thermal analysis.—74-07530A
Thermal stresses in combustion synthesis of inorganic materials.—74-04960A

inspection,
Drawing a fine line through tiny defects.—74-09561A
Improving line efficiency via hot-end inspection.—74-06707A
Machine for inspecting the bottom of glass containers—74-01019P
Powers/LumenX agreement leads to product innovations.—74-06716A
Quality and quantity—striking a balance for float glass.—74-06805A
System integration solutions for the glass industry featuring the Inex Information Interface system —74-00320A
Use of video in microscopic and ultrasonic inspection.—74-06832A

instability,
Crystalline instability in $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_x$.—74-09247A
Lattice instabilities and high-temperature superconductivity in the parent structure $(Sr,M)CuO_{2-y}$.—74-00822A
Magnetic flow instabilities in textured samples of YBaCuO.—74-09299A
Quasi-ballistic instability in InP structures.—74-03190A

instruments,
Advances in rheology instrumentation.—74-03673A
Calibration in Ceramic Test Laboratories.—74-09555A
Ceramic analysis at the end of the 20th century.—74-11146A
In situ radiography during tensile tests.—74-04016A
Industrial recorders get a technology overhaul.—74-05423A
Microscopy.—74-03837A
Precision-controlled cooling of a differential scanning calorimeter (DSC).—74-01093A
Research-grade microscope.—74-06809A
Scanning probe microscopy (SPM).—74-03732A
Thermal Analysis of Materials.—74-11210B
Thermal instrument research brings new materials insights.—74-06730A
Thermalite apparatus.—74-03880A
Trend of kiln instrumentation for ceramics.—74-09720A
Unified scatter technique for full-range particle size measurement.—74-06830A
Using the microscope...for the nonmicroscopist.—74-03887A

insulators/insulation,
Calculation of thickness of insulating layers of glass tank furnace.—74-09554A
Development of F0.5 quality insulating brick.—74-05850A
Developments in electric furnace technology.—74-01144A
Ecology and quality assurance in modern kiln technology for high-voltage ceramic insulators.—74-01148A
Fiber insulation boards [for applications] up to 1800°C.—74-08617A
Furnaces for firing of high-tension ceramic insulators.—74-06854A
Growth and properties of $YBa_2Cu_3O_{7-x}$/($SrTiO_3$/$PrGaO_3$)/$YBa_2Cu_3O_{7-x}$ trilayers: optimization of the insulation.—74-03471A
Insulating blankets withstand higher temperatures.—74-08620A
Insulating ZnO film on silicon for MIS application.—74-05943A
Insulation of glass tank furnace [studied] with computer.—74-09677A
Low-pressure MOCVD growth of buried heterostructure laser wafers using high-quality semiinsulating InP.—74-06184A
Optimization of the insulation by using ceramic tissue.—74-09698A
Photoreflectance of semiinsulating GaAs at $\hbar\omega \le E_g$.—74-08263A
Plasma-spray metal coating on foam.—74-05651A
Role of PbO and Ag on insulation resistance degradation in relaxor-based MLCs.—74-05956A
Rugged preheaters for vacuum plasma spraying.—74-06722A
Si_3N_4/Si/Ge/GaAs metal-insulator-semiconductor structures grown by in situ chemical vapor deposition.—74-09036A
Staple fibers made of andesite porphyrite and used for heat insulating purposes.—74-00403A
Structure and properties of metal-insulator interphase layer [MIIL].—74-05269A
Superior quality fuses related to special electrical resistant cement used in bonding its components.—74-00098A

integrated circuit,
ADEQUAT project for development and transfer of 0.25 µm logic complementary metal-oxide-semiconductor modules.—74-07938A
Aluminum nitride sintered body and method of preparing the same.—74-09902P
BiCMOS process with low base recombination current bipolar transistors—74-00736P
Cermet etch technique for integrated circuits.—74-03266P
Development of a multichip module (MCM) tool box.—74-00472A
Dielectrics applied for VLSI planarized multilevel metallization.—74-08860A

Fabrication of silicon carbide integrated circuits.—74-08789P
Formation of ruthenium oxide for integrated circuits.—74-02880P
Glass-ceramic composite.—74-02675P
Glass-ceramic composite.—74-08792P
High-frequency potential probe using electrostatic force microscopy.—74-03043A
Hybrid circuits and a method of manufacture.—74-08796P
Industrial recorders get a technology overhaul.—74-05423A
Integration of materials and processes for reliable silicon interconnections.—74-06157A
Integration of materials and processes for reliable silicon interconnections.—74-06158A
Interlayer dielectric technology by using TEOS-based CVD.—74-08757A
Investigation of multilayer SOI structures by electroreflectance spectroscopy.—74-06167A
Materials and failure analysis methods and systems used in the development and manufacture of silicon integrated circuits.—74-06194A
Materials and failure analysis methods and systems used in the development and manufacture of silicon integrated circuits.—74-06787A
Membrane dielectric isolation IC fabrication.—74-02885P
Method for forming a ceramic oxide capacitor having barrier layers.—74-08802P
Microwave GaAs integrated circuits on quartz substrates.—74-03109A
Multilayer ceramic circuit board.—74-08809P
Optimization of selective area growth of GaAs by low pressure organometallic vapor phase epitaxy for monolithic integrated circuits.—74-04794A
PMOS integrated circuit fabrication using BF_3 plasma immersion ion implantation.—74-06265A
Polycrystalline silicon "slit nanowire" for possible quantum devices.—74-00687A
Properties of liquid-phase-deposited SiO_2 films for interlayer dielectrics in ultralarge-scale integrated circuit multilevel interconnections.—74-05952A
Shallow trench isolation for ultralarge-scale integrated devices.—74-00708A
Stress-induced void formation in metallization for integrated circuits.—74-06327A
Survey of nondestructive surface characterization methods used for reliable gate oxide fabrication for silicon ic devices.—74-03877A
Three-dimensional thermal analysis of high density triple-level interconnection structures in very large scale integrated circuits.—74-00723A

intercalation,
Characterization of nonstoichiometric nickel oxide thin-film electrodes.—74-06001A
Dependence of the intercalation of Li in WO_3 on the preparation of WO_3 host.—74-01367A
Electronic structures of newly predicted intercalation compounds "lithium intercalated alpha-boron."—74-01382A
Fluoride ion conduction of fluorine-intercalated graphite C_xF.—74-10104A
Formation of lithium-graphite intercalation compounds in nonaqueous electrolytes and their applications as a negative electrode for a lithium ion (shuttlecock) cell.—74-01737A
Intercalation compounds.—74-00496A
Intercalation of Li into single crystals of MoS_2.—74-10426A
Intercalation of $MgCl_2$ in graphite.—74-04713A
Investigation of the mechanism of formation of insertion compounds of uranium oxides by voltammetric reduction of the solid phase after mechanical transfer to a carbon electrode.—74-00885A
Polymer-clay nanocomposites—polystyrene grafted onto montmorillonite interlayers.—74-07417A
Study of carbon-smectite composites and carbons obtained by in situ carbonization of polyfurfuryl alcohol.—74-07495A
Study of diffusion and ionic conductivity in 2H-Ag_xTaS_2 intercalated compound.—74-05054A
Study of lithium intercalation into tungsten oxide films prepared by different methods.—74-07766A
Theoretical study of ordering effects during electrochemical insertion.—74-01477A
Thermodynamic and kinetic studies of electrochemical lithium insertion into quaternary Li-Mn-V-O spinel as positive materials for rechargeable lithium batteries.—74-01480A
V_2O_5 xerogel films as intercalation hosts for lithium.—74-07548A

interconnect,
Room temperature chemical vapor deposition SiOF film formation technology for interlayer in submicron multilevel interconnections.—74-01872A
Thin-film multilayer interconnect technology for $YBa_2Cu_3O_{7-x}$.—74-03609A

interfaces,
Acoustic-electric waves in bicrystalline media under conditions of tight contact or vacuum gap at interface.—74-03283A
Atomic structure of heterophase interfaces.—74-08130A
Atomistic simulations of friction at sliding diamond interfaces.—74-01497A
Ballistic electron emission microscopy of the Au-Si(100) interface.—74-08828A
Ballistic-electron emission microscopy on the Au/*n*-Si(111) 7×7 interface.—74-07598A
Behavior of the glass/zircon interface.—74-10760A
Benefits of HREM for the study of metal-ceramic interfaces.—74-05614A
CdTe/GaAs(100) heterojunctions—growth modification by thin silicon interface layers.—74-05999A
Ceramic composites of monazite and alumina[—correction].—74-09766A
Ceravital bioactive glass-ceramics.—74-05667A
Characteristics of in situ Cl_2 etched/regrown GaAs/GaAs interfaces.—74-01498A
Characterization of electronic interfacial states at grain boundaries—transient capacity response method and molecular orbital calculation.—74-10769A
Characterization of interfaces between hydrogenated amorphous carbon films and steel substrates using high-resolution cross-sectional transmission electron microscopy.—74-08140A
Characterization of interfaces by grazing incidence X-ray scattering.—74-07606A
Characterization of Nb-Al_2O_3 and Nb-MgO interfaces in MBE-grown Nb-MgO-Nb-Al_2O_3 multilayers.—74-08141A
Characterization of the Si/SiO_2 interface morphology from quantum oscillations in Fowler-Nordheim tunneling currents.—74-00581A
Chemical and structural widths of interfaces and grain boundaries in silicon nitride–silicon carbide whisker composites.—74-10779A
Chemical mapping and its application to interfaces, point defects, and materials processing.—74-01049A
Chemical thermodynamic stabilities of the interface.—74-01355A
Chemistry and interfacial properties of metal/ceramic interfaces.—74-05616A
Crack deflection at structured interlayers.—74-10953A
Cross-sectional scanning tunneling microscopy on heterostructures: atomic resolution, composition fluctuations, and doping.—74-01976A
Deposition of diamond films on sapphire—studies of interfacial properties and patterning techniques.—74-07627A
Direct measurement of local properties of interfaces with scanning tunneling microscopy.—74-10789A
Effect of carbon fiber surface on interfacial adhesive strengths in CFRP.—74-01981A
Effect of interfacial roughness parameters on the fiber pushout behavior of a model composite.—74-05344A
Effects of crystallinity in depth resolution in sputter depth profiles.—74-05130A
Electrochemical processes at interfaces and mixed conductor development.—74-00486A
Enthalpies of reactions at the metal oxide/aqueous interface.—74-09992A
Equilibrium position of misfit dislocations at planar interfaces.—74-08184A
Experimental and simulation studies of the interfacial zone in concrete.—74-05521A
Experimental determination of silica/copper interfacial toughness.—74-02136A
Extremely high uniformity of interfaces in GaAs/AlGaAs quantum wells grown on (411)A GaAs substrates by molecular beam epitaxy.—74-03013A
Fiber twist test: a new single fiber test method to measure composite interface properties.—74-09569A
First-principles calculations of interface phonons of an epitaxial Sb monolayer on GaAs(110) and InP (110).—74-03019A
Formation of metal-ceramic interfaces—a surface science approach.—74-05625A
Fracture mechanics studies of thermal mismatch using a four-point bending specimen.—74-11005A
Fracture resistance of metal-ceramic interfaces.—74-08195A
Free-electron laser spectroscopy of semiconductors and interfaces.—74-03025A
From InP/GaInAsP interface study to nanometer range heterostructure detection with probe method.—74-01064A
Geometric aspects of low-energy metal-ceramic interphase boundaries.—74-08200A
Geometric modeling of the diamond–ß-SiC heteroepitaxial interface.—74-09995A
Growth of metal-ceramic interfaces by molecular beam epitaxy.—74-08201A
High-temperature behavior of silicon carbide fibers in an Si-Al-Ca-O-N ceramic matrix.—74-09872A
High-temperature creep and the interfacial mechanical response of a ceramic matrix composite.—74-02153A
Hot electron scattering effects in metal-semiconductor structures and their role in interface transport.—74-03051A
Improved interface coatings for SiC fibers in ceramic composites.—74-10396A
Influence of frictional heating on interfacial shear and residual stresses in fiber-reinforced ceramic matrix composites.—74-11026A
Influence of interface resistance of high-T_c superconducting composites on measurement of J_c.—74-00818A
Influence of interfacial debonding on the behavior of a laminated system.—74-11028A
Interface abruptness in CBE-grown InGaAs/InP QW structures.—74-06161A
Interface analysis of dry-etched and molecular beam epitaxial regrown AlGaAs.—74-05168A
Interface control in metal matrix composite fabrication using infrared processing.—74-10427A
Interface segregation and clustering in strained-layer InGaAs/GaAs heterostructures studied by cross-sectional STM.—74-05170A
Interface state distribution of BN on InP structures.—74-04714A
Interfaces and adhesion mechanisms in reinforced diamond composite coatings.—74-00126A
Interfaces between alumina and platinum: structure, bonding, and fracture resistance.—74-08219A
Interfacial and capillary phenomena in solidification processing of metal matrix composites.—74-05633A
Interfacial bonding and friction in SiC fiber/ß′ SiAlON.—74-10825A
Interfacial bonding, wettability, and reactivity in metal/oxide systems.—74-05634A
Interfacial characteristics of mullite fiber/BN coating/mullite matrix composites.—74-10826A
Interfacial degradation and surface modification in zirconia-coated sapphire fibers.—74-10827A
Interfacial layer effects in the growth of CVD diamond.—74-04715A
Interfacial phenomena in metal matrix composites.—74-02378A
Interfacial properties of SiC (SCS-6) fiber-reinforced reaction-formed SiC matrix composites.—74-10828A
Interfacial stabilities of high-temperature composite materials.—74-08221A
Interfacial structure and precipitate formation in MgO/SiC composites.—74-10829A
Interfacial structure and reaction of carbon fiber/lithium aluminum silicate glass-ceramic composites.—74-10830A
Investigation of particulate/matrix interface bonding in Al matrix composites.—74-08225A
Investigation of $SrRuO_3$ barriers in SNS Junctions.—74-06569A
Materials Science Monographs, 81: Science of Ceramic Interfaces II.—74-11207B
Metal matrix–ceramic reinforcement interaction in long fiber MMCs (Al-SiC) obtained with different preparation technologies.—74-08231A
Metal-ceramic interfaces in internally reduced (Mg,Cu)O.—74-08235A
Metal-ceramic interfaces: sources and sinks for mass transfer.—74-08236A
Microcomposite test procedure for evaluating the interface properties of ceramic matrix composites.—74-03835A
Micromechanics approach to characterize interfaces in metal matrix and ceramic matrix composites.—74-09581A
Morphological instability of a planar oxide-alloy interface for inward oxide growth.—74-02386A
New technique to measure the toughness of thin-film interfaces.—74-03843A
New testing tool for composite interface.—74-09590A
Novel in situ electrochemical technology for formation of oxide- and defect-free Schottky contact to GaAs and related low-dimensional structures.—74-06226A
Numerical solutions for mixed control of powder reactions for spherical, cylindrical, or planar particles.—74-01820A
Ohmic contact formation in palladium-based metallizations in *n*-type InP.—74-06232A
Phase transformation and interface structure of nanocrystalline ZrO_2.—74-01436A
Photoelectron diffraction analysis of diamond and metal-diamond interfaces.—74-10019A
Photoemission study of the growth of the LaF_3/Si(111) interface.—74-01560A
Profiling of silicide-silicon structures using a combination of the spreading resistance and point contact current-voltage methods.—74-00690A
Quantum dots formed by interface fluctuations in AlAs/GaAs coupled quantum well structures.—74-03188A
Relationship between microstructure and mechanical properties of the paste-aggregate interface.—74-01097A
Reservoir effect in the thermal delocalization of carriers near an Si-SiO_2 interface.—74-09025A
Roles of Si insertion layer at GaAs/AlAs heterointerface determined by X-ray photoemission spectroscopy.—74-02041A
Science and technology of composite materials: V, Thermodynamic considerations on interfaces in solid oxide fuel cells.—74-10027A
Sensitivity of second harmonic generation to space charge effects at Si(111)/electrolyte and Si(111)/SiO_2/electrolyte interfaces.—74-06307A
Si/SiO_2 interface studies by spectroscopic immersion ellipsometry and atomic force microscopy.—74-06312A
Spectroscopic ellipsometry measurements of the diamond-crystalline Si interface in chemically vapor deposited polycrystalline diamond films.—74-10030A
Structural and electronic properties of an organic/inorganic semiconductor interface—PTCDA/GaAs(100).—74-07753A
Structural and electronic properties of an organic/inorganic semiconductor interface—PTCDA/GaAs(110).—74-06330A
Studies of defect states in the interface between SiO_2 and a-Si:H films.—74-06335A
Theoretical approach to interfacial metal-oxide bonding.—74-07779A
ToF-SIMS and XPS studies on the interaction of silanes and matrix resins with glass surfaces.—74-05291A
X-ray absorption spectroscopy study of the K/GaAs(110) interface.—74-09081A
X-ray diffuse scattering as a probe for thin-film and interface structure.—74-06835A
X-ray study of the interface layer between low-temperature-deposited diamond film and the silicon substrate.—74-10052A

interferometers/interferometry,
Applied measurements of multipurpose precise interferometer (AMOS-1).—74-09551A
Focus on microscopy.—74-03813A
Pyrometric interferometry for real-time molecular beam epitaxy process monitoring.—74-03855A
See what's new in the field of optical microscopes.—74-03868A

intermetallics,
Creep of intermetallics and their composites.—74-08155A
Plasma spraying forming metals, intermetallics, and composites.—74-01834A

iodides,
Crystallization kinetics of α-AgI in AgI-based silver orthoborate glasses.—74-02827A
Interaction of yttrium triiodide with the iodides of sodium, potassium, and rubidium.—74-01399A
Matrix-mediated synthesis and properties of nanostructured materials.—74-01804A

Phase relations in the system Bi_2O_3-BiI_3-CuI-Cu_2O at 500°C.—74-04187A
Removing twins and domains of KIO_3 crystal and its physical properties.—74-10151A
Structural hypotheses and Raman spectroscopy investigations of glasses belonging to the B_2S_3-Li_2S-LiI system.—74-00225A
Thermal conductivity of superionic conductor Ag_3SI.—74-01594A

iodine,
Crystal structure of low-temperature modification of TiI_4.—74-01361A
Photoinduced anisotropic phenomena in chalcogenide glasses: light scattering and spectral selectivity.—74-02479A
Structural changes and T_c variation of superconductor $(Bi,Pb)_2Sr_2(R,Ce)_2Cu_2O_{10+z}$ intercalated with iodine.—74-03578A

ion exchange,
Aplanatic lens with radial gradient of refractive index formed by ion exchange Na^+_{gl}-Li^+_{melt}.—74-02599A
Calculation of heat-transfer and ion-exchange processes in composite cylindrical samples for the fabrication of flat graded-index microlenses.—74-02602A
Calculation of the distribution of the refractive index in glass after ion exchange.—74-02518A
Composition, structure, and properties of glasses for ion exchange in a salt solution.—74-00246A
Computation of thermal and ion-exchange processes in composite cylindrical samples intended for making flat gradient microlenses.—74-02523A
Control of the exchanging-component boundary concentration in the fabrication of graded-index optical elements.—74-02608A
Damage by laser impulse of the surface of glasses intended for ion exchange.—74-00249A
Effect of the conditions of preliminary surface treatment on the distribution of Ag^+ ions in the surface layers of glasses during ion exchange with nitrate melts.—74-00255A
Effect of the conditions of preliminary treatment of the surface on distribution of Ag^+ ions in the surface layers of glasses in ion exchange with nitrate melts.—74-00294A
Effect of the kinetics of ion exchange on the glass-salt melt interface in formation of a gradient layer in glass.—74-02616A
Formation of carbon-metal composites for metal ion-exchange graphite oxide.—74-08193A
Formation of planar optical waveguides in $LiTaO_3$ by nonisovalent ion exchange in molten salts and their study.—74-03307A
Heavy metallic ions—removing characteristics of gyrolite.—74-08038A
Ion-exchange hardening of phosphate laser glasses.—74-00303A
Ion-exchange strengthening of phosphate laser glasses.—74-02554A
Laser damage of the surface of glass undergoing ion exchange.—74-00266A
Luminescence determination of iridium with 2,2′-dipyridyl after sorption on silica-based anion exchanger.—74-01078A
Modification of chemically deposited ZnSe thin films by ion exchange reaction with copper ions in solution.—74-04762A
Near-net-shape forming of celsian ceramics from ion-exchanged zeolite precursors.—74-08444A
Niobium phosphate glass planar optical waveguides fabricated by ion exchange.—74-02645A
Planar optical waveguides based on laser silicoaluminophosphate glass fabricated by ion exchange.—74-02648A
Preparation and characterization of multiple ion-exchanged Pt/TiO_2 catalysts.—74-06991A
State of stress in a semiinfinite cylinder upon ion exchange.—74-02658A

ion implantation,
Annealed proton-implanted channel waveguides on $LiNbO_3$ and their photorefractive properties.—74-03284A
Breakdown of a-C coatings on ion-implantation-modified metal alloys with a jet of abrasive particles.—74-04488A
Carbonaceous surface layers deposited on TiN coatings by ion implantation.—74-05081A
Cathodoluminescence and electroluminescence in ion-implanted type II diamonds.—74-02932A
Characterization of WN_x metallization prepared by ion implantation of nitrogen.—74-07225A
Conduction in ion-implanted single-crystal diamond.—74-08843A
Diamond driver-active load pair fabricated by ion implantation.—74-08858A
Dose analysis of nitrogen plasma source ion implantation treatment of titanium alloys.—74-05118A
Effect of gas ambient on the resistance of BF_2^+ ion-implanted polycrystalline diamond film.—74-07270A
Evaluation of contamination from plasma immersion ion implantation on silicon device characteristics.—74-03005A
Experimental study of the nature of deep-level centers in ion-implanted GaP.—74-08903A
Inhibition patterning of oxide superconducting films with Si ion implantation.—74-06567A
Ion beam mixing modification of sputter-deposited molybdenum films on Si_3N_4 ceramics.—74-07359A
Ion-implanted photoresist and damage-free stripping.—74-07362A
Large-area shower implanter for thin-film transistors.—74-03081A
Modification of mechanical properties of single-crystal aluminum oxide by ion-beam-induced structural changes.—74-11058A
Modification of sol-gel thin films by ion implantation.—74-08443A
Nitrogen profiles of high-dose, high-temperature plasma source ion-implantation-treated austenitic stainless steel.—74-04781A
Optical and structural properties of MeV erbium-implanted $LiNbO_3$.—74-03326A
Overview of plasma source ion implantation research at University of Wisconsin-Madison.—74-03720A
Patterned electrical conductance and electrode formation in ion-implanted diamond films.—74-07411A
Plasma immersion ion implantation doping experiments for microelectronics.—74-04809A
Plasma immersion ion implantation for semiconductor thin film growth.—74-03172A
Plasma ion implantation at Hughes Research Laboratories.—74-03722A
Review of secondary ion mass spectrometry characterization of contamination associated with ion implantation.—74-03864A
Scanning tunneling microscopy investigation of graphite surface damage induced by gold-ion bombardment.—74-10882A
Schottky barrier study of ion implantation damage in GaAs.—74-03208A
Search for diffusion of Li implants in natural and polycrystalline CVD diamond.—74-04880A
Significance of nitrogen mass transfer mechanism on the nitriding behavior of austenitic stainless steel.—74-04890A
Studying ion-doped GaAs layers with {100} and {211} orientations by double-crystal X-ray crystallography.—74-06342A
X-ray diffractometry study of laser annealing effect on near-surface layer structure of ion-implanted silicon.—74-04984A

ionic conductors/ionic conduction,
Anisotropy in the ionic conductivity of $K_3NdSi_3O_8(OH)_2$.—74-00454A
Atomistic view of conduction polarization in ionic glasses.—74-05704A
Ionic conducting glasses—properties and applications[—review].—74-05724A
Ionic conduction in anodic oxide films on titanium in mixed solutions of aqueous electrolytes and diethylene glycol.—74-00499A
Ionic conduction in glasses.—74-00500A
Ionic conduction in sulfates.—74-00501A
Ionic conductivity of natural fluorite—application to the fabrication of fluorine and oxygen sensors working at low temperature.—74-05946A
Low-temperature limit of bipolar coefficient in superionic conductors with mixed electronic and ionic conduction.—74-02848A
Peculiarities in the low-temperature ion and electron conductivity of solid oxide electrolytes.—74-00516A
Preparation of Li_2O-ZrO_2-P_2O_5-SiO_2 based glassy solid electrolytes by sol-gel process and their ionic conduction.—74-10562A
Preparation of mesoscopic superionic (AgI) conductors by rapid quenching.—74-08765A
Recent developments in oxide conductors and their applications[—review].—74-06995A
Relaxations in ionic motion and the glass transition in ionic glasses.—74-05695A
Superionic conducting glass.—74-08396A
Surface oxygen exchange kinetics of solid oxide ion conductors.—74-00536A
What are the major contributions of solid-state ionics to technology in the past and future.—74-00538A

ionization,
Surface analysis by photoionization at very high laser intensities.—74-03241A
Surface-sensitive characterization of diamond by ionization electron energy loss spectroscopy.—74-10898A

ions,
Acoustic EPR and radiation-induced transitions of iron ions in YAG.—74-03364A
Characteristics of ion beam assisted etching of GaAs: surface stoichiometry.—74-00576A
Compositional change of (0001)WS_2 surfaces induced by ion beam bombardment with energies between 100 and 1500 eV.—74-04524A
Doping and growth of diamondlike carbon films by ion beam deposition.—74-04563A
Dynamics of ions and isotope effect in $YBa_2Cu_3O_{7-\delta}$.—74-03444A
Effects of low energy ion exposure on modulation-doped GaAs heterostructures.—74-00601A
Energy transfer of Er^{3+} and Cr^{3+} to Tm^{3+} ions in YAG crystals.—74-06457A
Focused ion beam interaction with a shallow two-dimensional electron gas.—74-00620A
Focused ion beam XeF_2 etching of materials for phase-shift masks.—74-01735A
Influence of charge transport effects on behavior of impurity centers in cubic magnetics with mixed-valence ions.—74-07571A
Ion beam mixing in metallic and semiconductor materials.—74-06171A
Ion beam modification of diamond.—74-10429A
Ion mobility in chalcogenide semiconductors: room temperature creation of bipolar junction transistor.—74-00644A
Ion plating: optimum surface performance and material conservation.—74-03702A
Ion-beam-induced chemical vapor deposition for the preparation of thin-film oxides.—74-03703A
Ion-channeling analysis of defects in epitaxial films of $YBa_2Cu_3O_7$.—74-05025A
Ionic injection in solid electrolyte films [SEFs].—74-05947A
Ionometric determination of perchlorate in slags.—74-01074A
Mechanisms in ion-induced c-BN growth.—74-04747A
Metal ion deposition from ionized magnetron sputtering discharge.—74-01794A
Multicomponent diffusion of Na^+, K^+, and Rb^+ ions in silicate glass-forming melts.—74-05035A
Nonperturbative ion etching of YBaCuO thin films.—74-03543A
Photo-ionization threshold yields for the pulsed laser irradiation of diamond films at 266 nm.—74-10519A
Properties of thin films of tantalum oxide deposited by ion-assisted deposition.—74-04851A
Pulsed ion beam surface analysis as a means of in situ real-time analysis of thin films during growth.—74-03854A
Reactive ion etching of lead zirconate titanate (PZT) thin-film capacitors.—74-00526A
Stability of ß-Ca_2SiO_4 doped by minor ions.—74-05588A
Stress behavior of TiN films formed by reactive ion-beam-assisted deposition.—74-01580A
Study of ion mixing during Auger electron spectroscopy depth profiling of Ge-Si multilayer system.—74-03873A

iridium oxide,
Surface characterization of RuO_2-IrO_2-TiO_2-coated titanium electrodes.—74-07770A

iridium,
Bulk photorefractive semiconductors.—74-05993A
High ammonia sensitive semiconductor gas sensors with double-layer structure and interface electrodes.—74-05939A
High-temperature stability of heteroepitaxial Ir silicide/SiGe layers codeposited on Si(100) under ultrahigh vacuum.—74-01521A
Ir/Si/$ErSi_2$ tunable infrared photoemission sensor.—74-03079A
Luminescence determination of iridium with 2,2′-dipyridyl after sorption on silica-based anion exchanger.—74-01078A
Radiation emitting ceramic materials and devices containing same—74-01268P

iron oxide (black),
Computer simulations aimed at the analysis of the state and evolution of multicomponent systems: II, Binary mechanical mixtures analyzed with conductivity.—74-02826A
Implications of interfacial coupling and strain on the magnetic and structural ordering of Fe_3O_4/NiO superlattices.—74-10817A
MBE growth of CoO and Fe_3O_4 films and CoO/Fe_3O_4 multilayers.—74-10444A
Properties of iron oxide films grown by pulsed laser deposition.—74-10142A

iron oxide (red),
α-Fe_2O_3 thin films prepared by metallorganic deposition (MOD) from Fe(III) 2-ethylhexanoate.—74-07197A
Al_2O_3-Fe_2O_3 fibers from bauxite and red mud.—74-10188A
Characterization and preparation of glass-ceramics in the system Fe_2O_3-CaO-SiO_2: I.—74-08406A
Characterization of magnetic Fe_2O_3.—74-04503A
Colored glass compositions and glazings produced therewith.—74-02669P
Corrosion resistance of artificial passivation films of Fe_2O_3-Cr_2O_3-NiO formed by metallorganic chemical vapor deposition.—74-00111A
Crystallization of glasses of the CaO-Fe_2O_3-B_2O_3 system.—74-02443A
Crystallization of glasses of the system CaO-Fe_2O_3-B_2O_3.—74-00192A
Effect of Al_2O_3 and Fe_2O_3 on tribological properties of reaction-bonded SiC.—74-10277A
Effect of deposition orientation on the structure and magnetic properties of chemical-vapor-deposited iron oxide thin films.—74-04571A
Effect of Fe_2O_3 on magnesia pleochroite formation and properties.—74-01373A
Electrochromism of iron oxide films prepared via the sol-gel route by the dip-coating technique.—74-04606A
Exchange-relativistic double-ion spin anisotropy. Tensor shape, temperature dependence, and numerical value.—74-09200A
Gas-sensing properties of α-Fe_2O_3 thin films prepared by plasma-enhanced chemical vapor deposition.—74-02839A
Iron oxide thin-film gas sensor.—74-03829A
Location of different phases in oxidized ultrafine Fe-Cr (70:30) alloy particles.—74-05180A
Matrix-mediated synthesis and properties of nanostructured materials.—74-01804A
Mn-Zn-based single crystal ferrite composition.—74-03412P
Oxide magnetic material—74-00781P
Preparation and properties of two-phase mixed conductors of beta-alumina and iron oxide.—74-00522A
Preparation of uniform γ-Fe_2O_3 particles with nanometer size by spray pyrolysis.—74-07440A
Properties of sol-gel thin films of the SiO_2-Fe_2O_3 system.—74-02391A
Role of hard second phases in the mild oxidational wear mechanism of high-speed steel-based materials.—74-10938A
Simulation of small magnetic particles of Cr_2O_3 and α-Fe_2O_3.—74-04420A
Surface magnetic structure of $^{57}Fe^{2+}$ coated 8g-$^{56}Fe_2O_3$ particles with and without adsorbed cobalt.—74-05282A
Surface magnetism of α-FeO(OH) and ß-FeO(OH) by Mossbauer spectroscopy.—74-03405A
Ultrafine iron oxide powders generated using a flow-through hydrothermal process.—74-07541A
Ultrasonic modulation of submillimeter waves in easy-plane antiferromagnets.—74-03407A

iron oxides,
Adsorption and coprecipitation of multiple heavy metal ions onto the hydrated oxides of iron and chromium.—74-10055A

Adsorption and coprecipitation of single heavy metal ions onto the hydrated oxides of iron and chromium.—74-10056A
Anisotropy in epitaxial Fe_3O_4 and $NiFe_2O_4$ thin films.—74-09195A
Chemical vapor deposition of the Al-Fe-O system.—74-04513A
Creep resistant, metal-coated $LiFeO_2$ anodes for molten carbonated fuel cells—74-00547P
Decolorizing crystal glass.—74-05758A
Glycine-nitrate synthesis of a ceramic-metal composite.—74-05626A
Granular films of iron oxide prepared by aerosol deposition for the detection of organic vapors.—74-03964A
Growth of FeO_x on Pt(111) studied by scanning tunneling microscopy.—74-05153A
Magnetic and electrical properties of single-crystal FeV_2O_4 films near Curie temperature.—74-03386A
Magnetic properties of reactively sputtered $Fe_{1-x}O$ and Fe_3O_4 thin films.—74-03390A
Manufacturing process of "Hidasuki (fired tasuki, tasuki=string to gird up sleeves") type decorated wares in Hizen Region, Japan.—74-07985A
Phase relations in the system Na_2O-FeO-Fe_2O_3-Cr_2O_3.—74-01434A
Preparation of ultrathin ferric oxide layers using Langmuir-Blodgett films.—74-07439A
Red stoneware of "Shudei (Red mad)" wares of Tokoname.—74-08700A
Removal of iron oxide from Amakusa pottery stone.—74-08579A
Silica microencapsulation of iron oxide powder and its properties.—74-07477A
Structure and magnetic properties of epitaxial $NiFe_2O_4$ films.—74-09224A
Synthesis of metal oxide thin films.—74-04005P
Synthesis of ultrafine particles and thin films of $BaFe_{12}O_{19}$ by the spray-ICP technique.—74-07520A
Synthesis studies of nanocrystalline composite oxides with the perovskite structure based on $LaFeO_3$.—74-07523A
UV absorbing lamp glass—74-00354P

iron,
Application of magnetic susceptibility to study low iron substitution in tricalcium aluminate.—74-05462A
Artificial magnetic particles in Fe/C medium modulated in composition.—74-03365A
Cathodoluminescence of CdTe:Fe.—74-05997A
Characterization of Fe/TiO_2 photocatalysts: II, Surface studies.—74-07603A
Characterization of photorefractive $KNbO_3$:Fe by non-steady-state photocurrent techniques.—74-03288A
Content-addressable polychromic neutral net using a (Ce:Fe)-doped $LiNbO_3$ photorefractive crystal.—74-03290A
Crossover effect of Young's modulus [YM] in amorphous Fe-P-Si alloys.—74-07150A
Crystal lattice distortion in iron phosphide.—74-07052A
Crystal structure of $(NH_4)Fe[HPO_4]_2$.—74-07055A
Defects and transport in the solid solution (Co, $Fe)_{1-\delta}O$ at 1200°C: I, Nonstoichiometry.—74-05000A
Defects and transport in the solid solution (Co, $Fe)_{1-\delta}O$ at 1200°C: II, Cation tracer diffusion and electrical conductivity.—74-05001A
Developing of net Ce magnetic moment upon H_2 absorption in $Ce_2Fe_{14}B$—an XCMD investigation.—74-06453A
Direct observation of silicide growth at Fe-Si interface during pulsed laser deposition.—74-04558A
Discontinuous dissolution of iron aluminate spinel in the Al_2O_3-Fe_2O_3 system.—74-07072A
Dissolution of $NiFe_2O_4$ particles in an NiO matrix.—74-10790A
Effect of Fe on magnetic and mechanical properties in MgZn ferrites.—74-04283A
Effect of phonon drag of electrons on thermoelectric and thermomagnetic effects in HgSe:Fe.—74-06054A
Effects of interparticle interaction in $Sm_2Fe_{17}N_x$ and $Nd_2Fe_{14}B$ isotropic ferromagnets.—74-03375A
Effects of substrate temperature and angular position on the properties of ion beam sputter deposited Fe films on (100)GaAs substrates.—74-02985A
Electrical conductivity data of some iron-containing glass-ceramics.—74-05713A
Electron paramagnetic resonance of defects in ß-iron disilicide ceramics.—74-10730A
Electron transport study of nanocrystallization in FeSiB-based alloys.—74-07640A
Faraday effect in a single magnetic sublattice garnet $Ca_3Fe_2Ge_3O_{12}$.—74-03378A
Fe speciation in kaolins: a diffuse reflectance study.—74-02719A
Fe-TiC ceramic-metal composites.—74-05623A
FeP precipitates in hydride vapor phase epitaxially grown InP:Fe.—74-04636A
FeP precipitates in hydride-vapor phase epitaxially grown InP:Fe.—74-06103A
Ferroelectric characteristics in Fe-Ti-O system.—74-09142A
Ferroelectric phase transition in hexagonal antiferromagnet $RbFeBr_3$ with linear chains of face-sharing octahedra $(FeBr_6)^{4-}$.—74-04141A
Formation and properties of silane monolayers on iron and aluminum surfaces.—74-07649A
Formation of crystals of α-SiO_2 with admixtures of Fe^{3+}.—74-01994A
FTIR reflectance vs EPR studies of structural iron in kaolinite.—74-08553A
Gadolinium-iron ferrites: composition and structure.—74-06458A
Giant T_c depression effect in $YBa_2Cu_3O_{7-\delta}$ doped simultaneously with Zn and Fe.—74-03470A
Giant Faraday rotation in $Cd_{1-x}Fe_xTe$.—74-08924A
Grain growth processes in a nanocrystalline $Fe_{74.5}Si_{13.5}B_9Nb_3$ alloy.—74-07657A
Hydroxy groups in ferrisilicates studied by ir spectroscopy.—74-05683A
Improvement in thermoelectric characteristics of *n*-type iron disilicide by local composition modification.—74-03059A
In situ high-temperature X-ray diffraction studies of nanocrystalline iron carbides.—74-05021A
Incorporation of iron cations into epitaxial sapphire thin films by coevaporation and subsequent thermal annealing.—74-10410A
Inelastic electron scattering in HgSe:Fe crystals.—74-08937A
Influence of deferrization on the properties of mechanically activated silica powders.—74-01764A
Influence of vitreous coating on the magnetic properties of iron-cobalt alloys.—74-04709A
Interaction between dislocations and $NiFe_2O_4$ precipitates in an NiO matrix.—74-10823A
Interfacial reactions of thin iron films on silicon under amorphous silicon and SiO_x capping.—74-03071A
Investigation on the residual amorphous phase in a nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ soft magnetic alloy.—74-07358A
Iron-containing enamel coatings.—74-02379A
Kinetics of formation of fayalite under defined thermodynamic and microstructural conditions.—74-10737A
Layer-by-layer analysis of long-range order degree in subsurface region of $FeNi_3$ crystals.—74-05178A
Low energy levels of the Fe^{++} ions in ZnSe by Raman spectroscopy.—74-04160A
Low-field magnetization and ac magnetic susceptibility of spin and cluster glasses of itinerant magnet Fe_xTiS_2.—74-04345A
Magnetic phases in a-$Fe_xRu_yB_{100-x-y}$ ribbons.—74-04351A
Magnetic structure in Fe_2P compounds.—74-06463A
Mathematical and chemical description of friction of diffusive phosphorized iron.—74-10117A
Metal-oxide composite $(Fe_{0.2}Co_{0.8})$-0.8$(Fe_{2.38}Co_{0.62}O_4$: HRTEM and EDX characterization.—74-09209A
Metallic and intermetallic binder phases within Fe-Ni-Al system for TiB_2 cemented borides—thermodynamic guidelines.—74-07091A
Metallurgical study of erosive wear in a 105 mm tank gun barrel.—74-04162A
Modified angular dependence of coercivity in inhomogeneous magnets: I, $Sm_2Fe_{17}N_x$.—74-05032A
Moisture- and hydrogen-induced embrittlement of iron aluminides.—74-07814A
Morphological and structural studies of ß-$FeSi_2$ films grown by ion-beam-assisted deposition.—74-03712A
Mossbauer study of Fe-Al-O layers obtained by ion-beam deposition and ion implantation.—74-01810A
Mossbauer study of phase transformation induced by mechanosynthesis in Fe_4N.—74-07702A
Nanocrystalline Fe-Si phase by mechanical attrition and its soft magnetic properties.—74-01544A
New route to stabilized cementite—refinement of the crystal structure.—74-07400A
Observation of an electron gap at E=0.41 eV in InP:Fe by a method of thermally stimulated currents.—74-08973A
Observation of beating between cw lasers by time-delayed laser-induced double gratings mediated by photorefractive effect.—74-08974A
Optical and photoelectric properties of CdTe:Fe and $Cd_{1-x}Fe_xTe$.—74-01549A
Ordered intermetallic alloys: I, Nickel and iron aluminides.—74-02184A
Oxidation of iron, aluminum, and titanium films in the temperature range 50-200°C.—74-07822A
Perturbance analysis of higher-order photorefractive gratings in InP:Fe.—74-03151A
Phase transformations in $Cr_{1-x}Fe_xS$ ($x\approx0.5$).—74-07103A
Preparation of magnetic fine particles by borohydride reduction.—74-01848A
Pulsed laser induced modifications of metal silicide layers.—74-04853A
Pyrite film formation by H_2S reactive annealing of iron.—74-01864A
Quantometer with induction plasma for the determination of metal impurities in technical iron(III) oxide.—74-03857A
Rapidly solidified high-strength deposits of Fe-C base alloys produced by low pressure plasma spraying.—74-08262A
Resistometric study of nanocrystallization kinetics in Fe-based metallic glasses.—74-05788A
Science and technology in composite materials—iron nitride ultrafine particles and iron nitride magnetic fluids.—74-09220A
Selective growth of diamond using an iron catalyst.—74-04881A
Sintering of nanograined Fe-(Fe, Mo)$_6$C powder compacts.—74-01887A
Solid-phase method of removal of iron impurities from ashes from the Kuibyshev automobile and tractor electrical equipment and carburator plant (KATEK).—74-04905A
State of impurity iron and tin ions in zirconium-containing fluorophosphate glasses according to Mossbauer spectroscopic data.—74-00221A
Structural and surface characterization of ultrafine iron carbide particles generated by laser pyrolysis: I, High-temperature He treatment.—74-02048A
Study of the crystallization process of metglass $Fe_{86}B_{14}$ by Mossbauer effect and resistivity measurements.—74-04222A
Study on narrow energy band behavior and superconductivity in $La_{1.85}Sr_{0.15}Cu_{1-x}Fe_xO_{4-y}$.—74-09343ASynchronizing free energy data on reactions in liquid Fe-Mn-O and solid Mn-S-O systems.—74-10040A
Synthesis and processing of nanograined Fe-(Fe,Mo)6C composite powders.—74-07509A
Synthesis gas production from methane over an iron electrode in a solid electrolyte cell.—74-01903A
Synthesis of diamond using iron catalyst by rf plasma chemical vapor deposition.—74-10678A
Synthesis of Fe-C compounds under the influence of laser radiation.—74-04942A
Synthesis of Fe-TiC cemented carbide composites using self-propagated high temperature synthesis (SHS).—74-04943A
Textures of tetradecahedron ß-FeOOH particles and their thermal decomposition products.—74-07778A
Thermal behavior and physicochemical characterization of synthetic and natural iron hydroxyphosphates.—74-10168A
Thermal stability enhancement of rubbery ormosils.—74-10173A
Thermodynamic analysis of aluminate formation at Fe/Al_2O_3 and Cu/Al_2O_3 interfaces.—74-08285A
Use of iron-containing glass enamels for protecting petroleum-grade water lines.—74-02403A
Valence electron density distribution in $TlFeSe_2$.—74-07787A
Why the low-temperature mobility of electrons in HgSe:Fe is constant.—74-00735A
Zero-field splitting for Fe^{3+} in the tetragonal phase of $SrTiO_3$ crystal.—74-04241A

irradiation,
Behavior of synthetic quartz glass under the action of intense irradiation from KrF and ArF lasers.—74-02431A
Certain features of generation-recombination processes occurring as a result of irradiation of $TlInSe_2$.—74-08836A
Change in the propagation conditions for magnetostatic waves in yttrium garnet films irradiated by low-energy oxygen.—74-03366A
Characterization of laser-irradiated surfaces of a polycrystalline diamond film with an atomic force microscopy.—74-10772A
Comparative mobility degradation in modulation-doped GaAs devices after e-beam and X-ray irradiation.—74-06010A
Correlation between critical temperature and structural changes in $YBa_2Cu_3O_7$ under low-fluence fast-neutron irradiation.—74-06503A
Damage behavior of silicon by MeV Ge^+ irradiation under tilted angle.—74-06024A
Effect of electron irradiation on the peak effect in $YBa_2Cu_3O_x$ single crystals.—74-03447A
Effect of hydrogen annealing on hot carrier instability of X-ray-irradiated CMOS devices.—74-02973A
Effect of techniques of fast neutron irradiation on the infrared spectra of bone China whiteware.—74-05892A
Effects of laser treatment on laser-induced damage of optical thin-film and laser glass.—74-02617A
Effects of neutron irradiation on high-T_c superconductors (HTSC).—74-06528A
Effects of slow neutron irradiation on *R-T* curves of high-temperature superconductors.—74-09261A
Effects of slow neutron irradiation on *R-T* curves of high-temperatures superconductors.—74-09262A
Efficiency of defect generation due to irradiation in silica.—74-07564A
Electrical properties of irradiated PbS films.—74-08886A
Electron microscopy study of irradiation and thermal effects on C:H films.—74-05134A
EPR study of structural defects in ion-implanted multicomponent silicate glasses.—74-02539A
Etch rate characterization of irradiated SiO_2 and its application in the fabrication of a *T*-gate structure.—74-06086A
Friction force microscopy of heavy-ion-irradiated mica.—74-07651A
Graphitization of synthetic diamond by 193 nm laser light: comparison of ^{12}C-enriched diamonds with those of natural isotopic composition.—74-04659A
Influence of neutron irradiation on ir absorption in glassy As_2S_3.—74-00639A
Influence of neutron irradiation on the properties of reactor graphite.—74-04337A
Ion beam mixing in metallic and semiconductor materials.—74-06171A
Laser irradiation of human tooth dentin.—74-07168A
Light pumping effect on dielectric properties of $Y_3Al_5O_{12}$:Nd crystals.—74-03384A
Low-temperature irradiation effects in natural crystalline quartz.—74-10113A
Metastability of arsenic antisite-related defects created by electron irradiation in GaAs.—74-08953A
Nanofeatures in irradiated materials.—74-07578A
Nature of impurity and intrinsic color centers in leucosapphire single crystals.—74-05037A
Photo-ionization threshold yields for the pulsed laser irradiation of diamond films at 266 nm.—74-10519A
Point defects in electron-irradiated oxide single crystals.—74-05044A
Scanning tunneling microscopy of diamond irradiated with high-energy ions.—74-05240A
Spectral hole burning study of a neutron-irradiated type IaB natural diamond.—74-05249A
Structure of ir color centers in white sapphire.—74-04433A
Uv laser processing of diamond films: effects of irradiation conditions on the properties of laser-treated diamond film surfaces.—74-01927A

isostatic pressing,
Design and construction of pressing machine tooling for the tableware industry.—74-00910A
Effect of isostatic pressing on phase formation in $BaO{\cdot}Al_2O_3{\cdot}2SiO_2$ glass.—74-08415A
Equation describing the isostatic compaction of ceramic pressed bodies.—74-01712A
Isostatic pressing of balls.—74-00944A
Kaolin raw materials for isostatically pressed whiteware bodies.—74-08687A
Methods for improving the microstructure of isostatically pressed tableware.—74-08692A

Optimization of spray granulates for isostatic pressing of tableware pieces.—74-00438A
Optimization of spray-dried granulates for isostatic pressing of tableware.—74-00439A
Strength measurement of porous bodies at isostatic pressure conditions.—74-07918A

isotherms,
Isothermal residual magnetization in $YBa_2Cu_3O_{7-x}$.—74-04341A

isotopes,
Carbonation-decarbonation of concretes studied by the way of carbon and oxygen stable isotopes.—74-05471A
Dynamics of ions and isotope effect in $YBa_2Cu_3O_{7-\delta}$.—74-03444A
Interaction of current carriers with acoustic plasmons is a possible origin of high-temperature superconductivity of cuprate metal oxide compounds: II, T_c and isotope effect.—74-03498A
Isotopic effect of boron carbide thermal conductivity.—74-04342A
Localized vibrational modes in diamonds grown from mixed carbon isotopes.—74-01406A

Japan,
Changes in the methods of refractories contract trading in Japan. The advantages of Japanese refractories manufacturers in the domestic market.—74-05845A
Reconstruction for a new, ultramodern Shinagawa Refractories "Dream Project 21."—74-02267A

joining,
Alternative cavity design for microwave joining of long ceramic tubes.—74-08128A
Applied technology—infrared infiltration and joining of advanced materials.—74-05612A
Ceramic and metal roll assembly.—74-02408P
Ceramic blade attachment system.—74-02409P
Ceramic-metal composite joint body.—74-02410P
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic and refractory surfaces.—74-02413P
Feasibility of ceramic joining with high-energy electron beams.—74-08191A
Feedback control of temperature profiles during microwave joining of ceramics.—74-08192A
Innovative approach to joining metals to ceramics.—74-08216A
Joining agent for joining ceramic with electric joining method.—74-03753P
Joining metal matrix composites using lasers improves joints.—74-00128A
Joining method for joining electrically ceramic bodies and a joining apparatus and joining agent for use in the joining method.—74-03754P
Joining methods for ceramic composite bodies.—74-08305P
Joining of Al_2O_3 ceramics by glass solder.—74-05637A
Joining of metal to ceramic bodies by brazing.—74-02420P
Joining of Si_3N_4 ceramics with transition metal interlayers.—74-05638A
Joining of SiC ceramics and SiC/SiC composites.—74-01296A
Joining of SiC-based ceramics by reaction bonding methods.—74-00129A
Joining of zirconia ceramic to stainless steel and to itself using $Ag_{57}Cu_{38}Ti_5$ filler metal.—74-05639A
Laser brazing for ceramic-to-metal joining.—74-08306P
Mechanical properties of ß-SiAlON ceramics joined using composite ß-SiAlON-glass adhesives.—74-05374A
Metal-ceramic joint.—74-08308P
Method for joining ceramic to ceramic or to carbon.—74-09823P
Method of joining a ceramic component to a metal component.—74-02421P
Method of joining superconducting wire using oxide high-temperature superconductor.—74-03646P
Method of producing a carburized ceramic-steel joined body.—74-08314P
Plasma-assisted microwave sintering and joining of ceramics.—74-10530A
Reaction of SiC_f/SiC composites with a zinc borate glass.—74-07727A
Recent developments in microwave joining.—74-00984A
Role of glassy grain boundary phases in the microwave joining of alumina.—74-08267A
Science and technology in composite materials: VI, 3. Joining of ceramics.—74-08269A
Self-propagating high-temperature synthesis as a joining process.—74-10621A
Transient liquid phase bonding of alumina via microdesigned Ni-based interlayers.—74-08286A
Transient liquid phase ceramic bonding.—74-02425P

joints,
Shear strength measurement of metal-ceramic joints.—74-06813A
Stress relaxation and bonding in Si_3N_4/MA6000 joints by reactive interlayers.—74-08276A
Thermal stresses in ceramic-metal joints with an interlayer.—74-02401A
Thin ceramic interlayers for high-strength and high-temperature stable SiC joints.—74-07536A

Josephson effect,
Biepitaxial weak links based on $YBa_2Cu_3O_{7-\delta}$ on $NdGaO_3$.—74-06496A
Dimensional crossover in the Nb/Al_2O_3 Josephson-coupled multilayers.—74-00477A
Electronic properties at the grain-boundary interface of $YBa_2Cu_3O_{7-\delta}$ bicrystal Josephson junction.—74-04308A
Harmonic generation in ceramic high-temperature superconductors.—74-03477A
Harmonic mixing at mm waveband in a high temperature superconducting grain boundary Josephson junction.—74-09281A
High-temperature Josephson junction and method.—74-09370P
Josephson and quasi-particle currents in partially dielectrized superconductors with spin density waves.—74-03508A
Josephson junction device formed of oxide superconductor and process for preparing the same.—74-09372P
Reactive ion etching of Nb thin films for Nb/Al-AlO_x/Nb Josephson tunnel junctions.—74-03860A

junctions,
Characterization of polycrystalline thin-film n-$Zn_{0.35}Cd_{0.65}$/p-$CuGa_{0.75}In_{0.25}Se_2$ heterojunctions.—74-00580A
Collapse of high field magnetophonon resonance in GaAs-GaAlAs heterojunctions.—74-06006A
Current relaxation spectroscopy of deep levels.—74-00587A
Electrical properties of 3C-SiC/Si heterojunctions.—74-08883A
Electron-beam-induced current determination of shallow junction depth.—74-00488A
Fabrication and characterization of an array of gated avalanche p^+-n^{++} junction as a micro-vacuum triode.—74-06093A
High-T_c thin film edge weak link junctions.—74-03482A
Nonlinear low-temperature conductivity of the junction $Bi_2Sr_2CaCu_2O_x$/Ag.—74-06598A
OBIC [optical beam induced current] measurements on planar high voltage p+-n junctions with diamondlike carbon films as passivation layer.—74-10126A
Properties of noble-metal/silicon junctions.—74-07186A
TE-TM mode splitter on $LiNbO_3$ using an asymmetric Y-junction with a gap region.—74-03353A
Transmission electron microscopy study of two-dimensional semiconductor device junction delineation by chemical etching.—74-02056A
Transmission through abrupt heterojunction potential barriers.—74-09074A

kaolin,
Analysis of fluorine in ceramic bodies containing clay.—74-08499A
Carbothermal production and characterization of α′-SiAlONs.—74-04495A
Changing the flow behavior of kaolin suspensions by mechanical stress.—74-01048A
Diverse industrial applications of kaolin.—74-06898A
Fe speciation in kaolins: a diffuse reflectance study.—74-02719A
Flocculation and coagulation behavior of a kaolin—a comparative study.—74-07315A
Formation of kaolin refractories heated in different gas atmospheres.—74-03909A
Improvement of the ceramic properties of a kaolin by means of "silicate" bacteria.—74-05813A
Influence of shear time, mechanical stress, and addition of different electrolytes on the rheological behavior of kaolin suspensions.—74-07352A
Kaolin in the evolution of production techniques of fine ceramics.—74-08558A
Kaolin raw materials for isostatically pressed whiteware bodies.—74-08687A
Kaolin.—74-06908A
Kaolins, kaolins, and kaolins.—74-06909A
Microorganisms improve kaolin properties.—74-06914A
Properties and characterization of porous material prepared by hydrothermal treatment of kaolin.—74-10022A
Recrystallization of kaolinite in gray kaolins.—74-06924A
Selective separation of finely divided minerals by addition of selective collector reagent and centrifugation.—74-03775P
Shrinkage-free mullite ceramics from kaolin and Al powder.—74-00995A
Study of kaolin and china stone dispersion characteristics.—74-05833A
Synthesis and processing by slip casting of carbothermal ß-SiAlON on a semiindustrial scale.—74-04936A
Theories of origin for the Georgia kaolins—a review.—74-06934A
Venezuelan natural aluminosilicates as a feedstock in the synthesis of zeolite A.—74-10717A

kaolinite,
^{27}Al and ^{29}Si MAS NMR study of kaolinite thermal decomposition by controlled rate thermal analysis [CRTA].—74-09966A
Chemical form of vanadium(IV) in kaolinite.—74-01354A
Effects of the structure of silica-alumina gel on the hydrothermal synthesis of kaolinite.—74-10316A
FTIR reflectance vs EPR studies of structural iron in kaolinite.—74-08553A
Hydrothermal reaction of kaolinite in presence of fluoride ions at pH<10.—74-10816A
Hydrothermal synthesis of kaolinite up to 350°C.—74-07343A
Nature, detection, occurrence, and origin of kaolinite/smectite.—74-06916A
Recrystallization of kaolinite in gray kaolins.—74-06924A
Review of the structural relationships of the kaolin minerals.—74-05828A
Rietveld refinement of the kaolinite structure at 1.5 K.—74-01449A
Synthesis of kaolinitic clay mineral from amorphous aluminosilicate by hydrothermal process.—74-08590A
Technological studies of raw materials for increasing whiteness of pyrophyllite- and kaolinite-containing raw materials.—74-01204A

Kerr effect,
Magnetooptical polar Kerr effect [MOPKE] in orthorhombic $YBa_2Cu_3O_{6.5\pm0.1}$ crystals.—74-06578A

kiln cars,
Lo-Mass kiln cars for the ceramic industry.—74-09683A
Low-mass kiln cars.—74-09685A

kiln furniture,
Applications of kyanite to alumina-silica-magnesia saggars.—74-06840A
Ceramic material.—74-02796P
Development of andalusite-mullite kiln furniture.—74-01141A
Drying and firing: kiln furniture.—74-09653A
Kiln furniture brick of silica–silicon carbide.—74-06860A
Kiln furniture for sintering electronic ceramics.—74-09680A
Kiln furniture for the sanitary ware, electrical porcelain, and electronic industries.—74-09681A
Kiln furniture for the tableware and brick industries.—74-09682A
Low-mass kiln cars.—74-09685A
Proper selection of kiln furniture.—74-05871A
Refractory kiln furniture for the electronic industry.—74-05875A
Silicon carbide and aluminum oxide kiln furniture for the ceramic industry.—74-09712A
Spalling-resistant kiln furniture based on mechanically activated ceramic bonds.—74-03931A

kilns,
ACC's expansion projects at Gagal (India).—74-00887A
Adaptive and predictive systems for energy management.—74-09635A
Adsorption and catalytic flue gas cleaning of exhaust gases from cement kilns: II, Pilot trials in two clinker burning systems.—74-01135A
Approach to temperature distribution of longitudinal section of annular kiln.—74-01136A
Basic refractory bricks in the cement industry.—74-00377A
Burner zone.—74-06842A
Can the refractories industry cope with the steadily increasing demand for ceramic fast-firing technology.—74-00379A
Cement plant of the future.—74-08001A
Chinese cement industry continues to advance.—74-08006A
Computer-aided drying and firing.—74-06845A
Continuing upgrading program at South Ferriby (UK).—74-03678A
Correlation of basic refractory brick development with the evolution of cement kilns.—74-03900A
Development and application of magnesia-alumina (MA) spinel brick for large dry-method cement kiln.—74-06847A
Dry scrubbing technologies for control of emissions from ceramic kilns.—74-09652A
Ecology and quality assurance in modern kiln technology for high-voltage ceramic insulators.—74-01148A
Effect of burner design and operating parameters on flame shape, heat transfer, NO_x and SO_3 cycles.—74-06849A
Emission measurement in the ceramic industry.—74-03907A
Evaluation of fluoride emissions methods for use at ceramic tile kilns.—74-11161A
Exergy (available energy) analysis of annular kiln for brick and tile.—74-01152A
Experiences with ceramic fiber linings in industrial kiln construction.—74-00385A
Fast-fire technology: thermal potential control.—74-09663A
Fast-firing technology in ceramic decoration.—74-09664A
Firing of sanitary ware.—74-02808A
Firing technology for sanitary ware.—74-00430A
Firing technology in the heavy clay industry.—74-08551A
Fluoride emission of ceramic products.—74-06851A
History of lime production at Rudersdorf near Berlin—an open-air museum project of the building materials industry.—74-07950A
Increased production and quality achieved by improved firing consistency.—74-09675A
Installation and networking of a multiplant kiln shell scanning system.—74-03826A
ITO technology—an alternative to conventional plant construction.—74-09678A
Keller gets the blues[—a kiln for blue brindle brick].—74-00366A
Kiln builder's view of the refractories industry.—74-09679A
Kiln development for fast decorating firing.—74-01161A
Lafarge in major project to cut CKD [cement kiln dust].—74-03944A
Method and apparatus for temperature uniformity and repeatable temperature and location specific emission control of kilns.—74-09733P
Modern kiln construction for ceramic high tension insulators: highest efficiency with ecological consideration and quality assurance.—74-01165A
Modified preheater/kiln system design.—74-09690A
Monitoring and ways for energy economy of annular kilns.—74-09692A
Monitoring kiln shell temperature—a must in today's cement plants.—74-03839A
New Linescanner.—74-01088A
New technology in firing systems.—74-01167A
Optimized process control of rotary kilns with rotor weigh feeders.—74-01170A
Option of various types of brick-firing kilns.—74-06870A
Practical experience with coal-fired Maerz kilns.—74-03926A
Preheater kiln start-up and operation at Western Lime, Green Bay.—74-01174A
Problems on laying water-heating pipes under annular kilns.—74-01175A
Recent advance of brick-firing annular kilns in China.—74-06871A
Recent progress in gas-fired sintering kilns for ceramics.—74-09709A
Refractory lining in modern rotary kiln systems.—74-01176A
Refractory lining in the new annular shaft kilns [for lime burning] at the "Kaltes Tal" works in Rubeland, Harz, Germany.—74-06873A
Roller kiln and its influence on the planarity of the final product.—74-09711A
Solving firing problems—guessing or facts.—74-08583A
Structures and features of ancient kilns for ceramic wares.—74-09714A

Study rates HF measurement methods.—74-05911A
Trend of kiln instrumentation for ceramics.—74-09720A
UK lime plants: I, British Steel's Schapfell plant.—74-08116A
UK lime plants: II, Syngleton Birch, Melton Ross[, UK].—74-08117A
UK plants decrease kiln operating costs using proven preventive maintenance techniques.—74-01184A

kinetics,
Continuous process to produce nanophased ceramic powders.—74-04527A
Dynamics of amorphous carbon film growth by pulsed laser deposition—kinetic energy of the incident particles.—74-05121A
Influence of excess yttrium and platinum on the growth behavior of $YBa_2Cu_3O_{7-\delta}$ and Y_2BaCuO_5.—74-06563A
Kinetic plots for predicting silicide formation sequence.—74-04157A
Kinetics of calcination in cement raw meal nodules.—74-08060A
Kinetics of formation of fayalite under defined thermodynamic and microstructural conditions.—74-10737A
Kinetics of volatilization loss from phosphate glass melts.—74-05725A
Kinetics of zeolite dissolution: IV, Influence of the concentration of silicon in the liquid phase on the kinetics of ZSM-5 dissolution.—74-10433A
Modeling the growth kinetics of sputter-deposited nanocrystalline zirconia films.—74-04759A
Study on the kinetics and mechanism of silver-cluster formation in zeolite Ag-X by diffuse reflectance spectroscopy.—74-05280A
Thermal analysis.—74-07530A
Thermodynamic and kinetic approach to the alkali-silica reaction: I, Concepts.—74-05607A

kyanite,
Applications of kyanite to alumina-silica-magnesia saggars.—74-06840A

laboratory,
Ceramic laboratory—more important than ever.—74-01046A
CERLABS—the worldwide laboratory.—74-05407A
Laboratory automation [in the cement industry].—74-06710A
Microtribology today and tomorrow.—74-00952A
State-of-the-art raw material analysis in ceramic laboratories.—74-01109A

ladle,
Developments in refractory linings of steel plant ladles.—74-00383A
Silica-free alumina-carbon material for ladle shrouds.—74-00402A

laminates,
Apparatus for laminating ceramic green sheets.—74-03742P
Compositionally graded near-net-shape complex parts made by tape lamination.—74-01649A
Effect of lamination method of plasma-treated carbon fiber on mechanical properties of CFRC.—74-10286A
Evaluation of laminated stacking sequence under compressive load.—74-05715A
Fifty years of safer windshields.—74-02623A
Fracture mechanical testing of laminated SiSiC: I.—74-05355A
Influence of interfacial debonding on the behavior of a laminated system.—74-11028A
Initial failure maps for fibrous CMC laminates.—74-02158A
Laminated flat glasses (for automobiles).—74-00305A
Laminated piezoelectric element.—74-09186P
Layered ceramic composites—a new family of advanced materials.—74-07367A
Method of manufacturing multilayer ceramic electronic component.—74-02890P
Microlaminated composites and method—74-00178P
Preparation and mechanical properties of laminated alumina/mullite-glass composites.—74-05783A
Role of fiber bridging in the delamination resistance of fiber-reinforced composites.—74-07913A
Static structural response of plates with piezoceramic layers.—74-09179A
Towards an in situ alumina laminate.—74-07781A
Transverse cracking in fiber-reinforced brittle matrix, cross-ply laminates.—74-02213A

lamps,
Early history of lampwork—some facts, findings, and theories: II, Fire or flame? Lampworking techniques in antiquity.—74-05451A

lanthanides,
Combustion synthesis of perovskite $LnCrO_3$ powders using ammonium dichromate.—74-07230A
Conductivity study of ABO_3-type nanostructured materials.—74-04268A
EXAFS data analysis for lanthanide sesquioxides.—74-10805A
Formation and properties of Ln-Si-O-N glasses (Ln=lanthanides or Y)—[correction].—74-02544A
Formation and properties of Ln-Si-O-N glasses (Ln=lanthanides or Y).—74-00260A
Formation of $LnCeO_y$ (Ln=Nd, Pr, Sm, Eu) solid solutions.—74-06550A
Modified spin-wave theory of quasi-two-dimensional Heisenberg antiferromagnet.—74-01408A
New cuprates with (Bi, Cu)-O monolayers: (Bi, Cu)$Sr_2LnCeCu_2O_{8-\delta}$.—74-03537A
Quantum paraelectricity in a perovskite $La_{1/2}Na_{1/2}TiO_3$.—74-05954A
Short-range order structural investigation of amorphous europium, gadolinium, and terbium hydrous oxides.—74-01454A
Solubility of anhydrous chloride lanthanides in phosphorus oxychloride and phosphorus oxychloride–zinc chloride matrix composition.—74-00215A

lanthanum oxide,
Dielectric ceramic for microwaves.—74-02877P
Glass, dielectric composition, multilayer wiring substrate, and multilayer ceramic capacitor.—74-08791P
Synthesis studies of nanocrystalline composite oxides with the perovskite structure based on $LaFeO_3$.—74-07523A
Thermal stability of oxidized La on Pd(100).—74-04452A

lanthanum,
T_{c-x} phase diagrams and infrared spectra due to axial charge-transfer modes in $La_{2-x}Sr_xCuO_4$: a composite-boson model.—74-01342A
Abrupt but continuous antiferromagnetic transition in nearly stoichiometric $La_2CuO_{4+\delta}$.—74-03363A
Ac conductivity of $LaCuO_4$.—74-02820A
Ac magnetic susceptibility and microwave absorption study of $GdBa_{2-x}La_xCu_3O_7$.—74-09233A
Analysis of low-temperature properties of $La_{2-x}M_xCuO_{4-\delta}$ [M=Sr, Ca, Ba] in the multiwell potential centers.—74-04248A
Anisotropic penetration depth in $La_{2-x}Sr_xCuO_4$.—74-04250A
Anomalies of the electrical resistivity and the thermoelectric power around 600 K in a small x region of $La_{2-x}Sr_xCuO_4$.—74-09237A
Anomalous behavior of Hall coefficient and thermoelectric power of $YBa_2Cu_3O_{6+x}$ and $La_{2-x}Sr_xCuO_4$ above room temperature.—74-00784A
Anomalous temperature dependence of the Hall coefficient in $La_{2-x}Sr_xCuO_4$ above room temperature.—74-01496A
Calorimetric and electrical studies on positional disordered Li ions in $Li_{0.35}La_{0.51}TiO_{2.94}$.—74-06395A
Ceramic composites based on lanthanum zirconium.—74-02364A
Ceramic solid electrolyte-based electrochemical oxygen concentrator cell.—74-08781P
Cluster models for point defect structure in $La_2CuO_{4+\delta}$.—74-10781A
Correlation between the critical Pr concentration and structural parameters in $Ln_{1-x}Pr_xBa_2Cu_3O_7$.—74-03435A
Critical buckling for the disappearance of superconductivity in $La_{2-x}Sr_xCuO_4$.—74-06505A
Crystal structure of La—analog of stillwellite.—74-07059A
Crystal structure of synthetic La-containing fersmite.—74-04118A
Crystallization of epitaxial lanthanum aluminate and spinel thin films derived from nitrate precursors.—74-10251A
Cu NMR and NQR studies of high-T_c superconductor $La_{2-x}Sr_xCuO_4$.—74-03437A
Defect structure and phase relations of highly lanthanum-doped barium titanate.—74-07068A
Determination of ion transport percolation threshold in $Sr_{1-x}La_xF_{2+x}$.—74-05003A
Determination of irreversibility line of an $La_{1.87}Sr_{0.13}CuO_4$ single crystal: a scaling approach.—74-00796A
Diffuse X-ray scattering from $La_{2-x}Sr_xNiO_4$ and $La_{2-x}Sr_xCuO_4$.—74-04279A
Dissolution of synthetic HAp in the presence of La ions.—74-10274A
Doped $LaGaO_3$ perovskite-type oxide as a new oxide ionic conductor.—74-04562A
Effect of calcium content on the discharge characteristics of $Ca_xLa_{1-x}CrO_3$ thick-film cathodes for use in dc-type plasma display panels.—74-06050A
Effects of Co for Mn substitution in (La, Sr)MnO_3 cathode materials.—74-02981A
Electrical and magnetic properties of La-Ca-Cu-O system compounds.—74-04293A
Electrical conductivity and defect structure of calcium-doped lanthanum chromites.—74-00604A
Electronic band structure of $LaNiO_3$.—74-00804A
Electronic conductivity in the La(Cr,Ni)O_3 perovskite system.—74-05937A
Electronic structure of La_2CuO_4.—74-00806A
Epitaxial $LaNiO_3$ interlayers for ferroelectric memory structures.—74-09133A
Evaluation of the gas response of ZnO/La_2CuO_4 heterocontacts with different electrode materials.—74-08900A
Exchange mechanism of Raman scattering in impurity La_2CuO_4.—74-03461A
Fluctuation-induced discontinuous phase transition in the magnetic subsystem in La_2CuO_4.—74-03379A
Formation and properties of sodium lanthanum silicate glasses.—74-05719A
Formation of calcium lanthanum sulfide [CLS] by carbonate coprecipitation and CS_2 sulfurization.—74-04645A
Glass-ceramics in the systems La-Pb-Mn-B-O and La-Pb-Mn-Te-O.—74-08430A
High field magnetic fluctuations in LaSrCuO.—74-04331A
High oxygen pressure treatment and XPS study for $La_{2-x}Sr_xCuO_4$.—74-03481A
High-T_c microbridge superconductor device utilizing stepped edge-to-edge SNS junction.—74-03630P
High-strength and high-fracture-toughness ceramics in the $Al_2O_3/LaAl_{11}O_{18}$ systems.—74-07885A
Intercalation-desintercalation of oxygen in $Ln_2NiO_{4+\delta}$ (Ln=La, Pr).—74-03500A
Interplane charge dynamics in $La_{1-x}Sr_xCuO_4$.—74-03503A
Investigation of the phase transition in nanocrystalline $Pb_{1-x}La_xTiO_3$.—74-04155A
Investigation of the superconducting gap in $La_{2-x}Sr_xCuO_4$ by Raman spectroscopy.—74-09293A
Magnetic structure, phase transitions, and propagation of electromagnetic waves in La_2CuO_4.—74-03391A
Magnetization measurement and ^{55}Mn NMR study of $La(Ni_{1-x}Mg_x)_{0.5}Mn_{0.5}O_3$.—74-06465A
Magnon contribution to the heat capacity of multisublattice antiferromagnets $LaCuO_4$ and $CuCl_2{\cdot}H_2O$.—74-06579A
Making vitreous specimens for X-ray fluorescence analysis of langasite.—74-04744A
Mechanical properties of magnesia-doped lanthanum chromite versus temperature.—74-07901A
Mechanism of La_2CuO_4 solid-state powder reaction by quantitative XRD and impedance spectroscopy.—74-03519A
Metallorganic chemical vapor deposition of $LaAl_{11}O_{18}$ by a liquid precursor route.—74-10451A
Microwave absorption in non- and hydrogenated $La_{1.85}Sr_{0.15}CuO_4$.—74-03531A
Modeling of crystal-glass transition effect on luminescence decay rate of rare-earth ions [REIs] in phosphates.—74-05732A
Monolithic fuel cell having improved interconnect layer.—74-02892P
Nature and characteristics of radiative recombination centers in lanthanum sesquisulfide.—74-04370A
New ESR spectrum in the Y-Ca-Ba-La-Cu-O high-T_c superconductor system.—74-06594A
NMR, neutron scattering, and the one-band-model of $La_{2-x}Sr_xCuO_4$.—74-05203A
Nonlinear dynamics of the four-sublattice antiferromagnet La_2CuO_4.—74-03395A
Oxide superconductor and process for producing the same.—74-09382P
Parameters of electric field gradient tensor at copper sites of $La_{2-x}CuO_4$ lattice.—74-03549A
Partial oscillation spectra of Cu, La, and O atoms in La_2CuO_4.—74-10016A
Phase relations and conductivity in ZrO_2-Se_2O_3-La_2O_3 system.—74-08764A
Phase relations in the system La-Rh-O and thermodynamic properties of $LaRhO_3$.—74-04188A
Phase separation and superconductivity in La_2CuO_4: effects of oxygen diffusion.—74-00832A
Phase transition and ferroelectric characteristics of $Pb\{(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x\}O_3$ ceramics modified with $La(Mg_{2/3}Nb_{1/3})O_3$.—74-06428A
Phase transition of new ferroelectric $LaBGeO_5$.—74-00760A
Precise determination of the chemical diffusion coefficient of calcium-doped lanthanum chromites by means of electrical conductivity relaxation.—74-07185A
Pulsed laser deposition of PZT/$La_{0.5}Sr_{0.5}CoO_3$ heterostructure for integrated ferroelectric devices.—74-06432A
Raman study on (Pb, La)TiO_3 ceramics.—74-05228A
Reaction between calcium-doped lanthanum chromite and silica.—74-07107A
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: II, Refinement of crystal syngony by precision measurements of unit cell parameters by Bond method.—74-04205A
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: III, High-temperature studies.—74-02486A
Reflectance and Raman spectra of metallic oxides, LaSrCoO and CaSrRuO—resemblance to superconducting cuprates.—74-06628A
Scaling of the temperature-dependent Hall effect in $La_{2-x}Sr_xCuO_4$.—74-04415A
Semiconductor substrate having a superconducting thin film.—74-09390P
Simultaneous ordering of holes and spins in $La_2NiO_{4.125}$.—74-07189A
Sintering behavior of doped lanthanum and yttrium manganite.—74-02861A
Sintering behavior, dielectric and pyroelectric properties of (Pb, La)TiO_3 ceramics.—74-09176A
Sol-gel elaboration of lanthanum chromite heating element.—74-09801A
Solid solutions within selected SrO-$LnO_{1.5}$-TiO_2 systems.—74-04210A
Spectral properties of Nd^{3+}:$La_3Be_2O_5$ (Nd^{3+}:BEL) crystals.—74-06321A
Standard enthalpy of formation of lanthanum zirconate.—74-07117A
Structural and electrical properties of PZT (La, Na) ceramics.—74-05958A
Structural and magnetic properties of the anion-deficient $LaVO_{3-\delta}$.—74-10158A
Structural refinements of orthorhombic $(La_{1-x}Ca_x)_2CuO_4$ (x=0.05).—74-04217A
Structure and defects of lanthanum pentatantalate.—74-05268A
Studies of the low temperature electronic states of $La_{2-x}Sr_xCuO_4$ measured by means of the Cu site substitution effects in the specific heat.—74-09341A
Study on narrow energy band behavior and superconductivity in $La_{1.85}Sr_{0.15}Cu_{1-x}O_{4-y}$.—74-09344A
Superconductive material.—74-03666P
Synthesis and dielectric properties of substituted lanthanum aluminate.—74-04437A
Synthesis and properties of solid solutions of $La_{1.9}Sr_{1.1-x}Ba_xCu_2O_{5.95+\delta}$ [$0 \le x \le 0.1$].—74-00856A
Tetragonal-orthorhombic-structural modulation for low temperature in $La_{2-x}Ba_xCuO_4$.—74-09354A
Thermal conductivity of superconducting $La_{2-x}Sr_xCuO_4$ and semiconducting $Gd_{2-x}Sr_xCuO_4$ at high temperature.—74-09356A
Thin film oxygen sensor.—74-09105P
Transition to 3-D magnetic structure near substitutional impurity in La_2CuO_4.—74-03611A
Transverse magnetization study of the pairing state of $LaBa_2Cu_3O_{7-\delta}$.—74-04456A
Vuv-photoemission study of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals and their surface degradation.—74-01486A
Weak ferromagnetism and tricriticality in pure La_2CuO_4.—74-06665A
ZnO/La_2CuO_4 heterocontacts as humidity sensors.—74-09084A

lasers,
2-D simulation of constricted-mesa InGaAsP/InP buried heterostructure lasers.—74-05969A
6.5-J flashlamp-pumped Ti:Al_2O_3 laser.—74-00712A
Auger upconversion losses in Nd-doped laser glass.—74-08404A
Band structure of fs-laser-pulse excited GaAs.—74-02921A
Behavior of synthetic quartz glass under the action of intense irradiation from KrF and ArF lasers.—74-02431A

Blue-green semiconductor lasers[—review].—74-05991A
Characteristics of coloration of multichromatic glasses induced by laser radiation.—74-00243A
Characterization by uv-visible and ir spectroscopy of thin diamondlike carbon films prepared by Laser-Arc.—74-04500A
Characterization of nanoscale particles produced by laser vaporization/condensation in a diffusion cloud chamber.—74-07224A
CO_2 laser chemical vapor deposition of silica films in a parallel configuration: a study of gas phase phenomena.—74-01636A
CO_2-laser-induced vapor phase synthesis of HNdiamond nanoparticles at 0.6-2 bar.—74-07228A
Coarse cemented WC particle atomic-metal composite coatings produced by laser cladding.—74-08145A
Confocal microscopy.—74-09560A
Continuous-wave single-frequency operation of diode laser-pumped Nd:YAG laser.—74-06015A
Coulter LS 130 laser diffraction analyzer for testing and research of building materials.—74-06751A
Cw 20-kW SAGE CO_2 laser for industrial use.—74-01052A
Deposition of copper oxide films by reactive laser ablation of copper formate in an rf oxygen plasma ambient.—74-01663A
Deposition of thin highly dispersive diamond films by laser ablation.—74-04543A
Detailed analysis of coherence collapse in semiconductor lasers.—74-00590A
Determination of angular distributions of excimer-laser-induced plasma near $YBa_2Cu_3O_{7-x}$ target surface.—74-09250A
Drilling fine holes using phase conjugate laser.—74-06046A
Dual-wavelength coupled-cavity Ti-sapphire laser with active mirror for enhanced red operation and efficient intracavity sum frequency generation at 459 nm.—74-06047A
Dynamics of amorphous carbon film growth by pulsed laser deposition—kinetic energy of the incident particles.—74-05121A
Effects of laser treatment on laser-induced damage of optical thin-film and laser glass.—74-02617A
Epitaxial magnetic garnet thin films and heterostructures by pulsed laser deposition.—74-09198A
Fast frequency stabilization of a diode-laser pumped monolithic Nd:YAG laser with an extra-cavity electro-optical modulator.—74-08908A
Fluence dependence of excimer laser ablation of AlN.—74-10356A
Formation of $YBa_2Cu_3O_{7-x}$ thin films by pulsed ruby laser ablation.—74-06551A
Frequency and intensity modulation characteristics of GaAs lasers in an external cavity.—74-00623A
Fully integrated 30-ps mode-locked fiber laser electronically tunable over 1530–1560 nm.—74-03309A
Gain measurements on one, two, and three strained GaInP quantum well laser diodes.—74-08919A
Generation and compression of 1.3 μm ultrashort pulses from DFB diode laser.—74-03029A
Generation of nearly transform limited fs pulses by pulse compression of an APM YAG laser.—74-08923A
Grain growth of laser-recrystallized polycrystalline and amorphous silicon films.—74-06120A
Growth of single-crystal mullite fibers by the laser-heated float zone process.—74-04675A
High-power ps pulse amplification and generation in field effect GaAs-AlGaAs laser diodes with saturable absorption.—74-08930A
Improved Ti:sapphire laser performance with new high figure of merit crystals.—74-08936A
Influence of spherical aberration of the active medium on the performance of Nd:YAG lasers.—74-00640A
Intracavity 1.549-μm pumped 1.634-μm Er:YAG lasers at 300 K.—74-06164A
Large area pulsed laser deposition [PLD] of YBCO thin films and buffer layers on 3-inch wafers.—74-09294A
Laser apparatus for measurements of thermal shock resistance of ceramics.—74-01075A
Laser damage testing of CVD-grown diamond windows.—74-02555A
Laser light scattering in particle size analysis.—74-06784A
Laser materials based on diamond with *GR* 1 centers.—74-03083A
Laser-assisted deposition of PbO films.—74-08943A
Laser-induced thermal desorption (LITD) from zeolites: apparatus and technique for rapid, in vacuo sample desorption for FTIR analysis.—74-03706A
Mode-locked ps pulse generation from a phase-coupled fiber array laser.—74-08442A
Modeling of the structure of laser oxide glasses by the Monte Carlo method.—74-02472A
Molecular sieve thin films via laser ablation.—74-07393A
Monolithic YBCO structures fabricated using the laser writing patterning technique.—74-06591A
Monte Carlo study of electron relaxation in quantum-wire laser structures.—74-08958A
Nanocrystalline Al_2O_3 powders produced by laser-induced gas-phase reactions.—74-04766A
New topographical evaluation process for glazes and ceramic surfaces.—74-09591A
Observation of laser oscillation without population inversion in InGaAsP microdisk lasers.—74-06231A
Optical member of synthetic quartz glass for excimer lasers and method for producing same.—74-02690P
Optimized laser particle sizing.—74-09597A
Parametric study of pulsed laser deposited niobium diselenide thin-film growth.—74-01825A
Performance of a Cr:YAG laser.—74-00678A
Phenomenon of filament luminescence for broad contact diode laser (LD) and LD array.—74-06252A
Phosphate glass useful in lasers—74-00345P
Photodissociation dynamics of DMZn at 193 nm—implications for the growth of ZnSe films by laser-assisted metallorganic chemical vapor deposition.—74-05043A
Plasma-sprayed coatings treated with lasers: tribological behavior of Cr_2O_3.—74-02188A
Positive ion emission from excimer laser-excited MgO surfaces.—74-09007A
Preliminary experiments of inside-pumped miniature Nd:YAG tube laser.—74-03176A
Proton transfer dye laser pumped by a third harmonic of an Nd:YAG laser.—74-01566A
Pulsed dye amplification and frequency doubling of single longitudinal mode semiconductor lasers.—74-00693A
Pulsed laser deposition of BN onto silicon (100) substrates at 600°C.—74-01863A
Pulsed laser deposition of carbon films: dependence of film properties on laser wavelength.—74-07452A
Pulsed laser deposition of strontium titanate thin films for dynamic random access memory applications.—74-05953A
Real-time emission spectroscopy during laser ablation of BiSrCaCuO targets.—74-03564A
Reasonable practical XUV laser for applications.—74-09021A
Self-*Q*-switched $Nb:Bi_4Ge_3O_{12}$ (BGO) laser pumped by laser diode (LD).—74-09032A
Self-aligned fabrication or arrays of back-to-back external 45 reflectors integrated with ridge-waveguide lasers for surface-emitting high-power semiconductor laser sources in AlGaAs/GaAs.—74-00706A
Self-mode-locked Ti:sapphire with low pump power.—74-01570A
SiC films prepared by pulsed excimer laser deposition.—74-04889A
Simple 1 μm ring laser oscillators pumped by fiber-coupled laser diodes.—74-09037A
Slow amplitude modulations in the pulse train of a self-mode-locked Ti:sapphire laser.—74-00713A
Solid-state ultraviolet tunable laser: a Ce^{3+}-doped $LiYF_4$ crystal.—74-03220A
Static and dynamic properties of InGaAsP-InP DFB lasers—a detailed comparison between experiment and theory.—74-09048A
Structural characterization and properties of superconducting thin films produced by pulsed laser deposition.—74-03579A
Study of 1.319 μm continuous wave (cw)Nd-YAG mode-locking laser.—74-03737A
Study of laser emission wavelength variations in 1.5 μm InGaAsP/InP BRS laser diodes—theoretical model and experiment.—74-09054A
Study of wavelength shift in InGaAs/InAlGaAs QW DFB lasers based on laser parameters from a comparison of experiment and theory.—74-09056A
Superconducting films on diamond by pulsed laser deposition.—74-03593A
Surface analysis by photoionization at very high laser intensities.—74-03241A
Surface modification of ferritic stainless steel by laser alloying.—74-04931A
Synthesis of Fe-C compounds under the influence of laser radiation.—74-04942A
Synthesis of Nd^{3+},Cr^{3+}-codoped YAG ceramics for high-efficiency solid-state lasers.—74-09061A
Tailoring silicon oxide film properties by tuning the laser beam-to-substrate distance in ArF laser-induced chemical vapor deposition.—74-04952A
TEM_{00} mode high-efficient cw-Nd:YAG laser end-pumped by laser diode.—74-02589A
Theoretical and experimental study of nonlinear distortion in semiconductor lasers.—74-09065A
Thermal component of the optical response of thin-film high-T_c superconductors.—74-06650A
Thermal modeling for mode-size estimation in microlasers with application to linear arrays in Nd:YAG.—74-09068A
Time-resolved measurements of plume shielding during ArF laser ablation of silicon.—74-03881A
TiN layer synthesis by laser plasma.—74-04967A
Ultrasonic testing checks ceramic parts.—74-01125A
Unified scatter technique for full-range particle size measurement.—74-06830A
Vector approach to the geometrical dependence of polarization rotation in a nonplanar cw Nd:YAG laser.—74-09079A
Wafer-scale processing of InGaAsP/InP lasers.—74-06380A

laterite,
Fabrication of hollow clay blocks using lean laterite.—74-08548A

lattice,
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron.—74-04127A
Lattice dynamics and dielectric properties of SiO_2 shistovite.—74-02845A
Lattice instabilities and high-temperature superconductivity in the parent structure $(Sr,M)CuO_{2-x}$.—74-00822A
Lattice mismatch induced stress field pinning in Y-123 superconductors.—74-03509A
Lattice parameters of metastable phases of graphite.—74-04158A
Lattice trapping and surface reconstruction for silicon cleavage on (111). Ab initio quantum molecular dynamics calculations.—74-02160A
New method for the oxide lattice energy computation.—74-09587A
Observation of a triclinic lattice distortion of $In_xGa_{1-x}As$(100)-oriented epitaxial layers by high-resolution double-crystal XRD.—74-06230A
Peak effect as precursor to vortex lattice melting in single-crystal $YBa_2Cu_3O_{7-\delta}$.—74-09318A
Short-range order in cationic sublattice of cubic aluminum oxide.—74-07114A
Superconductivity of weakly correlated electrons in 2-D Hubbard lattice.—74-03597A
Vortex lattice symmetry and electronic structure in $YBa_2Cu_3O_7$.—74-09360A

layers,
Adjusting trimethylgallium injection time to explore atomic layer epitaxy of GaAs between 425 and 500°C by organometallic vapor phase epitaxy.—74-04470A
Barrier layers for lead zirconate titanate thin films.—74-05921A
Calculation of electron structure of talc by semiempirical methods of quantum chemistry.—74-07599A
Characterization of reactively evaporated TiN layers for diffusion barrier applications.—74-10066A
Chemical stability of laminated AlN/AlN:H films.—74-04508A
Chemical vapor deposition of hafnium carbide and characterization of the deposited layers by secondary-neutral mass spectrometry.—74-04104A
Detection of AlN protective layer in aluminized sheet steel using electron beam and Auger electron microarea analytical techniques.—74-08160A
Dynistor based on epitaxial SiC-6H layers grown by sublimation in an open growth system.—74-08866A
Electronic properties of GaAs buffer layers grown by MBE at 360-640°C.—74-08890A
Growth and structure of ZnO_x overlayers on Cu(100).—74-10377A
Harmonic heat flow in isotropic layered systems and its use for thin film thermal conductivity measurements.—74-10107A
In situ processing of silicon carbide layer structures.—74-10406A
Interfacial properties of alumina/KCl(aq) electrical double layer.—74-08756A
Layered ceramic composites—a new family of advanced materials.—74-07367A
Limitations on the use of ceramics in unlubricated sliding applications due to transfer layer formation.—74-02380A
Low-temperature plasma anodic oxidation of silicon through tin aluminum overlayers.—74-04739A
Mechanism of formation of a disturbed layer in *p*-CdTe under the action of ns laser pulses.—74-00654A
Microstructural characteristics of adherent layers formed in the sintering zone of clinker burning rotary kilns.—74-06862A
Modulations in the CuO chain layer of $YBa_2Cu_3O_{7-\delta}$—charge waves.—74-06589A
New mechanism of edge misfit dislocation formation in epitaxial structure.—74-07579A
Problems associated with layer charge characterization of 2:1 phyllosilicates.—74-10867A
Raman scattering of strained GaAs layers grown by MOVPE on InP(lll) A and B.—74-03193A
Removal of hazardous acid gases by passage through slaked lime layers: I, Behavior of pure slaked lime layers during the passage of pollutant-free model gases.—74-05580A
Self-consistent calculations in silicon carbide inversion layers.—74-10153A
Soft X-ray spectroscopy.—74-06817A
Sol-gel method used for preparation of the thin superconductive layers[—literature review].—74-06632A
Stability of a single δ layer in GaAs.—74-03223A
Steady-state distribution of the field and space charge in the interior of the *i* layer in a GaAs *p-i-n* structure.—74-03226A
Stepwise growth of size-confined CdS in the 2-D hydrophilic interlayers of Langmuir-Blodgett films by the repeated sulfidation-intercalation technique.—74-04914A
Strain-stabilized highly concentrated pseudomorphic $Si_{1-x}C_x$ layers in Si.—74-03229A
Structural characterization of incommensurate misfit layer compound $(LaS)_xVS_2$ (x=1.18).—74-10887A
Structure and properties of metal-insulator interphase layer [MIIL].—74-05269A
Thin ceramic layers deposited by plasma-enhanced CVD.—74-10700A
Uniformly layered mixtures of the $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ phases formed in artificially layered films—structural analysis and superconducting properties.—74-09358A

leaching,
Acoustic wave stimulation of the leaching of layer silicates.—74-07035A
Aqueous alteration of nuclear waste glasses and metal package components.—74-00181A
Characteristic of the acid-basic purification processes for ziron powders disgregated with soda ash.—74-04498A
Disposition of actinides released from high-level waste glasses.—74-09398A
Effects of liquid phase immiscibility on the leaching of fluorosilicate waste glasses.—74-08333A
Immobilization of simulated high level wastes into AASC (alkali-activated slag cement) waste form.—74-02759A
Increasing chemical stability of annealed hollow glassware.—74-02467A
Interaction of inorganic leachate with compacted pozzolanic fly ash.—7m-00070A
Investigating the recycling of nickel hydride battery scrap.—74-01771A
Keeping cobalt in its place.—74-03704A
Leaching behavior of ^{60}Co and ^{137}Cs from spent ion exchange resins in cement matrix.—74-05543A
Leaching behavior of EDTA in a silica sol-gel matrix.—74-09479A
Leaching of barium from barium glasses.—74-00200A
Leaching of lead from lead crystal glasses.—74-02470A
Modeling of alkali ion leaching from the concrete pad barrier into the underlying saturated soil in above-grade tumulus LLRW disposal facility.—74-08075A
Non-linear effect of glass composition on glass dissolution in both fluorosilicate and borosilicate waste glasses.—74-08341A

Properties of vitrified Rocky Flats TRUW [transuranic-contaminated mixed waste] with different waste loadings.—74-09413A
Quality control practices for determination of lead and cadmium in ceramic ware leach solutions by inductively coupled plasma-atomic emission spectroscopy [ICP-AES].—74-09607A
Quantitative XPS analysis of leached layers on optical glasses.—74-02484A
Reduction of lead leaching from lead crystal glass.—74-05694A
Surface and bulk studies of leached and unleached fly ash using XPS, SEM, EDS, and FTIR techniques.—74-05281A
TCLP test: what is it, why you need it.—74-01114A

lead lanthanum zirconate titanate (PLZT),
Applications of ferroelectric ceramics in optics and electronics.—74-03285A
Characterization of PLZT films deposited by spray pyrolysis.—74-03289A
Crystallization behavior and improved properties for sol-gel-derived PZT and PLZT thin layers processed with a lead oxide cover coating.—74-09115A
Dielectric properties and microstructure of barium-modified PLZT materials.—74-09120A
Effects of deposition parameters on the structure, morphology, and chemical composition of PLZT thin films.—74-10307A
Effects of heat treatments on photostriction in PLZT ceramics.—74-08878A
Electric field forced phase switching in La-modified lead zirconate titanate stannate thin films.—74-09129A
Microstructural evolution during pressureless sintering of lead lanthanum zirconate titanate ceramics with excess lead(II) oxide.—74-09154A
Piezoelectric ceramic composition for actuator.—74-09188P
Preparation and properties of calcined PLZT powders.—74-03723A
Production of PT/PZT/PLZT laser `direct write` patterns—74-00559P
Structural and electrical characteristics of ferroelectric PLZT thin film prepared on Pt substrate by sol-gel route.—74-09180A
Structural investigation of bulk and thin-film PLZT using X-ray absorption spectroscopy.—74-05265A
Synthesis of PLZT powders via a molecularly modified precursor route.—74-07518A

lead magnesium niobates (PMN),
Aeroservoelastic DAP [directionally attached piezoelectric] missile fin development.—74-09106A
Characteristics of lead magnesium niobate thin film prepared by sol-gel processing using a complexing agent.—74-06396A
Dielectric and piezoelectric properties of PMN-PT ceramics around the morphotropic composition and the relationship to the crystal structure.—74-03291A
Diffuse phase transition in solid solution of $Pb(Mg_{1/4}Nb_{1/2})O_{3-\delta}$.—74-01370A
Effect of heating rate on the dielectric properties of the [0.9]PMN–[0.1]PT relaxor ceramics.—74-03298A
Electromechanical properties of some $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-(Ba,Sr)TiO_3 ceramics: II.—74-06407A
Electrostrictive behavior in lead magnesium niobate (PMN) actuators: I, Materials perspective.—74-09131A
Formation process and dielectric properties of PMN ceramics in the system $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbZrO_3$-$PbTiO_3$.—74-03308A
High energy density lead magnesium niobate-based dielectric ceramic and process for the preparation thereof—74-00552P
Lead magnesium niobate actuator for micropositioning.—74-03360P
Mechanism of formation of perovskite phase and dielectric properties of $Pb(Zn,Mg)_{1/3}Nb_{2/3}O_3$ [PZMN] ceramics prepared by columbite precursor routes.—74-03322A
Model of lead loss in $Pb(Mg_xNb_{1-x})O_z$ ion-beam-sputtered thin films.—74-07388A
Modification of piezoelectric characteristics of the $Pb(Mg,Nb)O_3$-$PbZrO_3$-$PbTiO_3$ ternary system by aliovalent additives.—74-00756A
Phase transition and ferroelectric characteristics of $Pb[(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x]O_3$ ceramics modified with $La(Mg_{2/3}Nb_{1/3})O_3$.—74-06428A
Structural studies of ordering in the $(Pb_{1-x}Ba_x)(Mg_{1/3}Nb_{2/3})O_3$ crystalline solid solution series.—74-09182A
Use of magnesium carbonate hydroxide pentahydrate in the production of perovskite lead magnesium niobate.—74-03354A

lead oxide,
Characterization and X-ray photoelectron spectroscopy investigation of PbO-Bi_2O_3-Ga_2O_3 glasses.—74-02436A
Compositional change and compositional fluctuation in $Pb(Zr,Ti)O_3$ containing excess PbO.—74-04110A
Crystallization of a PbO-BaO-TiO_2-Al_2O_3-SiO_2 glass.—74-05672A
Effect of excess and deficiency of PbO on the sintering and electrical properties of PZT.—74-10283A
In situ thin-film growth of $PbTiO_3$ by multitarget sputtering.—74-10407A
Influence of a PbO compensation atmosphere and surface layers on the electrical properties of (Pb, Nb)-doped TiO_2 varistors.—74-06150A
Influence of some factors on ruthenium-lead borate film properties.—74-00264A
Laser-assisted deposition of PbO films.—74-08943A
Low temperature glass with improved thermal stress properties and method of use—74-00336P
Low temperature sealing composition—74-00238P
Microstructural evolution during pressureless sintering of lead lanthanum zirconate titanate ceramics with excess lead(II) oxide.—74-09154A
Noncrystalline ceramic precursors in the TiO_2PbO system by sol-gel.—74-04782A
Phase formation and properties of metaplumbate of barium and solid solutions $Ba_{1-x}Sr_xPbO_3$ ($0 \le x \le 0.5$).—74-04185A
Possibility of regulating the structure of a ß-solid solution in the system PbO-Bi_2O_3.—74-01442A
Quantitative Raman investigations of the structure of glasses in the system B_2O_3-PbO.—74-05692A
Raman study of B_2O_3-PbO-Gd_2O_3 glasses.—74-02485A
Reversibility of ordering effects in $Pb(Sc_{x/2}Ta_{x/2})O_3$ ceramics.—74-04411A
Role of PbO and Ag on insulation resistance degradation in relaxor-based MLCs.—74-05956A
Sol-gel derived lead oxide containing ceramics.—74-09192P
Structural and optical investigation of PbO films grown by laser-assisted deposition.—74-10159A
Structure and kinetics study of MOCVD lead oxide (PbO) from lead bis-tetramethylheptadionate (Pb(thd)-2).—74-07756A

lead selenide,
Conversion of intrinsic and extrinsic defects by laser light in PbSe and its solid solutions.—74-02949A
Dimension crossover and the nature of the superconducting layers in PbSe/PbS superlattices.—74-03443A
Self-compensation of electrically active impurities by intrisic defects in IV-VI semiconductors.—74-03209A

lead sulfide,
Absorption of oxygen by PbS films.—74-05970A
Chemical deposition of PbS from an acidic bath.—74-04507A
Determination of the activation energy for oxygen diffusion in PbS films.—74-08856A
Dimension crossover and the nature of the superconducting layers in PbSe/PbS superlattices.—74-03443A
Electrical properties of irradiated PbS films.—74-08886A
Metallurgical reactions and enhanced magnetic field shielding in YBCO-PbS superconductors.—74-06585A
Scanning tunneling microscope investigation of semiconductor nanometer particles.—74-06298A
Self-compensation of electrically active impurities by intrisic defects in IV-VI semiconductors.—74-03209A
Superlattices of the PbS-CdS type formed by laser evaporation in vacuum.—74-02054A
Unoccupied electron states and determination of the electron affinity of PbS(100) by inverse photoemission spectroscopy.—74-00732A

lead telluride,
Effect of electron bombardment on the electrical properties of $Pb_{1-x}Sn_xTe$(In) alloys.—74-06051A
Electrical and photoelectric properties of PbTe(Ga) bombarded by electrons.—74-08882A
Electrical properties of PbTe and (PbSn)Te surfaces.—74-06072A
Electronic structure of $Pb_{0.2}Sn_{0.72}Mn_{0.08}Te$ by means of photoemission.—74-05138A
Low-temperature switching in PbTe:Ga under pressure.—74-03093A
Magnetic anisotropy and phase transformation of (100)EuTe/PbTe superlattices and (100)EuTe films.—74-08950A
Observation of the integral quantum Hall effect in $PbTe/Pb_{1-x}Eu_xTe$ quantum well structures.—74-04376A
Photosensitivity of polycrystalline films of compensated PbTe:Cl:Te_{ex}.—74-08999A
Self-compensation of electrically active impurities by intrisic defects in IV-VI semiconductors.—74-03209A
Superconductivity and component distribution thin indium-doped $Pb_xSn_{1-x}Te$ layers.—74-03596A

lead titanate,
Acoustic effects on catalytic activities of Cu and Pd thin films combined with piezoelectric lead strontium zirconium titanate activated by low-frequency voltage.—74-03282A
Compositional change and compositional fluctuation in $Pb(Zr,Ti)O_3$ containing excess PbO.—74-04110A
Decrease of defects of sol-gel-derived $PbTiO_3$ thin film and its grain size effect on ferroelectric properties.—74-09116A
Dielectric and piezoelectric properties of PMN-PT ceramics around the morphotropic composition and the relationship to the crystal structure.—74-03291A
Diffuse phase transition in solid solution of $Pb(Mg_{1/4}Nb_{1/2})O_{3-\delta}$.—74-01370A
Diol-based sol-gel process for the preparation of lead titanate materials.—74-07261A
Donor-doped lead zirconate titanate ($PbZr_{1-x}Ti_xO_3$) films.—74-06402A
Effect of composition and microstructure on the broadening of XRD profiles in modified lead titanate ceramics.—74-05126A
Effect of heating rate on the dielectric properties of the [0.9]PMN–[0.1]PT relaxor ceramics.—74-03298A
Effect of illumination on 180° repolarization process in $PbTiO_3$ single crystals.—74-03299A
Effects of rare-earth incorporation on the ferroelectric and dielectric properties of sol-gel derived $PbTiO_3$ films.—74-09128A
Effects of the homogeneity of noncrystalline Pb-Ti-O gels on the complex thermal processes leading to $PbTiO_3$.—74-02618A
Electromechanical properties of some $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-(Ba,Sr)TiO_3 ceramics: II.—74-06407A
Evolution of domain size and crystal strain in calcium-modified lead titanate ceramics during poling.—74-03303A
Ferroelectric properties of lead titanate films deposited by low-pressure chemical deposition.—74-00752A
Fugitive diffusion barrier for integration of sol-gel-derived lead titanate with oxidized silicon substrates.—74-09144A
Growth and characterization of epitaxial $PbTiO_3$ thin films on MgO.—74-10375A
In situ thin-film growth of $PbTiO_3$ by multitarget sputtering.—74-10407A
Influence of microstructure on piezoelectric behavior of calcium-modified lead titanate ceramics.—74-03314A
Investigation of the phase transition in nanocrystalline $Pb_{1-x}La_xTiO_3$.—74-04155A
Lead titanate thin films prepared by metallorganic chemical vapor deposition (MOCVD) on sapphire, Pt, and RuO_2 substrates.—74-07368A
Low-temperature MOCVD of oriented $PbTiO_3$ films on Si(100).—74-06421A
Microstructure and composition analysis of $PbTiO_3$ films.—74-02019A
Microstructures of sol-gel-prepared ferroelectric thin films.—74-03324A
Microwave synthesis of lead barium titanate.—74-10472A
Multilayer epitaxial ferroelectric ($SrTiO_3$/$PbTiO_3$) thin films prepared by the sol-gel technique.—74-09158A
Organic acid adsorption on lead titanate surfaces.—74-10509A
Pb diffusion barrier layers for $PbTiO_3$ thin films deposited on Si substrates by metallorganic chemical vapor deposition.—74-03328A
$PbTiO_3$ and $PbZr_xTi_{1-x}O_3$ films—microstructure and properties.—74-10860A
Piezoelectric coefficients of materials with high anisotropy.—74-03334A
Piezoelectric single crystal, ultrasonic probe, and array-type ultrasonic probe.—74-09189P
Poling fatigue in modified lead titanate ferroelectric ceramics.—74-03337A
Preparation of lead titanate ceramics by sol-gel processing.—74-03339A
Preparation of $PbTiO_3$ thin film by rf sputtering.—74-03340A
Preparation of $PbTiO_3$ thin films using metal alkoxide and diethanolamine complexing agent.—74-09170A
Principles of molecular precursor selection for aerosol synthesis of materials.—74-07443A
Production of PT/PZT/PLZT laser `direct write` patterns—74-00559P
Pyroelectric properties of sol-gel-prepared $PbTiO_3$ thin films.—74-03345A
Raman spectra of MOCVD-grown ferroelectric $PbTiO_3$ thin films.—74-07726A
Raman study on (Pb, La)TiO_3 ceramics.—74-05228A
Sintering behavior, dielectric and pyroelectric properties of (Pb, La)TiO_3 ceramics.—74-09176A
Sol-gel process for the preparation of lead titanate thin films.—74-03349A
Sol-gel processing and structure development of lead titanate particles.—74-10639A
Sol-gel synthesis and characterization of $PbTiO_3$ fibers.—74-04903A
Sputter deposition of ferroelectric $PbTiO_3$ thin films on MgO(100) substrates.—74-09178A
Stability of dispersions of $PbTiO_3$ powders in aqueous and nonaqueous liquids.—74-07490A
Substrate effects on the structure and optical properties of epitaxial $PbTiO_3$ thin films prepared by metallorganic chemical vapor deposition.—74-10895A

lead zinc niobates (PZN),
Mechanism of formation of perovskite phase and dielectric properties of $Pb(Zn,Mg)_{1/3}Nb_{2/3}O_3$ [PZMN] ceramics prepared by columbite precursor routes.—74-03322A

lead zirconate titanate (PZT),
Angularly and spectrally resolved light scattering from lead zirconate titanate thin films.—74-06393A
Annealing of lead zirconate titanate (65/35) thin films for ultra-large-scale integration storage dielectric applications: phase transformation and electrical characteristics.—74-02821A
Barrier layers for lead zirconate titanate thin films.—74-05921A
Ceramic materials for actuators—composition-related properties.—74-03287A
Comparison of lead zirconate titanate thin films on ruthenium oxide and platinum electrodes.—74-09113A
Crystallization behavior and improved properties for sol-gel-derived PZT and PLZT thin layers processed with a lead oxide cover coating.—74-09115A
Deposition of $Pb(Zr,Ti)O_3$ thin films by metallorganic chemical vapor deposition using ß-diketonate precursors at low temperatures.—74-04542A
Development of fine-scale PZT ceramic fiber/polymer shell composite transducers.—74-06399A
Dielectric and remnant mechanical properties due to cyclic stress in PZT ceramics.—74-08740A
Dielectric, structural, and microstructural characteristics of tetragonal-structured PLZT relaxors.—74-09122A
Dip coating preparation of thin films of piezoelectric materials.—74-03294A
Direct evaluation of domain wall and intrinsic contributions to the dielectric and piezoelectric response and their temperature dependence on lead zirconate titanate ceramics.—74-03295A
Domain reorientation by poling of PZT ceramics in the morphotropic phase boundary region.—74-03296A
Effect of annealing atmosphere on the piezoelectric and mechanical properties of PZT.—74-09123A
Effect of excess and deficiency of PbO on the sintering and electrical properties of PZT.—74-10283A
Effect of Nb doping on the microstructure of sol-gel-derived PZT thin films.—74-06404A
Effect of Ni-Cr doping on the properties of PZT ceramics.—74-08744A
Effect of oxygen octahedron rotations on the phase stability, transformational characteristics, and polarization behavior in the lead zirconate titanate crystalline solution series.—74-09124A
Effect of top metallization on the dielectric and ferroelectric properties of sol-gel-derived PZT thin films.—74-09126A
Effects of operating conditions on the fast decay component of the retained polarization in lead zirconate titanate thin films.—74-04289A

Effects of Ta doping in sputter-deposited PZT thin film.—74-08746A
Electrodes for $PbZr_xTi_{1-x}O_3$ (PZT) ferroelectric thin films.—74-00750A
Electromechanical and dielectric properties of $(Pb_{0.7}Ba_{0.3})(Zr_{1-x}Ti_x)O_3$ ceramics.—74-03301A
Enhanced fatigue and retention in ferroelectric thin film memory capacitors by post-top electrode anneal treatment.—74-03356P
Evaluation of PZT thin films on Ag-coated Si substrates.—74-06408A
Fabrication and properties of 1-3 PZT-polymer composites.—74-09139A
Fabrication of PNZT piezoelectric ceramics by the tape casting technique.—74-09140A
Ferroelectric thin films in the system PZT.—74-03305A
Formation, structure, and material properties from the reaction product of $M(OCHMe_2)_4$ (M=Ti, Zr) and HOAc.—74-10364A
Fracture criteria for piezoelectric ceramics.—74-06413A
Growth and properties of PZT thin films on a 6-8 inch wafer by MOCVD.—74-09145A
Hydrothermal precipitation of lead zirconate titanate solid solutions: thermodynamic modeling and experimental synthesis.—74-09149A
In situ annealing studies of sol-gel ferroelectric thin films by spectroscopic ellipsometry.—74-06415A
Incommensurately modulated polar structures in antiferroelectric Sn-modified lead zirconate titanate: the modulated structure and its influences on electrically induced polarizations and strains.—74-06416A
Influence of grain size on the soft mode and the phase transition in the nanocrystalline $PbTi_{1-x}Zr_xO_3$ system.—74-04150A
Influence of the microstructure on the electrical properties of ceramics.—74-07667A
Low-temperature sintering of $Pb(Zr,Ti)O_3$ ceramics with the aid of oxyfluoride additive: X-ray diffraction and dielectric studies.—74-03320A
Materials for ceramic piezoelectric transducers.—74-03321A
Metal-alkoxide-derived-oriented and epitaxial ferroelectric thin films.—74-09153A
Method of manufacture of multiple-element piezoelectric transducer.—74-03358P
Microstructural and electrical properties of PZT thin films by sol-gel process.—74-06423A
Microstructural developments and dielectric properties of rapid thermally processed PZT thin films derived by metallorganic decomposition.—74-06424A
Microwave calcination of conventionally and sol-gel-prepared lead zirconium titanate.—74-01799A
Modeling of the metal-ferroelectric-metal capacitor: I, Theoretical considerations.—74-09156A
Modeling of the metal-ferroelectric-metal capacitor: II, Experimental verifications.—74-08759A
Novel processing of 1-3 piezoelectric ceramic/polymer composites for transducer applications.—74-09160A
Optically addressable, ferroelectric memory with NDRO (nondestructive readout).—74-00759A
$Pb(Zr*Ti)O_3$ thin films prepared by MOCVD.—74-03329A
Peculiarities of the switching process in polycrystalline thin ferroelectric films of PZT type.—74-03331A
Photoresponse probe of the space charge distribution in ferroelectric lead zirconate titanate thin film memory capacitors.—74-00762A
Piezoelectric actuator responsive to environmental humidity.—74-09162A
Piezoelectric lead zirconium titanate device and method for forming same—74-00770P
Piezoelectric sensor.—74-03359P
Preparation of ferroelectric PZT thin film by sol-gel processing: I, Synthesis of stable PZT sol using chelating agent and preparation of its thin film.—74-09169A
Processing of 1-3 piezoelectric ceramic/polymer composites.—74-09173A
Production of PT/PZT/PLZT laser `direct write` patterns—74-00559P
Pulsed ion beam surface analysis as a means of in situ real-time analysis of thin films during growth.—74-03854A
Pulsed laser deposition of $PZT/La_{0.5}Sr_{0.5}CoO_3$ heterostructure for integrated ferroelectric devices.—74-06432A
PZT coatings prepared by the sol-gel process on metallic substrates (Al).—74-03346A
PZT powder synthesis through coprecipitation route.—74-04855A
Quantitative evaluation of extrinsic contribution to piezoelectric coefficient d_{33} in ferroelectric PZT ceramics.—74-00763A
Reactive ion etching of lead zirconate titanate (PZT) thin-film capacitors.—74-00526A
Reactive ion etching of lead zirconate titanate and ruthenium oxide thin films using $CHClFCF_3$ or $CHCl_2CF_3$ as an etch gas.—74-09540P
Review of orientation-microstructure-property relationships for PZT/metal or metal-oxide layered heterostructures.—74-08769A
Role of microdefects in PZT thin films for microelectromechanical systems.—74-08770A
Semiconductor device having a ferroelectric capacitor with a planarized lower electrode.—74-09190P
Size effects and nonlinear phenomena in ferroic ceramics.—74-03348A
Sol-gel derived lead oxide containing ceramics.—74-09192P
Sol-gel technology for ferroelectric thin films.—74-09177A
Structural and electrical properties of PZT (La, K) ceramics.—74-00765A
Structural and electrical properties of PZT (La, Na) ceramics.—74-05958A
Structural evolution of alkoxide-derived compositions within the $Pb(Zr, Ti)O_3$ solid solution.—74-04916A
Structure and electric properties of PZT ceramics substituted by La and Nd.—74-08773A
Structure and properties of ferroelectric $PbZr_{0.2}Ti_{0.8}O_3/YBa_2Cu_3O_7$ heterostructures.—74-03351A
Synthesis and characterization of group IV metal adamantanol alkoxides as potential PZT precursors.—74-10667A
Synthesis and characterization of $Pb(Zr_{0.54}Ti_{0.46})O_3$ thin films on (100)Si using textured $YBa_2Cu_3O_{7-\delta}$ and yttria-stabilized zirconia buffer layers by laser physical vapor deposition technique.—74-06441A
Synthesis of (Nb, Sr)-doped PZT by partial oxalate method.—74-04937A
Thickness scaling of sputtered PZT films in the 200 nm range for memory applications.—74-06447A

lead,
All in the environment: the lead ban and other acts of Congress.—74-05401A
Anisotropic stress of a $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10}$ high-T_c superconductor.—74-06483A
Anomalies in behavior of the trapped magnetic flux and its noise in an HTSC ceramic.—74-04252A
Anomalies in low-temperature calorimetric properties of Pb chalcogenides.—74-04989A
Charge carrier transport mechanisms in amorphous layers of the composition $Pb_xGe_{42-x}Se_{58}$.—74-01935A
Comparative estimation of different methods for the control of stoichiometric composition of bismuth-containing superconductors.—74-06498A
Comparative study of the dc conduction in Na_2O-PbO-B_2O_3 and CdO-PbO-B_2O_3 glasses.—74-05707A
Crystal structure and phase transitions of intermediate phase of $PbZrO_3$.—74-07054A
Crystalline instability in $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_y$.—74-09247A
Detection and investigation of the properties of circular vortex rings in current-carrying type II superconductors $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$.—74-06510A
Determination of lead in tungsten(VI) oxide for scintillation single crystals by stripping voltammetry.—74-05004A
Dielectric properties of lead perovskites as a function of processing and precursors.—74-04556A
EDTA gel processing and microstructural development of Pb-containing BSCCO superconductors.—74-03445A
Effect of fluorine substitution on superconductivity of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_y$.—74-09252A
Effect of high-temperature, high-oxygen-fugacity annealing on the stability of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$-type compound.—74-09254A
Effect of lead loss and sheath structure on phase formation and alignment in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$/Ag composite conductors.—74-09255A
Effect of microcracks on linear and nonlinear acoustic properties of bismuth-based high-T_c ceramics.—74-03449A
Elongate bismuth system superconductor having aligned 2212 phase.—74-09363P
Estimation of the stoichiometry of bismuth lead high-temperature superconductive ceramics by the technique of theoretical corrections.—74-00810A
Ferroelectric domains and incommensuration in the intermediate phase region of lead zirconate.—74-06410A
Fixed resistor.—74-02879P
Flux pinning in Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+y}$.—74-09275A
Formation and properties of a lead-barium-aluminum phosphate glass.—74-02626A
Formation and properties of lead chlorosilicate glasses.—74-02543A
Formation of $PbZrO_3$ by transformation of cubic ZrO_2 solid solution.—74-09143A
Get the lead out.—74-00931A
Getting lead out of our diet.—74-02237A
Glass-ceramics in the systems La-Pb-Mn-B-O and La-Pb-Mn-Te-O.—74-08430A
Great lead debate.—74-02634A
Growth mode and surface structures of the Pb/Si(001) system observed by scanning tunneling microscopy.—74-07660A
Hydrogen profiles in the surface of reduced lead silicate glasses.—74-05682A
Influence of dopants on the formation mechanism of the superconducting phases in the Bi-Sr-Ca-Cu-O system.—74-03493A
Influence of morphological aspects in the reaction pathway and superconductive properties of $Bi2223-Ca_2CuO_3$ ceramic composites.—74-09290A
Influence of the Pb cation on the structural and ferroelectric properties of the aurivillius oxide $Bi_2SrNb_2O_9$.—74-03315A
Internal friction and shear modulus in bismuth ceramics at $T<T_c$.—74-06568A
International perspective on decorating/heavy metals.—74-02244A
Investigation of calcination and sintering of $Pb_{0.3}Bi_{0.7}SrCaCu_{0.8}O_x$ based superconductors.—74-00821A
Investigations of (Bi/Pb)-Sr-Ca-Cu-O-based superconductors by EDS analysis.—74-06570A
Leaching of lead from lead crystal glasses.—74-02470A
Lead and heavy metals: where does the U.S. stand.—74-05426A
Matrix-mediated synthesis and properties of nanostructured materials.—74-01804A
Melting of lead crystal glass in all-electric furnaces in joint-stock company Sklo Bohemia in Svetla and Sazavou (Czech Republic).—74-03920A
Method of manufacturing an oxide superconductor.—74-09376P
Method of producing Pb-stabilized superconductor precursors and method of producing superconductor articles therefrom.—74-09379P
Method of reducing the lead and/or barium emission of crystal glass objects containing lead and/or barium on contact with a liquid phase.—74-03758P
Mossbauer study in Pb-Bi-Sr-Ca-Cu-O superconductor.—74-09310A
New incommensurate phase in a Pb ordered perovskite: Pb_2MgTeO_6.—74-03842A
No lead, no barium... no crystals.—74-08339A
Observation of Josephson pair tunneling between $YBa_2Cu_3O_{7-\delta}$ and a conventional superconductor (Pb).—74-04375A
Oxidation states of copper in lead borate glass.—74-02478A
Oxide superconductive material of Tl (thallium) and Pb (lead) system and method for manufacturing the same.—74-09381P
Oxide superconductors, and devices and systems comprising such a superconductor.—74-09384P
Pb diffusion barrier layers for $PbTiO_3$ thin films deposited on Si substrates by metallorganic chemical vapor deposition.—74-03328A
$PbTiO_3$ and $PbZr_xTi_{1-x}O_3$ films—microstructure and properties.—74-10860A
Phase-transition-induced change of band structure in $PbTe_{1-x}S_x$ [x=0.03 and 0.06].—74-04195A
Preparation and optical properties of lead-complex perovskite films by the sol-gel method.—74-10547A
Preparation of BiPbSrCaCuO superconductors with high 2223 phase content by pressing method.—74-09323A
Preparation of BiPbSrCaCuO superconductors with high 2223 phase content by pressing method.—74-09324A
Process for producing columbite-type niobate and process for producing perovskite-type compound therefrom.—74-04002P
Promising advances in the elaboration of superconducting $PbMo_6S_8$-based wires.—74-06621A
Quality control practices for determination of lead and cadmium in ceramic ware leach solutions by inductively coupled plasma-atomic emission spectroscopy [ICP-AES].—74-09607A
Reduction of lead leaching from lead crystal glass.—74-05694A
Reexamination of temperature dependence of dielectric constants under high pressure in lead orthovanadate $Pb_3(VO_4)_2$ crystal.—74-00529A
Silicate glass films deposited by reactive rf magnetron sputtering: electrical characterization.—74-04891A
Spectral absorption of coloring agents in lead phosphate glass.—74-02580A
Stable paramagnetic center $Pb^{3+}(^2S_{1/2})$ in natural apatites $Ca_5(PO_4)_3$ (F, Cl, OH).—74-05256A
Study of lead content effects in off-stoichiometric compounds of the $Bi_2Sr_2Ca_2Cu_3O_8$ superconductor.—74-03582A
Study on densification processes of Bi-based high T_c superconductor.—74-03584A
Study on refractive indices of $PbBr_2$ crystals.—74-10038A
Superconducting Tl-Pb-Sr-Ca-Cu-O thin film—74-00884P
Superconductive photoconductive substance of the Ba-Pb-Bi-O group system and a method for producing the same.—74-03667P
TEM studies of the relaxor $(Pb_{0.7}Ba_{0.3})(Zr_{1-x}Ti_x)O_3$.—74-05287A
Temperature dependence of intergrain potential barrier height in $PbFe_{0.5}Nb_{0.5}O_3$ posistor ceramics.—74-02864A
Texture development in BPSCCO superconductors.—74-09355A
Thermal conductivity of Bi-Pb (2223) superconducting cuprates with vanadium/nickel substitutions and evidence for strong electron-phonon coupling.—74-03605A
Trace metal redistribution during extraction of model soils by acetic acid/sodium acetate.—74-07539A
Use of $A^{2+}B^{4+}O_3$ additives for preparing ferroelectric capacitor ceramics based on lead ferroniobate.—74-02867A
White/clear glazes: low fire.—74-00447A
XPS and ISS study of $NiTiO_3$ and $PbTiO_3$ subjected to low energy ion bombardment: I, Influence of the type of ion (Ar^+ and O_2^+).—74-05302A
XPS studies on the superconductor-insulation transition in $Bi_{2-x}Pb_xSr_3Ca_{1-y}Y_yCu_2O_{8+\delta}$ system.—74-03620A
XPS study on electrofloat glass.—74-08358A

lead-free,
Comparative studies: lead-free systems.—74-00010A
Fluorine-containing lead- and cadmium-free glazes.—74-08719P
High-gloss ceramic frits—74-01209P
Issues in the replacement of lead-bearing solders.—74-01528A
Lead-free thick film paste composition.—74-08799P
Progress in the design of new lead-free solder alloys.—74-02087A
Unleaded onglaze enamels.—74-08707A
Zinc-containing, lead- and cadmium-free glass frits, method of their production and their use—74-01214P

legislation,
All in the environment: the lead ban and other acts of Congress.—74-05401A
Atmosphere protection of the glass industry and its relation to the new legislation.—74-02220A
Getting lead out of our diet.—74-02237A
Lead and heavy metals: where does the U.S. stand.—74-05426A
Measurement of hazardous air pollutants: impact of the Clean Air Act on the manufacturing community.—74-11180A
New developments in the purification of waste water from ceramic industries.—74-09487A
Update: SGCD [Society of Glass and Ceramic Decorators] action in legislative/regulatory issues.—74-02282A

lehrs,
Advancement in lehr-belt construction.—74-00888A
Decorating lehrs: the decorator's final signature.—74-02297A
Decorator's final signature.—74-01977A
Developments in electric furnace technology.—74-01144A
Method for treating glass sheets on a gas hearth.—74-09530P
New quality control system uses lehr alarm for quick response.—74-06795A

Refurbishment option.—74-01177A
Thermal gradients in glass container during transfer from IS machine to lehr.—74-00321A

lenses,
Aplanatic lens with radial gradient of refractive index formed by ion exchange Na^+_{gl}:Li^+melt.—74-02599A
Calculation of heat-transfer and ion-exchange processes in composite cylindrical samples for the fabrication of flat graded-index microlenses.—74-02602A

leucite,
Industrial experience of fused cast blocks with very high zirconia content in an electric furnace for lead glass.—74-01160A

levitation,
Lateral magnetic force and stiffness between a high-T_c superconductor and magnet of rectangular shapes.—74-09295A
Processing of large $YBa_2Cu_3O_x$ domains for levitation applications by an $Nd_{1+x}Ba_{2-x}Cu_3O_y$–seeded melt-growth technique.—74-06619A

light,
Angularly and spectrally resolved light scattering from lead zirconate titanate thin films.—74-06393A
Chirp production of picosecond light pulse in GaAs semiconductor.—74-02939A
Determination of light beam ellipticity and optical parameters of crystals by means of spectrophotometer.—74-06755A
Effect of illumination on 180° repolarization process in $PbTiO_3$ single crystals.—74-03299A
Light emission from crystalline silicon and amorphous silicon oxide (SiO_x) nanoparticles.—74-01529A
Light-induced diffraction in silicon including interval reflections.—74-06177A
Propagation of light in periodic structures based on photochromic glass.—74-02571A

lime,
45 years of Design Office, 1949-1994.—74-11133A
Analytical advances at PPC Lime: I, The rapid determination of available lime in commercial lime by a conductometric method.—74-07993A
Analytical advances at PPC Lime: II, Characterization of environmental dusts by X-ray fluorescence spectrometry—a microbead technique.—74-07994A
Automatic bag filling systems for cement, lime, and gypsum.—74-00034A
Chemical activation of blended cements made with lime and natural pozzolans.—74-00040A
Dakota Coal Company builds state-of-the art lime plant to meet flue gas desulfurization needs.—74-03682A
Electric fluidized bed lime furnace.—74-09654A
Flame control in rotary lime kilns.—74-03908A
Hydrothermal reaction in diatomite-lime mixtures at ambient temperature to 200°C.—74-07342A
In the beginning there was... Beton Agglomere.—74-01072A
Influence of CaO addition on structure and properties of granulated cinder.—74-08051A
Influence of lime plaster on properties of fly ash mortar.—74-08053A
Influence of moisture content of sand-lime (hollow) bricks on properties of brickworks.—74-02721A
Lime burning process—between ecology and economy.—74-06861A
Microscope—a method and tool to study lime burning and lime quality.—74-08072A
Phase composition of sintered lime refractories with TiO_2 additions.—74-02769A
Process for the production of calcium hydrosilicate bonded shaped articles—74-00104P
Rapid techniques for determination of free lime and free magnesia in cement clinker and portlandite in hydrates.—74-05577A
Recycling of ceramic wastes to reduce pollution.—74-05579A
Removal of hazardous acid gases by passage through slaked lime layers: I, Behavior of pure slaked lime layers during the passage of pollutant-free model gases.—74-05580A
Selected problems related to producing carbonate sorbents for exhaust gas desulfurization installations in Silesian lime industry plant "OPOLWAP" SA.—74-08107A
Study on wall materials of diatomite.—74-05600A
Trends in the development of lime industry in the world.—74-08113A
UK lime plants: I, British Steel's Schapfell plant.—74-08116A
UK lime plants: II, Syngleton Birch, Melton Ross[, UK].—74-08117A

limestone,
45 years of Design Office, 1949-1994.—74-11133A
Conversion rates of industrial limestone and quicklime reactions—indirect influence of molar volumes of the solid phases.—74-05481A
Crushing of limestone in hammer mills.—74-03680A
Determination of limestone addition in cement manufacture.—74-02318A
Development of particle size distribution during intergrinding a mixture of clinker and limestone.—74-00048A
Effect of limestone dusts on the durability of concrete under sulfate attack.—74-08017A
Energy consumption by limestone loading with E-302 excavator.—74-00923A
Flame control in rotary lime kilns.—74-03908A
High-pressure grinding rolls.—74-08042A
Innovative civil engineering material from sewage sludge: biocement and its use as blended cement material.—74-00069A
Lime refractories with limestone and synthetic calcium hydroxide additions.—74-05864A
Limestone as raw material.—74-09748A
Preheater kiln start-up and operation at Western Lime, Green Bay.—74-01174A
Quarry case study—the Foster Yeoman experience.—74-08261A
Quicklime properties and genesis of limestone—porosity and spatial pore distribution.—74-06922A
Rudersdorf Lime Works and Industrial[—Germany].—74-08103A

linings,
Basic refractory bricks in the cement industry.—74-00377A
Controlled-temperature dryouts of refractory linings.—74-08614A
Correlation of basic refractory brick development with the evolution of cement kilns.—74-03900A
Designing reinforced thermoset linings for concrete structures.—74-03902A
Developments in refractory linings of steel plant ladles.—74-00383A
Evaluation of tungsten shaped-charge liners spray-formed using the low-pressure plasma spray process.—74-08616A
Evolution of ceramic fiber and lining method provides energy savings and efficiency for reheat furnaces.—74-06850A
Internal electric heater for glass lining reaction vessels.—74-09478A
Investigation on wear mechanism of SiC lining of cyclone furnace.—74-06858A
Nondestructive control of the internal structure of fused refractories.—74-03845A
Optimum chrome-free burning zone lining for rotary cement kilns.—74-06869A
Osmotic blistering of coating and linings applied to concrete surfaces.—74-04798A
Plastic refractory gunning technique for rotary animal feed dryer sharply reduces downtime increasing productivity.—74-01172A
Processes of washing out the steel tapping channel in submerged tapping of molten steel from arc steelmelting furnaces.—74-02772A
Refractory lining in modern rotary kiln systems.—74-01176A
Refractory lining in the new annular shaft kilns [for lime burning] at the "Kaltes Tal" works in Rubeland, Harz, Germany.—74-06873A
Refractory linings for modern rotary kiln plants.—74-05876A
Refractory Linings—Thermomechanical Design and Applications.—74-05444B
Refractory-ceramic-fiber furnace linings.—74-05877A
Special concretes for carrying out of pit shaft linings in copper ore mines.—74-02354A
Study on furnace linings of ceramic fibers.—74-02787A
Used refractory materials: I, Analyses.—74-08640A
Vibration pressing of refractory blocks of the lining of removable induction units.—74-02793A
Wear of the periclase-lime lining of steel teeming ladles in ladle desulfurization of steel.—74-02794A

liquid phase epitaxy,
Liquid phase epitaxy of highly lattice-mismatched $In_xGa_{1-x}As$ layers on (001)GaAs substrates.—74-06178A

liquid phase,
Advances in liquid phase sintering.—74-04473A
Microstructural changes of SiO_2-Si during liquid-phase sintering.—74-10834A

liquids,
Determining the diffusion coefficient of the liquid in the pouring of ceramic slips.—74-06693A
Dynamics of liquids in confined geometries.—74-08330A
Dynamics of thermal fluctuations in cooling high-viscosity liquids below vitrification temperature.—74-03799A
Effects of eutectic liquid under reducing conditions in the alumina–tin dioxide–tin composite system.—74-01377A
Infrared attenuated total reflection cure monitor for control of the liquid composite molding process.—74-09476A
Investigation of the effects of droplet impact angle in thermal spray deposition.—74-10428A
Liquid delivery of low-vapor-pressure MOCVD precursors.—74-07369A
Liquid precious metals application.—74-00022A
Reorientational motion and phase transitions of cyclohexane in restricted geometries.—74-10026A

lithia,
Characterization of LT-$Li_xCo_{1-y}Ni_yO_2$ electrodes for rechargeable lithium cells.—74-05924A
Effect of microcracking on the fracture toughness and fracture surface fractal dimension of lithia-based glass-ceramics.—74-08368A
Effects of impurities on the electrochemical properties of $LiCoO_2$.—74-01378A
Electrochemistry and structural chemistry of $LiNiO_2$ ($R\bar{3}m$) for 4-volt secondary lithium cells.—74-01703A
Raman spectra of rapidly quenched glasses and melts containing large amounts of Li_2O.—74-08348A
Synthesis and electrochemical studies of $LiMnO_2$ prepared at low temperatures.—74-05963A

lithium fluoride,
Generation of 4-ps pulses from stable passive mode-locked Nd:YLF (yttrium lithium tetrafluoride) laser.—74-02629A
Multiphonon scattering of thermal energy He atoms from the LiF(001) surface.—74-02766A

lithium niobate,
Active control of $LiNbO_3$ single crystals for classification by the velocities of acoustic ACE waves.—74-10183A
Annealed proton-implanted channel waveguides on $LiNbO_3$ and their photorefractive properties.—74-03284A
C– outgrowths in C+ thin films of $LiNbO_3$ on Al_2O_3-c.—74-09109A
Content-addressable polychromic neutral net using a (Ce:Fe)-doped $LiNbO_3$ photorefractive crystal.—74-03290A
Cw Nd:MgO:$LiNbO_3$ self-frequency doubling laser at RT.—74-00748A
Dielectric properties of perovskite crystals.—74-07151A
Epitaxy of erbium-doped $LiNbO_3$ films produced by pulsed laser deposition.—74-09136A
Er-doped single- and double-pass Ti:$LiNbO_3$ waveguide amplifiers.—74-09137A
Expressions of thermal refractive index coefficient for $LiNbO_3$ crystal heavily doped with magnesium.—74-03304A
Extended structural defects in $LiNbO_3$ crystals.—74-07566A
Features of pulse illumination effect on X-ray diffraction and photorefractive properties of $LiNbO_3$:Cu [crystals].—74-04634A
Fluctuational crosstalk in Ti:$LiNbO_3$ directional coupler switches.—74-06412A
Fully integrated 30-ps mode-locked fiber laser electronically tunable over 1530–1560 nm.—74-03309A
Growth techniques and physical properties of single-crystal fibers.—74-09147A
High-speed shielded velocity matched Ti:$LiNbO_3$ optical modulator.—74-00754A
Investigation on photorefractive crystals used as phase filters.—74-02553A
$LiNbO_3$ film with a new epitaxial orientation on *R*-cut sapphire.—74-09151A
$LiNbO_3$ thin film optical waveguide device and process for producing the same—74-00768P
$LiNbO_3$—a paradigm for photorefractive materials.—74-06419A
Metal-alkoxide-derived-oriented and epitaxial ferroelectric thin films.—74-09153A
Mg impurity effect on nonstationary photoresponse of Fe-ion-doped lithium niobate crystals.—74-03323A
Optical and structural properties of MeV erbium-implanted $LiNbO_3$.—74-03326A
Optical associative memory with "Cat" self-pumped phase conjugator.—74-03136A
Optical computing and the role of photorefractive crystals.—74-06426A
Optical detection of ion impurity sites in doped $LiNbO_3$.—74-00758A
Oxygen partial pressure dependence of defects in Czochralski-grown lithium niobate.—74-07580A
Photorefractive materials.—74-06430A
Preparation of CeO_2 films on $LiNbO_3$ substrates by dc reactive sputtering.—74-10559A
Quasi-polarization-independent Mach-Zehnder coherence modulator/demodulator integrated in Z-propagating $LiNbO_3$.—74-09174A
SHG efficiency in periodically poled $LiNbO_3$ waveguides.—74-06434A
Solid-state NMR study supporting the lithium vacancy defect model in congruent lithium niobate.—74-10745A
Steady-state photorefractive gratings in $LiNbO_3$ for strong light modulation depths.—74-06437A
TE-TM mode splitter on $LiNbO_3$ using an asymmetric Y-junction with a gap region.—74-03353A
Theoretical modeling of optical amplification in Er-doped Ti:$LiNbO_3$ waveguides.—74-06445A
Thermal dynamic investigation on oxygen vacancy defect in lithium niobate crystal.—74-10748A
Ultraviolet patterning of alkoxy-derived lithium niobate film.—74-06449A

lithium oxide,
Aqueous corrosion of nickel oxide–lithium oxide solid solutions.—74-10907A
Effects of γ-irradiation and lithium oxide doping on surface and catalytic properties of manganese oxides supported on α-alumina.—74-06970A
Preparation and characterization of $LiCoO_2$ thin films by laser ablation deposition.—74-01843A

lithium,
Atomic structure and spectral characteristics of $LiCaAlF_6$:Cr single crystals.—74-07039A
Calorimetric and electrical studies on positional disordered Li ions in $Li_{0.33}La_{0.51}TiO_{2.94}$.—74-06395A
Cerenkov second harmonic generation (CSHG) in proton-exchanged (PE) $LiTaO_3$ optical waveguides.—74-09111A
Characteristics in proton-exchanged $LiTaO_3$ optical waveguides and annealing.—74-02520A
Co segregation in the $LiNi_{1-y}Co_yO_2$ solid solutions. A preliminary ^7Li NMR study.—74-05097A
Collective dynamics of off-center ions in $K_{1-x}Li_xTaO_3$—a model of relaxor behavior.—74-10067A
Complete level diagram and wave functions of Mn^{2+} ($3d^5$) ions in trigonal $LiKSO_4$ field.—74-07613A
Correlation between the surface chemistry and the performance of Li-carbon intercalation anodes for rechargeable "rocking-chair"-type batteries.—74-07018A
Creep resistant, metal-coated $LiFeO_2$ anodes for molten carbonated fuel cells—74-00547P
Crystal growth of $LiTaO_3$ and the effect of crucible type and atmosphere.—74-04112A
Crystal structure and EPR of V^{4+} in lithium titanium diorthophosphate oxide, α-$LiTiOPO_4$.—74-07053A
Crystallization of a lithium silicate glass-ceramic under pressure.—74-02610A
Dependence of the intercalation of Li in WO_3 on the preparation of WO_3 host.—74-01367A
Dielectric study of the phase transition in $K_{1-x}Li_xTaO_3$.—74-09121A
Diffraction study of Li_2O-SiO_2 glass with computer simulation.—74-02447A
Diffuse neutron scattering from cubic lithium sulfate at 908 K.—74-01369A
Diffusion of lithium in *p*-type ZnSe.—74-00593A
Domain inversion in $LiTaO_3$ using proton exchange followed by heat treatment.—74-09984A
Effect of boron substitution in carbon on the intercalation of lithium in $Li_x(B_yC_{1-y})_6$.—74-07266A
Effect of process variables on formation of a TaC second phase in a lithium aluminosilicate glass-ceramic.—74-08416A
Effect of sound and magnetic fields on sitall formation in lithium aluminosilicate glasses synthesized in radiant heating furnaces.—74-02614A
Effect of synthesis techniques on crystallite size and morphology of lithium aluminate.—74-04590A

Effect of the electric field on the elastic and dielectric properties of a lithium-potassium tantalate crystal.—74-10083A
Electronic structures of newly predicted intercalation compounds "lithium intercalated alpha-boron."—74-01382A
Equilibrium potentials of spinel-type manganese oxide in aqueous solutions.—74-01384A
Experimental test of surface-nucleated crystal growth model in lithium diborate glass.—74-05762A
Formation of highly disperse boron nitride in carbothermal reduction in the presence of lithium compounds.—74-01736A
Formation of $Li_xNi_{1-x}O$ solid solution from Ni/Li_2CO_3 mixtures.—74-01386A
Formation of lithium-graphite intercalation compounds in nonaqueous electrolytes and their applications as a negative electrode for a lithium ion (shuttlecock) cell.—74-01737A
Formation of planar optical waveguides in $LiTaO_3$ by nonisovalent ion exchange in molten salts and their study.—74-03307A
High-temperature acoustic properties of $Li_2Ge_7O_{15}$ and $Li_{1.96}Na_{0.04}Ge_7O_{15}$ crystals.—74-03817A
Hyper-Raleigh light scattering in weakly polar $Li_2Ge_7O_{15}$ ferroelectric.—74-03312A
Imperfections in $LiTaO_3$ crystal.—74-10735A
Influence of electrolyte on lithium cycling efficiency with pressurized electrode stack.—74-05942A
Investigation of spinel-related and orthorhombic $LiMnO_2$ cathodes for rechargeable lithium batteries.—74-05945A
Irreversible pressure-induced amorphization in $LiTaO_3$.—74-07677A
Is there a future for lithium batteries as high energy density source in electrical engine vehicles: some recent trends.—74-00502A
Kinetic and structural studies of the electrochemical insertion of lithium into hexagonal-type $x(A_2O)$·WO_3 (A=Na$^+$, K$^+$, NH_4^+).—74-00503A
Lithium borosulfate glasses: an analysis of glass transition temperature results.—74-05685A
Lithium minerals.—74-06910A
Magnetic and thermal properties at the initial stage of formation of spin-glass-type states in $Li_{0.5}Fe_{2.5-x}Ga_xO_4$ (x=0.9, 1).—74-07171A
Magnetoelastic anomalies of thermal expansion of $LiRF_4$ crystals, R=Ho, Tm, Lu.—74-07088A
Method for treating beta-spodumene ceramics—74-01261P
Microstructure and aging response of sprayed-deposited Al-Li/TiCp.—74-08239A
Microstructure and physicochemical studies of pure and zinc-substituted lithim ferrites sintered above 1000°C.—74-03394A
Microwave dielectric ceramic composition.—74-08807P
Nature of the thermally stimulated depolarization currents in MgO-Li.—74-02853A
New iron V_2O_5 bronze as electrode material for rechargeable lithium batteries.—74-01297A
Nonideal lithium insertion into sputtered thin films of tungsten oxide.—74-01815A
Optical investigation of the magnetic excitations in two-dimensional triangular lattice antiferromagnets.—74-01551A
Postfabrication changes and dependence on hydrogen concentration of the refractive index of proton-exchanged lithium tantalate waveguides.—74-04398A
Preparation and characterization of NTC [negative temp. coeff.] thermistors: nickel manganites doped with lithium.—74-03177A
Preparation and properties of yttrium-doped lithium zirconate.—74-01846A
Raman spectroscopic anomaly of Nd-doped lithium tantalate at backscattering geometries.—74-10870A
Rechargeable $Li_{1+x}Mn_2O_4$/carbon cells with a new electrolyte composition.—74-01301A
Role of structural change in phase transition in $LiVO_2$.—74-01450A
Rotating disk studies in molten carbonates: II, Meniscus and film effects.—74-06811A
Search for diffusion of Li implants in natural and polycrystalline CVD diamond.—74-04880A
Sol-gel lithium silicate electrolyte thin films.—74-08772A
Structural and dielectric characterizations of the mixed crystal $Li_{0.8}Na_{0.2}NbO_3$.—74-05260A
Structure of Ag and Li borate glasses of the composition $(Ag_2O·2B_2O_3)_{1-x}a(AgI)$, and—74-02498A
Study of interactions in the systems Li$^+$, Te^{4+}/Cl$^-$, F$^-$, and Na$^+$, Te^{4+}/Cl$^-$, F$^-$.—74-04221A
Study of lithium intercalation into tungsten oxide films prepared by different methods.—74-07766A
Surface crystallization of lithium diborate on glass induced by ultrasonic treatment.—74-05797A
Synthesis of cubic boron nitride using Li_3BN_2, $Sr_3B_2N_4$, and $Ca_3B_2N_4$ as solvent-catalysts.—74-04940A
Synthesis of the compounds $LiKRF_5$ (R=Gd–Lu).—74-01911A
Thermodynamic and kinetic studies of electrochemical lithium insertion into quaternary Li-Mn-V-O spinel as positive materials for rechargeable lithium batteries.—74-01480A
Thermodynamic stability of the lithium zirconates and lithium yttrate.—74-10046A
V_2O_5 xerogel films as intercalation hosts for lithium.—74-07548A
Vapor deposition of lithium tantalate with volatile double alkoxide precursors.—74-07550A

lithography,
Diamond membranes with controlled stress for submicron lithography.—74-09864A
Diffraction gratings for measuring slow mode surface plasmon polaritons.—74-01682A
Effects of focused ion beam reticle repair on optical lithography at i-line and deep ultraviolet wavelengths.—74-01059A
EL-4 column and control.—74-00919A
EL-4, a new generation electron-beam lithography system.—74-00920A
Electron beam lithography for advanced device prototyping: process tool metrology.—74-00921A
Fabrication of a noval split-backgate transistor by in situ focused ion-beam lithography and molecular beam epitaxial regrowth.—74-01720A
Fabrication of aspheric high numerical aperture reflective diffractive optic elements using electron beam lithography.—74-01721A
Fabrication of independent contacts to two closely spaced two-dimensional electron gases using molecular beam epitaxy regrowth and in situ focused ion beam lithography.—74-03015A
Improvement of the quality of InGaAs/InP quantum wires due to epitaxial growth.—74-06145A
Lithographic process in deposited silicon dioxide.—74-06179A
Low-loss beamwidth transformers on InP with reduced requirements on lithographic resolution.—74-00648A
Nanofabrication of photonic lattice structures in GaAs/AlGaAs.—74-00665A
Patterning of CVD diamond films by seeding and their field emission properties.—74-07412A
Phase-shifting lithography: mask making and its application.—74-00680A
Photo- and electron-beam lithography sharing common stencil.—74-00970A
Photolithographic patterning of porous silicon.—74-01299A
Ridge-waveguide sidewall-grating distributed feedback structures fabricated by X-ray lithography.—74-00700A
Sub-$_{100}$ nm pattern formation using a novel lithography with SiN_x resist by focused ion beam exposure and dry etching development.—74-01896A
Sub-half-micron metal-oxide-semiconductor device fabrication using a compact synchrotron radiation lithography system.—74-00721A
Technique for rapid prototyping—the stereolithography.—74-09623A

load,
Acoustic emission measurements in structural ceramics during mechanical and thermal loading.—74-01036A
Combined pulverized coal grinding and loading plant (Lausitz).—74-00902A
Computer experiments on amorphization of crystals in conditions of pulsed external loads and large plastic deformations.—74-02107A
Computer experiments on amorphization of crystals under conditions of impulsive external laoding and large plastic deformations.—74-00187A
Damage evolution in hybrid ceramic matrix composites.—74-10960A
Determination of the *R*-curve from the strength–indentation load relation.—74-07860A
Discrete contact between solid bodies under normal load.—74-05005A
Effect of early overloading of concrete on strength at later ages.—74-05496A
Effect of preloading on fatigue strength in dynamic fatigue testing of ceramic materials at elevated temperatures.—74-10972A
Energy consumption by limestone loading with E-302 excavator.—74-00923A
Fracture and subcritical crack growth in soda-lime glass under combined modes I and II loading.—74-00261A
Microloading effect in reactive ion etching.—74-03108A
Modeling and measurement of the behavior of ceramics under changing thermal loading.—74-02178A
Ship loading systems in partnership with gravity.—74-00994A
Solution of the problem of proof tests on praxis.—74-01105A

low temperature,
Low heat portland cements.—74-00073A
Low-temperature phase equilibria in the Y-Ba-Cu-O system.—74-06574A
Low-temperature quenching of $YBa_2Cu_3O_{7-\delta}$.—74-00823A

lubricants/lubrication,
Adsorption and configuration of lubricant molecules on overcoat materials.—74-01493A
Antiwear/extreme pressure performance of graphite and molybdenum disulfide combinations in lubricating greases.—74-09847A
Benefits of automated lubrication confirmed in France.—74-01281A
Comparative investigation of the sliding wear mechanism in lubricated steel-on-steel and diamond-on-steel friction pairs.—74-05099A
Cooling lubricants on metal surfaces.—74-10247A
Effect of metallic-coated properties on the tribology of coated and oil-lubricated ceramics.—74-08173A
Effect of tricresyl phosphate on wear of silicon nitride sliding against bearing steel.—74-02129A
Evaluation of high-temperature lubricants in ceramic/metal and metal/metal contacts.—74-08187A
Friction and wear properties of partially stabilized zirconia with solid lubricant.—74-02150A
Head-disk interaction in gas-lubricated slider bearings.—74-02152A
High-resolution transmission electron microscopy of layer structure and stacking faults in tungsten disulfide lubricants.—74-10812A
Limitations on the use of ceramics in unlubricated sliding applications due to transfer layer formation.—74-02380A
Methods for reducing wear on silicon carbide ceramic surfaces—74-01327P
Mill-applied solid film lubricant and protective coating for enameling steels.—74-00132A
Molecular dynamics of thin lubricant films on sol-gel SiO_2 surfaces for thin-film magnetic disks.—74-10479A
Nature of super-lubricating MoS_2 physical vapor deposition coatings.—74-04769A
New technique to enhance film-coating processes in oil-based media.—74-08245A
Role of additive in the physicochemistry of graphite-based transfer films.—74-00991A
Room temperature wear characteristics of Al-Si-Cd bearing alloys.—74-08268A
Significance of temperature effects for the behavior of thin lubricant films in an oscillating contact.—74-01571A
Simulations of nanometer-thick lubricating films.—74-01456A
Superlubricity and frictional anisotropy.—74-02210A
Use of the atomic force microscope to study mechanical properties of lubricant layers.—74-01127A

luminescence,
Cooperative luminescence in a Yb-doped silica fiber.—74-08363A
Correlation of the structural and optical properties of luminescent, highly oxidized porous silicon.—74-04271A
Cross luminescence and intraband luminescence of CsI crystals.—74-06016A
Decay kinetics of luminescence of autolocalized excitons in Al_2O_3 and $Y_3Al_5O_{12}$.—74-03368A
Dose dependence of the intensity of the green luminescence of CdS single crystals bombarded with electrons at E=1.2 MeV.—74-08865A
Effect of growth condition on luminescence of corundum crystals.—74-04132A
Exciton luminescence of CuCl microcrystals in glass.—74-02540A
Exciton luminescence of microcrystals of CuCl in glass.—74-02541A
Green phosphors for large plasma TV screens.—74-00627A
Growth and luminescence properties of some single-crystal fibers of laser host materials.—74-10106A
Identification of ordered and disordered $Ga_{0.51}In_{0.49}P$ domains by spatially resolved luminescence and Raman spectroscopy.—74-06142A
Influence of processing conditions on point defects and luminescence centers in ZnO.—74-07572A
Interface luminescence of GaAs/GaAlAs structure: relationship with heterojunction conditions.—74-06162A
Intrinsic luminescence in synthetic mica crystals.—74-04154A
Low-temperature luminescent properties of degenerate *p*-type GaAs grown by low-pressure metallorganic chemical vapor deposition.—74-08948A
Luminescence decay time studies and time-resolved cathodoluminescence spectroscopy of CVD diamond.—74-04346A
Luminescence of anion vacancies and dopant-vacancy associates in stabilized zirconia.—74-01531A
Luminescence of $GaAs/Al_xGa_{1-x}As$ multiple quantum wells in structures for ir detectors.—74-03095A
Luminescence of some stannates activated with titanium.—74-03096A
Luminescence quenching dynamics of ceramic $YBa_2Cu_3O_{7-\delta}$ near the superconducting transition.—74-03511A
Luminescence spectra of fluorophosphate glasses containing CuO and SnO_2.—74-02558A
Luminescence study of $EuVO_4$ at high pressure.—74-04347A
Luminescent characterization of radiation damage and impurities in ion-implanted natural diamond.—74-10006A
Modeling of crystal-glass transition effect on luminescence decay rate of rare-earth ions [REIs] in phosphates.—74-05732A
Nuclear gamma resonance spectra and spectral-luminescent characteristics of zirconium-containing fluorophosphate glasses with iron and neodymium oxide additives.—74-02568A
Phenomenon of filament luminescence for broad contact diode laser (LD) and LD array.—74-06252A
Phosphorescence and thermally stimulated luminescence of amorphous SiO_2.—74-06253A
Progress toward crystalline silicon-based light-emitting diodes.—74-00691A
Raman diffusion and luminescence in pure and Dy-doped silica aerogels.—74-03858A
Recovery of luminous efficiency of degraded willemite phosphor in an oxygen glow discharge.—74-00695A
Scanning tunneling microscope and electron-beam-induced luminescence in quantum wires.—74-07734A
Scanning tunneling microscope and electron-beaminduced luminescence in quantum wires.—74-06297A
Sol-gel method of fabrication of zinc silicate luminophores.—74-02657A
Spatial variation of the edge luminescence in epitaxial SiC-6H films.—74-06320A
Study of surface stoichiometry and luminescence efficiency of near-surface quantum wells treated by hydrogen ions and atomic hydrogen.—74-06339A
Temperature dependence of spectral linewidths and lineshifts of Nd^{3+} ions in $CaY_2Mg_2Ge_3O_{12}$ laser crystal.—74-10165A
Temperature dependences [of parameters] of electron-hole and ionic processes in cathodochromic sodalites.—74-07776A
Time-resolved luminescence spectra and origin of visible luminescence kinetics in porous silicon.—74-03254A
Two-photon-excited luminescence in paratellurite crystals.—74-04459A
Ultrafast coherent generation of hot electrons studied via band-to-acceptor luminescence in GaAs.—74-06368A
Unified description of Cu-related luminescence processes in II-VI semiconductors.—74-03258A

luminescent materials,
Crystal growth and luminescence properties of In_6WO_{12}.—74-07051A

Luminescence effects in gels containing organoaluminum complexes.—74-10114A
Luminescent microspheres for improved flat-panel color displays.—74-00947A
Room-temperature preparation of highly crystallized luminescent $SrWO_4$ films by an electrochemical method.—74-10613A
Solubility of anhydrous chloride lanthanides in phosphorus oxychloride and phosphorus oxychloride–zinc chloride matrix composition.—74-00215A
ZnS-Ag luminophor as a chemical system.—74-01603A

lutetium,
Study of Y and Lu iron garnets using Bethe-Peierls-Weiss method.—74-09225A
Superconductivity in the system $Lu_{1-x}Pr_xCu_3O_{7-\delta}$.—74-06640A

machinery,
40 years of Humboldt preheaters.—74-06836A
Alternative means of protecting the working surfaces of high-pressure grinding rolls against wear.—74-09428A
Armored chain conveyors for metered hopper extraction.—74-06680A
Bucket wheel excavator in a limestone quarry.—74-07997A
Bucket wheel excavators for semihard rocks as an alternative to blasting.—74-06681A
Ceramic machinery requirements for the "CE" symbol.—74-05405A
Classifiers for roller grinding mills—a review and the current state of development.—74-06685A
Clinker cooling in grate coolers using the Coanda effect.—74-05478A
Continuity is the strength of Cersaie.—74-02227A
Electrical engineering in the cement industry—a contribution to cost effectiveness and environmental protection.—74-00057A
Experience with the Sturtevant high-efficiency classifier for classifying coal.—74-06698A
Intelligent alarm handling at Cemij plant in the Netherlands.—74-06783A
Introducing bulk materials into pneumatic conveying lines by screw feeders.—74-06709A
Mechanical polishing makes a comeback.—74-02643A
Motional and stressing phenomena in ball mills.—74-06711A
New developments by Krupp Polysius for the cement industry.—74-05558A
New plant for producing dry, ready-mixed building materials in Vils, Austria.—74-09491A
New rotary kiln concept.—74-06866A
Operating experience with grate coolers for clinker capacities of 10 000 t/d in Thailand and South Korea.—74-06867A
Operating experience with new classifiers.—74-06712A
Operation of a molecular beam epitaxy machine employing a valved solid phosphorus source.—74-03847A
Oscillating torques when using frequency-controlled motors in the cement industry.—74-06713A
Parametric study of ball mills.—74-06714A
Plant for producing dry ready-mixed mortars.—74-05566A
Pneumatic conveying—a review.—74-06715A
Portal bridge scaper reclaimer for multipurpose blending bed stores.—74-00971A
Results with a Hurriclon centrifugal separator for dedusting a roller grinding mill.—74-06720A
Roller grinding mill—current technical position and potential for development.—74-06721A
Selection of earth-moving systems.—74-06723A
Solid Cement Corporation's expansion successfully completed at Antipolo, Rizal (Phillipines).—74-05431A
Sound absorbers for heavily polluting exhaust gas systems.—74-06819A
State of the art in high-compression comminution.—74-05589A
Terrain conforming long distance transport by roller belt conveyors.—74-06729A
War on wear [of industrial machinery].—74-01008A
Westsachsische Steinwerke Ltd.'s new [rock] processing plants at Hartmannsdorf, near Chemnitz, Germany.—74-06733A

machining,
Acrylic binder for green machining.—74-06675A
Application of fine ceramics to machine tools.—74-01217A
Ceramic cutting tools.—74-08137A
Cost-effective machining for mold manufacture and repair.—74-06691A
Definitive thin-film hot-corrosion studies: testing and evaluation of a new machined glass-ceramic crucible.—74-02528A
Effect of microstructure on abrasive machining of advanced ceramics.—74-10287A
Effect of microstructure on material removal mechanisms and damage tolerance in abrasive machining of silicon carbide.—74-10793A
Electric discharge machining apparatus.—74-09525P
Energy dissipation and tool-workpiece contact in ultraprecision machining.—74-09458A
Enhanced machinability of silicon carbide via microstructural design.—74-01709A
Fabrication of single-crystal substrates for surface acoustic wave devices.—74-09141A
Failure of tungsten carbide–cobalt alloy tools in machining of carbon materials.—74-01518A
Flank wear mechanisms of zirconia-toughened alumina cutting tools during machining of steel.—74-02143A
Grinding of advanced ceramics.—74-00934A
High Z SiAlON and cutting tools made therefrom and method of using.—74-04054P
How and why of abrasive jet machining.—74-10390A
Infrared temperature measurements on diamond-coated tools during machining.—74-03825A
Machinable and phosphate glass-ceramics.—74-05727A
Machining method of ceramic turbine rotor—74-01020P
Machining MMC's.—74-00948A
Machining: the controlling step to producing apt-to-work ceramic parts.—74-02162A
Manufacturing technology of thin-film magnetic head.—74-09208A
Nature of bending of monocrystalline silicon wafers caused by one-sided machining.—74-06219A
Optimization of the machining process of optical glass pieces by tool masking.—74-03719A
Origins of the ductile regime in single-point diamond turning of semiconductors.—74-07407A
Plasma CVM [chemical vaporization machining]: an ultra precision machining technique using high-pressure reactive plasma.—74-10523A
Rotary ultrasonic machining [RUM] of structural ceramics—a review.—74-10615A
Silicon micromachining and micromachines.—74-00996A
Ultraprecision machining technology for advanced ceramics and its recent trend.—74-11194A
Ultrasonic machining of complex ceramic components.—74-09510A
Various ways of approaching surface finishing from an engineering viewpoint.—74-10716A

macrostructure,
Review of methods of quantitative optical microscopy for characterizing macropores in carbon materials.—74-03863A

magnesia,
c-growth of dc-sputtered Mo and W thin films.—74-00461A
Absorption losses in MgO-doped and undoped potassium niobate.—74-04244A
Alumina-chromia-magnesia refractories.—74-05844A
Application of spinel checker brick for glass furnace regenerators.—74-03895A
At-temperature neutron diffraction investigation of the aging process in magnesia-partially-stabilized zirconia.—74-04095A
Atomic modeling of the metal/oxide interface with image interactions.—74-08129A
Benefits of HREM for the study of metal-ceramic interfaces.—74-05614A
Bonding at metal-ceramic interfaces: ab initio density-functional calculations for Ti and Ag on MgO.—74-08135A
Carbon-bearing ramming mix for steelmaking furnaces.—74-09643A
Characterization of Nb-Al_2O_3 and Nb-MgO interfaces in MBE-grown Nb-MgO-Nb-Al_2O_3 multilayers.—74-08141A
Cryochemical method for producing powders from the Al_2O_3-ZrO_2-MgO system—74-04531A
Cw Nd:MgO:$LiNbO_3$ self-frequency doubling laser at RT.—74-00748A
Defect analysis in substrate materials for high-T_c superconducting thin films.—74-09248A
Design and fabrication of an MgO/Ni functionally gradient material.—74-01668A
Development and application of magnesia-alumina (MA) spinel brick for large dry-method cement kiln.—74-06847A
Development of light-burned vacuum pitch impregnated magnesia-carbon brick.—74-02712A
Dielectric materials.—74-08787P
Direct bond in magnesia chromite and magnesia spinel refractories.—74-05853A
Dislocation structures at Cu-MgO and Pd-MgO interfaces.—74-08166A
Distribution of B_2O_3 and its mineralogical phase in seawater magnesia clinkers.—74-05854A
Effect of chemical composition on properties of fused magnesia-chrome raw materials.—74-04131A
Effect of low-temperature aqueous environments on magnesia partially stabilized zirconia (Mg-PSZ).—74-01374A
Effect of $Mg(OH)_2$ on $YBa_2Cu_3O_7$ thin film on MgO substrate studied by atomic force microscope.—74-06519A
Effect of microstructure on the plastic deformation of Mg-PSZ.—74-01509A
Effect of neutron irradiation on Knoop microhardness anisotropy in MgO-Al_2O_3 single crystals.—74-07154A
Effect of rare-earth chromites on sintering of magnesia.—74-04586A
Effect of yttrium doping in sintering of fine-grained alumina.—74-04594A
Effects of Cr_2O_3 on slag resistance of magnesia-spinel refractories.—74-05855A
Effects of deposition parameters on MgO thin films on Si(100) substrates by reactive rf magnetron sputtering.—74-10306A
Electrical behavior of ZrO_2-MgO-Y_2O_3 solid electrolyte.—74-05932A
Electrical conductivity of sintered niobia-doped and magnesia-doped thoria.—74-10093A
Epitaxial deposition.—74-03626P
Epitaxial growth and characterization of Ni films grown on MgO(001) by biased direct-current sputter deposition.—74-07300A
Epitaxial growth, structure, and properties of Ni films grown on MgO(100) by dc bias sputter deposition.—74-04618A
Epitaxial oxide films.—74-08896A
Epitaxial solid-solution films of immiscible MgO and CaO.—74-10337A
Formation of MgO-B_4C composite via a thermite-based combustion reaction.—74-04646A
Formation of N-phase and phase relationships in MgO-Si_2N_2O-Al_2O_3 system.—74-04144A
Further development of magnesia spinel for lining transition and sintering zones of rotary cement kilns.—74-08618A
Further observations of an orthorhombic zirconia in magnesia-partially stabilized zirconia.—74-01387A
Growth and characterization of epitaxial $PbTiO_3$ thin films on MgO.—74-10375A
Growth and characterization of epitaxial vanadium films.—74-04323A
Hertzian contact damage in magnesia-partially stabilized zirconia.—74-05362A
High-resolution transmission electron microscopy of transformed magnesia partially-stabilized-zirconia precipitates.—74-10813A
High-resolution transmission electron microscopy studies of the Ag/MgO interface.—74-08205A
High-temperature transformation toughening of magnesia by terbia.—74-01393A
Hydrothermal processing of $MgAl_2O_4$ spinel-based ceramics.—74-04685A
Improvement of tensile ductility in high-purity alumina due to magnesia addition.—74-11023A
Improvement of the oxidation test method of MgO-C bricks and effects of metal additives on oxidation of MgO-C bricks.—74-03822A
Influence of heat treatments on room temperature tensile strength of MgO-C refractories determined by the diametral compression method.—74-05859A
Influence of TiO_2 on sintering and microstructure of magnesia.—74-10422A
Influence of ZrO_2 on microstructure and mechanical strength of sintered magnesia.—74-10423A
Interface stability and the growth of optical quality perovskites on MgO.—74-03317A
Interfacial structure and precipitate formation in MgO/SiC composites.—74-10829A
Intrinsic diffusion properties of MgO.—74-07573A
Josephson break junction thin film device.—74-03633P
Kinetic parameters of sintering of chemically enriched magnesium oxide.—74-04723A
Lattice location of the nonequivalent Nd^{3+} ions in $LiNbO_3$:Nd and $LiNbO_3$:MgO:Nd.—74-09150A
Light-transmissive polycrystalline alumina ceramics.—74-03990P
Low temperature, pressureless sintering of silicon nitride.—74-04058P
Magnesia spinel ceramics alloyed with rare-earth oxides.—74-05182A
Magnesia-graphite refractories for basic oxygen converters.—74-02762A
Magnesia/magnesite.—74-06911A
Market for magnesia raw materials.—74-06912A
MBE growth and optical quality of $BaTiO_3$ and $SrTiO_3$ thin films on MgO.—74-10443A
Metal-ceramic adhesion and the Harris functional.—74-05645A
Metal-ceramic interfaces in internally reduced (Mg,Cu)O.—74-08235A
MgO-spinel refractory mix and shapes made therefrom—74-00412P
Microstructure-crack resistance-fatigue correlations in eutectoid-aged Mg-PSZ.—74-02176A
Multilayer ceramic chip capacitor—74-00556P
Nature of the thermally stimulated depolarization currents in MgO-Li.—74-02853A
New type of direct-bonded MgO-Cr_2O_3 bricks for cement rotary kiln "DIRCO-08B75."—74-05866A
Nucleation and growth of CVD diamond on magnesium oxide(100) and titanium nitride-magnesium oxide(100) surfaces.—74-04786A
Obtaining aluminomagnesia spinel powder using a high-frequency induction plasmatron.—74-02646A
Optical detection of ion impurity sites in doped $LiNbO_3$.—74-00758A
Oxidation kinetics of graphite phase in magnesia-carbon refractories.—74-02768A
Oxidation kinetics of pure and doped MgO-SiC composites.—74-10926A
Oxide magnetic material—74-00781P
Phase analysis program for magnesia refractories.—74-05868A
Phase composition of four-component oxide systems in chosen plane sections.—74-07098A
Phase formation when brucite is heated.—74-03949A
Physical properties of MgO/SiC composites—comparison between a micromechanics analysis and experimental results.—74-10135A
Positive ion emission from excimer laser-excited MgO surfaces.—74-09007A
Potentially strong and tough ZrO_2-based ceramic composites ≥1300°C by electrophoretic deposition.—74-01840A
Preparation and characterization of fine-grained (Mg,Y)-PSZ ceramics with spinel additions.—74-01238A
Preparation of MgO dispersed with ZrO_2 by hydrolysis of zirconium butoxide.—74-01849A
Process for producing sintered magnesia—74-01267P
Rapid techniques for determination of free lime and free magnesia in cement clinker and portlandite in hydrates.—74-05577A
Reaction sintering in Al_2O_3-MgO-AlN system.—74-04863A
Refractories for dc electric arc furnaces.—74-02777A
Refractory castable composition and process for its manufacture.—74-02800P
Refractory material and product thereof containing low-silica electrofused magnesia clinker.—74-02801P
Regularities of $Mg(OH)_2$ precipitation in $MgCl_2$-$Ca(OH)_2$-H_2O system inside a bath reactor.—74-02039A
Regularities of $Mg(OH)_2$ precipitation in $MgCl_2$-$Ca(OH)_2$-H_2O system inside a continuous reactor.—74-02040A
Sintered material based on Si_3N_4 and processes for its production.—74-04091P
Sintering behavior of MgO partially stabilized zirconia (PSZ) ultrafine powder.—74-10634A
Solid state fuel cell and process for the production thereof—74-00560P
Sputter deposition of ferroelectric $PbTiO_3$ thin films on MgO(100) substrates.—74-09178A

Stress-induced tetragonal→orthorhombic transformation in Mg-PSZ.—74-01463A
Structural characterization of a CuO/MgO artificially supersaturated film by the γ-ray diffraction method.—74-10031A
Studies on MgO-stabilized zirconia thin films in the uv-visible region.—74-07190A
Study of interactions at the slag-basic refractory boundary.—74-05881A
Surface color centers on MgO generated by Mg and alkali-metal doping.—74-10660A
Surface modification of zirconia-alumina composite ceramics.—74-10662A
TEM study of microstructures of ultrathin $YBa_2Cu_3O_7$ films on $SrTiO_3$(100) and MgO(100).—74-03603A
Thermodynamic assessment of the CaO-MgO-Al_2O_3 system.—74-01481A
Translucent polycrystalline alumina and process for producing the same.—74-09844P
Triaxially oriented growth of CuO on MgO(001)—X-ray diffraction studies of pure CuO films and inclusions in superconducting Y-Ba-Cu-O films prepared by MOCVD.—74-06658A
Use and further development of magnesia-zircon bricks in the glass industry.—74-08601A
X-ray photoelectron diffraction studies of the surface chemistry of nonstoichiometric synthetic spinel.—74-05297A
Zirconia ceramic articles having a tetragonal core and cubic casing.—74-04008P

magnesite,
Changes in surface of dry activated quartz and magnesite powders during dynamic and static contacts with liquid environments of various polarities.—74-07218A
Magnesia/magnesite.—74-06911A
Prospects for obtaining magnesia products from the Zabaikal'sk group of magnesites.—74-02773A

magnesium oxide,
Blast media containing MgO—74-00005P
Ceramic welding powder mixture.—74-08303P
Effect of Y_2O_3 particles on the creep behavior of polycrystalline MgO.—74-10979A
Effects of grain size and artificial crack length on bending strength of MgO sintered body.—74-02131A
Glass-ceramic materials in the CaO-MgO-Al_2O_3-SiO_2 system.—74-05765A
Modified cordierite precursors.—74-09828P
Study of the effect of some factors influencing alinite clinker formation.—74-00097A
Thermal dehydration of magnesium hydroxide and sintering of nascent magnesium oxide.—74-04957A

magnesium,
Adsorbed water in the interlayer of Mg and Cu montmorillonites.—74-09967A
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering.—74-08359A
Chemical composition of magnesium phosphates prepared by a wet chemical method using $Mg(NO_3)_2$-KOH-H_3PO_4-H_2O system.—74-05668A
Comparison of Mg and Zn gate implants for GaAs *n*-channel junction field effect transistors.—74-02943A
Crystal structure of technogenic magnesioferrite.—74-03367A
Crystal structures of double pyrovanadates $CaMgV_2O_7$ and $CaCoV_2O_7$.—74-04119A
Determination of yttrium, calcium, and magnesium in the zirconium compound.—74-05619A
Doping in ZnSe, ZnTe, MgSe, and MgTe wide band gap semiconductors.—74-02967A
Effect of additives on the firing and properties of magnesium spinel ceramics.—74-01685A
Effect of Fe on magnetic and mechanical properties in MgZn ferrites.—74-04283A
Effects of oxygen on the sublimation of alkaline earths from effusion cells.—74-04138A
Electrical properties of blue/green diode lasers.—74-06070A
EPR of Mn^{2+} in high-pressure phase of $MgSiF_6$·$6H_2O$.—74-04140A
EPR study of two Cr^{3+} sites in $MgTiO_3$ crystal.—74-10801A
Expressions of thermal refractive index coefficient for $LiNbO_3$ crystal heavily doped with magnesium.—74-03304A
Extruded magnesium alloy-SiC particulate MMC.—74-08188A
Favorable properties of high-temperature glass fiber insulating material by improved chemistry.—74-00386A
High-pressure reactions and formation mechanism of cubic BN in the system BN-Mg_3N_2.—74-09998A
High-temperature mechanical behavior of stoichiometric magnesium spinel.—74-07888A
Informal discreditation of doranite as the magnesium analog of analcime.—74-08055A
Investigation of the mechanical behavior of magnesium composites.—74-05370A
Investigation of the mechanical behavior of magnesium composites.—74-05371A
Magnesium cluster-beam deposition on glass and Si(111).—74-00650A
Magnetoresistance of $HgBa_2Ca_2Cu_3O_8$ and $HgBa_2Ca_2Cu_3O_{12}$.—74-03517A
Mg impurity effect on nonstationary photoresponse of Fe-ion-doped lithium niobate crystals.—74-03323A
Microstructural development of coherent tetragonal precipitates in magnesium-partially stabilized zirconia: a computer simulation.—74-05189A
Microwave dielectric ceramic composition—74-00744P
Mineralogical stabilization of high magnesium calcite: geochemical evidence for intracrystal recrystallization within holocene porcellaneous foramifera.—74-01198A
n-type doping of the wide gap ternary alloy (CdMg)Te during molecular beam epitaxy.—74-08959A
New covalent ceramics—$MgSiN_2$.—74-09881A
New incommensurate phase in a Pb ordered perovskite: Pb_2MgTeO_6.—74-03842A
One-electron donor sites and their strength distribution on some hydrotalcite and MgO surfaces as studied by EPR spectroscopy.—74-05210A
Optimization of alloy-alumina fiber combination for magnesium-based metal matrix composites.—74-08248A
Phase and microstructure evolution in alkoxide-derived mullite/MgO partially stabilized zirconia.—74-05218A
Properties of magnesium nitride and related compounds.—74-07024A
Semiconductor-to-metal transitions in $Hg_{1-x}Mg_xTe$ and $HgSe_{1-x}S_x$ under extremely high pressure.—74-04416A
Sol-gel synthesis of protoenstatite.—74-10644A
Structurally modified alumina supports, and heat transfer solids for high temperature fluidized bed reactions.—74-09841P
Structure and properties of magnesium matrix composites.—74-00154A
Superplasticity in $MgAl_2O_4$ polycrystals.—74-07924A
Synthesis of Mg_2SiO_4 whiskers by an oxidation-reduction reaction.—74-07516A
Tension versus compression superplastic behavior of an Mg-9 wt% Li-5 wt% B_4C composite.—74-05656A

magnetic field,
Applicability of the critical state model to small ceramic Y-Ba-Cu-O particles in low magnetic fields.—74-09238A
Critical current irreversibility of Bi(2223)/Ag tapes in high magnetic field.—74-09245A
Effect of a magnetic field on the amplitude dependence of interface friction and shear modulus of yttrium ceramics at 4.2–300 K.—74-04280A
Effect of sound and magnetic fields on sitall formation in lithium aluminosilicate glasses synthesized in radiant heating furnaces.—74-02614A
Energy gaps in the spin-wave spectrum of rare-earth orthoferrites in a magnetic field.—74-04311A
Growth of cubic boron nitride coatings in a magnetic field enhanced rf glow discharge.—74-04671A
Harmonic generation in ceramic high-temperature superconductors.—74-03477A
Investigation of the internal magnetic field in high-temperature superconductors by the NQR method.—74-03505A
I-V characteristics of a $Bi_2Sr_2Ca_2Cu_3O_{8+\delta}$ ceramic superconductor.—74-03413A
Lateral magnetic force and stiffness between a high-T_c superconductor and magnet of rectangular shapes.—74-09295A
Magnetic dipole excitations and ground state of the rare-earth ions in Sm_2CuO_4.—74-04349A
Magnetic field dependence of the density of states of $YBa_2Cu_3O_{6.95}$ as determined from the specific heat.—74-09298A
Magnetic field distribution above a superconducting Y-Ba-Cu-O sample as an indication of sample inhomogeneities.—74-06575A
Magnetic-field-effect three-terminal device based on $YBa_2Cu_3O_{7-\delta}$ grain boundary junctions.—74-09300A
Phase diagram of spin-Peierls cuprate $CuGeO_3$ based on ac susceptibility in high magnetic fields.—74-04391A
Pinning in high-T_c superconductors.—74-09320A
Powder-in-tube processing and properties of Bi-2223.—74-00840A
Resonant shallow donor magnetopolaron effect in GaAs/AlGaAs quantum dot in high magnetic fields.—74-09026A
Screening properties of inhomogeneous superconducting YBaCuO films in magnetic field.—74-09335A
Self-field effect of J_c for anisotropic samples of high-T_c superconductor (HTSC).—74-09336A
Self-field effect of J_c for anisotropic samples of high-T_c superconductor (HTSC).—74-09337A
STM study of anisotropic superconducting gap of $Bi_2Sr_2CaCu_2O_8$.—74-00853A
Subband structure of quantum wires in magnetic fields.—74-01585A
Superconducting diamagnetic fluctuations for $H\|ab$ planes in $YBa_2Cu_3O_{7-\delta}$ for fields up to 5 T.—74-03591A
Tunnel junctions in narrow-gap $Hg_{1-x}Cd_xTe$ barrier structures in a magnetic field.—74-09075A
Type-I–type-II transition in GaAs/AlAs short-period superlattices studied under pulsed high magnetic fields and high pressures.—74-00727A

magnetic materials,
Advanced ceramic magnetic drive pump.—74-09194A
Ceramic Transactions, Volume 47: Magnetic Materials.—74-05439B
Characterization of magnetic Fe_2O_3.—74-04503A
Composite soft magnetic material—74-00780P
Composition and performance of hydrogenated carbon overcoats on magnetic storage disks.—74-10070A
Corrosion behavior of sputtered amorphous magnetic thin films, with and without protective overlayers.—74-07801A
Current trends in applications of magnetic ceramic materials.—74-06452A
Fabrication and characteristics of tapes and test magnets made from Ag-clad Bi-2223 superconductors.—74-06542A
Factors influencing the abrasion resistance of thin-film magnetic media.—74-10992A
Fluctuation-induced discontinuous phase transition in the magnetic subsystem in La_2CuO_4.—74-03379A
Glass-ceramic for magnetic disks and method for manufacturing the same.—74-08482P
H_K distributions and H_c calculations for magnetic recording particles.—74-09193A
High temperature superconductor magnetic switch.—74-09369P
Magnetic fluid grinding machines.—74-03708A
Magnetic heads and tapes for audio and video systems.—74-09204A
Magnetic powder for magnetic recording and magnetic recording medium containing the same.—74-09228P
Manufacturing technology of thin-film magnetic head.—74-09208A
Matteucci effect of an amorphous alloy tip used for high-density magnetic recording with a scanning tunneling microscope.—74-06468A
Method for preparing barium-ferrite-coated γ-Fe_2O_3 magnetic powder.—74-03411P
MOCVD of magnetooptical ceramics.—74-06470A
Process of making hexagonal magnetic ferrite pigment for high density magnetic recording applications.—74-09229P
Surface characterization of flexible magnetic disk with scanning probe microscopy.—74-07769A
Theta-alumina powder, preparation thereof and magnetic recording medium—74-00782P
TM_{0M} modes in transversely magnetized semiconductor-filled coaxial waveguide and parallel plates.—74-09071A
Utilization of surface magnetoplasmons in the millimeter wavelength range.—74-09227A
Various aspects of nonreciprocal devices using magnetized semiconductors.—74-09078A

magnetic properties,
Angular dependence of the magnetoabsorption of *c*-axis-oriented YBCO thin films.—74-09235A
Anisotropy in epitaxial Fe_3O_4 and $NiFe_2O_4$ thin films.—74-09195A
Antiparamagnons and anomalies of the tunnel density of states in YBCO.—74-06490A
^{63}Cu nuclear relaxation study in the mixed superconducting state in $YBa_2Cu_3O_7$: magnetic excitation at low temperatures.—74-03436A
Effect of deposition orientation on the structure and magnetic properties of chemical-vapor-deposited iron oxide thin films.—74-04571A
Effect of Er211 additions on the microstructure and magnetic properties of zone melt-textured Y123.—74-06518A
Effect of high-temperature annealing on magnetic properties of ferrite-garnet films implanted by helium ions.—74-03373A
Effects of sintering conditions of sintered Ni-Zn ferrites on properties of electromagnetic wave absorber.—74-06455A
Electrical and magnetic properties of La-Ca-Cu-O system compounds.—74-04293A
Electron spin-spin interactions between paramagnetic centers in ceramics as studied by EPR spectroscopy.—74-06765A
Enhanced dispersion frequency of hot-pressed Z-type magnetoplumbite ferrite with the composition 2CoO·3$Ba_{0.5}Sr_{0.5}$O·10.8Fe_2O_3.—74-09132A
EPR study of dilute magnetic semiconductors $Hg_{1-x}Co_xSe$ (x=0.0045 and 0.0087).—74-03805A
Evaporation of trapped fluxons from micron-sized powders of Bi-2223 CuO superconductors.—74-09268A
Fabrication and properties of thallium-based superconductors from tartrate gel precursors.—74-06544A
Formation of carbon-metal composites for metal ion-exchange graphite oxide.—74-08193A
Gyrotropic properties of superlattices with magnetic structure in long-wave approximation.—74-04146A
H-T phase diagram of $ErCrO_3$: magnetoacoustic measurements.—74-04093A
High field magnetization study of $YBa_2Cu_4O_8$.—74-03480A
High-T_c superconductor $Y_1Ba_2Cu_3O_{7-\delta}(F_x)$: magnetism and ESR measurements.—74-09284A
High-T_c superconductor $YBa_2Cu_3O_{7-\delta}$—magnetism and ESR measurements.—74-09285A
Influence of structure, shape, and thermal treatments on the magnetic properties of superconducting ceramics.—74-06566A
Influence of vitreous coating on the magnetic properties of iron-cobalt alloys.—74-04709A
Lock-in oscillations in magnetic hysteresis curves in $YBa_2Cu_3O_{7-x}$ single crystals.—74-04344A
Low-dose nitrogen ion implantation in Ti/permalloy bilayer films.—74-04734A
Low-temperature metallic conductivity in semiconductor TlSe with chain structure.—74-03091A
Low-temperature nuclear spin-lattice relaxation process in the Cu(2) sites of $YBa_2Cu_3O_{6.98}$.—74-05948A
Magnetic and structural properties of Pt/Co and Pd/Co multilayers sputtered on single-crystal ZnO.—74-03097A
Magnetic and structural properties of pulsed laser deposited epitaxial MnZn ferrite films.—74-09203A
Magnetic flow instabilities in textured samples of YBaCuO.—74-09299A
Magnetic heads and tapes for audio and video systems.—74-09204A
Magnetic measurements of $CuGeO_3$ by means of high magnetic field.—74-04350A
Magnetic orders in CeP.—74-01532A
Magnetic phase transition in $AgCrO_2$.—74-03387A
Magnetic phase transition of Cr_2Se_3.—74-03388A
Magnetic properties and crystal structure of $La_xCa_{1-x}CoO_{3-y}$.—74-06462A
Magnetic properties of $CaNdAlO_4$ high-T_c substrates.—74-06577A
Magnetic properties of carbon nanotubes.—74-01535A
Magnetic properties of reactively sputtered $Fe_{1-x}O$ and Fe_3O_4 thin films.—74-03390A
Magnetization and pinning potential of magnetic flux for $Tl_2Ba_2Ca_2Cu_3O_x$ bulk superconductor.—74-09302A
Magnetoelastic interactions in $RECuO_4$ system.—74-03516A
Magnetostatic waves in ferrite films with trigonal anisotropy.—74-03393A
Measurements of critical currents as a function of temperature in $YBa_2Cu_3O_{7-x}$ thin films: a comparative study.—74-06581A

Nanocrystalline Fe-Si phase by mechanical attrition and its soft magnetic properties.—74-01544A
Natural and synthetic tavorite minerals—crystal chemistry and magnetic properties.—74-07173A
Near-ir absorption spectra in Co_3O_4.—74-06473A
New muon spin rotation measurement of the temperature dependence of the magnetic penetration depth in $YBa_2Cu_3O_{6.95}$.—74-04373A
Preparation and magnetic properties of ultrafine $SrFe_{12}O_{19}$ particles derived from a metal citrate complex.—74-07422A
Preparation of EuO and EuO/Cu multilayered films and their magnetic properties.—74-03398A
Pressure-induced amorphization of $CuGeO_3$.—74-02036A
Science and technology in composite materials—iron nitride ultrafine particles and iron nitride magnetic fluids.—74-09220A
Sharp magnetoabsorption resonances in the vortex state of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-06630A
Simulation of small magnetic particles of Cr_2O_3 and α-Fe_2O_3.—74-04420A
Simultaneous ordering of holes and spins in $La_2NiO_{4.125}$.—74-07189A
Structural and magnetic properties of the anion-deficient $LaVO_{3-\delta}$.—74-10158A
Study of electrical conductivity [and magnetic properties] of some manganites with perovskite structure.—74-06476A
Study of the influence of individual twin boundaries on the magnetic flux penetration in $YBa_2Cu_3O_{7-\delta}$.—74-04434A
Surface magnetic structure of $^{57}Fe^{2+}$ coated 8g-$^{56}Fe_2O_3$ particles with and without adsorbed cobalt.—74-05282A
Susceptibility and NQR investigations on $NaCuO_2$.—74-09347A
Synthesis of $BaTi_3O_7$ in molten salts.—74-06443A
Temperature dependence of the magnetic excitation spectra of $YBa_2Cu_{2.9}Zn_{0.1}O_{6.75}$.—74-01587A
Two-magnon Raman scattering in $CuGeO_3$ which undergoes spin-Peierls transition.—74-01600A
Very low field flux penetration in halogenated cuprates.—74-03615A

magnetic susceptibility,
Application of magnetic susceptibility to study low iron substitution in tricalcium aluminate.—74-05462A
Crystal field effects on the magnetic susceptibility of rare tellurium oxides.—74-01504A
Magnetic susceptibility and galvanometric properties of $Hg_{1-x}Mn_xTe_{1-y}Se_y$.—*74-08951A*
Magnetic susceptibility of YAG:Ce^{3+} crystals.—74-03392A
Orbital and spin susceptibilities of the plane copper sites in $YBa_2Cu_3O_x$ system.—74-01555A
Paramagnetic effect in high-T_c superconductors—a thing for *d*-wave superconductivity.—74-06609A

magnetism,
Surface magnetism of α-FeO(OH) and ß-FeO(OH) by Mossbauer spectroscopy.—74-03405A
Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimeter-wave propagation.—74-09080A

magnetite,
Electrochemical investigation of the dissolution of magnetite in acidic electrolytes.—74-00774A
Ferroelectricity of magnetite (Fe_3O_4) observed by means of magnetoelectric effect.—74-03306A
Preparation of Fe_3O_4 fine particles through a solvothermal process.—74-07430A
Redispersion characteristics of water-based magnetic fluids using oleic acid and saturated fatty acid (C_9-C_{11}) system—preparation and redispersion characteristics of water-based magnetic fluid with synthesized magnetite.—74-09219A
Wigner glass on the magnetite (001) surface observed by scanning tunneling microscopy with a ferromagnetic tip.—74-07789A

magnetization,
Comparison of the effects of PtO_2 and $BaSnO_3$ additions on the refinement of $Y_2BaOCuO_5$ and magnetization of textured $YBa_2Cu_3O_{6+x}$.—74-06499A
Equilibrium magnetization of a $Bi_2Sr_2CaCu_2O_x$ single crystal measured up to 20 T.—74-04312A
Fine structure of magnetic frustration field.—74-06549A
First-order phase transition at the irreversibility line of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-04318A
Isothermal residual magnetization in $YBa_2Cu_3O_{7-x}$.—74-04341A
Magnetization measurement and ^{55}Mn NMR study of $La(Ni_{1-x}Mg_x)_{0.5}Mn_{0.5}O_3$.—74-06465A
Magnetization of ferromagnet-superconductor structures.—74-03514A
Magnetization of polycrystalline YBaCuO superconductors in medium fields.—74-03515A
Magnetization relaxation in $YBa_2Cu_3O_{7-\delta}$.—74-09303A
Magnetostatic waves in weakly magnetized ferrite films.—74-06467A
Parallel pumping fine structure at 9.4 GHz for in-plane magnetized yttrium iron garnet thin films.—74-03396A
Temperature dependence of the sublattice magnetization measured by Cu NMR in quasi-two-dimensional antiferromagnet $YBa_2Cu_3O_{6.1}$.—74-01589A

magnetoelectricity,
Ferroelectricity of magnetite (Fe_3O_4) observed by means of magnetoelectric effect.—74-03306A
Magnetic response of a YBaCuO film supporting an alternating current.—74-03513A
Photomagnetoelectric effect in epitaxial GaAs films accompanied by electron heating by intense laser light.—74-03167A

magnetooptical properties,
Magnetooptical properties of orthochromites.—74-04355A
Optical and magnetooptical phenomena on absorption edge of elastically stressed cadmium telluride.—74-06235A
Magnetooptical dark-field study of domain boundaries in $[(BiLu)_3(FeGa)_5O_{12}]$ ferrite-garnet films of (210) type.—74-06466A
Magnetooptical polar Kerr effect [MOPKE] in orthorhombic $YBa_2Cu_3O_{6.5\pm0.1}$ crystals.—74-06578A
Magnetooptical studies of $KEr(MoO_4)_2$ in long-wave ir region.—74-05183A

magnetoplumbite,
Enhanced dispersion frequency of hot-pressed Z-type magnetoplumbite ferrite with the composition $2CoO{\cdot}3Ba_{0.5}Sr_{0.5}O{\cdot}10.8Fe_2O_3$.—74-09132A
Magnetic relaxation of ^{57}Fe nuclei in magnetoplumbite.—74-09205A
Preparation and magnetic properties of ultrafine $SrFe_{12}O_{19}$ particles derived from a metal citrate complex.—74-07422A

magnetoresistance,
Gamma-irradiation effect on mechanism of low-temperature electrical conductivity in layered InSe crystals.—74-04321A
Giant growth axis longitudinal magnetoresistance from in-plane conduction in semiconductor lattices.—74-04322A
Magnetoresistance of mercury chalcogenides under high pressure up to 30 GPa.—74-02560A
Observation of mesoscopic effect in ferromagnetic multilayer films.—74-09214A
Observation on mesoscopic effect in ferromagnetic multilayer films.—74-09215A
Scaling properties of the anisotropic magnetoresistance of $(YBa_2Cu_3O_7)_3/(PrBa_2Cu_3O_7)_8$ superlattice.—74-09334A

magnetostriction,
Magnetostrictive materials.—74-00778A

magnetron sputtering,
Application of dynamic in situ ellipsometry to the deposition of tin-doped indium oxide by reactive direct current magnetron sputtering.—74-00458A
Characterization of hydrogen and oxygen atoms in SiN films produced by plasma-enhanced reactive sputtering.—74-07605A
Characterization of TiN_xO_y thin films on architectural glass by X-ray reflection and spectrophotometry.—74-07609A
Composition and growth of MoS_x sputtered films.—74-01648A
Composition change of $Bi_2Sr_3CaCu_2O_4$ films prepared by single target dc magnetron sputtering.—74-00789A
Corrosion behavior of sputtered amorphous magnetic thin films, with and without protective overlayers.—74-07801A
Deposition of epitaxial films of multicomponent compounds by magnetron sputtering, with $YBa_2Cu_3O_{7-\delta}$ as an example.—74-04275A
Direct current reactive magnetron sputtered zinc oxide thin films—the effect of the sputtering pressure.—74-06041A
Effect of anode bias on the index of refraction of Al_2O_3 thin films deposited by dc S-gun magnetron reactive sputtering.—74-01226A
Effect of substrate temperature on the properties of sputtered tin oxide films.—74-01510A
Effect of the substrate bias voltage on the crystallographic orientation of reactively sputtered AlN thin films.—74-07280A
Effects of deposition parameters on MgO thin films on Si(100) substrates by reactive rf magnetron sputtering.—74-10306A
Electrical properties of amorphous barium titanate films prepared by low power rf sputtering.—74-05933A
Enhancement of reactive sputtering rate of TiO_2 using a planar and dual rotatable cylindrical magnetrons.—74-06697A
Erbium-doped indium oxide films prepared by radio frequency sputtering.—74-07302A
Growth of CeO_2 films on sapphire and MgO by rf magnetron sputtering.—74-07330A
High gap sputtered DLC layers.—74-04678A
High-T_c thin film edge weak link junctions.—74-03482A
High-energy (MeV) ion beam modifications of sputtered MoS_2 coatings on ceramics.—74-11017A
Influence of low energy ion bombardment on the properties of TiN films deposited by rf magnetron sputtering.—74-01525A
Mass- and energy-resolved detection of ions and neutral sputtered species incident at the substrate during reactive magnetron sputtering of Ti in mixed Ar+N_2 mixtures.—74-06786A
Metal ion deposition from ionized magnetron sputtering discharge.—74-01794A
Microstructural study of low-resistivity tin-doped indium oxide prepared by dc magnetron sputtering.—74-02018A
Nanostructured ZnTe films prepared by dc magnetron sputtering.—74-04768A
New amorphous molybdenum oxysulfides obtained in the form of thin films and their characterization by TEM.—74-05200A
Origin of the inhomogeneity of electrical resistivity in magnetron sputtered indium tin oxide thin films.—74-02854A
Porosity of titanium oxide films by X-ray photoelectron spectroscopy and ir transmittance.—74-02035A
Preparation and characteristics of Y_2O_3-doped CeO_2 film by rf magnetron sputtering.—74-07718A
Preparation of diamond films by axial magnetron sputtering of vitreous carbon target.—74-01847A
Properties of reactively sputter-deposited Ta-N thin films.—74-01565A
Properties of TiCN coatings prepared by magnetron sputtering.—74-02393A
Quantitative analyses and crystallographic studies of ZnS:Mn thin films prepared by rf magnetron reactive sputtering.—74-07106A
Role of microstructure in forming thin carbon film properties.—74-04874A
Spatial composition variation in sputtered Ti-W films.—74-01575A
Sputtered molybdenum nitride as a diffusion barrier.—74-01956A
Structural investigation of bulk and thin-film PLZT using X-ray absorption spectroscopy.—74-05265A
Structure and properties of reactively sputtered γ-Mo_2N hard coatings.—74-05271A
Structure and properties of titanium nitride thin films deposited at low temperatures using direct current magnetron sputtering.—74-01895A
Superconducting transport properties of $YBa_2Cu_3O_{7-x}$ films grown by hollow cathode magnetron sputtering.—74-00854A
Synthesis of nanostructured catalytic materials using a modified magnetron sputtering technique.—74-07517A
Thickness-dependent stress in sputtered carbon films.—74-04453A
TiN_x magnetron sputter coating controlled by an in situ eddy current sensor.—74-03882A

magnetron,
Magnetron reactive ion etching of GaAs in a BCl_3 discharge.—74-00652A

magnets,
Permanent magnet (ferrite magnet).—74-09216A
Process of producing calcined materials for ferrite magnet.—74-09230P

maintenance,
Automated thermal spray system (ATSS) for infrastructure rehabilitation and maintenance.—74-08131A
Ceramic corona treating rollers.—74-06955A
Cost-effective air compressor maintenance.—74-06690A
Fosbel view of furnace maintenance.—74-01153A
Importance of powder equipment maintenance.—74-00939A
Kiln maintenance: unnecessary expense or profit generator.—74-03914A
Optimizing the porcelain enameling process to achieve ideal processing conditions.—74-00136A
Planned maintenance [in the cement industry].—74-08082A
Problems and concerns of a refractory contractor.—74-08627A
Refurbishment option.—74-01177A
Thermal spraying makes the grade as a repair process.—74-01000A
UK plants decrease kiln operating costs using proven preventive maintenance techniques.—74-01184A
War on wear [of industrial machinery].—74-01008A
Well block cleaning equipment.—74-03938A

management,
Agility, the future for ceramic manufacturing.—74-11137A
In-process quality control.—74-10408A
ISO 9000 certification—preparation and expectations.—74-02247A
Management strategy in cement technology for the next century.—74-08065A
Management strategy in cement technology for the next century: III.—74-08067A
Manpower problems [in the cement industry].—74-11177A
New direction [for the Porcelain Enamel Institute].—74-02252A
PEI's role—how PEI can and will help.—74-02256A
Putting total quality safety and environmental management to work—the strategic plan.—74-02263A
Supplier quality management [SQM] for ceramic industries.—74-11192A

manganates,
Cathode materials for SOFCs.—74-07215A
Estimation of Debye temperature and compressibility from ultrasonic pulse measurements in $ScMnO_3$.—74-06767A
High-performance catalyzed-reaction layer for medium temperature operating solid oxide fuel cells.—74-07337A
Possible structural transformations upon thermal decomposition of potassium permanganate.—74-01443A
Pressure effects on the Curie temperature of spinel-type $NiMn_2O_4$ and $CuCr_2O_4$.—74-10140A
Synthesis and electrochemical studies of $LiMnO_2$ prepared at low temperatures.—74-05963A

manganese oxide,
Effects of γ-irradiation and lithium oxide doping on surface and catalytic properties of manganese oxides supported on α-alumina.—74-06970A
Effects of MnO_2 additives on the characteristics of infrared radiator of cordierite system.—74-10312A
Electrical properties of manganese-doped titanium dioxide.—74-02835A
Electrochemical synthesis of composite films of manganese dioxide and polypyrrole and their properties as an active material in lithium secondary batteries.—74-06971A
Electrochromic reactions in manganese oxides: I, Raman analysis.—74-01704A
Equilibrium potentials of spinel-type manganese oxide in aqueous solutions.—74-01384A
Humidity sensing characteristic of the EMD derivatives.—74-00633A
Inelastic neutron scattering study of the proton dynamics in manganese oxides: I, γ-MnO_2 and manganite.—74-02000A
Inelastic neutron scattering study of the proton dynamics in manganese oxides: II, Proton insertion in electrodeposited MnO_2.—74-02001A
Low power loss Mn-Zn ferrites.—74-03409P
Magnetization measurement and ^{55}Mn NMR study of $La(Ni_{1-x}Mg_x)_{0.5}Mn_{0.5}O_3$.—74-06465A
Mn-Zn-based single crystal ferrite composition.—74-03412P
Multilayer ceramic chip capacitor—74-00556P
Neutral gray absorbing glass comprising manganese oxide for selenium retention during processing—74-00342P
New potential-type humidity sensor using EMD-based manganese oxides as a solid electrolyte.—74-06986A
Rechargeability of a chemically modified MnO_2/Zn battery system at practically favorable power levels.—74-01240A

Rechargeable $Li_{1+x}Mn_2O_4$/carbon cells with a new electrolyte composition.—74-01301A
Utilization of manganese dioxide for the treatment of organic materials in ceramic pieces.—74-07547A

manganese,
Analysis of low-temperature spin dynamics in $Zn_{1-x}Mn_xSe$.—74-08824A
Application of manganese red stain to underglazed colored rim for stoneware.—74-08501A
Carbothermic reduction of U.S. ferruginous manganese resources.—74-01624A
Characteristic Zeeman patterns in novel graded gap II-VI quantum well structures.—74-05083A
Chemical stability of some manganese glass-ceramics.—74-05669A
Crystallization mechanism and characteristics of silicomanganese slag melts used to make glass-ceramics (review).—74-02609A
Determination of the various oxidation degrees of manganese in silicate glasses and glass-ceramics.—74-02446A
Effect of a magnetic field on the characteristics of a ZnS:Mn-based thin-film electroluminescent structure with an intrinsic memory.—74-04281A
Effect of uniform compression on EPR of manganese ions in zinc fluorosilicate. "Switching-off" of phonon contribution.—74-05129A
Effects of Co for Mn substitution in (La, Sr)MnO_3 cathode materials.—74-02981A
Electronic structure of NiAs-type MnTe studied by photoemission and inverse-photoemission spectroscopies.—74-08891A
Electronic structure of $Pb_{0.2}Sn_{0.72}Mn_{0.08}Te$ by means of photoemission.—74-05138A
Exciton dynamics in multiquantum well $CdTe-Cd_{1-x}Mn_xTe$ systems.—74-05014A
Giant specular inverse Faraday effect in $Cd_{0.6}Mn_{0.4}Te$.—74-05016A
Glass-ceramics in the systems La-Pb-Mn-B-O and La-Pb-Mn-Te-O.—74-08430A
Hopping conductivity in the semimagnetic solid solution $Hg_{1-x}Mn_xTe$.—74-03382A
Hydrothermal synthesis and crystal structure of $Cu_{2.5}Mn[PO_4]_2(OH)$.—74-04149A
Hydrothermal synthesis of manganese zinc ferrites.—74-09201A
Liquid Mn sintering of plasma-sprayed zirconia-yttria coatings.—74-07370A
Magnetic properties of high-density Mn-Zn ferrites[—erratum].—74-03389A
Magnetic susceptibility and galvanometric properties of $Hg_{1-x}Mn_xTe_{1-y}Se_y$.—*74-08951A*
Mn^{2+} concentration effect on the optical properties of Zn_2SiO_4:Mn phosphors.—74-06207A
Molecular beam epitaxy of MnAs thin films on GaAs.—74-04367A
New electron-excited light-emitting materials.—74-03127A
Nonstoichiometry and its effect on the magnetic properties of a manganese-zinc ferrite.—74-09213A
Optical absorption in $MnIn_2S_4$ single crystals.—74-08981A
Optical properties of diluted magnetic semiconductor $Cd_{1-x-y}Mn_xMg_yTe$ [(0.05<x<0.65, 0.05<y<0.5)].—74-07178A
Optical properties of Mn-doped nanocrystals of ZnS.—74-03138A
Optical properties of MnSe thin films.—74-04385A
Pairing of Mn acceptors and Te donors in InP and related alloys.—74-03147A
Parameters of the band spectrum, and electrical and magnetic properties of quaternary semimagnetic semiconductors of HgCdMnTe.—74-00677A
Phase diagrams of nonequilibrium states of the system Mn-Ti-O in air.—74-04177A
Photoconductivity and photomagnetic effect in $Mn_xHg_{1-x}Te$ layers at low temperatures.—74-06254A
Photoinduction and relaxation of linear birefringence in Mn-Ge garnets.—74-03397A
Polymorphism of zinc metatantalate and manganese metatantalate.—74-01440A
Processing and properties of extruded hydrothermally derived maganese zinc ferrites.—74-03401A
Quadratic magnetic rotation of polarization plane of light in antiferromagnetic CaMnGe garnet.—74-03402A
Quantitative analyses and crystallographic studies of ZnS:Mn thin films prepared by rf magnetron reactive sputtering.—74-07106A
Sintered ceramic components and method for making same.—74-08813P
Sintered varistor material with small particle size.—74-09191P
Soft ferrite processing.—74-06475A
Stimulated emission and optical gain in CdTe/CdMnTe graded index separate confinement heterostructures.—74-03227A
Synchronizing free energy data on reactions in liquid Fe-Mn-O and solid Mn-S-O systems.—74-10040A
Synthesis and cathodoluminescence of orange-yellow to red-emitting $Ca_{1-x}Mg_xS$:Mn phosphors.—74-01900A
Synthesis of doped MnZn ferrites by chemical methods.—74-04941A
Temperature and flow modulation doping of manganese in ZnS electroluminescent films by low pressure metallorganic chemical vapor deposition.—74-04953A
Temperature dependence of the hole thermal emf in gapless HgCdTe and HgMnTe semiconductors.—74-09063A
Tracer diffusion of Mn in α-MnS.—74-10750A
Use of silicomanganese slag in the melting of colored glasses.—74-03936A
Valence change of Mn ions into $BaTiO_3$-based PTCR materials.—74-09077A
Variation of the superconducting transition temperature in $YBa_2Cu_3O_{7-\delta}$ upon substitution of paramagnetic impurities for copper ions.—74-06664A

manganites,
Chemical compatibility between strontium-doped lanthanum manganite and yttria-stabilized zirconia.—74-02824A
Effect of partial substitution of manganese by rhenium on some electrical and magnetic properties of $La_{0.9}Na_{0.1}MnO_{3+\gamma}$ ceramics.—74-04285A
Electrical properties of copper and nickel manganite spinels in relation with cationic distribution and thermal histories.—74-07160A
Inelastic neutron scattering study of the proton dynamics in manganese oxides: I, γ-MnO_2 and manganite.—74-02000A
Investigation of spinel-related and orthorhombic $LiMnO_2$ cathodes for rechargeable lithium batteries.—74-05945A
Preparation and characterization of NTC [negative temp. coeff.] thermistors: nickel manganites doped with lithium.—74-03177A
Semiconducting ceramics from nickel-cobalt manganite spinels.—74-03210A
Sintering behavior of doped lanthanum and yttrium manganite.—74-02861A
Study of electrical conductivity [and magnetic properties] of some manganites with perovskite structure.—74-06476A

manufacturing,
100th anniversary of the Olovi Glassworks.—74-09633A
Adjusting technology [of tile manufacturing].—74-00419A
Advanced ceramics in Taiwan.—74-11135A
Agility, the future for ceramic manufacturing.—74-11137A
Application of a dry turbo vacuum pump to semiconductor manufacturing processes.—74-05979A
Arab cement industry.—74-02308A
Arab cement review.—74-05402A
Artificial intelligence and expert systems in the steel industry.—74-02219A
Automatic transformation of two-dimensional works of art into three dimensional reliefs for the decoration of ceramics.—74-09431A
Benefits of ISO 9000 certification.—74-11142A
Boron nitride—a review.—74-09849A
Capacity enhancement at Century Cement (India).—74-03899A
Cement industry develops in Vietnam.—74-11145A
Cement industry solutions at your fingertips.—74-07999A
Ceramic capacitor arrays—a new approach.—74-08725A
Ceramic membrane filters.—74-10064A
Ceramic Transactions, Volume 47: Magnetic Materials.—74-05439B
Ceramic Transactions, Volume 49: Manufacture of Ceramic Components.—74-07964B
Ceramic Transactions, Volume 50: Design for Manufacturability of Ceramic Components.—74-07967B
Characteristics (and manufacturing method) of ceramic membranes and their application to biological processes.—74-10219A
Chemical vapor deposited diamond fibers: manufacture and potential properties.—74-04510A
Chinese cement industry continues to advance.—74-08006A
Clay tile plant planned for flexibility.—74-05805A
Color variation on prehistoric Cypriot Red Polished pottery.—74-02296A
Commercial development of fibrous monolithic ceramics.—74-09860A
Condition and hydraulic resistance of a poured blast furnace hot blast stove checkerwork.—74-02706A
CPAG installations in operation.—74-02317A
Dental ceramics—from porcelain to the ceramic-ceramic composites.—74-06966A
Development and use of ASTM test methods for ceramic plants.—74-11154A
Developments in the Malaysian cement industry.—74-05413A
Effects arising from disturbance in the electric power supply, in production processes in the ceramic sector. Search for solutions.—74-09457A
Electronics: tape casting, roll compaction.—74-10323A
Engineering ceramics for the mechanical engineering and chemical industries.—74-07298A
Engineering method of calculation of temperature field in founding and heat treatment of glassware.—74-02755A
Establishing regulatory compliance in a new plant.—74-11159A
Evolution and tendencies on the implantation of terra cotta works.—74-00362A
Fabrication and properties of 1-3 PZT-polymer composites.—74-09139A
Finnish glass industry.—74-02624A
Forward-looking logistics in the new gypsum works at Barrow upon Soar, in Great Britain.—74-05525A
Green Island's response to demand changes in Hong Kong and China.—74-05418A
Handling ceramics with AGVs [automatic guided vehicles].—74-09467A
Hermetic sealing with glass-ceramics.—74-09468A
High-alumina ceramic with a wide sintering range.—74-03691A
Highly technical "soft mud" brick unit built at IBSTOCK by CERIC company.—74-08554A
How the Thermos flask is made.—74-02637A
Implementing Responsible Care.—74-11166A
Implementing statistical process control.—74-11167A
In-process quality control.—74-10408A
Indarung plant boosted to 3.24 million tpy.—74-03696A
Industry interest creates Whiteware Research Center.—74-05897A
Installation of the No. 6 kiln line at Taiwan Cement Corporation's Suao Plant (north-eastern Taiwan).—74-03699A
International Commission on Glass and the glass world.—74-11172A
Making glass tubes for fluorescent lamps.—74-09481A
Manufacture and evaluation of highly porous ceramics with adjustable electrical resistance.—74-10438A
Manufacture and modeling of fiber metal matrix composites.—74-05640A
Manufacture of periclase plates for gate valves.—74-03947A
Manufacture of woven fiber ceramic matrix composites using electrophoretic deposition.—74-02381A
Manufacturer's view on robotics.—74-11178A
Manufacturing dielectric powders.—74-05949A
Materials and failure analysis methods and systems used in the development and manufacture of silicon integrated circuits.—74-06194A
Method of manufacturing aqueous ceramic suspensions and the use of said suspensions.—74-03757P
Method of manufacturing multilayer ceramic electronic component.—74-02890P
Microscopic tube material and its method of manufacture.—74-03760P
Modern abrasive recipes.—74-02287A
Modernization of UNICEM's Augusta plant.—74-03711A
Mystery of air in drying.—74-09693A
New York State: birthplace and cradle of high-technology ceramics and glasses.—74-11183A
Optimized grinding of ceramics—a systems approach.—74-09495A
Plastic forming.—74-10533A
Polish cement industry.—74-02345A
Preparation line for Malaysian pipes plant.—74-05825A
Problem of CO_2 emission from clinker manufacturing process.—74-02348A
Process technology aspects of porcelain manufacture at the time of Bottger.—74-08698A
Quality improvement movement: an overview.—74-11187A
Railton plant upgrade.—74-03928A
Raw material specifications.—74-09749A
Restructuring tendencies of terra cotta installations.—74-08580A
Slip cast SiSiC—a material for many applications.—74-09895A
Solid Cement Corporation's expansion successfully completed at Antipolo, Rizal (Phillipines).—74-05431A
Spotlight on Acimac.—74-02276A
Tableware and sanitary ware plants follow developments in the tile industry.—74-08705A
Technical requirements of ceramic tiles for specific uses.—74-08591A
Third cement series in China.—74-08112A
U.S. cement industry: demand and price considerations of profit.—74-05433A
Use of a CAD/CAM system for engineering and household ceramics design.—74-01005A
Varistor, thermistor manufacturing in Japan.—74-06377A
Visualization and animation in manufacturing and materials.—74-01007A
Wetlands: what? why? how.—74-07963A

market statistics,
1947-1987. Forty years of the cement market in Central America. Historical evolution and perspectives.—74-07989A
Advanced ceramics in Canada.—74-11134A
Agility, the future for ceramic manufacturing.—74-11137A
Bringing new technology to market.—74-07939A
Cement industry in Malaysia—1993 performance and 1994 forecast.—74-05404A
Color trends 1994-95—74-11151A
Competition in the U.S. market.—74-02226A
Composites industry: a look at its past and future.—74-05409A
Events and trends in metal and mineral commodities.—74-02234A
Events and trends in metal and mineral commodities.—74-07944A
Export markets driving global soda ash growth.—74-07945A
Finnish glass industry.—74-02624A
Flachglas...500 years of expertise working for tomorrow.—74-05414A
Flat glass shipments to be up in 1994.—74-05415A
German glass industry after reunification.—74-05416A
Glassmaking in Argentina.—74-00263A
Global outlook for reinforced glass composites is strong.—74-07947A
Globalization of glass: an act of survival.—74-05417A
Green Island's response to demand changes in Hong Kong and China.—74-05418A
Growing market for cBN and diamond products.—74-02239A
Holnam: three years since the merger.—74-05420A
How the industry fared in 1993.—74-05421A
Indian ceramic industry—perspectives and prospects.—74-11168A
Industry leaders see spark turning to possible flame.—74-05424A
Influence of process technology on the production of market-oriented cements.—74-05536A
Kangaroo country.—74-02723A
Market conceptions of porcelain enamel.—74-02249A
Material with a future.—74-07951A
New concept to promote ceramics.—74-07953A
North American cement industry: a foreign investor's perspective.—74-05429A
Oilwell cements and cement additives in the CIS.—74-02342A
PEI's programs of service for the porcelain enamel industry.—74-02255A
Purchases in the ceramic sector.—74-02262A
Remarks to the ceramic raw materials market in Europe.—74-02269A
Report on the 2nd International Superconductivity Industry Summit, Hakone, Japan, May 10-11, 1993.—74-02273A
ROMCIM and French cements in Romania.—74-08102A
State of the Hungarian cement industry.—74-08109A
Trends and market perspectives for CVD diamond.—74-05432A

Trends in aerospace forgings in the 1990's.—74-07961A
U.S. ceramics markets to grow modestly while foreign takeover of U.S. companies continues.—74-02281A
U.S. market shift sees demand increase pressuring supply.—74-07962A

martensite,
Isothermal martensitic transformation in ZrO_2 ceramics.—74-01403A

masks and masking,
EL-4, a new generation electron-beam lithography system.—74-00920A
Electron beam sublimation deposited and lifted-off carbon mask for InP reactive ion etching.—74-06077A
Etching on silicon membranes for sub-0.25-μm X-ray mask manufacturing.—74-00925A
Evaluation of repair phase and size tolerance for a phase-shift mask.—74-01715A
Fabrication of flip-bonded mesa masks for X-ray lithography.—74-01724A
Fabrication of ultrafine anisotropic SiO_2 mask by the combination of electron beam lithography and SF_6 reactive ion beam etching using aluminum lift-off technique.—74-07310A
Fabrication of ultrafine anisotropic SiO_2 mask by the combination of electron beam lithography and SF_6 reactive ion etching using aluminum lift-off technique.—74-04631A
High-frequency reactive ion etching of silylated photoresist.—74-06773A
Low stress and optically transparent chromium oxide layer for X-ray mask making.—74-02011A
New in situ electron beam patterning process for GaAs using an electron cyclotron resonance plasma-oxidized mask and Cl_2 gas etching.—74-06220A
Optimization of the machining process of optical glass pieces by tool masking.—74-03719A
Pattern formation in amorphous WN_x by low temperature electron cyclotron resonance etching for fabrication of X-ray mask.—74-01828A
Phase-shifting lithography: mask making and its application.—74-00680A

masonry,
Mortar deterioration of the walls in historic buildings. A case history: Vanvitelli's role in Ancona.—74-05556A
Reducing efflorescence potential.—74-00373A
Study on manufacture of masonry cement from calcium-adding fly ash.—74-05599A
Thermal conductivity of brick masonry—simplification of the measurement method for the quality control.—74-08592A
Thermal insulation of masonry—state of the CEN standards.—74-08593A
Thermal insulation properties of hollow masonry envelope of calcium silicate brick.—74-02741A
Use of short-range photogrammetry in the measurement of surface deformations of brick masonry.—74-03886A

mass,
Express analyzer for determining of the silicate mass activity.—74-01063A

materials engineering,
Concept of a "virtual production line" produced by integrating databases and models of materials.—74-00906A
Materials in mechanical design.—74-00949A
Silicon valley, what next.—74-02275A

materials handling,
Conveyor options for material transport.—74-03679A
Forecasting of grain composition of single comminution products.—74-04642A
Handling ceramics with AGVs [automatic guided vehicles].—74-09467A

materials,
Biochemical processing of materials—a review.—74-09761A
Environmental stability of materials: issues and opportunities.—74-02076A
Matching materials to manufacturers' needs.—74-08438A
Materials synthesis under short-time microgravity.—74-09484A
Processing and microstructural control: lessons from natural materials.—74-01856A
User program for evaluating incoming materials.—74-00161A
Visualization and animation in manufacturing and materials.—74-01007A

matrix,
Al_2O_3 matrix composites with different fillers by melt oxidation of the Al alloys.—74-01215A
Ceramic matrices and monoliths synthesized from a combination of reactive polymers, fillers, and atmospheres.—74-10215A
Matrix modification for the determination of trace impurities in complex samples by electrothermal atomic absorption spectrometry.—74-01080A

measurement,
Accurate measurements of transients and intentional rates of change in molecular beam epitaxy growth rate calibrations.—74-03779A
Analytical advances at PPC Lime: I, The rapid determination of available lime in commercial lime by a conductometric method.—74-07993A
Calibration of Littleton measuring instruments using test specimens of reference glass.—74-01042A
Ceramic Transactions, Volume 53: Materials and Processes for Wireless Communications.—74-07970B
Comparison of liquid and dry particle size distribution measurements using in-line and off-line optical instruments.—74-01972A
Emission measurement in the ceramic industry.—74-03907A
Estimation of corrosion rate from ac impedance measurements.—74-07810A
Evaluation method of slipperiness based on human perception.—74-09568A
Friction measurements during dry pressing of ceramics.—74-04652A
Getting the most from turbine flow meters.—74-03816A
Laser apparatus for measurements of thermal shock resistance of ceramics.—74-01075A
Measurement and control systems for the ceramic industry.—74-11179A
Measurement and evaluation of color of ceramic pigment.—74-09578A
Measurement and evaluation of internal stresses in ceramic materials and components.—74-02013A
Measurement of elastic moduli from the impact sound of engineering ceramics and composites at elevated temperatures.—74-09579A
Measuring hazardous air pollutants.—74-07952A
Modeling and measuring the thermal shock behavior of ceramics.—74-10123A
NDE method selection for advanced materials.—74-01084A
New Linescanner.—74-01088A
Noncontact wall thickness gage development.—74-03844A
Novel millimeter wave corrosion detection method.—74-01091A
Possibilities of thermal analysis for the characterization of raw materials and clay bodies for structural ceramic products.—74-05823A
Predicting brick frost resistance: II.—74-08570A
Pressing force distribution in a powder press.—74-09603A
Science and technology of composite materials: I, Thermal conductivity measurement of composites.—74-10152A
Speed, ease, and precision in particle size analysis.—74-01108A
Strength tests of flat glass by means of four point bending.—74-02583A
Temperature profiling of glass by FTIR emission spectroscopy.—74-02591A
Use of the atomic force microscope to study mechanical properties of lubricant layers.—74-01127A
Weighed and found good: weighing and proportioning of bulk material.—74-09515A

mechanical properties,
A/W glass-ceramic—processing and properties.—74-05748A
Additional heat treatment of sintered ceramics based on ß-SiAlON's.—74-01608A
Advanced beryllia ceramics.—74-10060A
Al-B-C phase development and effects on mechanical properties of B_4C/Al-derived composites.—74-02361A
Anomalies in physical and mechanical properties of Bi ceramics below T_c.—74-05321A
Application of ceramics and composites for sporting goods.—74-09759A
Bimodal sintering of Al_2O_3/Al_2O_3 platelet ceramic composites.—74-07209A
Bioactive glass-ceramics in medicine.—74-05664A
Bioactive glasses—clinical applications.—74-06949A
Biomimetic, hybrid, and in situ composites.—74-04486A
Brass-rubber adhesive interphase investigated via depth profiling by using Auger electron spectroscopy.—74-05078A
Ceramic composite material mechanical behavior simulation.—74-04036P
Ceramic membranes for industrial applications.—74-03956A
Characterization of AC8A/Al_2O_3 composites after long exposure at elevated temperatures.—74-10765A
Characterization of bioceramics.—74-06961A
Characterization of commercial alumina ceramic pieces.—74-07602A
Comparison of properties of sintered and sintered reaction bonded silicon nitride fabricated by microwave and conventional heating.—74-10232A
Concrete research at the University of Colorado.—74-05479A
Densification, microstructure, and properties of SiCN nanocomposites.—74-07245A
Dependence of the phase content and orientation on the high-temperature mechanical properties of yttria partially stabilized single crystals.—74-07857A
Design of bioactive ceramic-polymer composites.—74-06967A
Designing ceramic components for structural applications.—74-05806A
Determination of the mechanical behavior of thin films on substrate systems from micromechanical experiments.—74-10966A
Development of ceramic artificial joints.—74-02367A
Development of nonfired high-strength gypsum brick.—74-00360A
Devitrification of glassy phase in silicon nitride ceramics and related properties.—74-07256A
Dielectric and remnant mechanical properties due to cyclic stress in PZT ceramics.—74-08740A
Diffusional creep of alumina-zirconia composites: mechanical behavior and microstructure.—74-07861A
Dispersion of fused silica in an aqueous solvent.—74-04560A
Dynamic strength evaluation of ceramic rotating disk containing small flaws.—74-06761A
Effect of annealing atmosphere on the piezoelectric and mechanical properties of PZT.—74-09123A
Effect of atomic oxygen on the mechanical properties of highly graphitized carbon fibers.—74-07862A
Effect of cation field strength on the mechanical properties of R_2O-Al_2O_3-P_2O_5 glasses.—74-02532A
Effect of corundum-mullite-zirconia addition on microstructure and mechanical properties of BN materials.—74-07635A
Effect of heat-treatment temperature upon the properties of matrix-inhibited carbon-carbon composites.—74-05342A
Effect of high-voltage screening on strength distribution for titanium dioxide ceramics.—74-07864A
Effect of impurities on the ideal tensile strength of covalent crystals—ab initio quantum molecular dynamics calculations.—74-08874A
Effect of lamination method of plasma-treated carbon fiber on mechanical properties of CFRC.—74-10286A
Effect of microstructure on mechanical properties of Al_2O_3-based composites by particulate-precipitated dispersion.—74-10288A
Effect of microstructure on the properties of high-strength grouts.—74-08018A
Effect of nonuniform fiber distribution on the properties of a unidirectional CFCMC [ceramic fiber, ceramic matrix composite]: mechanical and physical properties.—74-10081A
Effect of sintering variables on the microstructure and mechanical properties of the gas pressure sintered Si_3N_4.—74-10294A
Effect of test parameters on tensile mechanical behavior of a continuous fiber ceramic composite (CFCC).—74-10975A
Effect of the amount of free silicon on the tribological properties of Si-SiC.—74-10977A
Effective elastic moduli of porous ceramic materials—[comment].—74-07868A
Effective elastic moduli of porous ceramic materials—[reply].—74-07869A
Effects of interfacial reaction on the mechanical properties of Ti-SiC particulate-reinforced metal matrix composites.—74-08179A
Effects of postdeposition treatments on the mechanical properties of a chemical vapor deposited silicon carbide.—74-10313A
Effects of processing on mechanical properties and microstructure of a ceramic composite.—74-05131A
Effects of technology parameters on properties of quartz ceramics.—74-01697A
Electron microscopy and thermogravimetry studies of Nicalon fiber-reinforced Blackglas matrix composites.—74-10797A
Enhancement of mechanical performance in YSZ solid electrolytes by using fine-dispersed alumina particles.—74-06972A
Enhancing the mechanical performance of alumina through the addition of metallic and ceramic inclusions.—74-07871A
Environmental effects on fiber-reinforced ceramic matrix composites based on Blackglas.—74-10101A
Evaluation of mechanical properties of carbon materials by hardness test.—74-10989A
Evaluation of oxidation exposure on the mechanical properties of Nextel 312/BN/Blackglas composites.—74-10913A
Evaluation of ZrO_2-toughened high-soda duplex-calcined Al_2O_3 sintered bodies.—74-10339A
Fabrication by colloidal filtration of alumina platelet-reinforced 3Y-TZP—mechanical properties.—74-10991A
Factors influencing mechanical properties of silicate fibers.—74-07648A
Factors influencing properties of SiC spongy materials.—74-07164A
Formation of an ordered boron nitride matrix for fiber-reinforced composites.—74-10361A
Fracture strength of thin ceramic membranes.—74-11008A
Fracture surface morphology and composition of sintered distaloy steels.—74-07879A
Fracture toughness using a biaxial indentation strength method.—74-07881A
Freeze gelation—a modified sol-gel method for the fabrication of ceramic matrix composites.—74-10365A
Gel casting of sintered reaction-bonded silicon nitride [SRBSN] for improved mechanical properties.—74-10367A
Glass-ceramic matrix composites.—74-02372A
Grafting of phosphorylated molecules on apatite surface.—74-09780A
Grain boundary relevant micromechanical investigations and microstructural observations in ZrO_2 ceramics.—74-07654A
Have the limits of the development of ß-Si_3N_4 materials already been reached.—74-07335A
High Temperature Mechanical Behavior of Ceramic Composites.—74-11204B
High-alumina ceramics.—74-06975A
High-performance aluminum/alumina composites.—74-08204A
High-performance silicon carbide fiber, Hi-Nicalon, for ceramic matrix composites.—74-10811A
High-strength silicon-nitride-based materials.—74-07664A
High-strength, high modulus silicon oxycarbide glasses.—74-05721A
High-temperature characterization of refractory binders.—74-05856A
High-temperature mechanical behavior of stoichiometric magnesium spinel.—74-07888A
High-temperature mechanical properties of phosphate-bonded ceramics.—74-11020A
Improvement of mechanical properties of zirconia-toughened alumina in presence of $SrAl_{12}O_{19}$.—74-07890A
Improvement of the ceramic properties of a kaolin by means of "silicate" bacteria.—74-05813A
Industrial applications for reaction-bonded silicon carbide.—74-09875A
Influence of B_2O_3 addition on the crystallization and properties of LAS-based glass-ceramics.—74-05772A
Influence of fiber content on mechanical performance of SiC fiber-reinforced reaction-bonded silicon nitride composites.—74-11025A
Influence of mechanical properties on the press performance of enameling steels.—74-00124A
Influence of processing conditions on the microstructure and mechanical properties of sintered yttrium oxides.—74-04703A
Influences of efflorescence and hydrothermal effects on mechanical properties of masonry brick.—74-02722A
Introduction to bioceramics.—74-06980A

Investigation of the mechanical behavior of magnesium composites.—74-05371A
Joining of SiC ceramics and SiC/SiC composites.—74-01296A
Master fatigue curve for optical fibers.—74-05728A
Material properties and behavior of electrical porcelain in the temperature range to –80°C.—74-02164A
Material properties of hydroxyapatite ceramics.—74-01232A
Materials based on fine-grain Si_3N_4 powders.—74-01791A
Materials Science Monographs 80: Structure and Properties of Ceramics.—74-07973B
Mechanical and environmental tests of brazed ceramic multilayer packages.—74-05641A
Mechanical and microstructural aspects of the high-temperature plastic deformation of yttria-stabilized zirconia polycrystals.—74-11040A
Mechanical and microstructural properties of two-step acid-base catalyzed silica gels.—74-10119A
Mechanical and ultrasonic characterization of damage of a 2-D woven C/SiC composite.—74-06790A
Mechanical behavior of alumina reinforced with carbon-coated silicon carbide whiskers.—74-11042A
Mechanical behavior of metal-ceramic bonds.—74-07899A
Mechanical behavior of pressureless sintered SiC at high temperature.—74-07376A
Mechanical performance of carbon ligament/tendon prosthesis.—74-05729A
Mechanical properties and microstructure of SiC_w/mullite and SiC_w/Y-TZP/mullite composites.—74-11043A
Mechanical properties and pore structure of carbon-fiber-reinforced cementitious composites.—74-05548A
Mechanical properties in compression of low-density carbon-carbon composites.—74-04356A
Mechanical properties of ß-SiAlON ceramics joined using composite ß-SiAlON-glass adhesives.—74-05374A
Mechanical properties of alumina-metal-zirconia composites.—74-07900A
Mechanical properties of beta-SiC pressureless sintered with Al_2O_3 additions.—74-04357A
Mechanical properties of BiSrCaCuO/Ag superconductors.—74-00824A
Mechanical properties of cement mortar with fibers.—74-08069A
Mechanical properties of cement mortar with polymers.—74-08070A
Mechanical properties of colloidally processed alumina with Cr_2O_3 and MnO_2 additives.—74-07377A
Mechanical properties of concrete incorporating high volumes of fly ash from sources in the U.S.—74-02763A
Mechanical properties of diamond and cubic BN at different temperatures and deformation rates.—74-11044A
Mechanical properties of ion-beam-deposited diamondlike carbon on polymers.—74-04358A
Mechanical properties of magnesia-doped lanthanum chromite versus temperature.—74-07901A
Mechanical properties of nanocomposite thin films.—74-04359A
Mechanical properties of nanostructured diamondlike carbon films synthesized by low-energy cluster beam deposition.—74-07813A
Mechanical properties of natural diamonds at 1200°C.—74-05377A
Mechanical properties of SiC whisker/Y-TZP (containing alumina) composites.—74-11045A
Mechanical properties of single-crystal α-Si_3N_4.—74-02170A
Mechanical properties of ZrO_2+12% CeO_2 ceramics with additives of CaO, Y_2O_3, and Nb_2O_5.—74-05378A
Mechanical property measurements of bulk polycrystalline CVD diamond.—74-04360A
Mechanical property measurements of bulk polycrystalline CVD diamond.—74-07902A
Mechanical strength of Si_3N_4-bonded SiC refractories.—74-07680A
Mechanical testing of matrix slurry pressure-infiltrated composites.—74-11046A
Microhardness and fracture toughness of bioactive glasses in the system CaO-RO-SiO_2-P_2O_5-CaF_2 (R=Sr, Ca, and Mg).—74-05730A
Micromechanical properties of diamond films deposited by microwave-plasma-enhanced chemical vapor deposition.—74-11051A
Microstructural characterization of silicon carbide fiber-reinforced aluminum nitride composites.—74-10835A
Microstructure and high-temperature properties of Nextel 720 fibers.—74-11054A
Microstructure and mechanical behavior of an hibonite interphase in alumina-based composites.—74-10121A
Microstructure and mechanical properties of hot-pressed and pressureless-sintered WC-Al_2O_3 ceramic composites.—74-10459A
Microstructure and mechanical properties of polymer-derived Si_3N_4/SiC fabric composite.—74-11055A
Microstructure and mechanical properties of SiC platelet/cordierite glass-ceramic composites.—74-02175A
Microstructure and mechanical properties of silicon nitride prepared from α-Si_3N_4 powders with addition of ß-Si_3N_4 powders.—74-02020A
Microstructure and properties of SiC-AlN multiphase ceramics.—74-10460A
Microstructure and properties of SiC-to-SiC joints produced by reaction bonding.—74-02021A
Microstructure of silicon carbide/carbon composites and relationships with mechanical properties.—74-10842A
Microwave sintering of boron carbide composites.—74-07383A
Mineral organic interfacial bonding—effect of strain rate on the mechanical properties of bone.—74-09791A
Modification of mechanical properties of single-crystal aluminum oxide by ion-beam-induced structural changes.—74-11058A
$MoSi_2$-based sandwich composite made by tape casting.—74-10482A
Mullite matrix continuous fiber-reinforced composites by sol-gel processing.—74-10484A
New method of enhancing cement-aggregate interfaces: II, Mechanical properties and sulfate attack resistances of mortars.—74-05560A
Numerical simulation of toughening of alumina particulate glass matrix composite by interfacial precipitation.—74-08380A
Optimization of SiAlON ceramics by heat treatment.—74-07406A
Optomechanical properties of a sapphire fiber-optic sensor.—74-02183A
Phase composition and mechanical properties of zirconium dioxide-based ceramic obtained by high-temperature sintering in a vacuum.—74-02187A
Plasma spray forming of Astroloy.—74-10526A
Porous hydroxyapatite.—74-06990A
Preparation and properties of HIPed O'SiAlON/silicon nitride composites.—74-07423A
Preparation and some properties of hollow fiber ceramic membranes.—74-04822A
Preparation, wear resistance and mechanical properties of W-Ti-C-N based hard materials.—74-05384A
Process, microstructure, and mechanical properties of SiC-TiC-C nanocomposites.—74-07908A
Processing and mechanical response of fiber-reinforced ceramic composites for high-temperature applications.—74-08255A
Processing and property evaluation of Si(N, C) coatings on silica glass/quartz substrates.—74-10585A
Processing of liquid-phase-sintered SiC—mechanical and wear properties.—74-07449A
Processing of the alumina-zirconia composite and its mechanical properties.—74-07721A
Processing strategy for producing highly anisotropic silicon nitride.—74-07451A
Properties and application of polypropylene fiber-reinforced cement composites.—74-08093A
Properties and microstructure of synthetic hydroxyapatite.—74-07722A
Properties and performance of ceramic composite components.—74-01860A
Properties and thermal behavior of Si_3N_4 thin films.—74-10141A
Properties of bulk polycrystalline CVD diamond.—74-04400A
Properties of combustion-synthesized dense ceramic metal composites.—74-08258A
Properties of glass-bonded zeolite monoliths.—74-09412A
Properties of nanocrystalline refractory compounds.—74-10144A
Properties of plasma-sprayed boron carbide coatings.—74-08259A
Properties of SiC/$MoSi_2$ composites prepared by reaction sintering method.—74-10593A
Properties of vitrified Rocky Flats TRUW [transuranic-contaminated mixed waste] with different waste loadings.—74-09413A
Properties of whisker-reinforced ceramics.—74-10146A
Pseudo-3-D reinforcement with stretch-broken carbon fibers in a borosilicate glass matrix.—74-08389A
Room temperature mechanical properties of polycrystalline silicon nitride with different α/ß ratios.—74-07914A
α′-ß′-SiAlON ceramics through microstructure tailoring.—74-10752A
Science and technology of composite materials—high-temperature mechanical properties—deformation and properties.—74-11085A
Shear strength measurement of metal-ceramic joints.—74-06813A
Si_3N_4 material with high strength (1400 MPa).—74-07915A
Silicon nitride powder mechanics.—74-04417A
Sintering and characterization of B_4C/TiB_2.—74-07481A
Sintering, microstructure, and mechanical properties of TZP ceramics in the ZrO_2-CeO_2-TiO_2 system.—74-07484A
Structure and properties of magnesium matrix composites.—74-00154A
Studies of bioactive glass composites.—74-05796A
Study of the effect of $C_{11}A_7CaF_2$ on the properties of portland cement.—74-05595A
Synthesis and properties of Al_2TiO_5 ceramics.—74-06442A
Technical ceramics for pumps and valves.—74-00998A
TEM studies of alumina chopped fiber/partially stabilized zirconia composites.—74-10899A
Thermal analysis of an Ecuadorian clay and its correlation with mechanical properties.—74-06935A
Thin ceramic interlayers for high-strength and high-temperature stable SiC joints.—74-07536A
Use of spodumene in the processing of alumina-matrix ceramics—influence on microstructure and mechanical properties.—74-07544A
Variations in coating properties across a spray pattern.—74-08290A
Whiskers and composites.—74-10179A
Why covalent ceramics are hard.—74-11131A
Zirconia-toughened alumina (ZTA) materials with oriented properties.—74-07794A

mechanics,
Application of soil mechanics to ceramic processing.—74-10198A

mechanism,
Halite pseudomorphs after gypsum: a suggested mechanism.—74-01194A
High-temperature dielectric property measurements—an insight into microwave loss mechanisms in engineering ceramics.—74-08754A
Measuring system for plunger mechanism of bottle forming machine.—74-09485A
Mechanism of plagioclase albitization.—74-01197A
Process and mechanism of alkali-silica reaction using fused silica as the reactive aggregate.—74-08088A

melter/melting,
All-electric melting furnace for the melting of technical glasses.—74-03893A
Applying oxygen firing to industrial glass melters.—74-09640A
Bose glass melting in YBaCuO crystal with correlated disorder.—74-04255A
Development of high-waste loaded high-level nuclear waste glasses for high-temperature melter.—74-09397A
Electric melting of utility glass production.—74-03905A
Electromelted quartz glass tubes doped with Ce-Ti for making nonozone lights.—74-08417A
FLEX melter—a new melting furnace for the glass industry.—74-09668A
Flux lattice melting, flux pinning, and superfluid density tensor in $YBa_2Cu_3O_{7-\delta}$.—74-03464A
Genesis and melting behavior of quartz raw materials.—74-00298A
High shear mixer and glass melting method.—74-03940P
How to control emissions on a container melter through oxy-fuel firing.—74-06856A
Increasing the intelligence of forehearth control systems.—74-05771A
Influence of divided electric boosting on the distribution of temperatures and on flow of glass in the melting furnace.—74-03697A
Laboratory studies for estimation of melting rate in nuclear waste glass melters.—74-09404A
LoNOx, an alternative to oxy-fuel or an enhancement.—74-09684A
Low NO_x technologies for natural gas-fired regenerative glass melters.—74-01162A
Next generation of burners for melting furnaces.—74-01168A
Peak effect as precursor to vortex lattice melting in single-crystal $YBa_2Cu_3O_{7-\delta}$.—74-09318A
Peculiarities of laser melting and evaporation of superconducting ceramics.—74-03551A
Platinum feeders gaining greater industry acceptance.—74-02649A
Size-dependent melting and freezing behavior of In metal confined in porous glasses.—74-00279A
Ten years of the melting of lead glasses with low-frequency current.—74-02661A
Using molybdenum in electric melting of glass.—74-08467A
Vortex liquid disorder and the first-order melting transition in $YBa_2Cu_3O_{7-\delta}$.—74-05061A
Zirconium oxide makes for safer crystal.—74-02665A

melting point,
Conducting glass materials.—74-02524A

melts,
Crystallization mechanism and characteristics of silicomanganese slag melts used to make glass-ceramics (review).—74-02609A
Effects of melt chemistry and platinum doping in the refinement of $Y_2Ba_4Cu_8O_x$ [211] particles for the system Y-Ba-Cu-O.—74-06527A
Effects of melt chemistry on the spectral absorption coefficient of molten aluminum oxide.—74-10311A
Kinetics of diffusive coalescence of solid solutions and of temperature-induced coalescence of single-component melts under layer-by-layer growth of nuclei of the new phase.—74-05028A
Melt extraction and properties of ZrO_2–Al_2O_3-based fibers.—74-10448A
Oxidation states of metal ions in glass melts.—74-05688A
Progress in melt texturing of $YBa_2Cu_3O_x$ superconductor.—74-06620A
Reaction paths during melt texturing of $YBa_2Cu_3O_{7-x}$.—74-00849A
Reduced pO_2 melt processing of $YBa_2Cu_3O_{6+x}$.—74-06627A
Rotating disk studies in molten carbonates: II, Meniscus and film effects.—74-06811A
Structural model of silicate glass-forming melts and glasses.—74-02495A
Super cooling solution...taking it from the bottom.—74-09717A

membranes,
Advanced ceramics take the heat.—74-06838A
Battery utilizing ceramic membranes—74-00540P
Catalysis with inorganic membranes.—74-06951A
Ceramic filtering membranes.—74-09767A
Ceramic membrane filters.—74-10064A
Ceramic membrane.—74-06957A
Ceramic membranes for high-temperature hydrogen separation.—74-01220A
Ceramic membranes for industrial applications.—74-03956A
Characteristics (and manufacturing method) of ceramic membranes and their application to biological processes.—74-10219A
Characterization of supported alumina membranes formed by an in situ sol-gel method.—74-10775A
Composition for extracting oxygen from fluid streams.—74-09816P
Diamond membranes with controlled stress for submicron lithography.—74-09864A
Fracture strength of thin ceramic membranes.—74-11008A
Hydrogen permselective SiO_2 membrane formed in pores of alumina support tube by chemical vapor deposition with tetraethyl orthosilicate.—74-07341A
Membrane gas separation principles.—74-07682A
Metal oxide membranes for gas separation—74-01259P
Methane to syngas via ceramic membranes.—74-06983A
Method of manufacture of a ceramic membrane for microfiltration.—74-09827P
Methods of making gas-selective membranes—general survey.—74-10455A
Novel vertical silicon membrane structure and its application to Josephson devices.—74-06228A

Oriented microchannel membranes via oxidation of carbon-fiber-reinforced glass composites.—74-04795A
Oxygen permeation through thin mixed-conducting solid oxide membranes.—74-02856A
Preparation and some properties of hollow fiber ceramic membranes.—74-04822A
Preparation of alumina composite membranes by chemical vapor deposition.—74-10554A
RBAO—used as part of a membrane configuration.—74-04859A
Separation mechanisms of mixtures of low molecular weight compounds by porous ceramic membranes.—74-10623A
Sol-gel processing of ceramic membrane layers.—74-04902A
Synthesis of nanoparticle silica composite membranes by the pressurized sol-gel technique.—74-04945A
Synthesizing submicrometer and nanoscale particles via self-assembled molecular membranes.—74-01914A

memory,
Effect of memory in cyclical freezing processes of hydroaluminosilicate structures.—74-04579A
Fabrication of high performance 512 K static-random access memories in 0.25 μm complementary metal-oxide semiconductor technology using X-ray lithography.—74-00618A
Memory effect [and hysteresis phenomena] in incommensurate phase of semiconductors.—74-03104A
Optically addressable, ferroelectric memory with NDRO (nondestructive readout).—74-00759A
Pulsed laser deposition of strontium titanate thin films for dynamic random access memory applications.—74-05953A
Thickness scaling of sputtered PZT films in the 200 nm range for memory applications.—74-06447A

mercury selenide,
Effect of phonon drag of electrons on thermoelectric and thermomagnetic effects in HgSe:Fe.—74-06054A
EPR study of dilute magnetic semiconductors $Hg_{1-x}Co_xSe$ (x=0.0045 and 0.0087).—74-03805A
Inelastic electron scattering in HgSe:Fe crystals.—74-08937A
Magnetic susceptibility and galvanometric properties of $Hg_{1-x}Mn_xTe_{1-y}Se_y$.—*74-08951A*
Why the low-temperature mobility of electrons in HgSe:Fe is constant.—74-00735A

mercury,
Anomalous properties of lattice TO vibrations in HgTe: I, Off-center lattice vibration model.—74-05978A
Anomalous properties of lattice TO vibrations in HgTe: II, One-dimensional two-well crystal model.—74-07037A
Carrier recombination in indium-doped HgCdTe(211)B epitaxial layers grown by molecular beam epitaxy.—74-02931A
Conductivity fluctuation in HBCCO superconductor.—74-03431A
Correlation of X-ray photoelectron spectroscopy and Rutherford backscattering spectroscopy depth profiles on $Hg_{1-x}Cd_xTe$ native oxides.—74-01051A
Crystal defects and interdiffusion behavior of $Hg_{1-x}Cd_xTe$/(100)CdTe epitaxial layers grown by chemical vapor transport.—74-06018A
Diffusion and electrical activity of indium in (Hg,Cd)Te.—74-07561A
Effect of band nonparabolicity on the hot electron longitudinal conductivity in n-$Hg_{1-x}Cd_xTe$ in the extreme quantum limit magnetic fields at low temperatures.—74-05125A
Effect of pressure on the superconductivity in high-T_c Hg ceramics.—74-06523A
Electrical properties and compositional distributions of CVT and PVT grown $Hg^{1-x}Cd_xTe$ epilayers.—74-01511A
Expression for intrinsic carrier concentration in $Hg_{1-x}Cd_xTe$.—74-08905A
Extraction of minority carriers in photoresistive $Cd_xHg_{1-x}Te$ crystals with various conductivities.—74-06092A
Freezing of the vortex liquid in the high-T_c superconductors.—74-03468A
Growth of $Cd_xHg_{1-x}Te$ films by VPE of HgTe on CdTe substrates followed by interdiffusion.—74-03035A
Hg-based cuprate with the "2212" structure: $Hg_{2-x}(Cu,Pr)_xBa_2PrCu_2O_{8-\delta}$.—74-09283A
Hole scattering mechanisms in $Hg_{1-x}Cd_xTe$.—74-06138A
Hopping conductivity in the semimagnetic solid solution $Hg_{1-x}Mn_xTe$.—74-03382A
Improved substrate temperature control for growth of twin-free cadmium mercury telluride by molecular beam epitaxy.—74-00637A
Influence of structure characteristics of epitaxial $Cd_xHg_{1-x}Te$ films on electrical and photoelectric properties after laser irradiation.—74-01948A
Integrated in situ monitoring of a metallorganic vapor phase epitaxy reactor for II-VI epitaxy.—74-04711A
Interactions in the system $ZnBr_2$-$HgBr_2$.—74-01401A
Magnetoresistance of $HgBa_2Ca_2Cu_3O_8$ and $HgBa_2Ca_2Cu_3O_{12}$.—74-03517A
Magnetoresistance of mercury chalcogenides under high pressure up to 30 GPa.—74-02560A
Magnetostatic wave spectrum and attenuation in ferromagnetic semiconductor $HgCr_2Se_4$ under electric-field-induced heating of magnons.—74-06193A
Mercury cadmium tellurium photodetectors fabricated by LPE and double B implantation for fiberoptic devices.—74-08952A
Mercury-based "1201-0201" intergrowth $HgBa_2La_2Cu_2O_{8+\delta}$: a 53-K superconductor.—74-03520A
Multistep rapid thermal annealing of boron- and indium-implanted $Hg_{1-x}Cd_xTe$.—74-07394A
Novel Hg system high-T_c superconductor (HTSC) with Ca.—74-09312A
Observation of a vacancy change state in $Cd_{0.2}Hg_{0.8}Te$ by positron annihilation.—74-03133A
Observation of phase separation in $Hg_{1-x}Cd_xTe$ solid solutions by low incident angle X-ray diffraction.—74-07096A
Passivation with SiO_2 on HgCdTe by direct photochemical vapor deposition.—74-01827A
Phase equilibria in the systems HgS-HgSe-$HgCl_2(Br_2)$.—74-04182A
Phase equilibria in the systems mercury-tin-sulfur (selenium).—74-01431A
Photo-emf anomalies in ferromagnetic ordering region in $HgCr_2Se_4$.—74-04392A
Photoconductivity and photomagnetic effect in $Mn_xHg_{1-x}Te$ layers at low temperatures.—74-06254A
Reaction kinetics control in preparation of CdTe and HgCdTe by hot wall metallorganic vapor phase epitaxy.—74-03859A
Segregation of impurities and defects in $Hg_{0.8}Cd_{0.2}Te$ by laser annealing.—74-05048A
Semiconductor-to-metal transitions in $Hg_{1-x}Mg_xTe$ and $HgSe_{1-x}S_x$ under extremely high pressure.—74-04416A
Spontaneous deformation and phase transition in improper Hg_2Br_2 ferroelastic.—74-06436A
Study of superconducting $HgBa_2CuO_{4+\delta}$ from a one-step low-temperature reaction.—74-03583A
Study on superconducting Hg-Ba-Ca-Cu-O (HBCCO) compound system.—74-03585A
Substitution of Hg for Tl in the 2223 cuprate. The 130-K superconductor $Tl_{1.6}Hg_{0.4}Ba_2Cu_3O_{10-\delta}$.—74-03588A
Superconductivity in $(Hg_{0.83}Cu_{0.17})Ba_2CuO_{4+\delta}$ at ≈120 K.—74-06638A
Synthesis and properties of superconducting $HgBa_2CuO_{4+\delta}$ from a single-step low-temperature solid-state reaction.—74-06643A
Synthesis and XRD analysis of $HgBa_2Ca_2Cu_3O_{8+\delta}$.—74-09348A
Synthesis of Hg-1201 phase superconducting cuprate at ambient pressure.—74-09349A
Synthesis of Hg-1201 phase superconducting cuprate at ambient pressure.—74-09350A
Temperature dependence of the hole thermal emf in gapless HgCdTe and HgMnTe semiconductors.—74-09063A
Transient processes in n^+-p structures made of $Cd_xHg_{1-x}Te$.—74-00725A
Tunnel junctions in narrow-gap $Hg_{1-x}Cd_xTe$ barrier structures in a magnetic field.—74-09075A

metal alkoxide,
Ceramic coating material.—74-07017A
Preparation of $PbTiO_3$ thin films using metal alkoxide and diethanolamine complexing agent.—74-09170A

metal matrix,
Composite golf club head—74-00168P
Method of making metal-matrix composites and ceramic-matrix composites by Lanxide process.—74-10454A
Method of making precursors and articles of ceramic-reinforced metal matrix composites.—74-08312P
Refractory fibers—a reinforcing component of metal matrix composites: a review.—74-02394A

metal oxide,
ADEQUAT project for development and transfer of 0.25 μm logic complementary metal-oxide-semiconductor modules.—74-05972A
Article comprising a superconductor/insulator layer structure, and method of making the article.—74-03623P
Bismuth-containing colorants—74-01207P
Building porosity in metal oxide ceramics.—74-02601A
Decomposition of Langmuir-Blodgett films to form metal oxide layers.—74-04533A
Device for producing thin films of mixed metal oxides from organic metal compounds on a substrate—74-01015P
Dipolar indicators of site acidity in metal oxides.—74-00594A
Electrophoresis process for preparation of ceramic fibers.—74-03749P
Force constant of the metal-oxygen bond in oxides.—74-04142A
Glass substrate provided with a low emissivity film—74-00333P
High-temperature oxidation of metals.—74-10916A
High temperature superconductor magnetic switch.—74-09369P
Highly oriented superconductor oxide ceramic platelets and process for the production thereof.—74-03631P
Highly oxidized superconductors—74-00868P
Josephson junction device formed of oxide superconductor and process for preparing the same.—74-09372P
Kinetic studies of the dehydration process for polyacrylic acid metal oxide compounds.—74-07363A
MBE method for preparing high-T_c superconducting thin films.—74-09373P
MBE process for preparing oxide superconducting films—74-00870P
Metal oxide film having minutely roughed surface and method of forming same on glass substrate.—74-08485P
Metal oxide membranes for gas separation—74-01259P
Metal oxide superconducting powder comprised of flake like single crystal particles.—74-03635P
Method for forming a ceramic oxide capacitor having barrier layers.—74-08802P
Method for forming a field oxide film in a semiconductor device.—74-09089P
Method for making metal oxide varistors coated with passivating coating.—74-09091P
Method for manufacturing an artificial grain boundary type Josephson junction device.—74-03636P
Method for manufacturing an oxide superconducting tape.—74-03637P
Method for manufacturing an oxide superconductor thin film.—74-03638P
Method for processing superconducting thin films.—74-03640P
Method for producing ceramic oxide compounds.—74-09825P
Method of adding a halogen element into oxide superconducting materials by ion injection or thermal diffusion.—74-03643P
Method of forming superconducting oxide ceramic materials having high critical densities of superconducting current—74-00872P
Method of improving or producing oxide superconductor.—74-03645P
Method of making ceramic composite articles and articles made thereby.—74-09826P
Method of preparing oxide high-temperature.—74-09378P
Method of preparing oxide superconducting wire.—74-03648P
Method of producing oxide ceramic layers on barrier layer-forming metals and articles produced by the method.—74-08315P
Microstructure of epitaxial ferroelectric/metal oxide electrode thin-film heterostructures on $LaAlO_3$ and silicon.—74-09155A
Microwave resonator of compound oxide superconductor material having a temperature adjustable heater.—74-09380P
Multifilamentary oxide superconducting wires and method of manufacturing the same—74-00875P
Oxide superconductor tape having silver alloy sheath with increased hardness.—74-09383P
Oxide superconductor wire having sintered silver powder layers.—74-03653P
Oxide superconductor.—74-03654P
Plasma enhanced chemical vapor deposition of oxide film stack.—74-03766P
Process for manufacturing a superconducting composite—74-00877P
Process for producing thin films of inorganic oxides of controlled stoichiometry.—74-09836P
Pyroelectric ir sensor using an oxide superconductor upper electrode.—74-03660P
Stable high oxidation state superconducting oxides—74-00881P
Stacked capacitor with a thin film ceramic oxide layer.—74-02899P
Study of molecular precursors of group IV metal oxides by TGA-FTIR coupling.—74-10893A
Superconducting device having a reduced thickness of oxide superconducting layer.—74-09391P
Superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—74-09392P
Superconducting device.—74-03663P
Superconductive device for helping shield magnetic field.—74-03665P
Theoretical approach to interfacial metal-oxide bonding.—74-07779A
Thin-film ceramic catalyst support materials.—74-01247A
Volatile metal oxide evaporation during aerosol decomposition.—74-10718A

metallization,
Process for manufacturing metallized ceramic substrates.—74-02897P
Process for metallizing monolithic microwave ceramic filters.—74-08318P
Refractory metal nitride encapsulation for copper wiring.—74-00697A
Synthesis and characterization of cordierite glass-ceramics for low firing temperature substrate: IV, Metallizing by using Cu powder coated by sol-gel method.—74-08464A

metallurgy,
Computer software for chemical and extractive metallurgy calculations.—74-00905A
Developments in physical chemistry and basic principles.—74-01368A
Progress in electrometallurgy research and applications.—74-00980A
Recycling of metal fabrication industry waste in ceramic products.—74-00400A

metals,
Aqueous processing of minerals, metals, and materials.—74-00892A
Artificial hip joint.—74-03979P
Ceramic tile expansion engine housing.—74-09814P
Development of metal glaze for hot spraying.—74-08673A
Device for producing finely-divided metal and ceramic powder.—74-03748P
Events and trends in metal and mineral commodities.—74-02234A
How proper metal pretreatment can save you big dollars.—74-00122A
Metal sulfide thin film photography using photoaccelerated chemical deposition of bismuth sulfide thin films.—74-01795A
Metals production, energy, and the environment: I, Energy consumption.—74-00950A
Method for bonding glass and metal—74-00171P
Method of making shaped ceramic composites with the use of a barrier and articles produced thereby—74-01029P
Method of preparing silicon carbide particles dispersed in an electrolytic bath for composite electroplating of metals—74-00176P
Methods of making shaped ceramic composites.—74-03996P
Micromechanical modeling of process-induced residual stresses in Ti-24A1-11Nb/SCS-6 composite.—74-05380A
Novel banding and coating techniques.—74-09493A
Principles and properties of thermostat metals.—74-01564A
Processing and evaluation of clad metals.—74-00975A
Properties of noble-metal/silicon junctions.—74-07186A
Residual stresses in SCS-6/Ti-24Al-11Nb composite: II, Finite element modeling.—74-05386A
Structure and properties of metal-insulator interphase layer [MIIL].—74-05269A

metaphosphates,
Formation of fluorine-containing anions in glasses of the $MePO_3$-MeF systems (Me=Li, Na).—74-00196A
Lead metaphosphate-based athermal flint glasses with anomalous partial dispersions.—74-02556A

Microhardness and spectroscopy studies of surface modification of titanium alloys by melted metaphosphates.—74-04750A
Short-range order of metaphosphate glasses investigated by X-ray diffraction.—74-00214A
methane,
Deposition of carbonaceous films onto internal walls of tubes.—74-07250A
Diamond CVD: a comparison between methane and methanol as carbon sources.—74-04547A
Diamond formation in the carbon-hydrogen-oxygen system.—74-04551A
Diamond growth by methane injection into hydrogen-oxygen flames.—74-01675A
Electron microscopy study of irradiation and thermal effects on C:H films.—74-05134A
Fundamental limits to growth rates in a methane-hydrogen microwave plasma.—74-04654A
Growth of diamond using halogenated methane.—74-01748A
Ion energy distributions from electron cyclotron resonance [ECR] methane plasmas.—74-01772A
Low-temperature deposition of diamond using chloromethane in a hot-filament chemical vapor deposition reactor.—74-01783A
Low-temperature growth of diamond films by microwave plasma chemical vapor deposition using CH_4+CO_2 gas mixtures.—74-04737A
Methane to syngas via ceramic membranes.—74-06983A
Optical emission spectroscopy during growth of diamondlike carbon from a methane plasma.—74-04790A
Properties of diamond films prepared from methane by arc-discharge plasma jet CVD.—74-04401A
Spectroscopic and selected mechanical properties of diamondlike carbon films synthesized by broad-beam ion deposition from methane.—74-04909A
Synthesis gas production from methane over an iron electrode in a solid electrolyte cell.—74-01903A
Systematic investigation of plasma emission spectra during microwave diamond deposition from CH_4-CO_2 and C_2H_2-CO_2 gas mixtures.—74-01915A
Temperature measurement of atomic hydrogen produced by hot-filament dissociation in a CH_4-H_2 mixture.—74-10694A
Thermal diffusivity of diamond films synthesized from methane by arc discharge plasma jet CVD.—74-10171A
mica,
Acoustic wave stimulation of the leaching of layer silicates.—74-07035A
Atomic force microscopy study of Pd clusters on graphite and mica.—74-07594A
Crystal engineering in two dimensions: control of planar packing by design of new amphiphiles.—74-05104A
Development of high-strength devitrified machinable ceramics.—74-08365A
Friction force microscopy of heavy-ion-irradiated mica.—74-07651A
Interpretation of atomic force microscopy images: the mica(001) surface with a diamond tip apex.—74-07670A
Intrinsic luminescence in synthetic mica crystals.—74-04154A
Measurement and manipulation of van der Waals forces in atomic force microscopy.—74-07172A
Mechanical properties of mica glass-ceramics.—74-05376A
Mica etch pits as a height calibration source for atomic force microscopy.—74-07683A
Mica.—74-06913A
Scratching and grinding of a machinable glass-ceramic with weak interfaces and rising *T*-curve.—74-05388A
Strengthening of mica glass-ceramics.—74-05795A
Study on the stick-up phenomenon on a cleaved surface of the muscovite mica using an atomic force/lateral force microscope.—74-07767A
Superlubricity and frictional anisotropy.—74-02210A
TEM and AES characterization of thin films of Au, Pt, and Pd deposited on mica.—74-07774A
Theories of origin for the Georgia kaolins—a review.—74-06934A
Tribology of ultrathin MoS_2 platelets on mica—studies by scanning force microscopy.—74-04458A
Two-dimensional stick-slip phenomenon with atomic resolution.—74-10049A
microcracking,
Acoustic emission and microcracking in sapphire, sintered Al_2O_3, Al/Al_2O_3 composite, and aluminum.—74-10944A
Damage evolution in hybrid ceramic matrix composites.—74-10960A
Effect of microcracking on the fracture toughness and fracture surface fractal dimension of lithia-based glass-ceramics.—74-08368A
Microcracking in B_4C-TiB_2 composites.—74-11050A
Microcracking of an internally pressurized ceramic ring.—74-02173A
Microcracking of an internally pressurized ceramic ring: II, Experimental observations.—74-02174A
Microhardness studies in gel-grown ADP and KDP single crystals.—74-07904A
Monitoring of microcrack propagation in ceramics under thermal stress by acoustic emission.—74-01082A
Oxygen diffusion paths and microcrack formation in the textured 1-2-3 regions of partial-melted Y-Ba-Cu-O oxide.—74-06605A
Scratch experiments on ceria-stabilized tetragonal zirconia.—74-02197A
Strain-rate effect on brittle fracture in compression.—74-05390A
Tensile behavior of microcracking SiC-TiB_2 composites.—74-07926A
microcrystals,
Exciton-photon interaction in semiconductor microcrystals.—74-03008A
Optical properties and new functionalities of semiconductor nanocrystals embedded in host crystals and glasses.—74-08986A
Preparation and optical properties of Bi_2S_3 microcrystallite doped thin film.—74-09009A
Size-driven phase transition in nanocrystalline $BaTiO_3$.—74-06435A
microelectronics,
Apparatus for the thermal characterization of high-conductivity substrates and materials for microelectronics.—74-09548A
Ceramic Transactions, Volume 53: Materials and Processes for Wireless Communications.—74-07970B
Plasma immersion ion implantation doping experiments for microelectronics.—74-04809A
Silicon micromachining and micromachines.—74-00996A
microhardness,
Anomalous softening of high-T_c $YBa_2Cu_3O_{7-\delta}$ single-crystal superconductors.—74-06486A
Characterization of thin ceramic coatings by measuring microhardness.—74-03788A
Comparison of two models of thin diamond film microhardness data to predict the hardness of CVD diamond.—74-04264A
Effect of neutron irradiation on Knoop microhardness anisotropy in MgO·Al_2O_3 single crystals.—74-07154A
Indentation microhardness of γ-irradiated glasses and glass-ceramics.—74-05722A
Microhardness studies in gel-grown ADP and KDP single crystals.—74-07904A
Microhardness studies on some alum crystals.—74-10120A
TaC coatings prepared by hot filament chemical vapor deposition—characterization and properties.—74-04951A
microscopy,
Analysis by scanning acoustic microscopy of the mechanical stability of PSG and Si_3N_4 passivation films.—74-09546A
Atomic force microscopy studies of contact-electrified charges on silicon oxide film.—74-05980A
Atomic force microscopy study of the fractal shape of residual barium cuprate/copper oxide flux on the surface of $Y_2Ba_4Cu_7O_{15}$ and $YBa_2Cu_4O_8$ single crystals.—74-06492A
Ballistic electron emission microscopy on the Au/*n*-Si(111) 7×7 interface.—74-05076A
Capacitance-voltage measurement and modeling on a nanometer scale by scanning *c-v* microscopy.—74-00463A
Chemical microscopy.—74-07940A
Confocal microscopy.—74-09560A
Cross-section X-scanning force microscopy analysis of different hard coatings and thin films.—74-07620A
Development of a force sensor for atomic force microscopy using piezoelectric thin films.—74-09118A
Direct observation of the atomic force microscopy tip using inverse atomic force microscopy imaging.—74-06759A
Effect of $Mg(OH)_2$ on $YBa_2Cu_3O_7$ thin film on MgO substrate studied by atomic force microscope.—74-06519A
Examination of clinkers with light-colored cores.—74-05141A
Focus on microscopy.—74-03813A
Focus on microscopy.—74-03814A
In situ testing of ceramic materials.—74-01071A
Materials Research Society Symposium Proceedings, Volume 332: Determining Nanoscale Physical Properties of Materials by Microscopy and Spectroscopy.—74-07971B
Mica etch pits as a height calibration source for atomic force microscopy.—74-07683A
Microscope—a method and tool to study lime burning and lime quality.—74-08072A
Microscopic examination of the interface in the polyester and epoxide resins—hardened cement paste systems.—74-08073A
Microscopy.—74-03837A
Research-grade microscope.—74-06809A
Scanning laser microscopy as a tool for the in situ investigation of diamond growth.—74-03866A
Scanning Maxwell stress microscope for nanometer-scale surface electrostatic imaging of thin films.—74-03867A
Scanning probe microscope—74-01132P
Scanning probe microscopy (SPM).—74-03732A
Scanning probe microscopy of carbon fiber surfaces.—74-05237A
Scanning Probe Microscopy of Clay Minerals (CMS Workshop Lectures, Vol. 7).—74-05445B
See what's new in the field of optical microscopes.—74-03868A
Study of silicon-wafer surface evaluation using atomic force microscopy.—74-10894A
Tribological investigations using friction force microscopy.—74-01123A
Two-dimensional delineation of semiconductor doping by scanning resistance microscopy.—74-02058A
Ultrahigh vacuum atomic force microscope with sample cleaving mechanism.—74-06827A
Use of the atomic force microscope to study mechanical properties of lubricant layers.—74-01127A
Use of video in microscopic and ultrasonic inspection.—74-06832A
Using the microscope...for the nonmicroscopist.—74-03887A
microspheres,
CO_2-laser-induced vapor phase synthesis of HNdiamond nanoparticles at 0.6-2 bar.—74-07228A
Hollow mullite ceramic microspheres by water extraction of emulsified aqueous droplets.—74-10386A
Luminescent microspheres for improved flat-panel color displays.—74-00947A
Synthesis of ultrafine glass particles by laser ablation of microspheres.—74-05798A
microstructure,
α′-ß′-SiAlON ceramics through microstructure tailoring.—74-10752A
α to ß transformation and microstructural changes on Si_3N_4 during sintering.—74-01607A
Additional heat treatment of sintered ceramics based on ß-SiAlON's.—74-01608A
Advances in liquid phase sintering.—74-04473A
Analysis of $Si/Si_{1-x}Ge_x/Si$ microstructures by spectroscopic ellipsometry.—74-05976A
Anomalous composition dependence of T_c near T_{cmax} and microstructure of $YBa_2Cu_3O_{7-x}$.—74-06481A
Aqueous corrosion of ceramics.—74-07796A
Ceramic materials: microstructural and interface analysis as the prerequisite for optimization of microstructures. III, The microstructure of Al_2O_3 ceramics containing ZrO_2.—74-07600A
Ceramic materials: microstructural and interface analysis as the prerequisite for optimization of microstructures: IV, The microstructure of Al_2O_3 ceramics containing TiC.—74-07601A
Ceramic Microstructures—Property Control and Processing.—74-05434B
Ceramography of high-strength ceramics—materials, preparation, microstructure.—74-10218A
Characteristics and microstructure of matrix retaining electrolyte in phosphoric acid fuel cell prepared by tape casting.—74-10763A
Characterization of AC8A/Al_2O_3 composites after long exposure at elevated temperatures.—74-10765A
Characterization of commercial alumina ceramic pieces.—74-07602A
Characterization of diamond coatings with transmission electron microscopy.—74-05085A
Characterization of nanometer-scale compositional variations using field ion microscopy and the position sensitive atom probe.—74-01965A
Characterization of the microstructure in TiB whisker-reinforced Ti alloy matrix composite.—74-01968A
Columnar microstructure of amorphous cadmium arsenide thin films.—74-07611A
Comparative study on the characteristics of TiN films deposited by plasma-assisted CVD, ion plating, and reactive sputtering.—74-10782A
Compositional and structural analysis of aluminum oxide films prepared by plasma-enhanced chemical vapor deposition.—74-01974A
Contact fatigue of a silicon carbide with a heterogeneous grain structure.—74-07845A
Contributions of scanning probe microscopy and spectroscopy to the investigation and fabrication of nanometer-scale structures.—74-05103A
Correlation between the powder structure and the microstructure of tetragonal ZrO_2 ceramics.—74-04529A
Correlation of microstructure and fracture toughness in P/M processed 2XXX aluminum composites reinforced with SiC whiskers.—74-08151A
Correlations between spraying conditions and microstructure for alumina coatings produced by HVOF and VPS.—74-08152A
Creep behavior and microstructure evolution of hot-pressed α-silicon carbide deformed at high temperature.—74-07848A
Critical issues in thin film microstructure development.—74-07619A
Crystallographic evolution of microstructure in thin film processing: II, Grain boundary structure.—74-07624A
Cyclic fatigue properties of isotropic graphite at elevated temperatures.—74-07853A
Defects in amorphous and solid phase epitaxial silicon.—74-05002A
Delayed ettringite formation: a microstructural and microanalytical study.—74-00046A
Dependence of critical current density on microstructure and processing of high-T_c superconductors.—74-06508A
Design charts for the thermal conductivity of particulate composites.—74-06754A
Development of crystallizable glass for low-temperature cofired ceramic substrates with high performance.—74-08413A
Development of nanocomposite microstructures in ZrO_2-Al_2O373 via the solution precursor method.—74-07630A
Diamond deposition in a bell-jar reactor: influence of the plasma and substrate parameters on the microstructure and growth rate.—74-01673A
Early stages of crystallite growth of ZnO obtained from an oxalate precursor.—74-05123A
EDTA gel processing and microstructural development of Pb-containing BSCCO superconductors.—74-03445A
Effect of composition and microstructure on the broadening of XRD profiles in modified lead titanate ceramics.—74-05126A
Effect of deposition parameters on the microstructure of ion-beam-assisted deposition TiN films.—74-07268A
Effect of dopants on the in situ formation of metal-ceramic microstructures by partial reduction reactions.—74-08171A
Effect of heat treatment on microstructure and strength of pressureless-sintered Si_3N_4.—74-10791A
Effect of microstructure on abrasive machining of advanced ceramics.—74-10287A
Effect of microstructure on mechanical properties of Al_2O_3-based composites by particulate-precipitated dispersion.—74-10288A
Effect of microstructure on the properties of high-strength grouts.—74-08018A
Effect of microstructure on the wear behavior of thermal spray coatings.—74-08174A
Effect of Nb doping on the microstructure of sol-gel-derived PZT thin films.—74-06404A
Effect of sintering variables on the microstructure and mechanical properties of the gas pressure sintered Si_3N_4.—74-10294A

Effects of additives on the microstructure and mechanical properties in porous aluminum titanate ceramics.—74-10302A

Effects of cooling profiles on the microstructure development and electrical properties of PTC $BaTiO_3$ ceramics.—74-04597A

Effects of different raw Si_3N_4 powders on microstructures and properties of a high-temperature SiAlON ceramic.—74-10308A

Effects of microstructure and composition on microhardness of CeO_2-doped Si_3N_4 materials.—74-07637A

Effects of microstructure on the optical properties of metal-semiconductor composites.—74-07638A

Effects of platinum and oxygenation on microstructure in $YBa_2Cu_3O_{7-\delta}/Y_2BaCuO_5$ bulk materials.—74-06529A

Effects of processing on mechanical properties and microstructure of a ceramic composite.—74-05131A

Effects of quenching and preparing procedures on superconductivity, oxygen content, and microstructure of Bi(Pb)-2223 phase.—74-09260A

Effects of sealing treatment and microstructural grading upon corrosion characteristics of plasma-sprayed ceramic coating.—74-10910A

Electrochemical vapor deposition of CeO_2: kinetics of deposition of a composite, two-layer electrolyte.—74-00487A

Enhanced machinability of silicon carbide via microstructural design.—74-01709A

Fabrication of polymer-derived micro-nano-structured Si_3N_4/SiC-composites.—74-10349A

Failure modes of unidirectional ultra-high-modulus carbon-fiber/carbon-matrix composite.—74-05352A

Flaw-tolerance and *R*-curve behavior of liquid-phase-sintered silicon carbides with different microstructures.—74-02144A

Formation and microstructure of carbon-containing oxide scales by oxidation of single crystals of zirconium carbide.—74-01993A

Formation of silicon carbide grain structure and its growth in polycrystalline SiC obtained by the reaction-sintering technique.—74-07650A

Formation of the reaction-bonded silicon carbide microstructure.—74-07319A

Fracture analysis of the transition zone between unreinforced alloy and composite.—74-02145A

Fracture surface morphology and composition of sintered distaloy steels.—74-07879A

Freeze gelation—a modified sol-gel method for the fabrication of ceramic matrix composites.—74-10365A

Glass-ceramics based on the pyroxene-nepheline system.—74-05766A

Grain boundary phases and wake zone characterization on monolithic alumina.—74-05150A

Grain boundary relevant micromechanical investigations and microstructural observations in ZrO_2 ceramics.—74-07654A

Grain growth, microstructure, and superconducting properties of pure and Y_2BaCuO_5-doped $YBa_2Cu_3O_{7-x}$ ceramics.—74-06552A

Growth of diamond particles on sharpened silicon tips.—74-07331A

Have the limits of the development of ß-Si_3N_4 materials already been reached.—74-07335A

High-deposition rate coating of aluminum cylinder bores.—74-08203A

High-frequency potential probe using electrostatic force microscopy.—74-03043A

High-temperature immittance response in anatase-based sensor materials.—74-03048A

Hot-pressed ceramics of ultradisperse composite powders.—74-05157A

How metallographic preparation affects the microstructure of WC/Co thermal spray coatings.—74-08207A

Hypothetical curved graphite.—74-01997A

In situ formation of ductile phase-toughened ceramics by partial reduction reactions in the Ni-Al-O system.—74-08211A

Influence of the microstructure on elevated stability of NTC [negative temp. coeff.] thermistors.—74-08939A

Influence of the mineralogical composition, specific surface area, and strains–crystallite size of alite on the compressive mechanical strength of portland mortars: I, Clinkers of low tricalcium aluminate contents.—74-05537A

Influence of TiO_2 on sintering and microstructure of magnesia.—74-10422A

Inorganic fibers and microstructures by laser-assisted chemical vapor deposition.—74-01769A

Interactions between crystalline Si_3N_4 and preceramic polymers at high temperature.—74-10824A

Investigations of cement pastes by small-angle X-ray scattering and BET—the relevance of fractal geometry.—74-08058A

Line broadening and Rietveld analysis of 5Y-PSZ nanocrystalline powder samples.—74-05179A

Magnetic force microscopy on high-T_c superconductors.—74-06576A

Mechanical and microstructural properties of two-step acid-base catalyzed silica gels.—74-10119A

Methods for improving the microstructure of isostatically pressed tableware.—74-08692A

Microstructural analysis of ferroelectric glass-ceramics.—74-05187A

Microstructural and crystal defects in $YBa_2Cu_3O_{7-x}$ ceramics.—74-03521A

Microstructural and electrical investigations before and after crystallization in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10-y}$ glass system.—74-03522A

Microstructural and strength stability of a developmental CVD SiC fiber.—74-11052A

Microstructural changes of SiO_2-Si during liquid-phase sintering.—74-10834A

Microstructural characterization of silicon carbide fiber-reinforced aluminum nitride composites.—74-10835A

Microstructural characterization of titanium alloy Ti_6Al_4V used as metal matrix in SiC fiber composites.—74-07686A

Microstructural characterization of Y-PSZ (4 mol%) polycrystals by means of X-ray diffraction experiments.—74-07093A

Microstructural control of bismuth-titanate-based ceramics.—74-05188A

Microstructural development and critical currents in long-length (Tl, Bi)-(Sr, Ba)-Ca-Cu-O wires.—74-06587A

Microstructural development in nanophase TiO_2 during annealing.—74-04163A

Microstructural development in physical vapor deposited partially stabilized zirconia thermal barrier coatings.—74-07382A

Microstructural development on crystallization of a sol-gel-derived celsian glass.—74-05775A

Microstructural developments and dielectric properties of rapid thermally processed PZT thin films derived by metallorganic decomposition.—74-06424A

Microstructural evolution during pressureless sintering of lead lanthanum zirconate titanate ceramics with excess lead(II) oxide.—74-09154A

Microstructural evolution in spherical zirconia-yttria powders.—74-01798A

Microstructural evolution of titania sol-gel thin films.—74-08954A

Microstructural examination and dielectric properties of $BaTiO_3$ with addition of CaO.—74-07687A

Microstructural observations of ß-SiAlON-12H multiphase ceramics by HREM.—74-00658A

Microstructural shape factors: relation of random planar sections to three-dimensional microstructures.—74-07688A

Microstructural stability and strength retention in directionally solidified Al_2O_3-YAG fibers.—74-11053A

Microstructural stability of Nicalon at 1000°C in air after exposure to salt (NaCl) water.—74-07689A

Microstructural studies of ferroelectric $Bi_2VO_{5.5}$ thin films with $LaNiO_3$ electrodes.—74-10837A

Microstructural studies of some HTSC oxides.—74-03523A

Microstructural study of low-resistivity tin-doped indium oxide prepared by dc magnetron sputtering.—74-02018A

Microstructure and chemical reaction in an Si_3N_4-TiC composite.—74-07690A

Microstructure and composition analysis of $PbTiO_3$ films.—74-02019A

Microstructure and compressive strength of SiC platelet-reinforced borosilicate composites.—74-08376A

Microstructure and crystallization behavior of sol-gel-prepared $BaTiO_3$ thin films.—74-10458A

Microstructure and defects in melt-textured growth $YBa_2Cu_3O_{7-x}$.—74-03524A

Microstructure and densification of sintered (B+C)-doped ß-silicon carbide.—74-10838A

Microstructure and electrical characteristics of sputtered indium tin oxide films.—74-01542A

Microstructure and electrical resistivity of TiN films deposited on heated and negatively biased silicon substrates.—74-00509A

Microstructure and fracture toughness of hot-pressed silicon carbide reinforced with silicon carbide whisker.—74-05191A

Microstructure and grain-boundary structure of Na^+-diffused $(Sr,Ca)TiO_3$ capacitor-varistor ceramics.—74-00510A

Microstructure and high-temperature properties of Nextel 720 fibers.—74-11054A

Microstructure and mechanical behavior of an hibonite interphase in alumina-based composites.—74-10121A

Microstructure and mechanical properties of polymer-derived Si_3N_4/SiC fabric composite.—74-11055A

Microstructure and mechanical properties of silicon nitride prepared from α-Si_3N_4 powders with addition of ß-Si_3N_4 powders.—74-02020A

Microstructure and mechanical properties of spray-cast SiCp/Al-Fe-V-Si composite.—74-08240A

Microstructure and optical absorption spectra of transparent glass-ceramics containing $ZnAl_2O_4$:Cr^{3+}.—74-00202A

Microstructure and oxidation-resistant property of sol-gel-derived ZrO_2-Y_2O_3 films prepared on austenitic stainless steel substrates.—74-02384A

Microstructure and permeability of cement stone and concretes.—74-00077A

Microstructure and piezoelectric properties of slip-cast barium titanate ceramics.—74-04753A

Microstructure and properties of hot isostatically pressed SiC ceramics with an Al_2O_3 addition.—74-07691A

Microstructure and properties of SiC-to-SiC joints produced by reaction bonding.—74-02021A

Microstructure and reactions of SiC_w-reinforced alumina with Ag-Cu-In-Ti.—74-02022A

Microstructure and superconducting properties of highly dense $Ba_2RCu_4O_8$ (R=rare earth) ceramics by two-stage sintering.—74-03525A

Microstructure and thermal expansion of petroleum coke.—74-04361A

Microstructure comparison of transparent and opaque CVD SiC.—74-07692A

Microstructure development in particulate ceramic coatings.—74-10839A

Microstructure effects in multidipped tin oxide films.—74-10840A

Microstructure flux pinning and critical current density in $YBa_2Cu_3O_{7-\delta}$ films grown by laser ablation.—74-03526A

Microstructure investigation on the feature of glass structure.—74-02471A

Microstructure of inclusions in nanocrystalline carbon films deposited at low temperatures.—74-05193A

Microstructure of laser-float-zone grown superconducting ceramics.—74-03527A

Microstructure of layered zirconia/alumina composites.—74-07693A

Microstructure of melt-textured $YBa_2Cu_3O_7$ monolithic ceramics.—74-03528A

Microstructure of plasma-sprayed TaC coatings.—74-05194A

Microstructure of polycrystalline aluminum nitride formed in shock waves.—74-02023A

Microstructure of SiC thin films produced on graphite excimer-laser chemical vapor deposition.—74-10841A

Microstructure of textured YBaCuO made under low thermal gradient—a path to understand the texturing mechanism.—74-03529A

Microstructure of Ti/TiN multilayer films.—74-08242A

Microstructure quantification of a superplastic alumina.—74-07694A

Microstructure study by scanning tunneling microscopy of glassy carbons heat-treated at different temperatures.—74-07695A

Microstructure, flaw tolerance, and reliability of Ce-TZP and Y-TZP ceramics.—74-11056A

Microstructure, orientation, and properties of sol-gel-derived $KTiOPO_4$ thin films.—74-06425A

Microstructure/property relations during the initial sintering stage of Al_2O_3.—74-10461A

Microstructures and densification behaviors of Al_2O_3-ZrO_2 (ZTA) composites fabricated by a surface-induced coating.—74-04362A

Microstructures and hardness of ultrafine-grained Ni_3Al.—74-02024A

Microstructures and superconductivity of ultrathin $YBa_2Cu_3O_7$ films.—74-03530A

Microstructures of nanosize hydrogenated crystalline silicon studied by scanning tunneling microscopy.—74-07696A

Microvoids in diamondlike amorphous silicon carbide.—74-05195A

Mirror-translational (011) twin boundary in modulated $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-00825A

Model for the developing microstructure in portland cement pastes[—correction].—74-08074A

Mullite phase development in pure and mullite matrix composites.—74-10851A

Near-surface structure of the in situ nitrided silicon carbide.—74-10853A

New system for the systematic, dynamic, and in situ characterization of microstructures (of ceramics).—74-09588A

Optimum microstructure of transformation-toughened ceramics for enhanced wear performance.—74-02182A

Permeability and microstructure of plain and polypropylene fiber-reinforced grouts.—74-05563A

Plain porosity as a microstructural characteristic of sintered materials.—74-02034A

Polymer-derived micro-nanostructured Si_3N_4/SiC-composites.—74-10534A

Polymeric route processing of ZnO-based varistor.—74-03175A

Porosity–grain growth relationships in the sintering of nanocrystalline ceramics.—74-01838A

Preparation and densification of $BaNd_2Ti_5O_{14}$ dielectric ceramics.—74-00521A

Preparation of lead titanate ceramics by sol-gel processing.—74-03339A

Preparation of ultrathin ferric oxide layers using Langmuir-Blodgett films.—74-07439A

Pressure slip casting of silicon nitride.—74-04832A

Processing and characterization of SiC platelet/SiC composites.—74-10582A

Processing and microstructural control: lessons from natural materials.—74-01856A

Processing and microstructure of nonoxide ceramic fibers[—review].—74-10583A

Processing effects on microstructure and superconducting properties of sintered $YBa_2Cu_3O_{6+x}$.—74-07720A

Processing effects on the microstructure of sol-gel-derived SBN thin films.—74-10586A

Production of microstructure bodies from ceramics.—74-00979A

Production of oxide ceramics with a regular structure.—74-01239A

Properties and microstructure of synthetic hydroxyapatite.—74-07722A

Quantifying local microcrack density in ceramics: a comparison of instrumented indentation and thermal wave techniques.—74-03856A

Quantitative analysis of thermally sprayed coatings using backscattered electron imaging.—74-10868A

Reactive magnetron sputter deposition of CN_x films on Si(001) substrates—film growth, microstructure, and mechanical properties.—74-05229A

Relation between electrical properties and microstructure of $YBa_2Cu_3O_{7-x}$ thin films deposited by single-target off-axis sputtering.—74-03567A

Relation between high-frequency relaxation, ferroelectric properties, and microstructure in ceramics with composition $Ba(Ti_{0.975}Li_{0.025})O_{2.925}F_{0.075}$.—74-03347A

Relation of microstructure and superconductivity in bismuth oxide superconductors.—74-09332A

Relation of microstructure and superconductivity in bismuth oxide superconductors.—74-09333A

Review of orientation-microstructure-property relationships for PZT/metal or metal-oxide layered heterostructures.—74-08769A

Role of microstructure in forming thin carbon film properties.—74-04874A

Rules for the reactions in B_4C-$Me^{IV\text{-}VI}B_2$ systems.—74-01451A

S-block structure in hexagonal ferrites.—74-03404A
Scanning tunneling microscopy of argon ion-bombarded GaAs(001) surfaces.—74-06299A
Si_3N_4 material with high strength (1400 MPa).—74-07915A
Sinter forging as a tool for improving the microstructure and mechanical properties of zirconia-toughened alumina.—74-01882A
Sintering and microstructure of Ce-TZP/Al_2O_3 ceramic composite.—74-10884A
Sintering, microstructure, and mechanical properties of TZP ceramics in the ZrO_2-CeO_2-TiO_2 system.—74-07484A
Sputter deposition of ferroelectric $PbTiO_3$ thin films on MgO(100) substrates.—74-09178A
Structural characteristics of as-deposited and crystallized mixed-phase silicon films.—74-04915A
Structural characteristics of porous glasses—determination by Mossbauer spectroscopy.—74-02492A
Structural characterization and properties of superconducting thin films produced by pulsed laser deposition.—74-03579A
Structural, optical, and electrical properties of polycrystalline iron pyrite deposited by reactive dc magnetron sputtering.—74-04430A
Structure and chemical bonding in high-density amorphous carbon.—74-05267A
Structure and chemistry of $CuInSe_2$ for solar cell technology: current understanding and recommendations.—74-02049A
Structure and properties of amorphous diamondlike carbon films produced by ion-beam-assisted plasma deposition.—74-07757A
Structure and stability of nanocrystalline TiC powders obtained by reactive high energy milling.—74-07758A
Structure of amorphous hydrogenated carbon—experimental and computer simulation.—74-05273A
Structure-diffraction analysis of nanometer-sized polycrystals.—74-07761A
Studies of bioactive glass composites.—74-05796A
Study of the Si_3N_4-SiO_2-Y_2O_3 system—sintering. α→ß, transformation, and microstructure.—74-07498A
TEM studies of resin-based matrix microstructure in carbon-carbon composites.—74-07775A
Thermal conductivity and the microstructure of state-of-the-art chemical vapor deposition diamond.—74-09626A
Transmission electron microscopy of simulated DWPF high-level nuclear waste glasses following gamma irradiation.—74-09421A
Two-dimensional ordered Si_3N_4 nanoparticles observed by a scanning tunneling microscope.—74-07786A
Vacuum plasma spray forming of Astroloy—an investigation of processing parameters.—74-10715A
Vapor phase manufacture of porous TiN deposits on/in porous supports.—74-07551A
Water permeability and microstructure of three old concretes.—74-05610A
X-ray diffraction imaging of manmade and natural diamond.—74-01488A
X-ray diffraction studies of the structure of molybdenum sulfide thin films.—74-05296A
XAS and XRD structural studies of titanium oxide thin films prepared by ion-beam-induced CVD.—74-05300A

microwaves,
Alternative cavity design for microwave joining of long ceramic tubes.—74-08128A
Apparatus for diamond deposition by microwave plasma-assisted CVPD.—74-03741P
Application of microwave heating to ceramic processing.—74-07203A
Better ceramics through microwaves.—74-10204A
Binder burnout of tape-cast ceramics by microwave energy.—74-07210A
Buckyball microwave plasmas: fragmentation and diamond film growth.—74-10205A
Calculation of heating patterns in microwave sintering using a 3-D finite difference code.—74-10207A
Ceramic utensil for microwave cooking.—74-08718P
Ceramics and PTOF (pulse time of flight) microwave push level measurement reliability.—74-01047A
Characteristics of materials for microwave devices.—74-06451A
Computer modeling and numerical simulation of microwave heating systems.—74-00904A
Design of ferrite composite microwave absorber.—74-03369A
Diamond film deposition with a microwave plasma.—74-04047P
Diamond growth by microwave generated plasma flame—74-00737P
Experimental observation of thermal spikes in microwave processing of ceramic oxide fibers.—74-10340A
Experimental study of the nonthermal effect in microwave sintering of piezoceramics.—74-09138A
Fabrication and characterization of microwave sintered zirconia ceramics.—74-01717A
Fabrication of diamond tips by the microwave plasma chemical vapor deposition technique.—74-07308A
Feedback control of temperature profiles during microwave joining of ceramics.—74-08192A
Frequency-domain-continuation intermodulation-balance method for the analysis of nonlinear microwave circuits with multifrequency excitations.—74-08917A
Growth and stabilization of hot spots in microwave-heated ceramic fibers.—74-10376A
Gyrotron processing of materials.—74-00935A
High-temperature dielectric property measurements—an insight into microwave loss mechanisms in engineering ceramics.—74-08754A
Influence of the electron cyclotron resonance [ECR] microwave plasma on growth and properties of diamondlike carbon [DLC] films deposited onto rf biased substrates.—74-01767A
Installation and method for heat treating parts made of a composite material having a ceramic matrix by using microwave energy.—74-03752P
Mathematical model of thermal spikes in microwave heating of oxide ceramic fibers.—74-10442A
Metallorganic and microwave processing of eutectic alumina-zirconia ceramics.—74-10449A
Method for texturing high temperature superconductors.—74-09374P
Method of preparing a dielectric ceramic composition for producing a dielectric resonator or filter for microwave applications.—74-08806P
Microwave ceramics of high dielectric constant.—74-04754A
Microwave dielectric ceramic composition.—74-08808P
Microwave digestion technique for trace element analysis of industrial furnace feedstreams.—74-03921A
Microwave drying of ceramic tiles and tapes.—74-01163A
Microwave drying of ceramics.—74-10462A
Microwave firing.—74-10463A
Microwave heating of carbon-coated ceramic fibers.—74-10464A
Microwave hydrothermal synthesis of ceramic powders.—74-10465A
Microwave interaction in granulated YBaCuO superconductor.—74-09308A
Microwave performance–property relationships of $YBa_2Cu_3O_{7-\delta}$ thin films grown on $LaAlO_3$(001) substrate.—74-03532A
Microwave plasma CVD apparatus provided with a microwave transmissive window made of specific ceramics for the formation of a functional deposited film.—74-03761P
Microwave processing of materials.—74-00953A
Microwave processing of metallorganics to form powders, compacts, and functional gradient materials.—74-00954A
Microwave processing of silica sol-gels.—74-10466A
Microwave pyrolysis of emulsified ceramic precursor compounds.—74-10467A
Microwave sintering furnace.—74-09687A
Microwave sintering of metal-ceramic and ceramic-ceramic composites.—74-10469A
Microwave sintering of nanocrystalline ZrO_2 powders.—74-10470A
Microwave synthesis of lead barium titanate.—74-10472A
Microwave-absorbing characteristic improvement by permittivity control of ferrite composite microwave absorber.—74-09211A
Microwave-assisted chemical vapor infiltration.—74-01802A
Microwave-assisted firing of ceramics.—74-10473A
Nonequilibrium processes induced by microwave field and by supercritical direct current in $YBa_2Cu_3O_{7-y}$.—74-03540A
Novel millimeter wave corrosion detection method.—74-01091A
Novel routes to microwave processing of ceramic materials.—74-10501A
Optimization of microwave-assisted chemical vapor infiltration.—74-10507A
Phase relation and microwave dielectric properties of BaO-$(Nd, Sm)_2O_3$-TiO_2 ceramics.—74-08763A
Plasma-assisted microwave sintering and joining of ceramics.—74-10530A
Process for metallizing monolithic microwave ceramic filters.—74-08318P
Rapid thermal processing with microwave heating.—74-03727A
Recent developments in microwave joining.—74-00984A
Recent developments in the microwave processing of ceramics.—74-00985A
Role of glassy grain boundary phases in the microwave joining of alumina.—74-08267A
Studies of the Society "Electricite de France" on the domain of ceramics.—74-06874A
Study of an Ar-CH_4-H_2 microwave postdischarge under diamond deposition conditions—correlations between analysis performed in the gas phase and in carbon thin films.—74-05279A
Synthesis of polycrystalline chalcopyrite semiconductors by microwave irradiation.—74-09062A
Temperature distribution in microwave sintering of alumina cylinders.—74-10693A
Time-resolved microwave conductivity: I, TiO_2 photoreactivity and size quantization.—74-09069A
Transferring microwave-assisted technology to the ceramic industry.—74-09509A
Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimeter-wave propagation.—74-09080A

migration,
Bonding and migration of ^{111}In atoms of GaAs surfaces studied by perturbed angular correlation spectroscopy.—74-04254A
Interchain vacancy migration on GaAs(110).—74-03069A
Role of aluminum migration at the interface in SiC-reinforced glass-ceramic matrix composites.—74-09891A

mills/milling,
Alpha—a new generation of roller mills: success by system analysis.—74-03674A
Attrition mill grinding of refractories.—74-08607A
Attrition milling and reaction sintering of oxide-metal mixed powders: II, Reaction sintering behavior as the milling characteristics of powders.—74-10202A
Calculation-graphic method for determining the bulk density of milled materials.—74-04490A
Classifiers for roller grinding mills—a review and the current state of development.—74-06685A
Crushing of limestone in hammer mills.—74-03680A
Design and manufacture of large vertical roller mills.—74-00911A
End-point detection using absorbed current, secondary electron, and secondary ion signals during milling of multilayer structures by focused ion beam.—74-01062A
Epicyclic gears—a reliable and proven gear concept.—74-08020A
Fine grinding of ceramic glazes in agitator bead mills.—74-08678A
Fine grinding of ceramics with attritors.—74-06700A
Fine grinding of ceramics with attritors.—74-09463A
Finish grinding of slag.—74-02325A
Formation and properties of amorphous magnesium silicates.—74-07078A
From Hollander to high-tech pan mill.—74-05811A
Grindability of cement components and power consumption of cement-grinding mills.—74-09571A
How to improve wear protection of grinding rollers in roller mills.—74-09471A
Loesche mill for the comminution of cement clinker and interground additives in practical operation.—74-09480A
Mechanical alloying of mixture of Y, Cu, and Ba elemental powders in the formation process of the $YBa_2Cu_3O_{7-\delta}$ superconducting oxides.—74-06583A
Metastable phase transition induced by mechanical alloying in an Si(B/C) mixture.—74-07092A
Milling with cermets.—74-00955A
New applications for the Jet-Bag filter systems.—74-08078A
New grinding machine.—74-09489A
Preparation of ceramics in agitator mills—homogenization, comminution.—74-06717A
Preparation of Fe-C-B powders by mechanical alloying and heat-resistant hardness of their hot-pressed products.—74-07906A
Processing of porcelain glazes in an annular gap mill.—74-08699A
Roller grinding mill—current technical position and potential for development.—74-06721A
Significance of output signals to adjust the process of milling.—74-08108A
Structure and stability of nanocrystalline TiC powders obtained by reactive high energy milling.—74-07758A
Synthesis of Al_2O_3-Al composites with varied compositions via a submicron precursor.—74-10675A
Upgrading of a T.T.P. mill—application to selective clinker grinding.—74-08118A
Vibratory mills for technical ceramics.—74-09511A

mineral fibers,
Manufacture of mineral fiber.—74-02680P

mineralizers,
Biomimetic mineralization: processes and prospects.—74-03954A

mineralogy,
Firing heavy clay products more efficiently.—74-08550A
Quicklime properties and genesis of limestone—porosity and spatial pore distribution.—74-06922A

minerals,
Aqueous processing of minerals, metals, and materials.—74-00892A
Automated dissolution of minerals and multielement analysis of major, minor, and trace constituents using inductively coupled plasma source atomic emission spectrometry (ICP-AES): application to glasses.—74-09553A
Ceramic raw materials and minerals—some environmental considerations.—74-09742A
Computer technique for rapid decomposition of X-ray diffraction instrumental aberrations from mineral line profiles.—74-06748A
Elastic properties of minerals.—74-07158A
Evaluation of standard free energies of formation of clay minerals by an improved regression method.—74-08542A
Events and trends in metal and mineral commodities.—74-02234A
Events and trends in metal and mineral commodities.—74-07944A
First occurrence of dickite in varicolored clays in the northern Apennines, Italy.—74-06901A
German glass industry after reunification.—74-05416A
High-pressure particle bed comminution of ores and minerals.—74-00936A
Importance of sample integrity: a commercial lab's perspective.—74-09746A
Installation of the No. 6 kiln line at Taiwan Cement Corporation's Suao Plant (north-eastern Taiwan).—74-03699A
Layer charge determination by alkylammonium ions.—74-08560A
Periodic pulse cathodoluminescence of minerals.—74-03849A
Scanning Probe Microscopy of Clay Minerals (CMS Workshop Lectures, Vol. 7).—74-05445B
SEM investigation of a lateritic weathering profile, Saline County, Arkansas.—74-07745A
Simple method for estimation of calcium in minerals by wet chemical analysis.—74-09616A
Structural features of afghanite and its position among minerals of cancrinite group.—74-03950A
Studies of clays and clay minerals using X-ray powder diffraction and the Rietveld method.—74-07762A
Synthesis of kaolinitic clay mineral from amorphous aluminosilicate by hydrothermal process.—74-08590A

mines and mining,
Claylit 2000—a firm presents itself.—74-09645A
Italian red firing clays.—74-09747A
Limestone as raw material.—74-09748A
Relocation of protected plant species and communities in the Westerwald [Germany]—new methods of modern nature conservation.—74-02268A
Special concretes for carrying out of pit shaft linings in copper ore mines.—74-02354A
Water protection in open pit clay mining.—74-08604A

mirrors,
Chemical etching of ZnSe crystals.—74-02938A
High purity dense silicon carbide sintered body and process for making same.—74-09920P

Layer structure evaluation of multilayer X-ray mirror by combination of focused ion beam etching and transmission electron microscopy.—74-02009A
Preparation of SiC mirrors for X-ray.—74-09888A

miscibility,
Calculations of liquidus curve and subliquidus miscibility gap in the $LiTaO_3$-SiO_2 system.—74-03286A

mixed alkali effect,
Synthesis and the physicochemical study of hexafluorosilicates with mixed alkali metal cations.—74-04438A

mixers/mixing,
Clay storage systems to increase product quality.—74-01190A
Degenerate four-wave mixing diagnostics of atmospheric pressure diamond deposition.—74-10254A
Finding order in chaotic mixing.—74-01731A
Harmonic mixer in 3-mm band at liquid nitrogen temperature.—74-03478A
Harmonic mixing at mm waveband in a high temperature superconducting grain boundary Josephson junction.—74-09281A
Ion beam mixing in metallic and semiconductor materials.—74-06171A
Metering, weighing, and mixing plant installed at Schretter cement and lime works.—74-02338A
SiC coatings prepared by dynamic ion mixing.—74-01880A
Trouble analysis of blades of double-shaft mixers.—74-05840A

mixing,
Transient-four-wave mixing studies of GaAs microcrystallites.—74-09073A

mobility,
Anomalous mobility of particles in crystals with point defects.—74-07554A
Comparative mobility degradation in modulation-doped GaAs devices after e-beam and X-ray irradiation.—74-06010A
EL2 deep donor state in semiinsulating GaAs revealed by frequency-dependent positron mobility measurements.—74-08879A
High mobility *n*-type charge carriers in large single crystals of anatase (TiO_2).—74-03040A
Mobility range in hybrid materials.—74-10843A
Optimization of high mobility two-dimensional hole gases.—74-03141A
Temperature dependence of minority hole mobility in *n*+-GaAs measured with a new variable temperature technique.—74-03247A
Why the low-temperature mobility of electrons in HgSe:Fe is constant.—74-00735A

modeling/models,
Ac impedance spectroscopy: I, A new equivalent circuit model for hydrated portland cement paste.—74-05461A
Analysis and modeling of diamond heterogeneous nucleation kinetics.—74-10756A
Analytic models for plasma-assisted etching of semiconductor trenches.—74-07201A
Applicability of the critical state model to small ceramic Y-Ba-Cu-O particles in low magnetic fields.—74-09238A
Application of fractals and kinetic equation in modeling cluster and ultrafine particle size distributions.—74-07145A
Asymptotic exact solution of local copper oxide model.—74-05072A
Atomic modeling of the metal/oxide interface with image interactions.—74-08129A
Biomimetic mineralization: processes and prospects.—74-03954A
Boron nitride films prepared by remote plasma-enhanced chemical vapor deposition from borazine ($B_3N_3H_6$).—74-01282A
Boussinesq approximation to compute the temperature and velocity distributions in glass melts.—74-00288A
Capacitance-voltage measurement and modeling on a nanometer scale by scanning *c-v* microscopy.—74-00463A
Cavity model of the indentation hardness of a coated substrate.—74-05323A
Ceramic Transactions, Volume 46: Advances in Ceramic Matrix Composites: II.—74-05438B
Chaotic current oscillations in the Gunn-effect device under the dc and the rf bias voltages.—74-00464A
Characterization of active carbons by different models.—74-04260A
Charge-excitation picture of the Cu NMR Knight shift and relaxation in $YBa_2Cu_4O_8$ deduced from a three-band model.—74-09243A
Cluster models for point defect structure in $La_2CuO_{4+\delta}$.—74-10781A
Comparison of (CH_4-O_2)-H_2 and CO-H_2 plasmas for low-temperature diamond film deposition by electron cyclotron resonance plasma-assisted chemical vapor deposition.—74-04519A
Comparison of two models of thin diamond film microhardness data to predict the hardness of CVD diamond.—74-04264A
Computation of the relaxation constant of a vitrification model.—74-00247A
Computer modeling and numerical simulation of microwave heating systems.—74-00904A
Computer modeling of phosphate biomaterials—transfer of parameters for interatomic potentials for different polymorphs of divalent metal diphosphates.—74-05102A
Computer simulation of anisotropic grain growth in ceramics.—74-01936A
Computer simulation studies of strontium titanate.—74-04995A
Computer-aided development of an investment casting process.—74-01650A
Concept of a "virtual production line" produced by integrating databases and models of materials.—74-00906A
Constitutive models for the sintering of ceramic components: I, Material models.—74-10237A
Constitutive models for the sintering of ceramic components: II, Sintering of inhomogeneous bodies.—74-10238A
Control modeling and regulation of plasma spraying process.—74-10242A
Coordination sequence of zeolites revisited—asymptotic behavior for large distances.—74-07049A
Cyclic tests on concrete confined by spiral reinforcements.—74-07854A
Designing an extruder with allowance for the properties of ceramic extrusion compounds: VB.—74-09449A
Development and implementation of large-area, economical, rotating disk reactor technology for metallorganic chemical vapor deposition.—74-06694A
Development of a flow model based simulation for RTM [resin transfer molding] of Blackglas ceramic composites.—74-09451A
Energetics of hydrogenic reactions at diamond surfaces calculated by a local spin density functional theoretical method.—74-07645A
Enhancements to the Georgia Tech chemical vapor infiltration process model for ceramic matrix composites.—74-10332A
Equation describing the isostatic compaction of ceramic pressed bodies.—74-01712A
Evaluation of a new solid oxide fuel cell system by nonisothermal modeling.—74-00489A
Evaluation of the Katz-Thompson model for estimating the water permeability of cement-based materials from mercury intrusion porosimetry data.—74-05519A
Finite element modeling of the fiber twist test.—74-09570A
First principles study of Zn- and Se-stabilized ZnSe(100) surface reconstructions.—74-06107A
Furnace design and glass quality.—74-09671A
Gage glass ordering in two dimensions.—74-00262A
Grain growth inhibition by porosity.—74-01943A
Implementation of the power law model in silicon oxidation process simulation.—74-05309A
Improved slip casting of ceramic models.—74-03694A
In situ monochromatic and spectroscopic optical investigations of diamond thin-film growth.—74-04691A
Influence of π-bonded clusters on the electronic properties of diamondlike carbon films.—74-01524A
Influence of the composition of the altered layer on the ripple formation.—74-06154A
Intelligent model-based control system employing in situ ellipsometry.—74-03827A
Introduction to computer modeling of X-ray powder diffraction patterns of clay minerals—a guided tour of NEWMOD.—74-05816A
Inverting the NEWMOD X-ray diffraction forward model for clay minerals using genetic algorithms.—74-05817A
Kinetic parameters of sintering of chemically enriched magnesium oxide.—74-04723A
Kinetic plots for predicting silicide formation sequence.—74-04157A
Kinetic study of titanium nitride chemical vapor deposition using nitrogen, hydrogen, and titanium tetrachloride.—74-07364A
Knowledge base system [KBS] architecture for a rapid ceramic preforming process.—74-01778A
Linear programming as a method for optimization of ceramic processes.—74-11176A
Manufacture and modeling of fiber metal matrix composites.—74-05640A
Mathematical model of optimization of glass quenching.—74-03918A
Mathematical modeling of alternative pad designs in flip-chip soldering processes.—74-06195A
Mathematical simulation of electrothermal fields in flame-electric glass-melting furnaces.—74-03919A
Mechanical model for two-dimensional coarsening foams.—74-07679A
Microcracking of an internally pressurized ceramic ring.—74-02173A
Model for nanoindentation creep.—74-02177A
Model for the developing microstructure in portland cement pastes[—correction].—74-08074A
Model for the topography of diamond grinding wheels.—74-00957A
Model of lead loss in $Pb(Mg_xNb_{1-x})O_z$ ion-beam-sputtered thin films.—74-07388A
Model of slip casting.—74-07389A
Model studies of chemical vapor deposition.—74-01805A
Modeling and measurement of the behavior of ceramics under changing thermal loading.—74-02178A
Modeling and measuring the thermal shock behavior of ceramics.—74-10123A
Modeling for a new feeder bowl.—74-05776A
Modeling of chemical vapor infiltration for fabrication of tubes.—74-01806A
Modeling of growth rate uniformity of CdTe epilayer by MOCVD.—74-06210A
Modeling of layer-by-layer sputtering of Si(111) surfaces under irradiation with low energy ions.—74-05196A
Modeling of silicon epitaxy at low pressure.—74-04758A
Modeling of technological properties of enamel slips.—74-02385A
Modeling of temperature gradients and stress-strain distributions during the plasma spraying process.—74-01807A
Modeling of the aging of glass furnace regenerators.—74-01164A
Modeling of the glass-melting process and glass-melting furnaces.—74-09688A
Modeling results of the high-temperature pressure-controlled atomization process (PCAP).—74-10477A
Modeling the growth kinetics of sputter-deposited nanocrystalline zirconia films.—74-04759A
Modeling, design, and performance of solid oxide fuel cells [SOFC's].—74-00513A
Models for liquidus temperature of nuclear waste glasses.—74-09406A
Models for the thermomechanical behavior of metal/ceramic laminates.—74-08243A
Monte Carlo simulation of electron-beam exposure distributions in the resist on structures with high-T_c superconducting thin films.—74-06592A
Multimode behavior of optical phonons in II-VI ternary and quaternary alloys.—74-03123A
Multiple cracking of unidirectional and cross-ply ceramic matrix composites.—74-05381A
Nature's algorithms.—74-07174A
Net shape simulation and control.—74-10491A
New approach to the phenomenological study of reconstructive transitions to crystalline and quasi-crystalline states.—74-10009A
New method for sizing grinders.—74-09490A
New model for the in-plane permittivity of $YBa_2Cu_3O_7$ films in the mid-ir range.—74-03539A
Numerical models for predicting tracer profiles in silicon double-oxidation experiments[—comment].—74-10920A
Numerical models for predicting tracer profiles in silicon double-oxidation experiments[—reply].—74-10921A
Numerical models for the sintering of ceramics in a multimode cavity.—74-10503A
Numerical simulation of field emission from silicon.—74-00672A
Optimal motion planning for solid free-form fabrication by thermal spraying.—74-10506A
Paramagnetic effect in high-T_c superconductors—a thing for *d*-wave superconductivity.—74-06609A
Particle packing: V, Computational methods applied to experimental distribution.—74-05900A
Physical modeling tests on the effects of burner positions on the aerodynamic characteristics of gas flow in a glass furnace.—74-09702A
Plasma spraying with wire feedstock.—74-10527A
Prediction of multichannel paste flow.—74-04819A
Problem of modeling the structure of quartz glass by the Monte Carlo method.—74-00209A
Process modeling of low-level mixed waste vitrification systems.—74-09411A
Pyrite film formation by H_2S reactive annealing of iron.—74-01864A
Random fractal percolation analysis of ductile fracture.—74-02189A
Reliability analysis for ceramic components: numerical evaluation of stresses or testing of components.—74-02191A
Shear strength measurement of metal-ceramic joints.—74-06813A
Simplified energy-consumption model of melting process and its technological application.—74-09713A
Simulation calculus for tube mill cement grinding with upstream roller grinding.—74-05585A
Speckle photography method in the determination of plane displacement fields in reinforced concrete elements.—74-05587A
Spectroscopic analysis and chemical kinetics modeling of a diamond deposition plasma reactor.—74-04908A
Spray drying—understanding the influence of process parameters better through computer modeling and adequate instrumentation.—74-04911A
Stochastic models of grain growth.—74-07491A
Structural model of silicate glass-forming melts and glasses.—74-02495A
Structure and chemical bonding in high-density amorphous carbon.—74-05267A
Studies of mordenite by the Monte Carlo method.—74-05278A
Superconducting phase diagram of the two-band model investigated by the exact-diagonalization method.—74-07127A
Superconductivity in the Hubbard model.—74-06639A
Technique for rapid prototyping—the stereolithography.—74-09623A
Temperature and composition dependence of container glass viscosity.—74-05743A
Temperature distribution in microwave sintering of alumina cylinders.—74-10693A
Theoretical analysis of main parameters ruling the sensitivity of quartz crystal accelerators.—74-05965A
Theoretical model for the analysis of a ceramic thin film sintering on a nonsintering substrate.—74-04955A
Theory of marginal-Fermi-liquid spectrum and pairing in a local copper oxide model.—74-05288A
Thermal conductivity of polycrystalline materials.—74-04445A
Thermochemical data for CVD modeling from ab initio calculations.—74-07535A
Thin anodic oxide layers on aluminum and other valve metals: high-field regime.—74-05658A
Three-dimensional X-ray powder diffraction from disordered illite—simulation and interpretation of the diffraction patterns.—74-05839A
Through solution model for volume changes of cement hydration.—74-05608A
Time-dependent, self-consistent simulations of field emission from silicon using the Wigner distribution function.—74-03253A
Two-dimensional fluid model of high-density inductively coupled plasma sources.—74-01003A
Two-dimensional modeling of high plasma density inductively coupled sources for materials processing.—74-01004A
Two-dimensional spreading resistance profiling: recent understandings and applications.—74-01124A
Two-dimensional stick-slip phenomenon with atomic resolution.—74-10049A
Two-dimensional theory and propagation of beam fanning in photorefractive crystals.—74-10176A
Wear mechanisms in brittle solids.—74-11127A

modification,
Chemical modification of thermoplastic phenolic resin—etherification of phenolic hydroxyl.—74-02747A
Compositional modifications of 10% Pb-doped $Bi_{0.5}Na_{0.5}TiO_3$ for high-temperature dielectrics.—74-05926A
Control of thin-film processing behavior through precursor structural modifications.—74-10243A
Design and modification of an imported glass tank furnace.—74-09649A
Evidence of modifications of micellar interface in sol-gel glass.—74-08420A
Ion beam modification of diamond.—74-10429A
Matrix modification for the determination of trace impurities in complex samples by electrothermal atomic absorption spectrometry.—74-01080A
Modification of alumina ceramics by sol-gel processing.—74-04761A
Modification of the crystallization process on bioglass by proteins in vitro.—74-05777A
Modified elementosilicates (Fe, B): catalytic properties and ir spectra.—74-04365A
New modification of silicon dioxide obtained in shock-wave conditions.—74-03968A
Preconcentration of some transition metals of silica modified with iminoacetic groups.—74-00144A
Preheater modification concepts.—74-03927A
Rare-earth-doped, low-hydroxyl organically modified silicates.—74-10599A
Science and technology of composites: VIII.2, Catalysts with high functional ability, 1) control of surface structure—modification of catalysts by chemical vapor deposition of silica.—74-10619A
Study on modification of refractory cements.—74-02788A
Surface modification of very fine silicon nitride powders.—74-01898A
Thermal modification of ceramic powders.—74-04959A
modulation,
Artificial magnetic particles in Fe/C medium modulated in composition.—74-03365A
Carrier-dependent nonlinearities and modulation in an InGaAs SQW waveguide.—74-00573A
Effects of a pseudomorphic InGaAs layer on focused ion-beam modulation-doped GaAs-AlGaAs quantum well structures.—74-06057A
Frequency and intensity modulation characteristics of GaAs lasers in an external cavity.—74-00623A
Observation of modulated structure in Bi-2201 single crystal by X-ray diffraction.—74-05209A
Observation of modulation structure in $Bi_{2+x}Sr_{2-y}CuO_z$ crystals by X-ray precession method.—74-09314A
Ultrasonic modulation of submillimeter waves in easy-plane antiferromagnets.—74-03407A
modulators,
Low-voltage, high-reflectance change normally off refractive $GaAs/Al_{0.2}Ga_{0.8}As$ MQW reflection modulator.—74-06187A
Optical properties of AlGaAs/GaAs *nipi* superlattices and their application in asymmetric cavity spatial light modulators.—74-06239A
Quasi-polarization-independent Mach-Zehnder coherence modulator/demodulator integrated in *Z*-propagating $LiNbO_3$.—74-09174A
modulus of elasticity,
Measurement of elastic moduli from the impact sound of engineering ceramics and composites at elevated temperatures.—74-09579A
moisture,
Approach to process principle of moisture removal under positive pressure in tunnel drying chamber: II.—74-07204A
Contraction and expansion—deformation of building materials under the influence of moisture: I.—74-08514A
Contraction and expansion—deformation of building materials under the influence of moisture: II.—74-08515A
Dehumidification equipment reduces moisture in concrete during coating application.—74-02366A
Effect of moisture adsorption on the electrical properties of hardened portland cement compacts.—74-05498A
Effect of moisture on the structure and fracture strength of ceramic green bodies.—74-04581A
Effects and control of moisture in ceramic tile facades.—74-08538A
Effects of sorbed moisture on resin-matrix composites.—74-07870A
Influence of moisture content in ceramic building materials on thermal insulating behavior.—74-04336A
Moisture measurement in granulated solids.—74-09583A
Near-infrared solution to moisture measurement in ceramics.—74-09585A
Neutron radiography—an excellent method of measuring water penetration and moisture distribution in cementitious materials.—74-08077A
Use of moisture control devices during preparation and forming.—74-00444A
molds/molding,
Apparatus for the manufacture of sheets of glass having a complex shape—74-01013P
Application of compression molding to determination of binder system for low-pressure injection molding.—74-10197A
Application of rare-earth microalloy cast iron for glass mold.—74-09430A
Automatic transformation of two-dimensional works of art into three dimensional reliefs for the decoration of ceramics.—74-09431A
Behavior of powder slag film and influence of powder slag film on mold heat transfer rate.—74-00378A
Benefits of automated lubrication confirmed in France.—74-01281A
Bent glass has gone through a three-stage development.—74-02600A
Composition of a ceramic mold and its structure.—74-09817P
Control of mold plaster properties using organic additives.—74-08668A
Cost-effective machining for mold manufacture and repair.—74-06691A
Cylinder-port block arrangement for glass container forming apparatus—74-01014P
Development of less corrosive mold powder.—74-00382A
Glass container forming machine including neck ring mold cooling.—74-02674P
Improved slip casting of ceramic models.—74-03694A
Infrared attenuated total reflection cure monitor for control of the liquid composite molding process.—74-09476A
Knowledge base system [KBS] architecture for a rapid ceramic preforming process.—74-01778A
Latest trends in continuous casting mold powders.—74-03707A
Method and apparatus for forming glass containers with reinforced inner surfaces.—74-02681P
Method for making a ceramic mold.—74-02798P
Method for molding optical glass elements—74-00339P
Method of molding silicon nitride ceramics.—74-09940P
Modified agar and process for preparing modified agar for use ceramic composition to add green strength and/or improve other properties of a preform.—74-09533P
Mold for slip casting and method of slip casting.—74-03762P
Mold restoration and protection.—74-06984A
Pressing and molding oils with a slight content of pollutants.—74-09499A
Process and binder for the manufacture of ceramic shells for use as molds.—74-08653P
Processing dynamics of plaster.—74-08090A
Production of microstructure bodies from ceramics.—74-00979A
Rheological properties of silicon carbide hot molding slips.—74-04870A
Sintered product of aluminum nitride, a process for the preparation thereof, and a baking jig using the same.—74-04092P
Slide-table press forming of glass.—74-08457A
Soluble, cellulated mold and foamable mixture—74-01273P
Study on high-strength hemihydrate gypsum for molding.—74-05598A
Thin slab casting mold powder selection.—74-02790A
Vibrational molding of ceramic concretes. Molding systems and regularities of the process.—74-00405A
molecular beam epitaxy,
Accurate measurements of transients and intentional rates of change in molecular beam epitaxy growth rate calibrations.—74-03779A
Arsenic capping and decapping of $In_xAl_{1-x}As(100)$ grown by molecular beam epitaxy.—74-02916A
Atomic nitrogen production in a molecular beam epitaxy compatible electron cyclotron resonance plasma source.—74-05074A
Atomic step organization in homoepitaxial growth on GaAs(111) B substrates.—74-05983A
Be-doped GaAs grown by migration-enhanced epitaxy at low substrate temperature.—74-05988A
Carbon *p*+ doping of molecular beam epitaxial GaAs films using carbon tetrabromide.—74-02927A
Carbon filament source for *p*-type doping in molecular beam epitaxy.—74-06741A
Characterization and improvement of the layer uniformity for large-area quantum well device arrays grown in an Intevac/Varian Gen II molecular beam epitaxy system.—74-02934A
Characterization of high-quality GaIn/GaAs superlattices grown on GaAs and Si substrates by gas source molecular beam epitaxy.—74-05086A
Compact metallorganic molecular beam epitaxy growth system.—74-06686A
Comparative study of hypersonic dynamics in CaF_2 and SrF_2 films on Si(111).—74-00110A
Defects in molecular beam epitaxial GaAs grown at low temperatures.—74-02958A
Determination of molecular beam epitaxial growth parameters by ellipsometry.—74-03795A
Doping results in ZnSe grown by molecular beam epitaxy.—74-02969A
Effect of the proximity of an ex situ patterned interface on the quality of two-dimensional electron gases at GaAs/AlGaAs heterojunctions.—74-02978A
Efficient liquid nitrogen supply system for the cooling shroud in a molecular beam epitaxy system.—74-03686A
Electrical characteristics of InP grown by molecular beam epitaxy using a valved phosphorus cracking cell.—74-04297A
Electron spectroscopy for chemical analysis studies on electron-beam-evaporated CuO_x thin films.—74-07295A
Electron-beam-induced current determination of shallow junction depth.—74-00488A
Electronic structure of MBE grown InAs(110).—74-00610A
Fabrication of independent contacts to two closely spaced two-dimensional electron gases using molecular beam epitaxy regrowth and in situ focused ion beam lithography.—74-03015A
Factors affecting the temperature uniformity of semiconductor substrates in molecular beam epitaxy.—74-03016A
Fine structure of the GaAs(001) surface.—74-06105A
Formation of arrays of facets on vicinal surfaces of GaAs(100) during MBE.—74-04143A
Gas source molecular beam epitaxy growth of ZnSe on novel buffer layers.—74-05148A
Gas source molecular beam epitaxy of ZnSe and ZnSe:N.—74-04656A
Group V composition control for InGaAsP grown by gas source molecular beam epitaxy.—74-06122A
Growth and characterization of (111)B InGaAs/GaAs multiquantum well *pin* diode structures.—74-06124A
Growth mechanism of GaAs on (110)GaAs studied by high-energy electron diffraction and atomic force microscopy.—74-06126A
Growth mechanism of GaAs on (110)GaAs studied by high-energy electron diffraction and atomic force microscopy.—74-06127A
Growth of GaAs light modulators on Si by gas source molecular beam epitaxy for 850 nm optical interconnects.—74-03036A
Growth of metal-ceramic interfaces by molecular beam epitaxy.—74-08201A
Growth studies on $In_{0.5}Ga_{0.5}As/AlGaAs$ quantum wells grown on GaAs with a linearly graded InGaAs buffer.—74-03039A
High-quality strained quantum wires grown by molecular beam epitaxy on (100)GaAs substrate.—74-03045A
Hopping conduction in molecular beam epitaxial GaAs grown at very low temperatures.—74-06139A
Improved substrate temperature control for growth of twin-free cadmium mercury telluride by molecular beam epitaxy.—74-00637A
In situ characterization of rare-earth–CdTe heterostructures by ion beam analysis.—74-06146A
In situ ellipsometric control of $Si_{1-x}Ge_x/Si$ heterostructures grown by chemical beam epitaxy.—74-04689A
In situ thickness monitoring and control for highly reproducible growth of distributed Bragg reflectors.—74-03062A
Integration of vertical-cavity surface-emitting devices by molecular beam epitaxy regrowth.—74-06159A
Intrinsic diffusion properties of MgO.—74-07573A
Kinetics of bulk vacancy creation in MBE growth of GaAs.—74-05027A
Lateral growth of GaAs on patterned {111}B substrates for the fabrication of nanowires using metalorganic molecular beam epitaxy.—74-04729A
Light scattering studies of ZnSe/GaAs heterostructures.—74-06174A
Low-temperature epitaxial growth by molecular beam epitaxy on hydrogen-plasma-cleaned silicon wafers.—74-04736A
MBE growth and characteristics of periodic index separate confinement heterostructure InGaAs quantum well lasers.—74-06196A
MBE of $Zn_{1-x}Cd_xSe/ZnSe$ quantum well structures on GaAs.—74-06197A
Measurement of GaAs temperature-dependent optical constants by spectroscopic ellipsometry.—74-03100A
Mechanisms of strained island formation in molecular beam epitaxy of InAs on GaAs(100).—74-07576A
Modulated arsenic molecular beam epitaxial growth of $In_{0.48}Al_{0.52}As$.—74-03114A
Molecular beam deposition of low-resistance polycrystalline GaAs.—74-03117A
Molecular beam epitaxial growth of single domain ZnSe on Ge.—74-08956A
Molecular beam epitaxial heterostructures in the (311)A orientation.—74-06213A
Molecular beam epitaxial heterostructures in the (311)A orientation.—74-07698A
Molecular beam epitaxy growth of Bi epilayers and Bi-CdTe superlattices.—74-05033A
Molecular beam epitaxy growth of pseudomorphic II-VI multilayered structures for blue/green laser diodes and light-emitting diodes.—74-03120A
Molecular beam epitaxy of InAs and its interaction with a GaAs overlayer on vicinal GaAs(001) substrates.—74-06215A
n-type doping of the wide gap ternary alloy (CdMg)Te during molecular beam epitaxy.—74-08959A
Observation of quantum mechanical reflections of electrons at an in situ grown GaAs/aluminum Schottky barrier.—74-03134A
One-dimensional wire formed by molecular beam epitaxial regrowth on a patterned *pnpnp* GaAs substrate.—74-03135A
Operation of a molecular beam epitaxy machine employing a valved solid phosphorus source.—74-03847A
Optimization of contacts and mobilities for (001)-oriented two-dimensional hole gases.—74-06246A
Optimization of contacts and mobilities for (001)-oriented two-dimensional hole gases.—74-06247A
Optimization of high mobility two-dimensional hole gases.—74-03141A
p-type ZnSe grown by molecular beam epitaxy with remote microwave plasma of N_2.—74-01604A
Papers from the 13th North American Conference on Molecular Beam Epitaxy.—74-03148A
Photoluminescence study of GaAs films on Si(100) grown by atomic hydrogen-assisted molecular beam epitaxy.—74-03166A
Random-period superlattice quantum wells.—74-03195A
Real-time scanning microprobe reflection high-energy electron diffraction observations of InGaAs surfaces during molecular beam epitaxy on InP substrates.—74-07728A
Reflection high-energy electron diffraction intensity oscillations during molecular beam epitaxy on rotating substrates.—74-03199A
Role of Ge in SiGe epitaxial growth using silane/germane gas-source molecular beam epitaxy.—74-04873A
Step bunching and step equalization of vicinal GaAs(001) surfaces.—74-07750A
Step bunching and step equalization on vicinal GaAs(001) surfaces.—74-07751A
Structural and optical characterization of InAsP/InP strained multiple quantum wells grown on InP(111)B substrates.—74-05261A
Structural characteristics of Si/Ge superlattices grown on an Si(100) surface by molecular beam epitaxy.—74-01465A
Study of lattice-mismatched (In,Ga)As/GaAs heterostructures on the unconventional (110)GaAs surface.—74-03234A

Surface reconstructions of (001)CdTe and their role in the dynamics of evaporation and molecular beam epitaxy growth.—74-01899A
Ultrahigh vacuum in situ fabrication of three-dimensional semiconductor structures using a combination of particle beams.—74-06369A
Voids in epitaxial silicon films grown under different thermal conditions—void detection by thermal helium desorption.—74-05060A
X-ray reflection high electron energy diffraction and X-ray photoelectron spectroscopy studies of InSe and γ-In_2Se_3 thin films grown by molecular beam epitaxy.—74-01489A

molecular dynamics,
Molecular aspects of clay-water interactions.—74-08563A
Molecular dynamics [MD] simulations of structural transformation and dynamical correlations in silica glass at high pressures.—74-08378A
Observation of grain boundary crystallographic structure—electron microscopy and molecular dynamics.—74-10014A
Reconstructions at Si- and C-terminated surfaces of 2H-SiC—an ab initio molecular dynamics study.—74-09022A
Simulation of nanometer-scale deformation of metallic and ceramic surfaces.—74-02200A
Structural properties of liquid and amorphous GaAs by tight-bending molecular dynamics.—74-09051A

molecular sieves,
Adsorption on MCM-41 mesoporous molecular sieves: I, Nitrogen isotherms and parameters of the porous structure.—74-10755A
Effect of the addition of methylene blue to the reaction mixture for the hydrothermal synthesis of aluminophosphate molecular sieves on their morphology.—74-10300A
Kinetics of zeolite dissolution: IV, Influence of the concentration of silicon in the liquid phase on the kinetics of ZSM-5 dissolution.—74-10433A
Molecular sieve thin films via laser ablation.—74-07393A
Structure refinement of large-pore aluminophosphate molecular sieve, H1, by Rietveld methods.—74-10892A
Studies on the crystallization of a novel, large-pore, high-SiO_2 molecular sieve, NCL-1.—74-10037A
Synthesis and application of zeolite molecular sieves.—74-10664A
Synthesis and chemistry of chromium in $CrAPO_5$ molecular sieve.—74-10669A

molecules,
Is L. Pauling right.—74-07085A

molybdates,
CDW paraconductivity in $K_{0.3}MoO_3$.—74-07146A
Cooperative Jahn-Teller effect induced in ferroelastic $KEr(MoO_4)_2$ by an external magnetic field.—74-01503A
Copper ion transport in CuI-based molybdate-tungstate glasses.—74-00188A
Crystal structures of the hydrates of bis(quinidium) molybdate and quinidium chloride; to the question on the stable conformation of quinidine.—74-04120A
Dipole-dipole interaction and magnetic ordering in $KEr(MoO_4)_2$: I, Model of dipole magnets for $KEr(MoO_4)_2$.—74-03370A
Dipole-dipole interaction and magnetic ordering in $KEr(MoO_4)_2$: II, Phase transition in $KEr(MoO_4)_2$ induced by an external magnetic field.—74-03371A
Electronic structure of surface defects in $K_{0.3}MoO_3$.—74-04613A
EPR and estimation of the dipole-dipole interaction energy in $KEr(MO_4)_2$.—74-03803A
Evaluation of the kinetic parameters of the sodium insertion in sodium molybdates by impedance spectroscopy.—74-00490A
Magnetic properties of low-dimensional Ising magnet $KEr(MO_4)_2$.—74-01536A
Magnetic structure and properties of the quasi-2-D Ising magnet $CsEr(MoO_4)_2$.—74-09206A
Magnetooptical analysis of a $CsDy_{0.93}Eu_{0.07}(MoO_4)_2$ crystal.—74-01538A
Phase equilibria in the systems Rb_2MoO_4-$AMoO_4$-$Zr(MoO_4)_2$ (A=divalent elements).—74-04183A
Spin-orientational phase transitions and magnetic structure of low-2-D noncollinear Ising magnet, $KDy(MoO_4)_2$.—74-09222A
Thermal properties of heat-accumulating materials.—74-01479A

molybdenum disilicide,
Antiwear/extreme pressure performance of graphite and molybdenum disulfide combinations in lubricating greases.—74-09847A
Combustion synthesis of $MoSi_2$-SiC composites.—74-04518A
Combustion synthesis of $MoSi_2$-SiC oxidation-resistant coatings.—74-10229A
Creep of intermetallics and their composites.—74-02115A
Current progress in electric heating elements for high-temperature use and its effective use.—74-09445A
Effects of yttria-stabilized zirconia on transformation toughening of molybdenum disilicide composites.—74-10983A
Fabrication of SiC whisker-reinforced $MoSi_2$ composites by tape casting.—74-10352A
Fracture behavior of $MoSi_2/Si_3N_4$ composite.—74-11002A
Function of cermet elements in heat-treating furnaces.—74-06853A
Hot-pressed $MoSi_2$-particulate-reinforced α-SiAlON composites.—74-04015A
$MoSi_2$-based high-temperature structural silicides.—74-02180A
$MoSi_2$-based sandwich composite made by tape casting.—74-10482A
Mullite whisker–molybdenum disilicide composites.—74-09880A
New application of Kanthal Super—Superthal flat panel.—74-00392A
Ordered intermetallic alloys: II, Silicides, trialuminides, and others.—74-02085A
Refractory metal reinforced $MoSi_2$/SiC composite with matched thermal coefficients of expansion—74-00180P
Slip systems in $MoSi_2$.—74-10885A
Stacking faults in hexgonal and rhombohedral MoS_2 crystals produced by mechanical operation in relation to lubrication.—74-02046A
Tensile creep and creep rupture of SiC-reinforced $MoSi_2$.—74-11106A
Testing of the high-temperature intermetallic $MoSi_2$.—74-07831A
Thin-film materials for the preparation of attenuating phase shift masks.—74-01921A
Toughening $MoSi_2$ with niobium metal—effects of size and orientation of ductile laminae.—74-05396A
Transformation toughening and fracture behavior of molybdenum disilicide composites reinforced with partially stabilized zirconia.—74-07932A

molybdenum oxide,
Behavior of a new ZrO_2-MoO_3 sensor for carbon monoxide detection.—74-00570A
Bright-field analysis of field-emission cones using high-resolution transmission electron microscopy and the effect of structural properties on current stability.—74-05079A
Coloration dynamics of spin-coated MoO_3·nH_2O electrochromic films fabricated from peroxo-polymolybdate solution.—74-05706A
Effect of Mo oxide layer on electromigration resistance of Al-Si-Cu/Mo bilayered interconnections.—74-00115A
Electrical and optical properties of molybdenum trioxide thin films.—74-10089A
Formation mechanism of MoO_3-doped $YSr_2Cu_3O_y$ using the citrate process.—74-03466A
Growth of ternary bismuth molybdenum oxide single crystal and its semiconducting properties.—74-08926A
Influence of preparation method on the acidity of $MoO_3(WO_3)/ZrO_2$ catalysts.—74-04702A
Method of surface strengthening alumina-zirconia composites using MoO_2.—74-01263P
Possibilities of formation of double oxides of uranium and molybdenum with structure derived from β-UMo_2O_8.—74-00886A
Simple methods of crystal growth of emerald.—74-10630A

molybdenum,
Alkoxides of molybdenum, tungsten, and vanadium and their hydrolysis products.—74-09755A
Auger in-depth profiling of Mo-Si multilayers.—74-01963A
c-growth of dc-sputtered Mo and W thin films.—74-00461A
Cermet alloy and process for its production—74-00164P
Coloring of molybdenum borosilicate glass upon electrical heating.—74-02440A
Composition and growth of MoS_x sputtered films.—74-01648A
Defect coverage profile and propagation of roughness of sputter-deposited Mo/Si multilayer coating for extreme ultraviolet projection lithography.—74-01978A
Determination of diamond film quality during growth using in situ Raman spectroscopy.—74-04544A
Determination of the distribution of molybdenum oxidation states in reduced Mo/TiO_2 catalysts by factor analysis and curve fitting.—74-03961A
Diamond deposition with Ar-CO_2-H_2 plasma jets.—74-01674A
Diamond film deposition by downstream dc glow discharge plasma chemical vapor deposition.—74-04549A
Edge effects in molybdenum-encapsulated molten silicate shock wave targets.—74-08168A
Effect of tungsten and molybdenum doping on the semiconductor-metallic transition in vanadium dioxide produced by evaporative decomposition of solutions and hydrogen reduction.—74-00598A
Electrochemical synthesis of tungsten and molybdenum borides in a dispersed condition.—74-01701A
Evaluation of ion-sputtered molybdenum disulfide bearings for spacecraft gimbals.—74-09869A
Exfoliation of MoS_2 catalysts—structural and catalytic changes.—74-06973A
Forming a metallized layer on an AlN substrate by applying and heating a paste of a metal composed of W and Mo.—74-02417P
High-energy (MeV) ion beam modifications of sputtered MoS_2 coatings on ceramics.—74-11017A
Improved tribological properties of sputtered MoS_2 films through N+ implantation.—74-04688A
Interaction of diamond with molybdenum during ion plasma deposition.—74-04712A
Intercalation of Li into single crystals of MoS_2.—74-10426A
Ion beam mixing modification of sputter-deposited molybdenum films on Si_3N_4 ceramics.—74-07359A
Kinetics of interlayer growth and changes in residual elastic strain during annealing of Mo/Si multilayers.—74-02006A
Long-term reliability of Pt and Mo diffusion barriers in Ti-Pt-Au and Ti-Mo-Au metallization systems for GaAs digital integrated circuits.—74-06181A
Melting of lead crystal glass in all-electric furnaces in joint-stock company Sklo Bohemia in Svetla and Sazavou (Czech Republic).—74-03920A
Mo-Si multilayer as soft X-ray mirrors for the wavelengths around 20-nm region.—74-02027A
Nanolayered gradient structure as an intermediate layer for diamond coatings.—74-02387A
Nature of super-lubricating MoS_2 physical vapor deposition coatings.—74-04769A
New amorphous molybdenum oxysulfides obtained in the form of thin films and their characterization by TEM.—74-05200A
Phase transformation of Mo and W over Co and its alloy in contact with Si.—74-01437A
Physical properties of nanocrystalline MoS_2 and WS_2 particles produced by CO_2 laser pyrolysis.—74-10136A
Promising advances in the elaboration of superconducting $PbMo_6S_8$-based wires.—74-06621A
Properties of SiC/$MoSi_2$ composites prepared by reaction sintering method.—74-10593A
Pulsed laser deposition of MoS_x films in a buffer gas atmosphere.—74-07453A
Random stacking in MoS_{2-x} sputtered thin films.—74-04199A
Reactions in the systems Mo-Si_3N_4 and Ni-Si_3N_4.—74-08263A
Real-time, in situ photoelectron emission microscopy observation of CVD diamond oxidation and dissolution on molybdenum.—74-04866A
Repair of soft X-ray optical elements by stripping and redeposition of Mo/Si reflective coatings.—74-01869A
Scanning tunneling microscopy and spectroscopy of MoS_2 thin films prepared by an intercalation-exfoliation method.—74-07737A
Sintering of nanograined Fe-(Fe, Mo)$_6$C powder compacts.—74-01887A
Slip casting of TiC_xN_{1-x}-Mo_2C-Ni cermets.—74-04898A
Sonochemical synthesis and catalytic properties of nanostructured molybdenum carbide.—74-07488A
Sputtered molybdenum nitride as a diffusion barrier.—74-01956A
Structure and properties of reactively sputtered γ-Mo_2N hard coatings.—74-05271A
Studies of platinum and molybdenum electrodes in molten silicates, borates, and phosphates.—74-05742A
Supersonic dc-arcjet synthesis of diamond.—74-10659A
Surface analysis and electrochemistry of MoS_2 thin films prepared by intercalation-exfoliation techniques.—74-07768A
Surface preparation for diamond deposition on molybdenum substrates by secondary ion mass spectroscopy.—74-08280A
Synthesis and characterization of nanophase metal, M, and metal carbide, M_2C, particles of the group 6 elements, Cr, Mo, and W.—74-10668A
Synthesis and exfoliation behavior of ternary molybdenum chloride chloroform graphite intercalation compound.—74-10670A
Synthesis and processing of nanograined Fe-(Fe,Mo)6C composite powders.—74-07509A
Tribological properties of silicon nitride ceramics coated with molybdenum films under boundary lubrication.—74-02214A
Tribology of ultrathin MoS_2 platelets on mica—studies by scanning force microscopy.—74-04458A
Use of Raman scattering to study disorder in pulsed laser deposited MoS_2 films.—74-04237A
Using molybdenum in electric melting of glass.—74-08467A
Velvet glove, iron fist.—74-04025A
Wear mechanisms in thermally sprayed Mo-based coatings.—74-08294A
X-ray diffraction studies of the structure of molybdenum sulfide thin films.—74-05296A
X-ray gratings and projection lithography by means of laterally structured multilayers.—74-06386A
X-ray study of generalized Cantor superlattices.—74-05299A

monazite,
Ceramic composites of monazite and alumina.—74-06954A
Ceramic composites of monazite and alumina[—correction].—74-09766A

monitors,
Basic concept of process control in cement plants.—74-02309A
Correlating tool wear, tool life, surface roughness, and tool vibration in finish turning with coated carbide tools.—74-08149A
HADES: thermal surveillance of clinker coolers.—74-02330A
In situ spectral reflectance monitoring of III-V epitaxy.—74-05162A
Installation and networking of a multiplant kiln shell scanning system.—74-03826A
Integrated in situ monitoring of a metallorganic vapor phase epitaxy reactor for II-VI epitaxy.—74-04711A
Monitoring a residual stress generation during thermal spraying by curvature measurements.—74-09584A
Monitoring and ways for energy economy of annular kilns.—74-09692A
Monitoring of microcrack propagation in ceramics under thermal stress by acoustic emission.—74-01082A
Near-infrared solution to moisture measurement in ceramics.—74-09585A
Optimized annealing temperature monitoring in Waterford.—74-09494A
Process monitoring and control in the cement industry.—74-03853A
RGAs are turning up in surprising places.—74-03865A
Structural vibration monitoring using the deflection of a hollow core optical fiber.—74-06821A

monoliths,
Ceramic matrices and monoliths synthesized from a combination of reactive polymers, fillers, and atmospheres.—74-10215A
Commercial development of fibrous monolithic ceramics.—74-09860A
Dynamic characteristics of rainbow ceramics.—74-06403A
Influence of grain size on the toughness of monolithic ceramics.—74-11027A
Wavelength-selective transmission in transition-metal-containing silica gel monoliths.—74-01602A

montmorillonite,
Adsorbed water in the interlayer of Mg and Cu montmorillonites.—74-09967A

Adsorption of a vapor at a solid interface—a molecular model of clay wetting.—74-10058A
Heat treatment of vacuum- and hydrogen-treated Ni and Cu montmorillonite mineral: ir study.—74-09996A
Montmorillonite intercalated with Fe-Ni mixed oligomer complexes.—74-00370A
Polymer-clay nanocomposites—polystyrene grafted onto montmorillonite interlayers.—74-07417A
Production of porous alumina using urea and montmorillonite.—74-00372A
Thermal stable porous crystals from montmorillonite: II, Preparation and the properties of Cr-pillared montmorillonites.—74-07534A

mordenite,
Direct hydrothermal crystallization of high-silica large-port mordenite.—74-10273A
Rietveld refinement of several structural models for mordenite that account for differences in the X-ray powder pattern.—74-10878A

morphology,
Characterization of diamond films for optical coatings.—74-10221A
Characterization of PLZT films deposited by spray pyrolysis.—74-03289A
Crystal shape and size controls of xonotlite.—74-08009A
Crystallization of $CaCO_3$ from $Ca(NO_3)_2$ solution: II, Effect of metallic ions on phase and morphology of $CaCO_3$.—74-07067A
Development of crystallinity and morphology in hafnium dioxide thin films grown by atomic layer epitaxy.—74-07629A
Different morphologies of AlN thin films synthesized at low temperature by PECVD.—74-10271A
Effect of gas phase composition on the surface morphology of polycrystalline diamond films.—74-04575A
Effect of granule morphology on the strength and Weibull modulus of ZTA made from spray-dried powders.—74-02125A
Effect of volume fraction and morphology of reinforcing phases in composites.—74-05346A
Effects of hydrothermal conditions on the morphology of hematite particles.—74-10309A
Effects of temperature and reagent concentration on the morphology of chemically vapor deposited ß-Ta_2O_5.—74-05132A
In situ observation of surface morphology of InP grown on singular and vicinal (001) substrates.—74-05161A
Influence of morphological aspects in the reaction pathway and superconductive properties of Bi2223-Ca_2CuO_3 ceramic composites.—74-09290A
Inorganic calcite morphology: roles of fluid chemistry and fluid flow.—74-01196A
Microcharacterization of CVD diamond films by scanning electron microscopy—morphology, structure, and microdefects.—74-07684A
Microcrystalline diamond phase by laser ablation of graphite.—74-01797A
Morphology and growth process of α-Al_2O_3 whiskers.—74-10847A
Morphology and phase transition during the heat treatment of plasma Si_3N_4 powders.—74-10848A
Morphology and structure development in the densification of 3-D Blackglas Nextel 312 composites.—74-10849A
Morphology of SnO_2 thin films obtained by the sol-gel technique.—74-04765A
Morphology of TiO_2 aerogels.—74-10850A
Morphology of Y_2BaCuO_5 and segregation of second phase particles in melt-textured Y-Ba-Cu oxides with/without $BaCeO_3$ addition.—74-06593A
Morphometric analysis of diamond crystals elaborated by microwave plasma-assisted chemical vapor deposition: application to textured films.—74-05198A
Oxidation kinetics of coated silicon carbide fiber-reinforced silicon carbide (SiC/SiC).—74-10924A
Particle morphology and chemical microstructure of colloidal silica spheres made from alkoxysilanes.—74-10859A
Self-reinforced materials based on aluminum nitride.—74-04022A
SEM investigation of a lateritic weathering profile, Saline County, Arkansas.—74-07745A
Solid-state reactions between silicon carbide and (Fe, Ni, Cr) alloys: reaction paths, kinetics, and morphology.—74-08273A
Structure of mesoporous aerogels.—74-07759A
Surface morphology and structure of carbon-carbon composites in high-energy sliding contact.—74-09896A
Surface morphology of nanocrystalline titanium oxide by AFM.—74-02055A
Valence band photoelectron spectroscopy and structural morphology of nitrogen and boron-containing MPACVD diamond films.—74-05294A

mortars,
ASR [alkali-silica reaction] of concrete aggregate quarried from a fault zone: results and petrographic interpretation of accelerated mortar bar tests.—74-05464A
Behavior of a low-energy cement in Na_2SO_4 and seawater media.—74-05466A
BlastDSace cement mortars manufactured with fresh granulated and weathered slags. Influence of gypsum content and aging on carbonation depth and strength development.—74-05467A
Corrosion inhibition of steel in concrete by carboxylic acids.—74-02071A
Curing requirement of silica fume and fly ash mortars.—74-00045A
Developing strength in belite mortars.—74-05489A
Development of a mortar consisting of slag, gypsum, and portland cement for injection into multiple-leaf masonry: II, Optimizing the mortar.—74-08011A
Effects of fly ash and silica fume on the resistance of mortar to sulfuric acid and sulfate attack.—74-05508A
Effects of hydrochloric acid on mortar.—74-05509A
Extra-rapid hardening and ultra-strength cement mortars.—74-08028A
Fabrication of fly ash mortar mixture.—74-00926A
Influence of admixtures on corrosive strength of building mortars in technogene media.—74-05533A
Influence of lime plaster on properties of fly ash mortar.—74-08053A
Investigation of mortar and stone deterioration in the Victoria Memorial, Calcutta[, India].—74-05541A
Material resistance against segregation of cement mortar in water.—74-08068A
Mechanical properties of cement mortar with fibers.—74-08069A
Mechanical properties of cement mortar with polymers.—74-08070A
Mortar deterioration of the walls in historic buildings. A case history: Vanvitelli's role in Ancona.—74-05556A
New approach in evaluation of filler effect in cement: I, Effect on strength and workability of mortar and concrete.—74-05557A
New plant for producing dry, ready-mixed building materials in Vils, Austria.—74-09491A
Percolation and pore structure in mortars and concrete.—74-02343A
Plant for producing dry ready-mixed mortars.—74-05566A
Potential expansion of cement mortars in the presence of K_2SO_4 and pozzolana.—74-05569A
Preliminary study of fly ash granulometric influence on mortar strength.—74-05570A
Properties and application of polypropylene fiber-reinforced cement composites.—74-08093A
Refractory zirconia mortar.—74-02802P
Relationship between microstructure and freezing-thawing resistance of polymer-cement mortars.—74-08100A
Role of silica fume in mortar: transition zone versus bulk paste modification.—74-02351A
^{29}Si MAS-NMR study of hydrated cement paste and mortar made with and without silica fume.—74-02353A
Studies on the effect of the copper and zinc content in silica byproduct material when used in mortar.—74-00095A
Superplasticizers for Ciment Fondu: I, Effects on rheological properties of fresh paste and mortar.—74-00099A
Turnkey dry mortar plant commissioned.—74-08115A
Well block cleaning equipment.—74-03938A

mosaics,
Fabrication of ceramic mosaic tile from tremolite and diposide.—74-08546A
Mosaic is in fashion.—74-03713A

Mossbauer effect,
High-pressure diamond synthesis by Mossbauer spectroscopy.—74-10383A
Interpretation of the ^{57}Fe Mossbauer spectra of some phosphate glasses.—74-05684A
Mossbauer study in Pb-Bi-Sr-Ca-Cu-O superconductor.—74-09310A
Mossbauer study of Fe-Al-O layers obtained by ion-beam deposition and ion implantation.—74-01810A
Mossbauer study of potassium ferrites.—74-06472A
Mossbuer study of iron redox in West Valley glass.—74-09407A
Structural characteristics of porous glasses—determination by Mossbauer spectroscopy.—74-02492A
Surface magnetism of α-FeO(OH) and ß-FeO(OH) by Mossbauer spectroscopy.—74-03405A
Variable temperature ^{57}Fe Mossbauer studies of some phosphate glasses.—74-05701A

motor,
Drive units for heavy clay processing.—74-05807A
Heavy-duty planetary gear systems for roller presses.—74-08039A
Servo controlled glass gob distributor.—74-09543P
Thermal rating for enclosed speed reducers.—74-03935A

mullite,
Aluminum titanate ceramic and process for producing the same—74-01248P
Ceramic composite and method—74-00407P
Ceramic composite.—74-08644P
Colloidal processing for laminated composites of mullite/alumina woven fabrics.—74-01641A
Colloidal processing for preparation of laminated composites of mullite/woven fabrics of Si-Ti-C-O fibers.—74-01224A
Continuous microwave sintering of ceramics.—74-10241A
Core for casting titanium and titanium alloy.—74-08647P
Crystallite size of mullite in the range 975-1150°C.—74-05105A
Development of andalusite-mullite kiln furniture.—74-01141A
Development of mullite-based castables with high strength.—74-02750A
Effect of hydrostatic pressing of a sol-gel produced by a powder method on the sintering and characteristics of ceramics in the Al_2O_3-SiO_2-ZrO_2 system.—74-07272A
Effect of seeding on phase development, densification behavior, and microstructure evolution in mullite fabricated from microcomposite particles.—74-10293A
Effects of particle classification on colloidal processing of mullite.—74-01696A
Effects of quartz addition on texture of mullite-corundum products.—74-07284A
Environmental durability of mullite coating/SiC and mullite-YSZ coating/SiC systems.—74-10912A
Evolution of mullite from hydrothermally processed mullite precursor sols.—74-04624A
Fiber reinforced ceramic matrix laminate.—74-03985P
Formation of phases and structure in mullite-zirconia and spinel-zirconia materials produced by melt crystallization.—74-07079A
Growth of single-crystal mullite fibers by the laser-heated float zone process.—74-04675A
High-temperature mechanical behavior of $3Al_2O_3$:$2SiO_2$ mullite-based materials.—74-07887A
Hollow mullite ceramic microspheres by water extraction of emulsified aqueous droplets.—74-10386A
Influence of hydrostatic treatment of greenware and sintering schedules on the properties of ceramics in the tialite-mullite-corundum system.—74-04700A
Interfacial characteristics of mullite fiber/BN coating/mullite matrix composites.—74-10826A
Mechanical properties and microstructure of SiC_w/mullite and SiC_w/Y-TZP/mullite composites.—74-11043A
Microwave sintering of zirconia-toughened mullite (ZTM).—74-10471A
Monophasic premullite gels prepared by a nonhydrolytic process.—74-10481A
Mullite and alumina/yttria-zirconia composites as solid electrolytes.—74-03966A
Mullite formation at the interface of CaO-Al_2O_3 fiber-reinforced Al-Si alloy composites.—74-10483A
Mullite formation in kaolite-alpha-alumina.—74-03841A
Mullite matrix continuous fiber-reinforced composites by sol-gel processing.—74-10484A
Mullite phase development in pure and mullite matrix composites.—74-10851A
Mullite raw powder.—74-10485A
Mullite whisker–molybdenum disilicide composites.—74-09880A
Mullite-titanium nitride ceramic composites for electrical discharge machining applications.—74-06985A
Mullite.—74-06915A
New generation of plasma-sprayed mullite coatings on silicon carbide.—74-03967A
Novel synthesis of mullite powder.—74-04785A
Oxidation mechanisms of mullite/ZrO_2/SiC-platelet composites.—74-10928A
Oxidic and nonoxidic fiber coatings by sol-gel processing.—74-07408A
Phase and microstructure evolution in alkoxide-derived mullite/MgO partially stabilized zirconia.—74-05218A
Plasma sprayed mullite coatings on silicon-base ceramics.—74-09830P
Preparation and mechanical properties of laminated alumina/mullite-glass composites.—74-05783A
Preparation and properties of mullite grain.—74-08626A
Preparation of platelike mullite powders by dry gel method and their applications.—74-07434A
Preparation of wear-resistant alumina/mullite by silica addition.—74-07907A
Process for producing catalyst coated thermal shock resistant ceramic honeycomb structures of cordierite, mullite and corundum.—74-04082P
Processing of fine-diameter continuous mullite fibers.—74-10587A
Processing of nanocomposite silicon nitride-mullite-alumina by reaction sintering.—74-03181A
Processing of silicon carbide–mullite–alumina nanocomposites.—74-04840A
Role of mechanochemical activation in the evolution of the structure and properties of reaction-bonded ceramics based on mullite and zirconium dioxide.—74-03972A
Shrinkage-free mullite ceramics from kaolin and Al powder.—74-00995A
Single-phase mullite gels doped with chromium.—74-10029A
Sintering and mechanical behavior of mullite prepared from silica and alumina colloids.—74-07482A
Sliding wear of oxide ceramics at elevated temperatures.—74-11089A
Sol-gel processing of mullites.—74-10640A
Structural disorder and thermal dilatation behavior in Cr-doped mullite.—74-10889A
Surface modification of alumina ceramics with mullite coating.—74-01245A
Synthesis of a mullite precursor from aluminum nitrate and tetraethoxysilane via aqueous homogeneous precipitation: a ^{27}Al and ^{29}Si liquid- and solid-state NMR spectroscopic study.—74-10673A
Synthesis of mullite composites from powder mixtures of alumina, silica and zirconia.—74-10681A
Synthesis of mullite materials by oxidation of metal alloy powder compacts.—74-04944A
Synthesizing mullite from beneficiated fly ash.—74-07524A
Thermal shock and creep resistant porous mullite articles prepared from topaz and process for manufacture—74-00416P
Thermal shock behavior of aluminum-titanate-based materials.—74-06446A
Thermodynamic analysis of CVD mullite coatings.—74-10043A
Topaz as a refractory raw material.—74-01205A
VPS mullite-coatings for oxidation protection of structural components operated at high temperatures in air atmosphere.—74-08291A

multilayer capacitor,
Effects of silver doping on the reliability of $(Pb_{0.875}Ba_{0.125})$-$[(Mg_{1/3}Nb_{2/3})_{0.5}$-$(Zn_{1/3}Nb_{2/3})_{0.3}Ti_{0.2}]O_3$ relaxor dielectric ceramics.—74-02833A
Glass, dielectric composition, multilayer wiring substrate, and multilayer ceramic capacitor.—74-08791P
MLCs—present practices and future trends.—74-08758A
Monolithic multiple capacitor.—74-02893P
Multilayer ceramic capacitor manufacturing process—74-00555P
Multilayer ceramic capacitors.—74-08760A
Multilayer ceramic circuit board.—74-08809P
Nonreducing dielectric ceramic composition.—74-08810P
Preparation of devices that include a thin ceramic layer.—74-02895P
Relaxor ceramics for multilayer capacitor application.—74-05955A
Spherical powders of precious metals for electrodes in multilayer capacitors.—74-05957A

Thermal shock cracking resistant multilayer ceramic capacitor termination compositions.—74-02900P

multilayer,
Atomic layer-by-layer epitaxy of cuprate superconductors.—74-03417A
Ceramic via composition, multilayer ceramic circuit containing same, and process for using same—74-00544P
Characterization of nanometer-scale compositional variations using field ion microscopy and the position sensitive atom probe.—74-01965A
Characterization of obliquely deposited tungsten/silicon multilayers.—74-01966A
Characterization of WC_x/B_4C multilayers sputtered in reactive argon/methane atmospheres.—74-01970A
Composite multilayer ceramic structure.—74-08784P
Cracking and damage mechanisms in ceramics/metal multilayers.—74-02112A
Curvature effect in grazing X-ray reflectometry.—74-06752A
Design and manufacture of sputtered multilayers for applications to soft X-ray optics.—74-06692A
Effect of plasma etching, carbon concentration, and buffer layer on the properties of a-Si:H/a-$Si_{1-x}C_x$:H multilayers.—74-04286A
Electroactive device fundamentals.—74-08747A
Electromigration in AlSiCu/TiN/Ti interconnects with Ti and TiN additional layers.—74-06076A
End-point detection using absorbed current, secondary electron, and secondary ion signals during milling of multilayer structures by focused ion beam.—74-01062A
Epitaxial dielectric planarization for multilayer HTSC structures.—74-09265A
Fabrication of lateral superlattices using multilayer resist techniques.—74-06099A
Fabrication of porous ceramics and multilayered ceramics containing porous layers: I, Pore structure.—74-10350A
Glass-ceramic composite.—74-02675P
High frequency ceramic multilayer substrate.—74-08795P
Hybrid circuits and a method of manufacture.—74-08796P
Investigation of multilayer SOI structures by electroreflectance spectroscopy.—74-06167A
Laser-induced compound formation and transfer of stacked elemental layers.—74-03084A
Magnetic and structural properties of Pt/Co and Pd/Co multilayers sputtered on single-crystal ZnO.—74-03097A
Making ceramic components for advanced aircraft engines.—74-07021A
Method for producing multilayered ceramic substrate.—74-02889P
Method of manufacturing multilayer ceramic electronic component.—74-02890P
Method of manufacturing multilayer ceramic electronic component.—74-08805P
Miniature multitarget sputtering system for the in situ X-ray study of high-T_c multilayer film growth.—74-00956A
Mo-Si multilayer as soft X-ray mirrors for the wavelengths around 20-nm region.—74-02027A
Multilayer ceramic packages—74-00554P
Multilayer circuit card connector—74-00557P
Multilayer ZnO varistor.—74-03275P
Observation of mesoscopic effect in ferromagnetic multilayer films.—74-09214A
Observation on mesoscopic effect in ferromagnetic multilayer films.—74-09215A
Process for obtaining insulating ceramic inserts by multilayer stacking—74-00558P
Properties of multilayer glass-ceramic dielectrics.—74-08767A
Structure of TiO_2/SiO_2 multilayer films.—74-05960A
Thin film ceramic multilayer wiring hybrid board.—74-08816P
Thin-film multilayer interconnect technology for $YBa_2Cu_3O_{7-x}$.—74-03609A
Titanium disilicide on silicon by interdiffusion of titanium and amorphous silicon multilayers—transmission electron microscopy, spectroscopic ellipsometry and resistivity measurements.—74-05290A

multiple quantum wells,
Cross-sectional scanning tunneling microscopy of semiconductor vertical-cavity surface-emitting laser structure.—74-07622A
Single-pulse pump-probe measurement of optical nonlinear properties in GaAs/AlGaAs multiple quantum wells.—74-06317A

muscovite,
Study on the stick-up phenomenon on a cleaved surface of the muscovite mica using an atomic force/lateral force microscope.—74-07767A

nanocomposites,
Cascaded microwave plasma source of synthesis of ceramic nanocomposite powders.—74-09439A
Characterization of nanometer-scale compositional variations using field ion microscopy and the position sensitive atom probe.—74-01965A
Dense and porous nanostructured ceramics and composites.—74-07625A
Method for forming diamondlike nanocomposite or doped diamondlike nanocomposite films.—74-04062P
Nanocomposite and nanophase materials synthesized with mechanical energy.—74-00961A
Nanocomposites.—74-05646A
Nanocomposites.—74-10125A
Nanostructured materials—mind over matter.—74-00962A
New routes to nanocomposite materials.—74-10495A
Spray conversion process for the production of nanophase composite powders.—74-03777P

nanocrystalline,
Chemical processing of nanostructured materials.—74-01631A
Contributions of scanning probe microscopy and spectroscopy to the investigation and fabrication of nanometer-scale structures.—74-05103A
Effect of calcium segregation on grain growth in nanocrystalline TiO_2.—74-07634A
Generation of charged liquid cluster beam of liquid-mix precursors and application to nanostructured materials.—74-07325A
Morphology and orientation of nanocrystalline AlN thin films.—74-07701A
Nanocomposites.—74-05646A
Nanocrystalline powders and suspensions generated using a flow-through hydrothermal process: I, Characterization.—74-10487A
Nanocrystalline powders and suspensions generated using a flow-through hydrothermal process: II, Applications.—74-10488A
Nanocrystalline structures from amorphous precursors.—74-01411A
Preparation of smooth and nanocrystalline diamond films.—74-10568A
Properties of nanocrystalline refractory compounds.—74-10144A
Raman spectrum of nanometer SnO_2.—74-10025A
Research on Fourier transform infrared photoacoustic spectroscopy (FTIR-PAS) spectra of nanocrystal ZrO_2.—74-10877A
Self-connected CdS nanocrystals as precursors for anisotropic semiconducting films.—74-09033A

Nasicon,
Electrical properties of ceramic electrolytes for systems of $LiM_xTi_{2-x}(PO_4)_3+yLi_2O$, M=Ge, Sn, Hf, and Zr.—74-01380A
$Mg_{0.5}Ti_2(PO_4)_3$: a new member of the Nasicon family with low thermal expansion.—74-01540A

neodymium oxide,
Nd_2O_3-doped SiAlON's with ZrO_2/ZrN additions formed by sintering and hot isostatic pressing.—74-04771A
Rare-earth oxides as ceramic glaze components.—74-05904A

neodymium,
8.2 J phase-conjugate solid-state laser coherently with combined eight parallel amplifiers.—74-08821A
Acoustooptic actively mode-locked frequency-doubled continuous-wave Nd:YAG laser.—74-02906A
Anomalous transport properties in superconducting $Nd_{1.85}Ce_{0.15}CuO_{4+\delta}$.—74-06488A
Auger upconversion losses in Nd-doped laser glass.—74-08404A
Chemical analysis and structural investigations of sodium- and lanthanide ion-exchanged beta-aluminas.—74-01351A
Continuous-wave single-frequency operation of diode laser-pumped Nd:YAG laser.—74-06015A
Cw Nd:MgO:$LiNbO_3$ self-frequency doubling laser at RT.—74-00748A
Diffraction coupled high-power Nd:YAG lasers.—74-08861A
Drilling fine holes using phase conjugate laser.—74-06046A
Enhanced superconductivity in $Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$ by low oxygen partial pressure annealing.—74-06536A
Fabrication and optical properties of high-performance polycrystalline Nd:YAG ceramics for solid-state lasers.—74-04316A
Fast frequency stabilization of a diode-laser pumped monolithic Nd:YAG laser with an extra-cavity electro-optical modulator.—74-08908A
High-gain, diode-pumped Nd:YVO_4 slab amplifier.—74-08929A
Influence of spatio-temporal refractive index changes in a GaAs etalon on the generation of ultrashort pulses in an Nd phosphate glass laser.—74-03067A
Influence of spherical aberration of the active medium on the performance of Nd:YAG lasers.—74-00640A
Interactions in the systems Pr_2O_3-As_2S_3 and Nd_2O_3-As_2S_3.—74-04153A
Internally folded Nd:YAG and Nd:YVO_4 lasers pumped by laser diodes.—74-08940A
Josephson decoupling in single-crystal $Nd_{1.85}Ce_{0.15}Cu_2O_{4-y}$.—74-04343A
Laser diode array pumped, Nd:YVO_4/KTP composite material microchip laser.—74-03082A
Lattice location of the nonequivalent Nd^{3+} ions in $LiNbO_3$:Nd and $LiNbO_3$:MgO:Nd.—74-09150A
Low-energy excitations in superconducting doped cuprates.—74-09297A
Magnetoelastic effects in $Nd_{2-x}Ce_xCuO_4$ single crystals at low temperatures.—74-01537A
Microwave dielectric ceramic composition.—74-08807P
Mode-locked ps pulse generation from a phase-coupled fiber array laser.—74-08442A
Nd:YAG microchip laser pumped by diode laser (LD).—74-08964A
Negative feedback forced self-mode-locking in Nd:yttrium lithium tetrafluoride (YLF) laser.—74-00666A
Nonlinear ac magnetic susceptibility of the high-T_c superconductor $NdBa_2Cu_3O_7$.—74-03541A
Preliminary experiments of inside-pumped miniature Nd:YAG tube laser.—74-03176A
Preparation of an $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ superconductor via the hydroxide coprecipitation method.—74-06618A
Proton transfer dye laser pumped by a third harmonic of an Nd:YAG laser.—74-01566A
Raman spectroscopic anomaly of Nd-doped lithium tantalate at backscattering geometries.—74-10870A
Reasonable practical XUV laser for applications.—74-09021A
Refining atomic structure of Nd_2CuO_4 single crystals.—74-07108A
Self-Q-switched Nb:$Bi_4Ge_3O_{12}$ (BGO) laser pumped by laser diode (LD).—74-09032A
Simple 1 μm ring laser oscillators pumped by fiber-coupled laser diodes.—74-09037A
Spectral properties of Nd^{3+}:$La_3Be_2O_5$ (Nd^{3+}:BEL) crystals.—74-06321A
Study of luminescence, absorption from excited state, and amplification in 1.3 μm range in nonstoichiometric neodymium-doped crystals with fluorite structure.—74-07125A
Superconducting and structural properties of $Nd_{2-x}33Ce_xCuO_{4-y}$ thin films on perovskite and fluorite substrates.—74-09346A
TEM_{00} mode high-efficient cw-Nd:YAG laser end-pumped by laser diode.—74-02589A
Thermal beam distortions in end-pumped Nd:YAG, Nd:GSGG, and Nd:YLF rods.—74-06354A
Thermal effects in end-pumped Nd:phosphate glasses.—74-08398A
Thermal modeling for mode-size estimation in microlasers with application to linear arrays in Nd:YAG.—74-09068A
Transient modeling of pulsed phase conjugation experiments in a saturable Nd:YAG amplifier.—74-09072A
Vector approach to the geometrical dependence of polarization rotation in a nonplanar cw Nd:YAG laser.—74-09079A

nepheline,
Function of feldspar and/or nepheline syenite in a ceramic whiteware body.—74-08680A
Glass-ceramics based on the pyroxene-nepheline system.—74-05766A
Nephelinitic syenite from North Cap—deposit, production, properties.—74-06917A

neutron diffraction,
Inelastic neutron scattering study of vibration anharmonism of copper and oxygen atoms in yttrium ceramics.—74-03492A
Neutron diffraction and MAS-NMR study of the structure of fast neutron-irradiated vitreous silica.—74-02475A
Rietveld refinement of the kaolinite structure at 1.5 K.—74-01449A
Structural analysis of orthorhombic hafnia by neutron powder diffraction.—74-01464A
Structural relationships among some BePO-, BeAsO-, and AlSiO-RHO frameworks.—74-05266A
Structure analysis of sol-gel-derived SiO_2 gels by neutron diffraction.—74-08351A

neutrons,
Correlation between critical temperature and structural changes in $YBa_2Cu_3O_7$ under low-fluence fast-neutron irradiation.—74-06503A
Determination of trace elements: neutron activation analysis in geochemistry and astrochemistry.—74-01055A
Effects of slow neutron irradiation on R-T curves of high-temperature superconductors.—74-09261A
Effects of slow neutron irradiation on R-T curves of high-temperatures superconductors.—74-09262A
Elemental composition of superconducting ceramics [investigated] by neutron activation and radiography methods.—74-00807A
Inelastic neutron scattering study of the proton dynamics in manganese oxides: II, Proton insertion in electrodeposited MnO_2.—74-02001A
Neutron activation analysis and an investigation of the element distribution in thin semiconductor films.—74-00667A
Rapid thermal annealing of semiinsulating GaAs bombarded with fission neutrons.—74-09020A

Nicalon,
Blackglas–Nicalon composites with CVD boron nitride fiber interface coatings.—74-09848A
Characterization of the interface in boron-doped, oxidation-resistant Nicalon-reinforced glass-ceramic matrix composites.—74-08142A
Electron microscopy and thermogravimetry studies of Nicalon fiber-reinforced Blackglas matrix composites.—74-10797A
Elevated-temperature effects of oxygen on SiC/SiC composites.—74-07809A
Fiber-matrix bond strength, fiber frictional sliding, and the macroscopic tensile behavior of a 2-D SiC/SiC composite with tailored interfaces.—74-10999A
Fully-reversed cyclic fatigue response of ceramic matrix composites at elevated temperature.—74-11011A
High-performance silicon carbide fiber, Hi-Nicalon, for ceramic matrix composites.—74-10811A
Microstructural stability of Nicalon at 1000°C in air after exposure to salt (NaCl) water.—74-07689A
Processing, properties, and microstructure of Nicalon-reinforced zirconium phosphate composites.—74-09889A
Thermal degradation mechanisms of Nicalon and Tyranno fibers.—74-11112A

nickel oxide,
Aqueous corrosion of nickel oxide–lithium oxide solid solutions.—74-10907A
Characterization of nonstoichiometric nickel oxide thin-film electrodes.—74-06001A
Corrosion resistance of artificial passivation films of Fe_2O_3-Cr_2O_3-NiO formed by metallorganic chemical vapor deposition.—74-00111A
Demixing of (Ni, Co)O under an oxygen potential gradient(II).—74-01505A
Diffuse X-ray scattering from $La_{2-x}Sr_xNiO_4$ and $La_{2-x}Sr_xCuO_4$.—74-04279A
Dissolution of $NiFe_2O_4$ particles in an NiO matrix.—74-10790A
Effect of NiO doping on the stoichiometry of ZnO.—74-07563A
Electrochemistry and structural chemistry of $LiNiO_2$ ($R\bar{3}m$) for 4-volt secondary lithium cells.—74-01703A
Electronic band structure of $LaNiO_3$.—74-00804A
Glycine-nitrate synthesis of a ceramic-metal composite.—74-05626A
Implications of interfacial coupling and strain on the magnetic and structural ordering of Fe_3O_4/NiO superlattices.—74-10817A

Infrared study of CO on NiO(100).—74-05166A
Interaction between dislocations and $NiFe_2O_4$ precipitates in an NiO matrix.—74-10823A
Intercalation-desintercalation of oxygen in $Ln_2NiO_{4+\delta}$ (Ln=La, Pr).—74-03500A
Laminated electrochromic windows based on nickel oxide, tungsten oxide, and gel electrolytes.—74-05726A
Nucleation mechanism of $5K_2O$-$43CaO$-$12Al_2O_3$-$40SiO_2$ glass catalyzed by Ni_2O_3.—74-08342A
Nucleation of solid-state reactions between nickel oxide and aluminum oxide.—74-01418A
Photodesorption dynamics of ammonia from Ni(111) and NiO(111).—74-04393A
Point defects in NiO observed via perturbed angular correlation spectroscopy.—74-10742A
Preparation of yttria-stabilized zirconia microtube by electrochemical vapor deposition.—74-08254A
Quasi-particle band structure of NiO—the Mott-Hubbard picture regained.—74-09019A
Simultaneous ordering of holes and spins in $La_2NiO_{4.125}$.—74-07189A
Specific heat of defects in the Haldane system Y_2BaNiO_5.—74-05051A
Spin ordering on NiO(100) surface measured by metastable $He^2\,3s$ [He^*] scattering.—74-04426A
Study of the passivating oxide layer on fine nickel particles.—74-03236A
X-ray diffraction analysis of spherical crystallite distribution in polydispersional systems.—74-05295A
X-ray diffraction analysis of the Ni-NiO-diatomite system.—74-10903A
Zhang-Rice localization, quasi-particle dispersions and the photoemission of NiO.—74-03263A

nickel,
Adhesion of electroless Ni(P) on alumina ceramic using a vacuum-deposited Ti-Pd activator layer.—74-00105A
Aluminum phosphate bonded fiber reinforced composite material containing metal coated fibers.—74-02405P
Anisotropy in epitaxial Fe_3O_4 and $NiFe_2O_4$ thin films.—74-09195A
Atomically controlled growth of GaAs/NiAl/GaAs structures by molecular beam epitaxy.—74-04483A
Bulk superconductivity at an elevated temperature ($T_c \approx 12$ K) in a nickel-containing alloy system Y-Ni-B-C.—74-03419A
Calculation of the temperature for formation of competing intermetallic compounds in *Ni*/Ti multilayers.—74-01623A
Changes in surface chemistry during the initial stages of electroless Ni(P) deposition on alumina.—74-01627A
Characterization of TiB_2-Ti(CN)-Ni ceramics by transmission and analytical electron microscopy.—74-01969A
Chemical reactivity of nickel and nickel-based alloys with a SiAlON ceramic.—74-08143A
Co segregation in the $LiNi_{1-y}Co_yO_2$ solid solutions. A preliminary ^7Li NMR study.—74-05097A
Cu NMR and NQR studies of impurities-doped $YBa_2(Cu_{1-x}M_x)_3O_7$ (M=Zn and Ni).—74-00793A
Deoxidation of molten metals by short-circuiting yttria-stabilized zirconia electrolyte cell.—74-05928A
Design and fabrication of an MgO/Ni functionally gradient material.—74-01668A
Development of Ni/Ti multilayer supermirrors for neutron optics.—74-05114A
Dynamical transmission effects and impact ionization in hot-electron transport across $NiSi_2$/Si(111) 7×7 interfaces.—74-06049A
Dynamics of dendritic crystallization of an amorphous structure in the nickel-zirconium system.—74-01371A
Early-state oxidation of CeO_2 sol-coated nickel.—74-02074A
Effect of chromium, carbon, and yttrium on the oxidation of nickel-based alloys in high-temperature water.—74-01982A
Effect of Ni-Cr doping on the properties of PZT ceramics.—74-08744A
Effect of pulsed laser annealing on wear and corrosion properties of electroless Ni-P plating.—74-08176A
Effects of anode material and fuel on anodic reaction of solid oxide fuel cells.—74-00482A
Electrical resistivity and thermoelectric power of $Cd_{0.5}Ni_{0.5-x}Ti_xFe_{2-2x}O_4$.—74-06456A
Electrochemical properties of $NiCl_2$-intercalated and reduced-$NiCl_2$-intercalated graphite.—74-01292A
Electrochemical study of SiC particle occlusion during nickel electrodeposition.—74-01700A
Electrochemically induced reactions at Ni/ZrO_2 interfaces.—74-08180A
Electrodeposition of NiP amorphous alloys—a multilayer structure.—74-04607A
Electrolytic codeposition of Ni-γAl_2O_3 thin films.—74-07293A
Electronic conductivity in the La(Cr,Ni)O_3 perovskite system.—74-05937A
Enhancement of Schottky barrier height to *n*-GaAs using NiAl, NiAl/Al/Ni, and Ni/Al/Ni layer structures.—74-03001A
Epitaxial growth and characterization of Ni films grown on MgO(001) by biased direct-current sputter deposition.—74-07300A
Epitaxial growth, structure, and properties of Ni films grown on MgO(100) by dc bias sputter deposition.—74-04618A
Epitaxial $LaNiO_3$ interlayers for ferroelectric memory structures.—74-09133A
Evaluation of composite Ni matrix coatings with cubic BN interstitials on titanium applied by cathodic arc evaporation.—74-07303A
Fabrication of fiber-reinforced nickel aluminide matrix composites by reactive processing.—74-08189A
Fabrication of flip-bonded mesa masks for X-ray lithography.—74-01724A
Formation mechanism of $In_xGa_{1-x}As$ ohmic contacts to *n*-type GaAs prepared by radio frequency sputtering.—74-06110A
Formation of $Li_xNi_{1-x}O$ solid solution from Ni/Li_2CO_3 mixtures.—74-01386A
Heat treatment of vacuum- and hydrogen-treated Ni and Cu montmorillonite mineral: ir study.—74-09996A
High performance, durable, low-E glass—74-00334P
High-temperature deformation and fracture mechanisms in a dendritic Ni_3Al alloy.—74-05363A
Imaging extrinsic defects at the NiSi$_2$/Si(111) metal-semiconductor interface.—74-05158A
In situ formation of composites of alumina with nickel and with nickel aluminide.—74-07346A
Influence of thermal treatments on the adhesion of electrolessly deposited Ni(P) layers on alumina ceramic.—74-05629A
Investigating the recycling of nickel hydride battery scrap.—74-01771A
Layer structure evaluation of multilayer X-ray mirror by combination of focused ion beam etching and transmission electron microscopy.—74-02009A
Layer-by-layer analysis of long-range order degree in subsurface region of $FeNi_3$ crystals.—74-05178A
Magnetic ordering and frustration in hexagonal UNi_4B.—74-06670A
Magnetic phase diagram of $DyNi_2Si_2$ with two-dimensionally modulated spin structures.—74-01533A
Metallic and intermetallic binder phases within Fe-Ni-Al system for TiB_2 cemented borides—thermodynamic guidelines.—74-07091A
Method of making large area single crystalline diamond films.—74-09938P
Microstructures and hardness of ultrafine-grained Ni_3Al.—74-02024A
Molded ceramic articles and production method thereof.—74-03763P
Molecular dynamics of nanoscale layered structures.—74-02028A
Negative capacitance effect in Ni-TiO_2-*p*-Si heterostructures.—74-08965A
New paramagnetic centers containing nickel ions in diamond.—74-05039A
Ni-Cu-P and Ni-Co-P as a diffusion barrier between an Al pad and a solder bump.—74-01415A
Nickel chemical vapor deposited diamond interface studied by electron energy loss spectroscopy.—74-08246A
Nickel diffusion and silicide island formation on silicon(111).—74-05201A
Nickel in diamond: an annealing study.—74-00133A
Nickel silicide contact for silicon solar cells.—74-05648A
NiS: is there a problem.—74-00205A
Novel method for preparing nickel/YSZ cermet by a vapor-phase process.—74-02389A
Optical evidence of octahedral iron(III) in mixed spinels $NiGa_{1-x}Fe_xCrO_4$.—74-05211A
Optimization of zirconia coatings produced by thermal plasma spraying.—74-08249A
Ordered intermetallic alloys: I, Nickel and iron aluminides.—74-02184A
Phase composition and structure of a nichrome coating contact layer.—74-02390A
Preparation and characterization of NTC [negative temp. coeff.] thermistors: nickel manganites doped with lithium.—74-03177A
Preparation of alumina/nickel composites by a gas reduction process.—74-07426A
Preparation of Ni-coated alumina composite powder.—74-08253A
Process for making non-magnetic nickel tungsten carbide cemented carbide compositions and articles—74-00179P
Processing intermetallic composites by self-propagating, high-temperature synthesis.—74-06278A
Pulsed laser induced modifications of metal silicide layers.—74-04853A
Reaction sintering of 0.1% B-doped Ni_3Al.—74-00148A
Reactions in the systems Mo-Si_3N_4 and Ni-Si_3N_4.—74-08263A
Resistivity and magnetoresistance-elastoresistance of polycrystalline Ni-Si thin films.—74-01569A
Resonances in 3-D electron photoemission predicted at Ni 2*p* threshold for $NiCl_2$ and NiO.—74-07110A
Role of NaCl during preparation of $NiTiO_3$ powders by the coprecipitation process.—74-01871A
Role of water vapor on the kinetics of H_2 oxidation on porous Ni electrodes at 1000°C.—74-02089A
Semiconducting ceramics from nickel-cobalt manganite spinels.—74-03210A
$Sm_{20}Ni_{41.6}P_{30}$ and $Tb_{15}Ni_{38}P_{21}$—new members of the homologous series of hexagonal double-network structures.—74-07747A
Sol-gel-derived nickel/γ-alumina catalyst for a methanol-to-hydrogen converter.—74-05655A
Solid oxide fuel cells [SOFC]: materials, fabrication processes, and development trends.—74-00535A
State of dopant Ni in CdTe.—74-03225A
Structure and creation conditions of complex nitrogen-nickel defects in synthetic diamonds.—74-04918A
Structure and creation conditions of complex nitrogen-nickel defects in synthetic diamonds.—74-07585A
Structure and magnetic properties of epitaxial $NiFe_2O_4$ films.—74-09224A
Structure of nickel silicide on Si(001): an atomic view.—74-07760A
Study of the passivating oxide layer on fine nickel particles.—74-03236A
Surface precipitation process of epitaxially grown graphite(0001) layers on carbon-doped nickel(111) surface.—74-05283A
TiN-TiB_2 composites prepared by reactive hot-pressing and effects of Ni addition.—74-10702A
Transient liquid phase bonding of alumina via microdesigned Ni-based interlayers.—74-08286A
Two successive spin glass transitions in nondiluated Heisenberg-like spin glass $Ni_{0.42}TiO_3$.—74-01599A
X-ray photoelectron spectroscopy characterization of the reduction and oxidation behavior of Ni-containing HZSM-5 zeolites.—74-07010A
XPS and ISS study of $NiTiO_3$ and $PbTiO_3$ subjected to low energy ion bombardment: I, Influence of the type of ion (Ar^+ and O_2^+).—74-05302A

niobates,
Absorption losses in MgO-doped and undoped potassium niobate.—74-04244A
Characterization of photorefractive $KNbO_3$:Fe by non-steady-state photocurrent techniques.—74-03288A
Cooperative ordering of impurity dipoles in $KNbO_3$ single crystals.—74-06397A
Crystal structure of synthetic La-containing fersmite.—74-04118A
Disappearance of ferromagnetism at low temperatures in $CoNb_2O_6$.—74-07152A
Effect of Bi_2O_3 addition on the thermophysical properties of Na- and K-niobate perovskites.—74-10080A
Epitaxial growth of (110) $KNbO_3$ films on (100)MgO substrates via sol-gel processing.—74-10334A
Epitaxial waveguiding $KNbO_3$ thin films grown by rf sputtering deposition.—74-09135A
Ferroelectric domain gratings in $Sr_{0.75}Ba_{0.25}Nb_2O_6$ induced by photorefractive space charge fields.—74-06409A
Growth of (001)-oriented SBN thin films by solid-source MOCVD.—74-07329A
Growth of epitaxial $KNbO_3$ thin films.—74-09146A
High gain two wave mixing in a CeSBN photorefractive crystal-large modulation effect and dynamic properties.—74-06137A
Investigation of the peculiarities of crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 by the method of small-angle X-ray scattering.—74-02469A
Luminescence of alkali tantalates and niobates.—74-09152A
Nonequilibrium phase formation in oxides prepared at low temperature: fergusonite-related phases.—74-10012A
Observation of beating between cw lasers by time-delayed laser-induced double gratings mediated by photorefractive effect.—74-08974A
Phase diagram of $Ba_2NaNb_{5(1-x)}Ta_{5x}O_{15}$[—note].—74-07099A
Photoassisted generation of ferroelectric domain gratings in SBN.—74-03332A
Photorefractive properties of tetragonal $KTa_{0.52}Nb_{0.4}778O_3$ at high light intensities.—74-01562A
Piezoelectricity and phase transitions of the mixed-layer bismuth titanate niobate $Bi_7Ti_4NbO_{21}$.—74-09165A
Pigment properties of solid solutions in TiO_2CrNbO_4 system.—74-05222A
Process for producing columbite-type niobate and process for producing perovskite-type compound therefrom.—74-04002P
Relaxor ceramics for multilayer capacitor application.—74-05955A
Sintered alumina abrasive grain and abrasive products.—74-07977P
Soft mode phase transition of $SrBi_2Nb_2O_9$.—74-03575A
Structural and dielectric characterizations of the mixed crystal $Li_{0.8}Na_{0.2}NbO_3$.—74-05260A
Structural dynamics and densification during sintering of corundum ceramics with Nb_2O_5 additions.—74-07493A
Structure–optical property correlation of epitaxial potassium niobate thin films deposited on magnesium oxide(100) substrates using a strontium titanate transition layer.—74-06438A
Systems ANb_2O_6-ATa_2O_6, A=Ca, Sr, Ba.—74-01474A
Use of $A^{2+}B^{4+}O_3$ additives for preparing ferroelectric capacitor ceramics based on lead ferroniobate.—74-02867A

niobium oxide,
Dielectric ceramic for use in microwave device, a microwave dielectric ceramic resonator dielectric ceramics—74-00549P
Electrical conductivity of sintered niobia-doped and magnesia-doped thoria.—74-10093A
High-temperature fired X7R dielectric ceramic composition submicron particle sized barium titanate.—74-02882P
Influence of a PbO compensation atmosphere and surface layers on the electrical properties of (Pb, Nb)-doped TiO_2 varistors.—74-06150A
Lattice location of the nonequivalent Nd^{3+} ions in $LiNbO_3$:Nd and $LiNbO_3$:MgO:Nd.—74-09150A
Novel synthetic route to Nb_2O_5 thin films for electrochromic devices.—74-05779A
Peculiarities of the crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 with high content of Nb_2O_5.—74-00206A
Phase relations in the system SrO-CuO-Nb_2O_5 in the region with large content of strontium oxide.—74-04189A
Phase relations in the systems $ZrO_2(HfO_2)$-Nb_2O_5 [at 900–1350°C].—74-01435A
Sol-gel preparation and characterization of niobia thin films for catalytic sensor applications.—74-09042A
Structural and morphological characterization of Nb_2O_5 thin films deposited by reactive sputtering.—74-02047A
Superconductivity in the system Ln-Sr-Nb-O (Ln=La, Nd, Gd, Dy, Tm, Lu).—74-00855A
Temperature dependence of photorefractive effects in Fe:$KNbO_3$.—74-02590A

niobium,
Anomalies in free-flux Hall effect.—74-07143A
Characterization by Auger spectroscopy of niobium-aluminum oxide-niobium sandwiches for Josephson junctions.—74-05084A
Combustion synthesis of superconducting $NbN_{1-x}C_x$.—74-03429A

Crystal structure of a new ring germanate $K_{3.8}Nb_5(Ge_3O_9)O_{11.4}$.—74-04116A
Crystal structure of low-temperature ordered modification of Nb_2C carbide.—74-07060A
Crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 with a high concentration of Nb_2O_5.—74-00291A
Development of CVR coatings for PBR fuels.—74-10264A
Dimensional crossover in the Nb/Al_2O_3 Josephson-coupled multilayers.—74-00477A
Ductile-reinforcement toughening in gamma-TiAl intermetallic-matrix composites: effects on fracture toughness and fatigue crack propagation resistance.—74-05338A
Dynamic conductivity and coherence peak in the submillimeter spectra of superconducting NbN films.—74-10079A
Effect of hydrostatic pressure on T_c of $Nb_{1-x}Sn_xSe_2$.—74-03448A
Effect of Nb doping on the microstructure of sol-gel-derived PZT thin films.—74-06404A
Electrical conductivity of similarly doped $BaTiO_3$ single crystals and ceramic in the rhombohedral phase.—74-04300A
Electrical transport properties of incommensurate layer compounds $(RES)_xNbS_2$ (RE=rare-earth metals; x=1.2, 0.6).—74-04305A
Fabrication of PNZT piezoelectric ceramics by the tape casting technique.—74-09140A
Fracture behavior of 20% Nb particulate-reinforced alumina composite.—74-08194A
Improved heteroepitaxial growth of layered $NbSe_2$ on GaAs(111)B.—74-01760A
Influence of a ferromagnetic tip on the Abrikosov vortex lattice in $NbSe_2$ studied by low-temperature scanning tunneling microscopy.—74-06460A
Influence of interface impurities on the fracture energy of uhv-bonded niobium-sapphire bicrystals.—74-08214A
Interaction of α-particles with superconductive Nb/AlO_x/Nb structures in a single junction and array configurations.—74-03497A
Niobium phosphate glass planar optical waveguides fabricated by ion exchange.—74-02645A
Parametric study of pulsed laser deposited niobium diselenide thin-film growth.—74-01825A
Plasmons in an ultrathin film of weakly coupled layered materials.—74-04397A
Pore removal during diffusion bonding of Nb-Al_2O_3 interfaces.—74-08252A
Reactive ion etching of Nb thin films for Nb/Al-AlO_x/Nb Josephson tunnel junctions.—74-03860A
Refractory materials from aluminothermal reduction of niobium slag.—74-02780A
Role of electron-lattice interaction in layered transition metal dichalcogenide 2H-NbS_2: I, Phonon anomaly and superconductivity.—74-04412A
Role of electron-lattice interaction in layered transition metal dichalcogenide 2H-NbS_2: II, Transport phenomena.—74-04413A
Single-source precursors to niobium nitride and tantalum nitride films.—74-10631A
Structure and defects of MBE-grown Nb-Al_2O_3 interfaces.—74-10034A
Synthesis of (Nb, Sr)-doped PZT by partial oxalate method.—74-04937A
Test specimen for characterizing the fracture energy of interfaces in composites.—74-11111A
Toughening $MoSi_2$ with niobium metal—effects of size and orientation of ductile laminae.—74-05396A
Ultrahigh-vacuum diffusion-bonded Nb-Al_2O_3 and Cu-Al_2O_3 joints—the role of welding temperature and sputter cleaning.—74-08289A
Use of superlattice reactants in the synthesis of ternary Cu-Nb-Se compounds.—74-10714A
X-ray studies of misfit dislocations in the interfaces of epitaxial Nb films on sapphire.—74-08297A

nitrates,
Combustion synthesis of perovskite $LnCrO_3$ powders using ammonium dichromate.—74-07230A
Corrosion kinetics of silicon nitride in dry air containing sodium nitrate vapors.—74-05303A
Effect of the conditions of preliminary surface treatment on the distribution of Ag^+ ions in the surface layers of glasses during ion exchange with nitrate melts.—74-00255A
Effect of the conditions of preliminary treatment of the surface on distribution of Ag^+ ions in the surface layers of glasses in ion exchange with nitrate melts.—74-00294A
Electrodeposition of copper oxide from the eutectic sodium-potassium nitrate melt.—74-06074A
Electrodeposition of mixed metal oxides from the eutectic sodium-potassium nitrate melt.—74-07291A
Ion plating: optimum surface performance and material conservation.—74-03702A
Ir spectra of $RbNO_3$:Al_2O_3 composites.—74-07676A
PZT powder synthesis through coprecipitation route.—74-04855A
Stabilization of aerosil suspensions by aluminum hydroxynitrate.—74-04427A
Structural inhomogeneity and crystallization behavior of aerosol-reacted $MgAl_2O_4$ powders.—74-07119A
Synthesis of yttria powders by electrospray pyrolysis.—74-04949A

nitridation,
Characteristics of the NO dielectric film with low-pressure chemical vapor deposition in situ nitridation.—74-05923A
Comparing the structure and behavior of point defects in silicon oxynitride gate dielectrics formed by NH_3 nitridation and N_2O growth nitridation.—74-08730A
Comparison between SiO_2 films and nitrided oxides in N_2O ambient in terms of bulk/interface trapping properties.—74-10068A
Diamondlike carbon film deposition on plasma-nitrided steel substrates.—74-04555A
Factors affecting the synthesis of SiAlON.—74-07312A
Kinetics and mechanisms for nitridation of floating aluminum powder.—74-01776A
Kinetics of oxide growth during reoxidation of lightly nitrided oxides.—74-02083A
Low-energy (3–100 ev) electron-bombardment-induced nitridation of thin SiO_2 films: physicochemical and electrical analyses.—74-00504A
Near-surface structure of the in situ nitrided silicon carbide.—74-10853A
Nitridation of SiC-TiC composites by hot isostatic pressing.—74-05649A
Preliminary observations of the rapid thermal oxidation of porous silicon, and the rapid thermal nitriding of oxidized porous silicon.—74-06272A
Processing of nitrogen ceramics by carbothermal reduction and nitridation of vermiculite-polymer intercalation compounds.—74-04838A
Significance of nitrogen mass transfer mechanism on the nitriding behavior of austenitic stainless steel.—74-04890A
Strict thermal nitridation selectivity between Si and Ge used as a chemical probe of the outermost layer of $Si_{1-x}Ge_x$ alloys and Ge/Si(001) or Si/Ge(001) heterostructures.—74-06328A
Strict thermal nitridation selectivity between Si and Ge used as a chemical probe of the outermost layer of $Si_{1-x}Ge_x$ alloys and Ge/Si(001) or Si/Ge(001) heterostructures.—74-06329A
Studies on the scale-up of the microwave-assisted nitridation and sintering of reaction bonded silicon nitride.—74-10655A
Synthesis of aluminum nitride powder from aluminum hydroxide by carbothermal reduction-nitridation.—74-10676A
Synthesis of titanium carbonitride by SHS (self-propagating high-temperature synthesis).—74-10687A
TiN layer synthesis by laser plasma.—74-04967A
Turbostatic-hexagonal structure transition in hexagonal BN synthesis.—74-04973A
Ultrathin tantalum oxide capacitor dielectric layers fabricated using rapid thermal nitridation prior to low pressure chemical vapor deposition.—74-00537A

nitrides,
Anodic dissolution of uranium mononitride in lithium chloride–potassium chloride eutectic melt.—74-06668A
Assessment of carbon contamination in titanium nitride films deposited from the reaction of titanium(IV) chloride and amines.—74-10201A
Boride, carbide, nitride, oxynitride, and silicide infiltrated electrochemical ceramic films and coatings and the method of forming such.—74-04031P
Ceramic articles made of compositions containing borides and nitrides.—74-09908P
Ceramic coatings for protecting titanium alloys in high-temperature hydrogen environment.—74-09854A
Ceramic core for investment casting and method for preparation of the same.—74-08645P
Cermet alloy and process for its production—74-00164P
Characterization of low pressure chemically vapor deposited tungsten nitride films.—74-01499A
Characterization of PECVD $Si_xO_yN_z$:H films and its correlation to device performance and reliability.—74-08838A
Characterization of WN_x metallization prepared by ion implantation of nitrogen.—74-07225A
Chemical processing of nanostructured materials.—74-01631A
Combustion synthesis of superconducting $NbN_{1-x}C_x$.—74-03429A
CVD deposition of diamond on nitrides and oxides as substrates.—74-01655A
Dynamic conductivity and coherence peak in the submillimeter spectra of superconducting NbN films.—74-10079A
Effect of postdeposition heat-treatment on reactively sputtered CrN_x and Cr(N, O) coatings.—74-01690A
Effects of interparticle interaction in $Sm_2Fe_{17}N_x$ and $Nd_2Fe_{14}B$ isotropic ferromagnets.—74-03375A
Effects of radiative processing steps on inversion layer mobility and channel hot carrier damage in reoxidized nitrided oxide MOSFET's.—74-02984A
Electronic structures of wurtzite compounds GaN, AlN, and strained-layer superlattices $(Ga_2N_2)_n(Al_2)_n(001)$, (n=1, 2).—74-05139A
Fine nonoxide ceramic powders.—74-09918P
Gallium nitride-based compound semiconductor light-emitting device and method for making the same.—74-03268P
GaN films prepared by ECR plasma-assisted deposition.—74-00494A
Gate technology for 0.1-μm Si complementary metal-oxide-semiconductor using g-line exposure and deep ultraviolet hardening.—74-06117A
Growing GaN by plasma-assisted molecular beam epitaxy.—74-06123A
Growth of group III nitrides on Si(111) by plasma-assisted molecular beam epitaxy.—74-05154A
Hafnium nitride dielectric phase films fabricated by ion-beam sputtering.—74-08753A
Hard wear-resistant film and method for production thereof.—74-02418P
He/N_2 reactive gas composition and the structural and electrical properties of InN thin films grown on AlN-nucleated (001)sapphire by planar magnetron sputtering.—74-05155A
High-performance sub-0.1 μm silicon n-metal-oxide-semiconductor transistors with composite metal/polysilicon gates.—74-00495A
Light-emitting device of gallium nitride compound semiconductor.—74-09088P
LPCVD of InN on GaAs(110) using HN_3 and TMIn—comparison with Si(100) results.—74-06188A
Materials Research Society Symposium Proceedings, Volume 339: Diamond, SiC, and Nitride Wide Bandgap Semiconductors.—74-07972B
Metal nitride powders.—74-09926P
Method for deposition of a refractory metal nitride and method for formation of a conductive film containing a refractory metal nitride.—74-08801P
Method of fabricating a gallium nitride based semiconductor device with an aluminum and nitrogen containing intermediate layer.—74-09092P
Method of producing tantalum(V) nitride.—74-03995P
Modified angular dependence of coercivity in inhomogeneous magnets: I, $Sm_2Fe_{17}N_x$.—74-05032A
Modulated reflectance and absorption characterization of single-crystal GaN films.—74-03115A
Mossbauer study of phase transformation induced by mechanosynthesis in Fe_4N.—74-07702A
Nanoindentation and tribological studies of ultrahigh-strength carbon nitride thin films.—74-11060A
New covalent ceramics—$MgSiN_2$.—74-09881A
Nitrides of intermetallic compounds prepared from mixtures of oxides using sintering and reactive gas treatment in a single step.—74-04777A
Nonoxide metal ceramic catalysts comprising metal oxide support and intermediate ceramic passivating layer—74-01329P
Optical third harmonic investigations of gallium nitride nucleation layers on sapphire.—74-07708A
Oxidation of thin CrN and Cr_2N films analyzed via nuclear reaction analysis and Rutherford backscattering spectrometry.—74-05312A
Oxidation protection of carbon-carbon composites by (B+Si)N coatings.—74-10933A
Pattern formation in amorphous WN_x by low temperature electron cyclotron resonance etching for fabrication of X-ray mask.—74-01828A
Performance of the plasma deposited tungsten nitride barrier to prevent the interdiffusion of Al and Si.—74-01953A
Plasma-enhanced metallorganic chemical vapor deposition of germanium nitride thin films.—74-07415A
Preparation of BN-AlN-TiB_2 (BAT) electrical ceramic composite by reactive hot-pressing (RHP).—74-07428A
Pressureless sintering of whisker reinforced composites.—74-09834P
Process for producing ceramic compositions.—74-09952P
Properties of Group III Nitrides.—74-11209B
Properties of magnesium nitride and related compounds.—74-07024A
Properties of reactively sputter-deposited Ta-N thin films.—74-01565A
Raman scattering from LO phonon-plasmon coupled modes in gallium nitride.—74-04405A
Reactive ion etching of Ta-Si-N diffusion barriers in CF_4+O_2.—74-04865A
Recent advances in the CVD of metal nitrides and oxides.—74-07460A
Refractory metal nitride encapsulation for copper wiring.—74-00697A
Science and technology in composite materials—iron nitride ultrafine particles and iron nitride magnetic fluids.—74-09220A
Selective dry etching in a high-density plasma for 0.5 μm complementary metal-oxide-semiconductor technology.—74-01876A
Significance of temperature effects for the behavior of thin lubricant films in an oscillating contact.—74-01571A
Single-source precursors to niobium nitride and tantalum nitride films.—74-10631A
Single-source precursors to vanadium nitride thin films.—74-09893A
Solid state ionic polishing of diamond.—74-09544P
Sputtered molybdenum nitride as a diffusion barrier.—74-01956A
Structural systematics of cubic binary carbides and nitrides.—74-07122A
Structure and properties of reactively sputtered γ-Mo_2N hard coatings.—74-05271A
Studies on SiBN(C) ceramics—oxidation and crystallization behavior lead the way to applications.—74-10161A
Synthesis and characterization of a new ternary transition metal nitride, $FeWN_2$, from the transition metal oxide precursor, $FeWO_4$.—74-10665A
Synthesis of new nitrides using solid-state oxide precursors.—74-10682A
Synthesis of nitrides by mechanical alloying.—74-07133A
Theoretical study of the band offsets at GaN/AlN interfaces.—74-06351A
Thermodynamic analysis on the preparation of ceramic nitride powders by carbothermal reduction.—74-07136A
Thin gate and analog capacitor dielectrics for submicron device fabrication.—74-05967A
Transparent and conductive impurity-doped GaN thin films prepared by an electron cyclotron resonance plasma metallorganic chemical vapor deposition method.—74-10708A
Wide-gap semiconductor InGaN and InGaAlN grown by MOVPE.—74-06382A

nitrites,
High-temperature localization of plastic deformation in $NaNO_2$ ferroelectric crystals.—74-06414A

nitrogen oxides,
3R—recent developments in deNO_x control.—74-09634A
Admissible SO_2 and NO_x emission levels from rotary kilns for cement clinker burning: domestic and foreign standards.—74-01134A
Ammonia reduction of exhaust nitrogen oxides in the presence of cellular block catalysts under simulated and operating conditions.—74-01216A
Characteristics of the NO dielectric film with low-pressure chemical vapor deposition in situ nitridation.—74-05923A

Characterization of metal-oxide-semiconductor capacitors with improved gate oxides prepared by repeated rapid thermal annealings in N_2O.—74-02823A
Characterization of metal-oxide-semiconductor capacitors with improved gate oxides prepared by repeated rapid thermal annealings in N_2O.—74-05925A
Controlling Btu input with high-velocity burners.—74-09647A
Cost-effective NO_x reduction using oxygen-enriched air staging on regenerative glass furnaces.—74-09648A
Furnace formation of silicon oxynitride thin dielectrics in nitrous oxide (N_2O): the role of nitric oxide (NO).—74-08751A
High-quality YBaCuO thin film growth by low-temperature metallorganic chemical vapor deposition using nitrous oxide.—74-06556A
How to better understand NO_x requirements.—74-05769A
Low NO_x clinker production.—74-03917A
Minimizing NO_x emissions through improved oxy-fuel.—74-03922A
New CF/FCB low-NO_x precalciner—a decisive advance in environmental protection.—74-06864A
New Ciments Francais/FCB low-NO_x *precalciner: technological progress in the service of the environment.—74-09694A*
NO_x reduction in the Brevik Cement Works, Norway—trials with stepped fuel supply to the calciner.—74-08079A
NO_x reduction techniques for the ceramic industry.—74-09696A
NO_x reduction techniques.—74-09697A
Noncatalytic removal of nitrogen in a recuperative container glass furnace.—74-02288A
Reduction of polluting emissions in cement works.—74-08099A
Regenerative glass melting furnace with reduced NO_x emission.—74-09734P
SO_2 and NO_x emission rates from rotary kilns in Polish cement industry.—74-01180A
Utilization of chipped car tires for reducing NO_x emissions in a precalciner kiln.—74-09726A
X-ray phtoelectron spectroscopy/Fourier transform infrared spectroscopy study of the interaction of $YBa_2Cu_3O_x$ with CO, NO, and H_2+CO.—74-03618A

nitrogen,
Atomic nitrogen production in a molecular beam epitaxy compatible electron cyclotron resonance plasma source.—74-05074A
Co-Cr films deposited by magnetron sputtering under different nitrogen partial pressures.—74-01356A
Decomposition of NO_2 on metal surfaces: oxidation of Ag, Zn, and Cu films.—74-04534A
Development of Ni/Ti multilayer supermirrors for neutron optics.—74-05114A
Dislocation nucleation mechanism and doping effect in *p*-type ZnSe/GaAs.—74-05117A
Doping results in ZnSe grown by molecular beam epitaxy.—74-02969A
Dose analysis of nitrogen plasma source ion implantation treatment of titanium alloys.—74-05118A
Effect of ion implantation on ion-plated diamondlike carbon films.—74-04578A
Effects of nitrogen doping on the growth and properties of plasma-enhanced chemical vapor deposited diamondlike carbon films.—74-04599A
Efficient liquid nitrogen supply system for the cooling shroud in a molecular beam epitaxy system.—74-03686A
Electrical transport characterizations of nitrogen doped ZnSe and ZnTe films.—74-02988A
Enhanced pitting corrosion resistance of 304L stainless steel by plasma ion implantation.—74-05306A
Enhancement of the reactive deposition rate of TiN films at low nitrogen content.—74-07299A
Gamma activation determination of nitrogen in silicates in degassing studies of the earth's mantle.—74-01995A
Gas source molecular beam epitaxy of ZnSe and ZnSe:N.—74-04656A
High-temperature reaction between silicon carbide and nitrogen under pressure.—74-01754A
Incorporation of nitrogen into diamondlike carbon films.—74-04696A
Influence of charge exchange on ion/neutral arrival rates in an ion-assisted deposition system.—74-07351A
Inhomogeneous distribution of nitrogen impurities in {111} growth sectors of high-pressure synthetic diamond.—74-10002A
Liquid nitrogen provides shear cooling solution.—74-00946A
Localized modes due to single nitrogen defects in mixed host isotope synthetic diamond.—74-10738A
Low-dose nitrogen ion implantation in Ti/permalloy bilayer films.—74-04734A
Luminescence studies of nitrogen- and boron-doped diamond films.—74-04743A
Microstructures and mechanical properties of amorphous hydrogenated carbon-nitrogen films.—74-04363A
Model for the developing microstructure in portland cement pastes.—74-02339A
Nanostructured composite materials in the system Si-B-N.—74-07399A
Nickel in diamond: an annealing study.—74-00133A
Nitrogen doping in ZnSe by photoassisted metallorganic vapor phase epitaxy.—74-04778A
Nitrogen doping of ZnSe by OMVPE using a novel organometallic precursor.—74-04779A
Nitrogen plasma source ion implantation of aluminum.—74-04780A
Nitrogen profiles of high-dose, high-temperature plasma source ion-implantation-treated austenitic stainless steel.—74-04781A
Nitrogen pyroxenes.—74-07401A
Nitrogen redistribution in SiO_2 under ion bombardment.—74-02030A
O/N-interdiffusion in AlN.—74-06800A
Overview of plasma source ion implantation research at University of Wisconsin-Madison.—74-03720A
p-type ZnSe grown by molecular beam epitaxy with remote microwave plasma of N_2.—74-01604A
Plasma source ion implantation of oxygen and nitrogen in aluminum.—74-04811A
Plasma spraying of high nitrogen steels.—74-08251A
Processing of nitrogen ceramics by carbothermal reduction and nitridation of vermiculite-polymer intercalation compounds.—74-04838A
Production of nanocomposite Si/C/N preceramic powders by laser pyrolysis of hexamethyldisilazane.—74-04848A
Properties of highly conducting nitrogen-plasma-doped ZnSe:N thin films.—74-03184A
Raman spectroscopy on nitrogen-incorporated amorphous hydrogenated carbon films.—74-05227A
Reactive plasma spraying of silicon in controlled nitrogen atmosphere.—74-10605A
Structural modifications in a-C:H films doped and implanted with nitrogen.—74-04917A
Structure and creation conditions of complex nitrogen-nickel defects in synthetic diamonds.—74-04918A
Structure and creation conditions of complex nitrogen-nickel defects in synthetic diamonds.—74-07585A
Structure and wear behavior of nitrogen-implanted aluminum alloys.—74-04432A

noise,
Anomalies in behavior of the trapped magnetic flux and its noise in an HTSC ceramic.—74-04252A
Calculation of the flicker noise in metal-insulator composites using a mean-field theory.—74-00462A
Effect of sample quality on 1/*f* noise in Y-Ba-Cu-O ceramics.—74-03451A
Flicker noise in rf SQUIDs based on high-temperature superconductors.—74-03811A
Reduction of noise figure in semiconductor laser amplifiers with $Ga_{1-x}In_xAs/GaInAsP$ strained quantum well structures.—74-00696A
Sound absorbers for heavily polluting exhaust gas systems.—74-06819A
Submillimeter wave generation and noise in InP diodes.—74-03240A

nondestructive testing,
Application of nondestructive tests to evaluate concrete structures.—74-09549A
Applications of quantitative NDE to basic fracture research of concrete.—74-09550A
Development of nondestructive evaluation methods and prediction of effects of flaws on the fracture behavior of structural ceramics.—74-01057A
Equipment for contactless determination of the superconducting transition of ceramic specimens.—74-03806A
Laser ultrasound directivity in CS-3 ceramic.—74-03830A
Monitoring processing stages of carbon-carbon composites using vibration-based nondestructive evaluation.—74-03840A
NDE method selection for advanced materials.—74-01084A
Nondestructive control of green and sintered compacts of silicon carbide.—74-06798A
Nondestructive control of the internal structure of fused refractories.—74-03845A
Nondestructive quality control of refractories.—74-03846A
Nondestructive testing of structural ceramics.—74-01089A
Nondestructive testing of surface defects in structural ceramics.—74-01090A
Nondestructive testing of volume defects in structural ceramics.—74-09594A
Nondestructive thickness determination of thin cobalt and cobalt disilicide layers on silicon substrates.—74-03717A
Production-oriented nondestructive testing of structural ceramic components: vibration analysis.—74-09605A
Resonant ultrasound: a new technique that accurately measures the elastic moduli of advanced materials for nondestructive evaluation and on-line control.—74-01099A
Scanning apparatus and method for nondestructive materials evaluation and mapping through use of acoustic waves.—74-09631P
Simple and sensitive way to determine carbon film thickness.—74-09614A
Survey of nondestructive surface characterization methods used for reliable gate oxide fabrication for silicon ic devices.—74-03877A
Thermalite apparatus.—74-03880A

nonferrous metals,
Pozzolanicity of a lead slag.—74-08086A

nonoxides,
Analytical technique to design and control ceramic materials.—74-06737A
Ceramic fibers.—74-10063A
Chemical vapor infiltration of nonoxide ceramic matrix composites.—74-09858A
Crowdion spreading and radiation stability possibility of nonoxides.—74-09861A
Electrochemically prepared precursors for the formation of nonoxides.—74-01702A
High-temperature stability of nonoxide structural ceramics.—74-02080A
Tailoring suspension flow for the gelcasting of oxide and nonoxide ceramics.—74-10690A
Thermal decomposition of a copolymer of methylcyclosiloxanes and methylcyclosilazanes to nonoxide ceramics.—74-09897A

nonstoichiometry,
Nonstoichiometry and mechanism of boron nitride oxidation.—74-07817A
Thermodynamics of the oxide solid solution $(Co_xFe_{1-x})_{1-\Delta}O$ at 1200°C.—74-04235A

nozzles,
Ceramic gas-turbine nozzle with cooling fine holes and method for preparing the same—74-01311P
Ceramic tip and compliant attachment interface for a gas turbine fuel nozzle—74-01313P
Current topic of shrouding nozzles for continuous casting.—74-03681A
Development and application of annular step submerged entry nozzle.—74-00381A
Effect of nozzle profile on gas mixing in an atmospheric and low-pressure dc plasma jet.—74-09564A
Energy distribution and computer-modeled nozzle design in high-pressure water jet coating removal.—74-10328A
Liner for submerged entry nozzle.—74-02797P
Materials processing with de Laval spray-forming nozzles—net-shape applications.—74-09483A
Mechanism of overgrowth of steel-teeming nozzles.—74-02764A
Performance of the Adelaide Brighton Cement IKN cooler.—74-03925A
Prevention of alumina buildup in submerged entry nozzle for continuous casting of steel.—74-00397A
Tuneable high velocity thermal spray gun.—74-09545P

nuclear magnetic resonance (NMR),
^{27}Al and ^{29}Si MAS NMR study of kaolinite thermal decomposition by controlled rate thermal analysis [CRTA].—74-09966A
Al-pillared saponites: I, Ir studies.—74-05065A
Al-pillared saponites: II, NMR studies.—74-05066A
Application of NMR Spectroscopy to Cement Science.—74-11197B
Chemical equilibria in glass-forming melts: high-temperature ^{31}P and ^{77}Se NMR of the phosphorus-selenium system.—74-02437A
Cu NMR study in single crystal $Bi_2Sr_2CaCu_2O_8$: observation of gapless superconductivity.—74-03438A
Cu^{63} NQR/NMR study of Zn-substituted $YBa_2Cu_4O_8$: effect of impurity on spin-gap-like behavior.—74-00794A
Directly detected NMR of optically pumped GaAs quantum wells.—74-02966A
Double rotation and magic-angle spinning NMR study of an ultrastable Y zeolite.—74-05119A
NMR studies of spin excitations in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals.—74-06596A
Novel characterization of phases in zirconia-based ceramics: ^{91}Zr NMR.—74-01416A
Nuclear magnetic relaxation and Knight shift of ^{63}Cu nuclei in high-T_c superconductors.—74-03545A
Nuclear magnetic resonance of ^{89}Y on yttrium ferrite garnet.—74-05206A
Nuclear magnetic resonance of fluorine in partly crystalline multichrome glasses.—74-05686A
Properties of Na ions in NaZSM-5 zeolite.—74-10143A
^{29}Si, ^{17}O liquid NMR, and ^{29}Si CP-MAS NMR characterization of siloxane-oxide materials, $((CH_3)_2SiO/TiO_2$, $(CH_3)_2SiO/ZrO_2)$.—74-10754A
Solid-state NMR and EPR studies of intracrystalline vs external surface adsorption of photoreactive ketones in pentasil zeolites.—74-01458A

nuclear materials,
Sol-gel microsphere palletization: a powder-free process for fabrication of ceramic nuclear fuel pallets.—74-09417A

nuclear quadrupole resonance (NQR),
Cu nuclear quadrupole resonance study of $CuGeO_3$.—74-04272A
Susceptibility and NQR investigations on $NaCuO_2$.—74-09347A

nuclear waste,
Alternate processing flowsheets for treating NCAW waste slurry with formic acid—split acid addition to reduce H_2 generation rate and total NH_3 production.—74-09394A
Chemistry of copper chalcogenides in waste glasses.—74-09395A
Development of glass-melting technology for nuclear waste vitrification.—74-09396A
Development of high-waste loaded high-level nuclear waste glasses for high-temperature melter.—74-09397A
Disposition of actinides released from high-level waste glasses.—74-09398A
Effect of aluminum and silicon reactants and HIP soak time on characteristics of glass-ceramic waste forms.—74-09399A
Effect of Pd, Rh, and Ru concentration on HCOOH decomposition during the processing of neutralized current acid waste simulant.—74-09400A
Effects of formic and nitric acids on simulated Hanford neutralized current acid waste rheology.—74-09401A
Effects of S/V on secondary phase formation on waste glasses.—74-09402A
French nuclear waste vitrification: state of the art and future developments.—74-09403A
Laboratory studies for estimation of melting rate in nuclear waste glass melters.—74-09404A
Maximization of waste loading for a vitrified Hanford high-activity simulated waste.—74-09405A
Models for liquidus temperature of nuclear waste glasses.—74-09406A
Mossbuer study of iron redox in West Valley glass.—74-09407A
Operational feasibility of the vitrification of an organic ion-exchange resin.—74-09408A
Predicting liquid immiscibility in multicomponent nuclear waste glasses.—74-09409A
Preparation of hydrated glass as a model of nuclear waste glass after long-term leaching.—74-09410A
Process modeling of low-level mixed waste vitrification systems.—74-09411A
Properties of glass-bonded zeolite monoliths.—74-09412A
Properties of vitrified Rocky Flats TRUW [transuranic-contaminated mixed waste] with different waste loadings.—74-09413A

Role of frit in nuclear waste vitrification.—74-09416A
Solubilities of CO_2 in candidate glasses for nuclear waste immobilization: I, Systems Cs_2O+SiO_2, Cs_2O+B_2O_3, Rb_2O+SiO_2, and Na_2O+B_2O_3.—74-05696A
Statistics of the time-temperature-transformation diagram for oxidized and reduced West Valley Reference 6 glass.—74-09418A
Sulfur systematics in model glass compositions from West Valley.—74-09419A
Towards optimization of nuclear waste glass—constraints, property models, and waste loading.—74-09420A
Transmission electron microscopy of simulated DWPF high-level nuclear waste glasses following gamma irradiation.—74-09421A
Vitrification of simulated intermediate level waste from nuclear power plants: II, Chemical stability of vitrified products in acidic solutions.—74-06672A
Water resistance and ion diffusion in glass materials simulating vitrified radioactive waste.—74-02504A

nucleation,
Analysis and modeling of diamond heterogeneous nucleation kinetics.—74-10756A
Atomic force microscopy studies of polysilicon growth during deposition on silicon.—74-05981A
Characterization of catalytically synthesized turbostratic carbon films used for improved rates of diamond nucleation.—74-01964A
Composition of nuclei.—74-04109A
Determination of the "overall" nucleation density on tungsten—a new treatment of the data.—74-10787A
Diamond in the USA.—74-01290A
Diamond nucleation at the organic liquid-metal interface by laser-induced reactive quenching.—74-01677A
Diamond nucleation on pretreated substrates.—74-01678A
Diamond nucleation on steel substrates.—74-00113A
Diamond thin-film growth on ferrous surfaces.—74-01681A
Dislocation nucleation in metal-ceramic interfaces.—74-08165A
Effect of high supersaturation at the initial stage on diamond nucleation phenomena.—74-01687A
Effect of native SiO_2 layer on the nucleation of diamond using a combustion flame.—74-04582A
Effect of substrate bias voltage on the nucleation of diamond crystals in a microwave plasma-assisted chemical vapor process.—74-01691A
Effect of substrate material on bias-enhanced diamond nucleation.—74-04588A
Effect of substrate material on bias-enhanced diamond nucleation.—74-07278A
Effect of surface preparation on the nucleation of diamond on silicon.—74-01692A
Empirical model for the nucleation and growth of zeolites.—74-10327A
Further comments on the role of autocatalytic nucleation in hydrothermal zeolite syntheses.—74-01743A
Gas flow effects in synthesis of diamond by hot-filament chemical vapor deposition.—74-01744A
Heterogeneous nucleation of calcium oxalate of native oxide surfaces.—74-10381A
Homogeneous nucleation of gas pores in two-component solution of vacancies and gas atoms.—74-05018A
In situ observation of silicalite nucleation and growth—a light scattering study.—74-10405A
Influence of atomic hydrogen gradients on the growth rate and nucleation of diamond produced by microwave plasma assisted deposition.—74-01763A
Influence of glass-ceramic substrate on nucleation density of diamond particle.—74-04699A
Investigation of nucleation centers in diamond chemical vapor deposition with spatially resolved X-ray photoelectron spectroscopy.—74-05172A
Investigation of the bias nucleation process in microwave plasma-enhanced chemical vapor deposition of diamond.—74-04717A
Investigations of diamond nucleation on a-C films generated by dc bias and microwave plasma.—74-04719A
Mechanism of zeolite formation—seed-gel interaction.—74-10446A
Nucleation and crystallization kinetics on float glass surfaces.—74-00307A
Nucleation and growth in TiO_2 films prepared by sputtering and evaporation.—74-06229A
Nucleation and growth observations of diamond grown on cast tungsten carbide (W_2C+WC) particles by low-pressure CVD.—74-01816A
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: effects of substrate pretreatments—correction.—74-04787A
Nucleation and growth of diamond on cemented carbides by hot-filament chemical vapor deposition.—74-01817A
Nucleation and growth of diamond using a computer-controlled oxyacetylene torch.—74-01818A
Nucleation and growth of inversion domains in AlN: I, Study of fundamental processes.—74-02032A
Nucleation and mechanisms of diamond in plasma chemical vapor deposition.—74-01819A
Nucleation in stress-induced tetragonal-monoclinic transformation of constrained zirconia.—74-01417A
Nucleation mechanism of $5K_2O$-43CaO-$12Al_2O_3$-$40SiO_2$ glass catalyzed by Ni_2O_3.—74-08342A
Nucleation of diamond on graphitic carbon.—74-05208A
Nucleation of diamond on vapor deposited graphite.—74-00134A
Nucleation of solid-state reactions between nickel oxide and aluminum oxide.—74-01418A
Nucleation on charged substrate.—74-04788A
Numerical analysis of an impinging jet reactor for the CVD and gas-phase nucleation of titania.—74-07403A
Oriented nucleation of gypsum ($CaSO_4$·$2H_2O$) under compressed Langmuir monolayers.—74-04796A
Precursors of the zeolite ZSM-5 imaged by cryo-TEM and analyzed by SAXS.—74-10864A
Role of interfacial chemistry in surface nucleation and growth of calcium oxalate monohydrate.—74-09798A
Role of nucleation step in the growth rate of diamond films.—74-04875A
Selective growth of diamond using an iron catalyst.—74-04881A
Stabilization of diamond relative to different substrate-carbon carbon interfaces: a nucleation model for CVD diamond growth based on a charge transfer consideration.—74-05254A
Studies of TiN nucleation and growth by scanning tunneling microscopy in water.—74-07764A
Theory of new phase nucleation on surfaces of solids in nonisothermal conditions.—74-07529A
ZnSe nucleation on the GaAs(001): Se-(2×1) surface observed by scanning tunneling microscopy.—74-06388A
ZnSe nucleation on the GaAs(001):Se-(2×1) surface observed by scanning tunneling microscopy.—74-06389A

oil well cement,
Big Bag technology at the Lengerich cement plant.—74-09433A
Cement cake properties in static filtration: on the role of fluid loss control additives on the cake porosity.—74-00039A
Effect of different water levels on the properties of HSR Class G [oil well] cement.—74-07269A
Effects of storage upon the cementing properties of Class G oilwell cement plus 8% bentonite blends.—74-05511A
Oil well cements for slim hole wells.—74-08080A
Oilwell cements and cement additives in the CIS.—74-02342A

oils,
Oil dispersion of alumina for tape casting.—74-07404A
Pressing and molding oils with a slight content of pollutants.—74-09499A
Thermal rating for enclosed speed reducers.—74-03935A

olivines,
Changes in olivine during heating in air.—74-03941A
Comparative study of two magnesium silicates, dunite and olivine, as agents for elimination of potassium in the blast furnace.—74-08612A
Olivine.—74-06919A

opal,
Three-dimensional superlattices in opal matrices.—74-02594A

optical devices,
All-optical switch employing the cascade second-order nonlinear effect.—74-00566A
Amorphous thin films for (rewritable) optical memory disks based on phase change mode.—74-08324A
Characterization of diamond films for optical coatings.—74-10221A
Comparison of liquid and dry particle size distribution measurements using in-line and off-line optical instruments.—74-01972A
Confocal microscopy.—74-09560A
Fabrication of aspheric high numerical aperture reflective diffractive optic elements using electron beam lithography.—74-01721A
High T_c superconducting microstrip phase shifter having tapered optical beam pattern regions.—74-09366P
Novelty optical filter with multilayer coating of ZnO-CdTe.—74-03131A
On-line control of the plasma spraying process by monitoring the temperature, velocity, and trajectory of in-flight particles.—74-09596A
Optically nonlinear glass.—74-08446A
Polarcor/glass polarizers for near-infrared.—74-08385A
Research-grade microscope.—74-06809A
See what's new in the field of optical microscopes.—74-03868A
Sol-gel optical coatings for lasers: I.—74-08459A
Using the microscope...for the nonmicroscopist.—74-03887A

optical fibers,
1.3 micrometer-band amplifying optical fiber preform—74-00324P
Apparatus for the production of hermetically coated optical fiber.—74-03745P
Ceramic Transactions, Volume 49: Manufacture of Ceramic Components.—74-07964B
Ceramic Transactions, Volume 50: Design for Manufacturability of Ceramic Components.—74-07967B
Cooling of optical fibers during the drawing process.—74-05754A
Fabrication of optical fiber by plasma-activated chemical vapor deposition method.—74-08421A
Fatigue strength of optical fiber.—74-05716A
Investigation of the core-clad interface of coherent fiber optic devices using secondary ion mass spectrometry, surface analysis by laser ionization, and transmission electron microscopy.—74-03828A
Manufacture of high proof-test optical fiber using sol-gel—74-00338P
Manufacture of high proof-test optical fiber using sol-gel.—74-02679P
Master fatigue curve for optical fibers.—74-05728A
Method for producing glass preform for optical fiber.—74-02684P
Method for producing silica glass optical fiber with carbon coating.—74-02685P
Method of making a preform for an optical fiber.—74-02687P
Optical and mechanical isotropies in embedded fiber optic sensors.—74-08382A
Optical fiber amplifier and a glass therefor.—74-08495P
Optical functioning glass and method of manufacturing same, optical fiber, waveguide device, and laser device—74-00344P
Optical moldings made from silicon nitride, and a process for their production.—74-04072P
Optically nonlinear glass.—74-08446A
Preparation of a preform of optical fibers.—74-02692P
Reversibility of the lowering of strength of optical quartz fibers upon removal of coatings.—74-02576A
SHG in silica optical fiber and its mechanism analysis.—74-10883A
Spectroscopic analysis of an Eu-doped aluminosilicate optical fiber preform.—74-08394A
Stress-optic effect in YAP ($YAlO_3$) crystal optical fiber.—74-02659A
Transmission characteristics of fused silica fibers at high-power uv excimer laser wavelength.—74-05800A
Ultraviolet resistant silica glass fiber—74-00353P

optical materials,
ß-BaB_2O_4 (CZ method).—74-09965A
Calcium fluoride for high-performance optics—problems and solutions.—74-07016A
Characterization of optical thin films by spectroscopic ellipsometry.—74-10065A
Control of the exchanging-component boundary concentration in the fabrication of graded-index optical elements.—74-02608A
Dissolving of baddeleyite-corundum refractories in optical glass melts.—74-03683A
Effects of laser treatment on laser-induced damage of optical thin-film and laser glass.—74-02617A
Electrooptic materials by solid-source MOCVD.—74-07296A
$LiNbO_3$ thin film optical waveguide device and process for producing the same—74-00768P
Method for molding optical glass elements—74-00339P
Method of manufacturing silica waveguide optical components.—74-08489P
Missile optical waveguide.—74-08492P
Nonlinear optical materials and applications.—74-00271A
Nonlinear optical polymers derived from organic/inorganic composites.—74-10499A
Optical crown glass having negative anomalous partial dispersion and high uv transmission—74-00343P
Optically switchable thin films—a review.—74-07181A
Optimization of the machining process of optical glass pieces by tool masking.—74-03719A
Spectroscopic studies of chemical reactions and dynamics in sol-gel matrices.—74-08395A
Striation-free, spin-coated sol-gel optical films.—74-07492A
Studies on MgO-stabilized zirconia thin films in the uv-visible region.—74-07190A
Temperature dependence of photorefractive effects in Fe:$KNbO_3$.—74-02590A
Thin-film SiC as an optical and optoelectronic material.—74-03252A

optical properties,
$^4I_{13/2}$-$^4I_{15/2}$ radiative transitions of Er^{3+} in CaO-Al_2O_3 glasses.—74-08402A
α-Fe_2O_3 thin films prepared by metallorganic deposition (MOD) from Fe(III) 2-ethylhexanoate.—74-07197A
Acoustooptic efficiency of bismuth-containing gallate glasses.—74-02511A
Angularly and spectrally resolved light scattering from lead zirconate titanate thin films.—74-06393A
Anisotropic optical properties and flow behavior of mechanically deformed single-phase glass melts.—74-02512A
Applications of highly nonlinear chalcogenide glass fibers in ultrafast all-optical switches.—74-00286A
Applications of nonlinear optical thin films.—74-08360A
Chemical deposition of PbS from an acidic bath.—74-04507A
Coherent and incoherent specular inverse Faraday effect in $YBa_2Cu_3O_{7-\delta}$.—74-03428A
Composition dependence of the optical constants in amorphous Sb_xSe_{1-x} thin films.—74-04267A
Decorative hard coatings: advances in optical characterization techniques.—74-01053A
Deposition of silicon dioxide films using the helicon diffusion reactor for integrated optics applications.—74-06032A
Determination of light beam ellipticity and optical parameters of crystals by means of spectrophotometer.—74-06755A
Determination of the optical constants of fine-grained diamond layers on silicon substrates using curve-fitting procedures.—74-10074A
Development and study of the optical properties of InGaAs/GaAs quantum wires.—74-08857A
Dispersive optical bistability in ZnS-ZnTe strained-layer superlattices grown on transparent substrates BaF_2 by MOCVD.—74-06044A
Effect of controlled change in intrinsic point defects and oxygen on the optical properties of CdS.—74-08870A
Effect of pH on growth and properties of KDP crystals.—74-07276A
Effect of some spray pyrolysis parameters on electrical and optical properties of ZnS films.—74-06055A
Effect of substrate temperature on the properties of sputtered tin oxide films.—74-01510A
Effect of the atomic ratio of Ba to Ti on optical properties of gold-dispersed $BaTiO_3$ thin films.—74-10082A
Effects of annealing on the structural and optical properties of amorphous thin films of Ga-55 mol% S.—74-00599A
Effects of crystallization on the optical and electrical properties of amorphous Sb-S-Ge thin films.—74-06059A
Effects of microstructure on the optical properties of metal-semiconductor composites.—74-07638A
Elastic properties of breakaway glass and liquid by Brillouin scattering up to 170°C.—74-02535A
Electrical and optical properties of in situ "hydrogen-reduced" titanium dioxide thin films deposited by pulsed excimer laser ablation.—74-07286A
Electrical and optical properties of molybdenum trioxide thin films.—74-10089A
Electrical and optical properties of silicide single crystals and thin films.—74-00483A
Electrical and optical properties of TiO_2 anatase thin films.—74-10090A
Electrochemical and optical response of dip-coated SnO_2 films.—74-04603A

Electroless chemical deposition technique for Cu_2O thin films.—74-07292A
Epitaxial waveguiding $KNbO_3$ thin films grown by rf sputtering deposition.—74-09135A
Er-doped glass fibers for optical amplifiers.—74-08897A
Excitonic optical bistability in ZnSe/ZnS planar waveguide.—74-06089A
Fabrication and optical properties of high-performance polycrystalline Nd:YAG ceramics for solid-state lasers.—74-04316A
Fabrication of CdS nanoparticles embedded in a polymer film by gas-aerosol reactive electrostatic deposition technique.—74-06097A
First-principles study of the optical properties of SiC.—74-08914A
Formation and optical properties of prolate silver particles in glasses.—74-00259A
Formation of an optical property gradient in monolithic porous xerogels and the glasses based on them.—74-02627A
Formation of the gradient of optical properties in monolithic porous xerogels and glasses based on them.—74-00297A
Free-standing white diamond for thermal and optical applications.—74-10105A
Growth kinetic analysis of diamond films by in situ elastic scattering of light and reflectivity.—74-04663A
Hall mobility and optical conductivity in SmB_6.—74-04327A
High-speed shielded velocity matched $Ti:LiNbO_3$ optical modulator.—74-00754A
High-temperature deposition of SiN films using low-pressure chemical vapor deposition system for X-ray mask application.—74-03047A
In situ monochromatic and spectroscopic optical investigations of diamond thin-film growth.—74-04691A
Investigation of optical and electrical properties of ZnO ultrafine particle films prepared by direct current gas discharge activated reactive method.—74-06168A
Investigation of spontaneous ordering in GaInP using reflectance difference spectroscopy.—74-06170A
Investigation of spontaneous ordering in GaInP using reflectance difference spectroscopy.—74-07675A
Ion- and laser-induced modification of optical and structural properties of *i*-carbon films.—74-10110A
Local environment of selenium in silicate glasses.—74-02557A
Low-temperature irradiation effects in natural crystalline quartz.—74-10113A
Measurement of refractive indices (η_0, η_e) and temperature coefficient of self-frequency doubling NYAB crystals.—74-10118A
Measurement of the size-dependent hole spectrum in CdSe quantum dots.—74-03101A
Microcrystalline silicon carbon alloy film prepared by photochemical vapor deposition.—74-04749A
Microscopy.—74-03837A
Microvoids in diamondlike amorphous silicon carbide.—74-05195A
Modified Judd-Ofelt technique and application to optical transitions in Pr^{3+}-doped glass.—74-02564A
Natrolite group zeolites: correlations of optical properties and crystal chemistry.—74-01413A
Near-ir optical nonlinearities in amorphous chalcogenides.—74-08338A
New glass for hosting organic compounds with optical, electronic, and biological applications.—74-05734A
Nonlinear optical properties of B_2O_3 glasses: M_2O-B72O73 (M=Li, Na, K, Rb, Cs, and Ag) binary borate glasses.—74-05735A
Nonlinear optical properties of TeO_2-based glasses: MO_x-TeO_2 (M=Sc, Ti, V, Nb, Mo, Ta, and W) binary glasses.—74-02567A
Nucleation and growth in TiO_2 films prepared by sputtering and evaporation.—74-06229A
OES study of plasma processes in dc discharge during diamond film deposition.—74-07176A
Optical analysis of quantum confined Stark effect in overgrown InGaAs/InP quantum wires.—74-01547A
Optical and electrical properties of electron cyclotron resonance CVD SiN_x:H films.—74-01548A
Optical and electrical properties of V_2O_5 thin films.—74-04379A
Optical and electron spin resonance spectroscopy of Ti^{3+} and Ti^{4+} in Al_2O_3.—74-04380A
Optical and electronic properties of amorphous diamond.—74-10128A
Optical and magnetooptical phenomena on absorption edge of elastically stressed cadmium telluride.—74-06235A
Optical and photoelectric properties of CdTe:Fe and $Cd_{1-x}Fe_xTe$.—74-01549A
Optical and structural properties of MeV erbium-implanted $LiNbO_3$.—74-03326A
Optical band gap of thin films of SnSe-$SnGe_2$ eutectic alloy.—74-01550A
Optical bistability in the GaAs/AlGaAs bistable FET.—74-00675A
Optical characterization of textured microwave CVD diamond.—74-04381A
Optical constants of inorganic glasses.—74-11208B
Optical detection of ion impurity sites in doped $LiNbO_3$.—74-00758A
Optical investigation of the influence of substrate orientation on spontaneous ordering in $Ga_{0.5}In_{0.5}P$ alloy.—74-04382A
Optical properties and new functionalities of semiconductor nanocrystals embedded in host crystals and glasses.—74-08986A
Optical properties and upconverted emissions of Tm^{3+} in Yb^{3+}-doped fluorophosphate glasses.—74-00272A
Optical properties of a strained GaAs/Si heterostructure after rapid thermal annealing.—74-06238A
Optical properties of amorphous microcrystalline mixed-phase Si:H films.—74-01552A
Optical properties of anatase (TiO_2).—74-08987A
Optical properties of band-gap-modulated diamondlike carbon thin films.—74-04383A
Optical properties of boron nitride thin films.—74-04791A
Optical properties of CdS- and (Cd, Zn)S-doped sol-gel titania films.—74-07177A
Optical properties of diamondlike coatings prepared by laser arc.—74-10129A
Optical properties of E-BN.—74-04792A
Optical properties of heterostructures with InGaAs-GaAs quantum clusters.—74-08989A
Optical properties of hydrogenated amorphous carbon film for attenuated phase-shift mask applications.—74-01553A
Optical properties of InAs/InP surface layers formed during the arsenic stabilization process.—74-03137A
Optical properties of InAs/InP surface layers formed during the arsenic stabilization process.—74-06240A
Optical properties of ion-assisted deposited SiO thin films.—74-04384A
Optical properties of Mn-doped nanocrystals of ZnS.—74-03138A
Optical properties of MnSe thin films.—74-04385A
Optical properties of Sb and SbO_x films.—74-07179A
Optical properties of sodium aluminosilicate glass.—74-08383A
Optical properties of sputter-deposited aluminum nitride films on silicon.—74-07180A
Optical reflection and angle-resolved light scattering from textured polycrystalline diamond films.—74-10856A
Optical spectra of diamondlike carbon films in the energy region between 1 and 13 eV.—74-10130A
Optical spectra, energy levels, and emission intensity calculations of trivalent thulium ions in gadolinium scandium gallium garnet.—74-04386A
Optical transitions in laser-evaporated thin $CuInSe_2$ films.—74-04387A
Optical transmission of composite SiO_2/Si films grown by laser deposition.—74-08990A
Optically detected cyclotron resonance in ZnTe.—74-03139A
Optically nonlinear glass.—74-08446A
Optoelectronic and structural properties of polysilicon produced by excimer laser and furnace crystallization of hydrogenated amorphous silicon (a-Si:H).—74-05213A
Optomechanical properties of a sapphire fiber-optic sensor.—74-02183A
Oxygen plasma treatment effect on optical properties of $GdBa_2Cu_3O_{7-x}$ high-T_c superconducting films.—74-00829A
Picosecond optical bistability of ZnTe-ZnS strained layer superlattices grown on transparent substrate BaF_2 by MOCVD.—74-05221A
Precipitation of CdTe crystals studied through Mie scattering.—74-06271A
Preparation and optical properties of lead-complex perovskite films by the sol-gel method.—74-10547A
Preparation and properties of bulk amorphous silica doped with organic molecules by sol-gel method.—74-10550A
Properties of Group III Nitrides.—74-11209B
Properties of radio-frequency magnetron sputtered ITO films without in situ substrate heating and post-deposition annealing.—74-04402A
Properties of surface layer of H^+-implanted $Bi_4Ge_3O_{12}$ crystals.—74-02653A
Recent experimental investigations of the optical properties of high-T_c superconductors.—74-06626A
Refractive index dispersion and optical absorption edge of physically vapor deposited films of the $As_{35}S_{65}$ chalcogenide glass.—74-00276A
Refractive index, main dispersion, and density of aluminum, antimony, and arsenic oxides in silicate glasses.—74-02488A
Resonant Raman lineshape of optic phonons in GaAs/AlAs multiple quantum wells.—74-03203A
Rugate filters grown by plasma-enhanced chemical vapor deposition.—74-04878A
Sellmeier coefficients and chromatic dispersions for some tellurite glasses.—74-08392A
Site-dependent study of the optical properties of Eu^{3+} in pure and chlorine-doped fluorozirconate glasses.—74-00278A
Solid-source molecular beam epitaxy growth of GaInP and GaInP-containing quantum wells.—74-09043A
Structural and optical aspects of sol-gel optical composites.—74-10886A
Structural and optical investigation of PbO films grown by laser-assisted deposition.—74-10159A
Structural and optical properties of self-assembled InGaAs quantum dots.—74-06331A
Structural and optoelectronic properties of chemically deposited Cu_xS thin film and the precipitate.—74-01581A
Structural, optical, and electrical properties of polycrystalline iron pyrite deposited by reactive dc magnetron sputtering.—74-04430A
Structural, optical, and electronic properties of wide band gap amorphous carbon-silicon alloys.—74-10160A
Structure and pleochroism of $Bi_2Sr_2CaCu_2O_4$ superconducting crystal.—74-09339A
Study of luminescence, absorption from excited state, and amplification in 1.3 μm range in nonstoichiometric neodymium-doped crystals with fluorite structure.—74-07125A
Study of the Lorentz-Lorentz law and the energy loss of ^4He ions in titanium oxide films.—74-04435A
Substrate effects on the structure and optical properties of epitaxial $PbTiO_3$ thin films prepared by metallorganic chemical vapor deposition.—74-10895A
Synthesis and optical properties of GaAs nanoclusters sequestered in amorphous matrices.—74-04935A
Synthesis of Nd^{3+},Cr^{3+}-codoped YAG ceramics for high-efficiency solid-state lasers.—74-09061A
TE polarizers on $KTiOPO_4$ substrates.—74-03352A
Thermal properties of bulk polycrystalline CVD diamond.—74-04447A
Thermal properties of bulk polycrystalline CVD diamond.—74-07192A
Thermally induced changes in TeO_x thin layers.—74-01246A
Thermochromic characteristics of heterogeneous systems.—74-00232A
Transparent and conductive impurity-doped GaN thin films prepared by an electron cyclotron resonance plasma metallorganic chemical vapor deposition method.—74-10708A
Transport and optical properties of CdSe-CdTe pseudobinary thin films.—74-04454A
Variation of trap state density and barrier height with Cu/In ratio in $CuInSe_2$ films.—74-04461A
XRD, XPS, optical and electrical studies on the conversion of SnS thin films to SnO_2.—74-02097A
$Zn_xCd_{1-x}S$ thin films grown by ion-beam deposition.—74-06387A

optics,
Characterization of porous solids.—74-07608A
Fully integrated 30-ps mode-locked fiber laser electronically tunable over 1530–1560 nm.—74-03309A
Synthesis of hybrid inorganic-organic sol-gel coatings for optics.—74-10679A

ordering,
Analysis of short-range order and structural model in the glassy semiconductor $Ge_{0.2}Sb_{0.2}Se_{0.6}$ by X-ray diffraction.—74-00240A
Characterization and molecular behavior in carbon nanospaces.—74-10764A
Chemical bond distribution and short-range order in nonoxide chalcogenide glasses—results from NMR spectroscopy.—74-08326A
Dependence of the glasslike characteristics of relaxor ferroelectrics on chemical ordering.—74-09117A
Dipole-dipole interaction and magnetic ordering in $KEr(MoO_4)_2$: II, Phase transition in $KEr(MoO_4)_2$ induced by an external magnetic field.—74-03371A
Electron-induced ordering of the surface structure of $Bi_2Sr_2CaCu_2O_x$.—74-09264A
First indications of spontaneous ordering in $ZnSe_{0.5}Te_{0.5}$ alloy.—74-05144A
Implications of interfacial coupling and strain on the magnetic and structural ordering of Fe_3O_4/NiO superlattices.—74-10817A
Layer-by-layer analysis of long-range order degree in subsurface region of $FeNi_3$ crystals.—74-05178A
MNDO study of the structure of the short-range order and interatomic interaction in P_2O_5 glasses with modifying additives.—74-00204A
Optical phonons and ordering of the crystal lattice of $In_xGa_{1-x}As$ solid solutions.—74-08985A
Order and phase transitions at surfaces.—74-10015A
Order-disorder phenomena in high-T_c superconductive cuprates.—74-06603A
Ordered superstructure of InSb-IV.—74-08992A
Ordering and disordering of doped $Ga_{0.5}In_{0.5}P$.—74-03144A
Ordering of heterovalent solid solution with fluorite structure in NaF-BaF_2-GdF_3 system.—74-04171A
Oxygen disorder effects on the electronic structure of $YBa_2Cu_3O_{6+\delta}$.—74-06606A
Probing of 1:2 ordering in $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics by XRD and Raman spectroscopy.—74-10866A
Selective order-disorder transition in GaInP/AlGaInP: a new approach for the definition of buried quantum wires.—74-06304A
Short-range order in cationic sublattice of cubic aluminum oxide.—74-07114A
Short-range order of metaphosphate glasses investigated by X-ray diffraction.—74-00214A
Short-range order structural investigation of amorphous europium, gadolinium, and terbium hydrous oxides.—74-01454A
^{29}Si MAS-NMR study of the short-range order in potassium borosilicate glasses.—74-02429A
Symmetry of the superconducting order parameter in $YBa_2Cu_3O_{7-\delta}$ epitaxial films.—74-03600A
Theoretical study of ordering effects during electrochemical insertion.—74-01477A

ores,
Beneficiation of Canadian graphite ores: a review of processing studies at CANMET.—74-01186A
Carbothermic reduction of U.S. ferruginous manganese resources.—74-01624A
High-pressure particle bed comminution of ores and minerals.—74-00936A
Magnesium silicate granules from natural raw materials.—74-03946A

organic compounds,
Concentration of organic compounds from aqueous solutions by polymeric sorbents of polysorb and polychrom types.—74-01651A
Glass colors: the organic alternative.—74-00019A
New glass for hosting organic compounds with optical, electronic, and biological applications.—74-05734A
New routes to silicic-acid-containing inorganic-organic hybrid precursors and polymers.—74-10496A
New type of a sol-gel-derived inorganic-organic nanocomposite.—74-10497A
Nonlinear optical polymers derived from organic/inorganic composites.—74-10499A
Organic materials used in the production of new ceramics.—74-10510A
Ormosils of high hardness.—74-10131A
Physical adsorption of neopentane on Sterling FT graphite.—74-10134A
Processing of high-porosity engineering ceramics.—74-10588A

Research on dispersity of α-Al_2O_3 powder in organic solution.—74-07464A
Role of layer charge in organic contaminant sorption of organoclays.—74-08582A
Utilization of manganese dioxide for the treatment of organic materials in ceramic pieces.—74-07547A

organizations,
European normalization in advanced ceramic techniques.—74-11160A

organometallic,
Atmospheric and low pressure metallorganic vapor phase epitaxial growth of vertical quantum wells and quantum well wires on submicron gratings.—74-04481A
Characterization of Y_2O_3-stabilized ZrO_2 thin films by plasma-enhanced metallorganic chemical vapor deposition.—74-01630A
Constant indium delivery from trimethyl indium/hexadecane slurry.—74-03792A
Ellipsometric examination of structure and growth rate of metallorganic chemical-vapor-deposited Ta_2O_5 films on Si(100).—74-07643A
α-Fe_2O_3 thin films prepared by metallorganic deposition (MOD) from Fe(III) 2-ethylhexanoate.—74-07197A
Film properties of CVD titanium nitride deposited with organometallic precursors at low pressure using inert gases, ammonia, or remote activation.—74-01730A
Lateral growth of GaAs on patterned {111}B substrates for the fabrication of nanowires using metalorganic molecular beam epitaxy.—74-04729A
Low-temperature deposition of TiN using tetrakis(dimethylamido)-titanium in an electron cyclotron resonance process.—74-07372A
Mass spectrometric analysis of metallorganosilicon compounds.—74-01079A
Method for producing fused silica with low sodium ion contamination level.—74-08487P
Microwave processing of metallorganics to form powders, compacts, and functional gradient materials.—74-00954A
Rf plasma deposition from hexamethyldisiloxane-oxygen mixtures.—74-07468A

orientation,
Biaxial alignment of high-T_c superconductor polycrystals: VI, Biaxial alignment of $(Eu_{0.92}Yb_{0.08})Ba_2Cu_3O_x$.—74-06495A
Common themes in the epitaxial growth of oxides on semiconductors.—74-08841A
Dependence of the phase content and orientation on the high-temperature mechanical properties of yttria partially stabilized single crystals.—74-07857A
Domain reorientation by poling of PZT ceramics in the morphotropic phase boundary region.—74-03296A
Epitaxial aluminum-doped zinc oxide thin films on sapphire: I, Effect of substrate orientation.—74-06082A
Fabrication of biaxially oriented YBCO on (001) biaxially oriented yttria-stabilized zirconia on polycrystalline substrates.—74-09271A
Influence of the deposition rate on the ratio *a*/*c*-axis-oriented grains in sputtered YBaCuO films.—74-03495A
$LiNbO_3$ film with a new epitaxial orientation on *R*-cut sapphire.—74-09151A
Magnetic-field-induced spatial spin reorientation of $DyFeO_3$.—74-04353A
Preferential grain growth and orientation relationships in $BaTiO_3$ and ZnO ceramics.—74-07716A
Review of orientation-microstructure-property relationships for PZT/metal or metal-oxide layered heterostructures.—74-08769A
Rotation and extension of crystallites in carbon fibers by tensile stress.—74-07111A
Study on epitaxial growth of CeO_2(110)/Si(100) in conjunction with substrate off-orientation.—74-09057A
Synthesis of highly oriented $K(Ta,Nb)O_3$ (Ta:Nb=65:35) film using metal alkoxides.—74-06444A
Towards an in situ alumina laminate.—74-07781A
Zirconia-toughened alumina (ZTA) materials with oriented properties.—74-07794A

orthophosphates,
Chemical composition of magnesium phosphates prepared by a wet chemical method using $Mg(NO_3)_2$-KOH-H_3PO_4-H_2O system.—74-05668A
Crystal structure and EPR of V^{4+} in lithium titanium diorthophosphate oxide, α-$LiTiOPO_4$.—74-07053A
Hydrothermal synthesis and crystal structure of $Cu_{2.5}Mn[PO_4]_2(OH)$.—74-04149A

orthosilicates,
Crystal structure of jaffeite.—74-07058A
Hydrogen permselective SiO_2 membrane formed in pores of alumina support tube by chemical vapor deposition with tetraethyl orthosilicate.—74-07341A
Solid futures in fuel cells.—74-03930A

orthovanadates,
Phase transitions in copper(II) orthovanadate.—74-10018A

oscillators/oscillations,
BBO crystal optical parametric oscillator with grating.—74-06740A
Ceramics for mobile telecommunication.—74-08728A
Coexistence of Vannier-Stark transitions and miniband Franz-Keldysh oscillations in strongly coupled GaAs-AlAs superlattices.—74-05098A
Coherent oscillation of zone-folded phonon modes in GaAs-AlAs superlattices.—74-06005A
Lock-in oscillations in magnetic hysteresis curves in $YBa_2Cu_3O_{7-\delta}$ single crystals.—74-04344A
Low amplitude oscillating sliding wear on chemically vapor deposited diamond coatings.—74-08229A
Noncollinear phase matching in a type I barium borate optical parameter oscillator.—74-08968A
Ti sapphire second-harmonic-pumped visible range fs optical parametric oscillator.—74-06362A

ovens,
Factors affecting the suitability of glass jars for heating in microwave ovens. Comparison with plastic jars and paper board tubs.—74-03688A
Improvements in standard oven drying technology.—74-03913A

oxalates,
Fabrication of highly pure and small-particle-size $YBa_2Cu_3O_7$ superconducting powder by oxalate coprecipitation.—74-06546A
Heterogeneous nucleation of calcium oxalate of native oxide surfaces.—74-10381A
Pathological crystallization of calcium oxalate and calcium phosphate.—74-09795A
Preparation of high-T_c superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ phase via an oxalate route.—74-00842A
Preparation of $YBa_2Cu_3O_{7-x}$ superconductor by coprecipitation of nanosize oxalate precursor powder in microemulsions.—74-00843A
Role of interfacial chemistry in surface nucleation and growth of calcium oxalate monohydrate.—74-09798A
Surface topographical studies of prism facets of barium copper oxalate single crystals.—74-10897A

oxidation resistance,
Carbon composite material reinforced with carbon fiber and inorganic fiber.—74-04033P
Combustion synthesis of $MoSi_2$-SiC oxidation-resistant coatings.—74-10229A
Enhancement of oxidation resistance of silicon carbide by high-dose and multienergy aluminum implantation.—74-10911A
Improvement of oxidation and corrosion resistance of stainless steel by sol-gel ceramic coating: I, Synthesis of zirconia sol and fabrication of its thin film.—74-10918A
Ordered intermetallic alloys: III, γ-titanium aluminides.—74-05650A
Oxidation behavior of a partially protected C/C composite in a hypersonic flow.—74-10922A
Oxidation protection of carbon-carbon composites by (B+Si)N coatings.—74-10933A
Oxidation resistance of carbon-carbon composites obtained by chemical vapor infiltration of different carbon cloths.—74-05313A
Oxidation resistance of reaction-formed silicon carbide ceramics.—74-10934A
Oxidation-resistant interfacial coatings for continuous fiber ceramic composites [CFCCs].—74-10935A
Part made of a carbon-carbon composite with an SiC surface-treated matrix resistant to oxidation and a process for producing it.—74-09945P
Porous, oxidation-resistant fiber coating for CMC interphase.—74-09886A
Thermomechanical analysis of oxidation-resistant carbon-carbon composites.—74-09899A
Zirconium oxide ceramics for surfaces exposed to high temperature water oxidation environments.—74-04009P

oxidation,
Additions to improve the oxidation resistance of alumina-boron nitride composites.—74-07795A
Analysis of grain boundary oxidation in (Ba, Sr)TiO_3-based PTCR ceramics by μ-AES and DV-Xα energy simulation.—74-10906A
Anodic oxidation of titanium at low voltages.—74-05920A
Characterization of surface-oxidized phase in silicon nitride and silicon oxynitride powders by X-ray photoelectron spectroscopy.—74-07044A
Characterization of the oxidation of tantalum nitride.—74-05091A
Chemical and morphological changes on silver surfaces produced by microwave generated atomic oxygen.—74-05325A
Chromia scale growth in alloy oxidation and the reactive element effect.—74-02066A
Composite ceramic articles—74-00167P
Contrasting mechanisms of oxidation of a silicon nitride in the temperature range 1200–1300°C.—74-07800A
Correlation of the structural and optical properties of luminescent, highly oxidized porous silicon.—74-04271A
Creep resistance of Nextel 312/BN/Blackglas composites.—74-10957A
Decomposition of NO_2 on metal surfaces: oxidation of Ag, Zn, and Cu films.—74-04534A
Depth profiling analysis of aluminum oxidation during film deposition in a conventional high vacuum system.—74-07805A
Determination of the cerium oxidation state in cerium vanadate.—74-05305A
Determination of the distribution of chromium oxidation states in reduced Cr/Al_2O_3 catalysts from XPS by factor analysis and curve fitting.—74-04125A
Determination of the various oxidation degrees of manganese in silicate glasses and glass-ceramics.—74-02446A
Early stages of composite formation by oxidation of liquid aluminum alloys.—74-05122A
Early-state oxidation of CeO_2 sol-coated nickel.—74-02074A
Effect of bond coat oxidation on the failure of thermal barrier coatings.—74-08170A
Effect of chromium, carbon, and yttrium on the oxidation of nickel-based alloys in high-temperature water.—74-01982A
Effect of electrolytic oxidation on the surface chemistry of type A carbon fibers: I, X-ray photoelectron spectroscopy.—74-07636A
Effect of SiC codeposition on the oxidation behavior of carbon-carbon composites prepared by chemical vapor deposition.—74-07807A
Effect of sintering additives and impurities on the high-temperature oxidation of Si_3N_4.—74-02075A
Effect of sintering additives on the oxidation behavior of hot-pressed silicon nitride.—74-10909A
Effects of Cl incorporation during Si oxidation.—74-06058A
Electron cyclotron resonance plasma oxidation studies of InP.—74-02993A
Electron spectroscopy for chemical analysis on surface germylation process.—74-06079A
Elevated-temperature effects of oxygen on SiC/SiC composites.—74-07809A
Engineering of porosity in amorphous materials—plasma oxidation of hydrocarbon templates in polysilsesquioxanes.—74-10330A
Erosion-oxidation behavior of HVOF Cr_3C_2-NiCr cermet coating.—74-08185A
Evaluation of oxidation exposure on the mechanical properties of Nextel 312/BN/Blackglas composites.—74-10913A
Evolution of a nonplanar oxidation front in receding carbon fibers.—74-10914A
Fabrication of nanometer-scale structures using atomic force microscope with conducting probe.—74-04629A
Firing of porcelain—oxidation and reduction.—74-07982A
Formation and microstructure of carbon-containing oxide scales by oxidation of single crystals of zirconium carbide.—74-01993A
Heat treatment of ultrafine SiC powders to reduce oxidation sensitivity and grain growth.—74-06132A
High-temperature mixed oxidation of nitride-bonded silicon carbide in oxidizing gas mixtures containing 2% Cl_2.—74-05308A
High-temperature oxidation of metals.—74-10916A
High-temperature passive/active oxidation for CVD SiC and Si_3N_4.—74-02079A
High-temperature stability of nonoxide structural ceramics.—74-02080A
Impact of various in situ preoxidation process perturbations on gate oxide quality.—74-10917A
Implementation of the power law model in silicon oxidation process simulation.—74-05309A
Improvement of the oxidation test method of MgO-C bricks and effects of metal additives on oxidation of MgO-C bricks.—74-03822A
Inertizing in ceramic production.—74-00432A
Influence of additives on the formation of the Al_2O_3/metal composite by melt oxidation of Al: I.—74-08213A
Influence of alumina reaction tube impurities on the oxidation of chemically vapor deposited silicon carbide.—74-05310A
Infrared spectroscopic study of initial stages of ultraviolet ozone oxidation of Si(100) and (111) surfaces.—74-02003A
Kinetics of oxidation SHS of titanium carbide and titanium and chromium double carbide powders in air.—74-02007A
Kinetics of surface roughening via pit growth during the oxidation of the basal plane of graphite: I, Experiments.—74-10832A
Location of different phases in oxidized ultrafine Fe-Cr (70:30) alloy particles.—74-05180A
Long-duration exposure facility: preliminary observations on the effects of low earth orbit on MgF_2, ThF_4, and SiO_2 optical materials.—74-03831A
Low-temperature oxidation, hydrothermal corrosion, and their effects on properties of SiC (Tyranno) fibers.—74-07812A
Low-temperature plasma anodic oxidation of silicon through tin aluminum overlayers.—74-04739A
Method for oxidizing precursor compounds of superconducting oxides.—74-03639P
Method of making shaped ceramic composites with the use of a barrier and articles produced thereby—74-01029P
Methods of making shaped ceramic composites.—74-03996P
Modifications in the Si valence band after ion-beam-induced oxidation.—74-03113A
Morphology and nature of the oxidized layer in the Si_3N_4-based materials.—74-07815A
Nature of cation vacancies formed to compensate donors during oxidation of barium titanate.—74-05036A
Nonstoichiometry and mechanism of boron nitride oxidation.—74-07817A
Numerical models for predicting tracer profiles in silicon double-oxidation experiments[—comment].—74-10920A
Numerical models for predicting tracer profiles in silicon double-oxidation experiments[—reply].—74-10921A
Oxidation and reduction of TiC/Co in O_2 and H_2.—74-02086A
Oxidation and temperature effects on the interfacial shear strength in SCS-6 fiber-reinforced reaction-bonded silicon nitride.—74-02185A
Oxidation behavior of CM-SiC filters.—74-07818A
Oxidation behavior of different types of SiC materials.—74-07819A
Oxidation embrittlement probe for ceramic matrix composites.—74-06801A
Oxidation kinetics of a continuous carbon phase in a nonreactive matrix.—74-05311A
Oxidation kinetics of Al-doped SiC single crystals.—74-10923A
Oxidation kinetics of coated silicon carbide fiber-reinforced silicon carbide (SiC/SiC).—74-10924A
Oxidation kinetics of enhanced SiC/SiC.—74-10925A
Oxidation kinetics of pure and doped MgO-SiC composites.—74-10926A
Oxidation kinetics of reaction-sintered silicon carbide.—74-10927A
Oxidation mechanisms of mullite/ZrO_2/SiC-platelet composites.—74-10928A
Oxidation of ß-BN and Si_3N_4 ceramics.—74-07820A
Oxidation of carbon-carbon composite coated with SiC(Si/$ZrSi_2$)-$ZrSi_2$.—74-07821A
Oxidation of Cr_3C_2 composites with Fe scale.—74-10929A
Oxidation of liquid gallium surfaces: nonequilibrium growth kinetics in 2×1 dimensions.—74-03145A

Oxidation of SiC matrix multiphase ceramics at high temperature and its effect on strength.—74-10930A
Oxidation of SiC whisker- and platelet-reinforced Al_2O_3 composites and resultant mechanical properties.—74-10931A
Oxidation of surface-treated SiC platelets studied by XPS and Bremsstrahlung-excited AES.—74-04173A
Oxidation of thin CrN and Cr_2N films analyzed via nuclear reaction analysis and Rutherford backscattering spectrometry.—74-05312A
Oxidation of TiN in an oxygen plasma asher.—74-04800A
Oxidation states of metal ions in glass melts.—74-05688A
Oxidation tests of carbonaceous composite materials protected by Si-B-C CVD coatings.—74-05314A
Oxide growth at an Si surface.—74-05041A
Plasma-enhanced chemical vapor deposition of silicon nitride on silicon carbide fibers.—74-10531A
Potassium promoter function in the oxidation of graphite: an experimental and theoretical study.—74-10863A
Preliminary observations of the rapid thermal oxidation of porous silicon, and the rapid thermal nitriding of oxidized porous silicon.—74-06272A
Production of nanocrystalline ZrO_2 and Pd composites by oxidation of an amorphous $Zr_{65}Pd_{35}$ alloy.—74-05653A
Production of stresses in thermal barrier coating systems by high-temperature oxidation.—74-10936A
Protection against oxidation of C/SiC composites with a multilayer CVD coating ($SiC/TiB_2/Si_3N_4$).—74-07824A
Reactivity of silicon carbide and carbon with oxygen in thermostructural composites.—74-04203A
Real-time, in situ photoelectron emission microscopy observation of CVD diamond oxidation and dissolution on molybdenum.—74-04866A
Redistribution reactions in Blackglas during pyrolysis and their effect on oxidative stability.—74-10872A
Role of hard second phases in the mild oxidational wear mechanism of high-speed steel-based materials.—74-10938A
Science and technology of composite materials: VIII.3, Highly active catalysts, 2) combination of functions—catalysts and electrolytes.—74-10618A
Selective laser oxidation of thin metal film as an effect of different thermal regimes.—74-02090A
Self-limiting oxidation of Si nanowires.—74-02091A
Shaped self-supporting ceramic composite bodies comprising silicon nitrides.—74-04086P
SiO_2-Si_3N_4 interface: II, O_2 permeation and oxidation reaction.—74-05050A
Stability in air of ultrafine particles of chromium.—74-02092A
Stress-oxidation tests in SiC_f/SiC composites.—74-10939A
Structure of oxygen-doped silicon grown by chemical vapor deposition at low temperature.—74-06333A
Studies on the mechanism of the reaction of activated carbon fibers with oxidants.—74-07826A
Study of the oxidation of *n*-InP with low carrier concentrations in negative potential region.—74-06340A
Study of the oxidation of CVD ß-SiC—influence of crystallization.—74-07827A
Surface analysis of oxidized aluminum: II, Oxidation of Al in dry and humid atmosphere studied by ESCA, SEM, SAM, and EDX decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07829A
Surface oxidation and its effect on the observed elastic modulus of SiC whisker/Al_2O_3 composites.—74-01586A
Synchrotron radiation X-ray photoelectron spectroscopy study of hydrogen-terminated Si surfaces and their oxidation mechanism.—74-07772A
Synchrotron radiation X-ray photoelectron spectroscopy study of hydrogen-terminated Si surfaces and their oxidation mechanism.—74-07773A
Synthesis of mullite materials by oxidation of metal alloy powder compacts.—74-04944A
Testing of the high-temperature intermetallic $MoSi_2$.—74-07831A
Thermal oxidation behavior and electrical characteristics of silicon depending on the crystal orientation.—74-10042A
Thermodynamic stability of titanium-aluminum alloys in air.—74-10047A
Thin anodic oxide layers on aluminum and other valve metals: high-field regime.—74-05658A
Transpassive oxidation of pyrite.—74-02057A
Turbulent mixing of the HVOF thermal spray and coating oxidation.—74-08288A
Ultrasonic assessment of interfacial oxidation damage in ceramic matrix composites.—74-11124A
Ultrasonic evaluation of initiation and development of oxidation damage in ceramic matrix composites.—74-06829A
Ultrasonic evaluation of time/temperature effect of oxidation damage in ceramic matrix composites.—74-09628A
Ultraviolet-ozone oxidation of GaAs(100) and InP(100).—74-00730A
VPS mullite-coatings for oxidation protection of structural components operated at high temperatures in air atmosphere.—74-08291A

oxides,

Absorption coefficients and refractive indices of synthetic glassy slags containing transition metal oxides.—74-10054A
Aging of ceramics under temperature gradient conditions.—74-10187A
Altered layer as sensitive initial chemical state indicator.—74-01343A
Analysis of oxide film on stainless steel via position-sensitive atom probe.—74-05070A
Analytical technique to design and control ceramic materials.—74-06737A
Application of ceramics and composites for sporting goods.—74-09759A
Applications of rapid thermal chemical vapor deposition technology to ULSI material processing and device fabrication.—74-04480A
Arrays of gated field-emitter cones having 0.32 µm tip-to-tip spacing.—74-02915A
Atom probe analysis and field emission studies of silicon.—74-05073A
Batch to oxide percentage and oxide percentage to batch calculations for glass processing.—74-05752A
Bismuth-based oxide conductors—novel structural and electrical features.—74-00460A
Calculation of the limiting parameters for oxide ceramic particles during HVOF spraying.—74-10208A
Candidate HTSC film substrates of complex oxide perovskite compositions.—74-09240A
CdTe oxide films grown by radio frequency sputtering utilizing argon-nitrous oxide plasma.—74-04496A
Ceramic fibers.—74-10063A
Ceramics for toxic gas sensors.—74-02933A
Ceramics in the textile industry: applications and requirements.—74-09770A
Characterization of metal-oxide-semiconductor capacitors with improved gate oxides prepared by repeated rapid thermal annealings in N_2O.—74-05925A
Chemical processing of nanostructured materials.—74-01631A
Chemical structure and oxygen dynamics in $Ba_2In_2O_5$.—74-05094A
Coloring transition polyvalent cations in Li_2O-Al_2O_3-SiO_2 glass-ceramics.—74-05753A
Common themes in the epitaxial growth of oxides on semiconductors.—74-08841A
Comparing the structure and behavior of point defects in silicon oxynitride gate dielectrics formed by NH_3 nitridation and N_2O growth nitridation.—74-08730A
Comparison of advanced plasma sources for etching applications: IV, Plasma-induced damage in a helicon and a multiple electron cyclotron resonance source.—74-06011A
Comparison of passivation films: the effect of thermal cycles and comparison of phosphorus-doped oxide films.—74-01647A
Compatibility of refractory metal boride/oxide composites at ultrahigh temperatures.—74-01973A
Composite cathodes for solid oxide fuel cells.—74-02945A
Computer simulations aimed at the analysis of the state and evolution of multicomponent systems: II, Binary mechanical mixtures analyzed with conductivity.—74-02826A
Conductivity study of ABO_3-type nanostructured materials.—74-04268A
Controlling the properties of bulk metal oxides at a molecular level—alkoxides vs carboxylate-alkoxide routes.—74-10245A
Correlation between the critical Pr concentration and structural parameters in $Ln_{1-x}Pr_xBa_2Cu_3O_7$.—74-03435A
Cosmetics and fine particles.—74-10072A
Cracking and spalling of oxide scales from 304 stainless steel at high temperatures.—74-05849A
Crystal chemistry and prediction of new $ABCX_6$ compounds.—74-07050A
Crystal lattice topology of polymorphous modifications of AO_2 oxides [A=Si, Ti, Mn, Pb].—74-04113A
Crystal structure of $BaBi_{1-x}Pb_xO_3$ and its effect on chemical state of Bi.—74-09978A
Current approaches in studying the transport processes in thermally growing thin oxide films.—74-05304A
CVD deposition of diamond on nitrides and oxides as substrates.—74-01655A
Dry sintering of refractory-based oxides.—74-02752A
Dynamic characteristics of rainbow ceramics.—74-06403A
Effect of Fe_2O_3 on magnesia pleochroite formation and properties.—74-01373A
Effect of ion bombardment on Cr-Si-O layers—an X-ray photoelectron spectroscopic study.—74-05127A
Effect of preliminary treatment on the process properties of plasma-chemical oxide powders.—74-04583A
Effects of adding rare-earth oxides on the sintering and hydration resistance of dolomite.—74-05507A
Effects of deposition parameters on the structure, morphology, and chemical composition of PLZT thin films.—74-10307A
Effects of eutectic liquid under reducing conditions in the alumina–tin dioxide–tin composite system.—74-01377A
Effects of hydrogen annealing on MOS oxides.—74-02982A
Effects of oxide additives on the thermal stability of alumina gas.—74-04601A
Effects of oxygen on the sublimation of alkaline earths from effusion cells.—74-04138A
Effects of radiative processing steps on inversion layer mobility and channel hot carrier damage in reoxidized nitrided oxide MOSFET's.—74-02984A
Electronic structure of CrO_2 ferromagnetic phase—LAPW calculation.—74-07162A
Ellipsometric investigations of anodic oxide on $Ga_{1-x}Al_xAs$ solid solutions.—74-01990A
Ellipsometric monitoring and control of the rapid thermal oxidation of silicon.—74-01061A
Epitaxial growth of (110) $KNbO_3$ films on (100)MgO substrates via sol-gel processing.—74-10334A
Epitaxial $LaNiO_3$ interlayers for ferroelectric memory structures.—74-09133A
EXAFS data analysis for lanthanide sesquioxides.—74-10805A
Experimental observation of thermal spikes in microwave processing of ceramic oxide fibers.—74-10340A
Fabrication and characterization of nanocrystalline oxides by crystallization of amorphous precursors.—74-07306A
Fracture toughness of oxide fiber-reinforced silicon carbide composites.—74-11010A
Gate oxide damage in a high-density inductively coupled plasma.—74-00625A
General nonhydrolytic sol-gel route to oxides.—74-10369A
High-performance sub-0.1 µm silicon *n*-metal-oxide-semiconductor transistors with composite metal/polysilicon gates.—74-00495A
High-temperature superconductivity of oxides as a periodic redox reaction.—74-03485A
Impact of various in situ preoxidation process perturbations on gate oxide quality.—74-10917A
In situ, real-time analysis of the growth of ferroelectric and conductive oxide heterostructures by a new time-of-flight pulsed ion beam surface analysis technique.—74-10821A
Incorporation and thermal stability of organic dyes in dialkylsiloxane-oxide matrices.—74-10409A
Influence of coherency stress on kinetic demixing.—74-10413A
Influence of the Pb cation on the structural and ferroelectric properties of the aurivillius oxide $Bi_2SrNb_2O_9$.—74-03315A
Inhomogeneous laminar conductor model for dielectric relaxation in oxide glasses.—74-02549A
Interactions of oxide-oxidic melts.—74-05861A
Ionic conduction in anodic oxide films on titanium in mixed solutions of aqueous electrolytes and diethylene glycol.—74-00499A
Joining ODS materials for high-temperature applications.—74-05636A
Kinetics of oxide growth during reoxidation of lightly nitrided oxides.—74-02083A
Liquid-mix synthesis of oxide powders and thin films using a starch-based polymer.—74-10435A
Magnetic properties and crystal structure of $La_xCa_{1-x}CoO_{3-y}$.—74-06462A
Mathematical model of thermal spikes in microwave heating of oxide ceramic fibers.—74-10442A
Measurements of refractive indexes and factors affecting dispersion in oxide glasses.—74-02561A
Mechanofused metal-carbide-oxide cermet powders for thermal spraying.—74-08230A
Mixed-metal bismuth-titanium species—chemical routes to $Bi_4Ti_3O_{12}$.—74-10475A
Model calculations of phase stabilities of the oxide solid solutions in the Co-Fe-Mn-O system at 1200°C.—74-04164A
Modeling of the structure of laser oxide glasses by the Monte Carlo method.—74-02472A
Modifications of the sol-gel method for the preparation of ultrafine/ultrapure ceramic oxide powders: properties of the powders and microstructure of the derived ceramic bodies.—74-01808A
Molecular layer epitaxy of perovskite-based oxides by laser MBE.—74-10480A
Nanocomposite and nanophase materials synthesized with mechanical energy.—74-00961A
New buffer materials for high-T_c superconducting thin films.—74-03536A
New method for the oxide lattice energy computation.—74-09587A
Nitrides of intermetallic compounds prepared from mixtures of oxides using sintering and reactive gas treatment in a single step.—74-04777A
Optimization of screen-printed cathode layers.—74-03142A
Optimized composition of Cu-Zn-Al-oxide catalyst for methanol synthesis.—74-01236A
Oxygen evolution on Ir-Ru-Sn ternary oxide-coated electrodes in H_2SO_4 solution.—74-01824A
Oxygen permeation through thin mixed-conducting solid oxide membranes.—74-02856A
Peculiarities in the low-temperature ion and electron conductivity of solid oxide electrolytes.—74-00516A
Persistent photoconductivity due to potential barriers.—74-04390A
Phase composition of four-component oxide systems in chosen plane sections.—74-07098A
Plasma-enhanced MOCVD of superconducting oxides.—74-06612A
Point defects in electron-irradiated oxide single crystals.—74-05044A
Precursor delivery for the deposition of superconducting oxides—a comparison between solid sources and aerosol.—74-06614A
Predictive thermochemistry and phase equilibria of slags.—74-01444A
Preparation of powders and thin films of complex oxides from metal alkoxides.—74-09171A
Preparation of stabilized zirconia using a mixture of rare-earth oxides as dopant.—74-10571A
Preparation of transition metal oxides by a nonhydrolytic sol-gel process.—74-10572A
Properties of conducting coatings.—74-02857A
Properties of heavy metal oxide glasses.—74-05739A
Quantification of the composition of alloy and oxide surfaces using low-energy ion scattering.—74-05224A
Radiation damage effects on bipolar and MOS devices in X-ray lithography.—74-03191A
Reaction between $BaTiO_3$ ceramics and oxide setters.—74-10602A
Recent advances in the CVD of metal nitrides and oxides.—74-07460A
Redox reactions in HTS oxides.—74-05317A
Rheological parameters and pressure casting of slips containing single or mixed oxide powders.—74-04869A
SAXS study of the nanometer-scale hybrid structure of Si-Ti-C-O amorphous fibers.—74-10879A
Selective dry etching in a high-density plasma for 0.5 µm complementary metal-oxide-semiconductor technology.—74-01876A
^{29}Si, ^{17}O liquid NMR, and ^{29}Si CP-MAS NMR characterization of siloxane-oxide materials, $((CH_3)_2SiO/TiO_2$, $(CH_3)_2SiO/ZrO_2)$.—74-10754A

Silicon carboxide ceramics from spirosiloxanes.—74-04087P
Similarity and dissimilarity of doped fullerenes and oxide superconductors from the viewpoint of electronic structure.—74-00851A
Solubility of the oxides of divalent metals in the eutectic melt of CsCl-KCl-NaCl at 700°C.—74-01574A
Structure and properties of Bi_2O_3-BaO-CuO glasses.—74-02497A
Structure of oxygen-doped silicon grown by chemical vapor deposition at low temperature.—74-07494A
Superplasticity in $MgAl_2O_4$ polycrystals.—74-07924A
Surface activity and a degree of modified silver catalysts carbonization.—74-01897A
Surface oxygen exchange kinetics of solid oxide ion conductors.—74-00536A
Synthesis and processing of complex ceramic oxides.—74-01902A
Synthesis of nanostructured catalytic materials using a modified magnetron sputtering technique.—74-07517A
Synthesis of new nitrides using solid-state oxide precursors.—74-10682A
Tailoring suspension flow for the gelcasting of oxide and nonoxide ceramics.—74-10690A
Technical ceramics for pumps and valves.—74-00998A
Template approaches to growth of oriented oxide heterostructures on SiO_2/Si.—74-01591A
Thin gate and analog capacitor dielectrics for submicron device fabrication.—74-05967A
Transition Metal Oxides.—74-11211B
Using your PC for reformulation.—74-11195A
Vapor deposition of lithium tantalate with volatile double alkoxide precursors.—74-07550A
Vibrational frequency distribution functions of atoms in ThO_2 and UO_2.—74-06671A
Zirconium oxide makes for safer crystal.—74-02665A

oxycarbides,
Blackglas–Nicalon composites with CVD boron nitride fiber interface coatings.—74-09848A
Effects of processing, oxidation, and fiber architecture of thermal and mechanical properties of BN-Nextel 312/Blackglas composites.—74-09867A
High-strength, high modulus silicon oxycarbide glasses.—74-05721A
Modeling, analysis, and kinetics of transformations in Blackglas preceramic polymer pyrolysis.—74-10478A
Preparation of silicon oxycarbide glass fibers by the sol-gel method.—74-08451A
Redistribution reactions in Blackglas during pyrolysis and their effect on oxidative stability.—74-10872A
^{29}Si NMR and XPS investigation of the structure of silicon oxycarbide glasses derived from polysiloxane precursors.—74-08323A
Structural characterization and high-temperature behavior of silicon oxycarbide glasses prepared from sol-gel precursors containing Si–H bonds.—74-02493A

oxyfluorides,
High-frequency dielectric relaxation in oxyfluoride perovskite ceramics.—74-04332A
Low-temperature sintering of $Pb(Zr,Ti)O_3$ ceramics with the aid of oxyfluoride additive: X-ray diffraction and dielectric studies.—74-03320A
Oxidation protection for carbon materials by oxyfluoride phosphate compounds.—74-10932A
Room temperature chemical vapor deposition SiOF film formation technology for interlayer in submicron multilevel interconnections.—74-01872A

oxygen deficiency,
Anomalous composition dependence of T_c near T_{cmax} and microstructure of $YBa_2Cu_3O_{7-x}$.—74-06481A
Contributions to the high-temperature behavior of $YBa_2Cu_3O_{7-y}$.—74-00790A
Correlation between normal state resistivity and T_c in oxygen-deficient $YBa_2Cu_3O_{7-\delta}$.—74-03434A
Decay kinetics of the 4.4 eV photoluminescence associated with the two states of oxygen-deficient-type defect in amorphous SiO_2.—74-04996A
Effects of photoinduced hole doping on normal-state and superconducting transport in oxygen-deficient $YBa_2Cu_3Ody_{.}$—74-04290A
Order-disorder phenomena in high-T_c superconductive cuprates.—74-06603A

oxygen partial pressure,
Dependence of the intrinsic conductivity minimum of $SrTiO_3$ ceramics on the sintering atmosphere.—74-08737A
Dependence of the kinetics of electrochemical vapor deposition of CeO_2 on oxygen partial pressure.—74-07248A
Oxygen partial pressure dependence of defects in Czochralski-grown lithium niobate.—74-07580A
Reduced pO_2 melt processing of $YBa_2Cu_3O_{6+x}$.—74-06627A
Thermal expansion of $YBa_2Cu_3O_{7-x}$ as determined by high-temperature X-ray diffraction under controlled oxygen partial pressures.—74-06652A

oxygen,
Absorption of oxygen by PbS films.—74-05970A
Angle of incidence effects of an oxygen ion beam on the surface chemistry of GaAs.—74-02063A
Anomalous oxygen evolution from zirconia cells at the transient state.—74-00456A
Application of ceramics for plumbing fixtures.—74-11138A
Application of high temperature electrochemical techniques to $YBa_2Cu_3O_{7-y}$.—74-00785A
Applying oxygen firing to industrial glass melters.—74-09640A
Cation and oxygen nonstoichiometry of bismuth-containing high-temperature superconductors.—74-00786A
Change in the propagation conditions for magnetostatic waves in yttrium garnet films irradiated by low-energy oxygen.—74-03366A
Charge fluctuation influence on the axial oxygen position in YBCO.—74-04262A
Decomposition of $YBa_2Cu_3O_{7-x}$ at low oxygen pressures.—74-00795A
Decomposition rate of hydrogen peroxide to oxygen on illuminated semiconductor electrodes.—74-00588A
Design considerations for conversion of glass tanks to oxy-fuel combustion.—74-01140A
Determination of the activation energy for oxygen diffusion in PbS films.—74-08856A
Development of an advanced, low-emissions, multifuel oxygen burner.—74-09650A
Dosing probe of O_2 in situ for better utilization of combustibles.—74-09453A
Dynamic gas/oxy superstructure refractory testing.—74-08615A
Effect of atomic oxygen on the mechanical properties of highly graphitized carbon fibers.—74-07862A
Effect of oxygen content in $YBa_2Cu_3O_{7-\delta}$ ceramics on kinetics of its thermal evolution.—74-06520A
Effect of oxygen octahedron rotations on the phase stability, transformational characteristics, and polarization behavior in the lead zirconate titanate crystalline solution series.—74-09124A
Effects of oxygen on crystallization of amorphous silicon films and polysilicon TFT characteristics.—74-01379A
Effects of oxygen on the electrical and electrochemical properties of ion-plated titanium nitride.—74-07157A
Elastic constants and Debye temperature of $Y_1Ba_2Cu_3O_x$: effect of oxygen content.—74-00803A
Electronic structure of insulating $YBa_2Cu_3O_{6+x}$: from Mott-Hubbard insulator to Fermi glass via oxygen doping.—74-00805A
Evaluation of a new solid oxide fuel cell system by nonisothermal modeling.—74-00489A
Existence of metastable molecular precursors to dissociative oxygen chemisorption on Si(111) and Si(100) at 40 K.—74-03010A
Flat jet oxy-fuel burner for uniform heat transfer.—74-09666A
Flat-flame oxy-fuel burner technology for glass melting.—74-09667A
Gas phase etching of Si(111)-(7×7) surfaces by oxygen observed by scanning tunneling microscopy.—74-01996A
Grain boundary diffusion of oxygen in alumina ceramics.—74-10734A
High-temperature oxygen transport and electrochemical behavior of $YBa_2Cu_3O_x$.—74-00814A
Hydrogen-induced oxygen nonstoichiometry of Y_2BaCuO_5.—74-06558A
Impedance analysis for oxygen reduction in a lithium carbonate melt: effects of partial pressure of carbon dioxide and temperature.—74-01758A
Improvements on electrical properties of ultrathin silicon oxides grown by microwave afterglow oxygen plasma.—74-10401A
Influence of atomic oxygen on space tribology in a low earth orbit.—74-02082A
Influence of oxygen on the composition and some properties of the films obtained by rf sputtering from an Si_3N_4 target.—74-04701A
Influence of oxygen on the formation of ripples on Si.—74-02002A
Influence of oxygen, in gas mixtures and various substrate positions, on the broad cathodoluminescence bands of MPCVD [microwave plasma-assisted CVD] diamond films.—74-10416A
Influence of the composition of the altered layer on the ripple formation.—74-06154A
Isolated and embedded cluster modeling of the oxygen vacancy in α-quartz.—74-05026A
LoNOx, an alternative to oxy-fuel or an enhancement.—74-09684A
Molecular dynamics studies of yttria-stabilized zirconia: II. Microscopic mechanism of oxygen diffusion.—74-07577A
Morphological instability of a planar oxide-alloy interface for inward oxide growth.—74-02386A
O/N-interdiffusion in AlN.—74-06800A
Oxy-fuel furnace design considerations.—74-09700A
Oxy-fuel technology applied to art glass.—74-09701A
Oxy-fuel: Niche solution or trend: II.—74-03924A
Oxygen diffusion through silver cathodes for solid oxide fuel cells.—74-05042A
Oxygen disorder effects on the electronic structure of $YBa_2Cu_3O_{6+\delta}$.—74-06606A
Oxygen displacement through the ferroelectric phase transition of barium titanate high-temperature ^{17}O NMR.—74-03327A
Oxygen influence on the kinetics of hydrogen interaction with sensors based on Pt-SiO_2-Si and Pd-SiO_2-Si structures.—74-00515A
Oxygen nonstoichiometry of Bi-2212 high-T_c superconductor.—74-03547A
Oxygen plasma treatment effect on optical properties of $GdBa_2Cu_3O_{7-x}$ high-T_c superconducting films.—74-00829A
Oxygen reduction on ruthenium-oxide pyrochlore produced in a proton-exchange membrane.—74-07409A
Oxygen sinks in SiC-based ceramics.—74-09883A
Oxygen vacancy ordering and specific heat anomaly of $YBa_2Cu_3O_x$.—74-00830A
Oxygen-intrinsic interstitial atoms system and thermodonor generation in silicon.—74-03146A
Oxygen-related defect in aluminum nitride ceramics—a thermal conduction limiting defect in technologically important materials.—74-09884A
Phase equilibria in the Ti-Al-O system at 945°C and analysis of Ti/Al_2O_3 reactions.—74-04184A
Phase equilibria of the calcium oxide–copper oxide system in oxygen at 1 atm.—74-07101A
Phase relations in the system La-Rh-O and thermodynamic properties of $LaRhO_3$.—74-04188A
Phase separation and superconductivity in La_2CuO_4: effects of oxygen diffusion.—74-00832A
Plasma source ion implantation of oxygen and nitrogen in aluminum.—74-04811A
Possibility of sulfur-oxygen substitution in $YBa_2Cu_{3+x}S_y$ analyzed by means of X-ray emission spectroscopy.—74-00839A
Potential barriers in the migration of tracer oxygen atoms in $YBa_2Cu_3O_{7-\delta}$ lattice.—74-06613A
Probe for measuring oxygen activity in molten glasses.—74-00689A
Process gases for high-velocity oxy-fuel thermal spraying.—74-10579A
Process improvement through oxy-fuel combustion—the full conversion of a television glass melter.—74-09707A
Quantification of oxygen and carbon on high-T_c superconducting films by (α,α) elastic resonance technique.—74-03562A
Rate and mechanism of response of a zirconia oxygen sensor.—74-01096A
Recent progress in new high-T_c superconductors.—74-09331A
Renormalization group and fractual study of the relationship between oxygen content and superconducting transition temperature in $YBa_2Cu_3O_{7-\delta}$.—74-03568A
Scanning tunneling microscopy/spectroscopy study of V_2O_5 surface with oxygen vacancies.—74-07583A
Secondary ion mass spectrometry analysis of ultrathin impurity layers in semiconductors and their use in quantification, instrumental assessment, and fundamental measurements.—74-01100A
Semiempirical calculations of point defects in silica; oxygen vacancy and twofold-coordinated silicon atom.—74-10743A
Several factors are fueling the movement in oxygen firing conversion.—74-03929A
Solid-state reactions and phase relations in the Ti-Si-O system at 1373 K.—74-02396A
Sorption-desorption of oxygen upon heating in an O_2 atmosphere of the ceramic $YBa_2Cu_3O_{6.3}$.—74-00852A
Study of the plasma discharges in diamond deposition with different O_2 concentrations.—74-04924A
Study of the plasma discharges in diamond deposition with different O_2 concentrations.—74-07497A
Surface and interface segregation phenomena in oxide ceramics.—74-06344A
Surface oxygen exchange kinetics of solid oxide ion conductors.—74-00536A
Synchronizing free energy data on reactions in liquid Fe-Mn-O and solid Mn-S-O systems.—74-10040A
Technical developments for cost-effective oxy-fuel glass melting.—74-00999A
TEOS and ozone atmospheric pressure CVD of borophosphosilicate glass films using triethylborate and trimethylphosphate.—74-01919A
Theoretical analysis of a blocking electrode oxygen sensor for combustion gas streams.—74-01117A
Thermal dynamic investigation on oxygen vacancy defect in lithium niobate crystal.—74-10748A
X-ray diffraction determination of the compressibility of YBCO as a function of oxygen content.—74-00860A
X-ray-induced AES study of the effect of chemically bound hydrogen on the oxidation kinetics of an Si_3N_4 powder.—74-07834A

oxynitride,
Abrasive and/or refractory products based on melted and solidified oxynitrides and process preparing the same—74-00004P
Formation and properties of Ln-Si-O-N glasses (Ln=lanthanides or Y).—74-00260A
Growth of anodic oxides on reactively sputtered TiN_x films.—74-04670A
Metal oxynitride resistance films and methods of making the same.—74-03269P
Oxynitride fuse protective/passivation film for integrated circuit having resistors.—74-04073P
Oxynitride glasses in the system Mg-Al-Si-O-N prepared with the aid of an electrochemically derived polymeric precursor.—74-08447A
Sintering of aluminum oxynitride (AlON).—74-01885A
Temperature dependence of electronic conduction in thin nitrided oxides.—74-10164A
Viscosity and surface tension of oxynitride glass melts.—74-02596A

oxysulfides,
New amorphous molybdenum oxysulfides obtained in the form of thin films and their characterization by TEM.—74-05200A

packaging,
Application of diamond substrates for advanced high-density packaging.—74-08722A
Automatic bagging and palletizing plant for pozzolanic building materials.—74-00035A
Big Bag technology at the Lengerich cement plant.—74-09433A
Ceramics in the personal computer.—74-08729A
Dissection of imported automatic glass bottle packing machine and its programmable controller.—74-09452A
Electronic package using closed pore composites—74-00551P
Flow conditions in rotary impeller packers.—74-09464A
From packing to loading.—74-08033A
Material with a future.—74-07951A
Multilayer ceramic packages—74-00554P
Shrink-wrap system cuts cost.—74-06724A

packing,
Classification of the length of ceramic fibers by settling process.—74-10780A
CPAG installations in operation.—74-02317A

EC guidelines reduce packing weight.—74-02228A
Effect of ammonium citrate of the rheology and particle packing of alumina slurries.—74-07265A
Effect of particle packing on the filtration and rheology behavior of extended size distribution alumina suspensions.—74-07274A
Fourteen month payback for cruciform regenerator packing project.—74-06852A
Latest developments in the measurement of regenerator thermal performance.—74-09574A
Modern cement terminals: concept and examples.—74-00958A
Particle packing: V, Computational methods applied to experimental distribution.—74-05900A
Preparation of alumina ceramics by pressureless powder packing forming method: I, Development of pressureless powder packing forming method and characterization of green body.—74-03724A
Road mobile bagging and palletizing.—74-00990A

pairing,
Electronic Raman scattering in high-T_c superconductors: a probe of $d_{x^2-y^2}$ pairing.—74-03457A
Is spin-gap behavior near T_c in cuprates evidence for d_{xy} pairing. A role of superconducting fluctuations.—74-03507A
Pairing and depairing effects of antiferromagnetic spin fluctuations in high-T_c superconductivity.—74-01556A
Pairing correlations with s^* and d symmetry—exact results for the Cu_4O_8 clusters.—74-10858A

palladium,
Adhesion of electroless Ni(P) on alumina ceramic using a vacuum-deposited Ti-Pd activator layer.—74-00105A
Atomic force microscopy study of Pd clusters on graphite and mica.—74-07594A
Catalytic properties of nanocrystalline WO_{3-x}, Pt/WO_{3-x}, and Pb/WO_{3-x} particles.—74-06952A
Dislocation structures at Cu-MgO and Pd-MgO interfaces.—74-08166A
Electronic structure of $Ce(Pd_{1-y}Cu_y)O_3$ ($0 \le x \le 0.133$) studied by photoemission and bremsstrahlung isochromat spectroscopy.—74-01988A
Experimental studies of metal/InP interfaces formed at room temperature and 77 K.—74-06090A
Hardening and softening of nanocrystalline materials.—74-01392A
Hot electron scattering effects in metal-semiconductor structures and their role in interface transport.—74-03051A
In situ strain measurements during the formation of palladium silicide films.—74-01523A
Metallization compositions for Bi and Pb-containing ceramic dielectrics.—74-08309P
Method for controlling the second metal distribution within the $Pd/\gamma\text{-}Al_2O_3$ catalyst support.—74-10453A
Nanosized Pd particles in an SiO_2 matrix by sol-gel processing.—74-10489A
Novel inorganic hydrogels based on the polymerization of cyanometalate transition metal complexes with $(PdCl_4)^{2-}$ a new approach to ceramic and alloy precursors.—74-10500A
Ohmic contact formation in palladium-based metallizations in *n*-type InP.—74-06232A
Particle growth on palladium on epitaxial tin oxide thin films.—74-03848A
Pd^1 location and adsorption interaction in PdH-SAPO-34 studied by EPR and electron spin-echo modulation spectroscopies.—74-07709A
Production of nanocrystalline ZrO_2 and Pd composites by oxidation of an amorphous $Zr_{65}Pd_{35}$ alloy.—74-05653A
Reductive deposition of Pd on porous silicon from aqueous solutions of $PdCl_2$: an X-ray absorption fine structure study.—74-10609A
Scanning tunneling microscope and atomic force microscope study of epitaxially grown palladium crystallites on graphite.—74-07733A
Scanning tunneling microscopy study of model catalysts obtained by cluster beam deposition of palladium onto highly oriented pyrolitic graphite.—74-07741A
Silver-palladium thick-film conductors.—74-02860A
Spherical powders of precious metals for electrodes in multilayer capacitors.—74-05957A
Synthesis of Pd-doped SnO_2 films on silicon and interaction with ethanol and CO.—74-04946A
Thermal stability of oxidized La on Pd(100).—74-04452A
X-ray powder structure determination and magnetic behavior of $CsNiPdF_5$.—74-02060A

pallets/palletizing,
Automatic bagging and palletizing plant for pozzolanic building materials.—74-00035A
EC guidelines reduce packing weight.—74-02228A
Revolution in bottle stacking technology.—74-11189A
Road mobile bagging and palletizing.—74-00990A
Sol-gel microsphere palletization: a powder-free process for fabrication of ceramic nuclear fuel pallets.—74-09417A

particle size distribution,
Application of fractals and kinetic equation in modeling cluster and ultrafine particle size distributions.—74-07145A
Comparison of liquid and dry particle size distribution measurements using in-line and off-line optical instruments.—74-01972A
Comparison of particle size of cracking catalyst determined by laser light scattering and dry sieve methods.—74-07231A
Development of particle size distribution during intergrinding a mixture of clinker and limestone.—74-00048A
Effect of various admixtures on the particle size distribution of cement determined with the aid of laser particle analysis.—74-05503A
Evolution of [highly] dispersed particle ensembles on surface of solids—mechanisms of initial stages of forming thin multicomponent films: I, Conservative systems.—74-07646A
Evolution of [highly] dispersed particle ensembles on surface of solids—mechanisms of initial stages of forming thin multicomponent films: II, Open systems.—74-07305A
Experiences with a VORTEX hammer crusher in a quarry.—74-06699A
Flocculation by VDW [van der Waals] energy/particle size distribution.—74-05895A
Laser light scattering in particle size analysis.—74-06784A
Low-flow-rate dry-powder feeder.—74-02012A
Optimized laser particle sizing.—74-09597A
Particle packing: V, Computational methods applied to experimental distribution.—74-05900A
Phase evolution and gas-phase particle size distributions during spray pyrolysis of (Bi,Pb)SrCaCuO and Ag(Bi,Pb)SrCaCuO powders.—74-06610A
Preparation of uniform $\gamma\text{-}Fe_2O_3$ particles with nanometer size by spray pyrolysis.—74-07440A
Problems with high-efficiency separators.—74-09502A
Standardization and reference powder for particle size analysis.—74-09619A
Unified scatter technique for full-range particle size measurement.—74-06830A
X-ray diffraction analysis of spherical crystallite distribution in polydispersional systems.—74-05295A

particle size,
Chemical microscopy.—74-07940A
Effect of particle size on colloidal zirconia rheology at the isoelectric point.—74-07275A
Effect of particle size on the room-temperature crystal structure of barium titanate.—74-04133A
Effect of the volumetric fraction and particle size on the abrasive mechanism in ceramic glazes.—74-08675A
Factors affecting Y_2BaCuO_5 precipitate size during melt processing of $YBa_2Cu_3O_{7-x}$.—74-06548A
Influence of initial glass powder size on the final microstructure and on the variation of toughness with porosity.—74-05723A
New grinding machine.—74-09489A
Particle size analysis—present and future.—74-09598A
Preparation of titanium oxide powder of prescribed composition.—74-01852A
Preparation of ultrafine $RuO_2\text{-}TiO_2$ binary oxide particles by a sol-gel process.—74-01445A
Size distribution analysis of powders used for thermal spraying.—74-02044A
Speed, ease, and precision in particle size analysis.—74-01108A
X-ray diffraction and chemical characterization of the plastic colloid fraction of chinastone.—74-01487A

particles,
Abnormal grain growth—enigma of the formation of giant crystal grains.—74-10181A
Accelerated life testing of electronic devices by atmospheric particles: why and how.—74-01034A
Analysis of a high velocity oxygen-fuel (HVOF) thermal spray torch: I, Numerical formulation.—74-10193A
Analysis of a high velocity oxygen-fuel (HVOF) thermal spray torch: II, Computational results.—74-10192A
Behavior of molten droplets impinging on flat surfaces.—74-10759A
Blue light emission from silicon ultrafine particles.—74-05990A
Characterization of nanoscale particles produced by laser vaporization/condensation in a diffusion cloud chamber.—74-07224A
Computer-aided simulation and experimental study of dusted plasma jets emitting into limited space.—74-10234A
Controlling the microstructure of porcelain in the course of plastic paste formation.—74-07240A
Cosmetics and fine particles.—74-10072A
Diamond nucleation on pretreated substrates.—74-01678A
Diamond synthesis on substrates treated by collision with particles.—74-01680A
Effect of mechanical vibration on particle populations.—74-06763A
Effect of nozzle design on plasma jet behavior, particle motion, and coating properties.—74-09456A
Effect of particle velocity and substrate temperature on alumina and zirconia splat formation.—74-10289A
Evolution of [highly] dispersed particle ensembles on surface of solids—mechanisms of initial stages of forming thin multicomponent films: I, Conservative systems.—74-07646A
Evolution of [highly] dispersed particle ensembles on surface of solids—mechanisms of initial stages of forming thin multicomponent films: II, Open systems.—74-07305A
Formation of Cu-rich particles on the surface of $YBa_2Cu_3O_{7-x}$ thin film grown by in situ off-axis sputtering.—74-09276A
Free settling of nonspherical particles.—74-07322A
Growth and microstructure of $Al_2O_3\text{-}SiC\text{-}Si(Al)$ composites prepared by reactive infiltration of silicon carbide preforms.—74-02373A
Hard-particle-reinforced aluminum alloys for aircraft applications EWISCO 1993-1994.—74-08202A
HVOF particle flow field characteristics.—74-10392A
Investigation of dispersion processes of sprayed particles by means of torch modulation.—74-09573A
Micromachined array of electrostatic energy analyzers for charged particles.—74-03836A
Movement of neutral particles in charged media.—74-10739A
Net shape simulation and control.—74-10491A
Observation of the quasi-particle Hall effect in superconducting $YBa_2Cu_3O_{7-\delta}$.—74-06599A
Packing of regular particles—preparation of dense sintered silicon carbide: I.—74-10513A
Particle classification effects during plasma spraying.—74-10515A
Particle crowding analysis of slip casting.—74-04801A
Particle growth on palladium on epitaxial tin oxide thin films.—74-03848A
Particle velocity measurements in HVOF and APS systems.—74-09599A
Particulate diagnostics in induction plasma spraying.—74-09600A
Powder and particle characterization—quality control techniques.—74-11184A
Preparation and characterization of ultrasmall-sized metal and semiconductor particles in sol-gel materials.—74-10546A
Process for forming particles having a uniform size distribution.—74-03771P
Quasi-particle band structure of NiO—the Mott-Hubbard picture regained.—74-09019A
Reaction condition for the synthesis of ultrafine particles of the high-vacancy-content Zn(II)-bearing ferrites from iron(III) tartrate solution.—74-03403A
Reduction in particle density of laser-deposited $YBa_2Cu_3O_7$ thin films by low-energy ultraviolet radiation.—74-03566A
Scanning tunneling microscopy study of ZnS particles generated from a controlled chemical reaction.—74-06302A
Surface tension of small metal particles.—74-02398A
Synthesis and characterization of semiconductor nanoparticulates.—74-09060A
Synthesizing submicrometer and nanoscale particles via self-assembled molecular membranes.—74-01914A
Theoretical investigation of the gas-powder particles transport phenomena in HVOF spraying.—74-10696A
Ultrafine particles: advantages and drawbacks.—74-10710A
Viscous sintering of spherical particles via finite element analysis.—74-04979A

particulate materials,
Catalytic microporous zirconia particulates.—74-09808P
Free settling of nonspherical particles.—74-07322A
Method of making a holder of ceramic material.—74-09532P
Numerical simulation of toughening of alumina particulate glass matrix composite by interfacial precipitation.—74-08380A
Particulate solids for catalyst supports and heat transfer materials.—74-09946P
Problems and controls of particulates in semiconductor manufacturing.—74-09011A
Production of whisker-free Si_3N_4 particulates by carbonitriding SiO_2.—74-09957P

passivation,
Capacitance-voltage characteristics of metal-insulator-semiconductor diodes with S passivation and Si interface control layers on GaAs and InP.—74-05996A
Chemistry and electronic structure of the H_2 plasma passivated surface of CdTe.—74-08840A
Comparative study of cross-sectional scanning tunneling microscopy/spectroscopy of III-V hetero- and homostructures: ultrahigh vacuum-cleaved versus sulfide-passivated.—74-06745A
Comparative study of cross-sectional scanning tunneling microscopy/spectroscopy on III-V hetero- and homostructures: ultrahigh vacuum-cleaved versus sulfide-passivated.—74-06008A
Comparison of passivation films: the effect of thermal cycles and comparison of phosphorus-doped oxide films.—74-01647A
Control of the Fermi level position on the GaAs(001) surface: Se passivation.—74-02948A
Cross-sectional scanning tunneling microscopy and spectroscopy of passivated III-V heterostructures.—74-02951A
Degradation mechanisms of passivated and unpassivated diamond thermistors.—74-08851A
Diamondlike layers as passivation coatings for power bipolar transistors.—74-04277A
Electrical conduction through anodic oxides on sulfur-passivated InP.—74-06067A
Electrochemical behavior of surface zirconium oxides in the presence of some electroactive species.—74-05934A
Electronic passivation of silicon surfaces by halogens.—74-02996A
Heteroepitaxial passivation of the surface of GaS.—74-00630A
Improved phosphosilicate glass passivation against Cu contamination using the rapid thermal annealing process.—74-05770A
Interlayer dielectric technology by using TEOS-based CVD.—74-08757A
Junction locations by scanning tunneling microscopy: in-air-ambient investigation of passivated GaAs *pn* junctions.—74-02005A
Low-temperature passivation of $Si_{1-x}Ge_x$ alloys by dry high pressure oxidation.—74-06185A
Mechanism of formation of passivating sulfide coating on surface of A^3B^5 semiconductors.—74-03102A
OBIC [optical beam induced current] measurements on planar high voltage *p*+–*n* junctions with diamondlike carbon films as passivation layer.—74-10126A
Oxynitride fuse protective/passivation film for integrated circuit having resistors.—74-04073P
Passivating coating for metal oxide varistors.—74-03278P
Passivation of boron acceptor in diamond by atomic hydrogen: molecular orbital linear combination of atomic orbitals simulation and experimental data.—74-04802A
Passivation of carbon fiber by diamond deposition.—74-07410A
Passivation of crystalline SiC in H plasma.—74-03149A
Passive films [studied] by capacitance measurements.—74-05951A
Phosphosilicate glass passivation for VLSI Cu metallization.—74-03154A

Sidewall passivation during the etching of poly-Si in an electron cyclotron resonance plasma of HBr.—74-00709A
Study of the passivating oxide layer on fine nickel particles.—74-03236A

pastes,
Ac impedance phenomena in hydrating cement systems: detectability of the high-frequency arc.—74-02303A
Ac impedance phenomena in hydrating cement systems: frequency dispersion angle and pore size distribution.—74-02304A
Ac impedance phenomena in hydrating cement systems: the drying-rewetting process.—74-02305A
Aggressive action of sulfates on loaded concrete.—74-00033A
Analysis of microstructure of hardened cement paste by finite element method.—74-02306A
Conductive copper paste—74-00546P
Controlling the microstructure of porcelain in the course of plastic paste formation.—74-07240A
Early-age behavior of portland cement paste.—74-00051A
Effects of binder composition on paste flow mechanics in alumina paste extrusion.—74-04596A
Electrical double layer, ion transport, and reactions on hardened cement paste.—74-05515A
Hydration products at the blast-furnace slag aggregate: cement paste interface.—74-06857A
Interaction between electronic pastes and AlN substrates.—74-05944A
Microscopic examination of the interface in the polyester and epoxide resins—hardened cement paste systems.—74-08073A
Microstructure of highly expansive cement pastes.—74-00078A
New method for studying bleeding of cement paste.—74-05559A
Prediction of multichannel paste flow.—74-04819A
Radial flow of ceramic injection molding mixes.—74-04856A
Relationship between microstructure and mechanical properties of the paste-aggregate interface.—74-01097A
Rheology of fresh cement paste containing polysaccharide gums.—74-05582A
Sample mass and dimension effects on mercury intrusion porosimetry results.—74-05583A
Study of cement pastes for injection under hot climate.—74-00096A
Sulfate attack on hardened cement paste.—74-05601A
Superplasticizers for Ciment Fondu: I, Effects on rheological properties of fresh paste and mortar.—74-00099A

pattern,
Catalytic interaction of Fe, Ni, and Pt with diamond films—patterning applications.—74-08136A
Diamond device delineation via excimer laser patterning.—74-10266A
Selectivity variations of electron beam patterned silicon dioxide films.—74-04882A
Si-YBCO intermixing and reactive patterning technique.—74-03573A
Structure origins of diffraction pattern features of diamondlike films.—74-10036A
Thinning and patterning of CVD diamond films by diffusional reaction.—74-10749A
Ultraviolet patterning of alkoxy-derived lithium niobate film.—74-06449A

pegmatite,
Carbon fibers in nature.—74-06891A

pellets/pelletization,
Batch pelletization—the key to glass quality improvement.—74-00287A
Energy-saving production method for producing ceramic floor tiles.—74-00361A

percolation,
Percolation and pore structure in mortars and concrete.—74-02343A

periclase,
Development of usage rates of periclase-chromite refractories for open-hearth and twin-bath furnace roof repairs.—74-03903A
Interaction at the periclase-slag melt phase boundary.—74-05860A
Manufacture of periclase plates for gate valves.—74-03947A
Market for magnesia raw materials.—74-06912A
Mechanical activation of periclase cements.—74-02337A
Micro-X-ray spectrographic analysis of the impurity and additive distribution in periclase ceramic.—74-05186A
Production and testing of periclase spinel parts with fused spinel.—74-02728A
Structure and properties of periclase ceramics doped with rare-earth oxides.—74-05270A
Utilization of ferrochromium slag by hydrothermal treatment.—74-07546A
Wear of the periclase-lime lining of steel teeming ladles in ladle desulfurization of steel.—74-02794A

perlite,
Perlite.—74-06920A

permeability,
Behavior of concrete affected by seawater under pressure.—74-00036A
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers—correction.—74-04258A
Effect of drying on viscoelasticity and permeability of gel.—74-10282A
Evaluation of the Katz-Thompson model for estimating the water permeability of cement-based materials from mercury intrusion porosimetry data.—74-05519A
Gas exchange between bubbles and molten glass.—74-02546A
Microstructure and permeability of cement stone and concretes.—74-00077A
Modeling relationships between permeability and cement paste pore microstructures.—74-00079A
Oxygen permeation through thin mixed-conducting solid oxide membranes.—74-02856A
Permeability and microstructure of plain and polypropylene fiber-reinforced grouts.—74-05563A
Preparation of alumina membranes: II.—74-10555A
Preparation of high permeability Mn-Zn ferrites by the wet method.—74-03399A
Pulverized fuel-ash concrete: intrinsic permeability.—74-02774A
Use of a permeable ceramic for radiation enhancement in a gas-fired furnace.—74-09722A
Water permeability and microstructure of three old concretes.—74-05610A

permittivity,
High-temperature microwave complex permittivity of $YBa_2Cu_3O_{7-\delta}$ superconductors.—74-06557A
New model for the in-plane permittivity of $YBa_2Cu_3O_7$ films in the mid-ir range.—74-03539A

perovskites,
Advanced ceramic materials and electrochemical processes at interfaces.—74-00452A
Annealing effects on transport and magnetic properties of perovskite-type vanadium oxide $CaVO_3$.—74-04251A
Application of a mixed oxide capacitor to the selective carbon dioxide sensor, II: CO_2 sensing characteristics of a CuO-based oxide capacitor.—74-00457A
Candidate HTSC film substrates of complex oxide perovskite compositions.—74-09240A
Carbon dioxide reduction to alcohols using perovskite-type electrocatalysts.—74-01218A
Chemical compatibility between strontium-doped lanthanum manganite and yttria-stabilized zirconia.—74-02824A
Chemical stability of perovskite interconnects in solid oxide fuel cell [SOFC].—74-00465A
Crystal chemistry and thermal behavior in the La(Cr,Ni) perovskite system.—74-01360A
Development and characterization of $GdBa_2NbO_6$, a new ceramic substrate for YBCO thick films.—74-01669A
Dielectric behavior as a function of temperature and structure of the complex perovskites, $Ba_xSr_{1-x}(Mg_{0.33}Ta_{0.66})O_3$, and $Ba_xSr_{1-x}(In_{0.5}Nb_{0.5})O_3$.—74-02828A
Dielectric properties of lead perovskites as a function of processing and precursors.—74-04556A
Doped $LaGaO_3$ perovskite-type oxide as a new oxide ionic conductor.—74-04562A
Electrolyte of the SOFC as thick film.—74-05936A
Giant LO-TO splittings in perovskite ferroelectrics.—74-03310A
Grain growth, segregation, and diffusion in ceramic systems [investigated] by using heterogeneous structures.—74-07658A
Graphic representation of multicomponent systems of complex perovskites.—74-01391A
Growth and spectral characteristics of Ce^{3+}:$YAlO_3$.—74-00629A
High-frequency dielectric relaxation in oxyfluoride perovskite ceramics.—74-04332A
Induction of bidimensionality in Cu-Ti perovskites.—74-10411A
Interaction between $Nd_{0.4}Sr_{0.6}Al_{0.7}Ta_{0.3}O_3$ and $YBa_2Cu_3O_7$ films deposited by sputtering.—74-03496A
Interface stability and the growth of optical quality perovskites on MgO.—74-03317A
Magnetic properties of $CaNdAlO_4$ high-T_c substrates.—74-06577A
Microstructural studies of some HTSC oxides.—74-03523A
Microwave sintering of materials with particular electric or magnetic properties.—74-07384A
Molecular layer epitaxy of perovskite-based oxides by laser MBE.—74-10480A
Mossbauer spectrometric study of the perovskite $CaFe(IV)O_3$ by means of a $^{119}Sn(IV)$ dimagnetic probe.—74-06471A
New special ceramic materials of $A_{m-1}Bi_2B_mO_{3m+3}$ type.—74-07175A
Nonlinear conduction mechanism in perovskite-type ceramics.—74-08970A
Perovskite anode electrocatalysis for direct methanol fuel cells.—74-00517A
Phase equilibria in the Ln-Mn-O system (Ln=Pr, Nd) and general aspects of the stability of the perovskite phase $LnMeO_3$.—74-04179A
Preparation and optical properties of lead-complex perovskite films by the sol-gel method.—74-10547A
Probing of 1:2 ordering in $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics by XRD and Raman spectroscopy.—74-10866A
Process for producing columbite-type niobate and process for producing perovskite-type compound therefrom.—74-04002P
Properties and applications of high-temperature superconductors (HTS).—74-00846A
Properties of heterosubstituted titanates with perovskite structure.—74-03344A
Relation between high-frequency relaxation, ferroelectric properties, and microstructure in ceramics with composition $Ba(Ti_{0.975}Li_{0.025})O_{2.925}F_{0.075}$.—74-03347A
Science and technology of composite materials: VIII.4, Surface reactions at electrodes in solid oxide fuel cells.—74-08771A
Sol-gel synthesis of $Pb(Sc_{0.5}Ta_{0.5})O_3$ powders and thin layers.—74-01891A
Structural transitions and proton conduction in nonstoichiometric $A_3B'B_2''O_9$ perovskite-type oxides.—74-10033A
Superconducting and nonsuperconducting (up to 4.2 K) phases $MA'A''_zCu_2O_x$ with perovskite-like structure.—74-04225A
Synthesis and dielectric properties of a cubic perovskite: $La(Mg_{1/2}Ti_{1/2})O_3$.—74-05962A
Thin-film dielectric ion sensors.—74-01120A
Use of magnesium carbonate hydroxide pentahydrate in the production of perovskite lead magnesium niobate.—74-03354A

pH,
Decomposition rate of hydrogen peroxide to oxygen on illuminated semiconductor electrodes.—74-00588A
Oxynitride ISFET modified for working in a differential mode for pH detection.—74-06802A
Photocatalytic reduction and immobilization of hexavalent chromium at titanium dioxide in aqueous basic media.—74-01831A

phase diagrams,
Chemical basis of the C-H-O phase diagram in diamond plasma depositions.—74-04100A
Determination of composition and phase amounts in ternary and quaternary systems.—74-04124A
Directed synthesis of ceramic materials with stable properties on the basis of phase diagrams.—74-04128A
Local equilibrium phase diagrams for SiC deposition in a hot-wall LPCVD reactor.—74-07087A
New types of incommensurate phase transitions.—74-07095A
Phase diagram of the ZnSe-CdSe system in the subsolidus region.—74-01427A
Phase diagram of wollastonite–tricalcium phosphate.—74-07100A
Phase diagrams and sinter aids (Cs_2O) for SiO_2-sinterglass.—74-08345A
Phase Diagrams in Advanced Ceramics.—74-05442B
Phase diagrams of nonequilibrium states of the system Mn-Ti-O in air.—74-04177A
Phase diagrams of the ternary systems $Zn(Cd)\text{-}A^{III}\text{-}B^{V}$.—74-04178A
Predictive thermochemistry and phase equilibria of slags.—74-01444A
Rules for the reactions in $B_4C\text{-}Me^{IV\text{-}VI}B_2$ systems.—74-01451A
Statistics of the time-temperature-transformation diagram for oxidized and reduced West Valley Reference 6 glass.—74-09418A
Structure-phase diagram of the states of the system ZnS-CdS in the subsolidus region.—74-04220A
Superconducting phase diagram of the two-band model investigated by the exact-diagonalization method.—74-07127A
Thermal analysis of the system $K_2MoO_4\text{-}KF\text{-}KBO_2$.—74-04228A
Thermochemical computation of the diamond deposition domain.—74-04229A
Transformation of $Y_2Cu_2O_5$ into $YCuO_2$.—74-06656A
Univariant reactions in the YBCO system and the influence of oxygen on solidification and microstructure.—74-06661A

phase equilibria,
Decomposition of $YBa_2Cu_3O_{7-x}$ at low oxygen pressures.—74-00795A
Determination of composition and phase amounts in ternary and quaternary systems.—74-04124A
Gibbs energy of formation of $CuGd_2O_4$ and phase relations in the Cu-Gd-O system.—74-07080A
Low-temperature phase equilibria in the Y-Ba-Cu-O system.—74-06574A
Phase diagrams of the ternary systems $Zn(Cd)\text{-}A^{III}\text{-}B^{V}$.—74-04178A
Phase equilibria considerations in the ceramic-metal bonding of silicon-based ceramics.—74-00139A
Phase equilibria in the $CaO\text{-}Al_2O_3\text{-}SiO_2\text{-}H_2O$ system at 5°C, 20°C, and 38°C.—74-08081A
Phase equilibria in the Ln-Mn-O system (Ln=Pr, Nd) and general aspects of the stability of the perovskite phase $LnMeO_3$.—74-04179A
Phase equilibria in the system $As_2O_5\text{-}SrO$.—74-04180A
Phase equilibria in the system $ZrO_2\text{-}HfO_2$.—74-01430A
Phase equilibria in the systems $Rb_2MoO_4\text{-}AMoO_4\text{-}Zr(MoO_4)_2$ (A=divalent elements).—74-04183A
Phase equilibria of the bismuth oxide-copper oxide system in oxygen at 1 atm.—74-03553A
Rapid solidification processing.—74-07456A
Two-zone equilibria of Tl-Ca-Ba-Cu-O superconductors.—74-03612A

phase separation,
Critical fluids in porous media.—74-07242A
Effects of liquid phase immiscibility on the leaching of fluorosilicate waste glasses.—74-08333A
Observation of phase separation in $Hg_{1-x}Cd_xTe$ solid solutions by low incident angle X-ray diffraction.—74-07096A
Phase separation and crystallization of fluoroaluminosilicate glass [studied] by HR electron microscope.—74-08346A
Technological base of reproduction of phase-separating glazes in successive dynasties in China.—74-02302A
Thermal evolution of phosphate materials obtained by the coacervation process in polyphosphates—for the $CaO\text{-}MgO\text{-}Na_2O\text{-}P_2O_5$ system.—74-07532A

phase transformations,
Alpha-beta transformation and anisotropic growth of beta grains during sintering of Si_3N_4.—74-07589A
Annealing of lead zirconate titanate (65/35) thin films for ultra-large-scale integration storage dielectric applications: phase transformation and electrical characteristics.—74-02821A
Application of X-ray phase analysis to the determination of components in $CaSO_4\cdot 2H_2O\text{–}CaSO_4\cdot 0.5H_2O\text{–}CaSO_4$.—74-07038A
C49/C54 phase transformation during chemical vapor deposition of $TiSi_2$.—74-01345A
Characterization of the thermal transformation of hydrous aluminas by XPS and NMR.—74-01349A
Cubic-tetragonal phase transformations in the $ZrO_2\text{-}CeO_2$ system.—74-01364A
Cubic-to-tetragonal transformation in zirconia alloys.—74-01365A

Effect of dopant species on tetragonal (*t'*)-to-monoclinic phase transformation of arc-melted ZrO_2-$RO_{1.5}$ (R=Sm, Y, Er, and Sc) in water at 200°C and 100 MPa pressure.—74-07074A

Effect of oxygen octahedron rotations on the phase stability, transformational characteristics, and polarization behavior in the lead zirconate titanate crystalline solution series.—74-09124A

Electroless deposition of orthorhombic copper(I) selenide and its room temperature phase transformation to cubic structure.—74-01381A

Fabrication and phase transformation of alumina and its application.—74-01718A

Grain growth and phase changes during sintering of nanocrystalline zirconia.—74-07655A

Grain growth kinetics of Si_3N_4 during alpha/beta transformation.—74-01944A

Harmonic trend analysis (HTA) of phase change in silicate melt of zinc system.—74-04147A

High-surface-area alumina aerogel at elevated temperatures.—74-07082A

Kinetics and crystallography of the monoclinic (B) to cubic (C) transformation in dysprosia (Dy_2O_3).—74-01404A

Magnetic anisotropy and phase transformation of (100)EuTe/PbTe superlattices and (100)EuTe films.—74-08950A

Microstructural characterization of Y-PSZ (4 mol%) polycrystals by means of X-ray diffraction experiments.—74-07093A

Mossbauer study of phase transformation induced by mechanosynthesis in Fe_4N.—74-07702A

Nucleation in stress-induced tetragonal-monoclinic transformation of constrained zirconia.—74-01417A

Phase and chemical changes in sintering partially stabilized zirconia.—74-04176A

Phase formation and properties of metaplumbate of barium and solid solutions $Ba_{1-x}Sr_xPbO_3$ ($0 \le x \le 0.5$).—74-04185A

Phase formation in the system Bi-Pb-Sr-Ca-Cu upon synthesis of (Bi, Pb)$_2Sr_2Ca_2Cu_3O_x$.—74-04186A

Phase structures in *n*-Y_2O_3.—74-07710A

Phase transformation and densification behavior of microwave-sintered α-alumina.—74-10518A

Phase transformation and interface structure of nanocrystalline ZrO_2.—74-01436A

Phase Transformations and Ablation in Laser-Treated Solids.—74-05443B

Polymorphic structural transformations in melts.—74-04196A

Preparation of stable *t'*-zirconia.—74-07437A

Solid phase transformation goethite-hematite.—74-01457A

Stress-induced phase transformation in single-crystal titanium carbide.—74-07118A

Stress-induced tetragonal→orthorhombic transformation in Mg-PSZ.—74-01463A

Structural mechanisms of Si(Ge)I→III phase transformations: II, Germanium.—74-07120A

Tetragonal-monoclinic transformations of zirconia studied by small angle neutron scattering and differential thermal analysis.—74-01476A

Use of thin-film substrates to study enhanced solid-state phase formations.—74-04238A

Use of ZrO_2 phase transformation in increasing fracture toughness of ceramics[—review].—74-07934A

phase transitions,

Acoustic emission during phase transition in barium titanate crystals subjected to step-by-step etching.—74-06392A

Amorphous thin films for (rewritable) optical memory disks based on phase change mode.—74-08324A

Analysis of low-temperature properties of $La_{2-x}M_xCuO_{4-\delta}$ [M=Sr, Ca, Ba] in the multiwell potential centers.—74-04248A

Charge transfer phase transition in $Cu_xV_4O_{11}$.—74-07045A

Consolidation mechanism of nanocrystalline Si_3N_4 ceramics and transition mechanism of λ-to-ß phase under shock compaction.—74-09976A

Crystal lattice distortion in iron phosphide.—74-07052A

Diffuse phase transition in solid solution of $Pb(Mg_{1/4}Nb_{1/2})O_{3-\delta}$.—74-01370A

Doping impurity effect on ferroelectric phase transitions in $PbTe_{1-x}S_x$ and $Pb_{1-x}Ge_xTe$.—74-03297A

First-order phase transition at the irreversibility line of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-04318A

Geometric isotope effect of $NaH_3(SeO_3)_2$.—74-01389A

Grain growth in yttria-doped tetragonal zirconia polycrystals (Y-TZP).—74-07656A

Grain growth of zirconia during annealing in the cubic/tetragonal two-phase region.—74-07081A

Grain-size effects on diffuse phase transitions of $BaTiO_3$ ceramics obtained by alkoxide precursors.—74-08752A

Grain-size effects on diffuse phase transitions of sol-gel-prepared barium titanate ceramics.—74-03311A

Hall effect and transition into noncollinear state in ferrimagnetic amorphous Dy-Co films under strong magnetic fields.—74-03381A

High-pressure Raman studies of ß-$NaVO_3$.—74-09997A

High-temperature X-ray diffraction study on cubic-tetragonal phase transition in the ZrO_2-$RO_{1.5}$ systems (R=rare earths).—74-01394A

Hydrostatic pressure effect on phase transitions in perovskite-like ferroelastics.—74-06450A

Hysteresis behavior of sound [wave] velocity in high-temperature incommensurate superionic phase of $LiKSO_4$ crystals.—74-03820A

Influence of grain size on the soft mode and the phase transition in the nanocrystalline $PbTi_{1-x}Zr_xO_3$ system.—74-04150A

Influence of long-range elastic interactions on the tetragonal-to-orthorhombic phase transition in $YBa_2Cu_3O_x$.—74-06564A

Investigation of the phase transition in nanocrystalline $Pb_{1-x}La_xTiO_3$.—74-04155A

Magnetic anisotropy under structural phase transition in $DyBa_2Cu_3O_{6.2}$ single crystals.—74-03512A

Mechanism of cubic phase stabilization in ZrO_2.—74-04161A

Mechanisms of formation and phase transitions in crystals of ß-K_2SO_4 and K_2MgF_4 types.—74-07090A

Metastable phase transition induced by mechanical alloying in an Si(B/C) mixture.—74-07092A

Molecular beam epitaxy growth of quantum dots from strained coherent uniform islands of InGaAs on GaAs.—74-05197A

Morphology and phase transition during the heat treatment of plasma Si_3N_4 powders.—74-10848A

New approach to the phenomenological study of reconstructive transitions to crystalline and quasi-crystalline states.—74-10009A

New phase transition of SiC particulates in cast Al metal matrix composites.—74-05647A

New types of incommensurate phase transitions.—74-07095A

Order and phase transitions at surfaces.—74-10015A

Oxygen displacement through the ferroelectric phase transition of barium titanate high-temperature ^{17}O NMR.—74-03327A

Phase states in mixed crystals of $K_{1-x}(NH_4)_xH_2PO_4$. Behavior of the fully symmetric ν_1 vibrational mode of the tetrahedron PO_4.—74-04190A

Phase transitions and ionic conductivity in $TlSbOGeO_4$ ferroelectric [single] crystals.—74-04192A

Phase transitions and structural distortions of crystal family akin to α-K_2SO_4.—74-04193A

Phase transitions and structures of phases I, III, and IV of $(NH_4)_2ZnBr_4$.—74-01439A

Phase transitions in amorphous precursors of glass-ceramic and ceramic materials.—74-05689A

Phase transitions in $BaTiO_3$ from first principles.—74-06429A

Phase transitions in copper(II) orthovanadate.—74-10018A

Phase transitions in cristobalite and related structures studied by variable temperature infrared emission spectroscopy.—74-04194A

Phase transitions in Ge and Si under shear deformation at pressure up to 12 GPa conditions and *p-T-*γ [shear] diagrams of these elements.—74-07104A

Phenomenological dynamical theory of KH_2PO_4 in paraelectric phase.—74-00761A

Polytype patterning in epitaxial layers on the basis of nonequilibrium phase transitions.—74-04815A

Possibility of using radiation at [electron] channeling in study of multicomponent crystals.—74-04197A

Pressure-induced crystalline-amorphous transition in $NaVO_3$ and its recrystallization.—74-10020A

Pressure-induced phase transition and pressure dependence of crystal structure in low (α) and Ca/Al-doped cristobalite.—74-10021A

Prognosis of composition and critical temperature phase transition in piezoelectric compounds.—74-03343A

Real structure of $LaGaO_3$ single crystals grown by Czochralski method: III, High-temperature studies.—74-02486A

Refinement of $Cs_3D(SeO_4)_2$ low-temperature phase by high-resolution powder neutron diffractometry.—74-04207A

Reorientational motion and phase transitions of cyclohexane in restricted geometries.—74-10026A

Role of structural change in phase transition in $LiVO_2$.—74-01450A

Science and technology in composite materials—transformation toughening.—74-09799A

Size-driven phase transition in nanocrystalline $BaTiO_3$.—74-06435A

Spontaneous deformation and phase transition in improper Hg_2Br_2 ferroelastic.—74-06436A

Structural and electrical properties of PZT (La, K) ceramics.—74-00765A

Structural aspects of ferroelectric phase transitions.—74-09181A

Structural phase transformation and ground state properties of CdTe.—74-07121A

Study on internal friction and modulus in nanostructured alumina.—74-03239A

Tetragonal-monoclinic phase transition enthalpy and temperature of ZrO_2-CeO_2 solid solutions.—74-07134A

Theory of the successive phase transition in $BaTiO_3$.—74-07135A

Thermodynamic study of quartz in the vicinity of the α-ß transition.—74-04233A

X-ray diffraction study of structural phase transition in polycrystalline $BaPbO_3$.—74-07140A

phases,

Characterization of a range of alkyl-bonded silica HPLC stationary phases: XPS and ToF-SIMS studies.—74-06742A

Characterization of hydrated aluminas by MAS and DOR 27Al NMR.—74-07604A

Cristobalite phase formation in glass/ceramic composites.—74-02442A

Difference between forming processes of $RBa_2Cu_3O_{7-x}$ (R=3Y, Yb) phases and preparation of single-phase Yb-123 superconductor.—74-00797A

Effect of flux stochasticity on coalescence [of new phase precipitations].—74-04573A

Effect of isostatic pressing on phase formation in $BaO{\cdot}Al_2O_3{\cdot}2SiO_2$ glass.—74-08415A

Effects of heat treatment to boundary phases of AlN ceramics.—74-04137A

Formation mechanisms and kinetics of α- and ß-silicon nitride phases.—74-10733A

Formation of N-phase and phase relationships in MgO-Si_3N_4-Al_2O_3 system.—74-04144A

Greater than unity pulsed phase conjugate reflectivities using self-pumped four-wave mixing in a single $BaTiO_3$ crystal.—74-08925A

In situ magnetoplumbite growth in sol-gel-derived alumina matrices.—74-10404A

Interactions in PbO-B_2O_3-RuO_2 system at a temperature as high as 1473 K.—74-00265A

Kinetics of diffusive coalescence of solid solutions and of temperature-induced coalescence of single-component melts under layer-by-layer growth of nuclei of the new phase.—74-05028A

Melting behavior of glass batches with addition of cadmium-containing compounds.—74-05774A

Microphase detection using XRD.—74-06791A

Model calculations of phase stabilities of the oxide solid solutions in the Co-Fe-Mn-O system at 1200°C.—74-04164A

Multiplicity on *c* period of Bi-based 2201 phase crystals.—74-03535A

Nondiamond carbon phases in plasma-assisted deposition of crystalline diamond films: a Raman study.—74-10011A

Nonequilibrium phase formation in oxides prepared at low temperature: fergusonite-related phases.—74-10012A

Nonstationary bandlike spatial patterns of phase conjugate emission generated by a self-pumped $BaTiO_3$ phase conjugator.—74-03325A

Novel characterization of phases in zirconia-based ceramics: ^{91}Zr NMR.—74-01416A

Novel phases in the V-P-O catalytic system from oxovanadium hydrogen phosphate precursors.—74-10013A

Phase analysis program for magnesia refractories.—74-05868A

Phase constitution and service properties of high-alumina refractory cements.—74-05564A

Phase formation during sintering of chromium ore concentrate with titanium-containing addition and during firing of the periclase-spinellide products.—74-01829A

Phase formation in the system Ho-In-Te and a projection of the liquidus surface.—74-01433A

Phase stability of fine-grained (Mg,Y)-PSZ.—74-07182A

Phase structure and superconductivity in $Bi_{1.6}Pb_{0.4}Sr_2Ca_{2-x}(Nd_{0.75}Ce_{0.25})_xCu_3O_y$ system.—74-00833A

Phase structure characteristics of rf reactively sputtered zirconia thin film.—74-07102A

Phases of high-pressure high-temperature superconducting cuprates.—74-00834A

Precipiation of a microcrystalline phase in multichrome glass.—74-02483A

Quantitative study on chemistry kinetics of F-doped Bi-based superconducting phase.—74-09327A

Quantitative study on chemistry kinetics of F-doped Bi-based superconducting phase.—74-09328A

Quantitative X-ray method for determining phases in the system Bi-Sr-Ca-Cu-O.—74-00848A

Symmetry of high-pressure phases in $CsHSO_4$.—74-07129A

Theory of new phase nucleation on surfaces of solids in nonisothermal conditions.—74-07529A

Uniformly layered mixtures of the $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ phases formed in artificially layered films—structural analysis and superconducting properties.—74-09358A

Zero-field splitting for Fe^{3+} in the tetragonal phase of $SrTiO_3$ crystal.—74-04241A

phenols,

Carbon from phenolic resins: carbon yield and volatile contents—recent studies.—74-04494A

Fade and wear characteristics of a glass fiber-reinforced phenolic friction material.—74-08190A

Photocatalytic activity and selectivity of titania colloids and particles prepared by the sol-gel technique: photooxidation of phenol and strazine.—74-10132A

phonons,

Analysis of phonon structures in the tunneling conductance of Bi cuprates.—74-01494A

CoO(100) Fuchs-Kliewer phonon spectrum by high-resolution electron energy loss spectroscopy.—74-08845A

Dynamics of hot electrons "accumulated" in the velocity space of CdS with acoustic phonon interactions.—74-01941A

Effective free path length of phonons in diamond.—74-09986A

Metastable transition of E12 in GaAs—the electron-phonon coupling channel.—74-03107A

Nonequilibrium phonon heating of CdS crystal excited by high-power optical pulses.—74-08969A

Phonon-mediated particle detectors: physics and materials.—74-01092A

Raman scattering by surface phonon-polaritons in large SiC microcrystals.—74-05226A

Sequential emission of optical phonons by ballistic electrons in single barrier heterostructures.—74-09035A

Simulation of the space-time evolution of nonequilibrium phonons in GaAs by the Monte Carlo method.—74-09038A

Spatial characteristics of GaAs, GaAs-like, and AlAs-like phonons in $GaAs/Al_xGa_{1-x}As$ superlattices: the strong *x* dependence.—74-06319A

Strong correlations, frozen phonons, and double-well potential in the Cu-O chains of $YBa_2Cu_3O_{7-x}$: an exact diagonalization approach.—74-03577A

Surface phonons and alloying effects in $(CdSe)_x(CdSe)_{1-x}$ nanospheres.—74-03243A

phosphates,

Application of the free volume theory to sulfate-phosphate glasses and their melts.—74-02513A

Application of the free volume theory to sulfate-phosphate glasses.—74-02514A

Atomic structure of modulated orthorhombic phase of $Na_4TiP_2O_9$ at 663 K.—74-07040A

Bioactive glass-ceramics in medicine.—74-05664A

Carbonation of hydrothermally treated phosphate-bonded calcium aluminate cements.—74-05470A

Characterization of yttrium phosphate and a yttrium phosphate/yttrium aluminate laminate.—74-10778A
Compositional dependence of absorption spectra of Ti^{3+} in silicate, borate, and phosphate glasses.—74-02522A
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses.—74-02441A
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses[—correction].—74-05671A
Computer modeling of phosphate biomaterials—transfer of parameters for interatomic potentials for different polymorphs of divalent metal diphosphates.—74-05102A
Crystal structure of $(NH_4)Fe[HPO_4]_2$.—74-07055A
Crystallization of glasses in the systems $Ca_5(PO_4)_3E$-$CaAl_2Si_2O_8$ and $Ca_5(PO_4)_3F$-$CaMgSi_2O_6$.—74-01363A
Damage and annealing of $KTiOPO_4$ after Er^+ and Yb^+ implantation.—74-10073A
Defect characterization of KTP single crystals.—74-07559A
Development of low-temperature phosphate sealing glass.—74-05760A
Dynamical properties of protons in KH_2PO_4 studied by incoherent neutron scattering.—74-05120A
Effect of pH on growth and properties of KDP crystals.—74-07276A
Effect of thermal and electrical properties on the addition of Ga_2O_3 to glasses of the Ag_2O-P_2O_5-AgI system.—74-05711A
Electron nuclear double resonance evidence for bifurcated hydrogen bonds in KH_2PO_4—possible role in the ferroelectric transition.—74-09130A
Electron phototransfer spectroscopy in europium-doped phosphate glasses.—74-02537A
EPR studies of the defect centers in γ-irradiated KH_2PO_4, $NH_4H_2PO_4$, and $Ba(H_2PO_4)_2$ single crystals: effects of impurities and thermal annealing.—74-01383A
Experimental evidence for anion-selective behavior of ion-beam-sputtered film of alkali metal-free phosphate glass deposited on MOS diode.—74-00258A
Experimental study of the internal and external conical refractions in KTP.—74-03011A
Features of the diffraction of X-ray radiation in crystals of the KH_2PO_4 group in an electric field.—74-03810A
Ferroelectric phase transition and atomic structure of $KGeOPO_4$ crystals.—74-06411A
Formation and destruction of color centers in tellurite phosphate glasses.—74-02456A
Formation and properties of a lead-barium-aluminum phosphate glass.—74-02626A
Formation of fluorine-containing anions in glasses of the system $MePO_3$-MeF (Me=Li, Na).—74-00197A
Formation of hydroxyapatite in cement systems.—74-08031A
Fractal aspects of the ferroelectric domain structures in KH_2PO_4 crystal.—74-00753A
Fusibility diagrams of $Ga(PO_3)_3$-$M^{II}(PO_3)_2$ (M^{II}=Ca, Sr, Ba).—74-01388A
Growth morphology of vicinal hillocks on the [101] face of KH_2PO_4—from step-flow to layer-to-layer growth.—74-07662A
High-temperature mechanical properties of phosphate-bonded ceramics.—74-11020A
Inelastic neutron scattering from spin ladder compound $(VO)_2P_2O_7$.—74-10822A
Influence of spatio-temporal refractive index changes in a GaAs etalon on the generation of ultrashort pulses in an Nd phosphate glass laser.—74-03067A
Interaction of the cyclotetraphosphate of copper(II) with aluminum oxide upon heating.—74-01398A
Interpretation of the ^{57}Fe Mossbauer spectra of some phosphate glasses.—74-05684A
Ion-exchange hardening of phosphate laser glasses.—74-00303A
Ion-exchange strengthening of phosphate laser glasses.—74-02554A
Kinetics of volatilization loss from phosphate glass melts.—74-05725A
Laser diode array pumped, Nd:YVO_4/KTP composite material microchip laser.—74-03082A
Libethenite $Cu_2[PO_4](OH)$—synthesis, refinement of crystal structure, comparative crystal chemistry.—74-04159A
Lightweight aggregates based on Al_2O_3 and phosphate binder microsphere.—74-01231A
Low-energy modes in phosphate glasses—a comparison with the soft potential model.—74-08375A
Machinable and phosphate glass-ceramics.—74-05727A
Microbes: effect on growth and quality KH_2PO_4 crystals.—74-05428A
Microstructure and humidity sensitivity of sintered $Zr(XPO_4)_2$-nH_2O (X=Li, Na, K, Rb, Cs).—74-05192A
Microstructure, orientation, and properties of sol-gel-derived $KTiOPO_4$ thin films.—74-06425A
MNDO study of the structure of the short-range order and interatomic interaction in P_2O_5 glasses with modifying additives.—74-00204A
Mode-locked ps pulse generation from a phase-coupled fiber array laser.—74-08442A
Mode-locking of Nd-$YAlO_3$ (YAP) laser at 1.08 μm wavelength with single KTiOPO (KTP) crystal.—74-03111A
Modeling of crystal-glass transition effect on luminescence decay rate of rare-earth ions [REIs] in phosphates.—74-05732A
Molecular orbital calculation of SiKß spectra.—74-07699A
Molecular-sieve-based chemical sensors.—74-05950A
New Bioglass ceramic for dental crown and veneer.—74-08445A
New color centers and photostimulated luminescence (PSL) of Eu^{2+}:$Sr_6Ca(PO_4)_6Cl_2$.—74-02566A
New technique to enhance film-coating processes in oil-based media.—74-08245A
New thermochemical method of formation of surface waveguides on phosphate glasses.—74-05778A
Niobium phosphate glass planar optical waveguides fabricated by ion exchange.—74-02645A
Oxidation protection for carbon materials by oxyfluoride phosphate compounds.—74-10932A
Pathological crystallization of calcium oxalate and calcium phosphate.—74-09795A
Phase states in mixed crystals of $K_{1-x}(NH_4)_xH_2PO_4$. Behavior of the fully symmetric ν_1 vibrational mode of the tetrahedron PO_4.—74-04190A
Phase transition and electric property of $KSnOPO_4$ (KS) single crystal.—74-01438A
Phenomenological dynamical theory of KH_2PO_4 in paraelectric phase.—74-00761A
Phosphate glass useful in lasers—74-00345P
Phosphate-bonded ceramics as candidate final-waste-form materials.—74-09496A
Photoluminescence properties of Ho^{3+}-doped $(NaPO_3)_4$-$BaCl_2$-$ZnCl_2$-RCl glasses.—74-05736A
Processing, properties, and microstructure of Nicalon-reinforced zirconium phosphate composites.—74-09889A
Reaction between the binder and ingredients of gunning mixes and characteristics of gunite coatings.—74-00092A
Setting control for alkali-activated silicate binders.—74-02359P
Soft hydrothermal synthesis of new microporous materials based on phosphatelike species.—74-10638A
Soluble, cellulated mold and foamable mixture—74-01273P
Spectra of transmission and electron paramagnetic resonance of alkali titanophosphate glasses.—74-00216A
Spectral absorption of coloring agents in lead phosphate glass.—74-02580A
Spectroscopic investigation of sodium and aluminosilicate phosphate glasses.—74-00217A
Stability of acidic phosphate anionic forms $M(H_2PO_4)_2$·$2H_2O$ and $MHPO_4$·xH_2O (M=Mn, Zn; x=1.3).—74-00094A
Strength modification of silicophosphatic pellets and spectrum analysis of their phase compositions.—74-01462A
Superionic conductors with mixed framework $[M_2P_3O_{12}]_{3\infty}$: crystal structure and physical properties: II, Sodium-conducting phosphates.—74-04226A
Synthesis and structure of the double phosphate $K_3Ti_3P_5O_{20}$.—74-01469A
Synthesis of $KTiOPO_4$ (KTP) thin films using metallo-organics.—74-10680A
Synthesis, structure, and magnetic properties of some new metal (II) phosphonates—layered $Fe(C_2H_5PO_3)$·H_2O, α-$Cu(C_2H_5PO_3)$, and $Co(i\text{-}C_4H_9PO_3)$·H_2O, tubular ß-$Cu(CH_3PO_3)$.—74-09183A
TE polarizers on $KTiOPO_4$ substrates.—74-03352A
Temperature sensitivity of KDP for phase-matched frequency conversion of 1 μm laser light.—74-06350A
Thermal behavior and physicochemical characterization of synthetic and natural iron hydroxyphosphates.—74-10168A
Thermal effects in end-pumped Nd:phosphate glasses.—74-08398A
Thermal evolution of phosphate materials obtained by the coacervation process in polyphosphates—for the CaO-MgO-Na_2O-P_2O_5 system.—74-07532A
Titanium phosphate thin films via sol-gel process.—74-10705A
Transmission and ESR spectra of alkali titanium phosphate glasses.—74-00282A
Variable temperature ^{57}Fe Mossbauer studies of some phosphate glasses.—74-05701A
X-ray diffraction study of paraelectric phase of $Na_4TiP_2O_9$ crystals at 743 K.—74-07139A
XRD and SHG studies on $KTiOPO_4$.—74-05802A

phosphides,
Ab initio calculations of the multiplet terms of $(TmP_4)^{3+}$ cluster.—74-00563A
Amorphous Zn_3P_2 thin films grown by reactive rf sputtering.—74-04477A
Atmospheric and low pressure shadow masked MOVPE growth of InGaAs(P)/InP and (In)GaAs/(Al)GaAs heterostructures and quantum wells.—74-02917A
Crystal lattice distortion in iron phosphide.—74-07052A
Current transport mechanism in *n*-GaP diode structures with vacuum-deposited palladium.—74-02954A
Effect of dc electric field on incommensurate phase of $Sn_2P_2Se_6$-type proper ferroelectrics.—74-00749A
Effect of pulsed laser annealing on wear and corrosion properties of electroless Ni-P plating.—74-08176A
Electrical conductivity and thermopower of gallium phosphide at pressure up to 50 GPa.—74-04299A
Electrodeposition of NiP amorphous alloys—a multilayer structure.—74-04607A
Electrographic and charge transport measurements on amorphous semiconductor films of $(Se_{1-x}Te_x)_{1-y}P_y$.—74-00608A
Energy band structure studies of zinc blende BN and BP.—74-04310A
Enhancement of the induced photopleochroism in *p-n*-GaP/*p*-Si structures.—74-00612A
Experimental study of the nature of deep-level centers in ion-implanted GaP.—74-08903A
Geometrical structure of the Bi/GaP(110) interface: an X-ray standing wave triangulation study of a nonideal system.—74-03815A
Induced polarization photosensitivity in *n*-GaP/*p*-Si heterojunction.—74-03063A
Magnetic orders in CeP.—74-01532A
Magnetic polaron formation in CeP and CeAs.—74-01534A
Magnetic structure in Fe_2P compounds.—74-06463A
Mathematical and chemical description of friction of diffusive phosphorized iron.—74-10117A
Ni-Cu-P and Ni-Co-P as a diffusion barrier between an Al pad and a solder bump.—74-01415A
Nonthermally driven surface chemistry of phosphine on GaAs(100).—74-03130A
Observation of the parity-forbidded optical transition in GaAs/GaAsP strained-layer quantum well.—74-08976A
Operation of a molecular beam epitaxy machine employing a valved solid phosphorus source.—74-03847A
Optical activity of $CdSnAs_2$ and $CdGeP_2$.—74-08982A
Optoelectronic phenomena in $ZnGeP_2$ (review).—74-08991A
Pd-*p*-GaP diode structures—electrical and photoelectric characteristics and effect of hydrogen on them.—74-08993A
Photodiodes with Schottky barriers based on GaP, GaP_xAs_{1-x}, and GaAs for the uv and visible range.—74-03159A
Photoelectric properties of a surface barrier: Au-*n*-GaP structures on Si substrates.—74-03160A
Photosensitivity and induced photoplechroism of Au-*n*-GaP/*p*-Si two-barrier structures.—74-03170A
Physical effects in thin films of amorphous GaP excited by light or by high-energy electron beams.—74-03171A
Polarization photosensitivity of epitaxial GaP structures on Si substrates.—74-00686A
Polythermal cross section SiAs-SiP.—74-01441A
Raman scattering in GaAs/GaP strained heterostructures grown by MOVPE.—74-06285A
$Sm_{20}Ni_{41.6}P_{30}$ and $Tb_{15}Ni_{28}P_{21}$—new members of the homologous series of hexagonal double-network structures.—74-07747A
Structural characterization of phosphide and related semiconductor nanoclusters.—74-00718A
Synthesis and characterization of zinc sulfide/gallium phosphide nanocomposite powders.—74-04934A
Temperature dependence of photoluminescence linewidth in GaAs/GaAsP strained-layer quantum well structures.—74-03248A
Temperature dependence of photoluminescence linewidth in GaAs/GaAsP strained-layer quantum well structures.—74-06348A
Temperature dependence of the photorefractive effect in GaP.—74-01588A
Zinc sulfide/gallium phosphide composites by chemical vapor transport.—74-07552A

phosphogypsum,
Byproduct of sulfur recovery from phosphogypsum as concrete aggregate.—74-05468A
Formation of solid solutions in the system CaO-P_2O_5-SO_3-H_2O.—74-08032A
Influence of some set accelerating admixtures on the hydration of portland cement containing phosphogypsum.—74-00067A
Properties of anhydrite cement obtained from apatite phosphogypsum.—74-02349A

phosphors,
Coexistence of the Eu^{2+} and Eu^{3+} centers in the CaO:Eu powder phosphor.—74-01501A
Diamond/phosphor polycrystalline LED and display—74-00739P
Green phosphors for large plasma TV screens.—74-00627A
Luminous inorganic materials (phosphors).—74-10436A
Materials Research Society Symposium Proceedings, Volume 348: Scintillator and Phosphor Materials.—74-11205B
Method for coating asymmetric glass envelope for lamp by electrostatic coating.—74-02682P
Mn^{2+} concentration effect on the optical properties of Zn_2SiO_4:Mn phosphors.—74-06207A
New electron-excited light-emitting materials.—74-03127A
Phosphor selection constraints in application of gated field-emission microcathodes to flat panel displays.—74-03153A
Pigment-attached blue-emmitting phosphor and color cathode-ray tube.—74-03279P
Recovery of luminous efficiency of degraded willemite phosphor in an oxygen glow discharge.—74-00695A
Synthesis and cathodoluminescence of orange-yellow to red-emitting $Ca_{1-x}Mg_xS$:Mn phosphors.—74-01900A
Ultraviolet Faraday rotator glass.—74-02699P

phosphorus oxide,
Formation and properties of tin(II) chlorophosphate glasses.—74-05678A

phosphorus pentoxide,
Bioglass-ceramics in the system NaO_2-CaO-P_2O_5-SiO_2-B_2O_3.—74-05666A
Influence of B_2O_3 and P_2O_5 upon the phase separation of CaO-MgO-Al_2O_3-B_2O_3-SiO_2-P_2O_5-F glasses.—74-08335A
Low expansion transparent crystallized glass-ceramic—74-00335P
Method of modified neglect of differential overlapping (MNDO) used to investigate the structure of next-order and interatomic interactions in glasses based on P_2O_5 with modifying impurities.—74-00201A

phosphorus,
142 GHz range EPR of transmutation-produced phosphorus impurity in 6HSiC [single crystals].—74-05062A
Angle-resolved self-ratio measurements on ion-implanted depth profiles by synchrotron X-ray fluorescence spectrometry.—74-05071A
Anonalous low-temperature dopant diffusion from in situ doped polycrystalline and epitaxial Si layers into the monocrystalline Si substrate.—74-01616A
Boron phosphorus silicate glass composite layer on semiconductor wafer.—74-02870P
Chemical equilibria in glass-forming melts: high-temperature ^{31}P and ^{77}Se NMR of the phosphorus-selenium system.—74-02437A
Comparison of passivation films: the effect of thermal cycles and comparison of phosphorus-doped oxide films.—74-01647A
Crossover effect of Young's modulus [YM] in amorphous Fe-P-Si alloys.—74-07150A
Determining phosphoric anhydride in the gaseous products in firing phosphate-bonded fireclay bodies.—74-02748A
Effect of grain microstructure of P diffusion in polycrystalline-on-single crystal silicon systems.—74-07562A

Effect of production conditions for in situ phosphorus-doped LPCVD polysilicon in monosilane/phosphine system on the deposition process kinetics.—74-04585A
Growth and characterization of phosphorus-doped diamond films.—74-04661A
In situ phosphorus-doped VLPCVD polysilicon layers for polysilicon thin film transistors.—74-04693A
Molecular orbital approach to SiKß energy shifts by second-nearest-neighbor phosphorus atoms.—74-10845A
NMR study on compensated Si:P.—74-00671A
Novel phases in the V-P-O catalytic system from oxovanadium hydrogen phosphate precursors.—74-10013A
Phase transition temperature shift in $Sn_2P_2Se_6$ under fast temperature variation.—74-04191A
Plasma-enhanced chemical vapor deposition of silicon sulfide and phosphorus sulfide thin films.—74-10532A
Radiation-stimulated diffusion of phosphorus in silicon.—74-03670A
Structure and stability of PF_n compounds (n=1–5) and their anions within density functional method.—74-07123A
Structure, morphology, and resistivity of in situ phosphorus-doped polysilicon films.—74-05277A
Synthesis and thermal property of tetraimidocyclotetraphosphoric acid $[(HPO_2NH)_4]$.—74-07510A
Synthesis, structure, and properties in the disordered and ordered Ag-P-S system.—74-01472A
Thermodynamic analysis of AsH_3 and PH_3 decomposition including subhydrides.—74-02094A
Thermodynamic analysis of the p-T-x-y phase diagram of the system Ge-As-P.—74-04230A
Unique hydride chemistry on silicon-PH_3 interaction with Si(100)-(2×1).—74-06374A

phosphosilicate,
Annealing of low-pressure chemical vapor deposited phosphorus glass films: effect on electrical properties and concentrations of hydrogen-containing species.—74-00455A
Characterization of phosphosilicate glass films obtained using plasma-enhanced chemical vapor deposition from tetraethylorthosilicate and trimethylphosphite.—74-01628A
Characterization of silicon dioxide and phosphosilicate glass deposited films.—74-00244A
Characterization of spin-coated silicate and phosphosilicate thin films prepared by the sol-gel method.—74-01629A
Improved phosphosilicate glass passivation against Cu contamination using the rapid thermal annealing process.—74-05770A
Phosphosilicate glass passivation for VLSI Cu metallization.—74-03154A
Quantitative analysis of infrared reflection spectra from phosphosilicate glass films.—74-00210A

photocatalysis,
Characterization of Fe/TiO_2 photocatalysts: II, Surface studies.—74-07603A
Photocatalysts with tunnel structures for decomposition of water: I, $BaTi_4O_9$, a pentagonal prism structure and its combination with various promotors.—74-04804A

photochemistry,
Low-temperature epitaxial growth of undoped and n-doped silicon by photochemical vapor deposition using $SiH_4/SiH_2Cl_2/H_2/PH_3$ mixtures.—74-01784A
Photochemical formation of V^{4+} in a layered vanadium pentoxide hydrate.—74-10520A
Photochemistry channels of merocyanine encapsulated in sol-gel glasses.—74-08384A
Tin dioxide thin films prepared by photochemical vapor deposition from tin(II) acetate.—74-07538A

photochromic materials,
Glasses and glass-ceramics reinforced with polycrystalline fibers.—74-02633A
Investigation of the electrical properties of heterogeneous copper-containing photochromic glasses.—74-02552A
Propagation of light in periodic structures based on photochromic glass.—74-02571A
Study of electric properties of heterogeneous copper-containing photochromic glasses.—74-02585A

photochromic properties,
Dynamics of the photochromic effect in WO_3.—74-02971A
Effect of uv and γ-radiation on polychromatic glass.—74-02452A
Optically switchable thin films—a review.—74-07181A
Photoinduced absorption in sillenites.—74-04394A
Physicochemical principles of synthesis of heterogeneous photochromic glasses.—74-02481A
Recovery process of photochromism of *H2* and *H3* centers in diamond.—74-10149A

photoconductors/photoconductivity,
Crystallite orientation and the related photoresponse of hexagonal ZnO films deposited by rf sputtering.—74-07064A
Effect of ion bombardment on some properties of a-$Si_{0.8}Ge_{0.2}$:H alloys prepared by ion-beam-assisted reactive evaporation.—74-06053A
Effect of unthermalized electrons on the photoconductivity of GaAs/AlGaAs heterostructures at cyclotron resonance.—74-08877A
Hydrogen-free amorphous carbon preparation and properties.—74-04684A
Light-induced changes in the photoconductivity of rapidly deposited hydrogenated amorphous silicon films.—74-01530A
Negative photoconductivity in n-InSb films.—74-08966A
Observation of the negative and positive persistent photoconductivity phenomena in Si planar-doped GaAs.—74-08975A
Persistent photoconductivity due to potential barriers.—74-04390A
Photoconductivity in ZnSe under high electric fields.—74-06255A
Photocurrent enhancement in a cadmium sulfide anode coated with Prussian blue.—74-00518A
Physical effects in thin films of amorphous GaP excited by light or by high-energy electron beams.—74-03171A
Uhf photoconductivity of CdS and CdSe polycrystals.—74-06367A

photodiode,
Behavior of AlGaAs/GaAs photodiodes subject to soft ionizing radiation.—74-02922A
Silicon carbide photodiode with improved short wavelength response and very low leakage current.—74-09100P

photoelasticity,
Modern photoelasticity for stress measurement in glass containers.—74-00269A
Photoelastic visualization of contact phenomena between real tribological surfaces, with and without sliding.—74-08250A

photoelectric properties,
Calculation of photogenerated carrier escape rates from GaAs/$Al_xGa_{1-x}As$ quantum wells.—74-05995A
Electrical and photoelectric properties of PbTe(Ga) bombarded by electrons.—74-08882A
Electrical and photoelectrical properties of porous silicon diode structures.—74-00602A
Excitons in SiO_2: a review.—74-08373A
Generation of sub-ps electrical pulses by nonuniform illumination of GaAs transmission line gaps.—74-06119A
Glow discharge processing to enhance field emitter array performance.—74-03030A
Nanocrystalline photoelectrochemical cells: a new concept in photovoltaic cells.—74-00664A
Photoelectric measurement and study of diamondlike carbon thin films.—74-07183A
Photoelectric properties of colloidal semiconductor films.—74-04805A
Photoelectrochemical energy conversion obtained with ultrathin organometallic chemical vapor deposition layer of FeS_2 (pyrite) on TiO_2.—74-00519A
Progress toward spin-sensitive scanning tunneling microscopy using optical orientation in GaAs.—74-06804A

photoelectronic effects,
Metal/insulator/metal-type structures based on amorphous carbon-silicon alloys—electronic properties in dark conditions and under illumination.—74-03106A
X-ray photoelectron forgard scattering study of vandium oxides.—74-10904A

photoemission,
Angle-resolved photoemission of diamond(111) and (100) surfaces—negative electron affinity and band structure measurements.—74-07591A
Angle-resolved photoemission of diamond(111) and (100) surfaces—negative electron affinity and band structure measurements.—74-07592A
Angle-resolved photoemission spectra from strong coupling super-conductors.—74-06482A
Angle-resolved photoemission study of an in-gap state in TiO_2.—74-02912A
Blue/green ZnSe-ZnCdSe light-emitting diodes and photopumped laser structures grown by molecular beam epitaxy on ZnSe substrates.—74-02924A
Electron cyclotron resonance plasma ion beam effects on the formation of SiC on Si(001) characterized by in situ photoemission.—74-04610A
Photoemission and Bremsstrahlung isochromat spectroscopy studies of TiO_2 (rutile) and $SrTiO_3$.—74-03333A
Photoemission study of Au, Ge, and O_2 deposition on NH_4F-etched Si(111).—74-03162A
Rare-earth $N_{4,5}$ emission spectra of some rare-earth hexaborides.—74-02037A
Recent results from $Bi_2Sr_2CaCu_2O_8$ and $Nd_{2-x}Ce_xCuO_4$.—74-00850A
Resonances in 3-D electron photoemission predicted at Ni 2p threshold for $NiCl_2$ and NiO.—74-07110A
Temperature dependence in threshold photoemission from HTSC.—74-06649A
Unoccupied electron states and determination of the electron affinity of PbS(100) by inverse photoemission spectroscopy.—74-00732A
Zhang-Rice localization, quasi-particle dispersions and the photoemission of NiO.—74-03263A

photography,
Diamondlike carbon films for protection and stabilization of selenium-containing photoreceptors in electrophotography.—74-10270A
Metal sulfide thin film photography using photoaccelerated chemical deposition of bismuth sulfide thin films.—74-01795A
Speckle photography method in the determination of plane displacement fields in reinforced concrete elements.—74-05587A

photoluminescence,
Bound exciton-induced photoluminescence linewidth broadening in GaAs quantum wells.—74-04256A
Calorimetric absorption spectroscopy and photoluminescence study of defects in diamond.—74-10724A
Condensation of indirect excitons in coupled AlAs/GaAs quantum wells.—74-06014A
Diamond luminescence—resolved donor-acceptor pair recombination lines.—74-05115A
Effect of cadmium-to-sulfur ratio in the photoluminescence of CdS-doped glasses.—74-08367A
Effect of hydrogenation on the photoluminescence of GaAs/AlGaAs quantum well structures.—74-02974A
Effect of surface species on the photoluminescence of porous silicon.—74-02977A
Effects of metastable states in shaping the steady-state photoluminescence spectra of n-GaAs.—74-02983A
Evolution of visible photoluminescence and surface morphology of ultrathin porous Si films imaged by scanning tunneling microscopy.—74-07647A
Exciton nature of laser photoluminescence in oxygen-octahedral crystals: theory.—74-03007A
External photoluminescence efficiency and minority carrier lifetime of (Al, Ga)As/ GaAs multi-quantum-well samples grown by molecular beam epitaxy using both As_2 and As_4.—74-03012A
Gas phase synthesis and processing of silicon nanocrystallites—characterization by photoluminescence emission spectroscopy.—74-04655A
Growth and in situ ellipsometric analysis of $Si_{1-x}Ge_x$ alloys deposited by chemical beam epitaxy.—74-04662A
Growth and photoluminescence study of low-concentration InP layers grown by liquid phase epitaxy in the presence of erbium.—74-00628A
High-quantum-efficiency InGaAs/InP and InGaAs/GaAs quantum dots.—74-06134A
High-resolution photoluminescence studies of acceptor bound excitons in CdS/CdSe heterostructures under magnetic field.—74-03046A
Influence of Ga on the low-temperature photoluminescence of diffusion-doped CdTe.—74-00638A
Influence of the AlAs mole fraction on the luminescence efficiency of GaAs/$Al_xGa_{1-x}As$ quantum well structures.—74-04338A
Investigation of high-quality GaAs:In layers grown by liquid phase epitaxy.—74-06166A
Investigation of the 1.2-eV photoluminescence band in rapid thermal annealed InP.—74-03075A
Low-temperature photoluminescence of SiGe/Si disordered multiple quantum wells and quantum well wires.—74-03092A
Luminescence of polycrystalline cubic and tetragonal yttria-stabilized zirconia.—74-10116A
Luminescence of YSZ crystals.—74-06189A
Macroscopic electronic behavior and atomic arrangements of GaAs surfaces immersed in HCl solution.—74-06190A
Mechanisms of strained island formation in molecular beam epitaxy of InAs on GaAs(100).—74-06202A
Mesostructure of photoluminescent porous silicon.—74-05185A
Metallorganic chemical vapor deposition growth of GaAs:Er using $Er(C_5H_5C_5H_4)_3$.—74-06203A
Observation of the parity-forbidden optical transition in GaAs/GaAsP strained-layer quantum well.—74-08976A
Optical properties of amorphous microcrystalline mixed-phase Si:H films.—74-01552A
Ordered and randomly disordered AlAs/GaAs short-period superlattices.—74-03143A
Photoluminescence and cathodoluminescence studies of semiconducting diamond.—74-00682A
Photoluminescence and interface abruptness in InGaAsP/InGaAsP quantum wells.—74-06257A
Photoluminescence evaluation of pseudomorphic high electron mobility transistor device wafers.—74-06258A
Photoluminescence excitations of the As_i-V_{Ga} 0.8 eV emission in GaAs grown by MBE at low temperatures.—74-03164A
Photoluminescence investigation of a-C:H thin films.—74-10133A
Photoluminescence of molecular beam epitaxial grown $Al_{0.48}In_{0.52}As$.—74-06259A
Photoluminescence of single InAs quantum dots obtained by self-organized growth on GaAs.—74-06260A
Photoluminescence of undoped semiinsulating GaAs heat-treated at an excess As vapor pressure.—74-03165A
Photoluminescence studies of heat-treated GaP:S samples.—74-06261A
Photoluminescence studies of interstitial Zn in InP due to rapid thermal annealing.—74-06262A
Photoluminescence study of GaAs films on Si(100) grown by atomic hydrogen-assisted molecular beam epitaxy.—74-03166A
Properties of highly conducting nitrogen-plasma-doped ZnSe:N thin films.—74-03184A
Room temperature photoluminescence in strained $Si_{1-x}Ge_x$/Si quantum wells.—74-04414A
Structural and optical properties of self-assembled InGaAs quantum dots.—74-06332A
Surface uv photoluminescence of SiC crystals.—74-09059A
Temperature dependence of photoluminescence linewidth in GaAs/GaAsP strained-layer quantum well structures.—74-03248A
Temperature dependence of photoluminescence linewidth in GaAs/GaAsP strained-layer quantum well structures.—74-06348A
Temperature dependence of the photoluminescence of $In_xGa_{1-x}As$/GaAs quantum well structures.—74-09064A
Theory of the line shape and the anisotropy of the linear polarization of hot photoluminescence in p-GaAs.—74-06353A
Thermal annealing of photoluminescent Si deposited on silica aerogels.—74-07531A
Transient photoluminescence (PL) in amorphous CdSe.—74-06364A
Two electron transitions of the exciton bound at the Si donor confined in GaAs/$Al_xGa_{1-x}As$ quantum wells.—74-03257A
Width of exciton line in the low-temperature photoluminescence of $In_xGa_{1-x}As$/GaAs structures with a single quantum well.—74-03262A

photometers/photometry,
Photoreflectance of InSb at the E_1 and $E_1+\Delta$ transitions.—74-03168A

photons,
Deposition of diamondlike carbon films by photon-enhanced chemical vapor deposition of methane using a windowless hydrogen lamp.—74-01666A
Effects of 5-eV photons on defects in SiO_2.—74-08370A
Polarization-dependent coherent nonlinear optical response in GaAs quantum wells—dominant effects of two-photon coherence between ground and biexciton states.—74-06267A

photorefraction,
Annealed proton-implanted channel waveguides on $LiNbO_3$ and their photorefractive properties.—74-03284A
Bulk photorefractive semiconductors.—74-05993A
Coupling of mutually incoherent beams in photorefractive $Bi_{12}TiO_{20}$ fiber.—74-08846A

Intensity-dependent photorefractive properties in an *n*-type $BaTiO_3$.—74-03068A
Investigation on photorefractive crystals used as phase filters.—74-02553A
$LiNbO_3$—a paradigm for photorefractive materials.—74-06419A
Nonlinear optical materials and applications.—74-00271A
Perturbance analysis of higher-order photorefractive gratings in InP:Fe.—74-03151A
Photorefractive materials.—74-06430A
Photorefractive response of CdTe:V under ac electric field from 1 to 1.5 μm.—74-03169A
Steady-state photorefractive gratings in $LiNbO_3$ for strong light modulation depths.—74-06437A
Temperature dependence of photorefractive effects in Fe:$KNbO_3$.—74-02590A
Temperature dependence of the photorefractive effect in GaP.—74-01588A
Two-dimensional theory and propagation of beam fanning in photorefractive crystals.—74-10176A

photosensitive materials,
Chaotic flow in glasses—steady-state dynamic behavior of a simple model.—74-05705A
Conversion of chemically deposited photosensitive CdS thin films to *n*-type by air annealing and ion exchange reaction.—74-08844A
Effects of heat treatments on photostriction in PLZT ceramics.—74-08878A
Electrochromic and photoelectrochemical behavior of thin WO_3 films prepared from quantized colloidal particles.—74-04306A
Glass-ceramics based on photosensitive glasses.—74-08429A
Photoresponse of high resistance anatase TiO_2 films prepared by the decomposition of titanium isopropoxide.—74-04395A
Photoresponse of high-T_c superconductor thin films.—74-00836A
Photostriction and its applications.—74-09000A

photosensitivity,
Influence of structure characteristics of epitaxial $Cd_xHg_{1-x}Te$ films on electrical and photoelectric properties after laser irradiation.—74-01948A
Mg impurity effect on nonstationary photoresponse of Fe-ion-doped lithium niobate crystals.—74-03323A
Natural photopleochroism in $CuInSe_2$ diode structures.—74-08961A
Photoinduced phenomena in $YBa_2Cu_3O_{6+\delta}$ films.—74-00835A
Photoresponse of InSb-based *p*-*n* structures during illumination by a CO_2 laser.—74-08997A
Photoresponse probe of the space charge distribution in ferroelectric lead zirconate titanate thin film memory capacitors.—74-00762A
Photosensitive native-oxide *p*-In_4Se_3 heterostructures.—74-08998A
Photosensitivity of polycrystalline films of compensated PbTe:Cl:Te_{ex}.—74-08999A
Polarization photosensitivity of epitaxial GaP structures on Si substrates.—74-00686A

photovoltaic effect,
Photovoltaic challenge.—74-02257A
Processing of $CuInSe_2$ films for photovoltaics.—74-09012A
Relationship between the anomalous photovoltage of GaAs films and their structure.—74-03201A

physical chemistry,
Technological base of reproduction of phase-separating glazes in successive dynasties in China.—74-02302A

physical properties,
Anomalies in physical and mechanical properties of Bi ceramics below T_c.—74-05321A
Boron nitride—a review.—74-09849A
Characterization of ceramic dry pressed bodies—measurement techniques and evaluation.—74-09557A
Characterization of SiO_2 layers on Si wafers using atomic force microscopy.—74-05089A
Commercial applications of silicon nitride based ceramics.—74-01286A
Composition and physical properties of thin a-C:H and a-C:N:H films deposited by ion beam techniques.—74-07148A
Designing an extruder with allowance for the properties of ceramic extrusion compounds: IVa.—74-00912A
Diamondlike nanocomposite [DLN] films—some characteristics and applications.—74-10076A
Early-age behavior of portland cement paste.—74-00051A
Effect of additional calcium hydroxyapatite on sodium borophosphate glasses—physical and chemical characterizations.—74-05710A
Effect of fine grinding on the structure and properties of zirconia.—74-02972A
Effect of nonuniform fiber distribution on the properties of a unidirectional CFCMC [ceramic fiber, ceramic matrix composite]: mechanical and physical properties.—74-10081A
Environmental effects on fiber-reinforced ceramic matrix composites based on Blackglas.—74-10101A
Fiber insulation boards [for applications] up to 1800°C.—74-08617A
Fracture mechanical testing of laminated SiSiC: I.—74-05355A
High-alumina cement [HAC]—present state and knowledge.—74-05526A
Hydrothermal synthesis and properties of yttria fully stabilized zirconia powders.—74-01757A
Influence of isotropic barium ferrite production conditions on their physical properties.—74-00777A
Influence of neutron irradiation on the properties of reactor graphite.—74-04337A
Kaolins, kaolins, and kaolins.—74-06909A
Laser-synthesized silicon nitride powder: chemical and physical characteristics.—74-01405A
Materials Research Society Symposium Proceedings, Volume 332: Determining Nanoscale Physical Properties of Materials by Microscopy and Spectroscopy.—74-07971B
Materials testing with monolithic and composite ceramics.—74-09576A
Minor additions of B_2O_3 to container glass formulations.—74-00203A
Nonfired high-strength wall and floor tile.—74-08566A
Performance of fly ash concrete in UK structures.—74-02344A
Physical properties of diamondlike nanocomposite films.—74-07184A
Physical properties of MgO/SiC composites—comparison between a micromechanics analysis and experimental results.—74-10135A
Physical properties of vapor-grown carbon fibers.—74-04806A
Polymeric precursors for yttria.—74-10535A
Porous metals.—74-07418A
Prediction of long-term corrosion resistance of plain and blended cement concretes.—74-05315A
Properties and behavior of glass melts with fine seeds.—74-00275A
Properties and characterization of porous material prepared by hydrothermal treatment of kaolin.—74-10022A
Properties and morphology of sodium lead germanate glasses.—74-05737A
Properties of concrete using crushed clinker brick as coarse aggregate.—74-05826A
Properties of Group III Nitrides.—74-11209B
Properties of heavy metal oxide glasses.—74-05739A
Properties of nanocrystalline refractory compounds.—74-10144A
Relations among structural parameters in various carbons.—74-05236A
Review of the structural relationships of the kaolin minerals.—74-05828A
Selection, fabrication, and properties of electrodes used in high-temperature solid oxide fuel cells.—74-00532A
Slip casting of Y_2O_3-stabilized ZrO_2.—74-01890A
Structure and some physical properties of SiO_2-Al_2O_3-CaO-ZnO glass.—74-02584A
Superionic conductors with mixed framework $[M_2P_3O_{12}]_{3\infty}$: crystal structure and physical properties: II, Sodium-conducting phosphates.—74-04226A
Third cement series in China.—74-08112A
Three-dimensional superlattices in opal matrices.—74-02594A
Unshaped refractory materials—from ramming bodies to high-service products.—74-00404A

physical vapor deposition,
Amorphous SiC PVD coatings.—74-10191A
Analysis of cubic boron nitride thin films by neutron depth profiling.—74-05069A
Carbon films deposited by the physical vapor deposition focused-arc evaporation technique.—74-04493A
Complex XRD microstructural studies of hard coatings applied to PVD-deposited TiN films: I, Problems and methods.—74-05101A
Laser-induced physical vapor deposition of diamondlike carbon films.—74-01779A
Microstructural evolution of nonhydrogenated amorphous carbon under ion assistance.—74-05190A
Preparing tools for PVD coating.—74-03726A
PVD today.—74-04854A
Study of deposition process and characterization of yttria PSZ films.—74-04922A
Synthesis and characterization of $Pb(Zr_{0.54}Ti_{0.46})O_3$ thin films on (100)Si using textured $YBa_2Cu_3O_{7-\delta}$ and yttria-stabilized zirconia buffer layers by laser physical vapor deposition technique.—74-06441A

physicochemical properties,
Chalcogenide glass in the systems Ga_2S_3-GeS_2-MeF_n.—74-00182A
Chalcogenide glasses in Ga_2S_3-GeS_2-MeF_n systems.—74-00183A
Hydration characteristics of some pozzolanic cements.—74-08044A
Influence of the method of production of aluminum oxide–titanium oxide composite powders on structure formation.—74-01768A
Phase development in the system Yb-In-Se.—74-01423A
Silver-palladium thick-film conductors.—74-02860A
Surface modification of alumina ceramics with mullite coating.—74-01245A
Synthesis and physicochemical characterization of $LiMTiF_6$.—74-07131A
Synthesis and physicochemical properties of solid solutions $CuGa_xIn_{1-x}Te_2$.—74-01901A
Synthesis and the physicochemical study of hexafluorosilicates with mixed alkali metal cations.—74-04438A
Use of physicochemical analysis for study of vitreous systems.—74-00235A
Use of physicochemical analysis for studying glassy systems.—74-02502A

physicomechanical properties,
State of stress in a semiinfinite cylinder upon ion exchange.—74-02658A
Strength and crack resistance of zirconia crystals containing yttrium and terbium oxides.—74-02204A

physics,
Early history of the physics and chemistry of semiconductors: from doubts to fact in 100 years.—74-08867A
Fabrication and physics of lateral superlattices with 40-nm pitch on
high-mobility GaAs/GaAlAs heterostructures.—74-06094A
Materials Science of Concrete IV.—74-07974B

piezoelectric materials,
Bonded piezoelectric bending transducer and process for producing the same.—74-09185P
Ceramic actuators: principles and applications.—74-01045A
Composite piezoelectrics utilizing a negative Poisson ratio polymer—74-00767P
Continuum damage mechanics in piezoceramics.—74-00747A
Dielectric ceramic composite material.—74-08786P
Differences in the resonance behavior between coupled and uncoupled multifrequency piezoceramic composites.—74-03293A
Dip coating preparation of thin films of piezoelectric materials.—74-03294A
Effect of annealing atmosphere on the piezoelectric and mechanical properties of PZT.—74-09123A
Effect of pyrochlore phase on electric properties for PNN-PT-PZ piezoelectric ceramics.—74-09125A
Electroactive device fundamentals.—74-08747A
Electroelastic analysis of piezoelectric ceramics with defects.—74-00751A
Experimental study of the nonthermal effect in microwave sintering of piezoceramics.—74-09138A
Fracture criteria for piezoelectric ceramics.—74-06413A
Laminated piezoelectric element.—74-09186P
Lightweight robot using piezoelectric motor, sensor, and actuator.—74-06418A
Low-frequency electrostrictive ceramic plate voltage sensor.—74-09187P
Low-temperature creep in piezoelectric ceramics.—74-03318A
Materials for ceramic piezoelectric transducers.—74-03321A
Method for making piezoelectric ceramic/polymer composite transducers—74-00769P
Method of manufacture of multiple-element piezoelectric transducer.—74-03358P
Nonlinear piezoelectric metrology—coefficients and fatigue under impact.—74-09159A
Overview of fine-scale piezoelectric ceramic/polymer composite processing.—74-09161A
Passively damped structural composite materials using resistively shunted piezoceramic fibers.—74-06427A
$PbZrO_3$-$K_{0.5}Bi_{0.5}TiO_3$.—74-03330A
Phase composition of piezoceramic materials based on lead zirconate and titanate produced by hydrometallurgic reprocessing of solid wastes and reject.—74-01422A
Piezoelectric ceramic composition for actuator.—74-09188P
Piezoelectric ceramics and ceramic composites for intelligent mechanical behaviors.—74-09163A
Piezoelectric ceramics.—74-09164A
Piezoelectric lead zirconium titanate device and method for forming same—74-00770P
Piezoelectric resonator—74-00771P
Piezoelectric semiconductor.—74-09098P
Piezoelectric sensor.—74-03359P
Piezoelectric single crystal, ultrasonic probe, and array-type ultrasonic probe.—74-09189P
Processing of 1-3 piezoelectric ceramic/polymer composites.—74-09173A
Processing of piezoceramics for SAW applications.—74-03342A
Static structural response of plates with piezoceramic layers.—74-09179A
ZnO piezoelectric thin films for electronic applications.—74-03355A

piezoelectric properties,
Acoustic-electric waves in bicrystalline media under conditions of tight contact or vacuum gap at interface.—74-03283A
Dielectric and piezoelectric properties of PMN-PT ceramics around the morphotropic composition and the relationship to the crystal structure.—74-03291A
Dynamic characteristics of rainbow ceramics.—74-06403A
Fatigue strength of optical fiber.—74-05716A
Hydrostatic evaluation of 1-3 piezocomposite plate and ring structures.—74-09148A
Influence of microstructure on piezoelectric behavior of calcium-modified lead titanate ceramics.—74-03314A
Low-frequency electromechanical relaxation in piezoelectric semiconductors.—74-06420A
Microstructure and piezoelectric properties of slip-cast barium titanate ceramics.—74-04753A
Modification of piezoelectric characteristics of the $Pb(Mg_xNb)O_3$-$PbZrO_3$-$PbTiO_3$ ternary system by aliovalent additives.—74-00756A
Piezoelectric ceramics.—74-09164A
Piezoelectric coefficients of materials with high anisotropy.—74-03334A
Piezoelectric properties of sol-gel-derived ferroelectric and antiferroelectric thin layers.—74-03335A
Piezooptic effect in alum crystals.—74-03336A
Piezoresistive effect of boron-doped diamond thin films.—74-10137A
Prognosis of composition and critical temperature phase transition in piezoelectric compounds.—74-03343A
PZT coatings prepared by the sol-gel process on metallic substrates (Al).—74-03346A
Quantitative evaluation of extrinsic contribution to piezoelectric coefficient d_{33} in ferroelectric PZT ceramics.—74-00763A
Role of the valence band density of states in the piezoresistance of *p*-type semiconductors Si and Ge.—74-00701A
Transverse acoustoelectric voltage in semiconductor-piezoelectric structure.—74-06448A

pigments,
Application of manganese red stain to underglazed colored rim for stoneware.—74-08501A
Ceramic pigments obtained by sol-gel method.—74-07217A
Ceramic pigments on the base of cobaltous silicate obtained by sol-gel method.—74-10216A
Characteristics of and differences between underglaze and overglaze.—74-08664A
Determination of the optimum pigment content in glazes for sanitary ceramic.—74-05889A
Filler pigments designed for recyclability.—74-06974A
Ink jet printer ink for printing on ceramics or glass.—74-08651P
Luster pigments based on multiply coated plateletlike metallic substrates.—74-02816P
Measurement and evaluation of color of ceramic pigment.—74-09578A
Method of producing tantalum(V) nitride.—74-03995P
Methods of producing durable lustrous coating on vitreous objects.—74-02818P
Obtaining pigments by the coprecipitation method.—74-03969A
Pigment-attached blue-emmitting phosphor and color cathode-ray tube.—74-03279P
Preparation of blue vanadium-zircon pigments by aerosol hydrolysis.—74-04824A

Process of making hexagonal magnetic ferrite pigment for high density magnetic recording applications.—74-09229P
Sphene-structure-based ceramic pigments.—74-07116A
Static SIMS study of coated TiO_2 pigments.—74-04913A
Study of high-temperature agate red ceramic stains and their applications.—74-07002A
Surface study of DWA [dispersing and wetting agent] wetted TiO_2 pigments.—74-03975A
Synthesis of Cr_2O_3(CoO)-BaO-Al_2O_3-SiO_2 ceramic pigment and its applications.—74-07513A
Synthesis of the green zirconium silicate pigment.—74-05913A
Synthesis of zirconium-vanadium blue pigment using zircon sand.—74-07522A
Triaxial new editions.—74-08706A

pinning,
Dislocations and flux pinning in $YBa_2Cu_3O_7$.—74-06514A
Effects of shock-induced defect density on flux pinning in melt-textured $YBa_2Cu_3O_{7-\delta}$.—74-06530A
Evidence for mean free path fluctuation induced pinning in $YBa_2Cu_4O_8$ films.—74-04313A
Flux pinning effect of small size defects in $YBa_2Cu_3O_{7-\delta}$.—74-03465A
J_c and pinning mechanism of epitaxial $YBa_2Cu_3O_{7-\delta}$.—74-09231A
Lattice mismatch induced stress field pinning in Y-123 superconductors.—74-03509A
Magnetization of polycrystalline YBaCuO superconductors in medium fields.—74-03515A
Pinning energies in M.T.G. textured YBaCuO ceramics.—74-03554A
Pinning in high-T_c superconductors.—74-09320A
Suppression of the first-order vortex melting transition by intrinsic pinning in $YBa_2Cu_3O_{7-\delta}$.—74-04436A
Vortex flow in helium-filled Vycor glass.—74-05747A

pipe,
Critical considerations regarding the restoration of sanitary sewers.—74-00358A
History of sanitary sewer systems in Berlin [Germany].—74-02240A
Preparation line for Malaysian pipes plant.—74-05825A
Problems on laying water-heating pipes under annular kilns.—74-01175A
Quality control and assurance during construction, repair, and inspection of sewage channels and pipe lines.—74-02264A
Synchro-trench—the fully mechanical installation of sewer lines.—74-02278A
Thirteen theses regarding construction and operation of sewer systems.—74-02280A

plasma spraying,
Chromium diboride powder as the material for plasma spraying.—74-08144A
Comparison of dc plasma jet velocity distributions for different plasma gas mixtures—Ar-H_2, Ar-He, Ar-He-H_2.—74-10230A
Comparison of the characteristics of HVOF and plasma thermal spray.—74-10233A
Control modeling and regulation of plasma spraying process.—74-10242A
Cracking and debonding of in-plane strained plasma-sprayed coatings and enamel coatings on metals.—74-08154A
Deformation and solidification of molten particles on a substrate in thermal plasma spraying.—74-10964A
Deposition of carbonaceous films onto internal walls of tubes.—74-07250A
Effect of a plasma-sprayed hydroxyapatite coating on the fatigue properties of Ti-6Al-4V.—74-02121A
Effect of nozzle design on plasma jet behavior, particle motion, and coating properties.—74-09456A
Effect of post-treatments on the corrosion resistance of plasma-sprayed duplex stainless steel coating in salt water.—74-08175A
Elastic Young's modulus of plasma-sprayed materials.—74-09566A
Electrochemical behavior of steel coated with plasma-sprayed coatings.—74-05621A
Evaluation of tungsten shaped-charge liners spray-formed using the low-pressure plasma spray process.—74-08616A
Expert system for the plasma spray process.—74-10341A
Formation behavior of new amorphous and composite materials in detonation gun and plasma spraying.—74-10807A
High growth rate plasma diamond deposition process and method of controlling same.—74-09919P
High-speed temperature measurement for on-line process control and quality assurance during plasma spraying, I: Identification of important process parameters—measurement principle and potential as an industrial process control instrument.—74-01065A
Improvement of plasma-sprayed ceramic coating properties by heat treatment with liquid Mn.—74-10399A
Influence of the substrate roughness on the adherence of plasma-sprayed ceramic coatings.—74-11029A
Investigation of debris of plasma-sprayed coatings for understanding wear phenomena.—74-08224A
Investigation of dispersion processes of sprayed particles by means of torch modulation.—74-09573A
Macro- and microstress in plasma-spray coatings and its stress versus strain behavior.—74-11037A
Manufacturing of $YBa_2Cu_3O_7$ coatings by low-pressure and atmospheric plasma spraying for magnetic shielding applications.—74-09305A
Modeling of temperature gradients and stress-strain distributions during the plasma spraying process.—74-01807A
Net shape simulation and control.—74-10491A
New generation of plasma-sprayed mullite coatings on silicon carbide.—74-03967A
New plasma spray apparatus.—74-09492A
Nondestructive evaluation of the mechanical characteristics of plasma-sprayed ceramic coatings.—74-09592A
Numerical investigation of micropore formation during substrate impact of molten droplets in spraying processes.—74-10854A
On-line control of the plasma spraying process by monitoring the temperature, velocity, and trajectory of in-flight particles.—74-09596A
Optimization of zirconia coatings produced by thermal plasma spraying.—74-08249A
Particle classification effects during plasma spraying.—74-10515A
Particle velocity measurements in HVOF and APS systems.—74-09599A
Particulate diagnostics in induction plasma spraying.—74-09600A
Plasma ceramics.—74-01832A
Plasma processing of ceramic and metallic raw materials: the ceramet project.—74-10525A
Plasma spray forming of Astroloy.—74-10526A
Plasma sprayed mullite coatings on silicon-base ceramics.—74-09830P
Plasma spraying forming metals, intermetallics, and composites.—74-01834A
Plasma spraying with wire feedstock.—74-10527A
Plasma spryaing of an indigenous yttria-stabilized zirconia powder prepared by the sol-gel technique.—74-10528A
Plasma-spray metal coating on foam.—74-05651A
Plasma-sprayed superconductive layers on metallic substrates.—74-09321A
Process for applying ceramic coatings using a plasma jet carrying a free form nonmetallic element.—74-03769P
Producing titanium aluminide foil from plasma-sprayed preforms.—74-00976A
Production of fine metal and ceramic powders by the plasma melt and rapid solidification process.—74-06992A
Production plasma spraying in the automotive industry—a European viewpoint.—74-08256A
Properties of plasma-sprayed boron carbide coatings.—74-08259A
Rapidly solidified high-strength deposits of Fe-C base alloys produced by low pressure plasma spraying.—74-08262A
Reactive plasma spraying of silicon in controlled nitrogen atmosphere.—74-10605A
Rugged preheaters for vacuum plasma spraying.—74-06722A
Safety devices required for the use of hydrogen in plasma spraying.—74-09507A
Simulation of hardness testing on plasma-sprayed coatings.—74-02395A
Studies of the air plasma spraying of zirconia powder.—74-10654A
Synthesis of carbon nitride in plasma arc.—74-07512A
Thermal durability and abradability of plasma sprayed Al-Si polyimide seal coatings.—74-08282A
Thermal spraying—processes, preparation, coatings, and application.—74-07533A
Underwater plasma spraying and synthesis of coatings.—74-10711A
Underwater plasma spraying of components located in greater water depths.—74-10712A
Wear behavior of alumina plasma-sprayed coating on an Al-Cu alloy.—74-07936A
Welding of plasma ceramics.—74-01009A

plasma,
300 KHz pulse plasma etching of GaAs using a mixture of $ClCH_3$ and H_2.—74-01922A
Advanced electron cyclotron resonance plasma etching technology for precise ultra-large-scale integration patterning.—74-00564A
Analytic models for plasma-assisted etching of semiconductor trenches.—74-02911A
Arc discharge plasma torch for diamond coating deposition.—74-03782A
Atomic nitrogen production in a molecular beam epitaxy compatible electron cyclotron resonance plasma source.—74-05074A
Capacitively coupled rf plasma sources: a viable approach for CVD diamond growth.—74-04491A
CdTe oxide films grown by radio frequency sputtering utilizing argon-nitrous oxide plasma.—74-04496A
Ceramics in the textile industry: applications and requirements.—74-09770A
$CH_4/H_2/Ar/Cl_2$ electron cyclotron resonance plasma etching of via holes for InP-based microwave devices.—74-06000A
Characteristics of a plasma doping system for semiconductor device fabrication.—74-03675A
Chemical basis of the C-H-O phase diagram in diamond plasma depositions.—74-04100A
Comparison of advanced plasma sources for etching applications: I, Etching rate, uniformity, and profile control in a helicon and a multiple electron cyclotron resonance source.—74-04520A
Comparison of advanced plasma sources for etching applications: II, Langmuir probe studies of a helicon and a multipole electron cyclotron resonance source.—74-03789A
Comparison of advanced plasma sources for etching applications: III, Ion energy distribution functions for a helicon and a multipole electron cyclotron resonance source.—74-02942A
Computer-aided simulation and experimental study of dusted plasma jets emitting into limited space.—74-10234A
Control of rheological parameters of ceramic materials for slurry-ICP solid analysis.—74-06750A
Deposition by plasma-assisted laser ablation and maskless patterning of $YBa_2Cu_3O_{7-x}$ superconducting thin films.—74-03439A
Deposition of amorphous hydrogenated silicon carbide films using organosilanes in an argon/hydrogen plasma.—74-04540A
Deposition of dense C:H films at elevated substrate temperature.—74-01664A
Deposition of silicon dioxide films using the helicon diffusion reactor for integrated optics applications.—74-06032A
Determination of angular distributions of excimer-laser-induced plasma near $YBa_2Cu_3O_{7-x}$ target surface.—74-09250A
Diamond deposition from an Ar-CCl_4-H_2 plasma jet at 13.3 kPa.—74-01672A
Diamond deposition with Ar-CO_2-H_2 plasma jets.—74-01674A
DLC film deposition by Laser-Arc and study of properties.—74-03684A
Dual constant composition kinetics studies of ceramic hydroxyapatite and hydroxyapatite plasma-coated implants.—74-09777A
Effect of nozzle profile on gas mixing in an atmospheric and low-pressure dc plasma jet.—74-09564A
Effect of plasma cure temperature on spin-on glass.—74-01689A
Effect of the space charge sheath on properties of carbon and diamond films in the rf plasma jet.—74-04592A
Effects of plasma enhancement on the carrier-gas-free metallorganic chemical vapor deposition of oxide superconducting thin films.—74-00800A
Electrical behavior and breakdown in plasma-deposited cubic-BN layers.—74-04296A
Electron cyclotron resonance plasma deposition of SiN_x for optical applications.—74-04609A
Electron cyclotron resonance plasma etching using downstream magnetic confinement.—74-06078A
Electron cyclotron resonance plasma oxidation studies of InP.—74-02993A
Engineering of porosity in amorphous materials—plasma oxidation of hydrocarbon templates in polysilsesquioxanes.—74-10330A
Enhanced pitting corrosion resistance of 304L stainless steel by plasma ion implantation.—74-05306A
Estimation of plasma absorption effects during pulsed laser ablation of high-critical-temperature superconductors.—74-03460A
Evaluation and control of device damage in high-density plasma etching.—74-00613A
First-wafer effect in remote plasma processing—the stripping of photoresist, silicon nitride, and polysilicon.—74-07313A
Formation of silicon nitride film by plasma decomposition of methylsilazane.—74-04648A
Formation of ultrafine multicomponent ZrO_2-based powders in an rf plasma.—74-01739A
Gate oxide damage in a high-density inductively coupled plasma.—74-00625A
Grain orientation of the $YBa_2Cu_3O_x$ superconducting thin films prepared by the low-pressure plasma flash evaporation technique and its dependence on the starting composition.—74-06553A
Hydrogen plasma processing of GaAs and AlGaAs.—74-00634A
Hydrogen uptake into silicon from an elecron cyclotron resonance plasma.—74-03054A
Influence of ion energy and flux composition on the properties of plasma-deposited amorphous carbon and amorphous hydrogenated carbon films.—74-01765A
Influence of plasma etching on trap levels in InP.—74-06153A
Influence of the electron cyclotron resonance [ECR] microwave plasma on growth and properties of diamondlike carbon [DLC] films deposited onto rf biased substrates.—74-01767A
Ion energy distributions from electron cyclotron resonance [ECR] methane plasmas.—74-01772A
KrF laser photoablation of a graphite target—application to the development of thin films.—74-04724A
Low-temperature plasma anodic oxidation of silicon through tin aluminum overlayers.—74-04739A
Management strategy in cement technology for the next century: II.—74-08066A
Metal plasma immersion ion implantation and deposition using vacuum arc plasma sources.—74-03709A
Microstructure of plasma-sprayed TaC coatings.—74-05194A
Nitrogen plasma source ion implantation of aluminum.—74-04780A
Optical properties of diamondlike transitional films produced by dc plasma deposition of acetylene.—74-07405A
Overview of plasma source ion implantation research at University of Wisconsin-Madison.—74-03720A
Oxidation of TiN in an oxygen plasma asher.—74-04800A
Plasma characterization of high-pressure dc sputtering system used for the "in situ" preparation of high-T_c superconductor thin films.—74-03555A
Plasma chemical synthesis of oxides in the Y-Ba-Cu-O system.—74-00837A
Plasma CVM [chemical vaporization machining]: an ultra precision machining technique using high-pressure reactive plasma.—74-10523A
Plasma deposition of hydrogenated amorphous carbon—growth rates, properties, and structures.—74-03850A
Plasma diagnosis in dc-biased hot-filament-assisted chemical vapor deposition by double-probe method.—74-10524A
Plasma diagnostics of a direct current arcjet diamond reactor: I, Electrostatic probe analysis.—74-06803A
Plasma etching of electronic materials.—74-06264A
Plasma fluorination of graphite.—74-01833A
Plasma immersion ion implantation for semiconductor thin film growth.—74-03172A
Plasma ion implantation at Hughes Research Laboratories.—74-03722A
Plasma production of ultrafine ceramic carbides.—74-04074P
Plasma spraying of high nitrogen steels.—74-08251A
Plasma treatment of glass surfaces to remove carbon.—74-02691P

Plasma-added synthesis of ceramic and ceramic matrix composites.—74-10529A
Plasma-deposited silicon oxynitride from silane, nitrogen, and carbon dioxide or carbon monoxide or nitric oxide.—74-01836A
Production and characterization of dc and hf plasma jet diamond films.—74-10591A
Properties of polysilicon films deposited on amorphous substrates using reactive plasma beam deposition technique.—74-01862A
Recent results on the deposition of diamond thin films by arcjet plasmas and diagnostic measurements of the plasma-surface region.—74-10607A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition[—reply].—74-07744A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition.—74-04879A
Selective plasma deposition.—74-01877A
Sensor integration into plasma etch reactors of a development pilot line.—74-06812A
Significance of nitrogen mass transfer mechanism on the nitriding behavior of austenitic stainless steel.—74-04890A
Simple pulsed-plasma-beam gun for ultrahigh vacuum applications.—74-06814A
Sodium contamination free ashing process using O_2+H_2O plasma downstream.—74-06318A
Sodium contamination-free ashing process using O_2+H_2O plasma downstream.—74-04899A
Spectroscopic analysis and chemical kinetics modeling of a diamond deposition plasma reactor.—74-04908A
Stability of calcium phosphate ceramics and plasma-sprayed coating.—74-06999A
Strengthening of CFRC by plasma treatment with mixed gas of oxygen and CF_4.—74-11099A
Structural and morphological characterization of Nb_2O_5 thin films deposited by reactive sputtering.—74-02047A
Structural characterization of plasma-doped silicon by high-resolution X-ray diffraction.—74-05263A
Study of silicon etching in CF_4/O_2 plasmas to establish surface reemission as the dominant transport mechanism.—74-06337A
Study of the plasma discharges in diamond deposition with different O_2 concentrations.—74-04924A
Synthesis of nanometer size ceramic powders in a dc transferred arc plasma furnace.—74-03739A
Systematic investigation of plasma emission spectra during microwave diamond deposition from CH_4-CO_2 and C_2H_2-CO_2 gas mixtures.—74-01915A
Two-dimensional fluid model of high-density inductively coupled plasma sources.—74-01003A
Two-dimensional modeling of high plasma density inductively coupled sources for materials processing.—74-01004A
Vacuum plasma spray forming of Astroloy—an investigation of processing parameters.—74-10715A

plasma-enhanced chemical vapor deposition (PECVD),
Absolute radical density measurements in a CH_4-H_2 dc discharge.—74-04465A
Adhesion between polycarbonate substrate and SiO_2 film formed from silane and nitrous oxide by plasma-enhanced chemical vapor deposition.—74-04469A
Advanced composite microtubes for microelectromechanical systems.—74-06676A
Amorphous hydrogenated carbon films elaborated by plasma-assisted chemical vapor deposition— characterization of composition by nuclear methods.—74-04476A
Atomic force microscopy study of the microroughness of SiC thin films.—74-07595A
Boron nitride films prepared by remote plasma-enhanced chemical vapor deposition from borazine ($B_3N_3H_6$).—74-01282A
Buckyball microwave plasmas: fragmentation and diamond film growth.—74-10205A
c-v characteristics of amorphous silicon nitride films prepared by hydrogen radical-assisted plasma chemical vapor deposition.—74-07196A
Capacitively coupled rf plasma sources: a viable approach for CVD diamond growth.—74-04491A
Causes of anomalous solid formation in the exhaust systems of low-pressure chemical vapor deposition and plasma-enhanced chemical vapor deposition semiconductor processes.—74-06682A
Causes of anomalous solid formation in the exhaust systems of low-pressure chemical vapor deposition and plasma-enhanced chemical vapor deposition semiconductor processes.—74-07216A
Characteristics of a-C:H:Si films deposited by rf sputtering under various deposition conditions.—74-04499A
Characteristics of aluminum oxide thin films prepared by ECR-PECVD.—74-10220A
Characterization of diamond films deposited using $C_3H_6O_3$-H_2 gas mixtures.—74-10768A
Characterization of hydrogen-terminated CVD diamond surfaces and their contact properties.—74-02935A
Characterization of PECVD $Si_xO_yN_z$:H films and its correlation to device performance and reliability.—74-08838A
Characterization of phosphosilicate glass films obtained using plasma-enhanced chemical vapor deposition from tetraethylorthosilicate and trimethylphosphite.—74-01628A
Characterization of undoped and doped homoepitaxial diamond layers produced by microwave plasma CVD.—74-04261A
Characterization of Y_2O_3-stabilized ZrO_2 thin films by plasma-enhanced metallorganic chemical vapor deposition.—74-01630A
Chemical vapor deposition and characterization of smooth (100)-faceted diamond films.—74-01632A
Chemical vapor deposition and plasma-enhanced chemical vapor deposition carbonization of silicon microtips.—74-04511A
Chemical vapor deposition in high-density low-pressure plasmas—reactor scale-up and performance.—74-03676A
Comparative study on the characteristics of TiN films deposited by plasma-assisted CVD, ion plating, and reactive sputtering.—74-10782A
Comparison of $(CH_4$-$O_2)$-H_2 and CO-H_2 plasmas for low-temperature diamond film deposition by electron cyclotron resonance plasma-assisted chemical vapor deposition.—74-04519A
Compositional and structural analysis of aluminum oxide films prepared by plasma-enhanced chemical vapor deposition.—74-01974A
Correlation between breakdown voltage and structural properties of polycrystalline and heteroepitaxial CVD diamond films.—74-02950A
Correlations between process parameters, chemical structure, and electronic properties of amorphous hydrogenated Ge_xC_{1-x} films prepared by plasma-enhanced chemical vapor deposition in a three-electrode reactor.—74-04530A
Crystallization of CVD carbon films on Si substrates.—74-07244A
Deposition and characterization of ß-SiC and diamond/ß-SiC composite films.—74-10257A
Deposition of single phase, homogeneous silicon oxynitride by remote plasma-enhanced chemical vapor deposition, and electrical evaluation in metal-insulator-semiconductor devices.—74-06033A
Deposition of single-phase, homogeneous silicon oxynitride by remote plasma-enhanced chemical vapor deposition, and electrical evaluation in metal-insulator-semiconductor devices.—74-06034A
Deposition of wear-resistant amorphous hydrogenated a-$Si_{1-x}C_x$:H coatings by rf plasma-assisted CVD.—74-08157A
Diamond film deposition by downstream dc glow discharge plasma chemical vapor deposition.—74-04549A
Diamond formation in the carbon-hydrogen-oxygen system.—74-04551A
Diamond growth from a mixture of fluorocarbon and hydrogen in a microwave plasma.—74-04552A
Diamond homoepitaxy by chemical vapor deposition.—74-01676A
Diamond synthesis on substrates treated by collision with particles.—74-01680A
Diamond-coated tips and their applications.—74-07260A
Diamondlike carbon film deposition on plasma-nitrided steel substrates.—74-04555A
Different morphologies of AlN thin films synthesized at low temperature by PECVD.—74-10271A
Dilution effect of noble gases on structure and composition of chemically vapor deposited diamond films.—74-10272A
Direct electrical control of diamondlike carbon growth by plasma-enhanced CVD.—74-06695A
DLC films by plasma-assisted chemical vapor deposition near room temperature.—74-04561A
Effect of boron incorporation on the "quality" of MPCVD [microwave plasma-assisted CVD] diamond films.—74-10278A
Effect of substrate bias voltage on the nucleation of diamond crystals in a microwave plasma-assisted chemical vapor process.—74-01691A
Effect of substrate material on bias-enhanced diamond nucleation.—74-04588A
Effect of substrate temperature distribution on thermal plasma jet CVD of diamond.—74-04589A
Effects of nitrogen doping on the growth and properties of plasma-enhanced chemical vapor deposited diamondlike carbon films.—74-04599A
Electron cyclotron resonance plasma source for metallorganic chemical vapor deposition of silicon oxide films.—74-00609A
Electron cyclotron resonance plasma-enhanced metallorganic chemical vapor deposition of tantalum oxide thin films on silicon near room temperature.—74-07294A
Electronic characterization of diamond films prepared by electron cyclotron resonance microwave plasma.—74-04612A
Epitaxial nucleation of diamond on ß-SiC via bias-enhanced microwave plasma chemical vapor deposition.—74-01711A
Epitaxial nucleation, growth, and characterization of highly oriented, (100)-textured diamond films on silicon.—74-04619A
Evaluation of dc plasma jet chemical vapor deposition for diamond coatings on tungsten carbide based cutting plates.—74-04623A
Extensive diamond film deposition by dc plasma jet chemical vapor deposition.—74-04626A
Fabrication of optical fiber by plasma-activated chemical vapor deposition method.—74-08421A
Film properties of CVD titanium nitride deposited with organometallic precursors at low pressure using inert gases, ammonia, or remote activation.—74-01730A
Flattened diamond crystals synthesized by microwave plasma chemical vapor deposition in a CO-H_2 system.—74-04639A
GaN films prepared by ECR plasma-assisted deposition.—74-00494A
Gas-sensing properties of α-Fe_2O_3 thin films prepared by plasma-enhanced chemical vapor deposition.—74-02839A
Grain boundary barrier height in polycrystal diamond films produced by dc plasma deposition of CO_2 and hydrogen.—74-07653A
Growth of (100)-oriented diamond films.—74-04667A
Growth of diamond in a pulsed microwave discharge.—74-04672A
Growth of diamond thin films by ECR plasma-assisted CVD at low pressures and temperatures.—74-10378A
Growth of Er-doped Si films by electron cyclotron resonance plasma-enhanced chemical vapor deposition.—74-07332A
Heteroepitaxial growth of diamond on c-BN in a microwave plasma.—74-04677A
High deposition rate synthesis of diamond films "DIA-JET" process.—74-10382A
High-field conductivity of polycrystalline diamond films.—74-02841A
In situ B-doped Si epitaxial films grown at 456°C by remote plasma-enhanced chemical vapor deposition: physical and electrical characterization.—74-03060A
In situ monitoring by soft X-ray spectrometry of amorphous carbon plasma deposition.—74-04690A
In situ Raman investigation of diamond films during growth and etching processes.—74-04694A
Ir-attenuated total reflectance studies of dc-biased growth of diamond films.—74-04721A
Low-energy ion-induced damage of polycrystalline diamond films.—74-04735A
Low-temperature deposition of TiN using tetrakis(dimethylamido)-titanium in an electron cyclotron resonance process.—74-07372A
Low-temperature growth of diamond films by microwave plasma chemical vapor deposition using CH_4+CO_2 gas mixtures.—74-04737A
Low-temperature plasma-assisted chemical vapor deposition of amorphous carbon films for biomedical-polymeric substrates.—74-04740A
Method for arc discharge plasma vapor deposition of diamond.—74-04060P
Micromechanical properties of diamond films deposited by microwave-plasma-enhanced chemical vapor deposition.—74-11051A
Microwave plasma chemical vapor deposition of high-purity diamond films.—74-01800A
Millitorr range PECVD of a-SiO_2 films using TEOS and oxygen.—74-04755A
Nucleation and mechanisms of diamond in plasma chemical vapor deposition.—74-01819A
OES study of plasma processes in dc discharge during diamond film deposition.—74-07176A
Optical emission spectroscopy during growth of diamondlike carbon from a methane plasma.—74-04790A
Optical properties of boron nitride thin films.—74-04791A
Optical properties of E-BN.—74-04792A
Optimization of a-$Si_{1-x}C_x$:H films prepared by ultrahigh vacuum plasma-enhanced chemical vapor deposition for electroluminescent devices.—74-04793A
Oriented CVD diamond films—twin formation, structure, and morphology.—74-04172A
Oxidized amorphous silicon as gate insulator for silicon tips.—74-02855A
Oxynitride ISFET modified for working in a differential mode for pH detection.—74-06802A
Plasma diagnostics in the growth c-BN films.—74-04808A
Plasma process in methane discharges during rf plasma-assisted chemical vapor deposition of a-C:H thin films.—74-04810A
Plasma-assisted CVD of diamond films by hollow cathode arc discharge.—74-01835A
Plasma-enhanced chemical vapor deposition of amorphous silicon nitride for thin-film diode active matrix liquid crystal displays.—74-04813A
Plasma-enhanced chemical vapor deposition of boron nitride onto InP.—74-04814A
Plasma-enhanced chemical vapor deposition of $CuInSe_2$.—74-00685A
Precursor gas effect on the structure and properties of diamondlike carbon films.—74-07715A
Preferential incorporation of defects in monocrystalline diamond films.—74-01954A
Preparation and properties of amorphous TiO_2 thin films by plasma-enhanced chemical vapor deposition.—74-01845A
Properties of the plasma TEOS SiO_2 film.—74-10594A
Reactive ion etching characteristics of aluminum oxide films prepared by PECVD in CCl_4 dry etch plasma.—74-10604A
Real-time spectroscopic ellipsometry studies of diamond film growth by microwave plasma-enhanced chemical vapor deposition.—74-03861A
Relationships between the material properties of silicon oxide films deposited by electron cyclotron resonance chemical vapor deposition and their use as an indicator of the dielectric constant.—74-00699A
Research on YSZ thin films prepared by plasma-CVD process.—74-07466A
Rf PACVD diamondlike carbon coatings on insulating objects.—74-02858A
Rf plasma deposition from hexamethyldisiloxane-oxygen mixtures.—74-07468A
Rf plasma-assisted chemical vapor deposition of diamondlike carbon films on complex geometries.—74-01870A
Room-temperature deposition of diamondlike carbon films by the microwave plasma jet method.—74-04877A
Rotating dc discharge for diamond deposition.—74-01873A
Rugate filters grown by plasma-enhanced chemical vapor deposition.—74-04878A
Silicon dioxide deposition by electron cyclotron resonance plasma—kinetic and ellipsometric studies.—74-04893A
SiO_2 films formed by ECR plasma CVD method.—74-09039A
Spectral response of the photoconductivity of polycrystalline chemically vapor deposited diamond films.—74-04425A
STM nanometric study of the initial stages of diamond film growth—quantitative measurement of {111} and {100} surface roughness.—74-05258A
Structural characterization of diamond films grown epitaxially on silicon.—74-05262A

Study of an Ar-CH_4-H_2 microwave postdischarge under diamond deposition conditions—correlations between analysis performed in the gas phase and in carbon thin films.—74-05279A
Study of the plasma discharges in diamond deposition with different O_2 concentrations.—74-07497A
Synthesis of diamond using iron catalyst by rf plasma chemical vapor deposition.—74-10678A
Thin ceramic layers deposited by plasma-enhanced CVD.—74-10700A
Tribological behavior of hard carbon coatings deposited on steel substrates by plasma-assisted chemical vapor deposition.—74-04457A
Trimethylboron doping of CVD diamond thin films.—74-04972A
Wear testing of CVD diamond films.—74-05399A

plasmon,
Excitation of surface plasmons on titanium nitride films: determination of the dielectric function.—74-00491A
Interaction of current carriers with acoustic plasmons is possible origin of high-temperature superconductivity in cuprate metal oxide compounds: I, Electron-plasmon and coulomb interactions in layered metals.—74-03499A
Plasmon densities of states in a $YBa_2Cu_3O_y$ system.—74-03556A
Plasmons in an ultrathin film of weakly coupled layered materials.—74-04397A
Plasmons in low-dimensional systems.—74-03557A
Surface plasmon-magnon modes at the interface between a metal and the semiconductor phase of $YBa_2Cu_3O_{6+\delta}$.—74-03599A
Temperature dependence of the cross section for light scattering by charge carriers—observation of an acoustic plasmon (review).—74-06349A
Utilization of surface magnetoplasmons in the millimeter wavelength range.—74-09227A

plaster molds,
Corrosive resistance of plaster molds.—74-10908A
Deer Creek pottery: making purged molds for quick release.—74-00359A
Plaster processing dynamics.—74-05901A
Research on strengthening plaster molds.—74-07465A

plaster of Paris,
Determination of hydration termination of gypsum plasters by temperature vs time curves at room temperature.—74-08010A
Investing in quality [at a plaster plant].—74-00071A

plasters,
Control of mold plaster properties using organic additives.—74-08668A
Forward-looking logistics in the new gypsum works at Barrow upon Soar, in Great Britain.—74-05525A
Generation and application of foam in plasterboard production.—74-08034A
Investing in quality [at a plaster plant].—74-00071A
Latest gypsum and plasterboard plant news.—74-02336A
Processing dynamics of plaster.—74-08090A

plasticity,
Assessing the plasticity of ceramic masses by determining indentation force.—74-09552A

plasticizers/plasticity,
Computer experiments on amorphization of crystals in conditions of pulsed external loads and large plastic deformations.—74-02107A
Drying and plastic properties of ceramic materials.—74-06899A
High-temperature superplastic creep and internal friction of yttria-doped zirconia polycrystals.—74-02156A
Microplastic deformation under cyclic bending of yttrium-based HTS ceramic plates.—74-01541A
Nonthermal vacancy-drift mechanism of plastic deformation of grains in ceramics during microwave sintering.—74-11064A
Optimization of the composition and the properties of the plastic bodies for obtaining silicon carbide products.—74-03718A
Self-consistent anisotropic approach for the simulation of plastic deformation and texture development of polycrystals: application to zirconium alloys.—74-02198A
Slip systems in $MoSi_2$.—74-10885A
Theoretical fundamentals of improving the structure of the gypsum stone based on a plasticized binder.—74-01593A

plastics,
Ceramic tool for preconsolidation of powder-coated prepreg.—74-06683A
Designing reinforced thermoset linings for concrete structures.—74-03902A
Glass-plastic composite.—74-02676P
Marriage of glass and plastic helps foil intruders.—74-08437A
PET-returnables—technical and economical aspects.—74-00309A
Plastic forming.—74-10533A
PTFE/steel, porcelain enamel/steel: two composite materials for the chemical industry.—74-00147A

plating,
Innovations in plating techniques for composite production.—74-05631A
Nonfritted matt glazes using plating sludges.—74-02388A
Progress update for the pressure controlled atomization process.—74-08257A

platinum,
Calculation of the flicker noise in metal-insulator composites using a mean-field theory.—74-00462A
Capitalizing on the use of platinum.—74-09438A
Catalytic properties of nanocrystalline WO_{3-x}, Pt/WO_{3-x}, and Pb/WO_{3-x} particles.—74-06952A
Comparison of lead zirconate titanate thin films on ruthenium oxide and platinum electrodes.—74-09113A
Donor-doped lead zirconate titanate ($PbZr_{1-x}Ti_xO_3$) films.—74-06402A
Effects of melt chemistry and platinum doping in the refinement of $Y_2Ba_4Cu_yO_z$ [211] particles for the system Y-Ba-Cu-O.—74-06527A
Effects of platinum and oxygenation on microstructure in $YBa_2Cu_3O_{7-\delta}/Y_2BaCuO_5$ bulk materials.—74-06529A
Electrochemical study of ultrathin silica films supported on a platinum substrate.—74-02838A
Growth of FeO_x on Pt(111) studied by scanning tunneling microscopy.—74-05153A
High-temperature ohmic contact metallizations for *n*-type 3C-SiC.—74-06136A
Impurity effect on chemisorption properties of composite catalysts.—74-06978A
Influence of wettability on the properties of thin porous platinum films as gates of metal-oxide-semiconductor devices in electrolytes.—74-02843A
Island growth of ion beam sputtered metal films [studied] by digital image processing.—74-02004A
Lateral variation in the Schottky barrier height of Au/PtSi/(100)Si diodes.—74-06172A
Lateral variation in the Schottky barrier height of Au/PtSi/(100)Si diodes.—74-06173A
Long-term reliability of Pt and Mo diffusion barriers in Ti-Pt-Au and Ti-Mo-Au metallization systems for GaAs digital integrated circuits.—74-06181A
Novel in situ electrochemical technology for formation of oxide- and defect-free Schottky contact to GaAs and related low-dimensional structures.—74-06226A
Novel in situ electrochemical technology for formation of oxide- and defect-free Schottky contact to GaAs and related low-dimensional structures.—74-06227A
Novel Pt-Sn/Al_2O_3 sol-gel catalyst—synthesis and thermal characterization.—74-06988A
Platinum feeders gaining greater industry acceptance.—74-02649A
Preparation and characterization of multiple ion-exchanged Pt/TiO_2 catalysts.—74-06991A
Preparation of Pt/Al_2O_3 catalysts by sol-gel process and its application to uranyl ion reduction.—74-10565A
Shock fracture replicas for thin-film microstructure investigation in a transmission electron microscope.—74-05245A
Sorption of chloride complexes of platinum group metals and gold on silica-based anion exchangers.—74-01106A
Structural characterization of platinum deposits supported on ordered alumina films.—74-05264A
Studies of platinum and molybdenum electrodes in molten silicates, borates, and phosphates.—74-05742A
Titanium nitride diffusion barrier for platinum-coated fiberglass spinner bores.—74-08322P

Poisson's ratio,
Static and dynamic methods for measurement of elastic properties of structural ceramic materials.—74-01577A
Young's modulus and Poisson's ratio of CVD diamond.—74-11132A

polaritons,
Enhancement and quenching of Berreman polaritons in SiO_2/TiO_2 and Al_2O_3/Pt superlattices.—74-10100A

polarizers/polarization,
Characterization of clay slurries using polarization resistance measurements.—74-08510A
Effect of illumination on 180° repolarization process in $PbTiO_3$ single crystals.—74-03299A
Effect of nonlinear polarization of light on magnetization reversal in an antiferromagnetic Ca-Mn-Ge garnet.—74-03374A
Effects of operating conditions on the fast decay component of the retained polarization in lead zirconate titanate thin films.—74-04289A
Effects of temperature on conduction and polarization in portland cement mortar.—74-02323A
Nonlinear polarization of fused silica and its measurement.—74-00757A
Polarcor/glass polarizers for near-infrared.—74-08385A
Polarizability of a shallow donor in a quantum well wire: geometric effects.—74-03174A
Polarization and intensity of *dd* transitions in superconducting copper oxides.—74-03558A
Polarization dependence of linewidth enhancement factor in InGaAs/InGaAsP MQW material.—74-06266A
Polarization dependence of two-photon absorption in ZnSe-ZnSSe strained-layer superlattices.—74-09005A
Polarization properties of a photorefractive $Bi_{12}SiO_{12}$ crystal and their application in an optical correlator.—74-06989A
Polarization-dependent coherent nonlinear optical response in GaAs quantum wells—dominant effects of two-photon coherence between ground and biexciton states.—74-06267A
Quasi-polarization-independent Mach-Zehnder coherence modulator/demodulator integrated in *Z*-propagating $LiNbO_3$.—74-09174A
Relationships between anodic polarization and corrosion of steel in concrete.—74-00093A
Role of electronic polarizability in oxide superconductors.—74-03572A
Surface layer structure change of $BaTiO_3$ ceramics due to aging, electric polarization, and machining.—74-06440A
Theory of the line shape and the anisotropy of the linear polarization of hot photoluminescence in *p*-GaAs.—74-06353A

polarography,
Polarographic determination of In and Sb in anode films of InSb.—74-09006A

polarons,
Exciton-polaron modifications in the phtoluminescence spectrum of GaAs MQW.—74-03009A

poling,
Domain reorientation by poling of PZT ceramics in the morphotropic phase boundary region.—74-03296A

polishing,
Boron nitride and silicon boron nitride film and polish characterization.—74-07213A
Fabrication of single-crystal substrates for surface acoustic wave devices.—74-09141A
Glass substrates for hard disk or photomask and the process technology.—74-08427A
Improvement of depth resolution in secondary ion mass spectrometry depth profiling of silicided polycontacts.—74-01999A
Ion-beam-assisted polishing of diamond.—74-01774A
Machining: the controlling step to producing apt-to-work ceramic parts.—74-02162A
Mechanical polishing makes a comeback.—74-02643A
Polishing parameters and their effect of glass polish performance.—74-08448A
Solid state ionic polishing of diamond.—74-09544P
Superpolishing of diamond.—74-10658A

pollution,
Apparatus for cullet preheating and polluting emission reduction in the glass manufacturing process—74-01011P
Depollution of glass furnaces: a new appeal for French glassmakers.—74-01139A
Examination of the atmospheric air pollution degree with heavy metals in the cement plant: II.—74-08025A
Measurement of hazardous air pollutants: impact of the Clean Air Act on the manufacturing community.—74-11180A
Measuring hazardous air pollutants.—74-07952A
Metals production, energy, and the environment: II, Environmental impact.—74-00951A
Pollution control idea whose time has come.—74-02346A
Reduction of polluting emissions in cement works.—74-08099A
Report of the electrolytic industries for the year 1991.—74-02270A
Two years of operation of a double exchanger of the emissions from a semiwet route cement furnace.—74-09721A
Water quality monitoring aids industrial pollution control.—74-03888A

polyacrylate,
Deformation behavior of polyacrylic acid–metal oxide composites in water.—74-02120A
Kinetic studies of the dehydration process for polyacrylic acid metal oxide compounds.—74-07363A
Synthesis and characterization of a hydroxyapatite-zinc oxide-polyacrylate acid concrete.—74-07006A

polyacrylonitrile,
Characteristics of $KMnO_4$-modified PAN fibers: its influence on the resulting carbon fibers' properties.—74-07220A
Characterization of low thermal conductivity PAN-based carbon fibers.—74-07607A

polycarbosilane,
Polycarbosilane-to-Si_xC_{1-x} conversion studied by inelastic neutron scattering and infrared absorption.—74-10861A
Reaction mechanisms of silicon carbide fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: I, Evolved gas analysis.—74-04861A
Reaction mechanisms of silicon fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: II, Free radical reaction.—74-07458A
Silicon carbide from laser pyrolysis of polycarbosilane.—74-07478A

polycrystalline materials,
Analytical modeling for bridging stress function involving grain size distribution in a polycrystalline alumina.—74-05320A
Applied technology—polycrystalline diamond fibers for metal matrix composites.—74-05613A
Cathodoluminescence spectroscopy of diamond films and ceramics.—74-04259A
Ceramic Processing and Sintering.—74-11198B
Characterization of laser-irradiated surfaces of a polycrystalline diamond film with an atomic force microscopy.—74-10772A
Chemical deposition of PbS from an acidic bath.—74-04507A
Controlled growth of tin dioxide thin films by atomic layer epitaxy.—74-07617A
Current status and future prospects of poly-Si devices.—74-02953A
Design and operation of poly-Si analogue circuits.—74-02961A
Design and performance of digital polysilicon thin-film transistor circuits on glass.—74-02962A
Diamond deposition by hollow cathode arc discharge.—74-07257A
Diamond device delineation via excimer laser patterning.—74-10266A
Effect of gas phase composition on the surface morphology of polycrystalline diamond films.—74-04575A
Effect of surface species on the photoluminescence of porous silicon.—74-02977A
Elastic properties of thin polycrystalline diamond films.—74-10087A
Electrical characteristic frequency dispersion of diamond polycrystalline films.—74-10091A
Electrical conduction mechanisms in polycrystalline chemically vapor deposited diamond films.—74-10092A
Electrodeposition and characterization of GaAs polycrystalline thin films.—74-02991A
Fabrication of polycrystalline, transparent YAG ceramics by a solid-state reaction method.—74-01728A
Formation of silicon carbide grain structure and its growth in polycrystalline SiC obtained by the reaction-sintering technique.—74-07650A
High-field effects in polysilicon thin-film transistors.—74-03042A
High-frequency bandpass filter using polycrystalline diamond.—74-09871A
Hot carrier effects in devices and circuits formed from poly-Si.—74-03050A

Hot-hole-induced degradation in polycrystalline silicon thin-film transistors—experimental and theoretical analysis.—74-03052A
Internal thermal stresses in anisotropic polycrystalline ceramics.—74-07898A
Isothermal capacitance transient spectroscopy study of defect states in polycrystalline diamond films.—74-10736A
Large-area shower implanter for thin-film transistors.—74-03081A
Low-temperature polysilicon thin-film transistors.—74-03090A
Mechanical property measurements of bulk polycrystalline CVD diamond.—74-04360A
Mechanical property measurements of bulk polycrystalline CVD diamond.—74-07902A
NMOS and CMOS polysilicon drive circuits for liquid crystal displays.—74-03128A
Optical reflection and angle-resolved light scattering from textured polycrystalline diamond films.—74-10856A
Photocurrents in poly-Si TFTs.—74-03158A
Properties of stoichiometric and silicon-rich polycrystalline silicon carbide films deposited by chemical vapor deposition on various substrates.—74-10145A
Sphene-structure-based ceramic pigments.—74-07116A
Thermal conductivity of polycrystalline materials.—74-04445A
Translucent polycrystalline alumina and process for producing the same.—74-09844P
Vibrational study of the adsorption and desorption of hydrogen on polycrystalline diamond.—74-10178A

polymerization,
Clay-polymer nanocomposites—polyether and polyimide systems.—74-08512A
Mechanism of hardening and hydration of white portland cement admixed with salicylaldehyde.—74-05550A
Novel inorganic hydrogels based on the polymerization of cyanometalate transition metal complexes with $(PdCl_4)^{2-}$ a new approach to ceramic and alloy precursors.—74-10500A
Organic-silica hybrid materials consisting of the double four-ring silicate structure as a building block.—74-10511A
Solid free-body forming of ceramics from polymerizable slurry.—74-10646A

polymers,
Active-filled-controlled pyrolysis of preceramic polymers.—74-04468A
Adhesion between polycarbonate substrate and SiO_2 film formed from silane and nitrous oxide by plasma-enhanced chemical vapor deposition.—74-04469A
Binder system for use in the injection molding of sinterable powders and molding compound containing the binder system.—74-09521P
Ceramic tool for preconsolidation of powder-coated prepreg.—74-06683A
Clay-polymer nanocomposites—polyether and polyimide systems.—74-08512A
Cluster model and the model of fluctuation free volume of polymeric glasses.—74-02439A
Composite piezoelectrics utilizing a negative Poisson ratio polymer—74-00767P
Concentration of organic compounds from aqueous solutions by polymeric sorbents of polysorb and polychrom types.—74-01651A
Conversion of polymers of methyl- and vinylsilane to SiC ceramics.—74-10246A
Design of bioactive ceramic-polymer composites.—74-06967A
Determination of adhesion strength between a carbon film and a polymeric substrate.—74-05334A
Development of fine-scale PZT ceramic fiber/polymer shell composite transducers.—74-06399A
Diamond films by the excimer laser photoablation of polymers.—74-07258A
Diverse industrial applications of kaolin.—74-06898A
Electrical properties of a fluorinated polymer-CdS-metal Langmuir film junction.—74-08884A
Grafting of phosphorylated molecules on apatite surface.—74-09780A
High-quality and highly oriented graphite block from polyimide films.—74-04680A
Hydrocarbon-bridged polysiloxane and polysilsesquioxane network materials.—74-10393A
Hydrothermal processing of $BaTiO_3$/polymer films.—74-10394A
Implant material—74-01255P
Industrial applications of conducting polymers.—74-05941A
Infiltration of preforms with particle-filled preceramic polymers.—74-10412A
Investigation of combustion-sprayed HAp/polymer composite coatings.—74-09788A
Ion-implanted photoresist and damage-free stripping.—74-07362A
Liquid-mix synthesis of oxide powders and thin films using a starch-based polymer.—74-10435A
Low-dielectric-constant polyimide/glass composites.—74-02640A
Measurement of polymer adsorption on colloidal silica by in situ transmission Fourier transform infrared spectroscopy.—74-10007A
Mechanical properties of cement mortar with polymers.—74-08070A
Method for making piezoelectric ceramic/polymer composite transducers—74-00769P
Nanoporosity in ceramics from polymeric precursors.—74-10852A
Nature of correlation between the elastic constants and glass transition temperature of amorphous polymers.—74-02565A
Nature of the correlation between elastic moduli and temperature of vitrification of amorphous polymers.—74-04770A
New inorganic/organic copolymers (ORMOCERs) for dental applications.—74-09792A
New organosilicon polymers for ceramic applications.—74-10493A
New process for preparing nanosize ceramic powders.—74-06794A
New routes to silicic-acid-containing inorganic-organic hybrid precursors and polymers.—74-10496A
Overview of fine-scale piezoelectric ceramic/polymer composite processing.—74-09161A
Polymer gel fiber of alkali-resistant zirconia system for GRC.—74-08386A
Polymer-clay nanocomposites—polystyrene grafted onto montmorillonite interlayers.—74-07417A
Polymer-coated refillable glass containers.—74-05782A
Polymer/ceramic composite with application to dye host.—74-09885A
Polymeric binders for ceramic processing.—74-03997P
Polymeric dispersants for ceramic materials.—74-09535P
Polymeric precursors for yttria.—74-10535A
Polymeric route processing of ZnO-based varistor.—74-03175A
Preceramic polymers for use as fiber coatings.—74-09887A
Preparation and characterization of $YBa_2Cu_3O_{7-\delta}$ polypyrrole bilayer structures.—74-06615A
Preparation and properties of poly(phenyleneterephthalamide)-silica ceramers with interphase bonding from aminophenyl trimethoxysilane.—74-10551A
Principles of macro-defect-free (MDF) cement production.—74-05572A
Process for preparing ceramic products.—74-09537P
Processing of silicon carbide fiber with controlled stoichiometry, using polymethylsilane, $-(MeSiH)_x-$.—74-10589A
Pyrolysis of poly(siloxane) preceramic polymers: effect of atmosphere on product chemistry.—74-01865A
Pyrolysis of titanium-metal-filled poly(siloxane) preceramic polymers: effect of atmosphere on pyrolysis product chemistry.—74-07454A
Relationship between microstructure and freezing-thawing resistance of polymer-cement mortars.—74-08100A
Report on the 19th Annual Meeting of the Society for Biomaterials in conjunction with the 25th International Biomaterials Symposium.—74-02272A
Shape of polymers resulting from condensation in the mixed $Si(OC_2H_5)_4$ and $Zr(O\text{-}nC_3H_7)_4$ solutions.—74-10624A
Structurally networked matrix ceramic composite material.—74-09842P
Structure of a glass polymer composite based on a matrix of high-silicon porous glass.—74-00318A
Structure of glass-polymer composites based on matrices made of high-silica porous glass.—74-00230A
Thermal decomposition of a copolymer of methylcyclosiloxanes and methylcyclosilazanes to nonoxide ceramics.—74-09897A
Thermal spray coatings for protection of polymeric composite aircraft components.—74-08283A

polymorphs/polymorphism,
Polymorphic structural transformations in melts.—74-04196A

polysilazanes,
Porous silicon carbide ceramics using filled polysiloxanes.—74-04078P
Preceramic polysilazane coatings for cold-rolled steels.—74-05652A

porcelain enameling,
Application of porcelain enamel with a high-speed disk.—74-00107A
Benefits from recycling cleaners for porcelain enameling.—74-00896A
Chip resistance of two-coat/one-fire porcelain enamels as determined by torsion testing.—74-00109A
Cut edge expansion during forming.—74-00112A
Economical and ecological aspects in enameling plants.—74-08167A
Effect of composition of today's laundry detergents on porcelain enamel surfaces.—74-00114A
Environmental management in a porcelain enameling facility in Mexico.—74-02231A
Environmental regulatory overview.—74-02233A
Factors influencing hydrogen-related defects in porcelain enamel coatings.—74-00119A
Frit and enameling technology.—74-08199A
How proper metal pretreatment can save you big dollars.—74-00122A
Influence of different time periods on the evolution of the porcelain enameling industry.—74-00123A
Influence of mechanical properties on the press performance of enameling steels.—74-00124A
ISO 9000 certification—preparation and expectations.—74-02247A
Light scattering investigations of cover coat porcelain enamels using reflection spectroscopy.—74-00130A
Market conceptions of porcelain enamel.—74-02249A
Materials comparisons—porcelain enamel vs alternative materials.—74-00131A
New direction [for the Porcelain Enamel Institute].—74-02252A
New gas-fired radiant tube furnace highly efficient in hot water enameling process.—74-01166A
Optimizing the porcelain enameling process to achieve ideal processing conditions.—74-00136A
Particle size effect on the properties of electrostatic powders.—74-00969A
PEI's programs of service for the porcelain enamel industry.—74-02255A
PEI's role—how PEI can and will help.—74-02256A
Porcelain enameling industry: where we have been, where we are, and where we are going.—74-02258A
Porcelain enameling steels and perfect quality porcelain enameled products.—74-00140A
Porcelain enameling—an environmentally friendly process.—74-00141A
Porcelain enameling: is it a science or is it "black magic."—74-00142A
Practical observations on ways to minimize chipping.—74-00143A
Present state of porcelain enameling in the Czech and Slovakian republics.—74-00145A
Present status of porcelain enamel technology in the U.S.—74-00146A
Preservation and transfer of knowledge and technology.—74-02260A
Process for making a chemically-resistant porcelain enamel.—74-08317P
PTFE/steel, porcelain enamel/steel: two composite materials for the chemical industry.—74-00147A
Pyrolytic porcelain enamel.—74-08260A
Rare-earth-containing alkali silicate frits and their use for the preparation of porcelain enamel coatings with improved cleanability.—74-08320P
Safe handling of concentrated cleaning and conditioning agents.—74-00151A
Sheet steel with superior porcelain enameling properties processed by continuous casting and continuous annealing.—74-00152A
Systematic approach to problem solving for porcelain enamel powder facilities.—74-00155A
Technical developments and trends in the porcelain enameling industry at the beginning of the 90's.—74-00156A
Thermal shock characteristics of porcelain enameled grates.—74-00157A
Towards a "green" porcelain enameling industry.—74-00158A
Unique porcelain enamel for every part—product-specific porcelain enameling processing in a single plant.—74-00160A
User program for evaluating incoming materials.—74-00161A
World-class quality concepts applied to porcelain enameling operations.—74-02283A

porcelain,
Adjusting binders of isostatically pressed ware for rapid firing.—74-01133A
Application of konilite to strengthening porcelain.—74-00420A
Automated production of fine white porcelain within the scope of a closed production line.—74-00894A
Automatic storage and handling of tableware.—74-08660A
Benefits of Dorset ball clay in traditional whiteware applications.—74-00422A
Bone china—a high-quality soft porcelain as an enrichment of modern table art.—74-00423A
Causes of dark spots on porcelain surfaces.—74-08663A
Ceamic folklore of Ryumonji-Yaki and Naeshirogawa-Yaki.—74-07981A
Characteristics of dickite and its applications to household fine porcelain.—74-01189A
Chemical analysis of Oriental ceramic body compositions: I, Wares from North China.—74-02295A
Controlling the microstructure of porcelain in the course of plastic paste formation.—74-07240A
Data on the origin of the word "porcelain."—74-07941A
Determination of crystalline content in α-cristobalite-strengthened china by X-ray diffraction (XRD).—74-08671A
Effect of PSZ on strength of dental porcelain.—74-06968A
Effect of talc on thermal stability of porcelain glaze.—74-05891A
Enhancing the whiteness of porcelain ware.—74-02807A
Estimation of the bulk composition of fine-grained media from microchemical and backscatter image analysis: application to biscuit wasters from the Bow factory site, London.—74-05452A
Firing of porcelain—oxidation and reduction.—74-07982A
Forming and extrusion of porcelain bodies.—74-08679A
Heat-resistant self-glazed porcelain.—74-05627A
High-strength triaxial porcelain by an improved glassy phase.—74-05896A
Influence of prestressed quartz on increased mechanical strength of porcelain.—74-00433A
Limestone as raw material.—74-09748A
Localized crater and bubble formation in porcelain glazes.—74-00434A
Material properties and behavior of electrical porcelain in the temperature range to −80°C.—74-02164A
Neuronal acoustic classification in the porcelain industry.—74-01085A
New directions in porcelain technology.—74-08696A
New manufacturing method of porcelain vessel.—74-00436A
New orientation of the porcelain industry.—74-08697A
Optimization of multicolor tampon printing for porcelain decorating technology.—74-00968A
Porcelain bodies by image analysis.—74-00371A
Porcelainized stoneware tile.—74-05902A
Process for making ceramic dental crowns—74-01266P
Process technology aspects of porcelain manufacture at the time of Bottger.—74-08698A
Processing of porcelain glazes in an annular gap mill.—74-08699A
Research on low-temp. strengthened porcelain with high silica content.—74-08702A
Role of nucleating agents during manufacture of high-strength porcelain.—74-02196A
Shrink-wrap system cuts cost.—74-06724A
Strength behavior of thermally shocked new porcelains.—74-01579A
Study of Chinese porcelain raw materials for Ding, Xing, Gongxian, and Dehua wares.—74-02301A
Study of kaolin and china stone dispersion characteristics.—74-05833A

Study of strengthened porcelain fired fast at low temperature.—74-08278A
Study on black glaze ware of Jizhou.—74-05910A
Study on semifritted opalescent glaze of phosphorus and zircon for sanitary porcelain.—74-02813A
Surveys in the trends of standardization on ceramics in Japan.—74-09622A
Tensile deformations of electrical porcelain samples by firing.—74-11109A
Vitrification of ceramic tiles derived from different production processes—technological and analytical considerations.—74-05841A

pore size distribution,
Ceramic filtering membranes.—74-09767A
Engineered porous materials.—74-07297A
Percolation and pore structure in mortars and concrete.—74-02343A
Pore morphology study of silica aerogels.—74-10862A
Pore size control of porous carbon.—74-10537A

pores/porosity,
Alteration of characteristics of porous high-silica glass during acid treatment.—74-05750A
Analysis of the porosity formation during HVOF spraying.—74-10194A
Building porosity in metal oxide ceramics.—74-02601A
Characterization of the dealumination effect into H faujasites by adsorption: II, The hexane molecule as a pore volume probe.—74-10776A
Computer simulation impedance behavior in hydrating portland cement systems.—74-00041A
Concrete mixtures from coarse and porosive fillers.—74-00042A
Deposition of YSZ on porous ceramics by modified CVD.—74-01667A
Derivation of interatomic potentials for microporous aluminophosphates from the structure and properties of berlinite.—74-10786A
Determination of the specific pore surface area of xerogels and gel glasses by the dye sorption method.—74-02612A
Determination of the specific surface of the pores of xerogels and gel-glasses by the method of sorption of dyes.—74-00253A
Development of special low-porosity fireclay brick.—74-02714A
Effect of temperature on pore solution composition in plain cements.—74-00054A
Effectiveness of supplementary cementing materials in suppressing expansion due to ASR [alkali-silica reaction]—another look at the reaction mechanism: II, Pore solution chemistry.—74-05506A
Electrophysical properties of a porous silicon carbide ceramic.—74-01512A
Equilibrium pore surfaces, sintering stresses, and constitutive equations for the intermediate and late stages of sintering: I, Computation of equilibrium surfaces.—74-04621A
Equilibrium pore surfaces, sintering stresses, and constitutive equations for the intermediate and late stages of sintering: II, Diffusional densification and creep.—74-04622A
Evaluation of adsorption property of porous carbon materials: II.—74-10102A
Evaluation of adsorption property of porous carbon materials: III, Preparation of charcoals from cryptomeria and chamaecyparis and their properties.—74-10338A
Evaluation of the validity of the pore solution expression method from hardened cement pastes and mortars.—74-05520A
Grain growth inhibition by porosity.—74-01943A
High-alumina ceramics.—74-06975A
Homogeneous nucleation of gas pores in two-component solution of vacancies and gas atoms.—74-05018A
Investigation of coating porosity formation during high-velocity oxyfuel (HVOF) spraying.—74-07357A
Membranes on the basis of oxide ultrafine powders and their porous structures.—74-01234A
Microporosity of hardened cement paste.—74-08071A
Microporous aluminosilicate gels synthesized by sol-gel method.—74-10456A
Modeling relationships between permeability and cement paste pore microstructures.—74-00079A
Numerical investigation of micropore formation during substrate impact of molten droplets in spraying processes.—74-10854A
Optimized composition of Cu-Zn-Al-oxide catalyst for methanol synthesis.—74-01236A
Oxidation kinetics of a continuous carbon phase in a nonreactive matrix.—74-05311A
Plain porosity as a microstructural characteristic of sintered materials.—74-02034A
Pore boundary interactions and evolution equations for the porosity and the grain size during sintering.—74-10536A
Pore structure of carbon-carbon composites studied by small angle X-ray scattering.—74-07713A
Porosity characteristics of activated carbons produced from agricultural byproducts.—74-04817A
Porosity dependence of the fracture strength of ceramics.—74-07714A
Porosity in plasma-sprayed alumina deposits.—74-10538A
Porosity of titanium oxide films by X-ray photoelectron spectroscopy and ir transmittance.—74-02035A
Porous silica with controlled pore diameter in angstrom level.—74-10539A
Preliminary report on the pore size distribution of Italian heavy clay products.—74-07717A
Production of porous alumina using urea and montmorillonite.—74-00372A
Review of methods of quantitative optical microscopy for characterizing macropores in carbon materials.—74-03863A
Separation mechanisms of mixtures of low molecular weight compounds by porous ceramic membranes.—74-10623A
Shrinkage of large isolated pores during hot isostatic pressing of presintered alumina ceramics.—74-10625A
Sintered silicon carbide with defined porosity for sliding wear applications.—74-09894A
Sintering and evolution of porosity in compacts obtained from $ZrO_2(Y_2O_3)$ powders under pressure of 6 GPa.—74-01883A

porosimetry,
Porosimetric studies on silicon nitride ceramics of SSN type (SSN=sintered silicon nitride).—74-04816A
Sample mass and dimension effects on mercury intrusion porosimetry results.—74-05583A

porous materials,
Alumina-based compositions and catalysts having high specific surface area.—74-09806P
Apparatus for rapidly drying a wet, porous gel monolith—74-01185P
Ceramic filter and manufacturing method therefor.—74-09812P
Ceramic material.—74-02796P
Characterization of porous solids.—74-07608A
Chemical composition at the glaze/support interface of different tiles with colored porous body.—74-07610A
Composition for extracting oxygen from fluid streams.—74-09816P
Criteria presentation and analysis of quadratic-linear hydraulic resistance of porous medium.—74-01975A
Critical fluids in porous media.—74-07242A
Dense and porous nanostructured ceramics and composites.—74-07625A
Detection of hexavalent chromium by organically doped sol-gels.—74-09450A
Determination of structural characteristics of porous glasses by the method of Mossbauer spectroscopy.—74-05113A
Diamond deposition on porous silicon by plasma-assisted CVD.—74-06039A
Effect of annealing under vacuum and in nitrogen atmosphere on the structure and strength of porous silicon nitride materials.—74-04568A
Effect of body composition and technological conditions on the properties of porous wall tiles.—74-08537A
Effect of the green body processing history on the properties of very porous ceramics.—74-04591A
Engineered porous materials.—74-07297A
Experimental studies on diffusion of liquids in porous glass.—74-10732A
Fabricating porous silicon carbide.—74-04051P
Fabrication of porous ceramics and multilayered ceramics containing porous layers: I, Pore structure.—74-10350A
Factors influencing properties of SiC spongy materials.—74-07164A
Field emission from pyramidal cathodes covered in porous silicon.—74-03018A
Flow in porous media—permeability and displacement patterns.—74-07316A
Frictional wear mechanism for fatigue crack growth in grain-bridging ceramics.—74-02151A
Grinding tool and the like made of a ceramic material coated with extremely hard abrasive granules—74-00006P
Investigation of porous silicon by scanning tunneling microscopy and atomic force microscopy.—74-07671A
Low-voltage heatable highly porous ceramic filters.—74-06186A
Manufacture and evaluation of highly porous ceramics with adjustable electrical resistance.—74-10438A
Mesostructure of photoluminescent porous silicon.—74-05185A
Metal oxide membranes for gas separation—74-01259P
Method of making a porous ceramic filter.—74-09937P
Mixed conduction in an active porous electrode.—74-00512A
Moisture resistant ceramic igniter for a burner.—74-09829P
Molten metal filter medium and method for making same.—74-02799P
Movement of neutral particles in charged media.—74-10739A
Multiple scattering probes of disordered materials.—74-07703A
n-nonane preadsorption as a tool to understand the mechanism of CO_2 adsorption in activated carbons.—74-10053A
Nanoporosity in ceramics from polymeric precursors.—74-10852A
Nanostructuring of porous silicon using scanning tunneling microscopy.—74-06793A
New expanded material based on recycled glass: II, Role and influence of the expansion additive on material characteristics.—74-08379A
Photon spectroscopy, mapping, and topography of 85% porous silicon.—74-07712A
Plasma ceramics.—74-01832A
Pore impregnated catalyst device—74-01265P
Porous ceramic beads.—74-09832P
Porous hydroxyapatite.—74-06990A
Porous load bearing materials.—74-09833P
Porous metals.—74-07418A
Porous silica microcapsule.—74-09796A
Porous silicon carbide ceramics using filled polysiloxanes.—74-04078P
Preliminary report on the pore size distribution of Italian heavy clay products.—74-07717A
Preparation of porous ceramics with calcium metaphosphate fiber skeleton for biomedical use.—74-00312A
Preparation of porous glass by sintering.—74-08450A
Preparation of samples of macroporous glasses more than 2 mm thick from microporous sheets.—74-02651A
Process for producing silicon carbide-base complex.—74-09953P
Processing of high-porosity engineering ceramics.—74-10588A
Processing of porous ceramic substrates.—74-04839A
Production of samples of macroporous glasses from microporous sheets of thicknesses greater than 2 mm.—74-00314A
Properties and characterization of porous material prepared by hydrothermal treatment of kaolin.—74-10022A
Refractive index distribution in microporous glass plates differing in initial composition and thickness.—74-02574A
Soft hydrothermal synthesis of new microporous materials based on phosphatelike species.—74-10638A
Strength measurement of porous bodies at isostatic pressure conditions.—74-07918A
Thermal shock and creep resistant porous mullite articles prepared from topaz and process for manufacture—74-00416P
Use of polyfactor experimental design for creation of a porous structure of ceramic biomaterial based on Al_2TiO_5.—74-07028A
Vapor phase manufacture of porous TiN deposits on/in porous supports.—74-07551A
Zeolite ZSM-45—74-01277P

portland cement,
Ac impedance spectroscopy: I, A new equivalent circuit model for hydrated portland cement paste.—74-05461A
Anomalous electromechanical behavior of portland cement: electroosmotically induced shape changes.—74-02307A
Aqueous phase equilibria in the system $CaO-Al_2O_3-CaCl_2-H_2O$: the significance and stability of Friedel's Salt.—74-04094A
Computer simulation impedance behavior in hydrating portland cement systems.—74-00041A
Delayed ettringite formation: a microstructural and microanalytical study.—74-00046A
Developments in the Malaysian cement industry.—74-05413A
Early-age behavior of portland cement paste.—74-00051A
Effect of moisture adsorption on the electrical properties of hardened portland cement compacts.—74-05498A
Effect of the mineralogical composition of clinker on the properties of gypsum-free portland cement.—74-05502A
Effects of temperature on conduction and polarization in portland cement mortar.—74-02323A
Electrical conductivity method for measuring the effects of additives on effective diffusivities in portland cement pastes.—74-05514A
Flexural toughness and ductility of portland-cement-based binders reinforced with wollastonite microfibers.—74-05523A
Gypsum of improved performance using blends with portland cement and silica fume.—74-08036A
Hydration behavior of simulated high-performance concrete pastes using synchrotron energy-dispersive diffraction.—74-08043A
Hydrophobic portland cement: II.—74-02757A
Immobilization chemistry in portland-cement-stabilized paint blast media waste.—74-08048A
Influence of silica fume on the fracture properties of paste and microconcrete.—74-08054A
Influence of some set accelerating admixtures on the hydration of portland cement containing phosphogypsum.—74-00067A
Investigation into the hydraulic activity of five granulated blast-furnace slags with eight different portland cements.—74-05862A
Low heat portland cements.—74-00073A
Model for the developing microstructure in portland cement pastes.—74-02339A
Model for the developing microstructure in portland cement pastes[—correction].—74-08074A
Portland cement clinker grindability and work index.—74-05567A
Relationship between microstructure and mechanical properties of the paste-aggregate interface.—74-01097A
Second Souselas kiln goes on stream.—74-02352A
^{29}Si MAS-NMR study of hydrated cement paste and mortar made with and without silica fume.—74-02353A
Stabilizing hazardous waste.—74-02355A
Streamlining Hi Cement's Norzagaray plant (Phillipines).—74-03933A
Study of the effect of $C_{11}A_7CaF_2$ on the properties of portland cement.—74-05595A
Study of the hydration and setting behavior of OPC [ordinary portland cement]–HAC [high-alumina cement] pastes.—74-05597A
Texture and grindability of the dust component in portland cement clinker.—74-05606A
Viability study of using clinker portland as raw material in structural ceramics manufacture.—74-06940A
Zeolite crystallization in portland cement concrete due to alkali-aggregate reaction.—74-00406A

positive temperature coefficient of resistivity (PTCR),
Effect of Sb_2O_3 addition on the microstructure and the PTCR characteristic in $BaTiO_3$.—74-10794A
Fuel injector heater.—74-03986P
Glow plug with dual, dissimilar resistive heating elements in ceramic heater.—74-02881P
Influence of sintering profile on the resistivity of low-Curie-point PTCR ceramics.—74-01395A
Low-temperature-fired positive temperature coefficient resistors.—74-02849A
Piezoresistive ceramic sensor based on PTCR barium titanate.—74-09003A
Synthesis and characterization of $(V_{1-x}Cr_xNi_2O_3$ ceramic thermistors with PTCs.—74-06345A
Temperature dependence of intergrain potential barrier height in $PbFe_{0.5}Nb_{0.5}O_3$ posistor ceramics.—74-02864A
Temperature sensor and method for producing temperature sensor elements.—74-09104P
Use of succinic acid to test the stability of PTCR barium titanate ceramics under reducing conditions.—74-00734A

positive temperature coefficient of resistivity,
Valence change of Mn ions into $BaTiO_3$-based PTCR materials.—74-09077A

positrons,
Ab initio study of positron trapping at a vacancy in GaAs.—74-02904A
Characterization of diamond films by slow positrons.—74-07558A
EL2 deep donor state in semiinsulating GaAs revealed by frequency-dependent positron mobility measurements.—74-08879A
Positron lifetime investigations of diamond films.—74-04818A
SiO_2 films deposited on Si substrate studied by monoenergetic positron beams.—74-03216A
potassium tantalum niobate,
Synthesis of highly oriented $K(Ta,Nb)O_3$ (Ta:Nb=65:35) film using metal alkoxides.—74-06444A
potassium,
Absorption losses in MgO-doped and undoped potassium niobate.—74-04244A
Acoustic studies of low-temperature phase transition in K_2ZnCl_4 crystals.—74-03780A
Anisotropy in the ionic conductivity of $K_3NdSi_3O_8(OH)_2$.—74-00454A
Anomalous thermal expansion in $Ba_{1-x}K_xBiO_3$.—74-06487A
Autoclave reaction products at 300°C in system K_2O-SiO_2-H_2O.—74-09971A
CDW paraconductivity in $K_{0.3}MoO_3$.—74-07146A
Characterization of photorefractive $KNbO_3$:Fe by non-steady-state photocurrent techniques.—74-03288A
Chemical reaction in dolomite-KOH solution systems autoclaved at high temperatures.—74-08005A
Collective dynamics of off-center ions in $K_{1-x}Li_xTaO_3$—a model of relaxor behavior.—74-10067A
Comparative study of two magnesium silicates, dunite and olivine, as agents for elimination of potassium in the blast furnace.—74-08612A
Complete level diagram and wave functions of Mn^{2+} ($3d^5$) ions in trigonal $LiKSO_4$ field.—74-07613A
Cooperative Jahn-Teller effect induced in ferroelastic $KEr(MoO_4)_2$ by an external magnetic field.—74-01503A
Cooperative ordering of impurity dipoles in $KNbO_3$ single crystals.—74-06397A
Crystal structure of a new ring germanate $K_{3.8}Nb_5(Ge_3O_9)O_{11.4}$.—74-04116A
Damage and annealing of $KTiOPO_4$ after Er^+ and Yb^+ implantation.—74-10073A
Defect characterization of KTP single crystals.—74-07559A
Dielectric study of the phase transition in $K_{1-x}Li_xTaO_3$.—74-09121A
Dipole-dipole interaction and magnetic ordering in $KEr(MoO_4)_2$: I, Model of dipole magnets for $KEr(MoO_4)_2$.—74-03370A
Dipole-dipole interaction and magnetic ordering in $KEr(MoO_4)_2$: II, Phase transition in $KEr(MoO_4)_2$ induced by an external magnetic field.—74-03371A
Direct observation of the Fermi surface in $Ba_{1-x}K_xBiO_3$.—74-06513A
Dynamical properties of protons in KH_2PO_4 studied by incoherent neutron scattering.—74-05120A
Effect of γ-irradiation on structural transformations of K_2ZnCl_4 at low temperatures from specific heat data.—74-07073A
Effect of pH on growth and properties of KDP crystals.—74-07276A
Effect of potassium on the surface potential of titania.—74-02976A
Effect of the electric field on the elastic and dielectric properties of a lithium-potassium tantalate crystal.—74-10083A
Electron nuclear double resonance evidence for bifurcated hydrogen bonds in KH_2PO_4—possible role in the ferroelectric transition.—74-09130A
Electron-phonon mechanism for resistivity in $Ba_{1-x}K_xBiO_3$.—74-06533A
Electronic structure of surface defects in $K_{0.3}MoO_3$.—74-04613A
Epitaxial growth of (110) $KNbO_3$ films on (100)MgO substrates via sol-gel processing.—74-10334A
Epitaxial waveguiding $KNbO_3$ thin films grown by rf sputtering deposition.—74-09135A
EPR and estimation of the dipole-dipole interaction energy in $KEr(MO_4)_2$.—74-03803A
EPR of Sm^{3+} ion in $KMgF_3$ crystal.—74-02538A
EPR studies of the defect centers in γ-irradiated KH_2PO_4, $NH_4H_2PO_4$, and $Ba(H_2PO_4)_2$ single crystals: effects of impurities and thermal annealing.—74-01383A
Experimental study of the internal and external conical refractions in KTP.—74-03011A
Features of the diffraction of X-ray radiation in crystals of the KH_2PO_4 group in an electric field.—74-03810A
Ferroelectric phase transition and atomic structure of $KGeOPO_4$ crystals.—74-06411A
Fractal aspects of the ferroelectric domain structures in KH_2PO_4 crystal.—74-00753A
Growth morphology of vicinal hillocks on the [101] face of KH_2PO_4—from step-flow to layer-to-layer growth.—74-07662A
Growth of epitaxial $KNbO_3$ thin films.—74-09146A
Interaction of potassium tetrafluoroborate with boric anhydride at high temperatures.—74-01397A
Lead-free glass composition having properties similar to lead crystal glass.—74-02678P
Magnetic properties of low-dimensional Ising magnet $KEr(MO_4)_2$.—74-01536A
Magnetooptical studies of $KEr(MoO_4)_2$ in long-wave ir region.—74-05183A
Microbes: effect on growth and quality KH_2PO_4 crystals.—74-05428A
Microstructure, orientation, and properties of sol-gel-derived $KTiOPO_4$ thin films.—74-06425A
Modeling of alkali ion leaching from the concrete pad barrier into the underlying saturated soil in above-grade tumulus LLRW disposal facility.—74-08075A
Mossbauer study of potassium ferrites.—74-06472A
New perspectives in the BaKBiO system.—74-07705A
Nonlinear electrical transport in K-TCNQ [potassium tetracyanoquinodimethane] at low temperatures.—74-08762A
Observation of beating between cw lasers by time-delayed laser-induced double gratings mediated by photorefractive effect.—74-08974A
Phase transition and electric property of $KSnOPO_4$ (KS) single crystal.—74-01438A
Phase transitions and structural distortions of crystal family akin to α-K_2SO_4.—74-04193A
Phenomenological dynamical theory of KH_2PO_4 in paraelectric phase.—74-00761A
Photorefractive properties of tetragonal $KTa_{0.52}Nb_{0.4}?8O_3$ at high light intensities.—74-01562A
Possible structural transformations upon thermal decomposition of potassium permanganate.—74-01443A
Potassium hexatitanate fibers having tunnel structure, process for producing the same, and composite material—74-01330P
Potassium promoter function in the oxidation of graphite: an experimental and theoretical study.—74-10863A
Rapid consolidation of $Ba_{0.6}K_{0.4}BiO_3$ into superconducting shapes.—74-06623A
Reactive evaporation of potassium in CO_2 and the formation of bulk intermediates.—74-01867A
Removing twins and domains of KIO_3 crystal and its physical properties.—74-10151A
SHG and sum-frequency generation on $KTiOAsO_4$.—74-06310A
^{29}Si MAS-NMR study of the short-range order in potassium borosilicate glasses.—74-02429A
Spin-orientational phase transitions and magnetic structure of low-2-D noncollinear Ising magnet, $KDy(MoO_4)_2$.—74-09222A
Structure–optical property correlation of epitaxial potassium niobate thin films deposited on magnesium oxide(100) substrates using a strontium titanate transition layer.—74-06438A
Superconducting device having superconducting weak coupling—74-00883P
Synthesis and structure of new compound of hollandite series.—74-07132A
Synthesis and structure of the double phosphate $K_2Ti_3P_4O_{20}$.—74-01469A
Synthesis of $K_{0.4}Ba_{0.6}BiO_{3+y}$.—74-01471A
Synthesis of $KTiOPO_4$ (KTP) thin films using metallo-organics.—74-10680A
TE polarizers on $KTiOPO_4$ substrates.—74-03352A
Tectoaluminosilicate cement and a process for its manufacture.—74-02360P
Temperature sensitivity of KDP for phase-matched frequency conversion of 1 μm laser light.—74-06350A
Thermal analysis of the system K_2MoO_4-KF-KBO_2.—74-04228A
X-ray absorption spectroscopy study of the K/GaAs(110) interface.—74-09081A
XRD and SHG studies on $KTiOPO_4$.—74-05802A
potters,
Raw material use among nucleated industry potters: the case of Vasanello, Italy.—74-02299A
pottery,
Amazing paperclay[—sculpture material].—74-00007A
Beginnings of Islamic stonepaste technology.—74-02294A
Celtiberian pottery production in the Spanish Late Iron Age—a case study in the Central Meseta (Soria, Spain).—74-05450A
Cone 06-04 clear and white glazes.—74-00425A
Deer Creek pottery: making purged molds for quick release.—74-00359A
Designing a matt red raku glaze.—74-00014A
Emotional metaphors [a sculptor's technique].—74-00017A
Firing wet pots.—74-00018A
Get the lead out.—74-00931A
Interregional contacts between Tell-en-Nasbeh and littoral Philistine centers in Canaan during Early Iron Age I.—74-05454A
Low-fire redware bodies.—74-00368A
Method for preparing pottery products containing shirasu balloons—74-00449P
Pollution-free salt kiln.—74-01173A
Pots made of memories[—glaze and stoneware recipes].—74-00024A
Richard Fairbanks.—74-00026A
RQ-mode principal components analysis of ceramic compositional data.—74-02300A
Sandcasting ceramics.—74-01179A
Stolen, adapted, and original recipes.—74-00997A
Terra sigilata.—74-00443A
Uljin pottery stones.—74-03952A
White/clear glazes: low fire.—74-00447A
White/clear glazes: mid to high fire.—74-00448A
Woody Hughes at Peters Valley.—74-01010A
Zero shrinkage clay and other sculpture bodies.—74-00031A
powders,
r-Al_2O_3-γ-TiO_2 powders for plasma sputtering.—74-01605A
Alumina raw powders for new ceramics.—74-09735A
Aluminum nitride powder having a reduced ammonia odor and a method for preparing the same.—74-04027P
Aluminum nitride powder having surface layer containing oxynitride.—74-09901P
Aluminum nitride raw powder.—74-09736A
Analysis of the porosity formation during HVOF spraying.—74-10194A
Apparatus for the flame preparation of ceramic powders.—74-03744P
Barium titanate raw powder.—74-08723A
Carbon determination in small amounts of ceramic powder by coulombic titration.—74-09556A
Carbothermal production of beta′-SiAlON from nanosized powders.—74-07214A
Cascaded microwave plasma source of synthesis of ceramic nanocomposite powders.—74-09439A
Ceramic Processing and Sintering.—74-11198B
Ceramics from powders produced by rapid hardening of materials fused in a solar furnace.—74-01137A
Certain regulations of phase formation and structure evolution during hot-pressing of ultrafine powders.—74-04497A
Characterization of powders for dry processing.—74-10222A
Chemical preparation of $YBa_2Cu_3O_x$ superconductors.—74-03425A
Chemical processing of superconducting ceramic powders based on the BiSrCaCuO system.—74-03426A
Chemical vapor condensation of nanostructured ceramic powders.—74-04509A
Chemical vapor synthesis of nanostructured ceramics.—74-07227A
Chemically active powders for the fabrication of high-performance ceramics.—74-04514A
Clinical radiographic evaluation of HAp in the healing of periapical lesions.—74-06963A
Cluster model of the structure in shaped powdered materials.—74-04516A
CO_2-laser-induced gas phase synthesis of micron-sized diamond powders: recent results and future developments.—74-01637A
Coalescence and crystallization in powdered glasses.—74-05670A
Cold forming of long rods from $YBa_2Cu_3O_{7-x}$ powder.—74-00788A
Colloidal processing of silicon carbide.—74-01642A
Composite ceramic powder and production process thereof.—74-02414P
Contact electrification phenomena and powder surface treatments.—74-01652A
Continuous process to produce nanophased ceramic powders.—74-04527A
Cryogenic compaction of nanosize silicon nitride powders.—74-01654A
Crystal structure determination from powder diffraction data by Monte Carlo methods.—74-04115A
Densification of Ti-Al-V powder compacts prepared through premix or prealloyed routes: II.—74-01659A
Development of less corrosive mold powder.—74-00382A
Device for producing finely-divided metal and ceramic powder.—74-03748P
Diffusion processes in solid-phase sintering of simple oxides.—74-04557A
Ecological and economic improvement of compacted powder production.—74-02715A
Economical and technical competition of imported ceramic raw powders with domestic powders in Japan.—74-11156A
Effect of preliminary treatment on the process properties of plasma-chemical oxide powders.—74-04583A
Effect of tin dioxide doping on rutile phase formation in sol-gel-derived nanocrystalline titania powders.—74-07281A
Electron paramagnetic resonance of silicon carbide technological coatings.—74-04013A
Evolution of the structure of nanometric SiC laser-formed powders.—74-04625A
Evolution of the structure of ultrafine SiC laser-formed powders with synthesis conditions.—74-09993A
Fabrication of composite spray powders using reaction synthesis.—74-10346A
Factors affecting strength of agglomerates formed during spray drying of nanophase powders.—74-10354A
Factors influencing the quantitative compositional analysis of powders in sputtered neutral mass spectrometry.—74-05142A
Fine-grained silicon nitride ceramics prepared from ß-powder.—74-01732A
Fine-particle oxide ceramic powders.—74-09821P
Flocculation by VDW [van der Waals] energy/particle size distribution.—74-05895A
Formable ceramic compositions and method of use therefor—74-01254P
Formation of ultrafine multicomponent ZrO_2-based powders in an rf plasma.—74-01739A
High-packing silicon nitride powder and method for making—74-01321P
High-packing silicon nitride powder and method for making.—74-09922P
Hydrolysis of aluminum nitride powder.—74-03819A
Hydroxyapatite ceramics from hydrothermally prepared powders.—74-09785A
Importance of powder equipment maintenance.—74-00939A
Influence of deferrization on the properties of mechanically activated silica powders.—74-01764A
Influence of initial glass powder size on the final microstructure and on the variation of toughness with porosity.—74-05723A
Investigations on nanocrystalline state in $YBa_2Cu_3O_{7-x}$ powder of 0.15 micrometer equivalent in size to λ_L.—74-03506A
Kinetics and mechanisms for nitridation of floating aluminum powder.—74-01776A
Laser-induced ablation and epitaxial growth of SnSe.—74-04727A
Low-flow-rate dry-powder feeder.—74-02012A
Magnetic powder for magnetic recording and magnetic recording medium containing the same.—74-09228P
Manufacturing dielectric powders.—74-05949A
Materials based on fine-grain Si_3N_4 powders.—74-01791A
Mechanical alloying of mixture of Y, Cu, and Ba elemental powders in the formation process of the $YBa_2Cu_3O_{7-\delta}$ superconducting oxides.—74-06583A
Mechanism of La_2CuO_4 solid-state powder reaction by quantitative XRD and impedance spectroscopy.—74-03519A

Metal oxide superconducting powder comprised of flake like single crystal particles.—74-03635P
Method for forming ceramic powders by temperature induced flocculation—74-01024P
Method for forming diamond and apparatus for forming the same.—74-03272P
Method for making submicrometer carbides, submicrometer solid solution carbides, and the material resulting therefrom.—74-09933P
Method for preparing pottery products containing shirasu balloons—74-00449P
Method for producing titanate powder and product made thereby.—74-03992P
Method for production of ultradispersed diamond.—74-04063P
Method of making metal-matrix composites and ceramic-matrix composites by Lanxide process.—74-10454A
Method of manufacturing aqueous ceramic suspensions and the use of said suspensions.—74-03757P
Method of producing Pb-stabilized superconductor precursors and method of producing superconductor articles therefrom.—74-09379P
Methods for preparing fine powders based on zirconium dioxide.—74-01796A
Microstructural evolution in spherical zirconia-yttria powders.—74-01798A
Microwave hydrothermal synthesis of ceramic powders.—74-10465A
Molten-salt synthesis of $Ba_{1-x}Pb_xTiO_3$ in the system $BaTiO_3$-$PbCl_2$.—74-09157A
Morphological and technological characteristics of silicon nitride powder prepared by self-propagating high-temperature synthesis.—74-01543A
Mullite raw powder.—74-10485A
Multiphase electrodispersion precipitation of zirconia powders.—74-10486A
Nanocrystalline powders and suspensions generated using a flow-through hydrothermal process: I, Characterization.—74-10487A
Nanocrystalline powders and suspensions generated using a flow-through hydrothermal process: II, Applications.—74-10488A
Nanophase materials in solid free-form fabrication.—74-01812A
New methods of ZrO_2 powder processing.—74-04776A
New process for preparing nanosize ceramic powders.—74-06794A
Novel routes to microwave processing of ceramic materials.—74-10501A
Numerical solutions for mixed control of powder reactions for spherical, cylindrical, or planar particles.—74-01820A
Obtaining and characterization of silica powder.—74-10855A
Particle size effect on the properties of electrostatic powders.—74-00969A
Polymeric binders for ceramic processing.—74-03997P
Powder and particle characterization—quality control techniques.—74-11184A
Powder from metal and ceramic melts by laminar gas streams at supersonic speeds.—74-00973A
Powder processing for the fabrication of Si_3N_4 ceramics: I, Influence of spray-dried granule strength on pore size distribution in green compacts.—74-01842A
Powder synthesis and shape forming of advanced ceramics.—74-07954A
Preparation of alumina ceramics by pressureless powder packing forming method: I, Development of pressureless powder packing forming method and characterization of green body.—74-03724A
Preparation of Fe-C-B powders by mechanical alloying and heat-resistant hardness of their hot-pressed products.—74-07906A
Preparation of metal ruthenates by spray pyrolysis.—74-10563A
Preparation of monodisperse and spherical zirconia powders by heating of alcohol-aqueous salt solutions.—74-10564A
Preparation of monodispersed, spherical Al_2O_3 and Mg-doped Al_2O_3 powder and sintering characterization of these powders.—74-03725A
Preparation of platelike mullite powders by dry gel method and their applications.—74-07434A
Preparation of powders and thin films of complex oxides from metal alkoxides.—74-09171A
Preparation of powders for zirconia ceramics from aqueous solutions of fluorides.—74-07435A
Preparation of silicon nitride whiskers from diatomaceous earth: I, Reaction conditions.—74-01851A
Preparation of spherical (Zr, Sn)TiO_4 powders by ultrasonic spray pyrolysis.—74-10570A
Preparation of very fine glass powder of high purity—74-00346P
Preparation of zirconium boride powder.—74-10575A
Pressing force distribution in a powder press.—74-09603A
Process for converting water-sensitive ceramic powders into a free-flowing granulated powder.—74-09948P
Process for preparing submicron ceramic powders from precursors within a polymeric foam—74-01031P
Process for producing nanoscale ceramic powders.—74-03773P
Process for the manufacture of 95% by weight single phase YCBO powder in one combustion step, comprising the use of citrate complex compounds as starting materials.—74-03659P
Processing and properties of silceram glass-ceramic matrix composites prepared by the powder route.—74-05786A
Processing of laser-formed, nanosized SiC powders.—74-04837A
Progress in the development of binders: II, Economics.—74-02261A
Raw ceramic powders and ceramic manufacturing process.—74-10600A
Shift of the frequency and Stokes-antiStokes ratio of Raman spectra from diamond powders.—74-07746A
Shock wave equation of state of powder material.—74-04886A
Silicon nitride powder mechanics.—74-04417A
Silicon nitride powder produced by direct nitridation of metallic silicon.—74-10628A
Silicon nitride powder produced by imide decomposition process.—74-10629A
Sintered body of alumina and partially stabilized zirconia, a process for making the same and a method of preparing a powder for sintering—74-01271P
Sintering of ZrO_2-CeO_2 spherical powders prepared by a water extraction variant of the sol-gel process.—74-01889A
Size distribution analysis of powders used for thermal spraying.—74-02044A
Sol-gel process for the synthesis and processing of ceramic powders.—74-07485A
Sol-gel synthesis of $Pb(Sc_{0.5}Ta_{0.5})O_3$ powders and thin layers.—74-01891A
Spherical powders of precious metals for electrodes in multilayer capacitors.—74-05957A
Spray conversion process for the production of nanophase composite powders.—74-03777P
Standardization and reference powder for particle size analysis.—74-09619A
Structural inhomogeneity and crystallization behavior of aerosol-reacted $MgAl_2O_4$ powders.—74-07119A
Structure of silicon carbide powders produced in interaction of silica with carbon black.—74-05275A
Studies of the air plasma spraying of zirconia powder.—74-10654A
Study on internal friction and modulus in nanostructured alumina.—74-03239A
Surface treated ceramic powders—74-01212P
Synthesis and characterization of sinterable silicon nitride powder.—74-01305A
Synthesis and characterization of zinc sulfide/gallium phosphide nanocomposite powders.—74-04934A
Synthesis and properties of reaction-bonded silicon nitride made from high-purity Si powders.—74-01306A
Synthesis of HAp powder for periapical plugs.—74-07514A
Synthesis of ceramic-ceramic composite powders from natural mineral resources.—74-01906A
Synthesis of hydroxyapatite ceramic powders.—74-07007A
Synthesis of nanometer size ceramic powders in a dc transferred arc plasma furnace.—74-03739A
Synthesis of nitrides by mechanical alloying.—74-07133A
Synthesis of vanadium oxide powders by evaporative decomposition of solutions.—74-01912A
Synthesis of ZrO_2+12 mol% CeO_2 powders by coprecipitation technique and their sintering behaviors.—74-10688A
Systematic approach to problem solving for porcelain enamel powder facilities.—74-00155A
Test sieves.—74-09625A
Theoretical investigation of the gas-powder particles transport phenomena in HVOF spraying.—74-10696A
Thermal modification of ceramic powders.—74-04959A
Thermite reaction in a short-time microgravity environment.—74-01595A
Thin slab casting mold powder selection.—74-02790A
Two-photon laser-induced fluorescence measurements of absolute atomic hydrogen densities and powder formation in a silane discharge.—74-03883A
Ultrafine iron oxide powders generated using a flow-through hydrothermal process.—74-07541A
Ultrasonic sieving of fine, dry powders.—74-07542A
Use of supercritical fluids as reaction medium for ceramic powder synthesis.—74-07545A
XPS analysis of surface state of various silicon nitride powders.—74-05301A

power,
Combined heating and power systems in brickworks.—74-09646A
Effect of power on the properties of SiO_2 films produced by plasma-enhanced chemical vapor deposition.—74-10292A
Reducing specific power usage in cement plants.—74-03730A

pozzolanas,
Automatic bagging and palletizing plant for pozzolanic building materials.—74-00035A
Characterization of different Mexican natural pozzolanas.—74-07043A
Characterization of pozzolanas of the Spanish Canary Islands.—74-06894A
Chemical activation of blended cements made with lime and natural pozzolans.—74-00040A
Durability of hydrated cements containing various Greek pozzolans in aggressive media.—74-08015A
Effect of initial water curing on the hydration of cements containing natural pozzolan.—74-05497A
Hydration characteristics of some pozzolanic cements.—74-08044A
Potential expansion of cement mortars in the presence of K_2SO_4 and pozzolana.—74-05569A
Pozzolanic activity of amorphous silica.—74-08085A
Pozzolanicity of a lead slag.—74-08086A
Streamlining Hi Cement's Norzagaray plant (Phillipines).—74-03933A

praseodymium oxide,
Rare-earth oxides as ceramic glaze components.—74-05904A

praseodymium,
Anomalous dephasing of optical transitions of a Pr^{+3} ion in Y_2SiO_5 crystal.—74-07144A
Correlation between the critical Pr concentration and structural parameters in $Ln_{1-x}Pr_xBa_2Cu_3O_7$.—74-03435A
Electronic structural changes in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ single crystals due to Pr 4*f* states.—74-05137A
Epitaxial relationships of the *a*-axis-oriented $YBa_2Cu_3O_{7-x}$ thin films on the $PrBa_2Cu_3O_{7-x}$ buffered $SrTiO_3$(100) by two-step PLD.—74-09266A
Evidence for long localization length along *b*-axis $PrBa_2Cu_3O_7$ in *b*-axis $YBa_2Cu_3O_7$/*a*, *b*-axis $PrBa_2Cu_3O_7$ superlattices.—74-06537A
EXAFS studies on Pr-doped YBCO.—74-06538A
Field-induced diamagnetic fluctuations at low temperature in $Pr_{1.85}Ce_{0.15}CuO_{4-y}$ superconductor.—74-09273A
Hg-based cuprate with the "2212" structure: $Hg_{2-x}(Cu,Pr)_xBa_2PrCu_2O_{8-\delta}$.—74-09283A
Interactions in the systems Pr_2O_3-As_2S_3 and Nd_2O_3-As_2S_3.—74-04153A
Intercalation-desintercalation of oxygen in $Ln_2NiO_{4+\delta}$ (Ln=La, Pr).—74-03500A
Modified Judd-Ofelt technique and application to optical transitions in Pr^{3+}-doped glass.—74-02564A
Nonlinear *I-V* characteristics of the granular $PrBa_2Cu_3O_{7-\delta}$ compound.—74-06597A
Optical fiber amplifier and a glass therefor.—74-08495P
Phase diagram of the system Pr_2S_3-Bi_2S_3.—74-01426A
Scaling properties of the anisotropic magnetoresistance of $(YBa_2Cu_3O_7)_5/(PrBa_2Cu_3O_7)_8$ superlattice.—74-09334A
Structural and magnetic properties of intermediate oxygen stoichiometry $PrBa_2Cu_3O_x$.—74-04429A
Study of *1/f* noise in the normal state of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices.—74-03581A
Superconductivity in the system $Lu_{1-x}Pr_xCu_3O_{7-\delta}$.—74-06640A
Theoretical description of praseodymium-doped zircon—analysis of the impurity centers Pr^{+3}:$ZrSiO_4$.—74-04442A

precalcination,
Installation of kiln line No. 4 at Tasek Cement Plant, Ipoh, Malaysia.—74-09676A
Kiln rotational speed—a neglected control parameter.—74-03915A
New CF/FCB low-NO_x precalciner—a decisive advance in environmental protection.—74-06864A
New Ciments Francais/FCB low-NO_x precalciner: technological progress in the service of the environment.—74-09694A

preceramic,
Low-temperature process for the formation of ceramic coatings—74-01257P
Method of manufacturing parts made of ceramic matrix composite material—74-01323P
Preceramic polymers for use as fiber coatings.—74-09887A

precipitates,
Colloidal stability and titania precipitate morphology: influence of short-range repulsions.—74-01643A
Effect of flux stochasticity on coalescence [of new phase precipitations].—74-04573A
High-resolution transmission electron microscopy of transformed magnesia partially-stabilized-zirconia precipitates.—74-10813A
Preparation and characterization of single-phase ß-SiAlON.—74-04821A

precipitation/precipitators,
Constant-composition study of the precipitation behavior of calcium phosphate in the presence of noncollagenous biochemicals.—74-10236A
Diffusion-induced precipitation in arsenosilicate glass (AsSG).—74-08366A
Effect of glass composition on precipitation of crystallites in CuCl-doped glasses.—74-05676A
Electrostatic precipitator performance improvement through numerical simulation.—74-02754A
FeP precipitates in hydride vapor phase epitaxially grown InP:Fe.—74-04636A
Hydroxyapatite bioceramics.—74-07344A
Multiphase electrodispersion precipitation of zirconia powders.—74-10486A
New methods of ZrO_2 powder processing.—74-04776A
Precipitation of a microcrystalline phase in multichrome glass.—74-02483A
Precipitation of CdTe crystals studied through Mie scattering.—74-06271A
Sol-based processing in high-performance ceramics.—74-04900A
Structure of zirconia prepared by homogeneous precipitation.—74-10035A
Surface precipitation route for the development of cordierite-zirconia composites.—74-04932A
Synthesis of a mullite precursor from aluminum nitrate and tetraethoxysilane via aqueous homogeneous precipitation: a ^{27}Al and ^{29}Si liquid- and solid-state NMR spectroscopic study.—74-10673A
Zirconia powders produced by emulsion techniques.—74-04986A

precursors,
Active-filled-controlled pyrolysis of preceramic polymers.—74-04468A
Apparatus for silicon nitride precursor solids recovery.—74-09520P
Apparatus for the flame preparation of ceramic powders.—74-03744P
Carbothermal synthesis precursors.—74-09522P
Ceramic-ceramic composite prepregs and methods for their use and preparation.—74-09815P
Copper-containing ceramic precursor synthesis—solid-state transformations and materials technology.—74-10248A
Deposition of titanium oxide films from metallorganic precursor by electron cyclotron resonance plasma-assisted chemical vapor deposition.—74-06035A
Electrochemically prepared precursors for the formation of nonoxides.—74-01702A
Fast solution precursor synthesis of the 2223 phase—the role of lead in the reaction pathway.—74-09272A
Formation, structure, and material properties from the reaction product of $M(OCHMe_2)_4$ (M=Ti, Zr) and HOAc.—74-10364A
Group II tris(glycolato)silicates as precursors to silicate glasses and ceramics.—74-04660A

Liquid delivery of low-vapor-pressure MOCVD precursors.—74-07369A
Low-temperature CVD of TiN from $Ti(NR_2)_4$ and NH_3—FTIR studies of the gas-phase chemical reactions.—74-07371A
Method for joining ceramic to ceramic or to carbon.—74-09823P
Method for oxidizing precursor compounds of superconducting oxides.—74-03639P
Method for producing ceramic oxide compounds.—74-09825P
Method for producing ceramics using crosslinked N-vinylcarboxylic and amide resin.—74-09934P
Method of making precursors and articles of ceramic-reinforced metal matrix composites.—74-08312P
Method of manufacturing parts made of ceramic matrix composite material—74-01323P
One-step synthesis of dithiocarbamates from metal powders.—74-10504A
Pentacoordinate silicon complexes as pecursors to silicate glasses and ceramics[—correction].—74-02647A
Phase transitions in amorphous precursors of glass-ceramic and ceramic materials.—74-05689A
Pillaring of layered double hydroxides with cagelike polysilicates—a possible new class of base catalysts or catalyst precursors.—74-10521A
Plasma-deposited silicon oxynitride from silane, nitrogen, and carbon dioxide or carbon monoxide or nitric oxide.—74-01836A
Preceramic compositions and ceramic products.—74-03999P
Precursors of the zeolite ZSM-5 imaged by cryo-TEM and analyzed by SAXS.—74-10864A
Preparation and characterization of group 14 element bis(thiolate) compounds and evaluation of their potential as molecular precursors in the low-temperature synthesis of binary metal sulfides.—74-10545A
Preparation of a metallorganic deposition precursor for barium titanate.—74-10553A
Probing the mechanisms of growth of gallium arsenide by metallorganic vapor phase epitaxy using experimental and theoretical studies of designed precursors.—74-03852A
Process and apparatus for producing a filter in the form of a monolithic honeycomb body.—74-03768P
Process for preparing submicron ceramic powders from precursors within a polymeric foam—74-01031P
Process for producing nanoscale ceramic powders.—74-03773P
Process for the production of Si_3N_4 using a silicon, phosphorus and nitrogen containing precursor—74-01333P
Role of precursors in the sintering improvement of Bi superconductors.—74-03610A
Self-connected CdS nanocrystals as precursors for anisotropic semiconducting films.—74-09033A
Single-source precursors to vanadium nitride thin films.—74-09893A
Synthesis and characterization of group IV metal adamantanol alkoxides as potential PZT precursors.—74-10667A
Synthesis and decomposition of a novel carboxylate precursor to indium oxide.—74-07507A
Synthesis of a precursor of silicon nitride.—74-03878A
Synthesis of Al_2O_3-Al composites with varied compositions via a submicron precursor.—74-10675A
Synthesis of aluminum nitride from aluminum citrate precursor.—74-07511A
Synthetic strategies for MOCVD precursors for HTS thin films.—74-06647A
Thermal evolution of phosphate materials obtained by the coacervation process in polyphosphates—for the CaO-MgO-Na_2O-P_2O_5 system.—74-07532A
Thermoset polymeric precursors for aluminum nitride—74-01341P
Urea formaldehyde as a precursor for sol-gel processing of ceramic powders.—74-04975A
Use of supercritical fluids as reaction medium for ceramic powder synthesis.—74-07545A

prefabrication,
Latest gypsum and plasterboard plant news.—74-02336A

preforms,
Casting process for making glass fiber preforms.—74-08470P
Effect of particulate additions on the rheological properties of polymer-based slurry mixtures and the characteristics of polymer-based slurry-derived preforms.—74-10290A
Fabrication of reliable ceramic preforms for metal matrix composite production.—74-04052P
Infiltration of preforms with particle-filled preceramic polymers.—74-10412A
Knowledge base system [KBS] architecture for a rapid ceramic preforming process.—74-01778A
Method for producing glass preform for optical fiber.—74-02684P
Method of making a preform for an optical fiber.—74-02687P
Preparation of a preform of optical fibers.—74-02692P
Technique for monitoring densification during chemical vapor infiltration.—74-03889AL

preheating,
40 years of Humboldt preheaters.—74-06836A
Economics of batch and cullet preheating.—74-09455A
Experience with cullet preheating at Vetropack plant in Saint-Prex (Switzerland).—74-09658A
Modified preheater/kiln system design.—74-09690A
New Montalieu burning line excels.—74-03714A
PLM's success with indirect batch and cullet preheating.—74-09704A
Practical experience with raw material preheating on glass-melting furnaces.—74-00310A
Preheater kiln start-up and operation at Western Lime, Green Bay.—74-01174A
Preheater modification concepts.—74-03927A
Reinforced suspension preheater conversion in Pakistan.—74-09710A
Rugged preheaters for vacuum plasma spraying.—74-06722A
State-of-the-art preheater design.—74-03932A
Technical measures for decreasing temperature difference between upper and lower preheating zones in tunnel kiln.—74-06875A

preparation,
Application of program controller to raw material preparation.—74-08502A
Bioactive-bioinert composite ceramics.—74-07211A
Ceramography of high-strength ceramics—materials, preparation, microstructure.—74-10218A
Characteristics of $YBa_2Cu_3O_x$ thin films prepared by spin coating technique.—74-03422A
Characterization of carbonaceous gel and gel beads.—74-10766A
Chemical reactional kinetics during preparation of high-T_c superconductors.—74-03427A
Continuous preparation of YBCO/Ag superconducting tape by new MOCVD reactor.—74-06502A
Controlling the properties of bulk metal oxides at a molecular level—alkoxides vs carboxylate-alkoxide routes.—74-10245A
Correlation of pressure and position during in situ $YBa_2Cu_3O_{7-\delta}$ film preparation by facing target magnetron sputtering (FTMS).—74-06504A
Development of ferroelectric relaxor ceramics.—74-09119A
Diol-based sol-gel process for the preparation of lead titanate materials.—74-07261A
Electrophoretic deposition of aluminum nitride.—74-04614A
In situ heteroepitaxial $Bi_2Sr_2CaCu_2O_8$ thin films prepared by metallorganic chemical vapor deposition.—74-06560A
Metal-alkoxide-derived-oriented and epitaxial ferroelectric thin films.—74-09153A
Methods for preparing fine powders based on zirconium dioxide.—74-01796A
Microwave ceramics of high dielectric constant.—74-04754A
New process for preparing nanosize ceramic powders.—74-06794A
Novel technique for the preparation of fine ceramic oxides.—74-07402A
Oxynitride glasses in the system Mg-Al-Si-O-N prepared with the aid of an electrochemically derived polymeric precursor.—74-08447A
Powder and fiber theory, preparation technology, and properties.—74-01841A
Preparation and characterization of a dip-coated SnO_2 film for transparent electrodes for transmissive electrochromic devices.—74-00311A
Preparation and characterization of catalytic zirconia with temperature-resistant surface area.—74-07420A
Preparation and characterization of SiO_2-Sb_2O_3 films obtained by a sol-gel method.—74-02650A
Preparation and characterization of superconducting $YBa_2Cu_3O_x$ thick films obtained by screen printing.—74-03560A
Preparation and characterization of ZBLAN group glasses.—74-08449A
Preparation and evaluation of ferroelectric thin films.—74-09166A
Preparation and properties of calcined PLZT powders.—74-03723A
Preparation and properties of mullite grain.—74-08626A
Preparation and some properties of hollow fiber ceramic membranes.—74-04822A
Preparation of a metallorganic deposition precursor for barium titanate.—74-10553A
Preparation of alumina composite membranes by chemical vapor deposition.—74-10554A
Preparation of alumina/nickel composites by a gas reduction process.—74-07426A
Preparation of aragonite whiskers.—74-07427A
Preparation of $Ba_{1-x}Sr_xTiO_3$ thin films by metallorganic chemical vapor deposition and their properties.—74-06431A
Preparation of BiPbSrCaCuO superconductors with high 2223 phase content by pressing method.—74-09323A
Preparation of BiPbSrCaCuO superconductors with high 2223 phase content by pressing method.—74-09324A
Preparation of BN-AlN-TiB_2 (BAT) electrical ceramic composite by reactive hot-pressing (RHP).—74-07428A
Preparation of calcium phosphate powders by water extraction variant of sol-gel process.—74-10556A
Preparation of CdS-doped glasses from gels containing diethyldithiocarbamatocadmium.—74-05784A
Preparation of CeO_2 films on $LiNbO_3$ substrates by dc reactive sputtering.—74-10559A
Preparation of ceramic composites by active-filler-controlled polymer pyrolysis.—74-10560A
Preparation of dense $BaTiO_3$ ceramics from sol-gel-derived monolithic gels.—74-10561A
Preparation of fiber-reinforced hydroxyapatite.—74-07431A
Preparation of II-VI semiconductor nanocrystallites in a glass matrix using chalcogenizing agent: application to CdSe.—74-09010A
Preparation of MgO dispersed with ZrO_2 by hydrolysis of zirconium butoxide.—74-01849A
Preparation of monodisperse and spherical zirconia powders by heating of alcohol-aqueous salt solutions.—74-10564A
Preparation of powders and thin films of complex oxides from metal alkoxides.—74-09171A
Preparation of silicon carbide fiber from activated carbon fiber [ACF] and gaseous silicon monoxide.—74-10567A
Preparation of smooth and nanocrystalline diamond films.—74-10568A
Preparation of titanium oxide powder of prescribed composition.—74-01852A
Preparation of ultrafine graphite flakes with ordered size and microstructure from vapor-grown ribbonlike filaments.—74-04830A
Preparation of ultrathin ferric oxide layers using Langmuir-Blodgett films.—74-07439A
Preparation of zirconium boride powder.—74-10575A
Preparation, sintering, and electrical behavior of barium stannate.—74-10138A
Preparation, superconductivity, and microstructure of heteroepitaxial $YBa_2Cu_3O_7$/$SrTiO_3$(STO)/$YBa_2Cu_3O_7$ trilayer thin films grown on Y-stabilized ZrO_2(YSZ) substrate.—74-09325A
Preparation, superconductivity, microstructure of heteroepitaxial $YBa_2Cu_3O_7$/$SrTiO_3$ (STO)/$YBa_2Cu_3O_7$ trilayer thin films grown on Y-stabilized ZrO_2 (YSZ) substrate.—74-09326A
Present status of porcelain enamel technology in the U.S.—74-00146A
Problems on contemporary batch plants for container glass.—74-00313A
Properties of magnesium nitride and related compounds.—74-07024A
Properties of quartz fibers.—74-02572A
Sintering of wurtzitic boron nitride under high pressures and temperatures.—74-10636A
Sol-gel process for the preparation of lead titanate thin films.—74-03349A
Study on preparation technology and thermal stability of Tl-2223 superconductors.—74-09345A
Surface Phases on Silicon: Preparation, Structures, and Properties.—74-07975B
Thermal spray coating impregnation—vacuum vs high-pressure/vacuum technique.—74-10697A
Thermodynamic analysis on the preparation of ceramic nitride powders by carbothermal reduction.—74-07136A
Thermodynamical study of the preparation of $CuInSe_2$ thin films in vertical closed tube systems.—74-01920A
Titanate ceramics from wet chemically prepared powders.—74-10703A
Use of existing data sets on technical glasses for the development of new glass compositions using a modified simplex method of sequential optimization.—74-00323A
Various aspects of glaze preparation and application methods.—74-08716A
Various techniques of glaze preparation.—74-08717A

presses/pressing,
5000 tf (49.0MN) VOP system.—74-06674A
Cold forming of long rods from $YBa_2Cu_3O_{7-x}$ powder.—74-00788A
Comparative study of wet- and dry-pressed tiles.—74-09441A
Die compaction.—74-01058A
Dynamics of the pressing cycle and its influence on ceramic tile compaction by fitting an industrial press out with sensors.—74-08536A
Evolution in presses.—74-08677A
Forming in the RAM mode.—74-09465A
Heavy-duty planetary gear systems for roller presses.—74-08039A
Hydraulic press with 10-axis CNC and multiplaten system.—74-01068A
Increasing the pressing behavior of Seydisehir alumina by spray drying.—74-07349A
Influence of mechanical properties on the press performance of enameling steels.—74-00124A
Iso-Press system yields large-format tile.—74-08686A
Multiplaten systems for mechanical presses—hydraulic and pneumatic concepts.—74-00960A
New manufacturing method of porcelain vessel.—74-00436A
New technologies in refractory forming and their effects on product performance.—74-08624A
Possibilities and limits of shaping ceramic powders.—74-00972A
Press forming of sintered hollow brick with high fly ash content.—74-08572A
Pressing and molding oils with a slight content of pollutants.—74-09499A
Pressing force distribution in a powder press.—74-09603A
Slide-table press forming of glass.—74-08457A
Study of press-forming mechanism of calcium silicate brick.—74-08588A
Study on sintered perforated bricks with blind holes.—74-02739A
Vibration pressing of refractory blocks of the lining of removable induction units.—74-02793A

pressure,
Advances in the coating of tools.—74-00106A
Compensation in GaAs:Si in correlation to As pressure during crystal growth.—74-02944A
Consolidation of ultradisperse TiN under high pressure.—74-04526A
Effect of compaction pressure on the sinterability of submicron powders of tetragonal zirconium dioxide.—74-04570A
Effect of hydrostatic pressure on T_c of $Nb_{1-x}Sn_xSe_2$.—74-03448A
Effect of pressure on the combustion synthesis of a functionally graded material TiB_2-Al_2O_3-Al ceramic metal composite system.—74-04584A
Effect of pressure on the crystal structure of some bismuth-based superconductors.—74-09257A
Effect of pressure on the optical gap of high-temperature superconductors.—74-06522A
Effect of the buoyancy force on diamond formation during synthesis under a high pressure.—74-10301A
Growth of cubic boron nitride by chemical vapor deposition and high-pressure high-temperature synthesis.—74-01747A
Growth of diamond thin films by ECR plasma-assisted CVD at low pressures and temperatures.—74-10378A
Hydrostatic pressure effect on phase transitions in perovskite-like ferroelastics.—74-06450A
Influence of plastic raw materials on the pressure casting forming process for fine ceramics.—74-10417A
Influence of the forming pressures on some physical properties of clay body before and after sintering.—74-05814A

Ir absorption spectra of the high-pressure phases of cristobalite and their coordination numbers of Si atoms.—74-04156A
Metastable diamond formation from solutions at atmospheric pressure.—74-10452A
Modeling results of the high-temperature pressure-controlled atomization process (PCAP).—74-10477A
New scope of high-pressure–high-temperature synthesis of cubic boron nitride.—74-10010A
Pneumatic conveying—a review.—74-06715A
Pressure casting in silicate ceramics.—74-09500A
Pressure casting in the ceramic industry.—74-09501A
Pressure casting of silicon nitride.—74-04831A
Pressure dependence of III-V Schottky barriers—a critical test of theories for Fermi level pinning.—74-06276A
Pressure profile in the compression zone of the high-pressure roller mill.—74-09604A
Raman modes of 6H polytype of SiC of ultrahigh pressures—a comparison with Si and diamond.—74-06284A
Structural phase transformation and ground state properties of CdTe.—74-07121A
Synthesis of high-T_c superconductors under high pressure (a review).—74-09351A
Theoretical aspects for low-pressure diamond synthesis.—74-07527A
Thermo-emf of $YBa_2Cu_3O_{6.2}$ under hydrostatic pressure up to 13 kbar.—74-03606A

pretreatment,
Effect of substrate pretreatment on diamond deposition.—74-10297A
How proper metal pretreatment can save you big dollars.—74-00122A

printing,
Anisotropy in rectangular bars fabricated via three-dimensional printing [3DP].—74-10196A
Development of glazed tile with relief patterns by underglaze printing.—74-02710A
Fabrication and microstructural control of advanced ceramic components by three-dimensional printing [3DP].—74-10343A
Ink jet printer ink for printing on ceramics or glass.—74-08651P
Optimization of multicolor tampon printing for porcelain decorating technology.—74-00968A
Precision screen printing fabrics.—74-00025A
Water-miscible mediums: comparison to solvent-based systems.—74-00029A

probes,
Analysis of oxide film on stainless steel via position-sensitive atom probe.—74-05070A
Analytical performance of a secondary neutral microprobe with electron-gas postionization and magnetic sector mass spectrometer.—74-03781A
Dosing probe of O_2 in situ for better utilization of combustibles.—74-09453A
FDTD simulation of an open-ended metallized ceramic probe for broadband high-temperature dielectric properties measurements.—74-08750A
High-frequency potential probe using electrostatic force microscopy.—74-03043A
Imaging microanalysis of ceramic materials with a scanning ion microprobe.—74-06779A
Order parameter of high-T_c superconductors—experimental probes[—review].—74-06602A
Probe for measuring oxygen activity in molten glasses.—74-00689A
Probe yields 3-D atomic view of the chemistry of solids.—74-03851A
Unstandardized electron probe microanalysis of thin films of high-temperature superconducting oxides and semiconductors (thickness <1 μm).—74-01126A
^{89}Y NMR probe of Zn-induced local moments in $YBa_2(Cu_{1-y}Zn_y)_3O_{6+\delta}$.—74-04462A

processing,
A/W glass-ceramic—processing and properties.—74-05748A
Advanced ceramics get tough on costs.—74-07012A
Alumina for ceramics.—74-09756A
Antimicrobial glass "ion pure."—74-08403A
Application of microwave heating to ceramic processing.—74-07203A
Application of soil mechanics to ceramic processing.—74-10198A
Batch process for thinning and shaping diamond films.—74-01620A
Batch to oxide percentage and oxide percentage to batch calculations for glass processing.—74-05752A
$BaTiO_3$ thin films prepared by dip-coating process.—74-09108A
Better ceramics through microwaves.—74-10204A
Biochemical processing of materials—a review.—74-09761A
Bioinspired processing of ceramic matrix components.—74-04485A
Biomimetic processing of calcium carbonate–chitosan composites.—74-07212A
Carbide formation in infrared-processed Nicalon fiber/aluminum composites.—74-10209A
Carbon/boron nitride composites: an alternative to carbon/carbon.—74-09852A
Causes of errors in a float-type level gage for molten glass.—74-02603A
Ceramic beads.—74-06953A
Ceramic fan heater.—74-08726A
Ceramic Microstructures—Property Control and Processing.—74-05434B
Ceramic Transactions, Volume 44: Materials Processing and Design: Grain-Boundary-Controlled Properties of Fine Ceramics: II.—74-05436B
Ceramic Transactions, Volume 45: Environment and Waste Management Issues in the Ceramic Industry: II.—74-05437B
Ceramic Transactions, Volume 51: Ceramic Processing and Technology.—74-07968B
Ceramics, a new dimension in energy technology.—74-11149A
Characterization of magnetic Fe_2O_3.—74-04503A
Characterization of powders for dry processing.—74-10222A
Characterization of thin BiSrCaCuO superconducting films.—74-03423A
Chemical Processing of Ceramics.—74-05440B
Chemical processing of superconducting ceramic powders based on the BiSrCaCuO system.—74-03426A
Chemically active powders for the fabrication of high-performance ceramics.—74-04514A
Chemically bonded ceramics as an alternative to high-temperature composite processing.—74-10224A
Clays and compositions for the rapid processing of sanitary ware.—74-08665A
Colloidal processing for laminated composites of mullite/alumina woven fabrics.—74-01641A
Colloidal processing for preparation of laminated composites of mullite/woven fabrics of Si-Ti-C-O fibers.—74-01224A
Contact angle measurement and its application to sol-gel processing.—74-10239A
Continuous process to produce nanophased ceramic powders.—74-04527A
DCS's (distributed control systems) up product consistency, quality, output.—74-07942A
Development of fine-scale PZT ceramic fiber/polymer shell composite transducers.—74-06399A
Developments in ferroelectric ceramics for capacitor applications.—74-06400A
Diamond as the ultimate ceramic.—74-09862A
Drive units for heavy clay processing.—74-05807A
Effect of precursors on the size of 2-1-1 in melt-processed $ErBa_2Cu_3O_{7-x}$.—74-06521A
Effect of preliminary treatment on the process properties of plasma-chemical oxide powders.—74-04583A
Effect of the green body processing history on the properties of very porous ceramics.—74-04591A
Effects of particle classification on colloidal processing of mullite.—74-01696A
Effects of processing, oxidation, and fiber architecture of thermal and mechanical properties of BN-Nextel 312/Blackglas composites.—74-09867A
Effects of technology parameters on properties of quartz ceramics.—74-01697A
Engineered porous materials.—74-07297A
Engineering analysis for CMC material design considerations using Carborundum's sintered SiC fiber and slurry cast/melt infiltration process.—74-10329A
Evaluation of homogeneity for sintered hydroxyapatite by CT values.—74-07304A
Evolution of a furnace.—74-01151A
Experimental observation of thermal spikes in microwave processing of ceramic oxide fibers.—74-10340A
Expert system for the plasma spray process.—74-10341A
Fabrication of fiber-reinforced nickel aluminide matrix composites by reactive processing.—74-08189A
Feedstocks for ceramic injection molding using the catalytic debinding process.—74-04635A
Feldspar: What is it. Where does it come from. What do I need to know about using it.—74-09744A
Ferroelectric thin films in the system PZT.—74-03305A
Finding order in chaotic mixing.—74-01731A
Formation process and dielectric properties of PMN ceramics in the system $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbZrO_3$-$PbTiO_3$.—74-03308A
Growth of BSCCO fibers using the laser-heated pedestal growth process.—74-03474A
Growth of $YBa_2Cu_3O_{7-\delta}$ thin films by MOCVD.—74-03475A
Hermetic sealing with glass-ceramics.—74-09468A
High-temperature microwave complex permittivity of $YBa_2Cu_3O_{7-\delta}$ superconductors.—74-06557A
High-temperature superconductivity.—74-09287A
Improving control of thermal processes with new system enhances equipment performance and work quality.—74-06780A
Influence of processing parameters on the development of biaxially aligned zirconia thin films deposited by ion-beam-assisted deposition.—74-09291A
Innovations—how to protect them and how to use them.—74-10424A
Innovative infrared processing of metal matrix composites.—74-08217A
Interaction processing solder in thick film and low-temperature cofired ceramic technologies.—74-07355A
Interface control in metal matrix composite fabrication using infrared processing.—74-10427A
Introduction of carboniferrous schists in heavy clay products—exigencies of additives and products.—74-08557A
Investing in quality [at a plaster plant].—74-00071A
Knowledge-based process control of grinding plants.—74-08061A
Latest trends for continuous casting refractories in Japan.—74-00389A
Linear programming as a method for optimization of ceramic processes.—74-11176A
Materials processing with de Laval spray-forming nozzles—net-shape applications.—74-09483A
Method of controlling the deposition of thin CVD layers.—74-07380A
Methods to obtain strong glasses.—74-08441A
Microwave processing of materials.—74-00953A
Microwave processing of metallorganics to form powders, compacts, and functional gradient materials.—74-00954A
Microwave-assisted firing of ceramics.—74-10473A
Modified method for obtaining highly textured YBaCu ceramics.—74-06588A
Mullite formation in kaolite-alpha-alumina.—74-03841A
Multilayer ceramic capacitors.—74-08760A
Nanocomposites.—74-05646A
Nephelinitic syenite from North Cap—deposit, production, properties.—74-06917A
New process grows high-quality single-crystal fibers at high rates.—74-01298A
New routes to nanocomposite materials.—74-10495A
Novel processing of 1-3 piezoelectric ceramic/polymer composites for transducer applications.—74-09160A
Overview of fine-scale piezoelectric ceramic/polymer composite processing.—74-09161A
Overview of hydrothermal and emulsion processing of multiphase ceramic precursor sols.—74-04799A
Phase development in superconducting fiber materials prepared by the LFZ method.—74-03552A
Photoelectrochemical properties of anatase and rutile films prepared by the sol-gel method.—74-07413A
PIP [polymer infiltration/pyrolysis] processing, microstructure, and properties of Si_3N_4 fiber and Al_2O_3 fiber reinforced silicon nitride.—74-10522A
Plasma-added synthesis of ceramic and ceramic matrix composites.—74-10529A
Plaster processing dynamics.—74-05901A
Practical observations on ways to minimize chipping.—74-00143A
Preparation and processing of monodisperse colloidal silica-cadmium sulfide nanocomposites.—74-10548A
Present problems in (silicon) crystal growth.—74-10576A
Present state of porcelain enameling in the Czech and Slovakian republics.—74-00145A
Process control and information management [in the cement industry].—74-05573A
Processable, chemical routes to binary metal sulfides.—74-10580A
Processing and characteristics of spin-cast ferroelectric $Bi_4Ti_3O_{12}$ thin films.—74-09172A
Processing and microstructural control: lessons from natural materials.—74-01856A
Processing and properties of Al_2O_3/SiC whisker composites.—74-10584A
Processing and properties of alumina–graphite platelet composites.—74-04834A
Processing and properties of hydroxyapatite/silver bioceramic composites.—74-07446A
Processing and properties of particulate composites from coated powders.—74-01857A
Processing and properties of silceram glass-ceramic matrix composites prepared by the powder route.—74-05786A
Processing and superplasticity of alumina-based ceramics.—74-04835A
Processing dynamics of plaster.—74-08090A
Processing effects on microstructure and superconducting properties of sintered $YBa_2Cu_3O_{6+x}$.—74-07720A
Processing of 1-3 piezoelectric ceramic/polymer composites.—74-09173A
Processing of better ferroelectric films through chemistry.—74-03341A
Processing of high-porosity engineering ceramics.—74-10588A
Processing of hydroxyapatite by injection molding.—74-07448A
Processing of nanostructured zirconia ceramics.—74-07450A
Processing of piezoceramics for SAW applications.—74-03342A
Processing of porous ceramic substrates.—74-04839A
Processing of Si-based ceramics and ceramic composites using hydridopolycarbosilane (HPCS).—74-01859A
Processing of YSZ layers by electrochemical vapor deposition.—74-04842A
Processing, characterization, and compaction of Y-doped zirconia powders.—74-04843A
Quality assurance by integrated statistical process control: the path from failure detection to failure prevention.—74-00982A
Raw material specifications.—74-07957A
Recent developments in the microwave processing of ceramics.—74-00985A
Recovering metals from red mud generated during alumina production.—74-01241A
Refractories challenge: meeting performance demands.—74-05872A
Role of visualization in process simulation.—74-00992A
Roller kiln and its influence on the planarity of the final product.—74-09711A
Sampling procedures for raw materials.—74-09752A
Slip casting of hydroxyapatite ceramics.—74-06998A
Sol-based processing in high-performance ceramics.—74-04900A
Sol-gel process for the synthesis and processing of ceramic powders.—74-07485A
Sol-gel processing of materials for electronic and related applications.—74-06726A
Sol-gel processing of mullites.—74-10640A
Sol-gel processing using aminofunctional silanes.—74-10641A
Sol-gel processing: a versatile concept for special glasses and ceramics[—review].—74-10642A
SPC in sanitary ware batching.—74-05908A
Synthesis and processing of complex ceramic oxides.—74-01902A
Tape casting and roll compaction.—74-10691A
Technical developments and trends in the porcelain enameling industry at the beginning of the 90's.—74-00156A
Thermal spray coating impregnation—vacuum vs high-pressure/vacuum technique.—74-10697A
Towards optimization of nuclear waste glass—constraints, property models, and waste loading.—74-09420A
Transferring microwave-assisted technology to the ceramic industry.—74-09509A

Westsachsische Steinwerke Ltd.'s new [rock] processing plants at Hartmannsdorf, near Chemnitz, Germany.—74-06733A
World-class quality concepts applied to porcelain enameling operations.—74-02283A

production processes,
Achieving high performance goals in container production.—74-02597A
Acquisition and processing of process data [in the cement industry].—74-06837A
Advanced automation in the production of tableware.—74-08657A
Alumina.—74-06879A
Aluminum nitride sintered body, method for manufacturing the same, and ceramic circuit board.—74-08776P
Aluminum nitride.—74-06880A
Aluminum titanate ceramic and process for producing the same—74-01248P
Andalusite.—74-06881A
Application of porcelain enamel with a high-speed disk.—74-00107A
Application-oriented development of high-performance Si_3N_4 materials and components.—74-10199A
Applications of fly ash in hollow concrete blocks.—74-05463A
Articles of ultrafine grained cemented carbide and process for making {the} same.—74-04028P
Automated production of fine white porcelain within the scope of a closed production line.—74-00894A
AZ Ziegelei at Tauche[, Germany]: technology safeguards tradition.—74-08505A
Baking stone and method of manufacture thereof—74-00103P
Ball clay.—74-06882A
Barium carbonate.—74-06883A
Barium titanate.—74-06884A
Bauxite.—74-06885A
Beams and lintels—the Hungaria Wienerberger Works at Koszeg.—74-02702A
Body-in-white materials systems: a life-cycle cost comparison.—74-02222A
Boron carbide.—74-06887A
Boron nitride.—74-06888A
Boron.—74-06889A
Brick and tile industry in Spain.—74-11143A
Brick and tile industry in the Netherlands.—74-11144A
CAD and the high-speed tumbler decorator.—74-00898A
Calcium aluminate cements.—74-06890A
Casting of sanitary ware: comparison of technology.—74-00424A
Cement and superplasticizer comptability.—74-02312A
Cement plant upgrade and optimization.—74-08002A
Ceramic body reformulation procedure with emphasis on ball clay.—74-09741A
Ceramic fiber product and structure for high temperature severe application environments and method of making same.—74-02795P
Choosing the ceramic brick production technology.—74-00901A
Chromite.—74-06895A
Claylit 2000—a firm presents itself.—74-09645A
Comparative studies: lead-free systems.—74-00010A
Compliance and new precious metals techniques.—74-00011A
Correlation, effect of various conditions on lead release.—74-00426A
Design planning, plant technology, and ergonomic science.—74-08520A
Developing a decorating department in a new fine china plant.—74-00016A
Development and application of annular step submerged entry nozzle.—74-00381A
Development of low-cost brown-red glaze.—74-02713A
Developments and prospects of the Chinese cement industry.—74-02320A
Device for producing finely-divided metal and ceramic powder.—74-03748P
Diamond, industrial.—74-06896A
Diatomite.—74-06897A
Ecological and economic improvement of compacted powder production.—74-02715A
Ecology and quality assurance in modern kiln technology for high-voltage ceramic insulators.—74-01148A
Economical and ecological aspects in enameling plants.—74-08167A
Effects arising from disturbance in the electric power supply, in production processes in the ceramic sector. Search for solutions.—74-09457A
Electrically melted corundum from Northern Onega bauxites and refractories based on it.—74-02753A
Electrophoresis process for preparation of ceramic fibers—74-01017P
Electrophoresis process for preparation of ceramic fibers.—74-03749P
Enameling of chemical equipment.—74-04616A
Engineering-scale development of the vapor-liquid-solid (VLS) process for the production of silicon carbide fibrils.—74-01708A
F. v. Muller Dachziegelwerke: plain clay roofing tiles are now also being produced at Eisenberg/Palatinate.—74-08545A
Fabricating porous silicon carbide.—74-04051P
Fabrication of fly ash mortar mixture.—74-00926A
Fabrication of non-fired fly ash hollow brick without cement.—74-05810A
Feldspar.—74-06900A
Fine-grind cullet technology: I, Application of differential grinding for fine cullet production and contaminant removal.—74-08422A
Fine-grind cullet technology: II, Results of plant production trials using fine-grind cullet.—74-08423A
FLEX melter—a new melting furnace for the glass industry.—74-09668A
Float in glass architecture.—74-02625A
Fluorspar.—74-06902A
Formation of Si-SiO_2 stacked-gate structures by plasma-assisted and rapid thermal processing—improved device performance through process integration.—74-06112A
Frequency inverters for hot gas fans save energy.—74-02327A
From craft trade to industrialization—industrialization of the brickmakers' trade and its social consequences in Northern Germany in the 19th century.—74-08552A
From Hollander to high-tech pan mill.—74-05811A
Further optimization of pregrinding.—74-02328A
Garnet.—74-06903A
Glass having refractive index distribution.—74-08481P
Glass microbeads, applications, properties, and technology (review).—74-02630A
Glass-ceramic composite materials with uniform continuous reinforcing fiber distribution and a unit for their production.—74-01745A
Glazing without air.—74-02809A
Graphite, natural and synthetic particles.—74-06904A
High strength alumina and process for producing same.—74-03988P
High surface area zirconia.—74-09921P
High-packing silicon nitride powder and method for making.—74-09922P
High-quality ferrite production.—74-06459A
Highly polishable, highly thermally conductive silicon carbide.—74-04055P
How a mass heat extractor can increase the pull rate of a forehearth.—74-06855A
How motion analysis can help ensure consistency.—74-05768A
Hydraulic operation of a glass furnace and its role in production.—74-03912A
Improvement of the technology of ball mills.—74-03695A
In search of global quality.—74-02242A
Increased production and quality achieved by improved firing consistency.—74-09675A
Industria Laterizi Donati: a new "universal" brickworks in Tuscany.—74-08555A
Innovations in plating techniques for composite production.—74-05631A
Introducing new information technologies based on personal computers into glass production.—74-03701A
Investigation of coating porosity formation during high-velocity oxyfuel (HVOF) spraying.—74-07357A
Isostatic pressing of balls.—74-00944A
Kangaroo country.—74-02723A
Kaolin.—74-06908A
Kies- und Klinkerwerk Buchwaldchen—an economical symbiosis of modern production plants.—74-03705A
Korea, Japan, Hong Kong—impressions of European brick and tile makers in Asia[: I].—74-11173A
Korea, Japan, Hong Kong—impressions of European brick and tile makers in Asia[: II].—74-11174A
Liquid precious metals application.—74-00022A
Lithium minerals.—74-06910A
Low thermal conductivity ceramic and process for producing the same.—74-09924P
Low-temperature synthesis of $YBa_2Cu_3O_{8-x}$ and other crystalline oxides.—74-03634P
Magnesia alumina spinels for the refractory industry.—74-08621A
Magnesia/magnesite.—74-06911A
Making glass sheet with defect-free surfaces and alkali metal-free soluble glasses therefor—74-00337P
Manufacture and application of split tiles.—74-05898A
Manufacture of mineral fiber.—74-02680P
Meeting the need for slow-speed gob feed.—74-02644A
Megalith Bausteinwerke, Eisenberg/Thruingia: economical and environmentally friendly brick production.—74-02724A
Metals production, energy, and the environment: I, Energy consumption.—74-00950A
Metals production, energy, and the environment: II, Environmental impact.—74-00951A
Method and apparatus for growing diamond films.—74-04059P
Method and apparatus for production of a carbon nitride.—74-09928P
Method for forming beta-silicon carbide whiskers, singly or in a matrix, using an organotitanium coordination compound catalyst.—74-09931P
Method for forming diamond and apparatus for forming the same.—74-03272P
Method for making submicrometer carbides, submicrometer solid solution carbides, and the material resulting therefrom.—74-09933P
Method for manufacturing sintered parts.—74-03756P
Method for preparing pottery products containing shirasu balloons—74-00449P
Method for producing a composite glass body with drawing of concentric melts.—74-02683P
Method for producing a honeycomb shaped ceramic.—74-09529P
Method for producing ceramics using crosslinked N-vinylcarboxylic and amide resin.—74-09934P
Method for producing fused silica with low sodium ion contamination level.—74-08487P
Method for producing single crystal diamond film.—74-09935P
Method for producing titanate powder and product made thereby.—74-03992P
Method for the preparation of halide glass articles—74-00340P
Method of converting a silicon nitride from alpha-phase to beta-phase, apparatus used therefor, and silicon nitride material made therefrom.—74-04066P
Method of fabricating of diamond moth-eye surface—74-01028P
Method of forming p-type silicon carbide.—74-03274P
Method of improving or producing oxide superconductor.—74-03645P
Method of making a holder of ceramic material.—74-09532P
Method of manufacturing silicon nitride whiskers—74-01324P
Method of maufacturing superconductor of ceramics superconductive material.—74-09377P
Method of nitriding silicon—74-01325P
Method of stacking ceramic green sheets.—74-03759P
Mica.—74-06913A
Monolithic, fully dense silicon carbide material, method of manufacturing and end uses.—74-04069P
Mullite raw powder.—74-10485A
Mullite.—74-06915A
Multilayer ceramic capacitor manufacturing process—74-00555P
New concept to promote ceramics.—74-07953A
New directions in porcelain technology.—74-08696A
New feeder bowl: from concept through appraisal to finished product.—74-09488A
New process for the low-cost production of ceramic, metal, and carbon matrix composites.—74-00965A
New quality control system uses lehr alarm for quick response.—74-06795A
Nondensified silicon nitride beta-phase material.—74-09944P
Nonlinear piezoelectric metrology—coefficients and fatigue under impact.—74-09159A
North German clay mineral materials—basis for the manufacture of modern structural ceramic products.—74-06918A
Olivine.—74-06919A
Optimization of glass conditioning.—74-05780A
Optimization of the composition and the properties of the plastic bodies for obtaining silicon carbide products.—74-03718A
Oxide superconductive wire, method of manufacturing the same and the products using the same.—74-03652P
Perlite.—74-06920A
Polycrystalline silicon carbide fibers.—74-04077P
Porcelain enameling industry: where we have been, where we are, and where we are going.—74-02258A
Porcelain enameling: is it a science or is it "black magic."—74-00142A
Porous ceramic beads.—74-09832P
Possibilities of use of pneumatic separation processes in refractory production.—74-02770A
Powder from metal and ceramic melts by laminar gas streams at supersonic speeds.—74-00973A
Power savings by bypassing the dynamic separator in a raw mill with high air speed.—74-02347A
Preparation of ceramic bodies and the applicable grinding systems and processes.—74-00974A
Process and apparatus for producing diamond film—74-01030P
Process and apparatus for production of diamondlike films.—74-04080P
Process control in the production of molten metals.—74-08766A
Process for applying ceramic coatings using a plasma jet carrying a free form nonmetallic element.—74-03769P
Process for making a chemically-resistant porcelain enamel.—74-08317P
Process for making cellular silicon carbide.—74-09950P
Process for making silicon carbide with controlled porosity.—74-09951P
Process for photoinitiated control of inorganic network formation in the sol-gel process.—74-03772P
Process for preparing a thallium-containing superconductor.—74-09387P
Process for preparing barium titanate single crystals.—74-04000P
Process for preparing ceramic fibers from polysiloxanes.—74-04001P
Process for preparing high-T_c superconducting material.—74-03656P
Process for producing columbite-type niobate and process for producing perovskite-type compound therefrom.—74-04002P
Process for producing composite raw material for ceramics and composite raw material for ceramics produced by said process.—74-09538P
Process for producing nanoscale ceramic powders.—74-03773P
Process for producing silicon carbide-base complex.—74-09953P
Process for producing sintered magnesia—74-01267P
Process for producing spherical zeolite catalyst and apparatus for producing the same.—74-03774P
Process for producing thin films of inorganic oxides of controlled stoichiometry.—74-09836P
Process for production of silicon nitride material.—74-09954P
Process for selectively etching diamond—74-01032P
Process for synthesizing diamond in a vapor phase.—74-09955P
Process for the production of a carbon-containing composite material part protected against oxidation.—74-04084P
Process for the production of Si_3N_4 using a silicon, phosphorus and nitrogen containing precursor—74-01333P
Process of producing calcined materials for ferrite magnet.—74-09230P
Process of producing oxide superconductor.—74-09389P
Process of production of a glass intended to be transformed into continuous or stable fibers—74-00348P
Processing and evaluation of clad metals.—74-00975A
Production and characterization of dc and hf plasma jet diamond films.—74-10591A
Production and testing of periclase spinel parts with fused spinel.—74-02728A

Production of ceramic filaments.—74-09539P
Production technology of vitrified tile and its quality.—74-08574A
Productos Ceramicso Malpesa SA[, Bailen, Spain]: a new generation in ceramic manufacture.—74-08575A
Pyrophyllite.—74-06921A
Rare earths.—74-06923A
Reaction injection molding of silicon nitride ceramics having crystallized grain boundary phases.—74-09958P
Recent advances in sol-gel processing for improved materials synthesis.—74-01868A
Reconstruction for a new, ultramodern Shinagawa Refractories "Dream Project 21."—74-02267A
Reuden plant in operation—Ziegelwerke Baalberge now at three locations in Saxony-Anhalt.—74-02732A
Reverse direction pyrolysis processing.—74-09542P
Roben produces at Reetz/Brandenburg.—74-02734A
Scandia.—74-06925A
Self-spreading high-temperature synthesis (SHS). SHS-based technology.—74-03733A
Silica.—74-06926A
Silicon carbide sintered article and method—74-01337P
Silicon carbide whiskers.—74-06927A
Silicon carbide.—74-06928A
β-silicon nitride sintered body and method of producing same.—74-09900P
Silicon nitride powder produced by imide decomposition process.—74-10629A
Silicon nitride.—74-06929A
Simplified production processes for naturally cured light aggregate of fly ash.—74-06725A
Single firing for firing for the manufacture of wall tile: II.—74-00441A
Single firing for the manufacture of wall tile: I.—74-00442A
Sintered material based on Si_3N_4 and processes for its production.—74-04091P
Sintered product of aluminum nitride, a process for the preparation thereof, and a baking jig using the same.—74-04092P
Situation of the brick and tile industry in Morocco.—74-05829A
Split tiles and how they're fired.—74-05830A
Stahlkombinat Magnitogorsk/Urals operates brickworks with ΠΟ technology.—74-08585A
Staloton in Westerkapeln/Velp—production to market requirements— high-quality split tiles thanks to up-to-date manufacturing techniques.—74-05831A
Steps toward the solution of the tin bath block peeling problem in float glass lines.—74-08462A
Strontium.—74-06931A
System grows single-crystal fibers.—74-07525A
Systematic approach to problem solving for porcelain enamel powder facilities.—74-00155A
Talc.—74-06933A
Technical challenge—the new clay roofing tile works of the "Tuileries et Brizueteries Lyonnaises" at Quincieux.—74-02740A
Technical factors of copper aventurine glass.—74-08465A
Thermal spraying—a review of 1993.—74-06731A
Through the fire in a single layer.—74-06876A
Titanium diboride.—74-06937A
Tonindustrie Heisterholz: 30% more capacity with Works IV.—74-08597A
Trends in the decoration of flat glass.—74-02662A
Using a multipurpose tile body.—74-08709A
Various ways of approaching surface finishing from an engineering viewpoint.—74-10716A
Vermiculite.—74-06939A
Visit to Kiev[, Ukraine].—74-08603A
Walther Dachziegelin Langenzenn.—74-05842A
Where the robot wields the trowel.—74-08605A
Wollastonite.—74-06941A
Works III at Autenried: high-efficiency production lines for plain roofing tiles.—74-02742A
Zinc oxide.—74-06942A
Zircon.—74-06943A
Zirconia ceramics and a process of producing the same—74-01278P
Zirconium diboride.—74-06944A

propagation,
Monitoring of microcrack propagation in ceramics under thermal stress by acoustic emission.—74-01082A
Propagation of light in periodic structures based on photochromic glass.—74-02571A

prosthetic ceramics,
Materials.—74-03965A
Mechanical performance of carbon ligament/tendon prosthesis.—74-05729A
Novel ceramics for biomedical applications.—74-06987A
Properties of HAp-coated prostheses and implants.—74-06993A
Structural changes of carbon fibers in biological environment.—74-07027A

protection,
Detection of AlN protective layer in aluminized sheet steel using electron beam and Auger electron microarea analytical techniques.—74-08160A
Relocation of protected plant species and communities in the Westerwald [Germany]—new methods of modern nature conservation.—74-02268A

protons,
Dynamical properties of protons in KH_2PO_4 studied by incoherent neutron scattering.—74-05120A
Ionic conduction in sulfates.—74-00501A
Proton conductivity and synthesis on solid electrolytes.—74-00524A

pullout,
How a mass heat extractor can increase the pull rate of a forehearth.—74-06855A

pulse,
Chirp production of picosecond light pulse in GaAs semiconductor.—74-02939A
Generation and compression of 1.3 μm ultrashort pulses from DFB diode laser.—74-03029A
Generation of nearly transform limited fs pulses by pulse compression of an APM YAG laser.—74-08923A
Generation of sub-ps electrical pulses by nonuniform illumination of GaAs transmission line gaps.—74-06119A

pumice,
Surface activity and a degree of modified silver catalysts carbonization.—74-01897A

pumps,
Application of a dry turbo vacuum pump to semiconductor manufacturing processes.—74-05979A
Application of a dry turbo vacuum pump to semiconductor manufacturing processes.—74-06678A
Developments in slurry pump technology.—74-00915A
Reasons for transverse failure of main axis of vacuum pumps.—74-03729A
Shaft sleeve made of ceramics—74-01270P
Turbomolecular pump having vanes with ceramic and metallic surfaces—74-01274P

purification,
Characteristic of the acid-basic purification processes for ziron powders disgregated with soda ash.—74-04498A
Cordierite honeycomb ceramic for exhaust purifier application.—74-06964A
Effect of purification on properties of high fine grain graphite.—74-07865A
Method for purifying an SiC surface in high vacuum.—74-06204A
Removal of iron oxide from Amakusa pottery stone.—74-08579A

purity,
Evidence for delocalization in high purity *n*-type InP.—74-05013A

pushout,
Effect of interface roughness on fiber pushout stress.—74-05343A

pyrite,
Electrochemical behavior of FeS_2 cathodes for aluminum secondary cells around 100°C.—74-01985A
Electroreduction of Fe^{3+}, O_2, and $Fe(CN)_6^{3-}$ at the *n*-pyrite (FeS_2) surface.—74-01514A
Photoelectrochemical energy conversion obtained with ultrathin organometallic chemical vapor deposition layer of FeS_2 (pyrite) on TiO_2.—74-00519A
Pyrite film formation by H_2S reactive annealing of iron.—74-01864A
Structural, optical, and electrical properties of polycrystalline iron pyrite deposited by reactive dc magnetron sputtering.—74-04430A
Transpassive oxidation of pyrite.—74-02057A

pyrochlore,
Effect of pyrochlore phase on electric properties for PNN-PT-PZ piezoelectric ceramics.—74-09125A
Oxygen reduction on ruthenium-oxide pyrochlore produced in a proton-exchange membrane.—74-07409A
Possibility of pyrochlore phase formation in zinc oxide varistor ceramics.—74-06268A

pyroelectric materials/pyroelectricity,
Pyroelectric properties of sol-gel-prepared $PbTiO_3$ thin films.—74-03345A

pyrolysis,
Active-filled-controlled pyrolysis of preceramic polymers.—74-04468A
Carbon from phenolic resins: carbon yield and volatile contents—recent studies.—74-04494A
Ceramics formed by pyrolysis of either linear or thermosetting carborane (siloxane or silane) acetylene based—74-01314P
Cracking during pyrolysis of oxide thin films—phenomenology, mechanisms, and mechanics.—74-10956A
Evolutionary process during pyrolytic transformation of poly(N-methylsilazane) from a preceramic polymer into an amorphous silicon nitride/carbon composite.—74-01716A
Microwave pyrolysis of emulsified ceramic precursor compounds.—74-10467A
Modeling of the pyrolysis of an organic binder for shaping of injected ceramic pieces.—74-07391A
Modeling, analysis, and kinetics of transformations in Blackglas preceramic polymer pyrolysis.—74-10478A
Optical moldings made from silicon nitride, and a process for their production.—74-04072P
Preparation and properties of $YBa_2Cu_3O_{7-\delta}$ superconductor by citrate pyrolysis.—74-03561A
Preparation of ceramic composites by active-filler-controlled polymer pyrolysis.—74-10560A
Preparation of spherical (Zr, Sn)TiO_4 powders by ultrasonic spray pyrolysis.—74-10570A
Pressureless-sintered SiC—material using polymers for new technical applications.—74-07023A
Processing of laser-formed, nanosized SiC powders.—74-04837A
Production and structure of pyrolytic carbon nanotubes (PCNT's).—74-00977A
Properties of aluminum carbide powder prepared by the pyrolysis of alkylaluminum.—74-04849A
Pyrolysis of poly(siloxane) preceramic polymers: effect of atmosphere on product chemistry.—74-01865A
Pyrolysis of titanium-metal-filled poly(siloxane) preceramic polymers: effect of atmosphere on pyrolysis product chemistry.—74-07454A
Pyrolytic carbon coatings.—74-06994A
Pyrolytic porcelain enamel.—74-08260A
Pyrolytic powder processing for varistor materials.—74-03186A
Redistribution reactions in Blackglas during pyrolysis and their effect on oxidative stability.—74-10872A
Reverse direction pyrolysis processing.—74-09542P
Silicon carbide from laser pyrolysis of polycarbosilane.—74-07478A
Silicon nitride and silicon carbonitride by the pyrolysis of poly(methylsiladiazane) [PMSDZ].—74-10627A

pyrometers/pyrometry,
Dynamics of splat formation and solidification in thermal-spraying processes.—74-09563A
High-speed temperature measurement for on-line process control and quality assurance during plasma spraying, I: Identification of important process parameters—measurement principle and potential as an industrial process control instrument.—74-01065A
New generation sensors proving advantageous in monitoring continuous casting lines.—74-01086A

pyrophyllite,
Pyrophyllite.—74-06921A
Technological studies of raw materials for increasing whiteness of pyrophyllite- and kaolinite-containing raw materials.—74-01204A

pyroxenes,
Glass-ceramics based on the pyroxene-nepheline system.—74-05766A
Nitrogen pyroxenes.—74-07401A

quality control,
Benefits of ISO 9000 certification.—74-11142A
Calibration in Ceramic Test Laboratories.—74-09555A
Cement quality control with a new XRF spectrometer.—74-03784A
Ceramic tiles nearing the year 2000—a global approach to quality.—74-08507A
Characterization and quality control of clay raw materials and ceramic batches from the raw material suppliers' point of view.—74-09743A
DCS's (distributed control systems) up product consistency, quality, output.—74-07942A
Design of a new anode technology for the aluminum industry.—74-07943A
Development of ceramic tile quality systems—keeping up with consumer expectations.—74-08522A
Developments in container inspection technology.—74-00293A
Focus on microscopy.—74-03814A
Fully automatic quality assurance in the roofing tile industry.—74-02720A
Fuzzy logic in color quality control.—74-11164A
High-quality ferrite production.—74-06459A
Importance of sample integrity: a commercial lab's perspective.—74-09746A
In search of global quality.—74-02242A
In-process quality control.—74-10408A
Influence of impurities in raw materials for glass manufacturing.—74-01195A
Inspection and measurement priorities in the container section.—74-00199A
ISO 9000 certification—preparation and expectations.—74-02247A
Manufacture and application of split tiles.—74-05898A
Modern kiln construction for ceramic high tension insulators: highest efficiency with ecological consideration and quality assurance.—74-01165A
Neuronal acoustic classification in the porcelain industry.—74-01085A
New quality control system uses lehr alarm for quick response.—74-06795A
Nondestructive quality control of refractories.—74-03846A
Powder and particle characterization—quality control techniques.—74-11184A
Practical observations on ways to minimize chipping.—74-00143A
Present-day quality assurance for manufacture of refractories.—74-02771A
Productivity increases through electronic communication.—74-00315A
QCS/On Stream control application.—74-02350A
QFD in ceramics.—74-07955A
Quality and quantity—striking a balance for float glass.—74-06805A
Quality assurance for the manufacture of refractories.—74-00399A
Quality glass production begins in the batching system.—74-02654A
Quality improvement movement: an overview.—74-11187A
Raw material specifications.—74-09749A
Refinement of glazes.—74-05905A
Review of secondary ion mass spectrometry characterization of contamination associated with ion implantation.—74-03864A
SPC in sanitary ware batching.—74-05908A
Supplier quality management [SQM] for ceramic industries.—74-11192A
Tile fixing skills: an Australian approach to quality control.—74-08594A
Towards manufacturing high-quality thermal-spray coatings.—74-10706A
What will the material of the future for tableware ceramics look like.—74-00446A
World-class quality concepts applied to porcelain enameling operations.—74-02283A

quantum wells,
Carrier capture and relaxation in narrow quantum wells.—74-08834A
Coulomb blockage in small quantum dots.—74-00470A
Directly detected NMR of optically pumped GaAs quantum wells.—74-02966A
Dispersive subband-resonant nonlinearity in amorphous Si/SiO_2 quantum well structures.—74-08864A
Features of electron scattering in δ-doped multiquantum well structures.—74-06101A
Mid-ir phase modulation via Stark effect on intersubband transitions in GaAs/GaAlAs quantum wells.—74-00659A
Modeling the excitonic electrorefraction in InGaAsP multiple quantum wells.—74-00660A

Monte Carlo simulation of gain compression effects in GRINSCH quantum well laser structures.—74-08957A
Phonon polariton modes in quantum well wire superlattices.—74-03152A
Pump-probe investigations of biexcitons in GaAs quantum wells.—74-09018A
Quantum microstructure devices.—74-06281A
Semiempirical line shape model of GaAs MQW structures.—74-09034A
Simple method for extraction of multiple quantum well absorption coefficients from reflectance and transmittance measurements.—74-00711A
Spectroscopy of quantum levels in charge-tunable InGaAs quantum wells.—74-09047A
Stimulated emission and optical gain in CdTe/CdMnTe graded index separate confinement heterostructures.—74-03227A
Subband structure of quantum wires in magnetic fields.—74-01585A

quarrying,
Bucket wheel excavators for semihard rocks as an alternative to blasting.—74-06681A
Bucket wheel excavator in a limestone quarry.—74-07997A
Cement industry develops in Vietnam.—74-11145A
Clear visualization of quarry development.—74-03677A
Quarry case study—the Foster Yeoman experience.—74-08261A
Rudersdorf Lime Works and Industrial[—Germany].—74-08103A
Selection of earth-moving systems.—74-06723A
UK lime plants: I, British Steel's Schapfell plant.—74-08116A
UK lime plants: II, Syngleton Birch, Melton Ross[, UK].—74-08117A
Variability of the material in a quarry of clay for "cottoforte" tile production.—74-06938A

quartz,
Application of konilite to strengthening porcelain.—74-00420A
Behavior of synthetic quartz glass under the action of intense irradiation from KrF and ArF lasers.—74-02431A
Behavior of the refractive index of quartz glasses in the region of the glass transition temperature.—74-02516A
Calculation of the spectra of natural frequencies in a stochastic model of quartz glass.—74-02434A
Changes in surface of dry activated quartz and magnesite powders during dynamic and static contacts with liquid environments of various polarities.—74-07218A
Characterization of a thickness-shear mode quartz resonator with multiple nonpiezoelectric layers.—74-09112A
Compact and inexpensive quartz capillaritron source.—74-00903A
Cristobalite reinforcement of quartz glass.—74-08648P
Effect of an electric field and heat treatment on formation of radiation color centers in quartz glass.—74-02448A
Effects of focused ion beam reticle repair on optical lithography at i-line and deep ultraviolet wavelengths.—74-01059A
Effects of quartz addition on texture of mullite-corundum products.—74-07284A
Effects of technology parameters on properties of quartz ceramics.—74-01697A
Electromelted quartz glass tubes doped with Ce-Ti for making nonozone lights.—74-08417A
Formation of crystals of α-SiO_2 with admixtures of Fe^{3+}.—74-01994A
Genesis and melting behavior of quartz raw materials.—74-00298A
High-strength triaxial porcelain by an improved glassy phase.—74-05896A
Indentation behavior of soda-lime silica glass, fused silica, and single-crystal quartz at liquid nitrogen temperature.—74-05366A
Influence of prestressed quartz on increased mechanical strength of porcelain.—74-00433A
Isolated and embedded cluster modeling of the oxygen vacancy in α-quartz.—74-05026A
Low-temperature irradiation effects in natural crystalline quartz.—74-10113A
Microwave GaAs integrated circuits on quartz substrates.—74-03109A
Monte Carlo modeling of the structure of quartz glass.—74-02473A
Optical member of synthetic quartz glass for excimer lasers and method for producing same.—74-02690P
Preparation and properties of thin films on the quartz glass.—74-07424A
Problem of modeling the structure of quartz glass by the Monte Carlo method.—74-00209A
Properties of quartz fibers.—74-02572A
Reversibility of the lowering of strength of optical quartz fibers upon removal of coatings.—74-02576A
Rheological anomalies of fireclay-quartz binding suspensions.—74-03731A
Shear vibrations of quartz rods and resonators on their basis.—74-07113A
Stabilization of ß-quartz at room temperature and normal pressure.—74-05794A
Study of quartz ceramic strengthening by hydrothermal treatment.—74-07921A
Study of quartz ceramics using fused quartz.—74-02786A
Theoretical analysis of main parameters ruling the sensitivity of quartz crystal accelerators.—74-05965A
Thermodynamic study of quartz in the vicinity of the α-ß transition.—74-04233A
Uljin pottery stones.—74-03952A
Use of a quartz ultrafine-fibered material for the preconcentration of polychlorinated dibenze-*p*-dioxines, dibenzofurans, and diphenyl from atmosphere.—74-01924A
Use of borosilicate and quartz glasses as structural materials of containers for storing ultrapure germanium tetrachloride.—74-08399A

quenching,
Correlation between the static and dynamic strengths of quenched glass.—74-02526A
Diamond nucleation at the organic liquid-metal interface by laser-induced reactive quenching.—74-01677A
Effects of quenching and preparing procedures on superconductivity, oxygen content, and microstructure of Bi(Pb)-2223 phase.—74-09260A
Enhancement and quenching of Berreman polaritons in SiO_2/TiO_2 and Al_2O_3/Pt superlattices.—74-10100A
Heat transmission on the thermal shock test of ceramics.—74-01520A
Influence of antimony oxide on the properties of $YBa_2Cu_3O_{7-x}$ superconductors prepared by melt quenching.—74-06561A
Low-temperature quenching of $YBa_2Cu_3O_{7-\delta}$.—74-00823A
Luminescence quenching dynamics of ceramic $YBa_2Cu_3O_{7-\delta}$ near the superconducting transition.—74-03511A
Mathematical model of optimization of glass quenching.—74-03918A
Raman spectra of rapidly quenched glasses and melts containing large amounts of Li_2O.—74-08348A
Stabilization of ß-quartz at room temperature and normal pressure.—74-05794A
Structural change of rapidly quenched binary tellurite glasses with composition and temperature.—74-05697A
Y_2BaCuO_5 excesses and quenching influences on melt-textured YBCO.—74-06666A

quicklime,
Conversion rates of industrial limestone and quicklime reactions—indirect influence of molar volumes of the solid phases.—74-05481A
High-pressure grinding rolls.—74-08042A
History of lime production at Rudersdorf near Berlin—an open-air museum project of the building materials industry.—74-07950A
Influence of chemical composition on properties of nonexplosive demolition agent for low temperature.—74-00065A
Properties of expansive stress of nonexplosive demolition agent in long period of time.—74-08095A
Quicklime properties and genesis of limestone—porosity and spatial pore distribution.—74-06922A

R-curve,
Cyclic fatigue in ceramics: a balance between crack shielding accumulation and degradation.—74-05331A
Determination of the *R*-curve from the strength–indentation load relation.—74-07860A
Evaluation of bridging parameters in aluminas from *R*-curves by use of the fracture mechanical weight function.—74-05349A
Flaw-tolerance and *R*-curve behavior of liquid-phase-sintered silicon carbides with different microstructures.—74-02144A
Fracture resistance behavior of highly anisotropic silicon nitride.—74-11006A
Frontal process zone effect of the *R*-curve behavior of a 2-D SiC/C/SiC composite material.—74-07884A
J_R-Δa curves of 9 mol% Ce-TZP ceramics with different grain size and specimen geometry.—74-02159A
Measurement of rising *R*-curve behavior in toughened silicon nitride by stable crack propagation in bending.—74-11039A
Measurement of the crack tip fracture toughness.—74-02167A
Microcracking and *R*-curve behavior in SiC-TiB_2 composites.—74-11049A
R-curve behavior of Al_2O_3 under transient thermal stresses.—74-02098A
R-curve effect during subcritical crack growth under static load.—74-02099A
Resistance to crack propagation in an Al_2O_3/ZrO_2 ceramic.—74-02192A
Slow crack growth in alumina with *R*-curve at elevated temperatures.—74-11090A
Subcritical crack growth in ceramics with *R*-curve behavior.—74-07922A

radiation,
Changes in the electronic spectrum of $YBa_2Cu_3O_{6.9}$ radiative disordering: ^{89}Y and ^{63}Cu NMR data.—74-09242A
Characteristics of coloration of multichromatic glasses induced by laser radiation.—74-00243A
Crowdion spreading and radiation stability possibility of nonoxides.—74-09861A
Diamond radiation detectors.—74-09865A
Effects of radiative processing steps on inversion layer mobility and channel hot carrier damage in reoxidized nitrided oxide MOSFET's.—74-02984A
Electron transfer under radiation and protective action of cerium in radiation-resistant glasses.—74-00195A
Fast neutron radiation damage effets on high-resistivity silicon junction detectors.—74-03017A
Flat glass for space uses.—74-08374A
High-dose Cl implantation in ZnSe: impurity incorporation and radiation damage.—74-08927A
Highly advanced ceramics to usher in the next generaton of efficient gas-fired radiant burners.—74-01157A
Improvement in ir properties of chemically vapor deposited diamond films by smoothening with KrF excimer radiation.—74-10398A
Luminescent characterization of radiation damage and impurities in ion-implanted natural diamond.—74-10006A
Numerical analyses of silicon-on-insulator short-channel effects in a radiation environment.—74-03132A
Possibility of using radiation at [electron] channeling in study of multicomponent crystals.—74-04197A
Radiation damage and electrical properties of ion-implanted chemically vapor deposited diamond.—74-10147A
Radiation emitting ceramic materials and devices containing same—74-01268P
Radiation-induced electron transfer and the protective effect of cerium in radiation-resistant glasses.—74-00211A
Radiative properties of glass and cast silicates. Modeling of heat transfer: I, Glass and infrared radiation.—74-08390A
Radiative properties of glass and cast silicates. Modeling of heat transfer: II, Heat transfer in a semitransparent medium. Importance of complex spectral index n_λ.—74-08391A
Radiotherapy glasses.—74-05740A
Sound amplification by stimulated emission of radiation in an amorphous compound.—74-08393A
Space environment and materials.—74-11190A
Superconducting $YBa_2Cu_3O_{7-x}$ thin-film molometer for infrared radiation.—74-06637A
Use of a permeable ceramic for radiation enhancement in a gas-fired furnace.—74-09722A

radioactive materials,
Vitrification of hazardous and radioactive wastes.—74-09423A

radioactivity,
Measurement of naturally occurring radioactivity in refractories: analytical methods for the workplace.—74-08622A
Use of combustion and incineration wastes for structural clay products.—74-08602A
What MSDS should present about NORM radioactivity: technical and regulatory issues.—74-11196A

radiography,
In situ radiography during tensile tests.—74-04016A
Neutron radiography—an excellent method of measuring water penetration and moisture distribution in cementitious materials.—74-08077A
Radiograph and ultrasound detect defects early.—74-06806A
Radiotherapy glasses.—74-05740A

radiometry,
Radiometric measurement techniques for the ceramic industry.—74-01095A

Raman spectroscopy,
Determination of AlAs mole fraction in $Al_xGa_{1-x}As$ using Raman spectroscopy and X-ray diffraction.—74-05112A
Diamond synthesis at low temperatures.—74-07259A
Electrochromic reactions in manganese oxides: I, Raman analysis.—74-01704A
In situ Raman investigation of diamond films during growth and etching processes.—74-04694A
Increased precision in strain measurement of diamond by micro-Raman spectroscopy.—74-06781A
Infrared and Raman spectra of solid solutions $Ti_{1-x}Zr_xO_2$ ($x \leq 0.1$).—74-03824A
Investigation of glasses of the B_2O_3-Sb_2O_3 system by the method of Raman spectroscopy.—74-02468A
Large-area diamond film growth in a low-pressure flame.—74-07365A
Low energy levels of the Fe^{++} ions in ZnSe by Raman spectroscopy.—74-04160A
Low-energy modes in phosphate glasses—a comparison with the soft potential model.—74-08375A
One-phonon Raman scattering of CdS microcrystals embedded in a germanium dioxide glass matrix.—74-06234A
Optical properties of diamondlike transitional films produced by dc plasma deposition of acetylene.—74-07405A
Pressure dependence of Raman scattering in $AgGaSe_2$.—74-03179A
Raman and X-ray studies of polycrystalline CVD diamond films.—74-07725A
Raman modes of 6H polytype of SiC of ultrahigh pressures—a comparison with Si and diamond.—74-06284A
Raman scattering by surface phonon-polaritons in large SiC microcrystals.—74-05226A
Raman scattering in high-temperature phase of fullerite C_{60}.—74-04406A
Raman scattering of ferroelectric soft mode in $Sr_2Ta_2O_7$.—74-00764A
Raman spectra of MOCVD-grown ferroelectric $PbTiO_3$ thin films.—74-07726A
Raman spectra of rapidly quenched glasses and melts containing large amounts of Li_2O.—74-08348A
Raman spectroscopic studies on the formation mechanism of hydrous-zirconia fine particles.—74-01447A
Raman spectroscopy of barium titanate thin films.—74-10871A
Raman spectroscopy of covalently bonded alkylsilane layers on thin silica films immobilized on silver substrates.—74-06807A
Raman spectrum of nanometer SnO_2.—74-10025A
Raman study of ortho-II phase of the $YBa_2Cu_3O_{7-\delta}$ single crystal—role of local oxygen ordering in the doping.—74-09329A
Raman study on (Pb, La)TiO_3 ceramics.—74-05228A
Shift of the frequency and Stokes-antiStokes ratio of Raman spectra from diamond powders.—74-07746A
Two- and three-phonon resonance Raman scattering in quasi-2-D electron systems under strong magnetic field.—74-07785A
Use of Raman scattering to study disorder in pulsed laser deposited MoS_2 films.—74-04237A
Variation of the Raman diamond lineshape with crystallographic orientation of isolated chemical vapor deposited diamond crystals.—74-10050A
Wear and Raman spectroscopy of ion-bombarded glasslike carbon.—74-04982A

rare earths,
Analytical model for rare-earth-doped fiber amplifiers and lasers.—74-05977A
Application of rare-earth microalloy cast iron for glass mold.—74-09430A
Crystal field effects on the magnetic susceptibility of rare tellurium oxides.—74-01504A

Effect of dopant species on tetragonal (t')-to-monoclinic phase transformation of arc-melted ZrO_2-$RO_{1.5}$ (R=Sm, Y, Er, and Sc) in water at 200°C and 100 MPa pressure.—74-07074A
Effect of rare-earth chromites on sintering of magnesia.—74-04586A
Effect of transition/rare-earth metal oxide additions on densification during sintering of Si_3N_4.—74-01695A
Effects of adding rare-earth oxides on the sintering and hydration resistance of dolomite.—74-05507A
Elastic properties of rare-earth ferrite garnets.—74-04292A
Electrical transport properties of incommensurate layer compounds $(RES)_xNbS_2$ (RE=rare-earth metals; x=1.2, 0.6).—74-04305A
Electron density in a $YBa_2Cu_3O_7$ crystal upon displacement of Ba^{2+} by a rare-earth ion (R^{3+}).—74-06532A
Energy gaps in the spin-wave spectrum of rare-earth orthoferrites in a magnetic field.—74-04311A
EXAFS studies of rare-earth-doped calcium sulfide thin films.—74-05140A
Fabrication and phase relationship of new high-temperature defect fluorite phase in the system R_2O_3-Ta_2O_5 (R=La–Yb).—74-09994A
Formation and properties of rare-earth galliogermanate and aluminogermanate glasses.—74-05718A
High-temperature X-ray diffraction study on cubic-tetragonal phase transition in the ZrO_2-$RO_{1.5}$ systems (R=rare earths).—74-01394A
Hydrogen sulfide solid-oxide fuel cell using ceria-based electrolytes.—74-05940A
In situ characterization of rare-earth–CdTe heterostructures by ion beam analysis.—74-06146A
Investigation of magnetic properties of HTS ceramics $RBa_2Cu_3O_{7-\delta}$ (R = Y, Gd, Dy, Eu) in constant and varying field.—74-03504A
Is giant rare earth magnetostriction possible in perovskite structure.—74-03383A
Lattice parameters and densitive of rare-earth oxide doped ceria electrolytes.—74-02846A
Magnesia spinel ceramics alloyed with rare-earth oxides.—74-05182A
Magnetoelastic anomalies of thermal expansion of $LiRF_4$ crystals, R=Ho, Tm, Lu.—74-07088A
Magnetoelastic interactions in $RECuO_4$ system.—74-03516A
Magnetooptical properties of orthochromites.—74-04355A
Magnetostrictive materials.—74-00778A
Microstructure and superconducting properties of highly dense $Ba_2RCu_4O_8$ (R=rare earth) ceramics by two-stage sintering.—74-03525A
Nature of features of electrical properties and optical absorption edge in rare earth and 3*d* transition metal compounds.—74-04371A
Optical and electrical properties of $Sc_{0.2}Yb_{0.8}As$ and $Sc_{0.7}Er_{0.8}As$ semimetallic compounds lattice matched to GaAs.—74-00674A
Optical properties of transition-metal and rare-earth ions in beta aluminas.—74-01554A
Optical spectra, energy levels, and emission intensity calculations of trivalent thulium ions in gadolinium scandium gallium garnet.—74-04386A
Phase *p-T* diagrams of $Rb_2KB^{3+}F_6$ elpasolites (B^{3+}=Ho, Dy, Tb).—74-04175A
Phase transition of rare-earth aluminates ($RE_4Al_2O_9$) and rare-earth gallates ($RE_4Ga_2O_9$).—74-10017A
Polishing parameters and their effect of glass polish performance.—74-08448A
Preparation of stabilized zirconia using a mixture of rare-earth oxides as dopant.—74-10571A
Properties of heterosubstituted titanates with perovskite structure.—74-03344A
Quadrupole-strain interaction in rare-earth hexaborides.—74-04403A
Rare earth oxide-alumina-silica sintered body and method of producing the same.—74-09838P
Rare earths.—74-06923A
Rare-earth $N_{4,5}$ emission spectra of some rare-earth hexaborides.—74-02037A
Rare-earth-containing alkali silicate frits and their use for the preparation of porcelain enamel coatings with improved cleanability.—74-08320P
Rare-earth-doped, low-hydroxyl organically modified silicates.—74-10599A
Separation of tungsten from rare-earth elements by ion-exchange chromatography.—74-01879A
Structural and dielectric properties of perovskite-like rare-earth titanates.—74-04215A
Structure and electric properties of PZT ceramics substituted by La and Nd.—74-08773A
Structure and properties of periclase ceramics doped with rare-earth oxides.—74-05270A
Superconductivity in the system Ln-Sr-Nb-O (Ln=La, Nd, Gd, Dy, Tm, Lu).—74-00855A
Synthesis of infinite-layered superconductors under high pressure.—74-03602A
Synthesis of the compounds $LiKRF_5$ (R=Gd–Lu).—74-01911A
Synthesis of the fluorohafnates of the rare earths RHf_2F_{11} (R=La–Nd).—74-04947A

raw materials,
45 years of Design Office, 1949-1994.—74-11133A
Alumina raw powders for new ceramics.—74-09735A
Aluminum nitride raw powder.—74-09736A
Analyzers for in-line analysis of bulk material stream.—74-01038A
Application of program controller to raw material preparation.—74-08502A
Applications of low-temperature once-fired wollastonite raw material glaze to red stoneware.—74-02805A
Benefits and limitations when using secondary materials.—74-06886A
Cement plant of the future.—74-08001A
Ceramic clays of the lower Cretaceous in east Spain.—74-06892A
Ceramic fan heater.—74-08726A
Ceramic interest weald clays from Castellon.—74-06893A
Ceramic raw materials and minerals—some environmental considerations.—74-09742A
Ceramic raw materials in western Turkey: occurrence and uses.—74-01188A
Characteristics (and manufacturing method) of ceramic membranes and their application to biological processes.—74-10219A
Characteristics of dickite and its applications to household fine porcelain.—74-01189A
Characterization and quality control of clay raw materials and ceramic batches from the raw material suppliers' point of view.—74-09743A
Continuous grinding—an applicable method for tile production.—74-08667A
Correlation, effect of various conditions on lead release.—74-00426A
Determination of major and minor elements in ceramic raw materials by ICP-AES with direct introduction of slurries.—74-07628A
Economical and technical competition of imported ceramic raw powders with domestic powders in Japan.—74-11156A
Effect of body composition and technological conditions on the properties of porous wall tiles.—74-08537A
European cement industry's approach to the use of secondary raw materials and fuels.—74-08023A
Export markets driving global soda ash growth.—74-07945A
First occurrence of dickite in varicolored clays in the northern Apennines, Italy.—74-06901A
Fly ash, a raw material for cement production.—74-00059A
Grasim Industries embarks on major expansion of cement production in India.—74-02329A
Grinding energy and plant throughput improvement.—74-08035A
High-purity raw materials—a contradiction in terms.—74-09745A
How cullet can be used effectively as a raw material.—74-07339A
Improved method to determine fluorides in glasses and glass raw materials.—74-01069A
Indian ceramic industry—perspectives and prospects.—74-11168A
Influence of raw material composition and technological conditions on properties of earthenware tiles.—74-08685A
Insulating fibrous material from natural and artificial aluminosilicate raw materials.—74-00388A
Introduction to enameling technology (electrostatic powder coating) by powdery raw materials.—74-08223A
Investigation on some Turkish ceramic raw materials for sanitary ware production.—74-06907A
Italian red firing clays.—74-09747A
Kaolin raw materials for isostatically pressed whiteware bodies.—74-08687A
Magnesium silicate granules from natural raw materials.—74-03946A
Market for magnesia raw materials.—74-06912A
Minimizing color adjustments to production glazes.—74-08693A
Modernization of UNICEM's Augusta plant.—74-03711A
North German clay mineral materials—basis for the manufacture of modern structural ceramic products.—74-06918A
Novel synthesis method of AlN—comparison with classical preparation procedures.—74-04784A
Paddy husk as raw material and fuel for making portland cement.—74-05561A
Permanent magnet (ferrite magnet).—74-09216A
Phase formation when brucite is heated.—74-03949A
Plasma processing of ceramic and metallic raw materials: the ceramet project.—74-10525A
Practical experience with raw material preheating on glass-melting furnaces.—74-00310A
Preparation of ceramic bodies and the applicable grinding systems and processes.—74-00974A
Pressure casting—the influence of raw material and slip characteristics.—74-10577A
Process for producing composite raw material for ceramics and composite raw material for ceramics produced by said process.—74-09538P
QCS/On Stream control application.—74-02350A
Quartz-porphyry from Dobritz: a raw material for the ceramics and glass industries.—74-01200A
Raw ceramic powders and ceramic manufacturing process.—74-10600A
Raw material blending and batching in the production of calcium aluminate cements.—74-08097A
Raw material specifications.—74-07957A
Raw material specifications.—74-09749A
Raw material use among nucleated industry potters: the case of Vasanello, Italy.—74-02299A
Raw materials for the production of colored glazes and ceramic colorants.—74-01202A
Recent trends in chemical analysis of ceramic raw materials.—74-09750A
Red firing to the third power.—74-02730A
Remarks to the ceramic raw materials market in Europe.—74-02269A
Return of the dry grinding process.—74-00989A
Sampling procedures for raw materials.—74-09752A
Silicon nitride powder produced by direct nitridation of metallic silicon.—74-10628A
SPCC expands production facilities.—74-03735A
Standardization of chemical analysis methods for ceramics raw materials and preparation of reference raw materials.—74-09620A
State-of-the-art raw material analysis in ceramic laboratories.—74-01109A
Strength modification of silicophosphatic pellets and spectrum analysis of their phase compositions.—74-01462A
Study of Chinese porcelain raw materials for Ding, Xing, Gongxian, and Dehua wares.—74-02301A
Supplier quality management [SQM] for ceramic industries.—74-11192A
Supply of proven raw materials: the preconditions.—74-03951A
Trends in the development of lime industry in the world.—74-08113A
Turning waste into glass.—74-02663A
Using your PC for reformulation.—74-11195A
Viability study of using clinker portland as raw material in structural ceramics manufacture.—74-06940A

reaction bonding,
Creep behavior of reaction-bonded ceramics at 1200°C under air.—74-07849A
Differential thermoanalytical investigation of the reaction of carbon with silicon to silicon carbide.—74-10078A
Effect of powder conditioning on the synthesis of RBAO.—74-10291A
Evaluation of thermal shock and thermal resistance of three reaction-bonded silicon carbide ceramics.—74-08901A
Formation of reaction-bonded silicon nitride from silane-derived silicon powders: nucleation and growth mechanisms.—74-07318A
Formation of the reaction-bonded silicon carbide microstructure.—74-07319A
Gel casting of sintered reaction-bonded silicon nitride [SRBSN] for improved mechanical properties.—74-10367A
In situ reinforced reaction-bonded aluminum oxide (RBAO).—74-07348A
Injection molding of RBSN-based ceramics.—74-04710A
Joining of SiC-based ceramics by reaction bonding methods.—74-00129A
Oxidation and temperature effects on the interfacial shear strength in SCS-6 fiber-reinforced reaction-bonded silicon nitride.—74-02185A
Preparation of SiC composite by the method of reaction-bonded sintering.—74-10566A
RBAO—used as part of a membrane configuration.—74-04859A
Reaction-bonded Al_2O_3 (RBAO) and related technology.—74-10603A
Reaction-bonded silicon carbide components for burners, radiant heating, and heat exchangers.—74-09708A
Si_3N_4- and SiC-based ceramics for operating temperatures above 1300°C.—74-07825A
Synthesis and properties of reaction-bonded silicon nitride made from high-purity Si powders.—74-01306A
Tribological characteristics of reaction-bonded silicon carbide.—74-05449A

reactions,
Autoclave reaction products at 300°C in system K_2O-SiO_2-H_2O.—74-09971A
Character of interaction of salts in ternary systems.—74-01346A
Electrochemically induced reactions at Ni/ZrO_2 interfaces.—74-08180A
Highly anisotropic angular dependence of CH_3 fragmentation from electron transfer reactions on CH_3Br/GaAs(110).—74-03049A
Interaction of inorganic leachate with compacted pozzolanic fly ash.—7m-00070A
Interactions of $YBa_2Cu_3O_{7-\delta}$ with fluorides of Ba, Sr, and Ca.—74-00820A
Numerical solutions for mixed control of powder reactions for spherical, cylindrical, or planar particles.—74-01820A
Oxidation resistance of reaction-formed silicon carbide ceramics.—74-10934A
Properties of quartz fibers.—74-02572A
Reaction of solid-phase hydrosilation with participation of ≡Si–H groups of silica surface and some functional olifines.—74-04201A
Reaction sintering and its practical application.—74-04862A
Reactive deposition of $Y_1Ba_2Cu_3O_{7-x}$ superconductor films by pulsed laser ablation from an unreacted mixture of Y_2O_3, $BaCO_3$, and CuO.—74-06624A
Self-propagating high-temperature synthesis—calculation of the basic parameters.—74-04884A
Solid-state reactions between silicon carbide and (Fe, Ni, Cr) alloys: reaction paths, kinetics, and morphology.—74-08273A
Structure of reaction zones on solid-phase interaction between complex oxides containing SrO.—74-01467A
Surface reactions of tetraneopentyl zirconium on zirconium carbide thin films.—74-04933A

reactivity,
Comparison of the reactivity of some surface-treated AlN powders with water.—74-04011A
Gas reactivity testing of raw materials and anodes.—74-06771A
Oil well cements for slim hole wells.—74-08080A
Optimization of alloy-alumina fiber combination for magnesium-based metal matrix composites.—74-08248A
Silicon oxycarbide reaction with glass matrix compositions.—74-08272A

reactors,
Ceramic coatings for PBR components.—74-09853A
Development and implementation of large-area, economical, rotating disk reactor technology for metallorganic chemical vapor deposition.—74-06694A
Modeling the formation of boron carbide particles in an aerosol flow reactor.—74-07392A
Performance of CVR coatings for PBR fuels.—74-10517A
Study of the NF_3 plasma cleaning of reactors for amorphous silicon deposition.—74-04923A

reclamation,
Byproduct of sulfur recovery from phosphogypsum as concrete aggregate.—74-05468A

Portal bridge scaper reclaimer for multipurpose blending bed stores.—74-00971A
Recycling and reclamation of metal matrix composites.—74-00150A

recombination,
Determination of recombination parameters in silicon structures by light-induced absorption method.—74-06038A

recording medium,
Current trends in applications of magnetic ceramic materials.—74-06452A
H_K distributions and H_c calculations for magnetic recording particles.—74-09193A
Industrial recorders get a technology overhaul.—74-05423A
Matteucci effect of an amorphous alloy tip used for high-density magnetic recording with a scanning tunneling microscope.—74-06468A
Role of surface properties in the mechanical performance of thin-film rigid disks.—74-04876A
Tribochemical reactions of very thin layers on magnetic recording disks.—74-00779A

recrystallization,
New process with a potential to rapidly texture bulk $YBa_2Cu_3O_x$ superconductor.—74-06595A
Recrystallization of kaolinite in gray kaolins.—74-06924A

rectifiers,
Rectifying diodes with a metal/intrinsic semiconductor/semiconductor structure using polycrystalline diamond films.—74-08768A

recuperators,
Operating experience with grate coolers for clinker capacities of 10 000 t/d in Thailand and South Korea.—74-06867A
Optimization of clinker cooler operation.—74-06868A
Repol-RS time-proven and innovative features.—74-00988A
Two years of operation of a double exchanger of the emissions from a semiwet route cement furnace.—74-09721A

recycling,
Benefits from recycling cleaners for porcelain enameling.—74-00896A
Brick production using [abatement] fluid bed ash.—74-02703A
Disposal of bypass dust.—74-08014A
Electrostatic precipitator dust—waste product or useful batch material.—74-03942A
Filler pigments designed for recyclability.—74-06974A
Galvanic waste in the structural ceramic industry: an opportunity for use of industrial discards.—74-00364A
New developments in the purification of waste water from ceramic industries.—74-09487A
New expanded material based on recycled glass: II, Role and influence of the expansion additive on material characteristics.—74-08379A
Properties of glass-ceramics obtained from recycling goethite industrial waste.—74-05738A
Recent developments in the treatment of spent potlining.—74-02266A
Recycling and reclamation of metal matrix composites.—74-00150A
Recycling at Corhart—a 30-year success story.—74-08629A
Recycling of ceramic wastes to reduce pollution.—74-05579A
Recycling of cullet and filter dust and its influence on the melting of glass.—74-08452A
Recycling of metal fabrication industry waste in ceramic products.—74-00400A
Recycling spent refractory materials at the U.S. Bureau of Mines.—74-08630A
Recycling/disposal issues of refractories.—74-08631A
Reuse of wastes [in manufacture of whiteware].—74-01203A
Utilization of dusts from electrofilters in cement plants "Wierzbica" and "Wiek" as major component of mixes W-1 and W-2 for the manufacturing of structural elements and mining facings.—74-08119A

reduction,
Adsorption of CO_2 on transition metals and metal oxides.—74-01610A
Carbon dioxide reduction to alcohols using perovskite-type electrocatalysts.—74-01218A
Cost-effective NO_x reduction using oxygen-enriched air staging on regenerative glass furnaces.—74-09648A
Developments in physical chemistry and basic principles.—74-07069A
Effect of H_2 reduction on methanol decomposition over various titanium oxides.—74-10284A
Electroreduction of Fe^{3+}, O_2, and $Fe(CN)_6^{3-}$ at the *n*-pyrite (FeS_2) surface.—74-01514A
Factors affecting the synthesis of SiAlON.—74-07312A
Impedance analysis for oxygen reduction in a lithium carbonate melt: effects of partial pressure of carbon dioxide and temperature.—74-01758A
Investigation of the mechanism of formation of insertion compounds of uranium oxides by voltammetric reduction of the solid phase after mechanical transfer to a carbon electrode.—74-00885A
Line for brick production with reduction of energy consumption and cycle time.—74-00367A
NO_x reduction techniques for the ceramic industry.—74-09696A
NO_x reduction techniques.—74-09697A
Observation of in situ reduction and oxygen transport in zirconia-tantala ceramic alloys.—74-01952A
Prediction and reduction of residual stresses in glass: I, Analysis of residual stress in glass by instant freezing method.—74-08388A
Reduction firing of building ceramics: I.—74-02731A
Reduction firing of building ceramics: II.—74-08578A
Reduction of CO_2 on fluorine-doped SnO_2 thin-film electrodes.—74-00528A
ß-silicon carbide powder synthesis by molten salt chemistry.—74-04463A
Synthesis of aluminum nitride powder from aluminum hydroxide by carbothermal reduction-nitridation.—74-10676A
XPS study of the reaction of cerium dioxide.—74-04240A

reduction-oxidation,
Estimation of the redox potentials of glass batches.—74-02453A
High-temperature superconductivity of oxides as a periodic redox reaction.—74-03485A
In situ detection of electrical conductivity variation of an a-WO_3 thin film during electrochemical reduction and oxidation in $LiClO_4$(M)-PC electrolyte.—74-04334A
Industry-university cooperative research on glass technology in Germany.—74-11169A
Kiln scheduling for reduction colors.—74-08559A
Mossbuer study of iron redox in West Valley glass.—74-09407A
Redox equilibria of iron in Ti-bearing calcium silicate quenched glasses.—74-02487A
Redox reactions in HTS oxides.—74-05317A
Sulfur systematics in model glass compositions from West Valley.—74-09419A
Synthesis of Mg_2SiO_4 whiskers by an oxidation-reduction reaction.—74-07516A
Voltammetric study of silver is a glass melt.—74-02503A
X-ray photoelectron spectroscopy characterization of the reduction and oxidation behavior of Ni-containing HZSM-5 zeolites.—74-07010A

refining,
Refining and sand dissolution in the glass-melting process.—74-05787A
Refining—physics and chemistry.—74-00213A
Working towards a batch optimization program for refining.—74-08357A

reflectance,
Fe speciation in kaolins: a diffuse reflectance study.—74-02719A
Infrared reflectance of barium gallogermanate glasses.—74-00198A
Infrared reflection and electroreflectance spectra of B⁺-implanted semimagnetic semiconductors $Ag_{1-x}Mn_xTe$.—74-06155A
Interlaboratory comparison of solar range transmittance and reflectance of coated and uncoated glass.—74-02550A
Photoreflectance of semiinsulating GaAs at $\hbar\omega \leq E_g$.—74-06263A
Reflectance anisotropy of reconstructed GaAs(001) surfaces.—74-07731A

reflection,
Biperiodic character of interference spectra of layered GeS [single] crystals.—74-02923A
Inconstancy of the reflection coefficient of optical glasses upon storage in air.—74-02548A
Infrared reflection and electroreflectance spectra of B⁺-implanted semimagnetic semiconductors $Ag_{1-x}Mn_xTe$.—74-06155A
Photoreflectance of InSb at the E_1 and $E_1+\Delta$ transitions.—74-03168A
Production of large-scale glass with a thermally reflecting coating.—74-02652A

reflectivity,
Elastic scattering of light and reflectivity development during low-pressure diamond film growth.—74-10320A
Greater than unity pulsed phase conjugate reflectivities using self-pumped four-wave mixing in a single $BaTiO_3$ crystal.—74-08925A
High-efficiency self-pumped phase conjugation at 633 nm in $BaTiO_3$:Ce.—74-08928A
Influence of reflectivity on fs transmission spectroscopy of thin GaAs films.—74-08938A
Sub-ps carrier lifetime in InP.—74-06343A

reflectors,
Repair of soft X-ray optical elements by stripping and redeposition of Mo/Si reflective coatings.—74-01869A

refractive index,
Ability of glass to gain a gradient in refractive index upon action of radially nonuniform heat treatment.—74-02508A
Accurate interpolation and extrapolation of the refractive index of glass in the transparency region.—74-02510A
Aplanatic lens with radial gradient of refractive index formed by ion exchange Na^+_{gl}:Li^+_{melt}.—74-02599A
Application of dynamic in situ ellipsometry to the deposition of tin-doped indium oxide by reactive direct current magnetron sputtering.—74-00458A
Applied measurements of multipurpose precise interferometer (AMOS-1).—74-09551A
Behavior of the refractive index of quartz glasses in the region of the glass transition temperature.—74-02516A
Calculation of the distribution of the refractive index in glass after ion exchange.—74-02518A
Characterization of refractive index profiles in silver-sodium ion-exchanged glass waveguides for homogeneous refracting waveguide structures.—74-00289A
Comparative investigation of changes in refractive index upon ion-exchange interdiffusion in alkali silicate glasses containing oxides of calcium, strontium, barium, and titanium.—74-00245A
Comparative study of the change in the refractive index in ion-exchange interdiffusion in alkali silicate glasses containing calcium, strontium, barium, and titanium oxide.—74-02521A
Deposition of aluminum oxide films with high refractive index.—74-01662A
Distribution of refractive indices in laminae of microporous glass of different compositions and thicknesses.—74-02530A
Effect of anode bias on the index of refraction of Al_2O_3 thin films deposited by dc S-gun magnetron reactive sputtering.—74-01226A
Ellipsometric determination of the thickness and refractive index of silicon films.—74-01515A
Expressions of thermal refractive index coefficient for $LiNbO_3$ crystal heavily doped with magnesium.—74-03304A
Fabrication of optical fiber by plasma-activated chemical vapor deposition method.—74-08421A
Formation of an optical property gradient in monolithic porous xerogels and the glasses based on them.—74-02627A
Glass having refractive index distribution.—74-08481P
Measurement of refractive indices (η_o, η_e) and temperature coefficient of self-frequency doubling NYAB crystals.—74-10118A
Measurements of refractive indexes and factors affecting dispersion in oxide glasses.—74-02561A
Method for calculating refractive indices of glasses in the uv spectral range.—74-02562A
Postfabrication changes and dependence on hydrogen concentration of the refractive index of proton-exchanged lithium tantalate waveguides.—74-04398A
Refractive index dispersion and optical absorption edge of physically vapor deposited films of the $As_{35}S_{65}$ chalcogenide glass.—74-00276A
Refractive index distribution in microporous glass plates differing in initial composition and thickness.—74-02574A
Refractive index of $(Al_xGa_{1-x})_{0.5}In_{0.5}P$ quaternary alloys.—74-04409A
Refractive index, average dispersion, and density of boric anhydride in borosilicate glasses with sodium and potassium oxides.—74-02575A
Sellmeier coefficients and chromatic dispersions for some tellurite glasses.—74-08392A
Silicon dioxide deposition by electron cyclotron resonance plasma—kinetic and ellipsometric studies.—74-04893A
Study on refractive indices of $PbBr_2$ crystals.—74-10038A
Transparent glass-ceramic materials with a refractive index gradient.—74-02595A

refractories brick,
Basic refractory bricks in the cement industry.—74-00377A
Correlation of basic refractory brick development with the evolution of cement kilns.—74-03900A
Development of Al_2O_3-C brick for blast furnaces.—74-02709A
Development of F0.5 quality insulating brick.—74-05850A
Development of high density and strength blocks for float glass bath bottom and their applications.—74-02711A
Development of light-burned vacuum pitch impregnated magnesia-carbon brick.—74-02712A
Development of special low-porosity fireclay brick.—74-02714A
Evolution of state-of-the-art refractory systems.—74-00384A
Plastic refractory gunning technique for rotary animal feed dryer sharply reduces downtime increasing productivity.—74-01172A
Study on corrosion resistance of Al_2O_3-MgO-C brick for ladle linings.—74-02738A
Ultrasonic inspection of steelmaking refractories.—74-03884A
Use and further development of magnesia-zircon bricks in the glass industry.—74-08601A

refractories casting,
Evolution of state-of-the-art refractory systems.—74-00384A
Testing of castable refractories for resistance to molten aluminum alloys.—74-08638A

refractories cement,
Dosification of a cement-talc-chamotte refractory mortar subjected to thermal shock.—74-05492A
Optimum chrome-free burning zone lining for rotary cement kilns.—74-06869A
Strength loss in low-cement refractory structures.—74-08635A

refractories coatings,
Development of refractive coatings for incineration furnaces of chemical wastes.—74-09651A
Refractory composite materials for rocket vehicles.—74-09890A

refractories concrete,
New generation of refractory concretes: colloid-chemical aspect of their technology.—74-02767A
Phase constitution and service properties of high-alumina refractory cements.—74-05564A
Refractory concretes of a new generation: relationship between their composition, structure, and properties.—74-02778A
Vibrational molding of ceramic concretes. Molding systems and regularities of the process.—74-00405A

refractories fused cast,
Fused cast AZS adapted for superstructure applications in today's glass furnaces.—74-08619A

refractories industry,
Changes in the methods of refractories contract trading in Japan. The advantages of Japanese refractories manufacturers in the domestic market.—74-05845A
Cost-effective clinker production with the PYROEXPERT optimization system (a synthesis of expert knowledge and advanced methods of control).—74-05848A
Problems and concerns of a refractory contractor.—74-08627A
Recycling at Corhart—a 30-year success story.—74-08629A
Refractories challenge: meeting performance demands.—74-05872A
Research Institute of the Refractory Industry, Bonn, [Germany].—74-02781A
Trial to introduce AI [artificial intelligence] into 49 MN (5000 tf) VOP.—74-01001A

refractories magnesite ($MgCO_3$),
Results of service of unfired periclase-spinel refractories.—74-02782A

refractories,
Abrasive and/or refractory products based on melted and solidified oxynitrides and process preparing the same—74-00004P
Alumina-zirconia refractory material and articles made therefrom.—74-08643P
Analysis and application of the criteria of wearability of refractory materials.—74-02743A
Attrition mill grinding of refractories.—74-08607A
Brown fused alumina for the refractory industry.—74-08609A
Can the refractories industry cope with the steadily increasing demand for ceramic fast-firing technology.—74-00379A
Carbon composite refractories.—74-08611A
Ceramic core for investment casting and method for preparation of the same.—74-08645P
Ceramic fiber product and structure for high temperature severe application environments and method of making same.—74-02795P
Ceramic material.—74-02796P
Ceramic welding method with monitored working distance.—74-09523P
Ceramic welding.—74-09524P
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic and refractory surfaces.—74-02413P
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic, and refractory surfaces—74-00165P
Controlled-temperature dryouts of refractory linings.—74-08614A
Corrosion resistance of high chrome refractories exposed to molten acidic coal ash.—74-00380A
Determining scandium in zirconia refractories.—74-02749A
Development of mullite-based castables with high strength.—74-02750A
Development of self-flow type alumina-spinel castable refractories.—74-02751A
Development of usage rates of periclase-chromite refractories for open-hearth and twin-bath furnace roof repairs.—74-03903A
Developments in refractory linings of steel plant ladles.—74-00383A
Direct bond in magnesia chromite and magnesia spinel refractories.—74-05853A
Dissolving of baddeleyite-corundum refractories in optical glass melts.—74-03683A
Dry sintering of refractory-based oxides.—74-02752A
Dynamic gas/oxy superstructure refractory testing.—74-08615A
Elaboration of ceramics by aerosol way.—74-10318A
Evaluation of tungsten shaped-charge liners spray-formed using the low-pressure plasma spray process.—74-08616A
Evolution of state-of-the-art refractory systems.—74-00384A
Experiences with ceramic fiber linings in industrial kiln construction.—74-00385A
Formation of kaolin refractories heated in different gas atmospheres.—74-03909A
Hexavalent chromium in refractories.—74-02332A
High alumina brick with metallic carbide and its preparation.—74-08649P
High-temperature characterization of refractory binders.—74-05856A
Hydration and microstructure of CA_2 in the presence and in the absence of microsilica.—74-05528A
Improved compositions of refractory putties for working surfaces of graphite-containing crucibles.—74-02760A
Incinerator—a review.—74-01159A
Influence of heat treatments on room temperature tensile strength of MgO-C refractories determined by the diametral compression method.—74-05859A
Influence of mechanical activation of basic refractories and mixtures on sintering.—74-02761A
Insulating blankets withstand higher temperatures.—74-08620A
Insulating monolithic refractory material, manufacturing process and article according to the process—74-00410P
Interaction at the periclase-slag melt phase boundary.—74-05860A
Interactions of oxide-oxidic melts.—74-05861A
Investigation of sintering in a chamotte refractory.—74-05863A
Latest trends for continuous casting refractories in Japan.—74-00389A
Lime refractories with limestone and synthetic calcium hydroxide additions.—74-05864A
Liner for submerged entry nozzle.—74-02797P
Low-flux hydration-resistant refractory dolomite grains from Egyptian raw materials.—74-00390A
Magnesia alumina spinels for the refractory industry.—74-08621A
Magnesia-graphite refractories for basic oxygen converters.—74-02762A
Measurement of naturally occurring radioactivity in refractories: analytical methods for the workplace.—74-08622A
Mechanism of thermal surface deterioration of refractories [studied] using X-ray photoelectron spectroscopy.—74-05552A
Method for making a ceramic mold.—74-02798P
Method for producing ceramic-based electronic components—74-00411P
Method of producing a ceramic shape and that ceramic shape.—74-08652P
MgO-spinel refractory mix and shapes made therefrom—74-00412P
Microwave and high-frequency drying and tempering of precast refractory components.—74-00391A
Molten metal filter medium and method for making same.—74-02799P
Molten steel pouring nozzle—74-00413P
Near-net shape forming of ceramic refractory composite high-temperature cartridges by VPS.—74-08623A
New technologies in refractory forming and their effects on product performance.—74-08624A
Non-graphite crucible for high temperature applications—74-00414P
Nondestructive quality control of refractories.—74-03846A
Oxidation kinetics of graphite phase in magnesia-carbon refractories.—74-02768A
Phase analysis and wear mechanisms of aluminosilicate bricks.—74-00395A
Phase analysis program for magnesia refractories.—74-05868A
Phase composition of sintered lime refractories with TiO_2 additions.—74-02769A
Physical and mechanical characteristics of zirconia refractories and their resistance to attack by molten metals.—74-00396A
Plastic refractory compositions having improved flowability—74-00415P
Porous high-alumina refractory materials obtained by hydrothermal processing.—74-05869A
Possibilities of use of pneumatic separation processes in refractory production.—74-02770A
Preparation of titanium nitride-containing refractory material composites—74-01331P
Present-day quality assurance for manufacture of refractories.—74-02771A
Principle of functionally gradient material (FGM) and its possibility applied to refractories.—74-05870A
Product stewardship for refractory ceramic fiber [RCF].—74-08628A
Production of ceramic filaments.—74-09539P
Prospects for obtaining magnesia products from the Zabaikal'sk group of magnesites.—74-02773A
Quality assurance by integrated statistical process control: the path from failure detection to failure prevention.—74-00982A
Quality assurance for the manufacture of refractories.—74-00399A
Reaction of refractory materials with metallic heaters in electric furnaces.—74-02775A
Reconstruction for a new, ultramodern Shinagawa Refractories "Dream Project 21."—74-02267A
Recycling spent refractory materials at the U.S. Bureau of Mines.—74-08630A
Recycling/disposal issues of refractories.—74-08631A
Refractories for ash melting furnace by incinerator residue and sludge.—74-05873A
Refractories for ash melting furnace of incinerator.—74-02776A
Refractory ceramic fibers update.—74-05874A
Refractory ceramic fibers update.—74-08632A
Refractory fibers—a reinforcing component of metal matrix composites: a review.—74-02394A
Refractory gunning of BOF vessels in North America.—74-02779A
Refractory kiln furniture for the electronic industry.—74-05875A
Refractory lining in modern rotary kiln systems.—74-01176A
Refractory lining in the new annular shaft kilns [for lime burning] at the "Kaltes Tal" works in Rubeland, Harz, Germany.—74-06873A
Refractory linings for modern rotary kiln plants.—74-05876A
Refractory Linings—Thermomechanical Design and Applications.—74-05444B
Refractory material and product thereof containing low-silica electrofused magnesia clinker.—74-02801P
Refractory materials from aluminothermal reduction of niobium slag.—74-02780A
Refractory zirconia mortar.—74-02802P
Refractory-ceramic-fiber furnace linings.—74-05877A
Role of structural factors in improving the corrosion resistance of refractories.—74-02783A
Roles of carbon in ceramic materials.—74-08633A
SiAlON-bonded SiC refractories for blast furnaces.—74-00401A
Significance and utility of refractories test data.—74-05879A
Silicon carbide/silicon nitride refractories: I, Nitridation.—74-05880A
Silicon carbide/silicon nitride refractories: II, Properties.—74-07188A
Slide gate plate and method.—74-02803P
Standard materials for refractoriness and firing: Seger cone (,Orton cone, referthermo, and Schmelz probe).—74-09618A
Study on modification of refractory cements.—74-02788A
Thermal shock and size effects in castable refractories.—74-05882A
Thermal shock.—74-08639A
Tundish life improvements.—74-02791A
Tyranno fiber addition to alumina-graphite refractories.—74-05883A
Unshaped refractory materials—from ramming bodies to high-service products.—74-00404A
Used refractory materials: I, Analyses.—74-08640A
Utilization of two Indian plastic fireclays.—74-05884A
Value evaluation of high-alumina aggregates.—74-08641A
Vibration pressing of refractory blocks of the lining of removable induction units.—74-02793A
Vitreous silica-based plastic refractory—74-00417P
Waste disposal options for refractory tearout.—74-05885A
Why graphite.—74-08642A

regenerators,
Amelioration of the thermal exchange in regenerators.—74-06839A
Basic chimney checkers for glass tank furnace regenerators.—74-08608A
Fourteen month payback for cruciform regenerator packing project.—74-06852A
Latest developments in the measurement of regenerator thermal performance.—74-09574A
Modeling of the aging of glass furnace regenerators.—74-01164A

regulations,
Compliance and new precious metals techniques.—74-00011A
Emission issues relative to the development of environmental compliance regulations for glass furnaces.—74-11158A
Environment challenges to the flat glass industry.—74-02619A
Environment: EC aspects and controls.—74-02620A
Environmental management in a porcelain enameling facility in Mexico.—74-02231A
Environmental regulatory overview.—74-02233A
Establishing regulatory compliance in a new plant.—74-11159A
Getting lead out of our diet.—74-02237A
Glassmakers face new emissions concerns.—74-05767A
How to better understand NO_x requirements.—74-05769A
International perspective on decorating/heavy metals.—74-02244A
Managing solid and hazardous waste.—74-05427A
Measuring hazardous air pollutants.—74-07952A
Product stewardship for refractory ceramic fiber [RCF].—74-08628A
Refractory ceramic fibers update.—74-05874A
Regulation of medical devices.—74-06996A
Status of MSDS [Material Safety Data Sheets] for brick.—74-05832A
Stormwater management system.—74-07958A
Stormwater management system.—74-11191A
Update: SGCD [Society of Glass and Ceramic Decorators] action in legislative/regulatory issues.—74-02282A
Wetlands: what? why? how.—74-07963A
What MSDS should present about NORM radioactivity: technical and regulatory issues.—74-11196A

reinforcement,
Characterization of surface corrosion of reinforcing steel in cement paste by low-frequency impedance spectroscopy.—74-07798A
Characterization of the behavior of reinforced concrete elements in bending using Moire interferometric method.—74-05477A
Concentration of the state of stress in notched beams.—74-07844A
Controlled crystallization in self-reinforced silicon nitride with Y_2O_3, SrO, and CaO: crystallization behavior.—74-09977A
Corrosion inhibition of steel in concrete by carboxylic acids.—74-02071A
Crack angle in unified theory of reinforced concrete.—74-05485A
Cyclic tests on concrete confined by spiral reinforcements.—74-07854A
Development of lightweight returnable glass bottles (with SnO_2 coating).—74-08414A
Development of silicon nitride composites with continuous reinforcement.—74-01289A
Effect of fiber-fiber interactions on the strength properties of short-fiber-reinforced cements.—74-02322A
Effect of volume fraction and morphology of reinforcing phases in composites.—74-05346A
Hard-particle-reinforced aluminum alloys for aircraft applications EWISCO 1993-1994.—74-08202A
Influence of binder type on anodic dissolution of steel embedded in cement pastes.—74-05534A
Interfacial phenomena in metal matrix composites.—74-02378A
Obtaining and characterization of silica powder.—74-10855A
Study of the distortion in box-girder bridges by means of the scaler and vector potentials of the displacement.—74-05594A

relaxation,
Calculation of the constants of the relaxation model of vitrification.—74-00242A
Characterization of the vacancy-calcium dipole by electrical and mechanical relaxation measurements in single crystals of calcined zirconia.—74-10777A
Charge-excitation picture of the Cu NMR Knight shift and relaxation in $YBa_2Cu_4O_8$ deduced from a three-band model.—74-09243A
Computation of the relaxation constant of a vitrification model.—74-00247A
^{63}Cu nuclear relaxation study in the mixed superconducting state in $YBa_2Cu_3O_7$: magnetic excitation at low temperatures.—74-03436A
Deformation and relaxation behavior of silicon nitride ceramics with different microstructures.—74-10963A
Effect of structural relaxation on the hysteresis of magnetically soft amorphous melts.—74-02534A
Effect of transverse relaxation time inhomogeneity on nuclear spin echo signals in ferromagnets.—74-06454A
High-temperature relaxation spectra of borate glasses.—74-02466A
Inhomogeneous laminar conductor model for dielectric relaxation in oxide glasses.—74-02549A
Low-frequency electromechanical relaxation in piezoelectric semiconductors.—74-06420A
Magnetic relaxation of ^{57}Fe nuclei in magnetoplumbite.—74-09205A
Magnetization relaxation in $YBa_2Cu_3O_{7-\delta}$.—74-09303A
Momentum relaxation processes during electron collisions in 2-D conducting systems.—74-03121A
Relaxations in ionic motion and the glass transition in ionic glasses.—74-05695A
Stress relaxation of silicon nitride at elevated temperatures.—74-11100A
Transient processes in n^+-p structures made of $Cd_xHg_{1-x}Te$.—74-00725A

relaxors,
Dependence of the glasslike characteristics of relaxor ferroelectrics on chemical ordering.—74-09117A

Development of ferroelectric relaxor ceramics.—74-09119A
Dielectric, structural, and microstructural characteristics of tetragonal-structured PLZT relaxors.—74-09122A
Nuclear magnetic relaxation and Knight shift of ^{63}Cu nuclei in high-T_c superconductors.—74-03545A
Relaxor ceramics for multilayer capacitor application.—74-05955A

removal,
Modeling of the pyrolysis of an organic binder for shaping of injected ceramic pieces.—74-07391A
Removal of nondiamond carbon from the surface of CVD diamond films.—74-07463A

repair,
Conveyor belt rip repair fasteners.—74-00908A
Cost-effective machining for mold manufacture and repair.—74-06691A
Critical considerations regarding the restoration of sanitary sewers.—74-00358A
Mold restoration and protection.—74-06984A
Quality control and assurance during construction, repair, and inspection of sewage channels and pipe lines.—74-02264A
Thermal spraying makes the grade as a repair process.—74-01000A
Use of ceramic welding to extend the life of a furnace.—74-06877A
Welding of plasma ceramics.—74-01009A

research,
ACC's in-house research.—74-07990A
ADEQUAT project for development and transfer of 0.25 μm logic complementary metal-oxide-semiconductor modules.—74-07938A
Advancing thermal spray technologies through international collaborative R&D.—74-00889A
Applications of nanometer-scale structures for current and future X-ray space research.—74-06739A
Cements Research Progress 1993.—74-07965B
Concrete research at the University of Colorado.—74-05479A
Current situation and development of cement and concrete in China.—74-05486A
Development of the solid oxide fuel cell at MHI [Mitsubishi Heavy Industries].—74-00474A
Developments in physical chemistry and basic principles.—74-01368A
Four decades of research in solid-state chemistry[—review].—74-11163A
Industry interest creates Whiteware Research Center.—74-05897A
Industry-university cooperative research on glass technology in Germany.—74-11169A
Industry-university interaction in ceramics.—74-11170A
New developments in ceramic material research.—74-11182A
Progress in electrometallurgy research and applications.—74-00980A
Quo isti, thermal spraying.—74-02265A
Research and development in the field of diamond films in Russia.—74-01302A
Research and development of planar solid oxide fuel cells at Tokyo Gas.—74-00531A
Research Institute of the Refractory Industry, Bonn, [Germany].—74-02781A
Research on strengthening plaster molds.—74-07465A
Semiconductor research.—74-03211A
Study of quartz ceramics using fused quartz.—74-02786A

resins,
Chemical modification of thermoplastic phenolic resin—etherification of phenolic hydroxyl.—74-02747A
Disposal of acid resins, investigation of disposal products and their utilization in the cement industry.—74-05490A
Effect of melamine-formaldehyde resin on selected properties of porous gypsum materials.—74-00052A
High dielectric constant coatings.—74-08794P
Injection molding of ceramic articles using aqueous based thermoplastic resin.—74-03751P
Leaching behavior of ^{60}Co and ^{137}Cs from spent ion exchange resins in cement matrix.—74-05543A
Method for producing ceramics using crosslinked N-vinylcarboxylic and amide resin.—74-09934P
Operational feasibility of the vitrification of an organic ion-exchange resin.—74-09408A
Planarization technology of spin-on-glass films on LSI devices.—74-09004A

resistance,
Broadening of resistance transition for melt-textured $YBa_2Cu_3O_7$.—74-03418A
Chip resistance of two-coat/one-fire porcelain enamels as determined by torsion testing.—74-00109A
Color variation on prehistoric Cypriot Red Polished pottery.—74-02296A
Difference between static and dynamic friction forces.—74-04278A
Erosion resistance tests of constructional steels applied in cement industry.—74-08021A
Influence of interface resistance of high-T_c superconducting composites on measurement of J_c.—74-00818A
Measurement of surface resistance for YBCO thick film.—74-09306A
Measurement of the sheet resistance of doped layers in semiconductors by microwave reflection.—74-00653A
Ohmic contacts to epitaxial and natural diamond.—74-08979A
Spalling-resistant kiln furniture based on mechanically activated ceramic bonds.—74-03931A
TEM studies of resin-based matrix microstructure in carbon-carbon composites.—74-07775A
Testing of castable refractories for resistance to molten aluminum alloys.—74-08638A

resistivity,
Correlation between normal state resistivity and T_c in oxygen-deficient $YBa_2Cu_3O_{7-\delta}$.—74-03434A
Corrosion state evaluation of steel in concrete by resistivity and polarization measurement.—74-05484A
Deposition and properties of reactively sputtered ruthenium dioxide films.—74-01660A
Hall resistivity of hole- and electron-doped high-T_c cuprates.—74-09280A
In situ nonalloyed ohmic contacts to *p*-GaAs.—74-04692A
Influence of sintering profile on the resistivity of low-Curie-point PTCR ceramics.—74-01395A
Influences of substrate temperature on characteristic of in situ grown $(Bi, Pb)_2Sr_2CuO_x$ thin films.—74-09292A
Modeling of the conduction mechanism in RuO_2/glass resistive compounds.—74-05733A
Resistivity and critical currents in $YBa_2Cu_3O_7$ ceramics under magnetic field.—74-03570A
Resistivity and magnetoresistance-elastoresistance of polycrystalline Ni-Si thin films.—74-01569A
Simultaneous measurement of resistivity and susceptibility on Y-Ba-Cu-O during thermal scanning.—74-03574A
Temperature dependence of thermo-emf and isothermal resistance of HTS crystals in the vicinity of T_c.—74-09353A
Towards a physical understanding of spreading resistance probe technique profiling.—74-01121A
Transport resistive broadening by avalanche flux motion in HTSC—self-organized criticality in a driven system.—74-06657A
Very low resistivity Al-Si ohmic contacts to boron-doped polycrystalline diamond films.—74-04976A

resistors,
Characterization of the oxidation of tantalum nitride.—74-05091A
Effect of O_2 concentration in firing atmosphere on resistance of RuO_2–glass thick-film resistors.—74-05931A
Fabrication process development and characterization of polycrystalline diamond film resistors.—74-08749A
Potential distribution measurement of thin InGaAs resistors using scanning tunneling potentiometry.—74-06270A
Sol-gel processing and conduction mechanism of RuO_2-glass thick-film resistors [TFRs].—74-02862A

resonance,
Acceptors in silicon carbide: ODMR [optically detected magnetic resonance] data.—74-07033A
Antiferromagnetic resonance in Gd_2CuO_4 in strong magnetic fields.—74-01961A
Differences in the resonance behavior between coupled and uncoupled multifrequency piezoceramic composites.—74-03293A
Double low-field absorption [DLFA] in high-T_c superconductor single crystals.—74-06515A
Effect of Fe concentration on Urbach edge of optical absorption of $(CdGeAs_2)_{[100-x]}Fe_x$ amorphous films near structural resonance.—74-04282A
Electron cyclotron resonance plasma ion beam effects on the formation of SiC on Si(001) characterized by in situ photoemission.—74-04610A
Evaluation of electrical characteristics on semiconducting ceramics using complex impedance resonance method.—74-08898A
Material damping studies on carbon-carbon composites.—74-05184A
Nuclear gamma resonance spectra and spectral-luminescent characteristics of zirconium-containing fluorophosphate glasses with iron and neodymium oxide additives.—74-02568A
Optically detected cyclotron resonance in ZnTe.—74-03139A
Resonances in 3-D electron photoemission predicted at Ni 2*p* threshold for $NiCl_2$ and NiO.—74-07110A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition[—reply].—74-07744A
Sharp magnetoabsorption resonances in the vortex state of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-06630A

resonators,
Characterization of a thickness-shear mode quartz resonator with multiple nonpiezoelectric layers.—74-09112A
Design and *Q* measurements of high-T_c superconducting ring resonator in microwave band.—74-03441A
Method of preparing a dielectric ceramic composition for producing a dielectric resonator or filter for microwave applications.—74-08806P
Microwave resonator of compound oxide superconductor material having a temperature adjustable heater.—74-09380P
Piezoelectric re:onator—74-00771P
Shear vibrations of quartz rods and resonators on their basis.—74-07113A

rhenium,
Effect of partial substitution of manganese by rhenium on some electrical and magnetic properties of $La_{0.9}Na_{0.1}MnO_{3+y}$ ceramics.—74-04285A
Nonreducible dielectric ceramic composition.—74-08811P
Stability of rhenium thin films on single crystal (001) ß-SiC.—74-02397A

rheology,
Advances in rheology instrumentation.—74-03673A
Colloidal and rheological behavior of aqueous, Al_2O_3 precursor coated, Si_3N_4 slurries.—74-01639A
Control of rheological parameters of ceramic materials for slurry-ICP solid analysis.—74-06750A
Determination of the rheological properties of high-viscous glass melts by the cylinder compression method.—74-08364A
Development of an SOFC—single cell fabricated by slip casting.—74-04545A
Diverse industrial applications of kaolin.—74-06898A
Effect of particle packing on the filtration and rheology behavior of extended size distribution alumina suspensions.—74-07274A
Effect of particle size on colloidal zirconia rheology at the isoelectric point.—74-07275A
Effect of particulate additions on the rheological properties of polymer-based slurry mixtures and the characteristics of polymer-based slurry-derived preforms.—74-10290A
Effect of various superplasticizers on rheological properties of cement paste and mortars.—74-05504A
Effects of formic and nitric acids on simulated Hanford neutralized current acid waste rheology.—74-09401A
High-temperature creep and the interfacial mechanical response of a ceramic matrix composite.—74-02153A
Influence of shear time, mechanical stress, and addition of different electrolytes on the rheological behavior of kaolin suspensions.—74-07352A
Novel processing route for the fabrication of complex shaped advanced ceramic components.—74-04783A
Parameters affecting the workability of container glass: I, Description of the problem—melting history, rheology, and influence of microstructure.—74-00308A
Particle associations in clay suspensions and their rheological implications.—74-08569A
Radial flow of ceramic injection molding mixes.—74-04856A
Rheological anomalies of fireclay-quartz binding suspensions.—74-03731A
Rheological aspects of aqueous smectite suspensions.—74-08581A
Rheological properties of silicon nitride aqueous casting slips.—74-04871A
Rheology and consolidation of aqueous suspensions with nanometer-sized $BaTi_{1-x}Zr_xO$ powders.—74-07469A
Rheology of fresh cement paste containing polysaccharide gums.—74-05582A
Rheology of sterically stabilized ceramic suspensions.—74-07470A
Study of rheological behavior of ceramic powder suspensions by means of oscillatory techniques.—74-01112A

rhodium,
Capability of resonant photoemission with soft X-rays in rare-earth systems.—74-01043A
High-temperature oxidation-resistant thermocouples.—74-06776A
Phase relations in the system La-Rh-O and thermodynamic properties of $LaRhO_3$.—74-04188A

rice hulls,
Forms of extraction of silicon compounds in rice husks.—74-03690A
Paddy husk as raw material and fuel for making portland cement.—74-05561A
Producing black meal clinkers using rice husk as a fuel.—74-00089A
Synthesis of silicon carbide from rice husk in a packed bed arc reactor.—74-10684A

robotics,
Lightweight robot using piezoelectric motor, sensor, and actuator.—74-06418A
Manufacturer's view on robotics.—74-11178A
New developments in the transporting and robotic spray glazing of sanitary ware.—74-08695A
Robot-assisted laboratory automation.—74-09506A
Where the robot wields the trowel.—74-08605A

rocks,
Blast-hole drilling speed with self-propelled rotary drilling rigs SWO-131/60 of Polish constructions.—74-09434A
Measurement of forces, temperatures, and wear of PDC cutters in rock cutting.—74-01081A
Rapid extraction and X-ray fluorescence determination of gold in the rock.—74-01201A

roller hearth kilns,
Fast firing of heavy clay products in roller kilns.—74-08549A
Fast-firing of porcelain in roller kilns—knowledge and developments.—74-00427A

rollers,
Alpha—a new generation of roller mills: success by system analysis.—74-03674A
Ceramic corona treating rollers.—74-06955A
Ceramic heater roller with thermal regulating layer.—74-09813P
Ceramic rollers for rapid firing kilns.—74-09644A
Heavy-duty planetary gear systems for roller presses.—74-08039A
Wear resistant ceramic fiber conveyor rolls.—74-04007P
Whisker-reinforced ceramic roller guides.—74-09845P

roofing tile,
Fully automatic quality assurance in the roofing tile industry.—74-02720A
Reduction firing of building ceramics: I.—74-02731A
Technical challenge—the new clay roofing tile works of the "Tuileries et Brizueteries Lyonnaises" at Quincieux.—74-02740A
Works III at Autenried: high-efficiency production lines for plain roofing tiles.—74-02742A

rotary kilns,
Admissible SO_2 and NO_x emission levels from rotary kilns for cement clinker burning: domestic and foreign standards.—74-01134A
Assessing the burnability of cement raw meal and its behavior in the rotary kiln.—74-06841A
Burning technology and thermal economy [in cement manufacture].—74-06843A
Examination of the factors causing the avalanche cracking of grate cooler clamping elements.—74-09657A
Flame control in rotary lime kilns.—74-03908A
Further development of magnesia spinel for lining transition and sintering zones of rotary cement kilns.—74-08618A
Installation of kiln line No. 4 at Tasek Cement Plant, Ipoh, Malaysia.—74-09676A
Kiln [rotary] shell temperature and indispensable measured variable.—74-06859A
Kiln maintenance: unnecessary expense or profit generator.—74-03914A
Kiln rotational speed—a neglected control parameter.—74-03915A
Microstructural characteristics of adherent layers formed in the sintering zone of clinker burning rotary kilns.—74-06862A

Modernization of process control technology at the Hejocsaba Cement and Lime Works [Hungary].—74-00080A
New 5000 t/d kiln plant with short rotary kiln and low NO_x calciner at Hualien, Taiwan.—74-06863A
New developments by Krupp Polysius for the cement industry.—74-05558A
New Montalieu burning line excels.—74-03714A
New rotary kiln burner with only one primary air duct.—74-06865A
New rotary kiln concept.—74-06866A
Optimizing a planetary cooler on a 3 000 tpd kiln.—74-03923A
Optimum chrome-free burning zone lining for rotary cement kilns.—74-06869A
Plant tour 2—Holnam Seattle plant.—74-03721A
Reactivity and burnability of the cement raw mix and its influence on refractories specifications for the burning and transition zones of a rotary cement kiln.—74-08098A
Refractory linings for modern rotary kiln plants.—74-05876A
Second Souselas kiln goes on stream.—74-02352A
SO_2 and NO_x emission rates from rotary kilns in Polish cement industry.—74-01180A
Start-up and operation of Cementos Apasco's Ramos Arizpe plant (Mexico).—74-03736A
Successful operation of the world's only 5000 tpd short rotary kiln.—74-09715A
Use of paper residues in rotary kilns.—74-09723A
Utilization of spent tires in rotary kilns for cement clinker burning.—74-09727A
Utilization of waste heat from a cement rotary kiln.—74-09728A
Variable speed drives in cement plant.—74-03937A

rotors,
Double-ended ceramic helical-rotor expander.—74-09916P
Dynamic strength evaluation of ceramic rotating disk containing small flaws.—74-06761A
Machining method of ceramic turbine rotor—74-01020P
Optimized process control of rotary kilns with rotor weigh feeders.—74-01170A
Turbomolecular pump having vanes with ceramic and metallic surfaces—74-01274P

roughness,
Abrasive wear and surface roughness of ceramics.—74-05446A
Atomic force microscopy study of the microroughness of SiC thin films.—74-07595A
Characterization of silicon surface microroughness and tunneling transport through ultrathin gate oxide.—74-05088A
Decorative hard coatings: advances in optical characterization techniques.—74-01053A
Effect of interfacial roughness parameters on the fiber pushout behavior of a model composite.—74-05344A
Influence of oxygen on the formation of ripples on Si.—74-02002A
Influence of the substrate roughness on the adherence of plasma-sprayed ceramic coatings.—74-11029A
Interface roughness and asymmetry in InAs/GaAs superlattices studied by STM.—74-05169A
Interface roughness effects of adhesion of Ta_2N films.—74-11033A
Investigation of roughened silicon surfaces using fractal analysis: II, Chemical etching, rapid thermal chemical vapor deposition, and thermal oxidation.—74-07673A
Measurement of Si wafer and SiO_2 layer microroughness by large sample atomic force microscope.—74-06789A
Studies on the behavior of the roughness of the fracture surface of silica glass.—74-00280A
Surface roughness reduction in atomic layer epitaxy growth of titanium dioxide thin films.—74-07503A

rubidium,
Birefringent and piezooptical properties of $RbHSeO_4$ crystals.—74-06394A
Ferroelectric phase transition in hexagonal antiferromagnet $RbFeBr_3$ with linear chains of face-sharing octahedra $(FeBr_6)^{4-}$.—74-04141A
Incommensurate phase transitions in Rb_2ZnBr_4 crystals: I, Acoustic and electroacoustic properties.—74-07083A
Incommensurate phase transitions in Rb_2ZnBr_4 crystals: II, Effects of hydrostatic pressure on temperature dependences of elastic properties and birefringence.—74-07166A
Ir spectra of $RbNO_3$:Al_2O_3 composites.—74-07676A
Optical functioning glass and method of manufacturing same, optical fiber, waveguide device, and laser device—74-00344P

ruby,
Anisotropic nonlinear beam propagation in ruby.—74-08825A
Laser materials based on diamond with *GR* 1 centers.—74-03083A

rupture,
Characteristics and mechanisms of clay creep and creep rupture.—74-08509A
In-plane mechanical properties of several ceramic matrix composites.—74-07892A

ruthenium oxide,
Application of scanning Auger microscopy to the surface characterization of RuO_2-TiO_2-coated titanium electrodes.—74-01618A
Comparison of lead zirconate titanate thin films on ruthenium oxide and platinum electrodes.—74-09113A
Deposition and properties of reactively sputtered ruthenium dioxide films.—74-01660A
Dual beam atomic absorption spectroscopy for controlling thin-film deposition rates.—74-03797A
Effect of O_2 concentration in firing atmosphere on resistance of RuO_2–glass thick-film resistors.—74-05931A
Formation of ruthenium oxide for integrated circuits.—74-02880P
Glass/substrate interaction in model RuO_2–glass double-layer thick films.—74-05938A
Grain-boundary scattering in ruthenium dioxide thin films.—74-01390A
Influence of some factors on ruthenium-lead borate film properties.—74-00264A
Interactions in PbO-B_2O_3-RuO_2 system at a temperature as high as 1473 K.—74-00265A
Investigation of $SrRuO_3$ barriers in SNS Junctions.—74-06569A
Modeling of the conduction mechanism in RuO_2/glass resistive compounds.—74-05733A
Oxygen reduction on ruthenium-oxide pyrochlore produced in a proton-exchange membrane.—74-07409A
Preparation of metal ruthenates by spray pyrolysis.—74-10563A
Preparation of ultrafine RuO_2-SnO_2 binary oxide particles by a sol-gel process.—74-07438A
Preparation of ultrafine RuO_2-TiO_2 binary oxide particles by a sol-gel process.—74-01445A
Pressure dependence of the magnetic transition temperature for ferromagnetic $SrRuO_3$.—74-03400A
Reactive ion etching of lead zirconate titanate and ruthenium oxide thin films using $CHClFCF_3$ or $CHCl_2CF_3$ as an etch gas.—74-09540P
Rheological properties of hydrodispersions of silica with limiting concentration of R_2O-containing electrolytes.—74-02733A
Ruthenium dioxide as cathode material for hydrogen evolution in hydroxide and chlorate solutions.—74-01243A
Sol-gel processing and conduction mechanism of RuO_2-glass thick-film resistors [TFRs].—74-02862A
Surface characterization of RuO_2-IrO_2-TiO_2-coated titanium electrodes.—74-07770A
Synthesis and characterization of Ru-Ti_4O_7 microelectrode arrays.—74-05961A

ruthenium,
Chemical properties of Zn on Ru(001): coadsorption with Cs, O, Cu, and Au.—74-04103A
dHvA effect study of metamagnetic transition in $CeRu_2Si_2$.—74-01506A
Dielectric properties of ruthenium-alumina composite particles.—74-08743A
Electrical and magnetic properties of new ternary compound $CeRuSi_2$.—74-04294A
Frozen-in devil's staircase in $U(Ru_{1-x}Rh_x)_2Si_2$ mixed compound system as studied by neutron diffraction.—74-04145A
Magnetic phases in a-$Fe_xRu_xB_{100-2x}$ ribbons.—74-04351A
Novel synthetic route for supporting ruthenium complexes on functionalized silica gel.—74-10502A

Rutherford backscattering,
Composition of titania coatings deposited by different techniques.—74-04523A

rutile,
Competition between $TiCl_4$, hydrolysis, and oxidation, and its effect on product TiO_2 powder.—74-07233A
Influence of vanadium concentration on the ESR linewidth of V^{+4} in rutile.—74-05165A
Stability of polycrystalline rutile at high temperature.—74-03224A
Upgrading ilmenite into a high-grade synthetic rutile.—74-07543A

safety,
Ceramic machinery requirements for the "CE" symbol.—74-05405A
Health and safety precautions in the relining of aluminum electrolysis cells.—74-07949A
How to control Worker's Comp costs.—74-05422A
Intelligent alarm handling at Cemij plant in the Netherlands.—74-06783A
Manpower problems [in the cement industry].—74-11177A
Putting total quality safety and environmental management to work—the strategic plan.—74-02263A
Safe handling of concentrated cleaning and conditioning agents.—74-00151A
Safety devices required for the use of hydrogen in plasma spraying.—74-09507A

saggars,
Applications of kyanite to alumina-silica-magnesia saggars.—74-06840A
Study on sillimanite and cordierite saggar.—74-08589A

salts,
Aqueous phase equilibria in the system CaO-Al_2O_3-$CaCl_2$-H_2O: the significance and stability of Friedel's Salt.—74-04094A
Composition, structure, and properties of glasses for ion exchange in a salt solution.—74-00246A
Effect of the kinetics of ion exchange on the glass-salt melt interface in formation of a gradient layer in glass.—74-02616A
Effects of salt solutions on glass dissolution.—74-05677A
Interaction between soluble salts and ceramic wall and floor tiles.—74-05815A
ß-silicon carbide powder synthesis by molten salt chemistry.—74-04463A
Vitrification in the presence of molten salts.—74-09422A

samarium oxide,
Microstructural observations of ß-SiAlON-12H multiphase ceramics by HREM.—74-00658A
Performance of solid oxide fuel cell using proton and oxide ionic mixed conductors based on $BaCe_{1-x}Sm_xO_{3-\alpha}$.—74-00679A
Pressureless sintering of silicon carbide with additives of samarium oxide and alumina.—74-01854A

samarium,
EPR of Sm^{3+} ion in $KMgF_3$ crystal.—74-02538A
Hall mobility and optical conductivity in SmB_6.—74-04327A
Low-energy modes in phosphate glasses—a comparison with the soft potential model.—74-08375A
Magnetic dipole excitations and ground state of the rare-earth ions in Sm_2CuO_4.—74-04349A
Magnetically induced linear birefringence [MLB] of samarium ferrite garnet.—74-06464A
Modified angular dependence of coercivity in inhomogeneous magnets: I, $Sm_2Fe_{17}N_x$.—74-05032A
Molecular beam epitaxial growth of $SmBa_2Cu_3O_{7-\delta}$ thin films and effect of substrate temperature on the surface roughness.—74-06590A
Phase development in the ternary system Sm-Bi-Se.—74-01424A
Phase equilibria in the system Sm-Ga-S.—74-04181A
Phase equilibria in the system SmS-In_2S_3, SmSe-In_2Se_3, and SmTe-In_2Te_3.—74-01429A
Pressure dependence of Sm:YAG fluorescence to 50 GPa: a new calibration as a high pressure scale.—74-10139A
$Sm_{20}Ni_{41.6}P_{30}$ and $Tb_{15}Ni_{29}P_{21}$—new members of the homologous series of hexagonal double-network structures.—74-07747A
Structure and magnetic properties of $(Sm_{1-x}Nd_x)_2Fe_{14}Ga_3C_2$ (x=0.05) compounds prepared by arc melting.—74-09223A
Synthesis and characterization of $(CeO_2)_{0.8}(SmO_{1.5})_{0.2}$ thin films from polymer precursors.—74-07505A
Theoretical study of electronic structure and electrophysical properties of samarium monosulfide.—74-04443A

sampling,
Importance of sample integrity: a commercial lab's perspective.—74-09746A
Sampling and testing protocol for characterizing glass cullet obtained from postconsumer sources[—reply].—74-09508A
[Sampling and testing protocol] for characterizing glass cullet obtained from postconsumer sources[—comment].—74-09425A
[Sampling and testing] protocol for characterizing glass cullet obtained from postconsumer sources.—74-09426A
Sampling procedures for raw materials.—74-09752A
Specimen preparation for transmission electron microscopy (TEM)—reliable method for cross sections and brittle materials.—74-10647A

sands,
Analytical determination of impurities in glassmaking sands containing at least 95% SiO_2.—74-02598A
Antibacterial ceramics for sandboxes.—74-09737A
Attempts to improve the quality of sand concrete.—74-07995A
High-purity raw materials—a contradiction in terms.—74-09745A
Influence of moisture content of sand-lime (hollow) bricks on properties of brickworks.—74-02721A
Study of luting sands in respect to new application possibilities.—74-08586A

sandstone,
Origin of zeolite cements in the miocene sandstones, North Tejon Oil Fields, California.—74-01199A

sanitary ware,
Analyzing sanitary ware tunnel kiln operations with traveling thermocouples.—74-08658A
Application of ceramics for plumbing fixtures.—74-11138A
Ball clay selection using experimental design techniques.—74-09740A
Blistering and pinholes in raw glazes for sanitary ceramics: III, Results and discussion.—74-08661A
Casting of sanitary ware: comparison of technology.—74-00424A
Ceramic slip control and fast casting technology.—74-05888A
Ceramica Dolomite: Italian and multinational.—74-05406A
Clays and compositions for the rapid processing of sanitary ware.—74-08665A
Determination of the optimum pigment content in glazes for sanitary ceramic.—74-05889A
Dorset ball clay and traditional whitewares.—74-08674A
Eliminating cracks in fast-firing sanitary ware.—74-05893A
Eliminating preheat and cooling cracks in fast-firing sanitary ware.—74-08676A
Factors affecting viscosity of sanitary porcelain slurry.—74-04633A
Filtration of vitreous sanitary ware slips.—74-00428A
Fine fluxes in the masses for vitrified sanitary.—74-00429A
Firing of sanitary ware.—74-02808A
Firing technology for sanitary ware.—74-00430A
Glaze defects in sanitary ware plants.—74-08681A
Investigation on some Turkish ceramic raw materials for sanitary ware production.—74-06907A
Kaolin in the evolution of production techniques of fine ceramics.—74-08558A
Kiln furniture for the sanitary ware, electrical porcelain, and electronic industries.—74-09681A
New developments in the transporting and robotic spray glazing of sanitary ware.—74-08695A
Porcelainized stoneware tile.—74-05902A
Pressure casting in sanitary ware production—trend setter for structural change.—74-05903A
SPC in sanitary ware batching.—74-05908A
Study on semifritted opalescent glaze of phosphorus and zircon for sanitary porcelain.—74-02813A
Successfully drying sanitary ware.—74-05912A
Successfully drying sanitary ware: important considerations.—74-08704A
Tableware and sanitary ware plants follow developments in the tile industry.—74-08705A
Use of gel curves and filtration curves in controlling the flocculation of slurry-based casting slips.—74-08708A
Vitreous china, method for preparing the vitreous china, sanitaryware produced therefrom and glaze therefor.—74-02819P

saponites,
Al-pillared saponites: I, Ir studies.—74-05065A
Al-pillared saponites: II, NMR studies.—74-05066A

sapphire,
Brittle-ductile transition [BDT] and dislocation mobility in sapphire.—74-05322A
Deposition and properties of AlN films prepared by low-pressure CVD with a metallorganic precursor.—74-07249A
Deposition of diamond films on sapphire—studies of interfacial properties and patterning techniques.—74-07627A
Determination of the piezospectroscopic coefficients for chromium-doped sapphire.—74-04276A
Diamond protective coatings for optical components.—74-04553A
Dual-wavelength coupled-cavity Ti-sapphire laser with active mirror for enhanced red operation and efficient intracavity sum frequency generation at 459 nm.—74-06047A
Epitaxial aluminum-doped zinc oxide thin films on sapphire: I, Effect of substrate orientation.—74-06082A
Epitaxial aluminum-doped zinc oxide thin films on sapphire: II, Defect equilibria and electrical properties.—74-06083A
Epitaxial growth of SiC on sapphire substrates with an AlN buffer layer.—74-06084A
Epitaxy of $YBa_2Cu_3O_{7-x}$ on silicon on sapphire—possibilities and limits.—74-09267A
Growth and characterization of epitaxial vanadium films.—74-04323A
Growth modes of epitaxial copper films on *c*-sapphire.—74-07661A
Highly efficient Ti:sapphire regenerative amplifier.—74-08934A
Improved Ti:sapphire laser performance with new high figure of merit crystals.—74-08936A
Incorporation of iron cations into epitaxial sapphire thin films by coevaporation and subsequent thermal annealing.—74-10410A
Influence of interface impurities on the fracture energy of uhv-bonded niobium-sapphire bicrystals.—74-08214A
Interfacial degradation and surface modification in zirconia-coated sapphire fibers.—74-10827A
Lead titanate thin films prepared by metallorganic chemical vapor deposition (MOCVD) on sapphire, Pt, and RuO_x substrates.—74-07368A
$LiNbO_3$ film with a new epitaxial orientation on *R*-cut sapphire.—74-09151A
Materials on the edge turn tough.—74-04745A
Mechanical stress relaxation in ion-implanted SOS structures.—74-06200A
Metallorganic chemical vapor deposition by pulsed liquid injection using an ultrasonic nozzle: titanium dioxide on sapphire from titanium(IV) isopropoxide.—74-10450A
Nature of impurity and intrinsic color centers in leucosapphire single crystals.—74-05037A
Optical and electron spin resonance spectroscopy of Ti^{3+} and Ti^{4+} in Al_2O_3.—74-04380A
Optical and mechanical isotropies in embedded fiber optic sensors.—74-08382A
Optical third harmonic investigations of gallium nitride nucleation layers on sapphire.—74-07708A
Optomechanical properties of a sapphire fiber-optic sensor.—74-02183A
Performance of a continuous-wave forsterite laser with krypton ion, Ti:sapphire, and Nd:YAG pump lasers.—74-01557A
Preparation of $PbTiO_3$ thin film by rf sputtering.—74-03340A
Removing hydroxypropyl methylcellulose sizing from sapphire fibers by ultraviolet/ozone cleaning.—74-10610A
Self-mode-locked Ti:sapphire with low pump power.—74-01570A
Slow amplitude modulations in the pulse train of a self-mode-locked Ti:sapphire laser.—74-00713A
Structure of ir color centers in white sapphire.—74-04433A
Ti sapphire second-harmonic-pumped visible range fs optical parametric oscillator.—74-06362A
X-ray studies of misfit dislocations in the interfaces of epitaxial Nb films on sapphire.—74-08297A

saturation,
Effect of high supersaturation at the initial stage on diamond nucleation phenomena.—74-01687A
Saturation of ZnS:Ag,Al under cathode-ray excitation.—74-03206A

scaling,
3-D *x-y* scaling of the specific heat of $YBa_2Cu_3O_{7-\delta}$ single crystals.—74-04243A
Anisotropic dynamical scaling near the vortex-glass transition of twinned $YBa_2Cu_3O_{7-\delta}$.—74-04249A

scandia,
Scandia.—74-06925A

scandium,
2.79 μm YSGG:Cr:Er laser pumped at 790 nm.—74-08820A
Boride materials for electronic elements and method of preparing the same.—74-02869P
Determining scandium in zirconia refractories.—74-02749A
Electromagnetic properties and structure of the $YBa_2Cu_{3-x}Sc_xO_y$ ceramic near $T>T_c$.—74-03455A
Estimation of Debye temperature and compressibility from ultrasonic pulse measurements in $ScMnO_3$.—74-06767A
HTS ceramic conductivity increase preceding the N-S transition.—74-03487A
Neutronographic investigation of the structure of yttrium-scandium-aluminum garnets.—74-01414A
Reversibility of ordering effects in $Pb(Sc_{1/2}Ta_{1/2})O_3$ ceramics.—74-04411A
Role of defects in the ferroelectric relaxor lead scandium tantalate.—74-06433A
Yttrium-scandium-gallium garnet: crystal structure.—74-01491A

scanning electron microscopy (SEM),
Characterization of C_6FH_5 crystal belonging to AFm by electron microdiffraction and SEM-EDX.—74-05476A
Classification of the length of ceramic fibers by settling process.—74-10780A
In situ bend fixture for deformation and fracture studies in the environmental scanning electron microscope.—74-05365A
Localized thinning of GaAs/GaAlAs nanostructures by a combined scanning electron micrograph/focus ion beam system for high-quality cross-sectional transmission electron microscopy samples.—74-01077A
Microstructure of laser-float-zone grown superconducting ceramics.—74-03527A

scanning tunneling microscopy (STM),
Combined scanning tunneling microscopy/spectroscopy study on the surface electronic structure of GaAs(100) with spatially resolved scanning tunneling spectroscopy spectra.—74-06744A
Contributions of scanning probe microscopy and spectroscopy to the investigation and fabrication of nanometer-scale structures.—74-05103A
Cross-sectional scanning tunneling and scanning force microscopy of amorphous hydrogenated silicon *pn*-doping superlattices in nitrogen and in air.—74-06017A
Cross-sectional scanning tunneling and scanning force microscopy of amorphous hydrogenated silicon *pn*-doping superlattices in nitrogen and in air.—74-07621A
Cross-sectional scanning tunneling microscopy of semiconductor vertical-cavity surface-emitting laser structure.—74-07622A
Cross-sectional scanning tunneling microscopy on heterostructures: atomic resolution, composition fluctuations, and doping.—74-01976A
Deposition and subsequent removal of single Si atoms on the Si(111)-7×7 surface by a scanning tunneling microscope.—74-06031A
Diamond-coated tips and their applications.—74-07260A
Direct measurement of local properties of interfaces with scanning tunneling microscopy.—74-10789A
Dynamic observation of silicon homoepitaxial growth by high-temperature scanning tunneling microscopy.—74-06048A
Effects of the tip shape on scanning tunneling microscope images: first-principles calculations.—74-06764A
Growth of FeO_x on Pt(111) studied by scanning tunneling microscopy.—74-05153A
In situ study of epitaxial $CoSi_2$/Si(111) by ballistic electron emission microscopy.—74-07665A
Investigation of porous silicon by scanning tunneling microscopy and atomic force microscopy.—74-07671A
Investigation of scanning tunneling microscopy tunneling barrier signals in air and water.—74-07674A
Junction locations by scanning tunneling microscopy: in-air-ambient investigation of passivated GaAs *pn* junctions.—74-02005A
Low-temperature (LT) STM investigation of Bi-O planes of single-crystal $Bi_2Sr_2CaCu_2O$.—74-06572A
Matteucci effect of an amorphous alloy tip used for high-density magnetic recording with a scanning tunneling microscope.—74-06468A
Nanofabrication and characterization using a scanning tunneling microscope.—74-08960A
Newly developed low-temperature scanning tunneling microscope and its application to the study of superconducting materials.—74-06796A
Observation of *a-b* plane gap anisotropy in $Bi_2Sr_2CaCu_2O_8$ with a low-temperature STM.—74-03546A
Progress toward spin-sensitive scanning tunneling microscopy using optical orientation in GaAs.—74-06804A
Reconstructured structures in metal/Si(100) surfaces at high temperature observed by scanning tunneling microscopy.—74-07730A
Restructuring process of the Si(111) surface upon Ag deposition studied by in situ high-temperature scanning tunneling microscopy.—74-07732A
Scanning probe microscopy on the surface of Si(111).—74-06296A
Scanning tunneling microscope and surface characterization.—74-10881A
Scanning tunneling microscope investigation of semiconductor nanometer particles.—74-06298A
Scanning tunneling microscope tip-induced anodization of titanium: characterization of the modified surface and application to the metal resist process for nanolithography.—74-06997A
Scanning tunneling microscopy morphological study of the first stages of growth of microwave chemical vapor deposition thin diamond films.—74-02042A
Scanning tunneling microscopy observation of Al-induced reconstruction of the Si(111) surface—growth dynamics.—74-07738A
Scanning tunneling microscopy of charge density waves [CDWs] in TaS_2-4Hb[-polytypes].—74-05239A
Scanning tunneling microscopy studies of thin-film AgBr on Au(111).—74-05241A
Scanning tunneling topography and spectroscopy of gold particles sputtered on $BaTiO_3$.—74-05242A
Si donors (Si/Ga) in GaAs observed by scanning tunneling microscopy.—74-06311A
STM nanometric study of the initial stages of diamond film growth—quantitative measurement of {111} and {100} surface roughness.—74-05258A
STM studies of structure of gold chemically deposited on GaAs(100) surface.—74-06325A
STM study of anisotropic superconducting gap of $Bi_2Sr_2CaCu_2O_8$.—74-00853A
Structure of nickel silicide on Si(001): an atomic view.—74-07760A
Submicron gold islands on silicon by STM.—74-00722A
Systematic studies on the growth process of superconducting $YBa_2Cu_{3-\delta}$ and $Bi_2Sr_2CuO_y$ thin films by scanning tunneling microscopy.—74-06648A
Time-resolved atomic-scale modifications of silicon with a scanning tunneling microscope.—74-06363A
Tunneling microscopy and spectroscopy for the study of high-T_c superconductors.—74-07784A
Two-dimensional ordered Si_3N_4 nanoparticles observed by a scanning tunneling microscope.—74-07786A
Wigner glass on the magnetite (001) surface observed by scanning tunneling microscopy with a ferromagnetic tip.—74-07789A

scattering,
Characterization of interfaces by grazing incidence X-ray scattering.—74-07606A
Diffuse neutron scattering from cubic lithium sulfate at 908 K.—74-01369A
Diffuse scattering of superionic phase of Cu_2Se.—74-01979A
Diffuse scattering of X-rays by imperfect single crystals of graphite.—74-07631A
Diffuse X-ray scattering of amorphous multilayers.—74-06758A
Dynamic correlation function for amorphous solids.—74-09562A
Effect of electron-plasmon scattering on the transport characteristics of hot electrons in degenerate GaAs.—74-08872A
Elastic scattering of light and reflectivity development during low-pressure diamond film growth.—74-10320A
Electronic Raman scattering in high-T_c superconductors: a probe of d_x2-y2 pairing.—74-03457A
Exchange mechanism of Raman scattering in impurity La_2CuO_4.—74-03461A
Grain-boundary scattering in ruthenium dioxide thin films.—74-01390A
Hyper-Raleigh light scattering in weakly polar $Li_2Ge_7O_{15}$ ferroelectric.—74-03312A
Inelastic neutron scattering from spin ladder compound $(VO)_2P_2O_7$.—74-10822A
Inelastic neutron scattering study of hydrogen in superconducting ceramics.—74-03491A
Inelastic neutron scattering study of the proton dynamics in manganese oxides: I, γ-MnO_2 and manganite.—74-02000A
Inelastic neutron scattering study of the proton dynamics in manganese oxides: II, Proton insertion in electrodeposited MnO_2.—74-02001A
Light scattering investigations of cover coat porcelain enamels using reflection spectroscopy.—74-00130A
Light scattering studies of ZnSe/GaAs heterostructures.—74-06175A
Magnon lineshape for light scattering from Bi-doped YIG.—74-09207A
Multiple scattering probes of disordered materials.—74-07703A
Raman scattering from LO phonon-plasmon coupled modes in gallium nitride.—74-04405A
Small-angle neutron scattering of hardened cement paste and various substances for hydration.—74-07748A
Two- and three-phonon resonance Raman scattering in quasi-2-D electron systems under strong magnetic field.—74-07785A

schists,
Introduction of carboniferrous schists in heavy clay products—exigencies of additives and products.—74-08557A

science,
Science and technology in composite materials—design of materials for catalysts.—74-10617A

scintillator,
Materials Research Society Symposium Proceedings, Volume 348: Scintillator and Phosphor Materials.—74-11205B

screen process printing,
Electric and kinetic properties of screen-printed strontium titanate films at high temperatures.—74-07159A
Environmental cure for glass decorators' ills.—74-00296A
Optimization of screen-printed cathode layers.—74-03142A
Precision screen printing fabrics.—74-00025A
Preparation and characterization of superconducting $YBa_2Cu_3O_x$ thick films obtained by screen printing.—74-03560A

screening and sieving,
Band renormalization and dynamic screening in near-band-gap fs optical probing of InGaAs.—74-08829A
Further optimization of pregrinding.—74-02328A
Water-miscible mediums: comparison to solvent-based systems.—74-00029A

seals and sealing,
Burner block sealing.—74-09641A
Ceramic rings for face seals.—74-03957A
Design and development of a CMC interturbine seal.—74-09446A
Development of low-temperature phosphate sealing glass.—74-05760A
Evaluation of four CMCs for aerospace turbine engine divergent flaps and seals.—74-09868A
Fiber architecture design for CMC engine seal.—74-09462A
Hermetic sealing with glass-ceramics.—74-09468A
Low temperature sealing composition—74-00238P
Process for making silicon carbide with controlled porosity.—74-09951P
Sealing glass compositions—74-00351P
Sealing of plasma-sprayed ceramic coatings by sol-gel process.—74-10620A
Specialty glass and glass-to-ceramic seals.—74-00316A

second harmonic generation,
Cerenkov second harmonic generation (CSHG) in proton-exchanged (PE) $LiTaO_3$ optical waveguides.—74-09111A
Diamond C(111) (2×1) surface exposed to hydrogen and hydrocarbon species using second harmonic generation and sum frequency generation.—74-09982A
Investigation of second harmonic generation in MOCVD-grown barium titanate thin films.—74-06417A
Mode-locking of Nd-$YAlO_3$ (YAP) laser at 1.08 μm wavelength with single KTiOPO (KTP) crystal.—74-03111A

Optical second harmonic generation—a probe of atomic structure and bonding at Si-SiO_2 interfaces, and other chemically modified Si surfaces.—74-06242A
Second and third harmonic generation in ß-BaB_2O_4 by fs Ti:sapphire laser pulses.—74-09031A
SHG and magnetic dipole–electric dipole interference in antiferromagnetic Cr_2O_3.—74-09221A
SHG efficiency in periodically poled $LiNbO_3$ waveguides.—74-06434A
SHG in silica optical fiber and its mechanism analysis.—74-10883A

second phase,
Influence of internal stresses on crystallization of intergranular phases in ceramics.—74-10000A

secondary ion mass spectrometry (SIMS),
Comparison between computer simulation and direct secondary ion mass spectrometry measurement of lateral dopant distributions.—74-01971A
Imaging microanalysis of ceramic materials with a scanning ion microprobe.—74-06779A
Improved quantification in secondary ion mass spectrometry detecting MCs⁺ molecular ions.—74-01070A
Investigation of the core-clad interface of coherent fiber optic devices using secondary ion mass spectrometry, surface analysis by laser ionization, and transmission electron microscopy.—74-03828A
Limiting factors for secondary ion mass spectrometry profiling.—74-01076A
Method for the measurement of the lateral dose distribution of dopants at implantation or diffusion mask edges ("lateral SIMS").—74-01950A
Quantification of SIMS data for multicomponent glasses.—74-05691A
Review of secondary ion mass spectrometry characterization of contamination associated with ion implantation.—74-03864A
Secondary ion mass spectrometry analysis of a three-level metal structure using sample rotation.—74-05243A
Secondary ion mass spectrometry analysis of ultrathin impurity layers in semiconductors and their use in quantification, instrumental assessment, and fundamental measurements.—74-01100A
ToF-SIMS and XPS studies on the interaction of silanes and matrix resins with glass surfaces.—74-05291A
Ultrashallow depth profiling with time-of-flight secondary ion mass spectrometry.—74-00728A

sediments/sedimentation,
Accuracy of processing of the sedimentation curves.—74-04467A
Sedimentation of monodisperse and bidisperse hard-sphere colloidal suspensions.—74-07473A

Seebeck coeff.,
Grain-boundary effects on the thermoelectric power of semiconducting films.—74-00626A

seeding,
Crystallization and seeding effect in $BaAl_2Si_2O_8$ gels.—74-09979A
Effect of catalyst seeding on formation of vapor-grown carbon fibers.—74-04569A
Effect of seeding on phase development, densification behavior, and microstructure evolution in mullite fabricated from microcomposite particles.—74-10293A
Injection seeding: II, Ti:Al_2O_3 experiments.—74-00642A
Optical, electron microscopic, and X-ray topographic studies of ferroic domains in barium titanate crystals grown from high-temperature solution.—74-05212A
Properties and behavior of glass melts with fine seeds.—74-00275A
Seeding effects on crystallization of $KAlSi_3O_8$, $RbAlSi_3O_8$, and $CsAlSi_3O_8$ gels and glasses.—74-02489A
Submicrometer transparent alumina by sinter forging seeded γ-Al_2O_3 powders.—74-04926A
Use of thin-film substrates to study enhanced solid-state phase formations.—74-04238A

segregation,
Ca segregation to basal surfaces in α-alumina.—74-10761A
Effects of interfacial segregation on wetting of PbBiSrCaCuO ceramic by Ag and Ag-based alloys.—94-06526A
Grain growth, segregation, and diffusion in ceramic systems [investigated] by using heterogeneous structures.—74-07658A
Material resistance against segregation of cement mortar in water.—74-08068A
Preventing segregation during centrifugal consolidation of particulate suspensions: particle drafting.—74-10578A
Segregation in single-crystal fully stabilized yttria-zirconia.—74-05244A
Studies of Si segregation in GaAs using current-voltage characteristics of quantum well infrared photodetectors.—74-03231A
Surface and interface segregation phenomena in oxide ceramics.—74-06344A

selenides,
Analysis of short-range order and structural model in the glassy semiconductor $Ge_{0.2}Sb_{0.2}Se_{0.6}$ by X-ray diffraction.—74-00240A
Anomalies in free-flux Hall effect.—74-07143A
Atomic force microscope and scanning tunneling microscope studies of superlattices and density waves in Fe-doped $NbSe_2$, $TaSe_2$, TaS_2 and in $NbSe_3$ doped with Fe, Co, Cr, and V.—74-07593A
Carbon diffusivity in copper selenide.—74-04991A
Cathodic deposition of copper selenide films on tin oxide in sulfate solutions.—74-01625A
Characterization of polycrystalline thin-film n-$Zn_{0.35}Cd_{0.65}$/p-$CuGa_{0.75}In_{0.25}Se_2$ heterojunctions.—74-00580A
Charge carrier transport mechanisms in amorphous layers of the composition $Pb_xGe_{42-x}Se_{58}$.—74-01935A
Chemical interaction in glasses of GeS_2-Tl_2S and $GeSe_2$-Tl_2Se according to data of X-ray emission spectra.—74-00184A
Comparison between the Raman modes of the tetrahedral network in amorphous and layered crystalline $GeSe_2$.—74-08328A
Composition dependence of the optical constants in amorphous Sb_xSe_{1-x} thin films.—74-04267A
Crystal chemistry and solid lubricating properties of the monochalcogenides gallium selenide and tin selenide.—74-08847A
Dc electrical conductivity in glassy $Cu_{15}As_{35}Se_{50}$.—74-06026A
Density of deep states in a-As_2Se_3 films by means of c-v characteristics.—74-06028A
Diffuse scattering of superionic phase of Cu_2Se.—74-01979A
Effect of dc electric field on incommensurate phase of $Sn_2P_2Se_6$-type proper ferroelectrics.—74-00749A
Effect of hydrostatic pressure on T_c of $Nb_{1-x}Sn_xSe_2$.—74-03448A
Effects of thermal and chemical treatments on the composition and structure of electrodeposited $CuInSe_2$ thin films.—74-06063A
Electrical and structural studies of $AgSbSe_2$ thin films.—74-01698A
Electroless deposition of orthorhombic copper(I) selenide and its room temperature phase transformation to cubic structure.—74-01381A
First-principles study of Zn- and Se-stabilized ZnSe(100) surface reconstructions.—74-06108A
Fragmentations of $Ge_{1-x}Sn_xSe_2$ glasses.—74-02458A
Geometric isotope effect of $NaH_3(SeO_3)_2$.—74-01389A
Growth of GaSe layered compound on a GaAs(001) surface.—74-03380A
Highly oriented WSe_2 thin films prepared by selenization of evaporated WO_3.—74-04682A
Improved heteroepitaxial growth of layered $NbSe_2$ on GaAs(111)B.—74-01760A
Influence of a ferromagnetic tip on the Abrikosov vortex lattice in $NbSe_2$ studied by low-temperature scanning tunneling microscopy.—74-06460A
Laser-induced ablation and epitaxial growth of SnSe.—74-04727A
Laser-induced compound formation and transfer of stacked elemental layers.—74-03084A
Low-temperature metallic conductivity in semiconductor TlSe with chain structure.—74-03091A
Magnetic phase transition of Cr_2Se_3.—74-03388A
Magnetostatic wave spectrum and attenuation in ferromagnetic semiconductor $HgCr_2Se_4$ under electric-field-induced heating of magnons.—74-06193A
Memory switching in amorphous Ge-Se-Tl chalcogenide semiconductor films.—74-03105A
New electrochemical selenization technique for preparation of metal selenide semiconductor thin films.—74-00669A
Optical and structural properties of $CuGaSe_2$ polycrystalline thin films.—74-06236A
Optical and X-ray studies in ferroelastic $Cs_3H(SeO_4)_2$.—74-04170A
Optical band gap of thin films of SnSe-$SnGe_2$ eutectic alloy.—74-01550A
Optical properties of $CuAlSe_2$ single crystals and of diode structures made of them.—74-08988A
Optical properties of MnSe thin films.—74-04385A
Parametric study of pulsed laser deposited niobium diselenide thin-film growth.—74-01825A
Phase equilibria in the systems HgS-HgSe-$HgCl_2$(Br_2).—74-04182A
Phase formation in films of the As_2Se_3-Yb system.—74-01432A
Phase transition temperature shift in $Sn_2P_2Se_6$ under fast temperature variation.—74-04191A
Photo-emf anomalies in ferromagnetic ordering region in $HgCr_2Se_4$.—74-04392A
Plasma-enhanced chemical vapor deposition of $CuInSe_2$.—74-00685A
Plasmons in an ultrathin film of weakly coupled layered materials.—74-04397A
Pressure dependence of Raman scattering in $AgGaSe_2$.—74-03179A
Quantitative capacitance of a metal-(amorphous chalcogenide semiconductor) (Al-As_2Se_3) contact.—74-03187A
Role of electron-lattice interaction in layered transition metal dichalcogenide 2H-NbS_2: I, Phonon anomaly and superconductivity.—74-04412A
Structural features of glass-crystalline materials in the AsSe-TlSe system.—74-02494A
Structural peculiarities of glass-crystalline materials of the system AsSe-TlSe.—74-02496A
Synthesis and thermal stability of solid solutions of $Cu_{1-x}Zn_xCr_2Se_4$.—74-01470A
Thermoelectric and Hall effect in amorphous alloy $As_{0.2}Se_{0.4}Te_{0.4}$.—74-01596A
Topological threshold in $Ge_xAs_{40-x}Se_{80}$ glasses and thin films.—74-03671A
Transformation of a system of defects near the surfaces of CdTe, $Zn_xCd_{1-x}Te$, and $CdTe_{1-x}Se_x$ crystals etched with argon ions.—74-00724A
Use of superlattice reactants in the synthesis of ternary Cu-Nb-Se compounds.—74-10714A
Valence electron density distribution in $TlFeSe_2$.—74-07787A

selenium,
Birefringent and piezooptical properties of $RbHSeO_4$ crystals.—74-06394A
Chemical equilibria in glass-forming melts: high-temperature ^{31}P and ^{77}Se NMR of the phosphorus-selenium system.—74-02437A
Chemical reaction in GeS_2-Tl_2S and $CeSe_2$-Tl_2Se glasses according to the data in the X-ray emission spectra.—74-00185A
Control of the Fermi level position on the GaAs(001) surface: Se passivation.—74-02948A
Dc electrical properties of some metal-chalcogenide glassy alloys of the Cu-As-Se system.—74-05709A
Dependence of optical band gap on the composition of $Se_{1-x}Te_x$ thin films.—74-05108A
Determination of selenium in glass by graphite furnace atomic absorption spectroscopy after extraction with dithizone: a comparison with X-ray fluorescence and vapor generation atomic absorption spectroscopy.—74-02445A
Development of high-temperature once-fired red selenium-cadmium glaze.—74-08527A
Diamondlike carbon films for protection and stabilization of selenium-containing photoreceptors in electrophotography.—74-10270A
Effect of Se on the crystallization behavior of As-Te glasses.—74-02450A
Electrochemical atomic absorption determination of selenium in geochemical and plant materials after autoclave decomposition and sorption preconcentration.—74-01060A
Electrographic and charge transport measurements on amorphous semiconductor films of $(Se_{1-x}Te_x)_{1-y}P_y$.—74-00608A
Electron-hole liquid and light amplification in layered InSe and GaSe crystals.—74-02994A
Formation of small-sized CdS_xSe_{1-x} crystals in sol-gel-derived SiO_2 glasses.—74-03022A
Local environment of selenium in silicate glasses.—74-02557A
Manipulation of rectangular arrangment of Se ring-type molecules on graphite (highly oriented pyrolytic graphite) surfaces.—74-07678A
Open-circuit mode drift mobility measurements in DLC films.—74-04377A
Phase development in the ternary system Sm-Bi-Se.—74-01424A
Phase relations and conductivity in ZrO_2-Se_2O_3-La_2O_3 system.—74-08764A
Room-temperature synthesis of $CuInQ_2$ (Q=S or Se) in nonaqueous solution using an organoindium reagent.—74-10614A
Structure-dependent threshold current density for CdZnSe-based II-VI semiconductor lasers.—74-06334A
Studying ion-doped GaAs layers with {100} and {211} orientations by double-crystal X-ray crystallography.—74-06342A
Tellurium and selenium halide-based glasses, their preparation and use.—74-02698P

self-propagating high-temperature synthesis (SHS),
Fabrication of dense TiB_2-Al composites by the self-propagating high-temperature synthesis (SHS) method.—74-01722A
Filtration combustion with self-deformation.—74-04637A
Formation of Al_2O_3-TiB_2 composites using a high temperature synthesis reaction.—74-10360A
Mechanical activation of powders of silicon and aluminum nitrides produced by the method of self-propagating high-temperature synthesis.—74-01792A
Morphological and technological characteristics of silicon nitride powder prepared by self-propagating high-temperature synthesis.—74-01543A
Preparation and properties of 15R-SiAlON by SHS.—74-10549A
Processing intermetallic composites by self-propagating, high-temperature synthesis.—74-06278A
Scaling resistance in binary titanium and chromium carbides made by SHS.—74-05318A
Self-propagating high-temperature synthesis as a joining process.—74-10621A
Self-propagating high-temperature synthesis of titanium borides.—74-10622A
Self-propagating high-temperature synthesis—calculation of the basic parameters.—74-04884A
Self-propagating high-temperature synthesis: a new method for the production of diamond containing materials.—74-01878A
Self-spreading high-temperature synthesis (SHS). SHS-based technology.—74-03733A
SHS-derived composite powders for making particulate composites in the system of Si-C-B.—74-04887A
Sinterable powders of covalent compounds obtained by doping in situ using SHS.—74-04894A
Synthesis of ceramics by autocombustion.—74-01907A
Synthesis of Fe-TiC cemented carbide composites using self-propagated high temperature synthesis (SHS).—74-04943A
Synthesis of TiB_2-Al_2O_3 composite by self-propagating high-temperature synthesis (SHS) and its pressureless sintering.—74-10685A
Synthesis of titanium carbonitride by SHS (self-propagating high-temperature synthesis).—74-10687A
Thermal stresses in combustion synthesis of inorganic materials.—74-04960A

semiconductors,
ADEQUAT project for development and transfer of 0.25 μm logic complementary metal-oxide-semiconductor modules.—74-05972A
ADEQUAT project for development and transfer of 0.25 μm logic complementary metal-oxide-semiconductor modules.—74-07938A
Analytic models for plasma-assisted etching of semiconductor trenches.—74-02911A
Application of a dry turbo vacuum pump to semiconductor manufacturing processes.—74-05979A
Band gap and defect engineering for semiconductor holographic materials.—74-05986A
Band inversion in A^4B^6 semiconductors due to fluctuations of local stresses or local [non-Gaussian] fluctuations of composition.—74-02920A
Blue-green semiconductor lasers[—review].—74-05991A
Ceramic package for housing a semiconductor device.—74-08780P

Characteristics of a plasma doping system for semiconductor device fabrication.—74-03675A
Comparison of quantum confinement effects on the electronic spectra of direct and indirect gap semiconductor nanocrystals.—74-08842A
Conductive diffusion barrier of titanium nitride in ohmic contact with a plurality of doped layers therefor.—74-04042P
Current fluctuation and conductivity in semiconducting VO_2.—74-00586A
Development of an ultrahigh vacuum atomic force microscope for investigations of semiconductor surfaces.—74-01056A
Development of composition inhomogeneities in layer-by-layer growth of an epitaxial film of a solid solution of III-V semiconductors.—74-00591A
Diamond and II-VI heterojunction semiconductor light emitting device.—74-09085P
Diamond/organic LED—74-00738P
Early history of the physics and chemistry of semiconductors: from doubts to fact in 100 years.—74-08867A
Effects of microstructure on the optical properties of metal-semiconductor composites.—74-07638A
Evaluation of electrical characteristics on semiconducting ceramics using complex impedance resonance method.—74-08898A
Exciton-photon interaction in semiconductor microcrystals.—74-03008A
Failure of Al-SiO-Si metal oxide semiconductor capacitors at high temperatures.—74-00492A
Formation of ohmic contacts on semiconducting diamond grown by chemical vapor deposition.—74-03021A
Free-electron laser spectroscopy of semiconductors and interfaces.—74-03025A
Gallium nitride-based compound semiconductor light-emitting device and method for making the same.—74-03268P
Gate technology for 0.1-μm Si complementary metal-oxide-semiconductor using *g*-line exposure and deep ultraviolet hardening.—74-06118A
Grain-boundary effects on the thermoelectric power of semiconducting films.—74-00626A
Hermetically sealed semiconductor ceramic package.—74-09086P
High-performance thermoelectric semiconductors.—74-06133A
Intercrystalline semiconductive ceramic capacitor.—74-08798P
Ion mobility in chalcogenide semiconductors: room temperature creation of bipolar junction transistor.—74-00644A
Light-emitting device of gallium nitride compound semiconductor.—74-09088P
Manufacturing method for protective silicon oxynitride film.—74-02884P
Mechanism of formation of passivating sulfide coating on surface of A^3B^5 semiconductors.—74-03102A
Memory effect [and hysteresis phenomena] in incommensurate phase of semiconductors.—74-03104A
Method for fabricating stacked layer Si_3N_4 for low leakage high capacitance films using rapid thermal nitridation.—74-03270P
Method for forming a field oxide film in a semiconductor device.—74-09089P
Method for forming boron-doped semiconducting diamond films.—74-03271P
Method for pulling up semiconductor single crystal.—74-03273P
Method of determining conditions for plasma silicon nitride film growth and method of manufacturing semiconductor device—74-00741P
Method of fabricating a gallium nitride based semiconductor device with an aluminum and nitrogen containing intermediate layer.—74-09092P
Method of forming p-type silicon carbide.—74-03274P
Method of producing silicon carbide MOSFET.—74-09097P
Modulation spectroscopy of semiconductors: bulk/thin film, microstructures, surface/interfaces, and devices.—74-00661A
Neutron activation analysis and an investigation of the element distribution in thin semiconductor films.—74-00667A
New electrochemical selenization technique for preparation of metal selenide semiconductor thin films.—74-00669A
Nonmonocrystalline silicon carbide semiconductor, process of production thereof, and semiconductor device employing the same.—74-03276P
Numerical simulation of field emission from silicon.—74-00672A
Ohmic metal/III-V semiconductor contacts—fabrication methods and properties (review).—74-08980A
Photoinduced darkening and Faraday effect in glassy semiconductor films.—74-03163A
Piezoelectric semiconductor.—74-09098P
Plasma CVM [chemical vaporization machining]: an ultra precision machining technique using high-pressure reactive plasma.—74-10523A
Plasma etching of electronic materials.—74-06264A
Preparation and characterization of ultrasmall-sized metal and semiconductor particles in sol-gel materials.—74-10546A
Preparation and optical properties of Bi_2S_3 microcrystallite doped thin film.—74-09009A
Process for the controlled growth of single-crystal films of silicon carbide polytypes on silicon carbide wafers.—74-03280P
Quantum engineering of II-IV semiconductor structures[—review].—74-06280A
Quantum microstructure devices.—74-06281A
Quasi-classical transport at a van Hove singularity in cuprate semiconductors.—74-06282A
Reactive exhaust gas treatment is catching on at fabs.—74-03728A
Role of additional extremum in onset of superconductivity in $A^{IV}B^{VI}$ semiconductors with resonant impurity states.—74-03571A
Semiconductor research.—74-03211A
Si_3N_4/Si/Ge/GaAs metal-insulator-semiconductor structures grown by in situ chemical vapor deposition.—74-09036A
Size quantization of carriers in quasi-zero-dimensional structures [QZDS].—74-03218A
Structurally matched ferroelectric device.—74-03361P
Transverse acoustoelectric voltage in semiconductor-piezoelectric structure.—74-06448A
Two-dimensional delineation of semiconductor doping by scanning resistance microscopy.—74-02058A
Two-dimensional modeling of high plasma density inductively coupled sources for materials processing.—74-01004A
Ultrahigh vacuum in situ fabrication of three-dimensional semiconductor structures using a combination of particle beams.—74-06369A
Ultrashallow-doped film requirements for future technologies.—74-00729A
Unstandardized electron probe microanalysis of thin films of high-temperature superconducting oxides and semiconductors (thickness <1 μm).—74-01126A
Unsteady nonuniform states of nonequilibrium electrons and magnons in ferromagnetic semiconductors.—74-03259A
Various aspects of nonreciprocal devices using magnetized semiconductors.—74-09078A

sensitivity,
Experimental sensitivity studies of diode-clamped FET-SEED smart-pixel optical receivers.—74-08902A
Gas sensitivities of silicon MIS capacitors incorporated with catalyst and adsorptive oxide layers.—74-00624A
Humidity sensitivity of dry-press binders.—74-07165A
Notch sensitivity and stress redistribution in three ceramic matrix composites.—74-07905A
Thin-film dielectric ion sensors.—74-01120A

sensors,
Accuracy in temperature measurement.—74-01035A
Amperometric tetragonal zirconia sensors.—74-00567A
Ceramic Transactions, Volume 43: Ferroic Materials: Design, Preparation, and Characteristics.—74-05435B
Ceramics for toxic gas sensors.—74-02933A
Characteristics and modeling of a solid-state hydrogen sensor.—74-05922A
Characterization of ß and ß´´ alumina sensor tubes produced by injection molding.—74-06960A
Chromophore dynamics in sol-gel glasses and xerogel clad fiberoptic sensors.—74-08407A
Design of ceramic materials for chemical sensors with novel properties.—74-08855A
Diamond films as substrates for glucose sensors.—74-07020A
Diamond-based chemical sensors.—74-03267P
Dynamics of the pressing cycle and its influence on ceramic tile compaction by fitting an industrial press out with sensors.—74-08536A
Electrical properties of α-hematite humidity sensor investigated by fractional factorial design.—74-04301A
Ethanol gas sensing properties of SnO_2-based thin-film sensors prepared by the sol-gel process.—74-01714A
Fabrication of freestanding structures and proposed applications in tunneling sensors.—74-01725A
Gas-sensing properties of α-Fe_2O_3 thin films prepared by plasma-enhanced chemical vapor deposition.—74-02839A
Granular films of iron oxide prepared by aerosol deposition for the detection of organic vapors.—74-03964A
High-temperature carbon monoxide potentiometric sensor.—74-01066A
Humidity sensing characteristic of the EMD derivatives.—74-00633A
Infrared evanescent absorption spectroscopy of toxic chemicals using chalcogenide glass fibers.—74-06782A
Investigation on humidity sensors of Ta_2O_5 planar waveguides.—74-08942A
Ionic conductivity of natural fluorite—application to the fabrication of fluorine and oxygen sensors working at low temperature.—74-05946A
Iron oxide thin-film gas sensor.—74-03829A
Low-frequency electrostrictive ceramic plate voltage sensor.—74-09187P
Making gas sensors.—74-10437A
Molecular-sieve-based chemical sensors.—74-05950A
New approach to selective semiconductor gas sensors using a dc-biased *pn* heterocontact.—74-03126A
New potential-type humidity sensor using EMD-based manganese oxides as a solid electrolyte.—74-06986A
New routes in the development of chemical sensors: surface devices.—74-00670A
Optical hydrogen sensor using Pd/MoO_x films.—74-08984A
Oxygen influence on the kinetics of hydrogen interaction with sensors based on Pt-SiO_2-Si and Pd-SiO_2-Si structures.—74-00515A
Piezoresistive ceramic sensor based on PTCR barium titanate.—74-09003A
Principles and properties of thermostat metals.—74-01564A
Process control in the production of molten metals.—74-08766A
Processing of spinel thick films for humidity sensors.—74-03182A
Rate and mechanism of response of a zirconia oxygen sensor.—74-01096A
Recent developments in organically doped sol-gel sensors—a micron-scale probe, successful trapping of purified polyclonal antibodies, solutions to the dopant-leaching problem.—74-09504A
Relationship between crystal orientation and gas sensing property of sputtered SnO_2 films.—74-09023A
Sensor integration into plasma etch reactors of a development pilot line.—74-06308A
Sensor integration into plasma etch reactors of a development pilot line.—74-06812A
Sensors, actuators, and smart materials.—74-01101A
Smart/intelligent sensors.—74-09041A
Sol-gel glasses as new waveguides for optical immunosensors.—74-08458A
Sol-gel preparation and characterization of niobia thin films for catalytic sensor applications.—74-09042A
Solid-state gas sensors: a review.—74-00714A
Temperature sensor and method for producing temperature sensor elements.—74-09104P
Theoretical analysis of a blocking electrode oxygen sensor for combustion gas streams.—74-01117A
Thin film oxygen sensor.—74-09105P
Thin-film dielectric ion sensors.—74-01120A
Ultrathin porous carbon films as amperometric transducers for biocatalytic sensors.—74-06371A
Work function measurements for gas detection using tin oxide layers with a thickness between 1 and 200 nm.—74-06834A

separators/separation,
Centrifugal SPLITT fractionation: new techniques for separation of colloidal particles.—74-03785A
Ceramic membranes for high-temperature hydrogen separation.—74-01220A
Ceramic separation film and its applications.—74-06959A
Chemical conversion of C-S-H in concrete.—74-02314A
High-efficiency separators and grinding circuit design.—74-08041A
Possibilities of use of pneumatic separation processes in refractory production.—74-02770A
Power savings by bypassing the dynamic separator in a raw mill with high air speed.—74-02347A
Problems with high-efficiency separators.—74-09502A
Results with a Hurriclon centrifugal separator for dedusting a roller grinding mill.—74-06720A
Selective separation of finely divided minerals by addition of selective collector reagent and centrifugation.—74-03775P
Separation mechanisms of mixtures of low molecular weight compounds by porous ceramic membranes.—74-10623A
Solid-phase method of removal of iron impurities from ashes from the Kuibyshev automobile and tractor electrical equipment and carburator plant (KATEK).—74-04905A

sepiolite,
Geology, occurrence, and genesis of Eskisehir sepiolites, Turkey.—74-03943A

setting,
Study of the hydration and setting behavior of OPC [ordinary portland cement]–HAC [high-alumina cement] pastes.—74-05597A

settling,
Free settling of nonspherical particles.—74-07322A

shales,
New semiwet process using coal shales in Warta II cement plant (Poland).—74-03948A

shape parameter,
Anomalous electromechanical behavior of portland cement: electroosmotically induced shape changes.—74-02307A
Indentation crack-shape evolution during subcritical crack growth.—74-05367A

shaping,
Batch process for thinning and shaping diamond films.—74-01620A
Ceramic Transactions, Volume 51: Ceramic Processing and Technology.—74-07968B
Characterization of the extrusion properties and the shaping of ceramic catalysts.—74-04505A
Electrophoretic shaping of aluminum nitride.—74-10326A
Importance of X-ray phase analysis for the prediction of the shaping, drying, and firing behavior of ceramic clay bodies.—74-03821A
Microstructural shape factors: relation of random planar sections to three-dimensional microstructures.—74-07688A

shear,
Industry trials confirm low-speed feeder claim.—74-09474A
Liquid nitrogen provides shear cooling solution.—74-00946A
Modified short-beam shear test.—74-03838A
Shear spray solutions.—74-00993A
Tensile and shear properties of continuous fiber-reinforced SiC/Al_2O_3 composites processed by melt oxidation.—74-11105A

sheets,
Apparatus for laminating ceramic green sheets.—74-03742P
Apparatus for the manufacture of sheets of glass having a complex shape—74-01013P
Effect of technological production conditions on the surface quality of sheet glass.—74-02615A
Elimination and prevention of fishscale of sheet steel enamel.—74-08182A
Free standing diamond sheet and method and apparatus for making same—74-01319P
Making glass sheet with defect-free surfaces and alkali metal-free soluble glasses therefor—74-00337P
Method for heating a flat glass sheet—74-01025P
Method for treating glass sheets on a gas hearth.—74-09530P
Method of making thin sheet glass by fusion process.—74-08440A
Method of manufacturing multilayer ceramic electronic component.—74-08805P
Method of stacking ceramic green sheets.—74-03759P
Preparation of samples of macroporous glasses more than 2 mm thick from microporous sheets.—74-02651A
Process for the manufacture of decorated sheets of laminated safety glass.—74-02695P
Production of samples of macroporous glasses from microporous sheets of thicknesses greater than 2 mm.—74-00314A

shells,
Kiln [rotary] shell temperature and indispensable measured variable.—74-06859A
Monitoring kiln shell temperature—a must in today's cement plants.—74-03839A
Process and binder for the manufacture of ceramic shells for use as molds.—74-08653P
shock resistance,
Thermal shock behavior of boron nitride/boron carbide composite ceramics.—74-11113A
shock,
Shock wave equation of state of powder material.—74-04886A
Synthesis of TiC ceramics by reaction sintering of shock-modified powder mixtures.—74-10686A
shrinkage,
Effect of superplasticizers on the plastic shrinkage of concrete.—74-00053A
Fiber-matrix interphase development in carbon-carbon composites.—74-10806A
Green ceramic composite and method for making such composite.—74-09822P
Low-shrinkage cement-based building components.—74-05821A
Shrinkage of large isolated pores during hot isostatic pressing of presintered alumina ceramics.—74-10625A
Shrinkage reduction in silica-based refractory cores infiltrated with boehmite.—74-08634A
SiAlON,
ß-SiAlON-TiN particle composite ceramics.—74-02100A
Additional heat treatment of sintered ceramics based on ß-SiAlON's.—74-01608A
Adjusting shim.—74-04026P
Carbothermal production and characterization of α´-SiAlONs.—74-04495A
Carbothermal production of beta´-SiAlON from nanosized powders.—74-07214A
Ceramic dies for plastic molding.—74-03955A
Chemical interaction between SiAlON ceramics and steel.—74-07799A
Chemical reactivity of nickel and nickel-based alloys with a SiAlON ceramic.—74-08143A
Effects of different raw Si_3N_4 powders on microstructures and properties of a high-temperature SiAlON ceramic.—74-10308A
Experimental and thermodynamic studies in the Si-Al-O-C/C system.—74-07077A
Factors affecting the synthesis of SiAlON.—74-07312A
Formation of ß-SiAlON as an intermediate oxidation product of SiC-AlN ceramics.—74-10359A
Fretting wear of selected ceramics and cermets.—74-08196A
Frictional behavior of some nitrogen ceramics in conformal contact with tin-coated Al-Si alloy, steel, and MMC.—74-08198A
High Z SiAlON and cutting tools made therefrom and method of using.—74-04054P
High-temperature behavior of silicon carbide fibers in an Si-Al-Ca-O-N ceramic matrix.—74-09872A
High-temperature fracture toughness in silicon nitride and SiAlON.—74-11019A
Hot-filament chemical vapor deposition of diamond on SiAlON at pressures up to 500 torr.—74-10388A
Hot-pressed $MoSi_2$-particulate-reinforced α-SiAlON composites.—74-04015A
Interfacial bonding and friction in SiC fiber/ß´ SiAlON.—74-10825A
Low thermal conductivity ceramic and process for producing the same.—74-09924P
Mechanical properties of ß-SiAlON ceramics joined using composite ß-SiAlON-glass adhesives.—74-05374A
Microstructural observations of ß-SiAlON-12H multiphase ceramics by HREM.—74-00658A
Nd_2O_3-doped SiAlON's with ZrO_2/ZrN additions formed by sintering and hot isostatic pressing.—74-04771A
Optimization of SiAlON ceramics by heat treatment.—74-07406A
Phase formation, microstructure, and high-temperature strength of sintered materials based on aluminum nitride SiAlON polytypes.—74-05219A
Preparation and characterization of single-phase ß-SiAlON.—74-04821A
Preparation and properties of 15R-SiAlON by SHS.—74-10549A
Preparation and properties of HIPed O'SiAlON/silicon nitride composites.—74-07423A
Preparation of multication α-SiAlON containing strontium.—74-04826A
Properties of SiAlON-BN composites and its applications.—74-00398A
Reaction densification of α´-SiAlON: I, Wetting behavior and acid-base reactions.—74-04200A
Reaction densification of α´-SiAlON: II, Densification behavior.—74-04860A
α´-ß´-SiAlON ceramics through microstructure tailoring.—74-10752A
SiAlON-bonded SiC refractories for blast furnaces.—74-00401A
Silicon nitride composite sintered body and process for producing the same.—74-09960P
Study of temperature-programmed desorption of silicon nitride and SiAlON by means of mass spectrometry.—74-03874A
Synthesis and processing by slip casting of carbothermal ß-SiAlON on a semiindustrial scale.—74-04936A
Synthesis of ß´-SiAlON powder from clay.—74-05835A
Synthesis of SiAlON precursors.—74-10683A
Thermal expansion and glass transition temperatures of Y-Mg-Si-Al-O-N glasses.—74-05744A
Three-body abrasive wear of ceramic materials.—74-11116A
sieves,
Comparison of particle size of cracking catalyst determined by laser light scattering and dry sieve methods.—74-07231A
Test sieves.—74-09625A
Ultrasonic sieving of fine, dry powders.—74-07542A
silanes,
Ceramics formed by pyrolysis of either linear or thermosetting carborane (siloxane or silane) acetylene based—74-01314P
Comparison of film quality and step coverage for silicon dioxide dielectrics formed by RTCVD using tetraethoxysilane and silanes.—74-08731A
Conversion of polymers of methyl- and vinylsilane to SiC ceramics.—74-10246A
Deposition of a-SiC:H using organosilanes in an argon/hydrogen plasma.—74-08854A
DSC and FTIR study of the interaction of γ-MPS with slates.—74-07264A
Electron-stimulated and thermal desorption study of trimethylsilane from Si(100).—74-02995A
Formation and properties of silane monolayers on iron and aluminum surfaces.—74-07649A
High-yield polycarbosilane precursors to stoichiometric SiC—synthesis, pyrolysis, and application.—74-10385A
In situ spectroscopic ellipsometry studies of interfaces of thin films deposited by PECVD.—74-05163A
Kinetics and uniformity of deposition of borophosphosilicate glass from silane and oxygen in a single-wafer reactor.—74-00304A
Low-pressure chemical vapor deposition of silicon carbide from diethylsilane.—74-01780A
Low-temperature growth of 3C-SiC on Si substrate by chemical vapor deposition using hexamethyldisilane as a source material.—74-01785A
Luminescence effects in gels containing organoaluminum complexes.—74-10114A
Methods of making gas-selective membranes—general survey.—74-10455A
Nanoporosity in ceramics from polymeric precursors.—74-10852A
New inorganic/organic copolymers (ORMOCERs) for dental applications.—74-09792A
Preparation and properties of poly(phenyleneterephthalamide)-silica ceramers with interphase bonding from aminophenyl trimethoxysilane.—74-10551A
Processing of Si-based ceramics and ceramic composites using hydridopolycarbosilane (HPCS).—74-01859A
Processing of silicon carbide fiber with controlled stoichiometry, using polymethylsilane, $-(MeSiH)_2-$.—74-10589A
Raman spectroscopy of covalently bonded alkylsilane layers on thin silica films immobilized on silver substrates.—74-06807A
Reaction of Si_2H_6 in the presence of C_2H_2 in synthesis of SiC films by LPCVD using a macro/microcavity method.—74-01866A
SiC deposition by hot-wall LPCVD using tetramethylsilane.—74-07476A
Sol-gel processing using aminofunctional silanes.—74-10641A
Spin-on-glass film treatment technology using a fluoroalkoxysilane vapor at room temperature.—74-01893A
Theoretical modeling of chemical vapor deposition of silicon carbide in a hot-wall reactor.—74-07528A
Thermal stability enhancement of rubbery ormosils.—74-10173A
ToF-SIMS and XPS studies on the interaction of silanes and matrix resins with glass surfaces.—74-05291A
Two-photon laser-induced fluorescence measurements of absolute atomic hydrogen densities and powder formation in a silane discharge.—74-03883A
silazanes,
Silazane-based, heat resistant, dielectric coating compositions.—74-08812P
silica fume,
Ac impedance phenomena in hydrating cement systems: frequency dispersion angle and pore size distribution.—74-02304A
Apparent strength retrogression of silica-fume concrete.—74-02744A
Curing requirement of silica fume and fly ash mortars.—74-00045A
Effectiveness of supplementary cementing materials in suppressing expansion due to ASR [alkali-silica reaction]—another look at the reaction mechanisms: I, Concrete expansion and portlandite depletion.—74-03904A
Gypsum of improved performance using blends with portland cement and silica fume.—74-08036A
High-reactivity metakaolin—a new generation mineral admixture.—74-05527A
Hydration of silica fume containing cement pastes of low water-to-solid ratio.—74-08046A
Hydration of type K expansive cement paste and the effect of silica fume: I, Expansion and solid phase analysis.—74-05530A
Hydration reactions in autoclaved DSP cements.—74-00064A
Influence of silica fume on the fracture properties of paste and microconcrete.—74-08054A
Long-term hydration of $CaSiO_4$ with combined additions of silica fume, calcium sulfoaluminate, and gypsum.—74-08063A
Morphological, mineralogical, and chemical features of steam-cured concretes containing densified silica fume and various alkali levels.—74-00082A
Pozzolanic activity of amorphous silica.—74-08085A
Role of silica fume in mortar: transition zone versus bulk paste modification.—74-02351A
^{29}Si MAS-NMR study of hydrated cement paste and mortar made with and without silica fume.—74-02353A
silica,
Ablation dynamics of silicon-based targets in oxygen and nitrogen atmospheres.—74-05063A
Accurate determination of shallow doping profiles and interface states for metal-oxide-semiconductor structures from measured capacitance-voltage data.—74-00450A
Accurate profiling of ultrashallow implants with mercury gate metal-oxide-semiconductor capacitance-voltage.—74-00451A
Adhesion between polycarbonate substrate and SiO_2 film formed from silane and nitrous oxide by plasma-enhanced chemical vapor deposition.—74-04469A
Adsorption and configuration of lubricant molecules on overcoat materials.—74-01493A
Adsorption of short-chain tetraalkylammonium bromide on silica.—74-10059A
Adsorption properties of low-silica zeolite ZK-5.—74-07142A
Advanced scientific semiconductor processing based on high-precision controlled low-energy ion bombardment.—74-04472A
Aggregation profiles of silica sols in a sol-gel process.—74-01612A
Al_2O_3-SiO_2 glassy materials prepared by the alkoxide route.—74-05749A
Alkali free glass—74-00325P
Alteration of characteristics of porous high-silica glass during acid treatment.—74-05750A
Analytical model for rare-earth-doped fiber amplifiers and lasers.—74-05977A
Applicability of sol-gel processing in production of silica-based optical fibers.—74-00285A
Application of silica sol to porcelain glazes.—74-02804A
Atomic force microscopy studies of contact-electrified charges on silicon oxide film.—74-05980A
Atomic hydrogen reactions with P_b centers at the (100)Si/SiO_2 interface.—74-04990A
Auger depth profiling for silicon dioxide on silicon.—74-04096A
Autoclave reaction products at 300°C in system K_2O-SiO_2-H_2O.—74-09971A
Bioglass-ceramics in the system NaO_2-CaO-P_2O_5-SiO_2-B_2O_3.—74-05666A
Blue light emission from silicon ultrafine particles.—74-05990A
Boron diffusion through pure silicon oxide and oxynitride used for metal oxide semiconductor devices.—74-07556A
Calculations of liquidus curve and subliquidus miscibility gap in the $LiTaO_3$-SiO_2 system.—74-03286A
Causes of anomalous solid formation in the exhaust systems of low-pressure chemical vapor deposition and plasma-enhanced chemical vapor deposition semiconductor processes.—74-06682A
CdSe nanocrystal formation in silica sonogels.—74-10212A
Changes in the character of the electrode function upon the application of Al, Si, and Ti oxides to the surface of a glass electrode.—74-02435A
Characteristics of the fluorescence spectra of pyrene molecules during the sol to gel to xerogel transitions of silica-titania binary oxide systems.—74-09973A
Characterization and preparation of glass-ceramics in the system Fe_2O_3-CaO-SiO_2: I.—74-08406A
Characterization of a range of alkyl-bonded silica HPLC stationary phases: XPS and ToF-SIMS studies.—74-06742A
Characterization of defect geometries in multilayer optical coatings.—74-07557A
Characterization of optical thin films by spectroscopic ellipsometry.—74-10065A
Characterization of PECVD $Si_xO_yN_z$:H films and its correlation to device performance and reliability.—74-08838A
Characterization of silicon dioxide and phosphosilicate glass deposited films.—74-00244A
Characterization of silicon field emission microtriodes.—74-02936A
Characterization of SiO_2 layers on Si wafers using atomic force microscopy.—74-05089A
Characterization of sol-gel-derived composite silica carbon electrodes.—74-09857A
Characterization of the Si/SiO_2 interface morphology from quantum oscillations in Fowler-Nordheim tunneling currents.—74-00581A
Characterization of the transition xerogel-glass of materials prepared with modified TEOS: the case of Cu^{2+}.—74-01350A
Charge properties of an Al-SiO_2-*n*-SiC{(0001)Si} MOS structure.—74-08839A
Charge pumping study of radiation-induced defects at $SiSiO_2$ interface.—74-06002A
Chemical vapor deposition in high-density low-pressure plasmas—reactor scale-up and performance.—74-03676A
CMS/SiO_2/Al_2O_3 catalysts for improved selectivity in the synthesis of amines from methanol and/or dimethyl ether and ammonia.—74-03984P
CO_2 laser chemical vapor deposition of silica films in a parallel configuration: a study of gas phase phenomena.—74-01636A
Cobalt-silica gel system as oxygen chemisorbent.—74-04106A
Comparison between SiO_2 films and nitrided oxides in N_2O ambient in terms of bulk/interface trapping properties.—74-10068A
Comparison of film quality and step coverage for silicon dioxide dielectrics formed by RTCVD using tetraethoxysilane and silanes.—74-08731A
Comparison of the carbothermic reduction and nitridation of various forms of silica to produce Si_3N_4 powders.—74-04521A

Composite aerogels of silica and minerals of different morphologies.—74-07235A
Conductive paste.—74-02874P
Constant current stress breakdown in ultrathin SiO_2 films.—74-00584A
Construction of model-supported metal catalysts for scanning tunneling microscopy examinations: platinum ultrafine particles on silica and on alumina.—74-06749A
Cooperative luminescence in a Yb-doped silica fiber.—74-08363A
Correlation of physicochemistry of gel-derived silica and its apatite induction.—74-07241A
Cross-condensation reactions in an organically modified silica sol-gel.—74-10249A
Crystallization of a PbO-BaO-TiO_2-Al_2O_3-SiO_2 glass.—74-05672A
Damage to Si substrates during SiO_2 etching—a comparison of reactive ion etching and magnetron-enhanced reactive ion etching.—74-05106A
Decay kinetics of the 4.4 eV photoluminescence associated with the two states of oxygen-deficient-type defect in amorphous SiO_2.—74-04996A
Degradation of thin films—comparison between low earth [LEO] orbit experiments and laboratory simulations of the space environment.—74-03793A
Dental ceramic material with a relatively low processing temperature—74-01252P
Dependence of apatite formation on silica gel on its structure: effect of heat treatment.—74-07246A
Deposition of silicon dioxide films using the helicon diffusion reactor for integrated optics applications.—74-06032A
Depth profile optimization.—74-05110A
Design and manufacture of sputtered multilayers for applications to soft X-ray optics.—74-06692A
Determination of the mechanical behavior of thin films on substrate systems from micromechanical experiments.—74-10966A
Development of a force sensor for atomic force microscopy using piezoelectric thin films.—74-09118A
Development of acidity on sol-gel-prepared TiO_2-SiO_2 catalysts.—74-10263A
Dielectric breakdown strength of SiO_2 using a stepped-field method.—74-00476A
Dielectric loss function of Si and SiO_2 from quantitative analysis of REELS spectra.—74-03796A
Diffraction gratings for measuring slow mode surface plasmon polaritons.—74-01682A
Dipolar indicators of site acidity in metal oxides.—74-00594A
Dispersion and distribution of titanium species bound to silica from $TiCl_4$.—74-09983A
Dispersive subband-resonant nonlinearity in amorphous Si/SiO_2 quantum well structures.—74-08864A
Drying evolution of wet silica gels.—74-04564A
Dynamics of liquids in confined geometries.—74-08330A
Effect of aging gels obtained from alkoxides on the stability of nanocomposite of tetragonal zirconia in silica matrix.—74-04566A
Effect of beam condition in variable-shaped electron-beam direct writing for 0.25 μm and below.—74-01686A
Effect of drying on viscoelasticity and permeability of gel.—74-10282A
Effect of fictive temperature on dynamic fatigue behavior of silica and soda-lime glasses.—74-02533A
Effect of fluoroalkyl substrates on the reaction of alkylchlorosilanes with silica surfaces.—74-09985A
Effect of gas diffusion process on sensing properties of SnO_2 thin-film sensors in an SiO_2/SnO_2 layer-built structure fabricated by sol-gel process.—74-06762A
Effect of hydrogen annealing on hot carrier instability of X-ray-irradiated CMOS devices.—74-02973A
Effect of native SiO_2 layer on the nucleation of diamond using a combustion flame.—74-04582A
Effect of power on the properties of SiO_2 films produced by plasma-enhanced chemical vapor deposition.—74-10292A
Effect of silica and calcia on the thermal conductivity of aluminum nitride.—74-07155A
Effect of silica on the cyclic life of a zirconia-yttria thermal barrier coating.—74-08177A
Effect of silica on the nonoxidative thermal degradation of an acrylic binder.—74-04587A
Effect of SiO_2 on the properties of CaO-Al_2O_3 glasses.—74-08369A
Effect of texture of the rate of hydroxyapatite formation on gel-silica surfaces.—74-10299A
Effect of the initial condition of synthesis components in the reaction of carbothermal reduction of silica on the structure of silicon carbide particles: I, Aerosil-saccharose.—74-01693A
Effect of the initial condition of synthesis components in the reaction of carbothermal reduction of silica on the structure of silicon carbide particles: II, Aerosil-soot system.—74-01694A
Effects of 5-eV photons on defects in SiO_2.—74-08370A
Effects of silica source on the crystallization of zeolite NaX.—74-10314A
Effects of SiO_2/$CaCO_3$ additions on the production of soft ferrites for yoke rings.—74-03376A
Effects of substrate temperature and bias potential on hydrogen plasma etching of silicon.—74-06062A
Effects of the structure of silica-alumina gel on the hydrothermal synthesis of kaolinite.—74-10316A
Efficiency of defect generation due to irradiation in silica.—74-07564A
Electrical and structural properties of gold films and mercury-covered gold films.—74-04295A
Electrical characterization of defects created in the Si-SiO_2 system by ionizing radiation.—74-05008A
Electrochemical study of ultrathin silica films supported on a platinum substrate.—74-02838A
Electron beam effects on $(CH_2)_{17}$ self-assembled monolayer SiO_2/Si specimens.—74-04608A
Electron cyclotron resonance plasma source for metallorganic chemical vapor deposition of silicon oxide films.—74-00609A
Electron cyclotron resonance sputter removal of SiO_2 on silicon wafers.—74-01707A
Electron spin resonance characterization of self-trapped holes in amorphous silicon dioxide.—74-08334A
Epitaxial Ge layers on Si via $Ge_xSi_{1-x}O_2$ reduction. The roles of the hydrogen partial pressure and the Ge content.—74-03003A
Etch rate characterization of irradiated SiO_2 and its application in the fabrication of a *T*-gate structure.—74-06086A
Evaluation of repair phase and size tolerance for a phase-shift mask.—74-01715A
Excitons in SiO_2: a review.—74-08373A
Experimental determination of silica/copper interfacial toughness.—74-02136A
Extruded catalyst based on silica/alumina gel, and process for preparing it—74-01253P
Fabrication of ultrafine anisotropic SiO_2 mask by the combination of electron beam lithography and SF_6 reactive ion beam etching using aluminum lift-off technique.—74-07310A
Fabrication of ultrafine anisotropic SiO_2 mask by the combination of electron beam lithography and SF_6 reactive ion etching using aluminum lift-off technique.—74-04631A
Factors affecting strength of agglomerates formed during spray drying of nanophase powders.—74-10354A
Film thickness measurement of SiO_2 by XPS.—74-06770A
Fine-particle oxide ceramic powders.—74-09821P
Finite element modeling of silica waveguide amplifiers with high erbium concentration.—74-06106A
Fluorescence line narrowing studies of Eu^{3+}-doped silica gel glasses.—74-08424A
Fluorocarbon high density plasma: V, Influence of aspect ratio on the etch rate of silicon dioxide in an electron cyclotron resonance plasma.—74-04640A
Fluorocarbon high density plasma: VI, Reactive ion etching lag model for contact hole silicon dioxide etching in an electron cyclotron resonance plasma.—74-04641A
Fluorocarbon high-density plasma: I, Fluorocarbon film deposition and etching using CF_4 and CHF_3.—74-01734A
Fluorocarbon high-density plasmas: II, Silicon dioxide and silicon etching using CF_4 and CHF_3.—74-02078A
Focused ion beam XeF_2 etching of materials for phase-shift masks.—74-01735A
Formation of metal-ceramic interfaces—a surface science approach.—74-05625A
Formation of Si-SiO_2 stacked-gate structures by plasma-assisted and rapid thermal processing—improved device performance through process integration.—74-06112A
Formation of Si-SiO_2 stacked-gate structures by plasma-assisted and rapid thermal processing—improved device performance through process integration.—74-06701A
Formation of small-sized CdS_xSe_{1-x} crystals in sol-gel-derived SiO_2 glasses.—74-03022A
Formation of the gradient of optical properties in monolithic porous xerogels and glasses based on them.—74-00297A
Framework for understanding fast neutron-induced defects in SiO_2 MOS structures.—74-03024A
FTIR spectra of a heat-treated SiO_2-ZrO_2 glass.—74-05763A
Ga-CH_3 bond scission by atomic H—the depletion of surface carbon from a gallium alkyl film on silicon dioxide.—74-06114A
Gain saturation in three- and four-level fiber amplifiers.—74-08920A
Gated chromium volcano emitters.—74-03027A
Generation aspects of the delocalized intrinsic EX defect in thermal SiO_2.—74-05015A
Glass fiber composition with improved biosolubility.—74-08479P
Glass formation area in a ternary ZnO-CdO-SiO_2 and an Al_2O_3 section of the quaternary (ZnO-Cd)-Al_2O_3-SiO_2 system.—74-02462A
Glass-ceramic materials in the CaO-MgO-Al_2O_3-SiO_2 system.—74-05765A
Glasses from gels.—74-00300A
Glow discharge processing to enhance field emitter array performance.—74-03030A
Glow discharge processing to enhance field-emitter array performance.—74-07326A
Grinding medium for ceramic production.—74-06703A
Growth mechanisms of silica glasses using the liquid phase deposition.—74-02635A
Growth of CdS nanocrystals in a silicate glass and in thin SiO_2 films in the initial stages of the phase separation of a solid solution.—74-05680A
Hafnium dioxide etch-stop layer for phase-shifting masks.—74-01229A
High dielectric constant coatings.—74-08794P
High-alumina cement/silica fume materials for cesium trapping.—74-06669A
High-frequency reactive ion etching of silylated photoresist.—74-06773A
High-speed spectral ellipsometry for in situ diagnostics and process control.—74-06774A
High-speed spectral ellipsometry for in situ diagnostics and process control.—74-06775A
High-temperature mechanical behavior of $3Al_2O_3$:$2SiO_2$ mullite-based materials.—74-07887A
Hydration and microstructure of CA_2 in the presence and in the absence of microsilica.—74-05528A
Hydrogen fluoride vapor etching for pre-epi silicon surface preparation.—74-06140A
Hydrogen model for radiation-induced interface states in SiO_2-on-Si structures: a review of the evidence.—74-03053A
Hydrogen transport in submicron SiO_2 films on Si.—74-05019A
Hydroxyl-free clear silica glass by sol-gel processing.—74-00301A
Importance of implantation sequence in the formation of nanometer size colloid particles—embedded amorphous SiO_2—formation of composite colloids with a Cu core and a Cu_2O shell by coimplantation of Cu and F.—74-10395A
Improved monolithic vacuum field emission diodes.—74-03058A
Improvements on electrical properties of ultrathin silicon oxides grown by microwave afterglow oxygen plasma.—74-10401A
In situ X-ray photoemission spectroscopic studies of Al/SiO_2 interface formation.—74-01761A
Influence of deferrization on the properties of mechanically activated silica powders.—74-01764A
Influence of inhaling fine particles on human health.—74-11171A
Influence of post-sintering anneal on Si_3N_4 matrix grain morphology.—74-07666A
Influence of wettability on the properties of thin porous platinum films as gates of metal-oxide-semiconductor devices in electrolytes.—74-02843A
Infrared absorption spectroscopy for monitoring condensible gases in chemical vapor deposition applications.—74-03823A
Infrared and ultraviolet ray absorbing glass.—74-02677P
Injection-level-dependent recombination velocities at the Si-SiO_2 interface for various dopant concentrations.—74-10109A
Inorganic-organic hybrid aerogels.—74-10425A
Insulator films on diamonds—74-00553P
Investigation of selective SiO_2-to-Si etching in an inductively coupled high-density plasma using fluorocarbon gases.—74-06169A
Investigation of the peculiarities of crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 by the method of small-angle X-ray scattering.—74-02469A
Kiln furniture brick of silica–silicon carbide.—74-06860A
Kinetics of trapping, detrapping, and trap generation.—74-05029A
Large-area selective thin-film deposition by bias sputtering.—74-04725A
Lattice dynamics and dielectric properties of SiO_2 shistovite.—74-02845A
Leaching behavior of EDTA in a silica sol-gel matrix.—74-09479A
Lead-free frit glaze.—74-02815P
Lead-free glass composition having properties similar to lead crystal glass.—74-02678P
Light emission from crystalline silicon and amorphous silicon oxide (SiO_x) nanoparticles.—74-01529A
Liquid crystal templating effects on silica gels synthesized using quaternary ammonium surfactants.—74-10833A
Lithographic process in deposited silicon dioxide.—74-06179A
Low-energy (3–100 ev) electron-bombardment-induced nitridation of thin SiO_2 films: physicochemical and electrical analyses.—74-00504A
Low-temperature deposition of glass membranes for gas sensors.—74-02641A
Low-temperature plasma anodic oxidation of silicon through tin aluminum overlayers.—74-04739A
Low-temperature process for the formation of ceramic coatings—74-01257P
Luminescence determination of iridium with 2,2′-dipyridyl after sorption on silica-based anion exchanger.—74-01078A
Luminescent microspheres for improved flat-panel color displays.—74-00947A
Marble-like glass ceramic.—74-08484P
Measurement of polymer adsorption on colloidal silica by in situ transmission Fourier transform infrared spectroscopy.—74-10007A
Measurement of Si wafer and SiO_2 layer microroughness by large sample atomic force microscope.—74-06789A
Mechanical and microstructural properties of two-step acid-base catalyzed silica gels.—74-10119A
Mechanism of particle formation in the sputtering and reactive ion etching of Si and SiO_2.—74-06201A
Mechanism of particle formation in the sputtering and reactive ion etching of Si and SiO_2.—74-07681A
Membrane dielectric isolation IC fabrication.—74-02885P
Method for manufacturing fiber-reinforced structures with a glass matrix.—74-08486P
Method for the formation of a silicon oxide film.—74-03993P
Method for the formation of a silicon oxide film.—74-04065P
Method for the formation of silicon oxide films.—74-03994P
Method of making a semiconductor device with a capacitor.—74-09095P
Method of manufacturing silica waveguide optical components.—74-08489P
Methods for the formation of a silicon oxide film.—74-08491P
Microporous silica gels from alkylsilicate-water two-phase hydrolysis.—74-10457A
Microwave processing of silica sol-gels.—74-10466A
Millitorr range PECVD of a-SiO_2 films using TEOS and oxygen.—74-04755A
Mixture of grains and particles of vitreous silica, and new material made of sintered vitreous silica.—74-08493P
Model for chemical vapor deposition of nanostructured ceramics inside tubes under high-temperature laminar flow conditions.—74-07386A
Modeling and characterization of interface static parameters and surface recombination velocity at plasma enhanced chemical vapor deposited SiO_2-Si interface.—74-10122A
Modification effects in ion-implanted SiO_2 spin-on-glass.—74-00270A
Molecular dynamics [MD] simulations of structural transformation and dynamical correlations in silica glass at high pressures.—74-08378A

Molecular dynamics of thin lubricant films on sol-gel SiO_2 surfaces for thin-film magnetic disks.—74-10479A
Molecular orbital model of gel-silica ir spectra.—74-10846A
Molecular orbital models of silica rings and their vibrational spectra.—74-04167A
Nanocrystalline oxide powders prepared by ball milling.—74-04767A
Nanosized metal particles by control of the metal dispersion during sol-gel processing.—74-07398A
Nanosized Pd particles in an SiO_2 matrix by sol-gel processing.—74-10489A
Nanostructural investigation of silica aerogels.—74-07704A
Neutral gray-colored infrared and ultraviolet radiation absorbing glass.—74-02688P
Neutron diffraction and MAS-NMR study of the structure of fast neutron-irradiated vitreous silica.—74-02475A
New Bioglass ceramic for dental crown and veneer.—74-08445A
New method for selective growth of diamonds by microwave plasma chemical vapor deposition.—74-04774A
New modification of silicon dioxide obtained in shock-wave conditions.—74-03968A
New opportunities in XAFS investigation in the 1-2 keV region.—74-08967A
New route for the deposition of SiO_2 sol-gel coatings.—74-01814A
Nickel aluminosilicate glass-ceramics.—74-02689P
Nitride cap sidewall oxide protection from BOE etch.—74-02894P
Nitrogen redistribution in SiO_2 under ion bombardment.—74-02030A
Nonlinear polarization of fused silica and its measurement.—74-00757A
Novel synthetic route for supporting ruthenium complexes on functionalized silica gel.—74-10502A
Obtaining and characterization of silica powder.—74-10855A
Optical and mechanical isotropies in embedded fiber optic sensors.—74-08382A
Optical properties of ion-assisted deposited SiO thin films.—74-04384A
Optical second harmonic generation—a probe of atomic structure and bonding at Si-SiO_2 interfaces, and other chemically modified Si surfaces.—74-06242A
Optical second harmonic generation—a probe of atomic structure and bonding at Si-SiO_2 interfaces, and other chemically modified Si surfaces.—74-07707A
Optical transmission of composite SiO_2/Si films grown by laser deposition.—74-08990A
Optimization of the insulation by using ceramic tissue.—74-09698A
Organic-silica hybrid materials consisting of the double four-ring silicate structure as a building block.—74-10511A
Oxide growth at an Si surface.—74-05041A
Oxidized amorphous silicon as gate insulator for silicon tips.—74-02855A
Oxygen influence on the kinetics of hydrogen interaction with sensors based on Pt-SiO_2-Si and Pd-SiO_2-Si structures.—74-00515A
Particle morphology and chemical microstructure of colloidal silica spheres made from alkoxysilanes.—74-10859A
Passivation with SiO_2 on HgCdTe by direct photochemical vapor deposition.—74-01827A
Phase composition of four-component oxide systems in chosen plane sections.—74-07098A
Phosphorescence and thermally stimulated luminescence of amorphous SiO_2.—74-06253A
Planarization technology of spin-on-glass films on LSI devices.—74-09004A
Plasma-deposited SiO_2 for planar self-aligned gate metal-insulator-semiconductor field effect transistors on semiinsulating InP.—74-00684A
Point defects in high-purity silica induced by high-dose gamma irradiation.—74-10741A
Polarization properties of a photorefractive $Bi_{12}SiO_{12}$ crystal and their application in an optical correlator.—74-06989A
Pore morphology study of silica aerogels.—74-10862A
Porous silica microcapsule.—74-09796A
Porous silica with controlled pore diameter in angstrom level.—74-10539A
Possibility of noncovalent immobilization of silicagel.—74-01839A
Potentiometric determination of the silica content in solutions of alkali silicates.—74-02482A
Preconcentration of some transition metals of silica modified with iminoacetic groups.—74-00144A
Preparation and characterization of SiO_2-Sb_2O_3 films obtained by a sol-gel method.—74-02650A
Preparation and characterization of TiO_2-SiO_2 aerogels by supercritical drying.—74-10865A
Preparation and elastic properties of rf-sputtered amorphous films in the system SiO_2-Y_2O_3.—74-05383A
Preparation and processing of monodisperse colloidal silica-cadmium sulfide nanocomposites.—74-10548A
Preparation and properties of bulk amorphous silica doped with organic molecules by sol-gel method.—74-10550A
Preparation and properties of poly(phenyleneterephthalamide)-silica ceramers with interphase bonding from aminophenyl trimethoxysilane.—74-10551A
Preparation and spectral properties of SiO_2 and SiO_2-TiO_2 gels doped with fullerenes.—74-10552A
Preparation of a preform of optical fibers.—74-02692P
Preparation of CdS-doped glasses from gels containing diethyldithiocarbamatocadmium.—74-05784A
Preparation of wear-resistant alumina/mullite by silica addition.—74-07907A
Process for producing ceramic glass composition.—74-02693P
Processing of SiO_2-ZrO_2 composites as precursors of nitrides by carbothermal reduction.—74-04841A
Properties of diamondlike carbon layers deposited onto SiO_2 aerogel.—74-04019A
Properties of liquid-phase-deposited SiO_2 films for interlayer dielectrics in ultralarge-scale integrated circuit multilevel interconnections.—74-05952A
Properties of low-density bulk silica gel—lyosil.—74-07723A
Properties of sol-gel thin films of the SiO_2-Fe_2O_3 system.—74-02391A
Properties of the plasma TEOS SiO_2 film.—74-10594A
Quasi-monolayer deposition of silicon dioxide.—74-07455A
Radiation stability of SiO_2 antireflective film coated with SiN and SiC X-ray mask membranes.—74-04857A
Radiation stability of SiO_2 antireflective-film-coated SiN and SiC X-ray mask membranes.—74-07724A
Raman diffusion and luminescence in pure and Dy-doped silica aerogels.—74-03858A
Raman scattering study of the effects of coating by SiO_2 and Si_3N_4 films and low-dose gamma irradiation on the substrate region of GaAs.—74-03194A
Raman spectroscopy of covalently bonded alkylsilane layers on thin silica films immobilized on silver substrates.—74-06807A
Rare earth oxide-alumina-silica sintered body and method of producing the same.—74-09838P
Reaction between calcium-doped lanthanum chromite and silica.—74-07107A
Reaction mechanism during firing of glazed tile based on silica-containing dolomite.—74-08576A
Reaction of solid-phase hydrosilation with participation of ≡Si–H groups of silica surface and some functional olifines.—74-04201A
Reactions of organostannates with silica, γ-alumina, and silica-alumina.—74-10148A
Reactive ion etching lag investigation of oxide etching in fluorocarbon electron cyclotron resonance plasmas.—74-04864A
Redeposition kinetics in fluorocarbon plasma etching.—74-02088A
Relationships between the material properties of silicon oxide films deposited by electron cyclotron resonance chemical vapor deposition and their use as an indicator of the dielectric constant.—74-00699A
Reliability implications of defects in high-temperature-annealed Si/SiO_2/Si structures.—74-09024A
Research on low-temp. strengthened porcelain with high silica content.—74-08702A
Reservoir effect in the thermal delocalization of carriers near an Si-SiO_2 interface.—74-09025A
Reticulated ceramic products.—74-09839P
Review of ultrafine particle generation by laser ablation from solid targets in gas flows.—74-07467A
Rf plasma deposition from hexamethyldisiloxane-oxygen mixtures.—74-07468A
Rheological properties of hydrodispersions of silica with limiting concentration of R_2O-containing electrolytes.—74-02733A
Role of powder homogenization techniques in the fabrication of zirconia-toughened alumina.—74-01242A
Roles of several E' variants in thermal gate oxide reliability.—74-09028A
Science and technology of composites: VIII.2, Catalysts with high functional ability, 1) control of surface structure—modification of catalysts by chemical vapor deposition of silica.—74-10619A
Sedimentation of monodisperse and bidisperse hard-sphere colloidal suspensions.—74-07473A
Selectivity variations of electron beam patterned silicon dioxide films.—74-04882A
Self-assembled monolayer electron beam resists on GaAs and SiO_2.—74-00707A
Semiempirical calculations of point defects in silica; oxygen vacancy and twofold-coordinated silicon atom.—74-10743A
SHG in silica optical fiber and its mechanism analysis.—74-10883A
Shrinkage reduction in silica-based refractory cores infiltrated with boehmite.—74-08634A
^{29}Si solid-state NMR study of the surface structure of aerosil silica.—74-10751A
Si/SiO_2 interface studies by spectroscopic immersion ellipsometry and atomic force microscopy.—74-06312A
Silica bricks manufactured by Luoyang Refractory Factory, Ministry of Metallurgical Industry, People's Republic of China.—74-02785A
Silica glass doped with fluorine.—74-08455A
Silica microencapsulation of iron oxide powder and its properties.—74-07477A
Silica porous glasses with silicon impregnation.—74-08456A
Silica.—74-06926A
Silicon dioxide deposition by electron cyclotron resonance plasma—kinetic and ellipsometric studies.—74-04893A
Silicon oxide thin films grown by Xe_{2*} excimer lamp chemical vapor deposition—the role of the substrate temperature and the window-substrate distance.—74-03734A
Silicon vacuum microdiode with on-chip anode.—74-03215A
Simple treatment to distinguish alkali-silica gel from delayed ettringite formations in concrete.—74-05584A
Single micromachined emittor characteristics.—74-01572A
Sintering and mechanical behavior of mullite prepared from silica and alumina colloids.—74-07482A
SiO_2 films deposited on Si substrate studied by monoenergetic positron beams.—74-03216A
SiO_2 films formed by ECR plasma CVD method.—74-09039A
SiO_2-induced silicon emitter emission instability.—74-03217A
SiO_2-Si_3N_4 interface: I, Nature of the interphase.—74-05247A
SiO_2-Si_3N_4 interface: II, O_2 permeation and oxidation reaction.—74-05050A
Sodium contamination free ashing process using O_2+H_2O plasma downstream.—74-06318A
Sol-gel preparation of silica glass.—74-05791A
Sol-gel protective coating.—74-07486A
Sol-gel synthesis of protoenstatite.—74-10644A
Sol-gel-derived ceramic-carbon composite electrodes: introduction and scope of applications.—74-04023A
Sol-gel-derived silica films with tailored microstructures for applications requiring organic dyes.—74-10645A
Solubilities of Cr_2O_3 and SiO_2 in Na_2SO_4-K_2SO_4-$Fe_2(SO_4)_3$ at 963 K.—74-01459A
Sorption of chloride complexes of platinum group metals and gold on silica-based anion exchangers.—74-01106A
Sorption regularities and complexation mechanisms of aminophosphonic acid fastened on silica surface with metal ions.—74-04422A
Sourcing silica for successful ceramics.—74-06930A
Space-charge effects in Spindt-type field emission cathodes.—74-03221A
Space-time observation of an electron gas in SiO_2.—74-06820A
Spectral analysis of electroluminescence from SiO_2 under Fowler-Nordheim tunneling conditions.—74-01576A
Spectroscopic ellipsometry studies of indium tin oxide and other flat panel display multilayer materials.—74-05250A
Spectroscopic features of intrinsic defects in silica glasses fused from different raw materials.—74-08350A
Spinnability of silica sols—the role of alkoxy group exchange.—74-10649A
Sputtering effects in Si, SiO_2, and the Si/SiO_2 interface.—74-05252A
Structural development in silica systems.—74-10888A
Structure analysis of sol-gel-derived SiO_2 gels by neutron diffraction.—74-08351A
Structure and properties of MD-simulated $Na_2O.SiO_2$ melt—comparison of the Born-Mayer-Huggins and Pauling interionic potentials.—74-05699A
Structure of glass-polymer composites based on matrices made of high-silica porous glass.—74-00230A
Structure of oxygen-doped silicon grown by chemical vapor deposition at low temperature.—74-06333A
Structure of rapidly quenched zircon melts.—74-02053A
Structure of the modified surface layer formed by ion bombardment of SiO_2 films.—74-05276A
Structure of TiO_2/SiO_2 multilayer films.—74-05960A
Structure of vitreous silica.—74-02357A
Studies of defect states in the interface between SiO_2 and a-Si:H films.—74-06335A
Studies on the behavior of the roughness of the fracture surface of silica glass.—74-00280A
Studies on the effect of the copper and zinc content in silica byproduct material when used in mortar.—74-00095A
Study of binding mechanism of SiO_2 ultrafines in cement-free castables at low temperature.—74-04921A
Surface chemical structure of SiO_2-TiO_2 sol-gel powders.—74-10896A
Synthesis and applications of oxides and mixed oxides produced by a flame process.—74-07005A
Synthesis of nanoparticle silica composite membranes by the pressurized sol-gel technique.—74-04945A
Tailoring silicon oxide film properties by tuning the laser beam-to-substrate distance in ArF laser-induced chemical vapor deposition.—74-04952A
TEM observations of early nucleation and growth stages in aluminum films on liquid gallium droplets.—74-05286A
Template approaches to growth of oriented oxide heterostructures on SiO_2/Si.—74-01591A
Theoretical approach to the interpretation of single-ion spectroscopy of rare-earth-doped inorganic glasses.—74-08355A
Thermal annealing of photoluminescent Si deposited on silica aerogels.—74-07531A
Thermal stability of single-crystal and polycrystalline alumina fibers and 85% Al_2O_3-15% SiO_2 fibers.—74-11115A
Thickness determination of thin oxide layers at the bottom of contact holes of semiconductor devices by Auger electron spectroscopy.—74-01119A
Thin gold film strain gauges.—74-03250A
Thin layer diffraction.—74-06359A
Three 3-D simulation of an isolation trench refill process.—74-01597A
Three-dimensional thermal analysis of high density triple-level interconnection structures in very large scale integrated circuits.—74-00723A
Tm^{3+}-sensitized Ho^{3+} silica fiber laser at 2.04 μm pumped at 809 μm.—74-09070A
Transmission characteristics of fused silica fibers at high-power uv excimer laser wavelength.—74-05800A
Use of alkoxides in the preparation of low-expansion reconstructed TiO_2-SiO_2 glasses.—74-00322A
Use of Fourier transform in grazing X-ray reflectometry.—74-06831A
Vibrational molding of ceramic concretes. Molding systems and regularities of the process.—74-00405A
Vitreous silica product manufactured via a sol-gel process using a polymer additive.—74-08498P
Vitreous silica-based plastic refractory—74-00417P
Wavelength-selective transmission in transition-metal-containing silica gel monoliths.—74-01602A
X-ray photoelectron spectroscopy and X-ray absorption near-edge spectroscopy study of SiO_2/Si(100).—74-07790A
X-ray photoelectron spectroscopy and X-ray absorption near-edge spectroscopy study of SiO_2/Si(100).—74-07791A

silicalite,
Calcination of large MFI-type single crystals: I, Evidence for the occurrence of consecutive growth forms and possible diffusion barriers arising thereof.—74-10206A
Crystallization of silicalite-1 in the presence of fluoride ions.—74-10252A
In situ observation of silicalite nucleation and growth—a light scattering study.—74-10405A
Sol-gel lithium silicate electrolyte thin films.—74-08772A
Synthesis and characterization of chromium silicalite: I.—74-10666A

silicates,
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering.—74-08359A
Anomalous dephasing of optical transitions of a Pr^{+3} ion in Y_2SiO_5 crystal.—74-07144A
Application of Monte Carlo method to quantitative electron probe microanalysis of silicate glass.—74-05662A
Calculation of the amount of substances participating in silicate-forming reactions in the glass-melting process.—74-02433A
Ceramic pigments on the base of cobaltous silicate obtained by sol-gel method.—74-10216A
Characterization of spin-coated silicate and phosphosilicate thin films prepared by the sol-gel method.—74-01629A
Comparative investigation of changes in refractive index upon ion-exchange interdiffusion in alkali silicate glasses containing oxides of calcium, strontium, barium, and titanium.—74-00245A
Comparative study of the change in the refractive index in ion-exchange interdiffusion in alkali silicate glasses containing calcium, strontium, barium, and titanium oxide.—74-02521A
Compositional dependence of absorption spectra of Ti^{3+} in silicate, borate, and phosphate glasses.—74-02522A
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses.—74-02441A
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses[—correction].—74-05671A
Crystallization of a lithium silicate glass-ceramic under pressure.—74-02610A
Crystallization of glasses in the systems $Ca_5(PO_4)_3F$-$CaAl_2Si_2O_8$ and $Ca_5(PO_4)_3F$-$CaMgSi_2O_6$.—74-01363A
Crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 with a high concentration of Nb_2O_5.—74-00291A
Determination of the various oxidation degrees of manganese in silicate glasses and glass-ceramics.—74-02446A
Diffraction study of Li_2O-SiO_2 glass with computer simulation.—74-02447A
Diffusion-induced precipitation in arsenosilicate glass (AsSG).—74-08366A
Edge effects in molybdenum-encapsulated molten silicate shock wave targets.—74-08168A
Effect of F^- and S^- on the crystallization process of CaO-Al_2O_3-SiO_2 system.—74-08332A
Effects of annealing on the microstructure and mechanical properties of hot-pressed $BaAl_2Si_2O_8$ (BAS) and $SrAl_2Si_2O_8$ (SAS) glass-ceramics.—74-08371A
Effects of dry grinding on talc and isostructural 2:1 layer silicates.—74-05809A
Effects of uniaxial stress on the metastable level in Cr^{4+}-Y_2SiO_5.—74-03300A
EPR study of structural defects in ion-implanted multicomponent silicate glasses.—74-02539A
Evaluation of the structural formula and alkylammonium methods of determining layer charge.—74-10804A
Express analyzer for determining of the silicate mass activity.—74-01063A
Fabrication of LAS system ceramics for thermal shock resistance from silicate minerals: I, Preparation of eucryptite powders with silimanite group, kaolin group minerals.—74-10347A
Factors affecting naturally cured fly ash silicate products.—74-01192A
Factors influencing mechanical properties of silicate fibers.—74-07648A
Features in the structure of surface layers of silicate glass modified with hydrocarbon vapor.—74-02454A
Formation and properties of lead chlorosilicate glasses.—74-02543A
Formation and properties of sodium lanthanum silicate glasses.—74-05719A
Gas sensitivities of silicon MIS capacitors incorporated with catalyst and adsorptive oxide layers.—74-00624A
Generation of intense green light through amplified spontaneous emission in Er^{3+}-doped germanosilicate single-mode optical fiber pumped at 1.319 μm.—74-08922A
Group II tris(glycolato)silicates as precursors to silicate glasses and ceramics.—74-04660A
Growth of CdS nanocrystals in a silicate glass and in thin SiO_2 films in the initial stages of the phase separation of a solid solution.—74-05680A
Harmonic trend analysis (HTA) of phase change in silicate melt of zinc system.—74-04147A
Helium deuterium migration in alkali silicate glasses.—74-02465A
Hydration of granulated blast-furnace slag in the presence of sodium silicate.—74-08045A
Hydrogen profiles in the surface of reduced lead silicate glasses.—74-05682A
Hydroxy groups in ferrisilicates studied by ir spectroscopy.—74-05683A
Influence of B_2O_3 and P_2O_5 upon the phase separation of CaO-MgO-Al_2O_3-B_2O_3-SiO_2-P_2O_5-F glasses.—74-08335A
Local environment of selenium in silicate glasses.—74-02557A
Low-temperature synthesis of amorphous and glass-ceramic silicate materials (review).—74-02642A
Making vitreous specimens for X-ray fluorescence analysis of langasite.—74-04744A
Microorganisms improve kaolin properties.—74-06914A
Microporous silica gels from alkylsilicate-water two-phase hydrolysis.—74-10457A
Modified elementosilicates (Fe, B): catalytic properties and ir spectra.—74-04365A
Molecular orbital approach to SiKß energy shifts by second-nearest-neighbor phosphorus atoms.—74-10845A
Molecular orbital calculation of SiKß spectra.—74-07699A
Multicomponent diffusion of Na^+, K^+, and Rb^+ ions in silicate glass-forming melts.—74-05035A
$NaSbOSiO_4$—a new silicate with the structure of $KTiOPO_4$.—74-01412A
Ormosils of high hardness.—74-10131A
Peculiarities of the crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 with high content of Nb_2O_5.—74-00206A
Pentacoordinate silicon complexes as pecursors to silicate glasses and ceramics[—correction].—74-02647A
Phase diagrams and sinter aids (Cs_2O) for SiO_2-sinterglass.—74-08345A
Phase separation and crystallization of fluoroaluminosilicate glass [studied] by HR electron microscope.—74-08346A
Pillaring of layered double hydroxides with cagelike polysilicates—a possible new class of base catalysts or catalyst precursors.—74-10521A
Potentiometric determination of the silica content in solutions of alkali silicates.—74-02482A
Precise property determinations of arsenosilicate glass thin films using infrared spectroscopy.—74-02570A
Presolidus texturing of silicate melts.—74-05690A
Pressure casting in silicate ceramics.—74-09500A
Problems associated with layer charge characterization of 2:1 phyllosilicates.—74-10867A
Process for the preparation of a silicate-bound material.—74-09837P
Production and properties of silicaceous expanded clay concretes.—74-00090A
Radiative properties of glass and cast silicates. Modeling of heat transfer: I, Glass and infrared radiation.—74-08390A
Radiative properties of glass and cast silicates. Modeling of heat transfer: II, Heat transfer in a semitransparent medium. Importance of complex spectral index n_λ.—74-08391A
Rare-earth-doped, low-hydroxyl organically modified silicates.—74-10599A
Refined crystal structure of cavansite.—74-04206A
Role of surface properties in the mechanical performance of thin-film rigid disks.—74-04876A
RT cw laser action of Y_2SiO_5-Yb^{3+}, Er^{3+}.—74-03205A
Seeding effects on crystallization of $KAlSi_3O_8$, $RbAlSi_3O_8$, and $CsAlSi_3O_8$ gels and glasses.—74-02489A
Self-diffusion coefficients of sol-gel intermediates.—74-07474A
Setting control for alkali-activated silicate binders.—74-02359P
Silica coating of aluminum nitride particles by radio-frequency plasma chemical vapor deposition.—74-10626A
Silicate glass films deposited by reactive rf magnetron sputtering: electrical characterization.—74-04891A
Silicomanganese slag as colorant for silicate glasses based on sulfate and soda-sulfate mixtures with cullet.--74-02656A
Sodium transport mechanism in Na_2O-$2SiO_2$ glass determined by the Chemla experiment.—74-02578A
Sol-gel method of fabrication of zinc silicate luminophores.—74-02657A
Sourcing silica for successful ceramics.—74-06930A
Specialty glass and glass-to-ceramic seals.—74-00316A
Structural model of immiscibility of silicate vitrifying melts.—74-00226A
Structural model of silicate glass-forming melts and glasses.—74-02495A
Structural model of the immiscibility of glass-forming silicate melts.—74-00227A
Structure formation in silicate systems used industrially.—74-02356A
Structure of alkali silicate glasses according to the method of X-ray small-angle scattering [XSS].—74-00229A
Structure of alkali silicate glasses based on small-angle X-ray scattering data.—74-02052A
Structure of alkali silicate glasses.—74-02499A
Structure of resistive superconducting transition in regular array of indium nanoparticles [RAINs].—74-06635A
Synthesis and characterization of a crystalline vanadium silicate with MEL structure.—74-10041A
Synthesis of Co_2SiO_4 by sol-gel.—74-04939A
Synthesis of Mg_2SiO_4 whiskers by an oxidation-reduction reaction.—74-07516A
Synthesis of the green zirconium silicate pigment.—74-05913A
TEM characteristics of structural changes in glass associated in Bragg grating inscription in a germanosilicate optical fiber preform.—74-08354A
Transparent glass-ceramic materials with a refractive index gradient.—74-02595A
Unified model for ionic transport in alkali disilicates below and above the glass transition.—74-05746A
Use of Cr, Co, and Fe as silicate glass, fritted glazes, and ceramic pigments.—74-00234A
Zirconium silicate brick and method for its production.—74-08656P
silicides,
$CrSi_2$/Si(111)—growth of monotype domains by solid phase epitaxy on a vicinal surface.—74-07623A
Defect coverage profile and propagation of roughness of sputter-deposited Mo/Si multilayer coating for extreme ultraviolet projection lithography.—74-01978A
Deposition of cobalt disilicide thin films by laser ablation of cast targets.—74-07252A
dHvA effect study of metamagnetic transition in $CeRu_2Si_2$.—74-01506A
Dielectric thin-film deposition by electron cyclotron resonance plasma chemical vapor deposition for optoelectronics.—74-00592A
Direct observation of silicide growth at Fe-Si interface during pulsed laser deposition.—74-04558A
Dynamical transmission effects and impact ionization in hot-electron transport across $NiSi_2$/Si(111) 7×7 interfaces.—74-06049A
Effect of matrix stopping power on sputter depth profile broadening.—74-01983A
Effect of substrate orientation on WSi_2 formation.—74-01376A
Electrical and magnetic properties of new ternary compound $CeRuSi_2$.—74-04294A
Electrical and optical properties of silicide single crystals and thin films.—74-00483A
Electron paramagnetic resonance of defects in ß-iron disilicide ceramics.—74-10730A
Frozen-in devil's staircase in $U(Ru_{1-x}Rh_x)_2Si_2$ mixed compound system as studied by neutron diffraction.—74-04145A
High-temperature stability of heteroepitaxial Ir silicide/SiGe layers codeposited on Si(100) under ultrahigh vacuum.—74-01521A
Imaging extrinsic defects at the $NiSi_2$/Si(111) metal-semiconductor interface.—74-05158A
Improvement in thermoelectric characteristics of *n*-type iron disilicide by local composition modification.—74-03059A
Improvement of depth resolution in secondary ion mass spectrometry depth profiling of silicided polycontacts.—74-01999A
In situ strain measurements during the formation of palladium silicide films.—74-01523A
In situ study of epitaxial $CoSi_2$/Si(111) by ballistic electron emission microscopy.—74-06149A
In situ study of epitaxial $CoSi_2$/Si(111) by ballistic electron emission microscopy.—74-07665A
Interfacial reactions of thin iron films on silicon under amorphous silicon and SiO_x capping.—74-03071A
Ion-beam-assisted growth of beta-$FeSi_2$.—74-00645A
Ir/Si/$ErSi_2$ tunable infrared photoemission sensor.—74-03079A
Kinetic plots for predicting silicide formation sequence.—74-04157A
Kinetics of interlayer growth and changes in residual elastic strain during annealing of Mo/Si multilayers.—74-02006A
Kinetics of the formation of cobalt disilicide at high temperature under rapid electron beam heating.—74-10004A
Magnetic phase diagram of $DyNi_2Si_2$ with two-dimensionally modulated spin structures.—74-01533A
Method for the measurement of the lateral dose distribution of dopants at implantation or diffusion mask edges ("lateral SIMS").—74-01950A
Morphological and structural studies of ß-$FeSi_2$ films grown by ion-beam-assisted deposition.—74-03712A
Nanodispersed Cr_xSi_{1-x} thin films—transport properties and thermoelectric application.—74-04369A
Nanofabrication techniques for a 100-nm-scale tungsten polycide gate structure.—74-01811A
Nickel diffusion and silicide island formation on silicon(111).—74-05201A
Nickel silicide contact for silicon solar cells.—74-05648A
Nondestructive thickness determination of thin cobalt and cobalt disilicide layers on silicon substrates.—74-03717A
Ordered intermetallic alloys: II, Silicides, trialuminides, and others.—74-02085A
Phase transformation of Mo and W over Co and its alloy in contact with Si.—74-01437A
Preparation of Si-$TiSi_2$ Schottky diodes by rapid thermal annealing.—74-03178A
Preparation of tungsten disilicide thin films by laser evaporation.—74-04829A
Profiling of silicide-silicon structures using a combination of the spreading resistance and point contact curent-voltage methods.—74-00690A
Pulsed laser induced modifications of metal silicide layers.—74-04853A
Repair of soft X-ray optical elements by stripping and redeposition of Mo/Si reflective coatings.—74-01869A
Secondary ion mass spectrometry measurements of shallow boron profiles in cobalt, silicon, and cobalt disilicide.—74-01874A
Silicide formation in the Co-Si system by rapid thermal annealing.—74-06313A
Silicide growth and oxygen effects in annealed Si thin-film/Ni single-crystal structures.—74-01455A
Silicides for integrated circuits—$TiSi_2$ and $CoSi_2$.—74-06314A
Single uranium-site properties of the dilute heavy electron system $U_xTh_{1-x}Ru_2Si_2$ ($x \leq 0.07$).—74-04421A
Solid source diffusion from agglomerating silicide sources: I, Measurement and modeling.—74-02045A
Solid- and gas-source "hybrid" Si molecular beam epitaxy for a $Si_{1-x}Ge_x$/Si quantum well electroluminescent device.—74-01892A
Structure of nickel silicide on Si(001): an atomic view.—74-07760A
Study on WSi_2 thin films, formed by the reaction of tungsten with solid or liquid silicon, by rapid thermal annealing.—74-04925A
X-ray gratings and projection lithography by means of laterally structured multilayers.—74-06386A
silicon carbide,
142 GHz range EPR of transmutation-produced phosphorus impurity in 6HSiC [single crystals].—74-05062A
Abrasive wear of monolithic silicon nitride and a silicon carbide whisker-reinforced silicon nitride composite.—74-10943A
Abrasive wear of structural ceramics.—74-07835A
Acceptors in silicon carbide: ODMR [optically detected magnetic resonance] data.—74-07033A
Advanced ceramic magnetic drive pump.—74-09194A
AES study of syntactic coalescence/overgrowth of α-SiC (15R) on α-SiC (6H).—74-01960A
Aluminum phosphate bonded fiber reinforced composite material containing metal coated fibers.—74-02405P
Aluminum-silicon carbide composite and process for making the same.—74-08299P
Amorphous hydrogenated SiC produced by magnetron sputtering.—74-08822A

Amorphous SiC PVD coatings.—74-10191A
Analytical model for determining free carbon in fine SiC powders in the presence of free silicon.—74-01037A
Anelastic creep recovery in SiC whisker- and particulate-reinforced alumina.—74-10946A
Anelastic creep recovery of alumina reinforced with SiC whiskers or particulates.—74-10947A
Application of silicon carbide fibers for increasing the service parameters of abrasive cutting wheels.—74-00001A
Aspects of the crystallization of SiC from the vapor phase on a substrate by the sublimation method.—74-09970A
Assessment of diffusion barriers for Ti-SiC composites.—74-10721A
Atomic defects in transition metal carbides and SiC studied by positron annihilation.—74-10722A
Atomic force microscopy study of the microroughness of SiC thin films.—74-07595A
Beta-silicon carbide protective coating and method for fabricating [the] same.—74-04029P
Brittle to ductile transition in an Si_3N_4/SiC composite with a glassy grain-boundary phase.—74-02102A
Broad-area photoelectrochemical eching of *n*-type beta-SiC.—74-00572A
Carbide formation in infrared-processed Nicalon fiber/aluminum composites.—74-10209A
Cast composite material with high-silicon aluminum matrix alloy and its applications.—74-08301P
Ceramic composite body, process for producing a ceramic composite.—74-04035P
Ceramic composite of silicon carbide and aluminum nitride.—74-04037P
Ceramic composites with ceramic fibers.—74-09911P
Ceramic parts in engines, requirements and properties.—74-01284A
Ceramic-bonded abrasive grinding tools.—74-03983P
Characterization of polymer-derived silicon carbide fibers with low oxygen content, near-stoichiometric composition, and improved thermomechanical stability.—74-10774A
Characterization of SiC-fiber/Ti_6Al_4V-matrix composites by macroindentation tests.—74-06743A
Characterization of silicon carbide–silicon nitride composite ultrafine particles synthesized using a CO_2 laser by silicon-29 magic angle spinning NMR and ESR.—74-01348A
Charge properties of an Al-SiO_2-*n*-SiC{(0001)Si} MOS structure.—74-08839A
Chemical analysis of sinterable SiC powder.—74-01352A
Chemical and structural widths of interfaces and grain boundaries in silicon nitride–silicon carbide whisker composites.—74-10779A
Chemical compatibility between Si-based and Ti-based ceramics.—74-01353A
Chemical vapor condensation of nanostructured ceramic powders.—74-04509A
Chemical vapor deposition and plasma-enhanced chemical vapor deposition carbonization of silicon microtips.—74-04511A
Chemical vapor deposition of silicon carbide on mesophase pitch-based carbon fibers.—74-04512A
Chemical vapor processing and applications for nanostructured ceramic powders and whiskers.—74-07226A
Coal slag corrosion and strength degradation of siliconized silicon carbide.—74-09859A
Coal slag corrosion of silicon-carbide-based ceramics in a combustion environment.—74-02068A
Coated SiC reinforcements and composites containing same.—74-04038P
Coating for ceramic composites—74-01251P
Codeposition of free silicon during CVD of silicon carbide.—74-01638A
Collection of nonequilibrium carriers generated in a-Si-H and a-SiC-H structures by an electron beam.—74-02940A
Colloidal processing of SiC whisker composites.—74-07229A
Colloidal processing of silicon carbide.—74-01642A
Combustion for the synthesis of ß-SiC and diamond/SiC composite.—74-10228A
Combustion synthesis of $MoSi_2$-SiC composites.—74-04518A
Combustion synthesis of $MoSi_2$-SiC oxidation-resistant coatings.—74-10229A
Comparative investigation of damage in two types of SiC/C/SiC composite materials under uniaxial tensile loading.—74-07842A
Composite ceramics and their production process.—74-04039P
Composite electrode for electrochemical processing having improved high temperature properties and method for preparation by combustion synthesis.—74-02873P
Composite material with a glass-ceramic or ceramic matrix obtained by the sol-gel process and reinforced by fibers based on silicon carbide, its manufacture and its applications.—74-08473P
Composite materials of oxide-carbide type.—74-05617A
Consolidation of diamond and SiC particulate preforms by the forced flow–thermal gradient diamond CVD process.—74-10235A
Contact fatigue of a silicon carbide with a heterogeneous grain structure.—74-07845A
Contamination determination for silicon carbide cantilever forks in diffusion furnaces.—74-06846A
Continuous fabrication of silicon fiber tows by chemical vapor deposition.—74-07238A
Conversion of polymers of methyl- and vinylsilane to SiC ceramics.—74-10246A
Correlation of microstructure and fracture toughness in P/M processed 2XXX aluminum composites reinforced with SiC whiskers.—74-08151A
Corrosion behavior of ceramics for gas turbine application.—74-02069A
Corrosion of AlN, Si_3N_4, and SiC ceramics by alkali metal melts.—74-07802A
Corrosion of silicon carbides by ash and vapor in a coal combustion environment.—74-02072A
Crack healing and stress relaxation in Al_2O_3-SiC "nanocomposites."—74-05329A
Creep behavior and microstructure evolution of hot-pressed α-silicon carbide deformed at high temperature.—74-07848A
Creep of 1-D and 2-D SiC-F-MLAS composites.—74-07851A
Creep of platelet-reinforced oxide ceramics.—74-07852A
Crushing properties of silicon and titanium carbides in a vertical vibratory mill.—74-01653A
Crystallization and phase development of nanometric amorphous Si-N-C powders.—74-07065A
Current relaxation spectroscopy of deep levels.—74-00587A
Cyclic effect on fatigue of SiC-whisker/Si_3N_4 composite.—74-02117A
Deep-center current spectroscopy in *p-n* structures based on 6H-SiC with an internal field.—74-02957A
Deformation of alumina-zirconia-silicon carbide whisker-reinforced composite.—74-07855A
Degradation of SiC-reinforced alumina in H_2 at 1300–1500°C.—74-07804A
Densification, microstructure, and properties of SiCN nanocomposites.—74-07245A
Deposition and characterization of ß-SiC and diamond/ß-SiC composite films.—74-10257A
Deposition of a-SiC:H using organosilanes in an argon/hydrogen plasma.—74-08854A
Deposition of amorphous hydrogenated silicon carbide films using organosilanes in an argon/hydrogen plasma.—74-04540A
Deposition of wear-resistant amorphous hydrogenated a-$Si_{1-x}C_x$:H coatings by rf plasma-assisted CVD.—74-08157A
Design of silicon carbide heating elements to provide broad applicability.—74-07019A
Detection of crack growth in engineering ceramics by acoustic emission analysis.—74-01054A
Determination of fracture toughness of 2-D woven SiC matrix composites made by chemical vapor infiltration.—74-05337A
Diamond films grown on *p*-type microcrystalline, SiC:H/crystalline-Si subsubstrates.—74-04550A
Diamond formation from a system of SiC and a metal.—74-08161A
Different toughening mechanisms in SiC/TiC composites.—74-10969A
Differential thermoanalytical investigation of the reaction of carbon with silicon to silicon carbide.—74-10078A
Diffraction grating.—74-04050P
Diffusion bonding reactions between an SiC/SiC composite and two superalloys during joining by hot isostatic pressing.—74-08164A
Dynistor based on epitaxial SiC-6H layers grown by sublimation in an open growth system.—74-08866A
Effect of Al_2O_3 and Fe_2O_3 on tribological properties of reaction-bonded SiC.—74-10277A
Effect of an oxide coating on the strength properties of boron and silicon carbide fibers.—74-02122A
Effect of annealing on radiation-induced defects in *n*-SiC(6H) bombarded by thermal neutrons.—74-08868A
Effect of carbon and boron on the high-temperature oxidation of silicon carbide.—74-07806A
Effect of carbon concentration on the properties of the structure network in a-$Si_{1-x}C_x$:H.—74-08869A
Effect of hydrogen dilution on the bonding configuration in a-SiC.—74-08873A
Effect of impurity substitution on the electron energy spectra of cubic silicon carbide.—74-02975A
Effect of MeV electron irradiation on gold atom implantation into silicon carbide and silicon nitride.—74-04580A
Effect of MeV electron irradiation on gold atom implantation into silicon carbide and silicon nitride.—74-07273A
Effect of microstructure on material removal mechanisms and damage tolerance in abrasive machining of silicon carbide.—74-10793A
Effect of plasma etching, carbon concentration, and buffer layer on the properties of a-Si:H/a-$Si_{1-x}C_x$:H multilayers.—74-04286A
Effect of SiC codeposition on the oxidation behavior of carbon-carbon composites prepared by chemical vapor deposition.—74-05007A
Effect of SiC codeposition on the oxidation behavior of carbon-carbon composites prepared by chemical vapor deposition.—74-07807A
Effect of SiC on interfacial reaction and sintering mechanism of TiB_2.—74-07277A
Effect of SiC submicrometer particle size and content on fracture toughness of alumina-SiC "nanocomposites."—74-02126A
Effect of stacking faults on the X-ray diffraction profiles of ß-SiC powders.—74-04134A
Effect of the amount of free silicon on the tribological properties of Si-SiC.—74-10977A
Effect of the initial condition of synthesis components in the reaction of carbothermal reduction of silica on the structure of silicon carbide particles: I, Aerosil-saccharose.—74-01693A
Effect of the initial condition of synthesis components in the reaction of carbothermal reduction of silica on the structure of silicon carbide particles: II, Aerosil-soot system.—74-01694A
Effect of TiN and SiC on the mechanical properties of ZTA ceramics.—74-07867A
Effects of addition of Si, Al, or Si_3N_4 on properties of Al_2O_3-SiC-C castables.—74-07808A
Effects of alumina sintering aids on properties of hot-pressed C-B_4C-SiC composite.—74-10304A
Effects of bed particle properties on wear in fluidized bed combustors.—74-02130A
Effects of heat treatment in a wet hydrogen atmosphere on the reliability of sintered α-silicon carbide.—74-07282A
Effects of hydrogen additive on obtaining residue-free reactive ion etching of ß-SiC in fluorinated plasmas.—74-00918A
Effects of in situ fiber strength characteristics on mechanical properties of SiC(f)/SiC composites.—74-10981A
Effects of interfacial reaction on the mechanical properties of Ti-SiC particulate-reinforced metal matrix composites.—74-08179A
Effects of postdeposition treatments on the mechanical properties of a chemical vapor deposited silicon carbide.—74-10313A
Effects of thermal treatment on tensile creep and stress-rupture behavior of Hi-Nicalon SiC fibers.—74-10982A
Elaboration of composite ceramic powders "alumina/whiskers SiC" by the sol-gel method.—74-10319A
Elastic response and effect of transverse cracking in woven fabric brittle matrix composites.—74-05347A
Electrical and mechanical properties in CaF_2/SiC-whisker composites.—74-10985A
Electrical properties of 3C-SiC/Si heterojunctions.—74-08883A
Electrochemical cell component or other material having oxidation preventive coating.—74-02416P
Electrochemical chromium(III) oxide coatings on nonoxide ceramic substrates.—74-02837A
Electrochemical study of SiC particle occlusion during nickel electrodeposition.—74-01700A
Electron cyclotron resonance plasma ion beam effects on the formation of SiC on Si(001) characterized by in situ photoemission.—74-04610A
Electron microscopy of nanostructured materials.—74-01986A
Electron microscopy study of worn ceramic surfaces.—74-10798A
Electron paramagnetic resonance of silicon carbide technological coatings.—74-04013A
Electron spin resonance study of defects in CVD-grown 3C-SiC irradiated with 2-MeV protons.—74-05011A
Electronic properties of an SiC surface of the 15R rhombohedral modification.—74-06080A
Electronic structure of SiC-TiC interfaces.—74-09990A
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media[—comment].—74-10324A
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media[—reply].—74-10325A
Electrophysical properties of a porous silicon carbide ceramic.—74-01512A
Elevated-temperature effects of oxygen on SiC/SiC composites.—74-07809A
Engineering-scale development of the vapor-liquid-solid (VLS) process for the production of silicon carbide fibrils.—74-01708A
Enhanced machinability of silicon carbide via microstructural design.—74-01709A
Enhancement of oxidation resistance of silicon carbide by high-dose and multienergy aluminum implantation.—74-10911A
Environmental deterioration and damage of ceramic matrix composites.—74-09567A
Environmental durability of mullite coating/SiC and mullite-YSZ coating/SiC systems.—74-10912A
Epitaxial growth of beta-SiC on TiC_x by reactive evaporation.—74-01710A
Epitaxial growth of SiC on sapphire substrates with an AlN buffer layer.—74-06084A
Epitaxial nucleation of diamond on ß-SiC via bias-enhanced microwave plasma chemical vapor deposition.—74-01711A
Equilibrium predictions of the role of organosilicon compounds in the chemical vapor deposition of silicon carbide.—74-01713A
Evaluation of new temperature boron solid planar diffusion sources through *p-n* junction characterization.—74-06087A
Evaluation of thermal shock and thermal resistance of three reaction-bonded silicon carbide ceramics.—74-08901A
Evidence for bistable defects in 6H-SiC.—74-05012A
Evolution of a nonplanar oxidation front in receding carbon fibers.—74-10914A
Evolution of the structure of nanometric SiC laser-formed powders.—74-04625A
Evolution of the structure of ultrafine SiC laser-formed powders with synthesis conditions.—74-09993A
Extruded magnesium alloy-SiC particulate MMC.—74-08188A
Fabricating porous silicon carbide.—74-04051P
Fabrication and characterization of three-dimensional carbon-fiber-reinforced silicon carbide and silicon nitride composites.—74-10342A
Fabrication and failure of laminar ceramic composites.—74-10990A
Fabrication of fiber-reinforced composites by chemical vapor infiltration.—74-01723A
Fabrication of glass matrix composites by tape casting.—74-02622A
Fabrication of polymer-derived micro-nano-structured Si_3N_4/SiC-composites.—74-10349A
Fabrication of reliable ceramic preforms for metal matrix composite production.—74-04052P
Fabrication of Si_3N_4-SiC nanocomposites by hot-pressing.—74-10351A
Fabrication of SiC whisker-reinforced $MoSi_2$ composites by tape casting.—74-10352A
Fabrication of silicon carbide integrated circuits.—74-08789P
Fabrication of silicon carbide-boron carbide composite by chemical vapor deposition.—74-04630A

Factors influencing properties of SiC spongy materials.—74-07164A
Failure modes of SiC fiber/Si_3N_4 matrix composites at elevated temperatures.—74-05351A
Fatigue, creep, and corrosion behavior of high-performance ceramics.—74-02141A
FET based on 6H-SiC—temperature dependence of the conductivity of the *n*-type channel.—74-08912A
Fiber reinforced ceramic matrix laminate.—74-03985P
Fiber-matrix bond strength, fiber frictional sliding, and the macroscopic tensile behavior of a 2-D SiC/SiC composite with tailored interfaces.—74-10999A
Fiber-reinforced composites—74-00331P
First-principles study of the optical properties of SiC.—74-08914A
Flaw-tolerance and *R*-curve behavior of liquid-phase-sintered silicon carbides with different microstructures.—74-02144A
Flexural creep of coated SiC-fiber-reinforced glass-ceramic composites.—74-05354A
Formation of ß-SiAlON as an intermediate oxidation product of SiC-AlN ceramics.—74-10359A
Formation of boron nitride inclusions in hot isostatically pressed silicon nitride-silicon carbide composites.—74-05146A
Formation of SiC whisker and its effects on strength of Al_2O_3-C composites.—74-03963A
Formation of silicon carbide grain structure and its growth in polycrystalline SiC obtained by the reaction-sintering technique.—74-07650A
Formation of the reaction-bonded silicon carbide microstructure.—74-07319A
Formation of thin TiC-SiC layers on graphite substrate by reactive chemical vapor deposition.—74-07320A
Fracture energy and K_{Ic} [stress intensity factor] of Al_2O_3-SiC-C bricks at high temperature.—74-07877A
Fracture mechanical testing of laminated SiSiC: I.—74-05355A
Fracture mechanical testing of laminated SiSiC: II.—74-11004A
Fracture resistance of SiC-fiber-reinforced Si_3N_4 composites at ambient and elevated temperatures.—74-05356A
Fracture toughness of oxide fiber-reinforced silicon carbide composites.—74-11010A
Freeze granulation of liquid-phase-sintered silicon carbide.—74-01742A
Frequency dependence of fatigue crack growth in a TiB_2-SiC composite at elevated temperature.—74-05359A
Frequency dependence of fatigue life and internal heating of a fiber-reinforced/ceramic-matrix composite.—74-04649A
Friction and wear behavior of C- and SiC-fiber-reinforced glass composites against ceramic materials.—74-02148A
Frontal process zone effect of the *R*-curve behavior of a 2-D SiC/C/SiC composite material.—74-07884A
FTIR characterization and ab initio study of the surface species of a nanosized SiC powder.—74-07652A
Fully-reversed cyclic fatigue response of ceramic matrix composites at elevated temperature.—74-11011A
Gaseous alkali corrosion kinetics of silicon carbide.—74-10915A
Geometric modeling of the diamond–ß-SiC heteroepitaxial interface.—74-09995A
Grain growth and fracture toughness of fine-grained silicon carbide ceramics.—74-10810A
Growth and application of cubic SiC.—74-10373A
Growth and microstructure of Al_2O_3-SiC-Si(Al) composites prepared by reactive infiltration of silicon carbide preforms.—74-02373A
Growth and stability of CVD codeposited nanocomposite SiC-TiC-C.—74-05152A
Growth of epitaxial ß-SiC films on porous Si(100) substrates from MTS in a hot-wall LPCVD reactor.—74-06128A
Heat treatment of ultrafine SiC powders to reduce oxidation sensitivity and grain growth.—74-06132A
High alumina refractory shapes—74-00408P
High purity dense silicon carbide sintered body and process for making same.—74-09920P
High-temperature behavior of silicon carbide fibers in an Si-Al-Ca-O-N ceramic matrix.—74-09872A
High-temperature corrosion of ceramics in some gaseous environments.—74-05307A
High-temperature creep behavior of Si_3N_4/SiC nanocomposites.—74-10814A
High-temperature creep/deformation of Si_3N_4/SiC nanocomposites.—74-02154A
High-temperature flexural strength and creep behavior of reaction-formed silicon carbide ceramics.—74-11018A
High-temperature mixed oxidation of nitride-bonded silicon carbide in oxidizing gas mixtures containing 2% Cl_2.—74-05308A
High-temperature ohmic contact metallizations for *n*-type 3C-SiC.—74-06136A
High-temperature passive/active oxidation for CVD SiC and Si_3N_4.—74-02079A
High-temperature reaction between silicon carbide and nitrogen under pressure.—74-01754A
High-yield polycarbosilane precursors to stoichiometric SiC—synthesis, pyrolysis, and application.—74-10385A
Highly polishable, highly thermally conductive silicon carbide.—74-04055P
Homogeneous distribution of sintering additives in liquid-phase-sintered silicon carbide.—74-07338A
Hydrodynamic compressibility of silicon carbide through shock compression of metal-ceramic mixtures.—74-02374A
Improved fiber coatings for controlling interfacial forces in SiC matrix composites: III, Boron nitride.—74-01293A
Improved interface coatings for SiC fibers in ceramic composites.—74-10396A
Improvements in SiC_w/Al_2O_3 composites through colloidally stabilized suspensions.—74-10400A
Improvements in the creep resistance of hot-pressed silicon nitride (HPSN).—74-07891A
Impurities in silicon carbide ceramics and their role during high-temperature creep.—74-11024A
In situ formation of silicon carbide.—74-10402A
In situ growth of SiC whiskers in porous carbon.—74-10403A
In situ processing of silicon carbide layer structures.—74-10406A
Indentation fracture toughness and elastic properties of boron-doped silicon carbide.—74-07894A
Industrial applications for reaction-bonded silicon carbide.—74-09875A
Influence of alumina reaction tube impurities on the oxidation of chemically vapor deposited silicon carbide.—74-05310A
Influence of fiber content on mechanical performance of SiC fiber-reinforced reaction-bonded silicon nitride composites.—74-11025A
Influence of volume fraction of component materials and interlayer bond strength on fracture toughness of multilayer Al 6090-25 vol% SiC_p and Al 5182 laminates.—74-11030A
Injection molding of stator models with silicon carbides with additives of alumina.—74-01295A
Instability in the tribochemical wear of silicon carbide in unlubricated sliding contacts.—74-11032A
Insulating blankets withstand higher temperatures.—74-08620A
Interaction in SiC-HfB_2 system.—74-01396A
Interfacial cracking during thermal oxidation in a 30 vol% SiC whisker-reinforced alumina.—74-01230A
Interfacial properties of SiC (SCS-6) fiber-reinforced reaction-formed SiC matrix composites.—74-10828A
Interfacial structure and precipitate formation in MgO/SiC composites.—74-10829A
Internal damping of silicon nitride and silicon nitride composites with silicon carbide whiskers to 1100°C.—74-10831A
Intrinsic equilibrium constants of ß-silicon carbide obtained from surface charge data.—74-10003A
Investigation on wear mechanism of SiC lining of cyclone furnace.—74-06858A
Investigations of diamond nucleation on a-C films generated by dc bias and microwave plasma.—74-04719A
J-integral technique for experimental evaluation of the crack bridging stress-crack opening displacement function for bridged cracks.—74-10942A
Joining metal matrix composites using lasers improves joints.—74-00128A
Joining of SiC ceramics and SiC/SiC composites.—74-01296A
Joining of SiC-based ceramics by reaction bonding methods.—74-00129A
Kiln furniture brick of silica–silicon carbide.—74-06860A
Kinetics model for the growth of silicon carbide by the reaction of liquid silicon with carbon.—74-10431A
Light alloy composite production by liquid metal infiltration.—74-04731A
Local equilibrium phase diagrams for SiC deposition in a hot-wall LPCVD reactor.—74-07087A
Long-term behavior of SiSiC heat exchanger tubes under the specific conditions of a solar power plant.—74-09877A
Low-frequency, high-temperature conductance and capacitance measurements on metal-oxide-silicon carbide capacitors.—74-02847A
Low-pressure chemical vapor deposition of silicon carbide from diethylsilane.—74-01780A
Low-pressure chemical vapor deposition of silicon carbide from ditertiarybutylsilane.—74-01781A
Low-temperature growth of 3C-SiC on Si substrate by chemical vapor deposition using hexamethyldisilane as a source material.—74-01785A
Low-temperature oxidation, hydrothermal corrosion, and their effects on properties of SiC (Tyranno) fibers.—74-07812A
Machining MMC's.—74-00948A
Making ceramic reference specimens containing seeded voids.—74-07022A
Manufacture and properties of infiltrated SiSiC-SiC platelet composites.—74-02163A
Manufacture of SiC-TiC system composite by reaction bonded sintering.—74-10439A
Materials Research Society Symposium Proceedings, Volume 339: Diamond, SiC, and Nitride Wide Bandgap Semiconductors.—74-07972B
Measure of the interfacial shear strength between SiC (CVD)/B (CVD) filament-aluminum matrix by fragmentation method.—74-10445A
Measurement of complete Auger electron emission angular distributions from beta-SiC films on Si(100).—74-02014A
Measurement of electrophysical properties of silicon carbide epitaxial films.—74-06198A
Mechanical and ultrasonic characterization of damage of a 2-D woven C/SiC composite.—74-06790A
Mechanical behavior of alumina reinforced with carbon-coated silicon carbide whiskers.—74-11042A
Mechanical behavior of pressureless sintered SiC at high temperature.—74-07376A
Mechanical properties and microstructure of SiC_w/mullite and SiC_w/Y-TZP/mullite composites.—74-11043A
Mechanical properties of beta-SiC pressureless sintered with Al_2O_3 additions.—74-04357A
Mechanical properties of SiC whisker/Y-TZP (containing alumina) composites.—74-11045A
Mechanical strength of Si_3N_4-bonded SiC refractories.—74-07680A
Mechanically alloyed 7010 aluminum alloy-SiC_p composites.—74-05642A
Mechanics of failure of silicon carbide fiber-reinforced glass matrix composites.—74-11047A
Mechanism of codeposition of silicon carbide with electrolytic cobalt.—74-01233A
Melt infiltration of copper-coated silicon carbide with an aluminum alloy.—74-05643A
Melt infiltration process for SiC ceramics and composites.—74-07379A
Metal matrix–ceramic reinforcement interaction in long fiber MMCs (Al-SiC) obtained with different preparation technologies.—74-08231A
Method and apparatus for continuous controlled production of single crystal whiskers.—74-09927P
Method for forming beta-silicon carbide whiskers, singly or in a matrix, using an organotitanium coordination compound catalyst.—74-09931P
Method for manufacturing fiber-reinforced components for propulsion plants.—74-08310P
Method for purifying an SiC surface in high vacuum.—74-06204A
Method of fabricating a silicon carbide vertical MOSFET and device.—74-09093P
Method of fabricating a silicon carbide vertical MOSFET.—74-09094P
Method of fabrication of composites—74-01322P
Method of forming p-type silicon carbide.—74-03274P
Method of making a silicon carbide junction field effect transistor device for high temperature applications.—74-09096P
Method of manufacturing a hollow silicon carbide fiber reinforced silicon carbide matrix component.—74-09939P
Method of preparing silicon carbide particles dispersed in an electrolytic bath for composite electroplating of metals—74-00176P
Method of producing a silicon carbide fiber reinforced strontium aluminosilicate glass-ceramic matrix composite.—74-08490P
Method of producing silicon carbide MOSFET.—74-09097P
Methods for reducing wear on silicon carbide ceramic surfaces—74-01327P
Microcracking and *R*-curve behavior in SiC-TiB_2 composites.—74-11049A
Microcrystalline silicon carbon alloy film prepared by photochemical vapor deposition.—74-04749A
Micromechanical modeling of process-induced residual stresses in Ti-24A1-11Nb/SCS-6 composite.—74-05380A
Micromechanism of ambient temperature cyclic fatigue loading in a composite of CAS glass-ceramics reinforced with Nicalon fibers.—74-02563A
Microscopic failure mechanisms in SiC fiber-reinforced glass-ceramic composites.—74-08238A
Microscopic observations of wear of heat-resistant ceramics.—74-02017A
Microstructural and strength stability of a developmental CVD SiC fiber.—74-11052A
Microstructural characterization of burner rig thermal-fatigued SiC continuous fiber/Si_3N_4 ceramic composites.—74-09686A
Microstructural characterization of titanium alloy Ti_6Al_4V used as metal matrix in SiC fiber composites.—74-07686A
Microstructure and compressive strength of SiC platelet-reinforced borosilicate composites.—74-08376A
Microstructure and densification of sintered (B+C)-doped ß-silicon carbide.—74-10838A
Microstructure and fracture toughness of hot-pressed silicon carbide reinforced with silicon carbide whisker.—74-05191A
Microstructure and mechanical properties of SiC platelet/cordierite glass-ceramic composites.—74-02175A
Microstructure and mechanical properties of spray-cast SiCp/Al-Fe-V-Si composite.—74-08240A
Microstructure and properties of hot isostatically pressed SiC ceramics with an Al_2O_3 addition.—74-07691A
Microstructure and properties of SiC-AlN multiphase ceramics.—74-10460A
Microstructure and properties of SiC-to-SiC joints produced by reaction bonding.—74-02021A
Microstructure and reactions of SiC_w-reinforced alumina with Ag-Cu-In-Ti.—74-02022A
Microstructure and thermal stability of coated Si_3N_4 and SiC.—74-08241A
Microstructure comparison of transparent and opaque CVD SiC.—74-07692A
Microstructure of SiC thin films produced on graphite excimer-laser chemical vapor deposition.—74-10841A
Microstructure of silicon carbide/carbon composites and relationships with mechanical properties.—74-10842A
Microstructures and high-temperature hardness of Al_2O_3/SiC nanocomposites.—74-02025A
Microvoids in diamondlike amorphous silicon carbide.—74-05195A
Microwave-assisted chemical vapor infiltration.—74-01802A
Model for chemical vapor deposition of nanostructured ceramics inside tubes under high-temperature laminar flow conditions.—74-07386A
Model for the abrasive wear resistance of multiphase materials.—74-11057A
Model of density of states in amorphous Si, C, and SiC from time-of-flight measurement.—74-06209A
Modeling of HIP: a test by analyzing HIP runs on silicon carbide and nitride.—74-10476A
Modification of Si field emitter surfaces by chemical conversion to SiC.—74-03112A
Monolithic ceramic/fiber reinforced ceramic composite.—74-09943P
Monolithic, fully dense silicon carbide material, method of manufacturing and end uses.—74-04068P
Monolithic, fully dense silicon carbide material, method of manufacturing and end uses.—74-04069P
Monolithic, fully dense silicon carbide mirror and method of manufacturing.—74-04070P
Morphological structure of silicon carbide grown by chemical vapor deposition on titanium carbide using silane and ethylene.—74-07700A

Multicolor, radiation-resistant SiC light-emitting diodes.—74-03122A

Nanocomposite ceramics—Al_2O_3/SiC and Si_3N_4/SiC.—74-07395A

Near-surface structure of the in situ nitrided silicon carbide.—74-10853A

New generation of plasma-sprayed mullite coatings on silicon carbide.—74-03967A

New opportunities in XAFS investigation in the 1-2 keV region.—74-08967A

New phase transition of SiC particulates in cast Al metal matrix composites.—74-05647A

Nitridation of SiC-TiC composites by hot isostatic pressing.—74-05649A

Nondestructive control of green and sintered compacts of silicon carbide.—74-06798A

Nonlinear behavior model for SiC/SiC composites.—74-11061A

Nonmonocrystalline silicon carbide semiconductor, process of production thereof, and semiconductor device employing the same.—74-03276P

Observation of very high peak-to-valley current ratio in amorphous Si/SiC double barrier structure with barrier enhancement layer.—74-08978A

Opportunities for enhancing the thermal conductivities of SiC and Si_3N_4 ceramics through improved processing.—74-10505A

Optical and electric properties of an $Si_{1-x}C_x$:H layers in connection with promising electrophotographic applications.—74-08983A

Optimization of a-$Si_{1-x}C_x$:H films prepared by ultrahigh vacuum plasma-enhanced chemical vapor deposition for electroluminescent devices.—74-04793A

Optimization of the composition and the properties of the plastic bodies for obtaining silicon carbide products.—74-03718A

Outlook for the development of sublimation epitaxy of SiC.—74-06249A

Oxidation behavior of CM-SiC filters.—74-07818A

Oxidation behavior of different types of SiC materials.—74-07819A

Oxidation kinetics of Al-doped SiC single crystals.—74-10923A

Oxidation kinetics of coated silicon carbide fiber-reinforced silicon carbide (SiC/SiC).—74-10924A

Oxidation kinetics of enhanced SiC/SiC.—74-10925A

Oxidation kinetics of pure and doped MgO-SiC composites.—74-10926A

Oxidation kinetics of reaction-sintered silicon carbide.—74-10927A

Oxidation mechanisms of mullite/ZrO_2/SiC-platelet composites.—74-10928A

Oxidation of carbon-carbon composite coated with SiC(Si/$ZrSi_2$)-$ZrSi_2$.—74-07821A

Oxidation of Si-based ceramics in the presence of alkali halide vapors.—74-07823A

Oxidation of SiC matrix multiphase ceramics at high temperature and its effect on strength.—74-10930A

Oxidation of SiC whisker- and platelet-reinforced Al_2O_3 composites and resultant mechanical properties.—74-10931A

Oxidation of surface-treated SiC platelets studied by XPS and Bremsstrahlung-excited AES.—74-04173A

Oxidation resistance of reaction-formed silicon carbide ceramics.—74-10934A

Oxidation tests of carbonaceous composite materials protected by Si-B-C CVD coatings.—74-05314A

Oxygen sinks in SiC-based ceramics.—74-09883A

Packing of regular particles—preparation of dense sintered silicon carbide: I.—74-10513A

Part made of a carbon-carbon composite with an SiC surface-treated matrix resistant to oxidation and a process for producing it.—74-09945P

Passivation of crystalline SiC in H plasma.—74-03149A

Phase composition and morphology of filament crystals of silicon carbide obtained from flotation froth.—74-01421A

Phenomenological analysis of sintering in the presence of heterogeneities.—74-01830A

Photoelectrochemical etching of 6H-SiC.—74-06256A

Physical properties of MgO/SiC composites—comparison between a micromechanics analysis and experimental results.—74-10135A

Physical properties of the X-ray membrane materials.—74-01563A

Plasma-enhanced chemical vapor deposition of a-SiC:H films from organosilicon precursors.—74-01837A

Plasma-enhanced chemical vapor deposition of silicon nitride on silicon carbide fibers.—74-10531A

Polycarbosilane-to-Si_xC_{1-x} conversion studied by inelastic neutron scattering and infrared absorption.—74-10861A

Polycrystalline silicon carbide fibers.—74-04077P

Polymer-derived micro-nanostructured Si_3N_4/SiC-composites.—74-10534A

Polytype patterning in epitaxial layers on the basis of nonequilibrium phase transitions.—74-04815A

Polytypes, grain growth, and fracture toughness of metal boride particulate SiC composites.—74-05223A

Porous silicon carbide ceramics using filled polysiloxanes.—74-04078P

Prediction of interfacial fracture behavior of an SiC$_f$-reinforced aluminum composite.—74-11065A

Preparation of SiC composite by the method of reaction-bonded sintering.—74-10566A

Preparation of SiC mirrors for X-ray.—74-09888A

Preparation of SiC-ZrC composites by liquid-phase sintering.—74-07436A

Preparation of silicon carbide fiber from activated carbon fiber [ACF] and gaseous silicon monoxide.—74-10567A

Preparation of silicon carbide platelets.—74-01850A

Pressureless sintering of Al_2O_3-SiCw composites.—74-07442A

Pressureless sintering of silicon carbide with additives of samarium oxide and alumina.—74-01854A

Pressureless sintering of whiskered-toughened ceramic composites.—74-03767P

Pressureless-sintered SiC—material using polymers for new technical applications.—74-07023A

Presynthesized interfaces for ceramic matrix composites via fiber coating.—74-01855A

Process for formation of silicon carbide film.—74-09949P

Process for making a high heat-conductive, thick film multilayered circuit board.—74-02896P

Process for making cellular silicon carbide.—74-09950P

Process for making silicon carbide ceramic fibers.—74-04081P

Process for making silicon carbide with controlled porosity.—74-09951P

Process for preparing silicon carbide by carbothermal reduction—74-01332P

Process for producing silicon carbide-base complex.—74-09953P

Process for the controlled growth of single-crystal films of silicon carbide polytypes on silicon carbide wafers.—74-03280P

Process, microstructure, and mechanical properties of SiC-TiC-C nanocomposites.—74-07908A

Processing and characterization of SiC platelet/SiC composites.—74-10582A

Processing and mechanical response of fiber-reinforced ceramic composites for high-temperature applications.—74-08255A

Processing and microstructure of nonoxide ceramic fibers[—review].—74-10583A

Processing and properties of Al_2O_3/SiC whisker composites.—74-10584A

Processing and properties of particulate composites from coated powders.—74-01857A

Processing and property evaluation of Si(N, C) coatings on silica glass/quartz substrates.—74-10585A

Processing of laser-formed, nanosized SiC powders.—74-04837A

Processing of liquid-phase-sintered SiC—mechanical and wear properties.—74-07449A

Processing of silicon carbide fiber with controlled stoichiometry, using polymethylsilane, $-(MeSiH)_x-$.—74-10589A

Processing of silicon carbide–mullite–alumina nanocomposites.—74-04840A

Production of ß-SiC buffer layers for CVD diamond thin films by ion implantation.—74-04846A

Proper selection of kiln furniture.—74-05871A

Properties of a center associated with an Al impurity in 6H-SiC.—74-06279A

Properties of SiC/$MoSi_2$ composites prepared by reaction sintering method.—74-10593A

Properties of stoichiometric and silicon-rich polycrystalline silicon carbide films deposited by chemical vapor deposition on various substrates.—74-10145A

Protection against oxidation of C/SiC composites with a multilayer CVD coating (SiC/TiB_2/Si_3N_4).—74-07824A

R-curve behavior and stable crack growth at elevated temperature (1500–1650°C) in an Si_3N_4/SiC nanocomposite.—74-05385A

Radiation stability of SiO_2 antireflective film coated with SiN and SiC X-ray mask membranes.—74-04857A

Radiation stability of SiO_2 antireflective-film-coated SiN and SiC X-ray mask membranes.—74-07724A

Raman modes of 6H polytype of SiC of ultrahigh pressures—a comparison with Si and diamond.—74-06284A

Raman scattering by surface phonon-polaritons in large SiC microcrystals.—74-05226A

Reaction mechanisms of silicon carbide fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: I, Evolved gas analysis.—74-04861A

Reaction mechanisms of silicon fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: II, Free radical reaction.—74-07458A

Reaction of Si_2H_6 in the presence of C_2H_2 in synthesis of SiC films by LPCVD using a macro/microcavity method.—74-01866A

Reaction of SiC$_f$/SiC composites with a zinc borate glass.—74-07727A

Reaction processing of AlN/SiC composites and solid solutions—74-01335P

Reaction-bonded silicon carbide components for burners, radiant heating, and heat exchangers.—74-09708A

Reactivity of silicon carbide and carbon with oxygen in thermostructural composites.—74-04203A

Recent developments in microwave joining.—74-00984A

Recent progress in SiC single-crystal growth.—74-10606A

Reconstructions at Si- and C-terminated surfaces of 2H-SiC—an ab initio molecular dynamics study.—74-09022A

Refractories for ash melting furnace of incinerator.—74-02776A

Refractory composite materials for rocket vehicles.—74-09890A

Refractory metal reinforced $MoSi_2$/SiC composite with matched thermal coefficients of expansion—74-00180P

Research on process of synthesizing ß-SiC from colliery gangue containing SiO_2.—74-06293A

Residual stresses in SCS-6/Ti-24Al-11Nb composite: II, Finite element modeling.—74-05386A

Residual stresses in silicon carbide-zircon composites from thermal expansion measurements and fiber pushout tests.—74-05387A

Rf plasma jet applied to diamond, glassy carbon, and silicon carbide film synthesis.—74-10612A

Rheological properties of silicon carbide hot molding slips.—74-04870A

Role of aluminum migration at the interface in SiC-reinforced glass-ceramic matrix composites.—74-09891A

Role of composite interface in fatigue crack growth.—74-11077A

Rolling-contact fatigue and wear of CVD-SiC with residual surface compression.—74-11080A

Room- and high-temperature fatigue damage evaluation of SiC$_f$/Si_3N_4 composites.—74-11081A

Rotationally symmetrical ceramic heat exchanger with direct axial flow for use in high-temperature processes.—74-01178A

Self-consistent calculations in silicon carbide inversion layers.—74-10153A

Shift of the electroluminescence peak in 6H-SiC-based diodes with the forward current density.—74-03212A

SHS-derived composite powders for making particulate composites in the system of Si-C-B.—74-04887A

Si_3N_4 and SiC formation from rice husk.—74-04888A

Si_3N_4- and SiC-based ceramics for operating temperatures above 1300°C.—74-07825A

Si_3N_4-Si composite ceramics and chemically toughened SiC for engine components.—74-11087A

SiAlON-bonded SiC refractories for blast furnaces.—74-00401A

SiC coatings prepared by dynamic ion mixing.—74-01880A

SiC deposition by hot-wall LPCVD using tetramethylsilane.—74-07476A

SiC films prepared by pulsed excimer laser deposition.—74-04889A

SiC power MOSFET device structure.—74-09099P

SiC whisker-reinforced Al_2O_3 matrix composite.—74-09800A

SiC- and carbon-fiber-reinforced glass under alternating bending stress loadings.—74-00277A

ß-silicon carbide powder synthesis by molten salt chemistry.—74-04463A

Silicon carbide and aluminum oxide kiln furniture for the ceramic industry.—74-09712A

Silicon carbide fiber and method of manufacturing the same—74-01336P

Silicon carbide field effect transistor—74-00745P

Silicon carbide from laser pyrolysis of polycarbosilane.—74-07478A

Silicon carbide photodiode with improved short wavelength response and very low leakage current.—74-09100P

Silicon carbide platelet/silicon carbide composites.—74-01303A

Silicon carbide sintered article and method—74-01337P

Silicon carbide switching device with rectifying gate.—74-09101P

Silicon carbide tubes by chemical vapor deposition technology.—74-01881A

Silicon carbide wafer bonded to a silicon wafer—74-00746P

Silicon carbide whiskers.—74-06927A

Silicon carbide.—74-06928A

Silicon carbide/calcium aluminosilicate: a notch-insensitive ceramic-matrix composite.—74-02199A

Silicon carbide/carbon composite sheets derived from PCS/coal-tar pitch mixtures.—74-04892A

Silicon carbide/silicon nitride refractories: I, Nitridation.—74-05880A

Silicon carbide/silicon nitride refractories: II, Properties.—74-07188A

Silicon carboxide ceramics from spirosiloxanes.—74-04087P

Silicon nitride and silicon carbide fibrous monolithic ceramics.—74-01304A

Silicon nitride composite sintered body and process for producing same.—74-04088P

Silicon oxycarbide reaction with glass matrix compositions.—74-08272A

Sinterable powders of covalent compounds obtained by doping in situ using SHS.—74-04894A

Sintered silicon carbide with defined porosity for sliding wear applications.—74-09894A

Sintering behavior of B_4C-SiC composite.—74-10632A

Slide gate plate and method.—74-02803P

Slip cast SiSiC—a material for many applications.—74-09895A

Solid-state reactions between silicon carbide and (Fe, Ni, Cr) alloys: reaction paths, kinetics, and morphology.—74-08273A

Sound velocities in shock-compressed corundum, boron carbide, and silicon carbide.—74-04423A

Spacecraft ceramic protective shield.—74-09962P

Spatial variation of the edge luminescence in epitaxial SiC-6H films.—74-06320A

Stability of rhenium thin films on single crystal (001) ß-SiC.—74-02397A

Strain-stabilized highly concentrated pseudomorphic $Si_{1-x}C_x$ layers in Si.—74-03229A

Strength and fracture toughness of hot-pressed SiC materials.—74-11095A

Strength measurements of monolithic SiC and Al_2O_3/SiC composites after exposure to coal slag.—74-11097A

Strengthening and toughening in 1-D-SiC/RBSN composites.—74-11098A

Stress-oxidation tests in SiC$_f$/SiC composites.—74-10939A

Stresses and adhesion of thin polycrystalline 3C-SiC films grown by CVD on silicon substrates.—74-09049A

Structure and electrophysical properties of hot-pressed ceramic materials from the Si_3N_4-SiC system: III, Influence of electromagnetic and thermal fields on the electrophysical properties.—74-04431A

Structure and electrophysical properties of hot-pressed ceramic materials in the Si_3N_4-SiC system: I, Structure formation and phase composition.—74-04218A

Structure and properties of boron and silicon carbide-base materials obtained by reaction-activated microwave sintering in contact with aluminum nitride.—74-02051A

Structure and properties of magnesium matrix composites.—74-00154A

Structure and properties of polymer-derived stoichiometric SiC fiber.—74-10890A

Structure of silicon carbide powders produced in interaction of silica with carbon black.—74-05275A
Study of the oxidation of CVD β-SiC—influence of crystallization.—74-07827A
Study on the heat treatment reinforcement of aluminum nitride-silicon carbide composites.—74-10657A
Surface and bulk interactions in M-SiC systems (M=Au, Cu, Ni).—74-08279A
Surface capacitance of a semiconductor with a deep dopant (in the example of *p*-6H-SiC(B)).—74-03242A
Surface damage of SiC(w)/SiC by abrasion and indentation.—74-11103A
Surface oxidation and its effect on the observed elastic modulus of SiC whisker/Al_2O_3 composites.—74-01586A
Surface uv photoluminescence of SiC crystals.—74-09059A
Synchrotron radiation excited etching of SiC film using reactive species generated by a microwave discharge.—74-02093A
Synthesis of ceramic-ceramic composite powders from natural mineral resources.—74-01906A
Synthesis of silicon carbide from rice husk in a packed bed arc reactor.—74-10684A
Temperature and current dependence of the intensity of the edge injection electroluminescence of SiC *p-n* structures.—74-03246A
Tensile and shear properties of continuous fiber-reinforced SiC/Al_2O_3 composites processed by melt oxidation.—74-11105A
Tensile behavior of microcracking SiC-TiB_2 composites.—74-07926A
Tensile creep and creep rupture of SiC-reinforced $MoSi_2$.—74-11106A
Tensile creep and stress-rupture behavior of polymer-derived SiC fibers.—74-11107A
Tensile creep behavior of alumina/silicon carbide nanocomposite.—74-05392A
Tensile creep failures of Al_2O_3/SiC nanocomposite.—74-11108A
Tensile strength of SiC fibers.—74-07927A
Textures in AlN-SiC composite ceramics.—74-10167A
Theoretical modeling of chemical vapor deposition of silicon carbide in a hot-wall reactor.—74-07528A
Theoretical prediction of the performance of Si and SiC bipolar transistors operating at high temperatures.—74-09066A
Thermal spalling wear of silicon nitride and silicon carbide materials.—74-05448A
Thermally conducting polymer matrix composites containing both AlN particles and SiC whiskers.—74-04961A
Thermodynamics of hot corrosion of SiC/CAS composite.—74-10941A
Thin ceramic composition layers for joining SiC high-performance ceramics.—74-03740A
Thin ceramic interlayers for high-strength and high-temperature stable SiC joints.—74-07536A
Thin-film materials for the preparation of attenuating phase shift masks.—74-01921A
Thin-film SiC as an optical and optoelectronic material.—74-03252A
Three-body abrasive wear of ceramic materials.—74-11116A
Three-phase ceramics composites—Al_2O_3-AlON-SiC.—74-07931A
Time-dependent high-temperature mechanical behavior of polycrystalline α-SiC fibers.—74-11117A
Time-dependent strength degradation of a siliconized silicon carbide determined by dynamic fatigue.—74-11118A
Transient liquid phase bonding of silicon ceramics via microdesigned Ni-based interlayers.—74-10707A
Transition metals in silicon carbide (SiC): vanadium and titanium.—74-06365A
Triangular deposition chamber for a vapor deposition system.—74-03778P
Tribological and erosion characteristics of silicon carbide and boron carbide structural ceramics.—74-07832A
Tribological characteristics of reaction-bonded silicon carbide.—74-05449A
Ultrasonic assessment of interfacial oxidation damage in ceramic matrix composites.—74-11124A
Use of silicon carbide ceramic in high-performance radiant tube burners and low NO_x open flame burners.—74-09724A
Valve.—74-09964P
Wear and wear transition mechanism in silicon carbide during sliding.—74-05398A
Wear mechanisms of silicon carbide—new observations.—74-11128A
Wear resistance of silicon carbide and nitride based ceramic materials.—74-11130A
Wettability and interfacial bonding in Au-Si/SiC system.—74-00162A
Wettability of silicon carbide by liquid silver and binary silver-silicon alloy.—74-06381A
Whiskers and composites.—74-10179A
Zirconia matrix composites for tribological applications.—74-07030A

silicon nitride,
α to β transformation and microstructural changes on Si_3N_4 during sintering.—74-01607A
Ablation dynamics of silicon-based targets in oxygen and nitrogen atmospheres.—74-05063A
Abrasive wear of monolithic silicon nitride and a silicon carbide whisker-reinforced silicon nitride composite.—74-10943A
Absorption measurements of ceramic materials as a function of temperature.—74-01492A
Additive-coated Si_3N_4 powder prepared by the sol-gel method.—74-10184A
Adjusting shim.—74-04026P
AES and XPS characterization of SiN_x layers.—74-05064A
Alpha-beta transformation and anisotropic growth of beta grains during sintering of Si_3N_4.—74-07589A
Alumina surface modification of silicon nitride for colloidal processing.—74-07199A
Analysis and surface chemistry of silicon nitride powders.—74-05068A
Analysis by scanning acoustic microscopy of the mechanical stability of PSG and Si_3N_4 passivation films.—74-09546A
Analysis of ir spectra of a-SiN_x:H alloys on the basis of the induction model.—74-07590A
Analysis of the structural defects of hot-pressed ceramics from highly dispersed composite powders.—74-02101A
Apparatus for silicon nitride precursor solids recovery.—74-09520P
Application of a dry turbo vacuum pump to semiconductor manufacturing processes.—74-06678A
Application of compression molding to determination of binder system for low-pressure injection molding.—74-10197A
Application of high-energy grinding for the activation of sintering of silicon nitride powder.—74-01617A
Application of sol-gel coating process in pressureless sintering of Si_3N_4 and their properties.—74-04479A
Application-oriented development of high-performance Si_3N_4 materials and components.—74-10199A
β-silicon nitride sintered body and method of producing same.—74-09900P
Barium aluminosilicate reinforced in situ with silicon nitride.—74-08405A
Barrier process for Ta_2O_5 capacitor.—74-03264P
BAS reinforced in-situ with silicon nitride.—74-03980P
Behavior of cyclic fatigue cracks in monolithic silicon nitride.—74-10949A
BN-group ceramics having excellent resistance to loss by dissolving.—74-09904P
Boehmite coating as a consolidation and forming aid in aqueous silicon nitride processing.—74-04487A
Brittle to ductile transition in an Si_3N_4/SiC composite with a glassy grain-boundary phase.—74-02102A
c-v characteristics of amorphous silicon nitride films prepared by hydrogen radical-assisted plasma chemical vapor deposition.—74-07196A
Can tooling components.—74-09906P
Carbon and ceramic-containing layers for use in sintering of silicon nitride article.—74-04032P
Carbon fiber reinforced silicon nitride based nanocomposite material and method for preparing same.—74-04034P
Cavitation contributes substantially to tensile creep in silicon nitride.—74-07840A
Ceramic composites made of nanosized Al_2O_3 and submicron-sized Si_3N_4.—74-10213A
Ceramic composites with ceramic fibers.—74-09911P
Ceramic material evaluation in roller follower tests.—74-09768A
Ceramic parts in engines, requirements and properties.—74-01284A
Ceramic valves in automobile construction of tomorrow.—74-06684A
Ceramics based on silicon nitride—a review.—74-03960A
Characteristic and application of silicon nitride ceramics.—74-09856A
Characteristics of the NO dielectric film with low-pressure chemical vapor deposition in situ nitridation.—74-05923A
Characterization of hydrogen and oxygen atoms in SiN films produced by plasma-enhanced reactive sputtering.—74-07605A
Characterization of reactively sputtered silicon nitride.—74-04504A
Characterization of silicon carbide–silicon nitride composite ultrafine particles synthesized using a CO_2 laser by silicon-29 magic angle spinning NMR and ESR.—74-01348A
Characterization of sputtered barium ferrite thin films on silicon-nitride-coated carbon substrates.—74-09196A
Characterization of surface-oxidized phase in silicon nitride and silicon oxynitride powders by X-ray photoelectron spectroscopy.—74-07044A
Chemical and structural widths of interfaces and grain boundaries in silicon nitride–silicon carbide whisker composites.—74-10779A
Chemical interaction between silicon nitride–titanium carbide powder.—74-09975A
Chemical vapor condensation of nanostructured ceramic powders.—74-04509A
Chemical vapor processing and applications for nanostructured ceramic powders and whiskers.—74-07226A
Colloidal and rheological behavior of aqueous, Al_2O_3 precursor coated, Si_3N_4 slurries.—74-01639A
Commercial applications of silicon nitride based ceramics.—74-01286A
Comparison of properties of sintered and sintered reaction bonded silicon nitride fabricated by microwave and conventional heating.—74-10232A
Comparison of the carbothermic reduction and nitridation of various forms of silica to produce Si_3N_4 powders.—74-04521A
Comparison of three techniques for measuring strain at fracture of thin-film materials.—74-06746A
Comparison of wear behavior of silicon nitride and cast iron lubricated conditions.—74-07843A
Composite ceramics and their production process.—74-04039P
Consolidation mechanism of nanocrystalline Si_3N_4 ceramics and transition mechanism of λ-to-β phase under shock compaction.—74-09976A
Constant heating rate sintering of chemically vapor deposited silicon nitride.—74-07237A
Contrasting mechanisms of oxidation of a silicon nitride in the temperature range 1200–1300°C.—74-07800A
Controlled crystallization in self-reinforced silicon nitride with Y_2O_3, SrO, and CaO: crystallization behavior.—74-09977A
Corrosion behavior of ceramics for gas turbine application.—74-02069A
Corrosion kinetics of silicon nitride in dry air containing sodium nitrate vapors.—74-05303A
Corrosion of AlN, Si_3N_4, and SiC ceramics by alkali metal melts.—74-07802A
Creep and oxidation of Si_3N_4/TiN composite ceramics.—74-02113A
Creep behavior of reaction-bonded ceramics at 1200°C under air.—74-07849A
Creep behavior of silicon nitride evaluated by deformation curvature and neutral axis shift determinations.—74-02114A
Cryogenic compaction of nanosize silicon nitride powders.—74-01654A
Crystallization and phase development of nanometric amorphous Si-N-C powders.—74-07065A
Cyclic effect on fatigue of SiC-whisker/Si_3N_4 composite.—74-02117A
Deformation and relaxation behavior of silicon nitride ceramics with different microstructures.—74-10963A
Densification, microstructure, and properties of SiCN nanocomposites.—74-07245A
Design and manufacture of sputtered multilayers for applications to soft X-ray optics.—74-06692A
Development of a high-temperature deformation and life prediction model for an advanced silicon nitride ceramic.—74-10967A
Development of silicon nitride composites with continuous reinforcement.—74-01289A
Devitrification of glassy phase in silicon nitride ceramics and related properties.—74-07256A
Diamond-coated bodies and process for preparation thereof—74-01318P
Dielectric thin-film deposition by electron cyclotron resonance plasma chemical vapor deposition for optoelectronics.—74-00592A
Differences in creep performance of a HIPed silicon nitride in ambient air and inert environments.—74-10968A
Direct observation of the atomic force microscopy tip using inverse atomic force microscopy imaging.—74-06759A
Direct synthesis and sintering of silicon nitride/titanium nitride composite.—74-04559A
Dislocations in as-grown CVD α-silicon nitride.—74-10729A
Double-ended ceramic helical-rotor expander.—74-09916P
Effect of annealing under vacuum and in nitrogen atmosphere on the structure and strength of porous silicon nitride materials.—74-04568A
Effect of flaw size on first matrix cracking stress in fiber-reinforced ceramic composites.—74-10970A
Effect of grain-boundary phase characteristics on the fracture toughness of silicon nitride.—74-02124A
Effect of heat treatment on microstructure and strength of pressureless-sintered Si_3N_4.—74-10791A
Effect of MeV electron irradiation on gold atom implantation into silicon carbide and silicon nitride.—74-04580A
Effect of MeV electron irradiation on gold atom implantation into silicon carbide and silicon nitride.—74-07273A
Effect of sintering additives and impurities on the high-temperature oxidation of Si_3N_4.—74-02075A
Effect of sintering additives on the oxidation behavior of hot-pressed silicon nitride.—74-10909A
Effect of sintering variables on the microstructure and mechanical properties of the gas pressure sintered Si_3N_4.—74-10294A
Effect of the grain boundary thermal expansion coefficient on the fracture toughness in silicon nitride.—74-10978A
Effect of transition/rare-earth metal oxide additions on densification during sintering of Si_3N_4.—74-01695A
Effect of tricresyl phosphate on wear of silicon nitride sliding against bearing steel.—74-02129A
Effects of active hydrogen on the stress relaxation of amorphous SiN_x:H films.—74-09987A
Effects of microstructure and composition on microhardness of CeO_2-doped Si_3N_4 materials.—74-07637A
Elastic anisotropy in hot-pressed Si_3N_4 composites—role of in situ β-Si_3N_4 grains and added β-Si_3N_4 whiskers.—74-10085A
Electrochemical cell component or other material having oxidation preventive coating.—74-02416P
Electron cyclotron resonance plasma deposition of SiN_x for optical applications.—74-04609A
Elevated-temperature macroflaw fracture and tensile creep/creep rupture behavior of a self-reinforced silicon nitride.—74-02132A
Enhanced in situ toughening of silicon nitride by the addition of β-Si_3N_4 whiskers.—74-10331A
Evaluation of amorphous (Mo, Ta, W)-Si-N diffusion barriers for <Si>Cu metallizations.—74-01942A
Evaluation of high-temperature lubricants in ceramic/metal and metal/metal contacts.—74-08187A
Evolution of stress failure resulting from high-temperature stress-corrosion cracking in a hot isostatically pressed silicon nitride.—74-07873A
Evolutionary process during pyrolytic transformation of poly(N-methylsilazane) from a preceramic polymer into an amorphous silicon nitride/carbon composite.—74-01716A
Fabrication and characterization of three-dimensional carbon-fiber-reinforced silicon carbide and silicon nitride composites.—74-10342A
Fabrication and properties of Si_3N_4-TiN composites.—74-10344A
Fabrication of flip-bonded mesa masks for X-ray lithography.—74-01724A
Fabrication of freestanding structures and proposed applications in tunneling sensors.—74-01725A
Fabrication of polymer-derived micro-nano-structured Si_3N_4/SiC-composites.—74-10349A

Fabrication of Si_3N_4-SiC nanocomposites by hot-pressing.—74-10351A
Fabrication of submicron apertures in thin membranes of silicon nitride.—74-01729A
Fabrication of Y-gate, submicron gate length GaAs metal-semiconductor field effect transistors.—74-00927A
Failure modes of SiC fiber/Si_3N_4 matrix composites at elevated temperatures.—74-05351A
Fatigue and failure behavior of a HIPed silicon nitride under static, dynamic, and cyclic tensile loading at elevated temperatures.—74-02138A
Fatigue crack growth behavior of silicon nitride under cyclic loading.—74-10995A
Fatigue of ceramic materials.—74-02140A
Fatigue, creep, and corrosion behavior of high-performance ceramics.—74-02141A
Fiber reinforced ceramic matrix laminate.—74-03985P
Fine-grained silicon nitride ceramics prepared from ß-powder.—74-01732A
First-wafer effect in remote plasma processing—the stripping of photoresist, silicon nitride, and polysilicon.—74-07313A
First-wafer effect in remote plasma processing—the stripping of photoresist, silicon nitride, and polysilicon.—74-07314A
Formation mechanisms and kinetics of α- and ß-silicon nitride phases.—74-10733A
Formation of boron nitride inclusions in hot isostatically pressed silicon nitride-silicon carbide composites.—74-05146A
Formation of reaction-bonded silicon nitride from silane-derived silicon powders: nucleation and growth mechanisms.—74-07318A
Formation of silicon nitride film by plasma decomposition of methylsilazane.—74-04648A
Fracture behavior of a CVD crystalline Si_3N_4/amorphous Si_3N_4 composite.—74-02146A
Fracture behavior of $MoSi_2$/Si_3N_4 composite.—74-11002A
Fracture resistance behavior of highly anisotropic silicon nitride.—74-11006A
Fracture resistance of SiC-fiber-reinforced Si_3N_4 composites at ambient and elevated temperatures.—74-05356A
Fracture strength of thin ceramic membranes.—74-11008A
Fracture toughness and hardness-dependent polishing wear of silicon nitride ceramics.—74-11009A
Frictional behavior of some nitrogen ceramics in conformal contact with tin-coated Al-Si alloy, steel, and MMC.—74-08198A
Gas pressure sintering [GPS] of silicon nitride to optimize fracture toughness.—74-11012A
Gel casting of sintered reaction-bonded silicon nitride [SRBSN] for improved mechanical properties.—74-10367A
Glow plug with dual, dissimilar resistive heating elements in ceramic heater.—74-02881P
Grain boundary phase analysis of silicon nitride by a newly developed 300 kV field-emission electron microscope.—74-10809A
Grain growth kinetics of Si_3N_4 during alpha/beta transformation.—74-01944A
Have the limits of the development of ß-Si_3N_4 materials already been reached.—74-07335A
Heat transfer insulated parts and manufacturing method thereof.—74-02419P
High performance, durable, low-E glass—74-00334P
High-packing silicon nitride powder and method for making—74-01321P
High-packing silicon nitride powder and method for making.—74-09922P
High-speed spectral ellipsometry for in situ diagnostics and process control.—74-06774A
High-strength silicon-nitride-based materials.—74-07664A
High-temperature corrosion of ceramics in some gaseous environments.—74-05307A
High-temperature creep behavior of Si_3N_4/SiC nanocomposites.—74-10814A
High-temperature creep/deformation of Si_3N_4/SiC nanocomposites.—74-02154A
High-temperature deposition of SiN films using low-pressure chemical vapor deposition system for X-ray mask application.—74-03047A
High-temperature fracture mechanism of low-Ca-doped silicon nitride.—74-05364A
High-temperature fracture toughness in silicon nitride and SiAlON.—74-11019A
High-temperature mixed oxidation of nitride-bonded silicon carbide in oxidizing gas mixtures containing 2% Cl_2.—74-05308A
High-temperature passive/active oxidation for CVD SiC and Si_3N_4.—74-02079A
High-temperature properties of HPSN under load in simulated coal gasification environments.—74-10108A
High-temperature reaction between silicon carbide and nitrogen under pressure.—74-01754A
High-temperature silicon nitride with minimized additive content by containerless sinter-HIP.—74-06706A
High-temperature slow crack growth of Si_3N_4 specimens subjected to uniaxial and biaxial dynamic fatigue loading conditions.—74-11021A
I-V characteristics of electron-cyclotron-resonance plasma-enhanced chemical-vapor-deposition silicon nitride thin films.—74-04242A
Improvements in the creep resistance of hot-pressed silicon nitride (HPSN).—74-07891A
In situ spectroscopic ellipsometry studies of interfaces of thin films deposited by PECVD.—74-05163A
Influence of binder composition on the green strength of powder compacts.—74-04698A
Influence of fiber content on mechanical performance of SiC fiber-reinforced reaction-bonded silicon nitride composites.—74-11025A
Influence of oxygen on the composition and some properties of the films obtained by rf sputtering from an Si_3N_4 target.—74-04701A
Influence of post-sintering anneal on Si_3N_4 matrix grain morphology.—74-07666A
Influence of slurry flocculation of the character and compaction of spray-dried silicon nitride granules.—74-04704A
Influence of speed on the tribochemical reaction products and the associated transitions for the dry sliding of silicon nitride against steel.—74-08215A
Injection molding of RBSN-based ceramics.—74-04710A
Interactions between crystalline Si_3N_4 and preceramic polymers at high temperature.—74-10824A
Internal damping of silicon nitride and silicon nitride composites with silicon carbide whiskers to 1100°C.—74-10831A
Ion beam mixing modification of sputter-deposited molybdenum films on Si_3N_4 ceramics.—74-07359A
Joining of Si_3N_4 ceramics with transition metal interlayers.—74-05638A
Laser-synthesized silicon nitride powder: chemical and physical characteristics.—74-01405A
Low temperature, pressureless sintering of silicon nitride.—74-04058P
Magnetic fluid grinding machines.—74-03708A
Making ceramic components for advanced aircraft engines.—74-07021A
Making ceramic reference specimens containing seeded voids.—74-07022A
Materials based on fine-grain Si_3N_4 powders.—74-01791A
Measurement and manipulation of van der Waals forces in atomic force microscopy.—74-07172A
Measurement of rising *R*-curve behavior in toughened silicon nitride by stable crack propagation in bending.—74-11039A
Mechanical activation of powders of silicon and aluminum nitrides produced by the method of self-propagating high-temperature synthesis.—74-01792A
Mechanical properties of single-crystal α-Si_3N_4.—74-02170A
Mechanical strength of Si_3N_4-bonded SiC refractories.—74-07680A
Mechanism of incipient oxidation of bulk chemical vapor deposited Si_3N_4.—74-01793A
Membrane dielectric isolation IC fabrication.—74-02885P
Method and apparatus for continuous controlled production of single crystal whiskers.—74-09927P
Method for fabricating stacked layer Si_3N_4 for low leakage high capacitance films using rapid thermal nitridation.—74-03270P
Method of converting a silicon nitride from alpha-phase to beta-phase, apparatus used therefor, and silicon nitride material made therefrom.—74-04066P
Method of determining conditions for plasma silicon nitride film growth and method of manufacturing semiconductor device—74-00741P
Method of fabrication of composites—74-01322P
Method of making a porous ceramic filter.—74-09937P
Method of making a semiconductor device with a capacitor.—74-09095P
Method of making thin film transistors—74-00239P
Method of manufacturing a semiconductor device having an insulating layer composed of a BPSG film and a plasma-CVD silicon nitride film—74-00743P
Method of manufacturing silicon nitride whiskers—74-01324P
Method of molding silicon nitride ceramics.—74-09940P
Method of nitriding silicon—74-01325P
Method of producing sintered silicon nitrides.—74-09941P
Micromachined silicon waveguides.—74-06206A
Microscopic observations of wear of heat-resistant ceramics.—74-02017A
Microstructural characterization of burner rig thermal-fatigued SiC continuous fiber/Si_3N_4 ceramic composites.—74-09686A
Microstructure and chemical reaction in an Si_3N_4-TiC composite.—74-07690A
Microstructure and mechanical properties of polymer-derived Si_3N_4/SiC fabric composite.—74-11055A
Microstructure and mechanical properties of silicon nitride prepared from α-Si_3N_4 powders with addition of ß-Si_3N_4 powders.—74-02020A
Microstructure and thermal stability of coated Si_3N_4 and SiC.—74-08241A
Modeling of HIP: a test by analyzing HIP runs on silicon carbide and nitride.—74-10476A
Monolithic ceramic golf club putter head and method of manufacture thereof—74-01328P
Morphological and technological characteristics of silicon nitride powder prepared by self-propagating high-temperature synthesis.—74-01543A
Morphology and nature of the oxidized layer in the Si_3N_4-based materials.—74-07815A
Morphology and phase transition during the heat treatment of plasma Si_3N_4 powders.—74-10848A
Na_2SO_4-induced corrosion of Si_3N_4 coated with chemically vapor deposited Ta_2O_5.—74-07816A
Nanocomposite ceramics—Al_2O_3/SiC and Si_3N_4/SiC.—74-07395A
Nitride cap sidewall oxide protection from BOE etch.—74-02894P
Nondensified silicon nitride beta-phase material.—74-09944P
Opportunities for enhancing the thermal conductivities of SiC and Si_3N_4 ceramics through improved processing.—74-10505A
Optical and electrical properties of electron cyclotron resonance CVD SiN_x:H films.—74-01548A
Optical moldings made from silicon nitride, and a process for their production.—74-04072P
Oxidation and temperature effects on the interfacial shear strength in SCS-6 fiber-reinforced reaction-bonded silicon nitride.—74-02185A
Oxidation of ß-BN and Si_3N_4 ceramics.—74-07820A
Oxidation-induced changes in phase composition of dense silicon nitride.—74-01419A
Parameters determining the measurements of strength under cyclic loading of Al_2O_3 and Si_3N_4 ceramics in the temperature range from 20 to 1200°C.—74-02186A
PIP [polymer infiltration/pyrolysis] processing, microstructure, and properties of Si_3N_4 fiber and Al_2O_3 fiber reinforced silicon nitride.—74-10522A
Plasma CVD of silicon nitride thin films on large area glass substrates at high deposition rates.—74-09947P
Plasma-enhanced chemical vapor deposition of amorphous silicon nitride for thin-film diode active matrix liquid crystal displays.—74-04813A
Plasma-enhanced chemical vapor deposition of silicon nitride on silicon carbide fibers.—74-10531A
Polymer-derived micro-nanostructured Si_3N_4/SiC-composites.—74-10534A
Porosimetric studies on silicon nitride ceramics of SSN type (SSN=sintered silicon nitride).—74-04816A
Powder and fiber theory, preparation technology, and properties.—74-01841A
Powder processing for the fabrication of Si_3N_4 ceramics: I, Influence of spray-dried granule strength on pore size distribution in green compacts.—74-01842A
Powder properties influencing the densification kinetics of hot-pressed Si_3N_4.—74-10542A
Preparation and properties of HIPed O'SiAlON/silicon nitride composites.—74-07423A
Preparation and properties of thin films on the quartz glass.—74-07424A
Preparation of silicon nitride whiskers from diatomaceous earth: I, Reaction conditions.—74-01851A
Preparation of silicon nitride–titanium nitride and titanium–titanium nitride composites from $(CH_3)_3SiNHTiCl_3$-coated Si_3N_4 and Ti particles.—74-04828A
Pressure casting of silicon nitride.—74-04831A
Pressure slip casting of silicon nitride.—74-04832A
Process characterization and analysis of sealed vacuum microelectronic devices.—74-03180A
Process for production of silicon nitride material.—74-09954P
Process for the production of Si_3N_4 using a silicon, phosphorus and nitrogen containing precursor—74-01333P
Processing and microstructure of nonoxide ceramic fibers[—review].—74-10583A
Processing and property evaluation of Si(N, C) coatings on silica glass/quartz substrates.—74-10585A
Processing and testing of high toughness silicon nitride ceramics.—74-01858A
Processing of nanocomposite silicon nitride-mullite-alumina by reaction sintering.—74-03181A
Processing strategy for producing highly anisotropic silicon nitride.—74-07451A
Production of whisker-free Si_3N_4 particulates by carbonitriding SiO_2.—74-09957P
Progress in structural applications of silicon nitride.—74-01300A
Properties and thermal behavior of Si_3N_4 thin films.—74-10141A
Quantifying local microcrack density in ceramics: a comparison of instrumented indentation and thermal wave techniques.—74-03856A
R-curve behavior and stable crack growth at elevated temperature (1500–1650°C) in an Si_3N_4/SiC nanocomposite.—74-05385A
Radiation stability of SiO_2 antireflective film coated with SiN and SiC X-ray mask membranes.—74-04857A
Radiation stability of SiO_2 antireflective-film-coated SiN and SiC X-ray mask membranes.—74-07724A
Raman scattering study of the effects of coating by SiO_2 and Si_3N_4 films and low-dose gamma irradiation on the substrate region of GaAs.—74-03194A
Rayleigh acoustic mode in a-Si:H/a-SiN_x:H superlattices.—74-04407A
Reaction injection molding of silicon nitride ceramics having crystallized grain boundary phases.—74-09958P
Reactions in the systems Mo-Si_3N_4 and Ni-Si_3N_4.—74-08263A
Reactive ion etching of Ta-Si-N diffusion barriers in CF_4+O_2.—74-07459A
Reduction and elimination of proximity effects.—74-01568A
Relation between strength, microstructure, and grain-bridging characteristics in in situ reinforced silicon nitride.—74-05235A
Relationship between microstructure, toughening mechanisms, and fracture toughness of reinforced silicon nitride ceramics.—74-11069A
Reliable ceramics for advanced heat engines.—74-07025A
Rheological properties of silicon nitride aqueous casting slips.—74-04871A
Room temperature mechanical properties of polycrystalline silicon nitride with different α/ß ratios.—74-07914A
Room- and high-temperature fatigue damage evaluation of SiC_f/Si_3N_4 composites.—74-11081A
Rotating beam fatigue test of two HPSN [hot-pressed Si_3N_4] ceramics.—74-11082A
Shaped self-supporting ceramic composite bodies comprising silicon nitrides.—74-04086P
Si_3N_4 and SiC formation from rice husk.—74-04888A
Si_3N_4 material with high strength (1400 MPa).—74-07915A
Si_3N_4- and SiC-based ceramics for operating temperatures above 1300°C.—74-07825A
Si_3N_4-Si composite ceramics and chemically toughened SiC for engine components.—74-11087A
Silicon carbide/silicon nitride refractories: I, Nitridation.—74-05880A
Silicon carbide/silicon nitride refractories: II, Properties.—74-07188A

Silicon nitride and silicon carbide fibrous monolithic ceramics.—74-01304A
Silicon nitride and silicon carbonitride by the pyrolysis of poly(methylsiladiazane) [PMSDZ].—74-10627A
Silicon nitride ceramic and cutting tool made thereof.—74-09959P
Silicon nitride composite sintered body and process for producing the same.—74-09960P
Silicon nitride composite sintered body and process for producing same.—74-04088P
Silicon nitride for heat engine and bearing components.—74-09892A
Silicon nitride powder mechanics.—74-04417A
Silicon nitride powder produced by direct nitridation of metallic silicon.—74-10628A
Silicon nitride powder produced by imide decomposition process.—74-10629A
Silicon nitride sintered body.—74-09961P
Silicon nitride.—74-06929A
Sinterable powders of covalent compounds obtained by doping in situ using SHS.—74-04894A
Sintered ceramic body for a spark plug insulator and method of sintering the same.—74-02898P
Sintered material based on Si_3N_4 and processes for its production.—74-04091P
Sintered silicon nitride bodies suitable for use as high impact materials—74-01338P
Sintering of silicon nitride (SSN) at heating rates up to 2000 K/min.—74-01888A
SiO_2-Si_3N_4 interface: I, Nature of the interphase.—74-05247A
SiO_2-Si_3N_4 interface: II, O_2 permeation and oxidation reaction.—74-05050A
Standard Gibbs energy of formation of β-silicon nitride.—74-04214A
Stress relaxation and bonding in Si_3N_4/MA6000 joints by reactive interlayers.—74-08276A
Stress relaxation of silicon nitride at elevated temperatures.—74-11100A
Structural characterization of amorphous silicon nitride by molecular dynamics simulation.—74-04216A
Structure and electrophysical properties of hot-pressed ceramic materials from the Si_3N_4-SiC system: III, Influence of electromagnetic and thermal fields on the electrophysical properties.—74-04431A
Structure and electrophysical properties of hot-pressed ceramic materials in the Si_3N_4-SiC system: I, Structure formation and phase composition.—74-04218A
Structure of Al-Al and Al-Si_3N_4 interfaces bonded at room temperature by means of the surface activation method.—74-08277A
Studies of layered Si_3N_4/TiO_2/Si composite by means of surface-sensitive electron spectroscopes.—74-07763A
Studies on the scale-up of the microwave-assisted nitridation and sintering of reaction bonded silicon nitride.—74-10655A
Study of temperature-programmed desorption of silicon nitride and SiAlON by means of mass spectrometry.—74-03874A
Study of the Si_3N_4-SiO_2-Y_2O_3 system—sintering. α→β, transformation, and microstructure.—74-07498A
Study on growth and crystallization behavior of nanostructured amorphous silicon nitride.—74-03238A
Sub-$_{100}$ nm pattern formation using a novel lithography with SiN_x resist by focused ion beam exposure and dry etching development.—74-01896A
Sub-half-micron metal-oxide-semiconductor device fabrication using a compact synchrotron radiation lithography system.—74-00721A
Superplasticity in Y_2O_3/Al_2O_3/silicon nitride obtained by hot isostatic pressing.—74-07501A
Surface and subsurface defect detection in Si_3N_4 components by laser scattering.—74-10747A
Surface modification of ferritic stainless steel by laser alloying.—74-04931A
Surface modification of very fine silicon nitride powders.—74-01898A
Synthesis and characterization of sinterable silicon nitride powder.—74-01305A
Synthesis and properties of reaction-bonded silicon nitride made from high-purity Si powders.—74-01306A
Synthesis of a precursor of silicon nitride.—74-03878A
Temperature dependence of the strength of silicon nitride ceramics.—74-04440A
Thermal fatigue and subcritical crack growth in Si_3N_4.—74-02211A
Thermal spalling wear of silicon nitride and silicon carbide materials.—74-05448A
Thin-film materials for the preparation of attenuating phase shift masks.—74-01921A
Transient liquid phase bonding of silicon ceramics via microdesigned Ni-based interlayers.—74-10707A
Tribological properties of silicon nitride ceramics coated with molybdenum films under boundary lubrication.—74-02214A
Two-dimensional ordered Si_3N_4 nanoparticles observed by a scanning tunneling microscope.—74-07786A
Two-dimensional stick-slip phenomenon with atomic resolution.—74-10049A
Two-stage consolidation of silicon nitride under static gas pressure.—74-04974A
Ultrasonic assessment of interfacial oxidation damage in ceramic matrix composites.—74-11124A
Using fuzzy sets in the prediction of flexural strength and density of silicon nitride ceramics.—74-04460A
VAMAS round robin on fracture toughness of silicon nitride.—74-07935A
Variation of the dispersion and phase composition of ultradispersed silicon nitride powders in annealing.—74-01929A
Wear resistance of silicon carbide and nitride based ceramic materials.—74-11130A
X-ray absorption near-edge structures of sulfur on gas-phase polysulfide-treated InP surfaces and at SiN_x/InP interfaces.—74-06383A
X-ray-induced AES study of the effect of chemically bound hydrogen on the oxidation kinetics of an Si_3N_4 powder.—74-07834A
XPS analysis of surface state of various silicon nitride powders.—74-05301A

silicon oxynitride,
Alternating-current thin-film electroluminescent devices with multiple dielectric layers.—74-04474A
Boron diffusion through pure silicon oxide and oxynitride used for metal oxide semiconductor devices.—74-07556A
Deposition of single phase, homogeneous silicon oxynitride by remote plasma-enhanced chemical vapor deposition, and electrical evaluation in metal-insulator-semiconductor devices.—74-06033A
Deposition of single-phase, homogeneous silicon oxynitride by remote plasma-enhanced chemical vapor deposition, and electrical evaluation in metal-insulator-semiconductor devices.—74-06034A
Formation of N-phase and phase relationships in MgO-Si_2N_2O-Al_2O_3 system.—74-04144A
Furnace formation of silicon oxynitride thin dielectrics in nitrous oxide (N_2O): the role of nitric oxide (NO).—74-08751A
Heat-screening glass—74-00284P
Manufacturing method for protective silicon oxynitride film.—74-02884P
Mechanism of incipient oxidation of bulk chemical vapor deposited Si_3N_4.—74-01793A
Oxynitride ISFET modified for working in a differential mode for pH detection.—74-06802A
Plasma-deposited silicon oxynitride from silane, nitrogen, and carbon dioxide or carbon monoxide or nitric oxide.—74-01836A
Rugate filters grown by plasma-enhanced chemical vapor deposition.—74-04878A

silicon,
Accurate and computationally efficient semiempirical model for arsenic implants into single-crystal (100)silicon.—74-02905A
Accurate determination of shallow doping profiles and interface states for metal-oxide-semiconductor structures from measured capacitance-voltage data.—74-00450A
Accurate profiling of ultrashallow implants with mercury gate metal-oxide-semiconductor capacitance-voltage.—74-00451A
Adhesion measurement of Ti thin films on Si substrate using internal stress in overcoated Ni films.—74-01609A
Adsorption of Bi on Si(001) surface: an atomic view.—74-07587A
Advanced electron cyclotron resonance plasma etching technology for precise ultra-large-scale integration patterning.—74-00564A
Advanced scientific semiconductor processing based on high-precision controlled low-energy ion bombardment.—74-04472A
Ag on Si(001)-(2×1) formation on a 2×3 superstructure.—74-07588A
Al-Si-V and Al-Si-V-Pd films as alternatives for Al-Si-Cu interconnect: microstructure and its impact on reliability.—74-04247A
Aligned Au–Si eutectic bonding of silicon structures.—74-01614A
Aluminum on Si(100)—growth and structure of the first layer.—74-05973A
Aluminum on Si(100)—growth and structure of the first layer.—74-05974A
Amorphous semiconductors: deposition chemistry and bonding.—74-02909A
Amorphous W/40 Re/40 B/20 diffusion barriers for <Si>/Al and <Si>/Cu metallizations.—74-01932A
Analysis and removal of impurities and defects in reactive ion-etched silicon using a novel depth-profiling technique.—74-02910A
Analysis of Si/Si_xGe_{1-x}/Si microstructures by spectroscopic ellipsometry.—74-05976A
Analysis using high-energy beam techniques of the surface carbonaceous layers of silicon and tantalum substrates used in the chemical vapor deposition synthesis of diamond.—74-10195A
Angle-resolved self-ratio measurements on ion-implanted depth profiles by synchrotron X-ray fluorescence spectrometry.—74-05071A
Anomalous behavior of shallow BF_3 plasma immersion ion implantation.—74-04478A
Anomalous low-temperature dopant diffusion from in situ doped polycrystalline and epitaxial Si layers into the monocrystalline Si substrate.—74-01616A
Applications of rapid thermal chemical vapor deposition technology to ULSI material processing and device fabrication.—74-04480A
Arsenic gas-phase doping of polysilicon.—74-07205A
Atom probe analysis and field emission studies of silicon.—74-05073A
Atomic force microscopy studies of polysilicon growth during deposition on silicon.—74-05981A
Atomic layer epitaxy deposition processes.—74-01619A
Atomic structure of Bi on the Si(111) surface.—74-07596A
Au on the Si(001) surface: room-temperature growth.—74-05985A
Auger depth profiling for silicon dioxide on silicon.—74-04096A
Auger in-depth profiling of Mo-Si multilayers.—74-01963A
Ballistic electron emission microscopy of the Au-Si(100) interface.—74-08828A
Ballistic electron emission microscopy on the Au/*n*-Si(111) 7×7 interface.—74-05076A
Ballistic-electron emission microscopy on the Au/*n*-Si(111) 7×7 interface.—74-07598A
Barrier process for Ta_2O_5 capacitor.—74-03264P
Binding energies for carbon atoms and clusters deposited on the Si(100) surface.—74-05989A
Bipolar transistor action from an amorphous carbon/silicon heterojunction emitter.—74-08830A
Bipolar transistors on Si/MgO-Al_2O_3/Si.—74-00571A
Blue light emission from silicon ultrafine particles.—74-05990A
Bolzmann-Matano analysis based model for boron diffusion from polysilicon into single-crystal silicon.—74-01622A
Boron δ doping in Si and SiGe and its application toward field effect transistor devices.—74-02925A
Bright visible photoluminescence of spark-processed Ge, GaAs, and Si.—74-05992A
Buried reconstruction inhibition of solid phase epitaxy of Ge on Si(111).—74-05994A
Capacitance-voltage measurement and modeling on a nanometer scale by scanning *c-v* microscopy.—74-00463A
Causes of anomalous solid formation in the exhaust systems of low-pressure chemical vapor deposition and plasma-enhanced chemical vapor deposition semiconductor processes.—74-07216A
CdTe/GaAs(100) heterojunctions—growth modification by thin silicon interface layers.—74-05998A
CeO_2/YSZ and $SrTiO_3$/YSZ double buffer layers deposited on Si(100) by laser ablation.—74-09241A
Ceramic composite containing coated fibrous material.—74-08779P
Characteristics of a-C:H:Si films deposited by rf sputtering under various deposition conditions.—74-04499A
Characterization of cobalt annealed on silicon-germanium epilayers.—74-07222A
Characterization of engineering surfaces by grazing-incidence X-ray reflectivity.—74-08837A
Characterization of obliquely deposited tungsten/silicon multilayers.—74-01966A
Characterization of silicon surface microroughness and tunneling transport through ultrathin gate oxide.—74-05088A
Characterization of SiO_2 layers on Si wafers using atomic force microscopy.—74-05089A
Characterization of structure/dopant behavior by electron microscopy.—74-01967A
Characterization of the Si/SiO_2 interface morphology from quantum oscillations in Fowler-Nordheim tunneling currents.—74-00581A
Charge pumping study of radiation-induced defects at $SiSiO_2$ interface.—74-06002A
Chemical stability of the fiber coating/matrix interface in silicon-based ceramic matrix composites.—74-05093A
Chemical vapor deposition and plasma-enhanced chemical vapor deposition carbonization of silicon microtips.—74-04511A
Chemistry of silicon surfaces after wet chemical preparation: a thermodesorption spectroscopy study.—74-01634A
Chlorine-enhanced F-atom etching of silicon.—74-04515A
Cleaning of silicon surfaces by hydrogen multipolar microwave plasma excited by distributed electron cyclotron resonance.—74-05096A
Codeposition of free silicon during CVD of silicon carbide.—74-01638A
Collection of nonequilibrium carriers generated in a-Si-H and a-SiC-H structures by an electron beam.—74-02940A
Common themes in the epitaxial growth of oxides on semiconductors.—74-08841A
Comparative study of large grains and high-performance TFT's in low-temperature crystallized LPCVD and APCVD amorphous silicon films.—74-01357A
Comparative study of the adsorption of hot-filament-activated hydrocarbons on silicon, gallium arsenide, and CVD diamond.—74-02941A
Comparison of advanced plasma sources for etching applications: I, Etching rate, uniformity, and profile control in a helicon and a multiple electron cyclotron resonance source.—74-04520A
Comparison of advanced plasma sources for etching applications: II, Langmuir probe studies of a helicon and a multipole electron cyclotron resonance source.—74-03789A
Comparison of advanced plasma sources for etching applications: III, Ion energy distribution functions for a helicon and a multipole electron cyclotron resonance source.—74-02942A
Comparison of advanced plasma sources for etching applications: IV, Plasma-induced damage in a helicon and a multiple electron cyclotron resonance source.—74-06011A
Compensation in GaAs:Si in correlation to As pressure during crystal growth.—74-02944A
Conductance statistics in small GaAs:Si wires at low temperatures: I, Theoretical analysis: truncated quantum fluctuations in insulating wires.—74-08733A
Conductance statistics in small insulating GaAs:Si wires at low temperatures: II, Experimental study.—74-08734A
Contamination determination for silicon carbide cantilever forks in diffusion furnaces.—74-06846A
Correlation of structure and optical properties of an annealed hydrogenated amorphous silicon-carbon alloy film.—74-07618A
Correlation of the structural and optical properties of luminescent, highly oxidized porous silicon.—74-04271A
Cross-sectional scanning tunneling and scanning force microscopy of amorphous hydrogenated silicon *pn*-doping superlattices in nitrogen and in air.—74-06017A
Cross-sectional scanning tunneling and scanning force microscopy of amorphous hydrogenated silicon *pn*-doping superlattices in nitrogen and in air.—74-07621A
Crossover effect of Young's modulus [YM] in amorphous Fe-P-Si alloys.—74-07150A
$CrSi_2$/Si(111)—growth of monotype domains by solid phase epitaxy on a vicinal surface.—74-07623A

Crystallization of amorphous Co-Si-B alloys—effect of Fe additions.—74-07066A
Current status and future prospects of poly-Si devices.—74-02953A
Damage and contamination in low-temperature electron cyclotron resonance plasma etching.—74-06023A
Damage and strain in pseudomorphic vs relaxed Ge_xSi_{1-x} layers on Si(100) generated by Si ion irradiation.—74-02956A
Damage behavior of silicon by MeV Ge^+ irradiation under tilted angle.—74-06024A
Damage behavior of silicon by MeV Ge^+ irradiation under tilted angle.—74-06025A
Dc current-dependent faceting of vicinal Si(111).—74-08848A
Deep level transient spectroscopy study of rapid thermal annealed arsenic-implanted silicon.—74-06027A
Defect formation in $Si_xGe_{1-x}/Ge(111)$ heterostructures obtained by hydride epitaxy [0.16≤x≤0.315].—74-07560A
Defects in amorphous and solid phase epitaxial silicon.—74-05002A
Delta-doping in diffusion studies.—74-08853A
Dependence of photovoltages of spray-deposited indium tin oxide/silicon oxide/silicon junction solar cells on spray solvents.—74-06030A
Dependence of the a-Si:H defect density of states on the magnetic field profile of an electron cyclotron resonance microwave plasma.—74-04536A
Deposition and characterization of boron nitride thin films.—74-04537A
Deposition and properties of AlN films prepared by low-pressure CVD with a metallorganic precursor.—74-07249A
Deposition and subsequent removal of single Si atoms on the Si(111)-7×7 surface by a scanning tunneling microscope.—74-05109A
Deposition and subsequent removal of single Si atoms on the Si(111)-7×7 surface by a scanning tunneling microscope.—74-06031A
Deposition of cerium dioxide thin films on silicon substrates by atomic layer epitaxy.—74-07251A
Design and characterization of compact 100-nm-scale silicon metal-oxide-semiconductor field effect transistors.—74-06036A
Design and operation of poly-Si analogue circuits.—74-02961A
Design and performance of digital polysilicon thin-film transistor circuits on glass.—74-02962A
Detection of anomalous defect-enhanced diffusion using advanced spreading resistance measurements and analysis.—74-00471A
Determination of recombination parameters in silicon structures by light-induced absorption method.—74-06038A
Determination of silicon in boron.—74-06756A
Determination of the optical constants of fine-grained diamond layers on silicon substrates using curve-fitting procedures.—74-10074A
Device structure characterization using the comparative capacitance-voltage technique.—74-00475A
Diamond deposition on porous silicon by plasma-assisted CVD.—74-06039A
Dielectric loss function of Si and SiO_2 from quantitative analysis of REELS spectra.—74-03796A
Direct dimer-by-dimer identification of clean and monohydride dimers on the Si(001) surface by scanning tunneling microscopy.—74-02965A
Dislocations in strained layers—Ge-Si system.—74-06043A
Doped silicon carbonitride—synthesis, characterization and properties.—74-10276A
Dynamic observation of silicon homoepitaxial growth by high-temperature scanning tunneling microscopy.—74-06048A
Dynamical transmission effects and impact ionization in hot-electron transport across $NiSi_2$/Si(111) 7×7 interfaces.—74-06049A
Dynamics of ion-assisted etching in the Si(100)/XeF_2/Ar^+ system on a time scale of 100 μs-1000 s.—74-04565A
Early stages of Cu growth on boron-segregated Si-(111) surfaces: a scanning tunneling microscopy study.—74-07633A
Effect of grain microstructure of P diffusion in polycrystalline-on-single crystal silicon systems.—74-07562A
Effect of ion bombardment on Cr-Si-O layers—an X-ray photoelectron spectroscopic study.—74-05127A
Effect of ion bombardment on some properties of a-$Si_{0.8}Ge_{0.2}$:H alloys prepared by ion-beam-assisted reactive evaporation.—74-06053A
Effect of ion implantation processes on the characteristics of thermal wave signals from semiconductor materials in the "mirage-effect" geometry.—74-03801A
Effect of nanosecond laser heating on the phase composition and electrophysical characteristics of Ti-Si thin-film systems.—74-04284A
Effect of plasma etching, carbon concentration, and buffer layer on the properties of a-Si:H/a-$Si_{1-x}C_x$:H multilayers.—74-04286A
Effect of production conditions for in situ phosphorus-doped LPCVD polysilicon in monosilane/phosphine system on the deposition process kinetics.—74-04585A
Effect of substrate orientation on WSi_2 formation.—74-01376A
Effect of surface species on the photoluminescence of porous silicon.—74-02977A
Effect of the amount of free silicon on the tribological properties of Si-SiC.—74-10977A
Effects of Cl incorporation during Si oxidation.—74-06058A
Effects of oxygen on crystallization of amorphous silicon films and polysilicon TFT characteristics.—74-01379A
Effects of substrate temperature and bias potential on hydrogen plasma etching of silicon.—74-04602A
Effects of substrate temperature and bias potential on hydrogen plasma etching of silicon.—74-06062A
Electrical and photoelectrical properties of porous silicon diode structures.—74-00602A
Electrical and structural characterization of boron-doped $Si_{1-x}33Ge_x$ strained layers.—74-00484A
Electrical properties of diamondlike C-Si heterojunctions manufactured under ultraclean conditions.—74-10094A
Electron beam effects on $(CH_2)_{17}$ self-assembled monolayer SiO_2/Si specimens.—74-04608A
Electron beam induced current investigations of active electrical defects in silicon due to reactive ion etching and reactive ion beam etching processes.—74-05009A
Electron beam lithography for advanced device prototyping: process tool metrology.—74-00921A
Electron cyclotron resonance plasma-enhanced metallorganic chemical vapor deposition of tantalum oxide thin films on silicon near room temperature.—74-07294A
Electron cyclotron resonance sputter removal of SiO_2 on silicon wafers.—74-01707A
Electron transport study of nanocrystallization in FeSiB-based alloys.—74-07640A
Electron-beam-induced current determination of shallow junction depth.—74-00488A
Electron-stimulated and thermal desorption study of trimethylsilane from Si(100).—74-02995A
Electronic passivation of silicon surfaces by halogens.—74-02996A
Electronic structure of one-dimensional (1-D), 2-D, and 3-D silicon clusters.—74-01989A
Electronic structure of some semiconductor fullerenes.—74-00611A
Ellipsometric determination of the thickness and refractive index of silicon films.—74-01515A
Ellipsometric monitoring and control of the rapid thermal oxidation of silicon.—74-01061A
Emitted current instability from silicon field emission emitters due to sputtering by residual gas ions.—74-02997A
Energy distribution of tunneling emission from Si-gate metal-oxide-semiconductor cathode.—74-03000A
Enhancement of the induced photoleochroism in *p-n*-GaP/*p*-Si structures.—74-00612A
Epitaxial Si-Ge etch stop layers with ethylene diamine pyrocatechol for bonded and etchback silicon-on-insulator.—74-04620A
Epitaxy of $YBa_2Cu_3O_{7-x}$ on silicon on sapphire—possibilities and limits.—74-09267A
Etching of Si surfaces with hot chlorine beams: translational and vibrational excitation of the incident chlorine particles.—74-03004A
Etching on silicon membranes for sub-0.25-μm X-ray mask manufacturing.—74-00925A
Evaluation and control of device damage in high-density plasma etching.—74-00613A
Evaluation of contamination from plasma immersion ion implantation on silicon device characteristics.—74-03005A
Evaluation of PZT thin films on Ag-coated Si substrates.—74-06408A
Evolution of visible photoluminescence and surface morphology of ultrathin porous Si films imaged by scanning tunneling microscopy.—74-07647A
Existence of metastable molecular precursors to dissociative oxygen chemisorption on Si(111) and Si(100) at 40 K.—74-03010A
Experimental observations and modeling of ultrashallow BF_2 and As implants in single-crystal silicon.—74-01517A
Fabrication and characterization of an array of gated avalanche p^+-n^{++} junction as a micro-vacuum triode.—74-06093A
Fabrication and characterization of silicon field emission diodes and triodes.—74-03014A
Fabrication and performance of GaAs metal-semiconductor field effect transistors with step-graded striped focused ion beam doping in the channel regions.—74-00615A
Fabrication of *n*-metal-oxide semiconductor field effect transistor with Ta_2O_5 gate oxide prepared by plasma-enhanced metallorganic chemical vapor deposition.—74-06096A
Fabrication of aspheric high numerical aperture reflective diffractive optic elements using electron beam lithography.—74-01721A
Fabrication of compact 100-nm-scale silicon metal-oxide-semiconductor field effect transistors.—74-06098A
Fabrication of micromachined silicon tip transducer for tactile sensing.—74-00619A
Fabrication of nanometer-scale structures using atomic force microscope with conducting probe.—74-04629A
Fast neutron radiation damage effets on high-resistivity silicon junction detectors.—74-03017A
Field emission from pyramidal cathodes covered in porous silicon.—74-03018A
Fine structure in the photosensitivity spectra of *n-p*-$CdSiAs_2$.—74-08913A
First-wafer effect in remote plasma processing—the stripping of photoresist, silicon nitride, and polysilicon.—74-07314A
Fluorine-enhanced boron migration into oxide from underlying silicon.—74-07568A
Formation of self-aligned $TiSi_2$ contacts to Si at low temperatures using $TiCl_4$ and SiH_4 with selective in situ predeposition of Si_xGe_{1-x}.—74-00622A
Formation of Si-SiO_2 stacked-gate structures by plasma-assisted and rapid thermal processing—improved device performance through process integration.—74-06112A
Formation of Si-SiO_2 stacked-gate structures by plasma-assisted and rapid thermal processing—improved device performance through process integration.—74-06701A
Formation of zirconia-ceria layers on silicon wafers using laser ablation.—74-01740A
Forms of extraction of silicon compounds in rice husks.—74-03690A
Fracture mechanics description of fracture mirror formation in single crystals.—74-07878A
Fugitive diffusion barrier for integration of sol-gel-derived lead titanate with oxidized silicon substrates.—74-09144A
Gas phase etching of Si(111)-(7×7) surfaces by oxygen observed by scanning tunneling microscopy.—74-01996A
Gas phase synthesis and processing of silicon nanocrystallites—characterization by photoluminescence emission spectroscopy.—74-04655A
Gate technology for 0.1-μm Si complementary metal-oxide-semiconductor using *g*-line exposure and deep ultraviolet hardening.—74-06117A
Gate technology for 0.1-μm Si complementary metal-oxide-semiconductor using *g*-line exposure and deep ultraviolet hardening.—74-06118A
Grain growth of laser-recrystallized polycrystalline and amorphous silicon films.—74-06120A
Grain growth processes in a nanocrystalline $Fe_{74.5}Si_{13.5}B_9Nb_3$ alloy.—74-07657A
Growing GaN by plasma-assisted molecular beam epitaxy.—74-06123A
Growth and characterization of strain-compensated $Si_{1-x-y}Ge_xC_y$ epitaxial layers.—74-06125A
Growth and ellipsometric studies of periodic and Cantor aperiodic amorphous Ge/Si superlattices.—74-03032A
Growth and in situ ellipsometric analysis of $Si_{1-x}Ge_x$ alloys deposited by chemical beam epitaxy.—74-04662A
Growth mode and surface structures of the Pb/Si(001) system observed by scanning tunneling microscopy.—74-07660A
Growth mode of Ge films on Si(100) substrate deposited by ion beam sputtering.—74-04666A
Growth of diamond particles on sharpened silicon tips.—74-07331A
Growth of Er-doped Si films by electron cyclotron resonance plasma-enhanced chemical vapor deposition.—74-07332A
Growth of GaAs light modulators on Si by gas source molecular beam epitaxy for 850 nm optical interconnects.—74-03036A
Growth of group III nitrides on Si(111) by plasma-assisted molecular beam epitaxy.—74-05154A
Growth process of hydrogenated amorphous carbon films on silicon.—74-01752A
Growth ripples upon strained SiGe epitaxial layers on Si and misfit dislocations interactions.—74-03038A
Hall effect in $Al_{1-x}Si_x$ solid solutions [0≤x≤0.12].—74-04324A
Heteroepitaxial diamond growth on (100)silicon.—74-10380A
Heteroepitaxial Si-ZrO_2-Si by MOCVD.—74-07336A
High-field effects in polysilicon thin-film transistors.—74-03042A
High-performance sub-0.1 μm silicon *n*-metal-oxide-semiconductor transistors with composite metal/polysilicon gates.—74-00495A
High-power electronics.—74-00631A
High-resolution reactive ion etching and damage effects in the Si/Ga_xSi_{1-x} system.—74-00632A
High-resolution X-ray diffraction of one- and two-dimensional periodic surface gratings.—74-06135A
Highly pressurized Kr agglomerates in sputtered Si films.—74-05156A
Hot carrier effects in devices and circuits formed from poly-Si.—74-03050A
Hot electron scattering effects in metal-semiconductor structures and their role in interface transport.—74-03051A
Hot-hole-induced degradation in polycrystalline silicon thin-film transistors—experimental and theoretical analysis.—74-03052A
Hydrogen uptake into silicon from an elecron cyclotron resonance plasma.—74-03054A
Hydrogen-induced defects and defect passivation in silicon solar cells.—74-07569A
Hydrogenated amorphous silicon—hydrogen content, bonding configurations, and morphology in sputter-deposited, in-chamber annealed thin films.—74-06141A
Implementation of the power law model in silicon oxidation process simulation.—74-05309A
In situ B-doped Si epitaxial films grown at 456°C by remote plasma-enhanced chemical vapor deposition: physical and electrical characterization.—74-03060A
In situ ellipsometric control of $Si_{1-x}Ge_x$/Si heterostructures grown by chemical beam epitaxy.—74-04689A
In situ formation of silicon carbide.—74-10402A
In situ phosphorus-doped VLPCVD polysilicon layers for polysilicon thin film transistors.—74-04693A
In situ pulsed laser-induced thermal desorption studies of the silicon chloride surface layer during silicon etching in high-density plasmas of Cl_2 and Cl_2/O_2 mixtures.—74-07347A
In situ study of epitaxial $CoSi_2$/Si(111) by ballistic electron emission microscopy.—74-06149A
In situ study of epitaxial $CoSi_2$/Si(111) by ballistic electron emission microscopy.—74-07665A
Induced polarization photosensitivity in *n*-GaP/*p*-Si heterojunction.—74-03063A
Influence of oxygen on the formation of ripples on Si.—74-02002A
Influence of reactant transport on fluorine reactive ion etching of deep trenches in silicon.—74-01947A
Influence of single atomic height steps on F_2 reactions with Si(100)-2×1.—74-03066A
Influence of the composition of the altered layer on the ripple formation.—74-06154A
Influence of the nature of the R group on the hydrolysis and condensation process of trifunctional silicon alkoxides, R-$Si(OR')_3$.—74-10420A
Infrared spectroscopic study of initial stages of ultraviolet ozone oxidation of Si(100) and (111) surfaces.—74-02003A

Inhibition patterning of oxide superconducting films with Si ion implantation.—74-06567A
Initial stages in the growth of polycrystalline diamond on silicon.—74-05167A
Injection-level-dependent recombination velocities at the Si-SiO_2 interface for various dopant concentrations.—74-10109A
Insulating ZnO film on silicon for MIS application.—74-05943A
Integrated silicon process for microdynamic vacuum field emission cathodes.—74-00941A
Integration of materials and processes for reliable silicon interconnections.—74-06157A
Integration of materials and processes for reliable silicon interconnections.—74-06158A
Intelligent model-based control system employing in situ ellipsometry.—74-03827A
Interaction of Al with oxidized Ge/Si(001): a synchrotron radiation photoelectron spectroscopy study.—74-00943A
Interactions between ferroelectric $BaTiO_3$ and Si.—74-03316A
Interactions between Si/Co films and GaAs(001) substrates.—74-06160A
Interfacial reactions of thin iron films on silicon under amorphous silicon and SiO_x capping.—74-03071A
Investigation of porous silicon by scanning tunneling microscopy and atomic force microscopy.—74-07671A
Investigation of roughened silicon surfaces using fractal analysis: I, Two-dimensional variation method.—74-07672A
Investigation of roughened silicon surfaces using fractal analysis: II, Chemical etching, rapid thermal chemical vapor deposition, and thermal oxidation.—74-07673A
Investigation of selective SiO_2-to-Si etching in an inductively coupled high-density plasma using fluorocarbon gases.—74-06169A
Investigation of the bias nucleation process in microwave plasma-enhanced chemical vapor deposition of diamond.—74-04717A
Investigation of the operating modes of gated vacuum field emitter arrays to reduce failure rates.—74-03076A
Investigation on the residual amorphous phase in a nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ soft magnetic alloy.—74-07358A
Ion-assisted etching of Si with Cl_2: the effect of flux ratio.—74-07360A
Kinetics model for the growth of silicon carbide by the reaction of liquid silicon with carbon.—74-10431A
Kinetics of diamond growth on Si(100) substrate monitored by electron spectroscopy.—74-10432A
Knife-edge thin-film field emission cathodes on (110) silicon wafers.—74-03080A
Large-area selective thin-film deposition by bias sputtering.—74-04725A
Large-area shower implanter for thin-film transistors.—74-03081A
Lateral variation in the Schottky barrier height of Au/PtSi/(100)Si diodes.—74-06172A
Lateral variation in the Schottky barrier height of Au/PtSi/(100)Si diodes.—74-06173A
Lattice trapping and surface reconstruction for silicon cleavage on (111). Ab initio quantum molecular dynamics calculations.—74-02160A
Lead magnesium niobate actuator for micropositioning.—74-03360P
Light-induced changes in the photoconductivity of rapidly deposited hydrogenated amorphous silicon films.—74-01530A
Light-induced diffraction in silicon including interval reflections.—74-06177A
Limiting factors for secondary ion mass spectrometry profiling.—74-01076A
Localized corrosion of sputtered Al-1 wt% Si-0.5 wt% Cu alloy thin films.—74-02084A
Long-term behavior of SiSiC heat exchanger tubes under the specific conditions of a solar power plant.—74-09877A
Loss of selectivity during W chemical vapor deposition on Si using the WF_6/SiH_4 process.—74-04733A
Low-temperature epitaxial growth by molecular beam epitaxy on hydrogen-plasma-cleaned silicon wafers.—74-04736A
Low-temperature epitaxial growth of undoped and *n*-doped silicon by photochemical vapor deposition using $SiH_4/SiH_2Cl_2/H_2/PH_3$ mixtures.—74-01784A
Low-temperature growth of 3C-SiC on Si substrate by chemical vapor deposition using hexamethyldisilane as a source material.—74-01785A
Low-temperature MOCVD of oriented $PbTiO_3$ films on Si(100).—74-06421A
Low-temperature passivation of $Si_{1-x}Ge_x$ alloys by dry high pressure oxidation.—74-06185A
Low-temperature photoluminescence of SiGe/Si disordered multiple quantum wells and quantum well wires.—74-03092A
Low-temperature polysilicon thin-film transistors.—74-03090A
Low-temperature selective growth of epitaxial Si and $Si_{1-x}Ge_x$ layers from SiH_4 and GeH_4 in an ultrahigh vacuum, very low pressure chemical vapor deposition reactor—kinetics and possibilities.—74-04741A
Magnesium cluster-beam deposition on glass and Si(111).—74-00650A
Magnetotransport investigation of Si-doped $n^+Al_{0.48}In_{0.52}As$: observation of the DX center.—74-03099A
Mass spectrometric analysis of metallorganosilicon compounds.—74-01079A
Materials and failure analysis methods and systems used in the development and manufacture of silicon integrated circuits.—74-06194A
Materials and failure analysis methods and systems used in the development and manufacture of silicon integrated circuits.—74-06787A
Mathematical modeling of alternative pad designs in flip-chip soldering processes.—74-06195A
Measurement of Si wafer and SiO_2 layer microroughness by large sample atomic force microscope.—74-06789A
Measurement of the sheet resistance of doped layers in semiconductors by microwave reflection.—74-00653A
Mechanical properties of Si diamondlike carbon films formed by ion-beam-assisted deposition.—74-02382A
Mechanical stress relaxation in ion-implanted SOS structures.—74-06200A
Mechanism of particle formation in the sputtering and reactive ion etching of Si and SiO_2.—74-07681A
Mesostructure of photoluminescent porous silicon.—74-05185A
Metal-oxide-semiconductor characterization of silicon surfaces thermally oxidized after reactive ion etching and magnetically enhanced reactive ion etching.—74-00655A
Metal/insulator/metal-type structures based on amorphous carbon-silicon alloys—electronic properties in dark conditions and under illumination.—74-03106A
Metastable phase transition induced by mechanical alloying in an Si(B/C) mixture.—74-07092A
Method for forming silicon on a glass substrate.—74-09090P
Method of making a semiconductor device with a capacitor.—74-09095P
Method of quantitative evaluation of impurity inhomogeneities in silicon single crystals based on analyzing plane-wave X-ray topograms.—74-06205A
Microloading effect in reactive ion etching.—74-03108A
Micromachined silicon waveguides.—74-06206A
Microscopic investigations of silicon surfaces pretreated for use in diamond deposition.—74-04751A
Microstructures of nanosize hydrogenated crystalline silicon studied by scanning tunneling microscopy.—74-07696A
Microtribological improvement of carbon film by silicon inclusion and fluorination.—74-02026A
Microwave plasma chemical vapor deposition of high-purity diamond films.—74-01800A
Mo-Si multilayer as soft X-ray mirrors for the wavelengths around 20-nm region.—74-02027A
Mobility range in hybrid materials.—74-10843A
Model studies of chemical vapor deposition.—74-01805A
Modeling and characterization of interface static parameters and surface recombination velocity at plasma enhanced chemical vapor deposited SiO_2-Si interface.—74-10122A
Modeling of layer-by-layer sputtering of Si(111) surfaces under irradiation with low energy ions.—74-05196A
Modeling of silicon epitaxy at low pressure.—74-04758A
Modification of Al/GaAs(001) Schottky barriers by means of heterovalent interface layers.—74-06212A
Modification of Si field emitter surfaces by chemical conversion to SiC.—74-03112A
Modification of tribological properties of silicon by boron ion implantation.—74-10124A
Modifications in the Si valence band after ion-beam-induced oxidation.—74-03113A
Molecular beam epitaxial growth and properties of Si-doped GaAs/AlGaAs quantum wells.—74-03118A
Molecular beam epitaxial growth of GaAs on CaF_2/Si(111) substrates.—74-04763A
Nanocrystalline Fe-Si phase by mechanical attrition and its soft magnetic properties.—74-01544A
Nanocrystallization of Co-Si-B-Zr amorphous alloy.—74-07396A
Nanosize silicon whiskers produced by chemical vapor deposition.—74-07397A
Nanostructured composite materials in the system Si-B-N.—74-07399A
Nanostructuring of porous silicon using scanning tunneling microscopy.—74-06793A
Nature of bending of monocrystalline silicon wafers caused by one-sided machining.—74-06219A
Negative capacitance effect in Ni-TiO_2-*p*-Si heterostructures.—74-08965A
New covalent ceramics—$MgSiN_2$.—74-09881A
New organosilicon polymers for ceramic applications.—74-10493A
New process grows high-quality single-crystal fibers at high rates.—74-01298A
Nickel diffusion and silicide island formation on silicon(111).—74-05201A
Nitride cap sidewall oxide protection from BOE etch.—74-02894P
NMOS and CMOS polysilicon drive circuits for liquid crystal displays.—74-03128A
NMR study on compensated Si:P.—74-00671A
Novel integration of a group IV electron beam deposition capability with a III-V molecular beam epitaxy.—74-05205A
Novel scheme for the preparation of transmission electron microscopy specimens with a focused ion beam.—74-00966A
Novel vertical silicon membrane structure and its application to Josephson devices.—74-06228A
Nucleation and growth of diamond on a well-defined Si(311) substrate monitored by in vacuo surface analysis.—74-05207A
Numerical models for predicting tracer profiles in silicon double-oxidation experiments[—comment].—74-10920A
Numerical models for predicting tracer profiles in silicon double-oxidation experiments[—reply].—74-10921A
Numerical simulation of field emission from silicon.—74-00672A
Observation of the negative and positive persistent photoconductivity phenomena in Si planar-doped GaAs.—74-08975A
Ohmic electrode materials for semiconductor ceramics and semiconductor ceramics elements made thereof.—74-03277P
On the relation between low-temperature epitaxial growth conditions and the surface morphology of epitaxial Si and $Si_{1-x}Ge_x$ layers, grown in an ultrahigh vacuum, very low pressure chemical vapor deposition reactor.—74-04789A
Optical properties of a strained GaAs/Si heterostructure after rapid thermal annealing.—74-06238A
Optical properties of amorphous microcrystalline mixed-phase Si:H films.—74-01552A
Optical properties of sputter-deposited aluminum nitride films on silicon.—74-07180A
Optical second harmonic generation—a probe of atomic structure and bonding at Si-SiO_2 interfaces, and other chemically modified Si surfaces.—74-06242A
Optical second harmonic generation—a probe of atomic structure and bonding at Si-SiO_2 interfaces, and other chemically modified Si surfaces.—74-07707A
Optimization of an electron cyclotron plasma etch process for n^+ polysilicon: HBr process chemistry.—74-01822A
Optoelectronic and structural properties of polysilicon produced by excimer laser and furnace crystallization of hydrogenated amorphous silicon (a-Si:H).—74-05213A
Overview of cast multicrystalline silicon solar cells.—74-01823A
Oxide growth at an Si surface.—74-05041A
Oxygen-intrinsic interstitial atoms system and thermodonor generation in silicon.—74-03146A
Pentacoordinate silicon complexes as pecursors to silicate glasses and ceramics[—correction].—74-02647A
Persistent photoconductivity due to potential barriers.—74-04390A
Phase equilibria considerations in the ceramic-metal bonding of silicon-based ceramics.—74-00139A
Phase transitions in Ge and Si under shear deformation at pressure up to 12 GPa conditions and p-T-γ [shear] diagrams of these elements.—74-07104A
Photocurrents in poly-Si TFTs.—74-03158A
Photoemission study of Au, Ge, and O_2 deposition on NH_4F-etched Si(111).—74-03162A
Photoemission study of the growth of the LaF_3/Si(111) interface.—74-01560A
Photolithographic patterning of porous silicon.—74-01299A
Photon spectroscopy, mapping, and topography of 85% porous silicon.—74-07712A
Plasma-enhanced chemical vapor deposition of silicon sulfide and phosphorus sulfide thin films.—74-10532A
Polycrystalline silicon "slit nanowire" for possible quantum devices.—74-00687A
Polythermal cross section SiAs-SiP.—74-01441A
Preliminary observations of the rapid thermal oxidation of porous silicon, and the rapid thermal nitriding of oxidized porous silicon.—74-06272A
Preparation of $Si_{1-x}Ge_x$ thin crystalline films by pulsed excimer laser annealing of heavily Ge-implanted Si.—74-04827A
Present problems in (silicon) crystal growth.—74-10576A
Probing the CaF_2 density of states at Au/CaF_2/*n*-Si(111) interfaces with photoelectron spectroscopy and ballistic electron emission microscopy.—74-07719A
Probing the CaF_2 density of states at Au/CaF_2/Si(111) interfaces with photoelectron spectroscopy and ballistic-electron emission microscopy.—74-06277A
Process characterization and analysis of sealed vacuum microelectronic devices.—74-03180A
Processing of Si-based ceramics and ceramic composites using hydridopolycarbosilane (HPCS).—74-01859A
Production of nanocomposite Si/C/N preceramic powders by laser pyrolysis of hexamethyldisilazane.—74-04848A
Profiling of silicide-silicon structures using a combination of the spreading resistance and point contact curent-voltage methods.—74-00690A
Progress toward crystalline silicon-based light-emitting diodes.—74-00691A
Properties of noble-metal/silicon junctions.—74-07186A
Properties of polysilicon films deposited on amorphous substrates using reactive plasma beam deposition technique.—74-01862A
Properties of yttrium oxide thin films on silicon(100) prepared by evaporation of yttrium in atomic oxygen.—74-09017A
Pulsed laser deposition of BN onto silicon (100) substrates at 600°C.—74-01863A
Radiation damage effects on bipolar and MOS devices in X-ray lithography.—74-03191A
Radiation damage of epitaxial CaF_2 overlayers on Si(111) studied by photon-stimulated desorption: formation of surface F centers.—74-03192A
Radiation-induced defects in silicon solar cells showing improved radiation resistance.—74-07582A
Radiation-stimulated diffusion of phosphorus in silicon.—74-03670A
Rapid thermal processing with microwave heating.—74-03727A
Rayleigh acoustic mode in a-Si:H/a-SiN_x:H superlattices.—74-04407A
Reactive magnetron sputter deposition of CN_x films on Si(001) substrates—film growth, microstructure, and mechanical properties.—74-05229A
Reactive plasma spraying of silicon in controlled nitrogen atmosphere.—74-10605A
Recombination-induced random walk diffusion of interstitial carbon in silicon.—74-05047A
Reconstructured structures in metal/Si(100) surfaces at high temperature observed by scanning tunneling microscopy.—74-07730A
Recrystallization of LPCVD amorphous Si films using F^+ implantation.—74-05232A
Reductive deposition of Pd on porous silicon from aqueous solutions of $PdCl_2$: an X-ray absorption fine structure study.—74-10609A
Reflection high-energy electron diffraction patterns of carbide-contaminated silicon surfaces.—74-02038A
Relation between atomic structure and surface-stress anisotropy—calculations for the clean Si(001) surface.—74-06291A
Relation between atomic structure and surface-stress anisotropy—calculations for the clean Si(001) surface.—74-06292A

Reliability implications of defects in high-temperature-annealed $Si/SiO_2/Si$ structures.—74-09024A
Reliability improvement of thin oxide by double deposition of silicon.—74-04868A
Resistivity and magnetoresistance-elastoresistance of polycrystalline Ni-Si thin films.—74-01569A
Resistometric study of nanocrystallization kinetics in Fe-based metallic glasses.—74-05788A
Restructuring process of the Si(111) surface upon Ag deposition studied by in situ high-temperature scanning tunneling microscopy.—74-07732A
Ridge-waveguide sidewall-grating distributed feedback structures fabricated by X-ray lithography.—74-00700A
Role of Ge in SiGe epitaxial growth using silance/germane gas-source molecular beam epitaxy.—74-04873A
Role of the valence band density of states in the piezoresistance of *p*-type semiconductors Si and Ge.—74-00701A
Roles of Si insertion layer at GaAs/AlAs heterointerface determined by X-ray photoemission spectroscopy.—74-02041A
Room temperature chemical vapor deposition SiOF film formation technology for interlayer in submicron multilevel interconnections.—74-01872A
Room temperature photoluminescence in strained $Si_{1-x}Ge_x/Si$ quantum wells.—74-04414A
SAXS study of the gelation process of silicon and titanium alkoxides.—74-08454A
Scaling of emission currents and of current fluctuations of gated silicon emitter ensembles.—74-03207A
Scanning Maxwell stress microscope for nanometer-scale surface electrostatic imaging of thin films.—74-03867A
Scanning probe microscopy on the surface of Si(111).—74-06296A
Scanning tunneling microscopy observation of Al-induced reconstruction of the Si(111) surface—growth dynamics.—74-07738A
Scanning tunneling microscopy observation of Al-induced reconstruction of the Si(111) surface: growth dynamics.—74-05238A
Scanning tunneling microscopy of alkali-induced structures on the Si(111) surface.—74-07739A
Scanning tunneling microscopy study of solid-phase epitaxy processes of argon ion-bombarded silicon surface and recovery of crystallinity by annealing.—74-07742A
Scanning tunneling microscopy study of the reaction of $AlCl_3$ with the Si(111) surface.—74-07743A
Secondary ion mass spectrometry analysis of ultrathin impurity layers in semiconductors and their use in quantification, instrumental assessment, and fundamental measurements.—74-01100A
Secondary ion mass spectrometry depth profiling of boron and antimony deltas in silicon: comparison of the resolution functions using oxygen bombardment at different energies and impact angles.—74-02043A
Selective deposition of $TiSi_2$ from H_2-$TiCl_4$ gas mixture and Si: aspects of thermodynamics including critical evaluation of thermochemical data in the Ti-Si system.—74-01452A
Selective plasma deposition.—74-01877A
Self-limiting oxidation of Si nanowires.—74-02091A
Sensitivity of second harmonic generation to space charge effects at Si(111)/electrolyte and Si(111)/SiO_2/electrolyte interfaces.—74-06307A
Shallow trench isolation for ultralarge-scale integrated devices.—74-00708A
^{29}Si NMR and XPS investigation of the structure of silicon oxycarbide glasses derived from polysiloxane precursors.—74-08323A
Si donors (Si/Ga) in GaAs observed by scanning tunneling microscopy.—74-06311A
Si MOS photodetectors as detectors of hydrogen.—74-03214A
Si-YBCO intermixing and reactive patterning technique.—74-03573A
Sidewall passivation during the etching of poly-Si in an electron cyclotron resonance plasma of HBr.—74-00709A
Silica porous glasses with silicon impregnation.—74-08456A
Silicon carbide switching device with rectifying gate.—74-09101P
Silicon carbide wafer bonded to a silicon wafer—74-00746P
Silicon micromachining and micromachines.—74-00996A
Silicon substrate having YSZ epitaxial barrier layer and an epitaxial superconducting layer.—74-03661P
Silicon surface cleaning using photoexcited fluorine gas diluted with hydrogen—74-00710A
Silicon surface electrical properties after low-temperature in situ cleaning using an electron cyclotron resonance plasma.—74-06315A
Single crystal titanium nitride epitaxial on silicon.—74-09102P
Single wafer process integration for submicron structures.—74-06316A
Small semiconductor clusters and fullerenes: structural and electronic properties from ab initio molecular dynamics.—74-01573A
Solid-state reactions and phase relations in the Ti-Si-O system at 1373 K.—74-02396A
Solution growth of silicon on Al-Si coated quartz-glass substrates.—74-05793A
Spectral response of the photoconductivity of polycrystalline chemically vapor deposited diamond films.—74-04425A
Spectroscopic ellipsometry measurements of the diamond-crystalline Si interface in chemically vapor deposited polycrystalline diamond films.—74-10030A
Spectroscopic studies of sodium and aluminum silicophosphate glasses.—74-00219A
Spectroscopic study of Si-related defects in nonhomogeneous GaAs:Si.—74-00715A
Spontaneous etching of Si(100) by XeF_2—test case for a new beam surface experiment.—74-06323A
Sputter-initiated resonance ionization spectroscopy: an analytical technique for quantitative and sensitive measurements of impurities and ultrashallow doping profiles in semiconductors.—74-00717A
Sputtering effects in Si, SiO_2, and the Si/SiO_2 interface.—74-05252A
Strain dependence of binding energies for carbon adatoms on the Si(100) surface.—74-01578A
Strain distribution in InP grown on patterned Si—direct visualization by cathodoluminescence wavelength imaging.—74-03228A
Strain relief and ordering of $(2\times n)$-Bi structure on Si(100).—74-07752A
Stretched exponential relaxation of persistent photoconductivity due to the Si-related DX center in $Al_xGa_{1-x}As$.—74-09050A
Strict thermal nitridation selectivity between Si and Ge used as a chemical probe of the outermost layer of $Si_{1-x}Ge_x$ alloys and Ge/Si(001) or Si/Ge(001) heterostructures.—74-06328A
Strict thermal nitridation selectivity between Si and Ge used as a chemical probe of the outermost layer of $Si_{1-x}Ge_x$ alloys and Ge/Si(001) or Si/Ge(001) heterostructures.—74-06329A
Structural characteristics of as-deposited and crystallized mixed-phase silicon films.—74-04915A
Structural characteristics of Si/Ge superlattices grown on an Si(100) surface by molecular beam epitaxy.—74-01465A
Structural characterization and high-temperature behavior of silicon oxycarbide glasses prepared from sol-gel precursors containing Si–H bonds.—74-02493A
Structural characterization of diamond films grown epitaxially on silicon.—74-05262A
Structural characterization of plasma-doped silicon by high-resolution X-ray diffraction.—74-05263A
Structural properties of the Na/Si(111) 2×1 surface studied by photoemission extended X-ray absorption fine structures.—74-07755A
Structural properties of titanium dioxide films grown on *p*-Si by metallorganic chemical vapor deposition at low temperature.—74-00719A
Structure of nickel silicide on Si(001): an atomic view.—74-07760A
Structure of oxygen-doped silicon grown by chemical vapor deposition at low temperature.—74-07494A
Structure of silicon and aluminum films.—74-10891A
Structure, morphology, and resistivity of in situ phosphorus-doped polysilicon films.—74-05277A
Structure-sensitive features of valence band in disordered silicon.—74-05053A
Studies of Si segregation in GaAs using current-voltage characteristics of quantum well infrared photodetectors.—74-03231A
Studies on SiBN(C) ceramics—oxidation and crystallization behavior lead the way to applications.—74-10161A
Study and control of molecule surface interaction at the atomic level: Sb_4 on Si(001).—74-06822A
Study of epitaxial growth of Ag on hydrogen-terminated Si(111) and Si(100) surfaces.—74-03872A
Study of interaction between incident silicon and germanium fluxes and SiO_2 layer using solid-source MBE.—74-03233A
Study of ion mixing during Auger electron spectroscopy depth profiling of Ge-Si multilayer system.—74-03873A
Study of silicon etching in CF_4/O_2 plasmas to establish surface reemission as the dominant transport mechanism.—74-06337A
Study of silicon-wafer surface evaluation using atomic force microscopy.—74-10894A
Study of the NF_3 plasma cleaning of reactors for amorphous silicon deposition.—74-04923A
Study on epitaxial growth of CeO_2(110)/Si(100) in conjunction with substrate off-orientation.—74-09057A
Submicron gold islands on silicon by STM.—74-00722A
Surface chemistry of diethylsilane and diethylgermane on Si(100): an atomic layer epitaxy approach.—74-04929A
Surface Phases on Silicon: Preparation, Structures, and Properties.—74-07975B
Surfactant-mediated epitaxy of Ge on Si(111): the role of kinetics and characterization of the Ge layers.—74-03244A
Survey of nondestructive surface characterization methods used for reliable gate oxide fabrication for silicon ic devices.—74-03877A
Synchrotron radiation X-ray photoelectron spectroscopy study of hydrogen-terminated Si surfaces and their oxidation mechanism.—74-07772A
Synchrotron radiation X-ray photoelectron spectroscopy study of hydrogen-terminated Si surfaces and their oxidation mechanism.—74-07773A
Synthesis of SAPO-34—high-Si incorporation in the presence of morpholine as template.—74-07519A
Synthesis of titanium silicon carbide.—74-04948A
Ten 10-nm pillars fabricated using electron-beam lithography, reactive ion etching, and HF etching.—74-01918A
Ternary phase equilibria in the Zr-Si-C system.—74-04227A
Theoretical prediction of the performance of Si and SiC bipolar transistors operating at high temperatures.—74-09066A
Theory of scanning tunneling microscopy and spectroscopy on hydrogen-adsorbed Si(100) surface.—74-07780A
Thermal annealing of photoluminescent Si deposited on silica aerogels.—74-07531A
Thermal decomposition of diethylgermane on Si(100)-(2×1).—74-04956A
Thermal diffusivities of thin diamond films on silicon.—74-10170A
Thermal durability and abradability of plasma sprayed Al-Si polyimide seal coatings.—74-08282A
Thermal oxidation behavior and electrical characteristics of silicon depending on the crystal orientation.—74-10042A
Thermal stability of highly Sb-doped molecular beam epitaxy silicon grown at low temperatures—structural and electrical characterization.—74-06356A
Thermal stability of $Si/Ge_x/Si$ heterostructures by photoreflectance.—74-06357A
Thermal stability of thin poly-Si/Ta_2O_5/TiN capacitors for dynamic random access memory applications.—74-05966A
Thermal stability of thin poly-Si/Ta_2O_5/TiN capacitors for dynamic random access memory applications.—74-06358A
Thermodynamic and experimental study of the chemical vapor codeposition in the silicon-boron-carbon system at 1400 K.—74-07137A
Time-dependent, self-consistent simulations of field emission from silicon using the Wigner distribution function.—74-03253A
Time-of-flight measurement of carrier transport and carrier collection in strained $Si_{1-x}Ge_x/Si$ quantum wells.—74-05056A
Time-resolved atomic-scale modifications of silicon with a scanning tunneling microscope.—74-06363A
Time-resolved luminescence spectra and origin of visible luminescence kinetics in porous silicon.—74-03254A
Time-resolved measurements of plume shielding during ArF laser ablation of silicon.—74-03881A
Titanium disilicide on silicon by interdiffusion of titanium and amorphous silicon multilayers—transmission electron microscopy, spectroscopic ellipsometry and resistivity measurements.—74-05290A
Titanium nitride/titanium silicide multiple layer barrier with preferential (111) crystallographic orientation on titanium nitride surface.—74-03281P
Transmission electron microscopy study of two-dimensional semiconductor device junction delineation by chemical etching.—74-02056A
Transport properties of delta-doped Si:Sb superlattices.—74-01598A
Tribology of silicon-based ceramics.—74-02215A
Two-dimensional doping profiles from experimentally measured one-dimensional secondary ion mass spectroscopy data.—74-02059A
Two-dimensional spreading resistance profiling: recent understandings and applications.—74-01124A
Ultrashallow boxlike profiles fabricated by pulsed ultraviolet-laser doping process.—74-01923A
Ultrashallow-doped film requirements for future technologies.—74-00729A
Ultrasonically induced transformation of DX centers in AlGaAs:Si.—74-09076A
Uniform diamond coatings in 4-in. Si wafers.—74-10713A
Unique hydride chemistry on silicon-PH_3 interaction with Si(100)-(2×1).—74-06374A
Use of sharp silicon tips as photocathodes and electron sources for X-ray generation.—74-00733A
Variables affecting crystal structure, composition, and orientation of rf-sputtered $Ba_2Si_2TiO_8$ thin films.—74-06375A
Voids in epitaxial silicon films grown under different thermal conditions—void detection by thermal helium desorption.—74-05060A
Wear mechanisms in thermally sprayed Mo-based coatings.—74-08294A
Wettability of silicon carbide by liquid silver and binary silver-silicon alloy.—74-06381A
Wetting and adhesion in liquid silicon/ceramic systems.—74-07194A
X-ray characterization of semiconductor surfaces and interfaces.—74-06384A
X-ray diffractometry study of laser annealing effect on near-surface layer structure of ion-implanted silicon.—74-04984A
X-ray diffuse scattering as a probe for thin-film and interface structure.—74-06835A
X-ray photoelectron spectroscopy and X-ray absorption near-edge spectroscopy study of SiO_2/Si(100).—74-07790A
X-ray photoelectron spectroscopy and X-ray absorption near-edge spectroscopy study of SiO_2/Si(100).—74-07791A
X-ray photoelectron spectroscopy study of the surface layers between diamond crystallites and silicon substrate deposited by microwave plasma-assisted chemical vapor deposition.—74-10051A
X-ray study of generalized Cantor superlattices.—74-05299A
X-ray study of the interface layer between low-temperature-deposited diamond film and the silicon substrate.—74-10052A

silicon-on-insulator materials (SOI),
Bonded silicon-on-insulator wafers for VLSI and the fabrication process.—74-08724A
Epitaxial CeO_2 growth on Si(111) for SOI.—74-08895A
Fabrication of X-type crossing waveguide constructed by large single-mode rib silica-on-insulator (SOI) waveguide.—74-08907A
Numerical analyses of silicon-on-insulator short-channel effects in a radiation environment.—74-03132A
Wafer bonding technology for silicon-on-insulator applications: a review.—74-02868A

sillenite,
Photoinduced absorption in sillenites.—74-04394A

sillimanite,
Study on sillimanite and cordierite saggar.—74-08589A

silos,
Dome silo for 43 000 tons of clinker.—74-06696A
Flat storage versus silo storage for FGD gypsum.—74-00929A
Use of air-cushioned explosion doors for coal dust silos.—74-02792A

siloxanes,
Ceramics formed by pyrolysis of either linear or thermosetting carborane (siloxane or silane) acetylene based—74-01314P

Hydrocarbon-bridged polysiloxane and polysilsesquioxane network materials.—74-10393A
Incorporation and thermal stability of organic dyes in dialkylsiloxane-oxide matrices.—74-10409A
Mechanical properties of carbon fiber/ceramic composites prepared for borosiloxane with high boron content.—74-09879A
Process for preparing ceramic fibers from polysiloxanes.—74-04001P
Pyrolysis of poly(siloxane) preceramic polymers: effect of atmosphere on product chemistry.—74-01865A
^{29}Si, ^{17}O liquid NMR, and ^{29}Si CP-MAS NMR characterization of siloxane-oxide materials, $((CH_3)_2SiO/TiO_2$, $(CH_3)_2SiO/ZrO_2)$.—74-10754A
Silicon carboxide ceramics from spirosiloxanes.—74-04087P

silver oxide,
Chemical and morphological changes on silver surfaces produced by microwave generated atomic oxygen.—74-05325A
Low temperature glass with improved thermal stress properties and method of use—74-00336P
Synthesis and structure of bulk $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$+10 wt% Ag_2O compound superconductors under 1 atm oxygen.—74-06644A

silver,
Ag on Si(001)-(2×1) formation on a 2×3 superstructure.—74-07588A
Ag_2Te/As_2S_3, a top-surface, high-contrast negative-tone resist for deep ultraviolet submicron lithography.—74-01611A
Anisotropy in the ionic conductivity of $K_3NdSi_3O_8(OH)_2$.—74-00454A
Antibacterial ceramics for sandboxes.—74-09737A
Antimicrobial glass "ion pure."—74-08403A
Atomic modeling of the metal/oxide interface with image interactions.—74-08129A
Behavior of the flux flow resistance in YBCO/$(Ag_2O)_x$.—74-06493A
Bonding at metal-ceramic interfaces: ab initio density-functional calculations for Ti and Ag on MgO.—74-08135A
Colloidal Au and Ag precipitates formed in Al_2O_3 by ion implantation and annealing.—74-01640A
Concentration and size depth profile of colloidal silver particles in glass surfaces produced by sodium-silver ion exchange.—74-02606A
Critical current irreversibility of Bi(2223)/Ag tapes in high magnetic field.—74-09245A
Crystallization kinetics of α-AgI in AgI-based silver orthoborate glasses.—74-02827A
Effect of Ag concentration on the structure and acoustic properties of the HTS composite $YBa_2Cu_3O_x$-Ag.—74-03446A
Effect of silver additions on properties of (Bi, $Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag high-temperature superconducting tapes.—74-06524A
Effect of silver concentration on electric and magnetic properties of HTS composites $YBa_2Cu_3O_x$-Ag.—74-03452A
Effects of interfacial segregation on wetting of PbBiSrCaCuO ceramic by Ag and Ag-based alloys.—n4-06526A
Effects of silver doping on the reliability of $(Pb_{0.875}Ba_{0.125})$-$[(Mg_{1/3}Nb_{2/3})_{0.5}$- $(Zn_{1/3}Nb_{2/3})_{0.3}Ti_{0.2}]O_3$ relaxor dielectric ceramics.—74-02833A
Elastic properties of high-T_c superconductors: elastic systematics in $YBa_2Cu_3O_{7-x}$/Ag composites.—74-06531A
Electrical and structural studies of $AgSbSe_2$ thin films.—74-01698A
Electron microscopic study of fiber lightguides made from silver halogenides.—74-05133A
Evaluation of PZT thin films on Ag-coated Si substrates.—74-06408A
Excitonic resonance Raman scattering from optic phonons in $AgGaS_2$.—74-03809A
Extrusion of silver and cesium halogenide fibers at various temperatures.—74-04627A
Fabrication and characteristics of tapes and test magnets made from Ag-clad Bi-2223 superconductors.—74-06542A
Fabrication and characterization of nonrandom $YBa_2Cu_3O_7$-Ag composites.—74-06543A
Flux pinning in Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+y}$.—74-09275A
Formation and optical properties of prolate silver particles in glasses.—74-00259A
High performance, durable, low-E glass—74-00334P
High-resolution transmission electron microscopy studies of the Ag/MgO interface.—74-08205A
High-temperature superconductor and its use.—74-09371P
Magnetic phase transition in $AgCrO_2$.—74-03387A
Magnetic susceptibility of copper and silver chalcogenides near the crystal-melt phase transition.—74-04352A
Mechanical properties of alumina–zirconia–silver composites.—74-05375A
Mechanical properties of BiSrCaCuO/Ag superconductors.—74-00824A
Mechanical properties of nanocomposite thin films.—74-04359A
Metal-ceramic joint.—74-08308P
Metallization compositions for Bi and Pb-containing ceramic dielectrics.—74-08309P
Method of producing a carburized ceramic-steel joined body.—74-08314P
Mobility of Ag ions in Ag-As-S glasses.—74-08377A
Nonlinear low-temperature conductivity of the junction $Bi_2Sr_2CaCu_2O_x$/Ag.—74-06598A
Origin of absorption bands observed in the spectra of silver ion-exchanged soda-lime-silica glass.—74-08344A
Oxide superconductor wire having sintered silver powder layers.—74-03653P
Oxygen diffusion through silver cathodes for solid oxide fuel cells.—74-05042A
Photovoltaic effect in In/p-AgGaAs structures.—74-09001A
Preparation and properties of $YBa_2Cu_3O_y$-Ag composites via 8-hydroxyquinoline coprecipitation.—74-06616A
Preparation and properties of YBCO/Ag composite tape using powder melting process (PMP).—74-06617A
Preparation of glass-silver microcomposites by sol-gel route.—74-05785A
Preparation of mesoscopic superionic (AgI) conductors by rapid quenching.—74-08765A
Pressure dependence of Raman scattering in $AgGaSe_2$.—74-03179A
Processing and properties of hydroxyapatite/silver bioceramic composites.—74-07446A
Properties of high-T_c wires made by the metallic precursor process.—74-00847A
Recovery of recyclable metals from waste glass melts.—74-09414A
Restructuring process of the Si(111) surface upon Ag deposition studied by in situ high-temperature scanning tunneling microscopy.—74-07732A
Role of PbO and Ag on insulation resistance degradation in relaxor-based MLCs.—74-05956A
Scanning tunneling microscopy studies of thin-film AgBr on Au(111).—74-05241A
Silver additives for ceramic superconductors—74-00880P
Silver ion transport in AgI-Ag_2O-B_2O_3 glasses.—74-05741A
Silver-doped alkaline earth fluorides—crystal growth and physicochemical processes studied by optical spectroscopy and EPR.—74-10028A
Silver-palladium thick-film conductors.—74-02860A
SIMS RBS depth profiling of silver-diffused glass system.—74-06815A
Structure of Ag and Li borate glasses of the composition $(Ag_2O$-$2B_2O_3)_{1-x}a(AgI)$, and—74-02498A
Studies on the preparation and characterization of chemically deposited Ag_2S films from an acidic bath.—74-04920A
Study of epitaxial growth of Ag on hydrogen-terminated Si(111) and Si(100) surfaces.—74-03872A
Studying structure of silver halogenide fiber lightguides using various techniques.—74-03876A
Superionic conducting glass.—74-08396A
Surface activity and a degree of modified silver catalysts carbonization.—74-01897A
Synthesis of Ag^+ from tobermorite and its antibacterial activity.—74-01904A
Synthesis, structure, and properties in the disordered and ordered Ag-P-S system.—74-01472A
Thermal conductivity of superionic conductor Ag_3SI.—74-01594A
Tracer diffusion of Ag in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$.—74-05057A
Voltammetric study of silver is a glass melt.—74-02503A
Wettability of silicon carbide by liquid silver and binary silver-silicon alloy.—74-06381A
ZnS-Ag luminophor as a chemical system.—74-01603A

SIMOX,
Formation of thermal donors in SIMOX method.—74-03023A

single crystals,
Accounting for secondary extinction in highly anisotropic single crystal.—74-07034A
Characterization of the vacancy-calcium dipole by electrical and mechanical relaxation measurements in single crystals of calcined zirconia.—74-10777A
Conductance of zeolite single crystals.—74-05927A
Dislocation in BBO crystals.—74-10728A
Fracture mechanics description of fracture mirror formation in single crystals.—74-07878A
Growth and applications of barium titanate single crystal.—74-10374A
Isotopically pure single crystal epitaxial diamond films and their preparation.—74-04057P
Low-temperature (LT) STM investigation of Bi-O planes of single-crystal $Bi_2Sr_2CaCu_2O$.—74-06572A
Measurement of contact resistance and of the components of the electrical conductivity of anisotropic crystals and films.—74-03833A
Method for producing single crystal superconducting $LnA_2Cu_3O_{7-x}$ films.—74-03641P
Method for pulling up semiconductor single crystal.—74-03273P
Precision studies of synthetic diamonds using Kossel's method.—74-04399A
Process for preparing barium titanate single crystals.—74-04000P
Rapid growth of ferroelectric TGS crystals.—74-09175A
Recent progress in SiC single-crystal growth.—74-10606A
Study on high-T_c superconductivity and lattice mismatch.—74-09342A
System grows single-crystal fibers.—74-07525A
Thermal expansion of synthetic diamond single crystals at low temperatures.—74-10172A
Thin hydrogenated alpha-C:H films in semiconductor/diamondlike film single-crystal heterostructures.—74-05289A

sinter forging,
Low-temperature sinter forging of nanostructured Y-TZP.—74-01788A
Sinter forging as a tool for improving the microstructure and mechanical properties of zirconia-toughened alumina.—74-01882A
Submicrometer transparent alumina by sinter forging seeded γ-Al_2O_3 powders.—74-04926A

sinter/sintering,
Ac impedance characterization of translucent cubic zirconia solid solution.—74-04466A
Advances in liquid phase sintering.—74-04473A
Alumina for ceramics.—74-09756A
Application of high-energy grinding for the activation of sintering of silicon nitride powder.—74-01617A
Attrition milling and reaction sintering of oxide-metal mixed powders: II, Reaction sintering behavior as the milling characteristics of powders.—74-10202A
β-silicon nitride sintered body and method of producing same.—74-09900P
Bimodal sintering of Al_2O_3/Al_2O_3 platelet ceramic composites.—74-07209A
Carbon and ceramic-containing layers for use in sintering of silicon nitride article.—74-04032P
CeO_2-doped AlN ceramics.—74-01283A
Ceramic Processing and Sintering.—74-11198B
Ceramic via composition, multilayer ceramic circuit containing same, and process for using same—74-00544P
Comparison of properties of sintered and sintered reaction bonded silicon nitride fabricated by microwave and conventional heating.—74-10232A
Computer modeling and numerical simulation of microwave heating systems.—74-00904A
Constant heating rate sintering of chemically vapor deposited silicon nitride.—74-07237A
Constitutive models for the sintering of ceramic components: I, Material models.—74-10237A
Constitutive models for the sintering of ceramic components: II, Sintering of inhomogeneous bodies.—74-10238A
Constrained-film sintering of a borosilicate glass: in situ measurement of film stresses.—74-02525A
Continuous microwave sintering of ceramics.—74-10241A
Cubic boron nitride sintered compact and method of preparing the compact—74-01316P
Deformation aspects of the phase transformations for sintering of the glass and glass-ceramic composites.—74-05674A
Diffusion processes in solid-phase sintering of simple oxides.—74-04557A
Direct synthesis and sintering of silicon nitride/titanium nitride composite.—74-04559A
Dry sintering of refractory-based oxides.—74-02752A
Effect of SiC on interfacial reaction and sintering mechanism of TiB_2.—74-07277A
Effect of sintering additives on the oxidation behavior of hot-pressed silicon nitride.—74-10909A
Effect of solid loading and lamination process on the properties of Ni-Zn ferrite made by tape casting method.—74-10296A
Effect of yttrium doping and sintering temperatures on the PTCR characteristics of high-T_c barium titanate.—74-04593A
Effects of sintering conditions of sintered Ni-Zn ferrites on properties of electromagnetic wave absorber.—74-06455A
Effects of sintering on properties of titanium-carbide-dispersed alumina ceramics and on-line monitoring of the sintering environment.—74-07285A
Electrochemical synthesis and sintering of nanocrystalline cerium(IV) oxide powders.—74-04604A
Equilibrium pore surfaces, sintering stresses, and constitutive equations for the intermediate and late stages of sintering: I, Computation of equilibrium surfaces.—74-04621A
Equilibrium pore surfaces, sintering stresses, and constitutive equations for the intermediate and late stages of sintering: II, Diffusional densification and creep.—74-04622A
Experimental study of the nonthermal effect in microwave sintering of piezoceramics.—74-09138A
Fabrication and characterization of microwave sintered zirconia ceramics.—74-01717A
Fabrication of LAS system ceramics for thermal shock resistance from silicate minerals: II, Preparation of spodumene powders with sillimanite, kaolin, and pyrophyllite group minerals.—74-10348A
Formation of new compounds in shock-wave sintering of sphaleritic boron nitride with Al_2O_3 and ZrO_2.—74-01738A
Freeze granulation of liquid-phase-sintered silicon carbide.—74-01742A
Gas pressure sintering [GPS] of silicon nitride to optimize fracture toughness.—74-11012A
High purity dense silicon carbide sintered body and process for making same.—74-09920P
High-alumina ceramic with a wide sintering range.—74-03691A
High-rate thermal materials composition.—74-01753A
Homogeneous distribution of sintering additives in liquid-phase-sintered silicon carbide.—74-07338A
Hot-forge sintering of fine alumina powder.—74-00938A
Influence of hydrostatic treatment of greenware and sintering schedules on the properties of ceramics in the tialite-mullite-corundum system.—74-04700A
Influence of mechanical activation of basic refractories and mixtures on sintering.—74-02761A
Influence of preheat treatment on raw coke in fabrication of carbon solids.—74-03698A
Influence of sintering conditions on grain growth of $YBa_2Cu_3O_{7-x}$ ceramics.—74-06565A
Influence of sintering profile on the resistivity of low-Curie-point PTCR ceramics.—74-01395A
Influence of the forming pressures on some physical properties of clay body before and after sintering.—74-05814A
Investigation of calcination and sintering of $Pb_{0.3}Bi_{0.7}SrCaCu_{0.8}O_x$ based superconductors.—74-00821A
Investigation of sintering in a chamotte refractory.—74-05863A
Ir reflection spectra of aluminum nitride sintered at high pressure.—74-01402A
Kiln furniture for sintering electronic ceramics.—74-09680A
Kinetic parameters of sintering of chemically enriched magnesium oxide.—74-04723A
Liquid Mn sintering of plasma-sprayed zirconia-yttria coatings.—74-07370A
Low temperature, pressureless sintering of silicon nitride.—74-04058P
Low-temperature sintering of $Pb(Zr,Ti)O_3$ ceramics with the aid of oxyfluoride additive: X-ray diffraction and dielectric studies.—74-03320A
Manufacture of SiC-TiC system composite by reaction bonded sintering.—74-10439A

Mechanical behavior of pressureless sintered SiC at high temperature.—74-07376A
Method for manufacturing sintered parts.—74-03756P
Method of fabricating a sintered ceramic composite.—74-08311P
Microstructural changes of SiO_2-Si during liquid-phase sintering.—74-10834A
Microstructure/property relations during the initial sintering stage of Al_2O_3.—74-10461A
Microwave processing of materials.—74-00953A
Microwave sintering furnace.—74-09687A
Microwave sintering of barium hexaferrite.—74-09210A
Microwave sintering of boron carbide composites.—74-07383A
Microwave sintering of continuous zirconia ceramic fibers.—74-10468A
Microwave sintering of materials with particular electric or magnetic properties.—74-07384A
Microwave sintering of metal-ceramic and ceramic-ceramic composites.—74-10469A
Microwave sintering of nanocrystalline ZrO_2 powders.—74-10470A
Microwave sintering of ZrO_2-12 mol% CeO_2.—74-01801A
Nanophase materials in solid free-form fabrication.—74-01812A
Nitrides of intermetallic compounds prepared from mixtures of oxides using sintering and reactive gas treatment in a single step.—74-04777A
Nonthermal vacancy-drift mechanism of plastic deformation of grains in ceramics during microwave sintering.—74-11064A
Numerical models for the sintering of ceramics in a multimode cavity.—74-10503A
Osumilite-type glass-ceramics from glass powders.—74-05687A
Oxidation kinetics of reaction-sintered silicon carbide.—74-10927A
Oxygen sinks in SiC-based ceramics.—74-09883A
Packing of regular particles—preparation of dense sintered silicon carbide: I.—74-10513A
Phase formation and sintering in the process of preparing metal-oxide ceramic $YBa_2Cu_3O_{7-x}$.—74-00831A
Phase formation during sintering of chromium ore concentrate with titanium-containing addition and during firing of the periclase-spinellide products.—74-01829A
Phenomenological analysis of sintering in the presence of heterogeneities.—74-01830A
Plasma-activated sintering of aluminum nitride.—74-04812A
Plasma-assisted microwave sintering and joining of ceramics.—74-10530A
Platelet.alpha.-Al_2O_3 based ceramic composite.—74-09831P
Pore boundary interactions and evolution equations for the porosity and the grain size during sintering.—74-10536A
Porosimetric studies on silicon nitride ceramics of SSN type (SSN=sintered silicon nitride).—74-04816A
Preparation of monodispersed, spherical Al_2O_3 and Mg-doped Al_2O_3 powder and sintering characterization of these powders.—74-03725A
Preparation of porous glass by sintering.—74-08450A
Preparation of SiC composite by the method of reaction-bonded sintering.—74-10566A
Preparation of SiC-ZrC composites by liquid-phase sintering.—74-07436A
Pressureless sintering of a ceramic matrix with multiple rigid inclusions: finite element model.—74-07441A
Pressureless sintering of whiskered-toughened ceramic composites.—74-03767P
Pressureless-sintered SiC—material using polymers for new technical applications.—74-07023A
Process for producing sintered magnesia—74-01267P
Process for production of silicon nitride material.—74-09954P
Production of microstructure bodies from ceramics.—74-00979A
Properties of oxide structural ceramics made from mechanically milled powders.—74-02729A
Raw ceramic powders and ceramic manufacturing process.—74-10600A
Reaction sintering and its practical application.—74-04862A
Reaction sintering of 0.1% B-doped Ni_3Al.—74-00148A
Reactive sintering of $Bi_2Sr_2CaCu_2O_x$ superconductors.—74-06625A
Recent developments in the microwave processing of ceramics.—74-00985A
Recent progress in gas-fired sintering kilns for ceramics.—74-09709A
Role of precursors in the sintering improvement of Bi superconductors.—74-03610A
Simultaneous calcination and sintering of $YBa_2Cu_3O_{7-x}$ in high magnetic fields.—74-06631A
Sinter forging of zirconia-toughened alumina.—74-07480A
Sintered inorganic composites comprising cosintered tape reinforcement—74-01272P
Sintering and electrical properties of donor-doped barium titanate obtained by sol-gel process.—74-04895A
Sintering and evolution of porosity in compacts obtained from $ZrO_2(Y_2O_3)$ powders under pressure of 6 GPa.—74-01883A
Sintering behavior of MgO partially stabilized zirconia (PSZ) ultrafine powder.—74-10634A
Sintering kinetics [studied] with the help of random sets models.—74-10635A
Sintering of agglomerated ceramic powder compacts.—74-04896A
Sintering of Al_2O_3-TiC composite in the presence of liquid phase.—74-01884A
Sintering of aluminum oxynitride (AlON).—74-01885A
Sintering of corundum ceramics in metal oxide eutectic presence.—74-04897A
Sintering of large TZP components.—74-01886A
Sintering of silicon nitride (SSN) at heating rates up to 2000 K/min.—74-01888A
Sintering of simple metal oxides with variable valence.—74-05049A
Sintering of stock mixtures based on gypsum-containing wastes.—74-02736A
Sintering of ultrafine diamond particles under high temperature and high pressure.—74-05246A
Sintering ZrO_2/TiC composites with TiH_2: the role of transient liquid phase and of substoichiometry.—74-10637A
Sintering, microstructure, and mechanical properties of TZP ceramics in the ZrO_2-CeO_2-TiO_2 system.—74-07484A
Solid-phase sintering of simple oxides, such as corundum.—74-04906A
Stages of surface and pore volume evolution during sintering.—74-04912A
Structural dynamics and densification during sintering of corundum ceramics with Nb_2O_5 additions.—74-07493A
Studies on the scale-up of the microwave-assisted nitridation and sintering of reaction bonded silicon nitride.—74-10655A
Study of hydroxyapatite bioceramics by hot-press sintering.—74-09803A
Synthesis of ZrO_2+12 mol% CeO_2 powders by coprecipitation technique and their sintering behaviors.—74-10688A
Theoretical model for the analysis of a ceramic thin film sintering on a nonsintering substrate.—74-04955A
Ultrasonic characterization of density changes in presintered ceramics.—74-09627A
Valence-band electron structure in polycrystalline cubic boron nitride sintered in shock waves.—74-01485A
Variation of grain sizes in sintered $YBa_2Cu_3O_{7-\delta}$ by different sintering conditions.—74-06663A
Viscosities and sintering rates of composite packings of spheres.—74-04978A
Viscous sintering of spherical particles via finite element analysis.—74-04979A

size,
Ceramic composites made of nanosized Al_2O_3 and submicron-sized Si_3N_4.—74-10213A
Dy_2BaCuO_5 distribution size in melt-textured $DyBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method.—74-06516A
Iso-Press system yields large-format tile.—74-08686A
Size sensitivity to thermal shock of plasma-sprayed ceramics and factors affecting the size effect.—74-11088A
Studies of the effect of size on carbon fiber surfaces.—74-03871A
Thermal shock and size effects in castable refractories.—74-05882A

sizing,
Effects of size in bundled fibers on the interfacial zone between the fibers and the cement paste matrix.—74-05510A
New method for sizing grinders.—74-09490A
Removing hydroxypropyl methylcellulose sizing from sapphire fibers by ultraviolet/ozone cleaning.—74-10610A

slags,
Absorption coefficients and refractive indices of synthetic glassy slags containing transition metal oxides.—74-10054A
Behavior of powder slag film and influence of powder slag film on mold heat transfer rate.—74-00378A
BlastDSace cement mortars manufactured with fresh granulated and weathered slags. Influence of gypsum content and aging on carbonation depth and strength development.—74-05467A
Crystal structure of $CaAl(Al,V,M^I)_2(V,M^{II})(Si,Al)_2O_{10}$ disomatic phase with variable composition where M^I=Mg and M^{II}=Al, Fe, Mn, Ti, Mg—polytype modifications and structural homologues of this phase.—74-07056A
Crystallization mechanism and characteristics of silicomanganese slag melts used to make glass-ceramics (review).—74-02609A
Development of a mortar consisting of slag, gypsum, and portland cement for injection into multiple-leaf masonry: II, Optimizing the mortar.—74-08011A
Development of blast-furnace slag cement with low clinker content.—74-08013A
Effects of Cr_2O_3 on slag resistance of magnesia-spinel refractories.—74-05855A
Finish grinding of slag.—74-02325A
Fly ash and slag: standards and specifications—help or hindrance.—74-00058A
Grinding technology and quality problems of composite cements.—74-06705A
Hydration products at the blast-furnace slag aggregate: cement paste interface.—74-06857A
IHI SPG system for blast furnace slag pregrinding.—74-09472A
Immobilization of simulated high level wastes into AASC (alkali-activated slag cement) waste form.—74-02759A
Instant chilled steel slag aggregate in concrete—fracture-related properties.—74-05538A
Interaction at the periclase-slag melt phase boundary.—74-05860A
Ionometric determination of perchlorate in slags.—74-01074A
Kinetic study on hydration of alkali-activated slag.—74-00072A
Method of producing wollastonite & ceramic bodies containing wollastonite.—74-08720P
New supply and storage system for Dutch cement plant.—74-03715A
Pozzolanicity of a lead slag.—74-08086A
Predictive thermochemistry and phase equilibria of slags.—74-01444A
Production of composite cement using fly ash and cinder from burned lignite.—74-08092A
Production of slag cement from coal spoil.—74-05574A
Refractory materials from aluminothermal reduction of niobium slag.—74-02780A
Sintered bricks of fluidized bed slag, coal spoil, and clay.—74-02735A
Study of interactions at the slag-basic refractory boundary.—74-05881A
Study on manufacture of lightweight aggregate from bone coal cinder.—74-07499A
Use of silicomanganese slag in the melting of colored glasses.—74-03936A
Utilization of ferrochromium slag by hydrothermal treatment.—74-07546A

slip casting,
Automated baroid filter characterization of casting slip components.—74-11141A
Development of an SOFC—single cell fabricated by slip casting.—74-04545A
Functionally gradient ceramics by sequential slip casting.—74-07324A
Handmaking of (zirconia) wine cups.—74-08683A
High-quality ceramics by centrifugal slip casting.—74-04681A
Improved slip casting of ceramic models.—74-03694A
Influence of plastic raw materials on the pressure casting forming process for fine ceramics.—74-10417A
Layered ceramic composites—a new family of advanced materials.—74-07367A
Low-fire redware bodies.—74-00368A
Manufacturing process of big raccoon dog statues of Shigaraki wares.—74-07986A
Model of body formation and solidification involving liquid transfer in porous mold.—74-07387A
Model of slip casting.—74-07389A
Mold for slip casting and method of slip casting.—74-03762P
Particle crowding analysis of slip casting.—74-04801A
Plaster processing dynamics.—74-05901A
Pressure slip casting of silicon nitride.—74-04832A
Rheological properties of silicon nitride aqueous casting slips.—74-04871A
Selecting optimum parameters for slip casting.—74-02784A
Slip cast SiSiC—a material for many applications.—74-09895A
Slip casting of hydroxyapatite ceramics.—74-06998A
Slip casting of Y_2O_3-stabilized ZrO_2.—74-01890A
Synthesis and processing by slip casting of carbothermal ß-SiAlON on a semiindustrial scale.—74-04936A
Ultrasonic real-time monitoring of cake structure during slip casting.—74-03885A

slips,
Ceramic slip control and fast casting technology.—74-05888A
Determining the diffusion coefficient of the liquid in the pouring of ceramic slips.—74-06693A
Filtration of vitreous sanitary ware slips.—74-00428A
Microhardness studies in gel-grown ADP and KDP single crystals.—74-07904A
Modeling of technological properties of enamel slips.—74-02385A
Pressure casting—the influence of raw material and slip characteristics.—74-10577A
Rheological parameters and pressure casting of slips containing single or mixed oxide powders.—74-04869A
Rheological properties of silicon carbide hot molding slips.—74-04870A
Structure evolution in thermoplastic slips based on aluminum nitride.—74-04919A
Terra sigilata.—74-00443A
Use of gel curves and filtration curves in controlling the flocculation of slurry-based casting slips.—74-08708A

slurries,
Analysis of ceramic materials using slurry sample presentation.—74-09547A
Ceramic filter and manufacturing method therefor.—74-09812P
Characterization of clay slurries using polarization resistance measurements.—74-08510A
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic and refractory surfaces.—74-02413P
Control of rheological parameters of ceramic materials for slurry-ICP solid analysis.—74-06750A
Determination of major and minor elements in ceramic raw materials by ICP-AES with direct introduction of slurries.—74-07628A
Developments in slurry pump technology.—74-00915A
Effect of different water levels on the properties of HSR Class G [oil well] cement.—74-07269A
Effect of temperature on the slurry characteristics and green bodies of alumina.—74-07279A
Effects of formic and nitric acids on simulated Hanford neutralized current acid waste rheology.—74-09401A
Factors affecting viscosity of sanitary porcelain slurry.—74-04633A
Improved characterization of steric-stabilized aqueous alumina slurries.—74-04686A
Influence of slurry flocculation of the character and compaction of spray-dried silicon nitride granules.—74-04704A
Mechanical testing of matrix slurry pressure-infiltrated composites.—74-11046A
Method for evaluating the corrosion potential of a cement slurry to reinforcing steel.—74-02765A
Method of making bone implants—74-01262P
Method of manufacturing aqueous ceramic suspensions and the use of said suspensions.—74-03757P
New semiwet process using coal shales in Warta II cement plant (Poland).—74-03948A
Nondensified silicon nitride beta-phase material.—74-09944P
Porous ceramic beads.—74-09832P
Solid free-body forming of ceramics from polymerizable slurry.—74-10646A
Spray drying of hydrated zirconia slurries: a laboratory study.—74-10650A

VibraForming and in situ flocculation of consolidated, coagulated, alumina slurries.—74-04977A
Yttria-zirconia slurries and mold facecoats for casting reactive metals.—74-08655P

smectites,
Comparisons of four elemental mass balance methods for clay mineral quantification.—74-08513A
Diffuse-ion swarm near smectite particles suspended in 1:1 electrolyte solutions: modified Gouy-Chapman theory and quasi-crystal formation.—74-08533A
Hysteresis in the binary exchange of cations on 2:1 clay minerals: a critical review.—74-02333A
Pillared smectite clay coatings for ceramic matrix composites.—74-07414A
Rheological aspects of aqueous smectite suspensions.—74-08581A
Study of carbon-smectite composites and carbons obtained by in situ carbonization of polyfurfuryl alcohol.—74-07495A

smelting,
Frit and enameling technology.—74-08199A

soda ash,
Export markets driving global soda ash growth.—74-07945A

soda,
Neutral gray-colored infrared and ultraviolet radiation absorbing glass.—74-02688P
Structure and heat capacity of Na_2O-$2B_2O_3$ glass: effects of the cooling rate.—74-05698A

soda-lime,
Acoustic emission during indentation fracture.—74-06735A
Effect of fictive temperature on dynamic fatigue behavior of silica and soda-lime glasses.—74-02533A
Electrical resistivity as a way for the control of glass manufacturing process: II.—74-00295A
Formation and optical properties of prolate silver particles in glasses.—74-00259A
Fracture and subcritical crack growth in soda-lime glass under combined modes I and II loading.—74-00261A
Indentation crack-shape evolution during subcritical crack growth.—74-05367A
Measurement of indentation residual stresses in materials susceptible to slow crack growth.—74-02165A
Preparation of amorphous $BaTiO_3$ thin films on indium tin oxide-coated soda-lime glass by metallorganic chemical vapor deposition.—74-04823A

soda-lime-silica,
Chloride emission from glass-melting furnaces.—74-01138A
Colored glass compositions and glazings produced therewith.—74-02669P
Concentration and size depth profile of colloidal silver particles in glass surfaces produced by sodium-silver ion exchange.—74-02606A
Dark gray, infrared absorbing glass composition and coated glass for privacy glazing.—74-08475P
Determination of fictive temperature of soda-lime-silicate glass.—74-02529A
Dispersion of thermooptic coefficients of soda-lime-silica glasses.—74-00254A
Indentation behavior of soda-lime silica glass, fused silica, and single-crystal quartz at liquid nitrogen temperature.—74-05366A
Neutral gray absorbing glass comprising manganese oxide for selenium retention during processing—74-00342P
Origin of absorption bands observed in the spectra of silver ion-exchanged soda-lime-silica glass.—74-08344A
Parameters affecting the workability of container glass: I, Description of the problem—melting history, rheology, and influence of microstructure.—74-00308A
Reduction of nickel sulfide stones in a glass melting operation.—74-08496P
SIMS RBS depth profiling of silver-diffused glass system.—74-06815A
Soda-lime glass containing vanadium—74-00352P
Subcritical growth of indentation median cracks in soda-lime-silica glass.—74-02586A
Titration of molten soda-lime-silicate glasses by square wave voltammetry.—74-00233A
Ultraviolet absorbing green tinted glass.—74-08497P
UV absorbing lamp glass—74-00354P

sodalites,
Temperature dependences [of parameters] of electron-hole and ionic processes in cathodochromic sodalites.—74-07776A

sodium chloride,
Experimental study of broad $NaCl(OH^-):(^+_2F)_H$ color center laser at low temperature.—74-02621A
High-power tunable continuous-wave $NaCl:(F_2^+)_H$ color center lasers.—74-08931A
Role of NaCl during preparation of $NiTiO_3$ powders by the coprecipitation process.—74-01871A
Solubility of the oxides of divalent metals in the eutectic melt of CsCl-KCl-NaCl at 700°C.—74-01574A

sodium oxide,
Bioglass-ceramics in the system NaO_2-CaO-P_2O_5-SiO_2-B_2O_3.—74-05666A
Investigation of the peculiarities of crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 by the method of small-angle X-ray scattering.—74-02469A
Peculiarities of the crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 with high content of Nb_2O_5.—74-00206A
Phase relations in the system Na_2O-FeO-Fe_2O_3-Cr_2O_3.—74-01434A
Structure and properties of MD-simulated $Na_2O.SiO_2$ melt—comparison of the Born-Mayer-Huggins and Pauling interionic potentials.—74-05699A
Theoretical approach to the interpretation of single-ion spectroscopy of rare-earth-doped inorganic glasses.—74-08355A

sodium sulfate,
Behavior of a low-energy cement in Na_2SO_4 and seawater media.—74-05466A

sodium,
Atomic structure of modulated orthorhombic phase of $Na_4TiP_2O_9$ at 663 K.—74-07040A
Chemical analysis and structural investigations of sodium- and lanthanide ion-exchanged beta-aluminas.—74-01351A
Comparative study of the dc conduction in Na_2O-PbO-B_2O_3 and CdO-PbO-B_2O_3 glasses.—74-05707A
Concentration and size depth profile of colloidal silver particles in glass surfaces produced by sodium-silver ion exchange.—74-02606A
Crystal structure of Na_xTi bronze.—74-07061A
Crystal structure of new natural Na, Ca borate hydroxide. $NaCa_2[B_9O_{14}(OH)_4]\cdot 2H_2O$.—74-07062A
Crystallization of glasses of the system Na_2O-Nb_2O_5-SiO_2 with a high concentration of Nb_2O_5.—74-00291A
Dependence of crystallization behavior of sodium diborate (Na_2O-$2B_2O_3$) on its glass structure and the characteristics of phase transformation.—74-02444A
Distribution of refractive indices in laminae of microporous glass of different compositions and thicknesses.—74-02530A
Effect of Na doping on properties of YBCO superconductors.—74-09256A
Electrochemical synthesis and characterization of $NaCuO_2$.—74-08748A
Evaluation of the kinetic parameters of the sodium insertion in sodium molybdates by impedance spectroscopy.—74-00490A
Formation and properties of sodium lanthanum silicate glasses.—74-05719A
Geometric isotope effect of $NaH_3(SeO_3)_2$.—74-01389A
Grain growth control during reaction sintering of sodium-ß´´-alumina.—74-07327A
High-pressure Raman studies of ß-$NaVO_3$.—74-09997A
High-temperature localization of plastic deformation in $NaNO_2$ ferroelectric crystals.—74-06414A
Influence of sodium concentration upon the ZnO crystallite size in the Cu-Zn-Al oxidic catalysts for CO shift conversion.—74-10001A
Interaction of yttrium triiodide with the iodides of sodium, potassium, and rubidium.—74-01399A
Investigation of interactions in the system NaF-BaF_2-ZrF_4.—74-02551A
Kinetics of the reductive dissolution of $NaBiO_3$ by Ce^{III} and Mn^{II} ions.—74-10005A
Modeling of alkali ion leaching from the concrete pad barrier into the underlying saturated soil in above-grade tumulus LLRW disposal facility.—74-08075A
$NaSbOSiO_4$—a new silicate with the structure of $KTiOPO_4$.—74-01412A
Nuclear magnetic resonance of sodium borosilicate glasses containing aluminum oxide.—74-02476A
Optical properties of sodium aluminosilicate glass.—74-08383A
^{31}P MAS and ^{11}B NMR study of sodium-rich borophosphate glasses.—74-05661A
Pressure-induced crystalline-amorphous transition in $NaVO_3$ and its recrystallization.—74-10020A
Scapolites—crystal structure of marialite (Me_{11}) and meionite (Me_{88}), space group as composition function.—74-04208A
Sodium contamination free ashing process using O_2+H_2O plasma downstream.—74-06318A
Sodium contamination-free ashing process using O_2+H_2O plasma downstream.—74-04899A
Sodium transport mechanism in Na_2O-$2SiO_2$ glass determined by the Chemla experiment.—74-02578A
Spectroscopic investigation of sodium and aluminosilicate phosphate glasses.—74-00217A
Spectroscopic studies of sodium and aluminum silicophosphate glasses.—74-00219A
Structural and dielectric characterizations of the mixed crystal $Li_{0.8}Na_{0.2}NbO_3$.—74-05260A
Structural properties of the Na/Si(111) 2×1 surface studied by photoemission extended X-ray absorption fine structures.—74-07755A
Structure of Na- and Ca-ß´´-Al_2O_3 coatings on α-Al_2O_3 single-crystal platelets.—74-05274A
Study of interactions in the systems Li^+, Te^{4+}/Cl^-, F^-, and Na^+, Te^{4+}/Cl^-, F^-.—74-04221A
Study on superconductivity of $Bi_{2.2}Sr_{1.8}Ca_{1.05}Cu_{2.15-x}Na_xO_{8+y}$.—74-03586A
Superionic conductors with mixed framework $\{M_2P_3O_{12}\}_\infty$: crystal structure and physical properties: II, Sodium-conducting phosphates.—74-04226A
X-ray diffraction study of paraelectric phase of $Na_4TiP_2O_9$ crystals at 743 K.—74-07139A
X-ray diffraction study of sodium borate glasses.—74-02505A
X-ray photoelectron spectroscopy study of sodium germanate glass containing cobalt oxide.—74-02506A

soils,
Application of soil mechanics to ceramic processing.—74-10198A
Electricity may replace fire in battle against organic waste.—74-03906A

sol-gel,
Additive-coated Si_3N_4 powder prepared by the sol-gel method.—74-10184A
Aggregation profiles of silica sols in a sol-gel process.—74-01612A
Alkoxy-derived Y_2O_3-stabilized ZrO thin films.—74-05919A
Aluminum-doped zinc oxide transparent conductors deposited by the sol-gel process.—74-00453A
Applicability of sol-gel processing in production of silica-based optical fibers.—74-00285A
Application of sol-gel coating process in pressureless sintering of Si_3N_4 and their properties.—74-04479A
Building porosity in metal oxide ceramics.—74-02601A
Ceramic coating material.—74-07017A
Ceramic pigments obtained by sol-gel method.—74-07217A
Characteristics of lead magnesium niobate thin film prepared by sol-gel processing using a complexing agent.—74-06396A
Characterization of polymeric structure of aluminosilicate complex in sol-gel solution.—74-05087A
Characterization of spin-coated silicate and phosphosilicate thin films prepared by the sol-gel method.—74-01629A
Characterization of supported alumina membranes formed by an in situ sol-gel method.—74-10775A
Chemical preparation of $YBa_2Cu_3O_x$ superconductors.—74-03425A
Chemical Processing of Ceramics.—74-05440B
Chromophore dynamics in sol-gel glasses and xerogel clad fiberoptic sensors.—74-08407A
Citrate sol-gel method for the preparation of ß/ß´´-alumina.—74-01635A
Contact angle measurement and its application to sol-gel processing.—74-10239A
Cross-condensation reactions in an organically modified silica sol-gel.—74-10249A
Crystallization behavior of TiO_2 gel prepared by the sol-gel method.—74-04122A
Cycloaliphatic epoxide based sol-gel-derived materials.—74-08410A
Decrease of defects of sol-gel-derived $PbTiO_3$ thin film and its grain size effect on ferroelectric properties.—74-09116A
Densification and crystallization of zirconia thin films prepared by sol-gel processing.—74-10255A
Deposition of gradient index glass films by sol-gel method.—74-08412A
Detection of hexavalent chromium by organically doped sol-gels.—74-09450A
Development of acidity on sol-gel-prepared TiO_2-SiO_2 catalysts.—74-10263A
Diol-based sol-gel process for the preparation of lead titanate materials.—74-07261A
Effect of gas diffusion process on sensing properties of SnO_2 thin-film sensors in an SiO_2/SnO_2 layer-built structure fabricated by sol-gel process.—74-06762A
Effect of hydrostatic pressing of a sol-gel produced by a powder method on the sintering and characteristics of ceramics in the Al_2O_3-SiO_2-ZrO_2 system.—74-07272A
Effect of tin dioxide doping on rutile phase formation in sol-gel-derived nanocrystalline titania powders.—74-07281A
Elaboration of ceramics by aerosol way.—74-10318A
Elaboration of composite ceramic powders "alumina/whiskers SiC" by the sol-gel method.—74-10319A
Electrical properties of doped barium titanate obtained by sol-gel process.—74-07287A
Electrical transport properties in garnet solid solutions ($A_3B_2C_3O_{12}$) synthesized by sol-gel methods.—74-03377A
Electrochromism of iron oxide films prepared via the sol-gel route by the dip-coating technique.—74-04606A
Ethanol gas sensing properties of SnO_2-based thin-film sensors prepared by the sol-gel process.—74-01714A
Evidence of hexacoordination CcP immobilized in sol-gel glass.—74-08419A
Evidence of modifications of micellar interface in sol-gel glass.—74-08420A
Gas turbine elements bearing alumina-silica coating to inhibit coking—74-00169P
General nonhydrolytic sol-gel route to oxides.—74-10369A
Grain-size effects on diffuse phase transitions of sol-gel-prepared barium titanate ceramics.—74-03311A
High-strength, high modulus silicon oxycarbide glasses.—74-05721A
Homogeneity in the polyether alkoxide sol-gel synthesis of $YBa_2Cu_3O_{7-\delta}$.—74-09288A
Hot isostatic pressing and characterization of sol-gel-derived chromium(III) oxide.—74-05857A
Hydroxyl-free clear silica glass by sol-gel processing.—74-00301A
In situ annealing studies of sol-gel ferroelectric thin films by spectroscopic ellipsometry.—74-06415A
In situ fluorescence probing of the chemical changes during sol-gel thin film formation.—74-07345A
In situ magnetoplumbite growth in sol-gel-derived alumina matrices.—74-10404A
Influence of excess yttrium and platinum on the growth behavior of $YBa_2Cu_3O_{7-\delta}$ and Y_2BaCuO_5.—74-06563A
Interphase study by XPS of sol-gel ZrO_2 coatings on stainless steel.—74-08222A
Ion-beam-induced densification of sol-gel ceramic thin films.—74-04720A
Leaching behavior of EDTA in a silica sol-gel matrix.—74-09479A
Manufacture of high proof-test optical fiber using sol-gel—74-00338P
Manufacture of high proof-test optical fiber using sol-gel.—74-02679P
Metal oxide film having minutely roughed surface and method of forming same on glass substrate.—74-08485P
Method of protecting aluminum nitride circuit substrates during electroless plating using sol-gel oxide films and article made therefrom.—74-02891P
Methods of making gas-selective membranes—general survey.—74-10455A
$Mg_{0.5}Ti_2(PO_4)_3$: a new member of the Nasicon family with low thermal expansion.—74-01540A
Microporous aluminosilicate gels synthesized by sol-gel method.—74-10456A
Microstructural and electrical properties of PZT thin films by sol-gel process.—74-06423A
Microstructural evolution of titania sol-gel thin films.—74-08954A
Microstructure and crystallization behavior of sol-gel-prepared $BaTiO_3$ thin films.—74-10458A
Microstructure and oxidation-resistant property of sol-gel-derived ZrO_2-Y_2O_3 films prepared on austenitic stainless steel substrates.—74-02384A

Microstructures of sol-gel-prepared ferroelectric thin films.—74-03324A
Microwave calcination of conventionally and sol-gel-prepared lead zirconium titanate.—74-01799A
Microwave processing of silica sol-gels.—74-10466A
Modification of alumina ceramics by sol-gel processing.—74-04761A
Modification of sol-gel thin films by ion implantation.—74-08443A
Modifications of the sol-gel method for the preparation of ultrafine/ultrapure ceramic oxide powders: properties of the powders and microstructure of the derived ceramic bodies.—74-01808A
Modified sol-gel alumina abrasive filaments.—74-02292P
Molecular dynamics of thin lubricant films on sol-gel SiO_2 surfaces for thin-film magnetic disks.—74-10479A
Morphology of SnO_2 thin films obtained by the sol-gel technique.—74-04765A
Mullite matrix continuous fiber-reinforced composites by sol-gel processing.—74-10484A
Multilayer epitaxial ferroelectric ($SrTiO_3$/$PbTiO_3$) thin films prepared by the sol-gel technique.—74-09158A
Multilayer fiber-matrix ceramic composite material and process for its production—74-01264P
Nanosized metal particles by control of the metal dispersion during sol-gel processing.—74-07398A
Nanosized Pd particles in an SiO_2 matrix by sol-gel processing.—74-10489A
Nanostructural investigation of silica aerogels.—74-07704A
New inorganic/organic copolymers (ORMOCERs) for dental applications.—74-09792A
New route for the deposition of SiO_2 sol-gel coatings.—74-01814A
New type of a sol-gel-derived inorganic-organic nanocomposite.—74-10497A
Noncrystalline ceramic precursors in the TiO_2PbO system by sol-gel.—74-04782A
Novel Pt-Sn/Al_2O_3 sol-gel catalyst—synthesis and thermal characterization.—74-06988A
Oxidic and nonoxidic fiber coatings by sol-gel processing.—74-07408A
Perturbed-angular-correlation study of zirconias produced by the sol-gel method.—74-04174A
Photochemistry channels of merocyanine encapsulated in sol-gel glasses.—74-08384A
Photoelectrochemical properties of anatase and rutile films prepared by the sol-gel method.—74-07413A
Photoresponse probe of the space charge distribution in ferroelectric lead zirconate titanate thin film memory capacitors.—74-00762A
Plasma spraying of an indigenous yttria-stabilized zirconia powder prepared by the sol-gel technique.—74-10528A
Porous silica with controlled pore diameter in angstrom level.—74-10539A
Preparation and characterization of alumina thin film by sol-gel method: II, Synthesis of alumina sol for coating and preparation of coating films.—74-10544A
Preparation and characterization of sol-gel-derived zirconia coatings.—74-01844A
Preparation and characterization of ultrasmall-sized metal and semiconductor particles in sol-gel materials.—74-10546A
Preparation and electrical characteristics of sol-gel ceramics in the PMN-PT system.—74-03338A
Preparation and properties of bulk amorphous silica doped with organic molecules by sol-gel method.—74-10550A
Preparation of calcium phosphate powders by water extraction variant of sol-gel process.—74-10556A
Preparation of ferroelectric $BaTiO_3$ thin film using sol-gel spin coating process.—74-09168A
Preparation of ferroelectric PZT thin film by sol-gel processing: I, Synthesis of stable PZT sol using chelating agent and preparation of its thin film.—74-09169A
Preparation of glass-silver microcomposites by sol-gel route.—74-05785A
Preparation of high-T_c superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ phase via an oxalate route.—74-00842A
Preparation of lead titanate ceramics by sol-gel processing.—74-03339A
Preparation of Li_2O-ZrO_2-P_2O_5-SiO_2 based glassy solid electrolytes by sol-gel process and their ionic conduction.—74-10562A
Preparation of platelike mullite powders by dry gel method and their applications.—74-07434A
Preparation of sol-gel coatings by electrophoretic deposition.—74-10569A
Preparation of ultrafine RuO_2-SnO_2 binary oxide particles by a sol-gel process.—74-07438A
Process for forming particles having a uniform size distribution.—74-03771P
Process for photoinitiated control of inorganic network formation in the sol-gel process.—74-03772P
Process for producing thin glass film by sol-gel method.—74-02694P
Process for the synthesis of fluoride glass by the sol-gel method and optical fiber produced from the fluoride glass obtained according to this process—74-00347P
Processing effects on the microstructure of sol-gel-derived SBN thin films.—74-10586A
Processing of fine-diameter continuous mullite fibers.—74-10587A
Properties of sol-gel thin films of the SiO_2-Fe_2O_3 system.—74-02391A
Pyroelectric properties of sol-gel-prepared $PbTiO_3$ thin films.—74-03345A
PZT coatings prepared by the sol-gel process on metallic substrates (Al).—74-03346A
Recent advances in sol-gel processing for improved materials synthesis.—74-01868A
Recent developments in organically doped sol-gel sensors—a micron-scale probe, successful trapping of purified polyclonal antibodies, solutions to the dopant-leaching problem.—74-09504A
Retention behavior of carbon in sol-gel-derived ZrO_2 studied by Fourier transform infrared spectroscopy.—74-10611A
Role of microdefects in PZT thin films for microelectromechanical systems.—74-08770A
Sealing of plasma-sprayed ceramic coatings by sol-gel process.—74-10620A
Self-diffusion coefficients of sol-gel intermediates.—74-07474A
Single phase metal-alumina sol-gel process and material.—74-08321P
Sol-gel.beta.-aluminum titanate thin film coating.—74-09840P
Sol-gel alumina abrasive wheel with improved corner holding.—74-07978P
Sol-gel derived lead oxide containing ceramics.—74-09192P
Sol-gel elaboration of lanthanum chromite heating element.—74-09801A
Sol-gel glasses as new waveguides for optical immunosensors.—74-08458A
Sol-gel indicators for process and environmental measurements.—74-06818A
Sol-gel lifts electronics market.—74-05790A
Sol-gel lithium silicate electrolyte thin films.—74-08772A
Sol-gel method in the synthesis of cordierite.—74-04901A
Sol-gel method used for preparation of the thin superconductive layers[—literature review].—74-06632A
Sol-gel optical coatings for lasers: I.—74-08459A
Sol-gel preparation and characterization of niobia thin films for catalytic sensor applications.—74-09042A
Sol-gel preparation of silica glass.—74-05791A
Sol-gel process for the preparation of lead titanate thin films.—74-03349A
Sol-gel process for the synthesis and processing of ceramic powders.—74-07485A
Sol-gel processing and structure development of lead titanate particles.—74-10639A
Sol-gel processing of ceramic membrane layers.—74-04902A
Sol-gel processing of materials for electronic and related applications.—74-06726A
Sol-gel processing of mullites.—74-10640A
Sol-gel processing using aminofunctional silanes.—74-10641A
Sol-gel processing: a versatile concept for special glasses and ceramics[—review].—74-10642A
Sol-gel protective coating.—74-07486A
Sol-gel synthesis and characterization of $PbTiO_3$ fibers.—74-04903A
Sol-gel synthesis of crystalline ZrO_2 with partial replacement of zirconium by Al, Nb, Si, and Ta.—74-07115A
Sol-gel synthesis of fluorozirconate glasses.—74-05792A
Sol-gel synthesis of hybrid organic-inorganic tin-oxide-based materials.—74-10643A
Sol-gel synthesis of $Pb(Sc_{0.5}Ta_{0.5})O_3$ powders and thin layers.—74-01891A
Sol-gel technology for ferroelectric thin films.—74-09177A
Sol-gel-derived ceramic-carbon composite electrodes: introduction and scope of applications.—74-04023A
Sol-gel-derived silica films with tailored microstructures for applications requiring organic dyes.—74-10645A
Sol-gel-processed CaO-Al_2O_3—properties, crystallization, and structural evolution.—74-04904A
Spectroscopic studies of chemical reactions and dynamics in sol-gel matrices.—74-08395A
Striation-free, spin-coated sol-gel optical films.—74-07492A
Structural and optical aspects of sol-gel optical composites.—74-10886A
Structural evolution of alkoxide-derived compositions within the Pb(Zr, Ti)O_3 solid solution.—74-04916A
Surface chemical structure of SiO_2-TiO_2 sol-gel powders.—74-10896A
Synthesis and characterization of cordierite glass-ceramics for low firing temperature substrate: IV, Metallizing by using Cu powder coated by sol-gel method.—74-08464A
Synthesis of advanced ceramic powders.—74-10674A
Synthesis of $CaZrO_3$, perovskite-type, by sol-gel methods.—74-04938A
Synthesis of Co_2SiO_4 by sol-gel.—74-04939A
Synthesis of hybrid inorganic-organic sol-gel coatings for optics.—74-10679A
Synthesis of nanoparticle silica composite membranes by the pressurized sol-gel technique.—74-04945A
Synthesis via sol-gel of glasses, glass-ceramics, and ceramics from the ZnS-CdS-SiO_2 system.—74-05799A
Thin inorganic layers with ferroelectric and ferromagnetic properties prepared by the sol-gel method.—74-06732A
Titania-alumina composites.—74-10704A
Titanium phosphate thin films via sol-gel process.—74-10705A
Urea formaldehyde as a precursor for sol-gel processing of ceramic powders.—74-04975A
Vitreous silica product manufactured via a sol-gel process using a polymer additive.—74-08498P
Young's modulus of thin ZrO_2 films obtained by the sol-gel method.—74-05400A
Zirconia gels in concentrated NaOH.—74-01931A

solar cells,
Chemical beam epitaxy of InP-based solar cells and tunnel junctions.—74-02937A
Hydrogen-induced defects and defect passivation in silicon solar cells.—74-07569A
Improved CdS buffer/window layers for thin-film solar cells.—74-03056A
Nickel silicide contact for silicon solar cells.—74-05648A
Photovoltaic challenge.—74-02257A
Radiation-induced defects in silicon solar cells showing improved radiation resistance.—74-07582A

solar energy,
Thermophysical properties of concrete as a material for solar energy storage.—74-08111A

solar furnaces,
Ceramics from powders produced by rapid hardening of materials fused in a solar furnace.—74-01137A
Deposition of diamondlike carbon films and other materials processes using a solar furnace.—74-01665A

solders/soldering,
Influence of titanium on activity and penetration of AgCuTiIn solder components into alumina ceramics.—74-05630A
Interaction processing solder in thick film and low-temperature cofired ceramic technologies.—74-07355A
Issues in the replacement of lead-bearing solders.—74-01528A
Joining of Al_2O_3 ceramics by glass solder.—74-05637A
Mathematical modeling of alternative pad designs in flip-chip soldering processes.—74-06195A
Method for soldering a ceramic body of an electrical component into a metal housing—74-00172P
Progress in the design of new lead-free solder alloys.—74-02087A

solid oxide fuel cell,
Anomalous oxygen evolution from zirconia cells at the transient state.—74-00456A
Cathode materials for SOFCs.—74-07215A
Ceramic materials for intermediate temperature solid oxide fuel cells.—74-10214A
Ceramic solid electrolyte-based electrochemical oxygen concentrator cell.—74-08781P
Chemical stability of perovskite interconnects in solid oxide fuel cell [SOFC].—74-00465A
Chemical thermodynamic stabilities of the interface.—74-01355A
Development of an SOFC—single cell fabricated by slip casting.—74-04545A
Development of the Mitsubishi planar reversible cell.—74-00473A
Development of the solid oxide fuel cell at MHI [Mitsubishi Heavy Industries].—74-00474A
Direct electrochemical conversion of carbon to electrical energy in a high-temperature fuel cell.—74-00478A
Electrolyte of the SOFC as thick film.—74-05936A
Evaluation of a new solid oxide fuel cell system by nonisothermal modeling.—74-00489A
High-performance catalyzed-reaction layer for medium temperature operating solid oxide fuel cells.—74-07337A
Improved cathode materials for the solid oxide fuel cell.—74-09786A
Interfacial evaluation of solid oxide fuel cell [SOFC] components fabricated by the acetylene spraying processes.—74-00497A
Lowering the air-electrode interfacial resistance in medium-temperature solid oxide fuel cells.—74-00505A
Measurement of water vapor pressure in the vicinity of anode of SOFC [solid oxide fuel cell] during discharge.—74-00507A
Modeling, design, and performance of solid oxide fuel cells [SOFC's].—74-00513A
Preparation of devices that include a thin ceramic layer.—74-02895P
Reaction between alkaline-earth-metal-doped lanthanum chromite and yttria-stabilized zirconia.—74-00525A
Recent progress in zirconia-based fuel cells for power generation.—74-00527A
Research and development of planar solid oxide fuel cells at Tokyo Gas.—74-00531A
Role of water vapor on the kinetics of H_2 oxidation on porous Ni electrodes at 1000°C.—74-02089A
Science and technology of composite materials: V, Thermodynamic considerations on interfaces in solid oxide fuel cells.—74-10027A
Selection, fabrication, and properties of electrodes used in high-temperature solid oxide fuel cells.—74-00532A
SOFC [solid oxide fuel cell] design requirements for planar zirconia electrolyte components.—74-00533A
Solid futures in fuel cells.—74-03930A
Solid oxide fuel cell with a thin stabilized zirconia film supported on an electrode substrate.—74-00534A
Solid oxide fuel cells [SOFC]: materials, fabrication processes, and development trends.—74-00535A
Solid-oxide fuel cells.—74-08814P
Zirconia-based oxide ion conductors in solid oxide fuel cells.—74-00539A

solid solutions,
Dislocation substructure developed during creep of ceramic solid-solution alloys.—74-07632A
High-performance thermoelectric semiconductors.—74-06133A

solid state,
Four decades of research in solid-state chemistry[—review].—74-11163A
High-rate thermal materials composition.—74-01753A
Materials and concepts for solid-state electrochemical devices.—74-00506A
What are the major contributions of solid-state ionics to technology in the past and future.—74-00538A

solidification,
Deformation and solidification of molten particles on a substrate in thermal plasma spraying.—74-10964A
Directional solidification of sintered bulk $Y_1Ba_2Cu_3O_x$ superconductors by zone melting.—74-00798A
Dynamics of splat formation and solidification in thermal-spraying processes.—74-09563A
Early heat of hydration during the solidification of a metal plating sludge.—74-05493A
Glass solidification of the amorphous powder prepared by spray pyrolysis.—74-08426A
Intelligent control of consolidation and solidification processes.—74-03700A
Interfacial and capillary phenomena in solidification processing of metal matrix composites.—74-05633A
Model of body formation and solidification involving liquid transfer in porous mold.—74-07387A

Production of fine metal and ceramic powders by the plasma melt and rapid solidification process.—74-06992A
Rapid solidification processing.—74-07456A
Solidification behavior of undercooled liquid aluminum oxide.—74-04907A
Univariant reactions in the YBCO system and the influence of oxygen on solidification and microstructure.—74-06661A
Using visualization to interpret solidification simulations.—74-01926A
Why cements solidify.—74-08121A

solids,
Chemical potentials of compounds and their equilibrium concentrations at surfaces of macrodefects in solid.—74-04102A
Discrete contact between solid bodies under normal load.—74-05005A
Elastic properties of fractals and dynamics of brittle fracture of solids.—74-04291A
Ionic injection in solid electrolyte films [SEFs].—74-05947A
Kinetic model for drying of solids in batch fluidized beds.—74-04722A
Liquid and solid erosion properties of diamond.—74-11034A
Moisture measurement in granulated solids.—74-09583A
Molecular model of solid for the investigation of the electron density distribution in tetrahedral systems.—74-01409A
Phase Transformations and Ablation in Laser-Treated Solids.—74-05443B
Probe yields 3-D atomic view of the chemistry of solids.—74-03851A
Reorientational motion and phase transitions of cyclohexane in restricted geometries.—74-10026A

solitons,
Soliton propagation of excitonic packets and superfluidity in Cu_2O.—74-09044A

sols,
Application of silica sol to porcelain glazes.—74-02804A
Evolution of mullite from hydrothermally processed mullite precursor sols.—74-04624A
Gelation point in borosilicate sols from rheological experiments.—74-10368A
Overview of hydrothermal and emulsion processing of multiphase ceramic precursor sols.—74-04799A
Polycrystalline yttrium aluminum garnet fibers from colloidal sols.—74-07416A
Sol-based processing in high-performance ceramics.—74-04900A
Spinnability of silica sols—the role of alkoxy group exchange.—74-10649A

solubility,
Effect of ethanol on the solubility of hydroxyapatite in the system $Ca(OH)_2$-H_3PO_4-H_2O at 25°C and 33°C.—74-09778A
Phase diagram calculations for ZrO_2-based ceramics: thermodynamic regularities in zirconate formation and solubilities of transition metal oxides.—74-01425A
Solubility and wettability of diamonds by metal melting in the range of their thermodynamic stability.—74-03870A
Solubility of the oxides of divalent metals in the eutectic melt of CsCl-KCl-NaCl at 700°C.—74-01574A
Suppression of acceptor solubilities in $BaTiO_3$ densified in highly reducing atmospheres.—74-04928A
X-ray study of the systems $Mn_2V_2O_7$-$M_2V_2O_7$, where M=Ba, Sr, Ca, Co, Zn, Cu, Ni.—74-01490A

solutions,
Shear spray solutions.—74-00993A
Use of the spark discharge for the activation of solutions and concrete mixtures.—74-00100A

solvents,
Use of supercritical fluids as reaction medium for ceramic powder synthesis.—74-07545A

sorbents,
Concentration of organic compounds from aqueous solutions by polymeric sorbents of polysorb and polychrom types.—74-01651A
Selected problems related to producing carbonate sorbents for exhaust gas desulfurization installations in Silesian lime industry plant "OPOLWAP" SA.—74-08107A
Sorption properties of fibrous sorbent PP-Pak and its analytical application.—74-01107A
Use of a quartz ultrafine-fibered material for the preconcentration of polychlorinated dibenze-*p*-dioxines, dibenzofurans, and diphenyl from atmosphere.—74-01924A

sorption,
Sorption of water vapor on the cation-substituted vermiculite: II, The thermodynamic description of sorptive equilibria.—74-04212A
Sorption regularities and complexation mechanisms of aminophosphonic acid fastened on silica surface with metal ions.—74-04422A
Sorption-desorption of oxygen upon heating in an O_2 atmosphere of the ceramic $YBa_2Cu_3O_{6.3}$.—74-00852A

sound,
Dome silo for 43 000 tons of clinker.—74-06696A
Measurement of elastic moduli from the impact sound of engineering ceramics and composites at elevated temperatures.—74-09579A
Sound absorbers for heavily polluting exhaust gas systems.—74-06819A

space charge,
Slow decay of space-charge-limited current in CdS.—74-03219A
Steady-state distribution of the field and space charge in the interior of the *i* layer in a GaAs *p-i-n* structure.—74-03226A

space groups,
Calculation of unit cell parameters.—74-04099A

spacecraft,
Aeroservoelastic DAP [directionally attached piezoelectric] missile fin development.—74-09106A
Degradation of thin films—comparison between low earth [LEO] orbit experiments and laboratory simulations of the space environment.—74-03793A
Evaluation of ion-sputtered molybdenum disulfide bearings for spacecraft gimbals.—74-09869A
Flat glass for space uses.—74-08374A
Influence of atomic oxygen on space tribology in a low earth orbit.—74-02082A

spalling,
Cracking and spalling of oxide scales from 304 stainless steel at high temperatures.—74-05849A
Spall damage modeling and dynamic fracture specificities of ceramics.—74-07916A
Spalling-resistant kiln furniture based on mechanically activated ceramic bonds.—74-03931A

specific heat,
3-D *x-y* scaling of the specific heat of $YBa_2Cu_3O_{7-\delta}$ single crystals.—74-04243A
Oxygen vacancy ordering and specific heat anomaly of $YBa_2Cu_3O_x$.—74-00830A

spectra,
Absorption spectrum of optical glass doped with fullerenes.—74-02509A
Calculation of the spectra of natural frequencies in a stochastic model of quartz glass.—74-02434A
Characteristics of the fluorescence spectra of pyrene molecules during the sol to gel to xerogel transitions of silica-titania binary oxide systems.—74-09973A
CoO(100) Fuchs-Kliewer phonon spectrum by high-resolution electron energy loss spectroscopy.—74-08845A
Determination of fictive temperature of soda-lime-silicate glass.—74-02529A
Dynamic conductivity and coherence peak in the submillimeter spectra of superconducting NbN films.—74-10079A
Effects of metastable states in shaping the steady-state photoluminescence spectra of *n*-GaAs.—74-02983A
Evidence of hexacoordination CcP immobilized in sol-gel glass.—74-08419A
Features of the specific characteristics of high-power injection heterostructure lasers based on InGaAsP quaternary solutions.—74-08910A
High-temperature relaxation spectra of borate glasses.—74-02466A
Intersubband elementary excitations of quasi-two-dimensional electron systems in quantum well.—74-03072A
Ir absorption spectra of the high-pressure phases of cristobalite and their coordination numbers of Si atoms.—74-04156A
Ir reflection spectra of aluminum nitride sintered at high pressure.—74-01402A
Luminescence spectra of fluorophosphate glasses containing CuO and SnO_2.—74-02558A
Magnetooptical studies of $KEr(MoO_4)_2$ in long-wave ir region.—74-05183A
Molecular orbital calculation of SiKβ spectra.—74-07699A
Molecular orbital models of silica rings and their vibrational spectra.—74-04167A
Near-ir absorption spectra in Co_3O_4.—74-06473A
Nuclear magnetic resonance of ^{89}Y on yttrium ferrite garnet.—74-05206A
Orthogonal holes and hybridized electron spectrum of CuO_2 planes.—74-05216A
Orthorhombic distortion effect on X-ray and X-ray photoelectron spectra of copper oxides.—74-04388A
Partial oscillation spectra of Cu, La, and O atoms in La_2CuO_4.—74-10016A
Spectra of transmission and electron paramagnetic resonance of alkali titanophosphate glasses.—74-00216A
Spectral absorption coefficient of molten aluminum oxide from 0.385 to 0.78 μm.—74-04424A
Time-resolved luminescence spectra and origin of visible luminescence kinetics in porous silicon.—74-03254A

spectrometers/spectrometry,
Analysis of ceramic materials using slurry sample presentation.—74-09547A
Analytical performance of a secondary neutral microprobe with electron-gas postionization and magnetic sector mass spectrometer.—74-03781A
Analytical technique to design and control ceramic materials.—74-06737A
Determination of chromium(VI) and vanadium(V) using an on-line anodic stripping voltammetry flow cell with detection by inductively coupled plasma mass spectrometry.—74-03794A
Determination of silicon in boron.—74-06756A
Factors influencing the quantitative compositional analysis of powders in sputtered neutral mass spectrometry.—74-05142A
Mass spectrometric analysis of metallorganosilicon compounds.—74-01079A
Quality control analysis using XRF spectrometers.—74-08096A
Study of bauxitic clay minerals with infrared spectrometry.—74-02737A

spectrophotometers/spectrophotometry,
Determination of light beam ellipticity and optical parameters of crystals by means of spectrophotometer.—74-06755A
Rapid measurement of asbestos content of building materials.—74-06808A

spectroscopy,
Application of NMR Spectroscopy to Cement Science.—74-11197B
Current relaxation spectroscopy of deep levels.—74-00587A
Deep-center current spectroscopy in *p-n* structures based on 6H-SiC with an internal field.—74-02957A
Determination of selenium in glass by graphite furnace atomic absorption spectroscopy after extraction with dithizone: a comparison with X-ray fluorescence and vapor generation atomic absorption spectroscopy.—74-02445A
Determination of ten elements in special $BaTiO_3$ ceramic by inductive coupling plasma atomic emission spectroscopy (ICPAES).—74-06757A
Determination of the piezospectroscopic coefficients for chromium-doped sapphire.—74-04276A
Dual beam atomic absorption spectroscopy for controlling thin-film deposition rates.—74-03797A
Electron phototransfer spectroscopy in europium-doped phosphate glasses.—74-02537A
Electron spin-spin interactions between paramagnetic centers in ceramics as studied by EPR spectroscopy.—74-06765A
Evaluation of the phase content and properties of a detonation gun coating.—74-10803A
Free-electron laser spectroscopy of semiconductors and interfaces.—74-03025A
Fs coherent spectroscopy of bulk ZnSe and ZnCdSe/ZnSe quantum wells.—74-08918A
High-resolution electron energy loss of $GdBa_2Cu_3O_{7-\delta}$ thin films.—74-03483A
Impedance spectroscopy of microstructure defects and crack characterization.—74-01998A
Inelastic neutron scattering study of vibration anharmonism of copper and oxygen atoms in yttrium ceramics.—74-03492A
Investigations of (Bi/Pb)-Sr-Ca-Cu-O-based superconductors by EDS analysis.—74-06570A
Materials Research Society Symposium Proceedings, Volume 332: Determining Nanoscale Physical Properties of Materials by Microscopy and Spectroscopy.—74-07971B
Modulation spectroscopy of semiconductors: bulk/thin film, microstructures, surface/interfaces, and devices.—74-00661A
Nickel chemical vapor deposited diamond interface studied by electron energy loss spectroscopy.—74-08246A
Point defects in NiO observed via perturbed angular correlation spectroscopy.—74-10742A
Soft X-ray spectroscopy.—74-06817A
Spectroscopic investigation of the structure of glasses and crystals in the system ZrF_4-SrF_2-MF_3.—74-00218A
Spectroscopic studies of surface copper spinels. Influence of pretreatments on chemical states of copper.—74-04213A
Sputter-initiated resonance ionization spectroscopy: an analytical technique for quantitative and sensitive measurements of impurities and ultrashallow doping profiles in semiconductors.—74-00717A
Synthesis of a mullite precursor from aluminum nitrate and tetraethoxysilane via aqueous homogeneous precipitation: a ^{27}Al and ^{29}Si liquid- and solid-state NMR spectroscopic study.—74-10673A
Tunneling microscopy and spectroscopy for the study of high-T_c superconductors.—74-07784A
Utilization of infrared spectroscopy to determine the fraction of the four-coordinated borons in borate glasses.—74-05700A
X-ray microanalysis of ancient glasses—a comparative study of wavelength dispersive and energy dispersive techniques.—74-05458A
Xanes studies of Bi-based superconductors.—74-03619A

sphenes,
Sphene-structure-based ceramic pigments.—74-07116A

spheres,
Flows through model microstructures of aligned cylinders and spheres.—74-05145A
Isostatic pressing of balls.—74-00944A
Viscosities and sintering rates of composite packings of spheres.—74-04978A
Viscous sintering of spherical particles via finite element analysis.—74-04979A

spin glass,
Coloration dynamics of spin-coated $MoO_3 \cdot nH_2O$ electrochromic films fabricated from peroxo-polymolybdate solution.—74-05706A
Effect of plasma cure temperature on spin-on glass.—74-01689A
Modification effects in ion-implanted SiO_2 spin-on-glass.—74-00270A
Probing exotic magnetic phases in ferrites with neutrons.—74-09218A
Spin-on-glass film treatment technology using a fluoroalkoxysilane vapor at room temperature.—74-01893A
Two successive spin glass transitions in nondiluated Heisenberg-like spin glass $Ni_{0.42}TiO_3$.—74-01599A

spin,
Analysis of low-temperature spin dynamics in $Zn_{1-x}Mn_xSe$.—74-08824A
Antiferromagnetic long-range order and spin waves in the spin-fermion model on the CuO_2 lattice.—74-06489A
Characteristics of $YBa_2Cu_3O_x$ thin films prepared by spin coating technique.—74-03422A
Dimerization of $CuGeO_3$ in the spin-Peierls state.—74-07071A
Electron-nuclear interactions and spin reorientation in $HoFeO_3$.—74-05135A
Is spin-gap behavior near T_c in cuprates evidence for d_{xy} pairing. A role of superconducting fluctuations.—74-03507A
Low-temperature nuclear spin-lattice relaxation process in the Cu(2) sites of $YBa_2Cu_3O_{6.98}$.—74-05948A
New muon spin rotation measurement of the temperature dependence of the magnetic penetration depth in $YBa_2Cu_3O_{6.95}$.—74-04373A
NMR studies of spin excitations in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals.—74-06596A
Spinning innovation makes quality claim.—74-06727A
Striation-free, spin-coated sol-gel optical films.—74-07492A
Submillimeter-wave EPR of Cu^{2+} spins in $Ca(PO_3)_2$ glass.—74-02587A

spinels,
Application of spinel checker brick for glass furnace regenerators.—74-03895A

Bipolar transistors on Si/MgO·Al_2O_3/Si.—74-00571A
Characterization of LT-$Li_xCo_{1-y}Ni_yO_2$ electrodes for rechargeable lithium cells.—74-05924A
Crack face bridging mechanisms in monolithic $MgAl_2O_4$ spinel microstructures.—74-10954A
Development of self-flow type alumina-spinel castable refractories.—74-02751A
Discontinuous dissolution of iron aluminate spinel in the Al_2O_3-Fe_2O_3 system.—74-07072A
Effect of additives on the firing and properties of magnesium spinel ceramics.—74-01685A
Effect of the cooling method on phase composition, crystal structure, and morphology of spinels of the system Cu-Mn-O in air.—74-04135A
Effects of Cr_2O_3 on slag resistance of magnesia-spinel refractories.—74-05855A
Electrical properties of copper and nickel manganite spinels in relation with cationic distribution and thermal histories.—74-07160A
Equilibrium potentials of spinel-type manganese oxide in aqueous solutions.—74-01384A
EXAFS: determination of cation distribution in spinels.—74-09199A
Formation and color of the spinel solid solution in ZnO-Fe_2O_3-TiO_2-SnO_2 system.—74-10357A
Formation of phases and structure in mullite-zirconia and spinel-zirconia materials produced by melt crystallization.—74-07079A
Further development of magnesia spinel for lining transition and sintering zones of rotary cement kilns.—74-08618A
High-temperature mechanical behavior of stoichiometric magnesium spinel.—74-07888A
Hydrothermal processing of $MgAl_2O_4$ spinel-based ceramics.—74-04685A
Influence of charge transport effects on behavior of impurity centers in cubic magnetics with mixed-valence ions.—74-07571A
Magnesia alumina spinels for the refractory industry.—74-08621A
Magnesia spinel ceramics alloyed with rare-earth oxides.—74-05182A
MgO-spinel refractory mix and shapes made therefrom—74-00412P
Monte Carlo simulation of cation transport via vacancies in spinel solid solutions: one type of cation exchange prevails.—74-05034A
Obtaining aluminomagnesia spinel powder using a high-frequency induction plasmatron.—74-02646A
Pressure effects on the Curie temperature of spinel-type $NiMn_2O_4$ and $CuCr_2O_4$.—74-10140A
Processing of spinel thick films for humidity sensors.—74-03182A
Production and testing of periclase spinel parts with fused spinel.—74-02728A
S-block structure in hexagonal ferrites.—74-03404A
Spectroscopic studies of surface copper spinels. Influence of pretreatments on chemical states of copper.—74-04213A
Spinel powders by modified coprecipitation.—74-04910A
Thermodynamic and kinetic studies of electrochemical lithium insertion into quaternary Li-Mn-V-O spinel as positive materials for rechargeable lithium batteries.—74-01480A
Transparent spinel ceramic.—74-04970A
X-ray photoelectron diffraction studies of the surface chemistry of nonstoichiometric synthetic spinel.—74-05297A

spinodal,
Apparatus for production of glass fibers utilizing spinning cup structure.—74-03743P

spodumene,
Extruded ceramic honeycomb and method.—74-09917P
Fabrication of LAS system ceramics for thermal shock resistance from silicate minerals: II, Preparation of spodumene powders with sillimanite, kaolin, and pyrophyllite group minerals.—74-10348A
Manufacturing process of flame wares, Banko Yaki wares.—74-07987A
Method for treating beta-spodumene ceramics—74-01261P
Sintering, crystallization, and properties of B_2O_3/P_2O_5-doped Li_2O·Al_2O_3·$4SiO_2$ glass-ceramics.—74-05789A
Use of spodumene in the processing of alumina-matrix ceramics—influence on microstructure and mechanical properties.—74-07544A

sporting goods,
Application of ceramics and composites for sporting goods.—74-09759A
Monolithic ceramic golf club putter head and method of manufacture thereof—74-01328P

spray drying,
Control of spray granulate properties using organic additives.—74-09443A
Energy-saving production method for producing ceramic floor tiles.—74-00361A
Equation describing the isostatic compaction of ceramic pressed bodies.—74-01712A
Factors affecting strength of agglomerates formed during spray drying of nanophase powders.—74-10354A
Fresh options in drying.—74-06702A
Granulation of spray-freeze drying.—74-04658A
Increasing the pressing behavior of Seydisehir alumina by spray drying.—74-07349A
Optimization of spray granulates for isostatic pressing of tableware pieces.—74-00438A
Optimization of spray-dried granulates for isostatic pressing of tableware.—74-00439A
Powder processing for the fabrication of Si_3N_4 ceramics: I, Influence of spray-dried granule strength on pore size distribution in green compacts.—74-01842A
Spray conversion process for the production of nanophase composite powders.—74-03777P
Spray drying—understanding the influence of process parameters better through computer modeling and adequate instrumentation.—74-04911A
Spray-drying operation of ceramic powders on an industrial scale, its control and automation.—74-10651A

spray pyrolysis,
Characterization of PLZT films deposited by spray pyrolysis.—74-03289A
Correlations between the optical and electrical properties of CdO thin films deposited by spray pyrolysis.—74-07149A
Dependence of photovoltages of spray-deposited indium tin oxide/silicon oxide/silicon junction solar cells on spray solvents.—74-06030A
Effect of some spray pyrolysis parameters on electrical and optical properties of ZnS films.—74-06055A
Electroless copper plating using ZnO thin film coated on a glass substrate.—74-06075A
Glass solidification of the amorphous powder prepared by spray pyrolysis.—74-08426A
Phase evolution and gas-phase particle size distributions during spray pyrolysis of (Bi,Pb)SrCaCuO and Ag(Bi,Pb)SrCaCuO powders.—74-06610A
Preparation and properties of sprayed antimony trisulfide films.—74-06274A
Preparation of fine spherical ZnO powders by an ultrasonic spray pyrolysis method.—74-07432A
Preparation of metal ruthenates by spray pyrolysis.—74-10563A
Preparation of strontium ferrite particles by spray pyrolysis.—74-09217A
Preparation of uniform γ-Fe_2O_3 particles with nanometer size by spray pyrolysis.—74-07440A
Synthesis of ultrafine particles and thin films of $BaFe_{12}O_{19}$ by the spray-ICP technique.—74-07520A
Synthesis of yttria powders by electrospray pyrolysis.—74-04949A
Thin-film cadmium selenide prepared from cadmium oxide by spray pyrolysis.—74-03251A

spraying apparatus,
Environmentally safe spray booth.—74-00924A
Tuneable high velocity thermal spray gun.—74-09545P

spraying,
Aerodynamic behavior within the arc gap during arc spraying.—74-10185A
Applications of combined built-up and spray welding to worm reamer of extruder.—74-06679A
Correlations between spraying conditions and microstructure for alumina coatings produced by HVOF and VPS.—74-08152A
Effect of metal content on the erosion resistance of metal/ceramic Co-sprayed composite coatings produced by VPS.—74-08172A
Effect of substrate temperature on the properties of ZnO transparent conducting thin film prepared by the vapor spraying method.—74-10298A
Fabrication of composite spray powders using reaction synthesis.—74-10346A
Interfacial evaluation of solid oxide fuel cell [SOFC] components fabricated by the acetylene spraying processes.—74-00497A
Materials processing with de Laval spray-forming nozzles—net-shape applications.—74-09483A
Shear spray solutions.—74-00993A
Spraying of coating by supersonic metallization.—74-08274A
Spraying of the brittle ceramic zirconium diboride by a wire explosion technique.—74-10652A
Variations in coating properties across a spray pattern.—74-08290A

sputtering,
Alumina material useful with thin film heads.—74-03978P
Amorphous Zn_3P_2 thin films grown by reactive rf sputtering.—74-04477A
Characterization of reactively sputtered silicon nitride.—74-04504A
Compact and inexpensive quartz capillaritron source.—74-00903A
Composition of thin films deposited by ion beam sputtering of a compound target: case of Y-Ba-Cu-O.—74-03430A
Conduction mechanism of $SrTiO_3$ thin films by rf sputtering.—74-08735A
Control of Y_2O_3-stabilized ZrO_2 thin film orientation by modified bias sputtering.—74-00791A
Correlation of pressure and position during in situ $YBa_2Cu_3O_{7-\delta}$ film preparation by facing target magnetron sputtering (FTMS).—74-06504A
Crystallite orientation and the related photoresponse of hexagonal ZnO films deposited by rf sputtering.—74-07064A
Deposition and dielectric property of ion-beam-assisted bismuth titanate film.—74-08738A
Deposition and properties of reactively sputtered ruthenium dioxide films.—74-01660A
Deposition and properties of yttria-stabilized Bi_2O_3 thin films using reactive direct current magnetron cosputtering.—74-01661A
Deposition of aluminum oxide films with high refractive index.—74-01662A
Deposition of barium ferrite thin films by rf off-axis sputtering.—74-04541A
Dielectric properties of (Ba,Sr)TiO_3 films by rf sputtering.—74-08742A
Effect of O_2/Ar ratio on the characteristics of rf magnetron sputtered $BaTiO_3$ thin film.—74-08745A
Effects of crystallinity in depth resolution in sputter depth profiles.—74-05130A
Effects of Ta doping in sputter-deposited PZT thin film.—74-08746A
Electrodes for $PbZr_xTi_{1-x}O_3$ (PZT) ferroelectric thin films.—74-00750A
Electron cyclotron resonance sputter removal of SiO_2 on silicon wafers.—74-01707A
Enhancement of the deposition rate of TiO_2 film in radio frequency reactive sputtering.—74-06081A
Epitaxial growth and characterization of Ni films grown on MgO(001) by biased direct-current sputter deposition.—74-07300A
Epitaxial growth, structure, and properties of Ni films grown on MgO(100) by dc bias sputter deposition.—74-04618A
Fabrication of Bi-Sr-Ca-Cu-O superconducting thin films by rf magnetron sputtering.—74-09270A
Formation of superconducting phases of $Bi_2Sr_2Ca_2Cu_3O_x$ thin films prepared by off-axis sputtering.—74-09277A
Growth mode of Ge films on Si(100) substrate deposited by ion beam sputtering.—74-04666A
Growth of anodic oxides on reactively sputtered TiN_x films.—74-04670A
Hafnium nitride dielectric phase films fabricated by ion-beam sputtering.—74-08753A
Highly pressurized Kr agglomerates in sputtered Si films.—74-05156A
In situ monitoring by soft X-ray spectrometry of amorphous carbon plasma deposition.—74-04690A
In situ thin-film growth of $PbTiO_3$ by multitarget sputtering.—74-10407A
Influence of crystalline structure and amorphous materials in depth resolution of sputter etching.—74-05164A
Influence of oxygen on the composition and some properties of the films obtained by rf sputtering from an Si_3N_4 target.—74-04701A
Influence of sputtering target material on the formation of cubic BN thin films by ion-beam-enhanced deposition.—74-10419A
Interaction between $Nd_{0.4}Sr_{0.6}Al_{0.7}Ta_{0.3}O_3$ and $YBa_2Cu_3O_7$ films deposited by sputtering.—74-03496A
Iron oxide thin-film gas sensor.—74-03829A
Low-temperature radio frequency sputter deposition of TiN thin films using optical emission spectroscopy as process monitor.—74-01786A
Low-voltage and high-speed operating electrostatic wafer chuck using sputtered tantalum oxide membrane.—74-06981A
Magnetic properties of reactively sputtered $Fe_{1-x}O$ and Fe_3O_4 thin films.—74-03390A
Manufacturing and properties of thin barium and strontium titanate films.—74-06422A
Mechanism of particle formation in the sputtering and reactive ion etching of Si and SiO_2.—74-06201A
Mechanism of particle formation in the sputtering and reactive ion etching of Si and SiO_2.—74-07681A
Miniature multitarget sputtering system for the in situ X-ray study of high-T_c multilayer film growth.—74-00956A
Model of lead loss in $Pb(Mg_xNb_{1-x})O_z$ ion-beam-sputtered thin films.—74-07388A
Modeling of deposition and resputtering rate profiles in planar face-to-face sputtering systems.—74-07390A
Modeling of layer-by-layer sputtering of Si(111) surfaces under irradiation with low energy ions.—74-05196A
Novel fiber growth on Ar^+-sputtered InP.—74-06225A
Optical properties of Sb and SbO_x films.—74-07179A
Phase structure characteristics of rf reactively sputtered zirconia thin film.—74-07102A
Practical use of strength and anticorrosion properties of amorphous carbon thin films.—74-04018A
Preparation of (Pb,La)TiO_3 thin films by multiple cathode sputtering.—74-09167A
Preparation of cBN-containing films by reactive rf sputtering.—74-10557A
Preparation of $PbTiO_3$ thin film by rf sputtering.—74-03340A
Preparation on in-plane textured Y_2O_3-doped ZrO_2 thin film on polycrystalline metallic tape by modified bias sputtering.—74-00523A
Random stacking in MoS_{2-x} sputtered thin films.—74-04199A
Relationship between crystal orientation and gas sensing property of sputtered SnO_2 films.—74-09023A
SiC coatings prepared by dynamic ion mixing.—74-01880A
Sputter deposition technology as a materials engineering.—74-10653A
Sputtering effects in Si, SiO_2, and the Si/SiO_2 interface.—74-05252A
Sputtering of neutral and ionic indium clusters.—74-03222A
Structural and morphological characterization of Nb_2O_5 thin films deposited by reactive sputtering.—74-02047A
Structural characterization and properties enhancement of diamondlike carbon films synthesized under low-energy Ne^+ bombardment.—74-07754A
Titanium nitride/titanium silicide multiple layer barrier with preferential (111) crystallographic orientation on titanium nitride surface.—74-03281P

stability,
Analysis by scanning acoustic microscopy of the mechanical stability of PSG and Si_3N_4 passivation films.—74-09546A
Chemical compatibility between Si-based and Ti-based ceramics.—74-01353A
Chemical stability of perovskite interconnects in solid oxide fuel cell [SOFC].—74-00465A
Chemical stability of some manganese glass-ceramics.—74-05669A
Chemical stability of the fiber coating/matrix interface in silicon-based ceramic matrix composites.—74-05093A
Chemical thermodynamic stabilities of the interface.—74-01355A
Crowdion spreading and radiation stability possibility of nonoxides.—74-09861A
Dc and ac properties of zinc-stabilized NTC materials.—74-04274A
Defect chemistry, phase stability, and properties of zirconia polycrystals.—74-01938A
Effect of high-temperature, high-oxygen-fugacity annealing on the stability of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10\pm\delta}$-type compound.—74-09254A
Effect of the composition of single-phase alkali borosilicate glasses on their stability in solutions of nitric acid.—74-02451A
Effects of oxide additives on the thermal stability of alumina gas.—74-04601A

Environmental stability of materials: issues and opportunities.—74-02076A
Experimental study of broad NaCl(OH⁻):($^{+}_{2}F$)$_H$ color center laser at low temperature.—74-02621A
Glass for making biostable products.—74-02461A
High-temperature stability of nonoxide structural ceramics.—74-02080A
Highly stable fluorine-intercalated graphite fibers coated with graphite fluoride film.—74-09873A
Increasing chemical stability of annealed hollow glassware.—74-02467A
Interfacial stabilities of high-temperature composite materials.—74-08221A
Lattice parameters of metastable phases of graphite.—74-04158A
Microstructural stability of Nicalon at 1000°C in air after exposure to salt (NaCl) water.—74-07689A
Mineralogical stabilization of high magnesium calcite: geochemical evidence for intracrystal recrystallization within holocene porcellaneous foramifera.—74-01198A
Phase equilibria in the Ln-Mn-O system (Ln=Pr, Nd) and general aspects of the stability of the perovskite phase $LnMeO_3$.—74-04179A
Phase stability of fine-grained (Mg,Y)-PSZ.—74-07182A
Preparation of stable t'-zirconia.—74-07437A
Properties and stability of diamondlike carbon films related to bonded and unbonded hydrogen.—74-10023A
Raw material specifications.—74-07957A
Solid-state electrochemical technique to study barium ferrite thermodynamic stability.—74-04211A
Stability and characterization of oxygen species in alkali molten carbonate: a thermodynamic and electrochemical approach.—74-01460A
Stability of α phase in alumina-chromia plasma-sprayed deposits after annealing.—74-08275A
Stability of ß-Ca_2SiO_4 doped by minor ions.—74-05588A
Stability of a single δ layer in GaAs.—74-03223A
Stability of acidic phosphate anionic forms $M(H_2PO_4)_2{\cdot}2H_2O$ and $MHPO_4{\cdot}xH_2O$ (M=Mn, Zn; x=1.3).—74-00094A
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ thick films at elevated oxygen pressures and temperatures.—74-09338A
Stability of diborane mixtures used for borophosphosilicate films.—74-00317A
Stability of dispersions of $PbTiO_3$ powders in aqueous and nonaqueous liquids.—74-07490A
Stability of polycrystalline rutile at high temperature.—74-03224A
Stability of rhenium thin films on single crystal (001) ß-SiC.—74-02397A
Stability of tetragonal precipitates in Y_2O_3 partially stabilized ZrO_2 single crystals.—74-01461A
Stabilization of ß-quartz at room temperature and normal pressure.—74-05794A
Stable crack extension of an alumina ceramic in three-point bending test.—74-02202A
Synthesis and thermal stability of solid solutions of $Cu_{1-x}Zn_xCr_2Se_4$.—74-01470A
Thermal stability of ceramic materials in microwave heating.—74-04451A
Thermal stability of Si/Ge_x/Si heterostructures by photoreflectance.—74-06357A
Thermal stability of single-crystal and polycrystalline alumina fibers and 85% Al_2O_3-15% SiO_2 fibers.—74-11115A
Thermal stability of synthetic hydroxyapatite.—74-09805A
Use of succinic acid to test the stability of PTCR barium titanate ceramics under reducing conditions.—74-00734A
What is shaking in the sandbox.—74-07788A

stabilization,
Assessment and optimization of the stabilization process of mesophase pitch fibers by thermal analyses.—74-07206A
Brownian dynamics of sterically stabilized colloidal suspensions.—74-04489A
Ceramics based on eutectics in zirconia-containing systems.—74-07041A
Characteristics of slow and fast interface states in fluorinated metal oxide semiconductor devices.—74-00578A
Electrostatic stabilization of aqueous alumina suspensions by substituted phenols.—74-04615A
Mechanism of cubic phase stabilization in ZrO_2.—74-04161A
Mutual phase stabilization of aluminum phosphate and titania in $AlPO_4$-TiO_2 binary system.—74-07094A
Stabilization of aerosil suspensions by aluminum hydroxynitrate.—74-04427A
Synthesis and stabilization of hexagonal boron nitride materials.—74-10671A

stacking faults,
Effect of stacking faults on the X-ray diffraction profiles of ß-SiC powders.—74-04134A
Stacking faults in hexgonal and rhombohedral MoS_2 crystals produced by mechanical operation in relation to lubrication.—74-02046A

staining,
Effects of focused ion beam reticle repair on optical lithography at i-line and deep ultraviolet wavelengths.—74-01059A

standards,
Australian standards for ceramic tile fixing and their impact on other standards.—74-11140A
Benefits of ISO 9000 certification.—74-11142A
Cement standards in European Standardization System.—74-08004A
Ceramic machinery requirements for the "CE" symbol.—74-05405A
Ceramic tiles nearing the year 2000—a global approach to quality.—74-08507A
Clay building products in European standardization—an interim balance: I.—74-08511A
Clay building products in European standardization: II, an interim balence.—74-05408A
Criticism of DIN 51 110: III, Determination of the Weibull Modulus of Strength.—74-02116A
Design and installation of ceramic tiling.—74-08518A
Development and use of ASTM test methods for ceramic plants.—74-11154A
Development of ASTM standards for metallographic preparation practices of thermally sprayed coatings.—74-11155A
Development of ceramic tile quality systems—keeping up with consumer expectations.—74-08522A
European normalization in advanced ceramic techniques.—74-11160A
Fly ash and slag: standards and specifications—help or hindrance.—74-00058A
Implementing Responsible Care.—74-11166A
Implementing statistical process control.—74-11167A
Quality assurance—European developments.—74-07956A
Significance and utility of refractories test data.—74-05879A
Standard materials for refractoriness and firing: Seger cone (,Orton cone, referthermo, and Schmelz probe).—74-09618A
Standardization and reference powder for particle size analysis.—74-09619A
Standardization of chemical analysis methods for ceramics raw materials and preparation of reference raw materials.—74-09620A
Status of MSDS [Material Safety Data Sheets] for brick.—74-05832A
Status report on norms in the field of "testing methods for high-performance ceramics."—74-01110A
Surveys in the trends of standardization on ceramics in Japan.—74-09622A
Technical requirements of ceramic tiles for specific uses.—74-08591A
Test sieves.—74-09625A
Thermal insulation of masonry—state of the CEN standards.—74-08593A
Tiler training in Germany.—74-08596A
Using ASTM slip test methods in ceramic tile plants.—74-08710A
Using ASTM slip test methods.—74-05914A
Using ASTM standards as the basis for whiteware process control procedures.—74-08711A
Using ASTM standards in the tile industry.—74-08712A

stannates,
Corrosion inhibitors for mild steel: stannous tin (SnII) in ordinary portland cement.—74-05482A
Electric field forced phase switching in La-modified lead zirconate titanate stannate thin films.—74-09129A
Luminescence of some stannates activated with titanium.—74-03096A
Preparation, sintering, and electrical behavior of barium stannate.—74-10138A
Rare-earth barium stannates: synthesis, characterization, and potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductor.—74-09330A
Reactions of organostannates with silica, γ-alumina, and silica-alumina.—74-10148A

statistical process control,
Implementing statistical process control.—74-11167A
Modernization of process control technology at the Hejocsaba Cement and Lime Works [Hungary].—74-00080A
Problem solving using experimental design techniques.—74-11185A
Using ASTM standards as the basis for whiteware process control procedures.—74-08711A

statistics,
Arab cement industry.—74-02308A
Arab cement review.—74-05402A
Polish cement industry.—74-02345A
Statistical thermodynamics of point defects and interactions between point defects in ceramics.—74-07584A
Statistics of cack initiation and propagation.—74-11092A

steel,
Developments in direct-on enameling of degreased steel.—74-02368A
Electrochemical behavior of steel coated with plasma-sprayed coatings.—74-05621A
Enameling steels 1974–1994—maximizing your enameling steel dollar.—74-00118A
Formation of brilliant finishes on enamel coatings.—74-02371A
Investigation of the role of secondary carbide in martensitic steel during three-body abrasion wear.—74-02286A
Measurement of Young's moduli of TiC-coated film by the X-ray method.—74-01539A
Metal substrates aluminum, copper, stainless steel: specifications, pretreatment, frit selection, enameling processes.—74-02383A
Porcelain enameling steels and perfect quality porcelain enameled products.—74-00140A
Sheet steel with superior porcelain enameling properties processed by continuous casting and continuous annealing.—74-00152A
Thermal shock characteristics of porcelain enameled grates.—74-00157A
Tribological investigation of physical vapor deposition TiN coatings paired with surface-treated steels for machine element applications.—74-00159A
Wear mechanisms of TiN-coated high-speed steel during sliding.—74-08295A

steelmaking,
Mechanism of overgrowth of steel-teeming nozzles.—74-02764A
Refractory gunning of BOF vessels in North America.—74-02779A
Ultrasonic inspection of steelmaking refractories.—74-03884A
Well block cleaning equipment.—74-03938A

stength,
Influence of admixtures on corrosive strength of building mortars in technogene media.—74-05533A

stoichiometry,
Analysis of stoichiometry and oxide growth of HF-treated GaAs(100) by X-ray photoelectron spectroscopy and time-of-flight secondary ion mass spectrometry.—74-02062A
Characterization of nonstoichiometric nickel oxide thin-film electrodes.—74-06001A
Characterization of polymer-derived silicon carbide fibers with low oxygen content, near-stoichiometric composition, and improved thermomechanical stability.—74-10774A
Comparative estimation of different methods for the control of stoichiometric composition of bismuth-containing superconductors.—74-06498A
Effect of annealing on the stoichiometry of $SrTiO_3$(001).—74-04567A
Effect of variations in stoichiometry on the surface structure of $SrTiO_3$(001).—74-10795A
Estimation of the stoichiometry of bismuth lead high-temperature superconductive ceramics by the technique of theoretical corrections.—74-00810A
Influence of stoichiometry on high-temperature intrinsic defects in fused silica.—74-08336A
Oxygen nonstoichiometry of Bi-2212 high-T_c superconductor.—74-03547A
Preparation and evaluation of ferroelectric thin films.—74-09166A
Study of lead content effects in off-stoichiometric compounds of the $Bi_2Sr_2Ca_2Cu_3O_8$ superconductor.—74-03582A
Thermodynamic computation of the departure from stoichiometry in solid solutions $InAs_{1-x}P_x$.—74-04232A

stones,
Article glass stone.—74-00008A
Reduction of nickel sulfide stones in a glass melting operation.—74-08496P
Removal of iron oxide from Amakusa pottery stone.—74-08579A

stoneware,
Application of manganese red stain to underglazed colored rim for stoneware.—74-08501A
Development of glazed stoneware wall and floor tile by once low-temperature fast sintering.—74-08526A
Developmental tendencies and technological advances of ceramic tiles.—74-02806A
Emotional metaphors [a sculptor's technique].—74-00017A
Pots made of memories[—glaze and stoneware recipes].—74-00024A
Red stoneware of "Shudei (Red mad)" wares of Tokoname.—74-08700A

storage,
Automatic storage and handling of tableware.—74-08660A
Clay storage systems to increase product quality.—74-01190A
Clay storage systems to increase product quality.—74-05804A
Effects of storage upon the cementing properties of Class G oilwell cement plus 8% bentonite blends.—74-05511A
Flat storage versus silo storage for FGD gypsum.—74-00929A
Modern cement terminals: concept and examples.—74-00958A
New supply and storage system for Dutch cement plant.—74-03715A
Start-up and operation of Cementos Apasco's Ramos Arizpe plant (Mexico).—74-03736A
Use of borosilicate and quartz glasses as structural materials of containers for storing ultrapure germanium tetrachloride.—74-08399A

strain,
Cement and the elastic constants of concrete.—74-05472A
Comparison of three techniques for measuring strain at fracture of thin-film materials.—74-06746A
Effect of strain on CHSH Auger recombination in strained $In_{0.53+x}Ga_{0.47-x}As$ on InP.—74-00596A
Effects of heat treatments on photostriction in PLZT ceramics.—74-08878A
Evaluation of the etch depth dependence of three-dimensional confinement in strain-induced quantum well dot structures.—74-06088A
In situ strain measurements during the formation of palladium silicide films.—74-01523A
Increased precision in strain measurement of diamond by micro-Raman spectroscopy.—74-06781A
Mechanisms of strain hardening caused by composition ensembles of forest dislocations and point obstacles.—74-07575A
Microcomposite test procedure for evaluating the interface properties of ceramic matrix composites.—74-03835A
Mineral organic interfacial bonding—effect of strain rate on the mechanical properties of bone.—74-09791A
New techniques for measuring strain at fracture of thin-film materials.—74-09589A
Piezoelectric ceramics and ceramic composites for intelligent mechanical behaviors.—74-09163A
Precision studies of synthetic diamonds using Kossel's method.—74-04399A
Spectroscopic characterization of band discontivity in free-standing CdZnS/ZnS strained layer superlattices.—74-09046A
Strain dependence of binding energies for carbon adatoms on the Si(100) surface.—74-01578A
Strain relief and ordering of (2×*n*)-Bi structure on Si(100).—74-07752A
Strain-stabilized highly concentrated pseudomorphic $Si_{1-x}C_x$ layers in Si.—74-03229A

strength,
Acrylic binder for green machining.—74-06675A
Adhesion strength and residual stress in ceramic/metal joints.—74-08126A
Apparent strength retrogression of silica-fume concrete.—74-02744A
Ball clay selection using experimental design techniques.—74-09740A

BlastDSace cement mortars manufactured with fresh granulated and weathered slags. Influence of gypsum content and aging on carbonation depth and strength development.—74-05467A
Bottle strength analysis.—74-08361A
Characterization of mechanical properties of ceramic material with the account of statistical effects.—74-02103A
Coating of carbon fibers—the strength of the fibers.—74-02104A
Combined effect of water and temperature on the strength of sulfur concrete.—74-02315A
Comparison of strength and fracture toughness of single and polycrystalline zirconia.—74-02105A
Controlled low strength materials (CLSM)—ACI 229R-94 report.—74-02316A
Correlation between the static and dynamic strengths of quenched glass.—74-02526A
Criticism of DIN 51 110: III, Determination of the Weibull Modulus of Strength.—74-02116A
Detection of crack growth in engineering ceramics by acoustic emission analysis.—74-01054A
Determination of fracture resistance curves of modern ceramic materials.—74-10965A
Developing strength in belite mortars.—74-05489A
Development of high density and strength blocks for float glass bath bottom and their applications.—74-02711A
Dielectric breakdown strength of SiO_2 using a stepped-field method.—74-00476A
Dorset ball clay and traditional whitewares.—74-08674A
Early strength behavior of fly ash concretes.—74-05494A
Effect of core diameter on concrete core strengths.—74-05495A
Effect of different water levels on the properties of HSR Class G [oil well] cement.—74-07269A
Effect of early overloading of concrete on strength at later ages.—74-05496A
Effect of granule morphology on the strength and Weibull modulus of ZTA made from spray-dried powders.—74-02125A
Effect of heat treatment on microstructure and strength of pressureless-sintered Si_3N_4.—74-10791A
Effect of preloading on fatigue strength in dynamic fatigue testing of ceramic materials at elevated temperatures.—74-10972A
Effect of stone dust content in sand.—74-05500A
Effect of wollastonite microfiber aspect ratio on reinforcement of portland cement-based binders.—74-00055A
Effects of damage on thermal shock behavior of ceramics.—74-07156A
Effects of grain size and artificial crack length on bending strength of MgO sintered body.—74-02131A
Evaluation of creep and fatigue strength of ceramics.—74-10987A
Evaluation of tensile strength and fracture toughness of yttria-stabilized zirconia polycrystals with fracture surface analysis.—74-05350A
Extra-rapid hardening and ultra-strength cement mortars.—74-08028A
Flexural strength and electrical properties of a B-doped BPSCCO superconductor.—74-00812A
Function of admixtures on production of nonfired fly ash brick.—74-00363A
Grinding of ceramics—the effect on their strength properties.—74-05447A
High-strength and high-fracture-toughness ceramics in the $Al_2O_3/LaAl_{11}O_{18}$ systems.—74-07885A
Low-temperature, high-strength, wafer-to-wafer bonding.—74-01789A
Machinability and strength of AlN-BN ceramics.—74-11036A
Machining: the controlling step to producing apt-to-work ceramic parts.—74-02162A
Mechanical properties of mica glass-ceramics.—74-05376A
Mechanically alloyed 7010 aluminum alloy-SiC_p composites.—74-05642A
Metastable phases of carbon during fracture of diamond under ultrahigh compressive stresses.—74-05379A
Methods to obtain strong glasses.—74-08441A
Microstructural and strength stability of a developmental CVD SiC fiber.—74-11052A
Model of the effect of abrasion on the strength of glass.—74-05731A
Parameters determining the measurements of strength under cyclic loading of Al_2O_3 and Si_3N_4 ceramics in the temperature range from 20 to 1200°C.—74-02186A
Phase constitution and service properties of high-alumina refractory cements.—74-05564A
Phase formation, microstructure, and high-temperature strength of sintered materials based on aluminum nitride SiAlON polytypes.—74-05219A
Plain porosity as a microstructural characteristic of sintered materials.—74-02034A
Practical strength of glass containers: I, Influence of the type of defect.—74-08387A
Preliminary study of fly ash granulometric influence on mortar strength.—74-05570A
Preparation of silicon oxycarbide glass fibers by the sol-gel method.—74-08451A
Proof testing reinforced brittle composites.—74-09606A
Raw powders for high-strength, high-toughness zirconia.—74-10601A
Recent trends of carbon fiber technology from mesophase pitch: I, The new methods for high performance and improved properties.—74-10608A
Relation between strength, microstructure, and grain-bridging characteristics in in situ reinforced silicon nitride.—74-05235A
Reliable ceramics for advanced heat engines.—74-07025A
Reversibility of the lowering of strength of optical quartz fibers upon removal of coatings.—74-02576A
Role of nucleating agents during manufacture of high-strength porcelain.—74-02196A
Role of powder homogenization techniques in the fabrication of zirconia-toughened alumina.—74-01242A
Self-propagating high-temperature synthesis: a new method for the production of diamond containing materials.—74-01878A
Simultaneous loading system to evaluate the structural reliability of brittle materials.—74-06816A
Solution of the problem of proof tests on praxis.—74-01105A
Strength and fatigue behavior of 2-D–carbon/carbon composites under shear conditions.—74-11094A
Strength and fracture toughness of hot-pressed SiC materials.—74-11095A
Strength and lifetime distributions of ceramic parts under multiaxial loading.—74-02205A
Strength and Young's modulus behavior of a partially sintered porous alumina.—74-02206A
Strength behavior of thermally shocked new porcelains.—74-01579A
Strength evaluation in development and application engineering of ceramics.—74-11096A
Strength loss in low-cement refractory structures.—74-08635A
Strength measurement of porous bodies at isostatic pressure conditions.—74-07918A
Strength measurements of monolithic SiC and Al_2O_3/SiC composites after exposure to coal slag.—74-11097A
Strength of corundum ceramic under cyclic loading.—74-05391A
Strength of granulates.—74-01111A
Strength of high-performance ceramic components under multiaxial loading.—74-02207A
Strength of tape cast and laminated ceramics.—74-07919A
Strength studies of single carbon fibers in model composite fragmentation tests.—74-04428A
Strength testing of tubular ceramic gas filters by internal hydraulic pressure test.—74-09621A
Strength tests of flat glass by means of four point bending.—74-02583A
Strengthening of CFRC by plasma treatment with mixed gas of oxygen and CF_4.—74-11099A
Strengthening of ductile particle-reinforced brittle matrix composites.—74-02208A
Strong ceramic based on aluminum oxide and zirconium dioxide.—74-03973A
Structural and mechanical changes of zirconia and zirconia composites after aging.—74-07920A
Surface strengthening of 3Y-TZP ceramics by boehmite sol infiltration.—74-10663A
Temperature dependence of the strength of silicon nitride ceramics.—74-04440A
Temperature-dependent fracture strength of doped single-crystal alumina fibers.—74-11104A
Tensile strength of SiC fibers.—74-07927A
Thermal shock behavior of fiber-reinforced composites.—74-11114A
Time-dependent strength degradation of a siliconized silicon carbide determined by dynamic fatigue.—74-11118A
Torsional properties of carbon fibers.—74-05394A
Why do glasses break.—74-08401A

strengthening,
Application of konilite to strengthening porcelain.—74-00420A
Deformation strengthening of crystals. Size, orientational, and surface effects.—74-07856A
Equation of dislocation density evolution and first stage of deformation strengthening of crystals.—74-07872A
Influence of prestressed quartz on increased mechanical strength of porcelain.—74-00433A
Research on low-temp. strengthened porcelain with high silica content.—74-08702A
Research on strengthening plaster molds.—74-07465A
Strengthening of mica glass-ceramics.—74-05795A
Study of artificial thighbone made of high-density strengthened ceramics.—74-07001A
Study of quartz ceramic strengthening by hydrothermal treatment.—74-07921A
Study of strengthened porcelain fired fast at low temperature.—74-08278A

stress relaxation,
Effects of active hydrogen on the stress relaxation of amorphous SiN_x:H films.—74-09987A
Optimization of coating layers in the design of ceramic fiber reinforced metal matrix composites.—74-00135A

stress,
Analytical modeling for bridging stress function involving grain size distribution in a polycrystalline alumina.—74-05320A
Anisotropic stress of a (Bi, Pb)$_2$Sr$_2$Ca$_2$Cu$_3$O$_{10}$ high-T_c superconductor.—74-06483A
Bend stress relaxation of Al_2O_3-YAG eutectic fibers.—74-10950A
Composition, microstructure, and stress corrosion cracking.—74-02106A
Compressive stress-induced formation of cubic boron nitride.—74-10783A
Constrained-film sintering of a borosilicate glass: in situ measurement of film stresses.—74-02525A
Corrosion behavior of copper-based metal matrix composites.—74-02070A
Crack healing and stress relaxation in Al_2O_3-SiC "nanocomposites."—74-05329A
Critical stresses for extension of filament-bridged matrix cracks in ceramic matrix composites: an assessment with a model composite with tailored interfaces.—74-05330A
Cyclic fatigue in ceramics: a balance between crack shielding accumulation and degradation.—74-05331A
Deformation of the metallic glasses $Fe_{77}Ni_1Si_8B_{13}$ and $Fe_{67}Co_{20}Si_5B_{14}$ with small stresses.—74-00251A
Determination of crack velocity as a function of stress intensity from static fatigue data[—correction].—74-07858A
Effect of deposition parameters on the compressive stress in a-C:H thin films.—74-10279A
Effect of flaw size on first matrix cracking stress in fiber-reinforced ceramic composites.—74-10970A
Effect of heat-treatment temperature on the properties of polyfurfuryl alcohol-based carbon-carbon composites.—74-07271A
Effect of interface roughness on fiber pushout stress.—74-05343A
Effect of negative air corona stress on metal oxide semiconductor capacitors.—74-05930A
Effect of residual stresses on the debonding of coatings under an applied load.—74-10973A
Effect of substrate creep on residual stress development during spraying of boron carbide on titanium.—74-10974A
Effects of coating thickness and residual stresses on bond strength of C633-79 thermal spray coating test specimens.—74-10305A
Effects of thermal treatment on tensile creep and stress-rupture behavior of Hi-Nicalon SiC fibers.—74-10982A
Evaluation of laminated stacking sequence under compressive load.—74-05715A
Evaluation of the bridging relation from crack-opening-displacement measurements by use of the weight function.—74-03808A
Evolution of stress failure resulting from high-temperature stress-corrosion cracking in a hot isostatically pressed silicon nitride.—74-07873A
External prestressing in bridges—a state of art.—74-05522A
Failure mechanisms in advanced structural ceramics.—74-10994A
Fatigue behavior of glass-ceramics under multiaxial stress states: an examination by diametral compression.—74-02139A
Growth and characterization of strain-compensated $Si_{1-x-y}Ge_xC_y$ epitaxial layers.—74-06125A
Hertzian stress field and formation of cone cracks: I, Theoretical approach.—74-11014A
Hertzian stress field and formation of cone cracks: II, Determination of fracture toughness.—74-11015A
Influence of coherency stress on kinetic demixing.—74-10413A
Influence of frictional heating on interfacial shear and residual stresses in fiber-reinforced ceramic matrix composites.—74-11026A
Influence of internal stresses on crystallization of intergranular phases in ceramics.—74-10000A
Influence of stresses on properties of ferroelectric $BaTiO_3$ thin films.—74-00755A
Innovative approach to joining metals to ceramics.—74-08216A
Interaction and propagation of random microcracks in compression.—74-07896A
Internal stresses and the martensite start temperature [M_s] in alumina-zirconia composites: effects of composition and microstructure.—74-05171A
Internal stresses in CVD diamond layers.—74-04339A
Internal thermal stresses in anisotropic polycrystalline ceramics.—74-07898A
J-integral technique for experimental evaluation of the crack bridging stress-crack opening displacement function for bridged cracks.—74-10942A
Macro- and microstress in plasma-spray coatings and its stress versus strain behavior.—74-11037A
Measurement and evaluation of internal stresses in ceramic materials and components.—74-02013A
Measurement of indentation residual stresses in materials susceptible to slow crack growth.—74-02165A
Mechanical stress of CVD-dielectrics.—74-00508A
Mechanical stress relaxation in ion-implanted SOS structures.—74-06200A
Mechanism of formation of a disturbed layer in *p*-CdTe under the action of ns laser pulses.—74-00654A
Modeling of temperature gradients and stress-strain distributions during the plasma spraying process.—74-01807A
Modern photoelasticity for stress measurement in glass containers.—74-00269A
Monitoring a residual stress generation during thermal spraying by curvature measurements.—74-09584A
Notch sensitivity and stress redistribution in three ceramic matrix composites.—74-07905A
Observation and analysis technique of edge stress of thermally tempered plate glass.—74-08381A
Porosity dependence of the fracture strength of ceramics.—74-07714A
Prediction and reduction of residual stresses in glass: I, Analysis of residual stress in glass by instant freezing method.—74-08388A
Processing of laminated barium titanate structures for stress-sensing applications.—74-09013A
R-curve behavior of Al_2O_3 under transient thermal stresses.—74-02098A
Redistribution of internal stresses in composite materials during creep.—74-11068A
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: I, Theory.—74-11070A
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: II, Experimental studies on unidirectional materials.—74-11071A
Reliability analysis for ceramic components: numerical evaluation of stresses or testing of components.—74-02191A

Residual micro- and macrostresses in the plasma-sprayed zirconia-based TBC's.—74-07910A
Residual stress evaluations of thermal-spray coatings by a modified layer removal method.—74-11075A
Residual stresses in silicon carbide-zircon composites from thermal expansion measurements and fiber pushout tests.—74-05387A
Science and technology of composite materials—thermal stress and thermal shock resistance.—74-11086A
Software system for analyzing stresses in axially symmetrical bottles.—74-09617A
Strength and lifetime distributions of ceramic parts under multiaxial loading.—74-02205A
Stress relaxation of silicon nitride at elevated temperatures.—74-11100A
Stress relief behavior of diamondlike carbon films on glasses.—74-01894A
Stress-induced phase transformation in single-crystal titanium carbide.—74-07118A
Stress-induced void formation in metallization for integrated circuits.—74-06327A
Stress-oxidation tests in SiC_f/SiC composites.—74-10939A
Stresses and adhesion of thin polycrystalline 3C-SiC films grown by CVD on silicon substrates.—74-09049A
Stresses in diamondlike carbon films.—74-05259A
Study on the honing of zirconia ceramics by diamond abrasive sticks.—74-06728A
Successfully drying sanitary ware: important considerations.—74-08704A
Surface cracking in layers under biaxial, residual compressive stress.—74-11102A
Theory of thermal stresses in a thin film on a ceramic substrate.—74-04444A
Thermal stresses in ceramic-metal joints with an interlayer.—74-02401A
Thickness-dependent stress in sputtered carbon films.—74-04453A
Tribology of silicon-based ceramics.—74-02215A
Using creep and recovery to study flow behavior of fresh cement paste.—74-01925A

strontium barium niobate,
Optical associative memory with "Cat" self-pumped phase conjugator.—74-03136A
Processing effects on the microstructure of sol-gel-derived SBN thin films.—74-10586A

strontium oxide,
Compatibility relations in the $BiO_{1.5}$-SrO-CaO-CuO system at 800°C.—74-07047A
Dual beam atomic absorption spectroscopy for controlling thin-film deposition rates.—74-03797A
Improvement of mechanical properties of zirconia-toughened alumina in presence of $SrAl_{12}O_{19}$.—74-07890A
Phase equilibria in the system As_2O_5-SrO.—74-04180A
Preparation and magnetic properties of ultrafine $SrFe_{12}O_{19}$ particles derived from a metal citrate complex.—74-07422A
Process for producing granulated strontium carbonate with a strontium-containing binder.—74-01210P
Solid solutions within selected SrO-$LnO_{1.5}$-TiO_2 systems.—74-04210A
Structure of reaction zones on solid-phase interaction between complex oxides containing SrO.—74-01467A
Superconductivity in the system Ln-Sr-Nb-O (Ln=La, Nd, Gd, Dy, Tm, Lu).—74-00855A
Thermodynamic stabilities of $SrCeO_3$ and $BaCeO_3$ using molten salt method and galvanic cells.—74-01483A
Thermophysical and thermochemical properties of BaO and SrO from 5 to 1000 K.—74-04963A

strontium titanate,
Advances in precursor development for CVD of barium-containing materials.—74-05918A
Analysis of grain boundary oxidation in (Ba, Sr)TiO_3-based PTCR ceramics by μ-AES and DV-Xα energy simulation.—74-10906A
Apparatus and method for making aligned high-T_c tape superconductors.—74-03622P
Atomic scale structure and chemistry of interfaces by Z-contrast imaging and electron energy loss spectroscopy in the stem.—74-10758A
Computer simulation studies of strontium titanate.—74-04995A
Conduction mechanism of $SrTiO_3$ thin films by rf sputtering.—74-08735A
Dependence of the intrinsic conductivity minimum of $SrTiO_3$ ceramics on the sintering atmosphere.—74-08737A
Deposition of $YBa_2Cu_3O_{7-\delta}$ thin films by channel-spark pulsed electron beam ablation.—74-03440A
Effect of annealing on the stoichiometry of $SrTiO_3$(001).—74-04567A
Effect of oxygen pressure on the orientation of $YBa_2Cu_3O_{7-\delta}$/$SrTiO_3$ films deposited on (1102)Al_2O_3 substrates.—74-01688A
Effect of variations in stoichiometry on the surface structure of $SrTiO_3$(001).—74-10795A
Electric and kinetic properties of screen-printed strontium titanate films at high temperatures.—74-07159A
Electrical and dielectric characteristics of $SrTiO_3$ thin films grown by PE-MOCVD technique.—74-06405A
End-point detection by sputtered neutral mass spectrometry in ion milling of prepatterned semiconductor and high-T_c superconductor films.—74-06766A
Epitaxial growth of $Ba_{1-x}Sr_xTiO_3$ thin films on $YBa_2Cu_3O_{7-x}$ electrode by PE-MOCVD.—74-07301A
Epitaxial relationships and electrical properties of $SrTiO_3$ films on various thin fluoride/Si structures.—74-10336A
Epitaxial relationships of the *a*-axis-oriented $YBa_2Cu_3O_{7-x}$ thin films on the $PrBa_2Cu_3O_{7-x}$ buffered $SrTiO_3$(100) by two-step PLD.—74-09266A
Fabrication and properties of multilayer $Sr_{0.7}Ba_{0.3}TiO_2$ ceramic varistors.—74-06095A
Intercrystalline semiconductive ceramic capacitor.—74-08798P
Interdiffusion and Kirkendall effect in doped barium titanate-strontium titanate diffusion couples.—74-05023A
Investigation of low-temperature-fired strontium titanate multilayer grain-boundary layer capacitors [MBLC's].—74-02844A
Low-temperature RHEED: a study of $SrTiO_3$ surface (100).—74-03319A
Manufacturing and properties of thin barium and strontium titanate films.—74-06422A
MBE growth and optical quality of $BaTiO_3$ and $SrTiO_3$ thin films on MgO.—74-10443A
MOCVD growth of epitaxial $SrTiO_3$ thin films on $YBa_2Cu_3O_{7-\delta}$/$LaAlO_3$.—74-07385A
Multilayer epitaxial ferroelectric ($SrTiO_3$/$PbTiO_3$) thin films prepared by the sol-gel technique.—74-09158A
Nonlinear conduction mechanism in perovskite-type ceramics.—74-08970A
Oriented $SrTiO_3$ film growth under HF magnetron sputtering.—74-04797A
Photoemission and Bremsstrahlung isochromat spectroscopy studies of TiO_2 (rutile) and $SrTiO_3$.—74-03333A
Preparation of $Ba_{1-x}Sr_xTiO_3$ thin films by metallorganic chemical vapor deposition and their properties.—74-06431A
Preparation, superconductivity, and microstructure of heteroepitaxial $YBa_2Cu_3O_7$/$SrTiO_3$(STO)/$YBa_2Cu_3O_7$ trilayer thin films grown on Y-stabilized ZrO_2(YSZ) substrate.—74-09325A
Preparation, superconductivity, microstructure of heteroepitaxial $YBa_2Cu_3O_7$/$SrTiO_3$ (STO)/$YBa_2Cu_3O_7$ trilayer thin films grown on Y-stabilized ZrO_2 (YSZ) substrate.—74-09326A
Pulsed laser deposition of strontium titanate thin films for dynamic random access memory applications.—74-05953A
Reaction mechanism and kinetics of $SrTiO_3$ crystal grown in molten alkali metal chloride medium.—74-07457A
Study of anomalous dichroism and birefringence in [pure and doped] $SrTiO_3$ crystals.—74-06439A
Superconducting multiturn coils of YBCO-$SrTiO_3$-YBCO films.—74-03594A
Synthesis of the carrier-doped infinite-layer films by rf thermal plasma evaporation.—74-09352A
TEM study of microstructures of ultrathin $YBa_2Cu_3O_7$ films on $SrTiO_3$(100) and MgO(100).—74-03603A
Temperature correlation of peculiarities of the impedance of a $YBa_2Cu_3O_x$ film and an $SrTiO_3$ substrate.—74-03604A
Titanate ceramics from wet chemically prepared powders.—74-10703A
Zero-field splitting for Fe^{3+} in the tetragonal phase of $SrTiO_3$ crystal.—74-04241A

strontium,
Acoustic effects on catalytic activities of Cu and Pd thin films combined with piezoelectric lead strontium zirconium titanate activated by low-frequency voltage.—74-03282A
Aligned bismuth, strontium, calcium cuprate coatings on polycrystalline substrates—74-00861P
Anisotropic penetration depth in $La_{2-x}Sr_xCuO_4$.—74-04250A
Anomalies of the electrical resistivity and the thermoelectric power around 600 K in a small *x* region of $La_{2-x}Sr_xCuO_4$.—74-09237A
Anomalous behavior of Hall coefficient and thermoelectric power of $YBa_2Cu_3O_{6+x}$ and $La_{2-x}Sr_xCuO_4$ above room temperature.—74-00784A
Anomalous temperature dependence of the Hall coefficient in $La_{2-x}Sr_xCuO_4$ above room temperature.—74-01496A
Bi-Sr-Ca-Cu-O superconducting thin film—74-00862P
Bismuth system oxide superconductors and preparation thereof.—74-03624P
Ceramic solid electrolyte-based electrochemical oxygen concentrator cell.—74-08781P
Ceramic superconductor and method of preparing the same.—74-09361P
Comparative study of hypersonic dynamics in CaF_2 and SrF_2 films on Si(111).—74-00110A
Critical buckling for the disappearance of superconductivity in $La_{2-x}Sr_xCuO_4$.—74-06505A
Cu NMR and NQR studies of high-T_c superconductor $La_{2-x}Sr_xCuO_4$.—74-03437A
Determination of ion transport percolation threshold in $Sr_{1-x}La_xF_{2+x}$.—74-05003A
Dielectric behavior as a function of temperature and structure of the complex perovskites, $Ba_xSr_{1-x}(Mg_{0.33}Ta_{0.66})O_3$, and $Ba_xSr_{1-x}(In_{0.5}Nb_{0.5})O_3$.—74-02828A
Effects of La_2O_3 on sintering and transport properties of $SrZrO_3$-based photonic conductors.—74-02831A
Electrical properties of radio frequency magnetron sputtered (BaSr)TiO_3 thin films on indium-tin-oxide-coated glass substrate.—74-00607A
Epitaxial thin films and heterostructures of various isotropic metallic oxides for device applications.—74-09134A
EPR of $SrWO_4$-Er^{3+} at hyper-frequency range.—74-03804A
Ferroelectric domain gratings in $Sr_{0.75}Ba_{0.25}Nb_2O_6$ induced by photorefractive space charge fields.—74-06409A
Formation of infinite-layered $(Ca_{1-x}Sr_x)CuO_2$ and $NaCuO_2$-type $(Ca_{1-y}Na_y)_{0.85}CuO_2$ in tartrate route.—74-03467A
Growth mechanism of $Bi_2Sr_2CuO_6$ films deposited on sequentially imposed layer.—74-09278A
Growth of (001)-oriented SBN thin films by solid-source MOCVD.—74-07329A
High field magnetic fluctuations in LaSrCuO.—74-04331A
High gain two wave mixing in a CeSBN photorefractive crystal-large modulation effect and dynamic properties.—74-06137A
High oxygen pressure treatment and XPS study for $La_{2-x}Sr_xCuO_4$.—74-03481A
High-temperature superconductivity of new oxide superconductors Tl-Sr-V-Cu-O.—74-03484A
Insulating composition.—74-02883P
Interplane charge dynamics in $La_{1-x}Sr_xCuO_4$.—74-03503A
Investigation of the superconducting gap in $La_{2-x}Sr_xCuO_4$ by Raman spectroscopy.—74-09293A
Magnetic particles for perpendicular magnetic recording.—74-03410P
Microwave absorption in non- and hydrogenated $La_{1.85}Sr_{0.15}CuO_4$.—74-03531A
NMR, neutron scattering, and the one-band-model of $La_{2-x}Sr_xCuO_4$.—74-05203A
Observation of a saddle-point singularity in $Bi_2(Sr_{0.97}Pr_{0.03})_2CuO_{6+\delta}$ and its implications for normal and superconducting state properties.—74-09313A
Observation of a spin gap in $SrCu_2O_3$ comprising spin-1/2-quasi-1-D two-leg ladders.—74-10127A
Phase relations in the system SrO-CuO-Nb_2O_5 in the region with large content of strontium oxide.—74-04189A
Photoassisted generation of ferroelectric domain gratings in SBN.—74-03332A
Preparation and composition of superconducting copper oxides based on Ga-O layers.—74-03655P
Preparation of multication α-SiAlON containing strontium.—74-04826A
Preparation of strontium ferrite particles by spray pyrolysis.—74-09217A
Pressure dependence of the magnetic transition temperature for ferromagnetic $SrRuO_3$.—74-03400A
Process for forming ceramic pixel array and pixel array formed thereby.—74-09536P
Process for molding a high-temperature superconductor.—74-09386P
Process for producing a high-temperature superconductor and also shaped bodies composed thereof.—74-09388P
Process for producing tubular molded parts of high-temperature superconductor material.—74-03658P
Pulsed laser deposition of PZT/$La_{0.5}Sr_{0.5}CoO_3$ heterostructure for integrated ferroelectric devices.—74-06432A
Raman scattering of ferroelectric soft mode in $Sr_2Ta_2O_7$.—74-00764A
Room-temperature preparation of highly crystallized luminescent $SrWO_4$ films by an electrochemical method.—74-10613A
Scaling of the temperature-dependent Hall effect in $La_{2-x}Sr_xCuO_4$.—74-04415A
Single crystalline fibrous superconductive composition and process for preparing the same.—74-03662P
Soft mode phase transition of $SrBi_2Nb_2O_9$.—74-03575A
Spectroscopic study of the structure of ZrF_4-SrF_2-MF_3 glasses and crystals.—74-00220A
Spin fluctuations in frustrated Kgome lattice system $SrCr_8Ga_4O_{19}$ studied by muon spin relaxation.—74-10157A
Strontium.—74-06931A
Studies of the low temperature electronic states of $La_{2-x}Sr_xCuO_4$ measured by means of the Cu site substitution effects in the specific heat.—74-09341A
Subsolidus phase diagram for the Bi_2O_3-SrO-CaO-CuO system.—74-07126A
Synthesis and properties of solid solutions of $La_{1.9}Sr_{1.1-x}Ba_xCu_2O_{5.95+\delta}$ [0≤x≤0.1].—74-00856A
Synthesis of (Nb, Sr)-doped PZT by partial oxalate method.—74-04937A
Synthesis of cubic boron nitride using Li_3BN_2, $Sr_3B_2N_4$, and $Ca_3B_2N_4$ as solvent-catalysts.—74-04940A
Synthesis of highly phase pure (Bi, Pb)-Sr-Ca-Cu-O superconductor.—74-03668P
T_{c-x} phase diagrams and infrared spectra due to axial charge-transfer modes in $La_{2-x}Sr_xCuO_4$: a composite-boson model.—74-01342A
Ultrasound attenuation in $Bi_2Sr_2CuO_4$ single crystal.—74-03613A
Use of silicotitanates for removing cesium and strontium from defense waste.—74-07009A
Vuv-photoemission study of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals and their surface degradation.—74-01486A

structural clay products,
Ceramic floor tiles made with wastes [of hydrocarbon processing].—74-05803A
Critical considerations regarding the restoration of sanitary sewers.—74-00358A
Influence of moisture content in ceramic building materials on thermal insulating behavior.—74-04336A
ITO technology—an alternative to conventional plant construction.—74-09678A
Possibilities of thermal analysis for the characterization of raw materials and clay bodies for structural ceramic products.—74-05823A
Quality control and assurance during construction, repair, and inspection of sewage channels and pipe lines.—74-02264A
Synchro-trench—the fully mechanical installation of sewer lines.—74-02278A
Thirteen theses regarding construction and operation of sewer systems.—74-02280A
Vitrification of secondary raw materials into ceramic building products.—74-03953A

structural materials,
Acoustic emission measurements in structural ceramics during mechanical and thermal loading.—74-01036A
Aging of ceramics under temperature gradient conditions.—74-10187A
Beams and lintels—the Hungaria Wienerberger Works at Koszeg.—74-02702A
Ceramic Microstructures—Property Control and Processing.—74-05434B
Ceramic Transactions, Volume 49: Manufacture of Ceramic Components.—74-07964B
Ceramic Transactions, Volume 50: Design for Manufacturability of Ceramic Components.—74-07967B
Concentration of the state of stress in notched beams.—74-07844A
Crack angle in unified theory of reinforced concrete.—74-05485A
Designing ceramic components for structural applications.—74-05806A

External prestressing in bridges—a state of art.—74-05522A
Failure mechanisms in advanced structural ceramics.—74-10994A
Fatigue in structural ceramics.—74-10997A
Feasibility of ceramic joining with high-energy electron beams.—74-08191A
Fractography of advanced structural ceramics: results from Topic No. 2 of the VAMAS round robin exercise.—74-11000A
Fracture Mechanics & Structural Concrete (Concrete Design & Construction Series).—74-05441B
Glass connecting elements and constructive glass applications.—74-02460A
Kinetics of carbon burning out under ceramic annealing.—74-05818A
Lifetime diagram of structural ceramic materials. DKG/DGM joint experiment.—74-02161A
Measurement and evaluation of internal stresses in ceramic materials and components.—74-02013A
Modern day applications of advanced ceramics.—74-01235A
Nondestructive testing of structural ceramics.—74-01089A
Nondestructive testing of surface defects in structural ceramics.—74-01090A
Nondestructive testing of volume defects in structural ceramics.—74-09594A
Process for making cellular silicon carbide.—74-09950P
Production-oriented nondestructive testing of structural ceramic components: vibration analysis.—74-09605A
Progress in structural applications of silicon nitride.—74-01300A
Properties of oxide structural ceramics made from mechanically milled powders.—74-02729A
Static and dynamic methods for measurement of elastic properties of structural ceramic materials.—74-01577A
Structural applications of ceramics.—74-02277A
Structural ceramic materials from FGD gypsum.—74-05591A
Structural vibration monitoring using the deflection of a hollow core optical fiber.—74-06821A
Study of the distortion in box-girder bridges by means of the scaler and vector potentials of the displacement.—74-05594A
Surveys in the trends of standardization on ceramics in Japan.—74-09622A
Thermophysics in development and use of structural ceramic materials.—74-01118A
U.S. ceramics markets to grow modestly while foreign takeover of U.S. companies continues.—74-02281A
Viability study of using clinker portland as raw material in structural ceramics manufacture.—74-06940A

structure,

Amorphous nitrogenated carbon films—structural modifications induced by thermal annealing.—74-07200A
Apatite channels and zeolite-like properties.—74-09757A
Atomic scale structure and chemistry of interfaces by Z-contrast imaging and electron energy loss spectroscopy in the stem.—74-10758A
Atomic structure of Bi on the Si(111) surface.—74-07596A
Atomic structure of heterophase interfaces.—74-08130A
Atomic structure of ultrahigh modulus carbon fibers.—74-05075A
Biological and synthetic apatites.—74-09762A
Calculation of electron structure of talc by semiempirical methods of quantum chemistry.—74-07599A
Ceramic membrane filters.—74-10064A
Ceramic separation film and its applications.—74-06959A
Certain approach of predicting new compounds with structure of indium-antimonite-type.—74-07042A
Certain regulations of phase formation and structure evolution during hot-pressing of ultrafine powders.—74-04497A
Characteristic Zeeman patterns in novel graded gap II-VI quantum well structures.—74-05083A
Characteristics and structural evolution of low-silica calcium aluminate glasses.—74-08325A
Characterization of hydrogen and oxygen atoms in SiN films produced by plasma-enhanced reactive sputtering.—74-07605A
Characterization of polymeric structure of aluminosilicate complex in sol-gel solution.—74-05087A
Characterization of structure and defects in textured diamond films by ion channelling.—74-05090A
Characterization of the interface in boron-doped, oxidation-resistant Nicalon-reinforced glass-ceramic matrix composites.—74-08142A
Cluster model of the structure in shaped powdered materials.—74-04516A
Comparison between the Raman modes of the tetrahedral network in amorphous and layered crystalline $GeSe_2$.—74-08328A
Component distribution features in $La_{1-x}Sr_xF_{3-x}$ solid solution crystals due to development of cellular structure (vertical oriented crystallization).—74-04108A
Composition, structure, and properties of glasses for ion exchange in a salt melt.—74-00186A
Compositional trend of the blue shift of the gap in Ge_xS_{100-x} thin amorphous films induced by annealing and illumination.—74-00583A
Computer experiments on amorphization of the superstructure of Cu_3Au by disclinations.—74-01358A
Control of thin-film processing behavior through precursor structural modifications.—74-10243A
Correlation of structure and optical properties of an annealed hydrogenated amorphous silicon-carbon alloy film.—74-07618A
Crack deflection at structured interlayers.—74-10953A
Crack resistance behavior of Al_2O_3 ceramics with a bimodal structure.—74-02110A
Dependence of crystallization behavior of sodium diborate ($Na_2O{\cdot}2B_2O_3$) on its glass structure and the characteristics of phase transformation.—74-02444A
Derivation of interatomic potentials for microporous aluminophosphates from the structure and properties of berlinite.—74-10786A
Designing structural defects to relieve thermal stress.—74-08159A
Detailed atomic structure of tetrahedral amorphous carbon.—74-05111A
Determination of structural characteristics of porous glasses by the method of Mossbauer spectroscopy.—74-05113A
Determination of the ionization energy of a deep acceptor level in the p^0 of a GaAs-based *p-i-n* structure.—74-02963A
Diffuse-ion swarm near smectite particles suspended in 1:1 electrolyte solutions: modified Gouy-Chapman theory and quasi-crystal formation.—74-08533A
Direct observation of channel structures in zeolite Y and A with a slow-scan, charge-coupled-device [CCD] camera.—74-05116A
Domain structure in ferroelastic plate with oblique cut.—74-06401A
Effect of a magnetic field on the characteristics of a ZnS:Mn-based thin-film electroluminescent structure with an intrinsic memory.—74-04281A
Effect of Ag concentration on the structure and acoustic properties of the HTS composite $YBa_2Cu_3O_x$-Ag.—74-03446A
Effect of chloride on the structure of fluoroaluminate glasses studied by XPS.—74-08331A
Effect of lead loss and sheath structure on phase formation and alignment in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$/Ag composite conductors.—74-09255A
Effect of oxygen content in $YBa_2Cu_3O_{7-\delta}$ ceramics on kinetics of its thermal evolution.—74-06520A
Effect of structural relaxation on the hysteresis of magnetically soft amorphous melts.—74-02534A
Effects of ion bombarding energy on the structure and properties of TiN films synthesized by dual ion beam sputtering.—74-10310A
Electrical and structural characterization of GaAs vertical sidewall epilayers grown by atomic layer epitaxy.—74-06064A
Epitaxial dielectric planarization for multilayer HTSC structures.—74-09265A
Evolution of the structure of nanometric SiC laser-formed powders.—74-04625A
Evolution of the structure of ultrafine SiC laser-formed powders with synthesis conditions.—74-09993A
EXAFS studies on Pr-doped YBCO.—74-06538A
Experimental and simulation studies of the interfacial zone in concrete.—74-05521A
Experimental study of the fracture toughness of a ceramic/ceramic matrix composite sandwich structure.—74-07874A
Fabrication of nanometer-scale structures using atomic force microscope with conducting probe.—74-04629A
Factors influencing mechanical properties of silicate fibers.—74-07648A
Features in the structure of surface layers of silicate glass modified with hydrocarbon vapor.—74-02454A
Fiber-matrix interphase development in carbon-carbon composites.—74-10806A
Fine structure of magnetic frustration field.—74-06549A
Formation behavior of new amorphous and composite materials in detonation gun and plasma spraying.—74-10807A
Fused cast AZS adapted for superstructure applications in today's glass furnaces.—74-08619A
Glass formation and structure of tantalum borate system.—74-05679A
Grain boundary barrier height in polycrystal diamond films produced by dc plasma deposition of CO_2 and hydrogen.—74-07653A
Growth mechanisms of silica glasses using the liquid phase deposition.—74-02635A
Gyrotropic properties of superlattices with magnetic structure in long-wave approximation.—74-04146A
High-temperature relaxation spectra of borate glasses.—74-02636A
Hydrogen-free amorphous carbon preparation and properties.—74-04684A
In situ processing of silicon carbide layer structures.—74-10406A
In situ TEM observation of radiation induced amorphization of crystals with apatite structure.—74-10820A
Incommensurately modulated polar structures in antiferroelectric Sn-modified lead zirconate titanate: the modulated structure and its influences on electrically induced polarizations and strains.—74-06416A
Influence of the presence of NaF on the crystallization of zeolite A(LTA)—first evidence for the existence of fluorosodalite, the missing end-member of the halosodalite series.—74-10421A
Interfaces between alumina and platinum: structure, bonding, and fracture resistance.—74-08219A
Ion- and laser-induced modification of optical and structural properties of *i*-carbon films.—74-10110A
Lithium borosulfate glasses: an analysis of glass transition temperature results.—74-05685A
Magnetic and structural properties of pulsed laser deposited epitaxial MnZn ferrite films.—74-09203A
Magnetic structure in Fe_2P compounds.—74-06463A
Materials Science Monographs 80: Structure and Properties of Ceramics.—74-07973B
Mechanical model for two-dimensional coarsening foams.—74-07679A
Modification of structural and transport properties in epitaxial $YBa_2Cu_3O_x$ films by pulsed laser irradiation.—74-09309A
Modulated structure of the superconducting crystal $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-03534A
Molecular orbital model of gel-silica ir spectra.—74-10846A
Monte Carlo modeling of the structure of quartz glass.—74-02473A
Monte Carlo simulation of electron-beam exposure distributions in the resist on structures with high-T_c superconducting thin films.—74-06592A
Morphology and orientation of nanocrystalline AlN thin films.—74-07701A
Nanostructural investigation of silica aerogels.—74-07704A
Nanostructuring of porous silicon using scanning tunneling microscopy.—74-06793A
$NaSbOSiO_4$—a new silicate with the structure of $KTiOPO_4$.—74-01412A
Nature of the unusual properties of Gd_2CuO_4.—74-04372A
Network structure of RO-$2B_2O_3$ glasses.—74-02474A
New developments in ceramic material research.—74-11182A
Nonlinear behavior model for SiC/SiC composites.—74-11061A
Observation of modulated structure in Bi-2201 single crystal by X-ray diffraction.—74-05209A
Observation of modulation structure in $Bi_{2+x}Sr_{2-y}CuO_y$ crystals by X-ray precession method.—74-09314A
Observation of very high peak-to-valley current ratio in amorphous Si/SiC double barrier structure with barrier enhancement layer.—74-08978A
Octacalcium phosphate carboxylates: V, Incorporation of excess succinate and ammonium ions in the octacalcium phosphate succinate structure.—74-09793A
Oxygen order, structure, and superconductivity in $YBa_2Cu_3O_{7-\delta}$ films during in situ formation.—74-06607A
^{31}P MAS and ^{11}B NMR study of sodium-rich borophosphate glasses.—74-05661A
Phase and chemical changes in sintering partially stabilized zirconia.—74-04176A
Phase composition and structure of specimens in the ZrO_2-CaO system after aging.—74-04803A
Phase decomposition and structure of glasses of the TiO_2-B_2O_3 system.—74-02033A
Photoelectric properties of In/*p*-$CuGaS_2$ surface barrier structures.—74-08995A
Photoinduced displacement of the space-charge region in GaAs *p-i-n* structures.—74-08996A
Photoresponse of InSb-based *p-n* structures during illumination by a CO_2 laser.—74-08997A
Pore structure of carbon-carbon composites studied by small angle X-ray scattering.—74-07713A
Possibilities of formation of double oxides of uranium and molybdenum with structure derived from ß-UMo_2O_8.—74-00886A
Possibility of regulating the structure of a ß-solid solution in the system PbO-Bi_2O_3.—74-01442A
Powder and fiber theory, preparation technology, and properties.—74-01841A
Precursor gas effect on the structure and properties of diamondlike carbon films.—74-07715A
Processing of laminated barium titanate structures for stress-sensing applications.—74-09013A
Quantitative Raman investigations of the structure of glasses in the system B_2O_3-PbO.—74-05692A
Quantum engineering of II-IV semiconductor structures[—review].—74-06280A
Quasi-ballistic instability in InP structures.—74-03190A
Quasi-periodic features in the atomic structure of long-period grain boundaries.—74-01955A
Raman spectroscopy of barium titanate thin films.—74-10871A
Reactivity of silicon carbide and carbon with oxygen in thermostructural composites.—74-04203A
Realization of three-dimensionally confined structures via one-step in situ molecular beam epitaxy on appropriately patterned GaAs(111)B and GaAs(001).—74-05230A
Recent advance of brick-firing annular kilns in China.—74-06871A
Recent trends of carbon fiber technology from mesophase pitch: I, The new methods for high performance and improved properties.—74-10608A
Refractory concretes of a new generation: relationship between their composition, structure, and properties.—74-02778A
Relations among structural parameters in various carbons.—74-05236A
Relations between structure and texture in nanosized aluminas.—74-07187A
Relationship between the anomalous photovoltage of GaAs films and their structure.—74-03201A
Relationships between the structure and the surface activity of nanosized alumina in acid catalysis.—74-10875A
Review of the structural relationships of the kaolin minerals.—74-05828A
Rietveld refinement of several structural models for mordenite that account for differences in the X-ray powder pattern.—74-10878A
Role of mechanochemical activation in the evolution of the structure and properties of reaction-bonded ceramics based on mullite and zirconium dioxide.—74-03972A
Role of structural factors in improving the corrosion resistance of refractories.—74-02783A
Scanning tunneling microscope and atomic force microscope study of epitaxially grown palladium crystallites on graphite.—74-07733A
Scanning tunneling microscopy analysis of a glassy carbon heat-treated at 2500°C.—74-07736A
Scanning tunneling microscopy and spectroscopy of MoS_2 thin films prepared by an intercalation-exfoliation method.—74-07737A
Secondary ion mass spectrometry analysis of a three-level metal structure using sample rotation.—74-05243A
Semiempirical line shape model of GaAs MQW structures.—74-09034A
Sharp-line photoluminescence and two-photon absorption of zero-dimensional biexcitons in a GaAs/AlGaAs structure.—74-06309A

^{29}Si solid-state NMR study of the surface structure of aerosil silica.—74-10751A
^{29}Si and ^{27}Al MAS-NMR study of stratlingite.—74-07032A
Ag on Si(001)-(2×*1*) *formation on a 2×3 superstructure.*—74-07588A
Simultaneous loading system to evaluate the structural reliability of brittle materials.—74-06816A
Single crystal structure of C_{60}.—74-04209A
Single-phase mullite gels doped with chromium.—74-10029A
Sintering of ultrafine diamond particles under high temperature and high pressure.—74-05246A
Sol-gel processing and structure development of lead titanate particles.—74-10639A
Spectroscopic investigation of the structure of glasses and crystals in the system ZrF_4-SrF_2-MF_3.—74-00218A
Spectroscopic study of the structure of ZrF_4-SrF_2-MF_3 glasses and crystals.—74-00220A
Spontaneous emission from BeO and fluctuational rearrangement of structure: I, Single crystals.—74-05251A
Stability and reconstruction of diamond (100) and (111) surfaces.—74-05253A
Structural analysis and space model of the glassy alloy $Cu_{0.1}As_{0.45}Te_{0.374}$ by X-ray diffraction.—74-00223A
Structural analysis of the human tooth enamel by transmission electron microscopy.—74-09802A
Structural and electrical characteristics of ferroelectric PLZT thin film prepared on Pt substrate by sol-gel route.—74-09180A
Structural and electrical properties of PZT (La, K) ceramics.—74-00765A
Structural and optical aspects of sol-gel optical composites.—74-10886A
Structural and superconducting properties of $Y_{1-x}Tb_xBa_2Cu_3O_{7-\delta}$.—74-06633A
Structural change of rapidly quenched binary tellurite glasses with composition and temperature.—74-05697A
Structural changes and T_c variation of superconductor $(Bi,Pb)_2Sr_2(R,Ce)_2Cu_2O_{10+x}$ intercalated with iodine.—74-03578A
Structural changes in fluorophosphate glasses upon use of silicofluorides as components.—74-02490A
Structural changes in fluorophosphate glasses with silicon fluoride components.—74-02491A
Structural characteristics of chalcogenide glasses.—74-00224A
Structural characterization and high-temperature behavior of silicon oxycarbide glasses prepared from sol-gel precursors containing Si–H bonds.—74-02493A
Structural characterization of a CuO/MgO artificially supersaturated film by the γ-ray diffraction method.—74-10031A
Structural characterization of amorphous silicon nitride by molecular dynamics simulation.—74-04216A
Structural characterization of incommensurate misfit layer compound $(LaS)_xVS_2$ (x=1.18).—74-10887A
Structural characterization of plasma-doped silicon by high-resolution X-ray diffraction.—74-05263A
Structural development in silica systems.—74-10888A
Structural hypotheses and Raman spectroscopy investigations of glasses belonging to the B_2S_3-Li_2S-LiI system.—74-00225A
Structural investigation of low-energy ion-beam-assisted diamondlike films.—74-10032A
Structural model of the immiscibility of glass-forming silicate melts.—74-00227A
Structural peculiarities of chalcogenide glasses.—74-00228A
Structural properties of highly mismatched InGaAs-based devices grown by molecular beam epitaxy on GaAs substrates.—74-03230A
Structural properties of liquid and amorphous GaAs by tight-bending molecular dynamics.—74-09051A
Structural properties of the system Al_2O_3-Cr_2O_3.—74-01466A
Structural relationships among some BePO-, BeAsO-, and AlSiO-RHO frameworks.—74-05266A
Structural studies of ordering in the $(Pb_{1-x}Ba_x)(Mg_{1/3}Nb_{2/3})O_3$ crystalline solid solution series.—74-09182A
Structural systematics of cubic binary carbides and nitrides.—74-07122A
Structural transitions and proton conduction in nonstoichiometric $A_3B'B_2'O_9$ perovskite-type oxides.—74-10033A
Structural, optical, and electrical properties of pyrolytically deposited thin films of $CuInSe_2$.—74-09052A
Structural-property relationships in dielectrophoretically assembled $BaTiO_3$ nanocomposites.—74-05959A
Structure analysis of sol-gel-derived SiO_2 gels by neutron diffraction.—74-08351A
Structure and kinetics study of MOCVD lead oxide (PbO) from lead bis-tetramethylheptadionate (Pb(thd)-2).—74-07756A
Structure and magnetic properties of $(Sm_{1-x}Nd_x)_2Fe_{14}Ga_3C_2$ (x=0.05) compounds prepared by arc melting.—74-09223A
Structure and magnetic properties of epitaxial $NiFe_2O_4$ films.—74-09224A
Structure and pleochroism of $Bi_2Sr_2CaCu_2O_4$ superconducting crystal.—74-09339A
Structure and properties of Bi_2O_5-BaO-CuO glasses.—74-02497A
Structure and properties of ferroelectric $PbZr_{0.2}Ti_{0.8}O_3$/$YBa_2Cu_3O_7$ heterostructures.—74-03351A
Structure and properties of MD-simulated $Na_2O.SiO_2$ melt—comparison of the Born-Mayer-Huggins and Pauling interionic potentials.—74-05699A
Structure and properties of periclase ceramics doped with rare-earth oxides.—74-05270A
Structure and properties of polymer-derived stoichiometric SiC fiber.—74-10890A
Structure and some physical properties of SiO_2-Al_2O_3-CaO-ZnO glass.—74-02584A
Structure and stability of PF_n compounds (n=1–5) and their anions within density functional method.—74-07123A
Structure and thermal properties of some tellurite glasses.—74-08352A
Structure evolution in thermoplastic slips based on aluminum nitride.—74-04919A
Structure features of pyrolytic boron nitride.—74-05272A
Structure formation in silicate systems used industrially.—74-02356A
Structure of (Cd, Mg, Mn)Te solid solutions.—74-04219A
Structure of a glass polymer composite based on a matrix of high-silicon porous glass.—74-00318A
Structure of Al-Al and Al-Si_3N_4 interfaces bonded at room temperature by means of the surface activation method.—74-08277A
Structure of alkali silicate glasses based on small-angle X-ray scattering data.—74-02052A
Structure of alkali silicate glasses.—74-02499A
Structure of glasses of the system B_2O_3-GeO_2 investigated by Raman spectroscopy.—74-00231A
Structure of reaction zones on solid-phase interaction between complex oxides containing SrO.—74-01467A
Structure of silicon and aluminum films.—74-10891A
Structure of silicon carbide powders produced in interaction of silica with carbon black.—74-05275A
Structure of the modified surface layer formed by ion bombardment of SiO_2 films.—74-05276A
Structure of vitreous silica.—74-02357A
Structure of zirconia prepared by homogeneous precipitation.—74-10035A
Structure refinement of large-pore aluminophosphate molecular sieve, H1, by Rietveld methods.—74-10892A
Structure–optical property correlation of epitaxial potassium niobate thin films deposited on magnesium oxide(100) substrates using a strontium titanate transition layer.—74-06438A
Study of unshared pairs of the Te atom in paratellurite glass. Nonempirical computation of the TeO_2 molecule.—74-04223A
Study on high-T_c superconductivity and lattice mismatch.—74-09342A
Studying structure of silver halogenide fiber lightguides using various techniques.—74-03876A
Substrate effects on the structure and optical properties of epitaxial $PbTiO_3$ thin films prepared by metallorganic chemical vapor deposition.—74-10895A
Superconducting and nonsuperconducting (up to 4.2 K) phases MA'A"$_2Cu_2O_z$ with perovskite-like structure.—74-04225A
Superconducting and structural properties of $Nd_{2-x}33Ce_xCuO_{4-y}$ thin films on perovskite and fluorite substrates.—74-09346A
Surface morphology and structure of carbon-carbon composites in high-energy sliding contact.—74-09896A
Surface Phases on Silicon: Preparation, Structures, and Properties.—74-07975B
Surface structure of $YBa_2Cu_3O_{7-x}$ probed by reversed-biased scanning tunneling microscopy.—74-06642A
Synthesis and structure of bulk $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$+10 wt% Ag_2O compound superconductors under 1 atm oxygen.—74-06644A
Synthesis, structure, and magnetic properties of some new metal (II) phosphonates—layered $Fe(C_2H_5PO_3)\cdot H_2O$, α-$Cu(C_2H_5PO_3)$, and $Co(t\text{-}C_4H_9PO_3)\cdot H_2O$, tubular ß-$Cu(CH_3PO_3)$.—74-09183A
Systems ANb_2O_6-ATa_2O_6, A=Ca, Sr, Ba.—74-01474A
TEM characteristics of structural changes in glass associated in Bragg grating inscription in a germanosilicate optical fiber preform.—74-08354A
Thermal modification of ceramic powders.—74-04959A
Thermal shock resistance of heterogeneous ceramics and refractories.—74-07929A
Thermal stability, strength, and structure of corundum ceramic.—74-05393A
Transition Metal Oxides.—74-11211B
Transverse acoustoelectric voltage in semiconductor-piezoelectric structure.—74-06448A
Turbostatic-hexagonal structure transition in hexagonal BN synthesis.—74-04973A
Ultrasonic real-time monitoring of cake structure during slip casting.—74-03885A
Update on copper oxide superconductors.—74-06662A
Valence-band electron structure in polycrystalline cubic boron nitride sintered in shock waves.—74-01485A
Vibrational spectra and structure of glasses based on ZnF_2-CdF_2.—74-05702A
Ways of obtaining self-organizing structures in hardening of cements.—74-02358A
X-ray diffraction study of the structure of B_2O_3-Cs_2O liquids.—74-04239A
X-ray structure investigation of monocrystals of gadolinium- and yttrium-scandium-gallium garnets doped with chromium and neodymium ions.—74-03408A
XPS, EPMA, and XRD analysis of hot-end coated glass containers.—74-00237A

substitution,
Change of electronic structure caused by local substitution of Al for Cu in $La_{1.85}Sr_{0.15}CuO_4$ material.—74-00787A
Effect of bismuth replacement at barium site in Y-Ba-Cu-O system.—74-09251A
Effect of fluorine substitution on superconductivity of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_x$.—74-09253A
Effect of partial substitution of manganese by rhenium on some electrical and magnetic properties of $La_{0.9}Na_{0.1}MnO_{3+\gamma}$ ceramics.—74-04285A
Effect of substitution at the barium site in $YBa_2Cu_3O_{7-\delta}$.—74-09259A
Issues in the replacement of lead-bearing solders.—74-01528A
New cuprates with (Bi, Cu)-O monolayers: (Bi, Cu)$Sr_2LnCeCu_2O_{9-\delta}$.—74-03537A
Phase structure and superconductivity in $Bi_{1.6}Pb_{0.4}Sr_2Ca_{2-x}(Nd_{0.75}Ce_{0.25})_xCu_3O_y$ system.—74-00833A
Relationship between isomorphic substitutions and the thermal degradation of bentonites.—74-07109A
Study on superconductivity of $Bi_{2.2}Sr_{1.8}Ca_{1.85}Cu_{2.15-x}Na_xO_{8+y}$.—74-03586A
Substitution of Cu sites in $YBa_2Cu_3O_z$ by Ni, Zn, and Ga.—74-03587A

substrates,
Alkoxy-derived Y_2O_3-stabilized ZrO thin films.—74-05919A
Aluminum nitride sintered body and method of preparing the same.—74-09902P
Anisotropic effects in glass substrates heated in vacuum.—74-00241A
Application of diamond substrates for advanced high-density packaging.—74-08722A
Atomic step organization in homoepitaxial growth on GaAs(111)B substrates.—74-05984A
Bonded ceramic-metal composite substrate, circuit board constructed therewith and methods for production thereof.—74-02407P
Ceramic plate (substrate) which is coated with metal at least on one side.—74-08302P
Ceramic substrate sintered at low temperatures—74-00542P
Ceramic substrate.—74-03265P
Ceramic substrates with highly conductive metal vias—74-00543P
Ceramic-ceramic composite prepregs and methods for their use and preparation.—74-09815P
Characterization of the strength and adhesion of diamond films on metallic substrates using a substrate plastic straining technique.—74-05324A
Conversion of fullerenes to diamond.—74-04043P
Crystallization of CVD carbon films on Si substrates.—74-07244A
Deposition of Pb(Zr,Ti)O_3 thin films by metallorganic chemical vapor deposition using ß-diketonate precursors at low temperatures.—74-04542A
Device for producing thin films of mixed metal oxides from organic metal compounds on a substrate—74-01015P
Diamond synthesis on a metal substrate.—74-08162A
Diffraction grating.—74-04050P
Effect of substrate temperature distribution on thermal plasma jet CVD of diamond.—74-04589A
Effect of substrate temperature on the properties of ZnO transparent conducting thin film prepared by the vapor spraying method.—74-10298A
Effects of substrate temperature and angular position on the properties of ion beam sputter deposited Fe films on (100)GaAs substrates.—74-02985A
Epitaxial Cu contacts on semiconducting diamond.—74-04617A
Factors affecting the temperature uniformity of semiconductor substrates in molecular beam epitaxy.—74-03016A
Flat ceramic heater having discrete heating zones.—74-08790P
Free standing diamond sheet and method and apparatus for making same—74-01319P
Glass substrates for hard disk or photomask and the process technology.—74-08427A
Glass-ceramic for magnetic disks and method for manufacturing the same.—74-08482P
Glasses for substrates intended for electronics and resultant products.—74-08793P
Growth methodologies and characterization of different polycrystalline diamond films on Ta substrates.—74-04665A
Hermetically sealed semiconductor ceramic package.—74-09086P
High frequency ceramic multilayer substrate.—74-08795P
High-T_c films on GGG substrates.—74-06555A
Highly oriented textured diamond film on Si substrate.—74-10815A
Influence of substrate chemistry on the adhesion of electrolessly deposited Ni(P) on metal-oxide-coated ceramics.—74-07353A
Influence of substrate on structural properties of TiO_2 thin films obtained via MOCVD.—74-04705A
Influences of substrate temperature on characteristic of in situ grown (Bi, Pb)$_2Sr_2CuO_x$ thin films.—74-09292A
Insulating substrate for mounting semiconductor devices.—74-08797P
Interaction of $YBa_2Cu_3O_{7-\delta}$ coatings with metallic substrates.—74-00819A
Magnetic properties of $CaNdAlO_4$ high-T_c substrates.—74-06577A
Materials on the edge turn tough.—74-04745A
Method for fabricating stacked layer Si_3N_4 for low leakage high capacitance films using rapid thermal nitridation.—74-03270P
Method for forming an electrode.—74-02887P
Method for forming diamond films by vapor phase synthesis.—74-04061P
Method for forming silicon on a glass substrate.—74-09090P
Method for producing multilayered ceramic substrate.—74-02889P
Method for the deposition of diamond on a substrate.—74-04064P
Method for the formation of a silicon oxide film.—74-03993P
Method for the formation of a silicon oxide film.—74-04065P
Method for the formation of silicon oxide films.—74-03994P
Method of fabricating a silicon carbide vertical MOSFET.—74-09094P
Method of forming thin films on substrates at low temperatures.—74-09531P
Method of making a silicon carbide junction field effect transistor device for high temperature applications.—74-09096P
Method of stacking ceramic green sheets.—74-03759P
Method to enhance critical temperature of thallium-based superconductors.—74-03651P

Methods for the formation of a silicon oxide film.—74-08491P
Molecular beam epitaxy of InAs and its interaction with a GaAs overlayer on vicinal GaAs(001) substrates.—74-06214A
Multilayer ceramic circuit board.—74-08809P
Multilayer ceramic packages—74-00554P
Nucleation on charged substrate.—74-04788A
Process for forming ceramic pixel array and pixel array formed thereby.—74-09536P
Process for manufacturing metallized ceramic substrates.—74-02897P
Processing of porous ceramic substrates.—74-04839A
Reflection high-energy electron diffraction intensity oscillations during molecular beam epitaxy on rotating substrates.—74-03199A
SiC power MOSFET device structure.—74-09099P
Simulation of electron-scattering properties of diamond membranes in X-ray mask fabrication.—74-04419A
Substrate for circuit board including the glass fibers as reinforcing material—74-00561P
Superconductor BSCCO thick films and chemical interaction with the polycrystalline substrates.—74-03598A
Surface preparation for diamond deposition on molybdenum substrates by secondary ion mass spectroscopy.—74-08280A
Synthesis of metal oxide thin films.—74-04005P
Theory of thermal stresses in a thin film on a ceramic substrate.—74-04444A
Thin film ceramic multilayer wiring hybrid board.—74-08816P
Triclinic deformation of pseudomorphous layers on substrates with disoriented slice.—74-05293A
Use of thin-film substrates to study enhanced solid-state phase formations.—74-04238A
$YBa_2HfO_{5.5}$: a new perovskite potentially suitable as a substrate for YBCO films.—74-06667A

sulfates,
Aggressive action of sulfates on loaded concrete.—74-00033A
Application of the free volume theory to sulfate-phosphate glasses and their melts.—74-02513A
Application of the free volume theory to sulfate-phosphate glasses.—74-02514A
Brillouin scattering study of transverse elastic constant anomaly of $TlInS_2$ during phase transition.—74-04257A
$CaO-Al_2O_3-CaSO_4-H_2O$ system.—74-05469A
Characterization of polycrystalline thin-film *n*-$Zn_{0.35}Cd_{0.65}$/*p*-$CuGa_{0.75}In_{0.25}Se_2$ heterojunctions.—74-00580A
Complete level diagram and wave functions of Mn^{2+} ($3d^5$) ions in trigonal $LiKSO_4$ field.—74-07613A
Conductivities and densities of Na_2SO_4-$NaVO_3$ melts.—74-00248A
Diffuse neutron scattering from cubic lithium sulfate at 908 K.—74-01369A
Effects of fly ash and silica fume on the resistance of mortar to sulfuric acid and sulfate attack.—74-05508A
Factors affecting synthesis of monosulfate in aqueous solution under atmospheric pressure.—74-07311A
Fly ash evaluation and selection for use in sulfate-resistant concrete.—74-03812A
Glass Problems Conference draws 550 to 54th Annual Meeting.—74-02464A
Growth of monoclinic ZrO_2 thin, flaky crystals by hydrothermal decomposition of zirconium oxide sulfate [ZOS] crystals.—74-07334A
High-energy (MeV) ion beam modifications of sputtered MoS_2 coatings on ceramics.—74-11017A
Hysteresis behavior of sound [wave] velocity in high-temperature incommensurate superionic phase of $LiKSO_4$ crystals.—74-03820A
Influence of sulfates on chloride binding in cements.—74-02334A
Ionic conduction in sulfates.—74-00501A
Lithium borosulfate glasses: an analysis of glass transition temperature results.—74-05685A
Magnesium sodium sulfate attack in plain and blended cements.—74-00074A
Mechanism of sulfate expansion: II, Validation of thermodynamic theory.—74-05551A
Phase transitions and structural distortions of crystal family akin to α-K_2SO_4.—74-04193A
^{29}Si MAS NMR study of dicalcium silicate: the structural influence of sulfate and alumina stabilizers.—74-10753A
Silicomanganese slag as colorant for silicate glasses based on sulfate and soda-sulfate mixtures with cullet.—74-02656A
Solubilities of Cr_2O_3 and SiO_2 in Na_2SO_4-K_2SO_4-$Fe_2(SO_4)_3$ at 963 K.—74-01459A
Sulfate attack on hardened cement paste.—74-05601A
Sulfur systematics in model glass compositions from West Valley.—74-09419A
Symmetry of high-pressure phases in $CsHSO_4$.—74-07129A
Velvet glove, iron fist.—74-04025A
What role does batch sulfate play in the production of float glass.—74-06878A
X-ray spectra and electronic structures of CuS and Cu_2S.—74-05298A

sulfides,
Ag_2Te/As_2S_3, a top-surface, high-contrast negative-tone resist for deep ultraviolet submicron lithography.—74-01611A
Alkaline batch chemical deposition of antimony(III) sulfide thin films.—74-01615A
Anticorrosion properties of glass enamel coatings in media containing hydrogen sulfide.—74-02362A
Applications of highly nonlinear chalcogenide glass fibers in ultrafast all-optical switches.—74-00286A
Biperiodic character of interference spectra of layered GeS [single] crystals.—74-02923A
Brass-rubber adhesive interphase investigated via depth profiling by using Auger electron spectroscopy.—74-05078A
Chemical interaction in glasses of GeS_2-Tl_2S and $GeSe_2$-Tl_2Se according to data of X-ray emission spectra.—74-00184A
Composition and growth of MoS_x sputtered films.—74-01648A
Compositional change of (0001)WS_2 surfaces induced by ion beam bombardment with energies between 100 and 1500 eV.—74-04524A
Compositional trend of the blue shift of the gap in Ge_xS_{100-x} thin amorphous films induced by annealing and illumination.—74-00583A
Crystallization and optical properties of gallium cerium lanthanum sulfide glass.—74-04121A
$CuInS_2$ with lamellar morphology: I, Efficient photoanodes in acidic polyiodide medium.—74-06021A
$CuInS_2$ with lamellar morphology: II, Photoelectrochemical behavior of heterogeneous material.—74-06022A
Electrical transport properties of incommensurate layer compounds $(RES)_xNbS_2$ (RE=rare-earth metals; x=1.2, 0.6).—74-04305A
Electron spectroscopic study of the growth, composition, and stability of GeS_x films prepared in ultrahigh vacuum.—74-01987A
Evaluation of ion-sputtered molybdenum disulfide bearings for spacecraft gimbals.—74-09869A
EXAFS studies of rare-earth-doped calcium sulfide thin films.—74-05140A
Excitonic resonance Raman scattering from optic phonons in $AgGaS_2$.—74-03809A
Exfoliation of MoS_2 catalysts—structural and catalytic changes.—74-06973A
Formation of calcium lanthanum sulfide [CLS] by carbonate coprecipitation and CS_2 sulfurization.—74-04645A
Ga- and/or In-containing AsGe sulfide glasses.—74-08477P
Group 12 thiolates—synthesis, characterization and decomposition pathways.—74-10372A
High-resolution transmission electron microscopy of layer structure and stacking faults in tungsten disulfide lubricants.—74-10812A
Hydrogen sulfide solid-oxide fuel cell using ceria-based electrolytes.—74-05940A
Improved tribological properties of sputtered MoS_2 films through N+ implantation.—74-04688A
Influence of neutron irradiation on ir absorption in glassy As_2S_3.—74-00639A
Interactions in the systems Pr_2O_2S-As_2S_3 and Nd_2O_3S-As_2S_3.—74-04153A
Intercalation of Li into single crystals of MoS_2.—74-10426A
Local structure of intercalants in layered compound $Cu_{0.15}Ti_{1.08}S_2$.—74-02010A
Low-field magnetization and ac magnetic susceptibility of spin and cluster glasses of itinerant magnet Fe_xTiS_2.—74-04345A
LPE on $Al_xGa_{1-x}As$ surfaces passivated by sulfide solutions.—74-03094A
Mechanism of formation of passivating sulfide coating on surface of A^3B^5 semiconductors.—74-03102A
Metal sulfide thin film photography using photoaccelerated chemical deposition of bismuth sulfide thin films.—74-01795A
Model of structural phase transition sequence in layered $TlInS_2$ crystal.—74-04165A
Nature and characteristics of radiative recombination centers in lanthanum sesquisulfide.—74-04370A
Nature of super-lubricating MoS_2 physical vapor deposition coatings.—74-04769A
New chemical approaches to synthesize titanium disulfide.—74-10492A
NiS: is there a problem.—74-00205A
One-step synthesis of dithiocarbamates from metal powders.—74-10504A
Optical absorption in $MnIn_2S_4$ single crystals.—74-08981A
Phase diagram of the system Pr_2S_3-Bi_2S_3.—74-01426A
Phase equilibria in the system Cu_2S-Dy_2S_3.—74-01428A
Phase equilibria in the system Sm-Ga-S.—74-04181A
Phase equilibria in the systems HgS-HgSe-$HgCl_2(Br_2)$.—74-04182A
Phase equilibria in the systems mercury-tin-sulfur (selenium).—74-01431A
Phase transformations in $Cr_{1-x}Fe_xS$ (x≈0.5).—74-07103A
Photoemission study of evaporated $CuInS_2$ thin films: I, Surface stoichiometry and phase segregation.—74-01559A
Photoemission study of evaporated $CuInS_2$ thin films: II, Electronic surface structure.—74-00520A
Photoinduced anisotropic phenomena in chalcogenide glasses: light scattering and spectral selectivity.—74-02479A
Physical properties of nanocrystalline MoS_2 and WS_2 particles produced by CO_2 laser pyrolysis.—74-10136A
Plasma-enhanced chemical vapor deposition of silicon sulfide and phosphorus sulfide thin films.—74-10532A
Preparation and characterization of group 14 element bis(thiolate) compounds and evaluation of their potential as molecular precursors in the low-temperature synthesis of binary metal sulfides.—74-10545A
Preparation and properties of sprayed antimony trisulfide films.—74-06274A
Processable, chemical routes to binary metal sulfides.—74-10580A
Promising advances in the elaboration of superconducting $PbMo_6S_8$-based wires.—74-06621A
Pulsed laser deposition of MoS_x films in a buffer gas atmosphere.—74-07453A
Random stacking in MoS_{2-x} sputtered thin films.—74-04199A
Role of electron-lattice interaction in layered transition metal dichalcogenide 2H-NbS_2: I, Phonon anomaly and superconductivity.—74-04412A
Role of electron-lattice interaction in layered transition metal dichalcogenide 2H-NbS_2: II, Transport phenomena.—74-04413A
Scanning tunneling microscopy and spectroscopy of MoS_2 thin films prepared by an intercalation-exfoliation method.—74-07737A
Scanning tunneling microscopy of charge density waves [CDWs] in $TaS_2$4Hb[-polytypes].—74-05239A
Solution growth of As_2S_3 thin films from a thioacetamide bath.—74-07487A
Structural and optoelectronic properties of chemically deposited Cu_xS thin film and the precipitate.—74-01581A
Structural hypotheses and Raman spectroscopy investigations of glasses belonging to the B_2S_3-Li_2S-LiI system.—74-00225A
Structure and composition of chemically deposited films of bismuth sulfide and copper sulfide: effect on optical and electrical properties.—74-01582A
Studies on the preparation and characterization of chemically deposited Ag_2S films from an acidic bath.—74-04920A
Study of diffusion and ionic conductivity in 2H-Ag_xTaS_2 intercalated compound.—74-05054A
Surface analysis and electrochemistry of MoS_2 thin films prepared by intercalation-exfoliation techniques.—74-07768A
Synthesis and cathodoluminescence of orange-yellow to red-emitting $Ca_{1-x}Mg_xS$:Mn phosphors.—74-01900A
Synthesis, structure, and properties in the disordered and ordered Ag-P-S system.—74-01472A
System Cu_2S-Er_2S_3.—74-01473A
Theoretical study of electronic structure and electrophysical properties of samarium monosulfide.—74-04443A
Thermal conductivity of superionic conductor Ag_3SI.—74-01594A
Tracer diffusion of Mn in α-MnS.—74-10750A
Tribology of ultrathin MoS_2 platelets on mica—studies by scanning force microscopy.—74-04458A
Use of Raman scattering to study disorder in pulsed laser deposited MoS_2 films.—74-04237A
X-ray diffraction studies of the structure of molybdenum sulfide thin films.—74-05296A
XRD, XPS, optical and electrical studies on the conversion of SnS thin films to SnO_2.—74-02097A

sulfur oxides,
Admissible SO_2 and NO_x emission levels from rotary kilns for cement clinker burning: domestic and foreign standards.—74-01134A
Ion kinetic energy distribution of electron-stimulated desorption of O^+ from TiO_2(110)-SO_2.—74-04340A
Polymorphism of calcium sulfoaluminate ($Ca_4Al_6O_{16}$, SO_3) and its solid solutions.—74-08084A
Reduction of polluting emissions in cement works.—74-08099A
SO_2 and NO_x emission rates from rotary kilns in Polish cement industry.—74-01180A
Thermogravimetric study of the 800°C reaction of zirconia stabilizing oxides with SO_3-$NaVO_3$.—74-02095A

sulfur,
Byproduct of sulfur recovery from phosphogypsum as concrete aggregate.—74-05468A
Combined effect of water and temperature on the strength of sulfur concrete.—74-02315A
Effect of F^- and S^- on the crystallization process of CaO-Al_2O_3-SiO_2 system.—74-08332A
Effect of the sulfur pressure on the growth of $CuInS_2$ single crystals by the gradient freeze technique.—74-00597A
Electrical properties of sulfur-passivated and rapidly thermal annealed GaAs metal-oxide-semiconductor structures with the oxide layer grown anodically.—74-06073A
Formation of ohmic contacts to *n*-GaAs using $(HN_4)_2S$ surface passivation.—74-06111A
Glass compositions having low energy phonon spectra and light sources fabricated therefrom.—74-08478P
Mobility of Ag ions in Ag-As-S glasses.—74-08377A
Passivation of GaSb by sulfur treatment.—74-01826A
Phase compatibility in the system CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3 referred to sulfaluminate belite cement clinker.—74-01420A
Photoluminescence studies of heat-treated GaP:S samples.—74-06261A
Possibility of sulfur-oxygen substitution in $YBa_2Cu_{3+x}S_y$ analyzed by means of X-ray emission spectroscopy.—74-00839A
Relationship between raw mixture and mineralogical composition of sulfoaluminate belite clinkers in the system CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3.—74-01448A
Role of sulfur in the production of carbon fibers in the vapor phase.—74-07472A
Room-temperature synthesis of $CuInQ_2$ (Q=S or Se) in nonaqueous solution using an organoindium reagent.—74-10614A
Scanning probe microscopy study of layered dichalcogenide ReS_2.—74-10880A
Studies on the formation kinetics of calcium sulfoaluminate.—74-05592A
X-ray absorption near-edge structures of sulfur on gas-phase polysulfide-treated InP surfaces and at SiN_x/InP interfaces.—74-06383A

sulfuric acid,
Reaction of various types of hydrates and sulfuric acid and acid resistance of expansive concrete.—74-05578A

superconducting quantum interference device (SQUID),
Flicker noise in rf SQUIDs based on high-temperature superconductors.—74-03811A

superconductivity,
Change in the physical-chemical properties of high-temperature superconductors on passage of a direct current.—74-03420A
Cu NMR study in single crystal $Bi_2Sr_2CaCu_2O_8$: observation of gapless superconductivity.—74-03438A
Equipment for contactless determination of the superconducting transition of ceramic specimens.—74-03806A

Gage glass ordering in two dimensions.—74-00262A
Orbital and spin susceptibilities of the plane copper sites in $YBa_2Cu_3O_x$ system.—74-01555A
Phase development in superconducting fiber materials prepared by the LFZ method.—74-03552A
Plasmons in low-dimensional systems.—74-03557A
Poling's law and superconductivity.—74-00838A
Superconductivity in the Hubbard model.—74-06639A
Temperature dependence of uniform susceptibility in high-T_c superconductors.—74-01590A

superconductors,
Angle-resolved photoemission spectra from strong coupling super-conductors.—74-06482A
Angular dependence of the magnetoabsorption of *c*-axis-oriented YBCO thin films.—74-09235A
Anomalies of elastic properties of $Bi_2Sr_2CaCu_2O_8$.—74-09236A
Apparatus and method for making aligned high-T_c tape superconductors.—74-03622P
Calculation of the electromagnetic critical state response of high-T_c superconductor tape.—74-09239A
Characterization of $YBa_2Cu_3O_{7-\delta}$ thin films deposited by high pressure oxygen sputtering.—74-03424A
Chemical reactional kinetics during preparation of high-T_c superconductors.—74-03427A
Comparison of the effects of PtO_2 and $BaSnO_3$ additions on the refinement of $Y_2BaOCuO_5$ and magnetization of textured $YBa_2Cu_3O_{6+x}$.—74-06499A
Composition dependence of transition temperature in some ceramic superconductors.—74-09244A
Composition of thin films deposited by ion beam sputtering of a compound target: case of Y-Ba-Cu-O.—74-03430A
Considerations of MOCVD for the preparation of high-T_c thin films.—74-06501A
Copper oxide superconductor containing carbonate radicals.—74-03625P
Correlation between T_N and T_c in high-T_c cuprates with 2-D conductivity in CuO_2 planes.—74-03433A
Current limiting choke coil—74-00863P
Defect analysis in substrate materials for high-T_c superconducting thin films.—74-09248A
Dense superconducting bodies with preferred orientation.—74-09362P
Detection and investigation of the properties of circular vortex rings in current-carrying type II superconductors $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$.—74-06510A
Determination of irreversibility line of an $La_{1.87}Sr_{0.13}CuO_4$ single crystal: a scaling approach.—74-00796A
Development and characterization of $GdBa_2NbO_6$, a new ceramic substrate for YBCO thick films.—74-01669A
Effect of sample quality on 1/*f* noise in Y-Ba-Cu-O ceramics.—74-03451A
Effect of $YBa_2Cu_3O_{7-x}$ grain size on the nucleation of Y_2BaCuO_5 during melt texturing.—74-00799A
Effects of plasma enhancement on the carrier-gas-free metallorganic chemical vapor deposition of oxide superconducting thin films.—74-00800A
Effects of slow neutron irradiation on *R-T* curves of high-temperature superconductors.—74-09261A
Effects of slow neutron irradiation on *R-T* curves of high-temperatures superconductors.—74-09262A
Electronic instability at high fluxflow velocities in HTSC films.—74-06534A
Elemental composition of superconducting ceramics [investigated] by neutron activation and radiography methods.—74-00807A
Enhancement of mechanical properties of 123 superconductors.—74-09364P
Environmental stability of high-T_c superconducting ceramics.—74-00809A
Epitaxial dielectric planarization for multilayer HTSC structures.—74-09265A
Epitaxial thin superconducting thallium-based copper oxide layers.—74-03627P
Epitaxial $YBa_2Cu_3O_{7-\delta}$ films on (110)$YAlO_3$.—74-03459A
Equilibrium magnetization of a $Bi_2Sr_2CaCu_2O_x$ single crystal measured up to 20 T.—74-04312A
Estimation of plasma absorption effects during pulsed laser ablation of high-critical-temperature superconductors.—74-03460A
Evaporation of trapped fluxons from micron-sized powders of Bi-2223 CuO superconductors.—74-09268A
Evidence for mean free path fluctuation induced pinning in $YBa_2Cu_4O_8$ films.—74-04313A
Evidence of a Bose glass transition in superconducting $YBa_2Cu_3O_7$ single crystals with columnar defects.—74-04314A
Fabrication and characterization of Tl-Ba-Ca-Cu-O superconducting films on $LaAlO_3$ substrates.—74-03462A
Fabrication of Bi-Sr-Ca-Cu-O superconducting thin films by rf magnetron sputtering.—74-09270A
Fabrication of high T.sub.C superconducting helical resonator coils—74-00864P
Fluctuation conductivity in superconducting cuprates is compatible with strong-correlation approach.—74-09274A
Fluctuation effects in lattice model of superconductor near upper critical field.—74-03463A
Flux pinning in superconducting cuprates—74-00865P
Formation of superconducting phases of $Bi_2Sr_2Ca_2Cu_3O_x$ thin films prepared by off-axis sputtering.—74-09277A
Growth of a,b-axis oriented perovskite thin films.—74-03628P
Hall angle evidence for the superclean regime in 60 K $YBa_2Cu_3O_{6+y}$.—74-06554A
Harmonic generation in ceramic high-temperature superconductors.—74-03477A
Heterophase mechanism of emergence of low-temperature peak in real part of high-T_c superconductor conductivity.—74-03479A
High T_c superconducting microstrip phase shifter having tapered optical beam pattern regions.—74-09366P
High critical temperature superconductor (HTSC) including a rare earth alkali metal titanate as an oxygen diffusion barrier in the device—74-00866P
High power energy transfer system utilizing high temperature superconductors—74-00867P
High temperature superconductor magnetic switch.—74-09369P
High-T_c superconducting high power couplers.—74-09367P
High-T_c superconducting high power filters.—74-09368P
High-T_c films on GGG substrates.·—74-06555A
High-temperature Josephson junction and method.—74-09370P
High-temperature superconducting thin films in strong electric fields.—74-00815A
High-temperature superconductor and its use.—74-09371P
Highly oriented superconductor oxide ceramic platelets and process for the production thereof.—74-03631P
Highly oxidized superconductors—74-00868P
Homogeneity ranges of the $Bi_2Sr_2CaCu_2O_x$ and $Bi_{2-x}Sr_{2-x}CuO_x$ high-T_c superconductors.—74-03486A
In situ laser ablation method for forming oxide superconducting films.—74-03632P
Industrial ceramics in Japan.—74-02243A
Influence of structure, shape, and thermal treatments on the magnetic properties of superconducting ceramics.—74-06566A
Interaction of α-particles with superconductive Nb/AlO_x/Nb structures in a single junction and array configurations.—74-03497A
Josephson and quasi-particle currents in partially dielectrized superconductors with spin density waves.—74-03508A
Josephson break junction thin film device.—74-03633P
Josephson junction device formed of oxide superconductor and process for preparing the same.—74-09372P
Layer-by-layer process for forming B.sub.i -containing oxide superconducting films—74-00869P
Low-temperature synthesis of $YBa_2Cu_3O_{8-x}$ and other crystalline oxides.—74-03634P
Magnetic field dependence of the density of states of $YBa_2Cu_3O_{6.95}$ as determined from the specific heat.—74-09298A
Magnetic force microscopy on high-T_c superconductors.—74-06576A
Magnetic response of a YBaCuO film supporting an alternating current.—74-03513A
Magnetization of ferromagnet-superconductor structures.—74-03514A
Materials.—74-03965A
MBE method for preparing high-T_c superconducting thin films.—74-09373P
MBE process for preparing oxide superconducting films—74-00870P
Measuring the electrical conductivity of high-T_c superconducting oxide ceramics.—74-06582A
Metal oxide superconducting powder comprised of flake like single crystal particles.—74-03635P
Method for manufacturing an artificial grain boundary type Josephson junction device.—74-03636P
Method for manufacturing an oxide superconducting tape.—74-03637P
Method for manufacturing an oxide superconductor thin film.—74-03638P
Method for oxidizing precursor compounds of superconducting oxides.—74-03639P
Method for processing superconducting thin films.—74-03640P
Method for producing single crystal superconducting $LnA_2Cu_3O_{7-x}$ films.—74-03641P
Method for texturing high temperature superconductors.—74-09374P
Method for the rapid production of superconducting ceramic wires or ribbons.—74-03642P
Method of adding a halogen element into oxide superconducting materials by ion injection or thermal diffusion.—74-03643P
Method of and apparatus for preparing oxide superconducting film—74-00871P
Method of forming grain-boundary junctions in high-temperature superconductor films.—74-03644P
Method of forming superconducting oxide ceramic materials having high critical densities of superconducting current—74-00872P
Method of forming thin films on substrates at low temperatures.—74-09531P
Method of improving or producing oxide superconductor.—74-03645P
Method of joining superconducting wire using oxide high-temperature superconductor.—74-03646P
Method of making a superconductive fiber.—74-03647P
Method of manufacture of single phase ceramic superconductors.—74-09375P
Method of manufacturing an oxide superconductor film—74-00873P
Method of manufacturing an oxide superconductor.—74-09376P
Method of manufacturing superconductor—74-00874P
Method of maufacturing superconductor of ceramics superconductive material.—74-09377P
Method of preparing oxide high-temperature.—74-09378P
Method of preparing oxide superconducting wire.—74-03648P
Method of preparing oxide superconducting wire.—74-03649P
Method of preparing Tl-containing oxide superconducting thin film.—74-03650P
Method of producing Pb-stabilized superconductor precursors and method of producing superconductor articles therefrom.—74-09379P
Microstructures and superconductivity of ultrathin $YBa_2Cu_3O_7$ films.—74-03530A
Microwave resonator of compound oxide superconductor material having a temperature adjustable heater.—74-09380P
Modulated structure of the superconducting crystal $Bi_2Sr_2CaCu_2O_{8+x}$.—74-03534A
Multifilamentary oxide superconducting wires and method of manufacturing the same—74-00875P
Nature of the T_c shift under uniaxial compression of $YBa_2Cu_3O_{7-\delta}$.—74-00826A
New buffer materials for high-T_c superconducting thin films.—74-03536A
New theoretical view for high-temperature superconductivity.—74-00827A
Newly developed low-temperature scanning tunneling microscope and its application to the study of superconducting materials.—74-06796A
Nuclear magnetic relaxation and Knight shift of ^{63}Cu nuclei in high-T_c superconductors.—74-03545A
Optimization of J_c for photoassisted MOCVD-prepared YBCO thin films by robust design.—74-06601A
Order parameter of high-T_c superconductors—experimental probes[—review].—74-06602A
"Oriented film growth," not "epitaxy" in HTSC film growth.—74-00828A
Orthorhombicity, antiferromagnetism, and superconductivity in $YBa_2Cu_3O_{6+x}$.—74-09317A
Oxide superconductive material of T1 (thallium) and Pb (lead) system and method for manufacturing the same.—74-09381P
Oxide superconductive wire, method of manufacturing the same and the products using the same.—74-03652P
Oxide superconductor tape having silver alloy sheath with increased hardness.—74-09383P
Oxide superconductor.—74-03654P
Pairing symmetry and flux quantization in a tricrystal superconducting ring of $YBa_2Cu_3O_{7-\delta}$.—74-06608A
Paramagnetic effect in high-T_c superconductors—a thing for *d*-wave superconductivity.—74-06609A
Photoinduced phenomena in $YBa_2Cu_3O_{6+\delta}$ films.—74-00835A
Photoresponse of high-T_c superconductor thin films.—74-00836A
Plasma-enhanced MOCVD of superconducting oxides.—74-06612A
Preparation and properties of $YBa_2Cu_3O_y$-Ag composites via 8-hydroxyquinoline coprecipitation.—74-06616A
Problems in the fluorination of copper oxide high-temperature superconductors.—74-00844A
Process for manufacturing a superconducting composite—74-00877P
Process for preparing a thallium-containing superconductor.—74-09387P
Process for preparing high-T_c superconducting material.—74-03656P
Process for producing Bi-based oxide superconductor single crystals.—74-03657P
Process for the manufacture of 95% by weight single phase YCBO powder in one combustion step, comprising the use of citrate complex compounds as starting materials.—74-03659P
Process of producing oxide superconductor.—74-09389P
Production of slender helical hardware of $YBa_2Cu_3O_{7-\delta}$ high-temperature superconductor by extrusion.—74-00845A
Properties and applications of high-temperature superconductors (HTS).—74-00846A
Properties of high-T_c wires made by the metallic precursor process.—74-00847A
Pulsed laser deposition of epitaxial $Ba_xSr_{1-x}TiO_3/Ba_2Cu_3O_7$ bilayers on $LaAlO_3$ substrates.—74-06622A
Pyroelectric ir sensor using an oxide superconductor upper electrode.—74-03660P
Reactive sintering of $Bi_2Sr_2CaCu_2O_x$ superconductors.—74-06625A
Recent advances in the synthesis and texturing of HTSC composites.—74-03565A
Recent experimental investigations of the optical properties of high-T_c superconductors.—74-06626A
Recent progress in new high-T_c superconductors.—74-09331A
Redox reactions in HTS oxides.—74-05317A
Report on the 2nd International Superconductivity Industry Summit, Hakone, Japan, May 10-11, 1993.—74-02273A
Resonant pinning, supercell structure, and superconductivity (T_c> 140 K) in Hg-Ba-Ca-Cu-O systems.—74-06629A
Role of additional extremum in onset of superconductivity in $A^{IV}B^{VI}$ semiconductors with resonant impurity states.—74-03571A
Secondary emission cathode having supeconductive oxide material—74-00879P
Self-field effect of J_c for anisotropic samples of high-T_c superconductor (HTSC).—74-09336A
Self-field effect of J_c for anisotropic samples of high-T_c superconductor (HTSC).—74-09337A
Semiconductor substrate having a superconducting thin film.—74-09390P
Silicon substrate having YSZ epitaxial barrier layer and an epitaxial superconducting layer.—74-03661P
Silver additives for ceramic superconductors—74-00880P
Sol-gel method used for preparation of the thin superconductive layers[—literature review].—74-06632A
Stable high oxidation state superconducting oxides—74-00881P
Studies of edge current densities in regular and superconducting microstrip lines of finite thickness.—74-09340A
Studies of $YBa_2Cu_3O_{7-x}$ formation in coevaporated Y-BaF_2-Cu-O thin films on sapphire substrates.—74-03580A
Substitution of Cu sites in $YBa_2Cu_3O_x$ by Ni, Zn, and Ga.—74-03587A
Superconducting 123 YBaCu-oxide produced at low temperatures—74-00882P
Superconducting critical fields of diamondlike films containing tungsten.—74-03590A

Superconducting device having a reduced thickness of oxide superconducting layer.—74-09391P
Superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—74-09392P
Superconducting device having superconducting weak coupling—74-00883P
Superconducting field-effect transistors with inverted MISFET structure.—74-09393P
Superconducting phase diagram of the two-band model investigated by the exact-diagonalization method.—74-07127A
Superconductive device for helping shield magnetic field.—74-03665P
Superconductivity in $(Hg_{0.83}Cu_{0.17})Ba_2CuO_{4+\delta}$ at ≈120 K.—74-06638A
Suppression of the first-order vortex melting transition by intrinsic pinning in $YBa_2Cu_3O_{7-\delta}$.—74-04436A
Symmetry of the superconducting order parameter in $YBa_2Cu_3O_{7-\delta}$ epitaxial films.—74-03600A
Synthesis and investigation of Ca- and Eu-substituted high-temperature superconducting compounds of the type 124 based on yttrium.—74-03601A
Synthetic strategies for MOCVD precursors for HTS thin films.—74-06647A
Time and composition dependence of the spectral shape of the X-ray Ce L_{III} absorption in the $R_{2-x}Ce_xCuO_{4-y}$ superconductors.—74-00858A
Tunneling microscopy and spectroscopy for the study of high-T_c superconductors.—74-07784A
Unstandardized electron probe microanalysis of thin films of high-temperature superconducting oxides and semiconductors (thickness <1 μm).—74-01126A
Update on copper oxide superconductors.—74-06662A
Vortex creep in $Bi_2Sr_2CaCu_2O_{8+\delta}$ films.—74-03616A

superlattices,
Atomic force microscope and scanning tunneling microscope studies of superlattices and density waves in Fe-doped $NbSe_2$, $TaSe_2$, TaS_2 and in $NbSe_3$ doped with Fe, Co, Cr, and V.—74-07593A
Cross-sectional scanning tunneling and scanning force microscopy of amorphous hydrogenated silicon *pn*-doping superlattices in nitrogen and in air.—74-06017A
Cross-sectional scanning tunneling and scanning force microscopy of amorphous hydrogenated silicon *pn*-doping superlattices in nitrogen and in air.—74-07621A
Dimension crossover and the nature of the superconducting layers in PbSe/PbS superlattices.—74-03443A
Double-crystal X-ray diffraction and transmission electron microscopy investigations of strained $Ga_{1-x}In_xAs/GaAs$ superlattices.—74-00595A
Enhancement and quenching of Berreman polaritons in SiO_2/TiO_2 and Al_2O_3/Pt superlattices.—74-10100A
Evidence for long localization length along *b*-axis $PrBa_2Cu_3O_7$ in *b*-axis $YBa_2Cu_3O_7$/*a*, *b*-axis $PrBa_2Cu_3O_7$ superlattices.—74-06537A
Experimental investigations of superconductivity in quasi-two-dimensional epitaxial copper oxide superlattices and trilayers.—74-06540A
Growth and characterization of a GaAs/AlAs superlattice with variable layer thicknesses.—74-03031A
Growth and ellipsometric studies of periodic and Cantor aperiodic amorphous Ge/Si superlattices.—74-03032A
Growth of thin CeO_2-$YBa_2Cu_3O_7$ superlattices.—74-00813A
Gyrotropic properties of superlattices with magnetic structure in long-wave approximation.—74-04146A
Lattice dynamics of a simple GaSe-InSe superlattice.—74-08944A
Mechanism of heavy and light hole mixing in GaAs/AlAs superlattices.—74-03103A
Optical absorption of ZnSe-ZnS strained-layer superlattices.—74-04378A
Performance of $(InAs)_f(GaAs)_s$ short period superlattice strained single quantum well laser on GaAs substrate.—74-06251A
Perpendicular transport properties of a *p*-GaAs/δ-doped superlattice/n^+-GaAs structure.—74-08994A
Scanning tunneling microscopy of InAs/GaSb superlattices: subbands, interface roughness, and interface asymmetry.—74-07740A
Study of *l*/*f* noise in the normal state of $YBa_2Cu_3O_7$/$PrBa_2Cu_3O_7$ superlattices.—74-03581A
Study of the dynamic conductance of a surface 2-D superlattice on GaAs/AlGaAs by a contactless microwave method in a magnetic field.—74-09055A
Superlattices of the PbS-CdS type formed by laser evaporation in vacuum.—74-02054A
Synthesis of $Bi_2Sr_2CaCu_2O_8$/$Bi_2Sr_2CuO_6$ superlattices with a T_c enhancement effect.—74-06645A
Three-dimensional superlattices in opal matrices.—74-02594A
Two- and three-phonon resonance Raman scattering in quasi-2-D electron systems under strong magnetic field.—74-07785A

superplastic,
Microstructure quantification of a superplastic alumina.—74-07694A
Processing and superplasticity of alumina-based ceramics.—74-04835A
Tension versus compression superplastic behavior of an Mg-9 wt% Li-5 wt% B_4C composite.—74-05656A

superplasticizers,
Cement and superplasticizer comptability.—74-02312A
Effect of superplasticizers on the hydration of cement.—74-05501A
Effect of superplasticizers on the plastic shrinkage of concrete.—74-00053A
Effect of various admixtures on the particle size distribution of cement determined with the aid of laser particle analysis.—74-05503A
Effect of various superplasticizers on rheological properties of cement paste and mortars.—74-05504A
High-rigid fine-grain concretes with the superplasificator C-3 in railway buildings.—74-00063A
Interaction of ionic species in hydrated cement with a superplasticizer admixture.—74-05540A
Investigation of the retarding effect of superplasticizers on cement hydration by impedance spectroscopy and other methods.—74-05542A
Superplasticizers for Ciment Fondu: I, Effects on rheological properties of fresh paste and mortar.—74-00099A

surface acoustic wave,
Ceramics for mobile telecommunication.—74-08728A

surface acoustic waves,
Fabrication of single-crystal substrates for surface acoustic wave devices.—74-09141A
Piezoelectric lead zirconium titanate device and method for forming same—74-00770P
Processing of piezoceramics for SAW applications.—74-03342A

surface area,
Determination of the specific pore surface area of xerogels and gel glasses by the dye sorption method.—74-02612A
Differential thermoanalytical investigation of the reaction of carbon with silicon to silicon carbide.—74-10078A
Effect of moisture on fractal dimension and specific surface of hardened cement paste by small-angle X-ray scattering.—74-05499A
Preparation and characterization of catalytic zirconia with temperature-resistant surface area.—74-07420A
Transition alumina and method for its production—74-01213P

surface design,
Crystalline glazes: a precise method.—74-00012A

surface energy,
Water-repellant coating on glass.—74-08292A

surface,
Ab initio energetics of CVD growth reactions on the three low-index surfaces of diamond.—74-04464A
Abrasive wear and surface roughness of ceramics.—74-05446A
Adsorption of sodium laurate from its aqueous solution onto an alumina surface. A dynamic study of the surface-surfactant interaction using attenuated total reflection Fourier transformation infrared spectroscopy.—74-09968A
Alumina surface modification of silicon nitride for colloidal processing.—74-07199A
Angle of incidence effects of an oxygen ion beam on the surface chemistry of GaAs.—74-02063A
Applied measurements of multipurpose precise interferometer (AMOS-1).—74-09551A
Assessment and evaluation of fractal dimension of concrete fracture surface digitized images.—74-07838A
Atomic force microscopy study of surface morphology of GaAs grown by atomic layer epitaxy using trimethylgallium and arsine.—74-05982A
Atomic force microscopy study of the fractal shape of residual barium cuprate/copper oxide flux on the surface of $Y_2Ba_4Cu_7O_{15}$ and $YBa_2Cu_4O_8$ single crystals.—74-06492A
Atomic step organization in homoepitaxial growth on GaAs(111) B substrates.—74-05983A
Au on the Si(001) surface: room-temperature growth.—74-05985A
Behavior of diamond crystal surfaces during heating in fluorine gas and fluorocarbon-fluorine gas mixtures.—74-04098A
Behavior of molten droplets impinging on flat surfaces.—74-10759A
Ceramic cutting tools for medicine—transformation on the surface of steam-treated TSZ ceramics.—74-06956A
Ceramic surface engineering.—74-10217A
Characterization of engineering surfaces by grazing-incidence X-ray reflectivity.—74-08837A
Characterization of graphite surfaces based on ir detection of thermal waves.—74-03786A
Characterization of silicon surface microroughness and tunneling transport through ultrathin gate oxide.—74-05088A
Characterization of surface-oxidized phase in silicon nitride and silicon oxynitride powders by X-ray photoelectron spectroscopy.—74-07044A
Chemical and morphological changes on silver surfaces produced by microwave generated atomic oxygen.—74-05325A
Chemical surface coating, a promising route to new ceramic coatings.—74-10223A
Chemistry of silicon surfaces after wet chemical preparation: a thermodesorption spectroscopy study.—74-01634A
Cleaning of silicon surfaces by hydrogen multipolar microwave plasma excited by distributed electron cyclotron resonance.—74-05096A
Comparative study of wet- and dry-pressed tiles.—74-09441A
Crack propagation behavior of Y-TZP ceramics.—74-07846A
Crystal growth and gas ratio effect of diamond films synthesized by oxyactylene flames.—74-10250A
Cs-induced highest E_F jump above InAs(110) conduction band minimum.—74-06019A
CVD diamond growth mechanisms as identified by surface topography.—74-10785A
Dc current-dependent faceting of vicinal Si(111).—74-08848A
Defect structure of GaAs(111)B(2×2) surface observed by scanning tunneling microscopy.—74-04999A
Deposition and subsequent removal of single Si atoms on the Si(111)-7×7 surface by a scanning tunneling microscope.—74-05109A
Deposition and subsequent removal of single Si atoms on the Si(111)-7×7 surface by a scanning tunneling microscope.—74-06031A
Determination of the specific surface of the pores of xerogels and gel-glasses by the method of sorption of dyes.—74-00253A
Development of an ultrahigh vacuum atomic force microscope for investigations of semiconductor surfaces.—74-01056A
Diamond C(111) (2×1) surface exposed to hydrogen and hydrocarbon species using second harmonic generation and sum frequency generation.—74-09982A
Early stages of composite formation by oxidation of liquid aluminum alloys.—74-05122A
Early stages of Cu growth on boron-segregated Si-(111) surfaces: a scanning tunneling microscopy study.—74-07633A
Effect of atomic-scale surface roughness on friction: a molecular dynamics study of diamond surfaces.—74-01980A
Effect of composition of today's laundry detergents on porcelain enamel surfaces.—74-00114A
Effect of fluoroalkyl substrates on the reaction of alkylchlorosilanes with silica surfaces.—74-09985A
Effect of potassium on the surface potential of titania.—74-02976A
Effect of surface conformity on friction.—74-01227A
Effect of surface preparation on the nucleation of diamond on silicon.—74-01692A
Effect of technological production conditions on the surface quality of sheet glass.—74-02615A
Effect of variations in stoichiometry on the surface structure of $SrTiO_3(001)$.—74-10795A
Effects of the tip shape on scanning tunneling microscope images: first-principles calculations.—74-06764A
Electrical properties of PbTe and (PbSn)Te surfaces.—74-06072A
Electron-induced ordering of the surface structure of $Bi_2Sr_2CaCu_2O_x$.—74-09264A
Electron-stimulated processes on [pure and carbon-coated] surface of high-T_c Bi-Sr-Ca-Cu-O single crystal.—74-03456A
Electronic passivation of silicon surfaces by halogens.—74-02996A
Electronic properties of an SiC surface of the 15R rhombohedral modification.—74-06080A
Equilibrium pore surfaces, sintering stresses, and constitutive equations for the intermediate and late stages of sintering: I, Computation of equilibrium surfaces.—74-04621A
Estimation of maximum depth of crack extension under finished surface in grinding of ceramics.—74-02134A
Evaluation of surface properties of ceramic fibers on a microscale.—74-10802A
Evolution of visible photoluminescence and surface morphology of ultrathin porous Si films imaged by scanning tunneling microscopy.—74-07647A
Examination of particles and outgrowths on the surface of epitaxial $YBa_2Cu_3O_7$ thin films.—74-09269A
Existence of metastable molecular precursors to dissociative oxygen chemisorption on Si(111) and Si(100) at 40 K.—74-03010A
Features in the structure of surface layers of silicate glass modified with hydrocarbon vapor.—74-02454A
Fine structure of the GaAs(001) surface.—74-06105A
Firing temperature profiles: measurement methods and the effect of temperature differences on enamel surfaces.—74-00120A
First principles study of Zn- and Se-stabilized ZnSe(100) surface reconstructions.—74-06107A
First-principles study of Zn- and Se-stabilized ZnSe(100) surface reconstructions.—74-06108A
Focus on microscopy.—74-03813A
Focus on microscopy.—74-03814A
Formation of arrays of facets on vicinal surfaces of GaAs(100) during MBE.—74-04143A
Formation of Cu-rich particles on the surface of $YBa_2Cu_3O_{7-x}$ thin film grown by in situ off-axis sputtering.—74-09276A
Free surface measurements and numerical simulations of ceramic tape casting.—74-01741A
FTIR characterization and ab initio study of the surface species of a nanosized SiC powder.—74-07652A
Grinding of transformation toughening ceria-stabilized tetragonal zirconia polycrystals.—74-06704A
Growth mechanism of GaAs on (110)GaAs studied by high-energy electron diffraction and atomic force microscopy.—74-06127A
Heteroepitaxial passivation of the surface of GaS.—74-00630A
Hydrogen fluoride vapor etching for pre-epi silicon surface preparation.—74-06140A
Hypothetical curved graphite.—74-01997A
Improvement of depth resolution in secondary ion mass spectrometry depth profiling of silicided polycontacts.—74-01999A
In situ observation of anodic dissolution process of *n*-GaAs in HCl solution by electrochemical atomic force microscope.—74-06148A
Influence of single atomic height steps on F_2 reactions with Si(100)-2×1.—74-03066A
Infrared spectroscopic study of initial stages of ultraviolet ozone oxidation of Si(100) and (111) surfaces.—74-02003A
Interfacial properties of alumina/KCl(aq) electrical double layer.—74-08756A
Interpretation of atomic force microscopy images: the mica(001) surface with a diamond tip apex.—74-07670A
Intrinsic equilibrium constants of ß-silicon carbide obtained from surface charge data.—74-10003A
Investigation of roughened silicon surfaces using fractal analysis: I, Two-dimensional variation method.—74-07672A
Investigation of roughened silicon surfaces using fractal analysis: II, Chemical etching, rapid thermal chemical vapor deposition, and thermal oxidation.—74-07673A

Laser damage of the surface of glass undergoing ion exchange.—74-00266A
Low-temperature RHEED: a study of $SrTiO_3$ surface (100).—74-03319A
Macroscopic electronic behavior and atomic arrangements of GaAs surfaces immersed in HCl solution.—74-06190A
Macroscopic electronic behavior and atomic arrangements of GaAs surfaces immersed in HCl solution.—74-06191A
Magnetocaloric effects in $YBa_2Cu_3O_{7-\delta}$: evidence for a surface barrier.—74-04354A
Material variables involved in the precision process of surface finishing of ceramic products.—74-10441A
Materials Science Monographs, 81: Science of Ceramic Interfaces II.—74-11207B
Measurement of surface resistance for YBCO thick film.—74-09306A
Melting processes and glazing technologies: surface properties of glazed ceramic tile.—74-08562A
Method for purifying an SiC surface in high vacuum.—74-06204A
Monolayer growth oscillations and surface structure of GaAs(001) during metallorganic vapor phase epitaxy growth.—74-06216A
Nanotribology studies of carbon surfaces by force microscopy.—74-01545A
New method for continuously producing long vapor-grown carbon fibers at high growth rates.—74-04773A
New topographical evaluation process for glazes and ceramic surfaces.—74-09591A
Nonthermally driven surface chemistry of phosphine on GaAs(100).—74-03130A
Observation of the bottom surfaces of contact holes by hopping atomic force microscopy with a ZnO whisker tip.—74-07706A
Order and phase transitions at surfaces.—74-10015A
Oxidation behavior of a partially protected C/C composite in a hypersonic flow.—74-10922A
Oxidation of surface-treated SiC platelets studied by XPS and Bremsstrahlung-excited AES.—74-04173A
Positive identification of the obligations triangular defect on the (110) faces of vapor-grown diamond.—74-05045A
Preparation of porous ceramics with calcium metaphosphate fiber skeleton for biomedical use.—74-00312A
Preparation of yttria-stablized zirconia films by the electrochemical vapor deposition.—74-10573A
Propagation characteristics of a slow surface wave in a 70 GHz solid-plasma waveguide containing an *n*-InSb slab carrying an applied current.—74-09014A
Pulsed ion beam surface analysis as a means of in situ real-time analysis of thin films during growth.—74-03854A
Quantification of the composition of alloy and oxide surfaces using low-energy ion scattering.—74-05224A
Reaction of solid-phase hydrosilation with participation of ≡Si–H groups of silica surface and some functional olifines.—74-04201A
Reconstructions at Si- and C-terminated surfaces of 2H-SiC—an ab initio molecular dynamics study.—74-09022A
Reconstructured structures in metal/Si(100) surfaces at high temperature observed by scanning tunneling microscopy.—74-07730A
Refinement of glazes.—74-05905A
Reflectance anisotropy of reconstructed GaAs(001) surfaces.—74-06290A
Reflectance anisotropy of reconstructed GaAs(001) surfaces.—74-07731A
Reflection electron microscope and scanning tunneling microscope observations of CVD diamond (001) surfaces.—74-10873A
Reflection high energy electron diffraction observation of anion exchange reactions on InAs surfaces.—74-03198A
Reflection high energy electron diffraction observation of exchange reaction dynamics on InAs surfaces.—74-04408A
Reflection high energy electron diffraction study of the GaSb surface during molecular beam epitaxy.—74-05233A
Reflection high-energy electron diffraction patterns of carbide-contaminated silicon surfaces.—74-02038A
Relation between atomic structure and surface-stress anisotropy—calculations for the clean Si(001) surface.—74-06291A
Relation between atomic structure and surface-stress anisotropy—calculations for the clean Si(001) surface.—74-06292A
Resonant excitation of vibrational modes on GaAs microrelief surface.—74-03202A
Restructuring process of the Si(111) surface upon Ag deposition studied by in situ high-temperature scanning tunneling microscopy.—74-07732A
Reticular glass surface—74-00350P
Role of Ga_2O in the removal of GaAs surface oxides induced by atomic hydrogen.—74-03204A
Scanning probe microscopy (SPM).—74-03732A
Scanning probe microscopy of carbon fiber surfaces.—74-05237A
Scanning probe microscopy on the surface of Si(111).—74-06296A
Scanning tunneling microscope and surface characterization.—74-10881A
Scanning tunneling microscope observations of the cleavage fracture surfaces of titanium aluminide.—74-07735A
Scanning tunneling microscopy observation of Al-induced reconstruction of the Si(111) surface: growth dynamics.—74-05238A
Scanning tunneling microscopy of alkali-induced structures on the Si(111) surface.—74-07739A
Scanning tunneling microscopy of argon ion-bombarded GaAs(001) surfaces.—74-06299A
Scanning tunneling microscopy study of deoxygenated and deionized water rinsed GaAs(111)-B surfaces.—74-00703A
Scanning tunneling microscopy study of solid-phase epitaxy processes of argon ion-bombarded silicon surface and recovery of crystallinity by annealing.—74-07742A
Scanning tunneling microscopy study of the reaction of $AlCl_3$ with the Si(111) surface.—74-07743A
Scanning tunneling microscopy/spectroscopy study of V_2O_5 surface with oxygen vacancies.—74-07583A
Segregation in single-crystal fully stabilized yttria-zirconia.—74-05244A
^{29}Si solid-state NMR study of the surface structure of aerosil silica.—74-10751A
Simulation of nanometer-scale deformation of metallic and ceramic surfaces.—74-02200A
Sorption regularities and complexation mechanisms of aminophosphonic acid fastened on silica surface with metal ions.—74-04422A
Spectra of the surface photo-emf of *n*-GaAs(100).—74-09045A
Stability and reconstruction of diamond (100) and (111) surfaces.—74-05253A
Step bunching and step equalization of vicinal GaAs(001) surfaces.—74-07750A
Step bunching and step equalization on vicinal GaAs(001) surfaces.—74-07751A
Structural and surface characterization of ultrafine iron carbide particles generated by laser pyrolysis: I, High-temperature He treatment.—74-02048A
Structural properties of the Na/Si(111) 2×1 surface studied by photoemission extended X-ray absorption fine structures.—74-07755A
Studies of the effect of size on carbon fiber surfaces.—74-03871A
Study and control of molecule surface interaction at the atomic level: Sb_4 on Si(001).—74-06822A
Study of epitaxial growth of Ag on hydrogen-terminated Si(111) and Si(100) surfaces.—74-03872A
Study of silicon-wafer surface evaluation using atomic force microscopy.—74-10894A
Study of surface chemical processes accompanying the grinding of glass.—74-02501A
Study on the stick-up phenomenon on a cleaved surface of the muscovite mica using an atomic force/lateral force microscope.—74-07767A
Surface analysis of float glass by means of X-ray absorption, reflection, and fluorescence analysis.—74-02588A
Surface analysis of oxidized aluminum: I, Hydration of Al_2O_3 and decomposition of $Al(OH)_3$ in a vacuum as studied by ESCA.—74-07828A
Surface analysis—X-ray photoelectron spectroscopy and Auger electron spectroscopy.—74-06823A
Surface and subsurface defect detection in Si_3N_4 components by laser scattering.—74-10747A
Surface capacitance of a semiconductor with a deep dopant (in the example of *p*-6H-SiC(B)).—74-03242A
Surface characterization of flexible magnetic disk with scanning probe microscopy.—74-07769A
Surface chemistry of commercial glasses.—74-08353A
Surface chemistry of diethylsilane and diethylgermane on Si(100): an atomic layer epitaxy approach.—74-04929A
Surface chemistry of nanocrystalline cerium oxide.—74-07128A
Surface cleaning with the carbon dioxide snow jet.—74-04930A
Surface composition and electronic structure of zeolites using X-ray photoelectron spectroscopy.—74-10039A
Surface crack in flexure (SCF) measurements of the fracture toughness of advanced ceramics.—74-11101A
Surface cracking in layers under biaxial, residual compressive stress.—74-11102A
Surface damage of SiC(w)/SiC by abrasion and indentation.—74-11103A
Surface diffusivity under high-pressure gas.—74-07502A
Surface engineering advances boost tool and die performance.—74-10661A
Surface impedance of YBaCuO single crystals in the mixed state.—74-06641A
Surface modification of very fine silicon nitride powders.—74-01898A
Surface modification of zirconia-alumina composite ceramics.—74-10662A
Surface pinning and grain-boundary formation in magnetic flux line lattices of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-05055A
Surface plasmon-magnon modes at the interface between a metal and the semiconductor phase of $YBa_2Cu_3O_{6+\delta}$.—74-03599A
Surface reactions of tetraneopentyl zirconium on zirconium carbide thin films.—74-04933A
Surface reconstructions of (001)CdTe and their role in the dynamics of evaporation and molecular beam epitaxy growth.—74-01899A
Surface strengthening of 3Y-TZP ceramics by boehmite sol infiltration.—74-10663A
Surface structure of $YBa_2Cu_3O_{7-x}$ probed by reversed-biased scanning tunneling microscopy.—74-06642A
Surface structures of InP and InAs thermally cleaned in an arsenic flux.—74-07771A
Surface tension of small metal particles.—74-02398A
Surface uv photoluminescence of SiC crystals.—74-09059A
Surface-sensitive characterization of diamond by ionization electron energy loss spectroscopy.—74-10898A
Synchrotron radiation X-ray photoelectron spectroscopy study of hydrogen-terminated Si surfaces and their oxidation mechanism.—74-07773A
Theory of scanning tunneling microscopy and spectroscopy on hydrogen-adsorbed Si(100) surface.—74-07780A
Thermodynamic and experimental conditions for the fabrication of a boron carbide layer on high-modulus carbon fiber surfaces by RCVD [reactive CVD].—74-04962A
Time-resolved atomic-scale modifications of silicon with a scanning tunneling microscope.—74-06363A
Towards a physical understanding of spreading resistance probe technique profiling.—74-01121A
Ultrafine particles: advantages and drawbacks.—74-10710A
Ultrashallow depth profiling with time-of-flight secondary ion mass spectrometry.—74-00728A
Ultraviolet laser-assisted surface treatment of InP with phosphine gas.—74-06372A
Use of short-range photogrammetry in the measurement of surface deformations of brick masonry.—74-03886A
Utilization of surface magnetoplasmons in the millimeter wavelength range.—74-09227A
Various ways of approaching surface finishing from an engineering viewpoint.—74-10716A
Vickers determines tile surface hardness.—74-05915A
X-ray diffraction observation of surface damage in chemical-mechanical polished gallium arsenide.—74-06385A
XPS analysis of surface state of various silicon nitride powders.—74-05301A

surfactants,
Improved characterization of steric-stabilized aqueous alumina slurries.—74-04686A

susceptibility,
Observation of a spin gap in $SrCu_2O_3$ comprising spin-1/2-quasi-I-D two-leg ladders.—74-10127A
Paramagnetic susceptibility and magnetic flux creep in $YBa_2Cu_3O_x$: variation with sample thickness.—74-03548A
Simultaneous measurement of resistivity and susceptibility on Y-Ba-Cu-O during thermal scanning.—74-03574A
Study on narrow energy band behavior and superconductivity in $La_{1.85}Sr_{0.15}Cu_{1-x}Fe_xO_{4-y}$.—74-09343AStudy on narrow energy band behavior and superconductivity in $La_{1.85}Sr_{0.15}Cu_{1-x}O_{4-y}$.—74-09344A

suspensions,
Air vibroinsulation suspension of the centrifugal machine.—74-00890A
Brownian dynamics of sterically stabilized colloidal suspensions.—74-04489A
Changing the flow behavior of kaolin suspensions by mechanical stress.—74-01048A
Colloidal zeolite suspensions.—74-10227A
Diffuse-ion swarm near smectite particles suspended in 1:1 electrolyte solutions: modified Gouy-Chapman theory and quasi-crystal formation.—74-08533A
Fresh options in drying.—74-06702A
Influence of shear time, mechanical stress, and addition of different electrolytes on the rheological behavior of kaolin suspensions.—74-07352A
Interparticle forces in clay suspensions: flocculation, viscous flow, and swelling.—74-08556A
Montmorillonite intercalated with Fe-Ni mixed oligomer complexes.—74-00370A
Nanocrystalline powders and suspensions generated using a flow-through hydrothermal process: I, Characterization.—74-10487A
Nanocrystalline powders and suspensions generated using a flow-through hydrothermal process: II, Applications.—74-10488A
Particle associations in clay suspensions and their rheological implications.—74-08569A
Preventing segregation during centrifugal consolidation of particulate suspensions: particle drafting.—74-10578A
Rheology of sterically stabilized ceramic suspensions.—74-07470A
Study of rheological behavior of ceramic powder suspensions by means of oscillatory techniques.—74-01112A
Suspended particles and pollen allergy.—74-11193A
Tailoring suspension flow for the gelcasting of oxide and nonoxide ceramics.—74-10690A

swelling,
Behavior of concrete affected by seawater under pressure.—74-00036A
Swelling of acid-treated bentonites.—74-05834A

switching,
All-optical switch employing the cascade second-order nonlinear effect.—74-00566A
Doping of ferrites for high-frequency switching power supplies.—74-03372A
Electric field forced phase switching in La-modified lead zirconate titanate stannate thin films.—74-09129A
Electrothermal model for high-field conduction and switching phenomena in TeO_2-V_2O_5 glasses.—74-08372A
Fluctuational crosstalk in Ti:$LiNbO_3$ directional coupler switches.—74-06412A
Low-temperature switching in PbTe:Ga under pressure.—74-03093A
Peculiarities of the switching process in polycrystalline thin ferroelectric films of PZT type.—74-03331A

synchrotron,
Dehydration and rehydration processes in the natural zeolite mesolite studied by conventional and synchrotron X-ray powder diffraction.—74-05107A
Synchrotron radiation excited etching of SiC film using reactive species generated by a microwave discharge.—74-02093A
Synchrotron X-radiation topography.—74-06824A

synthesis,
Aspects of diamond synthesis.—74-10200A
Barium titanate raw powder.—74-08723A
Barium titanium alkoxides for barium titanates—synthesis, characterization, and applications.—74-06947A
Carbothermal synthesis precursors.—74-09522P
Cascaded microwave plasma source of synthesis of ceramic nanocomposite powders.—74-09439A
Ceramic matrices and monoliths synthesized from a combination of reactive polymers, fillers, and atmospheres.—74-10215A
Ceramic pigments obtained by sol-gel method.—74-07217A
Ceramic Transactions, Volume 52: Low-Expansion Materials.—74-07969B

Characterization of silicon carbide–silicon nitride composite ultrafine particles synthesized using a CO_2 laser by silicon-29 magic angle spinning NMR and ESR.—74-01348A
Chemical processing and properties of nanostructured WC-Co materials.—74-00900A
Chemical Processing of Ceramics.—74-05440B
Chemical vapor synthesis of nanostructured ceramics.—74-07227A
Citrate sol-gel method for the preparation of β/β″-alumina.—74-01635A
Combustion synthesis of high performance ceramic-metal composites.—74-08147A
Copper-containing ceramic precursor synthesis—solid-state transformations and materials technology.—74-10248A
Diamond as the ultimate ceramic.—74-09862A
Diamond synthesis at low temperatures.—74-07259A
Diamond synthesis on a metal substrate.—74-08162A
Directed synthesis of ceramic materials with stable properties on the basis of phase diagrams.—74-04128A
Dopants in flame synthesis of titania.—74-10275A
Effect of addition and the synthesis method on the characteristics of aluminum titanate ceramics.—74-01684A
Effect of powder conditioning on the synthesis of RBAO.—74-10291A
Effect of synthesis techniques on crystallite size and morphology of lithium aluminate.—74-04590A
Effect of the buoyancy force on diamond formation during synthesis under a high pressure.—74-10301A
Effects of different raw Si_3N_4 powders on microstructures and properties of a high-temperature SiAlON ceramic.—74-10308A
Effects of ion bombarding energy on the structure and properties of TiN films synthesized by dual ion beam sputtering.—74-10310A
Fabrication of composite spray powders using reaction synthesis.—74-10346A
Factors affecting synthesis of monosulfate in aqueous solution under atmospheric pressure.—74-07311A
Fast solution precursor synthesis of the 2223 phase—the role of lead in the reaction pathway.—74-09272A
Flattened diamond crystals synthesized by microwave plasma chemical vapor deposition in a CO-H_2 system.—74-04639A
Formation of titania gels from titanium alkoxide and orthoboric acid in pyridine.—74-07321A
Fullerenes and diamond.—74-10366A
Group 12 thiolates—synthesis, characterization and decomposition pathways.—74-10372A
Gyrotron processing of materials.—74-00935A
High-pressure diamond synthesis by Mossbauer spectroscopy.—74-10383A
High-yield polycarbosilane precursors to stoichiometric SiC—synthesis, pyrolysis, and application.—74-10385A
Hydrothermal synthesis of hydroxyapatite (HAp).—74-09784A
In situ reinforced reaction-bonded aluminum oxide (RBAO).—74-07348A
Influence of synthesis parameters on structure and morphological characteristics of Al_2O_3-aerogel-based materials.—74-04707A
Liquid-mix synthesis of oxide powders and thin films using a starch-based polymer.—74-10435A
Low expansion Al_2O_3-ZrO_2 composite synthesized from *m*-ZrO_2 and Al_2O_3 ultrafines.—74-03945A
Low-temperature synthesis and characterization of crystalline zirconium titanate powder.—74-07373A
Low-temperature synthesis of amorphous and glass-ceramic silicate materials (review).—74-02642A
Luminous inorganic materials (phosphors).—74-10436A
Manufacturing of covalent ceramics by exothermic reactions.—74-10440A
Materials synthesis under short-time microgravity.—74-09484A
Mechanically activated synthesis of particulate hexagonal ferrite $BaFe_{12}O_{19}$.—74-06469A
Mechanism of zeolite formation—seed-gel interaction.—74-10446A
Molten-salt synthesis of $Ba_{1-x}Pb_xTiO_3$ in the system $BaTiO_3$-$PbCl_2$.—74-09157A
Nanocrystalline Al_2O_3 powders produced by laser-induced gas-phase reactions.—74-04766A
Nanostructured materials—mind over matter.—74-00962A
New brownmillerite solid electrolytes.—74-00514A
New scope of high-pressure–high-temperature synthesis of cubic boron nitride.—74-10010A
Nonstoichiometric transition metal carbides—synthesis, properties, and potential areas of application.—74-09882A
Novel routes to microwave processing of ceramic materials.—74-10501A
Novel synthesis method of AlN—comparison with classical preparation procedures.—74-04784A
Novel synthesis of mullite powder.—74-04785A
One-step synthesis of dithiocarbamates from metal powders.—74-10504A
Phase formation in the system Bi-Pb-Sr-Ca-Cu upon synthesis of (Bi, Pb)$_2Sr_2Ca_2Cu_3O_x$.—74-04186A
Physical properties of diamondlike nanocomposite films.—74-07184A
Plasma production of ultrafine ceramic carbides.—74-04074P
Porosity–grain growth relationships in the sintering of nanocrystalline ceramics.—74-01838A
Powder synthesis and shape forming of advanced ceramics.—74-07954A
Preparation and characterization of alumina thin film by sol-gel method: II, Synthesis of alumina sol for coating and preparation of coating films.—74-10544A
Preparation and characterization of group 14 element bis(thiolate) compounds and evaluation of their potential as molecular precursors in the low-temperature synthesis of binary metal sulfides.—74-10545A
Preparation and characterization of transparent γ-AlOOH films.—74-07421A
Preparation of alumina by a combined precipitation and gelation process.—74-07425A
Preparation of Fe_3O_4 fine particles through a solvothermal process.—74-07430A
Production and characterization of novel ceria-stabilized zirconia ceramics.—74-04845A
Properties of ultrafine diamond clusters from detonation synthesis.—74-04852A
Rapid solid-state precursor synthesis of nonoxide ceramics.—74-10598A
Reaction mechanisms of silicon carbide fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: I, Evolved gas analysis.—74-04861A
Reactive plasma spray forming for advanced materials synthesis.—74-00149A
Recent advances in the synthesis and texturing of HTSC composites.—74-03565A
Research and development in the field of diamond films in Russia.—74-01302A
Research on process of synthesizing β-SiC from colliery gangue containing SiO_2.—74-06293A
Routes to deagglomerated nanopowder by chemical synthesis.—74-10616A
Sol-gel method in the synthesis of cordierite.—74-04901A
Sol-gel synthesis and characterization of $PbTiO_3$ fibers.—74-04903A
Sol-gel synthesis of hybrid organic-inorganic tin-oxide-based materials.—74-10643A
Sol-gel synthesis of protoenstatite.—74-10644A
Sonochemical synthesis and catalytic properties of nanostructured molybdenum carbide.—74-07488A
Structural and electrical properties of PZT (La, Na) ceramics.—74-05958A
Studies on the crystallization of a novel, large-pore, high-SiO_2 molecular sieve, NCL-1.—74-10037A
Supersonic dc-arcjet synthesis of diamond.—74-10659A
Synthesis and application of zeolite molecular sieves.—74-10664A
Synthesis and characterization of $(CeO_2)_{0.8}(SmO_{1.5})_{0.2}$ thin films from polymer precursors.—74-07505A
Synthesis and characterization of a crystalline vanadium silicate with MEL structure.—74-10041A
Synthesis and characterization of a new ternary transition metal nitride, $FeWN_2$, from the transition metal oxide precursor, $FeWO_4$.—74-10665A
Synthesis and characterization of chromium silicalite: I.—74-10666A
Synthesis and characterization of group IV metal adamantanol alkoxides as potential PZT precursors.—74-10667A
Synthesis and characterization of $Pb(Zr_{0.54}Ti_{0.46})O_3$ thin films on (100)Si using textured $YBa_2Cu_3O_{7-\delta}$ and yttria-stabilized zirconia buffer layers by laser physical vapor deposition technique.—74-06441A
Synthesis and characterization of Ru-Ti_4O_7 microelectrode arrays.—74-05961A
Synthesis and characterization of semiconductor nanoparticulates.—74-09060A
Synthesis and characterization of sinterable silicon nitride powder.—74-01305A
Synthesis and electrochemical studies of $LiMnO_2$ prepared at low temperatures.—74-05963A
Synthesis and infrared absorption characteristics of boron-doped semiconducting diamond thin films.—74-07508A
Synthesis and investigation of Ca- and Eu-substituted high-temperature superconducting compounds of the type 124 based on yttrium.—74-03601A
Synthesis and optical properties of GaAs nanoclusters sequestered in amorphous matrices.—74-04935A
Synthesis and physicochemical characterization of hexafluorogermanates with mixed alkaline cations.—74-07130A
Synthesis and physicochemical properties of solid solutions $CuGa_xIn_{1-x}Te_2$.—74-01901A
Synthesis and processing of complex ceramic oxides.—74-01902A
Synthesis and properties of $CaAl_2O_4$-coated Al_2O_3 microcomposite powders.—74-10163A
Synthesis and properties of dielectric ceramics from metallorganic precursors through the solid-state reaction of mixed gels.—74-05964A
Synthesis and stabilization of hexagonal boron nitride materials.—74-10671A
Synthesis and structure of new compound of hollandite series.—74-07132A
Synthesis of β′-SiAlON powder from clay.—74-05835A
Synthesis of β-wollastonite at low temperature from low cost raw materials.—74-06932A
Synthesis of (alumino)silicate materials using organic molecules and self-assembled organic aggregates as structure-directing agents.—74-10672A
Synthesis of (Nb, Sr)-doped PZT by partial oxalate method.—74-04937A
Synthesis of a precursor of silicon nitride.—74-03878A
Synthesis of aluminum nitride from aluminum citrate precursor.—74-07511A
Synthesis of barium hexaaluminate by the spray-ICP technique.—74-01905A
Synthesis of carbon nitride in plasma arc.—74-07512A
Synthesis of cobalt aluminate.—74-01908A
Synthesis of Cr_2O_3(CoO)-BaO-Al_2O_3-SiO_2 ceramic pigment and its applications.—74-07513A
Synthesis of dahlite—the mineral phase of bone.—74-09804A
Synthesis of fibrous crystals of $(K,Ba)_2Ti_6O_{13}$ and $(K,Sr)_2Ti_6O_{13}$ by composition-structural changes from Ba- and Sr-doped $K_2Ti_4O_9$.—74-01909A
Synthesis of HAp powder for periapical plugs.—74-07514A
Synthesis of Hg-1201 phase superconducting cuprate at ambient pressure.—74-09349A
Synthesis of Hg-1201 phase superconducting cuprate at ambient pressure.—74-09350A
Synthesis of high-T_c superconductors under high pressure (a review).—74-09351A
Synthesis of highly oriented K(Ta,Nb)O_3 (Ta:Nb=65:35) film using metal alkoxides.—74-06444A
Synthesis of In_2O_3-SnO_2 composite powders by a homogeneous precipitation technique and their sintering behavior.—74-07515A
Synthesis of $KTiOPO_4$ (KTP) thin films using metallo-organics.—74-10680A
Synthesis of mullite composites from powder mixtures of alumina, silica and zirconia.—74-10681A
Synthesis of mullite materials by oxidation of metal alloy powder compacts.—74-04944A
Synthesis of nanometer size ceramic powders in a dc transferred arc plasma furnace.—74-03739A
Synthesis of nitrides by mechanical alloying.—74-07133A
Synthesis of PLZT powders via a molecularly modified precursor route.—74-07518A
Synthesis of polycrystalline chalcopyrite semiconductors by microwave irradiation.—74-09062A
Synthesis of SAPO-34—high-Si incorporation in the presence of morpholine as template.—74-07519A
Synthesis of SiAlON precursors.—74-10683A
Synthesis of silicon carbide from rice husk in a packed bed arc reactor.—74-10684A
Synthesis of the fluorohafnates of the rare earths RHf_2F_{11} (R=La–Nd).—74-04947A
Synthesis of TiC ceramics by reaction sintering of shock-modified powder mixtures.—74-10686A
Synthesis of WC-Co nanocomposites using polymer as carbon source.—74-08281A
Synthesis of zeolite A from calcined diatomaceous earth—optimization studies.—74-07521A
Synthesis process for aluminum nitride.—74-10689A
Synthesis studies of nanocrystalline composite oxides with the perovskite structure based on $LaFeO_3$.—74-07523A
Synthesis, structure, and magnetic properties of some new metal (II) phosphonates—layered $Fe(C_2H_5PO_3)$·H_2O, α-$Cu(C_2H_5PO_3)$, and Co(*t*-$C_4H_9PO_3$)·H_2O, tubular β-$Cu(CH_3PO_3)$.—74-09183A
Synthesizing gamma-TiAl alloys by reactive powder processing.—74-01913A
Synthesizing submicrometer and nanoscale particles via self-assembled molecular membranes.—74-01914A
Synthetically prepared hydrous alkali calcium silicates.—74-05603A
Theoretical aspects for low-pressure diamond synthesis.—74-07527A
Underwater plasma spraying and synthesis of coatings.—74-10711A
Use of magnesium carbonate hydroxide pentahydrate in the production of perovskite lead magnesium niobate.—74-03354A
Venezuelan natural aluminosilicates as a feedstock in the synthesis of zeolite A.—74-10717A
Zirconia gels in concentrated NaOH.—74-01931A

systems,
Cement standards in European Standardization System.—74-08004A
Compressed air systems.—74-06688A
Modular aspect of crystal structures.—74-04166A

tableware,
Advanced automation in the production of tableware.—74-08657A
Automatic storage and handling of tableware.—74-08660A
Cut crystal glass is automatically decorated.—74-00292A
Designing the future [using CAD/CAM systems for dinnerware].—74-00015A
FEM in the ceramics industry.—74-06769A
Handmaking of (zirconia) wine cups.—74-08683A
Kiln furniture for the tableware and brick industries.—74-09682A
Manufacturer's view on robotics.—74-11178A
Methods for improving the microstructure of isostatically pressed tableware.—74-08692A
Optimization of spray granulates for isostatic pressing of tableware pieces.—74-00438A
Refining—physics and chemistry.—74-00213A
Spinning innovation makes quality claim.—74-06727A
Tableware and sanitary ware plants follow developments in the tile industry.—74-08705A
Tableware decoration: product development.—74-00027A
Traditional ceramics—evolution in the last decade and future trends.—74-07960A
Wear properties of glazed ceramic tableware.—74-05917A
What will the material of the future for tableware ceramics look like.—74-00446A

talc,
Calculation of electron structure of talc by semiempirical methods of quantum chemistry.—74-07599A
Cordierite ceramics.—74-01225A
Dosification of a cement-talc-chamotte refractory mortar subjected to thermal shock.—74-05492A
Effect of talc on thermal stability of porcelain glaze.—74-05891A
Effects of dry grinding on talc and isostructural 2:1 layer silicates.—74-05809A
Formation and properties of amorphous magnesium silicates.—74-07078A
Talc.—74-06933A
Use of talc in white earthenware "Monoporosaa" tiles.—74-00445A

tanks,
Glass melting furnace with control of the glass flow in the riser.—74-03939P

tantalates,
Calculations of liquidus curve and subliquidus miscibility gap in the $LiTaO_3$-SiO_2 system.—74-03286A
Cerenkov second harmonic generation (CSHG) in proton-exchanged (PE) $LiTaO_3$ optical waveguides.—74-09111A

Characteristics in proton-exchanged $LiTaO_3$ optical waveguides and annealing.—74-02520A
Collective dynamics of off-center ions in $K_{1-x}Li_xTaO_3$—a model of relaxor behavior.—74-10067A
Crystal growth of $LiTaO_3$ and the effect of crucible type and atmosphere.—74-04112A
Dependence of the glasslike characteristics of relaxor ferroelectrics on chemical ordering.—74-09117A
Domain inversion in $LiTaO_3$ using proton exchange followed by heat treatment.—74-09984A
Formation of planar optical waveguides in $LiTaO_3$ by nonisovalent ion exchange in molten salts and their study.—74-03307A
Imperfections in $LiTaO_3$ crystal.—74-10735A
Irreversible pressure-induced amorphization in $LiTaO_3$.—74-07677A
Luminescence of alkali tantalates and niobates.—74-09152A
Nonequilibrium phase formation in oxides prepared at low temperature: fergusonite-related phases.—74-10012A
Phase diagram of $Ba_2NaNb_{5(1-x)}Ta_{5x}O_{15}$[—note].—74-07099A
Photorefractive properties of tetragonal $KTa_{0.52}Nb_{0.4}?78O_3$ at high light intensities.—74-01562A
Polymorphism of zinc metatantalate and manganese metatantalate.—74-01440A
Postfabrication changes and dependence on hydrogen concentration of the refractive index of proton-exchanged lithium tantalate waveguides.—74-04398A
Raman scattering of ferroelectric soft mode in $Sr_2Ta_2O_7$.—74-00764A
Raman spectroscopic anomaly of Nd-doped lithium tantalate at backscattering geometries.—74-10870A
Role of defects in the ferroelectric relaxor lead scandium tantalate.—74-06433A
Structure and defects of lanthanum pentatantalate.—74-05268A
Systems ANb_2O_6-ATa_2O_6, A=Ca, Sr, Ba.—74-01474A

tantalum carbide,
Effect of process variables on formation of a TaC second phase in a lithium aluminosilicate glass-ceramic.—74-08416A
Electrochemically prepared precursor for the formation of tantalum carbide.—74-10321A
Microstructure of plasma-sprayed TaC coatings.—74-05194A
TaC coatings prepared by hot filament chemical vapor deposition—characterization and properties.—74-04951A

tantalum nitride,
Characterization of the oxidation of tantalum nitride.—74-05091A
Interface roughness effects of adhesion of Ta_2N films.—74-11033A

tantalum oxide,
Barrier process for Ta_2O_5 capacitor.—74-03264P
Characterization of optical thin films by spectroscopic ellipsometry.—74-10065A
Dielectric study of the phase transition in $K_{1-x}Li_xTaO_3$.—74-09121A
Effect of the electric field on the elastic and dielectric properties of a lithium-potassium tantalate crystal.—74-10083A
Effects of temperature and reagent concentration on the morphology of chemically vapor deposited ß-Ta_2O_5.—74-05132A
Electrode/dielectric strip for high-energy-density capacitor.—74-05935A
Electron cyclotron resonance plasma-enhanced metallorganic chemical vapor deposition of tantalum oxide thin films on silicon near room temperature.—74-07294A
Ellipsometric examination of structure and growth rate of metallorganic chemical-vapor-deposited Ta_2O_5 films on Si(100).—74-07643A
Fabrication and phase relationship of new high-temperature defect fluorite phase in the system R_2O_3-Ta_2O_5 (R=La–Yb).—74-09994A
Fabrication of *n*-metal-oxide semiconductor field effect transistor with Ta_2O_5 gate oxide prepared by plasma-enhanced metallorganic chemical vapor deposition.—74-06096A
Investigation on humidity sensors of Ta_2O_5 planar waveguides.—74-08942A
Low-voltage and high-speed operating electrostatic wafer chuck using sputtered tantalum oxide membrane.—74-06981A
Method for manufacturing a semiconductor device.—74-02888P
Na_2SO_4-induced corrosion of Si_3N_4 coated with chemically vapor deposited Ta_2O_5.—74-07816A
Properties of thin films of tantalum oxide deposited by ion-assisted deposition.—74-04851A
Synchronously excited discrete chemical vapor deposition of Ta_2O_5.—74-07504A
Tantalum oxide thin films for dielectric applications by low-pressure chemical vapor deposition.—74-01916A
Thermal stability of thin poly-Si/Ta_2O_5/TiN capacitors for dynamic random access memory applications.—74-05966A
Thermal stability of thin poly-Si/Ta_2O_5/TiN capacitors for dynamic random access memory applications.—74-06358A
Ultrathin tantalum oxide capacitor dielectric layers fabricated using rapid thermal nitridation prior to low pressure chemical vapor deposition.—74-00537A
Ultrathin tantalum oxide capacitor process using oxygen-plasma annealing.—74-05968A

tantalum,
Analysis using high-energy beam techniques of the surface carbonaceous layers of silicon and tantalum substrates used in the chemical vapor deposition synthesis of diamond.—74-10195A
Characterization of tantalum impurities in hot-filament diamond layers.—74-03787A
Diamond chemical vapor deposition using tantalum filaments in H_2-CH_4-O_2 gas mixtures.—74-01671A
Effects of Ta doping in sputter-deposited PZT thin film.—74-08746A
Glass formation and structure of tantalum borate system.—74-05679A
Growth methodologies and characterization of different polycrystalline diamond films on Ta substrates.—74-04665A
Influence of the gas composition on the electrical resistivity of diamond thin films synthesized by the tantalum hot filament method.—74-04708A
Method of producing tantalum(V) nitride.—74-03995P
Observation of in situ reduction and oxygen transport in zirconia-tantala ceramic alloys.—74-01952A
Properties of reactively sputter-deposited Ta-N thin films.—74-01565A
Reactive ion etching of Ta-Si-N diffusion barriers in CF_4-O_2.—74-07459A
Reversibility of ordering effects in $Pb(Sc_{1/2}Ta_{1/2})O_3$ ceramics.—74-04411A
Scanning tunneling microscopy of charge density waves [CDWs] in TaS_2:4Hb[-polytypes].—74-05239A
Single-source precursors to niobium nitride and tantalum nitride films.—74-10631A
Study of diffusion and ionic conductivity in 2H-Ag_xTaS_2 intercalated compound.—74-05054A
Sub-half-micron metal-oxide-semiconductor device fabrication using a compact synchrotron radiation lithography system.—74-00721A
Vapor deposition of lithium tantalate with volatile double alkoxide precursors.—74-07550A

tape casting,
Binder burnout of tape-cast ceramics by microwave energy.—74-07210A
Characteristics and microstructure of matrix retaining electrolyte in phosphoric acid fuel cell prepared by tape casting.—74-10763A
Compositionally graded near-net-shape complex parts made by tape lamination.—74-01649A
Effect of solid loading and lamination process on the properties of Ni-Zn ferrite made by tape casting method.—74-10296A
Electrical properties of tape-cast zirconia thin plates with mixing ratios of 3Y-ZrO_2 and 8Y-ZrO_2 powders.—74-10096A
Electronics: tape casting, roll compaction.—74-10323A
Fabrication of glass matrix composites by tape casting.—74-02622A
Fabrication of microstructured ceramic layers by tape casting and subsequent stamping.—74-04628A
Fabrication of PNZT piezoelectric ceramics by the tape casting technique.—74-09140A
Fabrication of SiC whisker-reinforced $MoSi_2$ composites by tape casting.—74-10352A
Free surface measurements and numerical simulations of ceramic tape casting.—74-01741A
Generalized fluid flow model for ceramic tape casting.—74-10370A
How to control cracking of tape-cast sheets.—74-07340A
$MoSi_2$-based sandwich composite made by tape casting.—74-10482A
Oil dispersion of alumina for tape casting.—74-07404A
Strength of tape cast and laminated ceramics.—74-07919A
Tape casting and roll compaction.—74-10691A
Tape casting technology.—74-10692A
Water-based alumina dispersions for tape casting.—74-04980A

tape,
Bi-rich Bi-Pb-Sr-Ca-Cu-O (2-2-2-3) superconducting tapes.—74-06494A
Calculation of the electromagnetic critical state response of high-T_c superconductor tape.—74-09239A
Continuous preparation of YBCO/Ag superconducting tape by new MOCVD reactor.—74-06502A
Method for manufacturing an oxide superconducting tape.—74-03637P
Monolithic multiple capacitor.—74-02893P
Oxide superconductor tape having silver alloy sheath with increased hardness.—74-09383P
Phase regions and kinetics of formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ [2223] in Ag-sheathed tape.—74-06611A
Preparation and properties of YBCO/Ag composite tape using powder melting process (PMP).—74-06617A
Sintered inorganic composites comprising cosintered tape reinforcement—74-01272P
Wear behavior of thin film heads for VCR in sliding with metal evaporated tapes.—74-08293A

technology,
Advanced ceramics in Canada.—74-11134A
Advanced ceramics in Taiwan.—74-11135A
Big Bag technology at the Lengerich cement plant.—74-09433A
Bringing new technology to market.—74-07939A
Ceramic cutting tools.—74-08137A
Ceramic surface engineering.—74-10217A
Ceramic Transactions, Volume 47: Magnetic Materials.—74-05439B
Ceramic Transactions, Volume 51: Ceramic Processing and Technology.—74-07968B
Ceramics, a new dimension in energy technology.—74-11149A
Choosing the ceramic brick production technology.—74-00901A
Control valve industry comes alive.—74-06689A
Database technology to empower ceramic professionals.—74-11153A
Development of the production and improvement of the technology of cellular concrete products.—74-00914A
Developments and prospects of the Chinese cement industry.—74-02320A
Education and the equivalence of academic degrees in the field of ceramics.—74-11157A
Engineering principles of the Niro recuperative tunnel kiln concept.—74-09656A
Fast-fire technology: thermal potential control.—74-09663A
French nuclear waste vitrification: state of the art and future developments.—74-09403A
Government views on U.S. competitiveness technology and productivity.—74-07948A
Improvement of the technology of ball mills.—74-03695A
Indian cement industry—an overview.—74-08049A
Industry-university interaction in ceramics.—74-11170A
Introducing TMS online: an interactive electronic gateway to information dissemination.—74-02246A
Management strategy in cement technology for the next century: III.—74-08067A
Modern high-temperature tunnel kilns—high-tech firing aggregates.—74-09689A
New generation of refractory concretes: colloid-chemical aspect of their technology.—74-02767A
New method of corrugated asbestos cement sheet production in home practice.—74-00964A
New technologies in refractory forming and their effects on product performance.—74-08624A
Particle size analysis—present and future.—74-09598A
PEI's programs of service for the porcelain enamel industry.—74-02255A
PEI's role—how PEI can and will help.—74-02256A
Performance and progress of the cement industry in India.—74-05430A
Porcelain enameling—an environmentally friendly process.—74-00141A
Present state of porcelain enameling in the Czech and Slovakian republics.—74-00145A
Present status of porcelain enamel technology in the U.S.—74-00146A
Preservation and transfer of knowledge and technology.—74-02260A
Reaction-bonded Al_2O_3 (RBAO) and related technology.—74-10603A
Recent advances improve Auger analysis.—74-03862A
Recent trends in chemical analysis of ceramic raw materials.—74-09750A
Refractories challenge: meeting performance demands.—74-05872A
Remarks on rebound of shotcrete.—74-08101A
Report of the electrolytic industries for the year 1992.—74-02271A
Research Institute of the Refractory Industry, Bonn, [Germany].—74-02781A
Shrink-wrap system cuts cost.—74-06724A
Sputter deposition technology as a materials engineering.—74-10653A
Study of the flow parameters in mortar-air mixtures during guncrete application.—74-03875A
Tape casting technology.—74-10692A
Technical developments and trends in the porcelain enameling industry at the beginning of the 90's.—74-00156A
Technology and ceramic plants—the past, the present, the future: I, The tile.—74-05836A
Tile laying on problematic supports. New supports need new technologies.—74-08595A
Transferring microwave-assisted technology to the ceramic industry.—74-09509A

television,
Cathode ray tubes for television[—application of ceramics to].—74-09765A

tellurides,
Ag_2Te/As_2S_3, a top-surface, high-contrast negative-tone resist for deep ultraviolet submicron lithography.—74-01611A
Anomalous properties of lattice TO vibrations in HgTe: I, Off-center lattice vibration model.—74-05978A
Anomalous properties of lattice TO vibrations in HgTe: II, One-dimensional two-well crystal model.—74-07037A
Carbon and hydrogen incorporation in ZnTe layers grown by metallorganic chemical vapor deposition.—74-04492A
Composition and conductivity of electrodeposited Bi-Te alloy films.—74-04266A
Crystal structure of ZnTe III at 16 GPa.—74-07063A
Doping in ZnSe, ZnTe, MgSe, and MgTe wide band gap semiconductors.—74-02967A
Electrical properties of $(ZnTe)_x(CdSe)_{1-x}$ single crystals.—74-00606A
Electrical transport characterizations of nitrogen doped ZnSe and ZnTe films.—74-02988A
Electronic structure of NiAs-type MnTe studied by photoemission and inverse-photoemission spectroscopies.—74-08891A
Electrophysical properties on Bi_2Te_3:In.—74-01513A
Exciton line broadening by compositional disorder in $ZnSe_xTe_{1-x}$ quantum wells.—74-04315A
Ferron mechanism of charge transport in antiferromagnetic semiconductors and its peculiarities at phase separation.—74-08911A
First indications of spontaneous ordering in $ZnSe_{0.5}Te_{0.5}$ alloy.—74-05144A
Formation and desruction of color centers in tellurite phosphate glasses.—74-02456A
Grain-boundary effect in polycrystalline ZnTe films.—74-01519A
Hopping conductivity in the semimagnetic solid solution $Hg_{1-x}Mn_xTe$.—74-03382A
Infrared reflection and electroreflectance spectra of B^+-implanted semimagnetic semiconductors $Ag_{1-x}Mn_xTe$.—74-06155A
Low-temperature growth of ZnTe by synchrotron radiation using metallorganic sources.—74-00649A
Multimode behavior of optical phonons in II-VI ternary and quaternary alloys.—74-03123A
Nanometer fabrication techniques for wide-gap II-VI semiconductors and their optical characterization.—74-03124A

Nanostructured ZnTe films prepared by dc magnetron sputtering.—74-04768A
Nonlinear *I-V* characteristics in copper-doped Bi_2Te_3 single crystals.—74-04374A
Optical properties of diluted magnetic semiconductor $Cd_{1-x-y}Mn_xMg_yTe$ [(0.05<x<0.65, 0.05<y<0.5)].—74-07178A
Parameters of the band spectrum, and electrical and magnetic properties of quaternary semimagnetic semiconductors of HgCdMnTe.—74-00677A
Photoassisted metallorganic vapor phase epitaxy of ZnTe on GaAs.—74-03156A
Photoconductivity and photomagnetic effect in $Mn_xHg_{1-x}Te$ layers at low temperatures.—74-06254A
Picosecond optical bistability of ZnTe-ZnS strained layer superlattices grown on transparent substrate BaF_2 by MOCVD.—74-05221A
Structure of (Cd, Mg, Mn)Te solid solutions.—74-04219A
Synthesis and physicochemical properties of solid solutions $CuGa_xIn_{1-x}Te_2$.—74-01901A
Thermoelectric and Hall effect in amorphous alloy $As_{0.2}Se_{0.4}Te_{0.4}$.—74-01596A
Transport properties and band structure of nonstoichiometric $Cu_{2-x}Te$.—74-04455A

tellurites,
Acoustooptic modulation using a new chlorotellurite glass.—74-04246A
New incommensurate phase in a Pb ordered perovskite: Pb_3MgTeO_6.—74-03842A
Sellmeier coefficients and chromatic dispersions for some tellurite glasses.—74-08392A
Structural change of rapidly quenched binary tellurite glasses with composition and temperature.—74-05697A
Structure and thermal properties of some tellurite glasses.—74-08352A
Study of unshared pairs of the Te atom in paratellurite glass. Nonempirical computation of the TeO_2 molecule.—74-04223A
Two-photon-excited luminescence in paratellurite crystals.—74-04459A

tellurium oxide,
Crystal field effects on the magnetic susceptibility of rare tellurium oxides.—74-01504A
Electrothermal model for high-field conduction and switching phenomena in TeO_2-V_2O_5 glasses.—74-08372A
Glass formation, properties, and structure of glasses in the TeO_2-ZnO system.—74-02463A
Nonlinear optical properties of TeO_2-based glasses: MO_x-TeO_2 (M=Sc, Ti, V, Nb, Mo, Ta, and W) binary glasses.—74-02567A
Thermally induced changes in TeO_x thin layers.—74-01246A

tellurium,
Dependence of optical band gap on the composition of $Se_{1-x}Te_x$ thin films.—74-05108A
Dispersive optical bistability in ZnS-ZnTe strained-layer superlattices grown on transparent substrates BaF_2 by MOCVD.—74-06044A
Effect of Se on the crystallization behavior of As-Te glasses.—74-02450A
Electrographic and charge transport measurements on amorphous semiconductor films of $(Se_{1-x}Te_x)_{1-y}P_y$.—74-00608A
Free volume parameters for tellurium chalogenide glasses.—74-02459A
Pairing of Mn acceptors and Te donors in InP and related alloys.—74-03147A
Tellurium and selenium halide-based glasses, their preparation and use.—74-02698P
X-ray photoelectron and vibrational spectroscopic studies of Te-C:H films for optical disk memory.—74-01308A

temperature dependence,
Effect of temperature on toughness curves in alumina.—74-02128A
Effect of temperature on wear rate of homopolar pulse consolidated electrical brushes.—74-00480A
Effective free path length of phonons in diamond.—74-09986A
Fluctuation effects in lattice model of superconductor near upper critical field.—74-03463A
Momentum relaxation processes during electron collisions in 2-D conducting systems.—74-03121A
Significance of temperature effects for the behavior of thin lubricant films in an oscillating contact.—74-01571A
Temperature and current dependence of the intensity of the edge injection electroluminescence of SiC *p-n* structures.—74-03246A
Temperature dependence in threshold photoemission from HTSC.—74-06649A
Temperature dependence of ac hopping conductivity.—74-07191A
Temperature dependence of electronic conduction in thin nitrided oxides.—74-10164A
Temperature dependence of intergrain potential barrier height in $PbFe_{0.5}Nb_{0.5}O_3$ posistor ceramics.—74-02864A
Temperature dependence of spectral linewidths and lineshifts of Nd^{3+} ions in $CaY_2Mg_2Ge_3O_{12}$ laser crystal.—74-10165A
Temperature dependence of the kinetics of electrochemical vapor deposition of CeO_2.—74-01917A
Temperature dependence of the strength of silicon nitride ceramics.—74-04440A
Temperature dependence of the sublattice magnetization measured by Cu NMR in quasi-two-dimensional antiferromagnet $YBa_2Cu_3O_{6.1}$.—74-01589A
Temperature dependences [of parameters] of electron-hole and ionic processes in cathodochromic sodalites.—74-07776A

temperature measuring,
Accuracy in temperature measurement.—74-01035A
Estimating temperature by use of graphics.—74-01150A
Forehearth temperature control system.—74-02673P
High-speed temperature measurement for on-line process control and quality assurance during plasma spraying, I: Identification of important process parameters—measurement principle and potential as an industrial process control instrument.—74-01065A
How accurate is that infrared thermometer.—74-06777A
Matching temperature sensors with process tasks.—74-03832A
Method utilizing a ceramic for temperature measurement—74-01131P
Monitoring kiln shell temperature—a must in today's cement plants.—74-03839A
New generation sensors proving advantageous in monitoring continuous casting lines.—74-01086A
Noninvasive infrared-based measurement of the temperature of GaAs semiconductor crystals.—74-06223A
Temperature measurement and control in the cement industry.—74-03934A
What's hot in temperature measurement and control.—74-06833A

temperature,
Approach to temperature distribution of longitudinal section of annular kiln.—74-01136A
Ceramic materials for intermediate temperature solid oxide fuel cells.—74-10214A
Composition dependence of transition temperature in some ceramic superconductors.—74-09244A
Critical temperatures, T_c, of ionic-crystal model for infinite layer compounds.—74-06506A
Defect formation during plastic deformation of Y_2O_3 partially stabilized ZrO_2 single crystals.—74-04997A
Forehearth temperature control strategies.—74-09670A
Increasing the intelligence of forehearth control systems.—74-05771A
Kiln [rotary] shell temperature and indispensable measured variable.—74-06859A
Modeling for a new feeder bowl.—74-05776A
Optimization of glass conditioning.—74-05780A
Optimized annealing temperature monitoring in Waterford.—74-09494A
Preparation and properties of $YBa_2Cu_3O_{7-\delta}$ superconductor by citrate pyrolysis.—74-03561A
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ thick films at elevated oxygen pressures and temperatures.—74-09338A
Stable crack growth in ceramics at ambient and elevated temperatures.—74-11091A
Successfully drying sanitary ware.—74-05912A
Synthesis of $Bi_2Sr_2CaCu_2O_y/Bi_2Sr_2CuO_6$ superlattices with a T_c enhancement effect.—74-06645A
Temperature homogeneity of the gob of glass—where does it arise or become extinct. Electric heating of forehearth.—74-02660A
Temperature profiling of glass by FTIR emission spectroscopy.—74-02591A
Temperature-viscosity characteristics of glasses(— the methods of measurement).—74-08397A
Tensile tests of ceramic materials.—74-01115A
Thermal expansion and glass transition temperatures of Y-Mg-Si-Al-O-N glasses.—74-05744A

tempering,
Bent glass has gone through a three-stage development.—74-02600A
Method and apparatus for equalizing the temperature profile of glass sheets in a roller-equipped furnace included in a horizontal tempering plant.—74-03755P
Observation and analysis technique of edge stress of thermally tempered plate glass.—74-08381A

tensile,
Apparatus for tensile, tension-compression, and bending tests of ceramic samples at temperatures up to 1600°C.—74-01039A
High-temperature tensile fatigue behavior of a polymer-derived ceramic matrix composite.—74-11022A
High-temperature testing: special equipment.—74-01067A
Hydraulically driven grips for hot tensile specimens.—74-03818A
Improved flat specimens for tensile and fatigue testing of composites.—74-07889A
In situ radiography during tensile tests.—74-04016A
Simple method of tensile tests in engineering ceramics.—74-01103A
Tensile adhesion testing of thermal -spray coatings on flat substrates.—74-09624A
Tensile fracture behavior of fiber-reinforced ceramic matrix composite with hole.—74-02400A
Tensile properties of ceramic matrix fiber composites.—74-11110A
Tensile strength of SiC fibers.—74-07927A
Tensile tests of ceramic materials.—74-01115A
Tensile tests: technical state and perspectives.—74-01116A
Testing the tensile properties of ceramic matrix composites.—74-01592A
Thermal fatigue and subcritical crack growth in Si_3N_4.—74-02211A

tension,
Application of X-ray tensometry to ceramic materials.—74-06738A
Characterization of mechanical properties of ceramic material with the account of statistical effects.—74-02103A
Interaction and propagation of random microcracks in tension.—74-05539A
Mosaic is in fashion.—74-03713A
Surface tension of small metal particles.—74-02398A

terbium,
High-temperature transformation toughening of magnesia by terbia.—74-01393A
Microstructure and magnetic character of terbium borate glass.—74-00268A
Strength and crack resistance of zirconia crystals containing yttrium and terbium oxides.—74-02204A
Structural and superconducting properties of $Y_{1-x}Tb_xBa_2Cu_3O_{7-\delta}$.—74-06633A
Synthesis and particle growth mechanism of bright green phosphor YAG:Tb.—74-06346A

terminology,
Data on the origin of the word "porcelain."—74-07941A

terra cotta,
Restructuring tendencies of terra cotta installations.—74-08580A

testing,
Apparatus for tensile, tension-compression, and bending tests of ceramic samples at temperatures up to 1600°C.—74-01039A
ASR [alkali-silica reaction] of concrete aggregate quarried from a fault zone: results and petrographic interpretation of accelerated mortar bar tests.—74-05464A
Assessing the plasticity of ceramic masses by determining indentation force.—74-09552A
Automated physical testing.—74-03783A
Automatic checking and classification of tiles.—74-00421A
Calibration in Ceramic Test Laboratories.—74-09555A
Cation exchange capacity: a contribution to the standardization of methods for the evaluation of clay suitability as the base layer in waste disposal sites.—74-01044A
Ceramic laboratory—more important than ever.—74-01046A
Characterization of SiC-fiber/Ti_3Al_4V-matrix composites by macroindentation tests.—74-06743A
Clinical radiographic evaluation of HAp in the healing of periapical lesions.—74-06963A
Comparative study of test methodologies for thermal shock and thermal fatigue testing of ceramics in high-temperature energy applications.—74-09559A
Computer-aided, single-specimen controlled bending test for fracture-kinetics measurement in ceramics.—74-03791A
Creep behavior of silicon nitride evaluated by deformation curvature and neutral axis shift determinations.—74-02114A
Cut edge expansion during forming.—74-00112A
Development and use of ASTM test methods for ceramic plants.—74-11154A
Development of the Mitsubishi planar reversible cell.—74-00473A
Environmental deterioration and damage of ceramic matrix composites.—74-09567A
Evaluation method of slipperiness based on human perception.—74-09568A
Evaluation of fracture toughness of ceramics at high temperature—comparison with metallic materials.—74-10988A
Evaluation of the frost resistance of bricks in regard to long service life: I.—74-08543A
Evaluation of the frost resistance of bricks in regard to long service life: II.—74-08544A
Evolution of a furnace.—74-01151A
Fiber twist test: a new single fiber test method to measure composite interface properties.—74-09569A
Finite element modeling of the fiber twist test.—74-09570A
Gripping system for mechanical testing of composites.—74-06772A
High-temperature testing: special equipment.—74-01067A
Human bone marrow cell culture—analysis of cell behavior at biocompatibility testing of ceramics.—74-09781A
Hydraulically driven grips for hot tensile specimens.—74-03818A
Improved flat specimens for tensile and fatigue testing of composites.—74-07889A
In situ radiography during tensile tests.—74-04016A
In situ testing of ceramic materials.—74-01071A
Lifetime prediction—importance of the testing method.—74-06785A
Machine for squeeze testing glass containers.—74-03890P
Materials comparisons—porcelain enamel vs alternative materials.—74-00131A
Materials testing with monolithic and composite ceramics.—74-09576A
Measurement of contact resistance and of the components of the electrical conductivity of anisotropic crystals and films.—74-03833A
Mechanical and environmental tests of brazed ceramic multilayer packages.—74-05641A
Mechanical behavior of ceramics and their ballistic properties.—74-02168A
Method for determining thickness of chemical vapor deposited layers.—74-03891P
Microcomposite test procedure for evaluating the interface properties of ceramic matrix composites.—74-03835A
Modified short-beam shear test.—74-03838A
New method for studying bleeding of cement paste.—74-05559A
New system for the systematic, dynamic, and in situ characterization of microstructures (of ceramics).—74-09588A
New testing tool for composite interface.—74-09590A
Nondestructive testing of coating using ultrasonic leaky Rayleigh waves.—74-09593A
Operating principles of the bottom impact tester (BIT).—74-00967A
Predicting brick frost resistance: I.—74-05824A
Process for detecting voids in ceramic bodies.—74-09630P
Proof testing reinforced brittle composites.—74-09606A
Quality assurance for the manufacture of refractories.—74-00399A
Reliability evaluation and prooftesting of ceramics.—74-11072A
Reliability predictions for alumina plates with and without cavities or metallization layers using CARES.—74-09610A
Scanning apparatus and method for nondestructive materials evaluation and mapping through use of acoustic waves.—74-09631P
Scanning probe microscope—74-01132P
Setup for testing superhard materials under dynamic loading over a wide temperature range.—74-01102A

Significance and utility of refractories test data.—74-05879A
Simple method of tensile tests in engineering ceramics.—74-01103A
Solution of the problem of proof tests on praxis.—74-01105A
Status report on norms in the field of "testing methods for high-performance ceramics."—74-01110A
Strength evaluation in development and application engineering of ceramics.—74-11096A
Strength of granulates.—74-01111A
Strength testing of tubular ceramic gas filters by internal hydraulic pressure test.—74-09621A
TCLP test: what is it, why you need it.—74-01114A
Tensile tests of ceramic materials.—74-01115A
Tensile tests: technical state and perspectives.—74-01116A
Terra-cotta facade of the picture gallery at the Museum of European Art in Berlin.—74-05837A
Test methods for microbiologically influenced corrosion in marine environments.—74-07830A
Testing ceramic tile for special applications.—74-00375A
Testing method for thermal shock fracture of ceramics.—74-07928A
Ultrasonic testing method for balls.—74-09632P
User program for evaluating incoming materials.—74-00161A
Using ASTM slip test methods in ceramic tile plants.—74-08710A
Using ASTM slip test methods.—74-05914A
Using ASTM standards in the tile industry.—74-08712A
VAMAS round robin on fracture toughness of silicon nitride.—74-07935A
Vickers hardness of ceramic glazes and glazed ceramic tiles and their correlation.—74-05916A
Water quality monitoring aids industrial pollution control.—74-03888A
Wear mechanisms of silicon carbide—new observations.—74-11128A
Young's modulus of ceramics at elevated temperature (2nd report).—74-07195A

tetraethoxysilane,
Properties of the plasma TEOS SiO_2 film.—74-10594A
TEOS and ozone atmospheric pressure CVD of borophosphosilicate glass films using triethylborate and trimethylphosphate.—74-01919A

texture,
Characterization of the texturing of $YBa_2Cu_3O_{7-\delta}$ in the presence of liquid phase additives.—74-06497A
Chemical vapor deposition and characterization of smooth (100)-faceted diamond films.—74-01632A
Comparison of the effects of PtO_2 and $BaSnO_3$ additions on the refinement of $Y_2BaOCuO_5$ and magnetization of textured $YBa_2Cu_3O_{6+x}$.—74-06499A
Dependence of diamond transition on microtexture in graphite starting materials under shock compression.—74-07626A
Directional solidification of sintered bulk $Y_1Ba_2Cu_3O_x$ superconductors by zone melting.—74-00798A
Effect of Na doping on properties of YBCO superconductors.—74-09256A
Effect of texture of the rate of hydroxyapatite formation on gel-silica surfaces.—74-10299A
Factors affecting Y_2BaCuO_5 precipitate size during melt processing of $YBa_2Cu_3O_{7-x}$.—74-06548A
Galvanometric properties and microtexture of cellulose carbon film.—74-05147A
Highly oriented textured diamond film on Si substrate.—74-10815A
Interrelation of Young's modulus of pyrolytic carbon and pyrolytic graphite with their texture.—74-07167A
Lamination of extruders.—74-00945A
Method for texturing high temperature superconductors.—74-09374P
Microstructure of melt-textured $YBa_2Cu_3O_7$ monolithic ceramics.—74-03528A
Microstructure of textured YBaCuO made under low thermal gradient—a path to understand the texturing mechanism.—74-03529A
Modified method for obtaining highly textured YBaCu ceramics.—74-06588A
Morphometric analysis of diamond crystals elaborated by microwave plasma-assisted chemical vapor deposition: application to textured films.—74-05198A
New process with a potential to rapidly texture bulk $YBa_2Cu_3O_x$ superconductor.—74-06595A
Optical characterization of textured microwave CVD diamond.—74-04381A
Orientation texture in $YBa_2Cu_3O_{7-\delta}$ films synthesized from amorphous precursors.—74-06604A
Oriented $SrTiO_3$ film growth under HF magnetron sputtering.—74-04797A
Phase development in superconducting fiber materials prepared by the LFZ method.—74-03552A
Preparation on in-plane textured Y_2O_3-doped ZrO_2 thin film on polycrystalline metallic tape by modified bias sputtering.—74-00523A
Presolidus texturing of silicate melts.—74-05690A
Progress in melt texturing of $YBa_2Cu_3O_x$ superconductor.—74-06620A
Properties and texture of B-doped diamond films as thermal sensors.—74-09015A
Reaction paths during melt texturing of $YBa_2Cu_3O_{7-x}$.—74-00849A
Recent advances in the synthesis and texturing of HTSC composites.—74-03565A
Relations between structure and texture in nanosized aluminas.—74-07187A
SEM investigation of a lateritic weathering profile, Saline County, Arkansas.—74-07745A
Texture development in BPSCCO superconductors.—74-09355A
Textures of tetradecahedron δ-FeOOH particles and their thermal decomposition products.—74-07778A

thallium,
Ac magnetic-field-induced microwave absorption in HTSC $Tl_2Ba_2Ca_2Cu_3O_x$.—74-06479A
Anisotropic superconducting properties of a Tl-2223 single crystal studied by transport measurements.—74-06485A
Brillouin scattering study of transverse elastic constant anomaly of $TlInS_2$ during phase transition.—74-04257A
Certain features of generation-recombination processes occurring as a result of irradiation of $TlInSe_2$.—74-08836A
Chemical reaction in GeS_2-Tl_2S and $CeSe_2$-Tl_2Se glasses according to the data in the X-ray emission spectra.—74-00185A
Columnar defect-induced resistivity minima and Bose glass scaling of linear dissipation in $Tl_2Ba_2Cu_2O_8$ epitaxial films.—74-04994A
Cu nuclear spin-spin relaxation in $Tl_2Ba_2CuO_{6+\delta}$.—74-04273A
Dielectric, thermal, and optical studies of phase transitions in TlH_2AsO_4 single crystal.—74-04126A
Effect of cold working on properties of Tl-1223/Ag superconducting tape.—74-06517A
Effects of strong electron-phonon coupling in thallium high-temperature superconductors.—74-00802A
Enhanced flux pinning via chemical substitution in bulk superconducting Tl-2212.—74-06535A
Epitaxial thin superconducting thallium-based copper oxide layers.—74-03627P
Fabrication and characterization of Tl-Ba-Ca-Cu-O superconducting films on $LaAlO_3$ substrates.—74-03462A
Fabrication and properties of thallium-based superconductors from tartrate gel precursors.—74-06544A
Fabrication of TBCCO films via sequential electrodeposition and coelectrodepostion of thallium-free precursors.—74-06547A
Growth of highly oriented $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films on Ag substrates using a dip-coated barium calcium copper oxide sol-gel precursor.—74-09279A
High-temperature superconductivity of new oxide superconductors Tl-Sr-V-Cu-O.—74-03484A
J_c distribution in TlBaCuO thin-film ring resonator.—74-09232A
Low-temperature metallic conductivity in semiconductor TlSe with chain structure.—74-03091A
Luminescence properties of tetragonal $Tl_2Ba_2CuO_{6+\delta}$.—74-07170A
Magnetization and pinning potential of magnetic flux for $Tl_2Ba_2Ca_2Cu_3O_x$ bulk superconductor.—74-09302A
Memory switching in amorphous Ge-Se-Tl chalcogenide semiconductor films.—74-03105A
Metallorganic chemical vapor deposition of epitaxial $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ thin films.—74-06584A
Method of preparing Tl-containing oxide superconducting thin film.—74-03650P
Method to enhance critical temperature of thallium-based superconductors.—74-03651P
Microstructural development and critical currents in long-length (Tl, Bi)-(Sr, Ba)-Ca-Cu-O wires.—74-06587A
Model of structural phase transition sequence in layered $TlInS_2$ crystal.—74-04165A
Nonstationary structure of atomic and molecular absorbing layers in electrochemical atomic absorption spectroscopy. Visualization of absorbing layers of thallium, germanium, and bismuth atoms.—74-02031A
Optical evidence of an electronic contribution to the pairing interaction in $Tl_2Ba_2Ca_2Cu_3O_{10}$.—74-09316A
Oxide superconductive material of Tl (thallium) and Pb (lead) system and method for manufacturing the same.—74-09381P
Oxide-type superconducting material.—74-09385P
Process for preparing a thallium-containing superconductor.—74-09387P
Sealing glass compositions—74-00351P
Spatial distribution of J_c in TlBaCaCuO thin film.—74-03576A
Structural features of glass-crystalline materials in the AsSe-TlSe system.—74-02494A
Structural peculiarities of glass-crystalline materials of the system AsSe-TlSe.—74-02496A
Study on preparation technology and thermal stability of Tl-2223 superconductors.—74-09345A
Substitution of Hg for Tl in the 2223 cuprate. The 130-K superconductor $Tl_{1.6}Hg_{0.4}Ba_2Ca_2Cu_3O_{10-\delta}$.—74-03588A
Superconducting films of $Tl_mBa_2Ca_nCu_{n+1}O_y$ prepared by dip coating method.—74-03592A
Superconducting Tl-Pb-Sr-Ca-Cu-O thin film—74-00884P
Thermodynamic constraints for the in situ MOCVD growth of superconducting Tl-Ba-Ca-Cu-O thin films.—74-06653A
Thermopower and resistivity of La-doped thallium 1201 and bismuth 2201 superconductors.—74-06655A
Two-zone equilibria of Tl-Ca-Ba-Cu-O superconductors.—74-03612A
Valence electron density distribution in $TlFeSe_2$.—74-07787A

theory,
Comprehensive comminution theory.—74-09442A
Development of a new hot-pressing equation in powder metallurgy.—74-01670A
Early history of lampwork—some facts, findings, and theories: II, Fire or flame? Lampworking techniques in antiquity.—74-05451A
Embedded atom method—a review of theory and applications.—74-07163A
High-rate thermal materials composition.—74-01753A
Method for color adjustment in colored opaque glazes: I.—74-08691A
Microscopic theory of epitaxial growth: II, Nonlinear waves and formation of continuous structures.—74-07685A
Microwave firing.—74-10463A
Renormalization group and fractual study of the relationship between oxygen content and superconducting transition temperature in $YBa_2Cu_3O_{7-\delta}$.—74-03568A
Stochastic models of grain growth.—74-07491A
Temperature modulation of the electrooptic effect in $BaTiO_3$ and $LiNbO_3$—a theoretical approach.—74-09184A
Theory of the successive phase transition in $BaTiO_3$.—74-07135A

thermal analysis,
Assessment and optimization of the stabilization process of mesophase pitch fibers by thermal analyses.—74-07206A
Comparative study of MeAPO molecular sieves with AFI structure type.—74-01502A
Computation of thermal and ion-exchange processes in composite cylindrical samples intended for making flat gradient microlenses.—74-02523A
Crystallization of lithia-calcia-magnesia aluminosilicate glasses.—74-05755A
Glass manufacturer cuts thermal losses and utility costs.—74-00299A
Structural changes of carbon fibers in biological environment.—74-07027A
Thermal analysis of an Ecuadorian clay and its correlation with mechanical properties.—74-06935A
Thermal analysis of brick clays.—74-06936A
Thermal Analysis of Materials.—74-11210B
Thermal analysis.—74-07530A
Thermal instrument research brings new materials insights.—74-06730A
Three-dimensional thermal analysis of high density triple-level interconnection structures in very large scale integrated circuits.—74-00723A

thermal barriers,
Ceramic material and insulating coating made thereof—74-01312P
Characterization of a new aerospace thermal barrier coating.—74-08139A
Effect of bond coat oxidation on the failure of thermal barrier coatings.—74-08170A
Failure mechanisms of a zirconia-8wt% yttria thermal barrier coating.—74-04317A
Microstructural development in physical vapor deposited partially stabilized zirconia thermal barrier coatings.—74-07382A
Production of stresses in thermal barrier coating systems by high-temperature oxidation.—74-10936A
Residual micro- and macrostresses in the plasma-sprayed zirconia-based TBC's.—74-07910A
Thermal barrier coatings for gas turbines, automotive engines, and diesel equipment.—74-05657A

thermal conductivity,
Aluminum nitride thermal conductivity of tape casting substrates.—74-07013A
Aluminum nitride—from the powder to the substrate.—74-10190A
Aluminum-matrix aluminum nitride particle composite as a low-thermal-expansion thermal conductor.—74-10061A
Anomalies in the concentration relationship of thermal conductivity of sintered composites with an ultradispersed component in the TiN-AlN system.—74-04253A
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers—correction.—74-04258A
Cast-in-place ceramic manifold and method of manufacturing same.—74-09907P
Ceramics in the personal computer.—74-08729A
Characterization of low thermal conductivity PAN-based carbon fibers.—74-07607A
Design charts for the thermal conductivity of continuous fiber-reinforced composites.—74-06753A
Design charts for the thermal conductivity of particulate composites.—74-06754A
Dynamic mismatch between bonded dissimilar materials.—74-01507A
Effect of fracture and interfacial debonding of reinforcing phase on the effective thermal conductivity of ceramic matrix composites.—74-10971A
Fabrication of cofired AlN multilayer substrates at low-temperature sintering.—74-10345A
Harmonic heat flow in isotropic layered systems and its use for thin film thermal conductivity measurements.—74-10107A
High deposition rate synthesis of diamond films "DIA-JET" process.—74-10382A
Influence of moisture content in ceramic building materials on thermal insulating behavior.—74-04336A
Influence of point defects on the thermal conductivity of diamond single crystals: state of the art.—74-05022A
Innovative semiconductor base—diamond/(carbon-carbon) composite.—74-05632A
Isotopic effect of boron carbide thermal conductivity.—74-04342A
Lightweight, highly thermally conductive composites for space radiators.—74-09876A
Low thermal conductivity ceramic and process for producing the same.—74-09924P
Materials in mechanical design.—74-00949A
Method for the measurement of the thermal conductivity tensor in thin layers.—74-06586A
Opportunities for enhancing the thermal conductivities of SiC and Si_3N_4 ceramics through improved processing.—74-10505A
Rotationally symmetrical ceramic heat exchanger with direct axial flow for use in high-temperature processes.—74-01178A
Science and technology of composite materials: I, Thermal conductivity measurement of composites.—74-10152A
Theory of new phase nucleation on surfaces of solids in nonisothermal conditions.—74-07529A
Thermal conductivity and the microstructure of state-of-the-art chemical vapor deposition diamond.—74-09626A
Thermal conductivity of brick masonry—simplification of the measurement method for the quality control.—74-08592A

Thermal conductivity of polycrystalline materials.—74-04445A
Thermally conducting polymer matrix composites containing both AlN particles and SiC whiskers.—74-04961A
thermal decomposition,
^{27}Al and ^{29}Si MAS NMR study of kaolinite thermal decomposition by controlled rate thermal analysis [CRTA].—74-09966A
Chromic oxide coatings by thermal decomposition of chromic acid anhydride (CrO_3).—74-09912P
Phase transitions in amorphous precursors of glass-ceramic and ceramic materials.—74-05689A
Possible structural transformations upon thermal decomposition of potassium permanganate.—74-01443A
Thermal decomposition of diethylgermane on Si(100)-(2×1).—74-04956A
Thermal decomposition of potassium fluorotitanates.—74-01478A
thermal diffusivity,
Lateral thermal diffusivity of epitaxial diamond films.—74-04730A
Lateral thermal diffusivity of epitaxial diamond films.—74-07574A
Local temperature distribution and primary melt formation in a melting batch pile.—74-08436A
Multiphonon scattering of thermal energy He atoms from the LiF(001) surface.—74-02766A
Photothermal examination of the heat diffusion inhomogeneity in diamond films of submicron thickness.—74-04396A
Relationship between the microstructure and thermal diffusivity of plasma-sprayed tungsten coatings.—74-10874A
Thermal component of the optical response of thin-film high-T_c superconductors.—74-06650A
Thermal diffusivities of thin diamond films on silicon.—74-10170A
Thermal diffusivity of diamond films synthesized from methane by arc discharge plasma jet CVD.—74-10171A
Thermalite apparatus.—74-03880A
thermal expansion,
Anisotropic thermal expansion and Gruneisen coefficients of the bismuth cuprate 2-2-1-2.—74-06484A
Boussinesq approximation to compute the temperature and velocity distributions in glass melts.—74-00288A
Ceramic blade attachment system.—74-09909P
Ceramic Transactions, Volume 52: Low-Expansion Materials.—74-07969B
Effect of the grain boundary thermal expansion coefficient on the fracture toughness in silicon nitride.—74-10978A
Internal thermal stresses in anisotropic polycrystalline ceramics.—74-07898A
Kinetics of surface roughening via pit growth during the oxidation of the basal plane of graphite: I, Experiments.—74-10832A
Manufacturing process of flame wares, Banko Yaki wares.—74-07987A
Mechanical stress of CVD-dielectrics.—74-00508A
$Mg_{0.5}Ti_2(PO_4)_3$: a new member of the Nasicon family with low thermal expansion.—74-01540A
Microstructure and thermal expansion of petroleum coke.—74-04361A
Nature of negative linear expansion of graphite crystals.—74-05382A
Optimization of coating layers in the design of ceramic fiber reinforced metal matrix composites.—74-00135A
Principles and properties of thermostat metals.—74-01564A
Raman scattering in GaAs/GaP strained heterostructures grown by MOVPE.—74-06285A
Thermal expansion and glass transition temperatures of Y-Mg-Si-Al-O-N glasses.—74-05744A
Thermal expansion of a PRD-166 fiber-reinforced glass-matrix composite.—74-02593A
Thermal expansion of synthetic diamond single crystals at low temperatures.—74-10172A
Thermal expansion of $YBa_2Cu_3O_{7-x}$ as determined by high-temperature X-ray diffraction under controlled oxygen partial pressures.—74-06652A
Thermal stability of bone china.—74-05838A
Use of alkoxides in the preparation of low-expansion reconstructed TiO_2-SiO_2 glasses.—74-00322A
thermal insulation,
Application of ceramics to materials and components for buildings and dwellings.—74-11139A
Ceramic material.—74-02796P
Glass with super thermal insulation properties—an important element in the fight to reduce heat consumption in buildings.—74-02631A
Thermal insulation of masonry—state of the CEN standards.—74-08593A
thermal properties,
Advanced beryllia ceramics.—74-10060A
Apparatus for the thermal characterization of high-conductivity substrates and materials for microelectronics.—74-09548A
Athermal glasses with special dispersion behavior.—74-02515A
Brown fused alumina for the refractory industry.—74-08609A
Characterization of graphite surfaces based on ir detection of thermal waves.—74-03786A
Characterization of the thermal transformation of hydrous aluminas by XPS and NMR.—74-01349A
Computation of thermal stresses in high-voltage insulators by FEA.—74-00469A
Crystal chemistry and thermal behavior in the La(Cr,Ni) perovskite system.—74-01360A
Diamond films as thermal conductors and electrical insulators applied to semiconductor power modules.—74-04012A
Formation of thermal donors in SIMOX method.—74-03023A
Fracture mechanical characterization of thermal damage of ceramics by means of laser irradiation.—74-11003A
Free-standing white diamond for thermal and optical applications.—74-10105A
High-performance silicon carbide fiber, Hi-Nicalon, for ceramic matrix composites.—74-10811A
Industrial applications for reaction-bonded silicon carbide.—74-09875A
Ion-exchange strengthening of phosphate laser glasses.—74-02554A
Nonlinear behavior model for SiC/SiC composites.—74-11061A
Properties and thermal behavior of Si_3N_4 thin films.—74-10141A
Properties of bulk polycrystalline CVD diamond.—74-04400A
Properties of diamond films prepared from methane by arc-discharge plasma jet CVD.—74-04401A
Protection against heat, radiation, and glare—new developments in automotive glazings.—74-02573A
Relation between microstructure and thermal properties of aluminum nitride based ceramics.—74-05234A
Structure and thermal properties of some tellurite glasses.—74-08352A
Study of the thermal and electrical properties of $BaTiO_3$ PTC thermistors using a theoretical model.—74-06341A
Synthesis and properties of Al_2TiO_5 ceramics.—74-06442A
Synthesis and thermal property of tetraimidocyclotetraphosphoric acid $[(HPO_2NH)_4]$.—74-07510A
Technical ceramics for pumps and valves.—74-00998A
Thermal conduction behavior of $(Ca,X)Zr_4(PO_4)_6$ ceramic (X=Li, Mg, Zr).—74-10169A
Thermal effects in end-pumped Nd:phosphate glasses.—74-08398A
Thermal expansion and athermal phase transition of $Y_4Al_2O_9$ ceramics.—74-04446A
Thermal gradients in glass container during transfer from IS machine to lehr.—74-00321A
Thermal instability and proton condutivity of ceramic hydroxyapatite at high temperatures.—74-04958A
Thermal insulation properties of hollow masonry envelope of calcium silicate brick.—74-02741A
Thermal modeling of zinc oxide varistors; simulation and measurements.—74-06355A
Thermal properties of bulk polycrystalline CVD diamond.—74-04447A
Thermal properties of bulk polycrystalline CVD diamond.—74-07192A
Thermal residual strains in carbon fiber-reinforced aluminum laminates.—74-04448A
Thermal residual strains in carbon fiber-reinforced aluminum laminates.—74-04449A
Thermal spalling wear of silicon nitride and silicon carbide materials.—74-05448A
Thermal stability enhancement of rubbery ormosils.—74-10173A
Thermal stability of γ-Bi_2O_3.—74-04450A
Thermal stability of oxidized La on Pd(100).—74-04452A
Thermal stability of synthetic hydroxyapatite.—74-09805A
Thermal stability, strength, and structure of corundum ceramic.—74-05393A
Thermal strain in indium thin films deposited on GaAs substrates.—74-07193A
Thermal stresses in ceramic-metal joints with an interlayer.—74-02401A
Thermal stresses in combustion synthesis of inorganic materials.—74-04960A
Thermochromic characteristics of heterogeneous glasses.—74-00281A
Thermoelastic evolution of contact area and mound temperatures in carbon graphite electrical brushes.—74-09898A
Unshaped refractory materials—from ramming bodies to high-service products.—74-00404A
thermal shock resistance,
Ceramic Transactions, Volume 52: Low-Expansion Materials.—74-07969B
Fabrication of LAS system ceramics for thermal shock resistance from silicate minerals: I, Preparation of eucryptite powders with silimanite group, kaolin group minerals.—74-10347A
Laser apparatus for measurements of thermal shock resistance of ceramics.—74-01075A
Properties of SiAlON-BN composites and its applications.—74-00398A
Size sensitivity to thermal shock of plasma-sprayed ceramics and factors affecting the size effect.—74-11088A
Study on corrosion resistance of Al_2O_3-MgO-C brick for ladle linings.—74-02738A
Study on improvement of thermal shock resistance of corundum refractory materials.—74-08637A
Thermal shock behavior of fiber-reinforced composites.—74-11114A
Thermal shock characteristics of porcelain enameled grates.—74-00157A
Thermal shock resistance of heterogeneous ceramics and refractories.—74-07929A
Thermal stability of bone china.—74-05838A
thermal shock,
Comparative study of test methodologies for thermal shock and thermal fatigue testing of ceramics in high-temperature energy applications.—74-09559A
Effects of damage on thermal shock behavior of ceramics.—74-07156A
Evaluation of thermal shock and thermal resistance of three reaction-bonded silicon carbide ceramics.—74-08901A
Heat transmission on the thermal shock test of ceramics.—74-01520A
Mechanisms of thermal shock damage in fiber-reinforced ceramic matrix composites.—74-11048A
Modeling and measurement of the behavior of ceramics under changing thermal loading.—74-02178A
Modeling and measuring the thermal shock behavior of ceramics.—74-10123A
Modeling and testing of thermal barrier coating in diesel engines.—74-09582A
Science and technology of composite materials—thermal stress and thermal shock resistance.—74-11086A
Testing method for thermal shock fracture of ceramics.—74-07928A
Thermal cycling performance of ceramics for gas-fired furnaces.—74-09718A
Thermal shock and size effects in castable refractories.—74-05882A
Thermal shock.—74-08639A
thermal spraying,
Advancing thermal spray technologies through international collaborative R&D.—74-00889A
Analysis of a high velocity oxygen-fuel (HVOF) thermal spray torch: I, Numerical formulation.—74-10193A
Analysis of a high velocity oxygen-fuel (HVOF) thermal spray torch: II, Computational results.—74-10192A
Analysis of the porosity formation during HVOF spraying.—74-10194A
Automated thermal spray system (ATSS) for infrastructure rehabilitation and maintenance.—74-08131A
Calculation of the limiting parameters for oxide ceramic particles during HVOF spraying.—74-10208A
Characteristics of coatings applied by the Demeton detonation gun process.—74-09440A
Characterization of a new aerospace thermal barrier coating.—74-08139A
Chromium coatings by HVOF thermal spraying—simulation and practical results.—74-10225A
Corrosion properties of stainless steel coatings made by different methods of thermal spraying.—74-08153A
Development of ASTM standards for metallographic preparation practices of thermally sprayed coatings.—74-11155A
Development of metal glaze for hot spraying.—74-08673A
Dynamics of splat formation and solidification in thermal-spraying processes.—74-09563A
Effect of atomizing gas pressure on coating properties in wire arc spraying.—74-08169A
Effect of microstructure on the wear behavior of thermal spray coatings.—74-08174A
Effect of powder feedstock on thermal-sprayed hydroxyapatite coatings.—74-09779A
Effects of coating thickness and residual stresses on bond strength of C633-79 thermal spray coating test specimens.—74-10305A
Enhancement of heat exchanger surfaces—interfacial reactions during thermal spraying.—74-08183A
High-performance wear coatings: the quest continues.—74-00121A
HVOF gas flow field characteristics.—74-10391A
HVOF particle flow field characteristics.—74-10392A
Induction plasma reactive deposition of tungsten and titanium carbides.—74-08212A
Investigation of the effects of droplet impact angle in thermal spray deposition.—74-10428A
Laser post-treatment of thermally sprayed HAp coatings.—74-10434A
Metastable phase in yttrium oxide plasma-spray deposits and their effect on coating properties.—74-10008A
Method and apparatus for the application of thermal spray coatings onto aluminum engine cylinder bores.—74-08237A
Monitoring a residual stress generation during thermal spraying by curvature measurements.—74-09584A
Optimal motion planning for solid free-form fabrication by thermal spraying.—74-10506A
Plasma spraying of high nitrogen steels.—74-08251A
Porosity in plasma-sprayed alumina deposits.—74-10538A
Process gases for high-velocity oxy-fuel thermal spraying.—74-10579A
Quantitative analysis of thermally sprayed coatings using backscattered electron imaging.—74-10868A
Quo isti, thermal spraying.—74-02265A
Real-time video imaging for high-luminosity processes.—74-00983A
Relative erosion-corrosion resistance of commercial thermal-sprayed coatings in a simulated circulating fluidized bed combustor environment.—74-10937A
Residual stress evaluations of thermal-spray coatings by a modified layer removal method.—74-11075A
Resistance to fracture of thermal-sprayed ceramic coatings.—74-11076A
Rolling contact fatigue testing of thermally sprayed coatings.—74-09612A
Size distribution analysis of powders used for thermal spraying.—74-02044A
Theoretical investigation of the gas-powder particles transport phenomena in HVOF spraying.—74-10696A
Thermal spray coating impregnation—vacuum vs high-pressure/vacuum technique.—74-10697A
Thermal spray coatings for protection of polymeric composite aircraft components.—74-08283A
Thermal spraying makes the grade as a repair process.—74-01000A
Thermal spraying—a review of 1993.—74-06731A
Thermal spraying—processes, preparation, coatings, and application.—74-07533A
Thermal-sprayed coatings of structural components and equipment of power stations.—74-10940A
Thermally sprayed alumina coatings with strongly improved wear and corrosion resistance.—74-10698A
Thermally sprayed self-lubricating composites from cored wires: I, Fabrication and chemistry.—74-10699A
Thermally sprayed self-lubricating composites from cored wires: II, Mechanical and tribological properties.—74-08284A

Towards manufacturing high-quality thermal-spray coatings.—74-10706A
Trends in automotive applications of thermal spray technology in Japan.—74-08287A
Tuneable high velocity thermal spray gun.—74-09545P
Turbulent mixing of the HVOF thermal spray and coating oxidation.—74-08288A
Vacuum plasma spray forming of Astroloy—an investigation of processing parameters.—74-10715A

thermistors,
Ceramic fan heater.—74-08726A
Fabrication of diamond thin film thermistors for high-temperature applications.—74-08906A
Influence of the microstructure on elevated stability of NTC [negative temp. coeff.] thermistors.—74-08939A
Metal oxynitride resistance films and methods of making the same.—74-03269P
Varistor, thermistor manufacturing in Japan.—74-06377A

thermochemical properties,
Selective deposition of $TiSi_2$ from H_2-$TiCl_4$ gas mixture and Si: aspects of thermodynamics including critical evaluation of thermochemical data in the Ti-Si system.—74-01452A
Strength behavior of thermally shocked new porcelains.—74-01579A
Thermochemical computation of the diamond deposition domain.—74-04229A
Thermophysical and thermochemical properties of BaO and SrO from 5 to 1000 K.—74-04963A

thermocouples,
Analyzing sanitary ware tunnel kiln operations with traveling thermocouples.—74-08658A
High-temperature oxidation-resistant thermocouples.—74-06776A
Matching temperature sensors with process tasks.—74-03832A
Traveling thermocouples solve firing problems.—74-09719A

thermodynamics,
Behavior of diamond crystal surfaces during heating in fluorine gas and fluorocarbon-fluorine gas mixtures.—74-04098A
Chemical potentials of compounds and their equilibrium concentrations at surfaces of macrodefects in solid.—74-04102A
Chemical vapor deposition of boron nitride.—74-01633A
Composition of nuclei.—74-04109A
Deposition of Si-B-C materials from the vapor phase for applications in ceramic matrix composites.—74-10262A
Developments in physical chemistry and basic principles.—74-01368A
Developments in physical chemistry and basic principles.—74-07069A
Effect of nozzle profile on gas mixing in an atmospheric and low-pressure dc plasma jet.—74-09564A
Growth of (100)-oriented diamond films.—74-04667A
Hydrothermal precipitation of lead zirconate titanate solid solutions: thermodynamic modeling and experimental synthesis.—74-09149A
Measurements of total and spectral emissivities of some ceramic fiber insulation materials.—74-09580A
New types of incommensurate phase transitions.—74-07095A
Phase diagrams of the ternary systems Zn(Cd)-A^{III}-B^{V}.—74-04178A
Rapid solidification processing.—74-07456A
Statistical thermodynamics and defect structure of $Co_{1-\delta}O$ under usual oxygen partial pressures: a monte Carlo study.—74-10746A
Statistical thermodynamics of point defects and interactions between point defects in ceramics.—74-07584A
Thermal analysis.—74-07530A
Thermodynamic and kinetic approach to the alkali-silica reaction: I, Concepts.—74-05607A
Thermodynamic approach to the C-H-O deposition diagram in the diamond chemical vapor deposition process.—74-04231A
Thermodynamic assessment of the Ca-Cu-O system.—74-10044A
Thermodynamic properties of bismuth trifluoride from vapor pressure measurements.—74-10045A
Thermodynamic simulation of MOCVD $YBa_2Cu_3O_{7-x}$ thin film deposition.—74-06654A
Thermodynamic stabilities of $SrCeO_3$ and $BaCeO_3$ using molten salt method and galvanic cells.—74-01483A
Thermodynamic studies of Bi-based high-T_c oxide superconductors.—74-09357A
Thermodynamic studies on $YBa_2Cu_3O_{7-\delta}$ and Y_2BaCuO_5 by solution calorimetry.—74-03608A
Thermodynamic study of quartz in the vicinity of the α-β transition.—74-04233A
Thermodynamics of cation exchange in natural heulandite.—74-04234A
Thermodynamics of the oxide solid solution $(Co_xFe_{1-x})_{1-\delta}O$ at 1200°C.—74-04235A

thermoelectric materials,
Preparation and properties of two-phase mixed conductors of beta-alumina and iron oxide.—74-00522A

thermoelectric properties,
Effect of phonon drag of electrons on thermoelectric and thermomagnetic effects in HgSe:Fe.—74-06054A
Electrical conductivity and thermopower studies of titanium-substituted lithium-magnesium ferrites.—74-00773A
High-performance thermoelectric semiconductors.—74-06133A
Improvement in thermoelectric characteristics of *n*-type iron disilicide by local composition modification.—74-03059A
Nanodispersed Cr_xSi_{1-x} thin films—transport properties and thermoelectric application.—74-04369A
Thermo-emf of $YBa_2Cu_3O_{6.2}$ under hydrostatic pressure up to 13 kbar.—74-03606A
Thermo-emf of $YBa_2Cu_4O_8$ under hydrostatic pressure up to 10 kbar.—74-03607A
Thermoelectric power of ferroelectric potassium vanadate, cesium vanadate, lithium vanadate and their solid solutions.—74-09226A

thermography,
Portable thermometers and thermal imagers.—74-09705A
Thermography: use of heat release decal system.—74-00028A

thermogravimetry,
Improvements in standard oven drying technology.—74-03913A
TGA and DTA studies of solvent-exchanged gels.—74-10695A

thermogravity,
Study of molecular precursors of group IV metal oxides by TGA-FTIR coupling.—74-10893A

thermoluminescence,
Impurity effects on the thermoluminescence of Al_2O_3.—74-04333A
Uv light effect in α-Al_2O_3:C gamma dosimeters.—74-01128A

thermomechanical properties,
Characterization of polymer-derived silicon carbide fibers with low oxygen content, near-stoichiometric composition, and improved thermomechanical stability.—74-10774A
Comparison of plasma-sprayed alumina and zirconia coatings by rf and dc plasma spraying.—74-10231A
High-temperature flexural strength and creep behavior of reaction-formed silicon carbide ceramics.—74-11018A
Models for the thermomechanical behavior of metal/ceramic laminates.—74-08243A
Parameters affecting the workability of container glass: I, Description of the problem—melting history, rheology, and influence of microstructure.—74-00308A
Refractory Linings—Thermomechanical Design and Applications.—74-05444B
Thermomechanical analysis of oxidation-resistant carbon-carbon composites.—74-09899A
Thermomechanical properties and microstructure of alumina-zirconia.—74-07930A

thermometers,
How accurate is that infrared thermometer.—74-06777A
Matching temperature sensors with process tasks.—74-03832A
Portable thermometers and thermal imagers.—74-09705A
Temperature measurement and control in the cement industry.—74-03934A

thermooptic properties,
Dispersion of thermooptic coefficients of soda-lime-silica glasses.—74-00254A

thermophysical properties,
Effect of Bi_2O_3 addition on the thermophysical properties of Na- and K-niobate perovskites.—74-10080A
Effects of strong electron-phonon coupling in thallium high-temperature superconductors.—74-00802A
Mechanical and thermophysical properties of diamondlike carbon films with different sp^3/sp^2 ratios.—74-11041A
Theory of thermal stresses in a thin film on a ceramic substrate.—74-04444A
Thermophysical properties of concrete as a material for solar energy storage.—74-08111A
Thermophysics in development and use of structural ceramic materials.—74-01118A

thickness,
Applicability of the Tougaard ratio *D* in the analysis of nanometric TiO_2 overlayers.—74-01962A
Calculation of thickness of insulating layers of glass tank furnace.—74-09554A
Characterization of thin ceramic coatings by measuring microhardness.—74-03788A
Depth profile optimization.—74-05110A
Diamond deposition by atmospheric pressure induction plasma—effects of impinging jet fluid mechanics on film formation.—74-10265A
Ellipsometric determination of the thickness and refractive index of silicon films.—74-01515A
Film thickness measurement of SiO_2 by XPS.—74-06770A
High-speed spectral ellipsometry for in situ diagnostics and process control.—74-06775A
Method for determining thickness of chemical vapor deposited layers.—74-03891P
Noncontact wall thickness gage development.—74-03844A
Simple and sensitive way to determine carbon film thickness.—74-09614A
Thickness determination of thin oxide layers at the bottom of contact holes of semiconductor devices by Auger electron spectroscopy.—74-01119A

thin films,
Alternating-current thin-film electroluminescent devices with multiple dielectric layers.—74-04474A
Alumina material useful with thin film heads.—74-03978P
Analysis of cubic boron nitride thin films by neutron depth profiling.—74-05069A
Apparatus for forming a diamondlike thin film.—74-09519P
Applications of nonlinear optical thin films.—74-08360A
Atomic layer epitaxy deposition processes.—74-01619A
Battery utilizing ceramic membranes—74-00540P
Bi-Sr-Ca-Cu-O superconducting thin film—74-00862P
Carbon films deposited by the physical vapor deposition focused-arc evaporation technique.—74-04493A
Carbon nitride thin films grown by pulsed laser deposition.—74-10210A
Characteristics of aluminum oxide thin films prepared by ECR-PECVD.—74-10220A
Characterization by uv-visible and ir spectroscopy of thin diamondlike carbon films prepared by Laser-Arc.—74-04500A
Characterization of structure and defects in textured diamond films by ion channelling.—74-05090A
Chemical vapor deposition of vanadium oxide thin films.—74-06004A
Composition and growth of MoS_x sputtered films.—74-01648A
Considerations of MOCVD for the preparation of high-T_c thin films.—74-06501A
Critical issues in thin film microstructure development.—74-07619A
Crystal engineering in two dimensions: control of planar packing by design of new amphiphiles.—74-05104A
Current approaches in studying the transport processes in thermally growing thin oxide films.—74-05304A
Database of information from Langmuir films: design and use.—74-05411A
Decomposition of Langmuir-Blodgett films to form metal oxide layers.—74-04533A
Densification and crystallization of zirconia thin films prepared by sol-gel processing.—74-10255A
Deposition and characterization of boron nitride thin films.—74-04537A
Deposition and properties of cadmium oxide films by activated reactive evaporation.—74-04538A
Deposition of diamondlike carbon films and other materials processes using a solar furnace.—74-01665A
Deposition of dielectric thin films by irradiation of condensed reactant mixtures.—74-07255A
Depth profile optimization.—74-05110A
Depth profiling analysis of aluminum oxidation during film deposition in a conventional high vacuum system.—74-07805A
Device for producing thin films of mixed metal oxides from organic metal compounds on a substrate—74-01015P
Direct current reactive magnetron sputtered zinc oxide thin films—the effect of the sputtering pressure.—74-06041A
Effect of filament temperature on the growth of diamond using hot-filament chemical vapor deposition.—74-04572A
Effect of substrate temperature distribution on thermal plasma jet CVD of diamond.—74-04589A
Effects of some technological factors on the properties of current-carrying films.—74-02834A
Efficient liquid nitrogen supply system for the cooling shroud in a molecular beam epitaxy system.—74-03686A
Enabling thin films for solar control transparencies: a review.—74-00257A
Enhancement of the deposition rate of TiO_2 film in radio frequency reactive sputtering.—74-06081A
Extensive diamond film deposition by dc plasma jet chemical vapor deposition.—74-04626A
Generation of charged liquid cluster beam of liquid-mix precursors and application to nanostructured materials.—74-07325A
Granular films of iron oxide prepared by aerosol deposition for the detection of organic vapors.—74-03964A
Growth and characterization of cubic boron nitride thin films.—74-07328A
Growth and properties of PZT thin films on a 6-8 inch wafer by MOCVD.—74-09145A
Growth of a,b-axis oriented perovskite thin films.—74-03628P
Growth of diamond in a pulsed microwave discharge.—74-04672A
High gap sputtered DLC layers.—74-04678A
Highly oriented WSe_2 thin films prepared by selenization of evaporated WO_3.—74-04682A
Hot-hole-induced degradation in polycrystalline silicon thin-film transistors—experimental and theoretical analysis.—74-03052A
In situ mass sampling during supersonic arcjet synthesis of diamond.—74-05160A
Industrial diamond coating and method of manufacturing.—74-04056P
Infrared spectroscopic investigations on h-BN and mixed h/c-BN thin films.—74-04152A
Investigation of the microstructure, chemical composition, and lateral growth kinetics of TiN films deposited by laser-induced chemical vapor deposition.—74-04718A
Ion-beam-induced chemical vapor deposition procedure for the preparation of oxide thin films: I, Preparation and characterization of TiO_2 thin films.—74-07361A
Lattice electromigration in narrow Al alloy thin-film conductors at low temperatures.—74-02008A
Low-energy (3–100 ev) electron-bombardment-induced nitridation of thin SiO_2 films: physicochemical and electrical analyses.—74-00504A
Low-energy ion-induced damage of polycrystalline diamond films.—74-04735A
Low-temperature thinning of thick chemically vapor deposited diamond films with a molten Ce-Ni alloy.—74-04742A
Mass- and energy-resolved detection of ions and neutral sputtered species incident at the substrate during reactive magnetron sputtering of Ti in mixed Ar+N_2 mixtures.—74-06786A
MBE method for preparing high-T_c superconducting thin films.—74-09373P
MBE process for preparing oxide superconducting films—74-00870P
Measurement of complete Auger electron emission angular distributions from beta-SiC films on Si(100).—74-02014A
Method for manufacturing an artificial grain boundary type Josephson junction device.—74-03636P
Method for manufacturing an oxide superconductor thin film.—74-03638P
Method for processing superconducting thin films.—74-03640P
Method of forming grain-boundary junctions in high-temperature superconductor films.—74-03644P
Method of forming thin films on substrates at low temperatures.—74-09531P
Method utilizing a ceramic for temperature measurement—74-01131P

Microstructure and composition analysis of $PbTiO_3$ films.—74-02019A
Monolayer growth oscillations and surface structures of GaAs(001) during metallorganic vapor phase epitaxy growth.—74-06217A
New buffer materials for high-T_c superconducting thin films.—74-03536A
New technique to measure the toughness of thin-film interfaces.—74-03843A
New techniques for measuring strain at fracture of thin-film materials.—74-09589A
Observation of nonohmic component of spontaneous conductivity fluctuations in $YBa_2Cu_3O_{7-x}$ thin films.—74-09315A
Optically switchable thin films—a review.—74-07181A
Parametric study of the in situ growth of BaKBiO thin films by laser ablation.—74-03550A
Photothermal examination of the heat diffusion inhomogeneity in diamond films of submicron thickness.—74-04396A
Plasma diagnostics in the growth c-BN films.—74-04808A
Plasma process in methane discharges during rf plasma-assisted chemical vapor deposition of a-C:H thin films.—74-04810A
Practical use of strength and anticorrosion properties of amorphous carbon thin films.—74-04018A
Preparation and properties of thin films on the quartz glass.—74-07424A
Preparation of cBN-containing films by reactive rf sputtering.—74-10557A
Process for preparing high-T_c superconducting material.—74-03656P
Process for producing thin films of inorganic oxides of controlled stoichiometry.—74-09836P
Process for producing thin glass film by sol-gel method.—74-02694P
Process for the deposition of diamond films using low energy, mass-selected ion beam deposition.—74-04083P
Processing and characterization of large-grain thin-film CdTe.—74-07445A
Pyroelectric ir sensor using an oxide superconductor upper electrode.—74-03660P
Quantitative thin film analysis with an energy-dispersive X-ray detector.—74-05225A
Research on YSZ thin films prepared by plasma-CVD process.—74-07466A
Role of accelerated electrons in diamond formation processes during electron-assisted chemical vapor deposition.—74-04872A
Role of additive in the physicochemistry of graphite-based transfer films.—74-00991A
Rotating disk studies in molten carbonates: II, Meniscus and film effects.—74-06811A
Selective laser oxidation of thin metal film as an effect of different thermal regimes.—74-02090A
Simulations of nanometer-thick lubricating films.—74-01456A
Single crystal ferroelectric barium titanate films—74-00772P
Solid-oxide fuel cells.—74-08814P
Spectroscopic and selected mechanical properties of diamondlike carbon films synthesized by broad-beam ion deposition from methane.—74-04909A
Stacked capacitor with a thin film ceramic oxide layer.—74-02899P
Structure and properties of titanium nitride thin films deposited at low temperatures using direct current magnetron sputtering.—74-01895A
Superconducting device having a reduced thickness of oxide superconducting layer.—74-09391P
Superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—74-09392P
Superconducting thin film.—74-03664P
Synthesis of metal oxide thin films.—74-04005P
Thin film capacitor.—74-03362P
Thin film oxygen sensor.—74-09105P
Thin gold film strain gauges.—74-03250A
Thin-film ceramic catalyst support materials.—74-01247A
Thin-film deposition of conductive tin oxide from tetramethyltin in a low pressure glow discharge diode reactor.—74-04964A
Thin-film SiC as an optical and optoelectronic material.—74-03252A
Three-dimensional simulation of impurity diffusion in thin-film diffusion barriers.—74-06361A
Vapor-deposited boron nitride thin films.—74-07029A
Wafer bonding technology for silicon-on-insulator applications: a review.—74-02868A
Wear characteristics in thin-film media.—74-02217A
Worldwide status of low-temperature growth of diamond.—74-04983A
X-ray diffuse scattering as a probe for thin-film and interface structure.—74-06835A

thoria,
Ceramic compositions.—74-09811P
Characterization of sorption sites on hydrous titanium and thorium oxides by water sorption.—74-09974A
Electrical conductivity of sintered niobia-doped and magnesia-doped thoria.—74-10093A

thorium,
Harmonic mixer in 3-mm band at liquid nitrogen temperature.—74-03478A
Single uranium-site properties of the dilute heavy electron system $U_xTh_{1-x}Ru_2Si_2$ ($x \leq 0.07$).—74-04421A
Stable paramagnetic center $Pb^{3+}(^2S_{1/2})$ in natural apatites $Ca_5(PO_4)_3$ (F, Cl, OH).—74-05256A
Vibrational frequency distribution functions of atoms in ThO_2 and UO_2.—74-06671A

thullium,
Ab initio calculations of the multiplet terms of $(TmP_4)^{3+}$ cluster.—74-00563A
Ac electroluminescence of ZnS:Tm.—74-05971A
Effect of Yb^{3+} on red to blue conversion fluorescence of Tm^{3+} in fluorozirconate glass.—74-05712A
NMR of ^{57}Fe, $^{69/71}Ga$ nuclei in Ga-substituted $TmFeO_3$.—74-06474A
Optical properties and upconverted emissions of Tm^{3+} in Yb^{3+}-doped fluorophosphate glasses.—74-00272A
Tm^{3+}-sensitized Ho^{3+} silica fiber laser at 2.04 μm pumped at 809 μm.—74-09070A

thyristors,
High-power electronics.—74-00631A

tile,
Adjusting technology [of tile manufacturing].—74-00419A
Application of program controller to raw material preparation.—74-08502A
Approach to computer aided design (CAD) of pattern of glazed tile.—74-02701A
Australian standards for ceramic tile fixing and their impact on other standards.—74-11140A
Automatic checking and classification of tiles.—74-00421A
Automatic glazing and decorating technique for tile.—74-00895A
Automatic warehouse.—74-02221A
Balgres, the glory of Venezuela.—74-05403A
Benefits of Dorset ball clay in traditional whiteware applications.—74-00422A
Bodies, glazes, and frits for single-fired tiles.—74-08662A
Bonding of unfired glaze layers.—74-08506A
Brick and tile industry in Spain.—74-11143A
Brick and tile industry in the Netherlands.—74-11144A
Ceramic floor tiles made with wastes [of hydrocarbon processing].—74-05803A
Ceramic tile expansion engine housing.—74-09814P
Ceramic tile.—74-00355A
Ceramic tiles nearing the year 2000—a global approach to quality.—74-08507A
Chemical composition at the glaze/support interface of different tiles with colored porous body.—74-07610A
Clay tile plant planned for flexibility.—74-05805A
Comparative study of wet- and dry-pressed tiles.—74-09441A
Competition in the U.S. market.—74-02226A
Continuous grinding—an applicable method for tile production.—74-08667A
Decorating techniques for single-fire, fast-fire tile production.—74-08517A
Decorating techniques for single-fire, fast-fire tile.—74-08670A
Deer Creek pottery: making purged molds for quick release.—74-00359A
Design and installation of ceramic tiling.—74-08518A
Development and current situation of the European brick and tile industry.—74-05412A
Development of ceramic tile quality systems—keeping up with consumer expectations.—74-08522A
Development of fly ash glazed tile.—74-08524A
Development of glazed tile with relief patterns by underglaze printing.—74-02710A
Development of glazed tiles using industry waste slags.—74-05890A
Development of vitreous tile with permeated flowers.—74-08530A
Developmental tendencies and technological advances of ceramic tiles.—74-02806A
Diopside glazed tiles fired at low temperature.—74-08535A
Dynamics of the pressing cycle and its influence on ceramic tile compaction by fitting an industrial press out with sensors.—74-08536A
Ecological and economic improvement of compacted powder production.—74-02715A
Effects and control of moisture in ceramic tile facades.—74-08538A
Energy saving in the brick and tile industry.—74-02717A
Evaluation of damaged glaze layers using the Vickers indentation technique.—74-08541A
Evolution in presses.—74-08677A
Fabrication of ceramic mosaic tile from tremolite and diposide.—74-08546A
Galvanic waste in the structural ceramic industry: an opportunity for use of industrial discards.—74-00364A
Glazing an inertized bisque.—74-00932A
Glazing today.—74-00933A
How to produce tiles: XV, Drying (Pt. V.)—74-00431A
Important fair in America.—74-02241A
Indentation fracture of glazed ceramic tiles—stress fields and their interaction.—74-07893A
Inertizing in ceramic production.—74-00432A
Influence of fast firing on the color of red unglazed stoneware tiles.—74-00365A
Influence of raw material composition and technological conditions on properties of earthenware tiles.—74-08685A
Iso-Press system yields large-format tile.—74-08686A
Italy's leadership position.—74-05425A
Kangaroo country.—74-02723A
Kaolin in the evolution of production techniques of fine ceramics.—74-08558A
Liquid dyes for decoration of unglazed tiles.—74-08688A
Low-melting glaze coatings for internal facing tiles.—74-02810A
Manufacture and application of split tiles.—74-05898A
Manufacture of clay tile doped with fly ash.—74-08561A
Melting processes and glazing technologies: surface properties of glazed ceramic tile.—74-08562A
Method of fabricating ceramic tile.—74-02817P
Method of producing wollastonite & ceramic bodies containing wollastonite.—74-08720P
Microwave drying of ceramic tiles and tapes.—74-01163A
Mosaic is in fashion.—74-03713A
Porcelainized stoneware tile.—74-05902A
Randomness of fine cracks on upside of color glazed tile and their statistical analysis.—74-02811A
Reaction mechanism during firing of glazed tile based on silica-containing dolomite.—74-08576A
Reasons of crack formation in semistiff extruded tile and its prevention.—74-08577A
Research on once fast firing of glazed tile at low temperature.—74-05907A
Return of the railway.—74-02274A
Roller kiln and its influence on the planarity of the final product.—74-09711A
Single firing of ceramic tiles for interior wall facing.—74-02812A
Sintering of stock mixtures based on gypsum-containing wastes.—74-02736A
Situation of the brick and tile industry in Morocco.—74-05829A
Split tiles and how they're fired.—74-05830A
Stormwater management system.—74-07958A
Technical requirements of ceramic tiles for specific uses.—74-08591A
Technology and ceramic plants—the past, the present, the future: I, The tile.—74-05836A
Testing ceramic tile for special applications.—74-00375A
Thailand—the doors to the Far East.—74-02814A
Through the fire in a single layer.—74-06876A
Tile fixing skills: an Australian approach to quality control.—74-08594A
Tile laying on problematic supports. New supports need new technologies.—74-08595A
Tiler training in Germany.—74-08596A
Tools for installing ceramic tile.—74-08598A
Traditional ceramics—evolution in the last decade and future trends.—74-07960A
Unique performance of ceramic tiles shown in Japan.—74-08600A
Use of talc in white earthenware "Monoporosaa" tiles.—74-00445A
Using ASTM standards in the tile industry.—74-08712A
Variability of the material in a quarry of clay for "cottoforte" tile production.—74-06938A
Vickers determines tile surface hardness.—74-05915A
Vickers hardness of ceramic glazes and glazed ceramic tiles and their correlation.—74-05916A
Vitrification of ceramic tiles derived from different production processes—technological and analytical considerations.—74-05841A
Walther Dachziegelin Langenzenn.—74-05842A

tin oxide,
Application of pyrosol deposition process for large-area deposition of fluorine-doped tin dioxide thin films.—74-00569A
Coating composition for glass.—74-08471P
Compositional analysis of CdS/SnO_2 films after heat treatments and $CdCl_2$ pretreatments.—74-07614A
Controlled growth of antimony-doped tin dioxide thin films by atomic layer epitaxy.—74-07239A
Controlled growth of tin dioxide thin films by atomic layer epitaxy.—74-07617A
Development of lightweight returnable glass bottles (with SnO_2 coating).—74-08414A
Effect of gas diffusion process on sensing properties of SnO_2 thin-film sensors in an SiO_2/SnO_2 layer-built structure fabricated by sol-gel process.—74-06762A
Effect of substrate temperature on the properties of sputtered tin oxide films.—74-01510A
Electrochemical and optical response of dip-coated SnO_2 films.—74-04603A
Enhancement of mechanical properties of 123 superconductors.—74-09364P
Ethanol gas sensing properties of SnO_2-based thin-film sensors prepared by the sol-gel process.—74-01714A
Fixation mechanism of carbon dioxide on oxide semiconductors by current transients.—74-01733A
Formation of tin oxide films on glass substrates.—74-08476P
Low-temperature deposition of glass membranes for gas sensors.—74-02641A
Luminescence spectra of fluorophosphate glasses containing CuO and SnO_2.—74-02559A
Microstructure effects in multidipped tin oxide films.—74-10840A
More versatile ceramic/metallic gas sensor.—74-06792A
Morphology of SnO_2 thin films obtained by the sol-gel technique.—74-04765A
Nature of vanadium species in SnO_2-V_2O_5-based catalysts—chemical preparation, characterization, thermal stability, and reactivity in ethane oxidative degradation over V-Sc mixed oxides.—74-10490A
Particle growth on palladium on epitaxial tin oxide thin films.—74-03848A
Phase transition and electric property of $KSnOPO_4$ (KS) single crystal.—74-01438A
Preparation and characterization of a dip-coated SnO_2 film for transparent electrodes for transmissive electrochromic devices.—74-00311A
Preparation of ultrafine RuO_2-SnO_2 binary oxide particles by a sol-gel process.—74-07438A
Properties of the SnO_2-based ceramics.—74-02392A
Raman spectrum of nanometer SnO_2.—74-10025A
Reduction of CO_2 on fluorine-doped SnO_2 thin-film electrodes.—74-00528A
Relationship between crystal orientation and gas sensing property of sputtered SnO_2 films.—74-09023A
Role of an electrolysis reduction in copper-electroplating on transparent semiconductor tin oxide.—74-06294A
Sol-gel synthesis of hybrid organic-inorganic tin-oxide-based materials.—74-10643A
Structural and textural properties of SnO_2-Cr_2O_3 catalysts.—74-07000A
Structure and properties of ceramics in the SnO_2-Sb_2O_3-CuO system.—74-03974A
Synthesis of In_2O_3-SnO_2 composite powders by a homogeneous precipitation technique and their sintering behavior.—74-07515A

Synthesis of Pd-doped SnO_2 films on silicon and interaction with ethanol and CO.—74-04946A
Technology for reducing weight of returnable glass bottles.—74-08466A
Thermal expansion of a PRD-166 fiber-reinforced glass-matrix composite.—74-02592A
Thermal expansion of a PRD-166 fiber-reinforced glass-matrix composite.—74-02593A
Thin-film deposition of conductive tin oxide from tetramethyltin in a low pressure glow discharge diode reactor.—74-04964A
Tin dioxide thin films prepared by photochemical vapor deposition from tin(II) acetate.—74-07538A
Work function measurements for gas detection using tin oxide layers with a thickness between 1 and 200 nm.—74-06834A
XRD, XPS, optical and electrical studies on the conversion of SnS thin films to SnO_2.—74-02097A
YBCO superconducting ceramics with SnO_2 dopant.—74-03621A

tin,
$BaTi_{1-x}(Sn,Zr)_xO_3$ dielectric ceramics.—74-02822A
Conduction mechanism in Sn^{4+}-substituted copper ferrite.—74-09197A
Crystal chemistry and solid lubricating properties of the monochalcogenides gallium selenide and tin selenide.—74-08847A
Dielectric constants of Ge, Sn, and isoelectronic semiconductors.—74-02829A
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$—[comment]—74-04130A
Effect of dc electric field on incommensurate phase of $Sn_2P_2Se_6$-type proper ferroelectrics.—74-00749A
Effect of electron bombardment on the electrical properties of $Pb_{1-x}Sn_xTe(In)$ alloys.—74-06051A
Electrical properties of $(Sn_{0.8}Ge_{0.2})_{1-x}In_xTe$ films formed by a laser-evaporation method.—74-00605A
Electrical properties of PbTe and (PbSn)Te surfaces.—74-06072A
Electronic structure of $Pb_{0.2}Sn_{0.72}Mn_{0.08}Te$ by means of photoemission.—74-05138A
Formation and properties of tin(II) chlorophosphate glasses.—74-05678A
Fragmentations of $Ge_{1-x}Sn_xSe_2$ glasses.—74-02458A
Incommensurately modulated polar structures in antiferroelectric Sn-modified lead zirconate titanate: the modulated structure and its influences on electrically induced polarizations and strains.—74-06416A
Laser-induced ablation and epitaxial growth of SnSe.—74-04727A
Low resistivity and high mobility tin-doped indium oxide films.—74-06183A
Optical band gap of thin films of SnSe-$SnGe_2$ eutectic alloy.—74-01550A
Phase equilibria in the systems mercury-tin-sulfur (selenium).—74-01431A
Phase transition temperature shift in $Sn_2P_2Se_6$ under fast temperature variation.—74-04191A
Polarity propagation in InSb/a-Sn-/InSb heterostructure.—74-03173A
Role of donor and acceptor ions in the dielectric loss tangent of $(Zn_{0.8}Sn_{0.2})TiO_4$ dielectric resonator material.—74-02859A
Spectroscopic study of Pt-Sn/Al_2O_3 sol-gel catalysts.—74-07749A
Stabilized α-Sn grown at high temperature by molecular beam epitaxy.—74-05255A
State of impurity iron and tin ions in zirconium-containing fluorophosphate glasses according to Mossbauer spectroscopic data.—74-00221A
Superconducting properties of $[(Sn_{1-x}Ge_x)_{0.95}In_{0.05}Te;\ x{\leq}0.4]$ solid solutions.—74-03595A
Superconductivity and component distribution thin indium-doped $Pb_xSn_{1-x}Te$ layers.—74-03596A
Superpolishing of diamond.—74-10658A
I-V characteristics of structures with GaAs vicinal faces δ-doped with tin.—74-08819A
Wet chemical processing of tin-doped indium oxide layers.—74-08775A
XPS, EPMA, and XRD analysis of hot-end coated glass containers.—74-00237A

titanates,
Atomic adsorption determination of fluorides by using selective dissolution of lead zirconate titanate.—74-01041A
Calorimetric and electrical studies on positional disordered Li ions in $Li_{0.35}La_{0.51}TiO_{2.94}$.—74-06395A
Compositional modifications of 10% Pb-doped $Bi_{0.5}Na_{0.5}TiO_3$ for high-temperature dielectrics.—74-05926A
Cracking during pyrolysis of oxide thin films—phenomenology, mechanisms, and mechanics.—74-10956A
Dielectric ceramic composition for use in high frequency.—74-08785P
Dielectric properties of (Ba,Sr)TiO_3 films by rf sputtering.—74-08742A
Effect of Al^{3+} on the formation of $Ba_2Ti_9O_{20}$.—74-01291A
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$—[comment]—74-04130A
Effects of La_2O_3/ZrO_2 additives on microstructure and microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ ceramics.—74-02832A
Effects of organotitanate additions on the dispersion of aluminum nitride in nonpolar solvents.—74-04600A
EPR study of two Cr^{3+} sites in $MgTiO_3$ crystal.—74-10801A
Ferroelectric characteristics in Fe-Ti-O system.—74-09142A
FT Raman and FTIR studies of titanias and metatitanate powders.—74-10808A
High critical temperature superconductor (HTSC) including a rare earth alkali metal titanate as an oxygen diffusion barrier in the device—74-00866P
Low-temperature synthesis and characterization of crystalline zirconium titanate powder.—74-07373A
Mechanochemical synthesis of $ZrTiO_4$ precursor from inhomogeneous mixed gels.—74-10447A
Method for producing titanate powder and product made thereby.—74-03992P
Microstructure and grain-boundary structure of Na^+-diffused $(Sr,Ca)TiO_3$ capacitor-varistor ceramics.—74-00510A
Microwave dielectric ceramic composition—74-00744P
Microwave dielectric ceramic composition.—74-08808P
$PbZrO_3$-$K_{0.5}Bi_{0.5}TiO_3$.—74-03330A
Phase composition of piezoceramic materials based on lead zirconate and titanate produced by hydrometallurgic reprocessing of solid wastes and reject.—74-01422A
Photocatalysts with tunnel structures for decomposition of water: I, $BaTi_4O_9$, a pentagonal prism structure and its combination with various promotors.—74-04804A
Piezoelectricity and phase transitions of the mixed-layer bismuth titanate niobate $Bi_7Ti_4NbO_{21}$.—74-09165A
Potassium hexatitanate fibers having tunnel structure, process for producing the same, and composite material—74-01330P
Preparation of (Pb,La)TiO_3 thin films by multiple cathode sputtering.—74-09167A
Preparation of spherical (Zr, Sn)TiO_4 powders by ultrasonic spray pyrolysis.—74-10570A
Preparation of zinc titanate thin films by low-pressure metalorganic chemical vapor deposition.—74-10574A
Properties of heterosubstituted titanates with perovskite structure.—74-03344A
Pulsed laser deposition of epitaxial $Ba_xSr_{1-x}TiO_3/Ba_2Cu_3O_7$ bilayers on $LaAlO_3$ substrates.—74-06622A
Quantum paraelectricity in a perovskite $La_{1/2}Na_{1/2}TiO_3$.—74-05954A
Role of donor and acceptor ions in the dielectric loss tangent of $(Zn_{0.8}Sn_{0.2})TiO_4$ dielectric resonator material.—74-02859A
Role of NaCl during preparation of $NiTiO_3$ powders by the coprecipitation process.—74-01871A
Short-circuit diffusion of Ba, Sr, and O during ATiO72 (A=Ba, Sr) thin-film growth by the hydrothermal–electrochemical method.—74-07475A
Structural and dielectric properties of perovskite-like rare-earth titanates.—74-04215A
Synthesis and characterization of Ru-Ti_4O_7 microelectrode arrays.—74-05961A
Synthesis and dielectric properties of a cubic perovskite: $La(Mg_{2/3}Ti_{1/3})O_3$.—74-05962A
Synthesis and physicochemical characterization of $LiMTiF_6$.—74-07131A
Synthesis and structure of new compound of hollandite series.—74-07132A
Synthesis of $BaTi_3O_7$ in molten salts.—74-06443A
Synthesis of fibrous crystals of $(K,Ba)_2Ti_6O_{13}$ and $(K,Sr)_2Ti_6O_{13}$ by composition-structural changes from Ba- and Sr-doped $K_2Ti_4O_9$.—74-01909A
Thermal decomposition of potassium fluorotitanates.—74-01478A
Thermal shock cracking resistant multilayer ceramic capacitor termination compositions.—74-02900P
Two successive spin glass transitions in nondiluated Heisenberg-like spin glass $Ni_{0.42}TiO_3$.—74-01599A
Use of silicotitanates for removing cesium and strontium from defense waste.—74-07009A
XPS and ISS study of $NiTiO_3$ and $PbTiO_3$ subjected to low energy ion bombardment: I, Influence of the type of ion (Ar^+ and O_2^+).—74-05302A

titania,
x-Al_2O_3-y-TiO_2 powders for plasma sputtering.—74-01605A
Acid resistance of titania-white domestic enamel.—74-08125A
Ammonia reduction of exhaust nitrogen oxides in the presence of cellular block catalysts under simulated and operating conditions.—74-01216A
Amorphous oxide film and article having such film thereon.—74-09903P
Angle-resolved photoemission study of an in-gap state in TiO_2.—74-02912A
Applicability of the Tougaard ratio *D* in the analysis of nanometric TiO_2 overlayers.—74-01962A
Characteristics of the fluorescence spectra of pyrene molecules during the sol to gel to xerogel transitions of silica-titania binary oxide systems.—74-09973A
Characterization of dispersing behavior of anatase (TiO_2) aqueous suspensions.—74-04502A
Characterization of Fe/TiO_2 photocatalysts: II, Surface studies.—74-07603A
Charge-transfer processes at *n*-TiO_2 by using a short laser pulse.—74-01500A
Colloidal stability and titania precipitate morphology: influence of short-range repulsions.—74-01643A
Competition between $TiCl_4$, hydrolysis, and oxidation, and its effect on product TiO_2 powder.—74-07233A
Composite materials based on titanium diboride.—74-04041P
Composition of titania coatings deposited by different techniques.—74-04523A
Compositional analysis and capacitance-voltage properties of TiO_2 films by low-pressure metallorganic chemical vapor deposition.—74-02825A
Coupling of mutually incoherent beams in photorefractive $Bi_{12}TiO_{20}$ fiber.—74-08846A
Crystallization behavior of TiO_2 gel prepared by the sol-gel method.—74-04122A
Determination of the distribution of molybdenum oxidation states in reduced Mo/TiO_2 catalysts by factor analysis and curve fitting.—74-03961A
Development of acidity on sol-gel-prepared TiO_2-SiO_2 catalysts.—74-10263A
Dielectric ceramic compositions and dielectric resonator.—74-02876P
Dielectric ceramic for microwaves.—74-02877P
Dip coating of titanium ethoxide solutions.—74-07262A
Dopants in flame synthesis of titania.—74-10275A
Effect of calcium segregation on grain growth in nanocrystalline TiO_2.—74-07634A
Effect of crystallization and a phase transformation on the grain growth of nanocrystalline titania.—74-01372A
Effect of H_2 reduction on methanol decomposition over various titanium oxides.—74-10284A
Effect of high-voltage screening on strength distribution for titanium dioxide ceramics.—74-07864A
Effect of phase and technology history on $AlO_{1.5}$-TiO_2 system evolution.—74-01375A
Effect of potassium on the surface potential of titania.—74-02976A
Effect of tin dioxide doping on rutile phase formation in sol-gel-derived nanocrystalline titania powders.—74-07281A
Effective elastic moduli of porous ceramic materials—[comment].—74-07868A
Effective elastic moduli of porous ceramic materials—[reply].—74-07869A
Electrical and optical properties of in situ "hydrogen-reduced" titanium dioxide thin films deposited by pulsed excimer laser ablation.—74-07286A
Electrical properties of manganese-doped titanium dioxide.—74-02835A
Electronic structures of Ti and V oxides: calculation of valence photoemission and bremsstrahlung isochromat spectra.—74-01228A
Enhancement of reactive sputtering rate of TiO_2 using a planar and dual rotatable cylindrical magnetrons.—74-06697A
Enhancement of the deposition rate of TiO_2 film in radio frequency reactive sputtering.—74-06081A
Ferroelectric properties of lead titanate films deposited by low-pressure chemical deposition.—74-00752A
Fluorescence of Er^{3+} ions in TiO_2 planar waveguides prepared by a sol-gel process.—74-06109A
Formation of a layer of aluminum and tin or titanium oxides on a glass substrate—74-00332P
Formation of titania gels from titanium alkoxide and orthoboric acid in pyridine.—74-07321A
FT Raman and FTIR studies of titanias and metatitanate powders.—74-10808A
Glasses from gels.—74-00300A
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with TiO_2 additions.—74-02840A
High-temperature immittance response in anatase-based sensor materials.—74-03048A
Hydroxylation kinetics in lime clinkers.—74-02758A
Influence of a PbO compensation atmosphere and surface layers on the electrical properties of (Pb, Nb)-doped TiO_2 varistors.—74-06150A
Influence of substrate on structural properties of TiO_2 thin films obtained via MOCVD.—74-04705A
Influence of TiO_2 on sintering and microstructure of magnesia.—74-10422A
Infrared and Raman spectra of solid solutions $Ti_{1-x}Zr_xO_2$ ($x{\leq}0.1$).—74-03824A
Interactions in the system TiO_2-$GaSbO_4$.—74-01400A
Interfacial bonding, wettability, and reactivity in metal/oxide systems.—74-05634A
Investigation of the growth and structure of aluminum overlayers on TiO_2(100) by scanning tunneling microscopy.—74-05174A
Ion kinetic energy distribution of electron-stimulated desorption of O^+ from TiO_2(110)-SO_2.—74-04340A
Ion-beam-induced chemical vapor deposition procedure for the preparation of thin-film oxides.—74-03703A
Ion-beam-induced chemical vapor deposition procedure for the preparation of oxide thin films: I, Preparation and characterization of TiO_2 thin films.—74-07361A
Ionic and electronic conductivity of TiO_2-Y_2O_3-stabilized tetragonal zirconia polycrystals.—74-00498A
Lead-free glass composition having properties similar to lead crystal glass.—74-02678P
Light-controlling window glass using inorganic fine particles.—74-08435A
Measurements of excess enthalpy in ultrafine-grained titanium dioxide.—74-07089A
Mechanical and dielectric loss measurements in Y_2O_3-ZrO_2 and TiO_2-Y_2O_3-ZrO_2 ceramics.—74-01949A
Membranes on the basis of oxide ultrafine powders and their porous structures.—74-01234A
Metallorganic chemical vapor deposition by pulsed liquid injection using an ultrasonic nozzle: titanium dioxide on sapphire from titanium(IV) isopropoxide.—74-10450A
Microstructural and electrical study of ZrO_2-Y_2O_3-TiO_2 at different sintering temperatures.—74-04752A
Microstructural evolution of titania sol-gel thin films.—74-08954A
Microwave characteristics of BaO-TiO_2 ceramics prepared via a citrate route.—74-02850A
Molecular approach to ultrathin multilayered films of titanium dioxide.—74-07697A
Morphology of TiO_2 aerogels.—74-10850A
Mutual phase stabilization of aluminum phosphate and titania in $AlPO_4$-TiO_2 binary system.—74-07094A
Negative capacitance effect in Ni-TiO_2-*p*-Si heterostructures.—74-08965A
New opaque white glazes with TiO_2 for ceramic wall tiles.—74-00437A
Noncrystalline ceramic precursors in the TiO_2PbO system by sol-gel.—74-04782A
Nucleation and growth in TiO_2 films prepared by sputtering and evaporation.—74-06229A
Numerical analysis of an impinging jet reactor for the CVD and gas-phase nucleation of titania.—74-07403A
Optical properties of anatase (TiO_2).—74-08987A
Optical properties of CdS- and (Cd, Zn)S-doped sol-gel titania films.—74-07177A

Optimizing APS ceramic coatings using response surface methods.—74-10508A
Ordered intermetallic alloys: III, γ-titanium aluminides.—74-05650A
Phase composition of sintered lime refractories with TiO_2 additions.—74-02769A
Phase decomposition and structure of glasses of the system TiO_2-B_2O_3.—74-00207A
Phase decomposition and structure of glasses of the TiO_2-B_2O_3 system.—74-02033A
Photocatalytic activity and selectivity of titania colloids and particles prepared by the sol-gel technique: photooxidation of phenol and strazine.—74-10132A
Photocatalytic reduction and immobilization of hexavalent chromium at titanium dioxide in aqueous basic media.—74-01831A
Photoelectric properties of colloidal semiconductor films.—74-04805A
Photoelectrochemical energy conversion obtained with ultrathin organometallic chemical vapor deposition layer of FeS_2 (pyrite) on TiO_2.—74-00519A
Photoelectrochemical properties of anatase and rutile films prepared by the sol-gel method.—74-07413A
Photoemission and Bremsstrahlung isochromat spectroscopy studies of TiO_2 (rutile) and $SrTiO_3$.—74-03333A
Photoresponse of high resistance anatase TiO_2 films prepared by the decomposition of titanium isopropoxide.—74-04395A
Porosity–grain growth relationships in the sintering of nanocrystalline ceramics.—74-01838A
Porous three-dimensional inorganic oxide structure with myriad cavities interconnected by holes.—74-03998P
Preparation and characterization of multiple ion-exchanged Pt/TiO_2 catalysts.—74-06991A
Preparation and characterization of TiO_2-SiO_2 aerogels by supercritical drying.—74-10865A
Preparation and properties of amorphous TiO_2 thin films by plasma-enhanced chemical vapor deposition.—74-01845A
Preparation and properties of thin films on the quartz glass.—74-07424A
Preparation and spectral properties of SiO_2 and SiO_2-TiO_2 gels doped with fullerenes.—74-10552A
Preparation of ultrafine RuO_2-TiO_2 binary oxide particles by a sol-gel process.—74-01445A
Redox equilibria of iron in Ti-bearing calcium silicate quenched glasses.—74-02487A
Role of electrolytes during aerosol synthesis of TiO_2.—74-07471A
Scanning tunneling microscope tip-induced anodization of titanium: characterization of the modified surface and application to the metal resist process for nanolithography.—74-06997A
Sintering, microstructure, and mechanical properties of TZP ceramics in the ZrO_2-CeO_2-TiO_2 system.—74-07484A
Sol-gel protective coating.—74-07486A
Solid solutions within selected SrO-$LnO_{1.5}$-TiO_2 systems.—74-04210A
Static SIMS study of coated TiO_2 pigments.—74-04913A
Structural properties of titanium dioxide films grown on *p*-Si by metallorganic chemical vapor deposition at low temperature.—74-00719A
Structure of TiO_2/SiO_2 multilayer films.—74-05960A
Studies of layered Si_3N_4/TiO_2/Si composite by means of surface-sensitive electron spectroscopes.—74-07763A
Study of the Lorentz-Lorentz law and the energy loss of ^4He ions in titanium oxide films.—74-04435A
Surface characterization of RuO_2-IrO_2-TiO_2-coated titanium electrodes.—74-07770A
Surface chemical structure of SiO_2-TiO_2 sol-gel powders.—74-10896A
Surface diffusivity under high-pressure gas.—74-07502A
Surface roughness reduction in atomic layer epitaxy growth of titanium dioxide thin films.—74-07503A
Surface study of DWA [dispersing and wetting agent] wetted TiO_2 pigments.—74-03975A
Synthesis and applications of oxides and mixed oxides produced by a flame process.—74-07005A
Synthesis of metal oxide thin films.—74-04005P
Three-way catalyst for automotive emission control.—74-04006P
Time-resolved microwave conductivity: I, TiO_2 photoreactivity and size quantization.—74-09069A
Time-resolved microwave conductivity: II, Quantum-sized TiO_2 and the effects of adsorbates and light intensity on charge-carrier dynamics.—74-10701A
Titania-alumina composites.—74-10704A
Transport properties of titania-doped YSZ.—74-02866A
TZP's in the TiO_2-Y_2O_3-ZrO_2 system.—74-01484A
Use of alkoxides in the preparation of low-expansion reconstructed TiO_2-SiO_2 glasses.—74-00322A
Varied atmosphere compensation—exploring the roles of barium and bismuth in (Ba,Bi,Nb)-doped TiO_2 varistors.—74-06376A
XAS and XRD structural studies of titanium oxide thin films prepared by ion-beam-induced CVD.—74-05300A

titaniuim,
Phase equilibria in the Ti-Al-O system at 945°C and analysis of Ti/Al_2O_3 reactions.—74-04184A

titanium carbide,
Ceramic material reinforced by the incorporation of TiC, TiCN and TiN whiskers and processes for production thereof.—74-03981P
Ceramic materials: microstructural and interface analysis as the prerequisite for optimization of microstructures: IV, The microstructure of Al_2O_3 ceramics containing TiC.—74-07601A
Characteristics of hot-pressed TiC-C composites.—74-07219A
Characterization of TiB_2-Ti(CN)-Ni ceramics by transmission and analytical electron microscopy.—74-01969A
Chemical interaction between silicon nitride–titanium carbide powder.—74-09975A
Cohesion in titanium carbide.—74-04107A
Comparison of the synthesis mechanism of AlN, Al_4C_3, and TiC by carbothermic reduction of oxides.—74-07232A
Continuous process for producing alumina-titanium carbide composites.—74-09818P
Corrosion resistant composition for wear products.—74-04044P
Crushing properties of silicon and titanium carbides in a vertical vibratory mill.—74-01653A
Cutting tool.—74-09913P
Different toughening mechanisms in SiC/TiC composites.—74-10969A
Effect of surface conformity on friction.—74-01227A
Effects of sintering on properties of titanium-carbide-dispersed alumina ceramics and on-line monitoring of the sintering environment.—74-07285A
Electron theory as an aid to binder selection for a TiC/TiB_2 composite.—74-04611A
Electronic structure of SiC-TiC interfaces.—74-09990A
Epitaxial growth of beta-SiC on TiC, by reactive evaporation.—74-01710A
Fe-TiC ceramic-metal composites.—74-05623A
Formation of nonoxide-based composites from liquid precursors.—74-04647A
Formation of thin TiC-SiC layers on graphite substrate by reactive chemical vapor deposition.—74-07320A
Growth and stability of CVD codeposited nanocomposite SiC-TiC-C.—74-05152A
Hot-pressing of TiC-graphite composite materials.—74-04148A
Induction plasma reactive deposition of tungsten and titanium carbides.—74-08212A
Influence of oxygen partial pressure on the wetting behavior of titanium carbide by molten copper and other metals.—74-00125A
Kinetics of oxidation SHS of titanium carbide and titanium and chromium double carbide powders in air.—74-02007A
Lightweight TiC/Ti alloy wear-resistant coatings for lightweight materials in aerospace applications.—74-08228A
Manufacture of SiC-TiC system composite by reaction bonded sintering.—74-10439A
Measurement of Young's moduli of TiC-coated film by the X-ray method.—74-01539A
Mechanical behavior of strengthened Al_2O_3 and ZrO_2 ceramics with a high content of TiC.—74-02169A
Method of production of a metallic composite material incorporating metal carbide particles dispersed therein—74-00177P
Microstructure and aging response of sprayed-deposited Al-Li/TiCp.—74-08239A
Microstructure and chemical reaction in an Si_3N_4-TiC composite.—74-07690A
Milling with cermets.—74-00955A
Morphological structure of silicon carbide grown by chemical vapor deposition on titanium carbide using silane and ethylene.—74-07700A
Nitridation of SiC-TiC composites by hot isostatic pressing.—74-05649A
Oxidation and reduction of TiC/Co in O_2 and H_2.—74-02086A
Process, microstructure, and mechanical properties of SiC-TiC-C nanocomposites.—74-07908A
Production of metal carbide articles.—74-09956P
Rapid sintering method for producing alumina-titanium carbide composites—74-01269P
Reaction of TiO_2-Al-C in the combustion synthesis of TiC-Al_2O_3 composite.—74-04202A
Scaling resistance in binary titanium and chromium carbides made by SHS.—74-05318A
Sintering of Al_2O_3-TiC composite in the presence of liquid phase.—74-01884A
Sintering ZrO_2/TiC composites with TiH_2: the role of transient liquid phase and of substoichiometry.—74-10637A
Sliding wear resistance of TiCN coatings on tool steel made by plasma-enhanced chemical vapor deposition.—74-02201A
Slip casting of TiC_xN_{1-x}-Mo_2C-Ni cermets.—74-04898A
Stress-induced phase transformation in single-crystal titanium carbide.—74-07118A
Structure and stability of nanocrystalline TiC powders obtained by reactive high energy milling.—74-07758A
Synthesis of ceramics by autocombustion.—74-01907A
Synthesis of Fe-TiC cemented carbide composites using self-propagated high temperature synthesis (SHS).—74-04943A
Synthesis of TiC ceramics by reaction sintering of shock-modified powder mixtures.—74-10686A
Titanium carbide/nitride-zirconium oxide-based high-toughness ceramics.—74-09843P
Wear resistant die face and method.—74-02426P

titanium carbonitride,
Properties of TiCN coatings prepared by magnetron sputtering.—74-02393A
Synthesis of titanium carbonitride by SHS (self-propagating high-temperature synthesis).—74-10687A

titanium diboride,
Abrasion-wear resistance of arc sprayed stainless steel and composite stainless steel coatings.—74-08123A
Ceramic articles made of compositions containing borides and nitrides.—74-09908P
Characterization of the microstructure in TiB whisker-reinforced Ti alloy matrix composite.—74-01968A
Characterization of TiB_2-Ti(CN)-Ni ceramics by transmission and analytical electron microscopy.—74-01969A
Chemical compatibility between Si-based and Ti-based ceramics.—74-01353A
Composite materials based on titanium diboride.—74-04041P
Composition and method for producing boron carbide/titanium diboride composite ceramic powders using a boron carbide substrate—74-01315P
Consolidation of combustion-synthesized titanium diboride-based materials.—74-04525A
Effect of SiC on interfacial reaction and sintering mechanism of TiB_2.—74-07277A
Electrochemical chromium(III) oxide coatings on nonoxide ceramic substrates.—74-02837A
Electron theory as an aid to binder selection for a TiC/TiB_2 composite.—74-04611A
Fabrication of dense TiB_2-Al composites by the self-propagating high-temperature synthesis (SHS) method.—74-01722A
Formation of Al_2O_3-TiB_2 composites using a high temperature synthesis reaction.—74-10360A
Fracture toughness of TiB_2 and B_4C using the single-edge precrack beam, indentation strength, chevron notched beam, and indentation strength methods.—74-07880A
Frequency dependence of fatigue crack growth in a TiB_2-SiC composite at elevated temperature.—74-05359A
Laser-induced chemical vapor deposition of titanium diboride.—74-04728A
Metallic and intermetallic binder phases within Fe-Ni-Al system for TiB_2 cemented borides—thermodynamic guidelines.—74-07091A
Microcracking and *R*-curve behavior in SiC-TiB_2 composites.—74-11049A
Microcracking in B_4C-TiB_2 composites.—74-11050A
Penetration of aluminum in TiB_2.—74-07581A
Preparation of BN-AlN-TiB_2 (BAT) electrical ceramic composite by reactive hot-pressing (RHP).—74-07428A
Process for producing TiB_2 -dispersed TiAl-based composite material.—74-08319P
Processing of Al_2O_3 matrix TiB_2 platelet composites.—74-07447A
Quasi-ternary TiB_2-W_2B_5-CrB_2 system and its possibilities in evolution of ceramic hard materials.—74-01446A
Self-propagating high-temperature synthesis of titanium borides.—74-10622A
Sintering and characterization of B_4C/TiB_2.—74-07481A
Synthesis of TiB_2-Al_2O_3 composite by self-propagating high-temperature synthesis (SHS) and its pressureless sintering.—74-10685A
Tensile behavior of microcracking SiC-TiB_2 composites.—74-07926A
TiN-TiB_2 composites prepared by reactive hot-pressing and effects of Ni addition.—74-10702A
Titanium diboride.—74-06937A

titanium nitride,
Anomalies in the concentration relationship of thermal conductivity of sintered composites with an ultradispersed component in the TiN-AlN system.—74-04253A
Auger depth profiles of TiN/Ti films in submicron contact holes: a comparison of collimate and uncollimated deposition processes.—74-07208A
Automotive window glass—74-00326P
Carbonaceous surface layers deposited on TiN coatings by ion implantation.—74-05081A
Ceramic material reinforced by the incorporation of TiC, TiCN and TiN whiskers and processes for production thereof.—74-03981P
Ceramic-titanium nitride electrostatic chuck.—74-08782P
Characterization of reactively evaporated TiN layers for diffusion barrier applications.—74-10066A
Characterization of TiN_xO_y thin films on architectural glass by X-ray reflection and spectrophotometry.—74-07609A
Comparative investigation by laser profilometry, scanning electron microscopy, and atomic force microscopy of wear on solar-beam-irradiated partially oxidized TiN coatings.—74-05326A
Comparative study on the characteristics of TiN films deposited by plasma-assisted CVD, ion plating, and reactive sputtering.—74-10782A
Complex XRD microstructural studies of hard coatings applied to PVD-deposited TiN films: I, Problems and methods.—74-05101A
Conductive diffusion barrier of titanium nitride in ohmic contact with a plurality of doped layers therefor.—74-04042P
Consolidation of ultradisperse TiN under high pressure.—74-04526A
Creep and oxidation of Si_3N_4/TiN composite ceramics.—74-02113A
Curvature effect in grazing X-ray reflectometry.—74-06752A
Decorative hard coatings: advances in optical characterization techniques.—74-01053A
Diamond coated wear resistant tools.—74-02415P
Direct synthesis and sintering of silicon nitride/titanium nitride composite.—74-04559A
Domain epitaxial growth on TiN/Si(001), TiN/GaAs(001), Si/TiN/Si(001) heterostructures by laser physical vapor deposition: theory and experiment.—74-07263A
Dose analysis of nitrogen plasma source ion implantation treatment of titanium alloys.—74-05118A
Effect of deposition parameters on the microstructure of ion-beam-assisted deposition TiN films.—74-07268A
Effect of TiN and SiC on the mechanical properties of ZTA ceramics.—74-07867A
Effects of ion bombarding energy on the structure and properties of TiN films synthesized by dual ion beam sputtering.—74-10310A
Effects of oxygen on the electrical and electrochemical properties of ion-plated titanium nitride.—74-07157A
Electrical characterization of rf sputtered TiN thin films on III-V semiconductors.—74-00603A
Electromigration in AlSiCu/TiN/Ti interconnects with Ti and TiN additional layers.—74-06076A
Enhancement of the reactive deposition rate of TiN films at low nitrogen content.—74-07299A

Epitaxial growth in large-lattice-mismatch systems.—74-04139A
Estimation of microbrittleness of two- and three-component nitride ion-plasma coatings.—74-08186A
Evaluation of coating-substrate interface strength by differential load feed analysis of load-indentation measurements.—74-06768A
Excitation of surface plasmons on titanium nitride films: determination of the dielectric function.—74-00491A
Fabrication and properties of Si_3N_4-TiN composites.—74-10344A
Film properties of CVD titanium nitride deposited with organometallic precursors at low pressure using inert gases, ammonia, or remote activation.—74-01730A
Formation of a layer of aluminum and tin or titanium oxides on a glass substrate—74-00332P
Formation of nonoxide-based composites from liquid precursors.—74-04647A
Graphite/carbon articles for elevated temperature service and method of manufacture.—74-04053P
Growth of anodic oxides on reactively sputtered TiN_x films.—74-04670A
Growth of TiN thin films from $Ti(NMe_2)_4$ and ammonia.—74-01751A
High-temperature ohmic contact metallizations for *n*-type 3C-SiC.—74-06136A
Hot wear resistance of TiN-coated mold and tool materials.—74-05628A
Hot-filament-assisted CVD of titanium nitride films.—74-10389A
Influence of charge exchange on ion/neutral arrival rates in an ion-assisted deposition system.—74-07351A
Influence of low energy ion bombardment on the properties of TiN films deposited by rf magnetron sputtering.—74-01525A
Investigation of the microstructure, chemical composition, and lateral growth kinetics of TiN films deposited by laser-induced chemical vapor deposition.—74-04718A
Kinetic study of titanium nitride chemical vapor deposition using nitrogen, hydrogen, and titanium tetrachloride.—74-07364A
Kinetics and conformality of TiN films from TDEAT and ammonia.—74-01775A
Laser-based chemical vapor deposition of titanium nitride coatings.—74-04726A
Light-controlling window glass using inorganic fine particles.—74-08435A
Low-pressure chemical vapor deposition process for depositing high-density, highly-conformal titanium nitride films of low bulk resistivity.—74-09925P
Low-temperature CVD of TiN from $Ti(NR_2)_4$ and NH_3—FTIR studies of the gas-phase chemical reactions.—74-07371A
Low-temperature deposition of TiN using tetrakis(dimethylamido)-titanium in an electron cyclotron resonance process.—74-07372A
Low-temperature metallorganic chemical vapor deposition of advanced barrier layers for the microelectronics industry.—74-04738A
Low-temperature radio frequency sputter deposition of TiN thin films using optical emission spectroscopy as process monitor.—74-01786A
Manufacturing aspects of low pressure chemical vapor deposited TiN barrier layers.—74-01790A
Mass- and energy-resolved detection of ions and neutral sputtered species incident at the substrate during reactive magnetron sputtering of Ti in mixed $Ar+N_2$ mixtures.—74-06786A
Measurement of the adhesion of TiN and Al coatings by fracture mechanics tests.—74-02166A
Measurement of Young's moduli of TiC-coated film by the X-ray method.—74-01539A
Mechanical properties of the system Al_2O_3-ZrO_2-TiN.—74-02171A
Metal ion deposition from ionized magnetron sputtering discharge.—74-01794A
Method for chemical vapor deposition of titanium nitride films at low temperatures.—74-09930P
Method of making copper-titanium nitride alloy—74-00174P
Method of nucleating tungsten on titanium nitride by CVD without silane—74-00175P
Microstructure and electrical resistivity of TiN films deposited on heated and negatively biased silicon substrates.—74-00509A
Microstructure of Ti/TiN multilayer films.—74-08242A
Milling with cermets.—74-00955A
Mullite-titanium nitride ceramic composites for electrical discharge machining applications.—74-06985A
Nucleation and growth of CVD diamond on magnesium oxide(100) and titanium nitride-magnesium oxide(100) surfaces.—74-04786A
Oxidation of TiN in an oxygen plasma asher.—74-04800A
Photoacoustic characterization of thermal transport properties in thin films and microstructures.—74-01558A
Plasma ion implantation at Hughes Research Laboratories.—74-03722A
Preparation of silicon nitride–titanium nitride and titanium–titanium nitride composites from $(CH_3)_3SiNHTiCl_3$-coated Si_3N_4 and Ti particles.—74-04828A
Preparation of titanium nitride-containing refractory material composites—74-01331P
Properties of chemical vapor deposited titanium nitride.—74-01861A
Properties of TiN and ZrN thin films on silicon studied by low load indentation.—74-07909A
PVD today.—74-04854A
Relationship between the process parameters and film properties of low-temperature low-pressure chemical vapor deposition titanium nitride films.—74-00530A
Report on damage analysis of TiN-coated parts and tools.—74-08266A
SEM study of the fracture behavior of WC-TiN-Co and WC-TiN-Mo_2C-Co(Ni) cemented carbides.—74-05654A
ß-SiAlON-TiN particle composite ceramics.—74-02100A
Simultaneous formation of titanium nitride and titanium silicide in a one-step process in heterogeneous phase during multipulse laser treatment of an Si wafer with a thin Ti coating in superatmospheric N_2.—74-07479A
Single crystal titanium nitride epitaxial on silicon.—74-09102P
Single point cutting tool.—74-04090P
Sliding wear resistance of TiCN coatings on tool steel made by plasma-enhanced chemical vapor deposition.—74-02201A
Slip casting of TiC_xN_{1-x}-Mo_2C-Ni cermets.—74-04898A
Stress behavior of TiN films formed by reactive ion-beam-assisted deposition.—74-01580A
Structure and properties of titanium nitride thin films deposited at low temperatures using direct current magnetron sputtering.—74-01895A
Studies of TiN nucleation and growth by scanning tunneling microscopy in water.—74-07764A
Thermal stability of thin poly-Si/Ta_2O_5/TiN capacitors for dynamic random access memory applications.—74-05966A
Thermal stability of thin poly-Si/Ta_2O_5/TiN capacitors for dynamic random access memory applications.—74-06358A
TiN layer synthesis by laser plasma.—74-04967A
TiN_x magnetron sputter coating controlled by an in situ eddy current sensor.—74-03882A
TiN-TiB_2 composites prepared by reactive hot-pressing and effects of Ni addition.—74-10702A
Titanium carbide/nitride-zirconium oxide-based high-toughness ceramics.—74-09843P
Titanium nitride diffusion barrier for platinum-coated fiberglass spinner bores.—74-08322P
Titanium nitride/titanium silicide multiple layer barrier with preferential (111) crystallographic orientation on titanium nitride surface.—74-03281P
Tribological investigation of physical vapor deposition TiN coatings paired with surface-treated steels for machine element applications.—74-00159A
Tribological potential of TiN, CrN, and TiN+CrN physical vapor deposited coatings in machine element applications.—74-11122A
Triple-layered ceramic heater—74-00562P
Use of Fourier transform in grazing X-ray reflectometry.—74-06831A
Vapor phase manufacture of porous TiN deposits on/in porous supports.—74-07551A
Wear mechanisms of TiN-coated high-speed steel during sliding.—74-08295A

titanium oxide,
Changes in the character of the electrode function upon the application of Al, Si, and Ti oxides to the surface of a glass electrode.—74-02435A
Characterization of sorption sites on hydrous titanium and thorium oxides by water sorption.—74-09974A
Characterization of TiN_xO_y thin films on architectural glass by X-ray reflection and spectrophotometry.—74-07609A
Damage and annealing of $KTiOPO_4$ after Er^+ and Yb^+ implantation.—74-10073A
Deposition of titanium oxide films from metallorganic precursor by electron cyclotron resonance plasma-assisted chemical vapor deposition.—74-06035A
Influence of anatase-rutile transformation on the color stability of melt-colored enamels.—74-02376A
Influence of the method of production of aluminum oxide–titanium oxide composite powders on structure formation.—74-01768A
Microstructural development in nanophase TiO_2 during annealing.—74-04163A
Phase diagrams of nonequilibrium states of the system Mn-Ti-O in air.—74-04177A
Pigment properties of solid solutions in TiO_2-$CrNbO_4$ system.—74-05222A
Porosity of titanium oxide films by X-ray photoelectron spectroscopy and ir transmittance.—74-02035A
Preparation of titanium oxide powder of prescribed composition.—74-01852A
SHG and sum-frequency generation on $KTiOAsO_4$.—74-06310A
Surface morphology of nanocrystalline titanium oxide by AFM.—74-02055A
XRD and SHG studies on $KTiOPO_4$.—74-05802A

titanium silicide,
C49/C54 phase transformation during chemical vapor deposition of $TiSi_2$.—74-01345A
Formation of self-aligned $TiSi_2$ contacts to Si at low temperatures using $TiCl_4$ and SiH_4 with selective in situ predeposition of Si_xGe_{1-x}.—74-00622A
Simultaneous formation of titanium nitride and titanium silicide in a one-step process in heterogeneous phase during multipulse laser treatment of an Si wafer with a thin Ti coating in superatmospheric N_2.—74-07479A
Titanium disilicide on silicon by interdiffusion of titanium and amorphous silicon multilayers—transmission electron microscopy, spectroscopic ellipsometry and resistivity measurements.—74-05290A
Titanium silicide/germanide formation on submicron features for high mobility SiGe channel field effect transistors.—74-03255A
Transmission electron microscopic study of titanium silicides fabricated by implantation of titanium into silicon and thermal annealing.—74-07782A

titanium,
6.5-J flashlamp-pumped Ti:Al_2O_3 laser.—74-00712A
Adhesion measurement of Ti thin films on Si substrate using internal stress in overcoated Ni films.—74-01609A
Anodic oxidation of titanium at low voltages.—74-05920A
Application of scanning Auger microscopy to the surface characterization of RuO_2-TiO_2-coated titanium electrodes.—74-01618A
Assessment of carbon contamination in titanium nitride films deposited from the reaction of titanium(IV) chloride and amines.—74-10201A
Assessment of diffusion barriers for Ti-SiC composites.—74-10721A
Atomic structure of modulated orthorhombic phase of $Na_4TiP_2O_9$ at 663 K.—74-07040A
Au/Ti and Au/Ni-Cr metallization of CVD diamond substrates for multichip module applications.—74-08827A
Auger depth profiles of TiN/Ti films in submicron contact holes: a comparison of collimate and uncollimated deposition processes.—74-07208A
Bending and thermal stresses in a fatigue experiment of HAp-coated Ti rods.—74-08133A
Bonding at metal-ceramic interfaces: ab initio density-functional calculations for Ti and Ag on MgO.—74-08135A
Calculation of the temperature for formation of competing intermetallic compounds in Ni/Ti multilayers.—74-01623A
Ceramic coatings for protecting titanium alloys in high-temperature hydrogen environment.—74-09854A
Characterization of the microstructure in TiB whisker-reinforced Ti alloy matrix composite.—74-01968A
Chemical equilibria in the titanium(II) hydride-boron nitride system.—74-04101A
Chemistry and structure of calcium-containing coatings and modified surfaces for titanium alloy orthopedic prostheses.—74-09772A
Core for casting titanium and titanium alloy.—74-08647P
Crystal structure and EPR of V^{4+} in lithium titanium diorthophosphate oxide, α-$LiTiOPO_4$.—74-07053A
Crystal structure of low-temperature modification of TiI_4.—74-01361A
Crystal structure of Na_xTi bronze.—74-07061A
Determination of a new titanium site in Ti:$YAlO_3$.—74-09980A
Development of Ni/Ti multilayer supermirrors for neutron optics.—74-05114A
Dielectric ceramic composition and dielectric resonator.—74-02875P
Dispersion and distribution of titanium species bound to silica from $TiCl_4$.—74-09983A
Dual-wavelength coupled-cavity Ti-sapphire laser with active mirror for enhanced red operation and efficient intracavity sum frequency generation at 459 nm.—74-06047A
Ductile-reinforcement toughening in gamma-TiAl intermetallic-matrix composites: effects on fracture toughness and fatigue crack propagation resistance.—74-05338A
Effect of nanosecond laser heating on the phase composition and electrophysical characteristics of Ti-Si thin-film systems.—74-04284A
Effect of substrate creep on residual stress development during spraying of boron carbide on titanium.—74-10974A
Effects of interfacial reaction on the mechanical properties of Ti-SiC particulate-reinforced metal matrix composites.—74-08179A
Electrical conductivity and thermopower studies of titanium-substituted lithium-magnesium ferrites.—74-00773A
Electrical resistivity and thermoelectric power of $Cd_{0.5}Ni_{0.5-x}Ti_xFe_{2-2x}O_4$.—74-06456A
Electrical resistivity of titanium diboride and zirconium diboride.—74-04304A
Electrodeposition of Al_3Ti from chloroaluminate electrolytes.—74-07290A
Electron paramagnetic resonance of titanium impurities in reduced yttria-stabilized zirconia.—74-05010A
Electrophoretic deposition and reactive strengthening of a bioglass-ceramic containing fluorapatite onto titanium implants.—74-00117A
Er-doped single- and double-pass Ti:$LiNbO_3$ waveguide amplifiers.—74-09137A
Experimental study of the internal and external conical refractions in KTP.—74-03011A
Fabrication of pure hydroxyapatite and fluoridated-hydroxyapatite coatings by electrocrystallization.—74-07309A
Ferroelectric properties of lead titanate films deposited by low-pressure chemical deposition.—74-00752A
Fiber damage during the consolidation of Ti_6Al_4V-coated Nextel 610 alumina fibers.—74-10998A
Fluctuational crosstalk in Ti:$LiNbO_3$ directional coupler switches.—74-06412A
Formation of titanium and cobalt germanides on Si(100) using rapid thermal processing.—74-06113A
Fracture mechanics of Ti/Al_2O_3 interfaces.—74-02147A
High-speed shielded velocity matched Ti:$LiNbO_3$ optical modulator.—74-00754A
High-temperature superconductor step-edge Josephson junctions using Ti-Ca-Ba-Cu-O.—74-03629P
Highly efficient Ti:sapphire regenerative amplifier.—74-08934A
HTS ceramic conductivity increase preceding the N-S transition.—74-03487A
Hydrogenation mechanism of transient metal and intermetallic compound mixture.—74-01756A
Improved Ti:sapphire laser performance with new high figure of merit crystals.—74-08936A
Induction of bidimensionality in Cu-Ti perovskites.—74-10411A
Influence of titanium on activity and penetration of AgCuTiIn solder components into alumina ceramics.—74-05630A
Injection seeding: II, Ti:Al_2O_3 experiments.—74-00642A
Interaction of alumina fibers with titanium aluminide matrices.—74-08218A

Interfacial reactions of α-2(Ti_3Al) alloys with Al_2O_3.—74-08220A
Ionic conduction in anodic oxide films on titanium in mixed solutions of aqueous electrolytes and diethylene glycol.—74-00499A
Large-area selective thin-film deposition by bias sputtering.—74-04725A
Lightweight TiC/Ti alloy wear-resistant coatings for lightweight materials in aerospace applications.—74-08228A
Local structure of intercalants in layered compound $Cu_{0.15}Ti_{1.08}S_2$.—74-02010A
Low-dose nitrogen ion implantation in Ti/permalloy bilayer films.—74-04734A
Low-field magnetization and ac magnetic susceptibility of spin and cluster glasses of itinerant magnet Fe_xTiS_2.—74-04345A
Low-pressure chemical vapor deposition of titanium and zirconium carbonitride thin films from $M(NEt_2)_4$ (M=Ti and Zr).—74-01782A
Low-temperature synthesis of pure and Ti-, Co-modified barium hexaferrite.—74-06461A
Luminescence of some stannates activated with titanium.—74-03096A
Luminescence of titanium- and europium-doped yttrium gallate garnet.—74-03385A
Metal nitride powders.—74-09926P
Microchemical engineering: the influence of calcium titanium silicate on semiconductive $BaTiO_3$.—74-00656A
Microhardness and spectroscopy studies of surface modification of titanium alloys by melted metaphosphates.—74-04750A
Microstructural characterization of titanium alloy Ti_6Al_4V used as metal matrix in SiC fiber composites.—74-07686A
Microstructure of Ti/TiN multilayer films.—74-08242A
Mixed-metal bismuth-titanium species—chemical routes to $Bi_4Ti_3O_{12}$.—74-10475A
Nanolayered gradient structure as an intermediate layer for diamond coatings.—74-02387A
New chemical approaches to synthesize titanium disulfide.—74-10492A
Overview: TiAl-based alloys prepared by elemental powder metallurgy.—74-00137A
Oxidation of iron, aluminum, and titanium films in the temperature range 50-200°C.—74-07822A
Pd-Ge contact to *n*-GaAs with the TiW diffusion barrier.—74-03150A
Performance of a continuous-wave forsterite laser with krypton ion, Ti:sapphire, and Nd:YAG pump lasers.—74-01557A
Phase transition and ferroelectric characteristics of $Pb[(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x]O_3$ ceramics modified with $La(Mg_{2/3}Nb_{1/3})O_3$.—74-06428A
Preparation of Si-$TiSi_2$ Schottky diodes by rapid thermal annealing.—74-03178A
Preparation of silicon nitride–titanium nitride and titanium–titanium nitride composites from $(CH_3)_2SiNHTiCl_3$-coated Si_3N_4 and Ti particles.—74-04828A
Producing titanium aluminide foil from plasma-sprayed preforms.—74-00976A
Pyrolysis of titanium-metal-filled poly(siloxane) preceramic polymers: effect of atmosphere on pyrolysis product chemistry.—74-07454A
Reaction between diamond and titanium for ohmic contact and metallization adhesion layers.—74-06286A
Reactions of Ti and Zr with AlN and Al_2O_3.—74-08264A
Relationship between void formation and electromigration performance in Al/TiW multilayered interconnections.—74-00698A
SAXS study of the gelation process of silicon and titanium alkoxides.—74-08454A
Scanning tunneling microscope observations of the cleavage fracture surfaces of titanium aluminide.—74-07735A
Selective deposition of $TiSi_2$ from H_2-$TiCl_4$ gas mixture and Si: aspects of thermodynamics including critical evaluation of thermochemical data in the Ti-Si system.—74-01452A
Self-mode-locked Ti:sapphire with low pump power.—74-01570A
Silicides for integrated circuits—$TiSi_2$ and $CoSi_2$.—74-06314A
Silicon nitride sintered body.—74-09961P
Slow amplitude modulations in the pulse train of a self-mode-locked Ti:sapphire laser.—74-00713A
Solid-state reactions and phase relations in the Ti-Si-O system at 1373 K.—74-02396A
Spatial composition variation in sputtered Ti-W films.—74-01575A
Spectra of transmission and electron paramagnetic resonance of alkali titanophosphate glasses.—74-00216A
Synthesis and characterization of an acetate-alkoxide precursor for sol-gel-derived $Bi_4Ti_3O_{12}$.—74-07506A
Synthesis and structure of the double phosphate $K_3Ti_3P_5O_{20}$.—74-01469A
Synthesis of titanium silicon carbide.—74-04948A
Synthesizing gamma-TiAl alloys by reactive powder processing.—74-01913A
TE polarizers on $KTiOPO_4$ substrates.—74-03352A
Theoretical modeling of optical amplification in Er-doped Ti:$LiNbO_3$ waveguides.—74-06445A
Thermodynamic stability of titanium-aluminum alloys in air.—74-10047A
Ti sapphire second-harmonic-pumped visible range fs optical parametric oscillator.—74-06362A
Ti-Al-B composites performed by combustion synthesis under microgravity environments.—74-07537A
TiC/Al_2O_3 powders obtained by combustion synthesis.—74-04965A
Titanium phosphate thin films via sol-gel process.—74-10705A
Titanium zirconate thick films on rutile substrates by reactive coating of zircon.—74-10048A
Titanium-based carbonitride alloy with controlled structure.—74-09963P
Transition metals in silicon carbide (SiC): vanadium and titanium.—74-06365A
Transmission and ESR spectra of alkali titanium phosphate glasses.—74-00282A
Ultrasound as a tool for the development of aerospace structural titanium and ceramic matrix composites.—74-09629A
Wear resistant titanium carbonitride-based cermet cutting insert.—74-02427P
X-ray diffraction study of paraelectric phase of $Na_4TiP_2O_9$ crystals at 743 K.—74-07139A

titration,
Carbon determination in small amounts of ceramic powder by coulombic titration.—74-09556A
Rapid determination of BaO in glassware by potentiometric titration.—74-09609A
Titration for basal plane versus edge plane surface on graphitic carbons by adsorption.—74-10174A
Titration of molten soda-lime-silicate glasses by square wave voltammetry.—74-00233A

tobermorite,
Application of ceramics to materials and components for buildings and dwellings.—74-11139A
Cesium selectivity of (Al+Na)-substituted tobermorite.—74-05474A
Synthesis of Ag^+ from tobermorite and its antibacterial activity.—74-01904A

tomography,
Application of microcomputer tomography for optimizing the manufacture of fiber ceramics.—74-01040A
CdTe detectors designed for computer X-ray tomography.—74-00575A

tools,
Advances in the coating of tools.—74-00106A
Bonding tool having diamond head and method of manufacturing the same.—74-04030P
Ceramic surface plate.—74-01221A
Ceramic tool for preconsolidation of powder-coated prepreg.—74-06683A
Correlating tool wear, tool life, surface roughness, and tool vibration in finish turning with coated carbide tools.—74-08149A
Design and construction of pressing machine tooling for the tableware industry.—74-00910A
Nd:YAG laser alloying of high-speed steel tools with BN and Ti/BN and the effects on turning performance.—74-08244A
Surface engineering advances boost tool and die performance.—74-10661A
Tools for installing ceramic tile.—74-08598A

topaz,
Topaz as a refractory raw material.—74-01205A

topography,
CVD diamond growth mechanisms as identified by surface topography.—74-10785A
Method of quantitative evaluation of impurity inhomogeneities in silicon single crystals based on analyzing plane-wave X-ray topograms.—74-06205A
Model for the topography of diamond grinding wheels.—74-00957A
Synchrotron spike topography of natural type Ia diamond.—74-01468A
Synchrotron X-radiation topography.—74-06824A
Topographic methods for studying defects in diamonds.—74-01957A

topology,
Crystal lattice topology of polymorphous modifications of AO_2 oxides [A=Si, Ti, Mn, Pb].—74-04113A
Influences of ligand and of zeolite topology on the structure of Co^{II} Schiff base chelates in faujasite-type zeolite.—74-04151A
Topological threshold in $Ge_xAs_{40-x}Se_{80}$ glasses and thin films.—74-03671A
Topology of synthetic, boron-doped diamond by scanning tunneling microscopy.—74-05292A

torsion,
Chip resistance of two-coat/one-fire porcelain enamels as determined by torsion testing.—74-00109A
Oscillating torques when using frequency-controlled motors in the cement industry.—74-06713A
Torsional properties of carbon fibers.—74-05394A

toughening,
Different toughening mechanisms in SiC/TiC composites.—74-10969A
Enhanced in situ toughening of silicon nitride by the addition of ß-Si_3N_4 whiskers.—74-10331A
Horizontal toughening design features convective heating.—74-01158A
Microwave sintering of zirconia-toughened mullite (ZTM).—74-10471A
Role of crack wake toughening on elevated temperature crack growth in a fiber-reinforced ceramic composite.—74-11078A
Toughening mechanisms in quasi-brittle materials.—74-11119A

toughness,
Ceramic composites of monazite and alumina.—74-06954A
Effect of temperature on toughness curves in alumina.—74-02128A
Flexural toughness and ductility of portland-cement-based binders reinforced with wollastonite microfibers.—74-05523A
Influence of grain size on the toughness of monolithic ceramics.—74-11027A
New technique to measure the toughness of thin-film interfaces.—74-03843A
Processing and testing of high toughness silicon nitride ceramics.—74-01858A
Raw powders for high-strength, high-toughness zirconia.—74-10601A
Relationship between microstructure, toughening mechanisms, and fracture toughness of reinforced silicon nitride ceramics.—74-11069A
Role of surface properties in the mechanical performance of thin-film rigid disks.—74-04876A
Scratching and grinding of a machinable glass-ceramic with weak interfaces and rising *T*-curve.—74-05388A
Toughening by crack bridging in heterogeneous ceramics.—74-05395A
Toughness in Y-PSZ ceramics at high temperature.—74-06826A

trace elements,
Determination of trace elements: neutron activation analysis in geochemistry and astrochemistry.—74-01055A

trade,
Group of Late Helladic IIA pottery from Tsoungiza[, Greece].—74-00020A
North American cement industry: a foreign investor's perspective.—74-05429A
Outlook for trade and shipping 1994-2005.—74-02254A

transducers,
Bonded piezoelectric bending transducer and process for producing the same.—74-09185P
Fabrication and properties of 1-3 PZT-polymer composites.—74-09139A
Fabrication of micromachined silicon tip transducer for tactile sensing.—74-00619A
Materials for ceramic piezoelectric transducers.—74-03321A
Method for making piezoelectric ceramic/polymer composite transducers—74-00769P
Method of manufacture of multiple-element piezoelectric transducer.—74-03358P
Novel processing of 1-3 piezoelectric ceramic/polymer composites for transducer applications.—74-09160A
Ultrathin porous carbon films as amperometric transducers for biocatalytic sensors.—74-06371A

transfers,
Charge-transfer processes at *n*-TiO_2 by using a short laser pulse.—74-01500A
Highly anisotropic angular dependence of CH_3 fragmentation from electron transfer reactions on CH_3Br/GaAs(110).—74-03049A
Limitations on the use of ceramics in unlubricated sliding applications due to transfer layer formation.—74-02380A
Mass transfer in an $ErBa_2Cu_3O_7$ pellet partially melted in a thermal gradient.—74-06580A
Metal-ceramic interfaces: sources and sinks for mass transfer.—74-08236A

transformation toughening,
Effects of yttria-stabilized zirconia on transformation toughening of molybdenum disilicide composites.—74-10983A
High-temperature transformation toughening of magnesia by terbia.—74-01393A
Interaction of fiber and transformation toughening.—74-07897A
Optimum microstructure of transformation-toughened ceramics for enhanced wear performance.—74-02182A
Science and technology in composite materials—transformation toughening.—74-09799A
Transformation toughening and fracture behavior of molybdenum disilicide composites reinforced with partially stabilized zirconia.—74-07932A

transformations,
α to ß transformation and microstructural changes on Si_3N_4 during sintering.—74-01607A
Ceramic cutting tools for medicine—transformation on the surface of steam-treated TSZ ceramics.—74-06956A
Crystallite size of mullite in the range 975-1150°C.—74-05105A
Isothermal martensitic transformation in ZrO_2 ceramics.—74-01403A
Linear finite carbon chains (carbynes): their role during dynamic transformation of graphite to diamond, and their geometric and electronic structure.—74-07086A
Martensitic transformation in deoxidized ceria-zirconia ceramics.—74-01407A
Modeling, analysis, and kinetics of transformations in Blackglas preceramic polymer pyrolysis.—74-10478A
Stability of acidic phosphate anionic forms $M(H_2PO_4)_2{\cdot}2H_2O$ and $MHPO_4{\cdot}xH_2O$ (M=Mn, Zn; x=1.3).—74-00094A
Study of the Si_3N_4-SiO_2-Y_2O_3 system—sintering. α→ß, transformation, and microstructure.—74-07498A
Transformation, microstructure development, and sintering in nucleated alumina gels.—74-04236A

transformers,
Fabrication issues in optimizing $YBa_2Cu_3O_{7-x}$ flux transformers for low 1/*f* noise.—74-06545A

transistors,
Bipolar transistor action from an amorphous carbon/silicon heterojunction emitter.—74-08830A
Bipolar transistors on Si/MgO·Al_2O_3/Si.—74-00571A
Characteristics of slow and fast interface states in fluorinated metal oxide semiconductor devices.—74-00578A
Method of making thin film transistors—74-00239P
Optimization of buffer layers for AlGaAs/InGaAs/GaAs pseudomorphic high electron mobility transistors by atmospheric pressure metallorganic chemical vapor deposition.—74-06245A
Silicon valley, what next.—74-02275A
Study and optoelectronic verification of AlGaAs/GaAs heterojunction bipolar transistor large-signal characteristics.—74-00720A
Theoretical prediction of the performance of Si and SiC bipolar transistors operating at high temperatures.—74-09066A

transition metals,
Absorption coefficients and refractive indices of synthetic glassy slags containing transition metal oxides.—74-10054A

Atomic defects in transition metal carbides and SiC studied by positron annihilation.—74-10722A
Effect of transition/rare-earth metal oxide additions on densification during sintering of Si_3N_4.—74-01695A
Effects of some technological factors on the properties of current-carrying films.—74-02834A
Joining of Si_3N_4 ceramics with transition metal interlayers.—74-05638A
Local modes of substitutional transition metal ions in II-VI semiconductors.—74-06180A
Metallic chemical vapor deposition: new deposition technologies.—74-02250A
Model calculations of phase stabilities of the oxide solid solutions in the Co-Fe-Mn-O system at 1200°C.—74-04164A
Nature of features of electrical properties and optical absorption edge in rare earth and 3*d* transition metal compounds.—74-04371A
New route for the synthesis of reduced transition metal oxides using borohydrides.—74-10494A
Nonlinear optical properties of TeO_2-based glasses: MO_x-TeO_2 (M=Sc, Ti, V, Nb, Mo, Ta, and W) binary glasses.—74-02567A
Nonstoichiometric transition metal carbides—synthesis, properties, and potential areas of application.—74-09882A
Optical hydrogen sensor using Pd/MoO_x films.—74-08984A
Optical properties of transition-metal and rare-earth ions in beta aluminas.—74-01554A
Organometallic chemical vapor deposition of transition metal carbides—the use of homoleptic alkyls.—74-10512A
Preconcentration of some transition metals of silica modified with iminoacetic groups.—74-00144A
Preparation of transition metal oxides by a nonhydrolytic sol-gel process.—74-10572A
Synthesis and characterization of a new ternary transition metal nitride, $FeWN_2$, from the transition metal oxide precursor, $FeWO_4$.—74-10665A
Synthesis of new nitrides using solid-state oxide precursors.—74-10682A
Transition Metal Oxides.—74-11211B
Wavelength-selective transmission in transition-metal-containing silica gel monoliths.—74-01602A

transitions,
Acoustic EPR and radiation-induced transitions of iron ions in YAG.—74-03364A
Anisotropic dynamical scaling near the vortex-glass transition of twinned $YBa_2Cu_3O_{7-\delta}$.—74-04249A
Behavior of the refractive index of quartz glasses in the region of the glass transition temperature.—74-02516A
Brittle to ductile transition in an Si_3N_4/SiC composite with a glassy grain-boundary phase.—74-02102A
Broadening of resistance transition for melt-textured $YBa_2Cu_3O_7$.—74-03418A
Composition dependence of transition temperature in some ceramic superconductors.—74-09244A
Crystal structure and equation of state of cotunnite-type zirconia.—74-04114A
Equipment for contactless determination of the superconducting transition of ceramic specimens.—74-03806A
Nature of energy gaps in spin-wave spectra formed during induced transitions in $ErFeO_3$.—74-05199A
Observation of three electronic transitions in Cd(S, Se) nanocrystals by modulation spectroscopy.—74-08977A
Polarization and intensity of *dd* transitions in superconducting copper oxides.—74-03558A
Structure of resistive superconducting transition in regular array of indium nanoparticles [RAINs].—74-06635A
Suppression of the first-order vortex melting transition by intrinsic pinning in $YBa_2Cu_3O_{7-\delta}$.—74-04436A
Thermoelectric power of ferroelectric potassium vanadate, cesium vanadate, lithium vanadate and their solid solutions.—74-09226A
Vortex liquid disorder and the first-order melting transition in $YBa_2Cu_3O_{7-\delta}$.—74-05061A
Wear and wear transition mechanism in silicon carbide during sliding.—74-05398A

translucency,
Effect of small amounts of hydrochloric acid on the synthesis of translucent sintered cubic BN.—74-10295A

transmission electron microscopy (TEM),
Biocompatibility of low-temperature diamondlike carbon films—a transmission electron microscopy, scanning electron microscopy, and cytotoxicity study.—74-05077A
Bright-field analysis of field-emission cones using high-resolution transmission electron microscopy and the effect of structural properties on current stability.—74-05079A
Characterization of diamond coatings with transmission electron microscopy.—74-05085A
Characterization of interfaces between hydrogenated amorphous carbon films and steel substrates using high-resolution cross-sectional transmission electron microscopy.—74-08140A
Chemical mapping and its application to interfaces, point defects, and materials processing.—74-01049A
Electron microscopic study of fiber lightguides made from silver halogenides.—74-05133A
High-resolution transmission electron microscopy studies of the Ag/MgO interface.—74-08205A
Investigation of the core-clad interface of coherent fiber optic devices using secondary ion mass spectrometry, surface analysis by laser ionization, and transmission electron microscopy.—74-03828A
Localized thinning of GaAs/GaAlAs nanostructures by a combined scanning electron micrograph/focus ion beam system for high-quality cross-sectional transmission electron microscopy samples.—74-01077A
Novel scheme for the preparation of transmission electron microscopy specimens with a focused ion beam.—74-00966A
O/N-interdiffusion in AlN.—74-06800A
Specimen preparation for transmission electron microscopy (TEM)—reliable method for cross sections and brittle materials.—74-10647A
Structural analysis of the human tooth enamel by transmission electron microscopy.—74-09802A
TEM and AES characterization of thin films of Au, Pt, and Pd deposited on mica.—74-07774A
TEM examination of heat-treated nanocrystalline ZnS.—74-05285A
Transmission electron microscopic study of titanium silicides fabricated by implantation of titanium into silicon and thermal annealing.—74-07782A
Transmission electron microscopy and microanalysis of extended defects in ceramics.—74-07783A
Transmission electron microscopy specimen preparation technique using focused ion beam fabrication: application to GaAs metal-semiconductor field effect transistors.—74-01122A
Transmission electron microscopy study of two-dimensional semiconductor device junction delineation by chemical etching.—74-02056A

transmission,
Calcium fluoride for high-performance optics—problems and solutions.—74-07016A
Influence of reflectivity on fs transmission spectroscopy of thin GaAs films.—74-08938A
Transmission and ESR spectra of alkali titanium phosphate glasses.—74-00282A

transmittance,
Interlaboratory comparison of solar range transmittance and reflectance of coated and uncoated glass.—74-02550A
Optical transmission of composite SiO_2/Si films grown by laser deposition.—74-08990A
Polymer/ceramic composite with application to dye host.—74-09885A

transmitter,
Accuracy in temperature measurement.—74-01035A

transparency,
Accurate interpolation and extrapolation of the refractive index of glass in the transparency region.—74-02510A
Making diamondlike films more transparent.—74-09878A
Preparation and characterization of transparent γ-AlOOH films.—74-07421A

transparent materials,
Aluminum content dependence of milky transparent conducting ZnO:Al films with textured surface prepared by dc magnetron sputtering.—74-05067A
Coating solutions for forming transparent conductive ceramic coatings, substrates coated with transparent conductive ceramic coatings and process for preparing same, and uses of substrates coated with transparent conductive ceramic coatings.—74-08783P
Controlled growth of tin dioxide thin films by atomic layer epitaxy.—74-07617A
Enabling thin films for solar control transparencies: a review.—74-00257A
Fabrication of polycrystalline, transparent YAG ceramics by a solid-state reaction method.—74-01728A
Ga- and/or In-containing AsGe sulfide glasses.—74-08477P
Influence of discharge parameters on the layer properties of reactive magnetron sputtered ZnO:Al films.—74-03064A
Low stress and optically transparent chromium oxide layer for X-ray mask making.—74-02011A
Microstructure and optical absorption spectra of transparent glass-ceramics containing $ZnAl_2O_4:Cr^{3+}$.—74-00202A
Microstructure comparison of transparent and opaque CVD SiC.—74-07692A
Transparent conducting cadmium oxide thin films prepared by a solution growth technique.—74-04968A
Transparent conducting ZnO thin films prepared on low-temperature substrates by chemical vapor deposition using $Zn(C_5H_7O_2)_2$.—74-04969A
Transparent glass-ceramic materials with a refractive index gradient.—74-02595A
Transparent spinel ceramic.—74-04970A

transport properties,
Current approaches in studying the transport processes in thermally growing thin oxide films.—74-05304A
Dynamics of hot electrons "accumulated" in the velocity space of CdS with acoustic phonon interactions.—74-01941A
Effect of electron-plasmon scattering on the transport characteristics of hot electrons in degenerate GaAs.—74-08872A
Electron draft velocity model for simulation of InGaAs SFET's.—74-08889A
Experimental study of the transport properties of a flexible high-T_c superconducting cable.—74-06541A
Ionic conduction in glasses.—74-00500A
Monte Carlo simulation of cation transport via vacancies in spinel solid solutions: one type of cation exchange prevails.—74-05034A
Perpendicular transport properties of a *p*-GaAs/δ-doped superlattice/*n*⁺-GaAs structure.—74-08994A
Role of electron-lattice interaction in layered transition metal dichalcogenide 2H-NbS_2: II, Transport phenomena.—74-04413A
Time-of-flight measurement of carrier transport and carrier collection in strained $Si_{1-x}Ge_x$/Si quantum wells.—74-05056A
Transport properties and band structure of nonstoichiometric $Cu_{2-x}Te$.—74-04455A
Transport properties of delta-doped Si:Sb superlattices.—74-01598A

transport,
Anisotropic superconducting properties of a Tl-2223 single crystal studied by transport measurements.—74-06485A
Conveyor options for material transport.—74-03679A
Current transport mechanism in *n*-GaP diode structures with vacuum-deposited palladium.—74-02954A
Designing a handling system for high-speed lines.—74-09448A
Effects of photoinduced hole doping on normal-state and superconducting transport in oxygen-deficient $YBa_2Cu_3O_x$.—74-04290A
Fluidization techniques by an airslide system.—74-00930A
Hydrogen transport in submicron SiO_2 films on Si.—74-05019A
Matching materials to manufacturers' needs.—74-08438A
Modification of structural and transport properties in epitaxial $YBa_2Cu_3O_x$ films by pulsed laser irradiation.—74-09309A
Nanometer metal oxide semiconductor field effect transistor structures for studying electron transport.—74-06218A
Nonlinear electrical transport in K-TCNQ [potassium tetracyanoquinodimethane] at low temperatures.—74-08762A
Observation of a nonlocal conductivity in the mixed state of $YBa_2Cu_3O_{7-\delta}$: experimental evidence for the vortex line liquid.—74-05040A
Outlook for trade and shipping 1994-2005.—74-02254A
Plant engineering [in the cement industry].—74-08083A
Quasi-classical transport at a van Hove singularity in cuprate semiconductors.—74-06282A
Return of the railway.—74-02274A
Revolution in bottle stacking technology.—74-11189A
Selection of earth-moving systems.—74-06723A
Silver ion transport in AgI-Ag_2O-B_2O_3 glasses.—74-05741A
Sodium transport mechanism in Na_2O-$2SiO_2$ glass determined by the Chemla experiment.—74-02578A
Superconducting transport properties of $YBa_2Cu_3O_{7-\delta}$ films grown by hollow cathode magnetron sputtering.—74-00854A
Terrain conforming long distance transport by roller belt conveyors.—74-06729A
Transport resistive broadening by avalanche flux motion in HTSC—self-organized criticality in a driven system.—74-06657A
Unified model for ionic transport in alkali disilicates below and above the glass transition.—74-05746A
Vital link in the hot-end chain.—74-09512A
Volatile mixed metal Y-Ba and Ba-Cu precursors for MOCVD of high-T_c superconductors: a way to improve the transport of barium.—74-09359A

traps,
Deep level transient spectroscopy study of rapid thermal annealed arsenic-implanted silicon.—74-06027A
Generation aspects of the delocalized intrinsic EX defect in thermal SiO_2.—74-05015A
Hydrogen model for radiation-induced interface states in SiO_2-on-Si structures: a review of the evidence.—74-03053A
Kinetics of trapping, detrapping, and trap generation.—74-05029A
Profile of the E3 electron trap in GaAs.—74-03183A
Space-charge-limited current flow and trap density in undoped diamond films.—74-10155A
Trap distribution in thin diamondlike carbon films.—74-05059A
Trap states elucidated by ac conductance measurement in polycrystalline chemically vapor deposited diamond films.—74-10175A
Trapping of hydrogen in diamond.—74-10709A

treatment,
Evaluation of ammonia-treated Nextel 312 fiber–Blackglas matrix composites.—74-10103A
Ultraviolet laser-assisted surface treatment of InP with phosphine gas.—74-06372A

tribology,
Deposition of wear-resistant amorphous hydrogenated a-$Si_{1-x}C_x$:H coatings by rf plasma-assisted CVD.—74-08157A
Description of the different wear mechanisms for the tribological couple chromium steel/TiN-coated HSS.—74-08158A
Effect of the amount of free silicon on the tribological properties of Si-SiC.—74-10977A
Failure modes of precracked ceramic elements under rollling contact.—74-02137A
Instability in the tribochemical wear of silicon carbide in unlubricated sliding contacts.—74-11032A
Microtribology today and tomorrow.—74-00952A
Microtribology: Proceedings of the First International Workshop, October 12-13, 1992, Morioka, Japan.—74-02251A
Nanotribology studies of carbon surfaces by force microscopy.—74-01545A
Nanotribology.—74-01083A
Oxide high-performance ceramics for tribological applications.—74-01237A
Photoelastic visualization of contact phenomena between real tribological surfaces, with and without sliding.—74-08250A
Simulations of nanometer-thick lubricating films.—74-01456A
Structure and properties of amorphous diamondlike carbon films produced by ion-beam-assisted plasma deposition.—74-07757A
Tribochemical reactions of very thin layers on magnetic recording disks.—74-00779A
Tribological and erosion characteristics of silicon carbide and boron carbide structural ceramics.—74-07832A
Tribological behavior of ceramic/ceramic and metal/ceramic couples.—74-05659A
Tribological behavior of diamondlike carbon coatings at high rates of sliding.—74-11121A
Tribological characteristics of reaction-bonded silicon carbide.—74-05449A
Tribological characteristics of zirconia-yttria ceramics.—74-07933A
Tribological investigations using friction force microscopy.—74-01123A

Tribological potential of TiN, CrN, and TiN+CrN physical vapor deposited coatings in machine element applications.—74-11122A
Tribological properties of diamondlike carbon and related materials.—74-11123A
Triboscopy: a new quantitative tool for microtribology.—74-01002A
Zirconia matrix composites for tribological applications.—74-07030A

tricalcium phosphate,
Hydraulic properties of tricalcium phosphate-phosphoric acid-water mixtures.—74-05531A
In vitro degradation of tricalcium phosphate and hydroxyapatite in human pool sera.—74-06979A

tubes,
Advanced composite microtubes for microelectromechanical systems.—74-06676A
Alternative cavity design for microwave joining of long ceramic tubes.—74-08128A
CVD diamond wires and tubes.—74-05410A
Diamond tubes and fibers.—74-02369A
From rapid drying by selective infrared radiation of vessel to that of tubes made from technical ceramics.—74-07323A
Making glass tubes for fluorescent lamps.—74-09481A
Manufacture of conical pore ceramics by electrophoretic deposition—74-01021P
Microscopic tube material and its method of manufacture.—74-03760P
Modeling of chemical vapor infiltration for fabrication of tubes.—74-01806A
New gas-fired radiant tube furnace highly efficient in hot water enameling process.—74-01166A
Optimizing a planetary cooler on a 3 000 tpd kiln.—74-03923A
Preparation of yttria-stabilized zirconia microtube by electrochemical vapor deposition.—74-08254A
Properties and performance of ceramic composite components.—74-01860A
Silicon carbide tubes by chemical vapor deposition technology.—74-01881A

tundish,
Tundish life improvements.—74-02791A

tungstates,
Copper ion transport in CuI-based molybdate-tungstate glasses.—74-00188A
Crystal growth and luminescence properties of In_6WO_{12}.—74-07051A
EPR of $SrWO_4$:Er^{3+} at hyper-frequency range.—74-03804A
Kinetic and structural studies of the electrochemical insertion of lithium into hexagonal-type $x(A_2O)$·WO_3 (A=Na^+, K^+, NH_4^+).—74-00503A
Pd-Ge contact to *n*-GaAs with the TiW diffusion barrier.—74-03150A
Room-temperature preparation of highly crystallized luminescent $SrWO_4$ films by an electrochemical method.—74-10613A
Thermal properties of heat-accumulating materials.—74-01479A

tungsten carbide,
Appropriate usage of different tool materials.—74-07015A
Behavior of Co binder phase during diamond deposition on WC-Co substrate.—74-08132A
Characterization of WC_x/B_4C multilayers sputtered in reactive argon/methane atmospheres.—74-01970A
Chemical processing and properties of nanostructured WC-Co materials.—74-00900A
Coarse cemented WC particle atomic-metal composite coatings produced by laser cladding.—74-08145A
Comparison of the characteristics of HVOF and plasma thermal spray.—74-10233A
Diamond-coated hard material and a process for the production thereof.—74-04049P
Diffuse X-ray scattering of amorphous multilayers.—74-06758A
Elastic-plastic indentation of hard, brittle materials with spherical indenters.—74-05348A
Eliminating EDM electrolysis electrically.—74-03802A
Evaluation of dc plasma jet chemical vapor deposition for diamond coatings on tungsten carbide based cutting plates.—74-04623A
Failure of tungsten carbide–cobalt alloy tools in machining of carbon materials.—74-01518A
Fracture toughness of two-phase WC-Co cermets.—74-05358A
How metallographic preparation affects the microstructure of WC/Co thermal spray coatings.—74-08207A
Improved adhesion of CVD diamond films to steel and WC-Co substrates.—74-05159A
Induction plasma reactive deposition of tungsten and titanium carbides.—74-08212A
Innovations in plating techniques for composite production.—74-05631A
Mechanism of interaction between Cl-containing gaseous phase and cemented carbides in the chemical vapor deposition process.—74-07378A
Metal seated ball valves with carbide coatings.—74-08233A
Microstructure and mechanical properties of hot-pressed and pressureless-sintered WC-Al_2O_3 ceramic composites.—74-10459A
Morphologies and adhesion strength of diamond films deposited on WC-6% Co cemented carbides with different surface characteristics.—74-02029A
Nucleation and growth observations of diamond grown on cast tungsten carbide (W_2C+WC) particles by low-pressure CVD.—74-01816A
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: effects of substrate pretreatments—correction.—74-04787A
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: II, Effects of deposition conditions.—74-08247A
Process for making non-magnetic nickel tungsten carbide cemented carbide compositions and articles—74-00179P
SEM study of the fracture behavior of WC-TiN-Co and WC-TiN-Mo_2C-Co(Ni) cemented carbides.—74-05654A
Spalling mechanism of Al_2O_3 ceramic coating coated WC-Co substrate under sliding contact.—74-05389A
Synthesis of WC-Co nanocomposites using polymer as carbon source.—74-08281A
Tungsten carbide metal cloth coating abates erosive wear.—74-04024A
Wear resistant die face and method.—74-02426P
Zirconia-based composites.—74-07553A

tungsten oxide,
Catalytic properties of nanocrystalline WO_{3-x}, Pt/WO_{3-x}, and Pb/WO_{3-x} particles.—74-06952A
Dependence of the intercalation of Li in WO_3 on the preparation of WO_3 host.—74-01367A
Determination of lead in tungsten(VI) oxide for scintillation single crystals by stripping voltammetry.—74-05004A
Dynamics of the photochromic effect in WO_3.—74-02971A
Electrochromic and photoelectrochemical behavior of thin WO_3 films prepared from quantized colloidal particles.—74-04306A
Electrochromic properties of tungsten trioxide thin films prepared by chemical vapor deposition.—74-07288A
In situ detection of electrical conductivity variation of an a-WO_3 thin film during electrochemical reduction and oxidation in $LiClO_4$(M)-PC electrolyte.—74-04334A
Influence of preparation method on the acidity of $MoO_3(WO_3)/ZrO_2$ catalysts.—74-04702A
Intercalation compounds.—74-00496A
Laminated electrochromic windows based on nickel oxide, tungsten oxide, and gel electrolytes.—74-05726A
Nonideal lithium insertion into sputtered thin films of tungsten oxide.—74-01815A
Photoinduced doping of thin amorphous WO_3 films.—74-00681A
Study of lithium intercalation into tungsten oxide films prepared by different methods.—74-07766A
Transmission spectra of an electrochromic window based on polyaniline, prussian blue and tungsten oxide.—74-05745A
Variables influencing glass in glazes obtained from frit and tungstic oxide mixes.—74-08715A

tungsten,
Alkoxides of molybdenum, tungsten, and vanadium and their hydrolysis products.—74-09755A
c-growth of dc-sputtered Mo and W thin films.—74-00461A
Characterization of diamond films on binderless W-Mo composite carbide.—74-07223A
Characterization of low pressure chemically vapor deposited tungsten nitride films.—74-01499A
Characterization of obliquely deposited tungsten/silicon multilayers.—74-01966A
Characterization of WN_x metallization prepared by ion implantation of nitrogen.—74-07225A
Compositional change of (0001)WS_2 surfaces induced by ion beam bombardment with energies between 100 and 1500 eV.—74-04524A
Determination of the "overall" nucleation density on tungsten—a new treatment of the data.—74-10787A
Effect of substrate orientation on WSi_2 formation.—74-01376A
Effect of tungsten and molybdenum doping on the semiconductor-metallic transition in vanadium dioxide produced by evaporative decomposition of solutions and hydrogen reduction.—74-00598A
Electrochemical synthesis of tungsten and molybdenum borides in a dispersed condition.—74-01701A
Electron-stimulated desorption of cesium atoms from oxidized tungsten surface at 77 K.—74-05136A
Fabrication of cofired AlN multilayer substrates at low-temperature sintering.—74-10345A
Forming a metallized layer on an AlN substrate by applying and heating a paste of a metal composed of W and Mo.—74-02417P
High-resolution transmission electron microscopy of layer structure and stacking faults in tungsten disulfide lubricants.—74-10812A
Highly oriented WSe_2 thin films prepared by selenization of evaporated WO_3.—74-04682A
Ion implantation of cobalt-tungsten carbide tools for machining titanium.—74-08226A
Loss of selectivity during W chemical vapor deposition on Si using the WF_6/SiH_4 process.—74-04733A
Method of nucleating tungsten on titanium nitride by CVD without silane—74-00175P
Nanofabrication techniques for a 100-nm-scale tungsten polycide gate structure.—74-01811A
Numerical investigation of micropore formation during substrate impact of molten droplets in spraying processes.—74-10854A
Pattern formation in amorphous WN_x by low temperature electron cyclotron resonance etching for fabrication of X-ray mask.—74-01828A
Performance of the plasma deposited tungsten nitride barrier to prevent the interdiffusion of Al and Si.—74-01953A
Phase transformation of Mo and W over Co and its alloy in contact with Si.—74-01437A
Physical properties of nanocrystalline MoS_2 and WS_2 particles produced by CO_2 laser pyrolysis.—74-10136A
Preparation of tungsten disilicide thin films by laser evaporation.—74-04829A
Preparation, wear resistance and mechanical properties of W-Ti-C-N based hard materials.—74-05384A
Process characterization and analysis of sealed vacuum microelectronic devices.—74-03180A
Quasi-ternary TiB_2-W_2B_5-CrB_2 system and its possibilities in evolution of ceramic hard materials.—74-01446A
Relationship between the microstructure and thermal diffusivity of plasma-sprayed tungsten coatings.—74-10874A
Relationship between void formation and electromigration performance in Al/TiW multilayered interconnections.—74-00698A
Scanning Maxwell stress microscope for nanometer-scale surface electrostatic imaging of thin films.—74-03867A
Separation of tungsten from rare-earth elements by ion-exchange chromatography.—74-01879A
Single micromachined emittor characteristics.—74-01572A
Sintering kinetics [studied] with the help of random sets models.—74-10635A
Spatial composition variation in sputtered Ti-W films.—74-01575A
Study on WSi_2 thin films, formed by the reaction of tungsten with solid or liquid silicon, by rapid thermal annealing.—74-04925A
Superconducting critical fields of diamondlike films containing tungsten.—74-03590A
Titanium-based carbonitride alloy with controlled structure.—74-09963P
Wetting in an electronic packaging ceramic system: I, Wetting of tungsten by glass in controlled oxygen partial pressure atmospheres.—74-02404A

tunnel kilns,
Analyzing sanitary ware tunnel kiln operations with traveling thermocouples.—74-08658A
AZ Ziegelei at Tauche[, Germany]: technology safeguards tradition.—74-08505A
Ceramic rollers for rapid firing kilns.—74-09644A
Engineering principles of the Niro recuperative tunnel kiln concept.—74-09656A
F. v. Muller Dachziegelwerke: plain clay roofing tiles are now also being produced at Eisenberg/Palatinate.—74-08545A
Industria Laterizi Donati: a new "universal" brickworks in Tuscany.—74-08555A
Kies- und Klinkerwerk Buchwaldchen—an economical symbiosis of modern production plants.—74-03705A
Modern high-temperature tunnel kilns—high-tech firing aggregates.—74-09689A
Multiplicity under one roof—Glen Gary produces extruded and soft mud bricks at Iberia, OH.—74-08564A
Stahlkombinat Magnitogorsk/Urals operates brickworks with ITO technology.—74-08585A
Staloton in Westerkapeln/Velp—production to market requirements— high-quality split tiles thanks to up-to-date manufacturing techniques.—74-05831A
Technical challenge—the new clay roofing tile works of the "Tuileries et Brizueteries Lyonnaises" at Quincieux.—74-02740A
Technical measures for decreasing temperature difference between upper and lower preheating zones in tunnel kiln.—74-06875A
Through the fire in a single layer.—74-06876A

tunneling,
Antiparamagnons and anomalies of the tunnel density of states in YBCO.—74-06490A
Observation of Josephson pair tunneling between $YBa_2Cu_3O_{7-\delta}$ and a conventional superconductor (Pb).—74-04375A
Tunneling through an epitaxial oxide film: Al_2O_3 on NiAl(110).—74-07540A

turbines,
Ceramic blade attachment system.—74-02409P
Ceramic blade attachment system.—74-09809P
Ceramic blade attachment system.—74-09810P
Ceramic blade attachment system.—74-09909P
Ceramic composite turbine engine component evaluation.—74-09855A
Ceramic gas-turbine nozzle with cooling fine holes and method for preparing the same—74-01311P
Ceramic tip and compliant attachment interface for a gas turbine fuel nozzle—74-01313P
Characteristic and application of silicon nitride ceramics.—74-09856A
Design and development of a CMC interturbine seal.—74-09446A
Evaluation of four CMCs for aerospace turbine engine divergent flaps and seals.—74-09868A

twin roll press,
Angle of compression and throughput of twin-roll presses.—74-00891A
Influence of rheological parameters on the process of interparticulate comminution in twin roll presses.—74-00066A
Pressure profile in the compression zone of the high-pressure roller mill.—74-09604A

twinning,
Anomalous softening of high-T_c $YBa_2Cu_3O_{7-\delta}$ single-crystal superconductors.—74-06486A
Computer simulation of twin formation during the displacive $c \rightarrow t'$ phase transformation in the zirconia-yttria system.—74-04111A
High-order twin boundaries in CVD diamond films.—74-01945A
Mirror-translational (011) twin boundary in modulated $Bi_2Sr_2CaCu_2O_{8+\delta}$.—74-00825A
Oriented CVD diamond films—twin formation, structure, and morphology.—74-04172A
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: I, X-ray diffractometry and X-ray topography studies.—74-04204A

ultrasonics,
Acoustic wave stimulation of the leaching of layer silicates.—74-07035A
Acoustic-electric waves in bicrystalline media under conditions of tight contact or vacuum gap at interface.—74-03283A
Characterization of thin diamondlike carbon films by ultrasonic surface waves.—74-09558A
Effects of the viscoelastic nature of concretes on ultrasonic nondestructive evaluation.—74-09565A
Estimation of Debye temperature and compressibility from ultrasonic pulse measurements in $ScMnO_3$.—74-06767A

High-temperature acoustic properties of $Li_2Ge_7O_{15}$ and $Li_{1.96}Na_{0.04}Ge_7O_{15}$ crystals.—74-03817A
Interaction between ultrasound and rotating electric field in crystals of various symmetry classes.—74-07084A
Laser ultrasound directivity in CS-3 ceramic.—74-03830A
Micromechanics approach to characterize interfaces in metal matrix and ceramic matrix composites.—74-09581A
Nondestructive evaluation of the mechanical characteristics of plasma-sprayed ceramic coatings.—74-09592A
Nondestructive testing of coating using ultrasonic leaky Rayleigh waves.—74-09593A
Nondestructive testing of structural ceramics.—74-01089A
Piezoelectric single crystal, ultrasonic probe, and array-type ultrasonic probe.—74-09189P
Possible technique for the characterization of diamond films using an ultrasonic resonance technique.—74-09602A
Preparation of fine spherical ZnO powders by an ultrasonic spray pyrolysis method.—74-07432A
Radiograph and ultrasound detect defects early.—74-06806A
Resonant ultrasound: a new technique that accurately measures the elastic moduli of advanced materials for nondestructive evaluation and on-line control.—74-01099A
Rotary ultrasonic machining [RUM] of structural ceramics—a review.—74-10615A
Sound amplification by stimulated emission of radiation in an amorphous compound.—74-08393A
Temperature hysteresis of ultrasonic wave velocity in $YBa_2Cu_3O_{7-\delta}$.—74-00857A
Ultrasonic and vibration characterization of hybrid and sandwich carbon-carbon composites.—74-10901A
Ultrasonic characterization of density changes in presintered ceramics.—74-09627A
Ultrasonic characterization of two ceramic/ceramic composites.—74-06828A
Ultrasonic evaluation of initiation and development of oxidation damage in ceramic matrix composites.—74-06829A
Ultrasonic evaluation of time/temperature effect of oxidation damage in ceramic matrix composites.—74-09628A
Ultrasonic inspection of steelmaking refractories.—74-03884A
Ultrasonic machining of complex ceramic components.—74-09510A
Ultrasonic modulation of submillimeter waves in easy-plane antiferromagnets.—74-03407A
Ultrasonic real-time monitoring of cake structure during slip casting.—74-03885A
Ultrasonic sieving of fine, dry powders.—74-07542A
Ultrasonic study of the temperature and pressure dependence of the elastic properties of fully oxygenated $YBa_2Cu_3O_{6.94}$.—74-06660A
Ultrasonic testing checks ceramic parts.—74-01125A
Ultrasonic testing method for balls.—74-09632P
Ultrasound as a tool for the development of aerospace structural titanium and ceramic matrix composites.—74-09629A
Vibration and ultrasonic nondestructive characterization of nonwoven and fabric reinforced carbon-carbon composites.—74-01129A

ultraviolet,
Bronze-colored infrared and ultraviolet radiation absorbing glass.—74-08468P
Decomposition of Langmuir-Blodgett films to form metal oxide layers.—74-04533A
Diamond metal-semiconductor-metal ultraviolet photodetectors.—74-08859A
Method for calculating refractive indices of glasses in the uv spectral range.—74-02562A
Silicon oxide thin films grown by Xe_2* excimer lamp chemical vapor deposition—the role of the substrate temperature and the window-substrate distance.—74-03734A
Solid-state ultraviolet tunable laser: a Ce^{3+}-doped $LiYF_4$ crystal.—74-03220A
Ultraviolet patterning of alkoxy-derived lithium niobate film.—74-06449A
Uv photo-assisted crystallization of carbon.—74-01928A

unit cells,
Calculation of unit cell parameters.—74-04099A
Real structure of $LaGaO_3$ single crystals grown by Czochralski method: II, Refinement of crystal syngony by precision measurements of unit cell parameters by Bond method.—74-04205A

uranium oxide,
Investigation of the mechanism of formation of insertion compounds of uranium oxides by voltammetric reduction of the solid phase after mechanical transfer to a carbon electrode.—74-00885A
Possibilities of formation of double oxides of uranium and molybdenum with structure derived from ß-UMo_2O_8.—74-00886A

uranium,
Anodic dissolution of uranium mononitride in lithium chloride–potassium chloride eutectic melt.—74-06668A
Frozen-in devil's staircase in $U(Ru_{1-x}Rh_x)_2Si_2$ mixed compound system as studied by neutron diffraction.—74-04145A
Magnetic ordering and frustration in hexagonal UNi_4B.—74-06670A
Single uranium-site properties of the dilute heavy electron system $U_xTh_{1-x}Ru_2Si_2$ ($x \leq 0.07$).—74-04421A
Vibrational frequency distribution functions of atoms in ThO_2 and UO_2.—74-06671A

vacancies,
Ab initio study of positron trapping at a vacancy in GaAs.—74-02904A
Annealing of radiation damage in De Beers colorless CVD diamond.—74-04988A
Characterization of the vacancy-calcium dipole by electrical and mechanical relaxation measurements in single crystals of calcined zirconia.—74-10777A
Effect of NiO doping on the stoichiometry of ZnO.—74-07563A
Homogeneous nucleation of gas pores in two-component solution of vacancies and gas atoms.—74-05018A
Interchain vacancy migration on GaAs(110).—74-03069A
Isolated and embedded cluster modeling of the oxygen vacancy in α-quartz.—74-05026A
Kinetics of bulk vacancy creation in MBE growth of GaAs.—74-05027A
Luminescence of anion vacancies and dopant-vacancy associates in stabilized zirconia.—74-01531A
Nature of cation vacancies formed to compensate donors during oxidation of barium titanate.—74-05036A
Nature of quasi-local vibrational modes in $YBa_2Cu_3O_7$ crystals with oxygen vacancies.—74-05038A
Observation of a vacancy change state in $Cd_{0.2}Hg_{0.8}Te$ by positron annihilation.—74-03133A
Solid-state NMR study supporting the lithium vacancy defect model in congruent lithium niobate.—74-10745A
Thermal dynamic investigation on oxygen vacancy defect in lithium niobate crystal.—74-10748A
Vacancy complexes in diamond.—74-01958A

vacuum,
Pump down of evacuated glazing.—74-00981A
Reasons for transverse failure of main axis of vacuum pumps.—74-03729A

valence,
Modifications in the Si valence band after ion-beam-induced oxidation.—74-03113A
Sintering of simple metal oxides with variable valence.—74-05049A

valves,
Carbon-carbon composite IC engine valve feasibility investigation—a summary.—74-09851A
Ceramic articles having channels for regulating the passage of fluids—74-01249P
Ceramic valves in automobile construction of tomorrow.—74-06684A
Ceramic-plate flow-control valve—74-01250P
Control valve industry comes alive.—74-06689A
New SV [slide valve] Al equipment adapted to automation under hot condition.—74-00393A
Valve.—74-09964P

vanadates,
Charge transfer phase transition in $Cu_xV_xO_{11}$.—74-07045A
Conductivities and densities of Na_2SO_4-$NaVO_3$ melts.—74-00248A
Crystal structures of double pyrovanadates $CaMgV_2O_7$ and $CaCoV_2O_7$.—74-04119A
Determination of the cerium oxidation state in cerium vanadate.—74-05305A
High-gain, diode-pumped Nd:YVO_4 slab amplifier.—74-08929A
High-pressure Raman studies of ß-$NaVO_3$.—74-09997A
Internally folded Nd:YAG and Nd:YVO_4 lasers pumped by laser diodes.—74-08940A
Laser diode array pumped, Nd:YVO_4/KTP composite material microchip laser.—74-03082A
Luminescence study of $EuVO_4$ at high pressure.—74-04347A
Pressure-induced crystalline-amorphous transition in $NaVO_3$ and its recrystallization.—74-10020A
Reexamination of temperature dependence of dielectric constants under high pressure in lead orthovanadate $Pb_3(VO_4)_2$ crystal.—74-00529A
Role of structural change in phase transition in $LiVO_2$.—74-01450A
Structural and magnetic properties of the anion-deficient $LaVO_{3-\delta}$.—74-10158A
Synthesis and electrochemical study of new copper vanadium bronzes and of two new V_2O_5 polymorphs: ß′- and ε′-V_2O_5.—74-02863A
Systems M_2O-CuO-V_2O_5.—74-01475A
Thermoelectric power of ferroelectric potassium vanadate, cesium vanadate, lithium vanadate and their solid solutions.—74-09226A
Thermogravimetric study of the 800°C reaction of zirconia stabilizing oxides with SO_3-$NaVO_3$.—74-02095A
X-ray photoelectron forqard scattering study of vandium oxides.—74-10904A
X-ray study of the systems $Mn_2V_2O_7$-$M_2V_2O_7$, where M=Ba, Sr, Ca, Co, Zn, Cu, Ni.—74-01490A

vanadia,
Ammonia reduction of exhaust nitrogen oxides in the presence of cellular block catalysts under simulated and operating conditions.—74-01216A
Colored glass-ceramic articles.—74-08472P
Low temperature glass with improved thermal stress properties and method of use—74-00336P
Microstructural studies of ferroelectric $Bi_2VO_{5.5}$ thin films with $LaNiO_3$ electrodes.—74-10837A
Nature of vanadium species in SnO_2-V_2O_5-based catalysts—chemical preparation, characterization, thermal stability, and reactivity in ethane oxidative degradation over V-Sc mixed oxides.—74-10490A
New iron V_2O_5 bronze as electrode material for rechargeable lithium batteries.—74-01297A
Optical and electrical properties of V_2O_5 thin films.—74-04379A
Scanning tunneling microscopy/spectroscopy study of V_2O_5 surface with oxygen vacancies.—74-07583A
Sealing glass compositions—74-00351P
Synthesis and applications of oxides and mixed oxides produced by a flame process.—74-07005A
Ultraviolet absorbing green tinted glass.—74-08497P

vanadium oxides,
Annealing effects on transport and magnetic properties of perovskite-type vanadium oxide $CaVO_3$.—74-04251A
Characterization of dispersing behavior of anatase (TiO_2) aqueous suspensions.—74-04502A
Chemical vapor deposition of vanadium oxide thin films.—74-06004A
Current fluctuation and conductivity in semiconducting VO_2.—74-00586A
Effect of tungsten and molybdenum doping on the semiconductor-metallic transition in vanadium dioxide produced by evaporative decomposition of solutions and hydrogen reduction.—74-00598A
Electron microscope study of revolving crystal growth of beta-type vanadium oxide hydrate under hydrothermal conditions.—74-10796A
Electronic structures of Ti and V oxides: calculation of valence photoemission and bremsstrahlung isochromat spectra.—74-01228A
Electrothermal model for high-field conduction and switching phenomena in TeO_2-V_2O_5 glasses.—74-08372A
Inelastic neutron scattering from spin ladder compound $(VO)_2P_2O_7$.—74-10822A
Magnetic and electrical properties of single-crystal FeV_2O_4 films near Curie temperature.—74-03386A
Photochemical formation of V^{4+} in a layered vanadium pentoxide hydrate.—74-10520A
Synthesis and characterization of $(V_{1-x}Cr_x)_2O_3$ ceramic thermistors with PTCs.—74-06345A
Synthesis of vanadium oxide powders by evaporative decomposition of solutions.—74-01912A
V_2O_5 xerogel films as intercalation hosts for lithium.—74-07548A

vanadium,
Al-Si-V and Al-Si-V-Pd films as alternatives for Al-Si-Cu interconnect: microstructure and its impact on reliability.—74-04247A
Chemical form of vanadium(IV) in kaolinite.—74-01354A
Determination of chromium(VI) and vanadium(V) using an on-line anodic stripping voltammetry flow cell with detection by inductively coupled plasma mass spectrometry.—74-03794A
Electron spin resonance (ESR) study of VO^{2+}-doped germanium dioxide synthesized via the sol-gel process.—74-10322A
Estimation of microbrittleness of two- and three-component nitride ion-plasma coatings.—74-08186A
Growth and characterization of epitaxial vanadium films.—74-04323A
Influence of vanadium concentration on the ESR linewidth of V^{+4} in rutile.—74-05165A
Ion scattering and electron spectroscopic study of the surface coverage of V/Al_2O_3 catalysis.—74-05175A
Novel phases in the V-P-O catalytic system from oxovanadium hydrogen phosphate precursors.—74-10013A
Photorefractive response of CdTe:V under ac electric field from 1 to 1.5 μm.—74-03169A
Preparation of blue vanadium-zircon pigments by aerosol hydrolysis.—74-04824A
Single-source precursors to vanadium nitride thin films.—74-09893A
Soda-lime glass containing vanadium—74-00352P
Synthesis and characterization of a crystalline vanadium silicate with MEL structure.—74-10041A
Transition metals in silicon carbide (SiC): vanadium and titanium.—74-06365A
Vanadocene used as a precursor for the chemical vapor deposition of vanadium carbide at atmospheric pressure.—74-07549A

vapor liquid solid,
Engineering-scale development of the vapor-liquid-solid (VLS) process for the production of silicon carbide fibrils.—74-01708A

vapor phase epitaxy,
Adjusting trimethylgallium injection time to explore atomic layer epitaxy of GaAs between 425 and 500°C by organometallic vapor phase epitaxy.—74-04470A
Alkoxide precursors for controlled oxygen incorporation during metallorganic vapor phase epitaxy GaAs and $Al_xGa_{1-x}As$ growth.—74-02908A
Atmospheric and low pressure metallorganic vapor phase epitaxial growth of vertical quantum wells and quantum well wires on submicron gratings.—74-04481A
Compositional inhomogeneity at the epitaxial layer and substrate interface of AlGaAs/GaAs heterostructures.—74-02946A
Control of ordering in GaInP and effect on band gap energy.—74-04528A
FeP precipitates in hydride-vapor phase epitaxially grown InP:Fe.—74-06103A
Growth kinetics of GaSb by metallorganic vapor phase epitaxy.—74-04664A
Growth of $Cd_xHg_{1-x}Te$ films by VPE of HgTe on CdTe substrates followed by interdiffusion.—74-03035A
High electron mobility in $(InAs)_n(GaAs)_n$ short period superlattices grown by MOVPE for high-electron mobility transistor structure.—74-04330A
In situ observation of surface morphology of InP grown on singular and vicinal (001) substrates.—74-05161A
Interdiffusion and relaxation in metallorganic vapor phase epitaxy grown InGaAs/GaAs strained layer quantum wells.—74-05024A
Interfaces of InAsP/InP multiple quantum wells grown by metallorganic vapor phase epitaxy.—74-06163A
Metallorganic vapor phase epitaxial growth and structural characterization of GaAs/InP heterostructures.—74-04748A
Monolayer growth oscillations and surface structure of GaAs(001) during metallorganic vapor phase epitaxy growth.—74-06216A
Monolayer growth oscillations and surface structures of GaAs(001) during metallorganic vapor phase epitaxy growth.—74-06217A
Nitrogen doping of ZnSe by OMVPE using a novel organometallic precursor.—74-04779A
Optimization of selective area growth of GaAs by low pressure organometallic vapor phase epitaxy for monolithic integrated circuits.—74-04794A

Probing the mechanisms of growth of gallium arsenide by metallorganic vapor phase epitaxy using experimental and theoretical studies of designed precursors.—74-03852A
Reaction kinetics control in preparation of CdTe and HgCdTe by hot wall metallorganic vapor phase epitaxy.—74-03859A
Ultralow-temperature OMVPE of InAs and InAsB.—74-06370A
Vapor phase epitaxy of InP with halide transport on earth and under microgravity.—74-03260A

vaporization,
Boron nitride vaporization vessel.—74-09905P

vapors,
Aspects of the crystallization of SiC from the vapor phase on a substrate by the sublimation method.—74-09970A
Measurement of water vapor pressure in the vicinity of anode of SOFC [solid oxide fuel cell] during discharge.—74-00507A
New method for continuously producing long vapor-grown carbon fibers at high growth rates.—74-04773A
Role of sulfur in the production of carbon fibers in the vapor phase.—74-07472A
Role of water vapor on the kinetics of H_2 oxidation on porous Ni electrodes at 1000°C.—74-02089A

varistors,
Degradation phenomena due to impulse-current in zinc oxide varistors.—74-08852A
Fabrication and performance study of a $YBa_2Cu_3O_{7-\delta}$ thin-film varistor.—74-00616A
Method for making metal oxide varistors coated with passivating coating.—74-09091P
Method of firing ceramic moldings containing a diffusible metallic oxide—74-00742P
Nanostructured constituents of ZnO-based varistors prepared by mechanical attrition.—74-03125A
Passivating coating for metal oxide varistors.—74-03278P
Possibility of pyrochlore phase formation in zinc oxide varistor ceramics.—74-06268A
Sintered varistor material with small particle size.—74-09191P
Varistor, thermistor manufacturing in Japan.—74-06377A

velocity,
Determination of crack velocity as a function of stress intensity from static fatigue data[—correction].—74-07858A
Particle velocity measurements in HVOF and APS systems.—74-09599A

vermiculite,
High temperature resistant material.—74-08650P
Refractory castable composition and process for its manufacture.—74-02800P
Sorption of water vapor on the cation-substituted vermiculite: II, The thermodynamic description of sorptive equilibria.—74-04212A
Vermiculite.—74-06939A

vibration,
Air vibroinsulation suspension of the centrifugal machine.—74-00890A
Anomalous properties of lattice TO vibrations in HgTe: I, Off-center lattice vibration model.—74-05978A
Anomalous properties of lattice TO vibrations in HgTe: II, One-dimensional two-well crystal model.—74-07037A
Effect of mechanical vibration on particle populations.—74-06763A
Molecular orbital models of silica rings and their vibrational spectra.—74-04167A
Monitoring processing stages of carbon-carbon composites using vibration-based nondestructive evaluation.—74-03840A
Nature of quasi-local vibrational modes in $YBa_2Cu_3O_7$ crystals with oxygen vacancies.—74-05038A
Phase states in mixed crystals of $K_{1-x}(NH_4)_xH_2PO_4$. Behavior of the fully symmetric ν_1 vibrational mode of the tetrahedron PO_4.—74-04190A
Production-oriented nondestructive testing of structural ceramic components: vibration analysis.—74-09605A
Ultrasonic and vibration characterization of hybrid and sandwich carbon-carbon composites.—74-10901A
Vibration and ultrasonic nondestructive characterization of nonwoven and fabric reinforced carbon-carbon composites.—74-01129A
Vibratory mills for technical ceramics.—74-09511A
What is shaking in the sandbox.—74-07788A

viscoelasticity,
Deformation of metallic glasses $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{61}Co_{20}Si_4B_{14}$ for small stresses.—74-00250A
Deformation of the metallic glasses $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{67}Co_{20}Si_4B_{14}$ with small stresses.—74-00251A
Effect of drying on viscoelasticity and permeability of gel.—74-10282A
Effects of the viscoelastic nature of concretes on ultrasonic nondestructive evaluation.—74-09565A

viscometers,
Dual-capillary method for modern-day viscometry.—74-03798A

viscosity,
Analysis of capillary-driven viscous flows during the sintering of ceramic powders.—74-06736A
Calculation of the viscosity of glasses and melts based on rocks and industrial waste products.—74-02519A
Calibration of Littleton measuring instruments using test specimens of reference glass.—74-01042A
Changing the flow behavior of kaolin suspensions by mechanical stress.—74-01048A
Chaotic flow in glasses—steady-state dynamic behavior of a simple model.—74-05705A
Consideration on the (numerical) analysis of blow-forming process in glass bottle manufacturing.—74-08409A
Dual-capillary method for modern-day viscometry.—74-03798A
Dynamics of thermal fluctuations in cooling high-viscosity liquids below vitrification temperature.—74-03799A
Electrical resistivity as a way for the control of glass manufacturing process: II.—74-00295A
Experimental study of viscous flows in a forehearth model.—74-02542A
Factors affecting viscosity of sanitary porcelain slurry.—74-04633A
Flow in porous media—permeability and displacement patterns.—74-07316A
Impact of lead-free enamels on automotive glass fabrication.—74-00302A
Possibility of determining the viscosity of destruction of glass by microindentation.—74-00274A
Temperature and composition dependence of container glass viscosity.—74-05743A
Temperature-viscosity characteristics of glasses(— the methods of measurement).—74-08397A
Viscosities and sintering rates of composite packings of spheres.—74-04978A
Viscosity and surface tension of oxynitride glass melts.—74-02596A

vitreous materials,
Crystallization of NaO-MgO-Al_2O_3-SiO_2 glasses during the formation of vitroceramics.—74-05756A
Development of vitreous tile with permeated flowers.—74-08530A
Dynamic correlation function for amorphous solids.—74-09562A
Fine fluxes in the masses for vitrified sanitary.—74-00429A
Neutron diffraction and MAS-NMR study of the structure of fast neutron-irradiated vitreous silica.—74-02475A
Production technology of vitrified tile and its quality.—74-08574A
Structure of vitreous silica.—74-02357A
Use of physicochemical analysis for study of vitreous systems.—74-00235A

vitrification,
Calculation of the constants of the relaxation model of vitrification.—74-00242A
Computation of the relaxation constant of a vitrification model.—74-00247A
Demonstration of vitrification of surrogate F006 wastewater treatment sludges.—74-08411A
Dynamics of thermal fluctuations in cooling high-viscosity liquids below vitrification temperature.—74-03799A
Electricity may replace fire in battle against organic waste.—74-03906A
French nuclear waste vitrification: state of the art and future developments.—74-09403A
Maximization of waste loading for a vitrified Hanford high-activity simulated waste.—74-09405A
Nature of the correlation between elastic moduli and temperature of vitrification of amorphous polymers.—74-04770A
Operational feasibility of the vitrification of an organic ion-exchange resin.—74-09408A
Process modeling of low-level mixed waste vitrification systems.—74-09411A
Role of frit in nuclear waste vitrification.—74-09416A
Structural model of immiscibility of silicate vitrifying melts.—74-00226A
Vitrification in the presence of molten salts.—74-09422A
Vitrification of ceramic tiles derived from different production processes—technological and analytical considerations.—74-05841A
Vitrification of hazardous and radioactive wastes.—74-09423A
Vitrification of incinerator ashes.—74-09514A
Vitrification of secondary raw materials into ceramic building products.—74-03953A
Vitrification of simulated intermediate level waste from nuclear power plants: II, Chemical stability of vitrified products in acidic solutions.—74-06672A
Vitrified heavy-duty floor tiles from Egyptian raw materials.—74-00376A

voids,
Electrical characteristics of zinc sulfide thin films deposited by various methods.—74-06066A
Making ceramic reference specimens containing seeded voids.—74-07022A
Stress-induced void formation in metallization for integrated circuits.—74-06327A
Voids in epitaxial silicon films grown under different thermal conditions—void detection by thermal helium desorption.—74-05060A

volatilization,
Kinetics of volatilization loss from phosphate glass melts.—74-05725A

voltage,
Compositional analysis and capacitance-voltage properties of TiO_2 films by low-pressure metallorganic chemical vapor deposition.—74-02825A
Density of deep states in a-As_2Se_3 films by means of *c-v* characteristics.—74-06028A
I-V characteristics of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O$ high-temperature superconductor.—74-00816A
I-V characteristics of electron-cyclotron-resonance plasma-enhanced chemical-vapor-deposition silicon nitride thin films.—74-04242A

voltammetry,
Determination of lead in tungsten(VI) oxide for scintillation single crystals by stripping voltammetry.—74-05004A
Rotating-disk electrode voltammetry as a probe of adsorption rates on solid particles in liquids: application to Zn^{II} adsorption at the hydroxyapatite/aqueous interface.—74-09613A
Voltammetric determination of chromium traces in gallium arsenide.—74-06378A
Voltammetric determination of cyanide by use of preconcentration at a carbon paste electrode modified with liquid crystals.—74-01130A

volume,
Application of the free volume theory to sulfate-phosphate glasses.—74-02514A

wafers,
Analytic models for plasma-assisted etching of semiconductor trenches.—74-07201A
Low-temperature epitaxial growth by molecular beam epitaxy on hydrogen-plasma-cleaned silicon wafers.—74-04736A
Single wafer process integration for submicron structures.—74-06316A

wall tiles,
Analysis of typical defects in once-fast-fired ceramic wall and floor tile.—74-08500A
Ceramic tile.—74-00355A
Ceramic tiling as a hygienic surface in food preparation areas.—74-08508A
Design management in the ceramic sector.—74-08519A
Development of glazed stoneware wall and floor tile by once low-temperature fast sintering.—74-08526A
Development trend of pressing dies for wall and floor tiles.—74-08532A
Effect of body composition and technological conditions on the properties of porous wall tiles.—74-08537A
Effects of firing period and temperature on properties and structure of wall and floor tiles.—74-02716A
Improving glaze whiteness by statistical experimental design.—74-08684A
Interaction between soluble salts and ceramic wall and floor tiles.—74-05815A
Monocottura and monoporosa tile reformulation principles and practices.—74-08694A
New raw materials for production of wall and floor tiles.—74-08565A
Nonfired high-strength wall and floor tile.—74-08566A
Once-fired colored luster wall and floor tile production.—74-05899A
Opacification in zirconium ceramic glazes used in single-fired wall tile manufacture.—74-08567A
Optimized technologies in drying and fast firing of wall tiles.—74-08568A
Research on ceramic wall and floor tiles of fly ash and their sintering mechanism.—74-05827A
Single firing for firing for the manufacture of wall tile: II.—74-00441A
Single firing for the manufacture of wall tile: I.—74-00442A
Using a multipurpose tile body.—74-08709A

washing,
Processes of washing out the steel tapping channel in submerged tapping of molten steel from arc steelmelting furnaces.—74-02772A
Reminiscences of an old structural ceramics clay preparation method: I, Washing.—74-00986A
Reminiscences of an old structural ceramics clay preparation method: II, Washing.—74-00987A
Scanning tunneling microscopy study of deoxygenated and deionized water rinsed GaAs(111)-B surfaces.—74-00703A

waste disposal,
Balance model of neutralization of acid waste water from chemical polishing of glass.—74-05663A
Disposal possibilities of enamel wastes in the cement industry.—74-05491A
Hazardous waste disposal/waste derived fuels utilization in Eastern Europe.—74-03669A
Incinerator—a review.—74-01159A
Life cycle assessment—the futures of glass and the other materials.—74-11175A
Recycling of metal fabrication industry waste in ceramic products.—74-00400A
Structural ceramic materials from FGD gypsum.—74-05591A
Vitrification of secondary raw materials into ceramic building products.—74-03953A
Waste disposal options for refractory tearout.—74-05885A
Westerwald [Germany] clays—too expensive for waste site construction.—74-01206A

wastes,
Benefits and limitations when using secondary materials.—74-06886A
Building from ash.—74-02745A
Ceramic floor tiles made with wastes [of hydrocarbon processing].—74-05803A
Ceramic resorption of waste, interest- feasibility of limits.—74-11147A
Ceramic Transactions, Volume 45: Environment and Waste Management Issues in the Ceramic Industry: II.—74-05437B
Development of refractive coatings for incineration furnaces of chemical wastes.—74-09651A
Ecologically pure combustion in cement plants as alternative method of waste product utilization: I.—74-01146A
Ecologically pure combustion in cement plants as alternative method of waste product utilization: II.—74-01147A
Encapsulation of hazardous wastes in a cement matrix.—74-05518A
Galvanic waste in the structural ceramic industry: an opportunity for use of industrial discards.—74-00364A
Immobilization of simulated high level wastes into AASC (alkali-activated slag cement) waste form.—74-02759A
Innovative civil engineering material from sewage sludge: biocement and its use as blended cement material.—74-00069A
Manufacture of foamed glass granules.—74-05773A
Manufacture of periclase plates for gate valves.—74-03947A
Partly refined chemical byproduct gypsums as cement additives.—74-05562A
Phase-type composition and hydraulic activity of the products of thermally decomposed solid wastes in asestos cement production.—74-00086A
Plasma hearth process—process residuals characterization.—74-09497A
Properties of glass-ceramics obtained from recycling goethite industrial waste.—74-05738A

Recycling of ceramic wastes to reduce pollution.—74-05579A
Remediation and production of low-sludge high-level waste glasses.—74-09415A
Reuse of wastes [in manufacture of whiteware].—74-01203A
Sintering of stock mixtures based on gypsum-containing wastes.—74-02736A
Studies on the effect of the copper and zinc content in silica byproduct material when used in mortar.—74-00095A
TCLP test: what is it, why you need it.—74-01114A
Turning waste into glass.—74-02663A
Utilization of glassy secondary materials.—74-05801A
Utilization of spent tires in rotary kilns for cement clinker burning.—74-09727A
Vitrification of incinerator ashes.—74-09514A
XRF in waste glass analysis and vitrification process control: I, Sample preparation and measurement precision.—74-09424A

water glass,
Alkali activation of granulated blast-furnace slags.—74-05843A
Stabilizing hazardous waste.—74-02355A

water,
Abrasive water jet systems for cutting glass.—74-03672A
Adsorption of a vapor at a solid interface—a molecular model of clay wetting.—74-10058A
Aqueous corrosion of ceramics.—74-07796A
Binding modes of water in the hemihydrate.—74-07996A
Calculation of the adsorption potential energy of water vapor on α-cristobalite.—74-07797A
CaO-Al_2O_3-$CaSO_4$-H_2O system.—74-05469A
Characterization of H_2O-aged TZP by elastic recoil detection analysis (ERDA).—74-01347A
Characterization of sorption sites on hydrous titanium and thorium oxides by water sorption.—74-09974A
Comparison of the reactivity of some surface-treated AlN powders with water.—74-04011A
Deformation behavior of polyacrylic acid–metal oxide composites in water.—74-02120A
Effectiveness of hydroxyapatite for water filtration.—74-06969A
Energy distribution and computer-modeled nozzle design in high-pressure water jet coating removal.—74-10328A
Enhancement of crystallinity in $YBa_2Cu_3O_{7-x}$ ceramic by water or NaOH solution attack.—74-00808A
Enthalpies of reactions at the metal oxide/aqueous interface.—74-09992A
Formation and dissolution mechanisms of calcium phosphates in aqueous systems.—74-10358A
H_2O and HF evolution from ZBLAN glasses.—74-05681A
Hydraulic properties of tricalcium phosphate-phosphoric acid-water mixtures.—74-05531A
Inhibition of low-temperature degradation of tetragonal zirconia ceramics—a review.—74-11031A
Investigation of scanning tunneling microscopy tunneling barrier signals in air and water.—74-07674A
Measurement of water vapor pressure in the vicinity of anode of SOFC [solid oxide fuel cell] during discharge.—74-00507A
Molecular aspects of clay-water interactions.—74-08563A
New developments in the purification of waste water from ceramic industries.—74-09487A
Rheological aspects of aqueous smectite suspensions.—74-08581A
Stormwater management system.—74-07958A
Stormwater management system.—74-11191A
Studies of TiN nucleation and growth by scanning tunneling microscopy in water.—74-07764A
Underwater plasma spraying of components located in greater water depths.—74-10712A
Utilization of borogypsum for cement.—74-05609A
Water corrosion behavior of fluoroaluminate glass.—74-00236A
Water protection in open pit clay mining.—74-08604A
Water quality monitoring aids industrial pollution control.—74-03888A
Water vapor adsorption of $YBa_2Cu_3O_{7-\delta}$ powder at 298 K.—74-03617A

waterproofing,
Contribution to the problem of waterproofing of gypsum materials.—74-00043A
Effect of melamine-formaldehyde resin on selected properties of porous gypsum materials.—74-00052A
Hydrophobic portland cement: II.—74-02757A

waveguides,
Analysis of an InGaAsP/InP twin-overlayed-waveguide switch.—74-08823A
Anisotropic two-photon transitions in GaAs/AlGaAs multiple quantum well waveguides.—74-00568A
C– outgrowths in C+ thin films of $LiNbO_3$ on Al_2O_3-*c*.—74-09109A
Characterization of refractive index profiles in silver-sodium ion-exchanged glass waveguides for homogeneous refracting waveguide structures.—74-00289A
Fabrication of X-type crossing waveguide constructed by large single-mode rib silica-on-insulator (SOI) waveguide.—74-08907A
GaAs/GaAlAs heterostructure rib waveguide stepped dB coupler.—74-03026A
High-T_c superconducting high power couplers.—74-09367P
High-T_c superconducting high power filters.—74-09368P
Improved gain characteristics in high concentration Er^{3+}/Yb^{3+} codoped glass waveguide amplifiers.—74-08433A
Integrated AlGaAs waveguide components for optical phase difference measurement and correction.—74-06156A
$LiNbO_3$ thin film optical waveguide device and process for producing the same—74-00768P
Method of manufacturing silica waveguide optical components.—74-08489P
Micromachined silicon waveguides.—74-06206A
Missile optical waveguide.—74-08492P
New thermochemical method of formation of surface waveguides on phosphate glasses.—74-05778A
Nonlinear absorption in a GaAs waveguide just above half the band gap.—74-06224A
Propagation characteristics of a slow surface wave in a 70 GHz solid-plasma waveguide containing an *n*-InSb slab carrying an applied current.—74-09014A
Ridge-waveguide sidewall-grating distributed feedback structures fabricated by X-ray lithography.—74-00700A
SHG efficiency in periodically poled $LiNbO_3$ waveguides.—74-06434A
Study of GaAs asymmetric X-junction waveguide hybrid coupler.—74-03232A
Thin-film-induced stress in GaAs ridge-waveguide structures integrated with sputter-deposited ZnO films.—74-06360A
Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material.—74-08774A
Vapor-phase deposition of fluorine glass.—74-02700P
Waveguide filters having a layered dielectric structure.—74-08818P
Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimeter-wave propagation.—74-09080A
X-ray waveguide structures of thin metal-carbon layers.—74-07792A

waves,
Acoustic-electric waves in bicrystalline media under conditions of tight contact or vacuum gap at interface.—74-03283A
Antiferromagnetic long-range order and spin waves in the spin-fermion model on the CuO_2 lattice.—74-06489A
Study of 1.319 μm continuous wave (cw)Nd-YAG mode-locking laser.—74-03737A

wear resistance,
Abrasion and erosion wear resistance of Cr_3C_2NiCr coatings prepared by plasma, detonation, and high-velocity oxy-fuel spraying.—74-08122A
Analysis and application of the criteria of wearability of refractory materials.—74-02743A
Corrosion resistant composition for wear products.—74-04044P
Deposition of wear-resistant amorphous hydrogenated a-$Si_{1-x}C_x$:H coatings by rf plasma-assisted CVD.—74-08157A
Diamond coated wear resistant tools.—74-02415P
Diamond-coated hard material and a process for the production thereof.—74-04049P
Friction behavior and wear resistance of diamondlike carbon films under cryogenic temperatures.—74-07882A
Getting the most from turbine flow meters.—74-03816A
Hard wear-resistant film and method for production thereof.—74-02418P
Hot wear resistance of TiN-coated mold and tool materials.—74-05628A
Investigation of abrasive wear resistance of new construction materials for cement industry.—74-08057A
Method of making a cemented carbide body for tools and wear parts—74-00173P
Multilayer coating for improvement of anti-wear property of graphite.—74-11059A
Preparation, wear resistance and mechanical properties of W-Ti-C-N based hard materials.—74-05384A
Reduction of erosive wear rates of advanced technical ceramics.—74-11188A
Wear resistance of silicon carbide and nitride based ceramic materials.—74-11130A
Wear resistant titanium carbonitride-based cermet cutting insert.—74-02427P

wear,
Abrasive wear of monolithic silicon nitride and a silicon carbide whisker-reinforced silicon nitride composite.—74-10943A
Abrasive wear of structural ceramics.—74-07835A
Alternative means of protecting the working surfaces of high-pressure grinding rolls against wear.—74-09428A
Alumina in unlubricated sliding point, line and plane contacts.—74-10945A
Application of silicon carbide fibers for increasing the service parameters of abrasive cutting wheels.—74-00001A
Characterization of wear surfaces in dry sliding of steel and alumina on hydrogenated and hydrogen-free carbon films.—74-05615A
Comparative investigation by laser profilometry, scanning electron microscopy, and atomic force microscopy of wear on solar-beam-irradiated partially oxidized TiN coatings.—74-05326A
Comparative investigation of the sliding wear mechanism in lubricated steel-on-steel and diamond-on-steel friction pairs.—74-05099A
Comparison of wear behavior of silicon nitride and cast iron lubricated conditions.—74-07843A
Cutting performance and wear mechanism of alumina-based ceramic tools when machining austempered ductile iron.—74-08156A
Description of the different wear mechanisms for the tribological couple chromium steel/TiN-coated HSS.—74-08158A
Effect of aging on the sliding abrasive wear of P/M 2014 and 6061 Al alloy-SiC particle composites.—74-05620A
Effect of microstructure on the wear behavior of thermal spray coatings.—74-08174A
Effect of speed and pressure on dry sliding interactions of alumina against steel.—74-05345A
Effect of temperature on wear rate of homopolar pulse consolidated electrical brushes.—74-00480A
Effect of tricresyl phosphate on wear of silicon nitride sliding against bearing steel.—74-02129A
Effects of antiwear additives on friction and wear properties of Cr_2O_3 coating.—74-10980A
Effects of bed particle properties on wear in fluidized bed combustors.—74-02130A
Electron microscopy study of worn ceramic surfaces.—74-10798A
Fade and wear characteristics of a glass fiber-reinforced phenolic friction material.—74-08190A
Flank wear mechanisms of zirconia-toughened alumina cutting tools during machining of steel.—74-02143A
Fracture toughness and hardness-dependent polishing wear of silicon nitride ceramics.—74-11009A
Friction and wear behavior of C- and SiC-fiber-reinforced glass composites against ceramic materials.—74-02148A
Friction and wear behavior of diamond films against steel and ceramics.—74-00002A
Friction and wear of boride ceramics in air and water.—74-02149A
Friction and wear of PAN/pitch-, PAN/CVI-, and pitch/resin/CVI-based carbon-carbon composites.—74-09870A
Friction and wear performance of ion-beam-deposited diamondlike carbon films on steel substrates.—74-05360A
Friction and wear properties of partially stabilized zirconia with solid lubricant.—74-02150A
Friction, wear, and rolling contact fatigue of fine ceramics.—74-07883A
Frictional wear mechanism for fatigue crack growth in grain-bridging ceramics.—74-02151A
Grinding medium for ceramic production.—74-06703A
Head-disk interaction in gas-lubricated slider bearings.—74-02152A
High-performance wear coatings: the quest continues.—74-00121A
How to improve wear protection of grinding rollers in roller mills.—74-09471A
Hydrogen-free amorphous carbon coatings deposited by the arc ion-plating process.—74-01755A
Influence of grinding and wear on residual stress and strength of zirconia ceramics.—74-02157A
Influence of speed on the tribochemical reaction products and the associated transitions for the dry sliding of silicon nitride against steel.—74-08215A
Instability in the tribochemical wear of silicon carbide in unlubricated sliding contacts.—74-11032A
Investigation into the mechanisms of closed three-body abrasive wear.—74-02285A
Investigation of debris of plasma-sprayed coatings for understanding wear phenomena.—74-08224A
Investigation on wear mechanism of SiC lining of cyclone furnace.—74-06858A
Large-area diamond deposition and brazing of the diamond films on steel substrates for tribological applications.—74-08227A
Mechanism of destructive changes in oxide-covered surfaces caused by friction.—74-02172A
Methods for reducing wear on silicon carbide ceramic surfaces—74-01327P
Microscopic observations of the abrasive wear of zirconia ceramics.—74-02016A
Microscopic observations of wear of heat-resistant ceramics.—74-02017A
Microstructural effects on the sliding wear resistance of a cobalt-based alloy.—74-10836A
Microtribology today and tomorrow.—74-00952A
Microtribology: Proceedings of the First International Workshop, October 12-13, 1992, Morioka, Japan.—74-02251A
Model for the abrasive wear resistance of multiphase materials.—74-11057A
Modeling of tool wear based on cutting forces in turning.—74-02179A
Modification of tribological properties of silicon by boron ion implantation.—74-10124A
New technique to enhance film-coating processes in oil-based media.—74-08245A
Optimum microstructure of transformation-toughened ceramics for enhanced wear performance.—74-02182A
Phase analysis and wear mechanisms of aluminosilicate bricks.—74-00395A
Plasma-sprayed coatings treated with lasers: tribological behavior of Cr_2O_3.—74-02188A
Processing of liquid-phase-sintered SiC—mechanical and wear properties.—74-07449A
Report on the 19th Annual Meeting of the Society for Biomaterials in conjunction with the 25th International Biomaterials Symposium.—74-02272A
Results of service of unfired periclase-spinel refractories.—74-02782A
Review of the tribology of diamondlike carbon [DLC].—74-02194A
Role of hard second phases in the mild oxidational wear mechanism of high-speed steel-based materials.—74-10938A
Room temperature wear characteristics of Al-Si-Cd bearing alloys.—74-08268A
Service properties of cutting tools hardened with a diamondlike coating.—74-08271A
Sintered silicon carbide with defined porosity for sliding wear applications.—74-09894A
Sliding wear of oxide ceramics at elevated temperatures.—74-11089A
Sliding wear resistance of TiCN coatings on tool steel made by plasma-enhanced chemical vapor deposition.—74-02201A
Spraying of coating by supersonic metallization.—74-08274A
Structure and wear behavior of nitrogen-implanted aluminum alloys.—74-04432A
Thermally sprayed self-lubricating composites from cored wires: II, Mechanical and tribological properties.—74-08284A
Tribochemical reactions of very thin layers on magnetic recording disks.—74-00779A
Tribological behavior of alumina sliding on several kinds of materials.—74-11120A

Tribological behavior of ceramic/ceramic and metal/ceramic couples.—74-05659A
Tribological investigation of physical vapor deposition TiN coatings paired with surface-treated steels for machine element applications.—74-00159A
Tribological properties of silicon nitride ceramics coated with molybdenum films under boundary lubrication.—74-02214A
Tribology of silicon-based ceramics.—74-02215A
Tribology of thin-film media in both flying and sliding modes.—74-02216A
Trouble analysis of blades of double-shaft mixers.—74-05840A
Unlubricated sliding wear mechanism of fine ceramics Al_2O_3 and ZrO_2 against high chromium cast iron.—74-02402A
War on wear [of industrial machinery].—74-01008A
Wear and Raman spectroscopy of ion-bombarded glasslike carbon.—74-04982A
Wear and wear transition mechanism in silicon carbide during sliding.—74-05398A
Wear behavior of alumina plasma-sprayed coating on an Al-Cu alloy.—74-07936A
Wear behavior of thin film heads for VCR in sliding with metal evaporated tapes.—74-08293A
Wear behavior of various diamond-coated cutting tools under different deposition conditions.—74-11126A
Wear characteristics in thin-film media.—74-02217A
Wear mechanisms in brittle solids.—74-11127A
Wear mechanisms of silicon carbide—new observations.—74-11128A
Wear mechanisms of TiN-coated high-speed steel during sliding.—74-08295A
Wear of Al_2O_3 ceramics by jet blasting.—74-03977A
Wear of the periclase-lime lining of steel teeming ladles in ladle desulfurization of steel.—74-02794A
Wear properties of glazed ceramic tableware.—74-05917A
Wear testing of CVD diamond films.—74-05399A
Wet erosive wear of ceramics.—74-07937A

weathering,
Atmospheric chloride penetration into concrete in semitropical marine environment.—74-05465A

Weibull statistics,
Criticism of DIN 51 110: III, Determination of the Weibull Modulus of Strength.—74-02116A
Evaluation of the reliability of ceramic component on the example of a conic joint.—74-02135A
Reliability methodology for ceramic components subjected to creep.—74-01098A
Strength of high-performance ceramic components under multiaxial loading.—74-02207A

weighing and weights,
Flow conditions in rotary impeller packers.—74-09464A
From packing to loading.—74-08033A
Metering, weighing, and mixing plant installed at Schretter cement and lime works.—74-02338A
Turnkey dry mortar plant commissioned.—74-08115A
Weighed and found good: weighing and proportioning of bulk material.—74-09515A
Zippe builds batch plant for Rockware.—74-06734A

welding,
Applications of combined built-up and spray welding to worm reamer of extruder.—74-06679A
Ceramic welding method with monitored working distance.—74-09523P
Ceramic welding powder mixture.—74-08303P
Ceramic welding.—74-09524P
Joining ODS materials for high-temperature applications.—74-05636A
Real-time video imaging for high-luminosity processes.—74-00983A
Use of ceramic welding to extend the life of a furnace.—74-06877A
Welding of plasma ceramics.—74-01009A

wet processing,
Aqueous processing of minerals, metals, and materials.—74-00892A
Comparative examination of the upgrading of clays by means of wet and dry preparation.—74-00357A
Correlation between the powder structure and the microstructure of tetragonal ZrO_2 ceramics.—74-04529A
Modernization of Kalyanpur Cement's Banjari plant (India).—74-02340A
Preparation of high permeability Mn-Zn ferrites by the wet method.—74-03399A
Wet chemical processing of tin-doped indium oxide layers.—74-08775A

wettability,
Influence of wettability on the properties of thin porous platinum films as gates of metal-oxide-semiconductor devices in electrolytes.—74-02843A
Solubility and wettability of diamonds by metal melting in the range of their thermodynamic stability.—74-03870A
Wetting and bonding of diamond films by high-melting-point metals in the range of diamond thermodynamic stability.—74-05660A

wetting,
Adsorption of a vapor at a solid interface—a molecular model of clay wetting.—74-10058A
Influence of oxygen partial pressure on the wetting behavior of titanium carbide by molten copper and other metals.—74-00125A
Interfacial reaction wetting in the boron nitride/molten aluminum system.—74-00127A
Preparation of porous glass by sintering.—74-08450A
Reaction densification of α′-SiAlON: I, Wetting behavior and acid-base reactions.—74-04200A
Science and technology in composite materials: VI, 3. Joining of ceramics.—74-08269A
Wettability and interfacial bonding in Au-Si/SiC system.—74-00162A
Wetting and adhesion in liquid silicon/ceramic systems.—74-07194A
Wetting characteristics and interfacial reaction at Al/Al_2O_3 interface.—74-08296A
Wetting in an electronic packaging ceramic system: I, Wetting of tungsten by glass in controlled oxygen partial pressure atmospheres.—74-02404A
Wetting in an electronic packaging ceramic system: II, Wetting of alumina by a silicate glass melt under controlled pO_2 conditions.—74-10719A

whiskers,
Can tooling components.—74-09906P
Ceramic composite body, process for producing a ceramic composite.—74-04035P
Colloidal processing of SiC whisker composites.—74-07229A
Enhanced in situ toughening of silicon nitride by the addition of ß-Si_3N_4 whiskers.—74-10331A
Fiber, whisker, and particulate reinforced new glass-ceramic matrix for innovative composites.—74-02142A
Improvements in SiC_w/Al_2O_3 composites through colloidally stabilized suspensions.—74-10400A
In situ growth of SiC whiskers in porous carbon.—74-10403A
Method and apparatus for continuous controlled production of single crystal whiskers.—74-09927P
Method for forming beta-silicon carbide whiskers, singly or in a matrix, using an organotitanium coordination compound catalyst.—74-09931P
Method of manufacturing silicon nitride whiskers—74-01324P
Morphology and growth process of α-Al_2O_3 whiskers.—74-10847A
Mullite whisker–molybdenum disilicide composites.—74-09880A
Nanosize silicon whiskers produced by chemical vapor deposition.—74-07397A
Preparation of aragonite whiskers.—74-07427A
Preparation of corundum whiskers.—74-07429A
Preparation of silicon nitride whiskers from diatomaceous earth: I, Reaction conditions.—74-01851A
Pressureless sintering of Al_2O_3-SiCw composites.—74-07442A
Pressureless sintering of whisker reinforced composites.—74-09834P
Pressureless sintering of whiskered-toughened ceramic composites.—74-03767P
Process for producing ceramic compositions.—74-09952P
Properties of whisker-reinforced ceramics.—74-10146A
Shaped fibrous materials for fiber-reinforced metals.—74-03776P
SiC whisker-reinforced Al_2O_3 matrix composite.—74-09800A
Silicon carbide whiskers.—74-06927A
Ternary oxide whisker growth in a reactive atmosphere.—74-10900A
Whisker-reinforced ceramic roller guides.—74-09845P
Whiskers and composites.—74-10179A

whiteware,
Case for teaching computer design.—74-05887A
Computer-aided design and surface pattern decoration in whiteware.—74-08666A
Effect of techniques of fast neutron irradiation on the infrared spectra of bone China whiteware.—74-05892A
Function of feldspar and/or nepheline syenite in a ceramic whiteware body.—74-08680A
Industry interest creates Whiteware Research Center.—74-05897A
Manufacture of fluidized bed granulates from a dry mixed porcelain body.—74-00435A
Process technology aspects of porcelain manufacture at the time of Bottger.—74-08698A
Relation between economy, ecology, and quality assurance in the firing technology for whiteware.—74-05457A
Relationship between economy, ecology, and quality control in whiteware firing technology.—74-00440A
Remarks to the ceramic raw materials market in Europe.—74-02269A
Reuse of wastes [in manufacture of whiteware].—74-01203A
Using ASTM standards as the basis for whiteware process control procedures.—74-08711A

willemite,
Mn^{2+} concentration effect on the optical properties of Zn_2SiO_4:Mn phosphors.—74-06207A
Recovery of luminous efficiency of degraded willemite phosphor in an oxygen glow discharge.—74-00695A

windows,
Diamond windows for ir applications in adverse environments.—74-09866A
Enabling thin films for solar control transparencies: a review.—74-00257A
Preparation of a high purity aluminum nitride antenna window by organometallic pyrolysis.—74-04079P
Transmission spectra of an electrochromic window based on polyaniline, prussian blue and tungsten oxide.—74-05745A

windshields,
Fifty years of safer windshields.—74-02623A

wire,
CVD diamond wires and tubes.—74-05410A
Depositing high-T_c superconductors on normal conductor wires.—74-06509A
Diamond wire die with positioned opening.—74-09914P
Method for the rapid production of superconducting ceramic wires or ribbons.—74-03642P
Method of joining superconducting wire using oxide high-temperature superconductor.—74-03646P
Method of preparing oxide superconducting wire.—74-03648P
Method of preparing oxide superconducting wire.—74-03649P
Multifilamentary oxide superconducting wires and method of manufacturing the same—74-00875P
Oxide superconductive wire, method of manufacturing the same and the products using the same.—74-03652P
Oxide superconductor wire having sintered silver powder layers.—74-03653P
Plasma spraying with wire feedstock.—74-10527A
Self-limiting oxidation of Si nanowires.—74-02091A
Thermally sprayed self-lubricating composites from cored wires: I, Fabrication and chemistry.—74-10699A

wollastonite,
Applications of low-temperature once-fired wollastonite raw material glaze to red stoneware.—74-02805A
Effect of wollastonite microfiber aspect ratio on reinforcement of portland cement-based binders.—74-00055A
Flexural toughness and ductility of portland-cement-based binders reinforced with wollastonite microfibers.—74-05523A
Joint endoprosthesis with Al_2O_3 ceramic head and a composite socket and process for making it—74-01256P
Mechanical properties and microstructure of high-alumina cement-based binders reinforced with natural wollastonite microfibers.—74-05547A
Mechanical properties of high performance cement binders reinforced with wollastonite microfibers.—74-05549A
Method of producing wollastonite & ceramic bodies containing wollastonite.—74-08720P
Phase diagram of wollastonite–tricalcium phosphate.—74-07100A
Synthesis of ß-wollastonite at low temperature from low cost raw materials.—74-06932A
Wollastonite—its world presence, effectiveness, and future.—74-10180A
Wollastonite.—74-06941A

work function,
Fermi level pinning by various metal Schottky contacts on (100) OMVPE-grown *n*-GaAs.—74-06104A
Work function measurements for gas detection using tin oxide layers with a thickness between 1 and 200 nm.—74-06834A

X-ray diffraction,
Application of X-ray tensometry to ceramic materials.—74-06738A
Automatic quantitative powder diffraction phase analysis—system RIFRAN 2.0.—74-07597A
Celtiberian pottery production in the Spanish Late Iron Age—a case study in the Central Meseta (Soria, Spain).—74-05450A
Cement analysis enhanced.—74-07998A
Characterization of different Mexican natural pozzolanas.—74-07043A
Characterization of pozzolanas of the Spanish Canary Islands.—74-06894A
Complex XRD microstructural studies of hard coatings applied to PVD-deposited TiN films: I, Problems and methods.—74-05101A
Computer technique for rapid decomposition of X-ray diffraction instrumental aberrations from mineral line profiles.—74-06748A
Diffraction study of Li_2O-SiO_2 glass with computer simulation.—74-02447A
Effect of stacking faults on the X-ray diffraction profiles of ß-SiC powders.—74-04134A
Examination of clinkers with light-colored cores.—74-05141A
Features of pulse illumination effect on X-ray diffraction and photorefractive properties of $LiNbO_3$:Cu [crystals].—74-04634A
Features of the diffraction of X-ray radiation in crystals of the KH_2PO_4 group in an electric field.—74-03810A
Growth of $BaTiO_3$ thin films by MOCVD.—74-07663A
Illite crystallite thickness by X-ray diffraction.—74-06778A
In situ high-temperature X-ray diffraction studies of nanocrystalline iron carbides.—74-05021A
Intercalation of $MgCl_2$ in graphite.—74-04713A
Linear model for both qualitative and quantitative X-ray analysis.—74-09575A
Microphase detection using XRD.—74-06791A
Phase structures in *n*-Y_2O_3.—74-07710A
Probing of 1:2 ordering in $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics by XRD and Raman spectroscopy.—74-10866A
Quantitative X-ray diffraction analysis of crystalline phases in glass-ceramics.—74-05693A
Raman and X-ray studies of polycrystalline CVD diamond films.—74-07725A
Rietveld refinement of several structural models for mordenite that account for differences in the X-ray powder pattern.—74-10878A
Shear faults in lovelock ferrierite—an X-ray and electron diffraction analysis.—74-10744A
Short-range order of metaphosphate glasses investigated by X-ray diffraction.—74-00214A
Structural and electrical properties of PZT (La, K) ceramics.—74-00765A
Structure of (Cd, Mg, Mn)Te solid solutions.—74-04219A
Studies of clays and clay minerals using X-ray powder diffraction and the Rietveld method.—74-07762A
Study on superconducting Hg-Ba-Ca-Cu-O (HBCCO) compound system.—74-03585A
Thin layer diffraction.—74-06359A
Three-dimensional X-ray powder diffraction from disordered illite—simulation and interpretation of the diffraction patterns.—74-05839A
Transformation of $Y_2Cu_2O_5$ into $YCuO_2$.—74-06656A
Transport properties of titania-doped YSZ.—74-02866A
X-ray diffraction analysis of the Ni-NiO-diatomite system.—74-10903A
X-ray diffraction imaging of manmade and natural diamond.—74-01488A
X-ray diffraction study of sodium borate glasses.—74-02505A

X-ray diffraction study of structural phase transition in polycrystalline $BaPbO_3$.—74-07140A
X-ray diffractometry study of laser annealing effect on near-surface layer structure of ion-implanted silicon.—74-04984A
X-ray study of the systems $Mn_2V_2O_7$-$M_2V_2O_7$, where M=Ba, Sr, Ca, Co, Zn, Cu, Ni.—74-01490A

X-ray fluorescence,
Angle-resolved self-ratio measurements on ion-implanted depth profiles by synchrotron X-ray fluorescence spectrometry.—74-05071A
Cement quality control with a new XRF spectrometer.—74-03784A
Comparative study of ICP and XRF for chemical analysis of clays.—74-07612A
News in XRF analysis of ceramic and glass.—74-06797A
Quality control analysis using XRF spectrometers.—74-08096A
X-ray fluorescence analysis of GaAs-$Ga_{1-x}Al_xAs$.—74-09082A
XRF in waste glass analysis and vitrification process control: I, Sample preparation and measurement precision.—74-09424A

X-ray photoelectron spectroscopy,
AES and XPS characterization of SiN_x layers.—74-05064A
Altered layer as sensitive initial chemical state indicator.—74-01343A
Applicability of the Tougaard ratio *D* in the analysis of nanometric TiO_2 overlayers.—74-01962A
Contribution of X-ray photoelectron and X-ray excited Auger spectroscopies in the characterization of zeolites and of metal clusters entrapped in zeolites.—74-10784A
Correlation of X-ray photoelectron spectroscopy and Rutherford backscattering spectroscopy depth profiles on $Hg_{1-x}Cd_xTe$ native oxides.—74-01051A
Determination of the distribution of molybdenum oxidation states in reduced Mo/TiO_2 catalysts by factor analysis and curve fitting.—74-03961A
Effect of electrolytic oxidation on the surface chemistry of type A carbon fibers: I, X-ray photoelectron spectroscopy.—74-07636A
Film thickness measurement of SiO_2 by XPS.—74-06770A
In situ X-ray photoemission spectroscopic studies of Al/SiO_2 interface formation.—74-01761A
Long-duration exposure facility: preliminary observations on the effects of low earth orbit on MgF_2, ThF_4, and SiO_2 optical materials.—74-03831A
Mechanism of thermal surface deterioration of refractories [studied] using X-ray photoelectron spectroscopy.—74-05552A
Molecular approach to ultrathin multilayered films of titanium dioxide.—74-07697A
Photoelectron spectroscopy of CVD diamond.—74-07711A
Photoemission study of evaporated $CuInS_2$ thin films: I, Surface stoichiometry and phase segregation.—74-01559A
Quasi-monolayer deposition of silicon dioxide.—74-07455A
Search for carbon nitride CN_x compounds with a high nitrogen content by electron cyclotron resonance plasma deposition[—comment].—74-07112A
Surface analysis—X-ray photoelectron spectroscopy and Auger electron spectroscopy.—74-06823A
Surface and bulk studies of leached and unleached fly ash using XPS, SEM, EDS, and FTIR techniques.—74-05281A
X-ray photoelectron and vibrational spectroscopic studies of Te-C:H films for optical disk memory.—74-01308A
X-ray photoelectron spectroscopy and X-ray absorption near-edge spectroscopy study of SiO_2/Si(100).—74-07790A
X-ray photoelectron spectroscopy and X-ray absorption near-edge spectroscopy study of SiO_2/Si(100).—74-07791A
X-ray photoelectron spectroscopy of $ZnCl_2$-based glasses.—74-05703A
XPS studies on the superconductor-insulation transition in $Bi_{2-x}Pb_xSr_3Ca_{1-y}Y_yCu_2O_{8+\delta}$ system.—74-03620A
XPS study of apatites and related calcium phosphates.—74-10905A
XPS study of the a-C:H/Al_2O_3 interface.—74-07793A
XPS study of the reaction of cerium dioxide.—74-04240A

X-ray,
Application of X-ray phase analysis to the determination of components in $CaSO_4{\cdot}2H_2O$–$CaSO_4{\cdot}0.5H_2O$–$CaSO_4$.—74-07038A
Applications of nanometer-scale structures for current and future X-ray space research.—74-06739A
Characterization of interfaces by grazing incidence X-ray scattering.—74-07606A
Computed tomography: II, Practical use of a single source and detector.—74-06747A
Curvature effect in grazing X-ray reflectometry.—74-06752A
Diffuse X-ray scattering of amorphous multilayers.—74-06758A
Investigations of cement pastes by small-angle X-ray scattering and BET—the relevance of fractal geometry.—74-08058A
Method of quantitative evaluation of impurity inhomogeneities in silicon single crystals based on analyzing plane-wave X-ray topograms.—74-06205A
Orthorhombic distortion effect on X-ray and X-ray photoelectron spectra of copper oxides.—74-04388A
Physical properties of the X-ray membrane materials.—74-01563A
Preparation of SiC mirrors for X-ray.—74-09888A
Quantitative thin film analysis with an energy-dispersive X-ray detector.—74-05225A
Simulation of electron-scattering properties of diamond membranes in X-ray mask fabrication.—74-04419A
Soft X-ray emission study of HFCVD diamond films.—74-05248A
Soft X-ray spectroscopy.—74-06817A
Synchrotron X-radiation topography.—74-06824A
Use of Fourier transform in grazing X-ray reflectometry.—74-06831A
X-ray absorption study of pulsed laser deposited boron nitride films.—74-10902A
X-ray characterization of semiconductor surfaces and interfaces.—74-06384A
X-ray gratings and projection lithography by means of laterally structured multilayers.—74-06386A
X-ray photoelectron forgard scattering study of vandium oxides.—74-10904A
X-ray reflection high electron energy diffraction and X-ray photoelectron spectroscopy studies of InSe and γ-In_2Se_3 thin films grown by molecular beam epitaxy.—74-01489A
X-ray waveguide structures of thin metal-carbon layers.—74-07792A
Xanes studies of Bi-based superconductors.—74-03619A

xerogels,
Determination of the specific pore surface area of xerogels and gel glasses by the dye sorption method.—74-02612A
Determination of the specific surface of the pores of xerogels and gel-glasses by the method of sorption of dyes.—74-00253A

xonotlite,
Crystal shape and size controls of xonotlite.—74-08009A

Young's modulus,
Atomic structure of ultrahigh modulus carbon fibers.—74-05075A
Elastic Young's modulus of plasma-sprayed materials.—74-09566A
Interrelation of Young's modulus of pyrolytic carbon and pyrolytic graphite with their texture.—74-07167A
Strength and Young's modulus behavior of a partially sintered porous alumina.—74-02206A
Young's modulus and Poisson's ratio of CVD diamond.—74-11132A
Young's modulus of ceramics at elevated temperature (2nd report).—74-07195A
Young's modulus of thin ZrO_2 films obtained by the sol-gel method.—74-05400A

ytterbia,
Comparative properties study of ytterbia-doped zirconia with its alumina composite.—74-05100A

ytterbium,
Cooperative luminescence in a Yb-doped silica fiber.—74-08363A
Difference between forming processes of $RBa_2Cu_3O_{7-\delta}$ (R=3Y, Yb) phases and preparation of single-phase Yb-123 superconductor.—74-00797A
Effect of Yb^{3+} on red to blue conversion fluorescence of Tm^{3+} in fluorozirconate glass.—74-05712A
Laser, optical, and thermomechanical properties of Yb-doped fluorapatite.—74-07169A
Oxidation-induced changes in phase composition of dense silicon nitride.—74-01419A
Phase development in the system Yb-In-Se.—74-01423A
Phase formation in films of the As_2Se_3-Yb system.—74-01432A
RT cw laser action of Y_2SiO_5-Yb^{3+}, Er^{3+}.—74-03205A

yttria,
Ac impedance characterization of translucent cubic zirconia solid solution.—74-04466A
Ceramic ionic conductors based on stabilized zirconia.—74-08727A
Ceramic material and insulating coating made thereof—74-01312P
Ceramic–ceramic diffusion bonding using nanocrystalline interlayers.—74-01626A
Coating of ceramic fibers with yttria films.—74-10226A
Computer simulation of twin formation during the displacive $c \rightarrow \pi'$ phase transformation in the zirconia-yttria system.—74-04111A
Cr_2O_3 particulate reinforced Y-TZP ceramics with high fracture toughness and strength.—74-02108A
Degradation of Y-TZP in moist environments.—74-01366A
Dehydration and crystallization kinetics of zirconia-yttria gels.—74-04123A
Densification behavior and microstructural features of 3Y-TZP with and without additives.—74-01658A
Deposition and properties of yttria-stabilized Bi_2O_3 thin films using reactive direct current magnetron cosputtering.—74-01661A
Development of high-density Y_2O_3-ZrO_2/Al_2O_3 composites as solid electrolyte for SOFC.—74-04546A
Diffusive interaction in the system ZrO_2-Y_2O_3-BaO-CuO.—74-07070A
Effect of an oxide coating on the strength properties of boron and silicon carbide fibers.—74-02122A
Effect of heat treatment on the microstructure and properties of dense AlN sintered with Y_2O_3 additions.—74-10285A
Effect of silica on the cyclic life of a zirconia-yttria thermal barrier coating.—74-08177A
Effect of sintering atmosphere and alumina precursors on the sequence of solid-state reactions in the AlN-Y_2O_3-Al_2O_3 system.—74-07075A
Effect of stress on trapped cracks in Y-TZP.—74-02127A
Effect of Y_2O_3 particles on the creep behavior of polycrystalline MgO.—74-10979A
Effect of yttrium doping in sintering of fine-grained alumina.—74-04594A
Electrical behavior of ZrO_2-MgO-Y_2O_3 solid electrolyte.—74-05932A
Electrical properties of ZrO_2-12 mol% Y_2O_3 single crystals.—74-02836A
Fabrication of Y_2O_3-ZrO_2 and CaO-ZrO_2 fibers by sol-gel process and their phase characterization by Raman microprobe.—74-04632A
Fast temperature changes during high-temperature creep of stabilized ZrO_2.—74-07567A
Grain boundary phase analysis of silicon nitride by a newly developed 300 kV field-emission electron microscope.—74-10809A
High-temperature precipitation hardening of Y_2O_3 partially stabilized ZrO_2 (Y-PSZ) single crystals: II, A quantitative model for the hardening.—74-02155A
Influence of processing conditions on the microstructure and mechanical properties of sintered yttrium oxides.—74-04703A
Influence of sintering additives on the thermal conductivity of AlN ceramics.—74-10418A
Influence of sintering aids on the thermal conductivity of AlN ceramics.—74-01294A
Internal state population and the time-of-flight of ground-state species ejected after the 190 nm excimer laser ablation of CuO, BaO_2, and Y_2O_3.—74-03502A
Ionic and electronic conductivity of TiO_2-Y_2O_3-stabilized tetragonal zirconia polycrystals.—74-00498A
Low-temperature sinter forging of nanostructured Y-TZP.—74-01788A
Magnetic and charge dynamics in a doped 1-D transition metal oxide.—74-07374A
Mechanical and dielectric loss measurements in Y_2O_3-ZrO_2 and TiO_2-Y_2O_3-ZrO_2 ceramics.—74-01949A
Metallic oxides—74-01260P
Metastable phase in yttrium oxide plasma-spray deposits and their effect on coating properties.—74-10008A
Method of producing sintered silicon nitrides.—74-09941P
Microstructural and electrical study of ZrO_2-Y_2O_3-TiO_2 at different sintering temperatures.—74-04752A
Mixed conduction and oxygen permeation of ZrO_2-$Tb_2O_{3.5}$-Y_2O_3 solid solutions.—74-00511A
Morphology of very thin layers made by electrochemical vapor deposition at low temperatures.—74-01809A
Phase structures in *n*-Y_2O_3.—74-07710A
Polymeric precursors for yttria.—74-10535A
Possibility of spinodal decomposition in ZrO_2-Y_2O_3 alloys: a theoretical investigation.—74-07105A
Preparation and characteristics of Y_2O_3-doped CeO_2 film by rf magnetron sputtering.—74-07718A
Preparation and characterization of fine-grained (Mg,Y)-PSZ ceramics with spinel additions.—74-01238A
Preparation and elastic properties of rf-sputtered amorphous films in the system SiO_2-Y_2O_3.—74-05383A
Preparation and properties of yttrium-doped lithium zirconate.—74-01846A
Preparation of yttria-stablized zirconia films by the electrochemical vapor deposition.—74-10573A
Processing of nanostructured zirconia ceramics.—74-07450A
Properties of laser pulse deposited oxide films.—74-03970A
Properties of laser-deposited yttria films on CdTe and silicon substrates.—74-09016A
Properties of yttrium oxide thin films on silicon(100) prepared by evaporation of yttrium in atomic oxygen.—74-09017A
Relation between flexural strength and phase transformation in ground tetragonal zirconia.—74-02190A
Review of ultrafine particle generation by laser ablation from solid targets in gas flows.—74-07467A
Routes to deagglomerated nanopowder by chemical synthesis.—74-10616A
Stability of tetragonal precipitates in Y_2O_3 partially stabilized ZrO_2 single crystals.—74-01461A
Study of the Si_3N_4-SiO_2-Y_2O_3 system—sintering, $\alpha \rightarrow \beta$, transformation, and microstructure.—74-07498A
Subcritical crack growth and *R*-curve behavior in Al_2O_3-toughened Y-TZP.—74-02209A
Superplasticity in Y_2O_3/Al_2O_3/silicon nitride obtained by hot isostatic pressing.—74-07501A
Synthesis of yttria powders by electrospray pyrolysis.—74-04949A
Thermodynamic stability of the lithium zirconates and lithium yttrate.—74-10046A
Tribological characteristics of zirconia-yttria ceramics.—74-07933A
Two-stage consolidation of silicon nitride under static gas pressure.—74-04974A
TZP's in the TiO_2-Y_2O_3-ZrO_2 system.—74-01484A
Yttria-alumina fibers—74-01275P
Yttria-zirconia slurries and mold facecoats for casting reactive metals.—74-08655P
Zirconia-based composites.—74-07553A

yttrium aluminum garnet (YAG),
Acoustic EPR and radiation-induced transitions of iron ions in YAG.—74-03364A
Acoustooptic actively mode-locked frequency-doubled continuous-wave Nd:YAG laser.—74-02906A
Aluminum carbide (Al_4C_3) in precursors for $YAlO_3$ crystal growth.—74-10189A
Bend stress relaxation of Al_2O_3-YAG eutectic fibers.—74-10950A
Continuous-wave single-frequency operation of diode laser-pumped Nd:YAG laser.—74-06015A
Decay kinetics of luminescence of autolocalized excitons in Al_2O_3 and $Y_3Al_5O_{12}$.—74-03368A
Diffraction coupled high-power Nd:YAG lasers.—74-08861A
Drilling fine holes using phase conjugate laser.—74-06046A
Effects of deposition parameters on the structure, morphology, and chemical composition of PLZT thin films.—74-10307A
Energy transfer of Er^{3+} and Cr^{3+} to Tm^{3+} ions in YAG crystals.—74-06457A
Fabrication and optical properties of high-performance polycrystalline Nd:YAG ceramics for solid-state lasers.—74-04316A
Fabrication of polycrystalline, transparent YAG ceramics by a solid-state reaction method.—74-01728A
Fast frequency stabilization of a diode-laser pumped monolithic Nd:YAG laser with an extra-cavity electro-optical modulator.—74-08908A
Fracture characteristics of Czochralski-grown $Y_3Al_5O_{12}$.—74-07876A

Generation of nearly transform limited fs pulses by pulse compression of an APM YAG laser.—74-08923A
High-hot-strength ceramic fibers.—74-06976A
Influence of sintering additives on the thermal conductivity of AlN ceramics.—74-10418A
Influence of sintering aids on the thermal conductivity of AlN ceramics.—74-01294A
Influence of spherical aberration of the active medium on the performance of Nd:YAG lasers.—74-00640A
Internally folded Nd:YAG and Nd:YVO_4 lasers pumped by laser diodes.—74-08940A
Intracavity 1.549-μm pumped 1.634-μm Er:YAG lasers at 300 K.—74-06164A
Light pumping effect on dielectric properties of $Y_3Al_5O_{12}$:Nd crystals.—74-03384A
Magnetic susceptibility of YAG:Ce^{3+} crystals.—74-03392A
Microstructural stability and strength retention in directionally solidified Al_2O_3-YAG fibers.—74-11053A
Nd:YAG microchip laser pumped by diode laser (LD).—74-08964A
Performance of a Cr:YAG laser.—74-00678A
Polycrystalline yttrium aluminum garnet fibers from colloidal sols.—74-07416A
Preliminary experiments of inside-pumped miniature Nd:YAG tube laser.—74-03176A
Pressure dependence of Sm:YAG fluorescence to 50 GPa: a new calibration as a high pressure scale.—74-10139A
Principles of molecular precursor selection for aerosol synthesis of materials.—74-07443A
Proton transfer dye laser pumped by a third harmonic of an Nd:YAG laser.—74-01566A
Pulsed dye amplification and frequency doubling of single longitudinal mode semiconductor lasers.—74-00693A
Reasonable practical XUV laser for applications.—74-09021A
Simple 1 μm ring laser oscillators pumped by fiber-coupled laser diodes.—74-09037A
Study of 1.319 μm continuous wave (cw)Nd-YAG mode-locking laser.—74-03737A
Synthesis and particle growth mechanism of bright green phosphor YAG:Tb.—74-06346A
Synthesis of Nd^{3+},Ce^{3+}-codoped YAG ceramics for high-efficiency solid-state lasers.—74-00661A
TEM_{00} mode high-efficient cw-Nd:YAG laser end-pumped by laser diode.—74-02589A
Thermal beam distortions in end-pumped Nd:YAG, Nd:GSGG, and Nd:YLF rods.—74-06354A
Thermal modeling for mode-size estimation in microlasers with application to linear arrays in Nd:YAG.—74-09068A
Transient modeling of pulsed phase conjugation experiments in a saturable Nd:YAG amplifier.—74-09072A
Vector approach to the geometrical dependence of polarization rotation in a nonplanar cw Nd:YAG laser.—74-09079A

yttrium barium copper oxide (Y-Ba-Cu-O),
3-D *x-y* scaling of the specific heat of $YBa_2Cu_3O_{7-\delta}$ single crystals.—74-04243A
Adsorption on grain boundaries and superconducting parameters of ceramics.—74-03414A
Aging characteristics of ferroelectric epitaxial $BaTiO_3$/$YBa_2Cu_3O_7$ heterostructures.—74-09107A
Analysis of the electric field gradients and the Knight shifts at all Cu and O nuclei in $YBa_2Cu_3O_7$.—74-00783A
Angular dependence of J_c of *c*-axis-oriented MOCVD YBCO film.—74-03415A
Angular dependence of J_c for epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films.—74-09234A
Angular dependence of the magnetoabsorption of *c*-axis-oriented YBCO thin films.—74-09235A
Anisotropic dynamical scaling near the vortex-glass transition of twinned $YBa_2Cu_3O_{7-\delta}$.—74-04249A
Anomalous behavior of Hall coefficient and thermoelectric power of $YBa_2Cu_3O_{6+x}$ and $La_{2-x}Sr_xCuO_4$ above room temperature.—74-00784A
Anomalous composition dependence of T_c near $T_{c\max}$ and microstructure of $YBa_2Cu_3O_{7-x}$.—74-06481A
Anomalous dc field/dependence of nonresonant rf absorption at high rf fields in $YBa_2Cu_3O_{7-x}$.—74-03416A
Anomalous softening of high-T_c $YBa_2Cu_3O_{7-\delta}$ single-crystal superconductors.—74-06486A
Antiparamagnons and anomalies of the tunnel density of states in YBCO.—74-06490A
Applicability of the critical state model to small ceramic Y-Ba-Cu-O particles in low magnetic fields.—74-09238A
Application of high temperature electrochemical techniques to $YBa_2Cu_3O_{7-y}$.—74-00785A
Atomic force microscopy study of the fractal shape of residual barium cuprate/copper oxide flux on the surface of $Y_2Ba_4Cu_7O_{15}$ and $YBa_2Cu_4O_8$ single crystals.—74-06492A
Behavior of the flux flow resistance in YBCO/$(Ag_2O)_x$.—74-06493A
Biepitaxial weak links based on $YBa_2Cu_3O_{7-\delta}$ on $NdGaO_3$.—74-06496A
Bose glass melting in YBaCuO crystal with correlated disorder.—74-04255A
Broadening of resistance transition for melt-textured $YBa_2Cu_3O_7$.—74-03418A
Candidate HTSC film substrates of complex oxide perovskite compositions.—74-09240A
Characteristics of $YBa_2Cu_3O_x$ thin films prepared by spin coating technique.—74-03422A
Characterization of the texturing of $YBa_2Cu_3O_{7-\delta}$ in the presence of liquid phase additives.—74-06497A
Characterization of $YBa_2Cu_3O_{7-x}$ thin films deposited by high pressure oxygen sputtering.—74-03424A
Charge fluctuation influence on the axial oxygen position in YBCO.—74-04262A
Charge-excitation picture of the Cu NMR Knight shift and relaxation in $YBa_2Cu_4O_8$ deduced from a three-band model.—74-09243A
Chemical preparation of $YBa_2Cu_3O_x$ superconductors.—74-03425A
Coating process for depositing extremely hard films on substrates.—74-03747P
Coherent and incoherent specular inverse Faraday effect in $YBa_2Cu_3O_{7-\delta}$.—74-03428A
Cold forming of long rods from $YBa_2Cu_3O_{7-x}$ powder.—74-00788A
Comparison of the effects of PtO_2 and $BaSnO_3$ additions on the refinement of $Y_2BaOCuO_5$ and magnetization of textured $YBa_2Cu_3O_{6+x}$.—74-06499A
Composition of pulsed-laser-deposited Y-Ba-Cu-O and Ba-K-Bi-O thin films.—74-06500A
Composition of thin films deposited by ion beam sputtering of a compound target: case of Y-Ba-Cu-O.—74-03430A
Conductivity of semiconductor phase of $YBa_2Cu_3O_{6+x}$ ($0.26<x<0.38$) in the 2–300 K temperature range.—74-03432A
Continuous preparation of YBCO/Ag superconducting tape by new MOCVD reactor.—74-06502A
Contributions to the high-temperature behavior of $YBa_2Cu_4O_{7-y}$.—74-00790A
Correlation between critical temperature and structural changes in $YBa_2Cu_3O_7$ under low-fluence fast-neutron irradiation.—74-06503A
Correlation between normal state resistivity and T_c in oxygen-deficient $YBa_2Cu_3O_{7-\delta}$.—74-03434A
Correlation of pressure and position during in situ $YBa_2Cu_3O_{7-\delta}$ film preparation by facing target magnetron sputtering (FTMS).—74-06504A
Critical current in electrophoretically deposited thick films of YBCO superconductor.—74-00792A
Cu NMR and NQR studies of impurities-doped $YBa_2(Cu_{1-x}M_x)_3O_7$ (M=Zn and Ni).—74-00793A
^{63}Cu NQR/NMR study of Zn-substituted $YBa_2Cu_4O_8$: effect of impurity on spin-gap-like behavior.—74-00794A
^{63}Cu nuclear relaxation study in the mixed superconducting state in $YBa_2Cu_3O_7$: magnetic excitation at low temperatures.—74-03436A
Current limiting choke coil—74-00863P
Decomposition of $YBa_2Cu_3O_{7-x}$ at low oxygen pressures.—74-00795A
Defect study of plastically deformed $YBa_2Cu_3O_{7-\delta}$ ceramics.—74-06507A
Dendritic growth of $YBa_2Cu_3O_x$.—74-09249A
Dependence of critical current density on microstructure and processing of high-T_c superconductors.—74-06508A
Deposition by plasma-assisted laser ablation and maskless patterning of $YBa_2Cu_3O_{7-x}$ superconducting thin films.—74-03439A
Deposition of epitaxial films of multicomponent compounds by magnetron sputtering, with $YBa_2Cu_3O_{7-\delta}$ as an example.—74-04275A
Deposition of $YBa_2Cu_3O_{7-\delta}$ thin films by channel-spark pulsed electron beam ablation.—74-03440A
Determination of angular distributions of excimer-laser-induced plasma near $YBa_2Cu_3O_{7-x}$ target surface.—74-09250A
Development and characterization of $GdBa_2NbO_6$, a new ceramic substrate for YBCO thick films.—74-01669A
Difference between forming processes of $RBa_2Cu_3O_{7-x}$ (R=3Y, Yb) phases and preparation of single-phase Yb-123 superconductor.—74-00797A
Diffusion and dynamical randomness of the flux flow in high-temperature superconductors.—74-03442A
Diffusive interaction in the system ZrO_2-Y_2O_3-BaO-CuO.—74-07070A
Directional solidification of sintered bulk $Y_1Ba_2Cu_3O_x$ superconductors by zone melting.—74-00798A
Dislocations and flux pinning in $YBa_2Cu_3O_7$.—74-06514A
Distribution of holes between CuO_2 and CuO_x planes in the $YBa_2Cu_3O_{6+\delta}$ compound.—74-04129A
Double low-field absorption [DLFA] in high-T_c superconductor single crystals.—74-06515A
Dy_2BaCuO_5 distribution size in melt-textured $DyBa_2Cu_3O_x$ superconductors prepared by the horizontal Bridgman method.—74-06516A
Dynamics of ions and isotope effect in $YBa_2Cu_3O_{7-\delta}$.—74-03444A
Effect of a magnetic field on the amplitude dependence of interface friction and shear modulus of yttrium ceramics at 4.2–300 K.—74-04280A
Effect of Ag concentration on the structure and acoustic properties of the HTS composite $YBa_2Cu_3O_x$-Ag.—74-03446A
Effect of electron irradiation on the peak effect in $YBa_2Cu_3O_x$ single crystals.—74-03447A
Effect of Er211 additions on the microstructure and magnetic properties of zone melt-textured Y123.—74-06518A
Effect of $Mg(OH)_2$ on $YBa_2Cu_3O_7$ thin film on MgO substrate studied by atomic force microscope.—74-06519A
Effect of Na doping on properties of YBCO superconductors.—74-09256A
Effect of oxygen content in $YBa_2Cu_3O_{7-\delta}$ ceramics on kinetics of its thermal evolution.—74-06520A
Effect of oxygen pressure on the orientation of $YBa_2Cu_3O_{7-x}$/$SrTiO_3$ films deposited on (1102)Al_2O_3 substrates.—74-01688A
Effect of sample quality on 1/*f* noise in Y-Ba-Cu-O ceramics.—74-03451A
Effect of silver concentration on electric and magnetic properties of HTS composites $YBa_2Cu_3O_x$-Ag.—74-03452A
Effect of $YBa_2Cu_3O_{7-x}$ grain size on the nucleation of Y_2BaCuO_5 during melt texturing.—74-00799A
Effects of helium gas adsorption on the phonon drag of granular $YBa_2Cu_3O_{7-\delta}$.—74-03453A
Effects of neutron irradiation on high-T_c superconductors (HTSC).—74-06528A
Effects of photoir:'uced hole doping on normal-state and superconducting transport in oxygen-deficient $YBa_2Cu3Ody$.—74-04290A
Effects of plasma enhancement on the carrier-gas-free metallorganic chemical vapor deposition of oxide superconducting thin films.—74-00800A
Effects of platinum and oxygenation on microstructure in $YBa_2Cu_3O_{7-\delta}$/Y_2BaCuO_5 bulk materials.—74-06529A
Effects of processing on electrical properties of $YBa_2Cu_3O_7$ films: II, In situ deposition processes.—74-00801A
Effects of shock-induced defect density on flux pinning in melt-textured $YBa_2Cu_3O_{7-\delta}$.—74-06530A
Elastic constants and Debye temperature of $Y_1Ba_2Cu_3O_x$: effect of oxygen content.—74-00803A
Elastic properties of high-T_c superconductors: elastic systematics in $YBa_2Cu_3O_{7-\delta}$/Ag composites.—74-06531A
Electrical and ir characterization of the semiconducting phases of $YBa_2Cu_3O_{6-x}$.—74-09263A
Electromagnetic properties and structure of the $YBa_2Cu_{3-x}Sc_xO_x$ ceramic near $T>T_c$.—74-03455A
Electron density in a $YBa_2Cu_3O_7$ crystal upon displacement of Ba^{2+} by a rare-earth ion (R^{3+}).—74-06532A
Electronic instability at high fluxflow velocities in HTSC films.—74-06534A
Electronic properties at the grain-boundary interface of $YBa_2Cu_3O_{7-\delta}$ bicrystal Josephson junction.—74-04308A
Electronic structural changes in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ single crystals due to Pr 4*f* states.—74-05137A
Electronic structure of insulating $YBa_2Cu_3O_{6+x}$: from Mott-Hubbard insulator to Fermi glass via oxygen doping.—74-00805A
Emission studies of the plume produced during $YBa_2Cu_3O_7$ film production by laser ablation.—74-03458A
End-point detection by sputtered neutral mass spectrometry in ion milling of prepatterned semiconductor and high-T_c superconductor films.—74-06766A
Enhancement of crystallinity in $YBa_2Cu_3O_{7-x}$ ceramic by water or NaOH solution attack.—74-00808A
Enhancement of mechanical properties of 123 superconductors.—74-09364P
Epitaxial deposition.—74-03626P
Epitaxial growth of $Ba_{1-x}Sr_xTiO_3$ thin films on $YBa_2Cu_3O_{7-x}$ electrode by PE-MOCVD.—74-07301A
Epitaxial relationships of the *a*-axis-oriented $YBa_2Cu_3O_{7-x}$ thin films on the $PrBa_2Cu_3O_{7-x}$ buffered $SrTiO_3$(100) by two-step PLD.—74-09266A
Epitaxial $YBa_2Cu_3O_{7-\delta}$ films on (110)$YAlO_3$.—74-03459A
Epitaxy of $YBa_2Cu_3O_{7-x}$ on silicon on sapphire—possibilities and limits.—74-09267A
Evidence for long localization length along *b*-axis $PrBa_2Cu_3O_7$ in *b*-axis $YBa_2Cu_3O_7$/*a*, *b*-axis $PrBa_2Cu_3O_7$ superlattices.—74-06537A
Evidence for mean free path fluctuation induced pinning in $YBa_2Cu_4O_8$ films.—74-04313A
Evidence of a Bose glass transition in superconducting $YBa_2Cu_3O_7$ single crystals with columnar defects.—74-04314A
EXAFS studies on Pt-doped YBCO.—74-06538A
Examination of particles and outgrowths on the surface of epitaxial $YBa_2Cu_3O_7$ thin films.—74-09269A
Experimental implementation of high-T_c-based RSFQ set-reset trigger at 4.2 K.—74-06539A
Experimental investigations of superconductivity in quasi-two-dimensional epitaxial copper oxide superlattices and trilayers.—74-06540A
Experimental study of the transport properties of a flexible high-T_c superconducting cable.—74-06541A
Fabrication and performance study of a $YBa_2Cu_3O_{7-\delta}$ thin-film varistor.—74-00616A
Fabrication issues in optimizing $YBa_2Cu_3O_{7-x}$ flux transformers for low 1/*f* noise.—74-06545A
Fabrication of biaxially oriented YBCO on (001) biaxially oriented yttria-stabilized zirconia on polycrystalline substrates.—74-09271A
Fabrication of highly pure and small-particle-size $YBa_2Cu_3O_7$ superconducting powder by oxalate coprecipitation.—74-06546A
Factors affecting Y_2BaCuO_5 precipitate size during melt processing of $YBa_2Cu_3O_{7-x}$.—74-06548A
Flux lattice melting, flux pinning, and superfluid density tensor in $YBa_2Cu_3O_{7-\delta}$.—74-03464A
Flux line matching effects in $YBa_2Cu_3O_{7-x}$ thin films.—74-04319A
Flux pinning effect of small size defects in $YBa_2Cu_3O_{7-\delta}$.—74-03465A
Formation of Cu-rich particles on the surface of $YBa_2Cu_3O_{7-x}$ thin film grown by in situ off-axis sputtering.—74-09276A
Formation of $YBa_2Cu_3O_{7-x}$ thin films by pulsed ruby laser ablation.—74-06551A
Generation and mobility of electronic charge carriers in $Y_1Ba_2Cu_3O_x$.—74-03469A
Giant T_c depression effect in $YBa_2Cu_3O_{7-\delta}$ doped simultaneously with Zn and Fe.—74-03470A
Grain orientation of the $YBa_2Cu_3O_x$ superconducting thin films prepared by the low-pressure plasma flash evaporation technique and its dependence on the starting composition.—74-06553A
Growth and properties of $YBa_2Cu_3O_{7-x}$/($SrTiO_3$/$PrGaO_3$)/$YBa_2Cu_3O_{7-x}$ trilayers: optimization of the insulation.—74-03471A
Growth frustration of YBaCuO films at the transition from *a*- to *c*-axis orientation.—74-03472A
Growth of a,b-axis oriented perovskite thin films.—74-03628P
Growth of thin CeO_2-$YBa_2Cu_3O_7$ superlattices.—74-00813A
Growth of $YBa_2Cu_3O_{7-x}$ thin films by MOCVD.—74-03475A
Hall angle evidence for the superclean regime in 60 K $YBa_2Cu_3O_{6+y}$.—74-06554A
Hall effect and anisotropy of second type-II superconductors in mixed state.—74-03476A
Hall effect in $YBa_2Cu_3O_{7-\delta}$ in the limit of free flux flow.—74-04326A

Harmonic mixing at mm waveband in a high temperature superconducting grain boundary Josephson junction.—74-09281A

High field magnetization study of $YBa_2Cu_4O_8$.—74-03480A

High-T_c superconducting high power couplers.—74-09367P

High-T_c microbridge superconductor device utilizing stepped edge-to-edge SNS junction.—74-03630P

High-T_c superconductor $Y_1Ba_2Cu_3O_{7-\delta}(F_x)$: magnetism and ESR measurements.—74-09284A

High-T_c superconductor $YBa_2Cu_3O_{7-\delta}$—magnetism and ESR measurements.—74-09285A

High-T_c thin film edge weak link junctions.—74-03482A

High-quality YBaCuO thin film growth by low-temperature metallorganic chemical vapor deposition using nitrous oxide.—74-06556A

High-temperature oxygen transport and electrochemical behavior of $YBa_2Cu_3O_x$.—74-00814A

High-temperature superconducting thin films in strong electric fields.—74-00815A

High-temperature superconductivity.—74-09287A

Homogeneity in the polyether alkoxide sol-gel synthesis of $YBa_2Cu_3O_{7-\delta}$.—74-09288A

HTS ceramic conductivity increase preceding the N-S transition.—74-03487A

Hydrogen-induced oxygen nonstoichiometry of Y_2BaCuO_5.—74-06558A

Hysteresis of adsorption in YBCO textured ceramic plate.—74-03488A

Improved barium fluoride process $YBa_2Cu_3O_{7-x}$ films via postanneal monitoring.—74-03489A

In situ deposition of $YBa_2Cu_3O_{7-x}$ superconducting thin film without high pressure oxygen during film cooling.—74-00817A

In situ laser ablation method for forming oxide superconducting films.—74-03632P

In-plane lattice constant relaxation during laser ablation of YBCO and yttria-stabilized zirconia.—74-04695A

Indentation deformation and fracture of HT superconducting crystals—$YBa_2Cu_3O_{7-\delta}$.—74-03490A

Inelastic neutron scattering study of hydrogen in superconducting ceramics.—74-03491A

Inelastic neutron scattering study of vibration anharmonism of copper and oxygen atoms in yttrium ceramics.—74-03492A

Influence of atmosphere on the formation behavior of $YBa_2Cu_3O_{7-x}$.—74-06562A

Influence of excess yttrium and platinum on the growth behavior of $YBa_2Cu_3O_{7-\delta}$ and Y_2BaCuO_5.—74-06563A

Influence of Gd, Zn, Fe, and Al substitutions on the tunneling characteristics of the Y-Ba-Cu-O system.—74-09289A

Influence of long-range elastic interactions on the tetragonal-to-orthorhombic phase transition in $YBa_2Cu_3O_x$.—74-06564A

Influence of Te and Ag additions on the synthesis of high-T_c superconductors.—74-03494A

Influence of the deposition rate on the ratio *a*/*c*-axis-oriented grains in sputtered YBaCuO films.—74-03495A

Inhibition patterning of oxide superconducting films with Si ion implantation.—74-06567A

Interaction between $Nd_{0.4}Sr_{0.6}Al_{0.7}Ta_{0.3}O_3$ and $YBa_2Cu_3O_7$ films deposited by sputtering.—74-03496A

Interaction of $YBa_2Cu_3O_{7-\delta}$ coatings with metallic substrates.—74-00819A

Interactions of $YBa_2Cu_3O_{7-\delta}$ with fluorides of Ba, Sr, and Ca.—74-00820A

Interface reactions and diffusion in ZnO-$YBa_2Cu_3O_{7-x}$ and Fe_2O_3-$YBa_2Cu_3O_{7-x}$ systems.—74-03501A

Investigation of $SrRuO_3$ barriers in SNS Junctions.—74-06569A

Investigation of the internal magnetic field in high-temperature superconductors by the NQR method.—74-03505A

Investigations on nanocrystalline state in $YBa_2Cu_3O_{7-x}$ powder of 0.15 micrometer equivalent in size to λ_L.—74-03506A

Ion-channeling analysis of defects in epitaxial films of $YBa_2Cu_3O_7$.—74-05025A

Ir response of granular YBCO semiconducting films.—74-03078A

Isothermal residual magnetization in $YBa_2Cu_3O_{7-x}$.—74-04341A

J_c and pinning mechanism of epitaxial $YBa_2Cu_3O_{7-\delta}$.—74-09231A

Josephson and quasi-particle currents in partially dielectrized superconductors with spin density waves.—74-03508A

Josephson break junction thin film device.—74-03633P

Large area pulsed laser deposition [PLD] of YBCO thin films and buffer layers on 3-inch wafers.—74-09294A

Lateral magnetic force and stiffness between a high-T_c superconductor and magnet of rectangular shapes.—74-09295A

Lattice mismatch induced stress field pinning in Y-123 superconductors.—74-03509A

Lock-in oscillations in magnetic hysteresis curves in $YBa_2Cu_3O_{7-x}$ single crystals.—74-04344A

Low-frequency anomalies in conductivity of superconducting metal oxides in the normal state.—74-03510A

Low-temperature internal friction spectrum of Ca-doped $YBa_2Cu_3O_{6+x}$.—74-06573A

Low-temperature quenching of $YBa_2Cu_3O_{7-\delta}$.—74-00823A

Low-temperature synthesis of $YBa_2Cu_3O_{8-x}$ and other crystalline oxides.—74-03634P

Luminescence quenching dynamics of ceramic $YBa_2Cu_3O_{7-\delta}$ near the superconducting transition.—74-03511A

Magnetic field dependence of the density of states of $YBa_2Cu_3O_{6.95}$ as determined from the specific heat.—74-09298A

Magnetic field distribution above a superconducting Y-Ba-Cu-O sample as an indication of sample inhomogeneities.—74-06575A

Magnetic flow instabilities in textured samples of YBaCuO.—74-09299A

Magnetic force microscopy on high-T_c superconductors.—74-06576A

Magnetic response of a YBaCuO film supporting an alternating current.—74-03513A

Magnetic-field-effect three-terminal device based on $YBa_2Cu_3O_{7-\delta}$ grain boundary junctions.—74-09300A

Magnetization of polycrystalline YBaCuO superconductors in medium fields.—74-03515A

Magnetization relaxation in $YBa_2Cu_3O_{7-\delta}$.—74-09303A

Magnetocaloric effects in $YBa_2Cu_3O_{7-\delta}$: evidence for a surface barrier.—74-04354A

Magnetooptical polar Kerr effect [MOPKE] in orthorhombic $YBa_2Cu_3O_{6.5\pm0.1}$ crystals.—74-06578A

Magnetostatic surface waves in ferrite-superconductor contacts.—74-09304A

Manufacturing of $YBa_2Cu_3O_7$ coatings by low-pressure and atmospheric plasma spraying for magnetic shielding applications.—74-09305A

Measurement of surface resistance for YBCO thick film.—74-09306A

Measurement of the *ab* plane anisotropy of microwave surface impedance of untwinned $YBa_2Cu_3O_{6.95}$ single crystals.—74-09307A

Measurement of the complex conductivity of high-temperature superconductors by perturbations of a volume resonator.—74-03518A

Measurements of critical currents as a function of temperature in $YBa_2Cu_3O_{7-x}$ thin films: a comparative study.—74-06581A

Metallurgical reactions and enhanced magnetic field shielding in YBCO-PbS superconductors.—74-06585A

Method for the measurement of the thermal conductivity tensor in thin layers.—74-06586A

Method for the rapid production of superconducting ceramic wires or ribbons.—74-03642P

Method of manufacture of single phase ceramic superconductors.—74-09375P

Method of manufacturing an oxide superconductor film—74-00873P

Method of manufacturing superconductor—74-00874P

Microplastic deformation under cyclic bending of yttrium-based HTS ceramic plates.—74-01541A

Microstructural and crystal defects in $YBa_2Cu_3O_{7-x}$ ceramics.—74-03521A

Microstructural studies of some HTSC oxides.—74-03523A

Microstructure and defects in melt-textured growth $YBa_2Cu_3O_{7-x}$.—74-03524A

Microstructure and superconducting properties of highly dense $Ba_2RCu_4O_8$ (R=rare earth) ceramics by two-stage sintering.—74-03525A

Microstructure flux pinning and critical current density in $YBa_2Cu_3O_{7-\delta}$ films grown by laser ablation.—74-03526A

Microstructure of melt-textured $YBa_2Cu_3O_7$ monolithic ceramics.—74-03528A

Microstructure of textured YBaCuO made under low thermal gradient—a path to understand the texturing mechanism.—74-03529A

Microstructures and superconductivity of ultrathin $YBa_2Cu_3O_7$ films.—74-03530A

Microwave performance–property relationships of $YBa_2Cu_3O_{7-\delta}$ thin films grown on $LaAlO_3(001)$ substrate.—74-03532A

Microwave sintering of materials with particular electric or magnetic properties.—74-07384A

Miniature multitarget sputtering system for the in situ X-ray study of high-T_c multilayer film growth.—74-00956A

MOCVD growth of epitaxial $SrTiO_3$ thin films on $YBa_2Cu_3O_{7-x}/LaAlO_3$.—74-07385A

Modeling of deposition and resputtering rate profiles in planar face-to-face sputtering systems.—74-07390A

Modification of structural and transport properties in epitaxial $YBa_2Cu_3O_x$ films by pulsed laser irradiation.—74-09309A

Modified method for obtaining highly textured YBaCu ceramics.—74-06588A

Modulated high-frequency and microwave absorption in ceramic high-temperature superconducters.—74-03533A

Modulations in the CuO chain layer of $YBa_2Cu_3O_{7-\delta}$—charge waves.—74-06589A

Monolithic YBCO structures fabricated using the laser writing patterning technique.—74-06591A

Monte Carlo simulation of electron-beam exposure distributions in the resist on structures with high-T_c superconducting thin films.—74-06592A

Morphology of Y_2BaCuO_5 and segregation of second phase particles in melt-textured Y-Ba-Cu oxides with/without $BaCeO_3$ addition.—74-06593A

Nature of quasi-local vibrational modes in $YBa_2Cu_3O_7$ crystals with oxygen vacancies.—74-05038A

Nature of the T_c shift under uniaxial compression of $YBa_2Cu_3O_{7-\delta}$.—74-00826A

New ESR spectrum in the Y-Ca-Ba-La-Cu-O high-T_c superconductor system.—74-06594A

New model for the in-plane permittivity of $YBa_2Cu_3O_7$ films in the mid-ir range.—74-03539A

New muon spin rotation measurement of the temperature dependence of the magnetic penetration depth in $YBa_2Cu_3O_{6.95}$.—74-04373A

New process with a potential to rapidly texture bulk $YBa_2Cu_3O_x$ superconductor.—74-06595A

Nonequilibrium processes induced by microwave field and by supercritical direct current in $YBa_2Cu_3O_{7-x}$.—74-03540A

Nonlinear irreversible rf impedance of granular YBaCuO films.—74-03542A

Nonperturbative ion etching of YBaCuO thin films.—74-03543A

Normal-state $YBa_2Cu_3O_x$ films: a new fast thermal detector for infrared laser radiation with a uniform wavelength response.—74-03544A

Observation of a nonlocal conductivity in the mixed state of $YBa_2Cu_3O_{7-\delta}$: experimental evidence for the vortex line liquid.—74-05040A

Observation of Josephson pair tunneling between $YBa_2Cu_3O_{7-\delta}$ and a conventional superconductor (Pb).—74-04375A

Observation of nonohmic component of spontaneous conductivity fluctuations in $YBa_2Cu_3O_{7-x}$ thin films.—74-09315A

Observation of the quasi-particle Hall effect in superconducting $YBa_2Cu_3O_{7-\delta}$.—74-06599A

Optical spectroscopy of superconductors—changes of electron structure and electron processes in $YBa_2Cu_3O_{7-\delta}$ when crossing over from underdoping to overdoping.—74-06600A

Optimization of J_c for photoassisted MOCVD-prepared YBCO thin films by robust design.—74-06601A

Orbital and spin susceptibilities of the plane copper sites in $YBa_2Cu_3O_x$ system.—74-01555A

Orientation texture in $YBa_2Cu_3O_{7-\delta}$ films synthesized from amorphous precursors.—74-06604A

"Oriented film growth," not "epitaxy" in HTSC film growth.—74-00828A

Orthorhombicity, antiferromagnetism, and superconductivity in $YBa_2Cu_3O_{6+x}$.—74-09317A

Oxygen disorder effects on the electronic structure of $YBa_2Cu_3O_{6+\delta}$.—74-06606A

Oxygen order, structure, and superconductivity in $YBa_2Cu_3O_{7-\delta}$ films during in situ formation.—74-06607A

Oxygen vacancy ordering and specific heat anomaly of $YBa_2Cu_3O_x$.—74-00830A

Pair-breaking effects of high current densities on the superconducting transition in $YBa_2Cu_3O_{7-\delta}$.—74-04389A

Pairing symmetry and flux quantization in a tricrystal superconducting ring of $YBa_2Cu_3O_{7-\delta}$.—74-06608A

Paramagnetic susceptibility and magnetic flux creep in $YBa_2Cu_3O_x$: variation with sample thickness.—74-03548A

Peak effect as precursor to vortex lattice melting in single-crystal $YBa_2Cu_3O_{7-\delta}$.—74-09318A

Peculiarities of laser melting and evaporation of superconducting ceramics.—74-03551A

Phase formation and sintering in the process of preparing metal-oxide ceramic $YBa_2Cu_3O_{7-x}$.—74-00831A

Phases of high-pressure high-temperature superconducting cuprates.—74-00834A

Photoinduced phenomena in $YBa_2Cu_3O_{6+\delta}$ films.—74-00835A

Photometric determination of Ba in YBCO.—74-09319A

Photoresponse of high-T_c superconductor thin films.—74-00836A

Pinning energies in M.T.G. textured YBaCuO ceramics.—74-03554A

Plasma characterization of high-pressure dc sputtering system used for the "in situ" preparation of high-T_c superconductor thin films.—74-03555A

Plasma chemical synthesis of oxides in the Y-Ba-Cu-O system.—74-00837A

Plasmon densities of states in a $YBa_2Cu_3O_x$ system.—74-03556A

Possibility of sulfur-oxygen substitution in $YBa_2Cu_{3+x}S_y$ analyzed by means of X-ray emission spectroscopy.—74-00839A

Potential barriers in the migration of tracer oxygen atoms in $YBa_2Cu_3O_{7-\delta}$ lattice.—74-06613A

Precursor delivery for the deposition of superconducting oxides—a comparison between solid sources and aerosol.—74-06614A

Preparation and characterization of superconducting $YBa_2Cu_3O_x$ thick films obtained by screen printing.—74-03560A

Preparation and characterization of $YBa_2Cu_3O_{7-\delta}$ polypyrrole bilayer structures.—74-06615A

Preparation and properties of $YBa_2Cu_3O_{7-\delta}$ superconductor by citrate pyrolysis.—74-03561A

Preparation and properties of $YBa_2Cu_3O_x$-Ag composites via 8-hydroxyquinoline coprecipitation.—74-06616A

Preparation and properties of YBCO/Ag composite tape using powder melting process (PMP).—74-06617A

Preparation of $YBa_2Cu_3O_{7-x}$ superconductor by coprecipitation of nanosize oxalate precursor powder in microemulsions.—74-00843A

Preparation, superconductivity, and microstructure of heteroepitaxial $YBa_2Cu_3O_7/SrTiO_3(STO)/YBa_2Cu_3O_7$ trilayer thin films grown on Y-stabilized ZrO_2(YSZ) substrate.—74-09325A

Preparation, superconductivity, microstructure of heteroepitaxial $YBa_2Cu_3O_7/SrTiO_3$ (STO)/$YBa_2Cu_3O_7$ trilayer thin films grown on Y-stabilized ZrO_2 (YSZ) substrate.—74-09326A

Process for the manufacture of 95% by weight single phase YCBO powder in one combustion step, comprising the use of citrate complex compounds as starting materials.—74-03659P

Process of producing oxide superconductor.—74-09389P

Processing of large $YBa_2Cu_3O_x$ domains for levitation applications by an $Nd_{1+x}Ba_{2-x}Cu_3O_y$—seeded melt-growth technique.—74-06619A

Production of slender helical hardware of $YBa_2Cu_3O_{7-\delta}$ high-temperature superconductor by extrusion.—74-00845A

Progress in melt texturing of $YBa_2Cu_3O_x$ superconductor.—74-06620A

Pulsed laser deposition of epitaxial $Ba_xSr_{1-x}TiO_3/Ba_2Cu_3O_7$ bilayers on $LaAlO_3$ substrates.—74-06622A

Quantification of oxygen and carbon on high-T_c superconducting films by (α,α) elastic resonance technique.—74-03562A

Raman study of ortho-II phase of the $YBa_2Cu_3O_{7-\delta}$ single crystal—role of local oxygen ordering in the doping.—74-09329A

Reaction paths during melt texturing of $YBa_2Cu_3O_{7-x}$.—74-00849A
Reduced pO_2 melt processing of $YBa_2Cu_3O_{6+x}$.—74-06627A
Reduction in particle density of laser-deposited $YBa_2Cu_3O_7$ thin films by low-energy ultraviolet radiation.—74-03566A
Relation between electrical properties and microstructure of $YBa_2Cu_3O_{7-\delta}$ thin films deposited by single-target off-axis sputtering.—74-03567A
Renormalization group and fractual study of the relationship between oxygen content and superconducting transition temperature in $YBa_2Cu_3O_{7-\delta}$.—74-03568A
Research of superconductivity in YBa_2MO_6 (M=Bi, Sb).—74-03569A
Resistivity and critical currents in $YBa_2Cu_3O_7$ ceramics under magnetic field.—74-03570A
Scaling properties of the anisotropic magnetoresistance of $(YBa_2Cu_3O_7)_3/(PrBa_2Cu_3O_7)_8$ superlattice.—74-09334A
Si-YBCO intermixing and reactive patterning technique.—74-03573A
Simultaneous calcination and sintering of $YBa_2Cu_3O_{7-x}$ in high magnetic fields.—74-06631A
Simultaneous measurement of resistivity and susceptibility on Y-Ba-Cu-O during thermal scanning.—74-03574A
Sorption-desorption of oxygen upon heating in an O_2 atmosphere of the ceramic $YBa_2Cu_3O_{6.3}$.—74-00852A
Strong correlations, frozen phonons, and double-well potential in the Cu-O chains of $YBa_2Cu_3O_{7-\delta}$: an exact diagonalization approach.—74-03577A
Structural features of superconducting $YBa_2Cu_{2.91}O_{6.58}$ single crystals.—74-06634A
Structure and properties of ferroelectric $PbZr_{0.2}Ti_{0.8}O_3/YBa_2Cu_3O_7$ heterostructures.—74-03351A
Studies of $YBa_2Cu_3O_{7-x}$ formation in coevaporated Y-BaF_2-Cu-O thin films on sapphire substrates.—74-03580A
Study of *1/f* noise in the normal state of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices.—74-03581A
Study of the influence of individual twin boundaries on the magnetic flux penetration in $YBa_2Cu_3O_{7-\delta}$.—74-04434A
Study on high-T_c superconductivity and lattice mismatch.—74-09342A
Studying electron states of Cu and Ba atoms in $YBa_2Cu_3O_7$ by high-resolution AES.—74-06636A
Substitution of Cu sites in $YBa_2Cu_3O_z$ by Ni, Zn, and Ga.—74-03587A
Superconducting 123 YBaCu-oxide produced at low temperatures—74-00882P
Superconducting diamagnetic fluctuations for *H*||*ab* planes in $YBa_2Cu_3O_{7-\delta}$ for fields up to 5 T.—74-03591A
Superconducting field-effect transistors with inverted MISFET structure.—74-09393P
Superconducting films on diamond by pulsed laser deposition.—74-03593A
Superconducting multiturn coils of YBCO-$SrTiO_3$-YBCO films.—74-03594A
Superconducting thin film.—74-03664P
Superconducting transport properties of $YBa_2Cu_3O_{7-x}$ films grown by hollow cathode magnetron sputtering.—74-00854A
Superconducting $YBa_2Cu_3O_{7-x}$ thin-film molometer for infrared radiation.—74-06637A
Superconductivity in $(Hg_{0.83}Cu_{0.17})Ba_2CuO_{4+\delta}$ at ≈120 K.—74-06638A
Suppression of the first-order vortex melting transition by intrinsic pinning in $YBa_2Cu_3O_{7-\delta}$.—74-04436A
Surface impedance of YBaCuO single crystals in the mixed state.—74-06641A
Surface plasmon-magnon modes at the interface between a metal and the semiconductor phase of $YBa_2Cu_3O_{6+\delta}$.—74-03599A
Surface structure of $YBa_2Cu_3O_{7-x}$ probed by reversed-biased scanning tunneling microscopy.—74-06642A
Symmetry of the superconducting order parameter in $YBa_2Cu_3O_{7-\delta}$ epitaxial films.—74-03600A
Synthesis and structure of bulk $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$+10 wt% Ag_2O compound superconductors under 1 atm oxygen.—74-06644A
Systematic studies on the growth process of superconducting $YBa_2Cu_{3-\delta}$ and $Bi_2Sr_2CuO_x$ thin films by scanning tunneling microscopy.—74-06648A
TEM study of microstructures of ultrathin $YBa_2Cu_3O_7$ films on $SrTiO_3$(100) and MgO(100).—74-03603A
Temperature correlation of peculiarities of the impedance of a $YBa_2Cu_3O_x$ film and an $SrTiO_3$ substrate.—74-03604A
Temperature dependence of the magnetic excitation spectra of $YBa_2Cu_{2.9}Zn_{0.1}O_{6.75}$.—74-01587A
Temperature dependence of the sublattice magnetization measured by Cu NMR in quasi-two-dimensional antiferromagnet $YBa_2Cu_3O_{6.1}$.—74-01589A
Temperature hysteresis of ultrasonic wave velocity in $YBa_2Cu_3O_{7-\delta}$.—74-00857A
Thermal component of the optical response of thin-film high-T_c superconductors.—74-06650A
Thermo-emf of $YBa_2Cu_3O_{6.2}$ under hydrostatic pressure up to 13 kbar.—74-03606A
Thermo-emf of $YBa_2Cu_4O_8$ under hydrostatic pressure up to 10 kbar.—74-03607A
Thermodynamic simulation of MOCVD $YBa_2Cu_3O_{7-x}$ thin film deposition.—74-06654A
Thermodynamic studies on $YBa_2Cu_3O_{7-\delta}$ and Y_2BaCuO_5 by solution calorimetry.—74-03608A
Thin-film multilayer interconnect technology for $YBa_2Cu_3O_{7-x}$.—74-03609A
Triaxially oriented growth of CuO on MgO(001)—X-ray diffraction studies of pure CuO films and inclusions in superconducting Y-Ba-Cu-O films prepared by MOCVD.—74-06658A
Ultrasonic study of the temperature and pressure dependence of the elastic properties of fully oxygenated $YBa_2Cu_3O_{6.94}$.—74-06660A
Understanding and electrochemical control of $YBa_2Cu_3O_{7-x}$ thin-film epitaxy on yttrium-stabilized zirconia.—74-03614A
Univariant reactions in the YBCO system and the influence of oxygen on solidification and microstructure.—74-06661A
Variation of the superconducting transition temperature in $YBa_2Cu_3O_{7-\delta}$ upon substitution of paramagnetic impurities for copper ions.—74-06664A
Very low field flux penetration in halogenated cuprates.—74-03615A
Volatile mixed metal Y-Ba and Ba-Cu precursors for MOCVD of high-T_c superconductors: a way to improve the transport of barium.—74-09359A
Vortex lattice symmetry and electronic structure in $YBa_2Cu_3O_7$.—74-09360A
Vortex liquid disorder and the first-order melting transition in $YBa_2Cu_3O_{7-\delta}$.—74-05061A
Water vapor adsorption of $YBa_2Cu_3O_{7-\delta}$ powder at 298 K.—74-03617A
X-ray diffraction determination of the compressibility of YBCO as a function of oxygen content.—74-00860A
X-ray phtoelectron spectroscopy/Fourier transform infrared spectroscopy study of the interaction of $YBa_2Cu_3O_x$ with CO, NO, and H_2+CO.—74-03618A
^{89}Y NMR probe of Zn-induced local moments in $YBa_2(Cu_{1-y}Zn_y)_3O_{6+z}$.—74-04462A
Y_2BaCuO_5 excesses and quenching influences on melt-textured YBCO.—74-06666A
YBCO superconducting ceramics with SnO_2 dopant.—74-03621A

yttrium barium copper oxide (YBCO),

Atomic fluorescence analysis of high-temperature superconducting materials based on yttrium, barium, and—74-06491A
CeO_2/YSZ and $SrTiO_3$/YSZ double buffer layers deposited on Si(100) by laser ablation.—74-09241A
Changes in the electronic spectrum of $YBa_2Cu_3O_{6.9}$ radiative disordering: ^{89}Y and ^{63}Cu NMR data.—74-09242A
Determination of free copper oxide in high-temperature superconducting ceramics based on $Y_1Ba_2Cu_3O_{7-\delta}$.—74-06512A
Effect of bismuth replacement at barium site in Y-Ba-Cu-O system.—74-09251A
Effect of substitution at the barium site in $YBa_2Cu_3O_{7-\delta}$.—74-09259A
Effects of excess CuO on the grain growth kinetics, sintering, and microstructure of the $YBa_2Cu_3O_{7-\delta}$ superconductor.—74-06525A
Effects of melt chemistry and platinum doping in the refinement of $Y_2Ba_1Cu_1O_x$ [211] particles for the system Y-Ba-Cu-O.—74-06527A
Fabrication and characterization of nonrandom $YBa_2Cu_3O_7$-Ag composites.—74-06543A
Grain growth, microstructure, and superconducting properties of pure and Y_2BaCuO_5-doped $YBa_2Cu_3O_{7-x}$ ceramics.—74-06552A
High-temperature microwave complex permittivity of $YBa_2Cu_3O_{7-\delta}$ superconductors.—74-06557A
High-temperature superconducting thin films—correlation between properties and deposited parameters.—74-09286A
In situ growth of high-T_c $YBa_2Cu_3O_{7-x}$ films at high deposition rate by low-pressure CVD.—74-06559A
Influence of antimony oxide on the properties of $YBa_2Cu_3O_{7-x}$ superconductors prepared by melt quenching.—74-06561A
Influence of sintering conditions on grain growth of $YBa_2Cu_3O_{7-x}$ ceramics.—74-06565A
Lateral homogeneity of $YBa_2Cu_3O_{7-\delta}$ films by Auger electron spectroscopy.—74-06571A
Low-temperature nuclear spin-lattice relaxation process in the Cu(2) sites of $YBa_2Cu_3O_{6.98}$.—74-05948A
Low-temperature phase equilibria in the Y-Ba-Cu-O system.—74-06574A
Mechanical alloying of mixture of Y, Cu, and Ba elemental powders in the formation process of the $YBa_2Cu_3O_{7-\delta}$ superconducting oxides.—74-06583A
Microwave interaction in granulated YBaCuO superconductor.—74-09308A
Oxygen diffusion paths and microcrack formation in the textured 1-2-3 regions of partial-melted Y-Ba-Cu-O oxide.—74-06605A
Pinning in high-T_c superconductors.—74-09320A
Plasma-sprayed superconductive layers on metallic substrates.—74-09321A
Processing effects on microstructure and superconducting properties of sintered $YBa_2Cu_3O_{6+x}$.—74-07720A
Rare-earth barium stannates: synthesis, characterization, and potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductor.—74-09330A
Reactive deposition of $Y_1Ba_2Cu_3O_{7-x}$ superconductor films by pulsed laser ablation from an unreacted mixture of Y_2O_3, $BaCO_3$, and CuO.—74-06624A
Screening properties of inhomogeneous superconducting YBaCuO films in magnetic field.—74-09335A
Structural and superconducting properties of $Y_{1-x}Tb_xBa_2Cu_3O_{7-\delta}$.—74-06633A
Thermal expansion of $YBa_2Cu_3O_{7-x}$ as determined by high-temperature X-ray diffraction under controlled oxygen partial pressures.—74-06652A
Variation of grain sizes in sintered $YBa_2Cu_3O_{7-\delta}$ by different sintering conditions.—74-06663A
$YBa_2HfO_{5.5}$: a new perovskite potentially suitable as a substrate for YBCO films.—74-06667A

yttrium iron garnet (YIG),

Change in the propagation conditions for magnetostatic waves in yttrium garnet films irradiated by low-energy oxygen.—74-03366A
Magnon lineshape for light scattering from Bi-doped YIG.—74-09207A
Nuclear magnetic resonance of ^{89}Y on yttrium ferrite garnet.—74-05206A
Parallel pumping fine structure at 9.4 GHz for in-plane magnetized yttrium iron garnet thin films.—74-03396A

yttrium,

2.79 μm YSGG:Cr:Er laser pumped at 790 nm.—74-08820A
Anomalous dephasing of optical transitions of a Pr^{+3} ion in Y_2SiO_5 crystal.—74-07144A
Bronsted acid strength in US-Y: FTIR study on CO adsorption.—74-05080A
Ceramic material for use in casting reactive metals.—74-08646P
Characterization of yttrium phosphate and a yttrium phosphate/yttrium aluminate laminate.—74-10778A
Crystalline yttrium aluminate and process for making.—74-09819P
Determination of a new titanium site in Ti:$YAlO_3$.—74-09980A
Determination of yttrium, calcium, and magnesium in the zirconium compound.—74-05619A
Effect of yttrium doping and sintering temperatures on the PTCR characteristics of high-T_c barium titanate.—74-04593A
Effects of uniaxial stress on the metastable level in Cr^{4+}-Y_2SiO_5.—74-03300A
Formation and properties of Ln-Si-O-N glasses (Ln=lanthanides or Y)—[correction].—74-02544A
Formation and properties of Ln-Si-O-N glasses (Ln=lanthanides or Y).—74-00260A
Formation mechanism of MoO_3-doped $YSr_2Cu_3O_y$ using the citrate process.—74-03466A
Generation of 4-ps pulses from stable passive mode-locked Nd:YLF (yttrium lithium tetrafluoride) laser.—74-02629A
High-gain, diode-pumped Nd:YVO_4 slab amplifier.—74-08929A
Interaction of yttrium triiodide with the iodides of sodium, potassium, and rubidium.—74-01399A
Line broadening and Rietveld analysis of 5Y-PSZ nanocrystalline powder samples.—74-05179A
Monolithic fuel cell having improved interconnect layer.—74-02892P
Neutronographic investigation of the structure of yttrium-scandium-aluminum garnets.—74-01414A
Nitrogen pyroxenes.—74-07401A
NMR study of $(Y_{1-x}Sm_x)_2Co_{14}B$ compounds.—74-05202A
Nonempirical cluster electric field gradient calculations for ^{27}Al nuclei in $YAlO_3$ and $HoAlO_3$ and refinement of $HoAlO_3$ crystal structure.—74-05204A
Oxidation-induced changes in phase composition of dense silicon nitride.—74-01419A
Oxide superconductors, and devices and systems comprising such a superconductor.—74-09384P
Preparation and properties of yttrium-barium cuprate powder.—74-09322A
RT cw laser action of Y_2SiO_5-Yb^{3+}, Er^{3+}.—74-03205A
Sintering behavior of doped lanthanum and yttrium manganite.—74-02861A
Specific heat of defects in the Haldane system Y_2BaNiO_5.—74-05051A
Stress-optic effect in YAP ($YAlO_3$) crystal optical fiber.—74-02659A
Study of deposition process and characterization of yttria PSZ films.—74-04922A
Study of Y and Lu iron garnets using Bethe-Peierls-Weiss method.—74-09225A
Superconducting borate derivatives of 123 cuprates.—74-03589A
Thermal expansion and athermal phase transition of $Y_4Al_2O_9$ ceramics.—74-04446A
Yttrium-scandium-gallium garnet: crystal structure.—74-01491A

zeolites,

Acid properties of a ZSM-20-type zeolite.—74-07991A
Adsorption properties of low-silica zeolite ZK-5.—74-07142A
Apatite channels and zeolite-like properties.—74-09757A
Better ceramic substrates through zeolites.—74-10203A
Bronsted acid strength in US-Y: FTIR study on CO adsorption.—74-05080A
Cesium selectivity of (Al+Na)-substituted tobermorite.—74-05474A
Characterization of clinoptilolite by interaction of H_2S, CO, and SO_2 by the ESR technique.—74-10767A
Characterization of the dealumination effect into H faujasites by adsorption: II, The hexane molecule as a pore volume probe.—74-10776A
Colloidal zeolite suspensions.—74-10227A
Conductance of zeolite single crystals.—74-05927A
Contribution of X-ray photoelectron and X-ray excited Auger spectroscopies in the characterization of zeolites and of metal clusters entrapped in zeolites.—74-10784A
Coordination sequence of zeolites revisited—asymptotic behavior for large distances.—74-07049A
Crystallization of gallium analog of zeolite Nu-23/ferrierite.—74-01362A
Crystallization of silicalite-1 in the presence of fluoride ions.—74-10252A
Dehydration and rehydration processes in the natural zeolite mesolite studied by conventional and synchrotron X-ray powder diffraction.—74-05107A
Direct hydrothermal crystallization of high-silica large-port mordenite.—74-10273A
Direct observation of channel structures in zeolite Y and A with a slow-scan, charge-coupled-device [CCD] camera.—74-05116A
Double rotation and magic-angle spinning NMR study of an ultrastable Y zeolite.—74-05119A

Effect of dry-air calcination on the physicochemical properties of HZSM-5 zeolite.—74-10281A
Effects of silica source on the crystallization of zeolite NaX.—74-10314A
Empirical model for the nucleation and growth of zeolites.—74-10327A
Formation of zeolite from the system Na_2O-Al_2O_3-SiO_2-H_2O in alkaline medium (pH>10).—74-10363A
Frequency response analysis by multicomponent diffusion in adsorbents.—74-04650A
Further comments on the role of autocatalytic nucleation in hydrothermal zeolite syntheses.—74-01743A
Hydrothermal reaction of kaolinite in presence of fluoride ions at pH<10.—74-10816A
Influence of microgravity on zeolite crystallization.—74-10415A
Influence of the presence of NaF on the crystallization of zeolite A(LTA)—first evidence for the existence of fluorosodalite, the missing end-member of the halosodalite series.—74-10421A
Influences of ligand and of zeolite topology on the structure of Co^{II} Schiff base chelates in faujasite-type zeolite.—74-04151A
Laser-induced thermal desorption (LITD) from zeolites: apparatus and technique for rapid, in vacuo sample desorption for FTIR analysis.—74-03706A
Mechanism of zeolite formation—seed-gel interaction.—74-10446A
Method for preparing catalysts comprising zeolites.—74-09824P
Modification of granular zeolite strength and adsorption with polymethylphenylsiloxane resin impregnation.—74-01951A
Natrolite group zeolites: correlations of optical properties and crystal chemistry.—74-01413A
Near-net-shape forming of celsian ceramics from ion-exchanged zeolite precursors.—74-08444A
Origin of zeolite cements in the miocene sandstones, North Tejon Oil Fields, California.—74-01199A
Photophysical studies of organic molecules included within zeolites.—74-01561A
Precursors of the zeolite ZSM-5 imaged by cryo-TEM and analyzed by SAXS.—74-10864A
Preparation of centimeter-sized zeolite crystals by hydrothermal seeded growth.—74-10558A
Process for producing spherical zeolite catalyst and apparatus for producing the same.—74-03774P
Properties of glass-bonded zeolite monoliths.—74-09412A
Properties of Na ions in NaZSM-5 zeolite.—74-10143A
Quantitative monitoring of side products during high loading of zeolites by heavy metals via pH measurements.—74-09608A
Removal of ^{60}Co by zeolites and clays.—74-03971A
Shear faults in lovelock ferrierite—an X-ray and electron diffraction analysis.—74-10744A
Solid-state NMR and EPR studies of intracrystalline vs external surface adsorption of photoreactive ketones in pentasil zeolites.—74-01458A
Structural development in silica systems.—74-10888A
Structural relationships among some BePO-, BeAsO-, and AlSiO-RHO frameworks.—74-05266A
Structure of hydrated and dehydrated (250°C) forms of Ca chabazite.—74-07124A
Studies of mordenite by the Monte Carlo method.—74-05278A
Study on the kinetics and mechanism of silver-cluster formation in zeolite Ag-X by diffuse reflectance spectroscopy.—74-05280A
Surface composition and electronic structure of zeolites using X-ray photoelectron spectroscopy.—74-10039A
Synthesis and application of zeolite molecular sieves.—74-10664A
Synthesis of (alumino)silicate materials using organic molecules and self-assembled organic aggregates as structure-directing agents.—74-10672A
Synthesis of zeolite A from calcined diatomaceous earth—optimization studies.—74-07521A
Temperature-programmed-desorption of ammonia from dealuminated clinoptilolite.—74-07777A
Thermodynamics of cation exchange in natural heulandite.—74-04234A
Venezuelan natural aluminosilicates as a feedstock in the synthesis of zeolite A.—74-10717A
X-ray photoelectron spectroscopy characterization of the reduction and oxidation behavior of Ni-containing HZSM-5 zeolites.—74-07010A
Zeolite catalysts suitable for hydrocarbon conversion—74-01276P
Zeolite crystallization in portland cement concrete due to alkali-aggregate reaction.—74-00406A
Zeolite ZSM-45—74-01277P

zeta potential,
Background electrolyte correction for electrokinetic sonic amplitude measurements.—74-10062A

zinc blende,
Molecular dynamics of nanoscale layered structures.—74-02028A
Structurally matched ferroelectric device.—74-03361P
Theoretical study of the band offsets at GaN/AlN interfaces.—74-06352A

zinc oxide,
Aluminum content dependence of milky transparent conducting ZnO:Al films with textured surface prepared by dc magnetron sputtering.—74-05067A
Aluminum-doped zinc oxide transparent conductors deposited by the sol-gel process.—74-00453A
Ceramic-bonded abrasive grinding tools.—74-03983P
Chemical properties of Zn on Ru(001): coadsorption with Cs, O, Cu, and Au.—74-04103A
Crystallite orientation and the related photoresponse of hexagonal ZnO films deposited by rf sputtering.—74-07064A
Degradation phenomena due to impulse-current in zinc oxide varistors.—74-08852A
Degradation study of ZnO-based varistors under electrical combined stresses.—74-02959A
Development of a force sensor for atomic force microscopy using piezoelectric thin films.—74-09118A
Diamond/phosphor polycrystalline LED and display—74-00739P
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition—74-00548P
Dielectric materials.—74-08787P
Direct current reactive magnetron sputtered zinc oxide thin films—the effect of the sputtering pressure.—74-06041A
Early stages of crystallite growth of ZnO obtained from an oxalate precursor.—74-05123A
Effect of NiO doping on the stoichiometry of ZnO.—74-07563A
Effect of substrate temperature on the properties of ZnO transparent conducting thin film prepared by the vapor spraying method.—74-10298A
Effect of ZnO doping on sintering and dielectric properties of $BaTiO_3$.—74-04595A
Effects of additives on ZnO varistors.—74-02979A
Effects of annealing ZnO films prepared by ion-beam-assisted reactive deposition.—74-00481A
Effects of Na_2CO_3 addition on the gas sensing characteristics of CuO/ZnO heterocontact.—74-06060A
Electroless copper plating using ZnO thin film coated on a glass substrate.—74-06075A
Electroluminescence of Ho^{3+} ions in a ZnO varistor-type structure.—74-02992A
Enhanced electrical conductivity of zinc oxide thin films by ion implantation of gallium, aluminum, and boron atoms.—74-08894A
Epitaxial aluminum-doped zinc oxide thin films on sapphire: I, Effect of substrate orientation.—74-06082A
Epitaxial aluminum-doped zinc oxide thin films on sapphire: II, Defect equilibria and electrical properties.—74-06083A
Evaluation of grain boundary property in oxide ceramics by isothermal capacitance transient spectroscopy (ICTS).—74-08899A
Evaluation of the gas response of ZnO/La_2CuO_4 heterocontacts with different electrode materials.—74-08900A
Experimental survey of dopant ions in ZnO—nonlinearity and degradation.—74-06091A
Fixed resistor.—74-02879P
Gas sensing by ac impedance under dc bias of CuO/ZnO *pn* heterocontact.—74-08921A
Generation of charged liquid cluster beam of liquid-mix precursors and application to nanostructured materials.—74-07325A
Glass formation area in a ternary ZnO-CdO-SiO_2 and an Al_2O_3 section of the quaternary (ZnO-Cd)-Al_2O_3-SiO_2 system.—74-02462A
Glass formation, properties, and structure of glasses in the TeO_2-ZnO system.—74-02463A
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with Al_2O_3 additions.—74-10371A
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with TiO_2 additions.—74-02840A
Growth and structure of ZnO_x overlayers on Cu(100).—74-10377A
Impurity effect on chemisorption properties of composite catalysts.—74-06978A
Influence of discharge parameters on the layer properties of reactive magnetron sputtered ZnO:Al films.—74-03064A
Influence of processing conditions on point defects and luminescence centers in ZnO.—74-07572A
Influence of sodium concentration upon the ZnO crystallite size in the Cu-Zn-Al oxidic catalysts for CO shift conversion.—74-10001A
Insulating ZnO film on silicon for MIS application.—74-05943A
Interface reactions and diffusion in ZnO-$YBa_2Cu_3O_{7-x}$ and Fe_2O_3-$YBa_2Cu_3O_{7-x}$ systems.—74-03501A
Investigation of optical and electrical properties of ZnO ultrafine particle films prepared by direct current gas discharge activated reactive method.—74-06168A
Low power loss Mn-Zn ferrites.—74-03409P
Magnetic and charge dynamics in a doped 1-D transition metal oxide.—74-07374A
Magnetic and structural properties of Pt/Co and Pd/Co multilayers sputtered on single-crystal ZnO.—74-03097A
Method of firing ceramic moldings containing a diffusible metallic oxide—74-00742P
Mn-Zn-based single crystal ferrite composition.—74-03412P
Model for the growth and reactivity of metal films on oxide surfaces: Cu on ZnO(0001)-O.—74-04756A
Modeling of deposition and resputtering rate profiles in planar face-to-face sputtering systems.—74-07390A
Multilayer ZnO varistor.—74-03275P
Nanostructured constituents of ZnO-based varistors prepared by mechanical attrition.—74-03125A
New approach to selective semiconductor gas sensors using a dc-biased *pn* heterocontact.—74-03126A
New electron-excited light-emitting materials.—74-03127A
Novelty optical filter with multilayer coating of ZnO-CdTe.—74-03131A
Observation of the bottom surfaces of contact holes by hopping atomic force microscopy with a ZnO whisker tip.—74-07706A
Phosphor selection constraints in application of gated field-emission microcathodes to flat panel displays.—74-03153A
Piezoelectric semiconductor.—74-09098P
Polymeric route processing of ZnO-based varistor.—74-03175A
Possibility of pyrochlore phase formation in zinc oxide varistor ceramics.—74-06268A
Preferential grain growth and orientation relationships in $BaTiO_3$ and ZnO ceramics.—74-07716A
Preparation of fine spherical ZnO powders by an ultrasonic spray pyrolysis method.—74-07432A
Preparation of ZnO films by reactive evaporation.—74-01853A
Process for cleaning harmful gas.—74-09835P
Pyrolytic powder processing for varistor materials.—74-03186A
Sintered varistor material with small particle size.—74-09191P
Sintering of doped ZnO powders: relationship between grain growth and sintering stress.—74-07483A
Synthesis and characterization of a hydroxyapatite-zinc oxide-polyacrylate acid concrete.—74-07006A
Synthesis of glass powder precursors in the BaO-Al_2O_3-SiO_2 and BaO-ZnO-Al_2O_3-SiO_2 systems by the sol-gel route.—74-00319A
Theoretical model for the analysis of a ceramic thin film sintering on a nonsintering substrate.—74-04955A
Thermal modeling of zinc oxide varistors; simulation and measurements.—74-06355A
Thin-film-induced stress in GaAs ridge-waveguide structures integrated with sputter-deposited ZnO films.—74-06360A
Transparent conducting ZnO thin films prepared on low-temperature substrates by chemical vapor deposition using $Zn(C_5H_7O_2)_2$.—74-04969A
Zinc oxide varistor gas sensors: I, Effect of Bi_2O_3 content on the H_2-sensing properties.—74-09083A
Zinc oxide.—74-06942A
Zn and Cu oxides sorption leaching process.—74-01959A
ZnO piezoelectric thin films for electronic applications.—74-03355A
ZnO/La_2CuO_4 heterocontacts as humidity sensors.—74-09084A

zinc selenide,
p-type ZnSe grown by molecular beam epitaxy with remote microwave plasma of N_2.—74-01604A
Analysis of low-temperature spin dynamics in $Zn_{1-x}Mn_xSe$.—74-08824A
Blue/green ZnSe-ZnCdSe light-emitting diodes and photopumped laser structures grown by molecular beam epitaxy on ZnSe substrates.—74-02924A
Cathodoluminescence spectra of $ZnIn_2Se_4$ single crystals.—74-08835A
CdZnSe/ZnSe strained layer superlattices disordered by germanium diffusion.—74-05082A
Characterization of Al-doped *n*-type ZnSe prepared under a zinc-rich growth condition by low-pressure organometallic chemical vapor deposition.—74-04501A
Chemical bath deposition of ZnSe and CuSe thin films using N, N-dimethylselenourea.—74-06003A
Chemical etching of ZnSe crystals.—74-02938A
Cw 20-kW SAGE CO_2 laser for industrial use.—74-01052A
Deep levels in single crystal and polycrystalline ZnSe bombarded by electrons.—74-08850A
Defect formation of ZnSe bombarded by α particles.—74-04998A
Diffusion of lithium in *p*-type ZnSe.—74-00593A
Dislocation nucleation mechanism and doping effect in *p*-type ZnSe/GaAs.—74-05117A
Doping in ZnSe, ZnTe, MgSe, and MgTe wide band gap semiconductors.—74-02967A
Doping results in ZnSe grown by molecular beam epitaxy.—74-02969A
Electrical properties of blue/green diode lasers.—74-06069A
Electrical properties of blue/green diode lasers.—74-06070A
Electrical transport characterizations of nitrogen doped ZnSe and ZnTe films.—74-02988A
Electrical transport in *n*-type ZnMgSSe grown by molecular beam epitaxy on GaAs.—74-02989A
Electrodeposition of zinc selenide.—74-00116A
Exciton line broadening by compositional disorder in $ZnSe_xTe_{1-x}$ quantum wells.—74-04315A
Excitonic optical bistability in ZnSe/ZnS planar waveguide.—74-06089A
First indications of spontaneous ordering in $ZnSe_{0.5}Te_{0.5}$ alloy.—74-05144A
First principles study of Zn- and Se-stabilized ZnSe(100) surface reconstructions.—74-06107A
First-principles study of Zn- and Se-stabilized ZnSe(100) surface reconstructions.—74-06108A
Fs coherent spectroscopy of bulk ZnSe and ZnCdSe/ZnSe quantum wells.—74-08918A
Gas source molecular beam epitaxy growth of ZnSe on novel buffer layers.—74-05148A
Gas source molecular beam epitaxy of ZnSe and ZnSe:N.—74-04656A
High-dose Cl implantation in ZnSe: impurity incorporation and radiation damage.—74-08927A
High-temperature anomalies in the kinetic coefficient of ZnSe:Cu.—74-08933A
Impurity-induced disordering of MOVPE-grown ZnSe/ZnS strained layer superlattices by germanium diffusion.—74-05020A
Inversion of the conduction in a ZnSe layer of an In_2O_3-ZnSe-$(Zn_{1-x}Cd_xTe)_{1-y}$ $(In_2Te_3)_y$-In heterostructure.—74-00643A
Light scattering studies of ZnSe/GaAs heterostructures.—74-06174A
Light scattering studies of ZnSe/GaAs heterostructures.—74-06175A
Local interface composition and band discontinuities at heterovalent heterostructures.—74-03087A
Low energy levels of the Fe^{++} ions in ZnSe by Raman spectroscopy.—74-04160A
MBE of $Zn_{1-x}Cd_xSe$/ZnSe quantum well structures on GaAs.—74-06197A
Migration-enhanced epitaxy and optical properties of ZnSe/CdSe digital alloy quantum wells.—74-04364A

Modification of chemically deposited ZnSe thin films by ion exchange reaction with copper ions in solution.—74-04762A
Molecular beam epitaxial growth of single domain ZnSe on Ge.—74-08956A
Molecular beam epitaxy growth of pseudomorphic II-VI multilayered structures for blue/green laser diodes and light-emitting diodes.—74-03120A
Nanometer fabrication techniques for wide-gap II-VI semiconductors and their optical characterization.—74-03124A
Nitrogen doping in ZnSe by photoassisted metallorganic vapor phase epitaxy.—74-04778A
Nitrogen doping of ZnSe by OMVPE using a novel organometallic precursor.—74-04779A
Optical absorption of ZnSe-ZnS strained-layer superlattices.—74-04378A
Phase diagram of the ZnSe-CdSe system in the subsolidus region.—74-01427A
Photoconductivity in ZnSe under high electric fields.—74-06255A
Photodissociation dynamics of DMZn at 193 nm—implications for the growth of ZnSe films by laser-assisted metallorganic chemical vapor deposition.—74-05043A
Polarization dependence of two-photon absorption in ZnSe-ZnSSe strained-layer superlattices.—74-09005A
Properties of highly conducting nitrogen-plasma-doped ZnSe:N thin films.—74-03184A
Study of dislocations in ZnSe and ZnS by scanning force microscopy.—74-06336A
Study of dislocations in ZnSe and ZnS by scanning force microscopy.—74-07765A
Tunnel effect as the cause of the current limited by contact emission in an In_2O_3-ZnSe-$(Zn_{1-s}Cd_xTe)_{1-y}$-$(In_2Te_3)_y$-In heterostructure.—74-00726A
Unified description of Cu-related luminescence processes in II-VI semiconductors.—74-03258A
ZnSe nucleation on the GaAs(001): Se-(2×1) surface observed by scanning tunneling microscopy.—74-06388A
ZnSe nucleation on the GaAs(001):Se-(2×1) surface observed by scanning tunneling microscopy.—74-06389A
ZnSe(100)—the surface and the formation of Schottky barriers with Al and Au.—74-06390A
ZnSe(100)—the surface and the formation of Schottky barriers with Al and Au.—74-06391A

zinc sulfide,
Ac electroluminescence of ZnS:Tm.—74-05971A
Determination of fracture toughness and bridging tractions from crack-opening displacement measurements in particulate composites of diamond in zinc sulfite.—74-05336A
Diamond protective coatings for optical components.—74-04553A
Dispersive optical bistability in ZnS-ZnTe strained-layer superlattices grown on transparent substrates BaF_2 by MOCVD.—74-06044A
Effect of a magnetic field on the characteristics of a ZnS:Mn-based thin-film electroluminescent structure with an intrinsic memory.—74-04281A
Effect of some spray pyrolysis parameters on electrical and optical properties of ZnS films.—74-06055A
Electrical characteristics of zinc sulfide thin films deposited by various methods.—74-06066A
Electrical dependence of ZnS thin films exposed to H_2O.—74-00485A
Electrical properties of blue/green diode lasers.—74-06069A
Electrical properties of blue/green diode lasers.—74-06070A
Excitonic optical bistability in ZnSe/ZnS planar waveguide.—74-06089A
Extended X-ray absorption fine structure studies of luminescent centers in II-VI thin films.—74-01991A
Formation of nanoscale size cadmium sulfide within a channel protein monolayer.—74-03020A
Impurity-induced disordering of MOVPE-grown ZnSe/ZnS strained layer superlattices by germanium diffusion.—74-05020A
Laser brazing for ceramic-to-metal joining.—74-08306P
Optical absorption of ZnSe-ZnS strained-layer superlattices.—74-04378A
Optical properties of Mn-doped nanocrystals of ZnS.—74-03138A
Phosphor selection constraints in application of gated field-emission microcathodes to flat panel displays.—74-03153A
Picosecond optical bistability of ZnTe-ZnS strained layer superlattices grown on transparent substrate BaF_2 by MOCVD.—74-05221A
Polarization dependence of two-photon absorption in ZnSe-ZnSSe strained-layer superlattices.—74-09005A
Principles of molecular precursor selection for aerosol synthesis of materials.—74-07443A
Process and film characterization of chemical-bath-deposited ZnS thin films.—74-07444A
Quantitative analyses and crystallographic studies of ZnS:Mn thin films prepared by rf magnetron reactive sputtering.—74-07106A
Saturation of ZnS:Ag,Al under cathode-ray excitation.—74-03206A
Scanning tunneling microscopy study of ZnS particles generated from a controlled chemical reaction.—74-06302A
Spectroscopic characterization of band discontivity in free-standing CdZnS/ZnS strained layer superlattices.—74-09046A
Structure-phase diagram of the states of the system ZnS-CdS in the subsolidus region.—74-04220A
Study of dislocations in ZnSe and ZnS by scanning force microscopy.—74-06336A
Study of dislocations in ZnSe and ZnS by scanning force microscopy.—74-07765A
Synthesis and characterization of zinc sulfide/gallium phosphide nanocomposite powders.—74-04934A
TEM examination of heat-treated nanocrystalline ZnS.—74-05285A
Temperature and flow modulation doping of manganese in ZnS electroluminescent films by low pressure metallorganic chemical vapor deposition.—74-04953A
Zinc sulfide/gallium phosphide composites by chemical vapor transport.—74-07552A
$Zn_xCd_{1-x}S$ thin films grown by ion-beam deposition.—74-06387A
ZnS-Ag luminophor as a chemical system.—74-01603A

zinc telluride,
Optically detected cyclotron resonance in ZnTe.—74-03139A

zinc,
Acoustic studies of low-temperature phase transition in K_2ZnCl_4 crystals.—74-03780A
Adsorption behavior of cadmium and zinc ions on oxide/water interfaces.—74-10057A
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering.—74-08359A
Amorphous Zn_3P_2 thin films grown by reactive rf sputtering.—74-04477A
Carbon and hydrogen incorporation in ZnTe layers grown by metallorganic chemical vapor deposition.—74-04492A
Comparison of Mg and Zn gate implants for GaAs *n*-channel junction field effect transistors.—74-02943A
Cross sections of $CsHgBr_3$-Cs_2ZnBr_4 [1] and $CsHg_2Br_5$-Cs_2ZnBr_4 [2] of the ternary system $ZnBr_2$-$HgBr_2$-$CsBr$.—74-01359A
Crystal structure of ZnTe III at 16 GPa.—74-07063A
Cu NMR and NQR studies of impurities-doped $YBa_2(Cu_{1-x}M_x)_3O_7$ (M=Zn and Ni).—74-00793A
Cu^{63} NQR/NMR study of Zn-substituted $YBa_2Cu_4O_8$: effect of impurity on spin-gap-like behavior.—74-00794A
Dc and ac properties of zinc-stabilized NTC materials.—74-04274A
Dopant activation energy and hole effective mass in heavily Zn-doped InP.—74-06045A
Effect of γ-irradiation on structural transformations of K_2ZnCl_4 at low temperatures from specific heat data.—74-07073A
Effect of uniform compression on EPR of manganese ions in zinc fluorosilicate. "Switching-off" of phonon contribution.—74-05129A
Effects of S, Si, or Fe dopants on the diffusion of Zn in InP during MOCVD.—74-06061A
Electrical properties of $(ZnTe)_x(CdSe)_{1-x}$ single crystals.—74-00606A
Elementary excitations in crystals with unidimensional disorder.—74-04309A
Evolution of the microstructure of Au(Zn) metallization during formation of an ohmic contact to *p*-type GaAs.—74-03006A
Fast thermal diffusion of Zn into a $GaAs/Al_xGa_{1-x}As/As$ heterostructure.—74-08909A
Giant T_c depression effect in $YBa_2Cu_3O_{7-\delta}$ doped simultaneously with Zn and Fe.—74-03470A
Grain-boundary effect in polycrystalline ZnTe films.—74-01519A
Harmonic trend analysis (HTA) of phase change in silicate melt of zinc system.—74-04147A
Hydrothermal synthesis of manganese zinc ferrites.—74-09201A
Improving the adhesion of zinc coatings used to metallize concrete.—74-02375A
Incommensurate phase transitions in Rb_2ZnBr_4 crystals: I, Acoustic and electroacoustic properties.—74-07083A
Incommensurate phase transitions in Rb_2ZnBr_4 crystals: II, Effects of hydrostatic pressure on temperature dependences of elastic properties and birefringence.—74-07166A
Influence of Gd, Zn, Fe, and Al substitutions on the tunneling characteristics of the Y-Ba-Cu-O system.—74-09289A
Interactions in the system $ZnBr_2$-$HgBr_2$.—74-01401A
Internal friction and acoustoplastic effect during deforming zinc single crystals.—74-05369A
Local modes of substitutional transition metal ions in II-VI semiconductors.—74-06180A
Low-temperature growth of ZnTe by synchrotron radiation using metallorganic sources.—74-00649A
Magnetic properties of high-density Mn-Zn ferrites[—erratum].—74-03389A
Magnetophonon resonance and ir lattice reflection.—74-00651A
Microstructure and physicochemical studies of pure and zinc-substituted lithium ferrites sintered above 1000°C.—74-03394A
Nanostructured ZnTe films prepared by dc magnetron sputtering.—74-04768A
Nonstoichiometry and its effect on the magnetic properties of a manganese-zinc ferrite.—74-09213A
Optoelectronic phenomena in $ZnGeP_2$ (review).—74-08991A
Phase transitions and structures of phases I, III, and IV of $(NH_4)_2ZnBr_4$.—74-01439A
Photoassisted metallorganic vapor phase epitaxy of ZnTe on GaAs.—74-03156A
Photoluminescence studies of interstitial Zn in InP due to rapid thermal annealing.—74-06262A
Polymorphism of zinc metatantalate and manganese metatantalate.—74-01440A
Preparation of zinc titanate thin films by low-pressure metalorganic chemical vapor deposition.—74-10574A
Process of making zinc borate and fire-retarding compositions thereof—74-01211P
Processing and properties of extruded hydrothermally derived maganese zinc ferrites.—74-03401A
Reaction condition for the synthesis of ultrafine particles of the high-vacancy-content Zn(II)-bearing ferrites from iron(III) tartrate solution.—74-03403A
Rechargeability of a chemically modified MnO_2/Zn battery system at practically favorable power levels.—74-01240A
Sintered ceramic components and method for making same.—74-08813P
Soft ferrite processing.—74-06475A
Sol-gel method of fabrication of zinc silicate luminophores.—74-02657A
Structure-dependent threshold current density for CdZnSe-based II-VI semiconductor lasers.—74-06334A
Synthesis of doped MnZn ferrites by chemical methods.—74-04941A
Temperature dependence of the magnetic excitation spectra of $YBa_2Cu_{2.5}Zn_{0.1}O_{6.75}$.—74-01587A
Transformation of a system of defects near the surfaces of CdTe, $Zn_xCd_{1-x}Te$, and $CdTe_{1-x}Se_x$ crystals etched with argon ions.—74-00724A
Variation of the superconducting transition temperature in $YBa_2Cu_3O_{7-\delta}$ upon substitution of paramagnetic impurities for copper ions.—74-06664A
X-ray photoelectron spectroscopy of $ZnCl_2$-based glasses.—74-05703A
^{89}Y NMR probe of Zn-induced local moments in $YBa_2(Cu_{1-x}Zn_x)_3O_{6+\delta}$.—74-04462A
Zinc-containing, lead- and cadmium-free glass frits, method of their production and their use—74-01214P

zircon,
Applications of zircon raw glazes.—74-05886A
Behavior of the glass/zircon interface.—74-10760A
Ceramic surface plate.—74-01221A
Characteristic of the acid-basic purification processes for ziron powders disgregated with soda ash.—74-04498A
Effect of flaw size on first matrix cracking stress in fiber-reinforced ceramic composites.—74-10970A
Effects of additives on properties of boron nitride materials.—74-04136A
Hydrogenation mechanism of transient metal and intermetallic compound mixture.—74-01756A
Preparation of blue vanadium-zircon pigments by aerosol hydrolysis.—74-04824A
Residual stresses in silicon carbide-zircon composites from thermal expansion measurements and fiber pushout tests.—74-05387A
Structure of rapidly quenched zircon melts.—74-02053A
Synthesis of zirconium-vanadium blue pigment using zircon sand.—74-07522A
Theoretical description of praseodymium-doped zircon—analysis of the impurity centers Pr^{+3}:$ZrSiO_4$.—74-04442A
Titanium zirconate thick films on rutile substrates by reactive coating of zircon.—74-10048A
Use and further development of magnesia-zircon bricks in the glass industry.—74-08601A
Zircon cords in the glass Simax.—74-09729A
Zircon.—74-06943A

zirconate,
Atomic adsorption determination of fluorides by using selective dissolution of lead zirconate titanate.—74-01041A
Ceramics based on eutectics in zirconia-containing systems.—74-07041A
Crystal structure and phase transitions of intermediate phase of $PbZrO_3$.—74-07054A
Donor-doped lead zirconate titanate ($PbZr_{1-x}Ti_xO_3$) films.—74-06402A
Effect of hydrostatic pressing of a sol-gel produced by a powder method on the sintering and characteristics of ceramics in the Al_2O_3-SiO_2-ZrO_2 system.—74-07272A
Effects of La_2O_3 on sintering and transport properties of $SrZrO_3$-based photonic conductors.—74-02831A
Ferroelectric domains and incommensuration in the intermediate phase region of lead zirconate.—74-06410A
Formation and characterization of Ce_2Zr_8 prepared by the hydrazine method.—74-04643A
Formation of $PbZrO_3$ by transformation of cubic ZrO_2 solid solution.—74-09143A
Gallium-containing fluorozirconate glass.—74-02545A
Phase composition and structure of specimens in the ZrO_2-CaO system after aging.—74-04803A
Phase composition of piezoceramic materials based on lead zirconate and titanate produced by hydrometallurgic reprocessing of solid wastes and reject.—74-01422A
Preparation and properties of yttrium-doped lithium zirconate.—74-01846A
Spectral properties of Ho^{3+} in fluorozirconate (ZBLAN) glass.—74-08349A
Standard enthalpy of formation of lanthanum zirconate.—74-07117A
Synthesis of $CaZrO_3$, perovskite-type, by sol-gel methods.—74-04938A
Thermodynamic stability of the lithium zirconates and lithium yttrate.—74-10046A
Titanium zirconate thick films on rutile substrates by reactive coating of zircon.—74-10048A
Use of yttrium, tungsten, and niobium oxide for increasing the electrical conductivity of strontium zirconate ceramics.—74-01601A
Water-repellant coating on glass.—74-08292A

zirconia,
Ac impedance characterization of translucent cubic zirconia solid solution.—74-04466A
$Al_2O_3(ZrO_2)$ cellular fibers.—74-09754A
Alumina-zirconia refractory material and articles made therefrom.—74-08643P
Amorphous oxide film and article having such film thereon.—74-09903P
Anomalous oxygen evolution from zirconia cells at the transient state.—74-00456A
Applicability of ceramics for cryogenic use.—74-09758A
Application of fine ceramics to machine tools.—74-01217A
Behavior of a new ZrO_2-MoO_3 sensor for carbon monoxide detection.—74-00570A
Bonding of zirconia ceramics and strengthening of adhesion of zirconia coatings by electric field assisted treatment.—74-00108A

Catalytic microporous zirconia particulates.—74-09808P
Ceramic beads.—74-06953A
Ceramic compositions.—74-09811P
Ceramic ionic conductors based on stabilized zirconia.—74-08727A
Ceramic materials: microstructural and interface analysis as the prerequisite for optimization of microstructures. III, The microstructure of Al_2O_3 ceramics containing ZrO_2.—74-07600A
Ceramic surface plate.—74-01221A
Ceramic–ceramic diffusion bonding using nanocrystalline interlayers.—74-01626A
Ceramics composite material and production thereof—74-00163P
Cermet blade member.—74-02411P
Characterization of the vacancy-calcium dipole by electrical and mechanical relaxation measurements in single crystals of calcined zirconia.—74-10777A
Chemical vapor processing and applications for nanostructured ceramic powders and whiskers.—74-07226A
Coating of ultrafine ceria-stabilized zirconia.—74-04517A
Comparative properties study of ytterbia-doped zirconia with its alumina composite.—74-05100A
Comparison of plasma-sprayed alumina and zirconia coatings by rf and dc plasma spraying.—74-10231A
Comparison of strength and fracture toughness of single and polycrystalline zirconia.—74-02105A
Composite materials of oxide-carbide type.—74-05617A
Compositionally graded near-net-shape complex parts made by tape lamination.—74-01649A
Computer simulation of twin formation during the displacive $c \rightarrow t'$ phase transformation in the zirconia-yttria system.—74-04111A
Crack resistance curves in layered Ce-ZrO_2/Al_2O_3 ceramics.—74-02111A
Cryochemical method for producing powders from the Al_2O_3-ZrO_2-MgO system—74-04531A
Crystal structure and equation of state of cotunnite-type zirconia.—74-04114A
Cubic-tetragonal phase transformations in the ZrO_2-CeO_2 system.—74-01364A
Cubic-to-tetragonal transformation in zirconia alloys.—74-01365A
Current topic of shrouding nozzles for continuous casting.—74-03681A
Custom-designed zirconia.—74-09774A
Defect chemistry, phase stability, and properties of zirconia polycrystals.—74-01938A
Deformation of alumina-zirconia-silicon carbide whisker-reinforced composite.—74-07855A
Dehydration and crystallization kinetics of zirconia-yttria gels.—74-04123A
Densification and crystallization of zirconia thin films prepared by sol-gel processing.—74-10255A
Determination of yttrium, calcium, and magnesium in the zirconium compound.—74-05619A
Determining scandium in zirconia refractories.—74-02749A
Development of high-density Y_2O_3-ZrO_2/Al_2O_3 composites as solid electrolyte for SOFC.—74-04546A
Development of high-strength devitrified machinable ceramics.—74-08365A
Development of multipurpose cylindrical laboratory furnace.—74-01142A
Development of nanocomposite microstructures in ZrO_2-Al_2O373 via the solution precursor method.—74-07630A
Dielectric ceramic composition for use in high frequency.—74-08785P
Dielectric ceramic compositions and dielectric resonator.—74-02876P
Diffusional creep of alumina-zirconia composites: mechanical behavior and microstructure.—74-07861A
Effect of aging gels obtained from alkoxides on the stability of nanocomposite of tetragonal zirconia in silica matrix.—74-04566A
Effect of compaction pressure on the sinterability of submicron powders of tetragonal zirconium dioxide.—74-04570A
Effect of dopant species on tetragonal (t′)-to-monoclinic phase transformation of arc-melted ZrO_2-$RO_{1.5}$ (R=Sm, Y, Er, and Sc) in water at 200°C and 100 MPa pressure.—74-07074A
Effect of fine grinding on the structure and properties of zirconia.—74-02972A
Effect of forming of densification of zirconia.—74-04574A
Effect of metallic-coated properties on the tribology of coated and oil-lubricated ceramics.—74-08173A
Effect of particle size on colloidal zirconia rheology at the isoelectric point.—74-07275A
Effect of particle velocity and substrate temperature on alumina and zirconia splat formation.—74-10289A
Effect of silica on the cyclic life of a zirconia-yttria thermal barrier coating.—74-08177A
Effect of tetragonal ZrO_2 addition on the mechanical properties of α-alumina/La-ß-aluminate composite.—74-10976A
Effect of ZrO_2 addition on the synthesis and microwave dielectric properties of $Ba_2Ti_9O_{20}$ fabricated by oxalate method.—74-09127A
Electrical behavior of ZrO_2-MgO-Y_2O_3 solid electrolyte.—74-05932A
Electrical properties of tape-cast zirconia thin plates with mixing ratios of 3Y-ZrO_2 and 8Y-ZrO_2 powders.—74-10096A
Electrical properties of ZrO_2-12 mol% Y_2O_3 single crystals.—74-02836A
Electrochemical behavior of surface zirconium oxides in the presence of some electroactive species.—74-05934A
Electrochemical fabrication of alkoxy-derived nanocrystalline zirconia coatings at room temperature.—74-01699A
Electrochemically induced reactions at Ni/ZrO_2 interfaces.—74-08180A
Electrolyte of the SOFC as thick film.—74-05936A
Epitaxial oxide films.—74-08896A
Evaluation of ZrO_2-toughened high-soda duplex-calcined Al_2O_3 sintered bodies.—74-10339A
Fabrication and characterization of microwave sintered zirconia ceramics.—74-01717A
Fabrication of microstructured ceramic layers by tape casting and subsequent stamping.—74-04628A
Fabrication of Y_2O_3-ZrO_2 and CaO-ZrO_2 fibers by sol-gel process and their phase characterization by Raman microprobe.—74-04632A
Fast temperature changes during high-temperature creep of stabilized ZrO_2.—74-07567A
Formation of anode films of given phase composition on zirconium.—74-00493A
Formation of $PbZrO_3$ by transformation of cubic ZrO_2 solid solution.—74-09143A
Formation of phases and structure in mullite-zirconia and spinel-zirconia materials produced by melt crystallization.—74-07079A
Formation of ultrafine multicomponent ZrO_2-based powders in an rf plasma.—74-01739A
Formation of zirconia-ceria layers on silicon wafers using laser ablation.—74-01740A
Fracture toughness using a biaxial indentation strength method.—74-07881A
Friction and wear of a plasma-sprayed Al_2O_3-40% ZrO_2 cast iron system.—74-04651A
FTIR and DSC analysis of the carbonation of zirconia gels.—74-04653A
FTIR spectra of a heat-treated SiO_2-ZrO_2 glass.—74-05763A
Grain boundary relevant micromechanical investigations and microstructural observations in ZrO_2 ceramics.—74-07654A
Grain growth and phase changes during sintering of nanocrystalline zirconia.—74-07655A
Growth of monoclinic ZrO_2 thin, flaky crystals by hydrothermal decomposition of zirconium oxide sulfate [ZOS] crystals.—74-07334A
Guanidine based vehicle/binders for use with oxides, metals and ceramics.—74-09527P
Handmaking of (zirconia) wine cups.—74-08683A
High surface area zirconia.—74-09921P
High zirconia fused cast refractory—74-00409P
High-temperature X-ray diffraction study on cubic-tetragonal phase transition in the ZrO_2-$RO_{1.5}$ systems (R=rare earths).—74-01394A
Impedance spectroscopy analysis of conduction percolation in zirconia.—74-02842A
Improvement of oxidation and corrosion resistance of stainless steel by sol-gel ceramic coating: I, Synthesis of zirconia sol and fabrication of its thin film.—74-10918A
Improvement of plasma-sprayed ceramic coating properties by heat treatment with liquid Mn.—74-10399A
Industrial experience of fused cast blocks with very high zirconia content in an electric furnace for lead glass.—74-01160A
Influence of grinding and wear on residual stress and strength of zirconia ceramics.—74-02157A
Influence of preparation method on the acidity of MoO_3(WO3)/ZrO_2 catalysts.—74-04702A
Influence of processing parameters on the development of biaxially aligned zirconia thin films deposited by ion-beam-assisted deposition.—74-09291A
Influence of ZrO_2 on microstructure and mechanical strength of sintered magnesia.—74-10423A
Infrared and Raman spectra of solid solutions $Ti_{1-x}Zr_xO_2$ ($x \leq 0.1$).—74-03824A
Internal stresses and the martensite start temperature [M_s] in alumina-zirconia composites: effects of composition and microstructure.—74-05171A
Interphase study by XPS of sol-gel ZrO_2 coatings on stainless steel.—74-08222A
Ion-beam-induced densification of sol-gel ceramic thin films.—74-04720A
Ionic conductivity of tetragonal- and cubic-ZrO_2 doped with In_2O_3.—74-01527A
Isothermal martensitic transformation in ZrO_2 ceramics.—74-01403A
Joining of zirconia ceramic to stainless steel and to itself using $Ag_{57}Cu_{38}Ti_5$ filler metal.—74-05639A
Light-transmissive polycrystalline alumina ceramics.—74-03990P
Load dependence of hardness in sintered submicrometer Al_2O_3 and ZrO_2.—74-05373A
Low expansion Al_2O_3-ZrO_2 composite synthesized from *m*-ZrO_2 and Al_2O_3 ultrafines.—74-03945A
Low-temperature synthesis and characterization of crystalline zirconium titanate powder.—74-07373A
Martensitic transformation in deoxidized ceria-zirconia ceramics.—74-01407A
Mechanical and dielectric loss measurements in Y_2O_3-ZrO_2 and TiO_2-Y_2O_3-ZrO_2 ceramics.—74-01949A
Mechanical properties of alumina–zirconia–silver composites.—74-05375A
Mechanical properties of alumina-metal-zirconia composites.—74-07900A
Mechanical properties of the system Al_2O_3-ZrO_2-TiN.—74-02171A
Mechanical properties of ZrO_2+12% CeO_2 ceramics with additives of CaO, Y_2O_3, and Nb_2O_5.—74-05378A
Mechanism of cubic phase stabilization in ZrO_2.—74-04161A
Melt extraction and properties of ZrO_2–Al_2O_3-based fibers.—74-10448A
Metal with ceramic coating and method—74-00170P
Metallic oxides—74-01260P
Metallorganic and microwave processing of eutectic alumina-zirconia ceramics.—74-10449A
Method for producing ceramic-based electronic components—74-00411P
Method of producing a ceramic shape and that ceramic shape.—74-08652P
Method of surface strengthening alumina-zirconia composites using MoO_2.—74-01263P
Methods for preparing fine powders based on zirconium dioxide.—74-01796A
Microscopic observations of the abrasive wear of zirconia ceramics.—74-02016A
Microstructural and electrical study of ZrO_2-Y_2O_3-TiO_2 at different sintering temperatures.—74-04752A
Microstructure of layered zirconia/alumina composites.—74-07693A
Microwave sintering of continuous zirconia ceramic fibers.—74-10468A
Microwave sintering of nanocrystalline ZrO_2 powders.—74-10470A
Microwave sintering of zirconia-toughened mullite (ZTM).—74-10471A
Microwave sintering of ZrO_2-12 mol% CeO_2.—74-01801A
Mixed conduction and oxygen permeation of ZrO_2-$Tb_2O_{3.5}$-Y_2O_3 solid solutions.—74-00511A
Mixed conduction in zirconia-based solid solutions.—74-02851A
Modeling the growth kinetics of sputter-deposited nanocrystalline zirconia films.—74-04759A
Modification of α-Al_2O_3 platelet/ZrO_2 matrix interface by epitaxial growth of ß″-Al_2O_3 on the α-Al_2O_3.—74-04760A
Morphology of very thin layers made by electrochemical vapor deposition at low temperatures.—74-01809A
Mullite and alumina/yttria-zirconia composites as solid electrolytes.—74-03966A
Multiphase electrodispersion precipitation of zirconia powders.—74-10486A
New methods of ZrO_2 powder processing.—74-04776A
Novel characterization of phases in zirconia-based ceramics: ^{91}Zr NMR.—74-01416A
Nucleation in stress-induced tetragonal-monoclinic transformation of constrained zirconia.—74-01417A
Observation of in situ reduction and oxygen transport in zirconia-tantala ceramic alloys.—74-01952A
Optimization of electrical conductivity and fracture toughness in Y_2O_3-stabilized ZrO_2 through microstructural designs.—74-10857A
Optimization of zirconia coatings produced by thermal plasma spraying.—74-08249A
Particulate solids for catalyst supports and heat transfer materials.—74-09946P
Perturbed-angular-correlation study of zirconias produced by the sol-gel method.—74-04174A
Phase and microstructure evolution in alkoxide-derived mullite/MgO partially stabilized zirconia.—74-05218A
Phase composition and mechanical properties of zirconium dioxide-based ceramic obtained by high-temperature sintering in a vacuum.—74-02187A
Phase diagram calculations for ZrO_2-based ceramics: thermodynamic regularities in zirconate formation and solubilities of transition metal oxides.—74-01425A
Phase equilibria in the system ZrO_2-HfO_2.—74-01430A
Phase relations and conductivity in ZrO_2-Sc_2O_3-La_2O_3 system.—74-08764A
Phase relations in the systems ZrO_2(HfO_2)-Nb_2O_5 [at 900–1350°C].—74-01435A
Phase structure characteristics of rf reactively sputtered zirconia thin film.—74-07102A
Phase transformation and interface structure of nanocrystalline ZrO_2.—74-01436A
Physical and mechanical characteristics of zirconia refractories and their resistance to attack by molten metals.—74-00396A
Polymer gel fiber of alkali-resistant zirconia system for GRC.—74-08386A
Porous three-dimensional inorganic oxide structure with myriad cavities interconnected by holes.—74-03998P
Possibility of spinodal decomposition in ZrO_2-Y_2O_3 alloys: a theoretical investigation.—74-07105A
Powder preparation and sintering of grain growth controlled Cr_2O_3-ZrO_2 composites.—74-10541A
Preparation and characterization of catalytic zirconia with temperature-resistant surface area.—74-07420A
Preparation and characterization of sol-gel-derived zirconia coatings.—74-01844A
Preparation of MgO dispersed with ZrO_2 by hydrolysis of zirconium butoxide.—74-01849A
Preparation of monodisperse and spherical zirconia powders by heating of alcohol-aqueous salt solutions.—74-10564A
Preparation of monodisperse ZrO_2 by the microwave heating of zirconyl chloride solutions.—74-04825A
Preparation of powders for zirconia ceramics from aqueous solutions of fluorides.—74-07435A
Preparation of stabilized zirconia using a mixture of rare-earth oxides as dopant.—74-10571A
Preparation of stable t′-zirconia.—74-07437A
Processing and mechanical response of fiber-reinforced ceramic composites for high-temperature applications.—74-08255A
Processing of nanostructured zirconia ceramics.—74-07450A
Processing of SiO_2-ZrO_2 composites as precursors of nitrides by carbothermal reduction.—74-04841A
Processing of the alumina-zirconia composite and its mechanical properties.—74-07721A
Production and characterization of novel ceria-stabilized zirconia ceramics.—74-04845A
Production of alumina/zirconia laminated composites by coextrusion.—74-10592A
Production of nanocrystalline ZrO_2 and Pd composites by oxidation of an amorphous $Zr_{65}Pd_{35}$ alloy.—74-05653A
Production of oxide ceramics with a regular structure.—74-01239A
Properties of laser pulse deposited oxide films.—74-03970A
Raman spectroscopic studies on the formation mechanism of hydrous-zirconia fine particles.—74-01447A

Raw powders for high-strength, high-toughness zirconia.—74-10601A
Recent developments in oxide conductors and their applications[—review].—74-06995A
Recent progress in zirconia-based fuel cells for power generation.—74-00527A
Refractory zirconia mortar.—74-02802P
Relation between flexural strength and phase transformation in ground tetragonal zirconia.—74-02190A
Research on Fourier transform infrared photoacoustic spectroscopy (FTIR-PAS) spectra of nanocrystal ZrO_2.—74-10877A
Residual stress and crack propagation in laminated composites.—74-11074A
Residual stresses in alumina/ceria-stabilized zirconia composites.—74-07911A
Resistance to crack propagation in an Al_2O_3/ZrO_2 ceramic.—74-02192A
Retention behavior of carbon in sol-gel-derived ZrO_2 studied by Fourier transform infrared spectroscopy.—74-10611A
Reticulated ceramic products.—74-09839P
Role of mechanochemical activation in the evolution of the structure and properties of reaction-bonded ceramics based on mullite and zirconium dioxide.—74-03972A
Routes to deagglomerated nanopowder by chemical synthesis.—74-10616A
Science and technology in composite materials—transformation toughening.—74-09799A
Simulator test of artificial joints.—74-03869A
Sinter forging of zirconia-toughened alumina.—74-07480A
Sintering and evolution of porosity in compacts obtained from $ZrO_2(Y_2O_3)$ powders under pressure of 6 GPa.—74-01883A
Sintering of ZrO_2-CeO_2 spherical powders prepared by a water extraction variant of the sol-gel process.—74-01889A
Sintering ZrO_2/TiC composites with TiH_2: the role of transient liquid phase and of substoichiometry.—74-10637A
SOFC [solid oxide fuel cell] design requirements for planar zirconia electrolyte components.—74-00533A
Sol-gel synthesis of crystalline ZrO_2 with partial replacement of zirconium by Al, Nb, Si, and Ta.—74-07115A
Solid oxide fuel cell with a thin stabilized zirconia film supported on an electrode substrate.—74-00534A
Solid oxide fuel cells [SOFC]: materials, fabrication processes, and development trends.—74-00535A
Spacecraft ceramic protective shield.—74-09962P
Spray drying of hydrated zirconia slurries: a laboratory study.—74-10650A
State of mixed atoms of iron and tin in zirconia-containing fluorophosphate glasses according to data from Mossbauer spectroscopy.—74-00222A
Strong ceramic based on aluminum oxide and zirconium dioxide.—74-03973A
Structural and mechanical changes of zirconia and zirconia composites after aging.—74-07920A
Structure of rapidly quenched zircon melts.—74-02053A
Structure of zirconia prepared by homogeneous precipitation.—74-10035A
Structure-diffraction analysis of nanometer-sized polycrystals.—74-07761A
Studies of the air plasma spraying of zirconia powder.—74-10654A
Study on improvement of thermal shock resistance of corundum refractory materials.—74-08637A
Study on the honing of zirconia ceramics by diamond abrasive sticks.—74-06728A
Subcritical crack growth in ceramics with *R*-curve behavior.—74-07922A
Surface precipitation route for the development of cordierite-zirconia composites.—74-04932A
TEM studies of alumina chopped fiber/partially stabilized zirconia composites.—74-10899A
Tetragonal-monoclinic phase transition enthalpy and temperature of ZrO_2-CeO_2 solid solutions.—74-07134A
Tetragonal-monoclinic transformations of zirconia studied by small angle neutron scattering and differential thermal analysis.—74-01476A
Thermal conduction behavior of $(Ca,X)Zr_4(PO_4)_6$ ceramic (X=Li, Mg, Zr).—74-10169A
Thermal shock behavior of aluminum-titanate-based materials.—74-06446A
Thermogravimetric study of the 800°C reaction of zirconia stabilizing oxides with SO_3-$NaVO_3$.—74-02095A
Thermomechanical properties and microstructure of alumina-zirconia.—74-07930A
Titanium carbide/nitride-zirconium oxide-based high-toughness ceramics.—74-09843P
Transfer function analysis to FIT impedance spectra: application to zirconia solid electrolytes.—74-02865A
Tribological characteristics of zirconia-yttria ceramics.—74-07933A
Unlubricated sliding wear mechanism of fine ceramics Al_2O_3 and ZrO_2 against high chromium cast iron.—74-02402A
Use of alumina and zirconia in surgical implants.—74-07008A
Use of ZrO_2 phase transformation in increasing fracture toughness of ceramics[—review].—74-07934A
Young's modulus of thin ZrO_2 films obtained by the sol-gel method.—74-05400A
Yttria-zirconia slurries and mold facecoats for casting reactive metals.—74-08655P
Zirconia ceramic articles having a tetragonal core and cubic casing.—74-04008P
Zirconia ceramics and a process of producing the same—74-01278P
Zirconia coating by LPCVD from zirconium tetraacetylacetonate.—74-04985A
Zirconia gels in concentrated NaOH.—74-01931A
Zirconia graphite slide gate plates—74-00418P
Zirconia matrix composites for tribological applications.—74-07030A
Zirconia powders produced by emulsion techniques.—74-04986A
Zirconia-based composites.—74-07553A
Zirconia-based oxide ion conductors in solid oxide fuel cells.—74-00539A
Zirconia-coated alumina fibers as a reinforcement for alumina.—74-04987A
Zirconium oxide and nitride coated endoprostheses for tissue protection.—74-02428P
Zirconium oxide ceramics for surfaces exposed to high temperature water oxidation environments.—74-04009P

zirconia-toughened alumina (ZTA),
Ceramic material evaluation in roller follower tests.—74-09768A
Effect of granule morphology on the strength and Weibull modulus of ZTA made from spray-dried powders.—74-02125A
Effect of TiN and SiC on the mechanical properties of ZTA ceramics.—74-07867A
Flank wear mechanisms of zirconia-toughened alumina cutting tools during machining of steel.—74-02143A
Improvement of mechanical properties of zirconia-toughened alumina in presence of $SrAl_{12}O_{19}$.—74-07890A
Microstructures and densification behaviors of Al_2O_3-ZrO_2 (ZTA) composites fabricated by a surface-induced coating.—74-04362A
Role of powder homogenization techniques in the fabrication of zirconia-toughened alumina.—74-01242A
Sinter forging as a tool for improving the microstructure and mechanical properties of zirconia-toughened alumina.—74-01882A
Zirconia-toughened alumina (ZTA) materials with oriented properties.—74-07794A

zirconia: partially stabilized (PSZ),
At-temperature neutron diffraction investigation of the aging process in magnesia-partially-stabilized zirconia.—74-04095A
Crack-tip degradation processes observed during in situ cyclic fatigue of partially stabilized zirconia.—74-10955A
Dependence of the phase content and orientation on the high-temperature mechanical properties of yttria partially stabilized single crystals.—74-07857A
Effect of low-temperature aqueous environments on magnesia partially stabilized zirconia (Mg-PSZ).—74-01374A
Effect of microstructure on the plastic deformation of Mg-PSZ.—74-01509A
Effect of PSZ on strength of dental porcelain.—74-06968A
Fatigue crack growth from small surface cracks in transformation-toughened ceramics.—74-05353A
Friction and wear properties of partially stabilized zirconia with solid lubricant.—74-02150A
Further observations of an orthorhombic zirconia in magnesia-partially stabilized zirconia.—74-01387A
Hertzian contact damage in magnesia-partially stabilized zirconia.—74-05362A
High-resolution transmission electron microscopy of transformed magnesia partially-stabilized-zirconia precipitates.—74-10813A
High-temperature precipitation hardening of Y_2O_3 partially stabilized ZrO_2 (Y-PSZ) single crystals: II, A quantitative model for the hardening.—74-02155A
Line broadening and Rietveld analysis of 5Y-PSZ nanocrystalline powder samples.—74-05179A
Microstructural development in physical vapor deposited partially stabilized zirconia thermal barrier coatings.—74-07382A
Microstructural development of coherent tetragonal precipitates in magnesium-partially stabilized zirconia: a computer simulation.—74-05189A
Microstructure-crack resistance-fatigue correlations in eutectoid-aged Mg-PSZ.—74-02176A
Phase and chemical changes in sintering partially stabilized zirconia.—74-04176A
Phase stability of fine-grained (Mg,Y)-PSZ.—74-07182A
Potentially strong and tough ZrO_2-based ceramic composites ≥1300°C by electrophoretic deposition.—74-01840A
Preparation and characterization of fine-grained (Mg,Y)-PSZ ceramics with spinel additions.—74-01238A
Review of the mechanics and mechanisms of cyclic fatigue-crack propagation in transformation-toughened zirconia ceramics.—74-02193A
Science and technology of composite materials—thermal stress and thermal shock resistance.—74-11086A
Sintered body of alumina and partially stabilized zirconia, a process for making the same and a method of preparing a powder for sintering—74-01271P
Sintering behavior of MgO partially stabilized zirconia (PSZ) ultrafine powder.—74-10634A
Stability of tetragonal precipitates in Y_2O_3 partially stabilized ZrO_2 single crystals.—74-01461A
Stable crack growth in ceramics at ambient and elevated temperatures.—74-11091A
Stress-induced tetragonal→orthorhombic transformation in Mg-PSZ.—74-01463A
Studies on MgO-stabilized zirconia thin films in the uv-visible region.—74-07190A
Study of deposition process and characterization of yttria PSZ films.—74-04922A
Toughness in Y-PSZ ceramics at high temperature.—74-06826A
Transformation toughening and fracture behavior of molybdenum disilicide composites reinforced with partially stabilized zirconia.—74-07932A

zirconia: tetragonal polycrystals (TZP),
Amperometric tetragonal zirconia sensors.—74-00567A
Ceria-TZP with intergranular alumina.—74-01222A
Characterization of H_2O-aged TZP by elastic recoil detection analysis (ERDA).—74-01347A
Correlation between the powder structure and the microstructure of tetragonal ZrO_2 ceramics.—74-04529A
Cr_2O_3 particulate reinforced Y-TZP ceramics with high fracture toughness and strength.—74-02108A
Crack resistance and fatigue limits of structural ceramics.—74-02109A
Creep of platelet-reinforced oxide ceramics.—74-07852A
Cyclic fatigue crack propagation behavior of 9 [mol%] Ce-TZP ceramics with different grain size.—74-02118A
Cyclic fatigue of Ce-TZP/Al_2O_3 composites: role of the degradation of transformation zone shielding.—74-05319A
Deformation bands in ceria-stabilized tetragonal/zirconia/alumina: I, Measurement of internal stress.—74-05332A
Deformation bands in ceria-stabilized tetragonal/zirconia/alumina: II, Stress-induced aging at room temperature.—74-05333A
Degradation of Y-TZP in moist environments.—74-01366A
Densification behavior and microstructural features of 3Y-TZP with and without additives.—74-01658A
Development and application of ZrO_2 breaking ring for wire concast.—74-09776A
Effect of stress on trapped cracks in Y-TZP.—74-02127A
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media[—comment].—74-10324A
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media[—reply].—74-10325A
Fracture strength and dynamic elastic modulus of Ce- and Er-TZP at low temperature.—74-11007A
Grinding of transformation toughening ceria-stabilized tetragonal zirconia polycrystals.—74-06704A
Ionic and electronic conductivity of TiO_2-Y_2O_3-stabilized tetragonal zirconia polycrystals.—74-00498A
J_R-Δa curves of 9 mol% Ce-TZP ceramics with different grain size and specimen geometry.—74-02159A
Low-temperature sinter forging of nanostructured Y-TZP.—74-01788A
Metal-ceramic interfaces: sources and sinks for mass transfer.—74-08236A
Oxide high-performance ceramics for tribological applications.—74-01237A
Phase composition of Ce-TZP/Al_2O_3 composite ceramics.—74-07097A
Repeated point contact loading on Ce-TZP.—74-11073A
Scratch experiments on ceria-stabilized tetragonal zirconia.—74-02197A
Sintering and microstructure of Ce-TZP/Al_2O_3 ceramic composite.—74-10884A
Sintering of large TZP components.—74-01886A
Subcritical crack growth and *R*-curve behavior in Al_2O_3-toughened Y-TZP.—74-02209A
TZP's in the TiO_2-Y_2O_3-ZrO_2 system.—74-01484A

zirconia: yttria stabilized (YSZ),
Alkoxy-derived Y_2O_3-stabilized ZrO thin films.—74-05919A
Atomic defects in yttria-stabilized and calcia-stabilized zirconia determined by mechanical loss measurements.—74-01934A
CeO_2/YSZ and $SrTiO_3$/YSZ double buffer layers deposited on Si(100) by laser ablation.—74-09241A
Characteristics and modeling of a solid-state hydrogen sensor.—74-05922A
Characterization of Y_2O_3-stabilized ZrO_2 thin films by plasma-enhanced metallorganic chemical vapor deposition.—74-01630A
Chemical compatibility between strontium-doped lanthanum manganite and yttria-stabilized zirconia.—74-02824A
Composition for extracting oxygen from fluid streams.—74-09816P
Control of Y_2O_3-stabilized ZrO_2 thin film orientation by modified bias sputtering.—74-00791A
Corrosion of stabilized zirconia with alkali metal carbonates.—74-02073A
Crack deflection in ceramic/ceramic laminates with strong interfaces.—74-05328A
Defect formation during plastic deformation of Y_2O_3 partially stabilized ZrO_2 single crystals.—74-04997A
Deoxidation of molten metals by short-circuiting yttria-stabilized zirconia electrolyte cell.—74-05928A
Deposition of YSZ on porous ceramics by modified CVD.—74-01667A
Direct electrochemical conversion of carbon to electrical energy in a high-temperature fuel cell.—74-00478A
Effects of anode material and fuel on anodic reaction of solid oxide fuel cells.—74-00482A
Effects of yttria-stabilized zirconia on transformation toughening of molybdenum disilicide composites.—74-10983A
Electrochemistry vapor deposition of YSZ coatings on graphite.—74-04605A
Electron paramagnetic resonance of titanium impurities in reduced yttria-stabilized zirconia.—74-05010A
Enhancement of mechanical performance in YSZ solid electrolytes by using fine-dispersed alumina particles.—74-06972A
Environmental durability of mullite coating/SiC and mullite-YSZ coating/SiC systems.—74-10912A
Fabrication of biaxially oriented YBCO on (001) biaxially oriented yttria-stabilized zirconia on polycrystalline substrates.—74-09271A
Failure mechanisms of a zirconia-8wt% yttria thermal barrier coating.—74-04317A
Fracture toughness of Al_2O_3-particle-dispersed Y_2O_3-partially stabilized zirconia.—74-05357A
Grain growth of zirconia during annealing in the cubic/tetragonal two-phase region.—74-07081A
Growth of electrochemical vapor deposited YSZ films.—74-01749A
Heteroepitaxial Si-ZrO_2-Si by MOCVD.—74-07336A
Hydrothermal synthesis and properties of yttria fully stabilized zirconia powders.—74-01757A
In-plane lattice constant relaxation during laser ablation of YBCO and yttria-stabilized zirconia.—74-04695A

Lead magnesium niobate actuator for micropositioning.—74-03360P
Liquid Mn sintering of plasma-sprayed zirconia-yttria coatings.—74-07370A
Lowering the air-electrode interfacial resistance in medium-temperature solid oxide fuel cells.—74-00505A
Luminescence of anion vacancies and dopant-vacancy associates in stabilized zirconia.—74-01531A
Luminescence of polycrystalline cubic and tetragonal yttria-stabilized zirconia.—74-10116A
Luminescence of YSZ crystals.—74-06189A
Material for the metal components of high-temperature fuel cell systems.—74-08800P
Mechanical and microstructural aspects of the high-temperature plastic deformation of yttria-stabilized zirconia polycrystals.—74-11040A
Mechanical behavior of strengthened Al_2O_3 and ZrO_2 ceramics with a high content of TiC.—74-02169A
Microstructural evolution in spherical zirconia-yttria powders.—74-01798A
Microstructure and oxidation-resistant property of sol-gel-derived ZrO_2-Y_2O_3 films prepared on austenitic stainless steel substrates.—74-02384A
Mimicking nature's ceramic/ceramic laminar composites by electrophoretic deposition.—74-10474A
Molecular dynamics studies of yttria-stabilized zirconia: II. Microscopic mechanism of oxygen diffusion.—74-07577A
More versatile ceramic/metallic gas sensor.—74-06792A
Novel method for preparing nickel/YSZ cermet by a vapor-phase process.—74-02389A
Observations of transitions in creep behavior of a superplastic yttria-stabilized zirconia.—74-02181A
Oxidation mechanisms of mullite/ZrO_2/SiC-platelet composites.—74-10928A
Oxygen diffusion through silver cathodes for solid oxide fuel cells.—74-05042A
Phase diagram calculations for ZrO_2-based ceramics: thermodynamic regularities in zirconate formation and solubilities of transition metal oxides.—74-01425A
Plasma spraying of an indigenous yttria-stabilized zirconia powder prepared by the sol-gel technique.—74-10528A
Preparation of yttria-stabilized zirconia microtube by electrochemical vapor deposition.—74-08254A
Preparation on in-plane textured Y_2O_3-doped ZrO_2 thin film on polycrystalline metallic tape by modified bias sputtering.—74-00523A
Probe for measuring oxygen activity in molten glasses.—74-00689A
Processing of YSZ layers by electrochemical vapor deposition.—74-04842A
Processing, characterization, and compaction of Y-doped zirconia powders.—74-04843A
Production of fine metal and ceramic powders by the plasma melt and rapid solidification process.—74-06992A
Rate and mechanism of response of a zirconia oxygen sensor.—74-01096A
Reaction between alkaline-earth-metal-doped lanthanum chromite and yttria-stabilized zirconia.—74-00525A
Research on YSZ thin films prepared by plasma-CVD process.—74-07466A
Residual micro- and macrostresses in the plasma-sprayed zirconia-based TBC's.—74-07910A
Science and technology of composite materials: VIII.4, Surface reactions at electrodes in solid oxide fuel cells.—74-08771A
Segregation in single-crystal fully stabilized yttria-zirconia.—74-05244A
Silicon substrate having YSZ epitaxial barrier layer and an epitaxial superconducting layer.—74-03661P
Slip casting of Y_2O_3-stabilized ZrO_2.—74-01890A
Solid futures in fuel cells.—74-03930A
Solid state fuel cell and process for the production thereof—74-00560P
Stable growth of indentation cracks in yttria-stabilized zirconia.—74-07917A
Strain-tolerant ceramic coated seal.—74-02424P
Strength and crack resistance of zirconia crystals containing yttrium and terbium oxides.—74-02204A
Surface modification of zirconia-alumina composite ceramics.—74-10662A
Synthesis gas production from methane over an iron electrode in a solid electrolyte cell.—74-01903A
Transport properties of titania-doped YSZ.—74-02866A
Understanding and electrochemical control of $YBa_2Cu_3O_{7-x}$ thin-film epitaxy on yttrium-stabilized zirconia.—74-03614A

zirconia: yttria-stabilized tetragonal polycrystals (Y-TZP),
Aging studies of novel Y-TZPs.—74-07036A
Behavior of indentation cracks under monotonic loads in 3Y-TZP.—74-07839A
Characterization of crack propagation in Y-TZP.—74-07841A
Crack propagation behavior of Y-TZP ceramics.—74-07846A
Evaluation of tensile strength and fracture toughness of yttria-stabilized zirconia polycrystals with fracture surface analysis.—74-05350A
Fabrication by colloidal filtration of alumina platelet-reinforced 3Y-TZP—mechanical properties.—74-10991A
Functionally gradient ceramics by sequential slip casting.—74-07324A
Grain growth in yttria-doped tetragonal zirconia polycrystals (Y-TZP).—74-07656A
Grain size effect on creep behavior of 3Y-TZP.—74-07659A
High-temperature superplastic creep and internal friction of yttria-doped zirconia polycrystals.—74-02156A
Inhibition of low-temperature degradation of tetragonal zirconia ceramics—a review.—74-11031A
Low-temperature sinter forging of nanostructured Y-TZP and YCe-TZP.—74-01787A
Mechanical properties of SiC whisker/Y-TZP (containing alumina) composites.—74-11045A
Microstructural characterization of Y-PSZ (4 mol%) polycrystals by means of X-ray diffraction experiments.—74-07093A
Microstructure, flaw tolerance, and reliability of Ce-TZP and Y-TZP ceramics.—74-11056A
Reaction between $BaTiO_3$ ceramics and oxide setters.—74-10602A
Scanning acoustic microscopy of indentation damage in Y_2O_3-stabilized tetragonal zirconia.—74-11084A
Science and technology of composite materials—high-temperature mechanical properties—deformation and properties.—74-11085A
Structural and mechanical changes of zirconia and zirconia composites after aging.—74-07920A
Superplastic deformation of alumina platelet-reinforced Y-TZP.—74-07923A
Tensile and compressive plastic deformation at high temperatures of 4 mol% Y_2O_3-stabilized ZrO_2 polycrystals.—74-07925A

zirconium boride,
Preparation of zirconium boride powder.—74-10575A
Process and apparatus for producing a filter in the form of a monolithic honeycomb body.—74-03768P
Spraying of the brittle ceramic zirconium diboride by a wire explosion technique.—74-10652A
Zirconium diboride.—74-06944A
Zirconium-based composites for orthopedic applications.—74-07031A

zirconium carbide,
Formation and microstructure of carbon-containing oxide scales by oxidation of single crystals of zirconium carbide.—74-01993A
Method of production of a metallic composite material incorporating metal carbide particles dispersed therein—74-00177P
Preparation of SiC-ZrC composites by liquid-phase sintering.—74-07436A
Production of metal carbide articles.—74-09956P
Surface reactions of tetraneopentyl zirconium on zirconium carbide thin films.—74-04933A
Transition metal carbides for use as field emission cathodes.—74-03256A
Zirconium-based composites for orthopedic applications.—74-07031A

zirconium nitride,
Automotive window glass—74-00326P
Method of making copper-titanium nitride alloy—74-00174P
Nd_2O_3-doped SiAlON's with ZrO_2/ZrN additions formed by sintering and hot isostatic pressing.—74-04771A
Properties of TiN and ZrN thin films on silicon studied by low load indentation.—74-07909A
Zirconium oxide and nitride coated endoprostheses for tissue protection.—74-02428P

zirconium,
Acoustic effects on catalytic activities of Cu and Pd thin films combined with piezoelectric lead strontium zirconium titanate activated by low-frequency voltage.—74-03282A
$BaTi_{1-x}(Sn,Zr)_xO_3$ dielectric ceramics.—74-02822A
Ceramic composites based on lanthanum zirconium.—74-02364A
Compositional change and compositional fluctuation in $Pb(Zr,Ti)O_3$ containing excess PbO.—74-04110A
Dynamics of dendritic crystallization of an amorphous structure in the nickel-zirconium system.—74-01371A
Effects of hydrogen on the transition layers between diamond films and Zr,Hf substrates.—74-07283A
Effects of La_2O_3/ZrO_2 additives on microstructure and microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ ceramics.—74-02832A
Electrical resistivity of titanium diboride and zirconium diboride.—74-04304A
Low-pressure chemical vapor deposition of titanium and zirconium carbonitride thin films from $M(NEt_2)_4$ (M=Ti and Zr).—74-01782A
Mechanochemical synthesis of $ZrTiO_4$ precursor from inhomogeneous mixed gels.—74-10447A
Microstructure and humidity sensitivity of sintered $Zr(XPO_4)_2$-nH_2O (X=Li, Na, K, Rb, Cs).—74-05192A
Opacification in zirconium ceramic glazes used in single-fired wall tile manufacture.—74-08567A
$PbTiO_3$ and $PbZr_xTi_{1-x}O_3$ films—microstructure and properties.—74-10860A
$PbZrO_3$-$K_{0.5}Bi_{0.5}TiO_3$.—74-03330A
Processing, properties, and microstructure of Nicalon-reinforced zirconium phosphate composites.—74-09889A
Reactions of Ti and Zr with AlN and Al_2O_3.—74-08264A
Rheology and consolidation of aqueous suspensions with nanometer-sized $BaTi_{1-x}Zr_xO$ powders.—74-07469A
Role of donor and acceptor ions in the dielectric loss tangent of $(Zn_{0.8}Sn_{0.2})TiO_4$ dielectric resonator material.—74-02859A
Science and technology of composite materials: VIII.3, Highly active catalysts, 2) combination of functions—catalysts and electrolytes.—74-10618A
Self-consistent anisotropic approach for the simulation of plastic deformation and texture development of polycrystals: application to zirconium alloys.—74-02198A
Synthesis of the green zirconium silicate pigment.—74-05913A
TEM studies of the relaxor $(Pb_{0.7}Ba_{0.3})(Zr_{1-x}Ti_x)O_3$.—74-05287A
Ternary phase equilibria in the Zr-Si-C system.—74-04227A
Zirconium oxide and nitride coated endoprostheses for tissue protection.—74-02428P
Zirconium oxide makes for safer crystal.—74-02665A
Zirconium silicate brick and method for its production.—74-08656P
Zirconium-based composites for orthopedic applications.—74-07031A

Statement of Ownership

Ownership, Management, and Circulation Statement per 39 U.S. Code 3685 for Ceramic Abstracts as filed September 18, 1995 with the U.S. Postal service.

The Ceramic Abstracts is published irregularly by the American Ceramic Society, 735 Ceramic Place, Westerville, OH 43081. Publisher is W. Paul Holbrook; Society Publications Editor is John B. Wachtman; and Product Manager is Christine Schnitzer.

	Avg. each issue during previous 12 months	Actual no. of single issue nearest filing date
A. Total number of copies printed	2720	2721
B. Paid circulation		
1. Sales through dealers, carriers, etc.	410	410
2. Mail subscriptions	1595	1611
C. Total paid circulation	2005	2021
D. Free distribution by mail, carrier, or other means—samples, complimentary, and other free copies	10	2
E. Total distribution	2015	2023
F. Copies not distributed		
1. Office use, left over, unaccounted, spoiled after printing	705	698
2. Return from news agents	0	0
G. TOTAL	2720	2721

Abstracts citations from the following journals appear in the 1995 issues of *Ceramic Abstracts:*

Aberdeen's Concrete Construction
ACI Materials Journal
Acta Metallurgica et Materiala
Advances in Cement Research
Advanced Series in Ceramics
American Institute of Chemical Engineers Journal
American Ceramic Society Bulletin
American Laboratory (Fairfield, Connecticut)
Analytical Chemistry
Archaeometry
Archeomaterials

Beton i Zhelezobeton (Moscow)
Boli Yu Tangci
British Ceramic Transactions and Journal
Bulletin of the Institute of Chemical Research, Kyoto Univeristy
Bulletin of Materials Science (India)

Cahiers d'Informations Techniques/Revue de Metallurgie
Canadian Journal of Physics
Carbon
Carbon, Proceedings of the International Carbon Conference, 5th
Cement and Concrete Research
Cement-Wapno-Gips
Ceramics in Energy Applications, Proceedings of the Institute of Energy's International Conference on Ceramics in Energy
Applications
Ceramic Engineering and Science Proceedings
Ceramic Industries International
Ceramics Monthly
Ceramics—Silikaty
Ceramics Technology International
Ceramic Transactions
Ceramic World Review
CFI, Ceramic Forum International/Berichte der Deutschen Keramishen Gesellschaft
Chemical Engineering (New York)
Chemical Week
CHEMTECH
Chilton's & CS
CIM [Canadian Institute of Mining and Metallurgy] Bulletin
Ciments, Betons, Platres, Chaux
Clays and Clay Minerals
CMS Workshop Lectures
Composites Manufacturing
Composites (Guildford, UK)
Concrete International: Design & Construction
Concrete (London)
Condensed Matter News
Construction Specifier
Control of Interfaces in Metal and Ceramic Composites, Proceedings of a Symposium held in the TMS Annual Meeting
Cutting Tool Engineering

Diamond and Related Materials
Diwen Wuli Xuebao
Doklady Akademii Nauk

Epitoanyag
EPRI [Electric Power Research Institute] Journal
Europhysics Letters

Fine Ceramics Report
Fisika i Khimiya Stekla
Fizika Tverdogo Tela (Leningrad)

Geokhimiya
Glass
Glass and Ceramics (English Translation)
Glass Industry
Glass International
Glass Technology
Glastechnische Berichte
Glasteknisk Tidskrift
Guangxue Xuebao
Guisuanyan Jianzhu Zhipin
Guisuanyan Xuebao
Gypsum & Lime

Hesperia
High Performance Metal and Ceramic Matrix Composites, Proceedings of a Symposium held during the 1994 TMS Annual Meeting
Hydroxyapatite and Related Materials

IEE Proceedings, Part G: Circuits, Devices, and Systems
IEE Proceedings, Part H: Microwaves, Antennas, and Propagation
IEE Journal of Quantum Electronics
Industrie Ceramique (Paris)
Industrie Ceramique & Verriere
Industrial & Engineering Chemistry of Research
Industrial Heating
Industrial Laboratory (English Translation)
International Journal of Fracture
International SAMPE Technical Conference
InterCeram
Ironmaking and Steelmaking
Izvestiya Akademii Nauk, Seriya Khimicheskaya

Journal of the American Ceramic Society
Journal of the American Chemical Society
Journal of Applied Physics
Journal of the Chemical Society, Farady Transactions
Journal of Composite Materials
Journal of Composite Technology and Research
Journal of the Electrochemical Society
Journal of Electronic Materials
Journal of Engineering Materials and Technology
Journal of Field Archaeology
Journal of Geotechnical Engineering
Journal of Materials in Civil Engineering
Journal of Materials Engineering and Performance
Journal of Materials Processing Technology
Journal of Materials Science Letters
Journal of Materials Synthesis and Processing
Journal of the Mechanics and Physics of Solids
Journal of Non-Crystalline Solids
Journal of Physical Chemistry
Journal of Physics and Chemistry of Solids
Journal of the Physical Society of Japan
Journal of Physics: Condensed Matter
Journal de Physique I
Journal de Physique III
Journal of Sedimentary Petrology
Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films
Journal of Vacuum Science and Technology, B: Microelectronics Processing and Phenomena
JOM. The Journal of the Minerals, Metals, and Materials Society

Keramische Zeitschrift
Kristallografiya

Langmuir, The ACS Journal of Surfaces and Colloids
Lietuvos Fizikos Rinkinys
Low Temperature Physics (English Translation)

Machine Design
Magazine of Concrete Research
Masonry International
Materials & Design
Materials Engineering (Cleveland)
Materials Evaluation
Mateials at High Temperatures
Materials Letters
Materials Performance
Materials Research Bulletin
Materials Research Society Symposium Proceedings
Materials Science and Engineering B: Solid-State Materials for Advanced Technology
Materials Science & Engineering, R: Reports
Materials Science & Engineering, C: Biomimetic Materials, Sensors and Systems
Materials Science Forum
Materials Science Reports

Materials Science and Technology
Materials and Structures (Paris 1985-)
Materials Technology
MCJA, Midcontinental Journal of Archaeology
Mechanische Eigenschaften Keramischer Konstruktionswerkstoffe
Metally
Mitteilungen des Vereins Deutscher Emailfachleute
Molecular Crystals and Liquid Crystals
MRS Bulletin

Naihuo Cailiao
Nanostructure Materials
Nanotechnology (Bristol)
NASA Tech Briefs
NATO ASI Series, Series E: Applied Sciences
New Glass

Oak Ridge National Laboratory, [Report] ORNL/FMP (United States)
Ogneupory
Optics Communications
Osaka Kogyo Gijutsu Kenkyusho Kiho

Packaging Technology and Science
Physics and Chemistry of Glasses
Physical Review Letters
Powder Metallurgy International
Powder Metallurgy and Metal Ceramics (English Translation)
Powder Technology
Praktische Metallographie
Proceedings of the Annual Seminar of Glass and Ceramic Decorators
Proceedings—Institution of Civil Engineers, Structures and Buildings

Qualicer 94, World Congress on Ceramic Tile Quality

R&D (Cahners)
Refractories (English Translation)
Report of the Research Laboratory of Engineering Materials, Tokyo Institute of Technology
Review of Progress in Quantitative Nondestructive Evaluation
Revue Roumaine de Chimie
Rivista della Stazione Sperimentale del Vetro (Murano, Italy)

Scandinavian Journal of Metallurgy
Scientific American
Science and Technology of Zirconia V, [International Conference on the Science and Technology of Zirconia]
Semiconductors (English Translation)
Seramikkusu
Shinagawa Gihl
SIA, Surface and Interface Analysis
Silicates Industriels
Sklar a Keramik
Smart Materials and Structures
Solid State Communications
Soviet Journal of Glass Physics and Chemistry (English Translation)
Soviet Powder Metallurgy and Metal Ceramics (English Translation)
Special Publication - Clay Mineral Society
Sprechsaal. Interantional Ceramics & Glass Magazine
Steel Technology International
Steinzeug Information
Stroitel'nye Materialy
Studi e Ricerche-Politecnico di Milano
Superconductivity Science and Technology

Tanso
Taoci
Taoci (Gongcheng)
Taoci (Xianyan, Peoples Republic of China)
Taoci Yanjiu
Technical Physics (English Translation
The Glass(—Technology and Communication)
Thermal Spray Industrial Applications, Proceedings of the National Thermal Spray Conference
Thin Solid Films
Third Euro-Ceramics
Tile and Brich International
Transactions—Institution of Mining and Metallurgy, Section C
Tribology International
Tribology Transactions

Ukrainskii Khimicheskii Zhurnal (Russian Edition)

Verre (Paris)
Vitreous Enameller

Wear. An International Journal on the Science and Technology of Friction, Lubrication, and Wear
Welding Journal (Miami)
World Cement

Yoop Hakhoechi

Zairyo
Zeolites—The International Journal of Molecular Sieves
Zhurnal Analiticheskoi Khimii
Zhurnal Eksperimental'noi i Teoreticheskoi Fiziki
Zhurnal Neorganicheskoi Khimii
Zhurnal Prikladnoi (Leningrad)
Zhongguo Taoci
Zhuanwa
ZI, Ziegelindustrie International
ZKG International, Edition B

BOOKS REVIEWED

Application of NMR Spectroscopy to Cement Science.
Cements Research Progress 1993.
Ceramic Microstructures—Property Control and Processing.
Ceramic Processing and Sintering.
Ceramic Transactions, Volume 43: Ferroic Materials: Design, Preparation, and Characteristics.
Ceramic Transactions, Volume 44: Materials Processing and Design: Grain-Boundary-Controlled Properties of Fine Ceramics: II.
Ceramic Transactions, Volume 45: Environment and Waste Management Issues in the Ceramic Industry: II.
Ceramic Transactions, Volume 46: Advances in Ceramic Matrix Composites: II.
Ceramic Transactions, Volume 48: Bioceramics: Materials and Applications.
Ceramic Transactions, Volume 49: Manufacture of Ceramic Components.
Ceramic Transactions, Volume 50: Design for Manufacturability of Ceramic Components.
Ceramic Transactions, Volume 51: Ceramic Processing and Technology.
Ceramic Transactions, Volume 52: Low-Expansion Materials.
Ceramic Transactions, Volume 53: Materials and Processes for Wireless Communications.
Ceramics Transactions, Volume 47: Magnetic Materials.
Characterization and Performance of Calcium Phosphate Coatings for Implants.
Chemical Processing of Ceramics.
Corrosion of Advanced Ceramics: Measurement and Modeling.
Corrosion of Ceramics.
Current Japanese Materials Research, Volume 14: Cyclic Fatigue in Ceramics.
Fractography of Glass.
Fracture Mechanics & Structural Concrete (Concrete Design & Construction Series).
High Temperature Mechanical Behavior of Ceramic Composites.
Materials Research Society Symposium Proceedings, Volume 332: Determining Nanoscale Physical Properties of Materials by Microscopy and Spectroscopy.
Materials Research Society Symposium Proceedings, Volume 339: Diamond, SiC, and Nitride Wide Bandgap Semiconductors.
Materials Research Society Symposium Proceedings, Volume 348: Scintillator and Phosphor Materials.
Materials Research Society Symposium Proceedings, Volume 349: Novel Forms of Carbon II.
Materials Science Monographs 80: Structure and Properties of Ceramics.
Materials Science Monographs, 81: Science of Ceramic Interfaces II.
Materials Science of Concrete IV.
Optical Constants of Inorganic Glasses.
Phase Diagrams in Advanced Ceramics.
Phase Transformations and Ablation in Laser-Treated Solids.
Properties of Group III Nitrides.
Refractory Linings—Thermomechanical Design and Applications.
Scanning Probe Microscopy of Clay Minerals (CMS Workshop Lectures, Vol. 7).
Surface Phases on Silicon: Preparation, Structures, and Properties.
Thermal Analysis of Materials.
Transition Metal Oxides.